General Land Office • Original Field Notes

Book Number

472

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of
The subdivision lines and
Meanders of Township No 21
North of the Base line of
Range No 23 West of the
6 Principal Meridian
in the
State of Nebraska

Executed by
David V Stephenson
Deputy Surveyor

Commenced July 21st 1873
Completed July 26th 1873

List of Names

A List of the names of the Individuals
Employed to assist in running measur-
ing & marking the Lines and corners
of the Following Field notes of
Township 21 N Range 23 West 6 PM
Showing the respective capacities in
which they acted.

Wm J Gardner Chainman
Doug Cass Connor Chainman
Alonzo G Randall Axeman & Moundman
Alfred C Tuera Flagman

Index Diagram to T 21 N R 23 W 6 PM

6	63	5	46	47	4	34	35	3	22	2	11	1
62		61		45		33		21		10
7	60	8	44	9	32	10	20	11	9	12
59		58		43		31		19		8
18	57	17	42	16	30	15	18	14	7	13
56		55		41		29		17		6
19	54	20	40	21	28	22	16	23	5	24
53		52		39		27		15		4
30	51	29	38	28	26	27	14	26	3	25
50		49		37		25		13		2
31	48	32	36	33	24	34	12	35	1	36

T. 21 N R 23 West 6 Pm

To Determine the proper adjustment of my compass for Subdividing this township I commence at the cor to Township 20 and 21 North Ranges 22 and 23 and run on a blank line along the E Boundary of Secs 36

Va 13°20' E

4007 To a point at 1/4 sec cor
8013 To a point at cor to Secs 25 and 36 I therefore find my compass to be in proper adjustment for subdividing this township

T 21 N R 23 West 6 Pm

From the Cor to Secs 35 and 36 on the South Boundary of the Township I Run.
North on a true line
Between Secs 35 and 36
Va 13°20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred Stake raise Mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep - for 1/4 Sec Cor.

80.00 Set Post 4 ft x 3 in □ 1 ft in ground deposit charred Stake Raise mound of Earth 3 ft high with pits 12 x 24 in 1 ft Deep for cor to Secs 25 26 35 and 36

Land Broken
Soil 2d rate

T 21 N R 22 West 6 PM

East on a random line
Between Secs 25 and 36
vw 13° 20' E

40.00 Set stake for temporary 1/4 Sec cor
79.85 Intersect the E Boundary of the
Township 20 links North of the
Cor to Secs 25 and 36 from
which cor a line
N 89° 51' West on a true line
Between Secs 25 and 36,
vw 13° 20' E
39.92½ Set ~~brass~~ 4 ft x 8 in □ 1 ft in
ground & deposit charred
Stake raise mound of Earth
3 ft high ~~from~~ pits 12 x 24 in
1 ft deep for 1/4 Sec cor
79.85 Cor to Secs 25 26 35 and 36

Land Rolling
Soil 2d rate

T 21 N R 22 West 6 PM

North Between Secs 25 and 26
vw 13° 20' E

26.30 Dry creek bears S E.
40.00 Set Post ~~4 ft~~ x 3 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 3 ft High from pits 12 x 24
in 1 ft deep for 1/4 Sec cor
80.00 Set Post 4 ft x 8 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 3 ft High from pits 12 x 24 in
1 ft deep for cor to Secs 23 24
25 and 26

Land Rolling
Soil 2d rate

T 21 N R 23 West 6 Pm

East on a random line
Between Secs 24 and 25
Vw 13°20' E

40.00 Set stake for temporary 1/4 sec cor
8018 Intersect the E Boundary of the Township 21 links N of the Cor to Secs 24 and 25 from which Cor I run
N 89°51' 48" West on a true line
Between Secs 24 and 25
Vw 13°20' E

4009 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
8018 Cor to Secs 23 24 25 and 26

Land Broken
Soil
2d rate

T 21 N R 23 West 6 Pm

North Between Secs 23 and 24
Vw 13°20' E.

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
80.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to Secs 13 14 23 and 24

Land Broken
Soil 3d rate

T 21 N R 23 West 6 Pm

East on a random line
Between Secs 13 and 24
Vw 13°20' E.

4000 Set Stake for temporary 1/4 sec cor
7980 Intersect the E. Boundary of
the Township 15 lks North of
the Cor to Secs 13 and 24
from which cor I run
N 89°54' West on a true
line Between Secs 13 and 24
Vw ~~13°25'~~ 13°20' E

3990 Set post 4 ft x 3 in □ 1 ft in
ground deposit charred
Stake raise mound of Earth
3 ft High from pits 12 x 24 in
1 ft Deep for 1/4 sec cor
7980 Cor to Secs 13 14 23 and 24

Land rolling
Soil 3d rate

T 21 N R 23 West 6 Pm

North Between Secs 13 & 14
Vw 13°20' E

4000 Set post 4 ft x 3 in □ 1 ft in
ground deposit charred Stake
raise mound of Earth 3 ft
High from pits 12 x 24 in 1 ft
deep for 1/4 Sec cor
8000 Set post 4 ft x 3 in □ 1 ft in
ground deposit charred Stake
raise mound of Earth 3 ft
high from pits 12 x 24 in 1 ft
deep for cor to Secs 11 12 13
and 14

Land rolling
Soil 3d rate

T 21 N R 23 West 6 PM

East on a random line
Between Secs 12 & 13
Va 13°20' E

40.00 Set stake for temporary 1/4
Sec cor

80.00 Intersect the E Boundary
of the township at the
Cor to Secs 12 and 13 from
which cor I run
West on a true line
Between Secs 12 and 13
Va 13°20' E

40.00 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charred
Stake raise mound of
Earth 3 ft high from pits
12 x 24 in 1 ft deep for 1/4
Sec cor

80.00 Cor to Secs 11 12 13
and 14

Land Rolling
Soil 3d rate

T 21 N R 23 West 6 PM

North Between Secs 11 and 12
Va 13°20' E

40.00 Set post 4 ft x 3 in □ 1 ft
~~deep~~. in ground deposit
Charred Stake raise mound
of Earth 3 ft high from
pits 12 x 24 in 1 ft deep
for 1/4 Sec cor

72.55 to the right Bank of Lake
river When I set post 4 ft
x 3 in □ 1 ft in ground deposit
Charred Stake raise mound
of Earth 3 ft high from
pits 12 x 24 in 1 ft deep for
Meander Cor to Secs 11 & 12

80.00 Set post 4 ft x 3 in □ 1 ft
in ground deposit Charred
Stake raise mound of Earth
3 ft high from pits 12 x 24
in 1 ft deep for Meander
& Secs Cor to Secs 12 11 & 12

Land Sandy Rolling
Soil 3d rate

T 21 N R 23 West 6 Pm

Earth on a random line
Between Secs 1 & 12
Vw 13° 20' E

40.00 Set stake for temporary 1/4 sec cor
7990 Intersect the East boundary of the township 14 lks north of the Cor to Secs 1 and 12 from which cor I run
N 89° 54' West on a true line Between Secs 1 and 12
Vw 13° 20' E.

3995 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
79.90 Cor to Secs 12 11 & 12

Land Sandy

Soil 3d rate

T 21 N R 23 West 6 Pm

North on random line Between
Secs 1 and 2
Vw 13° 20' E

40.00 Set stake for temporary 1/4 Sec Cor
80.40 Intersect the North Boundary of the township 120 lks west of the cor to Secs 1 & 2 from which cor I run
South 9 West on a true line Between
Secs 1 and 2
Vw 13° 20' E.

40.40 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
80.40 Cor to Secs 1 2 11 and 12

Land rolling
Soil sandy 3d rate

July 21st 1873

T 21 N R 23 West 6 PM

North Between Secs 34 & 35
on 1320 E.

40.00 Set Post 4 ft x 8 in □ 1 ft in ground Detroit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.00 Set post 4 ft x 8 in □ 1 ft in ground Detroit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for cor to Secs 26 27 34 & 35

Land rolling

Soil 3d rate

T 21 N R 23 West 6 PM

East on a random line
Between Secs 26 & 35
on 1320 E.

10.50 Dry creek bears N E

40.00 Set stake for temporary 1/4 sec cor

80.28 Intersect the N & S line 18 lks South of the cor to Secs 25 & 26 35 and 36 from which cor I run S. 89° 54' West on a true line
Between Secs 26 & 35
on 1320 E

40.14 Set Post 4 ft x 8 in □ 1 ft in ground Detroit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor

80.28 Cor to Secs 26 27 34 and 35

Land Sandy & rolling

Soil 3d rate

T 21 N R 23 West of the 6 Pttl

North Between Secs 26 & 27
Va 13°20' E

40,00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor

80,00 Set Post 4 ft x 3 in □ 1 ft in ground deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for cor to Secs 22 23 26 and 27

Land rolling

Soil 3d rate

T 21 N R 23 West of 6 Pttl

East on a random line
Between Secs. 23 and 26
Va 13°20' E

40,00 Set stake for temporary 1/4 sec cor

80,21 Intersect the N & S line 19 lks South of the cor to Secs 23 24 25 and 26 from which cor I run South 89°52' West on a true line Between Secs 23 and 26
Va 13°20' E

40,10½ Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor

80,21 Cor to Secs 22 23 26 and 27

Land Broken
Soil 3d rate

T 21 N R 23 West 6 P.M.

North between Secs 22 and 23
bw 13°20' E

40.00 Set post 4 ft x 8 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep. for 14 Sec Cor

80.00 Set post 4 ft x 8 in □ 1 ft in ground deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to Secs 14 15 22 and 23

Land rolling
Soil Sandy

T 21 N R 23 West 6 P.M.

East on a pond on line
Between Secs 14 and 23
bw 13°20' E

40.00 Set Stake for witness corner

80.36 intersect the N & S line 21 links S. of the cor to Secs 13 14 23 and 24 from which cor B. run
S 89° 51' West on a true line
Between Secs 14 and 23
bw 13°20' E

40.18 Set post 4 ft x 8 in □ 1 ft in ground Detroit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 14 Sec cor

80.36. Cor to Secs 14 15 22 and 23

Land Rolling
Soil Sandy

T 21 N R 23 West 6th P M

North between Secs 14 and 15
Va 13° 20' E

40.00 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft High from pits 12x24 in 1 ft Deep for 1/4 Sec cor

80.00 S Post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12x24 in 1 ft deep for cor to Secs. 10 11 14 and 15

Land Rolling

Soil 3d rate

T, 21, N, R, 23, West 6th P M

East on a random line between
Secs 11 and 14
Va 13° 20' E

40.00 Set Stake for temporary 1/4 sec cor

80.40 Intersect the N & S line 18 lks South of the cor to Secs 11 12 13 & 14 from which cor I run

" S 89° 52' West on a true line
Between Secs. 11 & 14
Va 13° 20' E

40.20 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12x24 in 1 ft deep for 1/4 Sec cor

80.40 Cor to Sec 10 11 14 and 15

Land Rolling

Soil 3d rate

T 21 North Range 23 West 6th PM

North Between Secs 10 and 11
bu 13°20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft deep for 74 Sec cor

80.00 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft deep for Cor to Secs 2, 3, 10 & 11

Land Rolling

Soil 3d rate

T 21 N R 23 West 6th PM

Each on a rand on line Between Secs 2 and 11
bu 13°20' E

40.00 Set Stake for temporary 74 sec cor

55.00 To the right Bank of Loup river where I set post 4 for temporary meander cor

80.20 Intersect the North and South line at the meander & Sec cor to secs 1, 2, 11 and 12 from which cor I run

West on a line line Between secs 2 & 11
bu 13 20

25.20 to the right bank of loup river where I set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high for meander cor ~~to secs~~

40.10 Set post 4 ft by 3 in □ 1 ft in ground deposit charred stake raise mound of earth 3 ft high from pits 12 x 24 1 ft deep for 74 Sec cor

80.20 Corner to secs 2, 3, 10 & 11

Land level Bottom

Soil sandy

3d rate

T 21 N R 23 West 6 PM

	North on a random line between Secs 2 and 3 on 13° 20' E
27.60	To Right - Bank of Loup river where I set temporary Meander Cor
37.60	To ~~Left~~ - Bank of Loup river where I set temporary Meander Cor
40.00	Set Stake for temporary 1/4 Sec cor
80.80	Intersect the N. Boundary of the Township 10 lks West of the cor to Secs 2 and 3 from which Cor bears
	South 4' West on a true line between Secs 2 and 3 on 13° 20' E
40.30	Set stake 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
42.70	to the left Bank of Loup River where I set stake 4 ft x 3 in □ 1 ft in ground

T 21 N R 23 West 6 PM

	deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for Meander Cor
52.70	to the right - Bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for meander Cor
80.30	Cor to Secs 2 3 10 & 11

Hand Rolling

Said 3rd rate

July 22nd 1873

T 21 N R 23 West 6th PM

North Between Secs 33 & 34
Var 13° 20' E

40,00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit Charred Stake raise
Mound of Earth 3 ft high from
Pits 12 x 24 in 1 ft in Deep
for 1/4 Sec cor

80,00 Set Stake 4 ft 4 x 3 in □ 1 ft
in ground. Deposit charred
Stake raise mound of Earth
3 ft high from pits 12 x 24 in
1 ft deep for cor to Secs 27
28 33 and 34

Land Rolling
Soil 3d rate

T 21 N R 23 West 6 PM

East on a random line
Between Secs 27 & 34
Var 13° 20' E.

40,00 Set Stake ~~for~~ temporary 1/4 sec cor
80,25 Intersect the N & S line 12 lks
South of the cor to Secs. 26 27
34 and 35 from which cor I run
South 89° 55' West on a true line
Between Secs 27 and 34
Var 13° 20' E

40 12½ Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred Stake raise mound
of Earth 3 ft high from Pits 12 x 24
in 1 ft deep for 1/4 Sec cor

80,25 Cor to Secs 27 28 33 and 34

Land rolling Sand Hills
Soil 3d rate

T 21 N R 23 West 6 PM

North Between Secs 27 & 28
On 13° 20' E

40.00 Set post 4 ft x 3 in 4 ft in ground Deposit Charcoal Stake mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor

80.00 Set post 4 ft x 3 in 2 ft in ground deposit Charcoal Stake mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for Cor to Secs 21 22 27 and 28

Land Rolling
Sand Hills
Soil 3d rate

T 21 N R 23 West 6 PM

Cash on a random line
Between Secs 22 and 27
On 13° 20' E

40.00 Set Stake for Temporary 1/4 Sec Cor

80.28 Intersect the N & S line to the South of the Cor to Secs 22 23 26 and 27 from which Cor Iron
South 89° 54' West on a true line Between Secs 22 and 27
On 13° 20' E

40.14 Set post 4 ft x 3 in 1 ft in ground Deposit Charcoal stake mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor

80.28 Cor to Secs 21 22 27 and 28

Land Broken
Soil 3d rate

T 21 N R 22 West of the 6th Pm

North Between Secs 21 & 22
Var 13° 20' E

40.00 Set Stake 4 ft x 3 in □ 1 ft
in ground Deposit charged
Stake raised mound of Earth
3 ft high from pits 12 x 24 in
1 ft deep for 1/4 Sec Cor
80.00 Set Stake 4 ft x 3 in □ 1 ft
in ground deposit charged
Stake raised mound of Earth
3 ft high from pits 12 x 24 in
1 ft deep for ~~1/4 Sec Cor~~ Cor
to Secs 15 16 21 and 22

Land Sandy and
rolling Soil & rocks

T 21 N R 22 West 6th Pm

East on a run down line
Between Secs 15 & 22
Var 13° 20 E

40.00 Set Stake for witness 1/4 Sec Cor
80.50 Intersect the N. and South line 8
chains North of Cor to Secs 14 15
22 and 23 from which cor I run
N 89° 57' West on a true line
Between Secs. 15 and 22
Var 13° 20 E.

40.25 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charged Stake
Raise Mound of Earth 3 ft
high from pits 12 x 24 in 1 ft
deep for 1/4 Sec Cor
80.50 Cor to Secs 15 16 21 and 22

Land Broken and Hills
Soil & rocks

T 21 North Range 23 West 6 PM

North Between Secs 15 & 16
Va 13°20' E

40.00 Set post 4 ft x 3 in x 1 ft in ground deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor

80.10 Set post 4 ft x 3 in □ 1 ft in Ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to Secs 9 10 15 & 16

Land Sand Hills

Soil 3d rate

Township 21 N R 23 West 6 PM

East on a random line Between Secs 10 and 15
Va 13°20' E

40.00 Set Stake for temporary 1/4 Sec Cor
80.20 Intersect the N. & S. line, at the Cor to Secs 10 11 14 and 15 from which Cor I run
West on a true line Between Secs 10 and 15
Va 13°20' E

40.10 Set post 4 ft x 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor
80.20 Cor to Secs 9 10 15 & 16

Land rolling & Sandy

Soil 3d rate

T 21 N R 23 West 6 PM.

North between Secs 9 and 10
Va 13° 20 E

40.00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft deep ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep - for cor to Secs 3, 4, 9, and 10

Land Sandy
Soil 3d rate

T 21 N R 23 West 6 PM.

East on a random line
Between Secs 3 and 10
Va 13° 20 E

40.00 Set stake for Quarter 1/4 sec cor

80.16 Set dissect the north & South line 12 lks North of the cor to Secs 2 3 10 & 11 from which cor I view

N 89° 55' West on a true line
Between Secs 3 and 10
Va 13° 20 E

40.08 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.16 Cor to Secs 3 4 9 & 10

Land rolling
Soil Sandy 3d rate
Soil

T 21 N R 23 West 6 PM

	North on a random line Between Secs 3 and 4 Var 13° 20' E
34.35	To the right bank of Lake river where I set temporary Meander Cor
40.00	to the left Bank of Lake river where I set temporary 1/4 & temporary Meander Corner
80.80	Intersect the N Boundary of the township 1½ lks E of the cor to Secs 2 and 3 from which Cor I ran S 5° E on a true line Between Secs 3 and 4 Var 13° 20' E
40.80	Set post 4 ft x 3 in □ 1 ft in ground deposit charcoal state rock mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for Meander Corner 1/4 Secs cor

49.45 34.35	to the right Bank of Lake river where I set post 4 ft x 3 in □ 1 ft in ground Deposit charcoal state rock mound Deposit charcoal state rock mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for Meander cor
80.80	Cor to Secs 3 4 9 and 10

Land rolling
Sandy
Land 3rd rate

July 23rd 1873

North between Secs 32 and 33
Va 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.00 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for [illegible] cor to Secs 28 29 32 & 33

Land Sandy
Soil 3d rate

East on a random line
Between Secs 28 and 33.
Va 13° 20' E

40.00 Set stake for temporary 1/4 Sec cor
80.31 Intersect the N and S line 20 links South of the cor to Secs 27 28 33 and 34 from which Cor I run
South 89° 51' West on a true line Between Secs 28 & 33
Va 13° 20' E.

40 15½ Set post 4 ft x 3 in 1 ft in ground deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.31 Cor to Secs 28 29 32 and 33.

Land rolling
And Sandy
Soil 3d rate

T 21 North range 23 West 6 PM

North between Secs 28 and 29
on 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft ~~deep~~ in ground Deposit charred stake raise mound of Earth 3 ft high from pits as per Instructions for a ¼ Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to Secs 20 21 28 and 29

Land Sandy D
3rd rate

T 21 North range 23 West 6 PM

Back on a random line
Between Secs 21 and 28
on 13° 20' E

40.00 Set stake for temporary ¼ sec cor

80.40 Intersect the north and South line 18 links South of the cor to Secs 21 22 27 and 28
from which cor I run
S 89° 52' West on true line
Between Secs 21 and 28
on 13° 20' E

40.20 Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for ¼ Sec cor

80.40 Cor to Secs 20 21 28 and 29

Land Rolling
Soil 3rd rate

T 21 N R 2 West 6 PM

North Between Secs 20 & 21
On 13° 20' E.

40.00 Set post 4 ft x 3 in 4 1 ft in ground deposit Charred stake cairn mound of Earth 3 ft High from pits 12 x 24 in 1 ft Deep for 1/4 sec cor

80.00 Set Post 4 ft x 3 in 4 1 ft in ground deposit Charred stake cairn mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for ~~1/4 sec~~ cor to Secs 16 17 20 and 21

Land rolling
Soil 2d rate

T 21 N R 2 West 6 PM

East on a random line
Between Secs 16 and 21
On 13° 20' E

40.00 Set stake for Quarter sec cor

80.15 Intersect the N & S line at the cor to Secs 15 16 21 & 22 from which cor I run West on a true line
Between Secs 16 and 21
On 13° 20' E

400 7½ Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake cairn mound of Earth 3 ft High from pits 12 x 24 in 1 ft deep for 1/4 sec cor

80.15 cor to Secs 16 17 20 and 21

Land rolling
Soil 2d rate

T 21 N R 23 West 6th PM

North Between Secs 16 & 17
Bw 13° 20' E

40.00 Set first 4 ft x 8 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor

80.00 Set first 4 ft x 8 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to Secs 8, 9, 16 & 17

Land rolling
Soil Good rate

T 21 N R 23 West 6th PM

East on a random line
Between Secs 9 & 16
Bw 13° 20' E

40.00 Set Stake for temporary 1/4 sec cor

80.00 Intersect the N & S line 23 chs South of the cor to Secs 9, 10, 15 & 16 from which Cor Bears
South 5.95 chs North on a true line between Secs 9 & 16
Bw 13° 20' E

40.00 Set first 4 ft x 3 in □ 1 ft in ground. Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 sec cor

80.00 Cor to Secs. 9, 10, 15 and 16

Land Sandy & rolling
Soil Good rate

T. 21 N. R. 23 West 6 P.M.

North Between Secs 8 and 9
Ov 13° 20' E.

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for Cor to Secs 4 5 8 and 9

Land Gently rolling

Sandy 3d rate Soil

T 21 N R 23 West 6 P.M.

East on a random line
Between Secs 4 and 9
Ov 13° 20 E

40.00 Set stake for temporary 1/4 sec cor

7975 Intersect the N & S line 50 lks South of the cor to Secs 3 4 9 & 10 from which cor I run South 89° 39' West on a true line Between Secs 4 and 9
Ov 13° 20 E

3987½ Set post 4 ft x 3 in □ 1 ft deep ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor

7975 Cor to Secs 4 5 8 and 9

Land rolling
~~Soil~~ Sandy
Soil 3 rate

T 21 N R 23 West 6 PM

	North on a random line Between Secs 4 and 5 Var 13° 20' E
2300	To the right-Bank of Lonk river where I set temporary meander Cor
3100	To the Left Bank of Lonk river where I set temporary Meander Cor
4000	Set Stake for temporary 1/4 Sec cor
8091	Intersect the N & S line at the Corner to Secs 4 and 5 from which Cor I run South in a true line Between Secs 4 and 5 Var 13° 20' E
4091	Set post 4 ft x 3 in a 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep - for 1/4 Sec cor
4990	To the left Bank of Lonk river where I set post 4 ft x 3 in a 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for meander cor

T 21 N R 23 West 6 PM

5791	To the Right-Bank of Lonk river where I set post 4 ft x 3 in a 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for meander cor
8091	Cor to Secs 4 5 8 & 9.

Land Rolling
Sandy Hills &
Soil 3 rate

T 21 N R 23 West 6 P M

North Between Secs 31 & 32
Va 13° 20' E

40,00 Set post 4 ft × 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 × 24 in 1 ft Deep for 1/4 Sec cor

80,00 Set post 4 ft × 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 × 24 in 1 ft Deep for Cor to Secs 29 30 31 & 32.

Land Sand Hills
Soil 3d rate

July 24th 1873

T 21 N R 23 West 6 P M

East on a round on line
Between Secs 29 and 32
Va 13° 20' E

40,00 Set stake for temporary 1/4 Sec cor
7950 Intersect the N & S line 15 lks S of the cor to Secs 28 29 32 and 33 from which cor I run
S 89° 54' West on a true line
Between Secs 29 and 32
Va 13° 20' E

3975 Set post 4 ft × 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 × 24 in 1 ft deep for 1/4 Sec cor
7950 Cor to Secs 29 30 31 and 32

Land rolling
Soil Sandy 3d rate

T 21 N R 23 West P.M.

	West on a random line Between Secs 30 and 31 bw 13° 20' E.
40.00	Set Stake for temporary 1/4 sec cor
80.15	Intersect the West Boundary of the Township at the cor to Secs 30 and 31 from which Cor ~~to Secs~~ bears ~~West~~ East on a true line Between Secs 30 & 31 bw 13° 20' E
40.15	Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec Cor
80.15	Cor to Secs 29 30 31 and 32

Land rolling & Sandy

Soil 3d rate

T 21 N R 23 West P.M.

	North between Secs 29 and 30 bw 13° 20' E
40.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 3 ft high from pits 12 x 24 1 ft deep for 1/4 Sec cor
80.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for Cor to Secs 19 20 29 and 30

Land Sand hills

Soil 3d rate

J 21 N R 23 West 6 PM.

East on a random line
Between Secs 20 and 29
Va 13° 20' E

40.00 Set Stake for temporary 1/4 sec cor
7988 Intersect the N & S line 9 lks
North of the cor to Secs 20 21
28 and 29 from which cor I run
N 89° 56' West on a true line
Between Secs 20 and 29
Va 13° 20' E

3994 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred state raise mound
of Earth 3 ft high from pits 12 x 24 in
1 ft Deep for 1/4 Sec cor
7988 Cor to Secs 19 20 29 & 30

Land Sandy
Soil 3d rate

J 21 N R 23 West 6 PM

West on a ~~true~~ Random line
Between Secs 19 and 30
Va 13° 20' E

40.00 Set Stake for temporary 1/4 sec cor
7991 Intersect the West boundary of the
township 37 lks South of the cor
to Secs 19 and 30 from which cor
I run
S 89° 44' East on a true line
Between Secs 19 and 30
Va 13° 20' E

3991 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred state raise mound
of Earth 3 ft high from pits 12 x 24 in
1 ft Deep for 1/4 Sec cor
7991 Cor to Secs 19 20 29 and 30

Land rolling Sandy
Soil 3d rate

T 21 N R 23 West 6 PM

North between Secs. 19 and 20
vw 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise
mound of Earth 3 ft high from
pits 12 x 24 in 1 ft deep for 1/4
Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charred stake
raise mound of Earth 3 ft
High from pits 12 x 24 in 1 ft
deep – for cor to Secs 17 18 19
and 20.

Land rolling & Sandy

Soil 3d rate

T 21 N R 23 West 6 PM

East on a random line
Between Secs 17 and 20
vw 13° 20' E

40.00 Set Stake for temporary 1/4 Sec cor
80.05 Intersect the N & S line 15 lks South
of the cor to Secs 16 17 20 and 21
from which cor I run
S 89° 54' West on a true line
Between Secs 17 and 20
vw 13° 20' E

40.02½ Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 3 ft high from pits 12 x 24 in
1 ft Deep – for 1/4 Sec cor
80.05 Cor to Secs ~~16~~ 17 ~~20~~ 18 19 & 20

Land Sandy 3d rate
Soil

T 21 N R 23 West 6 P.M.

West on a random line
Between Secs 18 and 19
Vw 13° 20' E

40.00 Set Stake for temporary 1/4
Sec cor

7958 Intersect the West boundary of the Towns Lip ~~line~~ 51 lks
South of the cor to Secs 18 & 19
from which Cor I. run:
South 89° 38' East on a true
line between Secs 18 and 19.
Vw 13° 20' E

39 ~~79~~ 58 Set post 4 ft x 3 in □ 1 ft in
ground Deposit Charred stake
raise mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep
for 1/4 Sec cor

7958 Cor to Secs 17 18 19 & 20

Land rolling
Soil 3d rate Sandy

T 21 North Range 23 West 6th P.M.

North Between Secs. 17 and 18
Vw 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 3 ft high from pits 12 x 24 in
1 ft deep - for 1/4 Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit Charred Stake raise mound
of Earth 3 ft high from pits 12 x 24 in
1 ft Deep - for cor to Secs 7 8 17
and 18.

Land Rolling & Sandy
Soil 3d rate

T 21 N R 23 West 6 PM

East on a random line
Between Secs 8 and 17
Va 13° 20' E

40,00 Set stake for temporary 1/4 sec cor
80,00 Intersect the W & S line 27 lks S.
of the cor to Secs 8, 9, 16 & 17
from which cor I run
S. 89° 48' West on a true line
Between Secs 8 and 17
Va 13° 20' E

40,00 Set post 4 ft x 3 in □ 1 ft in
ground deposit charred stake
raise mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep
for 1/4 Sec
80,00 Cor to Secs 7 8 17 & 18

Land rolling
and Sandy
Soil 3d rate

T 21 N R 23 West 6 PM

West on a random line
Between Secs 7 and 18
Va 13° 20 E

40,00 Set stake for temporary 1/4 sec cor
79,40 Intersect the West Boundary of
the Township 62 lks South of the
Cor to Secs 7 and 18 from which
Cor I run
S 89° 33' E on a true line
Between Secs 7 and 18
Va 13° 20' E

39,40 Set post 4 ft x 3 in □ 1 ft in
ground deposit charred stake
raise mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep for
1/4 Sec cor
79,40 Cor to Secs 7 8 17 and 18

Land rolling & Sandy
Soil 3d rate

T 21 N R 23 West 6th PM

North Between Secs 7 and 8
on 13° 20' E

40,00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit Channel Stake mine
Mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep
for 1/4 Sec.

80,00 Set post 4 ft x 3 in □ 1 ft in
ground deposit Channel stake
mine mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep
for Cor to Secs 5 6 7 8

Land rolling & Sandy
Soil 3d rate

T 21 N R 23 West 6 PM

East on a round and line
between Secs 5 and 8
on 13° 20' E

40,00 Set Stake for temporary 1/4 sec cor
80,10 Intersect the W & Sluice 48 lks
South of the Cor to Secs 4 5 8 9
from which Cor I run
S 89° 39' West on a true line
between Secs 5 and 8
on 13° 20' E

40,05 Set post 4 ft x 8 in □ 1 ft in ground
Deposit Channel Stake mine
mound of Earth 3 ft high from
pits 12 x 24 in 1 ft deep
for 1/4 Sec cor
80,10 Cor to Secs 5 6 7 8

Land rolling & Sandy
Soil 3d rate

T 21 N R 23 West 6 Prin

West on a random line Between
Secs 6 and 7
Var 13° 20' E

4000 Set stake for temporary 1/4 sec cor
7921 Intersect the West boundary of the
Township 75 lks South of the cor
to Secs 6 and 7 from which cor I run
S 89° 28' East on a true line
Between Secs 6 & 7 "
Var 13° 20' E

3921 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 3 ft high from pits 12 x
24 in 1 ft deep for 1/4 sec cor
7921 Cor to Secs 5 6 7 and 8

Land rolling
Soil 3d rate

T 21 N R 23 West 6 Prin

North on a random line Between Secs 5 & 6
Var 13° 20' E

3100 To the right bank of Lamb river where I
set temporary meander cor
3800 To the left bank of Lamb river where I set
temporary meander cor
4000 Set stake for temporary 1/4 sec cor
8088 Intersect the North boundary of the township 20
links West of the cor to Secs 5 and 6 from
which cor I run
S. 9' West, on a true line Between Secs 5 and 6
Var 13° 20' E.

4088 Set post 4 ft x 3 in □ 1 ft in ground deposit charred
stake raise mound of Earth 3 ft high from pits 12 x 24 in
1 ft deep for 1/4 sec cor
4288 To the right bank of Lamb river where I set post
4 ft x 3 in □ 1 ft in ground deposit charred stake
raise mound of Earth 3 ft high from pits 12 x 24 in
1 ft deep for meander cor
4988 To the right bank of Lamb river where I set
post 4 ft x 3 in □ 1 ft in ground deposit charred stake
raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft
deep for meander cor
8088 Cor to Secs 5 6 7 and 8
Land rolling & Sandy
Soil 3d rate
July 25th 1873

General Description

The land in this Township is Nearly all sand Hills Soil 3d rate the Lamp river Bottom contains a portion of land that perhaps will do for Cultivation. But the Balance is good for nothing But grazing. It is destitute of Water Except that portion through which the Lamp river passes and Wells would have to be sunk in order to procure water for stock

Meanders of the Lamp river in Township 21 N R 23 west 6 PM

Owing to the great amount of Brush and sloughs on right Bank of this river I Begin to meander on left Bank of Stream

Beging at meander cor on range line Between Secs 1 and 6. thence in Sec 6 Down Stream VA 13° 20 E

Courses	Chains	
N 61½ E	30.50	Willow Brush and Timber
N 69 E	16.45	
N 71° E	21.75	
N 85½ E	4.00	
N 81° E	14.00	High Banks willow Brush on right Bank
N		To meander Cor Bet Secs 5 & 6 Thence in Sec 5.
N 85½ E	6.70	
N 89 E	13.20	
N 87 E	30.50	
S 76½ E	25.15	
S 57 E	6.60	To meander cor Between Secs 4 & 5 thence in Sec 4
S 50 E	7.00	
S 82½ E	6.50	

Meanders in Township 21 N R 23 W 6 P.M.

Continued in Sec 4

Cours	Chains	
N 89° E	16 80	
N 72¼ E	10 40	
N 69 E	35,66	
S 60 E	4,00	
S 84 E	5,20	To meander, or cor Between Secs. 3 & 4 Thence in Sec 3.
S 85° E	10 50	Brush on right Bank
S 58° E	12,00	
S 87° E	10,25	Brush on right Bank
N 83° E	5,00	To meander between Secs 2 & 3 Thence in Sec 2
N 85° E	7,00	
S 66° E	26,00	
S 45° E	13,00	Willow on right Bank
S 63° E	19,00	
S 59½ E	12,00	
S 73¾ E	13,60	To meander, or sec Between Secs 1, 2, 11 & 12 thence in Sec 12
S 65° E	21,75	
S 28° E	9,00	
S 61° E	37,00	
S 60° E	27,50	To range line Between

Township 22 N R 23 W Willow Brush on left Bank

July 26th 1873

List of Names

A list of the Names of the Individuals Employed to assist in running measuring and marking the lines and Corners of the Foregoing Field Notes of Township 27 North of the Base line of Range No 23 West of the 6th Principal Meridian Showing the respective Characters in which they acted

Wm F Gardner	Chairman
Douglass Conner	Chairman
Alonzo G Randall	Axeman Moundman
Alfred C Fuess	Flagman

We hereby certify that we assisted David V Stephenson Deputy Surveyor in Subdividing and meandering Township No. 21 North of the Baseline Range No. 23 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and meandered and the Boundary monuments planted according to the instructions of the Surveyor General and in the manner as specifically described in the foregoing field notes

William F Gartner } Chainmen
Douglas Conner }
Alonzo G. Randall Moundman
Alfred E. Cuez Flagman
Compassman

Subscribed and sworn to before me a C. Clerk in and for Dawson Co Neb. by the above parties this 16th day of Aug. 1873

J H McColl
Co Clk Dawson Co. Neb

I David V Stephenson Deputy Surveyor

Do Solemnly Swear that in pursuance of a joint contract wherein James L Slocum and David V Stephenson are joint contractors with E. E. Cummings Surveyor General for the District of Iowa and Nebraska bearing date the 14 day of May 1873. I have faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed all those parts or portions of Township No 21 North of the Base line of range No 23 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions and I do further Solemnly Swear that all the corners of said Survey have been Established and perpetuated in strict accordance with the Surveying Manual printed instructions and special instructions of the Surveyor General of dimensions character construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

David V Stephenson
Deputy Surveyor

Subscribed and Sworn to by the said David V Stephenson Deputy Sur. before me a Notary Public within and for Cass Co. Neb. this 15th day of September AD 1873

Tho Pollock
Notary Public

Surveyor General's office

Plattsmouth Oct 27th 1873

The foregoing field Notes of the Survey of the Subdivision lines and meanders of Township No 21 North of Base line of range No 23 West of the 6 Principal Meridian in Nebraska Executed By David V Stephenson Deputy Surveyor under Joint Contract No 73 dated May 14th 1873 wherein David V Stephenson and James L Slocum are Joint Contractors, In the month of July 1873 having been critically Examined the Nessessary Corrections and Explanations made the said field Notes and the Surveys they describe are hereby Approved

E. E. Cunningham
Surveyor General

Field Notes
of
the Subdivision Lines
of
Township 22 North of the
Base line of range No 23,
West of the 6 P.M.,
in the
State of Nebraska
Executed By
David D Stephenson
Deputy Surveyor
Commenced July 28 1873
Completed Aug 1st 1873

List of names

A list of the names of the individuals
Employed to assist in running
Measuring and marking the lines
and corners of the following
Field Notes of Township 22 North range
No 23 West 6th P.M., showing the
respective capacities in which the
acted

Wm F Gardner	Chainman
Douglass Connor	Chainman
Alonzo G Randall	Mound man
Alfred E Fuers	Flagman

Town 22 Range 23W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township No 22 N Range No 23 West 6th P M

To determine the proper adjustment of my compass for Subdividing this Township I commence at the cor to townships 21 & 22 N Ranges 22 and 23 W and run on a Blank line along the E Boundary of Sec — 36

Var 13°25' E

40.10 To a point 7 lks East of the ¼ Sec cor

80.13 To a point ~~12~~ 12 lks East of the corner to Secs 25 and 36 to retrace this line or run parallel thereto my compass must be adjusted to a variation of 13°30' E

From the corner to Secs 35 & 36 on South Boundary of the Township

Chains

" L run

North between Secs 35 & 36

Va 13°30' E.

40.00 Set Post 4 x 3 □ x 1 ft in ground Deposit charred Stake & raised mound of Earth 3 ft high from Pits 12 x 24 x 1 ft deep as per instruction for ¼ Sec cor

80.00 Set Post 4 x 3 □ x 1 ft in ground deposit charred Stake raised mound of Earth 3 ft high from pits 12 x 24 x 1 ft deep as per Instruction for cor to Secs 25 & 26 35 & 36

Soil Sand Hills

Township No. 22 North Range No. 23 West of the 6th P.M.

Chains	
	East on a random line Between Secs. 25 & 36 Var 13° 30' E
40.00	Set Post for temporary 1/4 sec cor
80.00	Intersect East boundary of Township at cor to Secs. 25 & 36 From which cor S. 1 West on a true line between secs. 25 & 36 Var 13° 30' E
40.00	Set Post 4 x 3" □ x 1 ft in Ground deposit charcoal Stake raised mound of Earth 3 ft high from pits 12" x 24" x 1 ft deep as per Instruction for 1/4 sec cor
80.00	cor to Secs. 25 26 35 & 36

Soil Sand Hill 3rd rate

	North bet secs. 25 & 26 Var 13° 30' E
40.00	Set post 4" x 3" □ x 1 ft in the ground deposit charcoal Stake raised mound of Earth 3 ft high from pits 12" x 24" x 1 ft deep as per instructions for 1/4 sec cor
80.00	Set Post 4 x 3" □ x 1 ft in ground deposit charcoal Stake raised mound of Earth 3 ft high from pits 12" x 24" x 1 ft deep as per instruction for cor to Secs. 23, 24, 25 & 26

Land Sand Hills
Soil 3rd rate

Township No 22 North Range No 23 West of the 6th P M

Chains	
	East on a random line bet Secs 24 & 25 Var 13° 30' E
40.00	Set Post for temporary 1/4 Sec Cor
80.40	Intersect East Boundary of Township at cor to Secs 24 & 25 = from which cor I run west on a true bearing Secs 24 & 25 Var 13° 30' E
40.20	Set post 2 x 3 in x 4 ft - 1 ft in the ground deposit charred stake raised mound of earth 3 ft high from pits 12" x 24" x 12" inches deep for 1/4 Sec cor
80.40	cor to Secs 23 24 25 & 26
	Land Sand Hills

	North bet Secs 23 & 24 Var 13° 30' E
40.00	Set Post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 x 12 inches deep as per instruction for 1/4 Sec cor
80.00	Set post 4 ft by 3 inches □ 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12" x 24" x 12" inches deep as per Instruction for cor to Secs 13. 14. 23 & 24.
	Land Broken Sand Hills 3rd rate

Township No. 22 N Range No. 23 West of 6th P M

chains	
	East on a random line Between Secs. 13 & 24 Va 13°30' E
40.00	Set Post for temporary 1/4 Sec cor
80.43	Intersect East Boundary of Township 18 links South of cor to Secs. 13 & 24 = from which cor I run S 89°52' West on a true line bet. Secs. 13 and 24 Va 13°30' E
4021½	Set Post 2x3 inx 4 ft - 1 ft in ground deposit charred Stake raised mound of earth 3 ft high from pits 12" x 24" by 12" deep as per Instruction for 1/4 sec cor
8043	cor to Secs. 13 14 23 & 24
	Land Sand Hills Soil 3rd rate

chains	
	North between Secs. 13 & 14 Va 13°30' E
40.00	Set Post 2x3 inches by 4 ft 1 ft in the ground deposit charred Stake raised mound of Earth 3 ft high from pits 12" x 24" x 12" deep as per Instructions for 1/4 sec cor
80.00	Set Post 3 inches □ by 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 3 ft high from pits 12" x 24" x 12" deep as per Instruction for cor to Secs. 11 12 13 & 14
	Land Broken Sand Hills

Township No. 22 North Range

Chains	
	East on a random line bet. Secs. 12 & 13 Va 13°30' E
4.00	Set post for temporary 1/4 Sec cor
80.50	intersect East Boundary of Township 48 links south of cor to Secs. 12 & 13 = from which cor S run S 89°39' West on a true line Bet. Secs. 12 & 13 Va 13°30' E
40.25	Set post 4 ft by 2x3 inches by 7 ft in ground, deposit charred Stake raised mound of Earth 3 ft high from pits 12"x24"x12" inches deep as per Instruction for 1/4 Sec cor
80.50	Cor to Secs. 11.12.13.& 14

Land Sand Hills

No. 23 W of the 6th P M

Chains	
	North between Secs. 11 & 12 Va 13°30' E
4.00	Set post 4 ft x 2x3 inches 7 ft in the ground deposit charred Stake raised mound of earth 3 ft high from pits 12"x 24"x 12" deep as per Instruction for 1/4 Sec cor
8.00	Set post 4 ft by 3" □ by 7 ft in ground deposit charred Stake raised mound of Earth 3 ft high from pits 12"x24" by 7 ft in Deep as per Instruction for cor to Secs. 1, 2, 11 & 12

Land Sand Hills
Lost 3rd rate

Township No. 22 N Range

Chains	
	East on a random line between Secs. 1 & 12 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
80.28	Intersect East boundary of Township 70 links South of cor to Secs. 1 & 12 from which cor I run S 89°30' West on a true line bet Secs. 1 & 12 Va 13°30' E
40.14 ~~80.28~~	Set post 4' x 3" □ by 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12" x 24" x 12" deep as per Instruction for 1/4 Sec cor
80.28	Cor to Secs. 1.2.11.& 12

Land Sand Hills
Soil 3rd rate

No. 23 West of the 6th P.M.

Chains	
	North on a random line bet Secs. 1 & 2 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
81.00	Intersect North Boundary of Township 30 links West of cor to Secs. 1 & 2 from which cor I run South 13° W on a true line bet Secs. 1 & 2 Va 13°30' E
41.00 ~~40.00~~	Set post 4 ft x 2" x 3" 1 ft in ground deposit charred stake raised mound of Earth 3 ft high from pits 12" x 24" x 12" inches deep as per Instructions for 1/4 Sec cor
81.00	Cor to Secs. 1.2.11 & 12

Land Sand Hills
Soil 3rd rate
July 28th 1873

Township 22 North of Range

Chains	
	North bet secs 34 & 35 Va 13°30' E
~~40.00~~	~~Set post deposit charred stake raised~~
40.00	Set post 4 ft by 2 x 3" 17 by 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12" x 24" x 12" deep as per Instruction for 1/4 sec cor
80.00	Set post 4" x 3" □ 1 ft in ground deposit charred stake raised mound of earth from pits 12" x 24" x 12" deep as per Instruction for cor to secs 26.27.34 & 35

Land Sand Hills
Soil 3rd rate

No. 23 West of the 6th P M

Chains	
	East on a random line bet secs 26 & 35 Va 13°30' E
40.00	Set post for temporary 1/4 sec cor
79.91	Intersect ~~East~~ N and S line at cor to secs 25 26 35 & 36 from which cor S one west on a true line sec 26 ~~35~~ Va 13°30' E
39.95½	Set post 4" x 3" □ x 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12" x 24" x 12" deep as per Instruction for 1/4 sec cor
79.91	Corner to secs 26 & 34 & 35

Land Sand Hills
Soil 3rd rate

Township 22 N Range No. 23 West of the 6th P M

Chains	North bet secs. 26 & 27 Va 13° 30' E
40.00	Set post 4 ft by 2 X 3 inches □ by 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12 X 24 X 12 inches deep as per Instruction for 1/4 sec Cor
80.00	Set post 4" by 3" □ by 1 foot in ground deposit charred stake, raised mound of Earth 3 feet high from pits 12 X 24 X 12 inches deep as per Instruction for Cor to secs. 22, 23, 26 and 27

Soil Sand Hills 3rd rate

Chains	East on a random line bet secs. 23 & 26 Va 13° 30' E
40.00	Set post for temporary 1/4 sec cor
80.08	Intersect N and S line 11 links North of cor to secs. 23 24 25 & 26 from which cor I run North 89° 55' West on a true line bet secs. 23 and 26 Va 13° 30' E
40.04	Set post 4 feet by 3 inches □ 1 foot in ground deposit charred stake raised mound of earth from pits 12 X 24 X 12 inches deep as per Instruction for 1/4 sec cor
80.08	corner to secs. 22. 23. 26 & 27

Soil Sand Hills 3rd Rate

Township 22 North Range

Chains	
	North bet sec. 22 & 23 Va 13°30' E
40.00	Set post 4 ft by 3" □ by 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12" x 24" x 12" inches deep as per instruction for 1/4 sec cor
80.00	Set post 4 ft by 3" □ by 1 foot in ground deposit charred stake raised of earth 3 feet high from pits 12 x 24 x 12 inches ~~in~~ ground deep as per Instruction for cor to sec. 14 15 22 & 23 Land Sand Hills Soil 3rd Rate

No. 23 West of the 6th P M

Chains	
	East on a random line bet sec. 14 and 23 Va 13°30' E
40.00	Set post for temporary 1/4 sec cor
80.15	Intersect N and S line 13 links North of the cor to sec. 14 and 23 from which cor I run North 89°54' West on a true line bet sec. 14 & 23 Va 13°30' E
40.0 7½	Set post 4 ft 3" □ by 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12" x 24" x 12 inches deep as per instruction for 1/4 sec cor
80.15	Corner to sec. 14 15 22 & 23 Land Sand Hills Soil 3rd rate

Township 22 North Range

Chains	
	~~East on a random line~~
	~~bet secs. 11~~
	North bet secs. 14 & 15
	Va 13°30' E
40.00	Set post 4' by 3" □ by 1
	foot in the ground deposit
	charred stake raised mound
	of earth 3 feet high from
	pits 12 x 24 x 12 inches
	deep as per instructions
	for 1/4 SEC cor
80.00	Set post ~~4~~ feet by 3 inches
	□ by 1 foot in ground
	deposit charred stake raised
	mound of earth 3 feet from
	pits 12 x 24 x 12 inches deep
	as per instruction for cor
	to secs. 10. 11. 14. & 15

Land Broken
Sand Hills

No. 23 West of the 6th P M

Chains	
	East on a random line
	bet secs. 11 & 14
	Va 13°30' E
40.00	Set post for temporary
	1/4 SEC cor
80.08	Intersect N and S line
	19 links ~~South~~ of cor to
	secs. 11. 12. 13. 14 from
	which cor I run N 89°52'
	West on a true line
	bet secs. 11 & 14
	Va 13°30' E
40.04	Set post 4 ft x 3" □ by 1 foot
	in ground deposit charred
	stake raised mound of
	earth 3 feet high from
	pits 12 x 24 x 12 inches deep
	as per instruction for
	1/4 SEC cor
80.08	Corner to secs. 10. 11. 14 & 15

Land Sand Hills

Township 22 North Range

	Chains	
Ch		North bet secs 10 & 11 Va 13°30' E
	40.00	Set post 4 feet by 3 inches □ 1 foot in the ground deposit charred stake raised mound of Earth 3 feet high from pits 12 X 24 X 12 inches deep as per Instruction for 1/4 sec cor
4		
	80.00	Set post 4 feet by 3 inches □ 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12 X 24 X 12 inches deep as per Instruction for cor to secs 2.3.10 & 11
8		

Soil 3rd rate
Sand Hills

No 23 West of the sixth PM

Chains	
	East on a random line bet secs 2 and 11 Va 13°30' E
40.00	Set post ~~4 feet by 3~~ for Temporary 1/4 sec cor
80.45	Intersect S N and S line 21 links North of cor to secs 12 11 & 12 from which cor S run North 89.51 W on a true line bet secs 2 & 11 Va 13°30 E
40.22	Set post 4 ft by 3" □ by 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24" X 12" Inches deep as per Instruction for 1/4 sec cor
80.45	cor to secs 2 & 3 10 & 11

Land Sand Hills
Soil 3rd Rate

Township 22 North Range

Chains	
	North on a random bet Secs. 2 & 3 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
81.00	Intersect north boundary of Township 60 links West of cor to Secs. 2 & 3 from which cor I run South 26 West on a true line bet secs 2 & 3 Va 13°30' E
8 41.00	Set post 4" by 3" □ x 1 ft in ground deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 x 12 inches deep as per Instructions for 1/4 Sec cor
81.00	Cor to sec 2, 3, 10 & 11.

Land Sand Hills
Soil 3rd Rate
July 29th 1873

No 23 West of the 6th P M

Chains	
	North bet secs 33 & 34 Va 13°30' E
40.00	Set post 4" x 3" □ 1 foot in ground deposit charred stake raised mound of Earth 3 ft high from pits 12" x 24" x 12" inches deep
80.00	For 1/4 Sec cor set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for cor to secs 27 28 33 & 34

Land Sand Hills
Soil 3rd rate

Township 22 North Range

Chains	
	East on a random line bet SECs. 27 & 34 Va 13°30' E
40.00	Set post for temporary 1/4 SEC. cor
79.92	Intersect East N and S Line 20 links North of cor to secs. 27 28 33 & 34 from which cor I run North 89.51 W on a true line bet secs. 27 & 34 Va 13°30' E
39.96	Set post 4 by 3 = □ by 1 ft in the ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
79.92	Corner to secs. 27 28 & 33 & 34

Land Sand Hills
Soil 3rd rate

No. 23 West 6th PM

Chains	
	North bet secs 27 & 28 Va 13°30' E
40.00	Set post 4 ft by 3 inches □ by 1 ft in ground deposit charred stake raised mound of earth 3 feet high from pits 13 x 24 x 12 inches deep for 1/4 SEC cor
80.00	Set post 4 ft by 3 inches □ by 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to secs. 21 22 27 & 28

Land Sand Hills
Soil 3rd rate

Township 22 North Range

Chains	
	East on a random line bet SEC 22 & 27 Va 13°30' E
40.00	Set post for temporary 1/4 SEC cor
80.30	Intersect N & S line 28 links North of cor to SECs. 22 & 27 from which cor I run North 89°48' West on a true line bet SECs. 22 & 27 Va 13°30' E
40.15	Set post 4 ft x 3 inches □ by 1 foot in the ground deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 x 12 inches deep for 1/4 SEC cor
80.30	Cor to SECs. 21 22 27 & 28

Land Broken Sand Hills Soil 3rd rate

No. 23 West of the 6th P M

Chains	
	North bet SECs. 21 & 22 Va 13°30' E
40.00	Set post 4 x 3" □ 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 SEC cor
80.00	Set post 4 x 3" □ 1 foot in-ground deposit charred stake raised mound of Earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to SECs. 15 & 16 21 & 22

Land Broken Sand Hills Soil 3rd Rate

Township 22 N Range

Chains	
	East on a random line bet sec. 15 & 22 Var 13° 30' E
40.00	Set post for temporary 1/4 sec cor
80.41	Intersect N and S line 65 links North of cor to sec. 14, 15, 22 & 23 from which cor I run N 89° 32' West on a true line bet sec. 15 & 22 Var 13° 30' E
8 40.20½	Set post 4' x 3" □ by 1 foot in the ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
80.46	Cor to sec. 15 16 21 & 22

Land Broken
Sand Hills

No. 23 West of the 6th PM

Chains	
	North bet sec. 15 & 16 Var 13° 30' E
40.00	Set post 4 ft by 3 inches □ by 1 foot in the ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
80.00	Set post 4 feet by 3" □ by 1 foot in the ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to sec. 9, 10, 15 & 16

Land Sand Hills
Soil 3rd rate

Township No 22 North Range

Chains	
	East on a random line bet secs 10 & 15 Var 13° 30' E
~~40.00~~	~~Set post 4 feet x high 3" □ by 1 foot in the ground deposit charred stake raised mound of earth 3 feet high from pits~~
40.00	Set post for temporary 1/4 sec cor
79.96	Intersect N and S line 31 links North of cor to secs 10 11 14 & 15 from which cor I run North 89° 47' West on a true line bet secs 10 & 15 Var 13° 30' E
39.98	Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor
79.96	Cor to Secs 9, 10, 15 and 16 Land Broken Soil, Sand.

No 23 West of the 6th P M

Chains	
	North bet secs 9 & 10 Var 13° 30' E
40.00	Set post 4" x 3" □ x 1 foot in the ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
80.00	Set post 4" x 3" □ x 1 foot in the ground deposit charred stake raised mound ~~mou~~ of earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to secs 3, 4, 9 & 10 Land Broken Soil Sand

Township 22 North Range No. 23 West of the 6th P M

Chains	
	East on a random line bet Secs. 3 & 10 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
79.71	Intersect N and S line 21 links North of cor to Secs. 3 & 10 from which cor Va ~~13°30' E~~ I run N 89°51' W on a true line bet secs 3 & 10 Va 13°30' E
3985½	Set post 4"x3"□x7 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12x24x12 inches deep for 1/4 sec cor
79.71	Cor to Secs. 3.4.9 & 10

Land Broken
Soil Sand

Chains	
	North on a random bet Secs. 3 & 4 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
80.66	Intersect North boundary of Township 30 links West of cor to Secs. 3 & 4 from which cor I run South 13' West on a true bet secs 3 & 4 Va 13°30' E
4066	Set post 4"x3"□x7 foot in the ground deposit charred stake raised mound of Earth 3 feet high from pits 12x24x12 inches deep for 1/4 sec cor
80.66	Cor to Secs. 3.4 9 & 10

Land Sand Hills
Soil 3rd Rate
July 30th 1873

Township 22 North Range No. 23 West of the 6th P.M.

Chains	
	North bet. secs. 32 & 33 Va 13°30' E
4000	Set post 4 ft by 3" □ by 1 foot in the ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
80.00	Set post 4 ft x 3" □ by 1 foot in the ground deposit charred stake raised mound of Earth 3 ft high from pits from 12" x 24" x 12" inches deep for cor to secs. 28 29 32 & 33

Land Broken
Soil Sand

Chains	
	East on a Random line bet secs. 28 & 33 Va 13° 30' E
4000	Set post for temporary 1/4 sec cor
79.80	Intersect N and S line at cor to secs. 27. 28. 33 & 34 from which cor I run west on a true line bet secs. 28 & 33 Va 13° 30' E
39.90	Set post 4 ft by 3" □ by 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12 x 24 x 12 inches deep for ground deposit charred stake
79.80	Corner to secs. 28. 29. 32 & 33

Land Broken
Soil Sand
3rd rate

Township 22 North Range No. 23 West of the 6th P.M.

chains	
	North bet secs. 28 & 29 Va 13°30' E
40.00	Set post 4 x 3" □ x 1 foot in ground deposit charred stake raised mound of earth from pits 13 x 24 x 12 inches deep for 1/4 sec cor
80.00	Set post 4 x 3" □ by 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to secs. 20.21. 28 & 29

Land Broken
Soil Sand
3rd Rate

chains	
	East on a random line bet secs 21 & 28 Va 13°30' E
40.00	Set post for temporary 1/4 secs. cor
79.72	Intersect N. and S. line 24 links North of cor to secs. 21 22 27 & 28 from which cor S. run North 89°50' West on a true line bet secs. 21 & 28 Va 13°30' E
39.86	Set post 4 x 3" □ by 1 foot in the ground deposit charred stake raised mound earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
79.72	Corner to secs. 20.21.28 & 29.

Land Broken
Soil Sand
3rd Rate

Township No. 22 North

Chains	
	North bet Secs. 20 & 21 Var 13° 30' E
40.00	Set post 4" x 3" □ x 1 foot in the ground deposit chared stake raised Mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
80.00	Set post 4" x 3" □ by 1 foot in ground deposit chared stake raised mound of earth 3 feet high from pits 12 x 24 x 12 inches deep for cor to Secs. 16. 17. 20 & 21
	Land Broken Soil 3rd Rate

Rang 23 West of the 6th P M

Chains	
	East on a random line bet Secs. 16 & 21 Var 13° 30' E
40.00	Set post for temporary 1/4 sec cor
79.65	Intersect N and S line 43 links North of cor to Secs. 15. 16. 21 & 22 from which corner I run North 89° 42' W on a true line bet Secs. 16 & 21 Var 13° 30' E
39.82½	Set post 4" x 3" □ 1 foot in ground deposit chared stake raised mound of Earth 3 feet high from pits 12 x 24 x 12 inches deep for 1/4 sec cor
79.65	Corner to Secs. 16. 17. 20 & 21
	Land Broken Sand Hills

Chains	
	North bet secs. 16 & 17 Var 13° 30' E
40.00	Set post 4 ft by 3" □ by 1 foot in ground deposit charred stake raised mound of Earth 3 ft high from pits 12 X 24 X 12 inches deep for 1/4 Sec cor
80.00	Set post 4" X 3" □ 1 foot in ground deposit charred stake Raised mound of earth 3 feet high from pits 12 X 24 X 12 inches deep for cor to secs. 8. 9. 16. & 17.
	Land Sand Hills

Chains	
	East on a random line bet secs. 9 & 16 Var 13° 30' E
40.00	Set post for temporary 1/4 sec cor
79.71	Intersect N and S line 30 links North of cor to secs. 9. 10. 15 & 16 from which corner I run North 89.47 West on a true line bet secs. 9 & 16 Var 13° 30' E
39.852	Set post 4 X 3" X 1 foot in ground deposit charred stake raised mound mound of earth 3 ft high from pits 12 X 24 X 12 inches deep for 1/4 sec cor
79.71	Corner to secs. 8. 9. 16 & 17 Land Broken Sand Hills

Township 22 North Range No. 23 West of the 6th P.M.

Chains	
	North bet secs. 8 & 9 Va 13°38' E
40.00	Set post 4 X 3" □ X 1 foot ground deposit charred stake raised mound of earth 3 feet high from pits 12 X 24 X 12 deep for 1/4 sec cor
80.00	Set post 4" X 3" □ X 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12 X 24 X 12 deep for cor to secs. 4 & 5 - 8 & 9
	Land Broken Sand Hills Soil 3rd rate

Chains	
	East on a random line bet secs. 4 & 9 Va 13°38' E
40.00	Set post for temporary 1/4 sec cor
79.68	Intersect N and S 3 line 31 links North of cor to secs. 3.4.9 & 10. from which cor I run N 89 47 West on a true line bet secs. 4 & 9 Va 13°38' E
39.84	Set post 4 X 3" □ X 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12 X 24 X 12 inches deep for 1/4 sec cor
79.68	corner to secs. 4.5.8 & 9.
	Land Broken Sand Hills Soil 3rd Rate

Township No. 22 North Range

Chains	
	North on a random line bet secs. 4 & 5 Var 13° 30' E
40.00	Set post for Temporary 1/4 sec cor
80.07	Intersect Northern Boundary of Township 12 links East of cor to secs. 4 & 5 from which corner I run South 5° E on a true line bet secs. 4 & 5 Var 13° 30' E
40.07	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24x12 inches deep for 1/4 sec cor
80.07	Cor to secs. 4.5.8.& 9.

Land Sand Hills
Soil 3rd Rate
July 31st 1873

No. 23 West of the 6th P M

Chains	
	North bet secs. 31 & 32 Var 13° 30' E
40.00	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12x24x12 inches deep for 1/4 sec cor
80.00	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12x24x12 deep for cor to secs. 29 & 30 31 & 32

Land Broken
Sand Hills
Soil 3rd Rate

46 Township No. 22 N Range No. 23 West of the 6th P M

	Chains	
Ch	Chains	East on a random line bet sec. 29 & 32 Va 13°30' E
40	40.00	Set post for temporary 1/4 sec cor
80	80.00	Intersect N and S line at cor to sec. 28.29. 32 & 33 from which cor I run West on a true line bet sec. 29 & 32 Va 13°30' E
4	40.00	Set post 4"X3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12X24X12 inches deep for 1/4 sec cor
8	80.00	Corner to sec. 29.30. 31 & 32

Land Hilly
Soil 3rd rate

chains	West on a random line bet sec. 30 & 31 Va 13°30' E
40.00	Set post for temporary 1/4 sec cor
78.09	Intersect West Boundary of Township at cor to sec. 30 & 31 from which cor I run East on a true line bet sec. 30 & 31 Va 13°30' E
38.09	Set post 4"X3" □ 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12X24X12 inches deep for 1/4 sec cor
78.09	Corner to sec. 29.30. 31 & 32

Land Gently Rolling
Sand Hills Soil 3rd
Rate

Township No. 22 North Range No. 23 West of the 6th P.M.

Ch	Chains	North bet Secs. 29 & 30 Va 13°30' E
40	40.00	Set post 4x3=□ 1 foot in ground deposit Charred Stake raised mound of earth 3 ft high from pits 12x24x12 inches deep for 1/4 sec cor
80	80.00	Set post 4x3=□ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12x24x12 inches deep for corner to secs. 19.20. 29 & 30
40		
8		

Land Broken Sand Hills Soil 3rd Rate

Chains	East on a random line bet Secs. 20 & 29 Va 13°30' E
40.00	Set post for temporary 1/4 sec cor
79.90	Intersect. N. and S. line 5 links North of cor to Secs. 20.21.28.&29. from which cor S run W 89°58' West on a true line bet Secs. 20 & 29 Va 13°30' E
39.95	Set post 4x3=□ 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12"x24"x12" deep for 1/4 sec cor
79.90	corner to Secs. 19.20. 29.&30.

Land Broken Soil Sand 3rd Rate

Township No. 22 North Range No. 23 West of the 6th P.M.

Ch	Chains	West on a random line bet secs. 19 & 30 Var 13°30' E
40	40.00	Set post for temporary 1/4 sec cor
80.	78.12	Intersect west boundary of Township 8 links North of cor to secs. 19 & 30 from which cor I run North 89°-7' E. on a true line bet secs. 19 & 30 Var 13°30' E
40.	38.12	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12"x24"x12" inches deep for 1/4 sec cor
80	78.12	corner to secs. 19 20 29 & 30

Land Sand Hills
Soil 3rd Rate

Chains	North bet secs. 19 & 20 Var 13°30' E
40.00	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12"x24"x12" inches deep for 1/4 sec cor
80.00	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12"x24"x12" inches deep for cor to secs. 17. 18. 19 & 20.

Land Broken
Sand Hills
Soil 3rd Rate

Township No. 22 North Range No. 23 West of the 6th P M

Chains	Chains	
		East on a random line bet secs. 17 & 20 Var 13° 30' E
40.	40.00	Set post for Temporary 1/4 Sec cor
80.	79.96	Intersect N. and S. line at cor to secs. 17 & 20 16 and 21 from which cor I run West on a true line bet secs. 17 & 20 Var 13° 30' E
	39.98	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12x24 x 12 inches deep for 1/4 Sec cor
40.		
	79.96	Corner to secs. 17.18.19. and 20
80		

Land Broken
Sand Hills
Soil 3rd Rate

Chains	
	West on a random line bet secs. 18 & 19 Var 13° 30' E
40.00	Set post for temporary 1/4 Sec cor
78.80 ~~79.89~~	Intersect West Boundary of of Township at cor to secs. 18 & 19 from which cor I run East on a true line bet secs. 18 & 19 Var 13° 30' E
38.89 ~~39.89~~	Set post 4"x3" □ 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12"x24"x12" inches deep for 1/4 sec cor
78.89 ~~79.89~~	Corner to secs. 17.18.19 & 20

Land Broken
Soil 3rd Rate

Township No. 22 North Range

Cha

North Between Secs 17 and 18
on 1330 E.

4000 Set Post 4 ft x 3 in □ 1 ft in ground
Deposit Charred Stake raise mound
of Earth 3 ft high from pits 12 x
24 in 1 ft deep for 1/4 Sec cor

40.

8000 Set Post 4 ft x 3 in □ 1 ft in
Ground deposit Charred Stake
raise mound of Earth 3 ft high
from pits 12 x 24 in 1 ft deep
for cor to Secs 7, 8, 17 & 18

8 0.0

40.0

Land Rolling
Soil 2d rate

80

T 22 N R. 23 West 5 PM

East on a random line
Between Secs 8 & 17
on 1330 E.

4000 Set Stake for temporary 1/4 Sec cor
7985 Intersect the North and South line
at the cor to Secs 8, 9, 16 & 17. from
which cor Drum.
West on a true line between
Secs 8 and 17
on 1322 E

3992½ Set Post 4 ft x 3 in □ 1 ft in ground
Deposit charred Stake raise mound
of Earth 3 ft high from pits 12 x 24
in 1 ft deep for 1/4 Sec cor
7985 Cor to Secs 7 8 17 and 18

Land Broken
Soil 3d rate
Sand Hills

T 22 N R 23 West 6 P M

ch		West on a random line Between Secs 7 & 18 Va 13°30' E
40.	40.00	Set stake for temporary 1/4 sec cor
	78.00	Intersect the West Boundary of the Township 18 Links North of the cor to Secs 7 and 18 from which Cor I run N 89° 52' East on a true line Between Secs 7 and 18 Va 13°30' E
80.	38.00	Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high South pits 12 x 24 in 1 ft deep for 1/4 sec cor
40.0	78.00	Cor to Secs 7 8 17 and 18
80		Sand Broken Sand Hills Soil 3d rate

T 22 N R 23 West 6 P M

	North Between Secs 7 and 8 Va 13°30 E
40.00	Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft High from pits 12 x 24 in 1 ft Deep for cor to Secs 5 6 7 & 8
	Land Broken Sand Hills Soil 3d rate

T, 22, N, R, 23, West, 6 Pm,

	East on a random line Between Secs 5 and 8 Va 13° 30' E
40.00	Set stake for temporary 1/4 Sec cor
80.00	Intersect the N & S line at the cor to Secs 4 5 8 and 9 from which cor I run West on a true line Between Secs 5 and 8 Va 13° 30' E
40.00	Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise Mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 Sec cor
80.00	Cor to Secs 5 6 7 & 8

Land rolling
Sand Hills
Soil 3d rate

T 22 N S R 23 West 6 P M

	West on a random line Between Secs 6 and 7 Va 13° 30' E
40.00	Set Stake for temporary 1/4 sec cor
78.00	Intersect the West Boundary of the Township 22 links North of the Cor to Secs 6 and 7 from which Cor I run. N. 89° 51' East on a true line Between Secs 6 and 7 Va 13° 30' E
38.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for 1/4 sec Cor
78.00	Cor to Secs 5 6 7 and 8

Land rolling
Soil 3d rate

T 22 N R 23 West 6 PM

	North on a random line Between Secs 5 and 6 Var 13°30' E
40.00	Set Stake for temporary 1/4 sec cor
79.88	Intersect the N Boundary of the Township 25 links west of the Cor to Secs 5 and 6 from which Cor I run.
	S W West on a true line Between Secs 5 and 6 Var 13°30' E
39.88	Set Post 4 ft x 3 in □ 1 ft in ground deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft Deep for 1/4 Sec Cor
79.88	Cor to Secs 5 6 7 and 8

Land rolling
Sandy
Soil 3d rate

August 1st 1873.

General Description

The land in this township is Generally Sand Hills there is no water in the township and it is fit for nothing but grazing purposes Irrigation would Be necessary to produce any kind of Crops Irrigation could Best Be accomplished by sinking Wells and Erecting Wind-Mills Soil 3d rate

List of Names

A list of the names of the Individuals Employed to assist in running Measuring and marking the lines and Corners of Township 22 north of the base line of range No 23 West of the 6 Principal Meredian Showing the respective Capacities in which they acted

Wm F Gardner Chainman
Douglass Conner Chainman
Alonzo G Randall axeman & mound man
Alfred C Tuers Flagman

We hereby certify that we assisted David V Stephenson Deputy Surveyor in subdividing Township No North of of the Base line of Range No West of the 6th P M and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished Surveyor general & of Dimensions character construction and marking in the manner as specifically Described in the foregoing field notes

William F Gardner Chainman
Douglas Conner "
Alonzo E Randall Axman & Mountman
Alfred C Tuers Flagman
Compassman

Subscribed and sworn to by the Parties above named before me a Co Clerk in & for Dawson Co Neb this 16th day of Aug. 1873

J H McColl
Co Clk Dawson Co Neb

David V Stephenson deputy surveyor do solemnly swear that in pursuance of a joint contract wherein James L Sloan and David V Stephenson are joint contractors with E E Cunningham Surveyor General for the district of Nebraska and I am bearing date the 14th Day of May 1873 I have well ~~faith~~ faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 32 North of the Base line in range No 28 West of the 6th Principal Meridian as are represented in the foregoing field Notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said Survey have been Established and perpetuated in strict accordance with the surveying Manual printed instructions and Special Instructions of the Surveyor General of dimensions character construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original Field notes of such survey

David V Stephenson
U.S. Deputy Surveyor

Subscribed to by the said David V. Stephenson, Deputy Surveyor and sworn to before me a Co. Clerk in and for Dawson County, Neb. this 16th day of August A.D. 1873

J. H. McColl
County Clerk

Subscribed and Sworn to by the said David V. Stephenson Deputy Sur. before me a Notary Public within and for Douglas County Neb. this 15th day of September A.D. 1873

Th. Pollock
Notary Public

Surveyor General's Office
Plattsmouth, Neb.
Oct. 17th 1873

The foregoing field notes of the survey of subdivision lines of Township No. 22 North of Base line in Range No. 23 West of 6th Principal Meridian executed by David V. Stephenson under contract of the 14th day of May 1873 in the months of July and August 1873 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

Town 23 Range 23 W

6	64	5	47 48	4	35	3	23	2	12	1
63		62		45 46		34		22		11
7	61	8	44	9	33 34	10	21	11	10	12
60		59		43		31 32		20		9
18	58	17	42	16	30	15	19	14	8	13
57		56		41		29		18		7
19	55	20	40	21	28	22	17	23	6	24
54		53		39		27		16		5
30	52	29	38	28	26	27	15	26	4	25
51		50		37		25		14		3
31	49	32	36	33	24	34	13	35	2	36



Field Notes

Of the subdivisions and meanders of Township 23 North of Base line and Range 23 West of 6th Principal Meridian in the State of Nebraska surveyed by George T. Kendall, Deputy Surveyor under Joint contract No 76. bearing date of May 10th 1873 wherein Geo T. Kendall and Guy C. Barton are Joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska

Survey commenced Aug 9 1873
Survey completed 13 " 1873

A list of Names of Assistants and the capacity in which they acted

John Mangold } Chainmen
Henry Heist }

David W. Davidson } Moondman
Esau Beldin } Flagmen

Township 23. North Range 23. West

To determine the proper adjustment of my compass for subdividing this Township. I commenced at the corner to Township 22 & 23. North Range 22 & 23 West and ran North on a Blank line along the East Boundary of sec. 36.

Va 13°.10' East

4 11.04 To a point 8 links west of quarter sec. cor.

8 11.11 To a point 21 links west of corner to sections 25 & 36.

To retrace this line or run parallel there to my compass must be adjusted to a

Va 13°.11' E.

Subdivision commenced

Township 23. North Range 23 West

From the corner to sections ~~1 & 2~~. 35 & 36. On the South Boundary of this Township I ran North Between sections 35 & 36

Va 13°.11' E.

4 11.11 Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per instructions for quarter sec. cor.

8 11.11 Set post 4 & 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per instructions for sec. cor. to sections 25 & 26 35 & 36

Land
Rolling & and hills
3rd role

Township 23 North Range 23 West

East on random line
Between sections 25 & 36
Va 13° 01' E

40.00 set post for temporary quarter
sec. cor.

80.00 Intersect East Boundary
of Township 25 links North
of post corner to sections
25 & 36 from which cor. I run
North 89° 49' West on a
true line bet. Sec. 25 & 36 Va 13° 01' E

40.00 set post 2 x 2 ins 4 feet in length
set 12 ins deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 x 18 ins and
12 ins deep. or per Instructions
for quarter sec. cor.

80.00 To the corner of sections
25 & 26. 35 & 36

Land
High sand hills
Timbered

Township 23 North Range 23 West

North Between sections
25 & 26.

Va 13° 00' E.

40.00 set post 2 x 2 ins 4 feet in length
set 12 ins deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 x 18 ins and
12 ins deep. or per Instructions
for quarter sec. cor.

80.00 set post 4 x 4 ins 4 feet in length
set 12 ins deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 x 18 ins and 12 ins
deep or per Instructions for
sec. cor. to sections 23 & 24.
25 & 26.

Land
Rolling sand hills
3rd rate

Township 23. North Range 23. West

East on random line
Between sections 24 & 25
Va 12°.55' E.

4 " " " set post for temporary quarter sec. cor.

8 " " " Intersect East Boundary of Township. 12 links South of post corner to sections 24 & 25 from which cor. I run South 89°.55' West on a true line bet Sec. 24 & 25 Va 12°.55' E

4 " " " set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

8 " " " To the corner of sections 23 & 24. 25 & 26.

Land

High land hills
Worthless

Township 23. North Range 23 West

North Between sections
23 & 24.
Va 13°.11' E.

4 " " " set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth. 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

8 " " " set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 13 & 14. 23 & 24.

Land

Gently rolling
3rd rate

Township 23. North Range 23. West

East on random line
Between sections 13 & 24
Va 12°55' E.

12.00 Enter Lake [illegible] S.E.

40.00 Set post for temp. for quarter sec. cor.

80.00 Intersect East Boundary of Township 18 links South of post corner to sections 13 & 24, from which cor. I run South 89°52 West on a true line bet. Sec 13.5.24 Va. 12°55' E

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor. to

80.00 To the corner of sections 13 & 14. 23 & 24

Land

Gently rolling sandy 3rd rate

Township 23 North Range 23 West

North Between sections 13 & 14.

Va 13°11'

6.00 North Loupe River bottom bears N.W. & S.E.

12.00 Set post 2+2 in 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Meandering cor. on the right Bank North Loupe River to fractional section 13+14. Course N. 78°30' E.

17.62 Set post 2+2 in 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Meandering cor on the left bank of North Loupe River to fractional section 13 & 14.

~~25.00 Leave River bottom bears N.W. & S.E.~~

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep, as per Instructions for sec. cor. to sections 11 & 12. 13 & 14.

Land River bottom and other 3rd rate

Township 23. North Range 23. West

East on random line
Between sections 12 & 13
Va 12°.55' E.

4 11.11 Set post for temporary quarter sec. cor.

8 11.12 Intersect East Boundary of Township. 14 links North of post corner to sections 12 & 13.

From which cor. Dam ✓ 0.1
N 89.54 West on a line line Between sec 12 & 13

4 11.16 Set post 2 + 2 in. 4 feet in length Va 12°55' E
set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

8 11.12 To the corner of sections 11 & 12. 13 & 14.

Land

Gently rolling
3rd rate

Township 23. North Range 23. West

North Between Sections
11 & 12 Va 13° East

3 9.00 Enter Sand hills Bears E & W. Va 13°.11' E.

4 11.11 Set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

8 11.11 Set post 4 + 4 in. 4 feet in length set post 12 in. deep. Deposited charred stake and raised mound of 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for sec. cor. to sections 1 & 2. 11 & 12

Land

18/ Half gently rolling 3rd rate
2nd " High sand hills worthless

Township 23. North Range 23. West

East on random line
Between Sections 1 & 12
Va 12°55' E.

4 11.11 Set post for temporary quarter
sec. cor

8 11.24 Intersect East Boundary
of Township 12 links North
of post corner to Sections
1 & 12 from which cor. I run
North 89°55' West on a
true line bet Sec. 1 & 12 Va 12°55' E

4 11.12 Set post 2+2 ins 4 feet in length
set 12 ins deep. Mounded stones
stake and raised mound of
earth 2½ feet high from
pits 18+18 ins and 12 ins deep
as per Instructions for quarter
sec. cor

8 11.24 To the corner of sections
1 & 2. 11 & 12

Land
High Land Hills
Worthless

Township 23. North Range 23. West

North on random line
Between Sections 1 & 2.
Va 12°55' E

4 11.11 Set post for temporary quarter
Sec. cor.

8 11.20 Intersect North boundary of
Township 31 links west of
post corner to sections 1 & 2
South 89°13' West on a true
line Bet Sec 1 & 2 Va 12°50' E

4 11.21 Set post 2+2 ins 4 feet in length
set 12 ins deep. Mounded stones
stake and raised mound of
earth 2½ feet high from
pits 18+18 ins and 12 ins deep
as per Instructions for quar-
ter sec. cor

8 11.21 To the corner of sections
1 & 2. 11 & 12

Land
High Land Hills
Worthless

J. B. Aug 9. 1873

Township 23. North Range 23. West

North Between Sections 34 & 35

Va 12°.5' E.

4 " " " Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 inches deep as per Instructions for quarter sec. cor.

8 " " " Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for sec. cor. to Sections 26 & 27 34 & 35

Land

Gently rolling sand hills 3rd rate

Township 23. North Range 23. West

East on random line Between Sections 26 & 35

Va 12°.55' E

4 " " " Set post for temporary quarter sec. cor.

79.91 Intersect North and South line 11 links South of post corner to Sections 25 & 26. 35 & 36. from which corner South 89.56 West on a true line let Sec. 26 & 35 Va. 12°.55' E

39.95 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.

79.91 To the corner of Sections 26 & 27. 34 & 35

Land

High rolling sand hills Worthless

Township 23 North Range 23 West

North Between Sections 26 & 27

Va. 12°.5'.11 E.

4 11.11 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

8 11.11 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for sec. cor. to sections 22 & 23, 26 & 27.

Land

Rolling Sand hills
3rd rate

Township 23 North Range 23 West

East on random line Between Sections 23 & 26.

Va 12°.55 E.

4 11.11 Set post for temporary quarter sec. cor.

79.94 Intersect North and South line 15 links North of post corner to sections 23 & 24. 25 & 26 from which cor. I run

North 89.54 West on a true line bet Sec. 23 & 26 Va. 12°.55 E.

39.97 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

79.94 To the corner of sections 22 & 23, 26 & 27.

Land

Rolling Sand hills
3rd rate

Township 23. North Range 23 West

North Between Sections 22. & 23.

Va 12°.5'.11" E.

4 11.11 Set post 2+2 in 4 feet in length set 12 in deep. Deposited chowed stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. Cor.

8 11.11 Set post 4+4 in 4 feet in length Set 12 in deep. Deposited chowed stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep. as per Instructions for Sec. cor. to Sections 14 & 15. 22. & 23.

Land

Gently rolling

3rd rate

Township 23. North Range 23 West

East on random line Between Sections 14 & 23.

Va 12°.55' E.

4 11.11 Set post for temporary quarter Sec. cor

79.91 Intersect North and South line 20 links North of post corner to Sections 13. & 14. 23. & 24 from which 0 cor. 1 run North 89.51 West on a true line bet Sec. 14 & 23. Va. 12°.55' E

39.95 Set post 2+2 in 4 feet in length Set 12 in deep. Deposited chowed stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

79.91 To the corner of Sections 14 & 15. 22 & 23.

Land

Gently rolling

3rd rate

Aug 9 1873

Township 23 North Range 23 West

North Between Sections 14 & 15 –
Va 12°.5'.11 E

4 11.11 11 Set post 2x2 in 4 feet in length. Set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 18x18 in and 12 in deep as per Instructions for quarter sec. cor

46.11 11 Enter River bottom bears N 21.8 S E.

58.45 Set post 2x2 in 4 feet in length. Set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 18x18 in and 12 in deep as per Instructions for Meandering Cor on right bank North Loup River to fractional Sections 14 & 15 – Course S 45.11 11 E.

65.85 Set post 2x2 in 4 feet in length. Set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 18x18 in and 12 in deep as per Instructions for Meandering Cor on left bank North Loup River to fractional sections 14 & 15 –

~~78.11 11 Leave River bottom bears N 21.8 S E.~~

8 11.11 11 Set post 4x4 in 4 feet in length set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 18x18 in and 12 in deep as per Instructions for sec cor to Sections 11 & 11. 14 & 15 – Land

Gently rolling 3rd rate bottom 2nd rate

Township 23 North Range 23 West

East on random line
Between Sections. 11 & 14
Va 12°.5'.11 E.

4 11.11 11 Set post for temporary quarter Sec cor

79.96 Intersect North and South line 10 links South of post corner to Sections 11 & 12. 13. & 14 from which cor.

Inv South 89°.56 West on a true line let Sec. 11 & 14 Va 12°.50' E

39.98 Set post 2x2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of 2½ feet high from pits 18x18 in and 12 in deep as per Instructions for quarter sec. cor

79.96 To the corner of sections 11 & 11. 14 & 15 –

Land

Gently rolling Land hills

3rd rate

Township 23. North Range 23. West

North Between Sections 10 & 11

2000 Enter Sandhills Beam E & W. Va 12°.5'.11 E.

4 11.11 11 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in. and 12 in deep as per Instructions for quarter sec. cor.

8 11.11 11 Set post 4+4 in 4 feet in length, set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in as per Instructions for sec. cor. to Sections 2 & 3. 10 & 11

Land

Rolling Sand hills
3rd rate

Township 23. North Range 23 West

East on random line
Between Sections 2 & 11

Va 12°.5'.11 E.

4 11.11 11 Set post for temporary quarter sec. cor.

79.91 Intersect North and South line 12 links South of post corner to Sections 1 & 2. 11 & 12 from which corner

South 89°.55' West on a true line bet. Sec. 2 & 11 Va 12°.50' E

39.95 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

79.90 To the corner of sections 2 & 3. 10 & 11

Land

High rolling sand hills

Worthless

Township 23. North Range 23. West

North on random line
Between Sections 2 & 3.
Va 12°.5' E

4 " " " Set post for temporary quarter
Sec. cor.

8 " " " Intersect North boundary
of Township. 14 link west
of post corner to Sections
2 & 3 from which cor. bears
South ~~1°.~~ 6 West on a
true line bet Sec 2 & 3 Va 12°50' E

4 " " " Set post 2 + 2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound
of earth 2 1/2 feet high from
pits 18 + 18 in and 12 in deep
as per Instructions for
quarter Sec. cor.

8 " " " To the corner of Sections
2 & 3. 10 & 11.
Land sand Bluffs worthless

Aug 10th 1873

Township 23 North Range 23. West

North Between Sections
33. & 34.
Va 12°.5' E.

4 " " " Set post 2 + 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 + 18 in and 12 in deep as per
Instructions for quarter Sec. cor.

8 " " " Set post 4 + 4 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from pits
18 + 18 in and 12 in deep as per
Instructions for Sec. cor. to Sec-
tions. 27 & 28. 33. & 34

Land

High rolling Sand hills
worthless

Township 23 North Range 23 West

East on random line
Between Sections 27 & 34
Va 12°50' E.

40.000 Set post for temporary quarter
Sec. cor.

80.000 Intersect North and South
line 20 links South of post
corner to Sections 26 & 27.
34. & 35. bronze which cor. I run
South 89.51 west on a
true line Let Sec. 27.5.34 Va 12°50' E

40.000 Set post 2+2 in. 4 feet in length
Set 12 in. deep. Deposited charred
Stake and raised mound
of earth 2½ feet high from
pits 18+18 in. and 12 in. deep
as per Instructions for quarter
Sec. cor.

80.000 To the corner of Sections
27 & 28, 33. & 34.

Land,
High rolling Sand hills
Worthless

Township 23 North Range 23 West

North Between Sections
27. & 28.

Va 12°50' E.

40.000 Set post 2+2 in. 4 feet in length
Set 12 in. deep. Deposited charred
Stake and raised mound of
earth 2½ feet high from pits
18+18 in. and 12 in. deep as per
Instructions for quarter Sec.
cor.

80.000 Set post 4+4 in. 4 feet in length
Set 12 in. deep. Deposited charred
Stake and raised mound of
earth 2½ feet high from
pits 18+18 in. and 12 in. deep
as per Instructions for
Sec. cor. to Sections 21 & 22.
27 & 28.

Land

High rolling Sand
hills

Worthless

Township 23 North Range 23 W.

East on random line Between Sections 22 & 27.

Va 12°.5'.11 E.

4 11.11.11 Set post for temporary quarter Sec. cor.

8 11.12 Intersect North and South line 14 links South of post corner to Sections 22 & 23. 26 & 27 from which cor. I run South 89.54 West on a true line. let Sec 22 & 27 Va 12°.50' E

4 11.11.6. Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

8 11.12 To the corner of Sections 21 & 22. 27 & 28.

Land

High rolling Sand hills

Worthless

Township 23 North Range 23 West

North Between Sections 21 & 22.

Va 12°.5'.11 E.

4 11.11.11 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec cor

8 11.11.11 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for sec cor to Sections 15 & 16. 21 & 22.

Land

High rolling Sand hills

Worthless

Township 23. North Range 23. West

East on random line
Between Sections 15 & 22.
Va 12°.5' E.

4 11.11 Set post for temporary quarter
Sec. cor.

8 11.11 Intersect North and South
line of Township 18 links
South of post corner to
Sections 14 & 15 22 & 23.
from which cor. 0° 19 run
South 89.52 West on a
true line bet Sec. 15 & 22 Va 12°.50' E

4 11.11 Set post 2 x 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 x 18 in and 12 in
deep as pr Instructions
for quarter Sec. cor.

8 11.11 To the corner of Sections
15 & 16. 21 & 22.

Land

Gently rolling
3rd rate

Township 23. North Range 23. West

North Between Sections
15 & 16
Va 12°.5' E.

4 11.11 Set post 2 x 2 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound
2 1/2 feet high from pits
18 x 18 in and 12 in deep as pr
Instructions for quarter Sec.
cor.

75.11 Enter North Loupe River bottom beam N 24 E.

8 11.11 Set post 4 x 4 in 4 feet in length
set 12 in deep Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 x 18 in and 12 in deep as
pr Instructions for Sec. cor.
To Sections 9 & 10. 15 & 16

Land

Gently rolling 3rd rate
River bottom 2nd rate

Township 23 North Range 23 West

East on random line
Between Sections 10 & 15

4.32 Set temporary Meander cor on Right Bank of N Loup River
61.00 Va 12.50 E
64.26 Set temporary Me. on Right Bank of River
4 11 11 Falls in River
4110 Set temporary Me. on Left Bank
4110 Set Meander cor on Left Bank
8 11.16 Inclined North and South line
of Township 211 links South of
post corner to Sections 10 & 11
14 & 15. From which cor I run
South 89°.51' West on a true line
Between Sec 10 & 15 Va 12.50 E
15.91 Set post 2 x 2 in 4 feet in length set
12 in deep. Deposited charred stake and
raised mound of earth 2 1/2 feet high
from pits 18 x 18 in and 12 in deep as per
Instructions for Meandering corner
on left bank North Loup River to
fractional sections 10 & 15. corner 4°11'11" E.
19.16 Set post 2 x 2 in 4 feet in length set
12 in deep. Deposited charred stake and
raised mound of earth 2 1/2 feet high
from pits 18 x 18 in and 12 in deep as
per Instructions for Meandering
corner on right bank North
Loup River. To fractional Sections
10 & 15. course N 36°.31' West
39.116 Set post 2 x 2 in 4 feet in length set 12 in

Township 23 North Range 23 West

Deposited charred stake and raised
mound of earth 2 1/2 feet high from
pits 18 x 18 in and 12 in deep as per Instr-
uction for Meandering corner on
right bank North Loup River
to fractional Sections 10 & 15
course N. 78°.31' E. & West
411.118 To quarter sec. cor but coming
in North Loup River could
not establish it.
45.84 Set post 2 x 2 in 4 feet in length
432 set 12 in deep. Deposited charred
5016 stake and raised mound of earth
2 1/2 feet high from pits 18 x 18 in
and 12 in deep as per Instruction
for Meandering corner on right
bank North Loup River to
fractional Sections 10 & 15
course. East & N. 39°.31' West
811.16 To the corner of Sections 9 & 10
15 & 16

Land
Level 2nd rate

Township 23. North Range 23. West

North Between Sections 9 & 10
Va 12°.50 E.

3.4" Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Meandering corner on right bank of North Large River to fractional sections 9 & 10 course S. 53°. 3' E.

15.1" Set post 2+2 in 4 feet in length set 12 in deep deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Meandering corner on left bank of North Large River to fractional sections 9 & 10.

38.1" Leave River bottom bear N.W. & S.E.

4.1.1" Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

Township 23 North Range 23. West

8.1.1" Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 3 & 4 9 & 10. Land

River bottom 2nd rate other level 3rd rate

Township 23. North Range 23 West

East on random line Between sections 3 & 10
Va 12°.5' E

4.1.1" Set post for temporary quarter sec. cor.

8.1.1" Intersect North and South line 14 link south of post corner to sections 2 & 3. 10 & 11

From which car & mm South 89°.54 West on a line Between sec. 3 & 10 Va 12°.50' E

4.1.1" Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

8.1.1" To the corner of sections 3 & 4. 9 & 10.

Land

Rolling sand hills 3rd rate

Township 23. North Range 23. West

North Between Sections 9 & 10
Va 12°.5'.0 E.

3.4" Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for Meandering corner on right bank of North Large River to fractional sections 9 & 10 course S. 53°.3' E.

15.1" Set post 2 & 2 in 4 feet in length set 12 in deep deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for Meandering corner on left bank of North Large River to fractional sections 9 & 10.

38" Leave River bottom bear N.W. & S.E.

4" Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec. cor.

Township 23 North Range 23. West

8" Set post 4 & 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for sec. cor. to sections 3 & 4 9 & 10. Land

River bottom 2nd rate other level 3rd rate

Township 23. North Range 23 West

East on random line Between sections 3 & 10 Va 12°.5' E

4" Set post for temporary quarter sec. cor.

8" Intersect North and South line 14 link length of post corner to sections 2 & 3. 10 & 11

From which car & run South 89°.54 West on a line line Between sec. 3 & 10 Va 12°.50' E

4" Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec. cor.

8" To the corner of sections 3 & 4. 9 & 10.

Land

Rolling sand hills 3rd rate

Township 23. North Range 23 West

North on random line
Between Sections 3 & 4.
Va 12°.5' E.

4 " " " set post for temporary quarter
Sec. cor.

79.9 " Intersect North boundary
of Township 18 links west of
post-corner to Sections 3 & 4
South ~~89.52~~ ~~114.48~~ From which cor. I run, West on a
true line. Between secs 3 & 4 Va 12°.5' E

39.9 " Set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2½ feet high from pits
18 + 18 in and 12 in deep as per
Instructions for quarter Sec.
Cor

79.9 " To the corner of sections
3 & 4. 9 & 10.

Land

High rolling sand hills
worthless

Aug ~~11~~ 1873

Township 23. North Range 23 West

North Between Sections
32 & 33.
Va 12°.5' E.

4 " " " set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2½ feet high from
pits 18 + 18 in and 12 in deep as
per Instructions for quarter
Sec. cor.

8 " " " Set post 4 + 4 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18 & 18 in and 12 in deep
as per Instructions for Sec.
cor. to Sections 28 & 29. 32 & 33

Land

High rolling sand
hills
worthless

Township 23. North Range 23 West

East on random line
Between sections 28 & 33.
Va 12°.5' E.

4 11.11 Set post for temporary quarter
Sec. cor

79.96 Intersect North and South
line 10 links South of post-
corner to sections 27 & 28
33 & 34. from which cor. I run
South 89°.5-6 west on a
true line bet Sec 28 & 33. Va 12°.50' E

39.98 Set post 2 x 2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 & 18 in and 12 in deep
as per Instructions for
quarter sec. cor.

79.96 To the corner of sections
28 & 29. 32 & 33.

Land

High rolling bluffs
Worthless

Township 23. North Range 23 West

North Between Sections 28 & 29
Va 12°.5' E.

4 11.11 Set post 2 x 2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from pits
18 x 18 in and 12 in deep as per
Instructions for quarter sec. cor.

8 11.11 Set post 4 x 4 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 & 18 in and 12 in deep
as per Instructions for
sec. cor. to sections
21 & 21. 28 & 29.

Land

Gently rolling sand
hills
3rd rate

Township 23 North Range 23 West

East on random line
Between Sections 21 & 28.
Va 12°.5' E.

4 " " " Set post for temporary quarter
Sec. cor.

8 " " " Intersect North and South
line 15 links South of post-
corner to Sections 21 & 22.
27 & 28, from which cor. I run
South 89°.54' West on a
true line Cat Sec 21.0.28. Va 12°.50' E.

4 " " " Set post 2+2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high
from pits 18+18 in and 12 in
deep as per Instructions
for quarter Sec. cor.

8 " " " To the corner of Sections
20 & 21. 28 & 29

Land

Rolling Sandy
3rd rate

Township 23 North Range 23 West

North Between Sections
20 & 21

Va 12°.5' E.

4 " " " Set post 2+2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18+18 in and 12 in deep
as per Instructions for quarter
Sec. cor.

8 " " " Set post 4+4 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in and
12 in deep as per Instructions
for Sec. cor. to Sections
16 & 17, 20 & 21.

Land

Rolling sand hills
3rd rate

Township 23. North Range 23. West

East on random line
Between 16 & 21.
Va 12°.50' E.

4 11.110 Set post for temporary quarter
Sec. cor

8 11.12 Intersect North and South
line 12 links South of post
corner to sections 15 & 16.
21 82 2 from which cor. I run;
South 89°.55 West on a
true line bet Sec. 16 & 21 Va. 12°50' E

4 11.116 Set post 2+2 ins 4 feet in length
set 12 ins deep. Deposited charcoal
stake and raised mound
of earth 2½ feet high from pits
18+18 ins and 12 ins deep as per
instruction for quarter sec-
cor

8 11.12 To the corner of sections
16 & 17. 20 & 21

Land

High rolling sand hills
Timbered

Township 23. North Range 23 West

North between sections
16 & 17.
Va 12°.50' E.

4 11.110 Set post 2+2 ins ~~for~~ 4 feet in length
set 12 in deep. Deposited charcoal
stake and raised mound
of earth 2½ feet high from
pits 18+18 ins and 12 ins deep as
per instruction for quarter
Sec. cor.

8 11.111 Set post 4+4 ins 4 feet in length
set 12 in deep. Deposited charcoal
stake and raised mound
of earth 2½ feet high
from pits 18+18 ins and 12 ins
deep as per instruction
for sec cor. to sections
8 & 9. 16 & 17.

Land

Rolling sand
Hills 3rd rate

Township 23. North Range 23. West

East on random line
Between Sections 9 & 16
Va 12°50' E.

4 11.11 Set post for temporary quarter
Sec. cor

76.11 Enter River bottom bear N.W. & S.E.

8 11.11 Intersect North and South
line 20 links South of post
corner to Sections 9 & 10,
15 & 16, from which cor. I run
South 89°51' West on a
true line bet Sec 9 & 16 Va 12°50' E

~~4.11 Leave River bottom bear N.W. & S.E.~~

4 11.11 Set post 2+2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
2½ feet high from pits 18+18 in
and 12 in deep. as per Instruc-
tions for quarter sec cor

8 11.11 To the corner of Sections
8 & 9. 16 & 17

Land
Gently rolling
Bottom 2nd rate 3rd rate

Township 23. North Range 23. West

North Between Sections
8 & 9.
Va 12°50' E.

4 11.11 Set post 2+2 in 4 feet in length
Set 12 in deep Deposited charred
stake and raised mound
of earth 2½ feet high
from pits 18+18 in and 12 in
deep as per Instructions for
quarter sec. cor

42.00 Enter level bear S.E. & S.W. leave Sand hills

72.11 To clear creek 10 lin. pinde S. West & East
Heads at Pond in Sec. 8 15 chains
East of western boundary of sec.

8 11.11 Set post 4 & 4 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high
from pits 18+18 in and 12 in
deep as per Instructions
for sec corner to Sections
4 & 5 8 & 9.

Land
Sand hills worthless
Level 2nd rate

Township 23. North Range 23. West

East on random line
Between Sections 4 & 9.

1725 Small creek N E right Bank of N Loup River
1850 Set temporary post for Meander cor on Va 12.50 E
2575 Set temporary cor for meander cor on left Bank of River
4 11.11 Set post for temporary 1/4 sec cor
41.00 Enter Sand hills Bears S.E.S.N.W.
8 11.25 Intersect North and South line of Township 20 links North of post-corner to Sections 3 & 4.9 & 10 from which
cor true North 89.51 West on a true line bet Sec 4 & 9. Va 12.50 E
4 11.12½ Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.
~~42.25 Enter River bottom bears N.W.S.E.~~
8 11. 54.50 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep. as per Instructions for meandering

Township 23. North Range 23. West

corner on left bank North Loup River to fractional Section 4 & 9. Course North 83°35'11" E.
61.75 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as per Instructions for meandering corner on right bank North Loup River to fractional section 4 & 9.
~~63.11 Clear Creek 12 links wide N.E. 1.00 ch. empties into North Loup River~~
~~72.75 Leave River bottom bears N.W.S.E.~~
and enter general level
8 11.25 To the corner of sections 4 & 5. 8 & 9.

Land
River bottom 2nd rate
Bottom 3rd rate

Township 23 North Range 23 West

North on random line
Between Sections 4 & 5
Va 12°.5' E

3286 set temporary meander cor on Rt Bk to Loup River
4000 temporary 1/4 cor falls in River
4015 set temporary meander cor on left Bk to Loup River
~~Sec. cor.~~

8 11.18 Intersect North boundary
of Township 16 links East
of post corner to Sections
4 & 5 From which cor I run
South ~~11°.47~~ East on a true
line Between sec 4 & 5 Va 12°50' E

Note Left temporary meander corner

3893 ~~4 11.18~~ Set post 2 x 2 in 4 feet in length
set 12 in deep deposited chained
stake and raised mound of
earth 2 1/2 feet high from pits
18 x 18 in and 12 in deep as per
Instructions for Meandering
corner on left bank North
Loupe River to fractional
sections 4 & 5.

4 11.18 To quarter sec. cor. but coming
in North Loupe it could not
be established.

47.22 Set post 2 x 2 in 4 feet in length
3486 set 12 in deep deposited chained
8008

Township 23 North Range 23 West

stake and raised mound
of earth 2 1/2 feet high from
pits 18 x 18 in and 12 in deep as
per Instructions for Meandering
corner on right bank North
Loupe River to fractional
Sections 4 & 5 course N. 45°.31' W. S 79°.31' E
~~4 11.18 Leave River bottom bear N.W. S.E.~~
and enter general level
8 11.18 To the corner of sections
4 & 5. 8 & 9

Land

River bottom 2nd rate
Level 3rd rate

~~July 16th 1873~~

~~August 12th 1873~~

Township 23 North Range 23 West

North Between Sections 31 & 32.

Va 12.5 11 E.

4 11.11 11 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

8 11.11 11 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for Sec. cor. to Sections 29, & 30, 31 & 32.

Land

High rolling sand hills 3rd rate

Township 23 North Range 23 West

East on random line Between Sections 29 & 32

Va 12.5 11 E.

4 11.11 11 Set post for temporary quarter Sec. cor

7 9.90 Intersect North and South line 14 links South of post corner to Sections 28 & 29. 32 & 33. from which cor. True South 89.54 West on a true line let Sec. 29 & 32. Va 12.50 E.

3 9.95 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep. as per Instructions for quarter Sec. cor.

7 9.91 To the corner of Sections 29. & 30. 31 & 32.

Land

Broken Sand hills north bdy

Township 23. North Range 23. West

West on random line
Between Sections 31 & 31.
Va 12.5 11

4 11 11 11 Set post for temporary quarter
Sec. cor

78.4 11 Intersect West boundary of
Township 31 links North
of post corner to Sections
31 & 31. from which cor. I run
North 89°.47. East on a
true line bet Sec. 30 & 31 Va 12°.50' E

38.4 11 Set post 2+2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in and
12 in deep. as per Instructions
for quarter Sec. cor

78.4 11 To the corner of Sections
29. & 31. 31 & 32

Land

Broken Sand hills
Worthless

Township 23. North Range 23. West

North Between Sections
29. & 31
Va 12°.5 11 E.

4 11 11 11 Set post 2+2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2½ feet high from pits
18+18 in and 12 in deep as per
Instructions for quarter Sec.
Cor.

8 11 11 11 Set post 4+4 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18+18 in and 12 in deep
as per Instructions for
Sec. cor to Sections 19. & 20
29 & 31

Land

Rolling Sand hills
Worthless

August 12
~~August 11~~ 1873

Township 23 North Range 23 West

East on random line
Between Sections 20 & 29.
Va 12°50' E.

41.11 Set post for temporary quarter
Sec. cor

79.92 Intersect North and South
line 20 links South of
post corner to section
20 & 21 28 & 29 from which cor.
I run South 89°. 51 West on a
true line bet Sec 20.8.29 Va 12°50' E

39.96 Set post 2+2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18+18 in and
12 in deep as per Instructions
for quarter Sec. cor.

79.92 To the corner of Sections
19 & 20 29 & 30

Land

High Rolling Sand
hills worthless

Township 23 North Range 23 West

West on random line
Between Sections 19 & 30
Va 13°11' E.

41.11 Set post for temporary quarter
Sec cor

78.61 Intersect West boundary of
of Township 12 links North
of post corner to Sections
19 & 30 from which cor I run
North 89°. 55 East on a
true line bet Sec 19 & 30 Va 13°00' E

38.61 Set post 2+2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of 2 1/2 feet high from
pits 18+18 in and 12 in deep as
per Instructions for quarter
Sec cor.

78.61 To the corner of Sections
19 & 20 29 & 30

Land

Rolling Sandy
3rd rate

Township 23 North Range 23 West

North Between Sections 19 & 20.

Va 12°.5'.11 E.

4 11.11.11 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec cor.

8 11.11.11 Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for sec cor to Sections 17 & 18. 19 & 20.

Land

High rolling sand hills

Worthless

Township 23 North Range 23 West

East on random line Between sections 17 & 21

Va 12°.5'.11 E.

4 11.11.11 Set post for temporary quarter sec cor

8 11.11.11 Intersect North and South line of Township 12 links South of corner post to Sections 16 & 17. 20 & 21 from which cor. South 89.55 West on a true line bet Sec 17 & 20 Va 12°.50' E

4 11.11.11 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec cor.

8 11.11.11 To the corner of sections 17 & 18. 19 & 20

Land

High rolling sand hills worthless

Township 23. North Range 23 West

	West on random line Between Sections 18 & 19 Va 13°.11' E
41.11	Set post for temporary quarter Sec. cor
78.81	Intersect West boundary of Township 21 links North of post corner to sections 18 & 19. from which cor bears North 89.51 East on a true line bet Sec 18 & 19 Va 13°.00' E
38.81	Set post 2 & 2 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 & 18 in and 12 in deep. as pr Instructions for quarter Sec. cor
78.80	To the corner of Sections 17. & 18. 19. & 20 Land Sand hills 3rd rate

Township 23 N. Range 23 W.

	North Bet Sections 17 & 18 Va 12°.50' E
40.00	Set post 3 & 3 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2½ ft high from pits 12 & 24 in 12 in deep as pr Instructions for quarter Sec cor.
80.00	Set post 4 & 4 in 4 ft in length set 12 in deep. Deposited charred stake and raised mound of earth 3 ft high from pits 18 & 24 in 12 in deep as pr Instructions for Sec cor. to Sections 7 & 8. 17. 8. 18 Land. Sand hills 3rd rate

Township 23 N Range 23 W

East on random line
Bet Sections 8 & 17.
Va 13°00' E

40.00 set temporary quarter sec cor
79.82 Intersect North and south line
19 lks south of post cor. to
Sections 8 & 9, 16 & 17 from which
cor. line
S. 89.52 West on a true line
bet Sec 8 & 17 Va 13°00' E
39.91 Set post 2 x 2 4 ft in length
set 12 deep Deposited charred
stakes and raised mound of
Earth 3 ft high from pits
12 + 24 15 dep. as pr Inst-
-ructions for quarter Sec cor.
79.82 To the cor. of Sections
7.8.8.17.&.18
Land sand hills
Worthless

Township 23 N Range 23 W

West on random line
Bet Sections 7.8.18
Va 13°00' E

40.00 Set temporary quarter Sec cor.
78.91 Intersect West Boundary of
Township 23 lks North of cor.
from which cor. line
to Sec 7.8.18 N. 89°50' East
bet Sec 7 & 18 Va 13°00' E
38.91 on true line. Set post 2 x 2
4 ft in length set 12 deep
Deposited charred stake
and raised mound of Earth
2½ ft high from pits 18 + 18
12 deep as pr Instructions
for quarter Sec cor.
78.91 To cor. of Sections
7.8.8.17.&.18
Land sand hills
3rd rate

Township 23 N Range 23 West

North Bet Sec. 7 & 8
Va 12° 50' E

30.00 Enter Bottom, Bears, N.W. & S.E.
40.00 set post 2x2" 4 ft in length
set 12" deep Deposited charred
stake and raised mounds of
Earth 2½ feet high from pits
12 + 24" 12" dep, as pr
Instructions for, quarter sec cor.
80.00 set post 4x4" 4½ feet in length
set 12" deep Deposited charred
stake and raised mound of
Earth 3 ft high from pits
18 + 18" 12" deep as pr
Instructions for sec cor.
to Sections 5, 6, 7, & 8.
Land
sand hills 3rd rate
Bottom 2nd rate

Township 23 N Range 23 W.

East on random line
Bet Sec. 5 & 8.
Va 13° 00' E

40.00 set temporary quarter sec cor.
79.68 Intersect North & South line
17 lks south of post cor. to
Sections 4, 5, 8, & 9 from which
cor. S 89° 53' West on true line
bet Sec 5 & 8. Va 13° 00' E
39.84 set post 2x2" 4 feet in length
set 12" deep Deposited charred
stake and raised mound
of earth 2½ feet high from pits
12 + 24" 12" dep as pr Instructions
for quarter Sec cor.
79.68 To the cor. of Sections
5, 6, 7, & 8.
Land Bottom
2nd rate

Township 23 N R 23 W

West on random line
Bet Sec 6 & 7
Va 13°00' E

40.00 set temporary quarter sec. cor.
64.00 Enter Bluffs. Bears. N.W. & S.E.
79.05 Intersect West boundary of Township
27 lks North of cor. to Sec.
from which cor. I run
6 & 7. N. 89°48' East on true
bet Sec. 6 & 7
39.05 line Set post 2 X 2 in 4 ft Va 13°00' E
in length set 12 deep
Deposited charred stake and raised
mound of Earth 2½ ft high
from pits 12 & 24 72 deep
as pr Instructions
for quarter Sec cor.
79.05 to cor. of Sections 5 & 6, 7 & 8
Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 23 N Range 23 W.

North on Random line
Bet Sections 5 & 6
Va 12°50' E

40.00 set temporary quarter Sec cor.
79.88 Intersect North Boundary of
Township 34 lks East of
from which cor. I run
cor. to sec. 5 & 6. S ~~00~~ 15 E. Va
on true line between Sec. 5 & 6. 12°50' E
398~~8~~8 set post 2 X 2 in 4 ft in length
set 12 deep Deposited
charred stake and raised
mound of Earth 2½ ft high
from pits 12 & 24 12 deep
as pr Instructions for
quarter Sec cor.
7988 to cor. of sections
5 & 6, 7 & 8
Land
Bottom 2nd rate

August 12th 1873

General Description
The North Loup river
enters this Township in sec
5 general course S E the Bottom
land generaly 2d rate
a small creek 10 lks wide
heads in western part of
sec 8 runs N 80 E empty
into river in sec. 4.
The uplands are rolling
sand hills of third rate
soil good only for grazeing
but very little timber
on the North Loup River
and is small white willow

A List of names of individuals
employed to assist in runing
and measuring and marking
the lines and corners described
in the foregoing field notes
of Township 23 north of the
base line of Rang 23 West
of the 6th principal Meridian
showing the respective capacities
in which they acted

John Mangold } Chainman
Henry Hilb

David W Davidson Moundman
Esau Belden Flagman

Meanders of North Loup River

In Township 23 N Range 23 W

From the ~~fra~~ Meander cor on right Bank of river to fractional sec 5 and 32 on North boundary of Township 23 N Rang 23 W I run down stream on Right Bank, as follows — 1. 12°50'

Course	Distance	
	1	
S 42°30' E	32.50	
S 36° E	28.60 ~~33.20~~	To cor to fractional sec 4 & 5
	2	Thence in sec 4
S 47 E	15.00 ~~22.00~~	1100 mouth of small creek
S 32 E	11.00	
S 7 E	13.20	To cor to fractional sec 4 & 9
	3	Thence in sec 9
S 40 E	33.50	
S 30 E	33.50	
S 48 E	32.00 ~~33.00~~	To cor to fractional sec 9 & 10
	4	Thence in sec 10
S 54¼ E	5.40	
~~S 48 E~~	~~9.00~~	To cor to fractional sec 10 & 15
~~S 82½ E~~	5	Thence in sec 15
S 82½ E	16.00 ~~15.00~~	
N 85 E	21.00	
~~N 70 E~~	~~23.00~~	To cor to fractional sec 10 & 15
	6	Thence in sec 10
N 85½ E	19.00	
S 36½ E	2.00	To fractional sec 10 & 15

	7	Thence in sec 15
S 47¾ E	23.50	
~~S 85½ E~~	~~27.00~~	To cor to fractional sec 14 & 15
	8	Thence in sec 14
S 70 E	25.00	
S 52½ E	33.80	
S 60½ E	34.00	To cor to fractional sec 13 & 14
	9	Thence in sec 13
N 74½ E	36.00	
S 73½ E		
~~S 70 E~~	25.00	
S 8½ E	21.50 ~~20.10~~	To cor to fractional sec 13 & 18
	10	on East boundary of Township

Note

I meandered the right Bank only the average width is about 9.00 chains

August 13th 1873.

We hereby certify
that we have assisted
George T. Kendall Deputy
Surveyor in Surveying and
the Subdivision of Township
twenty three (23) North of the base
line of Range twenty three (23)
West of the 6th principal meridian
and that said Township has
been in all respects to the best
of our knowledge and belief
well and faithfully surveyed
and the boundary monuments
planted according to the instructi
furnished by the Surveyor General
and of dimensions character
construction and marking and
in the manner as specifically
described in the foregoing field notes

John Maugeay Chainman
Hinrich Hub Chainman
D. Wm Davidson Mound man
Evan Bolden x Flagman

Subscribed and sworn to by
the above named persons

before me a Clerk in and for
the County of Howard in the
State of Nebraska this the 16th day
September day of August A.D. 1873

J. C. Lewis
Clerk Howard
Co Neb

I George T. Kendall Deputy surveyor
do solemnly swear that in pursu-
ance of a joint contract wherein
George T. Kendall and Guy C. Barton
are joint contractors with E. E. Cunningham
Surveyor General for the District
of Iowa and Nebraska bearing date the
10th day of May 1873. I have well
faithfully and truly in my own
proper person and in strict conforma-
ity to the instructions furnished by
the Surveyor General the Surveying
Manual and the Laws of the United
States surveyed all those parts
or portions of Township No 23. North

of the Base Line of Range No 23
West of the 6th P.M. in Nebraska as
are represented in the foregoing
field notes as having been sur-
veyed under my direction &
I do further solemnly swear that
all the corners of said surveys have
been established & perpetuated in strict
accordance with the Surveying Manual &
Printed instructions & Special instructions
of the Surveyor General of Divisions Character
Construction and marking and in the
manner as specifically described in
the foregoing field and that the foregoing
are the true and original field notes
of such survey.

George T. Kendall
Deputy Surveyor

Subscribed by said George T. Kendall
Deputy Surveyor and sworn to before
me a Notary Public in and for
Cass County Nebraska this 11th
day of November 1873.

Thos Pollock
Notary Public

Surveyor Generals Office

Plattsmouth Oct 17th 1873

The foregoing field Note of the survey
and Sub Division Lines of Town-
ships No 23 North of the Base Line
& Range No 23 West of the 6th P.M. in
Nebraska Executed by George T.
Kendall under joint contract No
76 dated May 10th 1873. wherein Geo
T Kendall and Guy C. Barlin
are joint Contractors in the month
of July 1873. having been critically
examined the necessary corrections
and explanations made the said
field Notes and the surveys they
describe are hereby approved.

E. E. Cunningham
Surveyor General

Town 24 Range 23 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes

of the Subdivisions and meanders of North Loop River in Township 24 North of Baseline and Range 23 West of 6th Principal Meridian in the State of Nebraska surveyed by Geo. T. Kendall Deputy Surveyor under Joint contract No. 76. bearing date of May 10th 1873 wherein Geo T Kendall and Gny C Barton Joint contractors with E. E. Cunningham United States Surveyor General for the district of Iowa and Nebraska

Survey commenced August 18th 1873

Survey completed August 21st 1873

A list of Names of Assistants and the capacity in which they acted

John. Mangold } Chainmen
Henry Heib

David W. Davidson } Moondman
Esau Beldin } Flagmen

Township 24 North Range 23 West

To determine the proper Adjustment of my compass for subdividing this Township I commenced at the corner to Townships ~~25 & 24~~ on 6th Standard Parallel N. R. 22 & 23 W. and run North on a Blank line along the East boundary of Sec 36 Va 13.00

39.94 to a Point 6 Links West of sec cor
79.90 to a Point 10 links west of cor to 25 and 36. To retrace this line or run parallel thereto my Compass must be adjusted to a

Va of 12.56 E.

The Subdivision commenced

Aug 18th 1893

Township 24 North Range 23 West

From the cor. to Sections ~~25~~ 35 & 36 on the South Boundary of this Township I run North Between Sec. 35 & 36

Va 12.56 E

40.00 Set post 2+2 in and four feet in length 12 in deep deposited charred Stake, and raised mound of earth 2½ feet high from pits 18+18 in 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post in mound 4 & 4 in 4 feet in length 12 in deep, deposited charred stake and raised mound of earth 3 feet high from pits 18 & 18 in 12 in deep as per Instructions, for cor. to Sec 35 & 36. 25 & 26.

Land gently rolling
3rd rate

Township 24. North. R. 23. West

East on random line
Between sec 25 & 36
Va 12°.56' E.

40.00 Set Post for temporary 1/4. Sec. Cor.

79.97 Intersect Cor. to sec 25 & 36 ~~From which~~
35 links South From which cor I run
South 89.45 West on a true
line Between sec 25 & 36 / Va 12.56 E

39.98 1/2 Set post 2 + 2 in 4. feet in length
12 in deep. Deposited charred
stake and raised mound
of earth 2 1/2 feet high from
pits 18 + 18 in 12 in deep as
pr Instructions for quarter
Cor

79.97 To the Cor. of sec 25 & 26. 35 & 36.
Land gently rolling
3rd rate

Town 24. North. Range 23. West

North between sec 25 & 26
Va 13°.00' E.

40.00 Set post 1 1/2 + 2 in 4. feet in length,
12 in deep. Deposited charred stake
and raised mound of earth 2 1/2 feet
high from pits 18 + 18 in and 12 in
deep as pr Instructions for 1/4.
Cor.

80.00 Set post 4 + 4. in 4. feet in length
set. 12 in deep. Deposited charred
stake, and raised mound of earth
2 1/2 feet high from pits 18 + 18
and 12 in deep. as pr Ins-
tructions. for cor. to sec. 23.
& 24. 25 & 26.
Land gently rolling
3rd rate

Township 24. North R. 23. West

East on random line
Between Sec 24 & 25.
Va 13°15' E.

40.00 Set post for temporary quarter sec. cor.

80.20 Intersect East Boundary of Township 19 links North of post. cor to 24. & 25 From which cor

Trun North 89° 52' West on true line
Between Sec 24 & 25 Va 19°15' E.

40.10 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in, 12 in deep as pr Instructions for quarter sec. cor.

80.20 The cor to sections 23 & 24 and 25 & 26.

Land Sand hills
3rd rate

Township 24. North Range 23. West

North Between 23 & 24.
Va 12°48' E.

40.00 Set post 2 + 2 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as pr Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as pr Instructions: for sec cor. to sections 13 & 14. 23 & 24

Land
Rolling Sand hills
3rd rate

Township 24. North Range 23. West

East on random line
Between Sections 13 & 24
Va 13°.07' E.

40.00 Set post for temporary quarter sec. cor.

80.00 Intersect East Boundary of Township 6 links South of post. cor. to sections 13 & 24 from which cor. I run South 89°.57' West
On a true line Between secs 13 & 24 Va 13°.07' E.

40.00 Set post 2 + 2 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 To the cor. sections 13 & 24. and 23 & 24.
Rolling sand hills.
3rd rate

Township 24. North. Range 23. West

North Between sections 13 & 14
Va 12°.48' E.

40.00 Set post 2 + 2 in 3 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 feet high from pits 18 + 18 in and 12 in deep as per Instructions. for quarter sec. cor.

80.00 Set post 4 + 4 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as per Instructions. for sec cor to Sections 11 & 12, 13 & 4.
Land rolling
Sand hills
worthless

Township 24. North Range 23. West

East on random line
Between sections 12 & 13
Va 13°.00' E

40.00 Set post for temporary quarter
Sec. cor.

80.10 Intersect East Boundary of
Township 10 links North
of cor to sections 12 & 13 from
which corner North 89°.56' West on
a true line Between sec 12 & 13 Va 18°.00'

40.05 Set post 2 + 2 in 3 feet in length
set 12 in deep. Deposited charred
stake and raised mound 2 ft
high from pits 18 + 18 and
12 in deep as per Instructions
for quarter Sec. cor.

80.10 to the cor. of Sections 11 & 12. 13 & 14

Land gently rolling
3rd rate

Township 24. North R. 23 West

North Between sections 11 & 12
Va 12°.45' E

40.00 Set post 2 + 2 in 4. feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from pits
18 + 18 in and 12 in deep as per
Instructions for quarter Sec. cor.

80.00 Set post 4 + 4 in 4. feet in length
set 12 in deep. Deposited charred
stake and raised mound
of earth 2 1/2 feet high from
pits 18 + 18 in and 12 in deep as per
Instructions, for Sec cor
to Sections 1 & 2 and 11 & 12

Land rolling
Sand hills northless

Township 24. North. Range 23 West

East on random line Between Sections 1 & 12

V a 12°.51' E

40.00 Set post for temporary quarter sec. cor.

80.15 Intersect East Boundary of Township 5 links South of sec. cor. to sections 1 and 12

From which Cor Trim — South 89°.58' West on a true line Between secs 1 & 12 V 12°56' E ~~Va 12°45'~~

40.07½ Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as pr Instructions for quarter sec. cor.

80.15 To the corner of sections 1 & 2 11 & 12

Land gently rolling 3rd rate

Township 24. North. Range 23. West

North on true line Between sections 1 & 2

V a 12°.45' E

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in 12 in deep as pr. Instructions for quarter sec. cor.

50.00 Enter bottom: Bears N.E. & N.W.

52.00 Enter Marsh: Bears N.E. & N.W.

7.2.80 Intersect 6th Standard Parallel 15.30 chs West of ~~Sec.~~ Parallel cor. to ~~Sec.~~ ~~Township 25~~ Townships 24 & 25 N. Range 22 & 23. West ~~on South Boundary of Sec 36~~

where Set post 3 + 3 in and 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as pr Instructions for closing Cor. to Secs 1 & 2 T. 24. N. R. 23. W. Land the Southern ch 5.2.00 rolling sand hills 3rd rate 20.80 North dry marsh subject to overflow

Township 24. North Range 23. W.

North Between sections 34 & 35. V a 12°.50' E.

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth from pits 2½ feet high 18 + 18 in 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for sec. cor. to sections 26 and 27 and 34 and 35.

Land rolling sand hills 3rd rate

Township 24. North Range 23. W.

East on a random line Betwn sections 26 & 35. V a 12°.45' E.

40.00 Set post for temporary quarter 20° cor.

80.15 Intersect North and South line 10 links South of cor to sections 25 & 26 and 35 & 36

From which Cor. Drum — South 89°.56' West on a true line Between sec 26 & 35 V a 12°.45' E.

40.07½ Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet from pits 18 + 18 in 12 in deep as per Instructions for quarter sec. cor.

80.15 To the corner of sections 26 & 27 and 34 & 35.

Land rolling sand hills worthless

Township 24 North Range 23 West

North Between sections
26 & 27

Va 12°.50' East

40.00 Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited Charred Stake and raised mound of earth 2½ feet high from pits 18 + 18 in 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in and 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in 12 in deep as per Instructions for sec cor to sec 22 & 23. 26 & 27

Land
high land hills
worthless

Township 24 North Range 23 West

East on random line
Between sections 23 & 26

Va 12°.50' East

40.00 Set post temporary quarter sec cor

80.00 Intersect N. & S. line 3 links North of corner to sections 23 & 24 and 25 & 26 from which cor.

Drum North 89°.38' West on a true line Between sec 23 & 26 Va 12°50'E

40.00 Set post 2 + 2 and 4 feet in length set 12 in deep. Deposit charred stake and raised mound of earth 2½ feet from pits 18 + 18 in 12 in deep as per Instructions for quarter sec. cor.

80.00 To the cor of sections 22 + 23 and 26 & 27

Land gently rolling
3rd rate

Township 24. North. Range 23. West

North Between sections
22 & 23

Va 12°. 50 East

40.00 Set post 2 + 2 in and 4 feet in length set 12 in deep. Deposited Charred Stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in and 4 feet in length set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 and 12 in deep as per Instructions for sec cor. to sections 14 & 15. 22 & 23
Land
rolling land hills
Worthless

Township 24. North R. 23. West

East on random line
Between sections 14 & 23
Va 12° 50' E.

40.00 Set post for temporary quarter sec. cor.
79.95 Intersect North and South line 8 links South of sec cor. to sections 13 & 14 and 23 & 24 from which
cor 9 mm South 89°. 54'. West on a true line Between secs 14 & 23 Va 12° 50' E
39.97½ Set post 2 + 2 in and 4 feet in length set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter sec. cor
79.95 To the corner of sections 14 & 15 and 22 & 23.
Land Land hills
Worthless
August 18 1870

Township 24. North Range 23. West

North Between sections 14 & 15

Va 12.50 E.

40.00 Set post 2 + 2 in and 4 feet in length. set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for Quarter Sec. Cor.

80.00 Set post 4 + 4 in and 4 feet in length set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 and 12 in deep. as pr. Instructions for Sec. Cor. to sections 10 & 11 and 14 & 15.

Land high rolling land hills worthless.

Township 24. North. Range 23. W.

East on random line Between sections 11 & 14

Va 12.50 E.

40.00 Set post for temporary quarter sec. cor.

80.00 Intersect North & South line 4 links South of sec. cor. to sections 11 & 12 and 13 & 14

From which Cor. bears South 89.57 West on a true line Between sec 11 & 14 Va 12.50 E

40.00 Set post 2 + 2 in and 4 feet in length set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.00 To the cor. to sections 10 11. 14 & 15.

Land rolling land hills worthless

Township 24. North. R. 23. W.

North Between Sections 10 & 11

Va 12°. 30'E.

40.00 Set post 2 + 2 in and 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Quarter Sec. cor.

80.00 Set post 4 + 4 in and 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Sec. cor. to sections 2 & 3 10 & 11.

Land rolling sandy
3rd rate

Township 24. North R. 23. W.

East on random line Between sections 2 & 11

Va 12°. 30'E.

40.00 Set post temporary Quarter Sec. cor.

80.10 Intersect North and South line 10 links south sec. cor to sections 1 & 2. 11 & 12 From which cor I run South 89. 30 West on true line Between sec 2 & 11 Va 12°30'E

40.05 Set post 2 + 2 in and 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for Quarter sec. cor.

80.10 To the corner of sections 2 & 3. 10 & 11.

Land rolling sand hills
3rd rate

Township 24. North Range 23. West

North Between sections 2 & 3

V a 12°. 50' E

40.00 Set post 2 + 2 in and 4 feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr Instructions for Quarter sec. cor.

72.90 Intersect a point on the 6th standard Parallel 146 S West ~~Parallel~~ cor. to Sections ~~34 & 35~~ 35 & 36 T. 25. N. R. 23 W. where set post 3 + 3 in 4 feet in length. set 12 in deep. Deposited charred stake. and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for closing corner to sections 2 & 3. T. 24. N. R. 23. W.
Land, gently rolling
3rd rate

Township 24. N. Range 23. West

North Between sections 33 & 34.

V a 12°. 50' E.

40.00 set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr. Instructions. for Quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set. 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep, as pr Instructions for Sec. Cor. to 27. & 28, 33 & 34.
Land rolling
Sand hills
3rd rate

Township 24. North. Range 23. West

East on random line
Between sections 27 & 34
Va 12°.56' E.

40.00 set post for temporary quarter sec. cor.

79.96 Intersect North & South line 8 Links South sec cor. to sections 26 & 27. 34 & 35.

From which cor. from South 89.57 West on a true line. Between sec 27 & 34 Va 12°.56'

39.98 set post 2+2 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep. as pr. Instructions for quarter sec. cor.

79.96 To the cor of sections 27 & 28. 33 & 34

Land rolling sand hills

3rd rate

Township 24. North Range 23 West

North Between sections 27 & 28.
Va 12°.56' E.

40.00 set post 2+2 in 4. feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for quarter sec. cor

80.00 set post 4+4. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of 2 1/2 feet high from pits 18+18 and 12 in deep. as pr. Instructions. for sec. cor. to sections 21 & 22. 27 & 28.

Land rolling sand hills

3rd rate

Township 24. North R. 23 West

	East on random Between sections 22 & 27
	Va 13°. 00 E.
4.00	set post for temporary quarter sec. cor.
79.90	Intersect North and South line 10 links North sec. cor to sections 22 & 23. 26 & 27 from which cos I run North 89°. 56 West on a true line Bet sec 22 & 27. Va 13° 10' E.
39.95	Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter Sec. Cor.
79.90	To the corner of sections 21 and 22. 27 and 28

Land rolling Land hills

3rd rate

Township 24. North. Range 23. W.

	North Between sections 21 & 22
	Va 12°. 30 East
4.00	Set post 2 + 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for quarter Sec. Cor
80.00	Set post 4 + 4 in 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep. as per Instructions for Sec. Cor. to Sections 15 & 16. 21 & 22.

Land rolling Land hills

3rd rate

Township 24. North. Range 23. West

East on random line
Between sections 15 & 22
Va 13° 00' E.

40.00 set post for temporary
quarter section corner.

80.10 Intersect Northward South
line 6 links North sec.
cor to sections 14 & 15. 22 & 23

From which Cor I run North 89° 57' West on a
true line Bet. sec 15 & 22. V 15° E

40.05 set post 2 + 2 in 4 feet in
length, set 12 in deep.
Deposited charred stake
and raised mound of
earth 2 1/2 feet high from
pits 18 + 18 in and 12 in deep
as pr. Instructions for
quarter sec. cor.

80.10 To sec. cor. to sections 15 & 16.
21 & 22.

Land.
Rolling Sand hills
3rd rate

Township 24. North. Range 23. West

North Between sections
15 & 16

Va 12° 50' East

40.00 set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from pits
18 + 18 in and 12 in deep as pr
Instructions for quarter
sec. cor.

80.00 set post 4 + 4 in and 4 feet
in length set 12 in deep.
Deposited charred stake
and raised mound of earth
2 1/2 feet high from pits 18 + 18
and 12 in deep as pr. Instruc-
tions for sec. cor. to sections
9 & 10. 15 & 16

Land
Rolling
Sandy
3rd rate

Township 24. North. Range 23. West

East on random
Between sections 10 & 15
Va 13°00' E.

40.00 Set post-Em temporary quarter sec. cor.

79.94 Intersect North and south line 5 links South sec. cor. to sections 10 & 11. 14 & 15. From

which cor. Drum South 89°58' West on a-time line Between sec 10 & 15 Va 18° E

39.97 Set post 2+2 in 4. feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits. 18+18 in and 12 in deep as pr. Instructions for quarter. sec. cor.

79.94 To the corner of sections 9 & 10. 15 & 16

Land
Rolling sand hills
3rd rate

Township 24. North. Range 23. West

North Between sections 9 & 10.
Va 12°55' E.

40.00 Set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.00 Set post. 4+4. in 4. feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as pr. Instructions for sec. cor. to sections 3 & 4. 9 & 10.

Land
Rolling sand hills
3rd rate

Township 24. North Range 23 West

East on a random Between sections 3 & 10.

Va 13°.00' E.

40.00 Set proper temporary quarter sec. cor.

80.00 Intersect North and South line 8 links North sec. cor. to sections 2 & 3. 10 & 11. From which

cor. from North 89°.57' West on a true line Bet sec 3 & 10 Va 1°.0' E

40.00 Set post 2+2 in. 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 To the corner to sections 3 & 4. 9 & 10.

Land

Rolling sand hills

3rd rate

Township 24. North Range 23 West

North outer line Between sections 3 & 4

Va 12°.55' E.

40.00 Set post 2+2 in. 4. feet in length. set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions

~~47.00 Enter bottom Bears N. E. & S. W.~~

~~50.00 Enter Marsh Bears N. E. & S. W.~~

73.10 Intersect a point on the 6th Standard Parallel 14.09 West ~~Parallel~~ cor. to sections 33 & 34. T. 25. N. R. 23. W.

Set Post 3+3 in 4. feet in length. set 12 in deep.

Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for closing cor. to sections 3 & 4 T. 24. N. R. 23. W.

(August 18th 1879)

Land: Southern 50.00 ch. 3rd rate, ~~Bottom and Marsh subject to over flow, worthless~~

Township 24. North. Range 23 W.

North Between sections 32 & 33.

Va 12°55' E.

30.00 Enter Sand Hills Bear N. 11.85 E.

40.00 Set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter section corner.

80.00 Set post 4+4 in 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 28 & 29. 32 & 33.

Land

Southern 30.00 ch. Level 2nd rate

Northern 50.00 Sand hills 3rd rate

Township 24. North Range 23 W.

East on random line Between sections 28 & 33.

~~40.00~~ set Va 13°00' East

40.00 set post for temporary quarter sec. cor.

79.90 Intersect North and South line 10 links South sec. cor. to sections 27 & 28. 33 & 34. From which cor. I run,

South 89°56 West on a true line Between sec 28 & 33. Va 15° E

39.95 Set post 2+2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

79.90 To the corner of sections 28 & 29, 32 & 33.

Land

Rolling Sandy Northless

Township 24. North Range 23. West

North Between sections 28 & 29

Va 13.00 E.

40.00 Set post 2 + 2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for sec. cor. to sections 20 & 21, 28 & 29.

Land

Rolling sand hills

3rd rate

Township 24. North Range 23. West

East on random line Between sections 21 & 28.

Va 13.00 East

40.00 set post for temporary quarter sec. cor.

79.92 Intersect North and South line 6 links South sec. cor. to sections 21 & 22. 27 & 28. From which cor. I run South 89.58 West on a true line Between sec 21 & 28 Va 13.00 E

39.96 set post 2 + 2 in. 4 feet in length set 12 in deep.

Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in deep as pr. Instructions for quarter sec. cor.

79.92 To sec. cor. to sections 20 & 21. 28 & 29

Land.

Gently rolling sand hills

3rd rate

Township 24. N. Range 23 West

North Between Sections 20 & 21.

Va 13°.05' E.

40.00 Set post 2 x 2 in. 4 feet in length. set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as pr. Instructions. for quarter sec. cor.

80.00 Set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep as pr. Instructions for sec. cor. to sections 16 & 17, 20 & 21.

Land
Gently rolling
3rd rate

Township 24. North. Range 23 West

East on random Between Sections 16 & 21.

Va 13°.00' East

40.00 Set post for temporary quarter sec. cor.

80.25 Intersect North and South line 10 links North sec. cor. to sections 15 & 16. 21 & 22, from which cor. from North 89.56 West on a true line Between sec 16 & 21 Va 15° E

40.12½ Set post 2 x 2 in. 4 feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep. as pr. Instructions for quarter sec. cor.

80.25 To the corner of sections 16 & 17. 20 & 21

Land
Gently rolling
3rd rate

Township 24. North Range 23. West

North Between Sections 16 & 17.

Va 13°.00 E.

40.00 Set first 2 + 2 in 4. feet in length. set 12 in deep.
Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep. as per Instructions for quarter sec. cor.

80.00 Set first 4 + 4 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep as per Instructions for ~~Section corner~~ to sections 8 + 9. 16 & 17.

Land rolling
Land
3rd rate

Township 24. North Range 23. West

East on random line Between Sections 9. & 16.

Va 13°.00 E.

40.00 Set temporary quarter sec. cor.
80.10 Intersect North and South line 16 links North sec. cor.
To sections 9 & 10. 15 & 16 from which cor. bears North 89°.53' West on a true line Between sec 9 & 16 — Va 13°.00 E
40.05 Set first 2 + 2 in 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in and 12 in deep. As per Instructions for quarter sec. cor.
80.10 To the corner of sections 8 & 9. 16 & 17.

Land.
Rolling Land
3rd rate

Township 24. North Range 23. W.

North Between sections 8 & 9.

Ga. 13°.00' E.

40.00 Set post 2 + 2 in. 4. feet in length set 12 in. deep. Deposited charred stake and raised mound of earth. 2 1/2 feet high from pits 18 + 18 in and 12 in. deep as pr. Instructions for quarter sec. cor.

80.00 Set post 4 + 4 in. 4. feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as pr. Instructions for sec. cor. to sections 4 & 5. 8 & 9

Land

Gently rolling sand hills 3rd rate

Township 24. North Range 23. West

East on random Between sections 4 & 9.

Ga 13°.00' E

40.00 Set post for temporary quarter sec. cor.

79.94 Intersect North and South line 10 links South sec. cor. to sections 3 & 4, 9 & 10 From which cor I run South 89°. 56'. West on a true line Between secs. 4 & 9. Va 18°.

39.97 Set post 2 + 2 in. 4. feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in and 12 in. deep as pr Instructions for quarter section cor.

79.94 To the corner of sections ~~3 & 4. 9 & 10.~~ 4 & 5. 8 & 9

Land.

Gently rolling sand hills 3rd rate

Township 24. North Range 23. West

North Between sections 4 & 5

Va 13°.11' E.

40.00 Set post 2 x 2 in. 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.

73.15 Intersect a point on the 4th Standard ~~Parallel~~ 13.51 West of ~~Parallel~~ cor. to sec. ~~32 & 33~~ 33 & 34 Township 25. N. R. 23. W.

Set 3 corners post 3 x 3 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for closing cor to sec. 4 & 5. T. 24. N. R. 23. W.

Land

Rolling sand hills

3rd rate

Township 24. North Range 23. West

North Between sections 31 & 32

Va 13°.11' E.

40.00 Set post 2 x 2 in 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for quarter sec. cor.

45.50 Enter River bottom North Loupe. Bear N. W. & S. E.

67.66 Set post 2 x 2 in 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for Meandering cor on the right bank of North Loupe River to fractional sections 31 & 32. S 33°.11' E. course. The River being shallow the distance across may be more ~~readily~~ accurately ascertained by chaining than by triangulation I therefore chained the distance across the River

73.50 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for Meandering cor. to fractional sec 31 & 32. on left bank of North Loupe River ~~cor~~

81.11 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for sec. cor. to sections 29 & 31. 31 & 32.

Land

Level rond rate Bottom 18 rate

Township 24. North Range 23. West

East on random line
Between sections 29. & 32
Va 13.11 E.

23.11 Leave River Bottom Bears N.W. & S.E.
41.11 Set post for temporary quarter sec. cor.
~~23.11~~ ~~Leave River bottom Bears N.W. S.E.~~
80.21 Intersect North and South line 7 links south of post corner to sections 28 & 29, 32. & 33.
From which cor 9 rm
South 89.57 West on a true line Between secs ~~28 & 32~~ 29 & 32 Va 18° E
41.11 Set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.
~~57.21~~ ~~Enter River Bottom Bears N.W. S.E.~~
81.21 To the corner of sections 29 & 30 31 & 32.

Land.

River bottom marshy and worthless owing to small spring of water rising in different places. Rest of the land gently rolling 3rd rate

Township 24. North Range 23. West

West on random line
Between sections 30 & 31
Va 13.11 E.

6.35 Set temporary meander cor on ~~Right~~ Bank of N. Fork River
9.50 Set temporary meander cor on Right Bank of River
41.11 Set post for temporary quarter sec. cor.
78.51 Intersect West Boundary of Township 26 links South of post corner to sections 30 & 31. From which cor 9 rm South 89°.49 East on a true line between secs 30 & 31 Va 18° E
38.51 Set post 2 x 2 in 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for quarter sec. cor.
~~43.51~~ ~~Enter River bottom of the North Loupe Bears N.W. & S.E.~~
69.11 Set post 2 x 2 in 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for Meandering Cor. on Right bank of North Loupe River To fractional Sec. 30 & 31 course N. 27°.11 W.
72.15 Set post 2 x 2 in 4 feet in length. Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per Instructions for Meandering Cor. to fractional Sec. 30 & 31 on left bank
78.51 To the corner of sections 29. & 30 31 & 32.

Land

~~Level 3rd rate~~
River bottom 2nd rate

Township 24. North Range 23. West

North Between sections 29. & 30

Va 13°.0'.0" E.

19.00 Leave River Bottom Bear N.W. & S.E.

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for Sec. cor. to Sections 19. & 20. 29. & 30.

Land

Sand hills

3rd rate

Bottom 2 August 20. 18.73

Township 24 North Range 23 West

East on random line Between Sections 20 & 29

Va 13°.0'.0" E.

40.00 Set post for temporary quarter Sec. cor.

80.10 Intersect North and South line 20 links South of post corner to Sections 20 & 21. 28 & 29. (from which cor. I sign)

South 89.37 West on a true line Between sec 20 & 29 Va 13° E

40.05 Set post 2+2 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

80.10 To the corner of sections 19. & 20. 29. & 30.

Land

Rolling Sand hills

Worthless

Township 24. North Range 23. West

West on random line
Between sections 19 & 30
Va 13.0'.11" E.

4 11.11 Set post for temporary quarter sec. cor.

78.4 11 Intersect West Boundary of Township 2 11 links South of post corner to sections 19 & 30
From which cor. from South 89.51 East on a true line Between sec. 19 & 20 Va 13° E

38.4 11 Set post 2+2 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for Quarter Sec. cor.

78.4 11 To the corner of sections 19 & 20. 29 & 30

Land
Rolling Sandy
3rd rate

Township 24. North Range 23. West

North Between sections 19 & 20
Va 13.0'.11" E.

4 11.11 Set post 2+2 in. 4 feet in length, set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor. to £

8 11.11 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for Sec. cor. to sections 17 & 18. 19 & 20.

Land
Rolling Sand hills
3rd rate

Township 24. North Range 23. W

East on random line
Between sections 17 & 20
Va 13°.11' E.

4 11.11 Set post for temporary quarter
sec. cor.

8 11.11 Intersect North and South
line 20 links South of
post corner to sections
16 & 17. 21 & 21, from which cor. arm
South 89°.57 West on a
true line Between sec 17 & 20 Va 13° E

4 11.11 Set post 2 x 2 in. 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18 x 18 in. and 12 in. deep
as per instructions for
quarter sec. cor.

8 11.11 To the corner of sections
17 & 18. 19 & 20.

Land
Gently rolling
3rd rate

Township 24 North Range 23. West

West on random line
Between sections 18 & 19.
Va 13°.11' E.

4 11.11 Set post for temporary quarter
sec. cor.

78.30 Intersect West Boundary of
Township 15 links South of post
corner to sections 18 & 19 from
which corner I run
South 89°.54 East on a true
line Between sec 18 & 19 Va 13° E

38.31 Set post 2 x 2 in. 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound of
earth 2½ feet high from
pits 18 x 18 in. and 12 in. deep
as per instructions for quar-
ter sec. cor.

78.30 To the corner of sections
17 & 18. 19. & 20.

Land
Rolling land hills
3rd rate

Township 24. North Range 23. West

North Between Sections 17 & 18.

Va 13.0'.11" E.

4 11,111 Set post 2+2 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor.

8 11,111 Set post 4+4 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for Sec. cor. to Sections 7 & 8. 17 & 18.

Land
Rolling sandy
3rd rate

Township 24 North Range 23. West

East on random line Between Sections 8 & 17

Va 13.11 E.

4 11,111 Set post for temporary quarter Sec. cor.

79.94 Intersect North and South line 5 links South of post corner to Sections 8 & 9. 16 & 17 from which cor. from South 89.58 West on a true line Between Sec 8 & 17 Va 18.0 E

39.97 Set post 2+2 in 4 feet in length Set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter Sec. cor

79.94 To the corner of Sections 7 & 8. 17. & 18

Land
Rolling sand hills
3rd rate

Township 24. North Range 23 West

West on random line
Between Sections 7 & 18.
Va 13°.11'.11" E.

4 11.11.11 Set post for temporary quarter
Sec. cor.

78.25 Intersect West Boundary of
Township 20 links North of
post corner to Sections 7 & 18
From which corner I run
North 89.51 East on a true
line Between Sec. 7 & 8 Va 15° E

38.25 Set post 2 x 2 in 4 feet in length
Set 12 in deep. Deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 & 18 ins and 12 in deep
as per Instructions for quarter
Sec. cor.

78.25 To the corner of Sections
7 & 8. 17 & 18.

Land

Rolling Sand hills
3rd rate

Township 24. North Range 23 West

North Between Sections
7 & 8.

Va 13°.11'.11" E.

4 11.11.11 Set post 2 x 2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits - 18 & 18 in
and 12 in deep as per
Instructions for quarter
Sec. cor.

8 11.11.11 Set post 2 x 4 in 4 feet in length
Set 12 in deep Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 & 18 in
and 12 in deep. as per
Instructions for Sec. cor.
5 & 6. 7 & 8.

Land

Rolling Sand hills
3rd rate

Township 24 North Range 23 W.

East on random line
Between Sections 5 & 8.
Va 13°.10' E.

40.00 Set post for temporary quarter
Sec. cor.

80.14 Intersect North and South
line of Township 10. links South of
post corner to Sections
4 & 5. 8 & 9. From which cor I run
South 89°.56 West on a
true line Between Sec. 5 & 8 Va 13°.0' E
40.00 Set post 2 x 2 in. 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound of
earth of 2 1/2 feet high from
pits 18 x 18 in. and 12 in. deep
as per Instructions for
quarter sec. cor.

80.14 To the corner of sections
5 & 6. 7 & 8.

Land
Gently rolling Sandy
3rd rate

Township 24 North Range 23 West

West on a random
line Between Sections 6 & 7
Va 13°.10' E.

40.00 Set post for temporary quarter
Sec cor.

78.35 Intersect West Boundary
of Township 20 links North
of post corner to Sections
6 & 7. From which cor I run
North 89°.51 East on a
true line Bet. sec. 6 & 7 Va 13°.0' E
38.35 Set post 2 x 2 in 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 x 18 in.
and 12 in. deep. as per Instruc-
tion for quarter sec. cor.

78.35 To the corner of Sections
5 & 6. 7 & 8.

Land
Rolling Sand hills
3rd rate

Township 24. North Range 23. West

North Between on the line Sections 5 & 6.

Va 13.11 E.

4 11.1111 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec-cor.

74.28 To a point on the Alb. standard Parallel 13.07 West of ~~Par-allel~~ corner to sections 32 & 33. Township 25. North Range 23. West.

Set & covered post 3+3 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for closing corner to section 5 & 6. T. 24. N. R. 23. W.

Land Aug 21. 1879

Gently rolling sandy 3rd rate

General Description

This Township is mostly rolling sand hills of third rate soil and good only for grazeing The North Loup river runs through the S.W. portion in sec 30, 31 and 32 the average width of about 400 chas the bottom on the North is narrow and 2d rate land on the South is a first and second Bottom first Bottom affords a large amount of grass for hay second Bottom raises about 20 feet above first and is level soil 2d rate there is no timber on the river except on some small islands ~~and~~ which is small willows

A List of names of individuals employed to assist in running measuring and marking the lines and corners described in the forgoing field notes of Township 24 north of the base line of Range 23 west of the 6th Principal meridian showing the respective capacities in which they acted

John Mangold. }
Henry Hieb. } Chainmen

David W Davidson. Thoundman
Esau Belden. Flagman

Meanders of North Loup River

In Township 24 N R 23 W
From the cor to fractional sec 25 & 30 on the west boundary of Township I run down the river on the right Bank to in sec 30

S 85 E	2500	
N 89 E	2180	
S 58½ E	1900	
S 44 E	850	To cor to fractional sec 30 & 31 Thence in sec 31
S 37 E	1560	To cor to fractional sec 31 & 32 thence in sec 32
S 48¾ E	2800	
S 19 E	2700	
S 27½ E	2560	To cor to fractional sec 5 & 32 on the South boundary of Township

average width 400 chs

Aug 21th 1873

We hereby certify that we assisted George T. Kendall Deputy surveyor in surveying and subdividing of Township No twenty four (24) of the base line of Range twenty three (23) West of the 6th principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

John Mangold Chainman
Henrick Hiel Chainman
Drew Davidson Mountman
Oscar Belden X Flagman

Subscribed to by the above named persons before me a Clerk in and for Howard County in the state of Nebraska this the 16th day of September 1873

J. C. Lewis
Clerk Howard
Co Neb.

I George F Kendall Deputy surveyor do solemnly swear that in pessuance of a joint contract wherein George F Kendall and Guy C Barton are joint contractors with E E Cunningham Surveyor Gen for the state of Nebraska and Iowa bearing date the 10th day of May A D 1873 I have well and faithfully and truly in my own proper person and in strict conformity with the instructions furnished me by the Surveyor General the surveying manual and the laws of the united States surveyed all those parts and portions of Townships 24 N of the base line of Range 23 West of the 6th Principal Meridian as are represented in the foregoing Field notes as having been surveyed under my directions I do further solemnly swear that all the corners of said survey have been established perpetuated in strict accordance with the surveying manual printed instructions of the Surveyor General of Dimentions character constructions and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

George F Kendall
Deputy surveyor

Subscribed before me by Said George F Kendall deputy surveyor and sworn to before me a notary Public for the County Cass in the State of Nebraska on this the 11th day of November A D. 1873

Tho Pollock
Notary Public

Surveyor Generals Office
Plattsmouth Oct 17th 1873

The foregoing field notes of the survey and subdivision of Township No 24 North of the Base Line of Range No 23 West of the 6th P.M. in Nebraska Executed By. George T. Kendall under joint Contract No 76. dated May 10 1873. Wherein George T. Kendall and Guy C. Barton are joint Contractors in the month of July 1873 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

472

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.