General Land Office • Original Field Notes

Book Number

476

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T. 1-4 N.
R. 24 W.

111.



T
1 to 4 N
R 24 W.

Field Notes
of

The Survey & Subdivision
of
Township No 1. N. R 24 W. 6th P.M.
in the
State of Nebraska

Executed
By David V. Stephenson Deputy Surveyor
under joint Contract No 49. dated
June 16th 1871

Survey
Commenced August 4th 1871
Completed August 8th 1871

List of Names
of persons employed to assist in
Surveying this Township showing
the respective capacities in which
they acted.

Thos C. Cunningham Chainman
Benj F. Morrow Chainman
Wm C. Fitton Axeman & Mounduman
Oliver W Brown Flagman

Field Notes of the Subdivision

Lines of Township 1. North
Range 24. W. of the 6th P.M.

To determine the proper adjustment
of my Compass for subdividing
this Township. I commenced
at the Corner to Township
One (1) North. On the Base Line
Ranges 23 & 24. West of the
6th P.M. and run
North on a random Line along
the East boundary of Sec 36.
Variation 13° 30' E

40.10 To a Point 15 links west of the
1/4 Sec Cor.

80.08 To a Point 27 links west of
the Corner to Sec 25 & 36.
To retrace this line & run
a line Parallel thereto my
Compass must be adjusted
to a
Va of 13° 18' E

Township 1. N. R 24. W. 6th P.M.

Chains.	North. between Sec 35 and 36. Va. 13° 18' E
40.00	Drove chained stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
70.00	Sappy Creek 30 links wide water 2 feet deep, banks high and muddy. A belt of Timber 1 chain wide along either bank of Creek. runs E
80.00	Drove chained stake, set post & raised mound of earth as per instructions for Cor to Sec 25. 26. 35 and 36.

Land level along bottom Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	East. On a random line between Sec 25 and 36. Va 13° - E
40.00	Set ~~Post~~ Post for temporary 1/4 Sec cor
80.02	Intersected the East boundary of Township. 9 links South of Corner to Sec 25 and 36. from which corner I run South 89° 56 W.
	On true line bet Sec 25 and 36 Va 13° E.
40.01	Drove chained stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor
80.02	The Corner to Sec 25. 26. 35 and 36

Land level Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

	North between Sec 25 and 26 Va 13° 18' E.
10.00	Leave bottom & enter upland brars E and S.W.
40.00	Drove chared stake, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.00	Set Sandstone 12x12x7 for Cor to Sec 23, 24, 25 & 26.

Land high rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

	East On a random line between Sec 24 and 25 Va 13° E
16.00	Deep Ravine brars S.E. Sandstone along edges
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
80.08	Intersected East boundary of Township 10 links south of Cor to Sec 24 and 25. from which corner I run South 89° 56' W. On a true line, Set Sec 24 & 25 Va 13° E
40.04	Set Sandstone 10x9x5 for a 1/4 Sec Cor.
80.08	The Corner to Sec 23. 24, 25 and 26.

Land high rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

North between Sec 23 & 24.
Va 13° 18' E.

7.00 Deep Ravine bears S.E. Some scattering Cottonwood trees along banks.

40.00 Set Sandstone 10x10x6 for a 1/4 Sec Cor.

80.00 Set Sandstone 13x10x6 for Corner to Sec 13. 14. 23 & 24.

Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

East. On a random line between Sec 13 & 24.
Va 13° E

13.00 Ravine bears South.

40.00 Set ~~Stag~~ Post for temporary 1/4 Sec Cor.

55.00 Ravine bears S.E.

80.10 Intersected East boundary of Township. 16 links South of Cor to Sec 13 & 24.

from which corner I run South 89° 53' W
On a true line Set Sec 13 & 24 Va 13° E

40.05 Set Sandstone 10x10x7 for a 1/4 Sec Cor.

80.10. The Corner to Sec 13, 14, 23 & 24.

Land high & rolling -
Soil 2nd rate

Township 1. N. R 24. W. 6th P. M.

North between Sec 13 & 14.
Va 13° 18' E.

30.00 Ravine bears S.E.
40.00 Set Sandstone 10×9×8 for a 1/4 Sec Cor.
70.00 Ravine bears S.E.
80.00 Set Sandstone 15×13×6. for Cor to Sec 11.12.13 & 14.

Land high Soil Sandy 3rd rate

Township 1. N. R 24. W. 6th P. M.

East On a random line between Sec 12 & 13
Va 13° E.

40.00 Set Post Flag for temporary 1/4 Sec Cor.
45.00 Ravine bears S.
80.12 Intersected East boundary of Township 8 links South of Corner to Sec 12 & 13.
from which corner I run
South 89° 57 W.
On a true line bet. Sec 12 & 13
Va 13° E.
40.06 Set Sandstone 10×10×9 for a 1/4 Sec Cor.
80.12 The Cor to Sec 11.12, 13 and 14.

Land high. Sandy Soil 3rd rate ~~farming~~ land

Township 1. N. R 24. W. 6th P.M.

North between Sec 11 and 12
Va 13° 18' E.

40.00 Set Sandstone 10×10×6 for a 1/4 Sec Cor. On top of dividing ridge

70.00 Ravine bears West 3 chains to Ravine that runs North.

80.00 Set Sandstone 16×10×6 for Corner to Sec 1, 2, 11 and 12.

Land high rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

East. On a random line between Sec 1 and 12.
Va 13° E.

40.00 Set ~~Flag~~ Post for temporary 1/4 Sec Cor

80.08 Intersected East boundary of Township at Corner to Sec 1 and 12. from which corner I run

West. On true line between Sec 1 and 12. Va 13° E.

40.04 Set Sandstone 12×10×7 for a 1/4 Sec Cor.

80.08 The Corner to Sec 1. 2, 11 and 12.

Land high, broken Ridges unfit for cultivation

Township 1. N. R 24. W. 6th P.M.

Chains North On a random line between Sec 1 and 2

40. Va 13° 18' E

40.00 Set ~~Flag~~ Post for temporary 1/4 Sec Cor

48.00 Short Ravine bears west to a

70. Deep Ravine

79.78 Intersected the North boundary

80. of Township 30 links East of Corner to Sec 1 and 2.

from which corner I run South 13' E On true line

Cet Sec 1 and 2 Va 13° 18' E.

39.78 Set Sandstone 12×12×6 for a 1/4 Sec Cor.

79.78 The Corner to Sec 1. 2. 11 and 12.

August 4th 1871

Land high broken ridges & Ravines. Soil unfit for cultivation Ravines have Sandstone in them

Township 1. N. R 24. W. 6th P.M.

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 34 & 35 Va 13° 30 E.
22.00	Leave Creek bottom & enter up land. N.E.
40.00	Drove chard stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chard stake set post & raised mound of earth as per instructions for Cor Sec 26, 27, 34 & 35.
	Land high & rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	East On a random line between Sec 26 & 35. Va 13° E.
8.00	Ravine bears S.E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
65.00	Short bend in Sappy Creek
	Corner to line from S W & runs S.E. Inclosed N & S line
79.90	~~2 Closed~~ 8 links South of Corner to Sec 25. 26. 35 & 36 from which corner I run South 89° 57 W.
	On true line bet. Sec 26 & 35
39.95	Drove chard stake Va 13° E. Set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
79.90	The Corner to Sec 26, 27, 34 & 35.
	Land high & rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P M.

Chains.	North between Sec 26 and 27 Va 13° 30' E.
6.00	Deep Ravine bears S.E.
22. 40.00	Drove chared stake. set post + raised mound of earth as per instructions for a 1/4 Sec Cor.
40.	
80.00	Drove chared stake, set post + raised mound of earth as per instructions for Corner to 22. 23. 26 and 27.
	Land broken Soil 3rd rate

Township 1 N. R 24. W. 6th P M.

Chains	East On a random line between Sec 23 and 26. Va 13° E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
58.00	Ravine bears North to large Ravine
79.96	Intersect N & S line ~~I closed~~ 7 links North of Corner to Sec 23. 24. 25 and 26. from which corner I run North 89° 57 W. On true line bet Sec 23 and 26 Va 13° E
39.98	Set Sandstone 10×10×7 for a 1/4 Sec Cor
79.96	The Cor to Sec 22. 23. 26 and 27.
	Land broken. Soil 3rd rate

Township 1 N. R 24 W. 6th P.M.

Chains	
	North between Sec 22 & 23 Va 13° 30' E.
8.00	Large Ravine bears E. Some Sandstone in Ravine.
40.00	Set Sandstone 12×10×9 for a 1/4 Sec Cor.
80.00	Set Sandstone 12×12×9 for Cor to Sec 14. 15. 22 and 23.
	Land broken Soil 3rd rate

Township 1 N. R 24 W. 6th P.M.

Chains	
	East on a random line between Sec 14 and 23 Va 13° E.
11.00	Ravine bears S.E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
80.06	~~Closed~~ Intersect N & S line at the Cor to Sec 13. 14. 23 and 24. from which corner I run West on true line between Sec 14 and 23 Va 13° E.
40.03	Set Sandstone 10×10×7 for a 1/4 Sec Cor.
80.06	The Corner to Sec 14. 15. 22 and 23.
	Land rolling ~~with deep Ravines~~ Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	North between Sec 14 & 15. Va 13° 30' E.
16.00	Ravine bears S.E.
40.00	Drove chared stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Corner to Sec 10. 11. 14 & 15.
	Land rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	East on a random line between Sec 11 & 14 Va 13° E.
40.00	Set Post for temporary 1/4 Sec Cor.
63.00	Ravine bears S.E.
80.10	~~I closed~~ Intersect N+S line 9 links S. of Cor to Sec 11. 12. 13 & 14. from which corner I run South 89° 56' W. bet Sec 11 & 14 On true line Va 13° E
40.05	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.10	The Cor to Sec 10. 11. 14 & 15.
	Land rolling. Soil 2d rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 10 and 11. Va 13° 30' E
22.00	Top of Divide NW x SE
40.00	Set Sandstone 10 x 9 x 8 for a 1/4 Sec Cor.
58.00	Entry Ravine bears N.W. N
65.00	Leave Ravine bears N.W.
80.00	Set Sandstone 16 x 10 x 6 for Corner to Sec 2, 3, 10 and 11.
	Land rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 2 and 11. Va 13° East
20.00	Head of Ravine bears N.W.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
74.00	Deep Ravine bears N.
80.04	Intersect N & S line ~~Closed~~ 14 links South of Corner to Sec 1. 2. 11 and 12. from which corner I run South 89° 54 W bet Sec 2 & 11 On true line Va 13° E
40.02	Set Sandstone 12 x 10 x 9. for a 1/4 Sec Cor.
80.04	The Cor to Sec 2. 3. 10 and 11.
	Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains North on a random line between Sec 2 and 3.
Va 13° 30' E

40.00 Set ~~Flag~~ Post for temporary 1/4 Sec. Cor

41.00 Ravine bears N. W.

79.72 Intersected the North boundary of Township 20 links East of Cor to Sec 2 and 3. from which corner I run
South 9' East on true line bet Sec 2 and 3
Va 13° 30' East

39.72 Set Sandstone 12×10×9 for a 1/4 Sec Cor.

79.72 The Cor to Sec 2, 3, 10 and 11.
August 5th 1871
Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Township 1 N. R 24. W. 6th P.M.

Chains	North between Sec 33 and 34. Va 13°40' E
40.00	Drove chared stake set post & raised mound of earth as per instructions for 1/4 Sec Cor.
60.00	Leave ~~upland~~ bottom enter ~~bottom~~ upland. bears S.E & N.W.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Cor to Sec 27. 28. 33 and 34.
	Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	East on a random line between Sec 27 and 34. Va 13° E
16.00	Ravine (deep) bears South.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor.
80.02	~~I closed~~ Intersect N & S line 8 links South of Cor to Sec 26. 27. 34 & 35 from which Corner I run South 89°57' W.
	On true line bet Sec 27 & 34
40.01	Drove chared stake. Va 13° E set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.02	The Cor to Sec 27. 28, 33 and 34.
	Land rolling - Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 27 and 28 Va 13° 40. E.
40.00	Drove chard stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chard stake set post & raised mound of earth as per instructions for Cor to Sections 21. 22. 27 and 28.
	Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	
	East. On a random line between Sec 22 and 27 Va 13° E
20.00	Deep Ravine bears South.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec. Cor
80.06	~~I closed~~ Ingersoll 5 links N. of Cor to Sec 22. 23. 26 and 27 from which corner I run North 89° 58' W. On true line bet Sec 22 & 27 Va 13° E
40.03	Drove chard stake. Set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.06	The Cor to Sec 21. 22. 27 and 28
	Land gently rolling. Soil 2d rate.

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 21 and 22. Va 13°40' E.
40.00	Drove chared stake set post + raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chared stake set post + raised mound of earth as per instructions for Corner to Sec 15.16. 21 and 22
	Land rolling Soil 2nd rate

Township 1 N R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 15 and 22. Va 13°00' E
12.00	Ravine bears South.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.12	~~I closed~~ Intersect N & S line 12 links South of Corner to Sec 14.15. 22 and 23 from which cor I run
	South 89°55 W.
	On true line bet Sec 15 and 22 Va 13° E
40.06	Drove chared stake. set post + raised mound of earth as per instructions for a 1/4 Sec Cor.
80.12	The Corner to Sec 15.16. 21 and 22.
	Land high and rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	North between Sec 15 and 16. Va 13° 40' E
12.00	Ravine bears S.E.
40.00	Drove chard stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chard stake set post & raised mound of earth as per instructions for Cor. to Sec 9. 10. 15 and 16.

Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains	East on a random line between Sec 10 and 15. Va 13° E
40.00	Set ~~Flag~~ Post for temporary 1/4 sec Cor
41.00	Ravine bears S.E.
80.16	~~I Closed~~ Intersect at the Cor to Sec 10. 11. 14 and 15 from which corner I run West on true line between Sec 10 and 15 Va 13° E
40.08	Drove chard stake set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.16	The Cor to Sec 9. 10. 15 and 16

Land gently rolling
Soil 2 rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 9 and 10. Va 13° 40' E.
40.00	Drove chained stake. set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chained stake set post & raised mound of earth as per instructions for Corner to Sec 3. 4. 9 and 10.
	Land rolling Soil 2nd rate

Township 1. N. R 24 W. 6th P.M.

Chains	
	East on a random line between Sec 3 and 10. Va 13° 00' E.
30.00	Ravine bears N.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
70.00	Ravine bears N.W.
80.20	~~I closed~~ Intersect 7 links South of Cor. to Sec 2. 3. 10 & 11. from which Corner I run South 89° 57' W. On true line between Sec 3 and 10 Va 13° East
40.10	Set Sandstone 10x10x7 for a 1/4 Sec Cor.
80.20	The Cor to Sec 3. 4. 9 and 10.
	Land broken Soil 3d rate

Township 1 N. R 24 W. 6th P.M.

Township 1 N. R 24 W. 6th P.M.

Chains	
	North On a random line between Sec 3 and 4.
40	Var 13° 40' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
79.76	Intersected north boundary of
80	Township 9 links East of Corner to Sec 3 and 4.
	South 4 East On true line bet Sec 3 & 4 Var 13° 40' E
39.76	Set Sandstone 10x10x6 for a 1/4 Sec Cor
79.76	The corner to Sec 3, 4, 9 & 10.
	Land broken Soil 3rd rate
	August 6th 1871

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 32 and 33 Va 13°45' E
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
70.00	Ravine bears S.E.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Corner to Sec 28. 29. 32 and 33.
	Land broken Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	
	East on a random line between Sec 28 and 33. Va 13° - E
35.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor
80.10	~~I closed~~ Intersect N&S line 9 links South of Corner to Sec 27. 28. 33 and 34. from which corner I run South 89°56' W. On true line Set Sec 28 & 33 Va 13° E
40.05	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor
80:10	The Corner to Sec 28. 29, 32 and 33.
	Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	North between Sec 28 and 29 Va 13° 45' E.
40.00	Drove chaired state, set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.00	Drove chaired state set post & raised mound of earth as per instructions for Corner to Sec 20. 21. 28 and 29.
	Land broken Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	
	East. On a random line between Sec 21 and 28. Va 13° - E.
25.00	Ravine bears South
40.00	Set ~~Stone~~ Post for temporary 1/4 Sec. Cor
80.14	~~I closed~~ Impossible to follow 5 links south of Corner to Sec 21. 22, 27 and 28. from which corner I run South 89° 58 W. On true line bet Sec 21 & 28 Va 13° E
40.07	Drove chaired state set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.14	The Corner to Sections 20. 21. 28 and 29.
	Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P. M.

	Chains.	North between Sec 20 and 21. Va 13° 45' E.
4	40:00	Drove chained stake. Set post & raised mound of earth as per instructions for 1/4 Sec Cor.
7 8	80.00	Drove chained stake, Set post & raised mound of earth as per instructions for Corner to Sec 16. 17. 20 and 21.

Land rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P. M.

	Chains.	East. On a random line between Sec 16. and 21 Va 13° - E
	40. 00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
	80:16	~~I closed~~ Intersect at the Cor to Sec 15. 16. 21 and 22. from which Corner I run ~~Due~~ West. On true line between Sec 16 and 21 Va 13° E
	40.08	Drove chained stake, Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
	80.16	The Corner to Sec 16. 17. 20 and 21.

Land high and rolling
Soil 3rd rate.

Township 1. N. R 24. W. 6th P.M.

	Chains.	North between Sec 16 and 17 Va 13° 45. E.
4	40.00	Drove chard state, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
7		
8	58.00	Ravine bears S.E.
	80.00	Drove chard state, set post & raised mound of Earth as per instructions for Corner to Sec 8.9.16 and 17.

Land high & rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

	Chains.	East. On a random line between Sec 9 and 16. Va 13° E.
	40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
	50.00	Ravine bears S.
	80.18	~~I found~~ Intersect N & S line 14 links South of Corner to Sec 9.10.15 and 16. from which Corner I run South 89° 54' W. On true line bet Sec 9 & 16 Va 13° E.
9	40.09	Drove chard state, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
	80.18	The Cor to Sec 8.9. 16 and 17.

Land high & rolling Soil 3rd rate.

Township 1. N. R 24. W. 6th P. M.

Chains.	North between Sec 8 and 9. Va 13°45. E.
40.00	Set Sandstone 10×10×7 for a 1/4 Sec Cor.
49.00	Enter Ravine, bears North. Comes from S E
67.00	Leave Same Ravine bears N. E.
80.00	Set Sandstone 12×9×8 for Cor to Sec 4. 5. 8 and 9.
	Land broken Soil 3rd rate

Township 1. N. R 24. W. 6th P. M.

Chains.	East on a random line between Sec 4 and 9. Va 13° East
3.00	Ravine bears N. W.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor
80.22	~~I closed~~ Intersect 5 links South of Corner to Sec 3. 4. 9 and 10. from which corner I run South 89°58' W. On true line Set Sec 4 & 9 va 13° E
40.11	Set Sandstone 12×9×8 for a 1/4 Sec Cor.
80.22	The Corner to Sections 4, 5. 8 and 9.
	Land broken. Soil 3d rate

Township 1. N. R 24. W. 6th P.M.

North. On a random line between Sec 4 and 5.
Va 13° 45'. E

5.00 Ravine bears N.W.

40.00 Set Post for temporary 1/4 Sec Cor.

58.00 Same Ravine runs N.E.

79.74 Intersect the North boundary of Township 34 links East of Corner to Sec 4 and 5. from which Corner I run

South 15' East On true line between Sec 4 & 5
Va 13° 45' E.

39.74 Set Sandstone 10x10x9 for a 1/4 Sec Cor

79.74 The Cor to Sec 4. 5. 8 and 9.

Land broken & high
Soil 3rd rate

August 17th 1871

Township 1. N. R 24. W. 6th P.M.

Chains North between Sec 31 and 32
Va 14° E

40.00 Set Sandstone 9x9x7 for a 1/4 Sec Cor

80.00 Set Sandstone 12x10x8 for Corner to Sec 29. 30. 31 and 32.

Land broken Soil 2nd rate

Township 1. N. R. 24. W. 6th P. M.

Chains	
	East On a random line between Sec 29 and 32. Va 13° E
23.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
70.00	Ravine bears S. E.
80.02	~~I closed~~ Intersect N. & S line 7 links South of Cor to Sec 28. 29. 32 and 33 from which Corner I run South 89° 57' W Set Sec 29 & 32 On true line Va 13° E
40.01	Set Sandstone 10×10×5 for a 1/4 Sec Corner
80.02	The Corner to Sec 29. 30. 31 and 32.

Land broken. Soil 2nd rate

Township 1. N. R 24. W. 6th P. M.

Chains.	
	West. On a random line between Sec 30. and 31 Va 13° E.
20.00	Ravine bears South.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor
80.18	Intersected the west boundary of Township 14 links North of Corner to Sec 30 and 31 from which Corner I run North 89° 54' E Set Sec 30 & 31 On true line Va 13° E
40.18	Set Sandstone 9×9×7 for a 1/4 Sec Cor.
80.18	The Corner to Sec 29. 30, 31 and 32.

Land broken Soil 3rd rate

Township 1. N. R. 24. W. 6th P.M.

Chains.	North between Sec 29 and 30 Va 14° E.
40.00	Set Sandstone 10×10×7 for a 1/4 Sec Cor.
80.00	Set Sandstone 14×10×7 for Corner to Sec 19. 20. 29 and 30.
	Land broken Soil 3rd rate

Township 1. N. R. 24. W. 6th P.M.

Chains.	East On a random line between Sec 20 and 29. Va 13° E.
35.00	Ravine bears S.E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec. Cor.
80.10	~~I closed~~ Intersect N. & S. line 8 links North of Corner to Sec 20. 21. 28 and 29 — from which Corner I run North 89° 57 W. On true line bet Sec 20 & 29 Va 13° E
40.05	Set Sandstone 10×10×7 for a 1/4 Sec Corner
80.10	The Cor to Sec 19. 20. 29 and 30.
	Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P. M.

Chains.	
	West on a random line between Sec 19 and 30 Va 13° E.
38.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.34	Intersected the west boundary of Township 9 links south of Cor to Sec 19 and 30 from which corner I run South 89° 56' E On true line Set Sec 19 & 30 Va 13° E
40.34	Set Sandstone 11×9×6 for a 1/4 Sec Cor.
80.34	The Corner to Sec 19. 20. 29 and 30.

Land high & rolling
Soil 3rd rate

Township 1. N. R 24. W. 6th P. M.

Chains.	
	North between Sec 19 and 20 Va 14° E
40.00	Set Sandstone 10×9×5 for a 1/4 Sec Cor.
80.00	Set Sandstone 12×11×9 for Corner to Sec 17. 18. 19 and 20.

Land broken. Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chai	Chains.	East. On a random line between Sec 17 and 20. Va 13° E.
38.	25.00	Ravine bears South.
40.	40.00	Set Post Flag for temporary 1/4 Sec Cor
80.	80.18.	Intersect N & S line ~~I closed~~ at the Corner to Sec 16. 17. 20 and 21. from which Corner I run West. On a true line between Sec 17 & 20 Va 13° E
	40.09	Set Sandstone 9×9×9 for a 1/4 Sec Cor.
40.	80.18	The Corner to Sec 17. 18 19 and 20.
80.		

Land high and broken
Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	West. On a random line between Sec 18 and 19. Va 13° E
25.00	Ravine bears S.W.
40.00	Set Post Flag for temporary 1/4 Sec Cor.
80.70	Intersect west boundary of Township 7 links South of Corner to Sec 18 and 19. from which Corner I run South 89° 57' E On true line bet. Sec 18 & 19 Va 13° E
40.70	Set Sandstone 10×8×7 for a 1/4 Sec Cor
80.70	The Cor to Sec 17. 18, 19 and 20.

Land high and broken
Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	Chains	
		North between Sec 17 and 18. Va 14° E.
38.	40.00	Set Sandstone 12×10×9 for a 1/4 Sec Cor.
40.0 80.3	80.00	Set Sandstone 12×10×8 for Corner to Sec 7. 8. 17 and 18.
		Land high & broken Soil 3rd rate
40.		
80.		

Township 1. N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec. 8 and 17. Va 13° E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.20	~~I closed~~ Intersect N & S line 9 links North of Corner to Sec 8. 9. 16 and 17 from which corner I run North 89° 56' W. bet Sec 8 & 17 On true line Va 13° E
40.10	Set Sandstone 9×9×8 for a 1/4 Sec Cor.
80.20	The Cor to Sec 7. 8. 17 and 18.
	Land high and rolling Soil 3rd rate

Township 1. N. R 24. W. 6th P.M.

Chains	Chains	
		West. On a random line between Sec 7 and 18 Va 13° E.
38.	40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
40.0	80.98	Intersect the west boundary
80.0		of Township 14 links South of Cor to Sec 7 and 18. from which corner I run South 89° 54 E.
		On true line Set Sec 7 + 18 Va 13° E
	40.98	Set Sandstone 12×10×5 for
40.0		a 1/4 Sec Cor.
	80.98	The Cor to Sec 7. 8,
80.0		17 and 18.
		Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 7 and 8 Va 14° E.
40.00	Set Sandstone 10×10×5 for
	a 1/4 Sec Cor.
80.00	Set Sandstone 12×12×6 for
	Corner to Sec 5. 6. 7 and 8.
	Land rolling Soil 2nd rate

Township 1. N. R 24. W. 6th P. M.

Chains	Chains	
		East on a random line between Sec 5 and 8 Va 13° E.
38.0	37.00	Ravine bears North.
40.0	40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.3	80.24	~~I closed~~ Intersect N. S. line 5 links north of Corner to Sec 4, 5, 8 and 9. from which Corner I run North 89° 58' W On true line bet Sec 5 & 8 Va 13° E
40.3	40.12	Set Sandstone 15 x 10 x 9. for a 1/4 Sec Cor.
80.3	80.24	The Cor to Sec 5. 6., 7 and 8
		Land broken Soil 3d rate

Township 1. N. R 24. W. 6th P. M.

Chains	
	West on a random line between Sec 6 and 7. Va 13° E.
16.00	Ravine bears N.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor.
50.00	Ravine bears North
81.43	Intersect the west boundary of Township 14 links south of Cor to Sec 6 and 7. from which Corner I run South 89° 54' E On true line bet Sec 6 & 7 Va 13° E.
41.43.	Set Sandstone 12 x 10 x 3 for a 1/4 Sec Cor.
81.43	The Corner to Sec 5. 6. 7 and 8.
	Land broken. Soil 3d rate

Township 1. N. R 24. W. 6th P.M.

Chains	Chains	
		North on a random line between Sec 5 and 6. Va 14° E
38.0	40.00	Set Post for temporary 1/4 Sec Cor
40.00	79.68	Intersected North boundary of Township 28 links East of Corner to Sec 5 and 6. from which Corner I run South 12' East on true line bet Sec 5 & 6 - Va 14° E
40.3	39.68	Set Sandstone 10x10x9 for a 1/4 Sec Cor.
80.3	79.68	The Cor to Sec 5. 6. 7 and 8.
		August 8th 1871
		Land broken. Soil 2nd rate

General Description

The Land throughout this Township (with the exception of a small portion in the S.E. part along Sappy Creek which is 2d quality bottom land) consists of high broken ridges Soil Sandy, unfit for cultivation There is some timber along the Creek in the S.E. sections mostly Cottonwood Box Alder and Elm. The Sandstone in Ravine is of 2nd quality generally unfit for building purposes.

52

Toc

Chains.

38.00
40.00
80.34

40.34

80.34

List of Names

A list of the Names of the individ=
=uals employed to assist in
running. Measuring. or Marking
the lines and corners described
in the foregoing field Notes of
Township No (1) one North of
the Base line of Range (No) 24 West
of the 6th Principal Meridian
showing the respective capacities
in which they acted

Thomas C. Cunningham: Chainman
Benjamin F. Morrow Chainman
William C. Fitton: Axeman & Moundman
Oliver W. Brown: Flagman
~~David V. Stephenson: Compassman~~

We hereby certify that we assist
David V. Stephenson deputy
surveyor: in Subdividing Township
Number one North of the Base
line of Range (24) twenty four
West of the Sixth Principal Mer=
=idian. and that said Township
has been in all respects to the
best of our knowledge and
belief. well and faithfully
Surveyed and the boundry
monuments planted according
to the instructions furnished
by the Surveyor General

T. C. Cunningham Chainman
B. F. Morrow Chainman
William C. Fitton {Axeman and Moundman
Oliver W. Brown Flagman
~~David V. Stephenson Compassman~~

Subscribed and sworn to by
the above named persons
before me a Notary Public
within and for Cass County
Nebraska: this 18 day of
Sept. 1871 Elias D. Burnett
Notary Public

I David V. Stephenson: deputy
Surveyor do Solemnly swear
that in pursuance of a
(over)

Toc

Chains.	
38.00	contract with Ebenezer E. Cunningham: Surveyor of the public lands of the United States in the State of Nebraska bearing date the 16th day of June 1871. and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General. I have surveyed the Sub-division lines of Township Number one North of the base line of Range number (24) twenty four West of the Sixth Principal Meridian in the State aforesaid. and do further solemnly swear that the foregoing are the true and original field notes of such Survey
40.00	
80.34	
40.34	
80.34	

Deputy Surveyor

Subscribed by said David V. Stevenson deputy surveyor and sworn to before me a Notary Public within and for Cass County Nebraska this day of 1871

Notary Public
Cass County
Nebraska

Survey commenced August the 4th and completed on August the 9th 1871

52

Town

Chains.	
38.00	
40.00	
80.34	
40.34	
80.34	

I David V. Stephenson do solemnly swear that in pursuance of a Joint Contract No 49, wherein David V. Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the 26th day of June A.D. 1871 I have well, faithfully and truly in my own proper person and in strict conformity with instructions of the Surveyor General, the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No One (1) North of the Base Line of Range No twenty four (24)

52

of

Town

Chains.	
38.00	
40.00	
80.34	
40.34	
80.34	

West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further solemnly swear that the foregoing are the true and Original Field Notes of such Survey

David V Stephenson
Dept Surveyor

Subscribed by the said David V Stephenson Dept Surveyor and sworn to before me a Notary Public within and for Cass County Nebraska this 18th day of September AD 1871

Lyman D Burnett
Notary Public
Cass Co Neb.

Survey Commenced on the 4th day of August AD 1871 and Completed August 9th AD 1871

Towns

Chains.	
38.00	
40.00	
80.34	
40.34	
80.34	

Surveyor Generals Office

Plattsmouth, Neb. Oct 28th 1871

The foregoing Field Notes of the Survey and Subdivision of Township No 1 North of the Base line of Range No 24 West of the 6th Principal Meridian in the State of Nebraska, as executed by David V. Stephenson Deputy Surveyor under joint Contract No 49 dated June 16th AD 1871 Wherein David V. Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham Surveyor General and in the month of August AD 1871 having been critically examined the necessary corrections and explanations made, the said Field Notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

T 2 N., R 24 W.

6	62	5	46	4	35	3	24	2	13	1	
61		60		45		34		23		12	
7	59	8	44	9	33	10	22	11	11	12	
58		57		48		32		21		10	
18	56	17	42	16	31	15	20	14	9	13	
55		54		41		30		19		8	
19	53	20	40	21	29	22	18	23	7	24	
52		51		39		28		17		6	
30	50	29	38	28	27	27	16	26	5	25	
49		48		37		26		15		4	
31	47	32	36	33	25	34	14	35	3	36	

Field Notes
of
The Survey & Subdivision
of
Township No 2 N. Range 24 W 6th P.M.
in the
State of Nebraska

Executed
by
James L. Slocum Deputy Surveyor
under joint Contract No 49 dated
June 16th 1871

Survey

Commenced August 21st 1871
Completed August 26th 1871

List of Names
Of individuals employed to assist in Surveying this Township showing the respective capacities in which they acted

Aaron Lovett	Chainman
Zadock Stephenson	Chainman
James Stephenson	Axeman and Markerman
John B. Lovett	Flagman

Field Notes of the Subdivision

Lines of Township 2 North Range 24 West of the 6th P.M.

To determine the proper adjustment of my Compass for subdividing this Township - I commenced at the Corner to Townships 1 and 2 N. Ranges 23 & 24 W. and run North in a blank line along the East boundary of Sec 36.

Va 13° 30' E

40.03 To a point 8 links E. of the 1/4 Sec corner.

80.09 To a point 20 links E of the Corner to Sec 25 & 36.

To retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 13° 39' E.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 35 & 36 Va 13° 39' E
20.00	Short Ravine bears W.
40.00	Drove charred stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
49.00	Short Ravine bears W.
80.00	Drove charred stake set post and raised mound of earth as per instructions for Cor to Sec 25.26.35 & 36.

Land broken Soil 3rd rate

Township 2. N. R. 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 25 & 36 Va 13° 35' E.
20.00	Ravine bears N.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
60.00	Short Ravine bears E.
80.00	Intersect the East boundary of Township 7 links North of Corner to Sec 25 & 36. from which corner I run North 89° 57' W. on true line (bet Sec 25 & 36 Va 13°35' E)
40.00	Drove charred stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	The Cor to Sec 25.26.35 & 36.

Land high & rolling
Soil Sandy 3rd rate ~~farming land~~

Township 2. N. R 24. W. 6th P.M.

Chains.	North. between Sec 25 & 26 Va 13° 39' E.
35.00	Leave upland & enter Creek Bottom bears N.E. & S.W.
40.00	Drove chard slate set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chard slate set post & raised mound of earth as per instructions for Cor to Sec 23. 24. 25 & 26.

Land rolling Soil 2nd rate

Township 2. N. R. 24. W. 6th P.M.

Chains.	East. on a random line between Sec 24 & 25. Va 13° 35' E.
13.50	Beaver Creek runs S.E. Water 30 links wide. A belt of Timber along banks. 1 chain wide
36.00	Same Creek runs N.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
58.00	Same Creek runs S.E.
65.00	Same Creek runs N.E.
74.00	Short bend in Creek comes to line on North side.
80.15	Intersected the East boundary of Township 21 links North of Corner to Sec 24 & 25. from which corner I run North 89° 51' W. On true line between Secs 24 & 25. Va 13° 35' E.
40.07½	Drove chard slate set post & raised mound of Earth as per instructions for 1/4 Sec Cor.
80.15	The Cor to Sec 23. 24. 25 & 26.

Up Land 3rd rate ~~farming land~~
Bottom 2nd rate " "

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 23 and 24. Va 13° 39' E
3.50	Beaver Creek 30 links wide a young growth of Box Alder along the banks. runs E.
40.00	Drove chared stake. set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
49.00	Leave bottom, enter upland, bears N E and S.W.
80.00	Drove chared stake. set post & raised mound of earth as per instructions for Corner to Sec 13. 14. 23 and 24.

Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East on a random line between Sec 13 and 24. Va 13° 35' E.
20.00	Deep Ravine bears S. where I leave upland and enter bottom.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.04	Intersected the East boundary of Township 9 links North of Cor. to Sec 13 and 24. from which corner I run North 89° 56' W.
	On a true line between Sec 13 & 24 Va 13° 35' E
40.02	Drove chared stake. set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.04	The Corner to Sec 13. 14. 23 and 24.

Land 2nd rate farming

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 13 & 14. Va 13° 39' E
37.00	Short Ravine bears S.E.
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chared stake. set post & raised mound of earth as per instructions for Corner to Sec 11.12.13 & 14.
	Land broken Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	East. On a random line between Sec 12 & 13. Va 13° 35' E.
20.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.13	Intersected East boundary of Township 8 miles South of Cor. to Sec 12 & 13. from which Corner I run South 89° 57' W. On a true line bet Sec 12 & 13 Va 13° 35' E
40.06 1/2	Drove chared stake. set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.13	The Cor. to Sec 11. 12. 13 & 14.
	Land broken. Soil 2nd rate.

Township 2 N. R. 24 W. 6th P.M.

Chains.	North. between Sec 11. and 12. Va 13° 39' E
40.00	Drove chared stake, set post & raised mound of Earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chared stake, set post & raised mound of Earth as per instructions for Corner to Sec 1. 2. 11 and 12.
	Land broken Soil 2nd rate

Township 2. N. R. 24 W. 6th P.M.

Chains.	East on a random line between Sec 1 and 12. Va 13° 35' E.
20.00	Ravine bears South
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.17	Intersected the East boundary of Township. 10 links South of Cor. to Sec 1 and 12. from which Corner I run South. 89° 56' W. On a true line Ct Sec 1 & 12 Va 13° 35' E
40.08½	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.17	The Cor to Sec 1. 2. 11 and 12.
	Land high and broken. Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North on a random line between Sec 1 and 2. Var 13° 39' E
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
60.00	Ravine bears S.E.
79.90	Intersected the North boundary of Township 20 links East of Corner to Sec 1 and 2. from which corner I run South 9' East on true line
	Est Sec 1 and 2 - Var 13° 39
39.90	Drove charred stake set post + raised mound of earth as per instructions for a 1/4 Sec Cor.
79.90	The Cor. to Sec 1. 2. 11 and 12.

Land broken, Soil 3rd rate

August 21st 1871

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 34 and 35. Va 13° 45' E
40.00	Drove chaired stake. Set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
45.00	Ravine bears N.E.
78.00	Leave upland and enter bottom
80.00	Drove chaired stake set post & raised mound of earth as per instructions for Cor to Sections 26. 27. 34 and 35.
	Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 26 and 35. Va 13° 40' E.
20.00	Ravine bears N.E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
60.00	Deep Ravine runs North
79.98	~~I closed~~ Intersect N & S line, 5 links north of Corner to Sec 25. 26. 35 and 36. from which corner I run North 89° 58 W.
	On a true line Va 13° 40' E
39.99	Drove chaired stake Set post & raised mound of earth as per instructions for a 1/4 Sec Cor. Set Sec 26 & 35.
79.98	The Corner to Sec 26. 27. 34 and 35.
	Land high & very broken. Some Sandstone in Ravines Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 26 & 27 Va 13° 45' E
23.00	Beaver Creek 50 links wide, ~~bears~~ runs E, then S & SE.
40.00	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
70.00	Leave bottom & enter upland bears. N.E & S.W.
80.00	Drove chared stake, set post & raised mound of earth as per instructions for Corner to Sec 22. 23. 26 & 27.

Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 23 & 26 Va 13° 40' E.
40.00	Set ~~Flag~~ post for temporary 1/4 Sec. Cor
57.00	Beaver Creek 30 links wide runs N.E.
80.09	~~I chain~~ Intersect N & S line 7 links North of Corner to Sec 23. 24. 25 & 26 from which corner I run North 89° 57' W. On true line at Sec 23 & 26 Va 13° 40' E
40.04½	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor. The Corner to Sec 22. 23. 26 & 27.
80.09	

Land good 2nd rate farming.

Township 2 N R 24 W 6th P.M.

Chains	
	North between Sec 22 and 23 Va 13°45' E
40.00	Drove chared stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
61.00	Ravine bears. S.E.
80.00	Drove chared stake, set post & raised mound of earth as per instructions for Corner to Sec 14. 15. 22 and 23.
	Land broken Soil 2nd rate

C

Township 2 N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 14 and 23 Va 13°40 E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor
80.15	~~I closed~~ Intersect ~~[illegible]~~ line at the Corner to Sec 13. 14. 23 and 24. from which Corner I run
	West on a true line between Sec 14 & 23 Va 13°40' E
40.07½	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.15	The Cor. to Sec 14. 15. 22 and 23.
	Land broken. Soil 3rd rate

Township 2 N. R 24. W. 6th P.M.

Chains.	North between Sec 14 and 15. Va 13°45' E
40.00	Drove chared stake, set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Cor to Sec 10.11. 14 and 15.
	Land broken Soil 3rd rate

Township 2 N. R 24. W. 6th P.M.

Chains	East. On a random line between Sec 11. and 14. Va 13°40' E
40.00	Set ~~Flag~~ for temporary 1/4 Sec Cor.
43.00	Ravine runs S.E.
80.18	~~I closed~~ Intersect N and S 15 links North of Cor to Sec 11.12. 13 and 14. from which corner I run North 89°54' W. On a true line Set Sec 11 & 14 Va 13°40' E
40.09	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.18	The Corner to Sec 10.11. 14 and 15.
	Land broken, Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	North between Sec 10 and 11. Va 13°45' E.
40.00	Drove chared stake set post & raised mound of earth as per instructions for 1/4 Sec. Cor.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Corner to Sec 2, 3. 10 and 11.
	Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	East on a random line between Sec 2 and 11. Va 13°40' E.
37.00	Ravine bears South.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.22	~~I closed~~ Intersect N and S line 6 links north of Cor. to Sec 1. 2. 11 and 12. from which corner I run North 89°57' W. On true line
40.11	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.22.	The Corner to Sec 2, 3, 10 and 11.
	Land broken. Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains	North. On a random line between Sec 2 and 3. Va 13° 45' E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
79.87	Intersected North boundary of Township 16 links East of Cor. to Sec 2 and 3. from which corner I run South 7' East. On a true line bet Sec 2 & 3 Va 13° 45' E
39.87	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
79.87	The Cor. to Sec 2. 3. 10 and 11.

Land broken. Soil 3rd rate.

August 22d 1871

Township 2. N. R. 24. W. 6th P.M.

Chains.	North between Sec 33 and 34 Va 13° 50' E
16.00	Ravine bears N.W.
40.00	Drove chained stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
76.00	Leave upland and enter bottom.
80.00	Drove chained stake, set post & raised mound of earth as per instructions for Corner to Sec 27. 28. 33 and 34.

Land broken Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	East. on a random line between Sec 27 and 34. Va 13° 45' E
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
47.00	Beaver Creek 30 links wide runs S.E.
70.00	Same Creek runs N.W.
80.04	~~closed~~ Ingress on N & S line 8 links North of Cor to Sec 26. 27. 34 and 35. from which corner I run North 89° 57' W. On true line Set Sec 27 & 34 Va 13° 45' E
40.02	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.04	The Cor. to Sec 27. 28, 33 and 34.

Land rolling Soil 2nd rate.

Township 2. N. R 24. W. 6th P.M.

Chains	North between Sec 27 and 28 Va 13° 50' E.
20.00	Beaver Creek 30 links wide, runs E.
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chared stake, set post & raised mound of earth as per instructions for Cor to Sec 21. 22. 27 and 28.
	Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	East on a random line between Sec 22 and 27. Va 13° 45' E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec. Cor.
80.10	~~I closed~~ Intersect Nor line 16 links North of Corner to Sec 22. 23; 26 and 27. from which corner I run North 89° 53' W On true line bet Sec 22 & 27 Va 13° 45' E
40.05	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.10	The Cor. to Sec 21. 22. 27 and 28.
	Land rolling. Soil 2nd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 21 and 22. Va 13° 50' E
40.00	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chared stake, set posts & raised mound of earth as per instructions for Corner to Sec. 15. 16. 21 and 22.
	Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East on a random line between Sec 15 and 22. Va 13° 45' E.
40.00	Set post ~~Flag~~ for temporary 1/4 Sec Cor.
67.00	Ravine bears S.E.
80.14	Intersect N+S line ~~I closed~~ 7 links north of Cor. to Sec 14. 15. 22 and 23. from which Corner I run North 89° 57' W. On true line bet Sec 15 + 22 Va 13° 45' E
40.07	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.14	The Corner to Sec 15. 16. 21. and 22.
	Land rolling. Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	North. between Sec 15 and 16 Va 13°50' E
40.00	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sect Cor.
42.00	Ravine bears S.E.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Cor. to Sec 9.10.15 and 16.
	Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East on a random line between Sec 10 and 15. Va 13°45' E.
23.00	Deep Ravine bears S.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
80.20	~~Closed~~ Intersect N & S line at the Cor to Sec 10, 11, 14 and 15. from which Corner I run
	West on a true line bet Sec 10 & 15 Va 13°45' E
40.10	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.20	The Cor. to Sec 9.10.15 & 16.
	Land rolling. Soil 2nd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	North between Sec 9 and 10. Va 13° 50' E.
20.00	Deep Ravine bears S.E.
40.00	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chared stake, set post & raised mound of earth as per instructions for Cor to Sec 3, 4, 9 and 10.

Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains	East on a random line between Sec 3 and 10. Va 13° 45' E.
38.00	Ravine bears South.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
80.24	~~I chained~~ Intersect North line 5 links South of Cor. to Sec 2, 3, 10 and 11. from which corner I run South 89° 58' W. bet Sec 3 and 10 On true line Va 13° 45' E
40.12	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.24	The Corner to Sec. 3, 4, 9 and 10.

Land broken. Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains	
	North. On a random line between Sec 3 & 4. Va 13° 50' East
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
43.00	Deep Ravine runs S.E.
79.74	Intersected the north boundary of Township. 28 links East of Cor to Sec 3 & 4. from which corner I run South 12' East on a true line bet Sec 3 & 4 - Va 13° 50' E
39.74	Drove chained stake. Set post & raised mound of Earth as per instructions for a 1/4 Sec. Cor.
79.74	The Cor. to Sec 3. 4. 9 & 10.

Land broken Prairie Soil 3rd rate

August 23d 1871

Township 2. N. R 24. W. 6th P.M.

Township 2. N. R 24. W. 6th P.M.

Chains	North between Sec 32 and 33 Va 14° E.
22.00	Leave up land enter bottom
40.00	Drove chared stake set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chared stake. set post & raised mound of earth as per instructions for Cor. to Sec. 28. 29. 32 and 33

Land broken Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	East. on a random line between Sec 28 and 33. Va 13° 50' E.
16.00	Beaver Creek bears S.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
50.00	Same Creek 30 links wide bears North
63.00	Deep Ravine bears N.E.
80.00	~~I closed~~ Intersect Ward 9 links south of Cor to Sec 27. 28. 33 and 34 from which corner I run South 89° 56' W.
	On true line bet Sec 28 & 33 Va 13° 50' E
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	The Cor. to Sec 28. 29. 32 and 33.

Land. broken. Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 28. & 29 Va 14° — E.
5.00	Beaver Creek bears E.
38.00	Leave bottom & enter upland bears N.E. & W.
40.00	Drove chained stake set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.00	Drove chained stake set post & raised mound of earth as per instructions for Cor. to Sec 20. 21. 28 & 29.

Land broken Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 21 & 28 Va 13° 50' E.
40.00	Set ~~stake~~ post for temporary 1/4 Sec Cor.
61.00	Ravine bears South.
80.08	~~I closed~~ Intersect N & S line 12 links south of Cor to Sec 21. 22. 27 & 28. from which corner I run South 89° 55' W On true line Set Sec 21 & 28 Va 13° 50' E
40.04	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.08	The Cor to Sec 20. 21. 28 & 29.

Land broken. Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 20 & 21 Va 14° E
18.00	Ravine bears S.W.
40.00	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chained stake, set post & raised mound of earth as per instructions for Cor to Sec 16. 17. 20 & 21.
	Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 16 & 21 Va 13° 50' E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
60.00	Ravine bears S.W.
80.14	~~I closed~~ Intersect N&S line 6 links south of Cor. to Sec. 15. 16. 21 & 22. from which corner I run South 89° 57' W On true line bet Sec 16 & 21 Va 13° 50' E
40.07	Drove chained stake, set post and raised mound of earth as per instructions for 1/4 Sec Cor.
80.14	The Cor to Sec 16. 17. 20 & 21.
	Land broken. Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	North between Sec 16 and 17. Va 14° – E
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.00	Drove chared stake set post & raised mound of earth as per instructions for Corner to Sec 8. 9. 16 and 17.
	Land broken Soil 3d rate

Township 2. N. R 24. W. 6th P.M.

Chains	
	East on a random line between Sec 9 and 16. Va 13°50' E.
40.00	Set ~~Flag~~ post for temporary 1/4 Sec Cor.
80.22	~~I closed~~ Intersect N & S line 9 links North of Cor. to Sec 9. 10. 15 and 16. from which corner I run
✓	North 89°56' W. On true line bet. Sec 9 & 16 Va 13°50' E
40.11	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.22	The Cor to Sec 8. 9. 16 and 17.
	Land high & broken. Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	North. between Sec 8 and 9. Var 14° — E
40.00	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chained stake, set post & raised mound of earth as per instructions for corner to Sec 4, 5. 8 and 9.

Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	East. on a random line between Sec 4 and 9. Var 13° 50' E.
20.00	Deep Ravine, bears South.
40.00	Set ~~Flag~~ post for temporary 1/4 Sec Cor
59.00	Ravine bears South.
80.26	Intersect N & S line ~~I close~~ at the Cor to Sec 3. 4. 9 and 10. from which Corner I run West. on true line bet Sec 4 & 9 Var 13° 50' E
40.13	Drove chained stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor
80.26	The Cor to Sec 4. 5. 8. and 9.

Land high & broken, unfit for cultivation.

Township 2. N. R 24. W. 6th P.M.

Chains	
	North on a random line between Sec 4 and 5. Va 14° E
22.00	Ravine bears S.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
79.70	Intersect North boundary of Township 15. links East of Corner to Sec 4 and 5 from which corner I run South 6 East on true line Va 14° E
39.70	Drove chared stake. set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
79.70	The Corner to Sec 4. 5, 8 and 9.

August 24th 1871

Land high & broken.
Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 31 and 32 Va 14° 05. E.
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
55.50	Beaver Creek 30 links wide runs S.E. a belt of Box Alder timber about 1 chain wide along either bank of Creek.
80.00	Drove chared stake. set post & raised mound of earth as per instructions for Cor. to Sec. 29. 30. 31 and 32.

Land rolling Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. On a random line between Sec 29 and 32. Va 13° 50' E
12.00	Leave Upland enter bottom bears N.E and S.
40.00	Set ~~Mound~~ Post for temporary 1/4 Sec Cor.
45.00	Deep Ravine bears S.E.
52.00	Beaver Creek runs N.E.
79.95	~~I cross~~ Intersect creek 14 links south of Cor. to Sec 28. 29. 32 and 33 from which Corner I run South 89° 54 W.
	On true line bet Sec 29 + 32 Va 13° 50' E
39.97½	Drove chard stake set post + raised mound of earth as per instructions for a 1/4 Sec. Corner
79.95	The Cor to Sec 29. 30. 31. and 32.
	Land broken. Soil 2nd rate

Township 2. N. R. 24. W. 6th P.M.

Chains.	
	West. On a random line between Sec 30 and 31. Va 13° 50' E
30.00	Deep Ravine bears South.
40.00	Set ~~Mound~~ Post for temporary 1/4 Sec Cor.
81.94	Intersected the west boundary of Township 36 links North of Cor to Sec 30 and 31. from which Corner I run North 89° 45' E
	On true line bet Sec 30 + 31 Va 13° 50' E
41.94	Drove chard stake set post + raised mound of earth as per instructions for a 1/4 Sec. Cor.
81.94	The Corner to Sec 29. 30. 31 and 32.
	Land broken. Soil 2nd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North. between Sec 29 and 30 Va 14° 05' E
40.00	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chared stake, set post & raised mound of earth as per instructions for Corner to Sec. 19. 20. 29 and 30.
	Land broken Soil 2nd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 20 and 29. Va 13° 50' E
40.00	Set ~~Post~~ Post for temporary 1/4 Sec Cor.
44.00	Ravine bears South.
70.00	Ravine bears S.W.
80.00	~~I close~~ Intersect N & S line 5 links North of Cor. to Sec 20. 21. 28 and 29.
	from which Corner I run North 89° 58' W. On true line bet. Sec. 20 & 29 Va 13° 50' E
40.00	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	The Corner to Sec 19. 20. 29 and 30.
	Land broken. Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	West on a random line between Sec 19 and 30 Va 14° E.
25.00	Ravine bears South
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
50.00	Deep Ravine bears S.E.
81.76	Intersect west boundary of Township 9 links North of Corner to Sec 19 and 30. from which Corner I run North 89° 56' E On true line bet Sec 19 + 30 Va 14° E
41.76	Drove chased stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
81.76	The Cor to Sec 19. 20. 29 and 30.

Land broken Soil 3rd rate

Township 2. N. R. 24. W. 6th P.M.

Chains	
	North between Sec 19 and 20. Va 14° 05 E
40.00	Drove chased stake, set post & raised mound of earth as per instructions for a 1/4 Sec. Cor.
80.00	Drove chased stake set post & raised mound of earth as per instructions for Cor. to Sec 17. 18. 19 and 20

Land broken Soil 3rd rate

Township 2 N. R 24 W. 6th P.M.

Chains.	
	East on a random line between Sec 17 and 20. Va 13°50' E
33.00	Dep Ravine bears S.E.
40.00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
80.09	~~I closed~~ Intersected meadow at the corner to Sec 16. 17. 20 and 21. from which corner I run West on a true line between Sec 17 & 20 Va 13°50' E
40.04½	Drove chained stake. set post & raised mound of earth as per instructions for 1/4 Sec Cor.
80.09	The Corner to Sec 17. 18, 19 and 20.

Land broken. Soil 3rd rate

August 25th 1871

Township 2 N. R 24 W. 6th P.M.

Chains.	
	West on a random line between Sec 18 and 19. Va 14° E
40.00	Set ~~Stake~~ post for temporary 1/4 Sec Cor.
81.55	Intersected west boundary of Township 8 links north of Corner to Sec 18 and 19. from which corner I run North 89°57' E on true line bet Sec 18 & 19 Va 14° E
41.55	Drove chained stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor
81.55	The Corner to Sec 17. 18, 19 and 20.

Land rolling. Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.		
		North. between Sect 7 and 18 Va 14° 05' E
	26.00	Ravine bears S.E.
	40.00	Drove chared stake. set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
	48.00	Ravine bears S.E.
	80.00	Drove chared stake. set post & raised mound of earth as per instructions for Corner to Sec 7. 8. 17 and 18.

Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 8 and 17. Va 13° 50' E
38.00	Ravine bears S.E.
40.00	Set post ~~stake~~ for temporary 1/4 Sec. Cor.
80.13	Intersect ~~I close~~ 5 links North of Cor to Sec 8. 9. 16 and 17. from which Corner I run North 89° 58' W. On true line bet. Sec 8 & 17 Va 13° 50' E
40.06 1/2	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.13	The Corner to Sec 7. 8. 17 and 18.

Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	West on a random line between Sec 7 and 18. Va 14° E
20.00	Ravine bears S.E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
81.60	Intersected west boundary of Township at Cor to Sec 7 and 18. from which Corner I run
	East on true line bet Sec 7 + 18 Va 14° E
41.60	Drove chased stake. set post + raised mound of earth as per instructions for a 1/4 Sec Cor.
81.60	The Cor to Sec 7. 8. 17 and 18.
	Land broken. Soil 3d rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North between Sec 7 and 8 Va 14° 05' E
40.00	Drove chased stake. set post + raised mound of Earth as per instructions for a 1/4 Sec. Corner.
80.00	Drove chased stake. set post + raised mound of earth as per instructions for Cor. to Sec 5. 6. 7 and 8.
	Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	East. on a random line between Sec 5 and 8. Va 13°50. E.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor.
80.16	I closed at the Corner to Sec 4. 5. 8 and 9. from which Corner I run West on true line between Sec 5 & 8. Va 13°50' E
40.08	Drove chared stake set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
80.16	The Corner to Sec 5. 6, 7 and 8.
	Land broken. Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

Chains.	
	West. on a random line between Sec 6 and 7. Va 14°- E
25.00	Ravine bears South.
40.00	Set ~~Stake~~ Post for temporary 1/4 Sec Cor
49.00	Ravine bears S.E.
81.74	Intersected the west boundary of Township 14 links north of Corner to Sec 6 and 7 from which Corner I run North 89°54' E on true line bet Sec 6 & 7 Va 14°- E
41.74	Drove chared stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
81.74	The Corner to Sec 5. 6, 7 and 8.
	Land broken. Soil 3rd rate.

Township 2. N. R 24. W. 6th P.M.

Chains.	
	North on a random line between Sec 5 and 6. Va 14° 05' E
40.00	Set post for temporary 1/4 Sec Cor.
79.63	Intersected the North boundary of Township 14 links East of Corner to Sec 5 and 6. From which corner I run South 6' East on true line Va 14° 05' E
39.63	Drove charred stake, set post & raised mound of earth as per instructions for a 1/4 Sec Cor.
79.63	The Corner to Sec 5. 6. 7 and 8.

August 26th 1841

Land broken Soil 3rd rate

Township 2. N. R 24. W. 6th P.M.

General Description.

The greater portion of Land in this Township is composed of broken Ridges - Soil sandy not fit for cultivation -
The bottoms are better adapted to cultivation - Some of the bottoms along the Creeks have good morning grass on them.
The Grass on the uplands is very short and light on the ground without much Sod.
The Sandstone in the Ravines is soft and unfit for building purposes.
Timber along Creek is chiefly Elm, Ash, and Box Alder - generaly of small growth.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. (2.) two North of the base line of range No 24 West of the Sixth Principal Meridian. Showing the respective capacities in which they acted

Aaron Lovett: Chainman
Zadock Stephenson: Chainman
James Stephenson { Axeman + Mounelman
John B. Lovett Flagman
~~James L. Slocum Compassman~~

We hereby certify that we assisted James L. Slocum deputy surveyor: in subdividing Township number two North of the base line of Range twenty four (24) West of the 6th Principal Meridian: and that said Township has been in all respects to the best of our knowledge and belief. well and faithfully surveyed and the boundry Monuments planted according to the instructions furnished by the Surveyor General

Aaron Lovett Chainman
Zadock Stephenson Chainman
James Stephenson { Axeman and Mounelman
J. B. Lovett Flagman
~~James L Slocum Compassman~~

Subscribed and sworn to by the above named persons. before me a Notary Public within and for Cass County Nebraska this 18 day of Sept 1871

Lloyd D. Burnett
Notary Public
Cass County
Nebraska

I James L. Slocum deputy Surveyor. do Solemnly swear that in pursuance of a contract with Ebenezer E. Cunningham Surveyor of the Public lands of the United States in the State of Nebraska bearing date the 16th day of June 1871 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully Surveyed the Subdivision lines of Township Number two North of the base line of Range (24) twenty four West of the (6th) Sixth Principal Meridian in the State aforesaid and do further Solemnly Swear that the foregoing are the true and original field notes of such Survey James L Slocum

Deputy Surveyor

Subscribed by said James L. Slocum deputy Surveyor and sworn to before me a Notary Public within and for the County of Cass and State of Nebraska this day of 1871

Notary Public
Cass County
Nebraska

This Survey was commenced on the 21st day of August and completed on the 26th day of August 1871

I James L. Slocum Deputy Surveyor do Solemnly Swear that in pursuance of a Joint Contract No 49 wherein David V. Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the sixteenth day of June AD 1871. I have well faithfully & truly in my own proper person and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 2 North of the Base line of Range No 24 West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further Solemnly Swear that the foregoing are the true and original Field Notes of such Survey

James L. Slocum
Deputy Surveyor

Subscribed by the said James L. Slocum Deputy Surveyor and sworn to before me a Notary Public within and for the County of Cass State of Nebraska this 18 day of September 1871

Lloyd D. Burnett
Notary Public

Surveyor Generals Office
Plattsmouth Neb Oct. 28th 1871

The forgoing Field Notes of the Survey and subdivision of Township No 2. North of the Base line of Range No 24 West of the 6th Principal Meridian in the State of Nebraska as executed by James L. Slocum Deputy Surveyor under joint Contract No 49 dated June 16th AD 1871 Wherein David Y Stephenson and James L. Slocum are Joint Contractors with E. E. Cunningham Surveyor General and in the month of August 1871 having been critically examined the necessary corrections and explanations made, the said Field Notes and the survey they describe are hereby approved

E. E. Cunningham
Surveyor General

T 3 N., R 24 West

6	56	5	40	4	29	3	18	2	11	1
55		54		39		28		17		10
7	53	8	38	9	27	10	17	11	10	12
52		51		37		26		16		9
18	50	17	36	16	25	15	16	14	9	13
49		48		35		24		15		8
19	47	20	34	21	23	22	14	23	7	24
46		45		33		22		13		6
30	44	29	32	28	21	27	13	26	5	25
43		42		31		20		12		4
31	41	32	30	33	19	34	12	35	3	36

Subdivision of Township
No 3 North Range
No 24 West of the
6th Principal Meridian
State of Nebraska

Commenced September 10th 1870
Finished September 14th 1870

By
William E Daugherty
Deputy Surveyor

Township No 3 North Range No 24 West of the 6th Principal Meridian

Names of Assistants

Henry Lewis	Chainmen
Charles Fitzpatrick	
Joseph Kearney	Mound builders
Thomas Dayly	

Chains

To determine the course of the East boundary of the Township I commence at the corner of Townships No 2 & 3 North of Ranges No 23 & 24 W and run thence North on a blank line with my compass adjusted to a Variation of 14° East at

39.98 fell 36 links West of 1/4 Sec corner

at

80.00 fell 68 links West of Sec corner

From the aforesaid Township corner I run N 89° 55' W on a blank line to determine the course of the South boundary

Variation 14° 15' East

at

39.60 fell 52 links South of 1/4 Section corner

at

79.31 fell 95 links South of Section corner

Township No 3 North Range No

North between Sections
35 and 36
Variation 13° 30' East

15.50 Ravine 3.00 chains wide bears S W
40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner
50.50 Ravine 3.00 chains wide bears S 20 E
80.00 Set chared post in mound of Earth pits as per instructions for corner to sections 25 26 35 and 36
Surface rolling soil 2nd rate

24 West of the 6th Principal Meridian

East random between sections
25 and 36
Variation 13° 30' East

40.00 Set temporary 1/4 Section corner
77.00 Ravine 2.00 chains wide bears South
79.80 Intersect Range line 29 links North of post

N 89° 48' W on true line between sections 25 and 36
Variation 13° 30 East

39.90 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner
79.80 The corner of sections 25 26 35 and 36
Surface rolling soil 2nd rate

Township No 3 North Range No 24

North between Sections
25 and 26
Variation 13° 35' East.

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

41.00 Ravine 200 chains wide bears S 20° W

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 23 24 25 and 26
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

East random between Sections
24 and 25
Variation 13° 30' East

40.00 Set temporary 1/4 Section corner
69.50 Ravine 200 chains wide bears S W
80.12 Intersect Range line at post

West on a true line between
Sections 24 and 25
Variation 13° 30' East

40.06 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner
80.12 The corner of sections
23 24 25 and 26
Surface rolling soil 2nd rate

Township No 3 North Range No 24

North between sections
23 and 24
Variation 13° 30' East
40.00 Set chared post in mound of
Earth with pits as per
instructions for 1/4 section corner
80.00 Set chared post in mound of
Earth with pits as per instructions
for corner to sections
13 14 23 and 24
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

East random between sections
13 and 24
Variation 13° 30' East
45.0 Ravine 4.50 chains wide bears North
40.00 Set temporary 1/4 section corner
53.00 Ravine 2.50 chains wide bears North
79.92 Intersect Range line 39 links
North of post

N 89° 45' W on a true line between
sections 13 and 24
Variation 13° 30' East
39.96 Set chared post in mound of
Earth with pits as per instructions
for 1/4 section corner
79.92 The corner of sections
13 14 23 and 24
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

North between sections 13 and 14
Variation 13° 30' East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 11 12 13 and 14
Surface rolling soil 2nd Rate

East random between sections 12 and 13
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
80.00 Intersect Range line at post

West on a true line between Sections 12 and 13
Variation 13° 30 East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 The corner of sections 11 12 13 and 14
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 11 and 12
Variation 13° 30' East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec cor
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12
Surface rolling soil 2nd Rate

East random between sections 1 and 12
Variation 13° 30' East
40.00 Set temporary 1/4 section corner
46.00 Ravine 3.00 chains wide bears N W
80.30 Intersect Range line 27 links south of post

S 89° 48' W on a true line between sections 1 and 12
Variation 13° 30 East
40.13 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner
80.30 The corner of sections 11 & 12
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

North random between Sections
1 and 2
Variation 13° 25' East

40.00 Set temporary 1/4 Section corner
52.50 Ravine 3.00 chains wide bears
N W
80.15 Intersect Township line 28 links
West of post

S 12' W on a true line between
Sections 1 and 2
Variation 13° 25' East

40.15 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Section corner
80.15 The corner of sections
1 2 11 and 12
Surface rolling soil 2nd Rate

September 10th 1870

West of the 6th Principal Meridian

North between sections 34 and 35
Variation 13° 30' East

27.00 Ravine 2.00 chains wide bears S E
40.00 Set charred post in mound of Earth with
pits as per instructions for 1/4 Section corner
80.00 Set charred post in mound of Earth with
pits as per instructions for corner to
Sections 26 27 34 and 35
Surface rolling soil 2nd Rate

East random between sections
26 and 35
Variation 13° 30' East

40.00 Set temporary 1/4 Section corner
71.00 Ravine 3.00 chains wide bears South
79.86 Intersect North & South line 38 links
North of post

N 89° 44' W on a true line between
sections 26 and 35
Variation 13° 30' East

39.93 Set charred post in mound of Earth
with pits as per instructions for 1/4 Sec cor
79.86 The corner of Sections 26 27 34 & 35
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

North between sections 26 and 27
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor

80.00 Set chained post in mound of Earth with pits as per instructions for Corner to sections 22 23 26 & 27
Surface rolling soil 2nd Rate

East random between sections 23 & 26 ~~and 27~~
Variation 13° 30' East

40.00 Set temporary 1/4 Section corner

79.90 Intersect North and South line 18 links North of post

N 89° 52' W on a true line between Sections 23 and 26
Variation 13° 30' East

39.95 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor

79.90 The corner of sections 22 23 26 & 27
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 22 and 23
Variation 13° 30 East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 14 15 22 and 23
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

East random between sections
14 and 23
Variation 13° 20' East

11.00 Ravine 200 chains wide bears North

40.00 Set temporary 1/4 Sec corner

50.00 Ravine 400 chains wide bears North

80.00 Intersect North and South line 23 links south of post

S 89° 50' W on true line between Sections 14 and 23
Variation 13° 20' Ea

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 The corner of sections 14 15 22 and 23
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 14 and 15
Variation 13° 20' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

43.00 Ravine 250 chains wide bears N W

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 10 11 14 and 15
Surface rolling soil 2nd Rate

East random between sections
11 and 14
Variation 13° 20' East

40.00 Set post for temporary 1/4 Sec Corner

80.10 Intersect North and South line 27 links South of post

S 89° 48' W on true line between Sections 11 and 14
Variation 13° 20' East

40.05 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections
10 11 14 and 15
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

North between sections 10 and 11
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 2 3 10 and 11
Surface rolling soil 2nd Rate

East random between sections 2 and 11
Variation 13° 15' East

40.00 Set temporary 1/4 Section corner

80.22 Intersect North and South line 7 links South of post

S 89° 57' W on true line between Sections 2 and 11
Variation 13° 15' East

40 11 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor

80.22 The corner of Sections 2 3 10 & 11
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North random between sections 2 and 3
Variation 13° 15' East

40.00 Set temporary 1/4 Section corner

79.63 Intersect Township line 43 links West of post

S 1° 8' W on a true line between Sections 2 and 3
Variation 13° 15' East

39.63 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

79.63 The corner of Sections 2 3 10 and 11
Surface rolling soil 2nd rate

September 11th 1870

Township No 3 North of Range No 24

North between sections
33 and 34
Variation 13° 30' East

110.00 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set charred post in mound of Earth with pits as per instructions for corner to sections 27 28 33 and 34
Surface rolling soil 2nd rate

~~North~~ West of 6th Principal Meridian

East random between sections
27 and 34
Variation 13° 30' East

40.00 Set temporary 1/4 Section corner

79.94 Intersect North and South line 22 links North of post

N 89° 58' W on a true line between sections 27 and 34
Variation 13° 30' East

39.97 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner

79.94 The corner of sections
27 28 33 and 34
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

North between sections 27 and 28
Variation 13° 30' East

40.00 Set charred post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set charred post in mound of Earth with pits as per instructions for corner to sections 21 22 27 & 28
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

East random between sections 22 and 27
Variation 13° 30' East

30.00 Ravine 1.00 chain wide bears North
40.00 Set temporary 1/4 section corner
79.80 Intersect North and South line 11 links North of post

N 89° 55' W on a true line between sections 22 and 27
Variation 13° 30' East

39.90 Set charred post in mound of Earth with pits as per instructions for 1/4 section corner
79.80 The corner of sections 21 22 27 and 28
Surface rolling soil 2nd Rate

Township No 3 North of Range No 24

	North between sections 21 & 22
	Variation 13° 30' East
40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 15 16 21 & 22
	Surface rolling soil 2nd rate

West of the 6th Principal Meridian

	East and west between sections 15 and 22
	Variation 13° 30' East
21.00	Ravine 100 chains wide bears N W
40.00	Set temporary 1/4 section corner
80.16	Intersect North and south line 21 links south of post
	S 89° 57' W on a true line between sections 15 and 22
	Variation 13° 30' East
40.08	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.16	The corner of sections 15 16 21 and 22
	Surface rolling soil 2nd rate

Township 3 North of Range No 24

North between sections 15 and 16
Variation 13° 20' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 9 10 15 and 16
Surface rolling soil 2nd Rate

West of 6th Principal Meridian

East and West between
Sections 10 and 15
Variation 13° 30' East

16.00 Ravine 4.00 chains wide bears North

40.00 Set ~~chared~~ Temporary 1/4 Sec cor

80.04 Intersect North and South line 40 links North of post

N 89° 43' W on true line between sections 10 and 15
Variation 13° 30' East

40.02 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.04 The corner of sections 9 10 15 and 16
Surface rolling soil 2nd rate

Township No 3 North Range 24

	North between sections 9 & 10
	Variation 13° 20' East
4,000	Set chained post in mound
	of Earth with pits as
	per instructions for 1/4 sec corner
8,000	Set chained post in mound of
	Earth with pits as per
	instructions for corner to sec
	3 4 9 and 10
	Surface rolling soil 2nd rate

West of 6th Principal Meridian

	East random between sections
	3 and 10
	Variation 13° 15' East
3500	Ravine 300 chains with bears
	North
4000	Set temporary 1/4 section corner
79.88	Intersect North and South line 2 links
	South of post
	S 89° 53' W on true line between
	sections 3 and 10
	Variation 13° 15' East
3994	Set chained post in mound
	of Earth with pits as per
	instructions for 1/4 sec corner
79.88	The corner of sections
	3 4 9 and 10
	Surface rolling
	soil 2nd rate

Township No 3 North of Range No 24

North random between sections
3 and 4
Variation 13° 10' East

40.00 Set temporary 1/4 sec corner
79.65 Intersect Township line 27 links
West of post

S 1/2 W on true line between
Sections 3 and 4
Variation 13° 10' East

39.65 Set charred post in mound of
Earth with pits as per
instructions for 1/4 sec corner
79.65 The corner of sections
3 4 9 and 10
Surface rolling soil 2nd rate

September 12th 1870

West of the 6th Principal Meridian

North between sections 32 and 33
Variation 13° 30' East

40.00 Set charred post in mound of Earth
with pits as per instructions for
1/4 section corner
80.00 Set charred post in mound of
Earth with pits as per instructions
for corner to sections
28 29 32 and 33
Surface rolling soil 2nd rate

Township No 3 North Range No 24

East - random between sections
28 and 33
Variation 13° 30' East

40.00 Set Temporary 1/4 Sec corner
79.60 Intersect North and South line 14 links
North of post

N 89° 54' W on a true line
between section 28 and 33
Variation 13° 30' East

39.80 Set charred post in mound of
Earth with pits as per instructions
for 1/4 section corner
79.60 The corner of sections
28. 29. 32 and 33
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 28 and 29
Variation 13° 30' East

6.00 Ravine 200 chains wide bears
North 20° West

40.00 Set charred post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.00 Set charred post in mound of
Earth with pits as per
instructions for corner to sections
20 21 28 and 29
Surface rolling soil 2nd rate

Township No 3 North Range No 24 West of the 4th Principal Meridian

~~North between sections~~
East random between sections
21 and 28
Variation 13° 30' East

7.00 Ravine 300 chains wide bears North
19.00 Ravine 400 chains wide bears North
40.00 Set temporary 1/4 Section corner
42.50 Ravine 200 chains wide bears North
80.20 Intersect North and South line
21 links North of post

N 89° 57' W on a true line
between sections 21 and 28
Variation 13° 30' East

40.10 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Section corner
80.20 The corner of sections
20 21 28 and 29
Surface rolling
soil 2nd rate

North between sections 20 & 21
Variation 13° 20' East

40.00 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Section corner
68.00 Ravine 200 chains wide bears
N W
80.00 Set charred post in mound of
Earth with pits as per
instructions for corner to sections
16 17 20 and 21
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

East random between sections
16 and 21
Variation 13° 30' East

4,00 Set temporary 1/4 section corner
5,00 Ravine 1,00 chain wide bears S E
6,00 Ravine 1,00 chain wide bears N E
7,20 Ravine 2,00 chain wide bears North
8,00 Intersect North and South line 26 links North of post

N 89° 49' W on true line between
Sections 16 and 21
Variation 13° 30' East

4,00 Set charred post in mound of Earth
with pits as per instructions for
1/4 Sections ~~16 and~~ 21 corner
8,00 ~~Intersect~~ The corner of sections
16 17 20 & 21
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 16 and 17
Variation 13° 30' East

4,00 Set charred post in mound of Earth
with pits as per instructions for
1/4 section corner
8,00 Set charred post in mound of Earth
with pits as per instructions for
corner to sections
8 9 16 and 17
Surface rolling soil 2nd rate

Township No 3 North Range No 24

	East random between section 9 and 16
	Variation 13° 20' East
7.00	Ravine 3.00 chains wide bears North
40.00	Set temporary 1/4 Sec. corner
79.78	Intersect North and South line 24 links North of post
	N 89° 50' W on true line between Sections 9 and 16
	Variation 13° 20' East
39.89	Set chared post in mound of Earth with pits as per instructions for 1/4 section corner
79.78	The corner of sections 8 9 16 and 17
	Surface rolling soil 2nd rate

West of the 6th Principal Meridian

	North between sections 8 and 9
	Variation 13° 30' East
37.00	Ravine 2.00 chains wide bears East
40.00	Set chared post in mound of Earth with pits as per instructions for 1/4 section corner
80.00	Set chared post in mound of Earth with pits as per instructions for corner to sections 4 5 8 and 9
	Surface rolling soil 2nd rate

Township No 3 North of Range No 24

East random between sections
4 and 9
Variation 13° 25' East
11.00 Ravine 4.00 chains wide bears
N W
40.00 Set temporary 1/4 Sec corner
79.84 Intersect North and South line 40
South of post

S 89° 43' W on a true line between
Sections 4 and 9
Variation 13° 25' East
39.92 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
79.84 The corner of Sections 4, 5, 8 & 9
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North random between sections
4 and 5
Variation 13° 30' East
6.00 Ravine 4.00 chains wide bears ~~N W~~
N W
40.00 Set Temporary 1/4 Section corner
43.50 Ravine 2.00 chains wide bears N W
79.85 Intersect Township line 44 links
West of post

S 89° W on a true line between
Sections 4 and 5
Variation 13° 30' East
39.85 Set charred post in mound of
Earth with pits as per instructions
for 1/4 Section corner
79.85 The corner of Sections
4 5 8 and 9
Surface hilly soil 3rd rate

September 13th 1870

Township No 3 North of Range No 24

North between sections
31 and 32
Variation 13° 30' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

59.00 Ravine 300 chains wide bears N 15° E

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 29 30 31 and 32
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

East random between sections
29 and 32
Variation 13° 30' East

237 Ravine 200 chains wide bears N 10° 00' E

40.00 Set temporary 1/4 Section corner

45.00 Ravine 250 chains wide bears N W

79.84 Intersect North and South line 40 links North of post

N 89° 43' W on a true line between sections 29 and 32
Variation 13° 30' East

39.92 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner

79.84 The corner of sections
29 30 31 and 32
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

West and on between sections
30 and 31
Variation 13° 30' East

24.00 Ravine 150 links wide bears North
40.00 Set ~~charred~~ post for temporary ¼ Sec. Corner ~~in mound of Earth~~
81.72 3rd Guide Meer W. Intersect ~~Range line~~ 15 links south of post

S 89°54' E on a true line
between sections 30 and 31
Variation 13° 30' East

41.72 Set charred post in mound of
Earth with pits as per
instructions for ¼ section corner
81.72 The corner of sections
29 30 31 and 32
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 29 and 30
Variation 13° 30' East

40.00 Set charred post in mound of
Earth with pits as per
instructions for ¼ section corner
74.00 Ravine 200 chains wide bears N. E
80.00 Set charred post in mound of
Earth with pits as per instructions
for corner to sections
19 20 29 and 30
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

East random between sections
20 and 29
Variation 13° 30' East

6.00 Ravine 400 chains wide bears E
40.00 Set temporary 1/4 section corner
79.88 Intersect North and South line
33 links North of post

N 89° 46' W on a true line between
Sections 20 and 29
Variation 13° 30 East

39.94 Set charred post in mound of Earth
with pits as per instructions
for 1/4 section corner
79.88 Intersect corner of sections
19 20 29 and 30
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

West random between sections
19 and 30
Variation 13° 20' East

40.00 Set temporary 1/4 section corner
59.30 Ravine 250 chains wide bears
North
81.55 Intersect ~~Range line~~ 3rd Guide Mer. W. 18 links
South of post

S 89° 52' E between sections
19 and 30
Variation 13° 20' East

41.55 Set charred post in mound of Earth
with pits as per instructions for
1/4 section corner
81.55 The corner of sections
19 20 29 and 30
Surface rolling soil 2nd rate

Township 3 North of Range No 24 West

North between section 19 and 20
Variation 13° 30' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

60.00 Ravine 2.50 chains wide bears S E

80.00 Set chared post in mound of Earth with pits as per instructions for corner of sections
17 18 19 and 20
Surface rolling soil 2nd rate

of the 6th Principal Meridian

East random between sections
17 and 20
Variation 13° East

40.00 Set temporary 1/4 section corner

66.00 Ravine 2.50 chains wide bears S E

71.00 Ravine 5.00 chains wide bears North

80.10 Intersect North and south line 17 links North of post

N 89° 53' W on a true line between sections 17 and 20
Variation 13° East

40.05 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

80.10 The corner of sections
17 18 19 and 20
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

West random between sections
18 and 19
Variation 13° 15' East

40.00 Set temporary 1/4 section corner
80.14 Intersect 3d Guide Mer. W ~~Range line~~ (53) 53 links
South of post

S 89° 37' E on a true line between
Sections 18 and 19
Variation 13° 15' East

40.14 Set charred post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.14 The corner of sections
17 18 19 and 20
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North between sections 17 and 18
Variation 13° 30' East

40.00 Set charred post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.00 Set charred post in mound of Earth
with pits as per instructions for corner
to sections 7. 8. 17 and 18
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

East random between sections
8 and 17
Variation 13° 30' East

30.00 Ravine 250 chains wide bears North
40.00 Set temporary 1/4 section corner
56.00 Ravine 6 chains wide bears North
80.00 Intersect North and South line
28 links North of post

N 89° 48' W on true line between
sections 8 and 17
Variation 13° 30' East

40.00 Set charred post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 The corner of sections
7, 8, 17 and 18
Surface rolling soil 2nd rate

West of 6th Principal Meridian

West random between sections
7 and 18
Variation 13° East

40.00 Set temporary 1/4 section corner
41.00 Ravine 250 chains wide bears North
80.16 Intersect ~~Range line~~ 3.2 links West 20 links North
of post

N 89° 51' E on a true line between
sections 7 and 18
Variation 13° East

40.~~00~~ 16 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.16 The corner of sections
7 8 17 and 18
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

North between sections 7 and 8
Variation 13° 30' East

40.00 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set charred post in mound of Earth with pits as per instructions for corner to sections 5, 6, 7 and 8
Surface rolling soil 2nd rate

West of the 6th Principal Meridian

East random between sections 5 and 8
Variation 13° 15' East

40.00 Set temporary 1/4 section corner
44.00 Ravine 5.00 chains wide bears N W
79.96 Intersect North and South line 38 links North of post

N 89° 44' W on a true line between sections 5 and 8
Variation 13° 15' East

39.98 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner
79.96 The corner of sections 5 6 7 and 8
Surface rolling soil 2nd rate

Township No 3 North of Range No 24

West random between sections 6 and 7

Variation 13° 30' East

40.00 Set temporary 1/4 section corner

70.00 Ravine 2.00 chains wide bears North

79.45 Intersect 3d. Guide Mer. W. ~~Range line~~ 47 links south of post

~~N~~ S 89° 40' E on a true line between Sections 6 and 7

Variation 13° 30' East

39.45 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

79.45 The corner of sections 5 6 7 and 8

Surface rolling soil 2nd rate

West of the 6th Principal Meridian

North random between sections 5 and 6

Variation 13° 20' East

40.00 Set temporary 1/4 section corner

80.36 Intersect Township line 65 links West of post

S 28' W on true line between Sections 5 and 6

Variation 13° 20' East

40.36 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

80.36 The corner of sections 5 6 7 and 8

Surface rolling soil 2nd rate

September 14th 1870

Township No 3 North of Range No 24

We hereby certify the we were employed as assistants by William E Daugherty Deputy Surveyor in the Survey and subdivision of Township No 3 North of Range No 24 West of the 6th Principal Meridian and we do solemnly swear that we performed our duties faithfully and to the best of our ability and that we marked and established the corners and boundaries according to the instructions furnished by the Surveyor General

Charles Fitzpatrick } Chairmen
Henry Lewis

Joseph Warney } Mound builders
Thomas Daly

Sworn and Subscribed to before me this the 8th day of October 1870 W F Cody
Justice Peace

* in and for Lincoln County Nebraska

West of the 6th Principal Meridian

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General of the United States for the State of Nebraska bearing date the 6th day of August 1870 that I have regularly surveyed and subdivided Township No 3 North of Range No 24 West of the 6th principal Meridian according to the laws of the United States and the instructions of the said Surveyor General and I do further swear that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 15th day of October 1870 A S Chiles Probate
Judge of Cass Co Neb

General Description

The surface of this Township is generally rolling but made somewhat broken by numerous ravines
The soil is mostly 2nd rate being fair in quality but there is no chance of irigation except by artesian wells There being no running water in the Township

Surveyor Generals Office
Plattsmouth Neb. Dec. 16. 1870

The foregoing field notes of the survey of the the sub division line of Township No 3 North of Range No 24 West of the 6th Principal Meridian in the State of Nebraska executed by William E. Daugherty under his contract of the 6th day of August 1870 in the Month of September 1870 having been critically examined the necessary Corrections & explanations made the said field notes and the surveys they describe are hereby approved

Robt. R. Livingston
Surveyor General

T 4 N., R 24 W

6	59	5	43	4	32	3	21	2	10	1
58		57		42		31		20		10
7	56	8	41	9	30	10	19	11	9	12
55		54		40		29		18		8
18	53	17	39	16	28	15	17	14	7	13
52		51		38		27		16		6
19	50	20	37	21	26	22	15	23	5	24
49		48		36		25		14		4
30	47	29	35	28	24	27	13	26	8	25
46		45		34		23		12		2
31	44	32	33	33	22	34	11	35	1	36

Subdivision of Township No 4 North of Range No 24 West of the 6th Principal Meridian in the State of Nebraska

Commencing October 20th 1870
Finished October 27th 1870

By William E Daugherty
Deputy Surveyor

Township No 4 North of Range No 24 West of the 6th Principal Meridian

Names of Assistants

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny
Thomas Dayly } Mound builders

To determine the course of the East boundary of the Township I commence at the Corner of Townships 3 and 4 North of Ranges 23 & 24 West of the 6th Principal Meridian State of Nebraska and Run thence North on a Blank line, East of Sec 36

Variation 14° East

39.81 Fell 40 links west of 1/4 Sec cor
79.68 Fell 76 links west of ~~the~~ corner to Sec 25, 30, 31 & 36

From the aforesaid Township Corner I run West on a Blank line South of Sec 36

Variation 14° East

39.89 Fell 11 links south of 1/4 Sec corner
79.83 Fell 15 links south of ~~the~~ corner to Sections 1, 2, 35 & 36

Township No 4 North Range No 24 West of the 6th Principal Meridian

North between sections ~~2~~ 3 25 and 36

Variation 13° 30' East

39.00 Ravine 200 chains drains with bears NW

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chared post in mound of Earth with pits as per instructions for ~~1/4 Section~~ corner to Sec. 25, 26, 35 & 36

Surface rolling soil 2nd Rate

East Random between Sections 25 and 36

Variation 13° 30' East

35.00 Enter river bottom bears NW x SE

40.00 Set temporary 1/4 Section corner

79.82 Intersect Range line 24 links North of post

N 89° 50' W on a true line between sections 25 and 36

Variation 13° 30' East

39.91 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.82 The corner of Sections 25 26 35 and 36

Surface rolling soil 2nd Rate

(Write all interval in usual form)

Township No 4 North Range No 24

North between sections
25 and 26
Variation 13° 30' East

14.00 Enter River bottom bears East & West
40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
70.30 Right bank of Republican river & set chared post in mound of Earth with pits as per instructions for fractional section corner
74.80 To left bank of Republican River and set chared post in mound of Earth with pits as per instructions, for fractional Section corner
80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections
23 24 25 and 26
Surface ~~rolling~~ level seal 2nd Rate

Width of river found by chaining

West of the 6th Principal Meridian

East on a true line between
Sections 24 and 25, as it ends in river
Variation 13° 20' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner
72.60 To the ~~right~~ left bank of Republican River and set chared post in mound of Earth with pits as per instructions for corner to fractional ~~Corner~~ Sect. 24 & 25. Rest of line in river
Surface level seal 2nd Rate

Township No 4 North Range No 24 West of the 6th Principal Meridian

North between sections 23 & 24
Variation 13° 38' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24

Surface rolling soil 2nd Rate

East random between sections 13 and 24
Variation 13° 26' East

40.00 Set temporary 1/4 section corner

80.12 Intersect Range line 18 links South of post

S 89° 52' W on a true line between sections 13 and 24
Variation 13° 24' East

40.06 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec Corner

80.12 The corner of sections 13 14 23 & 24

Surface level soil 2nd Rate

Township No 4 North Range No 24

North between sections 13 & 14
Variation 13° 20' East

21.00 Leave River bottom bears
East and West

40.00 Set chared post in mound of
Earth with pits as per instruction
for 1/4 Section corner

80.00 Set chared post in mound of Earth
with pits as per instructions for
Corner to sections
11 12 13 and 14
Surface rolling soil 2nd Rate

West of 6th Principal Meridian

East random between sections
12 and 13
Variation 13° 20' East

40.00 Set temporary 1/4 Sec corner

80.14 Intersect Range line 37 links
North of post

N. 89°44' W on a true line
between sections 12 and 13
Variation 13° 30' East

40.07 Set chared post in mound of
Earth with pits as per instructions
for 1/4 Section corner

80.14 Set chared post in mound of Earth
with pits as per instructions
for Corner to sections
11 12 13 and 14
Surface gently rolling
Soil 2nd Rate

Township No 4 North Range 24 West of the 4th Principal Meridian

North between sections 11 & 12
Variation 13° 15' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 1, 2, 11 & 12
Surface rolling soil 2nd Rate

East random between sections 1 and 12
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

79.86 Intersect Range line 18 links South of post

S 89° 52' W on a true line between sections 1 and 12
Variation 13° 15' East

39.93 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.86 The corner of sections 1 2 11 & 12
Surface rolling soil 2nd Rate

North between sections 1 & 2 { Variation 13° 30' East

40.00 Set chased post in mound ~~as per instructions~~ with pits as per instructions for 1/4 Section corner

82.97 Intersect 1 Standard Parallell North 5.70 chains East of 1/4 Sec corner S. of sections 36 of Township 5 North Range 24 West and set chased post in mound with pits as per instructions for closing corner to sections 1 & 2
Surface rolling soil 2nd Rate
October 20th 1870

Township No 4 North Range No 24

North between sections 34 & 35
Variation 13° 30' East

40.00 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set charred post in mound of Earth with pits as per instructions for corner to sections
26 27 34 & 35
Surface rolling soil 2d Rate

~~North Range~~ No West of 6th P M

East Meandered between sections
26 and 35
Variation 13° East

40.00 Set temporary 1/4 Sec corner

46.50 Ravine 300 chains wide bears North

80.26 Intersect North & South line 67 links South of post

S 89° 41' W on a true line between Sections 26 and 35
Variation 13° East

40.13 Set charred post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.26 The corner of sections
26 27 34 & 35
Surface rolling soil 2nd Rate

Township No 4 North Range No 24 West of the 6th Principal Meridian

North between sections 26 & 27
Variation 13° 30' East

23.00 Enter River bottom bears East and West

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 22 23 26 and 27
Surface rolling soil 2nd Rate

East random between sections 23 and 26
Variation 13° 30' East

2.47 } Set post for temporary meas. for to prop. Sec. 23 & 26
7.60 }

40.00 Set ~~chared post in mound of Earth with pits as per instructions for 1/4 Section corner~~ temporary 1/4 Sec corner

80.28 Intersect North & South line 14 links North of post

N 89° 54' W on a true line between Sections 23 & 26
Variation 13° 30' East

40.14 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

72.68 To left bank of Republican River and set chared post in mound of Earth with pits as per instructions for fractional Section corner

77.81 Right bank of River and set chared post in mound of Earth with pits as per instructions for fractional Section corner give true form

80.28 The corner of sections 22, 23, 26 & 27 } Surface level soil 2nd Rate
Width of river found with chain

Township No 4 North Range No 24

North between sections 22 and 23
Variation 13' East

32.50 Right bank of Republican River
chained post in mound of
Earth with pits as per instructions
for fractional section corner

40.00 Set to ~~Right~~ left bank of River and
Set chained post in mound of
Earth with pits as per
instructions for fractional corner to Sec. 22 & 23.
& for 1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections 14, 15, 22 & 23
Surface rolling soil 2nd Rate

Width of river found by chaining

Ran of the 6th Principal Meridian

East Random between sections
14 and 23
Variation 13° 25' East

40.00 Set temporary 1/4 Sec corner
79.92 Intersect North and South line
40 links North of post

N 89° 43' W on a true line between
sections 14 and 23
Variation 13' 25' East

39.96 Set chained post post in mound of
Earth with pits as per instructions
for 1/4 section corner

79.92 The corner of section
14 15 22 and 23
Surface rolling soil 2nd Rate

Township No 4 North Range 24 West of the 6th Principal Meridian

North between sections 14 x 15

Variation 13° 10' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section ~~corner~~ corner

59.00 Leave River bottom bears East and West

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 10 11 14 x 15

Surface rolling soil 2nd Rate

East random between sections 1~~0~~1 and ~~15~~14

Variation 13° 10' East

40.00 Set temporary 1/4 Sec corner

80.12 Intersect North and South line 22 links North of post

N 89° 51' W on a true line between Sections 1~~0~~1 and ~~15~~14

Variation 13° ~~30~~10' East

40.06 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.12 The corner of sections 10 11 14 x 15

Surface rolling soil 2nd Rate

Township No 4 North Range No 24

✓	North between sections 10 and 11 Variation 13' East
4000	Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner
8000	Set chased post in mound of Earth with pits as per instructions for corner to sections 2 3 10 & 11
	Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

	East random between Sections 2 and 11 Variation 13' 10' East
4000	Set temporary 1/4 sec corner
7994	Intersect North and South line 17 links North of post
	N 89° 53' W on a true line between sections 2 and 11 Variation 13' 10 East
3997	Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner
7994	The corner of sections 2 3 10 & 11 Surface rolling soil 2nd Rate

Township No 4 North Range No 24

North between sections 2 & 3
Variation 13° 10' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

81.34 Intersect 1st Standard Parallel N. 5.87 chains East of 1/4 Sec Corner S. of Sections 34 & 35 Township 5 North Range 24 West and set chained post in mound of Earth with pits as per instructions for closing corner to sections 2 and 3

Surface rolling soil 2nd Rate
October 21st 1870

West of the 6th Principal Meridian

North between sections 33 & 34
Variation 13° 30' East

13.00 Ravine 2.50 chains wide bears S E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 27 28 33 and 34

Surface rolling soil 2nd Rate

Township No 4 North Range No 24

East Random between sections
27 and 34
Variation 13° 10' East

3000 Ravine 350 chains wide bears
N E

4000 Set temporary 1/4 Sec corner

7962 Intersect North and South line
41 links North of post

N 89° 43' W on a true line
between sections 27 & 34

9
3981 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

7962 The corner of sections
27 28 33 & 34
Surface rolling soil
2nd Rate

West of the 6th Principal Meridian

North between sections 27 & 28
Variation 13° 30' East

4000 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

4900 Enter Republican river bottom
bears East and West

8000 Set charred post in mound of
Earth with pits as per
instructions for corner to sections
21 22 27 and 28
Surface rolling soil 2nd Rate

Township No 4 North Range No 24

	East random between Sections 22 and 27 Variation 13' 10' East
40.00	Set temporary 1/4 Sec corner
80.20 80	Intersect North and South line at post
	West on a true line between Sections 22 and 27 Variation 13' 10' East
40.10	Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.20	The corner of sections 21 22 27 x 28 Surface ~~rolling~~ level soil 2nd Rate

West of the 6th Principal Meridian

	North between sections 21 and 22 Variation 13' 30' East
8.10	Right bank of Republican River and set chared post in mound of Earth for fractional section corner
14.82	To left bank of River+ and set chared post in mound of Earth with pits as per instructions for fractional section corner
40.00	Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chared post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22 Surface rolling soil 2nd Rate

+ Width found with chain

Township No 4 North - Range No 24

	East Random between sections 15 and 22
	Variation 13° ~~20~~ 10' East
40.00	Set temporary 1/4 Sec corner
79.90	Intersect North and south line 28 links South of post
	S 89° 48' W on a true line between sections 15 & 22
	Variation 13° 10' East
39.95	Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.90	The corner of sections 15 16 21 x 22
	Surface level soil 2nd Rate

West of the 6th Principal Meridian

	North between sections 15 and 16
	Variation 13° 15' East
27.00	Leave River bottom bears East and West
40.00	Set chared post in mound of Earth with pits as per instructions for ~~corner to sections~~ 1/4 Sec corner
80.00	Set chared post in mound of Earth with pits as per instructions for corner to sections 9 10 15 and 16
	Surface rolling soil 2nd Rate

Township No 4 North Range No 24

East Random between sections
10 and 15
Variation 13° 25' East

40.00 Set temporary 1/4 Sec Corner
80.14 Intersect North and South section line 19 links South of post

S 89° 52' W on a true line between sections 10 and 15
Variation 13° 25' East

40.07 Set charred post in mound of Earth with pits as per instructions for ~~Corner to Section~~ 1/4 Sec corner
80.14 The corner to sections ~~10 11~~ 9 10 15 & 16
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

North between sections 9 & 10
Variation 13° 30' East

40.00 Set charred post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set charred post in mound of Earth with pits as per instructions for corner to Sections 3 4 9 & 10
Surface rolling soil 2nd Rate

Township No 4 North Range No 24

East Random between
Sections 3 and 10
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner
80.24 Intersect North and South line
10 links North of post

N 89° 56' W on a true line
between Sections 3 & 10
Variation 13° 30' East

40.13 Set chased post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.26 The corner of Sections
3 4 9 & 10
Surface rolling soil
2nd Rate

West of the 6th Principal Meridian

North between sections
3 and 4
Variation 13° 35' East

40.00 Set chased post in mound
of Earth with pits as per
instructions for 1/4 Sec corner
82.34 Intersect 1st Standard parallel
North 5.80 chains East of corner
to sections ~~33 & 34~~ Township
5 North Range 24 West of
the 6th Principal Meridian
~~Surface rolling soil~~ 2nd Rate
and set chased post in mound
of Earth with pits as per
instructions for closing corner to
Sections 3 and 4
Surface rolling soil 2nd Rate

October 22nd 1870

Township No 4 North Range No 24 West of the 6th Principal Meridian

North between sections
32 and 33
variation 13° 30' East

17.00 dry creek 25 links wide bears
N W

40.00 Set charred post in mound of earth
with pits as per instructions for
1/4 section corner

46.00 Entler River bottom bears East
and West

80.00 Set charred post in mound of earth
with pits as per instructions for
corner to sections 28 29 32 & 33
Surface rolling soil 2nd Rate

East Random between sections
28 and 33
Variation 13° 20' East

40.00 Set temporary 1/4 sec corner

72.00 Leave River bottom bears N E & S W

80.00 Intersected North and South section line
15 links North of post

N 89° 54' W on a true line
between sections 28 and 33
Variation 13° 20' East

40.00 Set charred post in mound of
earth with pits as per instructions
for 1/4 section corner

80.00 ~~Set charred post in mound of earth~~
~~with pits as per instructions~~
the corner of sections
28 29 32 and 33
Surface rolling soil 2nd Rate

Township No 4 North Range No 24

North between sections 28 x 29
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instruction for 1/4 Section corner

62.47 Right bank of Republican River and set chained post in mound of Earth with pits as per instructions for fractional section corner

66.47 Left bank of River by chaining and set chained post in mound of Earth with pits as per instructions for fractional Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
20 21 28 x 29
Surface level ~~rolling~~ soil 2nd Rate

West of the 6th Principal Meridian

East Random between sections
21 and 28
Variation 13° 30' East

15.39
20.00 — Set post for temp. meand. cor. to frac. secs. 21 & 28

40.00 Set temporary 1/4 Sec corner

80.60 Intersect North and south line 30 links North of post

N 89° 47' W on a true line between sections 21 x 28
Variation 13° 30' East

40.30 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

60.60 Right bank of River and set chained post in mound of Earth with pits as per instructions for fractional section corner

65.21 Left bank of River and set chained post in mound of Earth with pits as per instructions for fractional section

80.60 The corner of sections
20 21 28 x 29
Surface level soil 2nd Rate

Township No 4 North - Range No 24

North between sections 20 & 21
Variation 13° 15' East

40.00 Set chased post in mound of Earth with pits as per instruction for 1/4 Section corner

45.00 Leave River bottom bears East and ~~west~~ West

54.00 Ravine 3.00 chains wide bears S. E

54.40 Cottonwood 36 inches diameter

80.00 Set chased post in mound of Earth with pits as per instructions for corner to Sections 16, 17, 20 & 21
Surface in bottom level
Soil 2nd Rate - North of bottom hilly soil 3rd Rate

A few trees in ravine

West of the 6th Principal Meridian

East Random between Sections 16 and 21
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

51.00 Enter River bottom bears NE & SW
62.40 any creek 25 + links wide Runs South

80.26 Intersect North and South line
8 6 11 links South of post

S
~~N~~ 89° 55' W on a true line between sections 16 and 21
Variation 13° 15' East

40.13 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.26 The corner of sections 16 17 20 and 21
Surface gently rolling
Soil 2nd Rate

+ Called "Stinking Water"

Township No 4 North Range No 24

North between sections 16 & 17
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 8 9 16 & 17
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

East Random between sections 9 and 16
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

68.00 dry Creek + 25 links wide Runs south

80.00 Intersect North and South line 25 links south of post

S 89° 49' W on true line between sections 9 and 16
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 The corner of sections 8 9 16 and 17
Surface rolling soil 2nd Rate

+ Called "Stinking Water"

Township No 4 North Range No 24

North between sections 8 & 9
Variation 13° 30 East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 4 5 8 and 9
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

East Random between sections 4 and 9
Variation 13° 40' East

40.00 Set temporary 1/4 Sec corner
41.00 Ravine 250 chains wide bears South
71.00 dry creek 20 links wide runs South
80.34 Intersect North and South line 18 links South of post

S 89° 52' W on a true line between sections 4 and 9
Variation 13° 40' East

40.37 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.34 The corner of sections 4 5 8 and 9
Surface rolling soil 2nd Rate

+ Called "Stinking Water"

Township No 4 North Range No 24

North between sections 4 x 5

10.50 Ravine 250 chains wide bears ~~S W~~ N E (Var 13° 40' East)

34.00 dry creek + 20 links wide bears S E

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

81.60 (16) Intersect 1st Standard parallel N. 1 x 5.92 chains East of ~~corner~~ 1/4 Sec corner ~~to~~ S. of Sections ~~4 32~~ and 33 Township 5 North of Range 24 West and set chased post in mound of Earth with pits as per instructions for closing corner to Sections 4 and 5

Surface rolling soil 2nd Rate

October 23rd 1870

+ Called "Stinking Water"

West of the 6th Principal Meridian

North between sections 31 x 32

Variation 13° 30' East

19.00 Enter River bottom bears East and West

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 29 30 31 x 32

Surface rolling soil 2nd Rate

Township No 4 North Range No 24

✓	East Random between sections 29 and 32
	Variation 13° 30' East
40.00	Set temporary 1/4 sec corner
40.40	dry creek 30 links wide
	Runs North
80.72	Intersect North and south line at point
	West on a true line between Sections 29 and 32
	Variation 13° 30' East
40.36	Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner
80.72	The corner of sections 29 30 31 & 32
	Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

	West Random between sections 30 and 31
	Variation 13° 30' East
40.00	Set temporary 1/4 sec corner
79.18	Intersect ~~Range line~~ 3° Guide mer. W. 129 links North of post
	N 89° ~~5~~ 4' E on a true line between sections 30 & 31
	Variation 13° 30' East
39.18	Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner
79.18	The corner of sections 29 30 31 and 32
	Surface rolling soil 2nd Rate

Township No 4 North Range No 24

North between sections 29 x 30
Variation ~~13°~~ 14° East

22.00 Right bank bank of Republican River and set Chared post in mound of Earth with pits as per instructions for ~~1/4~~ Fractional Section corner

25.47 Left bank of River by chaining and Set chared post in mound of Earth with pits as per instructions for fractional section corner

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

57.14 A cottonwood 20 inches diameter

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 19 20 29 x 30
Surface level ~~rolling~~ soil 2nd Rate

A few trees in bottom

West of the 6th Principal Meridian

East Random between sections 20 x 29
Variation 13° 30' East

32.57 — Set post for temp. meand. Cor to frac. sec. 20 & 29
40.00 — Pl. a for temp. C. Sec. Cor. in mound
48.25 — Set post for temp. meand cor to frac sec 20 & 29

~~40.00 Set temporary 1/4 Sec corner~~

80.00 Intersect North and South line 28 links North of post

N 89° 48' W on a true line between sections 20 and 29
Variation 13° 30' East

31.75 ~~Right~~ left bank of river and set chared post in mound ~~in mound~~ of Earth with pits as per instructions for fractional section corner

40.00 Place for 1/4 Sec Cor in river

47.43 To left bank of Republican River and Set chared post in mound of Earth with pits as per instructions for fractional section corner

80.00 The corner of sections 19 20 29 x 30
Surface level soil 2nd Rate

Township No 4 North Range No 24 West of the 6th Principal Meridian

West Random between sections 19 and 30
Variation 14° East

40.00 Set ~~chased~~ post ~~in mound of Earth with pits as per instructions~~ for temporary 1/4 Section corner

78.82 Intersect 3° Guide Mer. W. ~~Range line~~ 29 links South of post

S 89° 48' E on a true line between Sections 19 and 30
Variation 14° East

38.82 ~~Intersect~~ Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner

78.82 The corner of sections 19 20 . 29 × 30
Surface rolling soil 2nd Rate

North between sections 19 × 20
Variation 13° 20

40.00 Set chased ~~North~~ post in mound of Earth with pits as per instructions for 1/4 sec corner

46.60 Leave River bottom bears East and West

52.00 Enter Ravine 30.0 chains wide, S. & S. E. creeks

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 17, 18, 19 × 20

Surface rolling soil 2nd Rate

Township No 4 North Range No 24

East Random between
Sections 17 and 20
Variation 13° 25' East

00.75 Leave Ravine bears ~~North~~ South
40.00 Set temporary 1/4 sec corner
48.00 Ravine 300 chains wide
bears South
78.00 Ravine 300 chains wide bears South
80.26 Intersect North & South line
38 links South of ~~post~~ post

S 89° 44' W on a true line between
Sections 17 and 20
Variation 13° 25' East
40.13 Set chased post in mound of
Earth with pits as per instructions
for 1/4 Sec corner
80.26 The corner of sections
17 18 19 & 20
Surface rolling soil 2nd Rate

West of the 6th Principal Meridian

West Random between sections
18 and 19
Variation 13° 30' East

Leave
2.50 Ravine ~~bears~~ dreams ~~S E~~ South & ~~N W~~ S.E.
40.00 Set temporary 1/4 Sec corner
79.00 Intersect 3d Guide Mer. W. ~~Range line~~ 4 links
South of post

~~X~~ S 89° 58' E on a true line
between sections 18 and 19
Variation 13° 30' East
39.00 Set chased post in mound of
East ~~with~~ with pits as per
instructions for 1/4 Sec corner
79.00 The corner of sections
17 18 19 & 20
Surface rolling soil 2nd Rate

Township No 4 North Range No 24

North between sections 17 & 18
Variation 13°10' East

300 Leave Ravine descends south &
comes from N W

4000 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

8000 Set chained post in mound of
Earth with pits as per
instructions for corner to
Sections 7, 8, 17 & 18
Surface gently rolling
Soil 2nd Rate

West of the 6th Principal Meridian

East Random between sections
8 and 17
Variation 13° 35' East

4000 Set temporary 1/4 Sec corner

4900 Ravine 200 chains wide bears
S E

7998 Intersect North and South line
7 links South of post

S 89° 57' W on a true line
between sections 8 & 17
Variation 13° 35' East

3999 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

7998 The corner of sections
7, 8, 17 & 18
Surface rolling soil 2nd Rate

Township No 4 North Range No 24 West of the 6th Principal Meridian

West Random between sections
7 & 18
Variation 13° 45' East

3030 deep Ravine 400 chains wide
bears S 25 E

4000 Set temporary 1/4 Sec Corner

7930 Intersect 3rd ~~Range line~~ Guide Mer. W. 15 links
North of post

N 89° 54' E on a true line
between sections 7 & 18
Variation 13° 45' East

7930 Set chaned post in mound of earth
with pits as per instructions
for 1/4 Section corner

7930 The corner of sections
7 8 17 & 18
Surface rolling soil
2nd Rate

North between sections 7 & 8
Variation 13° 30' E

4000 Set chaned post in mound of earth
with pits as per instructions for
1/4 Section corner

8000 Set chaned post in mound of earth
with pits as per instructions
for corner to sections
5 6 7 & 8
Surface rolling soil 2nd Rate

Township No 4 North Range No 24 West of the 6th P M

East Random between sections 5 and 8
Variation 13° 30' East

4000 Set temporary 1/4 sec corner
6100 line stone ledge bears North & South 3 00 chains wide
80.16 Intersect North and South line 20 links North of post

N 89° 57' W on a true line between sections 5 & 8
Variation 13° 30' East

40.08 Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner
80.16 The corner of sections 5 6 7 & 8
Surface rolling soil
2nd Rate

West Random between Sections 6 and 7
Variation 13° 45' East

4000 Set temporary 1/4 sec corner
79.53 Intersect 3d Guide Mer. W. ~~Range line~~ 38 links South of post

S 89° 44' E on a true line between Sections 6 and 7
Variation 13° 45' East

39.53 Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner
79.53 The corner of sections 5 6 7 & 8
Surface rolling soil
2nd Rate

Township No 4 North Range No 24 West of the 6th Principal Mer

North between sections 5 & 6
Variation 13°30' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

4200 Ravine 300 chains wide bears East

8056 Intersect 1st Standard parallel N.T. 6.09 chains East of corner S. of sections ~~31 an~~ 32 Township 5 North Range 24 West and set chased post in mound of Earth with pits as per instructions for closing corner to Sections 5 and 6

1/4 Sec.

Surface rolling soil
2nd Rate
October 25th 1870

Township No 4 North of Range No 24 West of the 6th Principal Meridian

Meanders of the Republican River beginning at Meander post on ~~Range~~ E. Boundary line of Township, betn Secs 25 & 30 thence in Section 25 variation 13° 30' East

Up the Right bank

1 S	48 W	21	25
S	30 W	14	00
S	85 W	9	50
N	65 W	15	50
N	19 W	8	50
N	39 W	9	50
N	80 W	12	00
S	73 W	13	84 2

To meander post between sections 25 and 26

(Write each bank continuously through the Township)

Meanders On Left bank of River from cor to frac. Secs 19 & 24 on E. Bounds. of T. thence up stream In Section 24 ver 13° 30' East

10 S	3 ~~8~~ 4 N W	13 ~~0~~ 3	11

To meander post between Sections 24 & 25

Thence up the left bank

In Section 25 Ver 13° 30 East

S	46 W	13	50
S	25 W	10	50
S	53 W	9	50
N	71 W	11	50
~~N~~	~~19 W~~	~~8~~	~~50~~
~~N~~	~~39 W~~	~~9~~	~~50~~
~~N~~	~~80 W~~	~~12~~	~~00~~
~~S~~	~~73 W~~	~~18~~	~~84~~
N	~~21~~ 19 W	~~10~~ 9	50
N	43 W	11	00
N	75 W	9	50
S	89 W	12	50
S	67 W	8	50 12

To meander post between sections 25 and 26

Township No 4 North Range No 24 West of the 6th Principal Meridian

Meanders of the Republican Rive.
begining at Meander post on Right
Bank between Sections 25 & 26
thence up Stream In Sec 26
Variation 13° 30'

S	68 W	1400	
S	30 W	1130	
S	63 W	1600	
N	39 W	1600	
S	76 W	900	
N	67 W	1750	
N	14 W	1400	
N	3½ W	712 3	To meander post between sections 23 and 26, thence
North		400	up stream
N	13 E	600	In Sec 23
N	23 E	1800	bea 13° 30' East
N	14 E	650	
N	39 W	600	
S	66½ W	800 4	To meander post between Sections 22 & 23

Up stream On Left Bank
In Sec 26
bea 13° 30' East

S	69 W	1220	
S	74 W	800	
S	24 W	1275	
S	65 W	1150	
N	63 W	900	
N	41 W	500	
S	84 W	1050	
N	74 W	975	
N	43 W	650	
N	9 W	1450 13	To meander post between sections 23 & 26
			thence
N	5 W	550	In Sec 23
N	29 E	1900	bea 13° 30' East
N	6 E	1300	
N	48 W	1050	
S	79 W	1014 14	To meander post between sections 22 and 23

Township No 4 North Range No 24 West of 6th Principal Mer

Meanders of the Republican River begining at Meander post on Right-bank between Sections 22 and 23, thence up Stream

In Sec 22
Var 13° East

S	87	W	17 00
S	4~~5~~4	W	2~~5~~4 ~~0~~5
S	75	W	23 00
S	85	W	15 50
N	77	W	8 60 5 To meander post between Sections 21 & 22

up Stream On left-bank
In Sec 22
Variation 13° East

S	80	W	20 50
S	43	W	18 00
S	60	W	12 00
S	7~~8~~9	W	22 00
N	81½	W	15 82 15 To meander post between Sections 21 & 22

October 26th 1870.

Township No 4 North Range No 24 West of the 6th Principal Mer

Meanders of the Republican River beginning at Meander post between sections 21 and 22

thence In Sec 21

Up the Right bank

N	75	W	1300	
S	76	W	500	Vari 13° East
N	15	W	1100	
N	60	W	1000	
N	15	W	1100	
N	54	W	750	
S	~~27~~ 31	W	2150	
S	11½	W	1175	
S	50	W	1050	
S	8½	W	500 6	To meander post between sections 21 and 28

Up Stream On left Bank

In Sec 21

Vari 13° East

N	74	W	950	
N	39	W	1150	
N	68	W	750	
N	18	W	1250	
N	60	W	1350	creek 25 links wide bears North
S	54	W	700	
S	~~30~~ 28	W	2000	
S	7	W	1050	
S	46	W	925	
S	17	W	1030 16	To meander post between sections 21 and 28

Township No 4 North Range No 24

Meanders of Republican River
beginning at Meander post
between Sections 21 & 28
thence in Sec 28

Up the Right bank
Var 13° East

South		600	
S	11 E	800	
S	63 W	1300	
N	70 W	500	
N	79½ W	520 7	To meander post between Sections 28 & 29

V

West of the 6th Principal Meridian

Up stream On left bank
In Sec 28

S	15 W	500	Variation 13° East
S	~~8~~ 3 E	~~5~~ 4 50	
S	9 W	350	
S	61 W	500	
N	88 W	500	
N	69 W	450 17	To meander post between sections 28 and 29

Township No 4 North Range No 24

Meanders of the Republican River begining at Meander post between Sections 28 and 29 on Right bank

thence up stream — In Sec 29

N	75 W	1850	Var 13° 15' East
N	62 W	1125	
N	64 W	1300	
S	71 W	350	
S	20 W	800	
S	5 E	1150	
S	28 E	1400	
S	2 E	1500	creek w banks wide
S	56 W	1850	
N	83 W	900	
S	78 W	700	
N	82 W	1200 8	To meander post between sections 29 x 30

West of the 6th Principal Mer

Up Stream On left bank

In Sec 29

N	72½ W	1700	Var 13° 15' East
N	64 W	1740 18	To meander post between Sec 20 x 29

thence

N	65 W	850	In Sec 20
	west	550	
S	35 W	450 19	To meander post between sections 20 x 29 again

thence

In Sec 29

S	24 W	1100	Var 13° East
S	5 E	1700	
S	38 ~~W~~ E	1100	
S	15 W	1300	
S	58 W	1000	
S	82 W	1350	
N	85 W	1100 20	To meander post between sections 29 x 30

Township No 4 North Range No 24

Meanders of the Republican River
begining at Meander post between
Sections 29 x 30 On Right bank
thence up Stream in Sec 30

N	80	W	1500	Variation 13° 15' East
N	75	W	700	
N	56	W	1850	
N	8~~4~~2	W	2800	
N	82¼	W	1450	To meander post

on 3d Guide Mer. W. betn Secs 25 & 30 ~~on Range line~~

Up Stream On left bank
In Sec 30
Va 13° 15' East

N	79	W	1000	
N	75	W	1050	
N	57	W	2150	
N	~~82~~ 78	W	21 ~~5~~0	
N	74¾	W	2090	To meander post

on 3rd Guide Mer. W. betn Secs 25 & 30 ~~on Range line~~

October 27th 1870

West of the 6th Principal Meridian

General Description

The surface of this Township is generally Rolling but level in the bottom lands of the Republican River; the soil on the uplands is fair quality in the bottom lands it is good and well adapted to agricultural purposes
There are no settlers in the Township

Some sparse timber in bottoms & ravines. The creek in Secs 4, 5, 9, 16 & 21 is called "Stinking Water", & is dry at this season.

Township No 4 North of Range No 24

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 4 North of Range No 24 West of the 6th Principal Meridian Showing the respective capacities in which they acted

Henry Lewis
Charles Fitzpatrick } Chain men.

Joseph Kearny
Thomas Dayly } Mound builders

West of the 6th Principal Meridian

We hereby certify that we assisted William E Daugherty Deputy Surveyor in Surveying and subdividing Township No 4 North of Range No 24 West of the 6th Principal Meridian and that said Township has been in all respects to the best of knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Henry Lewis
Charles Fitzpatrick } Chainmen

Joseph Kearny } Mound builders
Thomas Daly

Subscribed & Sworn to before me this 29th day of Oct 1872

A G Chase Probate
Judge of Cass County
Nebraska

Seal

Tow

I, William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with Robert R Livingston Surveyor General ~~Sworn~~ of the United States for the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the Surveyor General I have faithfully surveyed and subdivided Township No 4 North of Range No 24 West of the 6th Principal Meridian in the State aforesaid and do further swear that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth this 27 day of October 1870

A S Chizek Probate Judge
in and for Cass County, Nebraska

Surveyor Generals Office
Plattsmouth Neb. Dec. 16. 1870

The foregoing field notes of the survey of the subdivision lines and meanders of Township No 4 North of the Base line of Range No 24 West of the 6th Principal Meridian in the State of Nebraska executed by William E. Daugherty under his contract of the 6th day of August 1870 in the month of October 1870 having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R Livingston
Surveyor General

General Land Office • Original Field Notes

Book Number

476

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.