General Land Office • Original Field Notes

Book Number

477

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T. 5. North. Range 24. W. 6th P.M.



Field Notes

T 5-8 N
R 24 W

of the survey of the
subdivision lines in
Township 5 N. Range 24 West
of the 6th Principal Meridian
in the State of Nebraska
by
Philander C. Patterson
Deputy Surveyor
Under his contract No 36
bearing date the 5th day of
August 1870

Subdivision commenced
October 5th 1870

Subdivision completed
October 17th 1870

A list of the Names of the individuals employed to assist in running, measuring or marking the lines and corner described in the following field Notes of Township 5 N. Range 24 West of the 6th Principal Meridian showing the respective capacities in which they acted

William McCartney } chain men
John R. Polin
David P. Cole } mound men
Walter C. Dryden
Frank Porter 3d leg man

Township 5 N. Range 24 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 5 North Ranges 23 and 24 West and run

North along the East Boundary of section 36

Variation 13° 30' East

39.89 To a point 30 lks. West of the quarter section corner

79.79 To a point 46 lks. West of the corner to sections 25 and 36

To retrace this line my compass must be adjusted to a Variation of 13° 10' East

Subdivision commenced October 5th 1870

Township 5 N. Range 24 W. 6th P.M.

North between sections 35 and 36
Va 13°10' East

40.00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 25, 26, 35 and 36

Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between sections 25 and 36
Va 13°15' East

40.00 Set a post for temporary 1/4 sec. cor

79.50 Intersected the East Boundary 22 lks, North of the corner to sections 25 and 36 from which corner I run
N 89°54' W on a true line between sections 25 and 36
Va 13°15' East

39.75 Drove charred stake and set a post in mound with pits for 1/4 sec. cor,

79.50 The corner to sections 25, 26, 35 and 36

Land rolling good 2nd rate

Township 5 N. Range 24 W. 6th P. M.

North between sections 25 and 26
Va 13°15' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80,00 Drove charred stake and set a post in mound with pits for corner to sections 23, 24, 25 and 26

Land gently rolling good 2nd rate

October 5th 1870

Township 5 N. Range 24 W. 6th P. M.

East on a random line between sections 24 and 25
Va 13°15' East

21,80 A Slough 15 lks. wide runs North

40,00 Set a post for temporary ¼ sec. cor.

79,60 Intersected the east boundary 7 lks. South of the corner to sections 24 and 25 from which corner I run S 89°57' W on a true line between sections 24 and 25
Va 13°15' East

39,80 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

79,60 The corner to sections 23, 24, 25 and 26

Land rolling 2nd rate

Township 5 N. Range 24 W. 6th P.M.

	North between sections 23 and 24
	Va 13°20' East
40,00	Drove charred stake and set a post in mound with pits for ¼ sec. cor,
58,90	Enter timber bears E and W
61,20	A creek 12 lks, wide runs East
62,00	Leave timber bears E and W.
80,00	Drove charred stake and set a post in mound with pits for corner to sections 13, 14, 23 and 24
	Land rolling 2nd Rate
	Timber elm, ash, and cottonwood

Township 5 N. Range 24 W. 6th P.M.

	East on a random line between sections 13 and 24
	Va 13°20' East
34,65	A slough 15 lks, wide runs South
40,00	Set a post for temporary ¼ sec. cor
79,56	Intersected the East Boundary 13 lks, North of the corner to sections 13 and 24 from which corner I run
	N 89°52'4" W on a true line between sections 13 and 24
	Va 13°20' East
39,78	Drove charred stake and set a post in mound with pits for ¼ sec. cor,
79,56	The corner to sections 13, 14, 23 and 24
	Land broken 3rd Rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 13 and 14
Va 13° 30' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 11, 12, 13 and 14
Land rolling 2nd Rate

East on a random line between sections 12 and 13
Va 13° 20' East

32,50 A Slough 10 lks, which runs South
40,00 Set a post for temporary ¼ sec. cor
79,62 Intersected the East Boundary 4 lks South of the corner to sections 12 and 13 from which corner I run
S 89° 58' W on a true line between sections 12 and 13
Va 13° 20' East
39,81 Drove charred stake and set a post in mound with pits for ¼ sec. cor
79,62 The corner to sections 11, 12, 13 and 14
Land rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 11 and 12
Va 13° 40' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 1, 2, 11 and 12
Land broken 3rd Rate

East on a random line between sections 1 and 12
Va 13° 20' East

29,40 A Slough 25 lks, which runs South
40,00 Set a post for temporary ¼ sec. cor
79,54 Intersected the East Boundary 25 lks South of the corner to sections 1 and 12 from which corner I run
S 89° 49' W on a true line between sections 1 and 12
Va 13° 20' East
39,77 Drove charred stake and set a post in mound with pits for ¼ sec. cor
79,54 The corner to sections 1, 2, 11 and 12
Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P.M.

North on a random line between sections 1 and 2
Va 14°20' East

40.00 Set a post for temporary 1/4 sec. cor.
80.76 Intersected the North Boundary at the corner to sections 1 and 2 from which corner I run
South on a true line between sections 1 and 2
Va 14°20' East

40.76 Drove chared stake and set a post in mound with pits for 1/4 sec cor
80.76 The corner to sections 1, 2, 11 and 12
Land broken 3rd Rate

October 6th 1870

Township 5 N. Range 24 W. 6th P.M.

North between sections 34 and 35
Va 13°15' East

7.00 A slough 20 lks. wide runs West
40.00 Drove chared stake and set a post in mound with pits for 1/4 sec cor
80.00 Drove chared stake and set a post in mound with pits for corner to sections 26, 27, 34 and 35
Land level good 2nd Rate

East on a random line between sections 26 and 35
Va 13°20' East

40.00 Set a post for temporary 1/4 sec. cor.
79.90 Intersected N and S line 12 lks. South of the corner to sections 25, 26, 35 and 36 from which corner I run
S 89°55' W on a true line between sections 26 and 35
Va 13°20' East

39.95 Drove chared stake and set a post in mound with pits for 1/4 sec. cor.
79.90 The corner to sections 26, 27, 34 and 35
Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P. M.

North between sections 26 and 27
Va 13° 15' East

5,60 A slough 15 lks. wide runs West
40,00 Drove chained stake and set a post in mound with pits for ¼ sec. cor.
80,00 Drove chained stake and set a post in mound with pits for corner to sections 22, 23, 26 and 27
Land rolling 2nd Rate

East on a random line between sections 23 and 26
Va 13° 20' East

40,00 Set a post for temporary ¼ sec cor.
79,96 Intersected N and S. line 20 lks. South of the corner to sections 23, 24, 25 and 26 from which corner I run S 89° 51' W on a true line between sections 23 and 26
Va 13° 20' East

39,98 Drove chained stake and set a post in mound with pits for ¼ sec cor
79,96 The corner to section 22, 23, 26 and 27
Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P. M.

North between sections 22 and 23
Va 13° 20' East

40,00 Drove chained stake and set a post in mound with pits for ¼ sec cor
80,00 Drove chained stake and set a post in mound with pits for corner to sections 14, 15, 22 and 23
Land gently rolling good 2nd Rate

East on a random line between sections 14 and 23
Va 13° 35' East

40,00 Set a post for temporary ¼ sec cor.
74,40 A creek 22 lks. wide runs S. E. Scattering timber along creek
80,06 Intersected N and S. line at the corner to sections 13, 14, 23 and 24 from which corner I run West on a true line between sections 14 and 23
Va 13° 35' East

40,03 Drove chained stake and set a post for in mound with pits for ¼ sec cor
80,06 The corner to sections 14, 15, 22 and 23
Land rolling 2nd Rate

Township 5 N. Range 24 W. 6th P. M.

	North between sections 14 and 15
	Va 13°30' East
13.60	A slough 25 lks, wide runs N. E
26.70	A slough 20 lks, wide runs N. E
40.00	Drove a chared stake and set a post in mound with pits for 1/4 sec. cor.
50.00	Drove chared stake and set a post in mound with pits for corner to sections 10, 11, 14 and 15
	Land broken 3rd rate

Township 5 N. Range 24 W. 6th P. M.

	East on a random line between sections 11 and 14 (cor. in sight)
	Va 13°45' East
37.00	Enter timber bears N and S
37.60	A creek 20 lks, wide runs South
40.00	Set a post for temporary 1/4 sec. cor.
41.80	Same creek 30 lks, wide runs North
50.20	Same creek 20 lks, wide runs South
56.00	Leave timber bears N and S
80.12	Intersected N and S line at the corner to sections 11, 12, 13 and 14 from which corner I run West on a true line between sections 11 and 14
	Va 13°45' East
14.06	Set a post for 1/4 sec cor from which
	An elm 6 in. dia. bears North 13 lks. dist
	A boxelder 6 in dia bears South 34 lks. dist
80.12	The corner to sections 10, 11, 14 and 15
	Land rolling 2nd Rate
	Timber elm, Hackberry and boxelder

Township 5 N. Range 24 W. 6th P.M.

North between sections 10 and 11
Va 13°40' East

20,00 enter timber bears E and W.
40,00 Set a post for 1/4 sec. cor from which
A bofelder 10 in dia bears
N 20° E 33 lks. dist
A bofelder 12 in dia bears
West 56 lks. dist
41.68 A creek 20 lks. wide runs S. E
leave timber bears S. E and N. W.
80,00 Drove charred stake and set a
post in mound with pits for
corner to sections 2. 3, 10 and 11
Land broken 3rd rate
Timber elm. cottonwood and
bofelder

Township 5 N. Range 24 W. 6th P.M.

East on a random line between
sections 2 and 11
Va 13°45' East

40,00 Set a post for temporary 1/4 sec. cor
64.14 A slough 16 lks. wide runs South
80.04 Intersected N and S line 14 lks
South of the corner to sections
1. 2. 11 and 12 from which
corner I run
S 89°54' W on a true line between
sections 2 and 11
Va 13°45' East

40.02 Drove a charred stake and set
a post in mound with pits
for 1/4 sec. cor
80,04 The corner to sections 2. 3. 10
and 11
Land rolling 2nd rate

Township 5 N. Range 24 W. 6th P.M.

North on a random line between sections 2 and 3
Va 14°20' East

40.00 Set a post for temporary ¼ sec. cor
81.30 Intersected the North Boundary 21 lks. East of the corner to sections 2 and 3 from which corner I run
S 9' E on a true line between sections 2 and 3
Va 14°20' East

47.30 Drove chared stake and set a post in mound with pits for ¼ sec. cor.
81.30 The corner to sections 2, 3, 10 and 11
Land rolling 2nd rate

October 7th 1870

Township 5 N. Range 24 W. 6th P.M.

North between sections 33 and 34
Va 13°15' East

40.00 Drove chared stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove chared stake and set a post in mound with pits for corner to sections 27, 28, 33 and 34
Land level good 2nd rate

East on a random line between section 27 and 34
Va 13°20' East

40.00 Set a post for temporary ¼ sec. cor.
71.48 A along 20 lks which runs South
79.96 Intersected N and S line 12 lks. South of corner to sections 26, 27, 34 and 35 from which corner I run
S 89°55' W on a true between sections 27 and 34
Va 13°20' East

39.98 Drove chared stake and set a post in mound with pits for ¼ sec cor
79.96 The corner to sections 27, 28, 33 and 34
Land rolling 2nd rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 27 and 28
Va 13°45' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 21.22.27 and 28
Land rolling 2nd rate

East on a random line between sections 22 and 27
Va 13°30' East

40.00 Set a post for temporary ¼ sec. cor
79.50 A slough 10 lks. wide runs South
79.90 Intersected N and S line 6 lks. North of the corner to sections 22.23.26 and 27 from which corner I run N 89°57' W on a true line between sections 22 and 27
Va 13°30' East

39.95 Drove charred stake and set a post in mound with pits for ¼ sec cor
79.90 The corner to sections 21.22.27 and 28
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 21 and 22
Va 13°30' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 15, 16, 21 and 22

Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between sections 15 and 22
Va 13° 35' East

40.00 Set a post for temporary ¼ sec. cor.
59.50 A slough 30 lks. wide runs N. E
80.02 Intersected N and S. line at the corner to sections 14, 15, 22 and 23 from which corner I run
West on a true line between sections 15 and 22
Va 13° 35' East
40.01 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.02 The corner to sections 15, 16, 21 and 22
Land broken 3rd Rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 15 and 16
Va 13° 35' East
40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 9, 10, 15 and 16
Land gently rolling good 2nd Rate

East on a random line between sections 10 and 15
Va 13° 35' East
40.00 Set a post for temporary ¼ sec. cor.
80.00 Intersected N. and S. line 8 lks. South of the corner to sections 10 11, 14 and 15 from which corner I run
N 89° 57' W on a true line between sections 10 and 15
Va 13° 35' East
40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00 The corner to sections 9, 10, 15 and 16
Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P. M.

	North between section 9 and 10
	Va 13°45' East
40.00	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00	Drove charred stake and set a post in mound with pits for corner to sections 3, 4, 9 and 10.
	Land rolling good 2nd rate

Township 5 N. Range 24 W. 6th P. M.

	East on a random line between sections 3 and 10
	Va 13°45' East
40.00	Set a post for temporary ¼ sec. cor.
61.25	A creek 15 lks. wide runs S. W.
79.94	Intersected N and S line at the corner to sections 2, 3, 10 and 11 from which corner I run
	West on a true line between sections 3 and 10
	Va 13°45' East
39.97	Drove charred stake and set a post in mound with pits for ¼ sec cor.
79.94	The corner to sections 3, 4, 9 and 10
	Land rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

	North on a random line between sections 3 and 4 Va 14° 20' East
40.00	Set a post for temporary ¼ sec. cor
60.00	A creek 20 lks. wide Runs East scattering timber along the creek
81.40	Intersected the North Boundary at the corner to sections 3 and 4 from which corner I run
	North on a true line between sections 3 and 4 Va 14° 20' East
41.40	Drove charred stake and set a post in mound with pits for ¼ sec. cor
81.40	The corner to sections 3. 4. 9 and 10 Land rolling 2nd Rate
	October 5th 1870

Township 5 N. Range 24 W. 6th P.M.

	North between sections 32 and 33 Va 13° 15' East
40.00	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00	Drove charred stake and set a post in mound with pits for corner to sections 28, 29, 32 and 33
	Land rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between sections 28 and 33
Va 13°25' East

40.00 Set a post for temporary ¼ sec. cor
43.90 A Slough 20 lks wide runs S. W.
80.06 Intersected N and S. line 16 lks. South of the corner to sections 27. 28. 33 and 34 from which corner I run
S 89°53' W on a true line between sections 28 and 33
Va 13°25' East
41.03 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.06 The corner to sections 28. 29. 32 and 33
Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P.M.

North between sections 28 and 29
Va 13°25' East

38.90 A slough 30 lks. wide runs S. W.
40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 Drove charred stake and set a post in mound with pits for corner to sections 20. 21. 28 and 29

Land gently rolling good 2nd Rate

Township 5 N. Range 24 W. 6th P. M.

East on a random line between sections 21 and 28
Va 13°35' East

30.16 A slough 16 lks. wide runs S. W.
40.00 Set a post for temporary ¼ sec. cor.
80.18 Intersected N and S. line 12 lks. North of the corner to sections 21. 22. 27 and 28 from which corner A run
N 89°55' W on a true line between sections 21 and 28
Va 13°35' East
40.09 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.18 The corner to sections 20. 21. 28 and 29
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P. M.

North between sections 20 and 21
Va 13°30' East
40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
57.30 A slough 25 lks. wide runs S. W.
80.00 Drove charred stake and set a post in mound with pits for corner to sections 16. 17. 20 and 21

Land rolling good 2nd rate.

Township 5 N. Range 24 W. 6th P. M.

East on a random line between sections 16 and 21
Va 13° 35' East

14.80 A slough 20 lks. wide runs S. W.
40.00 Set a post for temporary ¼ sec. cor.
80.14 Intersected N and S. line 10 lks. North of the corner to sections 15, 16, 21 and 22 from which corner I run
N 89° 56' W. on a true line between sections 16 and 21
Va 13° 35' East

40.07 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.14 The corner to sections 16, 17, 20 and 21
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P. M.

North between sections 16 and 17
Va 13° 35' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 Drove charred stake and set a post in mound with pits for corner to sections 8, 9, 16 and 17
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 5th P.M.

East on a random line between sections 9 and 16
Va 13° 35' East

40,00 Set a post for temporary ¼ sec. cor.

80,00 Intersected N. and S. line 10 lks South of the corner to sections 9, 10, 15 and 16 from which corner S run

S 89° 56' W on a true line between sections 9 and 16
Va 13° 35' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80,00 The corner to sections 8, 9, 16 and 17

Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 5th P.M.

North between sections 8 and 9
Va 13° 45' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80,00 Drove charred stake and set a post in mound with pits for corner to sections 4, 5, 8 and 9

Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between
sections 4 and 9
Va 14° East

40.00 Set a post for temporary ¼ sec cor
40.30 S 8 long 20 lks, which runs N. E
80.20 Intersected N and S. line at the
corner to sections 3. 4. 9 and 10
from which corner S run
West on a true line between
sections 4 and 9
Va 14° East

40.10 Drove chared stake and set a
post in mound with pits
for ¼ sec. cor,
80.20 The corner to sections 4. 5. 8 and 9
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

North on a random line
between sections 4 and 5
Va 14°20' East

40.00 Set a post for temporary ¼ sec cor.
81.62 Intersected the North Boundary
20 lks West of the corner to
sections 4 and 5 from which
corner S run
S 9' W on a true line between
sections 4 and 5
Va 14°20' East

41.62 Drove chared stake and set
a post in mound with pits
for ¼ sec. cor,
81.62 The corner to sections 4. 5. 8
and 9
Land gently rolling good 2nd rate

October 9th 1870

Township 5 N. Range 24 W. 6th P.M.

North between sections 31 and 32
Var 13°15' East

40.00 Drove charred stake and set a post in mound with pits

40.64 A slough 20 lks, wide runs N. E.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 29, 30, 31 and 32

Land rolling 2nd rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between sections 29 and 32 cor in sight
Var 13°20' East

15.24 A creek 20 lks, wide runs South scattering timber along creek.

40.00 Set a post for temporary 1/4 sec. cor.

79.94 Intersected N and S. line at the corner to section 28, 29, 32 and 33 from which corner S run
West on a true line between sections 29 and 32
Var 13°20' East

39.97 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

79.94 The corner to sections 29, 30, 31 and 32
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

	West on a random line between sections 30 and 31
	Va 13°20' E
40.00	Set a post for temporary ¼ sec. cor
80.69	Intersected the West Boundary or 3°. Guide Mer. W. 13 lks. South of the corner to sections 30 and 31 from which corner I run
	S 89°54' East on a true line between sections 30 and 31
	Va 13°20' East
40.69	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.69	The corner to sections 29, 30, 31 and 32
	Land rolling 2nd Rate

Township 5 N. Range 24 W. 6th P.M.

	North between sections 29 and 30
	Va 13°25' East
29.27	Enter timber bears E and W.
30.55	A creek 25 lks. wide runs East
37.00	Leave timber bears E and W.
40.00	Drove charred stake and set a post in mound with pits for ¼ sec. cor
45.60	Enter timber bears N.E. and S.W.
46.30	Same creek 20 lks. wide runs S.W.
50.00	Same creek 14 lks. wide runs N.E.
51.00	Leave timber bears E and W
80.00	Drove charred stake and set a post in mound with pits for corner to sections 19, 20, 29 and 30
	Land rolling 2nd Rate
	Timber elm, hackberry, cottonwood and bopelder

Township 5 N, Range 24 W, 6th P.M.

	East on a random line between sections 20 and 29
	Va 13°25' East
40.00	Set a post for temporary ¼ sec. cor
56.00	A slough 30 lks. wide runs South.
79.98	Intersected N and S line 9 lks. South of corner to sections 20, 21, 28 and 29 from which corner S run
	S 89°55' W on a true line between sections 20 and 29
	Va 13°25' East
39.99	Drove chared stake and set a post in mound with pits for ¼ sec. cor
79.98	The corner to sections 19, 20, 29 and 30
	Land rolling good 2nd Rate

Township 5 N, Range 24 W, 5th P.M.

	West on a random line between sections 19 and 30
	Va 13° East
25.30	A slough 20 lks. wide runs South
40.00	Set a post for temporary ¼ sec. cor.
46.70	A dry creek 10 lks. wide runs South
63.00	Enter scattering timber bears N and S
63.48	A creek 20 lks. wide runs South
69.20	Same creek 30 lks. wide runs N. E
74.21	Same creek 12 lks. wide runs South
80.12	Same creek 20 lks. wide runs North
81.12	Intersected the west Boundary of 3rd Guide
Mn. W.	12 lks. South of the corner to sections 19 and 30 from which corner S run
	S 89°55' E on a true line between sections 19 and 30
	Va 13° East
41.12	Drove chared stake and set a post in mound with pits for ¼ sec. cor
81.12	The corner to sections 19, 20, 29 and 30
	Land rolling 3rd Rate
	Timber Elm, ash and cottonwood

Township 5 N. Range 24 W. 6th P.M.

North between sections 19 and 20
Va 13° 30' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 17, 18 19 and 20

Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

East on a random line between sections 17 and 20
Va 13° 35' East

40,00 Set a post for temporary 1/4 sec. cor,

53.53 A Slough 12 lks. wide runs South

79,96 Intersected N and S. line at the corner to sections 16, 17, 20 and 21 from which corner I run West on a true line between sections 17 and 20
Va 13° 35' E

39.98 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

79.96 The corner to sections 17, 18, 19 and 20

Land rolling 2nd rate

October 10th 1870

Township 5 N. Range 24 W. 6th P. M

	West on a random line between sections 18 and 19
	Va 13° East
40,00	Set a post for temporary 1/4 sec cor
45,40	A dry creek 15 lks, wide runs South
81.12	Intersected the West Boundary or 3d
Guide Mer. W.	4 lks, South of the corner to sections 18 and 19 from which corner I run
	S 89° 58' E on a true line between sections 18 and 19
	Va 13° East
41.12	Drove chared stake and set a post in mound with pits for 1/4 sec. cor,
87.12	The corner to sections 17. 18. 19 and 20
	Land rolling 2nd Rate

Township 5 N. Range 24 W. 6th P. M

	North between sections 17 and 18
	Va 13° 45' East
40,00	Drove chared stake and set a post in mound with pits for 1/4 sec cor,
80,00	Drove chared stake and set a post in mound with pits for corner to sections 7. 8. 17 and 18
	Land gently rolling good 2nd Rate

Township 5 N, Range 24 W. 6th P. M.

East on a random line between
sections 8 and 17 cor in sight
Va 13°40' East

40.00 Set a post for temporary ¼ sec. cor.
44.57 & through 10 lks. which runs South
79.94 Intersected N and S. line at the
corner to sections 8, 9, 16 and 17
from which corner I run
West on a true line between
sections 8 and 17
Va 13°40' East

39.97 Drove chared stake and set a
post in mound with pits
for ¼ sec. cor
79.94 The corner to sections 7, 8, 17
and 18
Land rolling good 2nd rate

Township 5 N, Range 24 W. 6th P. M.

West on a random line between
sections 7 and 18
Va 13° East

40.00 Set a post for temporary ¼ sec. cor.
43.55 & through 15 lks. which runs South
87.25 Intersected the West Boundary or 30
which must 30 lks. North of the corner to
sections 7 and 18 from which
corner I run
N 89°47' E on a true line between
sections 7 and 18
Va 13° East

41.25 Drove chared stake and set
a post in mound with pits
for ¼ sec cor,
81.25 The corner to sections 7, 8, 17
and 18
Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P.M.

	North between sections 7 and 8
	Va 13°45' East
40,00	Drove chared stake and set a post in mound with pits for 1/4 sec. cor,
80,00	Drove chared stake and set a post in mound with pits for corner to sections 5, 6, 7 and 8
	Land gently rolling good 2d Rate

Township 5 N. Range 24 W. 6th P.M.

	East on a random line between sections 5 and 8
	Va 14° East
36.85	A slough 15 lks, wide runs South
40,00	Set a post for temporary 1/4 sec. cor
79.98	Intersected N and S, line 5 lks, North of the corner to sections 4. 5. 8 and 9 from which corner I run
	N 89°58' W on a true line between sections 5 and 8
	Va 14° East
39.99	Drove chared stake and set a post in mound with pits for 1/4 sec, cor,
79.98	The corner to sections 5, 6, 7 and 8
	Land gently rolling good 2d Rate

Township 5 N. Range 24 W. 6th P. M.

	West on a random line between sections 6 and 7
	Va 13°15' East
40.00	Set a post for temporary 1/4 sec. cor
50.75	A slough 15 lks wide runs South
81.54	Intersected the West Boundary or 3rd
Guide from W.	15 lks North of the corner to sections 6 and 7 from which corner I run
	N 89°54' E on a true line between sections 6 and 7
	Va 13°15' East
41.54	From chained state and set a post in mound with pits for 1/4 sec cor
81.54	The corner to sections 5, 6, 7 and 8
	Land gently rolling good 2nd rate

Township 5 N. Range 24 W. 6th P. M.

	North on a random line between sections 5 and 6
	Va 14°20' East
40.00	Set a post for temporary 1/4 sec. cor
81.72	Intersected the North Boundary 70 lks West of the corner to sections 5 and 6 from which corner I run
	S 4' W on a true line between sections 5 and 6
	Va 14°20' East
41.72	From chained state and set a post for mound with pits for 1/4 sec. cor
81.72	The corner to sections 5, 6, 7 and 8
	Land gently rolling good 2nd rate

October 11th 1870

General Description

The land in this Township is generaly high rolling good 2nd rate praire. The land along the creeks is very broken. There is considerable timber along the creeks in the N. E and S. W. parts of the Township principaly elm ash, Cottonwood and hackberry There are some good sand stone quaries in sections 29. 30. and 32

I Philander C. Patterson deputy surveyor, do solemnly swear that in pursuance of a contract with Robert K. Livingston surveyor of the public lands of the United States in the state of Nebraska, bearing date the 5th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the subdivision lines of Township No 5 N. Range No 24 West of the 6th Principal Meridian, in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander C. Patterson deputy surveyor and sworn to before me a Justice of the Peace for Cass County Nebraska this 21st day of October 1870 J D Patterson
Justice of the Peace

We hereby certify that we assisted Philander C. Patterson deputy surveyor in subdividing Township 5 N, Range 24 W, 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

William McCartney
John R Tolin
David P Cole
Walter C. Dwyden
Frank Porter

Subscribed and sworn to by the above named persons before me a Justice of the Peace for the County of Cass in the State of Nebraska this 21st day of October 1870 J D Patterson
Justice of the Peace

Surveyor General's Office

Plattsmouth Neb. Feb. 1. 1871

The foregoing field Notes of the Survey of the Subdivision lines of Township 5 North of the Base Line of Range 24 West of the Sixth Principal Meridian in the State of Nebraska, Executed by Philander C. Patterson under his contract of the 5th day of August 1870, in the Month of October 1870 having been critically Examined the necessary Corrections and Explanations made the said field Notes and the Surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Tourn.ᵒ 6 North. R. 24. W. 6th P.M.

6	55	5	39	4	28	3	17	2	9	1
54		53		38		27		16		8
7	52	8	37	9	26	10	15	11	7	12
51		50		36		25		14		6
18	49	17	35	16	24	15	13	14	6	13
48		47		34		23		12		5
19	46	20	33	21	22	22	12	23	5	24
45		44		32		21		11		4
30	43	29	31	28	20	27	11	26	4	25
42		41		30		19		10		3
31	40	32	29	33	18	34	10	35	2	36

Field Notes.

of the subdivision lines in Township 6 N. Range 24 West of the 6th Principal Meridian in the State of Nebraska by

Rhylander C. Patterson
Deputy Surveyor

Under his contract No 36 bearing date the 5th day of August 1870.

Subdivision commenced September 29th 1870

Subdivision completed October 4th 1870

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 6 N. of Range 24 West of the 5th Principal Meridian showing the respective capacities in which they acted

William McCartney } chain men
John R. Rolin
David R. Cole } mound men
Walter C. Dryden
Frank Porter plug man

Field Notes of the Subdivision lines in Township 6 N. Range 24 W. 5th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to sections 25 and 36 T 6 N. R 24 W and run

South on a blank line along the East Boundary of section 36

Variation 14° 15' East

40,04 To a point 2 lks. west of the quarter section corner

80,00 To the corner to Townships 5 and 6 North of Ranges 23 and 24 West

Township 6 N. Range 24 W. 6th P. M.

North between sections 35 and 36
Va 14° 30' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 25, 26, 35 and 36

Land gently rolling good 2nd rate

Township 6 N. Range 24 W. 6th P. M.

East on a random line between sections 25 and 36 (cor in sight)
Va 13° 40' East

40.00 Set a post for temporary ¼ sec. cor.

50.78 Dry creek 14 lks wide runs South scattering timber along creek

79.03 Intersected the East Boundary at the corner to sections 25 and 36 from which corner I run West on a true line between sections 25 and 36
Va 13° 40' East

39.34 Drove charred stake and set a post in mound with pits for ¼ sec cor

79.08 The corner to sections 25, 26, 35 and 36

Land rolling good 2nd rate

There is a deficiency in measurement on the S. boundary of Sec. 36.

Township 6 N. Range 24 W. 6th P. M.

North between sections 25 and 26
Va 14° 35' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 23, 24, 25 and 26
Land rolling good 2nd rate

East on a random line between sections 24 and 25
Va 14° 10' East

40.00 Set a post for temporary ¼ sec. cor.
54.87 A dry creek 50 lks. wide runs S. E
Scattering timber along creek
79.10 Intersected East Boundary at the corner to sections 24 and 25 from which corner I run West on a true line between sections 24 and 25
Va 14° 10' East

39.55 Drove charred stake and set a post in mound with pits for ¼ sec cor
79.10 The corner to sections 23, 24, 25 and 26.
Land rolling good 2nd rate

Township 6 N. Range 24 W. 6th P. M.

North between sections 23 and 24
Va 14° 30' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00 Drove charred stake and set a post in mound with pits for corner to sections 13, 14, 23 and 24
Land rolling 2nd rate

East on a random line between sections 13 and 24
Va 14° 15' East

34.30 A dry creek 20 lks wide runs S. E. scattering trees along creek
40.00 Set a post for temporary ¼ sec. cor.
79.04 Intersected East Boundary at the corner to sections 13 and 24 from which corner I run West on a true line between sections 13 and 24
Va 14° 15' East

39.52 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.04 The corner to sections 13, 14, 23 and 24
Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P. M.

North between sections 13 and 14.
Va 14°45' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.
80,00 Drove charred stake and set a post in mound with pits for corner to sections 11, 12, 13 and 14
Land broken 3rd rate

East on a random line between sections 12 and 13
Va 14°20' East.

22,47 A dry creek 14 lks. wide runs South
40,00 Set a post for temporary 1/4 sec. cor.
79,12 Intersected East Boundary 18 lks. North of the corner to sections 12 and 13 from which corner I run N 89°52' W on a true line between sections 12 and 13
Va 14°20' East
39,56 Drove charred stake and set a post in mound with pits for 1/4 sec cor
79.12 The corner to sections 11, 12, 13 and 14
Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P. M.

North between sections 11 and 12
Va 15° East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.
43,83 A dry creek 30 lks. wide runs S. E.
49,86 Same creek 20 lks. wide runs East
54,10 Slough 14 lks. wide runs East
65,76 Slough 12 lks. wide runs S. E.
80,00 Drove charred stake and set a post in mound with pits for corner to sections 1, 2, 11 and 12

Land broken 3rd rate

Township 6 N, Range 24 W, 6th P. M.

	East on a random line between sections 1 and 12
	Va 14° 25' East
14.80	A dry creek 15 lks. wide runs South
20.50	A Slough 30 lks. wide runs South
40.00	Set a post for temporary ¼ sec. cor
79.22	Intersected East Boundary at the corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12
	Va 14° 25' East
39.57	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.22	The corner to sections 1, 2, 11 and 12
	Land East ½ level good, 2nd rate West ½ broken

Township 6 N, Range 24 W, 6th P. M.

	North on a random line between sections 1 and 12
	Va 15° East
40.00	Set a post for temporary ¼ sec. cor
80.36	Intersected North Boundary 36 lks. East of the corner to sections 1 and 2 from which corner I run
	I 15' E on a true line between sections 1 and 2
	Va 15' East
40.36	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.36	The corner to sections 1, 2, 11 and 12
	Land broken 3rd rate

September 29th 1870

Township 6 N, Range 24 W, 6th P.M.

North between sections 34 and 35
Va 14°30' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 26, 27, 34 and 35
Land gently rolling good 2nd Rate

East on a random line between sections 26 and 35 (cor. in light)
Va 14°10' East

40,00 Set a post for temporary ¼ sec. cor.

41.26 A slough 12 lks. which runs South

79,60 Intersected N. and S. line at the corner to sections 25, 26, 35 and 36 from which corner I run
West on a true line between sections 26 and 35
Va 14°10' East

39.80 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

79.60 The corner to sections 26, 27, 34 and 35
Land gently rolling good 2nd Rate

Township 6 N, Range 24 W, 6th P.M.

North between sections 26 and 27
Va 14°35' East

40,00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80,00 Drove charred stake and set a post in mound with pits for corner to sections 22, 23, 26 and 27
Land gently rolling good 2nd Rate

East on a random line between sections 23 and 26
Va 14°10' East

53,04 Slough 20 lks. which runs South

40,00 Set a post for temporary ¼ sec. cor

79,64 Intersected N and S. line 19 lks. North of the corner to sections 23, 24, 25 and 26 from which corner I run N 89°52' W on a true line between sections 23 and 26
Va 14°10' East

39,92 Drove charred stake and set a post in mound with pits for ¼ sec. cor

79,64 The corner to sections 22, 23, 26 and 27
Land gently rolling good 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

North between sections 22 and 23
Va 14°35' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 14, 15, 22 and 23

Land gently rolling good 2nd Rate

East on a random line between sections 14 and 23
Va 14°10' East

18,54 Slough 24 lks, Which runs South

40,00 Set a post for temporary 1/4 sec cor

78,74 Intersects N and S. line 18 lks, North of the corner to sections 13, 14, 23 and 24 from which corner I run N 89°52' W on a true line between sections 14 and 23
Va 14°10' East

39,87 Drove charred stake and set a post in mound with pits for 1/4 sec cor

78,74 The corner to sections 14, 15, 22 and 23

Land broken 3rd Rate

Township 6 N. Range 24 W. 6th P.M.

North between sections 14 and 15
Va 14°50' East

40,00 Drove charred stake and set a post in mound with pits for 1/4 sec cor

80,00 Drove charred stake and set a post in mound with pits for corner to sections 10, 11, 14 and 15

Land broken 3rd Rate

Township 6 N. Range 24 W. 6th P.M.

East on a random line between
sections 11 and 14
Va 14°10' East

40.00 Set a post for temporary 1/4 sec cor
79.86 Intersection N and S line 16 lks,
North of the corner to sections
11, 12, 13 and 14 from which
corner I run
N 89°53' W on a true line between
sections 11 and 14
Va 14°10' East

39.93 Drove charred stake and set a
post in mound with pits
for 1/4 sec. cor
79.86 The corner to sections 10, 11, 14
and 15

Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

North between section 10 and 11
Va 15°10' East

40.00 Drove a charred stake and set a
post in mound with pits
for 1/4 sec. cor.

80.00 Drove charred stake and set a
post in mound with pits for
corner to sections 2, 3, 10
and 11

Land South 1/2 rolling 2nd rate
North 1/2 broken

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 2 and 11
Va 14°10' East

40.00 Set a post for temporary ¼ sec. cor.
70.37 Slough 10 lks. wide runs South
80.00 Intersected N and S. line 18 lks. North of the corner to sections 1, 2, 11 and 12 from which corner I run
N 89°52' W on a true line between sections 2 and 11
Va 14°10' East
40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 The corner to sections 2, 3, 10 and 11

Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P.M.

North on a random line between sections 2 and 3
Va 15°10' East

40.00 Set a post for temporary ¼ sec. cor
73.50 Slough 100 lks. wide runs S. E
79.88 Intersected North Boundary 24 lks. East of the corner to sections 2 and 3 from which corner I run
S 12° E on a true line between sections 2 and 3
Va 15°10' East
39.88 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.88 The corner to sections 2, 3, 10 and 11
Land rolling 2nd rate

September 30th 1870

Township 6 N. Range 24 W. 6th P. M.

North between sections 33 and 34
Va 14°30' East

2.20 Enter timber bears N. E and S. W
7.62 A creek 24 lks. wide runs West
16.65 Same creek 20 lks. wide runs East
17.20 Leave timber bears E and W
40.00 Drove charred stake and set a post in mound with pits for 1/4 sec cor,
80.00 Drove charred stake and set a post in mound with pits for corner to sections 27, 28 33 and 34
Land gently rolling good 2nd rate
Timber Elm, ash and cottonwood

Township 6 N. Range 24 W. 6th P. M.

East on a random line between section 27 and 34
Va 14°30' East (cor, in sight)

18.75 Slough 12 lks. wide runs South
40.00 Set a post for temporary 1/4 sec. cor,
79.80 Intersected N. and S. line at the corner to sections 26, 27, 34 and 35 from which corner I run West on a true line between section 27 and 34
Va 14°30' East

39.90 Drove charred stake and set a post in mound with pits for 1/4 sec, cor,
79.80 The corner to section 27, 28, 33 and 34
Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P.M.

North between sections 27 and 28
Va 14° 35' East

40.00 Drove charred stake and set a post in Mound with pits for ¼ sec. cor

80.00 Drove charred stake and set a post in Mound with pits for corner to sections 21, 22, 27 and 28

Land gently rolling good 2d rate

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 22 and 27
Va 14° 30' East

37.62 Slough 15 lks. wide runs South

40.00 Set a post for temporary ¼ sec. cor

79.82 Intersected N and S. line 10 lks North of the corner to sections 22, 23, 26 and 27 from which corner I run
N 89° 56' W on a true line between sections 22 and 27
Va 14° 30' East

39.91 Drove charred stake and set a post in Mound with pits for ¼ sec. cor.

79.82 The corner to sections 21, 22, 27 and 28

Land gently rolling good 2d rate

Township 6 N. Range 24 W. 6th P.M.

North between sections 21 and 22
Va 14°35' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec cor

80.00 Drove charred stake and set a post in mound with pits for corner to sections 15; 16 21 and 22

Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 15 and 22
Va 14°30' East

40.00 Set a post for temporary ¼ sec cor

42.00 Slough 30 lks which runs South

79.90 Intersection N and S. line 4 lks South of the corner to sections 14, 15; 22 and 23 from which corner I run
S 89°58' W on a true line between sections 15 and 22
Va 14°30' East

39.95 Drove charred stake and set a post in mound with pits for ¼ sec. cor

79.90 The corner to sections 15; 16. 21 and 22

Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P.M.

	North between sections 15 and 16
	Ra 14°50' East
40.00	Drove charred stake and set a post in mound with pits for 1/4 sec. cor
50.33	Slough 10 lks. wide runs West
80.00	Drove charred stake and set a post in mound with pits for corner to sections 9, 10, 15 and 16
	Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

	East on a random line between sections 10 and 15
	Ra 14°30' East
40.00	Set a post for temporary 1/4 sec cor
80.06	Intersected N and S. line 8 lks North of the corner to sections 10, 11, 14 and 15 from which corner S run
	N 89°57' W on a true line between sections 10 and 15
	Ra 14°30' East
40.03	Drove charred stake and set a post in mound with pits for 1/4 sec. cor
80.06	The corner to sections 9, 10, 15 and 16
	Land gently rolling good 2 rate

Township 6 N, Range 24 W, 6th P.M.

North between sections 9 and 10
Va 15° 10' East

40.00 Drove charred stake and set a post in mound with pits for 1/4 sec. cor

41.16 Slough 25 lks, which runs S. W.

80.00 Drove charred stake and set a post in mound with pits for corner to sections 3, 4, 9 and 10

Land broken 3rd rate

Township 6 N, Range 24 W, 6th P.M.

East on a random line between sections 3 and 10
Va 14° 30' East

22.42 Slough 5 lks, which runs S. W.

40.00 Set a post for temporary 1/4 sec. cor.

80.14 Intersected N and S. line 16 lks. North of the corner to sections 2, 3, 10 and 11 from which corner S run
N 89° 53' W on a true line between sections 3 and 10
Va 14° 30' East

40.07 Drove charred stake and set a post in mound with pits for 1/4 sec. cor.

80.14 The corner to sections 3, 4, 9 and 10
Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

	North on random line between sections 3 and 4 Va 15°10' East
40.00	Set a post for temporary ¼ sec cor
80.12	Intersected the North Boundary 13 lks. West of the corner to sections 3 and 4 from which corner I run S 6' W on a true line between sections 3 and 4 ~~from which corner I run~~ Va 15°10' East
40.12	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.12	The corner to sections 3, 4, 9 and 10
	Land rolling 2nd Rate
	October 1st 1870

Township 6 N. Range 24 W. 6th P.M.

	North between sections 32 and 33 Va 14°35' East
40.00	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
43.97	Ledge of sand rock facing North bears E and W.
45.75	Enter timber bears E and W
47.87	Cross creek 10 lks. wide runs East Leave timber bears E and W
80.00	Drove charred stake and set a post in mound with pits for corner to sections 28, 29, 32 and 33
	Land rolling 2nd Rate
	Timber along creek Elm, ash and cottonwood

Township 6 N. Range 24 W. 6th P.M.

East on a random line between
sections 28 and 33
Va 14° 30' East
33.60 A creek 30 lks. wide runs W. E
40.00 Set a post for temporary ¼ sec. cor.
80.06 Intersected N and S. line at
the corner to sections 27, 28,
33 and 34 from which
corner I run
West on a true line between
sections 28 and 33
Va 14° 30' East
40.03 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
80.06 The corner to sections 28, 29, 32 and 33
Level rolling 2nd rate
Scattering timber along creek
Elm, ash and cottonwood

Township 6 N. Range 24 W. 6th P.M.

North between sections 28 and 29
Va 14° 35' East
40.00 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor
80.00 Drove charred stake and set
a post in mound with pits
for corner to sections 20, 27,
28 and 29

Land level good 2nd rate

Township 6 N, Range 24 W, 6th P.M.

East on a random line between
sections 27 and 28
Va 14° 30' East

24,40 Enter timber bears N and S,
27,50 A creek 20 lks. wide runs South
30,60 Leave timber bears N.E and S.W.
40,00 Set a post for temporary ¼ sec. cor.
80,02 Intersected N and S line 12 lks.
North of the corner to sections
21, 22, 27 and 28 from which
corner I run
N 89° 55' W on a true line between
sections 27 and 28
Va 14° 30' East

40,01 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
80,02 The corner to sections 20, 21, 28
and 29
Land rolling 2nd rate

Township 6 N, Range 24 W, 6th P.M.

North between sections 20 and 21
Va 14° 35' East

40,00 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
80,00 Drove charred stake and set
a post in mound with pits
for corner to sections 16,
17, 20 and 21

Land level good 2nd rate

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 16 and 21

Va 14° 30' East

19.20 Enter timber bears N and S.
20.14 A creek 10 lks. wide runs South
22.13 Leave timber bears N and S.
40.00 Set a post for temporary ¼ sec cor.
80.00 Intersected N and S. line 13 lks. North of the corner to sections 15, 16, 21 and 22 from which corner I run

N 89° 54' W on a true line between sections 16 and 21

Va 14° 30' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.00 The corner to sections 16, 17, 20 and 21

Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

North between sections 16 and 17

Va 14° 45' East

40.00 Drove charred stake and set a post in mound with pits for ¼ sec cor
55.59 A creek 25 lks. wide runs East
61.75 Enter timber bears N.E. and S.W.
62.15 Same creek 15 lks. wide runs S.W.
66.62 Same creek 50 lks. wide runs N.E.
75.00 Leave timber bears E and W
80.00 Drove charred stake and set a post in mound with pits for corner to sections 8, 9, 16 and 17

Land broken 3rd rate

Timber along creek elm, ash and cottonwood

East on a random line between
Section 9 and 16
Va 14° 30' East

40.00 Set a post for temporary ¼ sec cor.
41.35 A Slough 5 lks, which runs South
52.00 A dry creek 6 lks, which runs S. W.
79.96 Intersected N and S, line 16 lks,
North of the corner to Sections
9, 10, 15 and 16 from which
corner I run
N 89° 53' W on a true line between
Sections 9 and 16
Va 14° 30' East

39.98 Drove charred stake and set a
post in mound with pits
for ¼ sec. cor.
79.96 The corner to Sections 8, 9, 16 and
17
Land broken 3rd mile

North between Sections 8 and 9
Va 15° 10' East

40.00 Drove charred stake and set
a post in mound with pits
for ¼ sec. cor.
73.10 A creek 30 lks, which runs West
scattering timber along creek
76.66 Same creek 25 lks, which runs S. E.
80.00 Set a post in mound for corner
to Sections 4, 5, 8 and 9 from which
An elm 20 in. dia. bears S. 47° W.
112
772 lks, dist.
A cottonwood 12 in. dia bears
N 48° W 78 lks, dist. No bearings E.

Land broken 3rd mile

Township 6 N. Range 24 W. 6th P.M.

	East on a random line between sections 4 and 9
	Va 14°30' East
19.12	A dry creek 12 lks. which runs S.W.
40.00	Set a post for temporary ¼ sec. cor.
79.98	Intersected N and S. line 4 lks. South of the corner to sections 3. 4. 9 and 10 from which corner I run
	S 89°58' W on a true line between sections 4 and 9
	Va 14°30' East
39.99	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
79.98	The corner to sections 4. 5. 8 and 9 Land broken 3rd rate

Township 6 N. Range 24 W. 6th P.M.

	North on a random line between sections 4 and 5
	Va 15°10' East
1.40	A creek 15 lks. which runs S.W.
3.45	Same creek 20 lks. which runs S.E.
7.65	Same creek 25 lks. which runs West
9.34	Same creek 15 lks. which runs East
14.92	Same creek 15 lks. which runs S.W.
27.50	Same creek 25 lks. which runs East
40.00	Set a post for temporary ¼ sec. cor.
43.76	Same creek 20 lks which runs S.W.
80.56	Intersected the North Boundary 10 lks. West of the corner to sections 4 and 5 from which corner I run
	S 4' W on a true line between sections 4 and 5
	Va 15°10' East
40.56	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.56	The corner to sections 4. 5. 8 and 9 Land broken 3rd rate
	Scattering elm and cottonwood along the creek
	October 2nd 1870

Township 6 N. Range 24 W. 6th P.M.

North between sections 31 and 32
Ra 14° 35' East

40.00 Drew charred stake and set a post in mound with pits for ¼ sec. cor.

80.00 Drew charred stake and set a post in mound with pits for corner to sections 29, 30, 31 and 32

Land rolling 2nd rate

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 29 and 32
Ra 14° 30' East

40.00 Set a post for temporary ¼ sec cor
46.20 Enter timber bears N. W. and S. E.
50.10 A creek 15 lks. wide runs S. E.
53.70 Leave timber bears N. W. and S. E.
80.30 Intersected N and S. line 10 lks. North of the corner to sections 28, 29, 32 and 33 from which corner I run
N 89° 56' W on a true line between sections 29, and 32
Ra 14° 30' East

40.15 Drew charred stake and set a post in mound with pits for ¼ sec. cor.

80.30 The corner to sections 29, 30, 31 and 32
Land rolling 2nd rate
Timber elm, ash and cottonwood

Township 6 N. Range 24 W. 6th P.M.

	West on a random line between sections 30 and 31
	Va 14° 20' East
30.50	A ravine 5 lks. wide runs North
40.00	Set a post for temporary ¼ sec. cor.
80.72	Intersected the West Boundary at the corner to sections 30 and 31 from which corner I run East on a true line between sections 30 and 31
	Va 14° 20' East
40.72	Drove charred stake and set a post in mound with pits for ¼ sec. cor.
80.72	The corner to sections 29, 30, 31 and 32
	Land rolling 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

	North between sections 29 and 30
	Va 14° 35' East
40.00	Drove a charred stake and set a post in a mound with pits for ¼ sec. cor.
42.00	A slough 10 lks. wide runs East
61.70	Enter timber bears N.E. and S.W.
63.00	A creek 20 lks. wide runs N.E.
66.42	Same creek 30 lks. wide runs S.W.
68.84	Same creek 25 lks. wide runs East
69.88	Leave timber bears E and W.
80.00	Drove charred stake and set a post in mound with pits for corner to sections 19, 20, 29 and 30
	Land broken 3rd Rate
	Timber ash, elm, and cottonwood

Township 6 N. Range 24 W. 6th P.M.

East on a random line between sections 20 and 29

Va 14°30' East

40.00 Set a post for temporary ¼ sec. cor.

80.20 Intersected N and S. line 14 lks. North of the corner to sections 20, 21, 28 and 29 from which corner I run

N 89°54' W on a true line between sections 20 and 29

Va 14°30' East

40.10 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80.20 The corner to sections 19, 20, 29 and 30

Land rolling good 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

West on a random line between sections 19 and 30

Va 14°10' East

4.34 A creek 20 lks. wide runs South

40.00 Set a post for temporary ¼ sec. cor.

80.60 Intersected the West Boundary of 3rd Guide Mer. W. 6 lks. North of the corner to sections 19 and 30 from which corner I run

N 89°57' E on a true line between sections 19 and 30

Va 14°10' East

40.60 Drove charred stake and set a post in mound with pits for ¼ sec. cor.

80.60 The corner to sections 19, 20, 29 and 30

Land rolling 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

	North between sections 19 and 20
	Va 14°35' East
40,00	Drove charred stake and set a post in mound with pits for ¼ sec cor,
80,00	Drove charred stake and set a post in mound with pits for corner to sections 17, 18, 19 and 20
	Land rolling 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

	East on a random line between sections 17 and 20
	Va 14°30' East
40,00	Set a post for temporary ¼ sec cor
80.18	Intersected N and S. line 12 lks, North of the corner to sections 16. 17. 20 and 21 from which corner I run
	N 89°55' W on a true line between sections 17 and 20
	Va 14°30' East
40.09	Drove charred stake and set a post in mound with pits for ¼ sec. cor,
80.18	The corner to sections 17. 18, 19 and 20
	Land level good 2nd Rate

Township 6 N. Range 24 W. 6th P.M.

	West on a random line between sections 18 and 19
	Va 14°05' East
32.35	A slough 15 lks. wide runs South
34.70	A dry creek 18 lks. wide runs South
36.90	Same dry creek 40 lks. wide runs N. E.
40.00	Set a post for temporary ¼ sec. cor.
47.50	Same dry creek 20 lks. wide runs S. E.
69.20	A creek 15 lks. wide runs S. E.
78.80	Same creek 40 lks. wide runs N. E.
80.53	Intersected the West Boundary or 3rd
Guide Mn. W.	16 lks. South of corner to sections 18 and 19 (Witness cor. 30 lks. of true cor) from which cor. I run S 89°53' E on a true line between sections 18 and 19
	Va 14°05' East
40.53	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.53	The corner to sections 17. 18. 19 and 20
	Land rolling 2nd rate
	October 3rd 1870

Township 6 N. Range 24 W. 6th P.M.

	North between sections 17 and 18
	Va 14°45' East
40.00	Drove charred stake and set a post in mound with pits for ¼ sec. cor
80.00	Drove charred stake and set a post in mound with pits for corner to sections 7. 8. 17 and 18
	Land level good 2nd rate

Township 6 N, Range 24 W, 6th P. M

	East on a random line between sections 8 and 17
	Va 14°30' East
40.00	Set a post for temporary ¼ sec, cor,
44.66	A creek 16 lks, wide runs S. E.
54.70	Same creek 14 lks, wide runs N. E.
57.20	Same creek 12 lks, wide runs South
	Scattering timber along creek
80.24	Intersected N and S, line 3 lks North of the corner to sections 8. 9. 16 and 17 from which corner I run
	N 89°59' W on a true line between sections 8 and 17
	Va 14°30' East
40.12	Drove chared stake and set a post in Mound with pits for ¼ sec. cor
80.24	The corner to sections 7. 8. 17 and 18
	Land broken 3rd Rate

Township 6 N, Range 24 W, 6th P. M

	West on a random line between sections 7 and 18
	Va 13°50' East
40.00	Set a post for temporary ¼ sec, cor,
80.40	Intersected the West Boundary or 3d
Guide Mer. W.	3 lks, South of the corner to sections 7 and 18 from which corner I run
	S 89°59' E on a true line between sections 7 and 18
	Va 13°50' East
40.40	Drove chared stake and set a post in Mound with pits for ¼ sec. cor.
80.40	The corner to sections 7. 8. 17 and 18
	Land rolling 2nd Rate

Township 6 N. Range 24 W. 6th P. M.

North between sections 7 and 8
Va 15° East

40.00 Drove chared stake and set a post in mound with pits for 1/4 sec. cor.

80.00 Drove chared stake and set a post in mound with pits for corner to sections 5, 6, 7 and 8

Land gently rolling good 2nd rate

Township 6 N. Range 24 W. 6th P. M.

East on a random line between sections 5 and 8
Va 14° 30' East

40.00 Set a post for temporary 1/4 sec cor
51.62 A creek 15 lks. which runs South
74.68 A creek 10 lks. which runs South
80.10 Intersected N and S. line 12 lks. North of the corner to sections 4, 5, 8 and 9 from which corner I run
N 89° 55' W on a true line between sections 5 and 8
Va 14° 30' East

40.05 Drove chared stake and set a post in mound with pits for 1/4 sec. cor.

80.10 The corner to sections 5, 6, 7 and 8
Land rolling 2nd rate

Township 6 N, Range 24 W, 6th P.M.

	West on a random line between sections 6 and 7
	Va 13°50' East
40,00	Set a post for temporary ¼ sec. cor
80,31	Intersected the West Boundary or 3rd
Guide Mer. W.	9 lks. South of the corner to sections 6 and 7 from which corner I run
	S 89°56' E on a true line between sections 6 and 7
	Va 13°50' East
40,31	Drove charred stake and set a post in mound with pits for ¼ sec. cor,
80,31	The corner to sections 5, 6, 7 and 8
	Land gently rolling good 2nd rate

Township 6 N, Range 24 W, 6th P.M.

	North on a random line between sections 5 and 6
	Va 15°10' East
40,00	Set a post for temporary ¼ sec. cor
80,40	Intersected the North Boundary 9 lks. West of the corner to sections 5 and 6 from which corner I run
	S 4' W on a true line between sections 5 and 6
	Va 15°10' East
40,40	Drove charred stake and set a post in mound with pits for ¼ sec. cor,
80,40	The corner to sections 5, 6, 7 and 8
	Land rolling 2nd rate
	October 4th 1870

General Description

The land in this Township is generaly high and rolling, except along the creeks where it is very broken

There is considerable timber along the creeks in the West part of the Township principaly Elm, ash, cottonwood, hackberry and boxelder

There are several sand stone quarries in the South West part of the Township

We hereby certify that we assisted Philander C. Patterson deputy Surveyor in surveying the subdivision lines in Township 6 N, Range 24 W, 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfuly surveyed and the Boundary monuments planted according to the instructions furnished by the Surveyor General

William McCartney
John R. Tolin
David P. Cole
Walter C. Dwyeter
Frank Porter

Subscribed and sworn to by the above named persons before me a justice of the Peace for the County of Cass in the State of Nebraska this 21st day of October 1870

J. D. Patterson
Justice of the Peace

I Philander C. Patterson deputy surveyor do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 5th. day of August 1870. and in strict conformity to the laws of the United States and the instruction furnished by the said Surveyor General I have faithfully surveyed the subdivision lines of Township 6 N. Range 24 West of the 6th Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander C. Patterson deputy surveyor and sworn to before me a Justice of the Peace for Cass County in the State of Nebraska this 21st day of October 1870 J. D. Patterson
Justice of the Peace

Surveyor Generals Office
Plattsmouth Neb. Feb. 1. 1871

The foregoing field notes of the survey of the subdivision lines of Township No. 6. North of the Base Line, of Range No. 24 West of the 6th. Principal Meridian in the State of Nebraska executed by Philander C. Patterson, under contract No. 36 dated August 5th. 1870. in the months of September and October 1870. having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt R. Livingston
Surveyor General.

Township No 7. North. Range 24. West 6. P.M.



Subdivision —
of
Township No. 1 North
of
Range No. 24 West
of the
6th Principal Meridian
Nebraska.
commenced October 10th 1869
Finished October 15th 1869
by James McBride
Deputy Surveyor

Names of Assistants

Wm. A. Hamilton Chainman
Elmore Langworthy chainman
Andrew Miller Flagmen
Edward Racine Mound Builders

To determine the proper adjustment of my compass for subdividing this Township, I commenced at the corner of Townships No. 6 & 7 North of Ranges 23 & 24 West of the 6th Principal Meridian & running North on a blank line along East boundary of section thirty six

Variation 14° 30' E

39.72 Gall forty eight links West of our fourth section corner

79.60 Gall eighty-seven links West of corner to sections 25, 30 & 36

Township No. 7 N. of Range No. 24

North between sections 35 & 36
Variation 14° 50' E
40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.
49.00 Ravine runs S. E.
62.00 Ravine runs S. E.
67.50 Ravine runs S. E.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 25. 26. 35. & 36.
surface broken soil third rate

West of the 6th Principal Meridian

East on a Random line btwn Sects 25 & 36
S 89° 39' E Variation 14° 30' E
6.50 Main drain runs South
40.00 set temporary one fourth section post.
80.00 intersect Range line at corner to sections 25 & 36

N 89° 39' W. on true line between sections 25. & 36.
Variation 14° 30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 25. 26. 35. & 36.
surface rolling soil second rate.

Township No. 7 N. of Range No. 24

North between sections 25 & 26

Variation 14° 35' E

7.00 Ravine runs S. E.
12.50 Ravine runs S. E.
27.00 Ravine runs S. E.
38.00 main drain runs S. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
44.00 Ravine runs S. W.
66.00 Ravine runs S. W.
78.00 main drain runs S. S. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 23. 24. 25. & 26.
surface broken soil
third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between sect. 24 & 25

S 89° 39' E Variation 14° 30' E
1.90 main drain runs South
39.00 main drain runs South
40.00 set temporary one fourth section post.
7.982 intersect Range line 17 links North of corner to sections 24 & 25

N 89° 32' W on true line between sections 24. & 25
Variation 14° 30' E
39.91 set post deposited charred stake raised mound of earth with pits, as per instructions for 1/4 section corner to
7.982 corner to sections 23. 24. 25. & 26.
surface rolling soil
third rate.

Township No. 7 N. of Range No. 24

North between sections 23 & 24

Variation 14° 30' E

30.00 Ravine runs S.E.

36.00 Ravine runs S.E.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

61.00 (61.00) main drain runs S.S.E.

80.00 (80.00) set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 13. 14. 23. & 24.

Surface rolling soil second rate.

West of the 6th Principal Meridian

East on a Random line btw sects 13 & 24.

Variation 14° 40' E

S 89° 39' E (39.)

40.00 set temporary one fourth section post

63.00 Ravine runs South.

77.00 main drain runs S.S.W.

79.62 intersect Range line 22 links North of corner to sections 13 & 24

N 89° 30' W (39.30' W)

on true line between sections 13 & 24.

Variation 14° 40' E

39.81 (39.86) set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

79.62 corner to sections 13. 14. 23. & 24.

Surface rolling soil third rate.

Township No. 7 N. of Range No. 24

North between sections 13 & 14

Variation 14° 20' E

40.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for one fourth section corner.

62.00 Ravine runs W.

76.00 Ravine runs W.

80.00 set post deposited charcoal stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14

Surface rolling soil third rate

West of the 6th Principal Meridian

East on a random line between sects 12 & 13

S 89°39' E Variation 14° 25' E

32.00 Ravine runs S. E.

27.50 main drain runs S. to

40.00 set temporary one fourth section post.

52.00 Ravine runs S. E.

79.90 intersect Range line at corner to sections 11. & 12 & 13

N 89°39' W. on true line between sections 12 & 13.

Variation 14° 25' E

39.95 set post deposited charcoal stake raised mound of earth with pits as per instructions for ~~one~~ fourth section corner

79.90 corner to sections 11. 12 13. & 14.

Surface rolling soil second rate.

Township No. 7 N. of Range No. 24

North between sections 11. & 12
Variation 14° 10' E.

2.50 Ravine runs S. W.
10.00 Ravine runs S. W.
23.00 Ravine runs S. W.
39.00 Ravine runs S. W.
40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner
46.00 Ravine runs S. W.
64.00 Ravine runs S. W.
75.00 Ravine runs S. W.
80.00 set post deposited chard stake raised mound of earth with pits as per instructions for corner to sections 1. 2. 11. & 12.
surface broken soil third rate.

West of the 6th Principal Meridian

East on a Random line btwn sects 1 & 12
89°39' E Variation 14° 20' E
5.50 head of Ravine runs S. W.
29.50 Ravine runs S. E.
34.50 Ravine runs S. E.
40.00 set temporary one fourth section post.
44.00 Ravine runs S. E.
56.00 main drain runs S. W.
5 00
78.50 Ravine runs S. E
79.80 intersect range line 17 links South of corner to sections one & twelve

N 89°46' W
89°46' W on true line between sections 1 & 12
Variation 14° 20' E.
39.90 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 corner to sections 1. 2. 11. & 12, surface rolling soil third rate.

Township No. 7 N. of Range No. 24

North on a Random line btwn sects 1. & 2.
Variation 14° 30' E.

19.00 Ravine runs S. W.
22.00 main drain runs S. S. W.
40.00 set temporary one fourth section post
60.00 Ravine runs S. E
63.00 Ravine runs S. E
80.32 intersect ~~Range line~~ Mboundary Sec 47. links East of corner to sections 1. & 2

S 20' E on true line between sections 1 & 2.
Variation 14° 30' E
40.32 deposited chared stake set post, with pits as per instructions for one fourth section corner.
80.32 ~~corner~~ to sections 1. 2. 11. & 12.
surface broken soil third rate.
October 10th 1869

West of the 6th Principal Meridian

North between sections 34. & 35
Variation 14° 40' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
46.50 Ravine runs S. E
67.50 Ravine runs S. E
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 26. 27. 34 & 35

surface rolling soil third rate.

Township No. 7 N. of Range No. 24

East on a Random line btwn sects 26 & 35

S. 89° 39' E Variation 14° 20' E

17.00 Ravine runs S E

40.00 set temporary one fourth section post

57.50 Ravine runs S E

72.00 Ravine runs S. E

80.00 intersect section line at corner to sections 25. 26. 35 & 36.

N 89° 39' W.

S 89° 39' W on true line between sections 26 & 35.

Variation 14° 20' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 26 27. 34. & 35.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 26 & 27

Variation 14° 40' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27.

surface rolling soil second rate.

Township No. 7 N. of Range No. 24

East on a Random line between sects 23 & 26
S 89° 39' E Variation 14° 30'
40.00 set temporary one fourth section first
53.00 Ravine runs S. E.
80.00 intersect section line 42 links North of corner to sections 23. 24. 25. & 26

N 89° 21' W on true line between sections 23. & 26.
Variation 14° 30' E
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 22. 23. 26 & 27
surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 22 & 23.
Variation 14° 30' E
14.50 Ravine runs S. E.
27.00 Ravine runs N. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
45.50 Ravine runs N. W.
66.00 Ravine runs N. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. & 23.
surface rolling soil third rate.

Township No. 7 N. of Range No. 24

East on a Random line between sects 14 & 23
S 89° 39' E
Variation 14° 20' E
6.50 Ravine runs N. W.
40.00 set temporary one fourth section post
78.50 main drain runs South
80.18 section line at corner to sections 13. 14. 23. & 24

N 89° 39' W on true line between sections 14° & 23' E.
Variation 14° 20' E
40.09 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.18 corner to sections 14, 15. 22. & 23.
surface rolling soil second rate

West of the 6th Principal Meridian

North between sections 14 & 15
Variation 14° 30' E
5.50 Ravine runs West.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. & 15.
surface rolling soil third rate.

Township No. 7 N. of Range No. 24

East on a Random line btwn Sects 11. & 14
S 89° 39' E Variation 14° 30' E
2.50 Ravine runs N. W.
40.00 set temporary one
fourth section post
73.50 main drain runs
South
80.00 intersect section line
4 2 links North of
corner to sections 11.
12. 13. & 14.

N 89° 21' W on true line bet-
ween sections 11 & 14
Variation 14° 30' E
40.00 set post deposite & chard
stake raised mound
of earth with pits as per
instructions for one
fourth section corner
80.00 corner to sections 10.
11. 14. & 15.
Surface rolling soil
second rate.

West of the 6th Principal Meridian

North between sections 10 & 11.
Variation 14° 30' E
40.00 set post deposited chard
stake raised mound of
earth with pits as per
instructions for one fourth
section corner
48.50 Ravine runs S. W.
66.50 Ravine runs West
80.00 set post deposited
Chard stake raised
mound of earth with
pits as per instructions
for corner to sections.
2. 3. 10. & 11.
surface rolling soil
third rate.

Township No. 7 N. of Range No. 24

East on a Random line btwn Sects 2+11
S 89°39' E Variation 14°30' E
40.00 set temporary one fourth section post.
51.00 Ravine runs S E
58.00 Ravine runs S E
74.50 Main drain S S W
79.82 intersect section line 82 links South of corner to sections 1. 2. 11 & 12 ~~surface rolling soil third rate.~~

S 89°46' W on true line between sections 2+11.
Variation 14°30' E
39.91 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
79.82 corner to sections ~~1~~. 2. 3, 10 & 11. ~~+12.~~
surface rolling soil third rate.

West of the 6th Principal Meridian

North on a Random line btwn Sect 2+3.
Variation 14°35' E.
4.00 Ravine runs West.
12.50 Ravine runs West.
28.00 Ravine runs West.
34.00 Ravine runs West.
40.00 set temporary one fourth section post
44.50 Ravine runs West
54.00 Ravine runs West
72.50 Ravine runs West
78.00 Ravine runs West
80.52 intersect ~~Range line~~ Northbound line 29 links East of corner to sections 2 & 3.

South 12' E on true line between sections 2 & 3.
Variation 14°35' E
40.52 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.
80.52 corner to sections 2. 3. 10. & 11
80.52 surface broken soil third rate

October 11th 1869

Town

East o
S 89° 0
40.
53.
80.
N 89°
40.
80.

Township No. 7 N. of Range No. 24

North between Sections 33 & 34
Variation 14° 36' E
9.50 Ravine runs S. W.
19.00 Ravine runs S. W.
26.00 Ravine runs S. W.
28.00 Enter Ravine bears S. S. W.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
42.00 leave head of Ravine bears S. S. W.
65.50 Ravine bears S. W.
76.00 Ravine runs N. W.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33 & 34 surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line btwn Sects 27 & 34
S 89° 39' E Variation 14° 20' E
12.50 Ravine runs N. W.
33.50 Ravine runs North
40.00 set temporary one fourth section corner.
43.00 Ravine runs N. W.
80.12 intersect section line at corner to section 26. 27. 34. & 35.

N 89° 39' W. Not true line between sections 27 & 34.
Variation 14° 20' E
40.06 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.12 corner to sections 27. 28 33 & 34.
surface rolling soil second rate.

Town Township No. 7 N. of Range No. 24 West of the 6th Principal Meridian

East o
S 89° 3
40.
53.
80.
N 89° 2
40.
80.0

North between sections 27 & 28
Variation 14° 30' E
23.00 Ravine runs S. W.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
41.00 Ravine runs N. W.
63.00 Ravine runs N. W.
71.00 Ravine runs N. W.
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28
surface rolling soil third rate.

East on a Random line btwn sects 22 & 27
S 89° 39' E Variation 14° 30' E
9.00 Ravine runs N. W.
17.00 Ravine runs N. W.
~~14.00~~ 40.00 set temporary one fourth section post.
41.50 Ravine runs N. W.
52.00 Ravine runs N. W.
63.00 Ravine runs S. W.
80.20 intersect section line 14 links North of corner to sections 22. 23. 26 & 27

N 89° 33' W. on true line between sections 22 & 27
Variation 14° 30' E
40.10 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.20 corner to sections 21. 22. 27. & 28
surface rolling soil second rate.

Township No. 4 N. of Range No. 24

North	between sections 21 & 22
	Variation 14° 25' E
5.20	Ravine runs S. W.
16.00	Ravine runs S. W.
36.00	Ravine runs S. W.
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
51.50	Ravine runs West
56.00	Ravine runs West
61.50	Ravine runs West
76.00	Ravine runs West
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 15. 16. 21. & 22.
	surface rolling soil second rate.

West of the 6th Principal Meridian

East on a	Random line between sects 15 & 22
S 89° 39' E	Variation 14° 35' E
24.00	deep Ravine runs South
28.00	deep Ravine runs S. W.
40.00	set temporary one fourth section post.
75.00	deep Ravine runs N. W.
80.00	intersect section line at corner to sections 14. 15. 22. & 23.
N 89° 39' W.	on true line between sections 15. & 22.
	Variation 14° 35' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00	corner to sections 15. 16. 21. & 22.
	surface rolling soil third rate.

Township No. 7 N. of Range No. 24

North between sections 15. & 16.
Variation 14° 40' E.

19.00 Main drain runs S. S. W.
29.00 Main drain runs S. S. E.
40.00 set post deposited charred stake raised mound of Earth with pits as per instructions for one fourth section corner.
53.00 Ravine runs S. S. W.
74.50 Ravine runs S. E.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15 & 16.
surface broken evil third rate.

West of the 6th Principal Meridian

East on a Random line btwn secs 10 & 15
S 89° 39' E Variation 14° 30' E
2.00 main drain runs South.
11.00 Ravine runs N. W.
40.00 set temporary one fourth section corner.
48.00 Ravine runs S. E.
53.50 main drain runs South
59.00 Ravine runs S. W.
79.80 intersect section line 68 links North of corner to sections 10. 11. 14. & 15.

N 89° 16' W on true line between sections 10. & 15.
Variation 14° 30' E.
39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 corner to sections 9. 10. 15. & 16.
surface broken evil third rate.

Township No. 7 N. of Range No. 24

North between sections 9 & 10
Variation 14°30' E

28.00 Ravine runs S. E.
40.00 set first deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
47.00 Ravine runs S. E.
80.00 set first deposited charred stake raised mound of earth with pits as per instructions for corner to sections 3. 4. 9. & 10

surface rolling soil second rate.

West of the 6th Principal Meridian

~~East~~ on a Random line between sects 3 & 10
S 89°39' E Variation 14°30' E
10.00 Ravine runs S. W.
16.00 Ravine runs S. W.
25.00 Ravine runs S. W.
40.00 set temporary one fourth section first.
53.00 Ravine runs N. E.
61.50 Ravine runs N. E.
72.00 Main drain runs South
80.00 intersect section line at corner to sections 2. 3. 10. & 11

N. 89°39' W. on true line between sections 3 & 10
Variation 14°30' E
40.00 set first deposited charred stake raised mound of earth with pits as per instructions for one fourth section first.
80.00 corner to sections 3. 4. 9. & 10
surface broken soil third rate.

Township No. 7 N. of Range No. 24

North on a Random line btwn sects 3 & 4
Variation 14° 30' E
26.00 deep Ravine runs S. E
37.00 deep Ravine runs S. E.
40.00 set temporary one fourth section post
45.00 deep Ravine runs S. E.
48.00 deep Ravine runs S. E
53.00 deep Ravine runs S. E
59.00 deep Ravine runs S. E
80.14 intersect Township line at corner to sections 3 & 4.
80

South on true line between sections 3 & 4.
Variation 14° 30' E
40.14 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.14 corner to sections 3. 4. 9 & 10.
Surface broken soil third rate October 12th 1869

West of the 6th Principal Meridian

North between sections 32 & 33
Variation 14° 30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
48.50 Ravine runs S. S. W.
81.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 28. 29. 32. & 33.
Surface rolling soil second rate

Township No. 7 N. of Range No. 24

East on a Random line btwn sects 28. & 33
S 89° 39' E Variation 14° 30' E
40.00 set temporary one fourth section post.
44.00 Main drain runs South. scattering trees.
74.00 Ravine runs S. W
80.06 intersect section line 48 links South of corner to sections 27. 28. 33. & 34.

West on true line between sections 28. & 33.
Variation 14° 30' E.
40.03 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.06 corner to sections 28. 29. 32. & 33.
surface rolling soil third rate.

West of the 6th Principal Meridian

North between Sections 28 & 29
Variation 14° 30' E.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
76.50 Ravine runs West
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29.

surface rolling soil second rate.

Township No. 4 N. of Range No. 24

East on a Random line btwn sects 21 & 28

S89°39'E Variation 14°35' E

40.00 set temporary one fourth section post

44.50 Ravine runs S. E.

60.50 Ravine runs South

68.00 Ravine runs S. W.

75.00 Ravine runs N. W.

80.20 intersect section line at corner to sections 21. 22. 27. & 28.

N89°39'W. on true line between sections 21. & 28.

Variation 14°35' E

40.10 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.20 corner to sections 20. 21. 28. & 29.

surface rolling, soil third rate.

West of the 6th Principal Meridian

North between Sections 20 & 21.

Variation 14° E.

2.50 Ravine runs West.

33.00 Ravine runs West.

37.00 Ravine runs West

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

60.00 Ravine runs West.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to section 16. 17. 20. & 21.

surface rolling soil third rate.

Township No. 7 N. of Range No. 24

East on a Random line between sects 16 & 21

S 89° 39' E Variation 14° 20' E

38.50 main drain runs South

40.00 set temporary one fourth section post

63.00 Ravine runs S. E

68.00 Ravine runs S. E

77.00 main drain runs South

79.92 intersect section line 10 links North of corner to sections 15. 16. 21. & 22

N 89° 35' W on true line between sections 16. & 21.

Variation 14° 20' E

39.96 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

79.92 corner to sections 16. 17. 20. & 21.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 16. & 17

Variation 14° 35' E

13.00 Ravine runs S. W.

35.00 Ravine runs S. W.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

64.00 Ravine runs S. W.

66.00 main drain runs S. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16. & 17

surface rolling soil second rate.

Township No. 7 N. of Range No. 24

East on a Random line btwn sects 9 & 16
S 89° 39' E Variation 14° 35' E
6.00 main drain runs S. S. W.
15.00 Ravine runs S. W.
40.00 set temporary one fourth section post.
71.00 Ravine runs S. S E
80.00 intersect section line at corner to sections 9. 10. 15. & 16.

N 89° 39' W. on true line between sections 9 & 16.
Variation 14° 35' E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00 corner to sections 8. 9 16. & 17.
surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 8 & 9.
Variation 14° 50' E
2.00 Ravine runs S. E
15.50 Ravine runs S. E
22.00 Ravine runs S. E
32.00 Ravine runs S. E
39.00 Ravine runs S. E
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
62.50 Ravine runs S. E
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections. 4. 5. 8 & 9.
surface rolling soil third rate.

Township No. 7 N. of Range No. 24

~~East~~ on a Random line btwn sects 4 & 9

S 89° 39' E Variation 14° 30' E

3.00 Ravine runs S.E.

11.50 main drain runs South

40.00 set temporary one fourth section post

44.00 Ravine runs S.W.

48.00 Ravine runs S.W.

56.50 Ravine runs S.W.

80.08 intersect section line 71 links North of corner to sections 3. 4. 9. & 10.

N 89° 9' W. on true line between sections 4 & 9.

Variation 14° 30' E

40.04 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.08 corner to sections 4. 5. 8 & 9. ~~& 10~~ surface broken soil third rate.

West of the 6th Principal Meridian

North on a Random line btwn sects 4 & 5.

Variation. 14° 40' E.

20.00 Ravine runs S.W.

29.00 Ravine runs S.W.

36.40 Ravine runs S.E.

40.00 set temporary one fourth section post.

79.60 intersect Township line at corner to sections 4. & 5.

South on true line between sections 4 & 5.

Variation 14° 40' E.

39.60 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

79.60 corner to sections ~~2. 9. 4 &~~ ~~5.~~ 4, 5, 8 and 9 surface rolling soil third rate.

October 13th 1869.

Township No. 7 N. of Range No. 24

North	between sections 31 & 32
	Variation 14°30' E.
15.00	Ravine runs N. E.
27.00	Spring creek runs S. E. Timber & running water
40.00	set post, for ¼ Sec. Corner from which an Elm 10 inches in diametre bears South 68 degrees E. 25. links, Ash 10 South 74 West. 22 links distant
42.25	Spring Creek runs S. W.
48.50	Spring Creek runs S. E. running water & skirted with timber
53.00	Ravine runs S. W.
80.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32.
	surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line btwn sects 29 & 32	
S 89°39' E	Variation 14°30' E.
40.00	set temporary one fourth section post.
44.00	main drain runs South
80.00	intersect section line at corner to sections 28. 29. 32 & 33.
N. 89°39' W.	on true line between sections 29 & 32.
	Variation 14°30' E
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00	corner to sections 29. 30. 31. & 32.
	surface rolling soil third rate.

Township No. 7 N. of Range No. 24 West of the 6th Principal Meridian

West on a Random line between sects 30 & 31
N 89° 39' W. Variation 14° 20' E
26.00 Spring Creek runs S.E. running water & timber on margin
40.00 set temporary one fourth section post.
52.00 Ravine runs North
80.72 Intersect third guide Meridian W. at corner to sections 30. & 31.

S. 89° 39' E. on true line between sections 30. & 31.
Variation 14° 20' E
40.72 set post definitely chard stake raised mound of earth with pits as per instructions for one fourth section corner.
80.72 corner to sections 29. 30. 31. & 32.
surface rolling soil third rate

North between Sections 29. & 30
Variation 14° 20' E
40.00 set post deposited chard stake raised mound of earth with pits as per instructions for one fourth section corner.
44.00 Ravine runs S. W.
51.00 Ravine runs S. W.
59.50 Ravine runs S. W.
80.00 set post deposited chard stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29. & 30.
surface rolling soil third rate.

Town Township No. 1 N. of Range No. 24 Vest of the 6th Principal Meridian

East o	East on a	Random line btwn sects 20 & 29
S 89°39	S 89°39' E	Variation 14°30' E
40.0	32.00	Ravine runs S. E
	38.00	Ravine runs South
44.	40.00	set temporary one fourth section corner.
74.0	52.00	Ravine runs South
80.0	68.00	Ravine runs South W.
	79.66.	intersect section line 71 links North of corner to sections 20. 21. 28 & 29.
W	N 89°9' W.	on true line between sections 20 & 29.
		Variation 14°30' E
40.0	39.83	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.	79.66	corner to sections 19. 20. 29 & 30.
		surface rolling soil third rate.

West on a	Random line btwn sects 19 & 30	
N 89°39' W.	Variation 14°35' E	
13.50	Ravine runs South.	
40.00	set temporary one fourth section post.	
48.00	Main drain runs South	
66.00	Spring Creek runs S. S E standing water & timber on margin	
75.00	Ravine runs N. E.	
80.80	intersect third guide Meridian W. 37 links North of corner to sections 19 & 30	
N 89°55' E	on true line between sections between 19 & 30.	
	Variation 14°35' E	
40.80	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner	
80.80	corner to sections 19. 20. 29 & 30	
	surface rolling soil second rate.	

Township No. 7 N. of Range No. 24

North between sections 19. & 20

Variation 14° 45' E.

9.00 Ravine runs G. W.

20.50 Ravine runs G. W.

31.00 Ravine runs G. W.

36.00 Ravine runs G. W.

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

62.00 Ravine runs G. W.

80.00 set post deposited chared stake raised mound of Earth with pits as per instructions for corner to sections 17. 18. 19. & 20.

surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a Random line btwn sects 17. & 20.

S 89° 39' E

Variation 14° 35' E.

35.50 Ravine runs G. E.

40.00 set temporary one fourth section post ~~raised mound of earth with pits as per instructions for one fourth~~

42.50 ~~set~~ Ravine runs South

59.00 Main drain runs G. G. E

66.00 Ravine runs G. W.

80.00 intersect section line 92 links North of corner to sections 16. 17. 20 & 21.

N 89° W.

on true line between sections 17. & 20.

Variation 14° 35' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 corner to sections 17. 18. 19 & 20 surface rolling soil second rate. October 14th 1869

Township No. 7 N. of Range No. 24

West on a Random line btwn sects 18 & 19

N 89° 39' W. Variation 14° 25' E.

5.40 Ravine runs South

39.10 Wagon trail runs N. & S.

40.00 Set Post for temporary 1/4 Sec. Cor.

50.00 Ravine runs S. W.

72.00 Main drain runs S. S. E.

80.90 intersect third guide Meridian W. 16 links North of corner to sections 18 & 19.

S. 89° 46' E on true line between sections 18 & 19

Variation 14° 25' E

40.90 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner,

80.90 corner to sections 17. 18. 19. & 20.

surface rolling soil second rate.

West of the 6th Principal Meridian

North between sections 17 & 18

Variation 14° 35' E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.

77.00 Wagon trail bears S. S. W. N. N. E.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. & 18

surface rolling soil second rate.

Tow

East

S89°3

40.

44.

74.

80.

Township No. 1 N. of Range No. 24

East on a Random line btwn sects 8 + 17

S89°39'E. Variation 14°20'E.

3.00 Wagon trail bears N. + S.

35.00 Ravine runs S E.

40.00 set temporary one fourth section post.

80.00 intersect section line at corner to sections 8. 9. 16 + 17.

N. 89°39' W. on true line between sections 8 + 17

Variation 14°20'E

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 corner to sections 7. 8. 17. + 18.

surface rolling soil third rate.

West of the 6th Principal Meridian

West on a Random line btwn sects 7 + 18

N89°39' W. Variation 14°20'E

24.00 Ravine runs S W.

37.00 main drain runs South.

38.00 Ravine runs South.

40.00 set temporary one fourth section post

81.06 intersect third guide Meridian W 22 links South of corner to sections 7. + 18.

S89°30'E on true line between sections 7 + 18

Variation 14°20'E

41.06 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.

81.06 corner to sections 7. 8. 17 + 18

surface rolling soil second rate.

Tow | Township No. 7 N. of Range No. 24 | West of the 6th Principal Meridian

~~East~~	North between Sections 7 & 8	East on a Random line btwn sects 5.8
S89°3	Variation 14°5' E.	S89°39'E Variation 14°30' E.
40.	40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.	6.50 Ravine runs S.W.
44.		23.00 Wagon Trail runs N. & S.
		40.00 set temporary one fourth section post.
74.		45.50 Ravine runs S.E.
80.	49.50 Ravine runs S.W.	60.50 Ravine runs S.E.
	56.00 Ravine runs S.W.	80.00 intersect section line at corner to sections 4. 5.8. & 9
	59.00 Ravine runs S.W.	
	62.00 Ravine runs S.W.	
	76.00 Ravine runs S.W.	
	80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections. 5.6. 7. & 8.	N89°39'W on true line between sections 5 & 8. Variation 14°30' E
40.		40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
	surface broken soil third rate.	
80.		80.00 corner to sections 5. 6. 7. & 8 surface broken soil third rate.

Township No. 7 N. of Range 24 West of the 6th Principal Meridian

West on a Random line betwn sects 6 & 7	North on a Random btwn sects 5 & 6.
N 89° 39' W. Variation 14° 40' E	Variation 14° 35' E
4.00 Ravine runs S. S. W.	7.00 Ravine runs S. W.
19.00 main drain runs South	20.00 Ravine runs West
37.50 Ravine runs S. E.	23.00 Ravine runs West
40.00 set temporary one fourth section post.	33.00 Ravine runs W.
81.20 ~~80~~.20 intersect third guide Meridian N line 82 links South of corner to sections 6 & 7.	40.00 set temporary one fourth section post
	47.00 Ravine runs West
	53.00 Ravine runs West
	67.00 Ravine runs West
	80.10 intersect north boundary of Township at the ~~Range line~~ of corner to sections 5. & 6
S 89° 4' E on true line between sections 6 & 7	South on true line between sections 5 & 6
Variation 14° 40' E	Variation 14° 35' E
~~41~~.20 41.20 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.	40.10 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
81.20 corner to sections 5. 6. 7. & 8.	80.10 corner to sections 5. 6. 7. & 8
surface rolling soil secondrate.	surface broken soil third rate, October 15th 1869

General Description
This township contains no land very well adapted for farming purposes, as the country is high & cannot be cultivated without irrigation & I know of no means whereby ~~it~~ this can be done as there ~~is~~ are no streams near & the Township contains a large number of deep Canyons which also render it unfit for farming purposes, Spring Creek run through the S. ~~E~~ W. corner of the township & has running water & is skirted with Cotton, wood, Ash & Elm, there ~~is~~ are no improvements in the Township.

We hereby certify that we assisted James McBride deputy surveyor in subdividing Township No. 7 North of Range No. 24, West of the 6th Principal Meridian Nebraska & that said Township has been in all respects, to the best of our knowledge & belief, well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the surveyor General

By A Hamilton Chainman
J Langworthy Chainman
A Miller Flagmen & Mound builders
Edw Racine

The State of Nebraska
Douglas County Ss
Sworn to by the above named persons before me and by them respectively subscribed in my presence this 11th day of November 1869

C. A. Baldwin
Notary Public
Douglas County
Nebraska

I James McBride deputy surveyor, do solemnly swear that in pursuance of a contract with Robt R. Livingston Surveyor of the public lands of the United States, in the State of Nebraska bearing date the 21st day of June 1869 & in strict conformity to the laws of the United States & the instructions furnished by the said Surveyor General, I have faithfully surveyed & subdivided into sections, Township No 4 North of Range No 24 West of the 6th Principal Meridian Nebraska & do further solemnly swear that the foregoing are the true & original field notes of each township

James McBride

The State of Nebraska
Douglas County } ss

Subscribed by said James McBride, deputy surveyor and sworn to before me this 11th day of November 1869.

C. C. Baldwin
Judge Probate
Douglas County
Nebraska

Surveyor General's Office
Plattsmouth March 30. 1870.

The foregoing field notes of the survey of the sub-divisional lines of Township No. 7 North, Range No. 24 West of the 6th P. M. in the State of Nebraska, Executed by Jamison McBride Deputy Surveyor, under his Contract No. 26, dated June 21. 1869, in the Month of October 1869, having been critically examined, the necessary corrections and explanations made, the said field and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

—Subdivision—
of
Township No. 8 North
of
Range No. 24 West
of the
6th Principal Meridian
Nebraska

Commenced September 20th 69
Finished September 25th 69

By James McBride
Deputy Surveyor

Names of Assistants

Henry A Hamilton, Chainman
Ashmore Langworthy, Chainman
Andrew Miller } Flagmen
Edward Racine } + Mound builders

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner of Township No 7 + 8 North Ranges 23 + 24 West of the 6th Principal Meridian + run North on a blank line along the East boundary of section 36

Variation 14° 30' E

39.70 Call twenty four links West of quarter section corner

79.82 Call sixty one links West of corner to sections 25 + 36.

Town 8. N. Range No 24 W. 6th Pm.

6	60	5	44	4	38	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

North between Secs. 35 + 36 —
Variation 14° 40' E

4.00 Ravine runs East
15.00 Ravine runs S. E.
24.00 Ravine runs S. E.
38.00 Ravine runs S. E.
40.00 set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner
40.50 Ravine runs S. E.
47.00 Ravine runs South East
68.50 Ravine runs S. E.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 25. 26. 35. + 36.

surface broken soil third rate.

~~East~~ Random between Sects. 25 + 36
S. 89° 46' E. Variation 14° 35' E
16.00 Ravine runs S. E.
27.00 Ravine runs N. E.
31.50 Ravine runs N. E.
34.00 Ravine runs N. E.
40.00 set temporary one fourth section post.
41.00 Ravine runs North
45.00 Ravine runs N. E.
55.00 Ravine runs North.
80.00 intersect Range line at corner to sections 25 + 36

N. 89° 46' W. on true line between sections 25 + 36.
Variation 14° 35' E
40.00 set post deposited charred stake raised mound of earth with pits as per instruction for one fourth section corner
80.00 corner to sections 25. 26. 35. + 36
surface broken soil third rate.

Township No. 8. N. of Range No. 24 West of the 6th Principal Meridian

North between Sections 25 + 26 —
Variation 14° 40' E.

14.00 Ravine runs N.E.

32.00 Ravine runs N.E.

40.00 set post deposit charred stake raised mound of earth with pits as per instructions for one fourth section corner.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 23, 24, 25, + 26
surface rolling soil second rate.

East Random between Sects. 24 + 25
S 89° 46' E. Variation 14° 30' E.

40.00 set temporary one fourth section post

79.86 intersect range line forty eight links North of corner to sections 24 + 25

N 89° 25' 25" on true line between sections 24 + 25
Variation 14° 30' E.

39.93 set post deposited charred stake, with pits + mound of earth as per instructions for one fourth section corner

79.86 corner to sections 23, 24, 25, + 26.
Surface rolling soil second rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

North between Sections 23 + 24
Variation 14° 40' E.

39.25 Plum Creek runs S. E. dry
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 set post in mound of earth, deposited charred stake with pits as per instructions for corner to sections 13. 14. 23 + 24
surface broken soil second rate.

East Random between Sects 13 + 24
S 89° 46' E. Variation 14° 40' E.

6.00 Ravine runs North
18.00 Ravine runs S. E.
23.00 Ravine runs S. E.
40.00 set temporary one fourth section post
44.00 Ravine runs South
50.00 Ravine runs S. W.
58.00 Ravine runs S. E.
65.00 Ravine runs South
80.30 intersect Range line forty five links North of corner to sections 13 + 24

~~N. 89° 28' W.~~ on true line between sections
N 89° 28' W. 13 + 24
Variation 14° 40' E

40.15 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.30 corner to sections 13. 14. 23 + 24
surface broken soil second rate.

Township No. 8 N of Range No. 24 West of the 6th Principal Meridian

North between Sections 13 & 14
Variation 14° 35' E.

4.50 Ravine runs S. E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions, for one fourth section corner.

80.00 set post deposited charred stake raised mound of earth, with pits as per instructions for corner to sections 11. 12. 13 & 14
surface level soil
second rate.

~~East~~ Random betw Sections 12 & 13
S 89° 46' E.
Variation 14° 30' E

40.00 set temporary one fourth section post

80.00 intersect Range line eighteen links North of corner to sections 12 & 13

S 89° 38' W 38'
on true line between sections 12 & 13.
Variation 14° 30' E

40.00 set post deposited charred stake raised mound of earth with pits as per instructions of one fourth section corner.

80.00 corner to sections 11. 12. 13 & 14.
Surface level soil
second rate.

Township No. 8. N. of Range No. 24

North between Sections 11 + 12
Variation 14° 30' E

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections. 1. 2. 11 + 12 surface level soil second rate.

West of the 6th Principal Meridian

~~East~~ Random betw Sections 1 + 12
S 89° 46' E Variation 14° 35' E
40.00 set temporary one fourth section post
79.80 intersect Range line fourteen links North of corner to sections 1. + 12

N 89° 46' W on true line between sections 1 + 12.
Variation 14° 35' E
39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 corner to sections 1. 2. 11. + 12 surface level soil second rate.

Township No. 8 N. of Range No. 24

North ~~Random~~ true line between sections 1 + 2
Variation 14° 40' E.

40.00 set ~~temporary~~ given corner below ⊕ one fourth section post

80.92 intersed second standard parallel North ~~twenty two~~ seventeen chains. + ~~seventy~~ thirty links East ~~West~~ of corner ~~S~~ S. of Sec section ~~31 +~~ 36

1/4 Sec - T. 9 N. R. 24 W. + set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 1 + 2. T. 8 N. R. 24 W.

~~South on true line between sections 1 + 2~~
~~Variation 14° 40' E~~

~~40.92~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

~~80.92~~ ~~corner to sections 1. 2. 11. + 12~~ write this corner above surface level soil second rate. September 20th 1869

West of the 6th Principal Meridian

North between sections 34 + 35 —
Variation 14° 35' E.

3.50 Ravine runs S. W.
12.00 Ravine runs S. W.
29.00 Ravine runs S. W.
36.00 Ravine runs S. W.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
48.00 Ravine runs S. W.
63.00 Ravine runs N. E.
77.00 Ravine runs N. E.
80.00 set post deposited chared stake raised mound of earth, with pits as per instructions for corner to sections twenty six twenty seven thirty four + thirty five.
surface broken soil third rate.

Township No. 8. N. of Range No. 24

~~East~~ Random betw sections 26 + 35
S. 89° 46' E. Variation 14° 30' E.
22.00 Ravine runs N. E
40.00 set temporary one fourth section post
66.00 Ravine runs S. E.
79.86 intersect section line at corner to sections 25. 26. 35. + 36.

N 89° 46' W. on true line between sections 26. + 35.
Variation 14° 30' E
39.93 set post deposite chared stake raised mound of earth with pits as per instructions for one fourth section corner
79.86 corner to sections 26. 27 34. + 35.
surface broken soil third rate

West of the 6th Principal Meridian

North between Sections 26 + 27
Variation 14° 35' E.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
76.00 Ravine runs East
80.00 set post raised mound deposit chared stake with pits as per instructions for corner to sections 22. 23. 26. + 27
Surface level soil second rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

~~East~~ Random betw sections 23 + 26
S. 89°46' E. Variation 14° 40' E
5.50 Ravine runs N. W. S. E.
40.00 set temporary one fourth section post
63.00 Ravine runs N. W.
80.00 intersect section line seventy links South of corner to sections 23. 24. 25 + 26.

S. 89°44' W. on true line between sections 23 + 26
Variation 14° 40' E
40.00 set post deposit charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.00 corner to sections 22. 23 26. + 27.
Surface rolling soil third rate.

North between sections 22 + 23
Variation 14° 42' E.
15.00 Ravine runs N. E.
24.00 Ravine runs N. E.
35.50 Ravine runs N. E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
42.50 Ravine runs N. E.
52.50 Ravine runs N. W.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for ~~one fourth section~~ corner to Sec's 14. 15. 22 + 23
surface broken soil third rate.

Township No. 8 N. of Range No. 24

~~East~~ Random betw Sections 14 & 23
S 89° 46' E
Variation 14° 35' E.

22.00 Plum Creek runs S. E dry

40,00 set temporary one fourth section post

50,00 Ravine runs S. W.

80.00 intersect ~~Range~~ N & S. line at corner to sections 13. 14. 23. & 24.

N. 89° 46' W. on true line between sections 14. & 23
Variation 14° 35' E

40.00 set post deposited chared stake raised mound of earth, with pits as per instructions for one fourth section corner

80.00 corner to sections 14. 15. 22. & 23

Surface rolling soil second rate.

West of the 6th Principal Meridian

North between Sections 14 & 15
Variation 14° 30' E.

6.30 Plum Creek runs East dry with scattering timber

22.00 Ravine runs S. E.

40.00 set post deposited chared stake raised mound of earth with pits as per instruction for one fourth section corner

50.00 Ravine runs S. E.

80.00 set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 10. 11. 14 & 15.

Surface rolling soil second rate.

Township No. 8 N. of Range No. 24

~~East~~ Random betw Sects 11 + 14

S. 89°46' E Variation 14°30' E

15.00 deep Ravine runs South

40.00 set temporary one fourth section post

80.12 intersect section line nineteen links North of corner sections 11.12 13 + 14

N 89°38' W on true line between sections 11. + 14

Variation 14°30' E

40.06 set post deposite chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.12 corner to sections 10. 11. 14 + 15.

surface rolling soil third rate.

West of the 6th Principal Meridian

North between Sections 10 + 11

Variation 14°35' E.

12.00 Ravine runs S. E.

31.00 Ravine runs S. E

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

43.00 Ravine runs S. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 2. 3. 10. + 11

surface rolling soil second rate

Township No. 8 N. of Range No. 24

~~East~~ Random betw Sections 2 & 11
S. 89°46' E Variation 14° 30' E
13.00 deep Ravine runs South
23.00 deep Ravine runs South
40.00 set temporary one fourth section post
80.00 intersect section line eighteen links North of corner to sections 1. 2. 11 & 12

N 89°38' W on true line between sections 2. & 11
Variation 14° 30' E
40.00 set post deposited chared stake raised mound of earth with pits as per instruction of one fourth section corner.
80.00 corner to sections 2. 3. 10. 11
Surface rolling soil second rate

West of the 6th Principal Meridian

North ~~Random~~ true line betw Sections 2 & 3
Variation 14° 46' E
40.00 set ~~temporary~~ give corner below ⊕ one fourth section post
81.10 intersect second standard parallel N ~~twenty two~~ seventeen chains & ~~sixty~~ forty links ~~West~~ East of sec corner ~~to~~
S. of sections 35 ~~& 26~~ & set post deposited chared stake raised mound of earth with pits as per instructions for corner, to sections ~~2 & 3~~ 2 & 3, T. 8 N. R. 24 W.

~~South on true line between sections 2 & 3~~
~~Variation 14° 46' E~~
~~41.10~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
~~81.10 corner to sections 2. 3. 10 & 11~~ write this corner above
Surface level soil second rate.

September 21st 1869.

Township No. 8 N. of Range No. 24

North	between sections 33 + 34
	Variation 14° 45' E
12.00	Ravine runs N. W.
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
74.00	Ravine runs S. W.
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33 + 34 surface broken soil third rate.

West of the Principal Meridian

~~East~~ S. 89° 46' E	Random between sections 27 + 34
	Variation 14° 35' E
11.50	Ravine runs S. E.
21.00	Ravine runs S. E.
25.00	Ravine runs S. E.
35.50	Ravine runs S. E.
40.00	set temporary 1/4 section post
46.00	main draine runs S. S. E.
80.18	intersect section line forty eight links South of corner to sections 26. 27. 34. + 35
	26
~~[illegible]~~ S. 89° 53' W.	on true line between sections 27 + 34
	Variation 14° 35' E.
40.09	set post deposited chared stake raised mound of earth with pits as per instruction for one fourth section corner
80.18	corner to sections 27. 28. 33 + 34 surface broken soil third rate.

Township No. 8 N of Range No. 24 West of the 6th Principal Meridian

North between Sections 27 & 28.
Variation 14° 35' E

2.50	Ravine runs S. W.
16.50	Ravine runs S. W.
31.00	Ravine runs S. W.
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for our fourth section corner
45.00	Ravine runs S. W.
58.50	Ravine runs S. W.
68.00	deep Ravine runs S. W.
70.50	deep Ravine runs West.
79.00	deep Ravine runs West
80.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28.

surface broken soil third rate.

East Random betw Sections 22 & 27
S. 89° 46' E. Variation 14° 35' E.

33.00	Ravine runs S. W.
40.00	set post for temporary our fourth section corner
60.50	Ravine runs S. W.
70.00	Ravine runs S. W.
80.20	intersect section line nineteen links south of corner to sections 22. 23. 26. & 27.

N 89° 54' on true line between sections 22 & 27.
Variation 14° 35' E.

40.10	set post deposited charred stake raised mound of earth with pits as per instructions for our fourth section corner
80.20	corner to sections 21. 22. 27. & 28

surface rolling soil third rate.

Township No. 8. N of Range No. 24

North between Sections 21 + 22

Variation 14° 40' E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 15. 16. 21. + 22.

surface rolling soil second rate.

West of the Principal Meridian

~~East~~ Random betw Sections 15 + 22.

S 89° 46' E

Variation 14° 30' E

9.00 Ravine runs N. E.

17.00 Ravine runs North

40.00 set temporary one fourth section post.

50.50 Ravine runs North

62.50 Ravine runs North

64.50 Ravine runs North

72.40 Plum Creek runs N. E. dry + scattering timber

74.50 Plum Creek runs N. E. dry + scattering timber.

80.10 intersect section line at corner to sections 14. 15. 22 + 23.

N 89° 46' W on true line between Sections 15. + 22.

Variation 14° 30' E.

40.05 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.10 corner to sections 15. 16. 21 + 22.

surface broken 15 soil third rate.

Township No. 8 N of Range No. 24 West of the 6th Principal Meridian

North between sections 15 & 16
Variation 14° 40' E
31.40 Plum Creek runs N. E. dry
37.50 Plum Creek runs S. W.
40.00 set post in mound deposited charred stake raised mound of earth with pits as per instructions for our fourth section corner
45.25 Plum Creek runs East dry.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15. & 16.
surface rolling soil second rate.

~~East~~ Random between sections 10 & 15
S 89° 46' E. Variation 14° 30' E.
40.00 set temporary cor fourth section post
41.00 Ravine runs South
50.00 Ravine runs S. W.
80.00 intersect section line fifty two links North of corner to sections 10. 11. 14. & 15

N 89° 2' W. on true line between section 10. & 15
Variation 14° 30' E.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for our fourth section corner
80.00 corner to sections 9. 10. 15. & 16.
surface rolling soil second rate

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

North between Sections 9 + 10 —
Variation 14° 35' E

10.00 Ravine runs N. E.
18.50 Ravine runs East.
28.00 Ravine runs East.
31.00 Ravine runs East.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
50.50 Ravine runs East.
60.00 Ravine runs East.
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 3.4.9. + 10
surface broken soil third rate.

~~East~~ Random betw Sections 3 + 10
S. 89° 46' E Variation 14° 35' E
.75 Ravine runs South.
13.00 Ravine runs S. W.
20.00 Ravine runs S. W.
40.00 set temporary one fourth section post,
41.00 Ravine runs South
79.92 intersect section line eighty six links North of corner to sections 2.3.10. + 11

N. 89° 9' W.
N 89° 9' W on true line between sections 3 + 10. Variation 14° 35' E
39.96 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.92 corner to sections 3.4.9. + 10
surface rolling soil second rate.

Township No. 8 N. of Range No. 24

North ~~Random~~ true line betw. Sections 3 & 4
Variation 14° 25' E

6.00 Ravine runs S. E.
25.50 Ravine runs S. W.
40.00 set ~~temporary~~ give corner below ⊕ one fourth section post
80.60 intersect second standard parallel ~~twenty-two~~ seventeen chains ~~+60~~ 40 links ~~West~~ East of corner ~~to~~ ¼ Sec
S. of sections 34, T. 9 N. R. 24 W. ~~+35~~ + set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 3 & 4. T. 8 N. R. 24 W.

~~South on true line between sections 3 & 4~~
~~Variation 14° 5' E~~

~~40.60~~ ⊕ set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner. (write this corner above)
~~80.60 corner to sections 3. 4. 9 & 10~~
surface rolling soil third rate.

September 22nd 1869

West of the 6th Principal Meridian

North between Sections 32 & 33
Variation 14° 35' E

9.50 Ravine runs S. W.
32.00 Ravine runs S. W.
40.00 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
49.00 Ravine runs S. W.
53.50 Ravine runs S. W.
61.00 Ravine runs S. W.
78.00 Ravine runs West
80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 28. 29. 32 & 33.
surface broken soil third rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

East Random betw. Sections 28 & 33

S. 89° 46' E. Variation 14° 45' E.

8.00 Ravine runs S. W.

40.00 set temporary one fourth section post

63.00 Ravine runs S. E.

78.00 Ravine runs S. W.

80.12 intersect section line at corner to sections 27. 28. 33. & 34

N. 89° 46' W. on true line between sections 28 & 33

Variation 14° 45' E

40.06 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

80.12 corner to sections 28. 29. 32 & 33 surface rolling soil second rate.

North between Sections 28 & 29 —

Variation 14° 45' E.

40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner

48.50 Ravine runs S. E. W.

80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29.

surface rolling soil third rate.

Township No. 8 N. of Range No. 24

~~East~~ Random betw sections 21 & 28

S. 89°46' E. Variation 14°45' E.

8.00 Ravine runs S. W.

40.00 set temporary one fourth section corner

63.00 Ravine runs S. W.

79.92 intersect section line eighteen links North of corner to sections 21. 22. 27. & 28

N 89° 38' W on true line between sections 21. & 28.

Variation 14°45' E.

39.96 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

79.92 corner to sections 20. 21. 28 & 29.

surface broken soil third rate.

West of the 6th Principal Meridian

North between sections 20 & 21

Variation 14°50' E

29.00 Ravine runs N. E.

32.00 Ravine runs N. E.

40.00 set post raised mound of earth with pits as per instructions for one fourth section corner

56.50 Ravine runs N. E.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to 16. 17. 20 & 21. ~~& 22~~

surface broken soil third rate.

Township No. 8 N. of Range No. 24

East	Random betw Sections 16 + 21
S. 89° 46' E	Variation 14° 50' E
18.00	Ravine runs N. W.
23.00	Ravine runs N. W.
40.00	set temporary one fourth section post
63.00	Ravine runs N. W.
80.00	intersect section line thirty two links South of corner to sections 15. 16. 21. + 22
~~S 89° 54' W~~	
West	on true line between sections 16. + 21
	Variation 14° 50' E.
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00	corner to sections 16. 17. 20. + 21.
	surface rolling soil third rate.

West of the 6th Principal Meridian

North	between Sections 16 + 17
	Variation 14° 45' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16. 17.
	surface rolling soil third rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

~~East~~	Random line between sections 9 & 16
S 89° 46' E	Variation 14° 30' E
32.40	Plum Creek runs S. E. dry with small timber on margin
40.00	set temporary one fourth section post.
46.00	Ravine runs S. E.
80.26	intersect section line sixty eight links North of corner to sections 9. 10. 15. & 16
N 89° 17' W	on true line between sections 9 & 16
	Variation 14° 30' E.
40.13	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
80.26	corner to sections 8. 9. 16. & 17.
	Surface rolling soil second rate

North	between sections 8 & 9
	Variation 14° 35' E.
3.50	Plum Creek runs N. E. dry few scattering trees on margin.
13.00	Plum Creek runs ~~W.~~ S. W.
27.50	Plum Creek runs S. E.
34.00	Main drain runs S. E.
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
55.00	Ravine runs S. W.
68.00	Ravine runs S. W.
79.10	Ravine runs S. W.
80.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8. & 9.
	surface rolling soil third rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

~~East~~	Random betw. sections 4 + 9
S 89° 46' E	Variation 14° 30' E.
00.40	Ravine runs S. W.
8.00	Ravine runs South
40.00	set temporary one fourth section post.
59.00	Ravine runs S. E
80.00	intersect section line at corner to sections 3. 4. 9 + 10
N. 89° 46' W	on true line between sections 4 + 9.
	Variation 14° 30' E
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner.
80.00	corner to sections 4. 5. 8 + 9.
	surface rolling soil third rate.

North	~~Random~~ true line betw. sections 4 + 5
~~S 89° 59' E~~	Variation 14° 45' E
00.50	Ravine runs S. W.
40.00	set ~~temporary~~ give corner below ⊕ one fourth section post
42.00	head of Ravine runs S. W.
72.00	head of Ravine runs West
80.80	intersect second standard parallel line North ~~twenty two~~ seventeen chains and forty links sixty ~~West~~ East of 1/4 sec corner ~~to~~
S. of	section 33 T. 9 N. R. 24 W. & set post, deposit chared stake, raise mound of earth with pits as per instruct. for cor to sec. 4 & 5, T. 8 N. R. 24 W
	~~South on true line between sections 4 + 5~~
	~~Variation 14° 45' E~~
~~40.80~~	set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner (write this corner above)
~~80.80~~	~~corner to sections 4. 5. 8. + 9.~~
	surface rolling soil third rate.

September 23rd 1869

Township No. 8 N. of Range No. 24

North between sections 31 & 32
Variation 14° 50' E

17.00 Ravine runs S. W.
40.00 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
47.50 Ravine runs S. E.
60.50 Ravine runs S. E.
77.00 Ravine runs S. E
80.00 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32. surface broken soil third rate.

West of the 6th Principal Meridian

~~East~~ Random between sections 29 & 32
S 89° 46' E Variation 14° 45' E.
9.50 Ravine runs S. E.
40.00 set temporary one fourth section post
45.00 Wagon trail bears ~~E & W.~~ N & S.
63.00 Ravine runs S. E.
76.00 Ravine runs South.

~~N 89° 46' W. on true line between sections 29 & 32~~
~~Variation 14° 45' E~~

79.80 intersect section line at corner to sections 28. 29. 32. & 33.

N 89° 46' W. on true line between sections 29 & 32
Variation 14° 45' E
39.90 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
79.80 corner to sections 29. 30. 31. & 32 surface broken, soil third rate.

Township No. 8 N. of Range No. 24

West on a Random line between Sects 30 & 31

N 89° 46' W. Variation 14° 45' E

2.40 Ravine runs S. E.

23.00 Ravine runs S. E.

40.00 set temporary one fourth section post

44.50 deep ravine runs South

80.96 intersect third guide Meridian W thirty eight links North of corner to sections 30 & 31

N. 89° 58' E, on true line between sections 30 & 31.

Variation 14° 45' E

40.96 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner

80.96 corner to sections 29. 30. 31, & 32

Surface rolling soil third rate.

West of the 6th Principal Meridian

North between sections 29 & 30

Variation 14° 45' E

10.50 deep ravine runs S. E.

14.50 deep ravine runs S. E.

40.00 set post deposited chared stake raised mound of earth, with pits, as per instructions. for one fourth section corner.

47.00 head of deep ravine runs N. W.

52.00 Ravine runs S. W.

57.00 Ravine runs S. W.

67.00 Ravine runs S. E.

76.50 Ravine runs S. W.

80.00 set post deposited chared stake raised mound of earth with pits as per instructions, for corner to sections 19. 20. 29. & 30

Surface broken soil third rate.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

~~East~~ on a Random line between Sects 20 & 29
S 89° 46' E Variation 14° 40' E
12.00 deep ravine runs ~~N. W.~~ S. E.
17.50 deep ravine runs S. E.
35.00 Ravine deep, runs S. E.
40.00 set temporary one fourth section post
40.50 Wagon trail bears N. & S.
78.00 Ravine runs S. S. E.
80.40 intersect section line thirty two links South of corner to sections 20. 21. 28. & 29.

~~S 89° 46' E~~ West on true line between sections 20. 29.
Variation 14° 40' E.
40.20 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.40 corner to sections 19. 20. 29. & 30
80 surface broken soil third rate.

~~West~~ on a Random line between Sects 19 & 30
N 89° 46' W Variation 14° 40' E.
24.50 ~~leave~~ ravine in forks from N. E. & ~~N. W.~~ S. W.
46.00 set temporary one fourth section post.
51.50 Ravine runs West, S. W.
61.00 Ravine runs S. W.
74.00 Ravine runs S. W.
80.38 intersect third guide Meridian W at corner to sections 19 & 30.

S 89° 46' E. on true line between sections 19. & 30.
Variation 14° 40' E
40.38 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
80.38 corner to sections 19. 20. 29. & 30
surface broken soil third rate.

Township No. 8 N. of Range No. 24

North between sections 19 & 20
Variation 14° 45' E

11.50 Ravine runs S. W.
19.00 deep Ravine runs S. W.
26.00 Ravine runs S. W.
36.00 Ravine runs S. W.
40.00 set post deponited chared stake, raised mound of earth, with pits as per instructions, for our fourth section corner
48.00 Ravine runs S. W.
67.00 Ravine runs S. E.
80.00 set post deponited chared stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19. & 20.
Surface broken soil third rate

West of the 6th Principal Meridian

~~East~~ on a Random line between sect 17. & 20
S. 89° 46' E. Variation 14° 50' E.

17.00 Ravine runs North
32.00 Wagon trail bears North & South.
40.00 set temporary our fourth section post
45.00 Ravine runs North.
56.00 Ravine runs North.
80.00 intersect section line at corner to sections 16. 17. 20 & 21.

N. 89° 46' W. on true line between sections 17. & 20.
Variation 14° 50' E.

40.00 set post raised mound of earth with pits as per instructions for our fourth section corner
80.00 corner to sections 17. 18. 19. & 20.
Surface broken soil third rate
September 24th 1869.

Township No. 8 N. of Range No. 24 West of the 6th Principal Meridian

	West on a random line between sects 18 + 19
N 89° 46' W	Variation 14° 30' E
31.50	Ravine runs N. E.
40.00	set temporary one fourth section post
6.00	Ravine runs N. E.
79.10	intersect third guide Meridian thirty-four links North of corner sections 18 + 19
N 89° 59' E	on true line between sections 18 + 19.
	Variation 14° 30' E
39.10	set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner.
79.10	corner to sections 17, 18, 19 + 20.
	surface rolling soil third rate.

	North between sections 17 + 18
	Variation 14° 30' E.
3.00	Ravine runs N. E.
39.50	Ravine runs N. E.
40.00	set post deposited charred stake raised mound of earth, with pits as per instructions for one fourth section corner.
53.00	Plum Creek runs East dry with scattering timber.
54.00	Ravine S. E.
80.00	set post deposited charred stake, raised mound of earth with pits as per instructions for corner to sections 7, 8, 17 + 18.
	surface rolling soil third rate

Township No. 8 N. of Range No. 24

East on a random line between sects 8. + 17
S. 89° 46' E. Variation 14° 35' E.
11.50 Ravine runs S. E.
73.00 Plum Creek runs N. E. dry + no timber.
80.14 intersect section line fifty two links South of corner to sections 8. 9. 16 + 17.

S. 89° 47' W. on true line between sections 8. + 17
Variation 14° 35' E.
40.07 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth corner sections
80.14 corner to sections 7. 8. 17. + 18 surface rolling soil third rate.

West of the 6th Principal Meridian

~~East~~ on a random line sects 7 + 18 —
N. 89° 46' W. Variation 14° 40' E
5.00 Ravine runs South
23.00 Ravine runs S. E.
40.00 set temporary one fourth section post
52.00 Ravine runs S. E.
74.00 Ravine runs S. E.
78.80 intersect bird guide Meridian W seventeen links North of corner to sections 17. + 18.

~~N. 89° 48'~~ S. 89° 55' E. on true line between sections 7. + 18.
Variation 14° 40' E.
38.80 set post deposited charred stake raised mound of earth with pits as per instructions for one fourth section corner
78.80 corner to sections 7. 8. 17. + 18 surface rolling soil second rate.

Township No. 8 N. of Range No. 24

North between sections 7 + 8
Variation 14° 30' E.

40.00 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner

53.00 Ravine runs S. E.

75.00 Ravine runs S. E.

80.00 set post deposited charred stake, raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. + 8.
surface rolling soil
second rate

West of the 6th Principal Meridian

~~East~~ on a random line between sect 5 + 8
S 89°46' E. Variation 14° 35' E.

27.00 Ravine runs S. E.

40.00 set temporary one fourth section post

54.00 Ravine runs S. E.

79.50 Ravine runs S. E.

79.92 intersect section line at corner to sections 4. 5. 8. + 9.

N. 89°46' W. on true line between sections 5. + 8.
Variation 14° 35' E

39.96 set post deposited charred stake, raised mound of earth with pits as per instructions for one fourth section corner.

79.92 corner to sections 5. 6. 7. + 8
surface rolling soil
third rate.

Township No. 8 N. of Range No. 24

~~West~~ on a Random line between sects 6 & 7
N. 89° 46' W. Variation 14° 42' E

6.00 Ravine runs N. E.
20.00 Ravine runs N. E.
30.00 Ravine runs N. E.
40.00 set temporary one fourth section post
41.00 Ravine runs N. E.
55.00 Ravine runs S. E.
78.40 intersect third guide Meridian W at corner to sections 6. & 7.

S. 89° 46' E on true line between sections 6. & 7.
Variation 14° 42' E
38.40 set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner
78.40 corner to sections 5. 6. 7. & 8 surface rolling soil second rate.

West of the 6th Principal Meridian

North on a ~~Random~~ true line between sects 5 & 6
Variation 14° 42' E.

3.00 Ravine runs S. E.
32.50 Ravine runs S. E.
40.00 set ~~temporary~~ give corner below ⊗ one fourth section post
54.00 Ravine runs S. E.
70.00 Ravine runs S. E.
80.30 30 intersect second standard parallel line N ~~twenty two~~ 17 chains & ~~60~~ 40 links ~~West~~ East of corner ~~to~~ South of section 32 ~~& 33~~ T9 N. R. 24 W & 1/4 Sec
set post raised mound of earth with pits as per instructions for corner to sections 5 & 6, T8 N. R24 W

~~South true line between sections 5 & 6.~~
~~Variation 14° 42' E~~
~~40.30~~ ⊗ set post deposited chared stake raised mound of earth with pits as per instructions for one fourth section corner (write cor above)
~~80.30 corner to sections 5. 6. 7. & 8~~
surface rolling soil second rate

September 25th 1869

General Description —
This Township contains no land, very well adapted to farming, as the country is high & cannot be cultivated, without irrigation & I know of no means whereby it can be done as the country is very high & no streams near, & as there is large number, of Gulches or ~~Cannions~~ Canons in the North East, & in fact all over the Township, which renders the land for farming purposes worthless. Plum Creek runs through the Township, the margin of which is skirted with timber & has standing pools of water in different places no improvements in the Township.

We hereby certify that we assisted James McBride deputy surveyor in subdividing Township No. 8 North of Range No. 24, West of the 6th Principal Meridian Nebraska & that said Township has been in all respects, to the best of our knowledge & belief, well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Hy A. Hamilton Chainman
A. Langworthy Chainman
[illegible] Flagmen &
Edwd Racine Mound Builders

The State of Nebraska
Douglas County Ss

Sworn to by the above named persons before me and by them respectively subscribed in my presence this 11th day of November 1869

C. A. Baldwin
Notary Public
Douglas County
Nebraska

I James McBride
deputy surveyor, do
solemnly swear that in
pursuance of a contract
with Robt. R. Livingston
surveyor of the public lands
of the United States in
the State of Nebraska
bearing date the 21st day
of June 1869 & in strict
conformity to the laws of
the United States & the
instructions furnished
by the said Surveyor
General I have faithfully
surveyed & subdivided
into sections Township
No. 8 North of Range
No. 24. West of the 6th
Principal Meridian
Nebraska & do further
solemnly swear that the fore-
going are the true & original
field notes of such ~~township~~ survey.

James McBride

The State of Nebraska
Douglas County } ss

Subscribed by said James
McBride deputy surveyor and
sworn to before me this 11th day
of November 1869

C. A. Baldwin
Notary Public
Douglas County
Nebraska

Surveyor General's Office
Plattsmouth Neb. March 30th 1870.
The foregoing field notes of the survey of the Sub-division lines of Township No 8 North of the Base Line Range No 24 West of the 6th Principal Meridian in the State of Nebraska, Executed by James McPoride Deputy Surveyor under his Contract No 26 dated June 21st 1869. in the Month of September 1869, having been critically Examined the necessary Corrections and explanations made the said field notes and the surveys they describe are hereby approved -

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

477

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.