General Land Office • Original Field Notes

Book Number

481

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index Diagram to Township No 21
North Range 24 West

Town 21 N. Range 24 W



Field Notes

of

The Subdivision lines & meanders of Township No 21. North of the Base line of range No 24 West of the C. P. M. in the State of Nebraska

Executed By

David V Stephenson

Deputy Surveyor

under Joint contract No 73 dated May 14th 1873.

Survey

Commenced July 15th 1873

Completed July 21st 1873

List of Names

A list of the names of the individuals who assisted in running measuring & marking the following field notes of Township 21 N. R. 24 West C P M showing the respective capacities in which they acted

Douglass Connor } Chainman
Wm G Gardner } Chainman
Alonzo G Randall } Mound man
Alfred C Tuers, } Flagman

To Determine the proper adjustment of my compass for subdividing this Township I commence at the cor to Townships 20 & 21 North Ranges 23 and 24 west of the 6 P.M. and run N.
On a Blank line along the E. Boundary of Sec 36
V.a 13° 22' ~~Ow 13° 22' E~~ 15° 22' E

40 05 To a point 5 lks N gr sec cor
80 09 To a point 5 lks west cor to Secs 25 & 36
Therefore to retrace this line or run parallel there to my Compass must be adjusted to a variation of 13° 20' E

T. 21 N R 24 West 6 P.M.

From the cor to Secs 35 & 36 on the South Boundary of this Township I run
North on a true line Between Secs 35 and 36
Va ~~15 20~~ 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep. for cor to Secs 25 & 26 35 & 36

Land Gently rolling

Soil 2d rate

T. 21 N. Range 24 West 6th PM

	East on a random line Between Secs 25 and 36 Var 13° 20' E
40.00	Set stake for temporary 1/4 sec cor
50.22	Intersect the E Boundary of the Township 30. links south of the cor to Secs 25 + 36 from which cor I saw
	S 89° 47' West on a true line Between Secs 25 + 36 Var 13° 20' E
40.11	Set post 4 ft x 3 in □ 1 ft in ground Detroit Channel stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.22	cor to Secs 25 26 35 + 36

Land Level
Soil 2d rate

T. 21 N. R. 24 West 6 PM

	North between Secs 25 and 26 Var 13° 20' E
40.00	Set Post 4 ft x 3 in □ 1 ft in ground Deposit Channel stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit Channel stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for cor to Secs 23 24 25 and 26

Land Level
Soil 2d rate

T 21 N R 24 West 4th Pm

	Cash on random line Between Secs 24 x 25 Var 13° 20' E.
4000	Set Stake for temporary 1/4 sec cor
8019	Intersect the N & S line 17 lks South of the cor to Secs 24 & 25 from which cor I run South 89°53' West on a true line Between Secs 24 & 25 Var 13° 20' E
4009½	Set post 4 ft x 3 in □ 1 ft in ground Detroit Charred stake raise mound of Earth 2½ x 3½ ft & mk pits 12 x 24 in 1 ft deep for 1/4 sec cor
8019	Cor to Secs. 23 24 25 & 26

Land Level

Soil & rate

T 21 N R. 24 West Pm

	North Between Secs 23 & 24 Var 13° 20' E
4000	Set post 4 ft x 3 in □ 1 ft in ground Detroit charred stake raise mound of Earth 2½ x 3½ ft □ mk pits 12 x 24 in 1 ft deep. for 1/4 sec cor
8000	Set post 4 ft x 3 in □ 1 ft in ground Detroit charred stake raise mound of Earth 2½ x 3½ ft □ mk pits 12 x 24 in 1 ft deep for cor to Secs 13 14 23 & 24

Land Level

Soil & rate

T 21 N. R. 24 West 6 Pr Mer

East marked on line Between
Secs 13 & 24
Var 13° 20' E

40.00 Set stake for temporary 1/4 sec cor
80.00 Intersect the E Boundary of
the Township at the cor to
Secs 13 and 24 from which
Cor I run
West on a true line between
Secs. 13 & 24
Var 13° 20' E

40.00 Set Post 4 ft x 3 in □ 1 ft-
in ground Detroit Chained
Stake raise mound of Earth
2½ x 3½ ft □ with pits 12
by 24 in 1 ft- deep for a
1/4 sec cor

80.00 Cor to Secs 13 14 23 & 24

Land Level
Soil 2d rate

T. 21 N. R. 24 West 6 P.M.

North between Secs. 13 & 14
Var 13° 20' E

40.00 Set post 4 ft x 3 in 1 ft- in ground
Detroit Chained stake raise mound
of Earth 2½ x 3½ ft □ with
pits 12 x 24 in 1 ft- deep as
per instructions for a 1/4 sec cor

80.00 Set Post 4 ft x 3 in 1 ft- in
ground Detroit Chained stake
raise mound of Earth 2½ x 3½
ft □ with pits 12 x 24 in 1 ft-
in deep for cor to Secs 11 12 13
& 14

Land level
Soil good 2d rate

T 21 N R. 24 West 6 Pm.

	East on a random line Between Secs 12 & 13. Va 13 20 E
40.00	Set stake for temporary 1/4 sec cor
7981	Intersect the E Boundary of the Township at the Cor to Secs. 12 & 13 from which Cor I run.
	West on a true line between Secs 12 & 13. Va 13 20 E.
3990½	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
7981	Cor to Secs 11 12 13 & 14

Land Rolling

Soil 2d rate

T 21 N R. 24 West 6 Pm

	North between Secs 11 & 12. Va 13 20 E.
35.50	Spring Branch Bears N E
40.00	Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec
68.00	Cor Enter Bluffs of sand
80.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for Cor to Secs 1, 2, 11 & 12

Land Level

Soil 2d rate

T 21 N R 24 West 6th PM

East on a random line Between Secs 1 and 12

Va 13° 20 E.

27.00	Right Bank of Loup river where I set temporary Meander cor
40.00	temporary 1/4 cor falls in river
36.20	left Bank of Loup river where I set temporary meander cor
67.00	left Bank of Loup river where I set temporary Meander cor
72.70	Right Bank of Loup river where I set temporary Meander cor
80.00	Intersect the E Boundary of the township 15 lks South of the cor to Secs 1 & 12 from which cor I run South 89° 54' west on a true line Between Secs 1 & 12

Va 13° 20 E

7.30	To Right Bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high with pits 12 x 24 in 1 ft deep for meander cor
13.90	To left Bank of Loup river where I set Post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high with pits 12 x 24 in 1 ft deep for meander cor
23.80	To left Bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high with pits 12 x 24 in 1 ft deep for Meander cor
40.00	gr sec cor falls in river
53.00	to right Bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high with pits 12 x 24 in 1 ft deep for meander cor
80.00	Cor to Secs 1, 2, 11 & 12

Land Level bottom 1st rate

T 21 N R. 24 West 6 PM

North on a random line Between Secs 1 & 12

Va 13° 20 E

11.00	Slough Bears E & W ch. wide
19.00	Right Bank of Loup River where set temporary meander cor
31.75	Left Bank of Loup river where I set temporary meander cor
34.00	Enter Sand Bluffs Bears E & W
40.00	Set stake for temporary 1/4 sec cor
80.31	Intersect the N. Boundary of the Township 15 lks West to Sections 1 and 2 from which cor I run South 6 West on a true line Bet Secs 1 and 2

Va 13° 20' E

40.31	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 1 ft deep for 1/4 sec cor
48.56	To the left bank of Loup, where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for meander cor
61.31	To the Right Bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred Stake raise mound of Earth 3 ft high from pits 12 x 24 1 ft deep for meander cor
80.31	Cor to Secs 1, 2, 11 & 12 soil sandy 3d rate July 15th 1873.

T. 21 N R. 24 West of 6 P.M.

North between Secs 34 & 35
Va 13° 20' E

4000 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor

8000 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep. ~~for ¼ sec cor~~ Cor to Secs 26 27 34 & 35

Land level

Soil 2d rate

T 21, N, R. 24 West 6th P.M.

East on a random line
Between Secs 26 and 35
Va 13° 20' E.

4000 Set post for temporary ¼ sec cor

7990 Intersect the N & S line 25 lks South of the cor to Secs 25 26 35 and 36 from which cor I run South 89° 49' West on a true line Between Secs 26 and 35
Va 13° 20' E

3995 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep. for ¼ sec cor

7990 Cor to Secs. 26 27 34 and 35

Land. Level
Soil 2d rate

T. 21 N R 24 West 6 PM.

North Between Secs 26 and 27
on 13.20 E

40.00 Set post 4 ft x 8 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep. for ¼ Sec cor

80.00 Set post 4 ft x 8 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft in Deep. for cor to Secs 22 23 26 and 27

Land Gently rolling
Soil 2d rate

T 21 N R. 24 West 6 PM.

East on a random Line
Between Secs 23 & 26
on 13°. 20' E.

40.00 Set stake for temporary ¼ Sec cor

79.87 Intersect the N & S line 20 lks north of the cor to Secs 23 24 25 & 26 from which cor I run:
N. 89°. 51' West on a true line Between Secs 23 and 26.
on 13. 20 E.

39.93½ Set post 4 ft x 8 in □ 1 ft in ground Deposit charred stake raise Mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep as per Instructions for a ¼ Sec cor

79.87 Cor to Secs 22 23 26 and 27

Land Gently rolling
Soil 2d rate

T. 21 N. R. 24 West 6 P.M.

North between Secs 22 and 23
Bw 13° 20 E

40.00 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise
mound of Earth 2½ x 3½ ft □
with pits 12 x 24 in 1 ft deep
for ¼ Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charred stake
raise mound of Earth 2½ x 3½
ft □ with pits 12 x 24 in 1 ft
deep for Cor to Secs 14 15 22
and 23.

Land Gently rolling

Soil 2d rate

T. 21 N. R. 24 West 6 P.M.

East on a random line between
Secs 14 and 23
Bw 13° 20 E

40.00 Set stake for temporary ¼ sec cor
80.10 Intersect the N & S. line at the
cor to Secs 13 14 23 and 24
from which cor I run
West on a true line between
Secs 14 and 23
Bw 13° 20 E

40.05 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise mound
of Earth 2½ x 3½ ft □ with pits 12
x 24 in 1 ft Deep for ¼ sec cor
80.10 Cor to Secs 14 15 22 and 23.

Land Gently rolling

Soil 2d rate

T 21 N R. 24 West 6 PM.

North between Secs 14 and 15
Va 13° 20 E.

40.00 Set post 4 ft × 3 in □ 1 ft in ground Deposit charred Stake raise Mound of Earth 2½ × 3½ ft □ with pits 12 × 24 in 1 ft deep for ¼ sec cor

80.00 Set Post 4 ft × 3 in □ 1 ft in ground Deposit charred stake raise Mound of Earth 2½ × 3½ ft □ with pits 12 × 24 in 1 ft Deep for Cor to Secs 10 11 14 and 15

Land Gently rolling

Soil 2d rate

T 21 N R 24 West 6 PM.

East on a random line
Between Secs 11 and 14
Va 13° 20' E

40.00 Set stake for temporary ¼ sec cor

7948 Intersect the N. & S. line 40 lks N. of the cor to Secs 11 12 13 and 14 from which cor I run

N. 89° 43' West on a true line
Between Secs 11 & 14
Va 13° 20 E.

3974 Set post 4 ft × 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ × 3½ ft □ with pits 12 × 24 in 1 ft Deep for ¼ sec cor

7948 Cor to Secs. 10 11 14 & 15

Land Gently rolling

Soil 2d rate

T. 21 N R. 24 West 6 P.M.

North between Secs 10 and 11
Bw 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft Deep for ¼ sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft Deep for cor to Secs 2. 3. 10 and 11

Land rolling
Soil 2d rate

T. 21 N R. 24 West 6 P.M.

East on a random line
between Secs 2 and 11
Bw 13° 20' E.

24.50 Spring Branch bears N.E.
40.00 set stake for equinoctial ¼ sec cor
64.00 Cut to Bluffs Bears N W & S E
79.26 Intersect the N & S. line at the Cor to Secs 1. 2. 11 & 12 from which Cor B bears
West on a true line between Secs 2 & 11
Bw 13° 20 E
39.63 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft Deep. for ¼ sec cor
79.26. Cor to Secs 2. 3. 10 & 11

Land rolling
Soil 2d rate

North on random line between sec° 2 and 3.
Va. 13° 20' E

40.00 Enter Bottom. where set post for temporary gr. sec. cor.

69.50 To Right bank of Loup river where
Set post for temporary meander corner.

77.50 to Left Bank of River
Where I set post for temporary meander corner.

80.50 Intersect N. Boundary of Township 28 Lks E of cor to sec° 2 & 3. from which cor. I run.
South 12' East on a true line between sec° 2 & 3.
Va 13° 20' E

3.00 To Left bank of Loupe River
Set post 2×3.×4 feet. 1-foot in ground deposit Charred stake raised mound of Earth 3 feet high from pits 12×24. in×12 in deep. for meander cor. to sec° 2 & 3.

11.00 To Right bank of Loupe River
Set post 2×3. in×4 feet. 1 foot in ground deposit charred stake raised mound of Earth 3 feet high from pits 12×24 in×12 in deep. for meander cor to sec° 2 & 3.

40.50 Set post 2×3.×4 feet 1 foot in ground deposit charred stake raised mound of earth 3 feet high from pits 12×24. in.×12 in deep for gr. sec. cor.

80.50 To cor. to sec° 2.3.10, & 11.

Land rolling
Soil 2d rate
July 16th 1873

T 21 N R. 24 West 6 P.M.

	North between Secs 33 & 34
	on 13° 20 E
40.00	Set Post 4 ft x 3 in □ 1 ft in
	ground Detroit Chamed stake
	raise mound of Earth 2½ x 3½
	ft □ mark pits 12 x 24 in 1 ft deep
	for ¼ sec cor
80.00	Set post 4 ft x 3 in □ 1 ft in ground
	Detroit Chamed stake raise
	mound of Earth 2½ x 3½ ft □
	~~mark~~ pits 12 x 24 in 1 ft deep
	for cor to Secs 27 28 33 & 34
	Land Gently rolling
	Soil 2d rate

T 21 N R 24 West 6 P.M.

	East on a random line
	Between Secs 27 and 34
	on 13° 20' E
40.00	Set stake for temporary ¼ sec cor
79.88	Intersect the N & S line 16 lks S.
	of the cor to Secs 26 27 34 and 35
	from which cor I run
	S 89° 53' West on a true line
	Between Secs 27 and 34
	on 13° 20' E
39.94	Set post 4 ft x 3 in □ 1 ft in ground
	Detroit chamed stake raise
	mound of Earth 2½ x 3 ft □ mark
	pits 12 x 24 in 1 ft deep ~~on line~~
	for 1/4 sec cor
79.88	Cor to Secs 27 28 33 & 34
	Land rolling
	Soil 2d rate

T 21 N R. 24 West 6th PM

North Between Secs 27 and 28
On 13° 20' E

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit chanced stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ Sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground deposit chanced stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft Dep. for cor to Secs 21 22 27 and 28

Land rolling
Soil 2d rate

T 21 N R. 24 West 6th PM.

East on a random line
Between Secs 22 and 27.
Vs 13° 20' E

40.00 Set stake for temporary ¼ Sec cor

80.20 Intersect the N. & S. line at the cor to Secs 22 23 26 & 27 from which cor I run
West on a true line between Secs 22 and 27
On 13° 20' E

40.10 Set post 4 ft x 3 in □ 1 ft in ground Deposit chanced stake raise Mound of Earth 2½ x 3 ft □ with pits 12 x 24 in 1 ft deep - for ¼ sec cor

80.20 Cor to Secs 21 22 27 and 28

Land rolling
Soil 2d rate

T 21 N R. 24 West 6 PM

North between Secs 21 & 22
Va 13° 20 E

40,00 Sets post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep ~~as per~~ for 1/4 Sec cor

80,00 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise Mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft Deep for cor to Secs 15 16 21 & 22

Land rolling

Soil 2d rate

T 21 N R. 24 West 6th PM

East on a random line between Secs 15 and 22
Va 13° 20' E

4000 Set post for temporary 1/4 sec cor

8000 Intersect the N & S. line 23 lks N of the cor to Secs 14 15 22 & 23 from which cor I run N 89° 50' West on a true line Between Secs 15 and 22
Va 13° 20' E

40,00 Set Post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise Mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 Sec cor

8000 Cor to Secs 15, 16, 21 and 22

Land rolling

Soil 2d rate

T 21 N R 24 West 4th

	North Between Secs 15 & 16
	VW 13° 20' E
40.00	Set Post 4 ft x 8 in □ 1 ft in
	ground Detroit Channel State
	raise mound of Earth 2½ x 3½
	ft □ with pits 12 x 24 in 1 ft
	deep for ¼ sec cor
80.00	Set post 4 ft x 8 in □ 1 ft in
	ground Detroit Channel
	State raise mound of Earth
	2½ x 3½ ft □ with pits 12 x 24 in
	deep for cor to secs 9, 10, 15
	& 16.

Land rolling

Soil 2d rate

T 21 N R 24 West 4th Pm

	East on a random line
	Between secs 10 & 15
	VW - 13° 20' E
40.00	Set stake for temporary ¼ sec cor
80.20	Intersect the N & S. line 30
	lks South of the cor to secs 10 11
	14 & 15 from which cor I run
	S 89° 47' West on a line line
	Between Secs 10 & 15
	VW 13° 20' E
40.10	Set Post 4 ft x 8 in □ 1 ft in
	ground detroit channel & take
	raise mound of Earth 2½ x 3½
	ft □ with pits 12 x 24 in 1 ft deep
	for ¼ Sec Cor.
80.20	Cor to Secs 9, 10, 15 & 16

Land rolling

Soil 2d rate

T 21 N R. 24 West 6th PM

North Between Secs 9 and 10
Va 13° 20' E

40.00 Set post 4 ft × 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ × 3½ ft □ with pits 12 × 24 in 1 ft deep for ¼ sec cor

80.00 Set post 4 ft × 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ × 3½ ft □ with pits 12 × 24 1 ft deep for Cor to Secs 3, 4, 9 & 10

Land rolling Gently
Soil 2d rate

T 21 N R. 24 West 6th PM

East on a random line Between Secs 3 & 10
Va 13° 20' E

40.00 Set post for temporary ¼ sec cor

79.75 Intersect the N. & S. line 10 lks N of the cor to Secs 2, 3, 10 & 11 from which cor I run N 89° 56' West on a true line Between Secs 3 and 10
Va 13° 20' E

39.87½ Set post 4 ft × 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ × 3½ ft □ with pits 12 × 24 in 1 ft deep for ¼ sec cor

79.75 Cor to Secs 3 4 9 & 10

Land Rolling
Soil 2d rate

T. 21. N. R. 24 West C.P.M.

North on a random line Between Secs 3 and 4

Va 13° 20' E

24.00 Swale Bears Bears N E.
40.00 Set stake for temporary 1/4 sec cor
48.00 Enter Bottom
61.68 Right Bank of ~~right~~ Middle fork of Loup river where I set Temporary meander cor
71.75 Left Bank of ~~right~~ Middle fork of loup river where I set meander cor
80.75 Intersect the N Boundary of the Township 30 lks West of the cor to Secs 3 & 4 from which cor I run
South 13' W on a true line Between Secs 3 & 4

Va 13° 20 E

9.00 To left Bank of ~~right~~ Middle fork of Loup River set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for Meander cor to Secs 3 & 4
19.07 To right Bank of ~~right~~ Middle fork of Loup river where I set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound

T 21 N R 24 West C P M

of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for meander cor to Secs 3 & 4.
40.75 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.75 Cor to Secs 3, 4, 9, & 10.

Land rolling

Soil 2d rate

July 17th 1873

T. 21. N. R. 24 West 6th PM

	North Between Secs 32 and 33. bw 13° 20' E.
40.00	Set post 4 ft x 8 in ▫ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft ▫ 1 ft and pits 12 x 24 in 1 ft deep for ¼ sec cor
80.00	Set post 4 ft x 8 in ▫ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft ▫ and pits 12 x 24 in 1 ft deep for cor to Secs 28 29 32 and 33.

Land Gently rolling
Soil 2nd rate

T 21 N R. 24 West 6 PM

	East on a random line Between Secs 28 & 33 bw 13° 20' E.
40.00	Set stake for temporary ¼ sec cor
80.00	Intersect the N & S. line 17 lks South of the cor to Secs 27 28 33 and 34 from which cor I run South 89.58' West on a true line Between Secs 28 & 33 bw 13° 20' E
40.00	Set post 4 ft x 8 in ▫ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft ▫ with pits 12 x 24 in 1 ft deep for ¼ sec cor
80.00	Cor to Secs 28 29 32 and 33.

Land Gently rolling
Soil 2nd rate

T 21 N. R. 24 West 6th P.M.

	North between Secs 28 & 29
	W 18° 20' E
40.00	Set post 4 ft x 8 in 4 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 2½ ft ▫ with pits 12 x 24 in 1 ft deep for ¼ sec cor
80.00	Set post 4 ft x 8 in 4 1 ft in ground Deposit charred stake raise Mound of Earth 2½ x 3½ ft ▫ with pits 12 x 24 in 1 ft deep for cor to Secs 20 21 28 & 29
	Land rolling
	Soil 2d rate

T 21 N. R. 24 West 6th P.M.

	East on a random line between Secs 21 & 28
	W 18° 20' E.
4000	Set post for temporary ¼ sec cor
7988	Intersect the N & S line 20 lks North of the cor to Secs 21 22 27 & 28 from which cor I run N 89° 51' Westerly line between Secs 21 & 28
	W 18° 20' E
3994	Set post 4 ft x 8 in 4 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft ▫ with pits 12 x 24 in 1 ft in deep for ¼ sec cor.
7988	Cor to Secs 20 21 28 & 29
	Land rolling
	Soil 2d rate

T 21 N R. 24 West 6th Prin.

	North between Secs 20 & 21
	NW 13° 20 E
40.00	Set post 4 ft - x 8 in 1 ft in ground
	Deposit charred stake raise
	mound of Earth 2 ft x 8 ft ft
	with pits 12 x 24 in 1 ft deep
	for 1/4 Sec cor
80.00	Set post 4 ft - x 8 in □ 1 ft in
	ground Deposit charred stake
	raise mound of Earth 2 ft x 8 ft
	ft □ with pits 12 x 24 in 1 ft -
	deep. ~~on the~~ for cor to Secs
	16 17 20 & 21

Land rolling

Soil 2d rate

T 21 N R 24 West 6th Prin.

	East on a random line
	between Secs 16 & 21
	NW 13° 20' E
40.00	Set stake for temporary 1/4 sec cor
79.92	Intersect the N & line at the cor
	to Secs 15 16 21 & 22 from
	which cor I run
	West on a true line between
	Secs 16 & 21
	NW 13° 20' E
39.96	Set post 4 ft x 8 in □ 1 ft in ground
	Deposit charred stake raise mound
	of Earth 2 ft x 3 ft ft - □ with pits
	12 x 24 in 1 ft - deep for 1/4 sec cor
79.92	Cor to Secs 16, 17, 20 & 21.

Land rolling

Soil 2d rate

T 21 N R 24 West 4th PM

North between Secs 16 & 17
NW 13° 20 E

40.00 Set post 4 ft x 8 in □ 1 ft in ground deposit charred stake raise mound of Earth 2½ x 8½ ft □ 4 corner pits 12 x 24 in 1 ft deep for ¼ sec cor

80.00 Set post 4 ft x 8 in □ 1 ft in ground deposit charred stake raise mound of Earth 2½ x 8½ ft □ 4 corner pits 12 x 24 in 1 ft deep for cor to Secs 8, 9 16 & 17

Land rolling
Soil 3d rate

T 21 N R 24 West 4th PM

East on a random line
Between Secs 9 & 16
NW 13° 20 E

40.00 Set stake for temporary ¼ sec cor
79.62 Intersect the N & S line 28 lks N of the cor to Secs 9, 10, 15, & 16, from which cor I run N 89° 48' West on a true line Between Secs. 9 & 16
NW 13° 20 E

39.81 Set Post 4 ft x 8 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 2½ x 8½ ft □ corner pits 12 x 24 in 1 ft deep for ¼ sec cor
79.62 Cor to Secs. 8, 9, 16 & 17

Land rolling
Soil 2d rate

T 21 N R 24 West of PM

North between Secs 8 & 9
BW 13° 20' E

40.00 Set post 4 ft - x 8 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft - □ with pits 12 x 24 in 1 ft Deep for ¼ sec cor

80.00 Set post 4 ft - x 8 in □ 1 ft - in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for cor to Secs 4 5 8 & 9

Land rolling
Soil 2nd rate

T 21 N R. 24 West of PM

East on a random line
Between Secs 4 & 9
BW 13° 20' E

40.00 Set stake for temporary ¼ sec cor

7941 Intersect the N & S line 31 lks N. of the corner to Secs 3, 4, 9 & 10 from which cor I run
N 89° 56' West on a true line
Between Secs 4 and 9
BW 13° 20' E

3970½ Set post 4 ft - x 8 in □ 1 ft - in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft - □ with pits 12 x 24 in 1 ft - Deep for ¼ Sec cor

7941 Cor to Secs 4 5 8 and 9

Land rolling
Soil 2nd rate

T 21 N R. 24 West 6 Pm.

	North on a random line Between Secs 4 & 5 Var 13° 20 E
20.00	Enter Bottom E & W
31.00	Righ Bank of the ~~right~~ Middle Fork of Loup river where I set temporary meander Corner
38 40	To left bank of of ~~right~~ Middle fork of Loup river where I set temporary meander cor
40 00	set stake for temporary 1/4 sec cor
53.00	leave Bottom Enter sand Bluffs bears E & W
80 70	Intersect the N & S line 15 links East of the cor to Secs 4 & 5 from which cor I run South 6' East on a true line Between secs 4 & 5 Var 13° 20' E
40 70	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor.

T 21 N R 24 W 6 Pm

42 30	To the left Bank of ~~Right~~ Middle fork of Loup river where I set post 4 ft x 3 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for meander corner to Secs 4 & 5
49.70 ~~7.40~~	To right Bank of ~~right~~ Middle fork of Loup river where I set post 4 ft x 3 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 1 ft deep for meander cor to Secs 4 & 5
80 70	Corner to Secs 4 5 8 & 9

Land rolling

Soil sand & 2d rate

July 18th 1873

T 21 N R 24 W 6 P.M.

North between Secs 31 & 32
(W 13° 20 E)

40.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor

80.00 Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft in. deep for cor to Secs 29 30 31 & 32

Land rolling
Soil 2d rate

T 21 N R 24 W 6 P.M.

East on a random line
Between Secs 29 & 32
(W 13° 20 E)

40.00 Set stake for temporary ¼ sec Cor

80.15 ~~Cor~~ Intersect the N & S line 23 lks N. of the cor to Secs 28 29 32 & 33, from which cor Drum N 89° 55' West on a true line Between Secs 29 & 32
(W 13° 20' E)

40 07½ Set Post 4 ft x 3 in □ 1 ft in ground Detroit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor

80.15 Cor to Secs 29 30 31 & 32

Land rolling
Soil 2d rate

T 21 N R 24 West 6 PM

	West on a random line between Secs 30 & 31 Var 13° 20 E
11000	Set stake for temporary 1/4 sec cor
7968	Intersect the W Boundary of the township 25 lks North of the cor to Secs 30 & 31 from which cor I run N 89° 49' East on a line due between Secs 30 & 31 Var 13° 20' E
3968	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise Mound of Earth 2½ x 8½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor
7968	Cor to Secs 29 30 31 & 32

Land rolling

Soil 2nd rate

T 21 N R 24 West 6 PM

	North between Secs 29 & 30 Var 13° 20 E
4000	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor
8000	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for cor to Secs 19 20 29 & 30

Land rolling

Soil 2nd rate

T 21 N, R. 24 West 6th PM

East on a random line
Between Secs 20 & 29
bw 12° 20' E

4000 Set Stake for temporary 1/4 sec cor
8060 Intersect the N & S line 40 lks
North of the cor to Secs 20 21
28 and 29 from which cor
Iron
N 89° 43' West on a true line
Between Secs 20 & 29
bw 13° 20' E

4030 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise
mound of Earth 2 ft x 3 ft
A walk pits 12 x 24 in 1 ft deep
for 1/4 sec cor
8060 Cor to Secs 19 20 29 & 30

Land rolling

Soil 2d rate

T 21 N R 24 West 6th PM

West on a random line
Between Secs 19 & 30
bw 13° 20' E

4000 Set stake for temporary 1/4 sec cor
7958 Intersect the West Boundary of
the township 40 links N. of the
Cor to Secs 19 & 30 from which cor
Iron 43'
N 89° ~~47~~ 43' East on a true line
between Secs 19 & 30
bw 13° 20' E

55
3979 Set post 4 ft x 3 in □ 1 ft in ground
Deposit charred stake raise
mound of Earth 2 ft x 3 ft
A walk pits 12 x 24 in 1 ft deep for
1/4 sec cor
7958 Cor to Secs 19 20 29 & 30

Land rolling

Soil 3d rate

T 21 N R 24 West 6 Pm

	North Between Secs 19 & 20 bw 18°20' E.
40.00	Set post 4 ft x 8 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor
80.00	Set post 4 ft x 8 in □ 1 ft in ground Deposit Charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for cor to Secs 17 18 19 & 20
	Land Rolling Soil 2d rate

T 21 N R 24 West 6 Pm

	East on a random line Between Secs 17 & 20 bw 18° 20' E
40.00	Set Stake for temporary ¼ sec cor
80.25	Intersect the N. & S. line 20 lks W. of the cor to Secs 16 17 20 & 21 from which cor I run N 89° 51' West on a true line Between Secs 17 & 20 bw 18° 20' E
40.12½	Set post 4 ft x 8 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for ¼ sec cor
80.25	cor to Secs 17 18 19 & 20
	Land rolling Soil 2d rate

T 21 N R 24 West of M

	West on a random line Between Secs 18 and 19 on 13° 20' E
40.00	Set stake for temporary 1/4 sec cor
80.16	Intersect the West Boundary of the township at the cor to Secs 18 & 19 from which cor I saw
	East on a true line Between Secs 18 & 19 on 13° 20' E
40.16	Set Post 4 ft x 8 in □ 1 ft in Ground Deposit charged Stone raise mound of Earth 2½ x 8½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.16	Cor to Secs 17 18 19 & 20

Land rolling

Soil 2d rate

T 21 N R 24 West of M.

	North between Secs 17 & 18 on 13° 20' E
40.00	Set Post 4 ft x 8 in □ 1 ft in ground Deposit charged stone raise mound of Earth 2½ x 8½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.00	Set post 4 ft x 8 in □ 1 ft in ground Deposit charged Stone raise mound of Earth 2½ x 8½ ft □ with pits 12 x 24 in 1 ft deep for cor to Secs 7 8 17 & 18

Land rolling

Soil 2d rate

T 21 N R, 24 West 6th P.M.

	Past on a random line Between Secs 8 & 17 Var 13° 20' E
40.00	Set Stake for temporary 1/4 sec cor
80.00	Intersect the N & S line at the cor to Secs 8 9 16 & 17 from which cor I run West on a true line Between Secs 8 & 17 (W 13° 20' E
40.00	Set post 4 ft x 3 in □ 1 ft in ground Deposit charred Stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.00	Cor to Secs 7, 8, 17 & 18

Land rolling

Soil 2d rate

T 21 N R 24 West 6th P.M.

	West on a random line Between Secs 7 & 18 Var 13° 20' E
40.00	set stake for temporary 1/4 sec cor
80.32	Intersect the W Boundary of the Township 16 lks north of the cor to Secs 7 & 18 from which cor I run N 89° 53' East on a true line Between Secs 7 & 18 (W 13° 20' E
40.32	Set post 4 ft x 3 in □ 1 ft in ground deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
80.32	Cor to Secs 7 8 17 & 18

Land Rolling

Soil 2d rate

T 21 N R 24 West C Pm

North between Secs 7 & 8
Va 13° 20' E

4000 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charcoal stake
raise mound of Earth 2½ x 3½
ft □ with pits 12 x 24 in 1 ft
deep for ¼ sec cor

8000 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charcoal
Stake raise mound of Earth 2½ x
3½ ft □ 1 with pits 12 x 24 in
1 ft deep for cor to Secs 5
6 7 & 8

Land rolling
Soil 2d rate

T 21 N R 24 West 6th Pm.

East on a random line
Between Secs 5 & 8
Va 13° 20' E

4000 Set Stake for temporary ¼ sec cor

8022 Intersect the N & S line 15 lks
South of the cor to Secs 4 5 8 & 9
from which cor I run
S 89° 54' West on a true line
Between Secs 5 & 8
Va 13° 20

4011 Set post 4 ft x 3 in □ 1 ft in
ground Deposit charcoal Stake
raise mound of Earth 2½ x 3½
ft □ with pits 12 x 24 in 1 ft
deep for ¼ sec cor

8022 Cor to Secs 5 6 7 & 8

Land Gently rolling
Soil 2d rate

T 21 N R 24 West 6 P M

West on a random line
Between secs 6 and 7
Va 13° 20' E

4000 set stake for temporary 1/4 sec cor
8020 Intersect the W. Boundary of the Township at the cor to Secs 6 & 7 from which cor I run
East on a true line Between Secs 6 & 7
Va 13° 20' E

4020 Set post 4 ft x 3 in □ 1 ft in ground Deposit Charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
8020 Cor to Secs 5, 6, 7 & 8

Land Gently rolling
Soil 2d rate

T 21 N R 24 West 6 P M

North on a random line
Between Secs 5 & 6
Va 13° 20' E

39.25 to the right Bank of the right fork of Loup river where I set temporary meander cor
41 25 To the left Bank of the right fork of Loup river where I set temporary meander cor
8070 Intersect the North Boundary of the township 25 lks W. of the cor to Secs 5 & 6 from which cor I run
South 11' W. on a true line
Between secs 5 & 6
Va 13° 20' E

3945 To left Bank of ~~right~~ fork of Loup river where I set Post 4 ft x 3 in □ 1 ft in ~~ground~~ ground Deposit charred stake raise mound of Earth 2½ x 3½ ft □ with pits 12 x 24 in 1 ft deep for 1/4 sec cor
40.~~30~~ 70 Position for 1/4 sec cor falls in river
4145 To right bank of Loup river where I set post 4 ft x 3 in □ 1 ft in ground Deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 1 ft deep for meander cor
8070 Cor to Secs 5 6 7 & 8

Land level Bottom in rate July 19th 1873

64. While Meanders in have before
General Description

The Loup river Enters this Township near the N W Corner and runs an Easterly Direction through it the Bottoms lands along Loup river are good 2d rate and Mostly level Sand Bluffs on North and South side of Bottom: Balance of township Somewhat Broken & rolling and Soil 3d rate

List of Names

a list of the names of the Indivals Employed to assist in running Measuring and marking the line & corners of the foregoing field Notes. of Township No 21 north of the Base line of range No 24 west of the 6th Principal Meridian Showing the respective capacities in which they acted

Douglass Conner Chainman
Wm F Gardner Chainman
Alonzo G Randall Moondman
Alfred C Tuers Flagman

Meanders of Township 21 North
Range 24 West 6 P.M.

Meanders of Dismal river
owing to the great amount of Brush & Sloughs
I Begin on left Bank of
this river at the meander Cor
on left Bank between Secs 5 & 6
Down Stream (the river [illegible] wide
enough for the [illegible] station) on 1320 E.

Courses	Chains	
S 72° E	14,00	
S 42° E	6,00	Willows on Bank
N 81° E	26,00	Sand Banks
N 74° E	10,75	high Banks of Sand
N 35° E	16,00	Willows along the Bank
S. 81° E	11,00	Willow Brush To Meander cor bet Secs 4 & 5 thence in Sec 4
E	5,00	
N 70° E	6,00	Small Island
N 74° E	46,30	Willow Brush along Bank
N 65° E	7,50	Do "
N 34° E	16,50	
N 83° E	9,00	To meander cor between Secs 3 & 4 thence in Sec 3
N 80° E	30,00	
S 80 E	20,00	Willow on Bank

Meanders in Secs 3 Continued

Courses	Chains	
[illegible]° E	16,00	
N 46 W	9,20	To meander cor on township Line to Fractional Secs 3 and 34 T. 21 and 22 N.
		~~rang 24 west accross South river~~ Being 12 chs and 35 lks
		from meander cor on township line through Sec 3
S 70 E	9,80	To meander cor Bet Secs 2 and 3. Thence in sec 2.
S 61°45' E	3,70	
S 85°15' E	8,40	
N 81° E	10,00	
S 53°30' E	9,50	
S 53°30' E	31,00	
S 45°15' E	28,50	
S 87°30' E	5,60	To meander cor Between Secs 1 and 2 thence in 1.
S 26°45' E	9,60	Brush on Banks.
S 46° E	6,50	
S 64°45'	21,80	Brush and willow timber
S 72°00' E	29,00	To meander corner Bet Secs 1 & 12 thence in sec 12

Courses	Chains	
S 65°45' E	7,00	willow Brush on Bank
N 55°00' E	5,30	To meander cor Between Secs 1 and 12 thence in Sec 1
N 54°00' E	9,60	
N 76°00' E	5,80	To meander cor on the E. Boundary of township

July 21st 1873.

We hereby certify that we assisted David V. Stephenson Deputy Surveyor in subdividing and Meandering Township No. 21. North of the Base line Range No. 24. West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and meandered and the Boundary monuments planted according to the instructions of the Surveyor General.

Douglas Conner Chainmen
William F. Gardner
Hugo E. Randall Moundman
Alfred C. Byers Flagman
Compassman

Subscribed & sworn to by the above named parties before me a Co Clerk in and for Dawson Co. Neb this 16th day of Aug 1873 John McColl
Co Clk Dawson Co. Neb

I David V Stephenson Deputy Surveyor do Solemnly Swear that in performance of a joint contract wherein James Slocum & David V Stephenson are joint contractors with E E Cummings Surveyor general for the district of Dakota Nebraska bearing date the 14th day of May 1872 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the surveyor general the surveying manual and the laws of the United States Surveyed all those parts or portions of townships No 21 North of the Base line in range No 24 west of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my directions. And I do further Solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual Printed instructions and special instructions of the Surveyor General of dimensions character constructions & marking and in the manner specifically described in the foregoing field Notes and that the foregoing are the true and original Field notes of such Survey

David V Stephenson
Deputy Surveyor

Subscribed to by the said David V. Stephenson Deputy Surveyor. and Sworn to before me a County Clerk in and for Dawson Co. Neb this 16th day of August AD 1873

J H McColl
County Clerk

Subscribed & Sworn to before me a Notary Public within & for Cass County Neb. by the said David V Stephenson, this 15th Day of September AD 1873

Tho Pollock
Notary Public

Surveyor General's Office
Plattsmouth 1873

The foregoing field notes of the subdivision and Meander Lines of Township No 21. North of the Base Line of Range No 24 West of the 6th Principal Meridian in the state of Nebraska. Executed by David. V. Stephenson under joint Contract No 73. dated May 14, 1873 wherein David V Stephenson and James L. Slocum are joint Contractors in the month of July 1873. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they discribe are hereby approved.

Rd (No Signature)
Surveyor General.

Town 22 N. Range 24 W



6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

By Mc Brown

Field Notes
of
The survey and subdivision of
Township No. 22 North of Range
24 West of the 6th P. M.
in the State
of Nebraska
Executed By
James L. Slocum Deputy
Surveyor under Joint Contract
No. 73 dated the 14 day of of
May 1873

Survey

Commenced Aug 4th 1873
Completed Aug 9th 1873

List of Names
of persons Employed to assist
in surveying this Township showing
the respective capacities in which
they acted =

A. M. Forbes } Chainmen
Albert Rowen }
Cyrus Tears } Mound man
John B. Black } Flagman

To determine the proper adjustment of my compass for subdividing this Town-ship I commenced at the corner to Towns 21 & 22 North of the Base Line. Ranges 23 & 24 West 4th P.M. and run North on a Blank line bet secs 36 & 31

Va 13°.15' E

39.97 To a point 6 links East of the 1/4 sec cor

79.92 To a point 11 links East of the cor to secs. 25.30.31 & 36

Therefore to Retrace this line or run a line parallel thereto my Compass must be adjusted to a Va 13°20' E

Township 22 N. Range 24 W

North Bet. Secs. 35 and 36
Va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep deep for cor. to Secs. 25. 26. 35. 36

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on a random line
Bet. Secs. 25 and 36
Va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.
80.25 intersect East boundary of Town. 10 lks North of cor. to secs. 25 & 36 = from which cor. bears
N. 89°. 56' West
On true line bet. Secs. 25 and 36
Va. 13°. 20' E

40.12 1/2 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec cor.

80.25 Cor. to Secs. 25. 26. 35. 36

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North Bet. Secs. 25 & 26
va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs.
23. 24. 25. 26
Land sand hills, 3d rate

Township 22 N. Range 24 W.

East on a random line Bet. Secs. 23 and 24
va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.
80.40 intersect. East Boundary of Township 25 lks. North of cor. to Secs. 23 and 24 = from which cor. I run
N. 89°. ~~50'~~ 49' West
on true line Bet. Secs. 23 and 24
va. 13°. 20' E

40.20 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in 12 in deep for 1/4 sec. cor.

80.40 cor. to Secs. 23. 24. 25. 26

Land sand hills, 3d rate

Township 22 N. Range 24 W.

North bet. Sec. 23 and 24
Va. 13°. 20' E

40.00 Set post 2x3 in. x 4 ft. – 16 in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

17

80.00 Set post 3x3 in. x 4 ft. – 16 ft. in. ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 13. 14. 23. 24

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line bet. Sec. 13 & 24
Va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.
50.48 intersect East Boundary of Township 30 lks North of cor. to Sec. 13 & 24 = from which cor. 2 run
N. 89°. 47' West on
On true line bet. Sec. 13 and 24
Va. 13°. 20' E

40.24 Set post 2 x 3 in. x 4 ft. – 16 ft in ground, deposit charred slate raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
50.48 Cor. to Sec. 13. 14. 23. 24

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North Bet. Secs. 13 and 14
va. 13°. 20' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 14 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in 12 in. deep for cor. to Secs
11. 12. 13. 14
Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line Bet.
Secs. 12 and 13
va. 13°. 20' E

40.00 Set post 2x for temporary 14 Sec. cor.

80.00 intersect East Boundary of Township 35 lks. North of cor. to Secs. 12 and 13 = from which cor. I run S.
N. 89° 45' West on true line
Bet. Secs. 12 and 13
va. 13° 20' E

40.25 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 14 Sec. cor.

80.50 cor. to Secs. 11. 12. 13. 14

Land sand hills, 3rd rate

Township 22 N. Range 24

North Bet. Sec. 11 and 12
va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 1. 2. 11. 12

Land sand hills. 3rd rate

Township 22 N. Range 24 W.

East on a random line Bet. Sec. 1 and 12
va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.

80.31 intersect East Boundary of Township 48 links North of cor. to Sec. 1 and 12 = from which cor. 2 mm
N. 89°. 34' West on true line Bet. Sec. 1 and 12
va. 13°. 20' E

40.15 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.31 Cor. to Sec. 1. 2. 11. 12

Land sand hills. 3rd rate

Township 22 N. Range 24 W.

North on random line
bet. Secs. 1 and 2
va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.

79.10 intersect North Boundary of Township 25 lks. West of cor. to Secs. 1 and 2 — from which cor. I run

South 11' E on true line
Bet. Secs. 1 and 2
va. 13°. 20' E

39.10 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.10 cor. to Secs. 1. 2. 11. 12

Land sand hills, 3d rate
Aug 4th 1873

Township 22 N. Range 24 W.

North bet. Secs. 34 and 35
va. 13°. 20' E

28.00 Sand hills. E. 10

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 26. 27. 34. 35

Land sand hills. 3d rate

Eastern a random line
bet. Sec. 26 and 35
ra. 13°. 20' E

40,00 Set post for temporary 1/4 sec cor.
80,00 intersect N. & S. line 10 ch.
South of cor. to Sec. 25. 26. 35. 36
= from which cor. I run
S. 89°. 56' West
on true line Bet. Sec. 26 and 35
ra 13°. 20' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.

80,00 Cor. to Sec. 26. 27. 34 & 35

Land sand hills, 3d rate

Township 22 N. Range 24 W.

North Bet. Sec. 26 and 27
ra. 13°. 20' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
1/4 Sec. cor.

80,00 Set post 3x3 in. x 4 ft. — 1 ft. in
ground deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep for
cor. to Sec. 22. 23. 26 and 27

Land sand hills, 3d rate

Township 22 N. Range 24 W.

Eastern random line bet. Sec. 23 and 26
Va. 13°. 20' E

40.00 Set post 2x for temporary 1/4 Sec. cor.

79.90 intersect N & S. line 15 lks. North of cor. to Sec. 23.24.25.& 26 = from which cor. I run N. 89°. 54' West on line bet. Sec. 23. 26.
Va. 13°. 20' E

39.95 Sec Set post 2x3in. x 4ft. — 1ft. in ground. deposit charred stoke raise mound of earth 3ft. high from pits 12x24in. x 12in. deep for 1/4 Sec. cor

79.90 Cor. to Sec. 22. 23. 26. 27

Land Same hills. 3rd rate

Township 22 N. Range 24 W.

North bet. Sec. 22 and 23
Va. 13°. 20' E

40.00 Set post 2x3in. x 4ft. — 1ft. in ground, deposit charred stoke raise mound of earth 3ft. high from pits 12x24in. x 12in. deep for 1/4 Sec. cor.

80.00 Set post 3x3in. x 4ft. — 1ft. in ground deposit charred stoke raise mound of earth 3ft. high from pits 12x24. in. x 12in. deep for 1/4 cor. to Sec. 14. 15. 22. 23

Township 22 N. Range 24 W.

East on random line bet. Secs. 14 and 23
va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.

79.67 intersect N & S line 16 lks. South of cor. to Secs. 13. 14. 23. 24 = from which cor. I run S. 89°. 53' West on true line bet. Secs. 14 and 23
va. 13°. 20' E

398 3/4 Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79.67 Cor. to Secs. 14. 15. 22. 23

Land sand hills, 3d rate

Township 22 N. Range 24 W.

North Bet. Secs. 14 and 15
va. 13°. 20' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 10. 11. 14. 15

Land sand hills, 3d rate

Township 22 N. Range 24 W.

East on a random line
Bet. Sec. 11 and 14
Va. 13°. 20' E

40.00 Set post for temporary 1/4 Sec. cor.

80.50 intersect N. and S. line at cor. to Sec. 11. 12. 13 and 14 — from which cor. I run
West on true line bet. Sec. 11 and 14
Va. 13°. 20' E

40.25 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.50 cor. to Sec. 10. 11. 14. 15 —

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North bet. Sec. 10 and 11
Va. 13°. 20' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground. deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 2. 3. 10 & 11

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line Bet.
Sec. 2 and 11
va. 13°. 20' E
for temporary 1/4 cor.

40.00 Set post

80.25 intersect N & S. line 15 lks.
South of cor. to Sec. 1. 2. 11. 12 —
from which cor. I run
S. 89°. 54' W 25
on true line bet. Sec. 2 and 11
va. 13°. 20' E

40.12½ Set post 2 x 3 in. x 4 ft. — 18 in.
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80.25 cor. to Sec. 2. 3. 10 & 11

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

North on random line Bet. Sec. 2 and 3
va. 13°. 20' E

40.00 Set post S for temporary 1/4 Sec.
cor.

80.00 intersect North Boundary of Town.
30 lks. west of cor. to Sec. 2 and 3
— from which cor. I run
South. 13' West on
true line bet. Sec. 2 & 3
va. 13°. 20' E

41.00 Set post 2 x 3 in. x 4 ft. — 18 in. in ground
deposit charred stake raise mound
of earth 3 ft. high from pits 12 x 24 in.
12 in. deep for 1/4 sec. cor.

80.00 cor. to Sec. 2. 3. 10 and 11

Land Sand hills, 3rd rate

Aug 5th 1873

Township 22 N. Range 24 W.

North bet. Secs. 33 and 34
va. 13°. 20' E

25.00 intersect Right Bank of Lamp River 600 lks wide course S.E. and
Set post 4x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth, 3 ft high from pits. 12x24. 12 in deep for M. C. to fractl Secs. 33 & 34.

31.00 Left bank Loup River where Set post deposit
31.00 charred stake, raise mound of earth. 3 ft high from pits, 12x24 in 1 ft deep for M. C. to fractl. secs 33 & 34.

40.00 Set post 2x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for cor. to Secs. 27. 28. 33. 34

Land

Township 22 N. Range 24 W.

East on a random line Bet. Secs. 27 and 34
va. 13°. 20' E

40.00 Set post for temporary 1/4 Sec. cor.
79.75 intersect N. and S. line 21 lks. North of cor. to Secs. 26. 27. 34 & 35 = from which cor. I run
N. 89°. 51' West on true line Bet. Secs. 27 and 34
va. 13°. 20' E

39.87½ Set post 2x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.75 Cor. to Secs. 27. 28. 33. 34

Land sand hills. 3rd rate

Township 22 N. Range 24 W.

North Bet. Sec. 27 and 28
Va. 13°. 20' E

11.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
8.00	Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 21. 22. 27. 28

Land sand hills. 3rd rate

Township 22 N. Range 24 W.

East on a random line bet. Sec. 22 and 27
Va. 13°. 20' E

4.00	Set post for temporary 1/4 sec. cor.
50.30	intersect N. and S. line 23 chs South of cor. to Sec. 22. 23. 26. 27 = from which cor. I run S. 89°. 50 Western true line bet. Sec. 22 and 27

Va. 13°. 20' E

40.15	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.30	Cor. to Sec. 21. 22. 27. 28

Land sand hills. 3rd rate

Township 22 N. Range 24 W.

North 13 ch. Sec. 21 & 22
va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Sec. 15. 16. 21. 22

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

East on a random line Bet. Sec. 15 and 22
va. 13°. 20' E

40.00 Set post for temporary 1/4 Sec. cor.

80.41 intersect N. and S. line 5 chs. North of cor. to Sec. 14. 15. 22. 23 = from which cor. a run N. 89° 58' West on cor. line line Bet. Sec. 15 and 22
va. 13°. 20' E

40.20½ Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.41 cor. to Sec. 15. 16. 21. 22

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

North bet. Secs. 15 and 16
va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. 16 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 9. 10. 15. 16

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on a random line bet. Secs. 10 and 15
va. 13°. 20' E

40.00 Set post for temporary 1/4 sec. cor.
79.85 intersect N. & S. line 16 lks. North of cor. to Secs. 10. 11. 14. 15 — from which cor. I run
N. 89°. 58' West on line
line bet. Secs. 10 and 15
va. 13°. 20' E

39.92 1/2 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.85 cor. to Secs. 9. 10. 15. 16

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North Bet. Sec. 9 and 10
var. 13°. 20' E

14,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for cor. to Secs
3. 4. 9 and 10

Township 22 N. Range 24 W.

East on a random line
Bet. Sec. 3 and 10
var. 13°. 20' E

46,00 Set post for temporary 1/4 Sec. cor.,

80,00 intersect N. and S. line at cor. to Sec. 2. 3. 10 and 11 — from which Cor. 9 run

Western true line
bet. Sec. 3 and 10
var. 13°. 20' E

14,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Cor. to Secs 3. 4. 9. 10

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

North on random line
Bet. Secs. 3 and 4
Va. 13°. 20' E.

40.00 Set post for temporary 1/4 sec. cor.
80.25 intersect N. Boundary of Town. 36 lks. South of cor. to Secs. 3 and 4 = from which cor. 9 mn
South 15' West
on true line bet. Secs. 3 and 4
Va. 13°. 20' E

40.25 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. cor.

80.25 cor. to Secs. 3. 4. 9 and 10

Land Sand hills, 3d rate

Aug 6th 1873

Township 22 N. Range 24 W.

North Bet. Secs 32 and 33
Va. 13°. 20' E

1.00 leave sand hills & enter Lark valley
19.00 intersect Right Bank of Lark River 550 lks. wide course SE. and Set post 3 x 4 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for M. C.
24.50 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for M. C. to 7th Sec. 32 & 33 on left bank of Lark R.

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

45.00 Enter Sand hills, 3d rate

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 28. 29. 32 & 33

Land valley & sand hills, 2d & 3d rate

Township 22 N. Range 24 W.

Eastern random line Bet. Sec. 28 and 33
Va. 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor.

79.88 intersect N. and S. line at cor. to Sec. 27.28.33 & 34 = from which cor. I run

Western true line line Bet. Sec. 28 and 33.
Va. 13° 20' E

39.94 Set post 2 x 3 in. x 4 ft. – 18 in. in ground, deposit charred slabs raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.88 cor. to Sec. 28.29.32.33

Sand Sand hills, 3rd rate

Township 22 N. Range 24 W.

North Bet. Sec. 28 and 29
Va. 13° 20' E

40.00 Set post 2 x 3 in. x 4 ft. – 18 in. in ground, deposit charred slabs raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 18 in. in ground deposit charred slabs raise mound of earth 3 ft. high from pits 12 x 24 in. deep for Cor. to Sec. 20.21.28 & 29

Sand Sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line bet.
Sec. 21 and 28
va. 13°. 20' E

40,00 Set post for temporary 1/4 sec. cor.
79,58 intersect N. and S. line 13 lks.
North of cor. to Sec. 21. 22. 27. 28
— from which cor. run
N. 89°. 54' West
on true line bet. Sec. 21 and 28
va. 13°. 20' E

39,99 Set post 2x3 in. x 4 ft. — 18 in. in ground
deposit charred stoke raise mound
of earth 3 ft. high from pits 12x24 in.
12 in. deep for 1/4 Sec. cor.

79,98 Cor. to Sec. 20, 21, 28, 29

Land Sand hills, 3d rate

Township 22 N. Range 24 W.

North bet. Sec. 20 and 21
va. 13°. 20' E

110,00 Set post 2x3 in. x 4 ft. — 18 in. in
ground, deposit charred stoke
raise mound of earth 3 ft. high
from pits 12x24 in. x 12 in. deep
for 1/4 sec. cor.

80,00 Set post 3x3 in. x 4 ft. — 18 in. in
ground, deposit charred stoke
raise mound of earth 3 ft. high
from pits 12x24 in. x 12 in. deep
for cor. to Sec. 16. 17. 20. 21

Land Sand hills, 3d rate

Township 22 N. Range 24 W.

East on random line bet. Sec. 16 and 21

Var. 13°. 20' E

40,00 Set post for temporary 1/4 Sec. cor.

80,30 intersect N. & S. line at cor. to Sec. 15. 16. 21. 22 — from which cor. 9 mm

West on true line bet. Sec. 16 and 21

Var. 13°. 20' E

40,15 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.

80,30 cor. to Sec. 16. 17. 20. 21

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North on true line bet. Sec. 16 and 17

Var. 13°. 20' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for Cor. to Sec. 8. 9. 16 & 17

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

Easton random line bet.
Sec. 9 and 16
va. 13°. 20' E

40.00 Set post for temporary 1/4
Sec. cor.

80.15 intersect N. and S. line 13 1/2 links
North of cor. to Sec. 9.10.15.16
= from which cor. I use
N. 89°. 54' West on true line
Bet. Sec. 9 and 16
va. 13°. 20' E

40.07 1/2 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
stake raise mound of earth
3 ft. high from pits 12 x 24 in. x
12 in. deep for 1/4 Sec. cor.

80.15 cor. to Sec. 5. 9. 16. 17

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North bet. Sec. 8 and 9
va. 13°. 20' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for cor. to 4. 5. 8 and 9

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line
Bet. Sec. 4 and 9
var. 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor.

50.10 intersect N. & S. line 16 chs. South of cor. to Sec. 3.4.9.10 = from which cor. 9 mm
S. 89° 53' West

on true line Bet. Sec. 4 & 9
var. 13° 20' E

40.05 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.10 ~~cor~~ cor. to Sec. 4.5.8 and 9
Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

North on random line
bet. Sec. 4 and 5
var. 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor.

80.00 intersect North Boundary of Township 15 West of cor. to Sec. 4 and 5 = from which cor. 9 mm
South 6' E on true line Bet. Sec. 4 and 5
var. 13° 20' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 cor. to Sec 4.5.8 and 9
Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

North Bet. Secs. 31 and 32
va. 13°. 20' E

40,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

45,00 leave sand hills Enter valley

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for cor. to Secs. 29. 30. 31. 32

Land sand hills, 3d rate

Aug 7th 1873

Township 22. N. Range 24 W.

East on a random line
Bet. Secs. 29 and 32
va. 13°. 20 E

3,80 intersect right Bank of Loup River + Set post for temporary M.C.

12,30 to ~~Right~~ Left Bank of Loup River + Set post for temporary M.C.

20,00 Enter sand hills N.W. 15. E

40,00 Set post for temporary 1/4 Sec. cor.

80,30 intersect N. S. line 16 lks. North of cor. to Secs. 28. 29. 32. 33 = from which cor. I run

N. 89° 53' West on true line Bet Secs. 29. 32
va. 13°. 20' E

40,15 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred shared stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for + 1/4 cor. +

68,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for M.C. on left bank of Loup River

76,50 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor. on right bank of Loup River

80,30 cor. to Secs. 29. 30. 31. 22

Land valley and sand hills 3d rate

Township 22 N. Range 24 W.

	Western random line bet. Sec. 30 and 31 va. 13°. 20' E
40.00	Set post for temporary 1/4 Sec. cor.
81.00	intersect West Boundary of Township at. cor. to Sec. 30 and 31 = from which cor. I run
	East on true line bet. Sec. 30 and 31 va. 13°. 20' E
40.00	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
81.00	cor. to Sec. 29. 30. 31 & 32
	Land level, 2d rate

Township 22 N. Range 24 W.

	North bet. Sec. 29 and 30 va. 13°. 20' E
2.80	intersect right bank of Lewis River 870 lks. wide course SE and Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a meander cor.
11.50	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for M. C. on left bank of Lewis River
41.00	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor
80.00	Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 19. 20. 29. 30
	Land S

Township 22 N. Range 24 W.

East on a random line bet. Secs 20 and 29
va. 13°. 20' E

40,00 Set post for temporary 1/4 Sec. cor.

80,20 intersect N. and S. line 20 lks. North of cor. to Secs. 20. 21. 28. 29 = from which cor. 2 run
N. 89°. 51' West
on true line bet. Secs. 20 & 29
va. 13°. 20' E

40,10 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,20 Cor. to Secs. 19. 20. 29. 30

Sand Sand hills, 3d. rate

Township 22 N. Range 24 W.

West on a random line bet. Secs. 19 and 30
va. 13°. 20' E

40,00 Set post for temporary 1/4 sec. cor.

80,59 intersect West Boundary of Township at cor. to Secs 19 & 30 from which cor. 2 run
East on true line
Bet. Secs. 19 and 30
va. 13°. 20' E

40,59 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,59 Cor. to Secs. 19. 20. 29. 30

Sand Sand hills, 3d. rate

Township 22 N. Range 24 W.

North Bet. Sec. 19 and 20
va. 13°. 20' E

110,00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.
80,00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 17.18.19 & 20

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

East on random line bet. Sec. 17 and 20
va. 13°. 20' E

40,00	Set post for temporary 1/4 Sec. cor.
79,70	intersect N. and S. line at cor. to Sec. 16.17.20 and 21 = from which cor. I run

West on line line bet. Sec. 17 and 20
va. 13°. 20' E

39,85	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,70	cor. to Sec. 17.18.19.20

Land Sand hills, 3rd rate

Township 22 N. Range 24 W.

West on random line Bet. Secs. 18 and 19

va. 13°. 20' E

40,00 Set post for temporary 1/4 in Sec. cor.

80,54 intersect West Boundary of Township 18 North of cor. to Secs. 18 and 19 — from which cor. I run

N. 89° 52' W East on true line bet. Secs. 18 and 19

va. 13°. 20' E

40,54 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred 8 bbks raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,54 Cor. to Secs. 17. 18. 19. & 20

Land sand hills, 3d rate

Township 22 N. Range 24 W.

North bet. Secs. 17 and 18

va. 13°. 20' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred 8 bbks raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred 8 bbks raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 7. 8. 17. & 18

Land sand hills, 3d rate

Township 22 N. Range 24 W.

East on random line Bet.
Sec. 8 and 17
Var. 13° 20' E

40,00 Set post for temporary 1/4 Sec
cor.

79,48 intersect N. S. line 31 lks.
North of cor. to Sec. 8.9.16.17
from which cor. I run
N. 89° 47' West
on true line Bet. Sec. 8 and 17
Var. 13° 20' E

39,74 Set post 2x3 in. x 4 ft. – 1 ft.
in ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12x24 in. x 12 in. deep
for 1/4 Sec. cor.

79,48 cor. to Secs. 7.8.17.18
Land sand hills, 3rd rate

Township 22 N. Range 24 W.

West on random line Bet.
Sec. 7 and 18
Var. 13° 20' E

40,00 Set post ~~2x~~ for temporary 1/4
Sec

80,63 intersect West Boundary of Town.
35 lks. North of cor. to Secs. 7 and 18
= from which cor. I run
N. 89° 45' East on true
line Bet Sec. 7 and 18
Var. 13° 20' E

40,63 Set post 2x3 in. x 4 ft. – 1 ft. in
ground, deposit charred stake raise
mound of earth 3 ft. high
from pits 12x24 in. x 12 in. deep
for 1/4 Sec. cor.

80,63 cor. to Secs. 7.8.17.18
Land same hills, 3rd rate

Township 22 N. Range 24 W.

North bet. Sec. 7 and 8
va. 13°. 20' E

40,00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set 3x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Cor. to Secs. 5.6.7.8

Sand sand hills, 3d rate

Township 22 N. Range 24 W.

East on a random line bet. Secs. 5 and 8
va. 13°. 20' E

40,00 Set post for temporary 1/4 Sec. cor.

79,40 intersect N. and S. line 51 lks. North of cor. to Secs. 4. 5. 8 and 9 = from which cor. 9 run
North 89°. 38' West
on true line bet. Secs. 5 and 8
va. 13°. 20' E

39,70 Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.

79,40 cor. to Secs. 5.6.7.8
Sand sand hills, 3d rate

Township 22 N Range 24 W.

West on random line bet. Secs. 6 and 7

Var. 13°. 20' E

40,00 Set post for temporary 1/4 sec. cor.

80,60 intersect N. & S. line 50 lks. North of cor. to Secs. 6 and 7 — from which cor. I run

N. 89°. 39' East on true line Bet. Secs. 6 and 7

Var. 13°. 20' E

40,60 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, depart charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,60 cor. to Secs 5. 6. 7. 8

Land sand hills, 3rd rate

Township 22 N. Range 24 W.

North on a random line bet. Secs. 5 and 6

Var. 13°. 20' E

40,00 Set post for temporary 1/4 Sec. cor.

79,51 intersect North Boundary of Township 30 lks. West of cor. to Secs. 5 and 6 — from which cor. I run

South 18' West on true line Bet. Secs. 5 and 6

Var. 13°. 20' E

39,51 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, depart charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79,51 cor. to Secs. 5, 6, 7, 8

Land Sand Hills Soil 3rd Rate

Land Sand hills, 3rd rate

Aug 8th 1873

For Meanders Soup River See pg 65
" General Description page 63
" List of Names page 64
" Oath of Assistants page 69
" Oath of Surveyor page 70
" Sur. Generals Approved pg 72

Township 22 N. Range 24 W.

Meanders come in before General Disc. &c.

General description

This Township in nearly all sand hills — The Leap River runs through the South West part of it some good grass on the River in Sec. 32 & 33

There ~~is~~ are two good groves of ash timber in Sec. 30 one of which contains nearly 40 acres

List of Names

A list of name of Individuals Employed to assist in running ~~and~~ measuring or marking the the lines and corners described in the foregoing field notes of Township No 22 North of the Base line of Range No. 24 West of the 6th P. M. — Showing the Respective Capacities in which they acted.

A. M. Forbes } Chainmen
Albert Rowen }
Cyrus Tewes } Mountman
John B. Black Flagman

Meanders of the Loup river

In Township 22 North range 24 West 6 Pm
Owing to the great amount of Brush & Sloughs on the right Bank of this Stream I commence to meander at the Fifth guide Meridian on the left Bank of Stream in Sec 30 and run thence down Stream in Sec. 30.

Va 13°20' E

Courses	Chains	
N 72° E	10.00	Brush on right Bank
S 42° E	11.00	Grove ash timber
S 47½ E	9.00	" " "
S 79° E	17.00	" " "
S 30° E	13.00	" " "
S 72½ E	8.00	" " "
S 29° E	7.00	" " "
S 70½ E	8.00	Lower End of Grove
— E	15.00	To meander Cor Between Secs 29 & 30. thence in Sec 29.
S 45¼ E	17.00	To meander cor Between Secs 29 & 32

Meanders Continued

Thence in Sec 32, Brush on the Bank

Courses	Chains	
S 45° E	59.00	Brush on right Bank
S 36½ E	4.00	" " " "
S 51° E	3.50	" " " "
S 67½ E	16.00	" " " "
S 77½ E	7.00	" " " "
		To meander cor Between Secs 32 & 33. thence in Sec 33.
S 79½ E	9.50	Brush on Both Banks
N 88° E	19.00	
N 72½ E	12.00	Timber Ash —
N 88° E	8.00	
N 84° E	4.00	
N 71½ E	24.00	
S 50° E	7.40	
S 85° E	27.25	
S 38° E	3.00	
S 6½ E	8.50	
N 84° E	15.00	
S 35½ E	5.00	
S 11½° E	8.00	
S 67½ E	7.00	

Meanders Continued

Courses	Chains	
S 72½ E	15.40	To meander cor. on the South Boundary of 22 & N R 24 West 6 P.M.

August 9th 1873.

We hereby certify that we assisted James L. Slocum Deputy Surveyor in Subdividing and meandering Township No. 22 North of the Baseline Range No. 24 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our Knowledge and belief well surveyed and meandered and the Boundary monuments planted according to the instructions of the Surveyor General

A. M. Forbes } Chainman
Albert Rowen
Cyrus Lee } Moundman
John B. Black Flagman

Subscribed and sworn to by the above named parties before me a Co. Clk in and for Dawson Co. Neb this 16th day of Aug A.D. 1873

J. H. McColl
Co. Clk. Dawson Co
Neb

I James L. Slocum Deputy Surveyor do Solemnly Swear that in pursuance of a Joint Contract wherein James L. Slocum and David V. Stephenson are Joint contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa, bearing date the day of 1873. I have well faithfully and truly in my own proper person and in strict conformity to the Instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed all those parts or portions of township No 22 North of the base line in range No. 24 west of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction + I do further solemnly Swear that all the corners of said survey have been Established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the surveyor General of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes, and that the foregoing are the true and Original Field Notes of such survey.

James L. Slocum
deputy Surveyor

Subscribed to by the Said
James L. Slocum Deputy
Surveyor and sworn to
before me a County Clerk
in and for Dawson Co
Neb. this 16th day of
Aug 1873

J H McColl
County Clerk

S
Surveyor
B
Certificate
Yes

Surveyor Generals
Office

Plattsmouth 1873

The foregoing field notes of the Survey and subdivision of Township No 22 north of the Base Line of Range No 24 West of the 6th P.M. in Nebraska Executed by James L Sloan Deputy Surveyor under joint contract No 173 dated May 14th 1873 wherein James L Sloan and David V Stephenson are joint contractors in the months of June and July 1873 having been critically examined and the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Town 23 N. Range 24 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes

of the subdivisions of Township 23 North of Base line and Range 24 West of 6" principal Meridian In the State of Nebraska

Surveyed by Deputy Surveyor under Joint Contract No. 76" bearing date of May 10th 1873 wherein Geo. T. Kendall and Guy C Barton are joint contractors with E Ellenningham United States Surveyor General for the District of Iowa and Nebraska.

Survey commenced August 14 1873.

Survey completed August 17th 1873

A list of Names of Assistants and the capacity in which they acted

John Mangold } Chainmen
Henry Heib }

David W. Davidson } Moondmen
Esau Beldin ! } Flagmen

Township 23 North Range 24 West

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to Townships 22 & 23 North Range 23 & 24 West and ran North on a Blazed line along the East boundary of sec. 36.

Va 13°.10 East

40.04 To a point 8 links west of quarter sec. cor.

80.08 To a point 25 links west of corn. sections 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a

Va 13°.00 E

Subdivision commenced

Aug 14th 1878

Township 23 North Range 24 West

From the corner to sections 1 & 2 35 & 36 on the South Boundary of this Township I run North Between sections 35 & 36

Va 13°.00 East

40.00 Set post - 2 + 2 ins. 4 feet - in length set 12 ins. deep. Deposited charred stake and raised mound of earth 2½ feet - high from pits 18 + 18 ins. and 12 ins. deep as per instructions for quarter sec. cor.

80.00 Set post - 4 + 4 ins. 4 feet - in length set 12 ins. deep. Deposited charred stake and raised mound of earth 2½ feet - high from pits 18 + 18 ins. and 12 ins. deep as per instructions for sec. cor. to sections 25 & 26. 35 & 36.

Land
Rolling and hills
Worthless

Township 23 North Range 24 West

East on random line
Between sections 25 & 36
Va 13°00' E

40.00	set post for temporary quarter sec. cor.
79.98	Intersect East Boundary of Township 8 links south of post corner to sections 25 & 36. From which cor. I run South 89.57 West on a true line between secs 25 & 36 Va 13°00'
39.99	set post 2+2 ins 4 feet in length set 12 ins deep. Defined chained stake and raised mound of earth 2½ feet high from pits 18+18 ins and 12 ins deep as per Instructions for quarter sec. cor
79.98	To the corner to sections 25 & 26. 35 & 36.

Land
Gently rolling
3rd rate

Township 23. North Range 24. West

North Between sections
25 & 26.
Va 13°00' E

40.00	set post 2+2 ins 4 feet in length set 12 ins deep. Defined chained stake and raised mound of earth 2½ feet high from pits 18+18 ins and 12 ins deep as per Instructions for Quarter sec. cor.
80.00	set post 4+4 ins 4 feet in length set 12 ins deep. Defined chained stake and raised mound of earth 2½ feet high from pits 18+18 ins and 12 ins deep as per Instructions for sec. cor. to sections 23 & 24. 25 & 26.

Land
Rolling sandy bluffs
Worthless

Township 23 North Range 24 West

East on random line
Between sections 24 & 25
Va 13°05' E

40.00 set post for temporary quarter
sec. cor.

79.96 Intersect East Boundary
of Township 4 links North
of post corner to sections
24 & 25. From which cor. I run
North 89°58' West on a
true line Between secs 24 & 25 / Va 13°06' E

39.98 set post 2 + 2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 + 18 in.
and 12 in. deep as pr.
Instructions for quarter
sec. cor.

79.96 To the corner of sections
23 & 24. 25 & 26.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 West

North Between sections
23 & 24.
Va 13°05' E

40.00 set post 2 + 2 in. 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound
of earth 2 1/2 feet high from
pits 18 + 18 in. and 12 in. deep
as pr. Instructions for
quarter section corner.

80.00 set post 4 + 4 in. 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound
of earth 2 1/2 feet high
from pits 18 + 18 in. and 12 in.
deep as pr. Instructions for
sec. cor. to sections
13 & 14. 23 & 24.

Land
High sand hills
Worthless

Township 23 North Range 24. West

East on random line
Between sections 13 & 24.
Va 13°.05' E

40.00 Set post for temporary quarter sec. cor.

80.00 Intersect East Boundary of Township 14. links South of post corner to section 13 & 24. From which cor. I run South 89°.54 West on a true line between sec 13 & 24. Va 13°.05' E

40.00 Set post 2+2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 To the corner of sections 13 & 14. 23 & 24.

Land
Rolling sand hills
3rd rate

Township 23. North Range 24 West

North Between sections 13 & 14
Va 13°.05' E

40.00 Set post 2+2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in. and 12 in. deep as per Instructions for quarter section corner.

80.00 Set post 4+4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in. and 12 in. deep as per Instructions for sec. cor. to sections 11 & 12. 13 & 14

Land.
Rolling sand
Worthless

Township 23. North Range 24 W.

East on random line
Between sections
12 & 13.

Va 13.05

4000 set post for temporary quarter
sec. cor.

80.10 Intersect East Boundary
of Township 15 links South
of post-corner to sections
12 & 13. From which cor. from
South 89.53 West on a
true line between sec 12 & 13 Va 13.05 E

40.05 set post 2+2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18+18 in.
and 12 in. deep as per
Instructions for quarter
sec. cor.

80.10 To the corner of sections
11 & 12. 13 & 14

Land
High rolling sand hills
Worthless

Township 23 North Range 24 West

North Between sections
11 & 12

Va 13.05 E

4000 set post 2+2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18+18 in.
and 12 in. deep as per
Instructions for quarter
sec. cor.

80.00 set post 4+4 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18+18 in.
and 12 in. deep as per
Instructions for sec. cor.
to sections 1 & 2. 11 & 12.

Land
High rolling sand
hills
Worthless

Township 23. North Range 24 W.

East on random line
Between sections 1 & 12
Va 13°10' E

40.00 Set Post for temporary quarter
Sec. cor.

80.20 Intersect East Boundary of
Township 12 links North
of Post corner to sections
1 & 12. From which cor. I run
North 89°55' West on a
true line Bet Sec. 1 & 12 {Va 13°10' E}

40.10 Set Post 2+2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in
and 12 in deep as per
Instructions for quarter
Sec. cor.

80.20 To the corner of sections
1 & 2. 11 & 12.

Land
Rolling sand hills
Worthless

Township 23 North Range 24 W.

North on random line
Between sections 1 & 2
Va 13°05' E.

40.00 Set Post for temporary quarter
Sec. cor.

78.00 Enter Sand River bottom bears S.E. & N.W.

80.10 Intersect North Boundary of
Township 14 links West
of Post corner to sections
1 & 2 from which cor. I run
South 00°06' West on a true
line Bet Sec. 1 & 2. Va 13°05' E

40.10 Set Post 2+2 in 4 feet in length
Set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in
and 12 in deep as per
Instructions for quarter
Sec. cor.

80.10 To the corner of sections
1 & 2.

Land
Rolling sand hills
3rd rate

Township 23. North Range 24. West

North. Between sections 34 & 35.

Va 13°.05' E.

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. 26 & 27. 34 & 35.

Land
Rolling Sandy
3rd rate

Township 23 North Range 24 West

East on random line Between sections 26 & 35

Va 13°.10' E

40.00 Set post for temporary quarter sec. cor.

80.16 Intersect North and South line 6 links North of post corner to sections 25 & 26. 35 & 36. from which cor. Gen North 89°.57 West on a true line Bet Sec. 26 & 35. Va 13°.10' E

40.08 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.16 To the corner of sections 26 & 27. 34 & 35

Land
Gently rolling 3rd rate

Township 23 North Range 24 West

North Between sections 26 & 27

Va 13°10' E.

40.00 Set post 2+2 ins 4 feet in length set 12 ins deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 ins and 12 ins deep. as per Instructions for quarter sec. cor.

80.00 Set post 4+4 ins 4 feet in length set 12 ins deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 ins and 12 ins deep as per Instructions for sec. cor. to sections 22 & 23. 26 & 27

Land
Rolling Sandy
Worthless

Township 23 North Range 24 West

East on random line Between sections 23 & 26

Va 13°10' E.

40.00 Set post for temporary quarter sec. cor.

80.10 Intersect North and south line 4 links North of post corner to sections 23 & 24. 25 & 26 from which cor I run North 89.57 West on a true line bet Sec. 23 & 26 Va 13°10' E.

40.05 Set post 2+2 ins 4 feet in length set 12 ins deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 ins and 12 ins deep as per Instructions for quarter sec. cor.

80.10 To the corner of sections 22 & 23. 26 & 27.

Land
Rolling Sandy
3rd rate

Township 23. North Range 24. West

North Between sections 22 & 23.

Va 13°.10' E.

40.00 Set Post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 Set Post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 14 & 15. 22 & 23.

Land
High rolling sand hills

[illegible]

Township 23 North Range 24 West

East on random line Between sections 14 & 23.

Va 13°.10' E.

40.00 Set Post for temporary quarter sec. cor.

80.06 Intersect North and south line 9 links North of post corner to sections 13 & 14. 23 & 24 from which cor. I run North 89°.56' West on a true line Bet Sec. 14 & 23 Va 13°.10' E.

40.08 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.06 To the corner of sections 14 & 15. 22 & 23.

Land
Rolling sandy 3rd rate

Aug 14 1873

Township 23. North Range 24 W.

North Between sections 14 & 15.

Va 13.10 E.

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited, charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections. 10 & 11. 14 & 15.

Land
High rolling sand hills
Worthless

Township 23 North Range 24 West

East on random line Between sections 11 & 14

Va 13.10 E

40.00 set post for temporary quarter sec. cor.

79.98 Intersect North and South line 8 links North of post-corner to sections 11 & 12, 13 & 14 from which cor. Inter North 89°.57' West on a true line bet sec. 11 & 14 Va 13.10 E

39.99. set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

79.98 To the corner of sections 10 & 11. 14 & 15.

Land
Rolling sand hills
Worthless

Township 23. North Range 24 W.

North Between sections 10 & 11.

Va 13°.15'-E

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for sec. cor. to sections 2 & 3. 10 & 11

Land

High rolling sand hills

Worthless

Township 23 North Range 24 West

East on random line Between sections 2 & 11

Va 13°.10' E.

40.00 set post for temporary quarter sec. cor.

80.12 Intersect North and south line 14 links South of post corner to sections 1 & 2. 11 & 12 From which cor. I run South 89°.54' West on a true line bet Sec 2 & 11 {Va 13°.10' E}

40.06 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.12 To the corner of sections 2 & 3. 10 & 11.

Land.

Gently rolling 3rd rate

Township 23. North Range 24. West

North on random line
Between sections 2 & 3
Va 12°15' E

4.00 set post for temporary quarter
sec. cor.

8.25 Intersect North Boundary
of Township 20 links
East of post corner to
sections 2 & 3. from which cor. bears
South 89½ East on a true
line bet Sec. 2 & 3 Va 13°15' E

4.25 set post 2 x 2 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 x 18 in
and 12 in deep as per
Instructions for quarter
Sec. cor.

8.25 To the corner of sections 2, 3,
10 & 11

Land
Rolling sandy
3rd rate

Township 23. North Range 24 West

North Between sections
33 & 34.

Va 13°15' E.

4.00 set post 2 x 2 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 x 18 in
and 12 in deep as per Inst
ructions for quarter sec. cor.

8.00 set post 4 x 4 in 4 feet in
length, set 12 in deep.
Deposited charred stake
and raised mound of
earth 2½ feet high from
pits 18 x 18 in and 12 in deep
as per Instructions for
~~quarter~~ ~~sec. cor.~~
~~8.00~~ corner of sections
27 & 28. 33. & 34.

Land
Rolling sand hills
3rd rate

Township 23. North Range 24 West

East on random line
Between sections 27 & 34
Va 13°15' E.

40.00 set post for temporary quarter sec. cor.

80.04 Intersect North and south line 14 links North of post corner to sections 26 & 27. 34 & 35 from which cor. I run

~~40.02 set post 2+2 in 4 feet in length~~
North 89°.54' West on a true line bet Sec 27 & 34 Va 13°15'

40.02 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr. Instructions for quarter sec. cor

80.04 To the corner of sections 27 & 28. 33 & 34.

Land
Rolling sand hills
3rd rate

Township 23. North Range 24. West

North Between sections 27 & 28
Va 13°15' E.

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr Instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as pr Instructions for Sec. cor. to sections 21 & 22. 27 & 28.

Land
Rolling sand hills
Worthless

Township 23. North Range 24. W

East on random line
Between sections 22 &
27.

Va 13°15' E

40.00 set post for temporary quarter
sec. cor.

80.00 Intersect North and south
line 9. links North of
post-corner to sections
22 & 23. 26 & 27 from which cor
I run North 89°. 56' West on a
true line bet Sec 22 & 27 Va 13°15' E

40.00 set post 2+2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in.
and 12 in. deep. as per
Instructions for quarter
sec. cor.

80.00 To the corner of sections
21 & 22. 27 & 28.

Land
Rolling sand hills
Worthless

Township 23. North Range 24. West

North Between sections
21 & 22

Va 13°15' E

40.00 set post ~~for~~ 2+2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in.
and 12 in. deep as per
Instructions for quarter
sec. cor.

80.00 set post 4+4 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in.
and 12 in. deep as per
Instructions for sec. cor.
to sections 15 & 16.
21 & 22.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 West

East on random line Between sections 15 & 22.

Va 13°15' E.

40.00 set post for temporary quarter sec. cor.

80.15 Intersect North and south line 16 links North of post-corner to sections 14 & 15. 22 & 23, from which cor. Run North 89°.5'-3 West on a true line bet Sec. 15 & 22. Va 13°15' E.

40.08 set post 2 + 2 in. + feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep. as per Instructions for quarter sec. cor.

80.16 To the corner of sections 15 & 16. 21 & 22

Land Rolling Sandy worthless

Township 23. North Range 24 West

North Between sections 15 & 16.

Va 13°.15' E.

40.00 set post 2 + 2 in. + feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 set post 4 + 4 in. + feet in length. set 12 in. deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for sec. cor. to sections 9 & 10. 15 & 16

Land Rolling Sandy Worthless

Township 23 North Range 24 West

East on random line
Between sections 10 & 15
Va 13°.15' E

40.00 Set post for temporary quarter
sec. cor.

80.10 Intersect North and South
line 8 links North of
post corner to sections
10 & 11 14 & 15 from which cor. I am
North 89.57 West and
true line set Sec 10.15 Va 13°.15' E

40.05 Set post 2+2 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18+18 in
and 12 in deep as per
Instructions for quarter
sec. cor.

80.10 To the corner of sections
9 & 10. 15 & 16.

Land
High sand hills
worthless

Township 23 North Range 24 West

North. Between sections
9 & 10
Va 13°.15' E

40.00 Set post 2+2 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½
feet high from pits
18+18 in and 12 in deep as
per Instructions for quar-
ter sec. cor.

80.00 Set post 4+4 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2½
feet high from pits
18+18 in and 12 in deep
as per Instructions for
sec. cor to sections
3 & 4. 9 & 10.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 West

East on random line
Between sections
3 & 10

Va 13°15' E

40.00 set post for temporary quarter
sec. cor.

80.00 Intersect North and south
line 4 links North of
post corner to sections
2 & 3. 10 & 11. from which cor. I run
North 89°58' West on a
true line bet Sec. 3 & 10 Va 13°15' E

4.00 set post 2 + 2 in 4 feet in length
set 12 in deep. Deposited
charred stake and raised
mound of earth 2 1/2 feet
high from pits 18 + 18 in
and 12 in deep as for
instructions for quarter
sec. cor.

80.00 To the corner of sections
3 & 4. 9 & 10.

Land
Gently rolling sand
hills — 3rd rate

Township 23 North Range 24 West

North on random line
Between sections. 3 & 4.

Va 13°15' E

40.00 set post for temporary
quarter sec. cor.

80.20 Intersect North Boundary
of Township. 10 links
East of post corner to
sections 3 & 4. from which cor I run
South 0°0'4 East on a true
line bet Sec. 3 & 4 Va 13°15' E

40.20 set post 2 + 2 in 4 feet in length
set 12 in deep Deposited
charred stake and
raised mound of earth
2 1/2 feet high from pits
18 + 18 in and 12 in deep as
for instructions for quar-
ter sec. cor.

80.20 To the corner of sections
3 & 4. 9 & 10

August 15 1873.

Land
High sand hills
worthless

Township 23 North Range 24 West

North Between sections 32 & 33.

Va 13°15' E.

4 " " " set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

8 " " " set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 28 & 29. 32 & 33.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 West

East on random line Between sections 28 & 33.

Va 13°15' E

40 " " set post for temporary quarter sec. cor.

80.00 Intersect North and south line 14 links North of post corner to sections 27 & 28. 33 & 34 from which, cor. I run North 89°.54. West on a true line bet. Sec 28 & 33. Va 13°15' E

4 " " " set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

8.00 To the corner of sections 28 & 29. 32 & 33.

Land
Rolling sandy
northlap

Township 23 North Range 24 West

North Between sections 28 & 29.

Va 13°15' E.

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited. charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 set post 4 & 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet, high from pits 18+18 in and 12 in deep as per instructions for sec. cor. to sections 20 & 21. 28 & 29

Land
Rolling sand hills
Worthless

Township 23 North Range 24 West

East on random line Between sections 21 & 28.

Va 13°15' E

40.00 set post for temporary quarter sec. cor.

79.94 Intersect North and south ~~from which cor. & sub~~ line 15 links North of post corner to sections 21 & 22, 27 & 28 from which cor. & sub North 89.54 West on a true line but Sec. 21.5.28. Va 13°15' E

39.97 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

79.94 To the corner of sections 20 & 21. 28 & 29.

Land
Rolling sandy
Worthless

Township 23. North Range 24 West

North Between sections 20 & 21

Va 13°.15' E

40.00 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

80.00 set post 4 + 4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for sec. cor. to sections 16 & 17. 20 & 21

Land
High sand hills
Worthless

Township 23 North Range 24 West

East on random line Between sections 16 & 21

Va 13°.15' E.

40.00 set post for temporary quarter sec. cor.

79.90 Intersect North and south line. 8 links North of post corner to sections 15 & 16, 21 & 22, from which cor I run North 89°.57' West on a true line bet. Sec 16 & 21 Va 13°.15'

39.95 set post 2 + 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 + 18 in. and 12 in. deep as per Instructions for quarter sec. cor.

79.90 To the corner of sections 16 & 17, 20 & 21.

Land
Rolling sandy
3rd rate

Township 23 North Range 24 West

North Between sections 16 & 17

Va 13°15' E.

40,00 set post 2 x 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in. and 12 in. deep as per instructions for quarter sec. cor.

80,00 set post 4 x 4 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in. and 12 in. deep as per instructions for sec. cor. to sections 8 & 9. 16 & 17.

Land

Rolling sandy

Worthless

Township 23 North Range 24 West

East on random line Between sections 9 & 16,

Va 13°15' E.

40,00 set post for temporary quarter sec. cor.

80,00 Intersect North and south line. 18 links North of post-corner to sections 9 & 10. 15 & 16 from which cor. bears North 89.52 West on a true line bet. Sec. 9 & 16 Va 13°15' E.

40,00 set post 2 x 2 in. 4 feet in length set 12 in. deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in. and 12 in. deep as per instructions for quarter sec. cor.

80,00 To the corner of sections 8 & 9. 16 & 17.

Land

High rolling sand hills

Worthless

Township 23 North Range 24 West

North Between sections 8 & 9.

Va 13°.15' E.

40.00 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for quarter sec. cor.

80.00 set post 4 x 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for sec cor. to sections 4 & 5 - 8 & 9.

Land

High sand hills.
Worthless

Township 23. North Range 24 West

East on random line Between sections 4 & 9.

Va 13°.15' E.

40.00 set post for temporary quarter sec. cor.

79.90 Intersect North and south line. 17 links North of post corner to sections 3 & 4. 9 & 10 from which cor. Irrea North 89°.5' 3 West on a true line bet Sec. 4 & 9. Va 13°.15' E.

39.95 set post 2 x 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 x 18 in and 12 in deep as per instructions for quarter sec. cor.

79.90 To the corner of sections 4 & 5. 8 & 9.

Land

Rolling sand hills
3rd rate

Township 23. North Range 24 West

North on random line
Between 4 & 5.

Va 13°.15' E.

40.00 Set post for temporary quarter sec. cor.

80.25 Enter sect. North Boundary of Township 20 links East of post corner to sections 4 & 5 from which cor

Inv South 00°.09' East on a true line bet Sec. 4 & 5 Va 13°.15' E

40.25 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.25 To the cor of sections 4 & 5. 8 & 9.

Land
High sand hills
worthless

Township 23. North Range 24 West

North Between sections 31 & 32.

Va 13°.15' E

40.00 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 29 & 30. 31 & 32

Land
High sand hills
worthless

Township 23. North Range 24 W.

East on random line
Between sections
29. & 32

Va 13°.15' E.

40.00 set post for temporary quarter
~~79.85~~ sec. cor.
79.85 Intersect North and south
line 12 links North of
post corner to sections
28 & 29. 32 & 33. from which
cor. I run North 89°.55' West on a
true line bet Sec 29 & 32. Va 13°15' E
39.92 set post 2 + 2 in. 4 feet in length
set 12 in. deep. Deposited
charred stake and raised
mound of earth 2½ feet
high from pits 18 + 18 in.
and 12 in. deep. as per
Instructions for
quarter sec. cor.
79.85 To the corner of section
29 & 30. 31 & 32.

Land
Rolling sandy northlep

Township 23. North Range 24 W.

West on random line
Between sections 30 & 31

Va 13.20 E.

40.00 set post for temporary quarter
sec. cor.
81.40 Intersect West Boundary of Town-
ship 30 links North of post on
the 3rd "Guide Meridian", corner
to sections 30 & 31 from which cor. I
run North 89°.47' East on a true
line bet Sec. 30 & 31 Va 13°20' E
41.40 set post 2 + 2 in 4 feet in length
set 12 in. deep. Deposited charred
stake and raised mound
of earth 2½ feet high from
pits 18 + 18 in. and 12 in. deep
as per Instructions for
quarter sec. cor.
81.40 To the corner of sections
29. & 30. 31 & 32.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 W.

North Between sections 29 & 30

Va 13°.15' E

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor

80.00 set post 4+4 in 4 feet in length set 12 deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for sec. cor to sections 19.820.29 & 30

Land

High sand hills
Smith Lefr

Aug 16 1873

Township 23 North Range 24 W.

East on random line Between sections 20 & 29.

Va 13°.15' E

40.00 set post for temporary quarter sec. cor.

80.06 Inter sect North and South line 8 links north of post corner to sections 21 & 20. 28 & 29, from which cor. Inter North 89°.57 West on a true line bet Sec. 20 & 29 Va 13°.15' E

40.03. set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per instructions for quarter sec. cor.

80.06. To the corner of sections 19 & 20. 29 & 30.

Land

High sand hills
Smith Lefr

Township 23. North. Range 24 West

West on random line
Between sections 19 & 30
Va 13.20 E.

40.00 Set post for temporary quarter sec. cor.

81.35 Intersect West Boundary of Township 20 links North of post on the 3rd Guide Meridian, corner to sections 19 & 30 from which 8 cor. Iron
North 89.51 East on a true line bet Sec. 19 & 30 Va 13.20 E

41.35 Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec. cor.

81.35 To the corner of sections 19. 20. 29 & 30.

Land
Rolling sand hills
3rd rate

Township 23. North Range 24 West

North Between sections 19 & 20.
Va 13.15 E

40.00 Set post 2 & 2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 Set post 4 & 4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18 & 18 in and 12 in deep as per Instructions for sec. cor. to sections 17 & 18. 19 & 20.

Land
Gently rolling sandy
3rd rate

Township 23. North Range 24 West

East on random line
Between sections 17 & 20
Va 13.15 E.

40.00 set post for temporary quarter
sec. cor

80.10 Intersect North and south
line 12 links North of
post - corner to sections -
16 & 17. 20 & 21, from which cor
bears North 89.55 West on a
true line bet Sec. 17 & 20 Va 13.15
40.05 set post - 2 x 2 ins 4 feet in length
set 12 ins deep deposited
charred stake and
raised mound of earth
2 1/2 feet high from pits
18 x 18 ins and 12 ins deep
as per Instructions
for quarter sec. cor.

80.10 To the corner of sections
17 & 18. 19 & 20

Land
Rolling sand hills
worthless

Township 23. North Range 24 West

West on random line
Between sections
18 & 19.
Va 13.25 E.

40.00 set post for temporary quarter
sec. cor.

81.25 Intersect West Boundary of
Township 15 links North of
post - on the 3rd Guide Meridian
corner to sections 18 & 19 from which
cor bears North 89.54 East on a
true line bet Sec. 18 & 19. Va 13.25 E
41.25 set post - 2 x 2 ins 4 feet in length
set 12 ins deep. deposited charred
stake and raised mound of
earth 2 1/2 feet high from
pits 18 x 18 ins and 12 ins deep
as per Instructions for
quarter sec. cor.

81.25 To the corner of sections
17 & 18. 19. & 20

Land
Rolling sandy
3rd rate

Township 23. North Range 24 West

North Between sections 17 & 18

Va 13°20' E

40.00 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.00 set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for sec. cor. to sections 7 & 8. 17 & 18.

Land
High sand hills
Worthless

Township 23. North Range 24. West

East on random line Between sections 8 & 17

Va 13°15' E.

40.00 set post for temporary quarter sec. cor.

80.15 Intersect North and south line 8 links North of Post-corner to sections 8 & 9. 16 & 17 from which cor. I. run North 89.57 West on a true line bet Sec 8 & 17 Va 13°15' E

40.07 set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 in and 12 in deep as per Instructions for quarter sec. cor.

80.15 To the corner of sections 7 & 8. 17 & 18.

Land
Rolling sand hills
3rd rate

Township 23 North Range 24 West

West on random line
Between sections
7 & 18

Va 13°25' E

40.00 Set post for temporary quarter sec. cor.

81.20 Intersect West Boundary of Township 10 links North of post on the 3rd Guide Meridian corner to sections 7 & 18 from which cor. I reg.
North 89.54 East on a true line bet Sec. 7 & 18. Va 13°25' E

41.20 Set post 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as pr instructions for quarter sec. cor.

81.20 To the corner of sections 7 & 8. 17 & 18.

Land
Rolling sandy
3rd rate

Township 23 North Range 24 West

North Between sections
7 & 8.

Va 13°20' E

40.00 Set post ~~for~~ 2+2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from ~~earth~~ pits 18+18 in and 12 in deep as pr instructions for quarter sec. cor.

80.00 Set post 4+4 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18+18 in and 12 in deep as pr instructions for sec. cor.
5 & 6. 7 & 8.

Land
High sand hills
Worthless

Township 23. North Range 24 West

East on random line
Between sections 5 & 8.
Va 13°15' E.

40.00 Set post for temporary quarter sec. cor.

80.20 Intersect North and south line 16 links North of post corner to sections 4 & 5. 8 & 9, from which cor I run North 89°. 53' West on a true line bet Sec 5 & 8. Va 13°15'

40.00 Set post 2 x 2 ins 4 feet in length set 12 ins in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 ins and 12 ins deep as per Instructions for quarter sec. cor.

80.70 To the corner to sections ~~4 & 5. 8 & 9~~ 5 & 6. 7 & 8.

Land
Rolling sand hills
worthless

Township 23. North Range 24 West

West on random line
Between sections 6 & 7.
Va 13°25' E.

40.00 Set post for temporary quarter sec. cor.

81.18 Intersect West Boundary of Township 14 links south of post on the 3rd Guide Meridian. corner to sections 6 & 7 from which cor I run South. 89°. 54' East on a true line bet Sec. 6 & 7. Va 13°25' E

41.18 Set post 2 x 2 ins 4 feet in length set 12 ins deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 ins and 12 ins deep as per Instructions for quarter sec. cor.

81.18 To the corner of sections 5 & 6. 7 & 8.

Land
Gently rolling sand hills
3rd rate

Township 23. North Range 24 West

North on random line
Between sections 5 & 6.
Va 13°20' E

40.00 Set post for temporary quarter sec. cor.

80.16 Intersect North Boundary of Township 12 links West of post corner to sections 5 & 6 from which cor. I run South 00°00'5 West on a true line bet Sec 5 & 6. Va 13°20' E

40.16 Set post 2+2 ins 4 feet in length set 13 ins deep. Deposited charred stake and raised mound of earth 2 1/2 feet high from pits 18+18 ins and 12 ins deep as per Instructions for quarter sec cor.

80.16 To the corner of sections 5 & 6. 7 & 8.

Aug 17. 1873.

Land
High sand hills
Worthless

General Description
With the exception of a portion of sec 1 in the North East This Township is rolling sand hills of third rate soil and only good for a small amount of grazing without timber or water

A List of names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township 23 North of the base line and of Range 24 West of the 6th Principal Meridian showing the respective capacities in which they acted

John Mongold } chainmen
Henry Hieb }

David W. Davidson Monumentman
Esau Belden Flagman

We hereby certify that we assisted Geo. T. Kindall Deputy Surveyor in Surveying and subdividing of Township No. twenty three (23) North of the base line of Range twenty four (24) West of the 6th principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

John Mangold Chainman
Henrich Hub Chainman
Dwm Davidson Mound man
Esau Belden Flagman

Subscribed to by the above named persons before me a Clerk in and for Howard County in the State of Nebraska this the 16th day of September 1873

J. C. Lewis
Clerk Howard
Co Neb

I George F Kendall Deputy surveyor do solemnly swear that in pursuance of a joint contract wherein Geo F Kendall and G Guy C Barton were joint contractors with E E Cunningham Surveyor Gen for the State of Nebraska and I am bearing date the 10 day of May A D. 1873 I have well and faithfully and truly and in my own proper person and in strict conformity with the instructions furnished me by the Surveyor Gen the surveying manual and the laws of the United States surveyed all those

parts and portions of Town 23 N of the base line of Range 24 West of the 6 Principle Meridian as are represented to have been surveyed under my direction I do further solemnly swear that all the corners of said survey have been established in strict accordance with the surveying manual printed instructions and specials instructions of the Surveyor Gen of dimension character construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing is the true and original field notes of such survey

Geo F Kendall Deputy Surveyor

Subscribed by said Geo F Kendall and sworn to before me a Notary Public for the Co of Cass the State of Nebraska on this the Eleventh day of November AD 1873

Thos Pollock
Notary Public

Surveyor General's Office
Plattsmouth 1873

The foregoing field notes of the survey & subdivision of Township No 24 North of the Base line of Range No. 21 West of the 6th P. M in Nebraska, executed by Geo. T. Kendall, under joint contract No. 76. dated May 10 1873 wherein Geo. T. Kendall and Benj. C. Barton are joint-contractors, in the months of July & August 1873. having been critically examined, the necessary corrections and explanations made thereon, the field notes & the survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Town 24 N. Range 24 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	41	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	4	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Note

Of the subdivisions and meanders of North Loup River in Township 24th North of Base line and Range 24 West of 6" principal Meridan in the State of Nebraska surveyed by George T. Kendall Deputy Surveyor under Joint contract No. 76. bearing date of May 10th 1873 wherein George T Kendall and Guy C Barton are Joint contractors with E. E. Cunningham United States Surveyor General for the district of Iowa & Nebraska

Survey commenced Aug 22" 1873
Survey completed " Aug 26 1873

A list of Names of Assistants and the capacity in which they acted

John Mangold } Chainmen
Henry Heib }
David W. Davidson Moondman
Easa Be[illegible]in Flaymen

Township 24 North Range 24 West

To determine the proper adjustment of my compass for subdividing this Township. I commenced at the corner to Township 23 & 24 North Range 23 & 24 West and ran North on a Blank line along the East Boundary of sec. 36.

Va 13° 26' E

40.16 To a point 4 links East of quarter sec. cor.

80.15 To a point 14 links East of sec corner to sections 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a

Va 13° 26' E.

Subdivision commenced August 22nd 1873

Township 24 North Range 24 West

From the corner to sections 1 & 2, 35 & 36, on the South Boundary of this Township I ran North between sections 35 & 36.

Va 13° 26' E

41.11 Set post 2x2 in 4 feet in length set 12 in deep. Deposited charred stake and raised mound of earth 2½ feet high from pits 18 x 18 in and 12 in deep. as per instructions for quarter sec. cor.

50.00 Enter 1st Bottom Bears E. & W.

61.00 Set post 2x2 in 4 ft 18 in in ground Deposit charred stake raise mound of earth from pits 18 x 24 in 12 dep. for meander cor. to Right Bank of North Loupe River

65.70 Set post 2x2 in 4 ft 18 in in ground deposit charred stake and raise mound of earth from pits 18 x 24 in 12 in dep for meander cor. to Left Bank North Loupe River

80.00 Set post 4x4 in 4 ft long 18 in in ground, Deposit charred stake and raised mound of earth from pits 18 x 24 in 12 in dep for cor. to Sections 25 & 26. 35 & 36

Land

Gently Rolling Bottom & 2nd rate

Township 24 North Range 24 West

East on Random line
Bet Sections 25 & 36.
Va 13°.26' E

40.00 set temporary 1/4 sec. cor

47.75 Set temporary meander cor.
for left Bank North Loop River

52.00 set temporary meander cor. for right Bank No Loop River

79.80 Intersect cor. to Sections 25 & 36. 7 lks N. N 89.67

27.80 set post 3 cor. (3+3) in 4 ft long set in ground. 12 in deep. Deposited charred stake and raised mound from pits 12 + 24 12 in deep for meander cor. to Right bank No Loop River

32.05 set 3 cor. post (3+3) in 4 ft set 12 in in ground. deposited charred stake and raised mound of earth from pits 12 + 24 in 12 in deep for meander cor. on left bank of North Loop River

39.90 Set post 3+3 in 4 ft set 12 in ground Deposited charred stake and raised mound of earth from pits 12 + 18 in 12 in deep for 1/4 Sec cor.

79.80 to cor. of Sections 25 & 26 35 & 36.

Land level & 1st rate

Township 24 N. R. 24 West

North Bet. Sections 25 & 26
Va 13°.20' E

40.00 Set post 2+2 in 4 ft set 12 in deep Deposited charred stake and raised mound of earth from pits 18 + 18 in 12 in deep for 1/4 sec cor.

67.00 Creek 30 links wide runs S.E.

72.00 Creek 30 links wide runs S.W.

73.90 Creek 30 links wide runs S.E.

75.00 enter Bluffs Bears N.W. & S.E.

80.00 Set post 3+3 in 4 ft set 12 in deep Deposited charred stake and raised mound of earth 3 ft high from pits 18 + 24 in 12 in deep for cor. to Sections 23 & 24 25 & 26.

Land rolling Bottom 2nd rate
Land Bluffs 3rd rate

Township 24 N. R. 24 West.

East on random line
Bet Sections 24 & 25
Va. 13°.26' E

4000 Set temporary 1/4 sec cor.
79.60 Intersect cor. to sections 24 & 25
18 links North of cor. from which cor.
Iron N. 89°.52' West on a true
line bet Sec 24 & 25
Va 13°.26' E

3980 Set post 2 x 2 - 4 ft out
12 - sup Deposited charred
stake and raised mound
of earth 2 ft high from pits 18 x 18
12 - sup. for. 1/4 sec cor.
79.60 To cor. of Sections
23 & 24, 25 & 26
Land.
Sand hills 3rd rate.

Township 24 N. R. 24 West

North Bet Sections 23, & 24
Va 13°.26' E

4000 Set post 2 x 2 - 4 ft out - set 12 - sup.
Deposited charred stake and
raised mound of earth 2 ft
high from pits 12 x 24 - 12 - sup.
for. 1/4 sec. cor.

8000 Set post 3 x 3 - 5 ft out set
12 - sup Deposited charred
stake and raised mound
of earth 2 ft high from pits
18 x 24 - 12 - sup. for. cor. to
Sections 13 & 14. 23 & 24

Land sand hills
3rd rate

Township 24 N. R. 24 West.

	East on random line Bet Sections 13 & 24 Va 13°26' E
40.00	set temporary 1/4 sec cor.
79.80	Intersect cor. to Sec 13 & 24 14 links North of cor. from which cor. True N. 89°54' West on a true line Bet Sec 13 & 24 Va 13°26' E
39.90	Set post. 2+2 - 4 ft set 12 in in ground. deposited charred. Stake and raised mound of earth 2 ft high from pits 12+18 - 12 deep. for 1/4 sec cor.
79.80	To cor. of Sec. 13 & 14. 23 & 24
	Land Sandhills 3rd rate

Township 24 N. R. 24 West.

	North Bet Sec. 13 & 14 Va 13°20' E
40.00	Set post. 2+2 - 4 ft set 12 - deep. deposited charred stake and raised mound of earth 2 ft high from pits 18+18 - 12 - deep. for 1/4 sec cor.
80.00	Set post 3+3 - 4 ft set 12 - deep. deposited charred stake and raised mound of earth 2 ft high from pits 18+24 - 12 - deep. for cor. to Sections 11 & 12. 13 & 14.
	Land Sandhills 3rd rate

Township 24 North Range 24 West.

	East on random line Bet Sec 12.8.13 Va 13°26' E
4000	Set temporary 1/4 sec cor.
79.65	Intersect cor. to Sec 12 & 13 - 40 links North from which cor. I run N. 89°42' West on a true line Bet Sec. 12 & 13. Va. 13°26' E
39.82½	Set post 2+2" 4 ft set 12" in ground. deposited charred. Stake and raised mound of earth 2 ft high from pits 12+24" 12" deep for 1/4 sec cor.
79.65	To cor. of Sections 11.8.12, 13.8.14

Land. Sand hills
3rd rate

Township 24 N. R. 24 West.

	North Bet Sec. 11.8.12 Va 13°20' E
4000	Set post 2+2" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12+18" 12" deep for 1/4 sec. cor.
8000	Set post 3+3" 4 ft set 12" deep. Deposited charred stake and raised mound of Earth 2 ft high from pits 18+24" 12" deep for cor. To Sections 1.8.2. 11.8.12

Land. Sand hills
3rd rate

Township 24 N. R. 24 West.

	East on random line Bet Sec 1 & 12
	Va. 13°.26' E.
4000	Set temporary 1/4 sec cor.
7970	Intersect cor. to Sec 1 & 12 29 lks North. from which cor. I run N. 89°48'. West. on a true line Bet Sec. 1 & 12.
	Va 13°.26'.E
39.85	Set. post. 2+2" 4 ft set 12" in ground. Deposited ~~charred~~ stake and raised mound of Earth 2 ft high from pits 12+18 12" deep. for. 1/4. Sec. cor.
79.70	to cor. of Sections 1 & 2. 11 & 12
	Land. Sand. hills 3rd rate

Township 24 N. R. 24 West.

	on true line North Bet Sec. 1 & 2
	Va. 13°.20'.E
40.00	Set. post. 2+2" 4 ft set 12" deep. Deposited charred. stake and raised mound of earth 2 ft high from pits 12+18" 12" deep for. 1/4 sec cor.
75.10	Intersect 6th Standard Parallel 12.27 West of. Sec cor. to Sec. 31 & 36 ~~35 & 36~~ Township 25 North Range 24 West
	Set. 3 cor. post. 3+3" 4 ft set 12" deep. Deposited charred stake and raised mound of earth 2 ft high from pits 18+18" 12" deep for. closing cor. to Sec 1 & 2. Township 24 N. R. 24 W.
	Land. Sand. hills 3rd rate Aug 22d

Township 24 N. R 24 West.

North Bet Sec 34 & 35
Va 13°20' E

20.00 Enter 2nd River Bottom Bears N.W. & S.E.

35.00 Enter 1st River Bottom Bears N.W. & S.E.

40.00 Set post 2+2" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 12+18" 12" sup. for 1/4 sec. cor.

42.00 Set post 3 cor. 3+3" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 12+18" 12" sup for meander cor. to Right Bank No Loup River

42.90 Small willow Island.
45.00 to 2nd channel
48.00 Set post 3 cor. 3+3" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 18+18 12" sup for meander cor. on left Bank of No Loup River

80.00 Set post 3+3" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 18+24" 12" sup for cor. to Sec 26. & 27. 34. & 35.

Land.

Sand hills 3rd rate Bottom 1st rate

Township 24 North Range 24 West.

Easton random line
Bet Sec. 26. & 35
Va 13°20' E

40.00 set temporary 1/4 sec cor.

80.40 Intersect cor. to Sec. 26. & 25. 35 & 36 10 links South from which cor. Iron S. 89.56 West on a true line Bet Sec. 26. & 35
Va. 13°20' E

40.20 Set post 2+2" 4ft set 12" sup. Deposited charred stake and raised mound of earth 2ft high from pits 12+18" 12" sup for 1/4 sec. cor.

80.40 to cor of Sections 26. & 27. 34. & 35.

Land Bottom 1st rate

Township 24 North R. 24 West

North Bet Sec. 26 & 27
Va 13°20' E

40.00 Set post 2+2" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12+18" 12" deep for 1/4 sec cor.

80.00 Set post 3+3" 4 ft set 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 18+24" 12" deep for cor. to Sections 22 & 23. 26 & 27
Land.
Rolling Bottom 2nd rate

Township 24. North Range 24 West

East on random line
Bet Sections 23 & 26
Va 13°20' E

27.00 creek 20 lks wide runs S.E.
28.00 creek 20 lks wide runs N.E.
30.00 creek 20 lks wide runs S.E.
40.00 Set temporary 1/4 Sec cor.
77.00 Enter Sand Bluffs, Bears, N.W. & S.E.
80.35 Intersect cor. to Sec. 23 & 24. 25 & 26 7 lks north from which cor. I run N. 89°57' West on a true line between Sec. 23 & 26.
Va 13°20' E

40.17½ Set post 2x2" 4 ft set 12" deep. Deposited charred stake and raised mound of Earth 2 ft high from pits 18x18" 12" deep for 1/4 Sec cor.

80.35 to the cor. of Sections 22 & 23. 26 & 27
Land.
Bottom 2nd rate

Township 24 N. R 24 West

North Bet Sec. 22 & 23
Va 13°, 20' E

40.00 Set post 2+2" 4 ft set. 12" Sup. Deposited charred stake and raised mound of Earth 2 ft high from pits 18 + 18" 12" Sup for. 1/4 sec. cor.

73.15 Creek 25 lks wide runs S.E.

80.00 Set post 3+3" 4 ft. set 12" Sup Deposited charred stake and raised mound of earth 2 ft high from pits 18 × 24" 12" Sup for. cor. to Sections 14. & 15. 22. & 23

Land
Bottom Gently Rolling
1st rate

Township 24 N. R 24 West

East on random line
Bet Sec. 14. & 23
Va 13°, 20' E

20.00 Enter Sand hills Bear. N.W. & S.E.

40.00 Set temporary 1/4 Sec cor.

80.60 Intersect cor. to Sec. 13 & 14. 23 & 24 15 links North from which cor. Iron North 89°, 54 West on true line Bet Sec. 14. & 23.
Va 13°, 20' E

40.30 Set post 2+2" 4 ft set 12" Sup Deposited charred stake raised mound of Earth 2 ft high from pits 12 + 18" 12" Sup for. 1/4 sec. cor.

80.60 To the corner of Sections 14. 15. 22 & 23

Land.
Bottom 1st rate
Sand hills 3rd rate

August 22 1873

Township 24 N. R 24 West

North Bet Sec 14 & 15
Va 13°20' E

3.70	Creek 20 lks wide runs. S W.
27.25	creek 20 lks wide runs. S E
31.60	creek 20 lks wide runs S W.
35.00	creek 20 lks wide runs. S. E.
38.15	creek 20 lks wide runs S W
40.00	Set post 2 + 2 - 4 ft set 12 - in ground Deposited charred stake and raised mound of Earth 2 ft high from pits 12 + 18 - 12 - Sup - for. 1/4 Sec cor.
40.15	creek 20 lks wide runs. S E
41.00	creek 20 lks wide runs S W.
42.00	creek 20 lks wide runs. S. E.
60.00	Enter Sand hills Bears. N.W. & S.E
80.00	Set post 3 + 3 - 4 ft set 12 - in ground. Deposited charred stake and raised mound. of earth 2 ft high from pits 18 + 24 - 12 - sup for. cor. to Sec. 10. & 11. 14. & 15.

Land
Bottom Swampy - 3rd rate
Sand hills 3rd rate.

Township 24 N. R. 24 West.

Eastern random line
Bet Sec. 11 & 14
Va 13°20' E

40.00	Set temporary 1/4 Sec. cor.
80.35	Intersect cor. to Sec. 11. & 12. 13. & 14. 3 lks North from which cor. I run N. 89° 58' West on a true line Bet Sections 11. & 14.
	Va 13°20' E
40.17½	Set. post. 2 + 2 - 4 ft set 12 - in ground. Deposited charred Stake and raised mound of Earth 2 ft high from pits 18 + 18 - 12 - Sup for. 1/4 Sec. cor.
80.35	to the cor. of Sections 10. & 11. 14. & 15 -

Land.
Sand hills 3rd rate

Township 24 N. R. 24 W.

North Bet Sec 10 & 11
Va 13°20' E

40.00 Set post 2+2" 4 ft set 12" deep. Deposited charred stake and raised mound of Earth 2 ft high from pits 12+18" 12" deep for 1/4 Sec. Cor.

80.00 Set post 3+3" 4 ft set 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 18+18" 12" deep for Cor. to Sections 2 & 3, 10 & 11

Land
Sand hills 3rd rate

Township 24 N. R. 24 West

East on random line
Bet Sec. 2 & 11
Va 13°20' E

40.00 Set temporary 1/4 Sec. cor.
80.20 Intersect cor. to Sec. 1 & 2, 11 & 12, 11 links South, from which cor. I run S. 89° 55' West on a true line bet. Sec. 2 & 11.
Va 13°20' E

40.10 Set post 2+2" 4 ft set 12" deep Deposited charred stake and raised mound of Earth 2 ft high from pits 12+18" 12" deep for 1/4 Sec cor.

80.20 To the cor. of Sections 2 & 3, 10 & 11

Land
Sand hills 3rd rate

Township 24 N. R 24 West.

	North Bet Sec 2 & 3. outline Va 13°20' E
40.00	Set post 2 + 2 in 4 ft set 12 in deep. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18 in 12 in deep for 1/4 Sec. cor.
74.45	Intersect 6" Standard 2 in Parallel 11.34 West of Sec cor. to Sec. ~~34 & 35~~ 35 & 36 T. 25 N. R 24 W.
	Set 3 cor. post 3 + 3 in 4 ft set 12 in deep Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18 in 12 in deep for closing corner to Sections 2 & 3. T. 24 N. R. 24 W.
	Land.
~~Jobs~~	Sand hills 3rd rate

Township 24 N. R 24 West.

	North Bet Sec. 33 & 34 Va 13°20' E
40.00	Set post 2 + 2 in 4 ft set 12 in in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 18 + 18 in 12 in deep for 1/4 Sec cor.
79.00	Enter Bottom Bears. N.W. & S.E.
80.00	Set post 3 + 3 in 4 ft 12 in in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 18 + 18 in 12 in deep for cor. to Sections 27, 28, 33 & 34
	Land.
	Sand hills. 3rd rate

Township 24 N. R. 24 W.

East on random line
Bet. Sec. 27. & 34
Va 13°.20' E

27.45 Set temporary meander cor. for Right bank No Loup River

33.35 Set temporary meander cor. for left bank No Loup River

40.00 Set temporary 1/4 Sec cor.

80.10 Intersect cor. to Sec 26. & 27. 34. & 35. 20 lks South from which cor. I run S. 89°. 51' West on true line Bet Sec. 27. & 34 Va 13°.20' E

40.05 Set post 2 + 2" 4 ft set 12" deep Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12 deep for 1/4 Sec cor.

46.75 Set 3 cor post 3 + 3" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12 deep for meander cor. on left bank No Loup River

52.65 Set 3 cor. post. 3 X 3" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18 12 deep for meander cor. on Right Bank of No Loup River

80.10 To the cor. of Sections 27. & 28. 33. & 34

Land Bottom 1st rate

Township 24 N R 24 West.

North Bet Sec. 27. & 28
Va 13°.20' E

10.00 Set 3 cor. post 3 + 3" 4 ft set 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" deep for meander cor. on Right bank of No-Loup River

15.65 Set post, 3 cor. 3 + 3" 4 ft set 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" deep for meander cor. on left bank North Loup River

40.00 Set post 2 + 2" 4 ft set 12" deep Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" deep for 1/4 Sec cor.

53.08 Entry Sand hills bears E. & W.

80.00 Set post 3 + 3" 4 ft set 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 24" 12" deep for cor. to Sections 21. & 22. 27. & 28

Land Bottom 1st rate
Sand hills 3rd rate

Township 24 N. R. 24 W.

	East on random line Bet Sec. 22. & 27 Va 13°.20' E
40.00	Set temporary 1/4 sec. cor.
72.00	Enter Bottom Bears. N. & S
79.87	Intersect cor. to Sec. 22, & 23, 26 & 27 17 lks South, from which cor. I run S. 89°. 53' West on a true line Bet Sec 22 & 27. Va 13°.20' E
39.93½	Set post 2 + 2" 4 ft set, 12" deep. Deposited charred. Stake and raised mound of Earth 2 ft high from pits 12 + 18" 12" deep for 1/4 Sec. cor.
79.87	to the cor. of Sec. 21, & 22, 27, & 28

Land, Bottom 1st rate
Sand hills 3rd rate

Township 24 N. R 24 West.

	North Bet. Sec. 21, & 22 Va 13°.20' E
40.00	Set post 2 + 2" 4 ft set 12" deep. Deposited charred. Stake and raised mound of Earth 2 ft high from pits 12 + 18" 12" deep for 1/4 Sec. cor.
80.00	Set post 3 + 3" 4 ft set, 12" deep. Deposited charred stake and raised mound of earth 2 ft high from pits 18 + 18" 12" deep for cor. to Sections 15, & 16, 21, & 22

Land.
Sand hills 3rd rate

Township 24 N. R 24 West.

Easton random line
Bet Sec. 15 & 22
Va 13° 20' E

40.00 Set temporary 1/4 Sec cor.
85.00 Enter Bottom, Bears. N. & S.
77.00 Creek 20 lks wide runs South,
79.18 Intersect cor. to Sec. 14 & 15. 22 & 23
27 lks South from which cor. d. run
S. 89° 48' West on a true line
Bet Sec 15. & 22
39.50 Set post 2 + 2" 4 ft set
12" in ground. Deposited
charred stake and raised
mound of earth 2 ft high from
pits 12 + 18" 12" sup-for. 1/4
Sec. cor.
79.18 For cor. of Sec. 15. & 16. 21. & 22.

Land.
Sand hills 3rd rate
Bottom 1st rate

Township 24 N. R. 24 West.

North Bet Sec. 15 & 16
Va 13° 20' E

40.00 Set post 2 + 2" 4 ft set 12"
in ground. Deposited charred
stake and raised mound of
Earth 2 ft high from
pits 18 + 18" 12" sup for.
1/4 Sec. Cor.

80.00 Set post 3 + 3" 4 ft
set 12" in ground Deposited
charred stake and raised
mound of earth 2 ft high
from pits 12 + 18" 12" sup-
for. cor. to Sections
9. & 10. 15. & 16

Land.
Sand hills. 3rd rate.

Township 24 N. R 24 W.

	Easton random line Bet Sec. 10 & 15 Va 13°.20' E
40.00	Set temporary 1/4 Sec. cor.
48.00	Enter Bottom Bears N.W. & S.E.
68.00	Creek 20 lks. wide runs S. E.
73.00	Enter Sand hills Bears N.W. & S.E.
79.90	Intersect cor. to Sec 10, & 11, 14 & 15 18 lks South, from which cor. Iron S. 89.52 West on a true line bet Sec. 10 & 15 Va 13°.20' E
39.95	Set post 2+2" 4 ft set 12" & sup. Deposited charcoal Stake and raised mound of earth 2 ft high from pits 12+18" 12" sup. for 1/4 Sec. cor.
79.90	to cor. of Sections 9 & 10, 15 & 16.

Land.

Sand hills 3rd rate
Bottom 2nd rate

Township 24 N. R 24 West.

	North Bet. Sec 9 & 10 Va 13°.20' E
40.00	Set post 2+2" 4 ft set 12" in ground. Deposited charcoal. Stake and raised mound of Earth 2 ft high from pits 12+24" 12" sup for 1/4 Sec cor.
42.00	Enter Bottom, Bears. N.W. & S.E.
80.00	Set post 3+3" 4 ft set 12" in ground Deposited charcoal. Stake and raised mound of earth 2 ft high from pits 18+18" 12" sup for cor. to Sec. 3, 4, 9 & 10

Land.

Sand hill 3rd rate
Bottom 2nd rate

Township 24 N. Re. 24 West

	East on random line
	Bet Sec. 3 & 10
	Va 13°20' E
25.00	Creek 15 lks wide runs. S.E.
40.00	Set temporary 1/4 Sec cor.
70.00	Enter Sandhills Bear. N.W. & S.E
79.85	Intersect cor. of Sec. 2 & 3. 10 & 11
	11 lks North from which cor. I run
	N. 89°55' West on a true line
	Bet Sec. 3 & 10
	Va 13°20' E
39.92½	Set post 2 x 2 in 4 ft set
	12 in deep. Deposited charred
	Stake and raised mound
	of Earth 2 ft high from pits
	12 x 24 in 12 in deep for 1/4 Sec. Cor
79.85	to cor. of Sec. 3 & 4. 9 & 10
	Land.
	Bottom 2nd rate
	Sand hills. 3rd rate

Township 24 North Re. 24 West

	North Bet Sec. 3 & 4
7.00	Creek runs S.E. Va 13°20' E
30.00	Enter Bluffs. S.E. & N.W.
40.00	Set post 2 x 2 in 4 ft in length
	set 12 in in ground. Deposited
	charred. Stake and raised
	mound of earth 2 ft high from
	pits 12 x 24 in 12 in deep for 1/4 Sec. cor.
73.52	Intersect 6" Standard Parallel
	11.93 West of Sec cor. to Sec. ~~33 & 34~~ 34 & 35
	T. 25 N. Re. 24 West.
	Set 3 cor. post 3 x 3 in 4 ft set
	12 in deep. Deposited charred.
	Stake and raised mound of
	earth 2 ft high from pits 12 x
	24 in 12 in deep for closing cor.
	to Sections 3 & 4 T. 24 N. Re 24 W.
	Land.
	Bottom 2nd rate

Aug 28th 1873

Township 24 N. R 24 W.

North Bet Sec. 32 & 33.
Va 13°20' E

40.00 Set post 2+2" 4 ft set 12" in ground, Deposited charred stake and raised mound of earth 2 ft high from pits 12+18" 12" dep for. 1/4 Sec. cor.

80.00 Set post 3+3" set 12" in ground. Deposit charred Stake and raised mound of Earth 2 ft high from pits 18+18" 12" dep for. cor. to Sect. 28 & 29. 32 & 33

Land. Sand hills 3rd rate

Township 24 N. R 24. West

East on random line
Bet Sec. 28 & 33
Va 13°20' E

40.00 Set temporary 1/4 Sec. cor.
78.00 Enter Bottom Bears. N.W. & S.E.
79.75 Intersect cor. to Sec. 27 & 28. 33 & 34
30 lks South from which cor. I run S. 89° 47' West on true line bet Sec. 28 & 33.
Va 13°20' E

3987½ Set post 2+2" 4 ft set 12" in ground. Deposited charred, Stake and raised mound of Earth 2 ft high from pits 12+18" 12" deep for. 1/4 Sec. cor.

79.75 to the cor. of Sections 28. & 29. 32. & 33.
Land.
Sand hills 3rd rate
Bottom 2nd rate

Township 24 N. R 24 W

North Bet Sec., 28. T. 29.
Va 13°20' E

39.00 Enter Bottom, Bears, E. & W.

40.00 Set post 2 + 2" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" dep — for. 1/4 sec cor.

43.00 Set post 3 cor. 3 + 3" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth, 2 ft high from pits 12 + 18" 12" dep — for Meander cor. to Right Bank North Loup River

48.25 Set post 3 cor. 3 + 3" 4 ft set 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" dep. for. meander cor. to left bank North Loup River

55.00 Leave Bottom Bears E. & W.

80.00 Set post 3 x 3" 4 ft set 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 24" 12" dep — for. Sec. cor. to Sec. 20. T. 21. 28. T. 29

Land
Bottom 1st rate Bluff 3d

Township 24 N. R 24 West.

Eastern random line
Bet Sec., 21. T. 28.
Va 13°20' E

40.00 Set temporary 1/4 Sec. cor.

79.70 Intersect cor. to Sec. 21 & 22. 27 & 28. 21 lks South from which cor. Run S. 89. 51 West on a true line bet Sec 21. T. 28
Va 13°20' E

39.85 Set post, 2 + 2" 4 ft set 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" dep for. 1/4 Sec. cor.

79.70 to cor. of Sections 20. T. 21. 28. T. 29.

Land
Sand Bluffs. 3rd rate

Township 24 N R 24 W.

North Bet Sec 20 T. 21
Va 13°20' E

4000 Set post 2+2" 4ft set 12" in ground Deposited charred stake and raised mound of earth 2ft high from pits 12+18" 12" dep for. 1/4 Sec cor.

8000 Set post 3+3" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 12+24" 12" dep for. cor. to Sect. 16. T. 17. 20. T. 21

Land.
Sand hills 3rd rate

Township 24 N R 24 West.

East on random line
Bet Sec. 16 T. 21
Va 13°20' E

4000 Set temporary 1/4 Sec. cor
7980 Intersect cor. to Sec. 15 & 16 21. T. 22 - 20 chs south from which cor. I run S. 89° 58' West on a true line bet Sec. 16 T. 21
Va 13°20' E

3990 Set post 2+2" 4ft set 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 12+18" 12" dep for. 1/4 Sec cor.

7980 to cor. of Sec. 16. T. 17. 20. T. 21

Land Sand hills 3rd rate

Township 24 N. R 24 West

North Bet Sec. 16 & 17
Va 13°20' E

4000 Set post 2+2 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12+18 12 deep for 1/4 Sec. cor.

8000 Set post 3+3 4 ft 12 in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12+18 12 deep for cor. to Sec. 8 & 9 16 & 17.

Land.
Sand hills 3rd rate

Township 24 N. R. 24 West.

East on random line Bet Sec 9 & 16
Va 13°20' E

4000 Set temporary 1/4 Sec cor.
79.55 Intersect cor. to Sec. 9 & 10 15 & 16 10 lks South ~~of cor.~~ from which cor. True S. 89°56' West on a true line bet Sec. 9 & 16.
Va 13°20' E

3977½ Set post 2+2 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12+18 12 deep for 1/4 Sec cor.
79.55 to the cor. of Sect 8 & 9 16 & 17.

Land
Sand hills 3rd rate

Township 24 N. R. 24 West.

North Bet Sec. 8.&.9.
Va 13°20' E

40.00 Set post 2+2 4ft 12" in ground Deposited Charred stake and raised mound of earth 2ft high from pits 12+18 12 dep for 1/4 Sec cor.

80.00 Set post 3+3 4ft 12" in ground. Deposited charred stake and raised mound of earth 2ft high from pits 12+24 12 Deep for. cor. to Sect. 4.&.5 8.&.9.
Land
Sand hills 3rd rate

Township 24 N. R. 24 West.

~~Nor~~ East on random line
Bet Sec. 4.&.9.
Va 13°20' E

40.00 Set temporary 1/4 Sec cor.
50.00 Enter Bottom Bears. N.W.&.S.E.
7974 Intersect cor. to Sec. 3&4 9&10" 20 lbs North from which cor. Iron North 89° 58' West on true line Bet Sec. 4 & 9.
Va 13°20' E

39.88. Set post 2+2 4ft 12" in ground. Deposited charred Stake and raised mound of earth 2ft high from pit 12+18 12 Deep for. 1/4 Sec cor.
7974 to cor. of Sect. 4.&.5. 8.&.9.

Land
Bottom 2nd rate
Sand hills 3rd rate

Township 24 N. R 24 W.

North Bet Sec. 4. 5. 5

6.00 Leave Sand Hills Va 13° 20' E
33 00. Creek. S. E.

40.00 Set post 2 + 2" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12 + 24" 12" Sup. for 1/4 Sec cor.

73.90 Intersect 6th Standard Parallel. 11.71 West of Sec cor. to Sec. 3 & 4 + 3 & 4 T. 25 N. R. 24 West.

Set post 3 cor. 3+3" 4 ft 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 24" 12" sup. for closing cor. to Sec. 4. 5. 5 T. 24 N. R 24 W.

Land
Sand hills 3rd rate

Aug 24th 1873

Township 24 N R 24 West

North Bet Sec. 31. 5. 32
Va. 13° 25' E

40.00 Set post 2 + 2" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12 + 18" 12" sup for 1/4 Sec cor.

80.00 Set post, 3+3" 4 ft 2 ft 12" in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 18 + 18" 12" sup for cor. to Sec. 29. 5. 30. 31. 5. 32.

Land
Sand hills 3rd rate

Township 24 N R 24 W.

Easton random line
Bet Sec 29 & 32
Va 13° 25' E

4000 Set temporary 1/4 sec cor.
79.85 Intersect cor. to Sec.
28. & 29. 32 & 33.
7 1/2 South - from which
cor. I run. S. 89° 57' Weston
a true line bet Sec., 29 & 32
Va. 13° 25' E

39.92 1/2 Set post 2x2 - 4 ft
12 in in ground. Deposited
charred stake and raised
mound of earth 2 ft high from
pits 12 x 24 - 12 - sup. for
1/4 Sec cor.

79.85 To cor of Sections
29. & 30. 31. & 32

Land Sand hills 3rd rate

Township 24 N. R. 24 W.

Weston random line
Bet Sec 30 & 31
Va 13° 25' E

4000 Set temporary 1/4 Sec cor.
6600 Enter Bottom Bears N.E. & S.W.
80.74 Intersect cor. to Sec., 30. & 31
79 1/2 North from which cor.
I run N. 89. 27' Easton a true
line Bet Sec., 30 & 31.
Va 13° 25' E

40.74 Set post 2x2 - 4 ft & 2 - in
ground. Deposited charred stake
and raised mound of earth 2 ft
high from pits 12 x 18 - 12 - sup
for 1/4 Sec cor.

80.74 to cor. of Sec., 29 & 30 31 & 32

Land Bottom 2nd rate
Sand hills 3rd rate

Township 24 N. R 24 W.

North Bet Sec. 29 & 30
Va 13° 25' E

4000 Set post 2x2 - 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 x 24 - 12 deep.

4050 Cuts Bottom Bears E & W for 1/4 Sec cor.

4080 Set post 2 x 2 - 3 cor. 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 18 x 18 - 12 deep for meander cor. on Right Bank of North Fork River

4855 Set post 3 x 3 - 3 cor. 4 ft 12 in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 x 24 - 12 deep for meander cor. on left bank North Fork River

6000 Cuts Sand hills Bears E & W.

8000 Set post 3 x 3 - 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 x 24 - 12 deep for cor. to Sect. 19 & 20. 29 & 30

Land.
Bottom 2nd rate
Sand hills 3rd rate

Township 24 N. R 24 W.

East on random line
Bet Sec. 20 & 29
Va 13° 25' E

4000 Set temporary 1/4 Sec cor.

7981 Intersect cor. to Sections 20 & 21 28 & 29. 13 chs North from which cor. I run North 89° 54' West on a true line bet Sec. 20 & 29
Va 13° 25' E

39.90 1/2 Set post 2 x 2 - 4 ft 12 in ground. Deposited charred stake and raised mound of earth 2 ft high from pits 12 x 24 - 12 deep for 1/4 Sec cor.

7981 to cor. of Sec. 19. 20. 29. 30

Land.
Sand hills 3rd rate

Township 24 N R 24 W.

West on random line
Bet Sec. 19 & 30
Va 13° 30' E

40.00 Set temporary 1/4 Sec cor.
78.00 Enter Bottom Bears N.W. & S.E.
80.58 Intersect cor. to Sec. 19 & 30
30 lks. North from which
cor. I run N. 89° 48' E on
a true line Bet Sec 19 & 30
Va 13° 30' E
40.58 Set post 2 x 2 in 48 x 12 in
in ground Deposited charred
stake and raised mound of
Earth 2 ft high from pits 12 x
24 in 12 in deep for 1/4 Sec. cor.
80.58 Fr cor. of Sect. 19 & 20
29 & 30
Land
Sand hills 3rd rate
Bottom 2nd rate

Township 24 N R 24 W.

North Bet Sec. 19 & 20
Va. 13° 25' E

40.00 Set post 2 x 2 in 48 x 12 in
ground. Deposited charred
Stake and raised mound of
Earth 2 ft high from pits 12 x
24 in 12 in deep for 1/4 Sec cor.

80.00 Set post 3 x 3 in 48 x 12 in
ground Deposited charred.
Stake and raised mound
of earth 2 ft high from
pits 18 x 18 in 12 in deep for
cor. to Sec. 17. & 18. 19. & 20
Land Sand hills
3rd rate

Township 24 N R 24 W.

	East on random line Bet Sec 17.8.20 Va. 13°.25' E
40.00	Set temporary 1/4 Sec cor.
79.97	Intersect cor. to Sec. ~~19~~ 16 & 21 17.8.20 5 lks South from which cor. Irun S. 89°.58' West on a true line Bet Sec 17.8.20 Va 13°.25' E
39.98½	Set post 2×2" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12×24" 12" deep. for 1/4 Sec cor.
79.97	to cor. of Sect. 17.8.18.19.8.20

Land
Land hills 3rd rate

Township 24 N R 24 West.

	West on random line Bet Sec. 18.8.19 Va 13°.30' E
40.00	Set temporary 1/4 Sec cor.
80.42	Intersect cor. to Sec. 18 & 19. 19 lks North from which cor. Irun N. 89°.53' East on a true line Bet Sec. 18.8.19 Va 13°.30' E
40.42	Set post 2×2" 4 ft 12" in ground Deposited charred stake and raised mound of Earth 2 ft high from pits 12×18" 12" Dep. for 1/4 Sec cor.
80.42	to the cor. of Sec. 17.8.18.19.8.20

Land
Land hills 3rd rate

Township 24 N. R 24 West.

North Bet Sec. 17. & 18
Va 13° 25' E

4000 Set post 2 x 2" 4 ft 12" in ground Deposited charred stake and raised mound of Earth 2 ft high from pits 12 x 24 - 12 deep for 1/4 Sec cor.

8000 Set post 3 x 3" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12 x 18 - 12 deep for cor. to Sec. 7. & 8. 17. & 18

Land
Sand hills 3rd rate

Township 24 North R. 24 West.

Eastern range line
Bet Sec. 8. & 17
Va 13° 25' E

40.00 Set temporary 1/4 Sec cor. 8 & 16
79.80 Intersect cor. to Sec. 8 & 17. 13 links North from which cor. I run N. 89° 54' West on a true line Bet Sec 8 & 17
Va. 13° 25' E

39.90 Set post 2 x 2" 4 ft 12" in ground Deposited charred stake and raised mound of Earth 2 ft high from pits 12 x 18 - 12 deep for 1/4 Sec cor.

79.80 to cor. of Sec. 7. & 8. 17 & 18

Land
Sand hills 3rd rate

Township 24 N. R 24 W.

Weston random line
Bet Sec. 7.8.18
Va 13°.30 E

4000 Set temporary 1/4 Sec. Cor.
5026 Intersect cor. of Sec. 7.8.18
27 chs North from which cor.
Run N. 89°.48 East on a
true line bet Sec 7.8.18
Va 13°.30 E
40.26 Set post 2x2 in 4 ft 12 in
ground Deposited charred
stake and raised mound
of earth 2 ft high from
pits 12x18 in 12 in deep for
1/4 Sec. cor.

8026 to the cor of Sec 7.8.8 17.8.18

Land. Sand hills
3rd rate

Township 24 N. R 24 W.

North Bet Sec. 7 & 8
Va 13°.25 E

4000 Set post 2x2 in 4 ft 12 in
ground Deposited charred
stake and raised mound
of earth 2 ft high from
pits 12x18 in 12 in deep for
1/4 Sec cor.

8000 Set post 3x3 in 4 ft 12 in
ground. Deposited charred
stake and raised mound
of earth 2 ft high from
pits 12x24 in 12 in deep for
cor. to Sec. 5 & 6. 7.8.8

Land sand hills
3rd rate

Township 24 N. R 24 W.

East on random line
Bet Sec. 5 & 8.
Va 13°, 25' E

4000 Set temporary 1/4 Sec cor.
8000 Intersect cor. to Sec. 5 & 8. 4 & 9
20 lks South from which cor.
I run S. 89° 51' West on a
true line bet Sec 5 & 8
Va 13°, 28' E
4000 Set post 2 x 2 - 4 ft - 12 - in
ground Deposite charcoal,
stake and raised mound
of earth 2 ft high from
pits 12 x 18 - 12 - dep. for
1/4 Sec cor.
8000 to the cor of Sec.
5. 4. 6. 7 & 8.

Land Sand hills
3rd rate

Township 24 N R 24 W. N.E.

West on random line
Bet Sec 6 & 7
Va 13°, 30' E
4000 Set temporary 1/4 Sec cor.
8009 Intersect cor to Sec. 6 & 7
14 1/2 north of which cor.
I run N. 89° 54' East on a
true line bet Sec 6 & 7.
Va 13°, 30' E
4009 Set post 2 x 2 - 4 ft - 12 - in
ground Deposite charcoal
stake and raised mound of
Earth 2 ft high from pits
12 x 18 - 12 - dep for.
1/4 Sec Cor.
8009 to cor of Sec 5. 6 7. & 8.

Land sand hills
3rd rate

Township 24N R 24W.

North Bet Sec 5 & 6

Va 13°25' E

40.00 Set post 2×2" 4 ft 12" in ground. Deposited charred stake and raised mound of Earth 2 ft high from pits 12 + 24" 12" deep for 1/4 Sec Cor.

74.70 Intersect 6" Standard Parallel 1140 West of Sec cor. to Sec. 3 ~~1~~ 2 & 3 ~~2~~ 3 T. 25 N. R 24 W.

Set post 3 cor. 3 + 3" 4 ft 12" in ground Deposited charred stake and raised mound of earth 2 ft high from pits 12 + 18" 12" deep for closing cor. to Sec 5 & 6 T. 24 N R 24 W.

Land

Land hills 3rd rate

Aug 25 1873

Terminal, Description

This Town is mostly Gently Rolling sand hills Good for grazing purposes and watered by North Loup River and crooked creek the width of the North loup River in this town is nearly 5 chs, the width of crooked creek is from 20 to 30 lks. wide its depth from 1 to 3 ft water is clear and pleasant to the taste its Bottom land is heavily Grassed With no timber except Small Willows

A list of Names of Individuals employed, and the capacity in which they acted to assist in running measuring and marking the lines and corners Described in the foregoing Field notes of Township 24 North of Base line and Range 24 West of 6" Principal Meridian showing the respective capacities in which they acted

John Mangold } Chainmen
Henry Heirt }

David W. Davidson } Mandman
Esau Beldrin } Flagman

Course	Hence	
		From meander cor. to Frac. Sec. 25 & 30 T. 24 N Re 24 & 25 W.
S. 86° 00' E	21.00	
S 77° 30' E	23.00	
S 88° 00' E	22.00	
S 33° 0' E	27.10	
~~S 54° 50' E~~	~~17.90~~	to meander cor. on right Bank of River to Frac. Sec 29 & 30
2 N 85° 00' E	14.00	
N 71° 1/2 E	15.00	
S. 85° 30' E	22.00	to meander cor on right bank of North
S 80° 00' E	30.20	North Loop River to Frac Sec 28 & 29
3 S 82° 30' E	19.00	
S 55° 00' E	10.00	
S 86° 00' E	14.50	
S 57 1/4 E	44.70	
~~S 58° 00' E~~	~~44.10~~	to meander cor. on right bank of North Loop River to Frac. Sec. 27 & 28.

4		
S 78° 45' E	11.00	
S 63 1/2	15.10	to meander cor. on right bank
~~S. 64 1/2 E 18.80~~		of No Loup River to Frac Sec. 27. T. 34
5		
S 62 3/4° E	40.00	
S 36° E	10.00	
S 43 1/4	16.00	
~~S 47 1/2° E 16.70~~		to meander cor. on right bank of
6		North Loup River to Frac Sec 34 & 35
N 78 1/2° E	30.50	
N 61° E	28.00	
S 89 1/2° E	25.70	to meander cor. on right-Bank
7		of No Loup River to Frac Sec 35. T. 36
S 84° E	23.00	
N 60° E	22.40	
N 60 1/4 E	18.30	
~~N 41 3 E 14.30~~		to meander cor. on Right-Bank
8		
N 41 1/2° E	25.50	of No Loup River to Frac Sec. 25. T. 36
S 54° E	10.50	
~~S 85° E 11.00~~		to meander cor. on Right-
9		Bank of ~~Township~~ No Loup River to
		Frac Sec. 25 & 30 on East
		Boundary of Township 24 N
		R 24. W.
		Aug 26th 1873

We hereby certify that we assisted George P. Kendall Deputy surveyor in surveying and subdividing of Township No twenty four (24) North of the base line of Range twenty four (24) West of the 6th principal meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes.

John Mangold Chainman
Heinrich Hieb Chainman
Dwm Davidson Moundman
Esau Belden X Flagman

Subscribed to by the above named persons before me a Clerk in and for Howard County in the State of Nebraska this the 16th day of September 1873

J C Lewis
Clerk Howard Co Neb

I George T. Kendall, deputy surveyor do solemnly swear that in pursuance of a joint Contract wherein George T. Kendall & Guy C. Barton are joint Contractors with E. E. Cunningham, surveyor General for the district of Nebraska & Iowa bearing date the 10th day of May 1873. I have well, rightfully & truly in my own proper person, and in strict conformity to the instructions furnished by the Surveyor General, the surveying Manual and the laws of the United States, surveyed all those parts or portions of Township No 24 North of the Base line of Range No 24 West of the 6th Principal Meridian in Nebraska as represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance to the Surveyors Manual & printed instructions and special Instructions of the Surveyor General of dimensions, character, construction & marking, and in the manner as specifically described in the foregoing field notes and that the foregoing are the true & original field notes of said Survey

George T Kendall
Deputy Surveyor

Subscribed by said George T. Kendall, deputy surveyor & sworn to before me a Notary Public for Cass Co in the state of Nebraska on this 11th day of November 1873

Tho Pollock
Notary Public

Surveyor Generals Office

Plattsmouth 187

The foregoing Field Notes of the survey & subdivision of Township No 24. North of the Base Line of Range No 24. West of the 6th P.M. in Nebraska Executed by George T. Kendall under joint Contract No 76. dated May 10th 1873. Wherein George T. Kendall and Guy C. Barton are joint contractors in the months of July & August 1873. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Surveyor General.

General Land Office • Original Field Notes

Book Number

481

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.