General Land Office • Original Field Notes

Book Number

484

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of
Survey and Subdivision
of
Township 33 North
of
Range 24 West
in
Nebraska

Executed
by Geo. W. Fairfield Deputy
Surveyor under Joint Contract
91. dated May 31st 1875

Survey
Commenced July 8th 1875
Completed July 15th 1875

List of Names
A list of the names of the individuals employed to assist
in Surveying and Subdividing
Township 33 North Range 24
West in Nebraska and Showing
the respective Capacities in

Which they acted

Wm Reese	Chainman
T J Dennison	"
Perry Altaffer	Moundman
F. L. Sprague	"
J E Gorrell	Flagman

Index Diagram



To determine the proper adjustment for subdividing Township 33 North Range 24 West. I begin at the Corner to Townships 33 North Ranges 23 & 24 West on 8th Standard Ill North and run North on a blank line along the Eastboundary of Sec 36

Va 13° 40' East

4.00	To Gr Sec Cor
8.09	To point 1 link East of Cor to Secs 25 & 36

To retrace this line or run Parallel thereto my Compass is no proper adjustment

Town 33 N Range 24 W

North bet Sec.s 35 & 36
Vol 3 Hol E

40.00 Set post 2 x 3 in x 4 ft. 1 ft deep
deposited charred stake
raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in for graves

75.00 Bottom E & W

76.00 Trail S E & N W

80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised Mound of earth
3 ft high from pits 18 x 24
x 12 in for Cor to Sec.s 25 & 26
35 & 36. from which

A Bur oak 1 ft in dia bears N 23° W
20 lks dist

Bur oak 10 in dia bears N 8° E 20 lks dist

Bur oak 20 " " " S 31° E 41 lks.

Bur oak 15 " " " S 23° W 118 " "

Land broken & wet

Town 33 N. Range 24 W

East and West line bet Sec.s
25 & 36
Vol 3 Hol E

1.10 Right bank of Niobrara river where
I set post for temporary M. Cor

40.00 Flows in River

57.00 Left or North bank of Niobrara
River where I set post for
temporary Meander Cor

71.50 Spring branch timber South

80.30 I intersect East boundary 42
lks South of Cor to Sec.s 25 & 36
from which Cor I run
S 89° 42' West on true line

Town 33 N. Range 24 W

	East and West line bet Secs. 25 & 36
	Vol 3 Pg 6
1.10	Right bank of Niobrara river where I set post for temporary M. Cor
40.00	Flows in River
57.00	Left bank North bank of Niobrara River where I set post for temporary Meander Cor
71.50	Spring branch timber South
80.30	I intersect East boundary 42 lks North of Cor to Secs. 25 & 36 from which Cor I run S 89° 42' West on true line bet Secs. 25 & 36.
	Vol 3 Pg 6
2330	Left bank of Niobrara River where I set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth from pits for Meander Cor to fracl. Secs. 25 & 36.
49.15	Point for grade Cor falls in River therefore cannot be Established
79.20	Right bank of Niobrara river where I set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for Meander Cor to fracl. Secs. 25 & 36
82.30	Cor to Secs. 25. 26. 35 & 36 Land Mostly in River

Town 33 N Range 24 W

North bet Sec. 25 & 26
Var 13° 40' E

1.20 Right bank of Niobrara River
Where I set post 2x3 in
x 4 ft. 1 ft deep deposited
Charred Stake mound
Mound of Earth from pits 18x
24x12 in for Meander Cor
to fract. Sec. 25 & 26.

20.80 Left Bank of Niobrara River Where
I set post 2x3 in x 4 ft. 1 ft deep
deposited Charred Stake mound
Mound of earth 2 1/2 ft high from
pits for Meander Cor to fract.
Sec. 25 & 26.

40.00 Set post 2x3 in x 4 ft 1 ft deep deposited
Charred Stake mound Mound
2 1/2 ft high from pits 18x 24x12
for 1/4 Sec Cor

46.00 Leave Valley enter high bluffs

80.00 Set post 3 in x 3 in x 4 ft. 1 ft deep
deposited charred Stake
mound Mound of earth
3 ft high from pits 18x24x12
for Cor to Sec. 23 24. 25 & 26

Land along River Valley & rate
balance sandy & rate

Town 33 N Range 24 W

East random line bet Sec.
24 & 25
Var 13° 40' E

3.00 Ravine 3 chs wide to bottom SE
18.00 Enter wide Drain S
20.00 Leave Drain
40.00 Post for temporary 1/4 Sec Cor
58.00 Ravine Water & timber SW
80.36 Enter sect East boundary
14 links North of Cor to Sec.
24 & 25 from which Corner
N 89° 54' W Section true line bet.
Sec. 24 & 25
Var 13° 40' E

40.18 Set post 2x3 in x 4 ft. 1 ft deep
deposited charred Stake
raised mound of earth
2 1/2 ft high from pits 18x
24x12 in for 1/4 Sec Cor

80.36 Cor to Sec. 23 24. 25 & 26
Land broken & rate

Township 33 N Range 24 W

	North bet Secs 23 & 24
	Val 13° 40' E
7.50	Ravine S.E.
40.00	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in for Gr Sec Cor
54.00	Leave rolling high Land enter broken & very high Stoney bluffs E & W Mieson sides of bluffs
70.00	Drain W soon S.W.
76.00	Leave same S.W.
80.00	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor to Secs 13. 14 23 & 24
	Land broken 3 rate
	Timber Pine

Township 33 N Range 24 W

	East on random line bet Secs 13 & 24
	Val 13° 40' E
22.00	Leave high Table Land enter Valley of Drain & timber
30.00	Drain N & S & timber
35.00	Leave same N & S
40.00	Post for temporary Gr Cor
79.82	Intersect East boundary 42 links North of Cor to Secs 13 & 24 from which I view
	N 89° 42' West on true line bet Secs 13 & 24
	Val 13° 40' E
39.91	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in for Gr Sec Cor
79.82	Cor to Secs 13. 14. 23 & 24
	Land rolling 2 rate
	Timber Pine

Township 33 N Range 24 W

	North bet Secs 13 & 14
	Va 13° 40' E
15.50	Wide Drain West Pines
40.00	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred Stake raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in for Gr sec Cor
56.00	Deep & wide Drain S.W. Stone banks & filled with Pine timber
59.00	Leave same Drain 7 Chains wide
80.00	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred Stake raised Mound of earth from pits 18 x 24 x 12 in for Cor to secs 11. 12. 13. & 14
	Land Rolling 2 rate
	Timber good

Township 33 N Range 24 W

	East on random line bet Secs 12 & 13
	Va 13° 40' E
14.00	Valley of wide Drain S soon S.W. filled with timber
21.50	Bed of same South
24.50	Leave same with timber
40.00	Post for temporary Gr Cor
44.00	Enter valley of wide & deep drain S.W. timber
50.00	Drain S.W. with timber
57.50	Leave same
79.84	Intersect East boundary 19 links South of Cor to Secs 12 & 13 from which Cor from S 89° 52' West on true line bet Secs 12 & 13
	Va 13° 40' E
39.92	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred Stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for Gr sec Cor
79.84	Cor to secs 11. 12. 13 & 14
	Land Rolling 2 rate

T 33 N Range 24 W.

North bet Sec. 11 & 14
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
mound of earth
2½ ft high from pits 18 x 24
x 12 in for qr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
stake mound
of earth from pits 18 x
24 x 12 in for Cor to Sec.
1. 2. 11 & 12

Land high divide 2 Note

T 33 N. Range 24 W.

East and West line bet
Sec. 1 & 12
Var 13° 40' E

5.00 Enter Valley & timber S E
9.00 Drain S E
16.00 Leave Valley & timber S E
23.00 Short Radius South
40.00 Post for temporary Qr Cor
71.00 Drain S W.
79.94 Intersect East boundary
36 lks South of Cor to Sec.
1 & 12 from which a true
S 89° 45' West true line
bet Sec. 1 & 12
Var 13° 40' E
39.97 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
mound 2½ ft high
from pits 18 x 24 x 12 in for
qr sec cor
79.94 Cor to Sec. 1. 2. 11. & 12
Land rolling 2 Note

T 33 N Range 24 W

North on random line bet. Secs. 1 & 2
Val 3° 40' E

8.00 Valley S E & N W with timber
21.00 Drain S E & timber
24.00 Leave same
40.00 Post for temporary gr. cor
81.60 Intersect North boundary 30 lks East of Cor to Secs. 1 & 2 from which Cor I Wm
S 13' East on true line bet Secs. 1 & 2
Val 3° 40' E
41.60 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Mixed Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in for gr. sec cor
81.60 Cor to Secs. 1. 2. 11 & 12
Land Rolling 3 rate
July 8th 1875

T 33 N Range 24 W

East on random line bet Secs.
North bet Secs. 34 & 35
Val 3° 40' E
17.00 Pine timber E & W
23.00 Leave " " " "
35.00 Enter Pine timber " "
38.40 Leave " " " "
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Mixed Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in for gr. sec Cor from which
A pine 15 in dia bears S 4 E 8 lks dist
56.00 Enter timber E & W
76.00 Deep & Wide ravine filled with Cedar Pine & oak timber bears East soon North
80.00 Set post 3 x 3 in x 4 ft. 1 ft deep deposited Charred Stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor to Secs. 26. 27. 34 & 35
Land broken Sandy 3 rate

T33N Range 24W

East on random line bet
Secs. 26 & 35
Va 13° 40' E

9.00 Enter Canon or wide Drain
filled with timber North
35.00 Enter bottom S E N E & S
40.00 Post for temporary gr Cor
60.00 Enter Marsh or Slough
N.E. from N W runs into
river
74.00 Leave Marsh S.W. & E
75.00 Trail N W & S E
80.10 Intersect N & S line 18 links
N of Cor to secs. 25. 26.
35 & 36 from which cor
I run
N 89° 52 West on true line
bet Secs. 26 & 35
Va 13° 40' E
40.05 Set post 2×3 in × 4 ft. 1 ft deep
deposited Charred Stake
raised Mound of Earth
2½ ft high from pits 18
× 24 × 12 for gr sec cor
80.10 Cor to secs. 26. 27. 34 & 35
Land valley 3 rate
balance broken 3 rate

T33N Range 24W

North bet Secs. 26 & 27
Va 13° 40' E
18.00 Ravine & timber East
22.00 Ravine " " East
33.50 Trail to black Hills E & W here
enter timber & bottom
extends to River
40.00 Post 2×3 in × 4 ft. 1 ft in ground de-
posited Charred Stake raised
Mound of Earth 2½ ft high from
pits 18 × 24 × 12 in for gr sec cor
from which Ave
Oak tree 12 in dia bears S 37½° E 60 lks dist
Oak " 20 " " " N 35 lks dist
40.35 Line tree all oak
47.60 Right bank of Niobrara River where I set
Post 2×3 in × 4 ft 1 ft deep deposited Charred
Stake raised Mound of Earth for
Meander Cor to fract. Secs. 26 & 27
61.20 Left bank of Niobrara River where
I set post 2×3 in × 4 ft 1 ft deep
deposited Charred Stake raised
Mound of Earth from pits for
Meander Cor to fract. Secs. 26 & 27
80.00 Set post 3 in × 3 in × 4 ft. 1 ft deep de-
posited Charred Stake raised Mound
of Earth from pits 18 × 24 × 12 in for
Cor to secs. 22. 23. 26 & 27
Land 2 rate

T33N Range 24W

	East on random line bet Sec^s 23 & 26 Val 13° 40' E
1.00	Drain South
15.00	Drain South
25.00	Drain & timber South
40.00	Set post for temporary Gr Cor
80.04	Intersect N & S line 28 lks North of Cor to Sec^s 23. 24 25 & 26 from which Cor I run N 89° 48' West on true line bet Sec^s 23 & 26 Val 13° 40' East
40.02	Set post 2 x 3 in x 4 ft. 1 ft deep deposited Charred stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in for Gr Sec Cor
80.04	Cor to Sec^s 22. 23. 26 & 27 Land Rolling Sandy 3rd rate

T33N Range 24W

	North bet Sec 22 & 23 Val 13° 40' E
12.00	High bottom E & W
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in for Gr Sec Cor
70.00	Base of very high & broken bluffs N.E. & West Pine on sides of same
80.00	Set Sand Stone 18 x 14 x 3 in in Mound from pits 18 x 24 x 12 in for Cor to Sec^s 14. 15. 22 & 23 from which
	A pine tree 15 in dia bears S 35° W. 30 lks dist
	A pine " 12 " " " S 19° E 40 " "
	Land Mostly bottom 2nd rate

T33 N Range 24 W

East on random line bet
Secs. 14 & 23
Val 3° 40' E

40.00 Post for temporary Gr Cor
62.00 Enter Valley of Wide Drain
timber N & S
64.50 Drain N 3° W. & S 3° East
76.00 Leave Same N & S
80.60 Intersect N & S line 21 chs.
South of Cor to Secs. 13. 14
23 & 24 from which I run
S 89° 51' West on true line
bet Secs. 14 & 23
Val 3° 40' E
40.30 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
mised Mound 2 ft
high from pits 18 x 24 x 12
in for Gr sec Cor
80.60 Cor to Secs. 14. 15. 22 & 23
Land high broken 3 & rate
Timber oak & pine

T33 N. Range 24 W.

North bet Secs. 14 & 15
Val 3° 40' E
9.50 Enter Valley E about 2 chs
& N W. with oak timber
38.00 Leave Same E & W
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
mised Mound of Earth
2 ft high from pits 18 x
24 x 12 in for Gr sec Cor
47.00 Drain S. W.
56.50 Enter Valley N. E. & S. W.
69.00 Enter timber E & W
77.50 Spur of bluff & Pines
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited Charred Stake
mised Mound of Earth
3 ft high from pits 18 x 24
x 12 in for Cor to Secs. 10. 11
14 & 15 from which
A pine tree 10 in dia bears S 3° W 61 chs dist
" " " 10 " " " S 12° 15' E 12 " "
" " " 12 " " " N 61° W 84 " "

T33N. Range 24 W

East on random line bet
Secs. 11 & 14
Va 13° 40' E

16.40 Leave Spur of bluff enter
Valley & timber N.W.
25.30 Bed of Drain S.E.
28.00 Leave Valley
40.00 Post for temporary Gr Cor
44.00 Enter Valley & timber S. from North
50.50 Drain S from North
59.00 Leave Valley & timber N & S
80.28 Intersect N & S line 15 lks
South of Cor to secs. 11.12.
13 & 14 from which drain
S 89° 54' West on true line bet
Secs. 11 & 14
Va 13° 40' E
40.14 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in
for gross Cor
80.28 Cor to secs. 10.11.14 & 15
Land broken 3 rate
Timber Oak & Pine

T33N. Range 24 W.

North bet Secs. 10 & 11
Va 13° 40' E

4.00 Enter table Land N.E. & S.W.
21.60 Enter Valley or wide deep
(75) Canon N.E. & S.W.
with timber
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound of Earth
2 ft high from pits 18 x 24 x 12
for gross Cor from which
Pine tree 24 in dia bears N 39½° E
146 lks dist
" tree 10 in dia " N 3° W 156 lks
dist
47.00 Bed of Drain S.E. from N.W.
51.00 Leave Canon S.E. from N.W.
Enter bluffs
76.50 Enter wide Drain & timber S.W.
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 3 ft high
from pits 18 x 24 x 12 in for Cor
to secs. 2.3.10 & 11
Land very broken 3 rate
timber Oak & Pine

T33N. Range 24 W

East on random line bet
Secs. 2 & 11
Val 3" 40' E

3.20 Enter table land N & S
26.80 Enter high bluffs N & S
40.00 Post for temporary gr Cor
56.35 Enter Valley of wide Drain
62.40 Bed of Drain N. & S.
67.50 Leave Valley of Drain
80.30 Intersect N & S line 21
links South of Cor to
Secs. 1. 2. 11 & 12 pom
which Cor Drum
S 89" 51' West on true line
bet Secs. 2 & 11
Val 3" 40' E

4 4'.15 Set post 2 x 3 in x 4 ft. 1 ft
deep, deposited Charred
Stake raised mound of
earth 2 ft high pom
pits 18 x 24 x 12 in for
gr sec Cor
80.30 Cor to secs. 2 & 3. 10 & 11
Land broken. 3 rate
timber Pine

T33N. Range 24 W

North on random line bet
Secs. 2 & 3
Val 3" 40' E

6.40 Creek S.W. & timber
8.00 Same creek S.E.
24.00 Same Creek S.W.
36.00 Same Creek S.E.
40.00 Post for temporary gr Cor
62.00 Drain West soon S.W.
64.00 Drain S.W.
67.60 Enter high table land N.E. & S.W.
81.06 Intersect North boundary
5 oaks East of Cor to Secs.
2 & 3 pom which Cor
Drum
S 21' East on true line bet
Secs. 2 & 3
Val 3" 40' E

41.06 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred stake
raised Mound 2 ft high
pom pits 18 x 24 x 12 in
for gr sec Cor
81.06 Cor to secs. 2. 3. 10 & 11
Land broken 3 rate
timber oak & Pine
July 9th 1875

T33N Range 24 W

×	North between Sec.s 33 & 34 Va 13" 40' E
40.00	Set post 2 × 3 in × 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high pm pits 18 × 24 × 12 in for gr sec cor
80.00	Set post 3 in × 3 in × 4 ft 1 ft deep deposited charred stake raised Mound of Earth 3 ft high pm pits 18 × 24 × 12 in for Cor to Sec.s 27. 28. 33. & 34
	Land rolling sandy 3 rate

T33N Range 24. W.

	East on random line bet Sec.s 27 & 34 Va 13" 40' E
40.00	Post for temporary gr cor
79.54	Intersect N & S line 9 lks North of Cor to Sec.s 26. 27. 34. & 35 from which cor Iron
	N 89" 56 West on true line bet Sec.s 27. & 34 Va 13" 40' E
39.92	Set post 2 × 3 in × 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high pm pits 18 × 24 × 12 in for gr sec cor
79.84	Cor to Sec.s 27. 28. 33. & 34
	Land rolling sandy 3 rate

T33N. Range 24W

	North bet Secs. 27 & 28 Va 13" 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for Gr Sec Cor
52.00	Enter Valley N W & S E
57.00	Gordons trail to black Hills
62.00	Enter timber E & W
72.00	Leave high Valley & timber enter low Bottom & underbrush E & W
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 3 ft high pom pits 18 x 24 x 12 in for Cor to Secs. 21. 22. 27. & 28
	Land upland 3d rate Valley 2d rate timber Pine & oak

T33N Range 24W

	East on random line bet Secs. 22 & 27. Va 13" 40' E
7.00	Marshy land & timber
10.00	Set temporary Meander Cor. on right or South bank of Niobrara River
24.00	Set temporary Meander Corner on left or North bank of Niobrara River
36.00	Leave timber N & S.
40.00	Post for temporary Gr Sec Cor
43.50	Leave Valley Enter high bluffs
63.50	Enter Pocket in Valley S.E.
80.26	Intersect N & S line 23 lks South of Cor to Secs. 22 23 26. & 27. from which I run
	S 89° 50' West on true line bet Secs. 22 & 27. Va 13" 40' E
40.13	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high pom pits 18 x 24 x 12 in for Gr Sec Cor
56.26	Left or North bank of Niobrara River. Where I set Post over

T33N Range 24 West

Chains	
	2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth from pits for Meander Cor to pract. Sec. 22 & 27
70.26	Right or South bank of Niobrara River where I set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth from pits for Meander Cor to pract. Sec. 22 & 27.
80.26	Cor to Sec. 21. 22. 27 & 28 Land Valley 2 rate timber oak & pine & Cottonwood
	from which Cottonwood 20 in dia bears No 1 W 18 lks dist

T33N Range 24 W.

	North Cor Sec. 21 & 22 Val 3" 40' 6
3.70	Spring branch East
16.00	Scattering Pine Trees & oaks
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor
66.00	Right or South bank of Niobrara River where I set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high for Meander Cor to pract. Sec. 21 & 22
73.40	Left or North bank of Niobrara River where I set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits for Meander Corner to pract. Sec. 21 & 22
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposit charred stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec. 15. 16. 21 & 22
	Land Valley 2 rate Timber oak & pine

T33N. Range 24 W

East on random line bet
Secs. 15 & 22
Val 3° 40' E

8.40 Spring branch L.W.
31.00 Enter high bluffs N & S
40.00 Set post for temporary Gr Cor
79.78 Intersect N & S line 49 chs
North of Cor to Secs. 14.15
22 & 23 from which I run
N 89° 39' West on true line bet
Secs. 15 & 22
Val 3° 40' E
39.89 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
raised Mound of Earth
2 ft high from pits 18 x 24
12 in for Gr Sec Cor
79.78 Cor to Secs. 15. 16. 21 & 22
Land broken 3 rate

To page 35

T33N. Range 24 W

North bet Secs. 15 & 16
Val 3° 40' E
1.00 Enter bluffs & Pines
17.00 Enter Valley NW & SE
18.00 Spring branch E soon SE
21.30 Spring branch L.W. soon E
27.50 Leave Valley & timber E & W
Enter high table land
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
raised Mound of earth
2 ft high from pits 18 x 24 x 12
in for Gr Sec Cor
49.00 Enter high bluffs E & W
58.00 Bed of Canon E & W & timber
61.50 Leave Same
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited charred stake
raised Mound of Earth
3 ft high from pits 18 x 24 x 12
for Cor to Secs. 9. 10. 15 & 16
Land very broken 3 rate
Timber oak & Pine & Elm

T33 N. Range 24 W

Easton random line bet
Secs. 10 & 15
Va 13° 40' E

12.00 Cañon timber South
30.30 Enter Valley of Creek & timber
N & S
34.90 Creek South 12 lks wide
36.00 Enter table Land
40.00 Set post for temporary Gr Cor
64.00 Wide Drain & timber S soon
S. West.
71.50 Leave Valley & table Land enter
high bluff
80.50 Intersect N & S line 62 lks
North of Cor to Secs. 10-11.
14 & 15 from which I run
N 89° 33' West on true line bet Secs.
10 & 15
Va 13° 40' E
40.25 Set post 2 x 3 in x 4 ft. 1 ft deep de
posited charred stake raised
Mound of Earth 2 ft high
from pits 18 x 24 x 12 in for Gr
Sec Cor
80.50 Cor to Secs. 9. 10. 15 & 16
Land broken 3rd rate

T33 N Range 24 W

North between Secs. 9 & 10
Va 13° 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
stake raised Mound
of Earth 2 ft high from
pits 18 x 24 x 12 in for
Gr Sec Cor
52.00 Cañon S.W.
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
stake raised Mound
of Earth 2 ft high from
pits 18 x 24 x 12 in for Cor
to Secs. 3. 4. 9 & 10
Land high table Land &
Scattering Pines

T33N. Range 24 W

East on random line bet
Secs. 3 & 10
Va 13° 40' E

11.40	Enter Valley & timber S.E.
16.60	Spring branch S.E. 15 lks wide
26.25	Leave Valley & timber S.E. & N.W. enter high land
40.00	Post for temporary gr cor
62.00	Enter Valley S.W. & N.E. timber along the bottom
65.00	Spring branch S.W.
80.12	Intersect N & S line 20 lks North of Cor to secs. 2. 3. 10 & 11 pom which Cor I run
	N 89° 51' West on true line bet Secs. 3 & 10
	Va 13° 40' E
40.06	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised mound of earth 2 ft high pom pits 18 x 24 x 12 in for gr sec cor
80.12	Cor to secs. 3. 4. 9 & 10 Land high & broken 3 rate

T33N. Range 24 W.

North on random line
bet Secs. 3 & 4
Va 13° 40' E

26.00	Enter Valley of Canon S.W.
31.00	Bed of same
33.00	Leave same S.W.
40.00	Post for temporary gr cor
81.27	Intersect North boundary 86 lks West of Cor to secs. 3 & 4 pom which I run
	S 37' West on true line bet Secs. 3 & 4.
	Va 13° 40' E
41.27	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised mound of earth 2 ft high pom pits 18 x 24 x 12 in for gr sec cor
81.27	Cor to secs. 3. 4. 9 & 10 Land high & valling 3 rate
	July 10th 1875

T33N. Range 24W

×	North bet Secs. 32 & 33
	Val 3° 40' E
40.00	Set post 2 × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high from pits 18 × 24 × 12 in for gr sec Cor
80.00	Set post 3 in × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound 3 ft high from pits 18 × 24 × 12 in for Cor to Secs. 28. 29. 32 & 33
	Land rolling sandy 3 rate

T33N. Range 24W.

	East on random line bet Secs. 28 & 33
	Val 3° 40' E
40.00	Set post for temporary gr Cor
79.92	Intersect N & S line 3 rolls South of Cor to Secs. 27. 28. 33 & 34 from which I run S 89° 47' West on true line bet Secs. 28 & 33
	Val 3° 40' E
39.96	Set post 2 × 3 in × 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 × 24 × 12 in for gr sec Cor
79.92	Cor to Secs. 28. 29. 32 & 33
	Land rolling sandy 3 rate

T33N. Range 24 West

North Cut Wear Sec^s 28 & 29
Val 3" 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft deep
deposited charred stake
raised Mound of earth
2 ft high from pits 18 x 24 x 12
in for Gr Sec Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited charred stake
raised Mound of earth
3 ft high from pits 18 x 24
x 12 in for Cor to Sec^s 20
21. 28 & 29.

Land rolling sandy 3rd rate

T33N. Range 24 W.

Eastern random line Cut
Sec^s 21. & 28
Val 3" 40' E

40.00 Post for temporary Gr Cor
57.50 Gordons trail to black hills N.W. S.E.
61.00 Enter Valley N & S.W.
64.30 Spring branch 5 lks wide
N & N.E. some timber
along banks
80.10 Intersect N & S line 18 lks
North of Cor to Sec^s 21. 22
27. & 28 from which I run
N 89° 52' West on true line Cut
Sec^s 21. & 28
Val 3" 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft deep
deposited charred stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in
for Gr Sec Cor

80.10 Cor to Sec^s 20 21. 28 & 29
Land rolling sandy 3rd rate

T33N. Range 24 West

North bet Secs 20 & 21
Val 3° 40' E

40.00 Post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for Gr sec Cor

56.00 Gordons Trail to Black Hills N.W. & S.E.

80.00 Set post. 3 in x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 3 ft high pom pits 18 x 24 x 12 in for Cor to secs 16. 17. 20 & 21

Land Rolling Sandy 3 rate

T33N. Range 24 W

Eastern random line bet Secs 16 & 21
Val 3° 40' East.

40.00 Post for temporary Gr Cor

55.00 Enter bottom along river N & S

58.00 Right bank of river set post for temporary Meander Cor

62.50 Island in river 3 chs wide. underbrush

69.30 Left bank of river set post for temp Meander Cor.

80.06 Intersect N & S line 28 chs South of Cor to secs 15. 16 21 & 22 pom which Cor I run

S 89° 48 West in true line bet Secs 16 & 21
Val 3° 40' E

10.76 Left bank of Niobrara river where I set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound pom pits 18 x 24 x 12 in for Meander Cor to pract. Secs 16 & 21.

22.06 Right bank of Niobrara River where I set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth pom pits for Meander Cor to secs pract. 16 & 21

40.03 Set post 2 x 3 in x 4 ft 1 ft deep over

T33N. Range 24

deposited charred stake
raised Mound of earth
2 ft high from pits 18 x 24
x 12 in for Gr Sec Cor

80.06 Cor to Sec.s 16. 17. 20 & 21
Land broken Zerate
Current in River Very
rapid. Water 4 ft deep

T33N. Range 24 W

North Cut Sec.s 16 & 17
Val 3° 40' E

9.00 low bottom along river
10.00 Right or South bank of Niobrara
river where I set. Post 2 x 3
in x 4 ft 1 ft. deep deposited
charred stake raised Mound
of Earth from pits for Meander
Cor to Pract.l Sec.s 16 & 17
18.50 Left bank of Niobrara River where I
set post 2 x 3 in x 4 ft 1 ft deep de-
posited charred stake raised
Mound of Earth from pits for
Meander Cor to Pract.l Sec.s 16 & 17
32.00 Leave Valley & timber enter bluffs E & W
40.00 Set post 2 x 3 in x 4 ft. 1 ft deep deposited
charred stake raised Mound of
earth 2 ft high from pits 18 x 24 x 12 in
for Gr Sec Cor
80.00 [Set post 3 in x 3 in x 4 ft. 1 ft. deep de-
posited charred stake raised
Mound of Earth 3 ft high from
pits 18 x 24 x 12 in for Cor to Sec.s
8. 9. 16. & 17.]
Land broken Zerate

T33N Range 24 West

	East on random line Cet Sec^s 9 & 16
	Val 3° 40' E
40.00	Post for temporary gr Cor
44.00	Enter Valley & timber N & S
51.00	Bed of Drain S.W. water in holes
62.70	Leave Valley of wide Drain
79.82	Intersect N & S line 14 lks North of Cor to Sec^s 9.10.15 & 16. from which Cor I run
	N 89° 54 West on true line Cet Sec^s 9 & 16
	Val 3° 40' E
39.91	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for grace cor
79.82	Cor to Sec^s 8.9.16 & 17
	Land broken 3 rate
	Timber pine & oak

To page 47

T33N. Range 24 West

	North Cet Sec^s 8 & 9
	Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high from pits 18 x 24 12 in for gr sec cor
45.00	Valley of wide canon S.W. filled with timber
59.00	Leave Canon & timber S.W.
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec^s 4.5.8 & 9
	Land high broken 3 rate

Town 33. N. Range 24

East on random line bet.
Sec.s 4 & 9
Va 13° 40' E

40.00 Set post for temporary gr cor
41.00 Valley of wide deep drain
& timber N W & S E
47.50 Spring branch S E.
57.00 Leave Valley & timber N & S
79.86 Intersect N & S line 14 lks
North of Cor to sec.s 3. 4
9 & 10 from which I run
N 89° 54' West on true line
bet sec.s 4 & 9
Va 13° 40' E.
39.93 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
raised mound 2 ft high
from pits 18 x 24 x 12 in
for gr sec cor
79.86 Cor to sec.s 4. 5. 8 & 9
Land broken 3rd rate
Timber oak & Elm

T33 N. Range 24 W

North on random line bet.
Sec.s 4 & 5
Va 13° 40' E
22.00 Enter Valley & timber N W & S E
35.00 Bed of drain S E.
40.00 Post for temporary gr cor
40.50 Drain N. E. with timber
70.00 Drain & timber S E.
81.34 Intersect North boundary
71 lks west of Cor to sec.s
4 & 5 from which I run
S 30' West on true line bet
Sec.s 4 & 5
Va 13° 40' E
41.34 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
raised mound of Earth
2 ft high from pits 18 x
24 x 12 in for gr sec cor
81.34 Cor to sec.s 4. 5. 8 & 9
Land rolling & broken
3rd rate
July 11th 1875

T33N. Range 24 W

×	North Cet Secs 31. & 32 Val 3° 40' E
40.00	Set post 2 × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 × 24 × 12 in for gr Sec Cor
80.00	Set post 3 in × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 3 ft high pom pits 18 × 24 × 12 in for Cor to Secs 29. 30. 31 & 32
	Land rolling Sandy 3 rate

T33N. Range 24 W.

	East on random line Cet. Secs 29 & 32 Val 3° 40' E
40.00	Rest for temporary gr Cor
80.12	Intersect N & S. line 22 links North of Cor to Secs 28. 29. 32 & 33 pom which I run
	N 89° 51 West on true line Cet Secs 29 & 32 Val 3° 40' E
40.06	Set post 2 × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 × 24 × 12 in for gr Sec Cor
80.12	Cor to Secs 29. 30. 31. & 32
	Land rolling 2 rate

T33 N. Range 24 W

	West on random line bet. Sec.s 30 & 31. Var 13° 40' E
40.00	Set for temporary gr cor
80.16	Intersect West Boundary 24 links South of Cor to sec.s 30 & 31 from which Cor bears S 89° 55' East true line bet Sec.s 30 & 31. Var 13° 40' E
40.16	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec cor
80.16	Cor to sec.s 24, 30, 31, & 32

T33 N. Range 24 W.

	North bet Sec.s 29 & 30 Var 13° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of earth 2 ft high from pits 18 x 24 x 12 in for gr sec cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of earth 2 ft high from pits 18 x 24 x 12 in for Cor to sec.s 19, 20, 29 & 30
	Land rolling sandy soil

T33 N. Range 24 W.

East on random line
bet Secs. 20 & 29
Val 3° 40' E
40.00 Post for temporary gr Cor
79.94 Intersect N. & S line 56
lks South of Cor to Secs
20. 21. 28. & 29 from
which Cor I run
S89° 36' West on true line
bet Secs. 20 & 29
Val 3° 40' E
39.97 Set post 2 x 3 x 4 ft 1 ft deep
deposited charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for gr sec
Cor
79.94 Cor to Secs. 19. 20. 29 & 30

T33. N. Range 24 W

West on random line bet.
Secs. 19 & 30
Val 3° 40' E
40.00 Post for temporary gr Cor
44.00 Enter Wide Sandy drain
N.E.
59.00 Bed of same N E
63.00 Leave same N E
80.72 Intersect West boundary
15 lks North of Cor to
Secs. 19 & 30 from
which Cor I run
N89° 54' East on true line
bet Secs. 19 & 30
Val 3° 40' E
40.72 Set post 2 x 3 in x 4 ft 1 ft.
deep deposited charred
Stake raised Mound
of Earth 2 ft high from
pits 18 x 24 x 12 in for
gr sec Cor
80.72 Cor to Secs. 19. 20. 29 & 30
Land rolling Sandy 3 Gate

T33 N. Range 24 W.

North bet Secs. 19 & 20
Var 13° 40' E

13.00 Enter Valley E. & W.
21.50 Drain N. E.
24.00 Leave Lane E. & W.
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Corner Stake raised Mound of earth 2 ft high from pits 18 x 24 x 12 in for pricker
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Corner Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for Cor to sec. 17. 18, 19 & 20
Land rolling Sandy Soil

T33 N. Range 24 W

Eastern random line bet Secs. 17 & 20
Var 13° 40' E

21.00 Drain North
40.00 Post for temporary Cor
43.50 Gordons trail to Black Hills N. W. & S. E.
79.88 Intersect N. & S. line 20 chs North of Cor to sec. 16. 17. 20 & 21 from which I saw N 89° 51' West, true line
bet Secs. 17 & 20
Var 13° 40' E
39.94 Set post 2 x 3 in x 4 ft 1 ft deep deposited Corner Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for pricker
79.88 Cor to sec. 17. 18, 19 & 20
Land rolling Sandy Soil

T33N. Range 24 W.

	West on random line Cet Secs. 18 & 19 Vas 3° 40' E
40.00	Set post for temporary gr cor
81.20	Intersect West boundary 57 lks South of Cor to Secs. 18 & 19 from which I run S 89° 36' East on true line Cet Secs. 18 & 19 Vas 3° 40' E
41.20	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
81.20	Cor to Secs. 17. 18. 19 & 20 Land rolling sandy 3 rate

T33N. Range 24 W

	North Cet Secs. 17 & 18 Vas 3° 40' E
16.40	Gordons Trail to Black Hills N.W. & S.E.
35.00	Enter timber on high points E & W
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 for gr sec Cor. from which * over
42.20	Enter bottom & timber E & W.
58.30	Right bank of Niobrara river where I set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for Meander Cor to Sects Secs. 17 & 18.
60.00	Island & timber about 15 chs E & W. & 2 chs wide
66.80	Left bank of Niobrara river where I set Post 2 x 3 in x 4 ft 1 ft deep deposited over

T33N Range 24W

Chains	
	Charred stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for Meander Cor to fract. Secs. 17 & 18.
74.50	Leave Valley & timber E & W enter highland
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred stake raised Mound of Earth 3 ft high pom pits 18 x 24 x 12 in for Cor to secs. 7. 8. 17 & 18
	Land Broken 3rd rate
	Timber Pine oak & Cottonwood
	July 12th 1875

* A Pine 10 in dia bears N 47° W 26 lks dist
" " 12 " " " N 80° E 43 " "
" " 15 " " " S 21° E 97 " "

T33N Range 24W

	East on random line bet Secs. 8 & 17
	Val 3° 40' E
40.00	Set post for temporary Cor
46.00	Enter Valley of wide train & timber N & S.
53.00	Bed of same South with timber
59.50	Leave Valley & timber S & N 2" E
80.64	Intersect N & S line 24 lks North of Cor to secs. 8. 9. 16 & 17. pom which pom
	N 89° 50' West on true line bet. Secs. 8 & 17.
	Val 3° 40' E
40.32	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised mound of Earth 2 ft high pom pits 18 x 24 x 12 in for Grace Cor
80.64	Cor to secs. 7. 8. 17. & 18
	Land rolling 3rd rate

T33N. Range 24 W

	Weston random line Set Sec.s 7 & 18 Val 3° 40' E
37.50	Enter low bottom N & S E
40.00	Post for temporary grsec Cor
41.80	Left bank of Niobrara River Set post for temp'y M Cor
51.00	Right bank of same River Set post for temporary Meander Cor
63.55	Leave Valley or low bottom
81.80	Intersect West boundary 63 lks bank of Cor to sec.s 7 & 18 from which Cor from
	S 89° 33' East on true line Set sec.s 7 & 18 Val 3° 40' E
30.80	Right bank of Niobrara River Where Set post 3 x 3 in x 4 ft 1 ft deep deposited a Charred Stake raised a Mound of Earth 3 ft high pom pits for Meander Cor to pract.l sec.s 7 & 18.
40.00	Left bank of Niobrara River Where I Set post 3 in x 3 in

T33N. Range 24 W

Chains	x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high pom pits 18 x 24 x 12 for Meander Cor to pract.l sec.s 7 & 18
41.80	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high pom pits 18 x 24 x 12 in for Gp sec Cor
81.80	Cor to sec.s 7, 8, 17 & 18 Land broken 3° rate

T33N. Range 24 W

North bet Sec.s 7 & 8
Val 3" 40' E

32.00 Enter Valley & timber N E & S W
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor
41.40 Bed of Drain S W.
55.25 Leave Valley & timber
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 x 24 x 12 in for Cor to Sec.s 5. 6. 7 & 8.
Land broken Zorate

this page H to page 63

T33N. Range 24 W

don't copy

Easton random line bet Sec.s 5 & 8
Val 3" 40' E

35.00 Enter Valley & timber S E
40.00 Post for temporary Gr Cor
44.00 Bed of Drain S E
59.00 Leave Valley & timber S E
80.42 Intersect N & S line 54 links North of Cor to Sec.s 4. 5. 8 & 9 from which Trans
N 89" 37 West on true line bet Sec.s 5 & 8
Val 3" 40' E
40.21 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor from which
A pine 12 in dia bears N 17" E 88 Chs dist
An oak 15 " " " S 28" W 104 " "
80.42 Cor to Sec.s 5. 6. 7 & 8
Land broken Zorate

T33N Range 24 W

+ West on random line bet Sec. 6 & 7
Val 3" 40' E

30.00 Drain & timber S.W.
40.00 Post for temporary gr Cor
44.00 Enter Valley of wide drain & timber N & S
58.00 Leave Valley & timber N & S
82.22 Intersect West boundary 70 lks South of Cor to Sec. 6 & 7. from which Iron
S 89° 31' East West on true line bet Sec. 6 & 7
Val 3° 40' E
42.22 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
82.22 Cor to Sec. 5. 6. 7 & 8
Land broken 3 or rate

To page 66

T33N Range 24 W.

North on random line bet Sec. 5 & 6.
Val 3" 40' E
24.70 Drain & timber S.W.
40.00 Post for Temporary gr Cor
49.50 Drain S.W.
64.00 Drain S.W.
79.90 Drain S.W.
81.72 Intersect North boundary 23 lks West of Cor to Sec. 5 & 6. from which Cor Iron
S 19° West on true line bet Sec. 5 & 6
Val 3" 40' E
41.72 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
81.72 Cor to Sec. 5. 6. 7. & 8
Land broken 3 or rate
July 13th 1875

Write this G. D. after meanders

General Description

T 33 N Range 24 West is unfit for cultivation the S.W. 1/4 is sand hills the remainder is very broken the N.E. 3/4 is composed of deep & wide canons or Ravines filled with timber oak. Pine cedar & Cottonwood the Township is well adapted to stock raising

To page 85

Meanders

The Meanders of the Right bank of the Niobrara River running through this Township I begin at the Meander Cor to fract.l Sec 7 on the West boundary & run down stream with the Meanders of the Right bank of said stream

Course	Chains	
S 55° E	11.40	
S 40° E	34.20	To Cor to fract.l Sec.s 7 & 18
	2	thence in Sec 18.
S 52 1/4° E	29.00	Narrow bottom & timber
S 83° E	28.00	To Cor to fract.l Sec.s 17 & 18
	3	thence in Sec 17
S 38° E	6.00	timber along bluffs
East	30.00	" " "
S 64 1/2 E	30.00	" " "
S 22 3/4 E	30.50	" " "
~~[illegible]~~ 74° E	8.00	To Cor to fract.l Sec.s 16 & 17
	4	thence in Sec 16.
S 77° E	10.00	high banks covered with timber
S 29° E	26.50	" " " " "
S 78° E	8.00	" " " " "
S 77 1/2 E	21.60	" " " " "
S 19 1/2 E	21.80	" " " " "
S 10 West	12.00	To Cor to fract.l Sec.s 16 & 21

Courses	Chains	
	5	thence in Sec 21
S 38½ E	26.11	To Cor to fract. Sec. 21 & 22
	6	thence in Sec 22
S 45° E	9.00	Bottom 10 chs wide
S 1° E	5.00	Willow bottom
S 10 W	28.00	at 15 chs outlet of branch
		at 20 chs outlet of branch
S 17½ E	28.40	To Cor to fract. 22 & 27
	7	thence in Sec 27.
S 44 E	15.00	Timber along bluffs
S 69 E	25.00	Narrow bottom timber
S 63 E	18.50	
S 78½ E	20.50	To Cor to fract. Sec. 26 & 27
	8	thence in Sec 26
S 63½ E	13.00	timber
S 15½ E	11.00	"
S 55 E	25.00	
S 72 E	47.40	At 30 chs outlet of branch To Cor to Sec. & fract. 25 & 26 thence in Sec 25.
	9	
S 44¾ E	1.60	To Cor to fract. Sec. 25 & 36 thence in Sec 36.
	10	
S 60½ E	15.00	
S 69½ E	35.00	
S 84½ E	33.50	To Cor to fract. Sec. 36 in East boundary

Courses	Chains	
		Meandering of Left bank of said River Begin at the Meander Corner to fract. Sec 36 in East boundary and run up stream with the Meanders of the left bank of said River
	12	Sec 36
N 71 W	24.30	to Cor. to Sec. 25 and 36
	13	Outlet in Sec. 25
N 72 W	44.00	Bottom 10 chs wide Not timber
N 66½ W	16.80	To Cor to fract. Sec. 25 & 26
	14	thence in Sec 26
N 57¼ W	18.30	
N 85 W	25.00	Bottom 8 chs wide
N 38¾ W	28.00	" " "
N 74¾ W	23.50	To Cor to fract. Sec 26 & 27
	15	thence in Sec 27.
N 70¾ W	48.00	bottom from 5 to 10 chs wide
N 74½ W	11.11	To Cor to fract. Sec. 22 & 27
	16	thence in Sec 22.
N 33 W	5.00	
N 2¾ W	46.00	Narrow bottom
N 20 W	11.80	
N 52¼ W	19.30	To Cor to fract. 21 & 22
		thence in Sec 21.
	17	At 16 chs outlet of branch 10 chs wide

July 14

	17	Sec 21.
N59 W	12.40	To Cor to sec 16 & 21 thence in Sec 16
	18	
N1¾ W	11.50	
N22½ W	28.30	Narrow bottom bluffs Covered with timber
N75½ W	34.00	at 20 chs leave bottom timber
S51½ W	13.30	
S34½ W	13.30	Large rocks in River timber along bluffs
S16½ W	7.20	
S78½ W	6.10	To Cor to sec.s 16 & 17 thence in Sec 17
	19	
S85 W	3.00	along high banks covered with timber
N 2 W	10.00	" " "
N14¾ W	16.00	Bottom 5 to 10 chs wide
N58¾ W	17.50	at 10 chs Rapids in River water falls about 6 feet
N66¾ W	20.00	at 12 chs head of Rapids low wet bottom
N86½ W	29.00	20 chs leave low bottom
N47¼ W	9.40	To Cor to sec.s 17 & 18. thence in Sec 18.
	20	
N87¼ W	25.50	Narrow dry bottom

N55 W	20.20	To Cor to sec.s 7 & 18 thence in Sec 7
	21	
N42 W	42.00	
N60 W	14.60	To Meander Cor to sec 7 in West boundary of Township
	22	

July 15th 1873

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township 33 North Range 24 West & showing the respective Capacities in which they acted

Wm Reese Chainman
T. J. Dennison "
Perry Altaffer Mounedman
F. L. Sprague "
J. E. Gorrell Flagman

We the undersigned do hereby
certify that we assisted
George W Fairfield deputy Surveyor
in Surveying and Sub-
dividing Township No 33
North of base Line in Range
No 24 West of 6th P M in Neb-
raska and that said Town-
ship has been in all respects
to the best of our knowledge
and belief well and faithfully
surveyed and the boundary
Monuments all planted
according to the instructions
furnished by the Surveyor
General of the dimensions
character. Construction &
Marking and in the manner as
specifically described in
the foregoing field Notes
William Reese Chainman
S S Dennis "
Perry Altopper Monumentman
J E Gorrell F. L Sprague ~~Flagman~~ Flagman
Signed in my presence

and sworn to by the above
Named persons before
me the undersigned this
22d day of July 1875
John B Gossage
Notary Public
in & for Antelope
Co Nebraska

as are represented in the foregoing field Notes as having been surveyed under my direction

I George W Fairfield Deputy Surveyor do solemnly swear that in pursuance of a joint Contract No 91. wherein Fred M Dorrington and George W Fairfield are joint Contractors with E. E. Cunningham United State Surveyor General for the district of Nebraska & Iowa & bearing date May 21st 1875 I have well faithfully & truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 33 North of base line of Range No 24 West of 6th P.M in Nebraska and I do further solemnly swear that all the Corners of such survey has been established & perpetuated in strict conformity to the

instructions furnished by the Surveyor General the Surveying Manual and special instructions of dimensions Character construction & Marking and in the Manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such survey

George W. Fairfield
Deputy Surveyor

Signed in my presence and sworn to before me the undersigned this 22d day of July 1875

John B Cossage
Notary Public
in & for Antelope
Co Nebraska

Surveyor Generals Office
Plattsmouth Neb Nov 26th 1875.

The foregoing field notes of the Subdivision and Meander Lines of Township No 33 North, of Range No 24 West of 6th Principal Meridian in the State of Nebraska, executed by George W. Fairfield Deputy Surveyor under Joint Contract No 91 dated May 31st 1875 in the month of July 1875 having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Jno. R. Clark

Surveyor General

Field Notes
of
The Survey & Subdivision
of
Township No. 32 North
of
Range No. 32 West
In
Nebraska

Executed
By Fred M Dorrington Deputy
Surveyor under Joint Contract
of Date May 31 1875

Survey
Commenced July 22d 1875
Completed " 26th " 1875

List of Names
A list of the Names of the individuals employed to assist in Surveying and Subdividing Township No 32 N. Range 32 West. & showing the respective Capacities in which they acted

B. S. Walker — Chainman
Geo Hathaway — "
Thos. Skinner — Moundman
Ed. R. Sprague — "
Wm. C. Miller — Flagman

Index Diagram



To determine the proper adjustment of my Compass to subdivide Township No 34 North Range 24 West. I begin at the Cor to Towns 33 & 34 North Ranges 23 & 24 West and run North on blank line along the East boundary of Sec 36 Va 13° 40' E

40.00 to sec cor
79.94 to point 1 ch East of Cor to sec 25 & 36.

To retrace this line or run a line parallel thereto my Compass is in proper adjustment

Township 34. North

Chains	North bet Secs 35 & 36 Val 3° 40' E
21.50	Drain S.W.
40.00	Set post 2×3in×4ft. 1ft in ground deposited a Charred Stake raised Mound of earth 3ft high pom pits 18×18 ×12 in for Gr sec Cor
80.00	Set post 3in×3in×4ft. 1ft in ground deposited a Charred Stake raised Mound of earth 3ft high pom pits 18×12× 12 in for Cor to secs 25. 26. 35 & 36
	Land rolling 2 rate.

Range 24 West

	East on random line bet. Secs 25 & 36 Val 3° 40' E
40.00	Set post for temporary Gr sec Cor
80.08	Intersect East 1 Boundary 17 links South of Cor to Secs 25 & 36. from which I view
	S 89° 53' West on true line bet secs 25 & 36. Val 3° 40' E
40.04	Set post 2×3in×4ft. 1ft in ground deposited Charred Stake raised Mound of earth 3ft high pom pits 18×24×12 for Gr sec Cor
80.08	Cor to secs 25. 26. 35 & 36
	Land rolling 2 rate

Township 34 North

North bet 25 & 26
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
Stake raised Mound
of Earth 2 1/2 ft high from
pits 18 x 24 x 12 in for gr
sec Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound of Earth
3 ft high from pits 18 x 24
x 12 in for Cor to sec^s
23 24 25 & 26
Land rolling Sandy 2 rate

Range 24 West

East on random line bet
Sec^s 24 & 25
Val 3° 40' E

40.00 Past for temporary gr Cor

80.26 Intersect East Boundary
31 lks South of Cor to
Sec^s 24 & 25 from
which Cor I run
S 89° 47' West on true line
bet Sec^s 24 & 25
Val 3° 40' E

40.13 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound of Earth
2 ft high from pits 18 x
24 x 12 in for gr sec Cor

80.26 Cor to sec^s 23 24 25 & 26
Land rolling 2 rate

Township 32 North

	North bet Sec. 23 & 24
	Va 13° 40' E
40.00	At post 2 x 3 in x 4 ft. 1 ft deep
	deposited Charred Stake
	raised Mound of Earth
	2 ft high from pits 18 x
	24 x 12 in for Prop Cor
80.00	At post 3 in x 3 in x 4 ft.
	1 ft deep deposited
	Charred Stake raised
	Mound of Earth from
	pits 18 x 24 x 12 in for
	Cor to sec. 13. 14. 23 & 24
	Land rolling Soil 2nd rate

Range 24 West

	Easton random line bet.
	Sec. 13 & 24
	Va 13° 40' E
40.00	Post for temporary Prop Cor
80.00	Intersect East Boundary
	at Cor to sec. 13 & 24
	from which Cor bears
	Washington line bet Sec.
	13 & 24
	Va 13° 40' E
40.00	At post 2 x 3 in x 4 ft. 1 ft deep
	deposited Charred
	Stake raised Mound
	2 ft high from pits 18 x 24
	x 12 in for Prop Cor
80.00	Cor to sec. 13. 14. 23 & 24
	Land rolling 2nd rate

Township 34 North

North bet Secs 13 & 14
Val 3° 40' E

40.00 Set post 2×3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound of earth from pits 18×24 ×12 in for Gr Sec Cor

80.00 Set post 3 in × 3 in × 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth from pits 18×24×12 in for Cor to Secs 11.12.13 & 14

Land Rolling 2 rate

Range 24 West

East on random line bet Secs 12 & 13
Val 3° 40' E

40.00 Post for temporary Gr Cor

80.06 Intersect East boundary 2 Chs North of Cor to Secs 12 & 13 from which Cor I run

N 89° 51' West on true line bet Secs 12 & 13
Val 3° 40' E

40.03 Set post 2×3 in × 4 ft. 1 ft deep deposited Charred Stake raised Mound of Earth 2½ ft high from pits 18×24×12 in for Gr Sec Cor

80.06 Cor to Secs 11.12.13 & 14

Land Rolling Sandy 3 rat

Township 34 North

North bet Secs 11 & 12
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Raised Mound of Earth 2½ ft high pm pits 18 x 24 x 12 in for Gr U C Cor

80.00 Set post 3 in x 3 in x 4 ft. 1 ft deep deposited Charred Stake Raised Mound of Earth pm pits 18 x 24 x 12 in for Cor to Secs 1. 2. 11 & 12
Land Rolling 2 rate

Range 24 West

East on random line bet Secs 1 & 12
Val 3° 40' E

40.00 Post for temporary Gr Cor
80.04 Intersect East boundary at Cor to Secs 1 & 12 from which I view West on true line bet Secs 1 & 12
Val 3° 40' E

40.02 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Raised Mound of Earth 2 ft high pm pits 18 x 24 x 12 in for Gr U C Cor

80.04 Cor to Secs 1. 2. 11 & 12
Land Rolling Sandy 2 rate

Township 34 North

North on random line
bet Sec.s 1 & 2
Va 13° 40' E

40.00 Post for temporary Gr Cor
80.38 Intersect North boundary
54 lks East of Cor to
Sec.s 1 & 2 from which
Cor I run
S 23' East on true line
bet Sec.s 1 & 2
Va 13° 40' E

40.38 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
of Earth 2 1/2 ft high
from pits 18 x 24 x 12
for gr sec cor

80.38 Cor to Sec.s 1. 2. 11 & 12
Land rolling Sandy 3 rate

July 22d
1875.

Range 24 West

North bet Sec.s 34 & 35
Va 13° 40' E

28.00 Drain S.W. with some Pines
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound of earth
2 ft high from pits 18 x
24 x 12 in for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
of earth 2 1/2 ft high from
pits 18 x 24 x 12 in for Cor
to Sec.s 26. 27. 34 & 35
Land rolling 2d rate

Township 34 North

	East on random line bet Sec.s 26 & 35 Va 13° 40' E
40.00	Set post for temporary gr Cor
79.95	Intersect N & S line 10 ch. South of Cor to Sec.s 25 26. 35 & 36 from which Cor I run
	S 89° 56 West on true line bet Sec.s 26 & 35 Va 13° 40' E
39.97	Set post 2 x 3 in x 4 ft. 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for gr Sec Cor
79.95	Cor to Sec.s 26. 27. 34 & 35 Land rolling 2 rate

Range 24 West

	North bet Sec.s 26 & 27 Va 13° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 ft high from pits 18 x 24 x 12 in for gr Sec Cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in for Cor to Sec.s 22 23. 26 & 27 Land rolling 2 rate

Township 34. North

East on random line bet.
Sec^s 23 & 26
Val 3° 40' E

40.00 Post for temporary Gr Cor
80.12 Intersect N & S line
40 lks North of Cor
to Sec^s 23. 24. 25 & 26
from which I run
N 89° 43' West on true
line bet Sec^s 23 & 26
Val 3° 40' E

40.06 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for Gr Sec
Cor

80.12 Cor to Sec^s 22. 23. 26 & 27
Land Rolling Table Land
2 Rate

Range 24 West

North bet Sec^s 22 & 23
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for Gr Sec Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
of Earth 3 ft high from
pits 18 x 24 x 12 in for Cor
to Sec^s 14. 15. 22 & 23
Land Table Land 2 Rate

Township 34 North

East on random line bet.
Sec. 14 & 23
Val 3° 40' E

40.00 Set post for temporary gr cor
80.42 Inter sect N & S line 19
lks North of Cor to Sec.
13.14.23 & 24 from which
Cor I run
N 89° 52 West on true line
bet Sec. 14 & 23
Val 3° 40' E.

40.21 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 for gr sec Cor
80.42 Cor to Sec. 14.15.22 & 23
Land Table Land 2 vote

Range 24 West

North bet Sec. 14 & 15
Val 3° 40' E

40.00 Set post 2 x 3 x 4 ft 1 ft deep
deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits 18 x 24
12 in for Cor to Sec.
10.11.14 & 15
Land Table Land 2 vote

Township 34 North

East on random line
bet Secs 11 & 14
Va 13° 40' E

40.00 Post for temporary gr cor
80.04 Intersect N & S line 11
lks South of Cor to secs
11. 12. 13. & 14. from which
Cor I run
S 89° 53 West on true line
bet Secs 11 & 14
Va 13° 40' E
40.02 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec Cor
80.04 Cor to secs 10. 11. 14 & 15
Land Table Land 2 rate

Range 24 West

North bet Secs 10 & 11
Va 13° 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft
1 ft deep deposited
charred Stake raised
Mound 2 ft high from
pits 18 x 24 x 12 in for gr
sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Cor to secs
2 x 3 10 & 11
Land Table Land 2 rate

Township 34 North

East on random line
bet Sec^s 2 & 11
Val 3° 40' E

40.00 Post for temporary Gr Cor
79.68 Intersect N & S line 30
lks South of Cor to sec^s
1. 2. 11 & 12 from which
Cor I run
S 89° 47' West on true line
bet Sec^s 2 & 11
Val 3° 40' E

39.84 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
Stake raised Mound
of Earth 2 ft high from
pits 18 x 24 x 12 in for
Gr sec Cor
79.68 Cor to sec^s 2. 3. 10. & 11
Table Land 2^d rate

Range 24 West

North on random line
bet Sec^s 2 & 3
Val 3° 40' E

21.30 Drain N E.
40.00 Post for temporary Gr Cor
81.00 Intersect North boundary
44 lks West of Cor to
sec^s 2 & 3 from which
Cor I run
South 19' West on true line
bet Sec^s 2 & 3
Val 3° 40' E

41.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits 18 x 24
x 12 in for Gr sec Cor
81.00 Cor to sec^s 2. 3. 10. & 11
Table Land 2^d rate

July 23^d 1875

Township 34 North

North bet Secs 33 & 34
Val 3" 40' E

3.00 Cañon & timber E & W
17.00 Cañon & timber S E.
26.00 Leave Valley E & W.
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for gr sec cor
80.00 Set post 3 in x 3 in x 4 ft 1
ft deep deposited charred
Stake raised Mound
3 ft high from pits 18 x
24 x 12 in for Cor to secs
27. 28. 33 & 34
Table Land 2 Vate

Range 24 West

Eastern random line bet.
Secs 27 & 34
Val 3" 40' E
40.00 Post for temporary gp Cor
0.12 Intersect N & S line 7 chs
south of Cor to secs 26.
27. 34 & 35 from which
Cor I run
S 89° 57' West on true line
bet Secs 27 & 34
Val 3" 40' E
40.06 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec cor
80.12 Cor to secs 27. 28. 33 & 34
Table Land 2 Vate

T 34 N. Range 24 W

	North Lat Sec. 27 & 28
	Var 13° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft
	deep deposited charred
	stake raised mound
	2 ft high from pits 18 x
	24 x 12 in for 9 sec Cor
80.00	Set post 3 in x 3 in. x 4 ft 1 ft
	deep deposited charred
	stake raised mound
	3 ft high from pits 18 x
	24 x 12 in for Cor to Sec.
	21. 22. 27 & 28
	Table Land 2 Gate

T 34 N. Range 24 W

	East and West line Lat.
	Sec. 22 & 27
	Var 13° 40' E
40.00	Set post for temporary 9 Cor
80.15	Intersect N & S line 31
	chs North of Cor to Sec.
	22. 23. 26 & 27. from
	which Cor I run
	N 89° 47' West on true line
	Lat Sec. 22 & 27
	Var 13° 40' E
40.07½	Set post 2 x 3 in x 4 ft 1 ft
	deep deposited charred
	stake raised mound
	2 ft high from pits 18 x
	24 x 12 in for 9 sec Cor
80.15	Cor to Sec. 21. 22. 27 & 28
	Table Land 2 Gate

T 3 N. Range 24 W

North bet Secs 21 & 22
Va 13" 40' E

38.5" Drain N.W.

40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake raised Mound
2 ft high from pits 18 x
14 x 12 in for Gr sec Cor

70.00 Spur of bluff S.W. 4 chs
wide at point N. & S.

80.00 Set post 3 in x 3 in x 4 ft 1 ft.
deep deposited Chorred
Stake raised Mound
2 ft high from pits
18 x 14 x 12 in for Cor
to Secs 15. 16. 21. & 22
Table Land 2 Vate.

T 3 N. Range 24 W

East on random line
bet Secs 15 & 22
Va 13" 40' E

40.00 Set post for temporary gr Cor

80.28 Intersect N & S line 38
chs South of Cor to Secs
14. 15. 22 & 23 from which
Cor Drum

S 89" 44' West on true line
bet Secs 15 & 22
Va 13" 40' E

40.14 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake raised Mound
2 ft high from pits 18 x
14 x 12 in for Gr sec Cor

80.28 Cor to Secs 15. 16. 21. & 22
Land Table Land 2 Vate

T 34 N. Range 24

North bet Secs. 15 & 16
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for Cor to Secs. 9. 10. 15 & 16

Land Table land 2 rate

T 34 N. Range 24 W

East on random line bet Secs. 10 & 15
Val 3° 40' E

40.00 Set post for temporary gr cor

80.40 Intersect N & S line 21 lks South of Cor to Secs. 10. 11. 14 & 15 from which I run S 89° 51 West on true line bet Secs. 10 & 15
Val 3° 40' E

40.20 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high pom pits 18 x 24 x 12 in for gr sec cor

80.40 Cor to Secs. 9. 10. 15 & 16
Table Land 2 rate

North bet Sec. 9 & 10
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
stake raised Mound
2 ft high pine pits 18 x
24 x 12 in for grave cor

40.50 Drain N. E.

80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
charred stake raised
Mound 2 ft high
pine pits 18 x 24 x 12
in for cor to sec.
3. 4. 9 & 10
Table Land 2 rate

Easting random line
bet Sec. 3 & 10
Var 13° 40' E

40.00 Post for temporary gp cor

56.50 Drain N. E.

80.18 Intersect N & S line at
cor to sec. 2. 3. 10 & 11
from which cor Drain
Western line bet
Sec. 3 & 10
Var 13° 40' E

40.09 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
stake raised Mound
2 ft high pine pits 18 x
24 x 12 in for gp sec cor

80.18 Cor to sec. 3. 4. 9 & 10
Land Table Land 2 rate

T 34 N. Range 24 W

North on random line
bet Sec. 3 & 4
Val 3° 40' E
40.00 Post for temporary Gr Cor
81.50 Intersect North boundary
37 lks East of Cor to Sec.
3 & 4. from which I run
South 16' East on true line
bet Sec. 3 & 4
Val 3° 40' E
41.50 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Gr sec Cor
81.50 Cor to Sec. 3 4. 9 & 10
Table Land 2 rate

July 24th 1870

T 34 N. Range 24 W

North bet Sec. 32 & 33
Val 3° 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Gr sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Cor to Sec.
28. 29. 32 & 33
Land Table Land 2 rate

T 34 N. Range 24

East on random line bet
Sec^s. 28 & 33
Val 3" 40' E
40.00 Post for temporary gr Cor
79.84 Intersect N & S line 15
lks South of Cor to Sec^s.
27. 28. 33 & 34 from
which Cor I run
S 89° 54' West on true line
bet Sec^s. 28 & 33
Val 3" 40' E
39.92 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for gr
sec Cor
79.84 Cor to Sec^s. 28. 29. 32 & 33
Land Table Land 2 rate

T 34 N. Range 24 W

North bet Sec^s. 28 & 29
Val 3" 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1
ft deep deposited Chorred
Stake raised Mound
3 ft high from pits 18 x
24 x 12 in for Cor to Sec^s.
20. 21. 28 & 29
Table Land 2 rate

T 34 N. Range 24 W

	East on random line bet Sec. 21 & 28 Val 3° 40' E
40.00	Post for temporary gr Cor
79.89	Intersect N & S line 4 lks North of Cor to Sec. 21. 22. 27 & 28. from which Cor Drum
	N 89° 58' West on true line bet Sec. 21 & 28 Val 3° 40' E
39.94	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
79.89	Cor to Sec. 20. 21. 28 & 29 Table Land 2 rate

T 34 N. Range 24 W

	North bet Sec. 20 & 21 Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec. 16. 17. 20 & 21 Table Land 2 rate

T 34 N. Range 24 W

	East on random line
	bet Sec.s 16 & 21
	Val 3" 40' E
40.00	Post for temporary Cor
59.00	Enter Valley of Wide Drain
	North & South
66.00	Leave Same North & S
79.70	Intersect N & S line 20
	lks North of Cor to Sec.s
	15. 16. 21 & 22 from
	which Cor Drain
	N 89° 51' West on true line
	bet Sec.s 16 & 21
	Val 3" 40' E
39.85	Set post 2 x 3 in x 4 ft 1 ft
	deep deposited Charred
	Stake raised Mound
	2 ft high from pits
	18 x 24 x 12 in for Cor
79.70	Cor to Sec.s 16. 17. 20 & 21
	Land Table Land 2 rate

T 34 N. Range 24 W

	North bet Sec.s 16 & 17
	Val 3" 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep
	deposited Charred Stake
	raised Mound 2 ft
	high from pits 18 x 24 x
	12 in for Cor Sec
80.00	Set post 3 in x 3 in x 4 ft 1 ft
	deep deposited Charred
	Stake raised Mound
	3 ft high from pits 18 x
	24 x 12 in for Cor to Sec.s
	8. 9. 16 & 17
	Land Table Land 2 rate

T 3 N Range 24 W

East on random line
bet Sec. 9 & 16
Val 3" 40' E

40.00 Post for temporary gr Cor
52.00 Drain N. 3 chs wide
80.00 Intersect N & S line 28
lks South of Cor to Sec.
9.10.15 & 16. from which
Cor Drain
S 89" 48' West on true line
bet Sec. 9 & 16
Val 3" 45' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec Cor
80.00 Cor to Sec. 8. 9. 16 & 17
Table Land 2 rate

T 3 N Range 24 W

North bet Sec. 8 & 9
Val 3" 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound 2 ft
high from pits 18 x 24
x 12 in for gr sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
3 ft high from pits
18 x 24 x 12 in for Cor
to Sec. 4. 5. 8. & 9
Table Land 2 rate

T 34 N. Range 34 W

East on random line
bet Sec^s 4 & 9
Val 3° 40' E

40.00 Post for temporary gr Cor
80.22 Intersect N & S line 13
lks South of Cor to sec^s
3. 4. 9 & 10 from which
Cor Trees
S 89° 54' West on true line
bet Sec^s 4 & 9
Val 3° 40' E

40.11 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec Cor
80.22 Cor to sec^s 4. 5. 8 & 9
Table Land 2 rate

T 34 N Range 34 W

North on random line
bet Sec^s 4 & 5
Val 3° 40' E

40.00 Post for temporary gr Cor
81.10 Intersect North boundary
68 lks West of Cor to
sec^s 4 & 5 from which
Cor Trees
S 29 West on true line bet
Sec^s 4 & 5
Val 3° 40' E

41.10 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits 18 x 24
x 12 in for gr sec Cor
81.10 Cor to sec^s 4. 5. 8 & 9
Table Land 2 rate

July 25th 1875

T 33 N Range 24 W

	North bet Sec. 31 & 32
	Va 13° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft
	deep deposited Chorned
	Stake raised Mound
	2 ft high from pits 18 x 24
	12 in for grade Cor
80.00	Set post 3 in x 3 in x 4 ft 1
	ft deep deposited Chorned
	Stake raised Mound
	3 ft high from pits
	18 x 24 x 12 in for Cor
	B sec. 29. 30. 31 & 32
	Table Land 2 rate

T 33 N. Range 24 W.

	East random line
	bet Sec. 29 & 32
	Va 13° 40' E
40.00	Post for temporary gp Cor
79.96	Intersect N & S line 20
	chs North of Corb sec.
	28. 29. 32 & 33 from
	which Cor & run
	N 89° 57' West on this line
	bet sec. 29 & 32
	Va 13° 40' E
39.98	Set post 2 x 3 in x 4 ft 1 ft deep
	deposited Chorned Stake
	raised Mound 2 ft
	high from pits 18 x
	24 x 12 in for grade Cor
79.96	Corb sec. 29. 30. 31 & 32
	Land Table Land 2 rate

T 34 N. Range 24 W

West on random line
Cet Secs. 30 & 31.
Val 3" 40' E

32.00 Drain S.W.
40.00 Post for temporary Cor
51.00 Drain S.W.
62.00 Drain S.W.
82.64 Intersect West boundary
at Cor to Secs. 30 & 31
from which Cor Drain
East on true line Cet Secs.
30 & 31.
Val 3° 40' E
42.64 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for Cor
Cor to Secs. 29. 30. 31. & 32
Rolling Land 3 Note

T 34 N. Range 24 W.

North Cet Secs. 29 & 30
Val 3" 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
Raised Mound 2 ft
high from pits 18 x 24 x
12 in for Cor
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Charred stake raised
Mound 2 ft high from
pits 18 x 24 x 12 in for
Cor to Secs. 19. 20. 29 & 30
Land Table Land 2 Note

T34N. Range 24 W

	Eastern random line bet Secs. 20 & 29 Val 3" 40' E
40.00	Post for temporary gr Cor
79.82	Intersect N & S line 42 lks North of Cor to Secs. 20. 21. 28 & 29 from which Cor I run
	N 89" 42 West on true line bet Secs. 20 & 29 Val 3" 40' E
39.91	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
79.82	Cor to Secs. 19. 20. 29 & 30 Land Table Land 2 rate

T34N. Range 24 W

	Western random line bet secs. 19 & 30 Val 3" 40' E
40.00	Post for temporary gr Cor
61.00	Drain South 2" West
82.84	Intersect West boundary 26 lks North of Cor to Secs. 19 & 30 from which Cor I run
	N 89" 49' East on true line bet Secs. 19 & 30 Val 3" 40' E
42.84	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
82.84	Cor to Secs. 19. 20. 29 & 30 Table Land 2 rate

T 34 N. Range 24 W.

	North bet Secs 19 & 20
	Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high pm pits 18 x 24 x 12 in for gp sec Cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 3 ft high pm pits 18 x 24 x 12 in for Cor to sec 17. 18 19 & 20
	Table Land 2 rate

T 34 N. Range 24 W.

	East on random line bet Secs 17 & 20
	Val 3° 40' E
40.00	Post for temporary gp Cor
79.60	Intersect N & S line 18 lks North of Cor to Secs 16. 17. 20 & 21. pm which Cor true
	N 89° 53' West on true line bet Secs 17 & 20
	Val 3° 40' E
39.80	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high pm pits 18 x 24 x 12 in for gp sec Cor
79.60	Cor to secs 17. 18. 19 & 20
	Table Land 2 rate

T 34 N. Range 24 W

		West on random line bet Sec. 18 & 19 Val 3" 40 E
4	40.00	Post for temporary Gr Cor
1	82.70	Intersect West boundary 16 lks South of Cor to Sec. 18 & 19 from which Cor Drum
		S 89° 53' East on true line bet Sec. 18 & 19 Val 3" 40 E
3	42.70	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake Mixed Mound 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor
7	82.70	Cor to Sec. 17.18.19 & 20 Table Land 2 rate

T 34 N. Range 24 W

		North bet Sec. 17 & 18 Val 3" 40 E
	40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake mixed Mound 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor
	80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred Stake mixed Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec. 7.8.17 & 18
		Table Land 2 rate

T 34 N. Range 34 W

		East on random line bet Secs 8 & 17 Val 3" 40' E
40.0	40.00	Post for Temporary gr Cor
79.0	79.54	Intersect N & S line 12 links South of Cor to Secs 8.9.16 & 17. from which Cor I run
		S 89° 55' West on true line bet Secs 8 & 17 Val 3" 40' E
39.9	39.92	Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
79.0	79.54	Cor to Secs 7. 8. 17 & 18 Table Land 2 rate

T 34 N. Range 34 W

		West on random line bet Secs 7 & 18 Val 3" 40' E
40.00		Set post for temporary gr Cor
82.40		Intersect West boundary 44 lks South of Cor to Secs 7 & 18 from which Cor I run
		S 89° 42' East on true line bet Secs 7 & 18 Val 3" 40' E
42.40		Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for gr sec Cor
82.40		Cor to Secs 7. 8. 17 & 18 Table Land 2 rate

T 34 N. Range 24 W

North bet Secs. 7 & 8
Val 3" 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
3 ft high from pits 18 x
24 x 12 in for Cor to secs.
5. 6. 7 & 8
Table Land 2 rate

T 34 N. Range 24 W

East on random line
bet Secs. 5 & 8
Val 3" 40' E
40.00 Post for temporary gr Cor
79.64 Intersect N & S line 15
lks North of Cor to secs.
4. 5. 8 & 9 from which
Cor Iron
N 89° 54' West on true line
bet Secs. 5 & 8
Val 3" 40' E
39.82 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for gr sec cor
79.64 Cor to secs. 5. 6. 7 & 8
Land Table Land 2 rate

T34 N. Range 34 W

West on random line
bet Secs. 6 & 7
Va 13° 40' E

40.00 Post for temporary gr Cor
82.94 Intersect West boundary
22 lks North of Cor to
Secs. 6 & 7. from
which Cor Iron
N 89° 51' East on true line
bet Secs. 6 & 7
Va 13° 40' E

42.94 Set post 2 x 3 in x 4 ft 1
ft deep deposited
Charred stake raised
Mound 2 ft high pom
hits 18 x 34 x 12 in for gr Cor
82.94 Cor to Secs. 5. 6. 7 & 8
Table Land 2 rate

T34 N. Range 34 W

North on random line
bet Secs. 5 & 6
Va 13° 40' E

40.00 Set post for temporary gr Cor
80.74 Intersect North boundary
34 lks East of Cor to Secs.
5 & 6 from which Iron
S 10' East on true line bet
Secs. 5 & 6
Va 13° 40' E

40.74 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised mound
2 ft high pom hits
18 x 34 x 12 in for
gr Sec Cor
80.74 Cor to Secs. 5. 6. 7 & 8
Table Land 2 rate

July 26th 1910

General Description

This Township is composed of high & almost entire level Table Land, No water & but few Pine trees which are found in Sec. 33 & 34. it is well adapted to Stock raising & might do for Agriculture

List of names

A list of the names of the individuals employed to assist in surveying & subdividing Township No 34 North Range 24 West in Nebraska and showing the respective capacities in which they acted

B. S. Walker	Chainman
Geo Hathaway	"
Thos. N Skinner	Mounduan
E. R. Sprague	"
W. C. Miller	Flagman

We the undersigned do hereby certify that We assisted Fred M Dorrington deputy Surveyor in surveying & subdividing Township No 34 North of the base line in Range No 24 West of the 6th P.M. in Nebraska and that said township has been in all respects to the best of our Knowledge & belief Well & faithfully surveyed and the boundary Monuments all planted according to the instructions furnished by the surveyor. General of the dimensions character Constructions & Marking and in the Manual as spacifically described in the foregoing field Notes

B. S. Walter Chainmen
Geo. Hathaway
Thos. D. Skinner Moundman
Moundmen
E. R. Sprague Flagman
W. C. Miller " "

signed ~~before~~ in my presence & sworn to before me the undersigned this 21st day of August 1875

John B Gossage
Notary Public
in & for Antelope Co.
Nebraska

as are represented in the foregoing field Notes as having been surveyed under my direction

Fred M Dorrington Deputy Surveyor do solemnly swear that in pursuance of a joint Contract No 91 Wherein Fred M Dorrington and George W. Fairfield are joint Contractors with E E Cunningham Surveyor General for the District of Nebraska & Iowa & bearing date May 21st 1875 I have well faithfully & truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 34 North Range 24 West of 6 P.M. in Nebraska and I do further solemnly swear that all the corners of such survey has been established & perpetuated in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and Special instructions of dimensions Character Construction & Marking and in the manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such Survey

Fred M Dorrington
Deputy Surveyor.

Signed in my presence and sworn to before me the undersigned this 21st day of August 1875

John B Gossage
Notary Public in & for Antelope Co.
Nebraska.

Surveyor Generals Office

Plattsmouth Neb Nov 26th 1875

The foregoing field notes of the Sub-division Lines of Township No. 34 North of the Base Line, of Range No 24 West of the 6th Principal Meridian in the State of Nebraska executed by Fred M. Dorrington under Joint Contract No. 91. dated May 31st 1875. in the month of July 1875. having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they describe are hereby approved.

J. M. R. Clark

Surveyor General.

Field Notes
of
Survey and Subdivision
of
Township No. 35 North
of
Range 24 West of 6th P.M.
in
Nebraska
Executed
by Fred M Dorrington deputy
Surveyor under Joint Contract
No 91. dated May 31st 1875

Survey
Commenced July 27th 1875
Completed " 29th 1875

List of Names
A list of the names of the
individuals employed to
assist in Surveying and
Subdividing Township No
35 North Range 24 West.

& Showing the respective Capacities in which they acted.

B. S. Walker Chainman
George Hathaway "
Thos. F. Skinner Mounedman
Ea R. Sprague "
Wm C. Miller Chainman

Index Diagram

6	5	4	3	2	1
7	8	9	10	11	12

State Line

18	38	17	28	16	21	15	14	14	7	13
37		36		27		20		13		6
19	35	20	26	21	19	22	12	23	5	24
34		33		25		18		11		4
30	32	29	24	28	17	27	10	26	3	25
31		30		23		16		9		2
31	29	32	22	33	15	34	8	35	1	36

To Determine the proper adjustment of my Compass for subdividing this Township I begin at the Cor to Townships 34 & 35 N Ranges 23 & 24 West and run North on blank line along East Boundary of Sec 36.

Vat 3° 40' E

40.00 To gr sec cor
80.00 To Cor to sec^s 25 & 36

I find my Compass in proper adjustment

Township No 35 North

North Cet Secs 35 & 36
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited a Charred Stake raised Mound of earth from pits 18 x 24 x 12 in for Gr sec Cor

80.00 Set post. 3 in x 3 in x 4 ft. 1 ft in ground deposited Charred Stake raised Mound of earth from pits 18 x 24 x 12 in for Cor to secs 25. 26. 35 & 36.

Land rolling Soil Sandy 3 rate.

Range 24 West

Fast on random line Cet.
Secs 25 & 36.
Val 3° 40' E

40.00 Post for temporary Gr sec cor

79.85 Intersect East Boundary 41 lks South of Cor to Secs 25 & 36. from which Drum

S 89° 43 West on true line Cet.
Secs 25 & 36
Val 3° 40' E

39.92 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound of earth from pits 18 x 24 x 12 in for Gr sec cor

79.85 Cor to secs 25. 26. 35 & 36
Land rolling Sandy 2 rate

Township 35 North

Chains	North Cet Secs 25 & 26 Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of earth from pits 18 x 24 x 12 in for Gr sec cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for Cor to Secs 25. 26. 35 & 36
	Land rolling sandy 2 rate

Range 24 West

	East on random line Cet Secs 24 & 25 Val 3° 40' E
40.00	Post for temporary Gr sec cor
79.80	Intersect East boundary 50 lks South of Cor to Secs 24 & 25 from which I run S 89° 39' West on true line Cet Secs 24 & 25 Val 3° 40' E
39.90	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised mound of earth from pits 18 x 24 x 12 in for gr sec cor
79.80	Cor to Secs 25. 26. 35 & 36
	Land rolling soil 2 rate

Township 35 North

	North Lat Sec. 23 & 24
	Var 13° 40' E
40.00	Set post 2 x 3 in x 4 ft. 1 ft dep
	deposited charred stake
	raised Mound of Earth
	from pits
80.00	Set post 3 in x 3 in x 4 ft. 1 ft
	deep deposited charred
	stake raised Mound of
	earth from pits 18 x 24
	x 12 in for Cor to Sec.
	13. 14. 23 & 24
	Land rolling sandy 2 rate

Range 24 West

	Eastern random line bet.
	Sec. 13 & 24
	Var 13° 40' E
40.00	Post for temporary prec cor
80.02	Intersect East Boundary
	of Lots south of Cor to
	Sec. 13 & 24. from which
	I run
	S 89° 57' West on true line bet
	Sec. 13 & 24
	Var 13° 40' E
40.01	Set post 2 x 3 in x 4 ft. 1 ft dep
	deposited charred stake
	raised Mound of Earth
	from pits 18 x 24 x 12 in
	for prec cor
80.02	Cor to Sec. 13. 14. 23 & 24
	Land sandy 2 rate

Township 35 North

Chains	
	North bet Secs. 13 & 14
	Va 13° 40' E
1.50	Intersect State boundary line between Nebraska & Dakota at a point 7 Chains East of 23rd Mile Post where I
	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 for closing corner to fracs. Secs. 13 & 14
	Land rolling Timber 3rd rate

Range 24 West

	North bet Secs. 34 & 35
	Va 13° 40' E
40.00	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor
80.00	Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited w charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Secs. 26. 27. 34 & 35
	Land rolling 2nd rate

Township 35 North

	East on random line bet Secs. 26 & 35 Vas 3° 40' E
40.00	Set post for temporary gr. cor
79.94	Intersect N & S line 37 lks South of Cor to Secs. 26 27. 34 & 35 from which I run
	S 89° 44' West on true line bet Secs. 26 & 35 Vas 3° 40' E
39.97	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of Earth from pits 18 x 24 x 12 in for gr. sec. cor
79.94	Cor to Secs. 26. 27. 33 & 34 Land rolling sandy 2 rate

Range 24 West

	North bet Secs. 26 & 27 Vas 3° 40' E
10.00	Enter valley N E & N W.
40.00	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of Earth 3 ft high from pits 18 x 24 x 12 in for gr. sec. cor
76.00	Swail & water in holes East Iron turns N E.
78.00	Leave valley enter spur of bluff E & W.
80.00	Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor to Secs. 22. 23. 26 & 27
	Land rolling soil sandy 3 rate

Township 35 North

East on random line bet.
Secs. 23 & 26
Va 13° 40' E

11.00 Leave Spur enter Valley N & S
15.00 Marshy & low ground North
22.00 Enter Swail water in holes
North & ~~South~~ from the
West
38.00 Leave Valley enter Rolling
prairie N & S
40.00 Set post for temporary gr cor
80.15 Intersect N & S. line 24 ch.
North of Cor to secs. 23.
24. 25 & 26. from which
I run
N 89° 50' West on true line bet.
Secs. 23 & 26
Va 13° 40' E
40.07 Set post. 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake raised
Mound from pits 18 x 24 x
12 in for gr sec Cor
80.15 Cor to secs. 22. 23. 26 & 27
Land rolling 2 rate

Range 24 West.

North between Secs. 22 & 23
Va 13° 40' E

10.50 Leave Spur of bluff enter
Valley North
40.00 Set post. 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised Mound from
pits 18 x 24 x 12 in for
gr sec Cor
80.00 Set post. 3 in x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised Mound from
pits 18 x 24 x 12 in for
Cor to secs. 14. 15. 22 & 23
Land Valley 2 rate

Township 35 North

Easton random line bet
Secs. 14 & 23
Var 13° 40' E

21.00 Avail with water in holes
North.

33.00 Leave Valley N & S. enter
rolling sand hills

40.00 Set post for temporary gr cor

50.07 Intersect N & S line 42
links South of Cor to
Secs. 13. 14. 23 & 24
from which I run
S89° 42 West on true line
bet Secs. 14 & 23
Var 13° 40' E

40.03 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound
pour pits 18 x 24 x 12 in for
G L O Cor

50.07 Cor to Secs. 14. 15. 22 & 23
Sand rolling soil sandy
2 rate

Range 24 West

North bet. Secs. 14 & 15
Var 13° 40' E

1.86 Intersect State boundary
line between Nebraska
& Dakota at a point
7 chains & 40 links East
of 34th Mile post. Where
I set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound of
earth pour pits as
per instructions for
closing corner b/ Secs.
Secs. 14 & 15.

Sand rolling 2 rate
July 27th 1895.

Township 35 North

North bet Secs 33 & 34
Val 3" 40' E

15.00 Enter rolling prairie or spur
27.00 Leave same enter valley N.E. & S.W.
40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for gr sec cor
52.00 Swail water in holes N.E. & one branch from N.W.
66.00 Leave valley enter spur of rolling hills N.W. & N.E.
80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for cor to secs 27. 28. 33. & 34
Land valley 2 rate

Range 24 West

East on random line bet. Secs 27. & 34
Val 3" 40' E

16.00 Enter valley N.E. & S.W.
40.00 Set post for temporary gr cor
44.50 Swail water in holes N.E.
57.00 Leave valley enter rolling land N.E. S.W.
80.66 Intersect N & S. line 37 lks south of cor to secs 26. 27. 34. & 35 from which cor brun
S 89° 44' West on true line bet Secs 27. & 34
Val 3" 4" E
40.33 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for gr sec cor
80.66 Cor to secs 27. 28. 33 & 34
Land rolling 2 rate

Township 35 North

North bet Secs. 27 & 28
Val 3" 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited Charred Stake raised Mound from pits 18 x 24 x 12 in for gr Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft. in ground deposited Charred Stake raised Mound of Earth from pits 18 x 24 x 12 in for Cor to Secs. 21. 22. 27 & 28

Land rolling 2 rate

Range 24 West

East on random line bet. Secs. 22 & 27
Val 3" 40' E

40.00 Enter Valley N E. Lt 18 Sure
Set post. 2 x 3 in x 4 ft. for temporary gr Sec Cor

70.00 Spur of bluff North of line

80.42 Intersect N & S line 21 lks South of Cor to Secs. 22. 23. 26. & 27. from which I run
S 89° 51' West on true line bet Secs. 22 & 27
Val 3" 40' E

40.21 Set post. 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 in for gr Sec Cor

80.42 Cor to Secs. 21. 22. 27 & 28
Land rolling 2 rate

Township 35 North

North bet Secs. 21 & 22
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised a Mound from pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to secs. 15. 16 21. & 22

Land rolling 2 rate

Range 24 West

East on random line bet Secs. 15 & 22
Val 3° 40' E

40.00 Set post for temporary gr cor

58.40 Leave rolling prairie enter Valley N E & S E

80.70 Intersect N & S line 16 lks South of Cor to secs. 14 15. 22 & 23 from which I run

S 89° 53' West on true line bet Secs. 15 & 22
Val 3° 40' E

40.35 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound from pits 18 x 24 x 12 for gr sec cor

80.70 Cor to secs. 15. 16. 21 & 22
Land rolling 2 rate

Township 35 North

North Cor Secs 15 & 16
Va 13° 40' E

1.70 Intersect State boundary line between Nebraska & Dakota at a point 7 chains & 70 links East of 25th Mile Post Where I

Set post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Closing Corner to fracs Secs 15 & 16.

Land Valling 2 rate

Range 24 West

North Cor Secs 32 & 33
Va 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Gr Sec Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Secs 28. 29. 32 & 33

Land Valling 2 rate

July 28th

Township 35 North

	East on random line bet Secs. 28 & 33 Val 3° 40' E
40.00	Set post for temporary gr. cor.
63.00	Enter Valley S E & N W
65.00	Swail or Wet Drain S E
67.50	Leave Valley S E & N W
79.84	Intersect N & S. line at a point 10 lks North of Cor to Secs. 27. 28. 33. & 34 from which I run N 89° 56' West on true line bet Secs. 28 & 33 Val 3° 40' E
39.92	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 in for gr. sec. cor
79.84	Cor to Secs. 28. 29. 32 & 33 Land rolling 2 rate

Range 34 West

	North bet Secs. 28 & 29 Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 in for gr. sec. cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Secs. 20. 21. 28 & 29 Land rolling 2 rate

Township 35 North

Chains	
	East on random line bet Secs. 21 & 28 Val 3° 40' E
40.00	Set post for temporary gr cor
79.78	Intersect at Cor to Secs. 21, 22, 27 & 28 from which I run
	West on true line bet Secs. 21 & 28 Val 3° 40' E
39.89	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for gr sec cor
79.78	Cor to Secs. 20, 21, 28 & 29 Land rolling soil 2 rate

Range 24 West

	North bet Secs. 20 & 21 Val 3° 40' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound from pits 18 x 24 x 12 in for gr sec cor
80.00	Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high from pits 18 x 24 x 12 in for cor to Secs. 16, 17, 20 & 21
	Land rolling 2 rate

Township 35 North

Easting random line bet.
Secs. 16 & 21
Va 13° 40' E

40.00 Post for temporary Gr. Cor
79.70 Intersect N. & S. line 14
links North of Cor to Secs.
15, 16, 21 & 22 from which
I view
N 89° 54' West true line
bet Secs. 16 & 21
Va 13° 40' E

39.85 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound
of earth from pits 18 x 24
x 12 in for Gr. Sec. Cor
79.70 Cor to Secs. 16, 17, 20 & 21
Land rolling 2nd rate

Range 21st West

North bet Secs. 16 & 17
Va 13° 40' E

1.96 Intersect State boundary line
between Nebraska & Dakota
at a point 8 chains and
30 links East of 26th Mile
post. Where I
Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound from
pits 18 x 24 x 12 in for Closing
Corner to Sec. Secs. 16 &
17, Town 35 N Range 21st
West
Land rolling 2nd rate
July 28th 1895

Township 35 North

North Cor Secs. 31. & 32
Val 3° 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to secs. 29. 30. 31. & 32

Land rolling 2 rate

Range 24 West

East on random line Cor. Secs. 29 & 32
Val 3° 40' E

40.00 Post for temporary gr cor

80.09 Intersect N & S line 16 chs North of Cor to secs. 28 x 29 x 32 & 33 from which I run

N 89° 53' West on true line Cor Secs. 29 & 32
Val 3° 40' E

40.04 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 in for gr sec cor

80.09 Cor to secs. 29. 30. 31 & 32
Land rolling 2 rate

Township 35 North

West on random line bet
Sec. 30 & 31
Var 13° 40' E

40.00 Post for temporary gr cor
82.68 Intersect West Boundary
9 links North of Cor
to Sec. 30 & 31, on 4th
Guide Meridian West
from which I saw
N 89 45 6 East on true line
bet Sec. 30 & 31
Var 13° 40' E

42.68 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound of
earth from pits for gr
sec Cor

82.68 Cor to sec. 29, 30, 31, & 32
Land rolling 2nd rate.

Range 24 West

North bet Sec. 29 & 30
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound
of earth from pits 18 x 24
x 12 in for gr sec Cor

80.00 Set post 2 in x 3 in x 4 ft. 1 ft
in ground deposited
charred stake raised
Mound from pits 18 x
24 x 12 in for Cor to sec.
19, 20, 29, & 30

Land rolling 2nd rate

Township 35 North

East on random line bet
Secs. 20 & 29
Val 3° 40' E

40.00 Set post for temporary gr cor
80.19 Intersect N & S line 7
links South of Cor to
Secs. 20. 21. 28 & 29
from which I run
S 89° 57' West on true line
bet Secs. 20 & 29
Val 3° 40' E

40.09 Set post 2 x 3 in x 4 ft. 1 ft
in ground deposited
charred stake raised
Mound from pits 18 x 24
x 12 in for gr sec cor
80.19 Cor to secs. 19. 20. 29 & 30
Land rolling 2 rate

July 29th 1875

Range 24 West

West on Random line bet
Secs. 19 & 30
Val 3° 40' E

40.00 Post for temporary gr cor
82.74 Intersect 4th Guide Meridian
18 lks South of Cor to Secs.
19 & 30 from which
I run
S 89° 53' East on true line
bet Secs. 19 & 30
Val 3° 40' E

42.74 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
stake raised Mound of
earth from pits 18 x 24
x 12 in for gr sec cor
82.74 Cor to secs. 19. 20. 29 & 30
Land rolling 2 rate

Township 35 North

North bet Secs 19 & 20
Val 3" 40' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound from pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred Stake raised Mound of Earth from pits 18 x 24 x 12 in for Cor to secs 17. 18. 19 & 20
Land rolling 2 rate

Range 24 West.

East random line bet Secs 17 & 20
Val 3" 40' E

40.00 Set post for temporary gr cor
79.86 Intersect N & S line 11 chs North of Cor to secs 16. 17. 20 & 21. from which train N 89° 55' West on true line bet Secs 17 & 20
Val 3" 40' E

39.93
~~39.83~~ Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred Stake raised Mound of earth from pits 18 x 24 x 12 in for gr sec cor

79.86 Cor to secs 17. 18. 19 & 20
Land rolling 2 rate

Township 35 North

West on random line bet
Secs. 18 & 19
Val 3" 40' E

40.00 Post for temporary gr Cor
82.82 Intersect Fourth Guide
Meridian 27 lks North
of Cor to Secs. 18 & 19
from which I run
N 89° 49' East on true line
bet Secs. 18 & 19
Val 3" 40' E

42.82 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
Stake raised Mound from
pits 18 x 24 x 12 in for gr
Sec Cor

82.82 Cor to Secs. 17. 18. 19 & 20
Land rolling 2 rate

Range 24 West

North bet Secs. 17 & 18
Val 3" 40' E

2.20 Intersect State boundary
line 7 chains and 65
links East of 27th Mile
post Where I
Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
Stake raised Mound
from pits 18 x 24 x 12 in
for closing Corner to
Pacs. Secs. 17 & 18
Town 35 N Range 24 W
Land rolling 2 rate

General Description
This Township is rolling
soil sandy 2 rate the
Valley in Secs. 33. 34 27. 26
22. 23 is 1st rate Land
with a fine growth of grass
the soil is not adapted
to agriculture
July 29th 1875

We do hereby certify that we assisted Fred N Dorrington deputy Surveyor in Surveying and Subdividing Township No 35 North of the base line in Range No 24 West of 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge & belief well and faithfully surveyed and the boundary Monuments all planted according to the instructions furnished by the Surveyor General of the dimensions character construction & Marking and in the Manner as specifically described in the foregoing field Notes

B. S. Walker Chainman
Geo Hathaway "
Thos. M. Skinner Moundman
E. R. Sprague Flagman
H. C. Miller.

Signed in my presence and sworn to by the above named persons before me the undersigned this 10th day of August 1875

John B Cossage
Notary Public in and for Antelope County Nebraska

I Fred M Dorrington Deputy Surveyor do solemnly swear that in pursuance of a joint Contract No 191 dated May 31st 1895. Wherein Fred M Dorrington and Geo. H. Fairfield are joint Contractors with E. E. Cunningham United States Surveyor General for the district of Nebraska & Iowa and in strict conformity to the laws of the United States and the instructions of the Surveyor General have in my own proper person faithfully & truly surveyed the subdivision lines of Township No 35 North of base line in Range No 24 West of 6th P.M. in Nebraska and do further solemnly swear that all the Corners of said surveys have been established & perpetuated in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and Special instructions of a mere character. Construction & Marking and in the manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such Survey

Fred M Dorrington
Deputy Surveyor

Signed in my presence and sworn to before me the undersigned this 10th day of August 1895

John B. Lossage
Notary Public
in & for Antelope
Co Nebraska

Surveyor Genl's Office
Washington Sept 28th 1875

The foregoing field notes of the survey of Township No 35 North Range 2 of West executed by Fred M Dorrington under joint contract No 91 dated May 21st 1875, in the month of July 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Jno. C. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

484

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.