

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**493**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes

The Survey and Subdivision  
of  
Township 33 North  
of  
Range 25 West 6<sup>th</sup> M  
M  
Nebraska

Executed  
by George H. Fairfield Deputy  
Surveyor under joint  
Contract of dated May  
31<sup>st</sup> 1845.


Survey  
Commenced July 16<sup>th</sup> 1845  
Completed " 22<sup>nd</sup> 1845

List of Names & duties of  
assistants

W. S. Reese	Chairman
J. W. Morrison	"
John Staffer	Recorder
J. L. Sprague	"
J. E. Cornell	Flagman

Index Diagram

Town 33 Range 25<sup>th</sup>



To determine the proper adjustment of my compass for subdividing Town 33 North Range 25<sup>th</sup> West I begin at the corner Town 33 on 5<sup>th</sup> Sta. all 4<sup>th</sup> leagues 25<sup>th</sup> + 2<sup>nd</sup> West and run North on blank line along East boundary of sec 36  
 Val. 13° 40' E

39.88 To point 2 lks East of corner  
 79.88 " point 7 lks East of corner  
 to sec 25 & 36.

To retrace this line or run a line parallel thereto my compass must be adjusted to variation of 13° 43' E

1  
T33N. Range 25W

North between Sec<sup>s</sup> 35 & 36  
T413°43'E

40.00 Set post 2x3in x 4ft 1ft in  
deep deposited charred  
stake raised mound  
of earth 2ft high from  
pits 18x24x12 in for  
9 sec

80.00 Set post 2in x 3in x 4ft 1ft  
deep deposited charred  
stake raised mound  
of earth 3ft high from  
pits 18x24x12 in for  
Cor to sec<sup>s</sup> 25, 26, 35  
& 36.

Land rolling sandy 3/4 gate

2  
T33N Range 25W

Eastern random line bet.  
Sec<sup>s</sup> 25 & 36  
T413°43'E

40.00 Set post for temporary 9s Cor  
80.26 Intersect East Boundary  
19 lly North of Cor to  
Sec<sup>s</sup> 25 & 36 from  
which Cor drawn  
N 89°57' West in true line  
bet Sec<sup>s</sup> 25 & 36  
T413°43'E

40.13 Set post 2x3in x 4ft 1ft deep  
deposited charred stake  
raised mound of earth  
2ft high from pits  
18x24x12 in for 9 sec

80.76 Cor to sec<sup>s</sup> 25, 26, 35 & 36  
Land rolling sandy 3/4 gate

Town 33 N R 25 W

North of Sec<sup>s</sup> 25 & 26  
T<sup>13</sup> 13° 43' E

40.00 Set post 2x3 in x 4 ft 1 ft deep  
deposited corner  
Mark raised mound  
of earth 2 ft high from  
pits 18x24x12 in for  
grace cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
deep deposited corner  
Mark raised mound  
of earth 2 ft high from  
pits 18x24x12 in for cor  
to sec<sup>s</sup> 23-24-25-26  
Sand hills 3<sup>rd</sup> rate

Town 33 N Range 25 W

Custom random line bet Sec<sup>s</sup>  
24 & 25  
T<sup>13</sup> 13° 43' E

40.00 Post for temporary cor  
80.17 Put in East boundary  
38 cks South of Co to sec<sup>s</sup>  
24 & 25 from which  
cor is run

S 89° 44' West true line  
bet Sec<sup>s</sup> 24 & 25  
T<sup>13</sup> 13° 43' E

40.08 Set post 2x3 in x 4 ft 1 ft deep  
deposited corner Mark  
raised mound of earth  
2 ft high from pits 18x24  
12 in for grace cor

80.17 Corner sec<sup>s</sup> 23-24-25-26  
Sand hills 3<sup>rd</sup> rate

5  
Town 33<sup>rd</sup> Range 25<sup>th</sup>

North of Sec. 23<sup>rd</sup>  
Twp 3<sup>rd</sup> 43<sup>rd</sup> E

4000 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18 x

8000 Set post 3 in x 3 in x 4 ft 1 ft  
deep deposited Charred  
Stake raised Mound  
of Earth 2 ft high from  
pits 18 x 24 x 12 in for  
Corners 13, 14, 23, 24

Sand hills & rate

6  
Town 33<sup>rd</sup> Range 25<sup>th</sup>

Eastward on line of Sec.  
13<sup>th</sup> 24

Twp 3<sup>rd</sup> 43<sup>rd</sup> E

4000 Post for temporary place  
8040 Intersect East boundary

16 links South of Cor to  
Sec. 13<sup>th</sup> 24 from which  
Cor & run

8090 3<sup>rd</sup> West true line  
Set Sec. 13<sup>th</sup> 24  
Twp 3<sup>rd</sup> 43<sup>rd</sup> E

4070 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18 x 24 x  
12 in for corners

8040 Corners 13, 14, 23, 24  
Sand hills & rate

Town 33N Range 25W

North cut Sec<sup>s</sup> 13 + 14  
Ta 13° 43' E

40.00 Cut post 2 x 3 in x 4 ft deep  
deposited charred stalk  
raised Mound of Earth  
2 ft high from pits 18 x  
24 x 12 in for 2 sec cor

80.00 Cut post 3 in x 3 in x 4 ft deep  
deposited charred  
stalk raised Mound  
of Earth 2 ft high from pits  
18 x 24 x 12 in for Cor to  
Sec<sup>s</sup> 11, 12, 13 + 14

Sandy 3 rate 3 rate

Town 33N Range 25W

Eastward in line cut  
Sec<sup>s</sup> 12 + 13  
Ta 13° 43' E

5.00 Trail N.W. + L.E  
40.00 Post for temporary p. Cor  
60.00 Cut Valley N.W. + L.E  
64.00 Drain L.E

80.06 Intersect East boundary  
7 EAs South of Cor base  
12 + 13 from which trail  
S 89° 05' West true line cut  
Sec<sup>s</sup> 12 + 13

Ta 13° 43' E

40.03 Cut post 2 x 3 in x 4 ft deep  
deposited charred stalk  
raised Mound of Earth  
2 ft high from pits 18 x 24  
x 12 in for 2 sec cor

80.06 Cor to sec<sup>s</sup> 11, 12, 13 + 14  
Sandy 3 rate

9  
 Town 33<sup>rd</sup> Range 25<sup>th</sup> W

Northwest Sec<sup>s</sup> 11 & 12  
 T<sup>13</sup> 3" 43' E  
 40.00 Set post 2x3 in x 4 ft 1 ft deep  
 deposited charred state  
 raised mound of earth  
 2 ft high from pits 18x  
 24x12 w for 9<sup>th</sup> sec  
 54.00 Enter Valley timber E. & W.  
 59.00 Leave timber E & W  
 80.00 Set post 3 in x 3 in x 4 ft 1 ft  
 deep deposited charred  
 state raised mound  
 of earth 2 ft high from  
 pits 18x24x12 w for  
 Corb sec<sup>s</sup> 1, 2, 11 & 12  
 rolling 2<sup>nd</sup> rate

10  
 T 33<sup>rd</sup> Range 25<sup>th</sup> West

Eastward on line bet  
 Sec<sup>s</sup> 1 & 12  
 T<sup>13</sup> 3" 43' E  
 4.00 Right bank of Niobrara river where  
 set post for temporary M. C. Cor  
 23.70 Left bank of Niobrara river where  
 set post for temporary M. C. Cor  
 40.00 Post for temporary 9<sup>th</sup> Cor  
 61.00 Leave Valley enter hills N. & S.  
 80.00 Intersect East boundary at Co  
 to sec<sup>s</sup> 1 & 12 of town which  
 I run  
 Westward line bet sec<sup>s</sup> 1 & 12  
 T<sup>13</sup> 3" 43' E  
 40.00 Set post 2x3 in x 4 ft 1 ft deep deposited  
 charred state raised mound of  
 earth 2 ft high from pits 18x24x12  
 w for 9<sup>th</sup> sec  
 56.34 Set post 2x3 in x 4 ft 1 ft deep deposited  
 charred state raised mound  
 of earth 2 ft high from pits on  
 left bank of Niobrara river  
 for meander cor to post<sup>s</sup> sec<sup>s</sup> 1, 12  
 76.04 Set post 2x3 in x 4 ft 1 ft deep deposited  
 charred state raised mound  
 of earth from pits on right  
 bank of Niobrara river for  
 meander cor to post<sup>s</sup> sec<sup>s</sup>  
 1 & 12  
 80.00 Corb sec<sup>s</sup> 1, 2, 11 & 12  
 land valley 2<sup>nd</sup> rate

North in random line bet  
Sec<sup>s</sup> 1 & 2  
T<sub>13</sub> 43' E

- 4.40 Swamp & Willow and brush
- 5.29 Creek 12 cks wide East
- 6.50 Slough of river 5 cks wide
- 8.60 South or right bank of Niobrara river set post for temporary
- 21.00 Meander cut  
Left bank of Niobrara river where I set post for Meander corner temporary
- 28.00 Leave valley
- 37.50 Enter valley 1/2 filled with oak timber
- 38.00 Spring branch of C
- 40.00 Post for temporary 9<sup>th</sup> cor
- 68.00 Spring branch of E
- 80.20 Enter at North boundary 17 cks West of cor B<sup>2</sup> sec<sup>s</sup> 1 & 2 from which I run S 71 West on true line bet sec<sup>s</sup> 1 & 2 T<sub>13</sub> 43' E
- 40.30 Set post 2x3 in x 4 ft 1 ft deep deposited chond state raised mound of earth 2 1/2 ft high from pits 18x24x12 in for 9<sup>th</sup> cor from which mound 15 in dia bears S 24 1/2° E 70 cks dist
- 59.30 All oak 20 in dia bears S 3 1/2° E 70 cks dist  
Left on right bank of Niobrara river where I set post 2x3 in x 4 ft 1 ft deep deposited chond state raised mound of earth for Meander cor to post<sup>s</sup> sec<sup>s</sup> 1 & 2
- 71.70 Right or south bank of Niobrara river where I set post 2x3 in x 4 ft 1 ft deep deposited chond state raised mound of earth from pits 18x24x12 in for Meander cor to post<sup>s</sup> sec<sup>s</sup> 1 & 2
- 80.40 Cor to sec<sup>s</sup> 1, 2, 11 & 12  
Land rolling & rate  
July 16<sup>th</sup> 1875

North bet Sec<sup>s</sup> 34 & 35  
T<sub>13</sub> 43' E

- 40.00 Set post 2x3 in x 4 ft 1 ft deep deposited chond state raised mound 2 1/2 ft high from pits 18x24x12 in for 9<sup>th</sup> cor
- 80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited chond state raised mound of earth 2 1/2 ft high from pits 18x24x12 in for cor to sec<sup>s</sup> 26, 27, 34 & 35  
Saw hills 3 or 4

Town 33N Range 25W

East random line bet  
Sec<sup>s</sup> 26 & 35  
Tas 13° 43' E

40.00 Set post for temporary gr. Cor.  
79.88 Intersect N & S line 41.00  
North of Cor<sup>s</sup> Sec<sup>s</sup> 25, 26  
35 & 36. from which I run

N 89° 42' West on true line  
bet Sec<sup>s</sup> 26 & 35  
Tas 13° 43' E

39.94 Set post 2x3 in x 4 ft deep  
deposited Chopped Stake  
raised Mound of Earth  
2 ft high from pits 18x24  
12 in for Gravel Cor

79.88 Cor<sup>s</sup> Sec<sup>s</sup> 26, 27, 34 & 35  
Sand hills & rate

Town 33N Range 25W

North bet Sec<sup>s</sup> 26 & 27  
Tas 13° 43' East

40.00 Set post 2x3 in x 4 ft deep  
deposited Chopped  
Stake raised Mound  
of Earth 2 ft high from  
pits 18x24-12 for gravel Cor

80.00 Set post 3 in x 3 in x 4 ft deep  
deposited Chopped  
Stake raised Mound  
of Earth 3 ft high from  
pits 18x24x12 for Cor  
& Sec<sup>s</sup> 22, 23, 26 & 27  
Sand hills & rate

Town 33N Range 25W

Eastward line of Sec<sup>s</sup>

23 & 26

Var 13° 43' E

40.00 Post for Temporary of Cor

79.96 Intersect N + S line 13

line North of Cor to sec<sup>s</sup>

23. 24. 25 & 26 from

which I run

1189 54 Westward line

of Sec<sup>s</sup> 23 & 26

Var 13° 48' E

39.98 Set post 2 x 3 x 4 ft deep

deposited Charred Stake

Raised Mound of Earth

2 ft high from pits 18

+ 24 & 12 in for grade on

79.96 Cor to sec<sup>s</sup> 22. 23. 26 & 27

Sand hills & Gate

Town 33N Range 25W

North of Sec<sup>s</sup> 22 & 23

Var 13° 43' E

40.00 Set post 2 x 3 in x 4 ft deep

deposited Charred Stake

Raised Mound of Earth

2 ft high from pits 18 x 24

x 12 in for grade on

80.00 Set post 3 in x 3 in x 4 ft deep

deposited Charred Stake

Raised Mound

of Earth 2 ft high from

pits 18. 24. 12 in for

Cor to sec<sup>s</sup> 14. 15. 22. 23

Sand hills & Gate

Town 33N Range 257W

East random line bet.  
Secs 14 & 23  
Var 13° 43' E

40.00 Post for temporary gran  
80.03 future ch & S line 30  
links south of Cor to  
Secs 13, 14, 23 & 24  
from which I run  
S 59° 47' West on true line  
bet Secs 14 & 23

Var 13° 43' East  
40.01 Post for 2x3m x 4ft 1ft  
deep deposited chord  
Stake raised Mound  
2ft high from pits 18x24  
12 in for gran @ cor

80.03 Cor to Secs 14, 15, 22 & 23  
Sand hills 3 gate.

Town 33N Range 257W

North bet Secs 14 & 15  
Var 13° 43' E

40.00 bet post 2x3m x 4ft 1ft  
deep deposited chord  
Stake raised Mound  
of earth 2ft high from  
pits 18x24x12 in for  
gran @ cor

80.00 bet post 3m x 3m x 4ft 1ft  
deep deposited chord  
Stake raised Mound  
of earth 3ft high from  
pits 18x24x12 in for  
Cor to Secs 10, 11, 14 & 15

Sand hills 3 gate

19  
T33W Range 25N

East on range low line cut  
Sec " 11 & 14  
Tas 3° 43' E

40.00 Post for temporary for Cor  
50.36 Intersect N & S line &  
lks out of Cor to sec.  
11, 12, 13 & 14 from which  
I run

89° 57' West true line cut  
Sec " 11 & 14  
Tas 3° 43' E

40.18 Cut post 2x3 in x 4 ft deep  
deposited charred stake  
mixed mound of earth  
3 ft high from pits 18x  
24x12 in for grass

50.26 Cor to sec " 10, 11, 14 & 15  
said hills 3 rods

T33W Range 25N

North cut Sec " 10 & 11  
Tas 3° 43' E

32.00 Drain N.E.

40.00 Cut post 2x3 in x 4 ft deep  
deposited charred stake  
mixed mound of earth  
3 ft high from pits 18x

61.00 Eule timber 24x12 in for grass

69.00 Cut in Valley N.W. & S.E.

80.00 Cut post 3 in x 3 in x 4 ft deep  
deposited charred  
stake mixed mound  
of earth 3 ft high from  
pits 18x24x12 in for  
to sec " 2, 3, 10 & 11

Land rolling 3 rods  
timber oak & walnut

33<sup>rd</sup> Range 25<sup>th</sup>

Eastward on line bet Sec<sup>o</sup>  
 2 & 11  
 Va 13° 43' E  
 4.00 Trail NW & SE  
 40.00 Post for temporary gr Cor  
 53.00 Enter Valley of Creek  
 61.00 Spring branch NE  
 80.10 Intersect N & S line 44 chs  
 West of Cor to Sec<sup>o</sup> 1. 2.  
 11 & 12 from which run  
 S 89° 41' West on true line bet  
 Sec<sup>o</sup> 2 & 11  
 Va 13° 43' E  
 40.00 Cat post 2 x 3 in x 4 ft deep  
 deposited charred stake  
 misshapen mound of earth  
 2 ft high from pits 18 x 24 x  
 12 in for gr Cor  
 80.10 Cor to Sec<sup>o</sup> 2. 3. 10 & 11  
 Land Valley 2 orate

33<sup>rd</sup> Range 25<sup>th</sup>

Northward on line bet Sec<sup>o</sup>  
 2 & 3 Va 13° 43' E  
 3.00 Trail N 45° SE  
 12.00 branch timber NE 10 chs wide  
 17.00 Spring branch N 77 14 chs wide  
 32.50 Set post for temporary Meander Cor  
 on right or south bank of Niobrara  
 35.00 bank of willow Island  
 37.50 N bank of willow Island about  
 15 chain long  
 40.00 North or left bank of Niobrara river  
 set post for temporary Meander  
 corner - gr Cor  
 53.00 Leave valley enter high land Cor 11  
 80.46 Intersect North boundary 66 chs  
 West of Cor to Sec<sup>o</sup> 2 & 3 from  
 which Cor I run  
 S 28° West on true line bet Sec<sup>o</sup> 2 & 3  
 Va 13° 43' E  
 40.46 Set post 2 x 3 in x 4 ft deep deposited  
 charred stake raised mound  
 of earth 2 ft high from pits 18 x 24  
 12 in  
 on right or North bank  
 of Niobrara river for  
 gr Cor & Meander  
 Cor to tract, Sec<sup>o</sup> 2 & 3  
 46.90 Right or south bank of Niobrara  
 river where I set post  
 2 x 3 in x 4 ft deep deposited  
 charred stake raised mound  
 of earth 2 ft high from pits  
 18 x 24 x 12 in for Meander  
 corner to tract, Sec<sup>o</sup> 2 & 3  
 from which  
 An oak 10 in dia bears N 3° 25' W 20 chs dist  
 An oak 14 in dia " S 81° 50' W 40 " "  
 80.46 Cor to Sec<sup>o</sup> 2. 3. 10 & 11  
 Land broken 3 orate  
 July 17<sup>th</sup> 1875

T33 N. Range 20 W

North cut Sec<sup>s</sup> 33 & 34  
Va 13° 43' E

39.00 Enter Valley N.W. & S.E.  
40.00 Set post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound of Earth  
2 ft high from pits 18x  
24x12 in for trace Cor

65.00 Leave Valley N.W. & S.E.

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised Mound of  
earth 3 ft high from pits  
18x24x12 in for "Cor trace"  
27.28.33 & 34  
Sand hills State

T33 N Range 20 W

Eastward on line bet Sec<sup>s</sup>  
27 & 34  
Va 13° 43' E

40.00 Post for temporary gr cor  
8046 Intersect N & S line 4406  
South of Cor trace 26.27  
34 & 35 from which draw  
89° 41 West on true line bet  
Sec<sup>s</sup> 27 & 34

Va 13° 43' East  
40.23 Set post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound of Earth  
2 ft high from pits 18x24  
x12 in for gr cor  
8046 Cor trace 27.28.33 & 34  
Sand hills State

Town 33rd Range 25 West

North lot Sec<sup>s</sup> 27 & 28  
T<sub>13</sub> 3° 43' E.

40.00 Set post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound of earth  
2 ft high from pits 18x24x12  
for gr sec<sup>s</sup>

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound of earth  
2 ft high from pits 18x24x12  
for Cor<sup>s</sup> sec<sup>s</sup> 21.22

27 & 28  
Land selling sandy & rate

Town 33rd Range 25 West

East random line lot Sec<sup>s</sup>  
22 & 27.  
T<sub>13</sub> 3° 43' E

40.00 Post for temporary for Cor  
80.00 Set sec<sup>s</sup> 21 & 22 line 28 & 26

North of Cor<sup>s</sup> sec<sup>s</sup> 22, 23  
26 & 27 from which I run

W 89° 48' West true line  
lot Sec<sup>s</sup> 22 & 27  
T<sub>13</sub> 3° 43' E

40.00 Set post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound of earth  
2 ft high from pits 18x24  
x 12 in for gr sec<sup>s</sup>

80.00 Cor<sup>s</sup> sec<sup>s</sup> 21.22.27 & 28  
Land selling sandy & rate

Township 33 North

North lot Sec. 21 & 22  
T<sub>13</sub> 43' E

40.00 Outpost 2x3m x 4ft. ft  
deep deposited charred  
stake raised mound  
of earth 3ft high from  
pits 18x24x12 m for gr  
@ car

50.00 Outpost 3m x 3m x 4ft. ft  
deep deposited charred  
stake raised mound  
of earth 3ft high from  
pits 18x24x12 m for car  
B sec. 16. 15. 21. & 22

Land rolling sandy 3 rate

Range 25 West

Eastward line lot Sec.  
15 & 22  
T<sub>13</sub> 43' E

40.00 Post for temporary gr car  
8006 Intersect N & S line at car  
B sec. 14. 15. 22 & 23

from which I run  
Westward line lot Sec.  
15 & 22  
T<sub>13</sub> 43' E

40.03 Outpost 2x3m x 4ft. ft deep  
deposited charred stake  
raised mound of earth  
3ft high from pits 18x  
24x12 m for gr @ car

8006 Corb sec. 15. 16. 21 & 22  
Land rolling sandy 3 rate

Town 33N Range 257W

North 1/2 Sec 15 & 16  
T<sub>13</sub> 43' E

22.00 Enter Valley NE & NW  
40.00 Set post 2+3 in x 4 ft 1 ft  
deep deposited charred  
state raised mound  
of earth 2 ft high from  
pits 18 x 7 1/2 x 12 in for  
grace car

67.00 drain NE

80.00 Set post 3 in x 3 in x 4 ft 1  
ft deep deposited charred  
state raised mound  
of earth 2 ft high from  
pits 18 x 7 1/2 x 12 in for  
Cort Sec 9, 10, 15 & 16

Land selling sandy 3<sup>rd</sup> rate  
bottom 2<sup>nd</sup> rate

Town 33N Range 257W

East random line cut  
Sec 10 & 15  
T<sub>13</sub> 43' E

17.00 drain N.E.

49.00 Post for temporary grace car

41.50 Leave Valley enter sand  
ridges N & S

80.12 Intersect N & S line 35  
Ck south of Cort Sec  
10, 11, 14 & 15 from which  
Car driven

89' 45" West on true line  
Set Sec 10 & 15  
T<sub>13</sub> 43' E

40.06 Set post 2+3 in x 4 ft 1 ft deep  
deposited charred state  
raised mound of earth  
2 ft high from pits 18 x  
7 1/2 x 12 in for grace car

80.12 Cort Sec 9, 10, 15 & 16  
Land Valley sandy 2<sup>nd</sup> rate  
balance 3<sup>rd</sup> rate

Town 33<sup>rd</sup> N Range 25<sup>th</sup> W

North lot Sec. 9 & 10  
T<sub>13</sub>" 43' E

25.00 Leam Valley E & W

40.00 Lot post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
State raised Mound  
of Earth 2 ft high from  
pits 18 x 24 x 12 in for  
green car

80.00 Lot post 3 in x 3 in x 4 ft 1  
ft deep deposited  
Charred State raised  
Mound of Earth 3  
ft high from pits 18 x  
24 x 12 in for Car  
Sec. 3, 4, 9 & 10  
Land rolling 3 gate

Town 33<sup>rd</sup> N Range 25<sup>th</sup> W

Easton mound line lot  
Sec. 3 & 10  
T<sub>13</sub>" 43' E

40.00 Post for temporary for car  
74.00 Leam rolling hills enter  
Valley E & W

80.34 Lot intersect N & S line 11  
links south of Corb sec.  
2, 3, 10 & 11 from which  
green

89.55 West on true line lot  
Sec. 3 & 10  
T<sub>13</sub>" 43' E

40.17 Lot post 2 x 3 in x 4 ft 1 ft deep  
deposited charred State  
raised Mound of Earth  
2 ft high from pits 18 x 24  
x 12 in for green car

80.34 Corb sec. 3, 4, 9 & 10  
Land rolling 2 gate

Town 33<sup>n</sup> Range 26<sup>w</sup>

North on random line Sec<sup>s</sup> 3 & 4  
 Va 13° 43' East

40.00 Post for temporary grass cor  
 59.00 Leave hills enter bottom timber  
 E & W

3  
 4  
 68.50 Trail E & S E & West  
 71.40 Right bank of Niobrara river where  
 I set post for tempy M. Cor  
 78.40 Left bank of Niobrara River  
 where I set post for  
 temporary meander cor

6  
 8  
 80.50 Intersect North boundary Ho  
 links West of cor to sec<sup>s</sup>  
 3 & 4 from which I run  
 S 17 West on true line between  
 Sec<sup>s</sup> 3 & 4. Va 13° 43' E

2.10 Left bank of Niobrara river where  
 I set post 2 x 3 in x 4 ft 1 ft  
 deep deposited charred stake  
 raised mound of earth from pits  
 for meander cor to post<sup>s</sup> sec<sup>s</sup> 3 & 4.

9.10 Right bank of Niobrara river where  
 I set post 2 x 3 in x 4 ft 1 ft deep deposit  
 charred stake raised mound  
 of earth from pits for meander cor  
 to post<sup>s</sup> sec<sup>s</sup> 3 & 4.

40.50 Cut post 2 x 3 in x 4 ft 1 ft deep deposited  
 charred stake raised mound of  
 earth 3 ft high from pits 18 x 24 x 12 in  
 for grass cor

80.50 Cor to sec<sup>s</sup> 3, 4, 9 & 10  
 Land selling 3 gate  
 July 18<sup>th</sup> 1875

Town 33<sup>n</sup> Range 25<sup>w</sup>

North set Sec<sup>s</sup> 32 & 33  
 Va 13° 43' E

40.00 Cut post 2 x 3 in x 4 ft 1 ft  
 deep deposited charred  
 stake raised mound  
 of earth 3 ft high from  
 pits 18 x 24 x 12 in for  
 grass cor

58.00 Enter Valley E & W

80.00 Cut post 3 in x 3 in x 4 ft  
 1 ft deep deposited  
 charred stake raised  
 mound 3 ft high from  
 pits 18 x 24 x 12 in for  
 Cor to sec<sup>s</sup> 28, 29, 32 & 33  
 Land selling 3 gate  
 Valley 2 gate

2

Town 33 N Range 25 W

East random line bet Sec<sup>s</sup>  
28 & 33

N 13° 43' E

3 40.00 Post for temporary gear

4 59.50 Leave Valley N.W. & S.E.

80.02 Intersect N & S line at cor  
to sec<sup>s</sup> 27, 28, 32 & 34

from which Cor drawn  
West true line bet Sec<sup>s</sup>  
28 & 33.

6  
8

N 13° 43' E

40.01 Set post 2 x 3 in x 4 ft 1 ft deep

deposited charred stake

raised mound of earth


2 ft high from pits 18 x 24

12 m for grave Cor

80.02 Cor bet sec<sup>s</sup> 28, 29, 32 & 33

Land Valley 2 gate

balance 3 gate



Town 33 N Range 25 W

North bet Sec<sup>s</sup> 28 & 29  
N 13° 43' East

30.00 Leave Valley enter rolling  
land hills N.W. & S.E.

40.00 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound of earth  
2 ft high from pits 18 x 24  
12 m for grave Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised mound  
of earth 2 ft high from  
pits 18 x 24 x 12 m for Cor  
to sec<sup>s</sup> 20, 21, 28 & 29  
Land sand hills 3 gate

Town 33 N Range 25 W

East on random line cut  
Sec. 21 & 28  
T<sub>13</sub> 43' E

41.00 Post for temporary 9<sup>th</sup> Cor  
80.34 Intersect N & S line 17  
links North of Cor to sec.  
21. 22. 27. & 28 from  
which Cor known

W 89° 53' West on true line  
cut Sec. 21 & 28  
T<sub>13</sub> 43' E

40.17 Post 2 x 3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18 x 12 in  
12 in for 9 sec Cor

80.34 Cor to sec. 20. 21. 28 & 29  
Land sand hills & gate

Town 33 N Range 25 W

North cut Sec. 20 & 21  
T<sub>13</sub> 43' E

40.00 Post 2 x 3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18 x 12 in  
12 in for 9 sec Cor

80.00 Post 3 in x 3 in x 4 ft 1 ft  
deep deposited Charred  
Stake raised Mound  
of Earth 3 ft high from  
pits 18 x 12 x 12 in for  
Cor to sec. 16. 17. 20 & 21  
Land rolling sandy & gate

Town 33 N Range 25 W

Eastm range line bet  
Sec. 16 & 21  
Tas 3" 43' E

40.00 Post for temporary q. cor  
80.16 Intersect N & S line 20.16  
South of Cor to sec. 15. 16  
21. & 22 from which  
I run

S 89° 57' West on true line  
bet Sec. 16 & 21  
Tas 3" 43' E

40.08 Post 2 x 3 x 4 ft 1 ft deep  
deposited charred stake  
raised Mound of Earth  
2 ft high from pits 18 x  
24 x 12 in for q. sec cor

80.16 Cor to sec. 16. 17. 20 & 21  
Land rolling 2 rate

Town 33 N Range 25 W

North bet sec. 16 & 17  
Tas 3" 43' E.

40.00 Post 2 x 3 in x 4 ft. 1 ft deep  
deposited charred stake  
raised Mound of Earth  
2 ft high from pits 18 x 24  
12 in for q. sec cor

80.00 Post 3 in x 3 in x 4 ft  
1 ft deep deposited charred  
stake raised Mound  
of Earth 3 ft high from  
pits 18 x 24 x 12 in for  
Cor to sec. 18. 9. 16 & 17  
Land rolling sandy 3 rate

Township 33 North

Eastward on line bet Sec<sup>s</sup>  
9 & 16  
T<sup>o</sup> 13° 43' E

40.00 Post for temporary cor

67.50 Enter Valley N + S + E

80.11 Intersect N + S line of line  
South of Cor Sec<sup>s</sup> 9, 10, 15 & 16  
from which Cor from  
S 89° 56' West on true line  
bet Sec<sup>s</sup> 9 & 16  
T<sup>o</sup> 13° 43' E.

40.05<sup>2</sup> Cut post 2 x 3 in x 4 ft 1 ft deep  
deposited charred state  
raised mound of earth  
2 ft high from pits 18 x 24 x  
12 in for price cor

80.11 Cor Sec<sup>s</sup> 8, 9, 16 & 17  
Land rolling 3 rate

Range 25 West

North bet Sec<sup>s</sup> 8 & 9  
T<sup>o</sup> 13° 43' East

28.00 Enter Valley NW + SE

40.00 Cut post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
state raised mound of  
earth 2 ft high from  
pits 18 x 24 x 12 in for  
price cor

60.00 Leave Valley enter rolling  
land hills NW + SE

80.00 Cut post 3 x 3 in x 4 ft 1 ft deep  
deposited charred state  
raised mound of earth  
2 ft high from pits 18 x 24  
x 12 in for Cor Sec<sup>s</sup>  
H. S. 8 & 9

Land rolling 3 rate

Town 33 N Range 25 W

Eastward line bet  
Sec<sup>s</sup> 4 & 9  
T<sup>1</sup>/<sub>2</sub> 13" 43' E

40.00 Post for temporary gr cor  
79.89 Intersect N of line 32  
E of North of Corboe?  
3.21. 9 & 10 from which I run

N 89" 46 West on true line  
bet Sec<sup>s</sup> 4 & 9  
T<sup>1</sup>/<sub>2</sub> 13" 43' E

39.94 Set post 2 x 3 in x 4 ft 1/2 ft  
deep deposited chond  
stone mound mound  
of earth 2 ft high from  
pits 18 x 24 x 12 in for  
grace cor

79.89 Corboe<sup>s</sup> 4. 5. 8 & 9  
Land rolling 2 rate

Town 33 N Range 25 W

Northward line bet  
Sec<sup>s</sup> 4 & 5  
T<sup>1</sup>/<sub>2</sub> 13" 43' E

40.00 Set post for temporary gr cor  
57.00 Trail E & W.

70.00 Enter Valley timber E & W  
75.00 Spring branch timber E & W  
80.90 Intersect North boundary  
18 links West of Corboe?

4 & 5 from which I run  
18" West on true line bet  
Sec<sup>s</sup> 4 & 5  
T<sup>1</sup>/<sub>2</sub> 13" 43' E

40.90 Set post 2 x 3 in x 4 ft 1/2 ft deep  
deposited chond stone  
mound mound of earth  
2 ft high from pits 18 x 24  
x 12 in for grace cor

80.90 Corboe<sup>s</sup> 4. 5. 8 & 9  
Land rolling 2 rate

July 19<sup>th</sup> 1895

Township 33rd Range 25-

North between Sec<sup>s</sup> 31 & 32  
T<sub>18</sub> 3° 43' East

40.00 Set post 3 x 3 in x 4 ft 1 ft deep  
deposited Chond State  
raised Mound of Earth  
2 ft high from pits 18 x 24  
12 in for grass car

73.00 Enter Valley NW & E

80.00 Set post 3 in 3 in x 4 ft 1 ft  
deep deposited Chond  
State raised Mound  
of Earth 2 ft high from  
pits 18 x 24 + 12 in for  
Car to sec<sup>s</sup> 29, 30, 31 & 32

Land Valley 2<sup>nd</sup> rate

Township 33rd Range 25-

East random line bet Sec<sup>s</sup>  
29 & 32  
T<sub>18</sub> 3° 43' E

40.00 Post for temporary grass car

79.88 Set track N & S line 13 lks  
North of East to sec<sup>s</sup> 28, 29  
32 & 33 from which draw

N 89° 57' West on true line  
bet Sec<sup>s</sup> 29 & 32  
T<sub>18</sub> 3° 42' E

39.94 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Chond State  
raised Mound of Earth  
2 ft high from pits 18 x  
24 + 12 in for grass car

79.88 Car to sec<sup>s</sup> 29, 30, 31 & 32  
Land Valley 2<sup>nd</sup> rate

47. Township 33W Range 25N

Westward on line bet  
Sec<sup>s</sup> 30 & 31.

Var 3° 43' E 49.00

40.00

Leave Valley NW & E

40.00 Post for temporary pr cor

79.68 Intersect West Boundary

24x12 in for pr cor

30 & 31 from which I run 49.00

73.  
80.

N 89° 50' East on true line 80.00

bet Sec<sup>s</sup> 30 & 31

Var 3° 43' E

39.68 Set post 2x3 in x 4ft 1ft deep

deposited charred stake

Mixed Mound of earth

2ft high from pits 18x

24x12 in for pr cor

79.68 Coroner<sup>s</sup> 29 30 31 & 32

Land selling 3 rate

Town 33W Range 25N

North bet Sec<sup>s</sup> 29 & 30

Var 3° 43' E

49.00 Set post 2x3 in x 4ft 1ft deep

deposited charred stake

Mixed Mound of earth

2ft high from pits 18x

24x12 in for pr cor

Leave Valley S. W. & N. E.

49.00 Set post 3x3 in x 4ft 1ft deep

deposited charred stake

Mixed Mound of earth

3ft high from pits

18x24x12 in for Coroner<sup>s</sup>

19.20.29 & 30

Land Valley 2 rate

balance 3 rate selling

East random line bet  
Sec<sup>s</sup> 20 + 29  
Tas 3° 43' E

40.00

Post for temporary 9<sup>th</sup> Cor  
79.86 Subtract " & S line 79.60  
cont of Cor to sec<sup>s</sup> 20  
21.28 + 29 from which  
Cor is run

73.  
80.

89° 57' West true line  
bet sec<sup>s</sup> 20 & 29  
Tas 3° 43' E

39.93 Set post 2 x 3 in x 4 ft 1 ft  
deep deposited Chert  
State raised Mound  
of Chert 2 ft high from  
pts 18 x 24 x 12 in for  
92<sup>nd</sup> Cor

79.86 Cor to sec<sup>s</sup> 19, 20, 29 & 30  
Lau rolling route

West random line bet Sec<sup>s</sup>  
19 + 30  
Tas 3° 43' E

Post for temporary 9<sup>th</sup> Cor  
Subtract West boundary  
6 links south of Cor to sec<sup>s</sup>  
19 + 30 from which  
89° 57' East true line  
bet sec<sup>s</sup> 19 + 30  
Tas 3° 43' E

39.60 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Chert State  
raised Mound of Chert  
2 ft high from pts 18 x  
24 x 12 in for 92<sup>nd</sup> Cor  
Cor to sec<sup>s</sup> 19, 20, 29 & 30  
Lau rolling route

45-51

Town 33<sup>rd</sup> Range 25<sup>th</sup>

North of Sec<sup>o</sup> 19 + 20  
Var 3° 43' E

40.00 Cut post 2 x 3 in x 4 ft 1 ft deep  
deposited Chopped stake  
raised Mound of Earth  
2 ft high from pits 18 x  
24 x 12 in for grass car

73.80.00 Cut post 3 in x 3 in x 4 ft 1 ft  
deep deposited Chopped  
Stake raised Mound  
of Earth 3 ft high from  
pits 18 x 24 x 12 in for  
Carbore<sup>o</sup> 17. 18. 19 + 20  
Land selling 3 rate

Town 33<sup>rd</sup> Range 25<sup>th</sup>

Eastward on line of Sec<sup>o</sup>  
17. + 20  
Var 3° 43' E

40.00 Post for temporary grass car  
intersect N + S line of Car  
bore<sup>o</sup> 16. 17. 20 + 21  
from which I run  
West on true line of Sec<sup>o</sup>  
17 + 20

79.92 Cut post 2 x 3 in x 4 ft 1 ft deep  
deposited Chopped stake  
raised Mound of Earth  
2 ft high from pits 18 x 24  
12 in for grass car  
Carbore<sup>o</sup> 17. 18. 19 + 20  
Land selling 3 rate

45  
53

Town 33rd Range 20th

Westward line bet  
Sec<sup>s</sup> 18 & 19  
T<sub>13</sub> 13° 43' E

40.00 Post for temporary Gr Cor  
79.30 Intersect West boundary  
14 lts South of Cor Sec<sup>s</sup>  
18 & 19 from which Cor  
is run

73.  
80.

89<sup>00</sup> East on true line  
bet Sec<sup>s</sup> 18 & 19  
T<sub>13</sub> 13° 43' E

39.30 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Chorned State  
raised Mound of Earth  
2 ft high from pits 18 x  
24 x 12 in for Gr Cor

79.30 Cor Sec<sup>s</sup> 17, 18, 19 & 20  
Land selling 3<sup>00</sup> rate  
July 20<sup>th</sup> 1895

54

Town 33rd Range 20th

North bet Sec<sup>s</sup> 17 & 18  
T<sub>13</sub> 13° 43' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited Chorned State  
raised Mound of Earth  
2 ft high from pits  
18 x 24 x 12 in for Gr Cor

80.00 Set post 2 in 2 in x 4 ft 1 ft  
deep deposited Chorned  
State raised Mound  
of Earth 2 ft high from  
pits 18 x 24 x 12 in for  
Cor Sec<sup>s</sup> 17, 18, 19 & 20

Land selling 3<sup>00</sup> rate

45

Township 33 N. Range 25 W

East boundary line bet  
Sec<sup>s</sup> 8 + 17  
Va 13° 43' E

40. 40.00 Post for temporary q<sup>r</sup> Cor  
79.96 Intersect N rd line 100 yds  
North of Cor to sec<sup>s</sup> 8, 9, 16 + 17  
from which Cor to q<sup>r</sup> run

73  
80

N 89° 56' West true line  
bet Sec<sup>s</sup> 8 + 17  
Va 13° 43' E

39.98 Set post 2 x 3 in x 4 ft. 1 ft deep  
deposited Chopped Stake  
raised Mound of Earth  
2 ft high from pits 18 x 24  
12 in for q<sup>r</sup> sec Cor

79.96 Cor to sec<sup>s</sup> 7, 8, 17, + 18  
Land selling 3<sup>rd</sup> rate

Township 33 N Range 25 W

West boundary line bet  
Sec<sup>s</sup> 7 + 18  
Va 13° 43' E

40. 40.00 Post for temporary q<sup>r</sup> Cor  
79.36 Intersect West boundary  
300 yds North of Cor to sec<sup>s</sup>  
7 + 18. from which to run

N 89° 47' East true line bet  
Sec<sup>s</sup> 7 + 18  
Va 13° 43' E

39.36 Set post 2 x 3 in x 4 ft. 1 ft deep  
deposited Chopped Stake  
raised Mound of Earth  
2 ft high from pits 18 x 24  
12 in for q<sup>r</sup> sec Cor

79.36 Cor to sec<sup>s</sup> 7, 8, 17, + 18  
Land selling 3<sup>rd</sup> rate

Town 33N Range 25W

North lot Sec<sup>s</sup> 7 & 8  
T<sub>13</sub> 13° 43' E

40.

40.00 Set post 2x3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18x24 in  
for grace car

73.  
80.

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18x24 in  
for Car base P. 5. 6. 7 & 8  
Land rolling sandy 3<sup>rd</sup> rate

Town 33N Range 25W

East random line lot Sec<sup>s</sup>  
5 & 8  
T<sub>13</sub> 13° 43' East

40.

40.00 Post for temporary grace car  
80.74 Witness N & S line 26 ft  
North of Car base P. 4. 5. 8 & 9  
from which Car & grace  
N 89° 49' West on true line lot  
Sec<sup>s</sup> 5 & 8

40.

40.07 Set post 2x3 in x 4 ft 1 ft deep  
deposited Charred Stake  
raised Mound of Earth  
2 ft high from pits 18x  
24x12 in for grace car

80.

80.74 Car base P. 5. 6. 7 & 8  
Land rolling 3<sup>rd</sup> rate

45

59 Township 32 North

West random line bet  
Sec<sup>s</sup> 6 & 7

Var 13° 43' E

40.00 Post for temporary 9<sup>th</sup> Cor

79.48 Intersect West boundary  
28 chs North of Cor to sec<sup>s</sup>

6 & 7 from which true

N 89° 48' East true line

bet sec<sup>s</sup> 6 & 7

Var 13° 43' E

39.48 Cut post 2 x 3 in x 4 ft deep

deposited Charred Stake

Raised Mound of Earth

2 ft high from pits 18 x 12

+ 12 for grass Cor

79.48 Cor to sec<sup>s</sup> 5, 6, 7 & 8

Land selling Candy 3<sup>rd</sup> rate

75  
80

Range 25 West

North random line bet  
Sec<sup>s</sup> 5 & 6

Var 13° 43' E

40.00 Post for temporary 9<sup>th</sup> Cor

80.64 Intersect North boundary  
50 chs West of Cor to sec<sup>s</sup>

5 & 6 from which true

S 21° West true line bet

Sec<sup>s</sup> 5 & 6

Var 13° 43' E

40.64 Cut post 2 x 3 in x 4 ft deep

deposited Charred Stake

Raised Mound of Earth

2 ft high from pits 18 x 12

for grass Cor

80.64 Cor to sec<sup>s</sup> 5, 6, 7 & 8

Land selling Candy 3<sup>rd</sup> rate

July 21<sup>st</sup> 1875

in

45

Wade this 4. 19. after meanders

40.

73  
80

General Description  
 Town 33<sup>n</sup> Range 25  
 is composed mostly  
 of sand hills & grates  
 The Nebraska river  
 running through the  
 same from W.W. to S.E.  
 affords a great supply  
 of water for stock  
 There is considerable  
 pine & oak timber along  
 the river. The Township  
 is well adapted to  
 stock raising

The Meanders of the Nebraska  
 River running through  
 said Township

I begin at the Meander cor<sup>in</sup>  
 to part<sup>of</sup> Sec<sup>12</sup> <sup>on left bank</sup> in the East  
 boundary of said Township  
 and run up stream with  
 the Meanders of said  
 River to Sec 12.

Course	Chain	Notes
N 41° W	20.70	along narrow bottom
N 86° W	28.00	Enter bottom 5 ch. wide
N 50° W	16.00	
N 70° W	14.00	To Meander cor to part <sup>of</sup> Sec <sup>1</sup> 1 & 2. Thence in Sec 1
N 48° W	31.20	To Meander cor to part <sup>of</sup> Sec <sup>1</sup> & 2 thence in Sec 2
N 72° W	21.40	
N 85 1/4° W	22.40	at 8 ch. bottom 6 ch. wide
N 75° W	22.00	
N 74 1/4° W	17.00	To Meander cor to part <sup>of</sup> Sec <sup>2</sup> & 3 thence in Sec 3
N 57 1/2° W	18.00	Bottom 4 ch. wide

40

Course Chain

N 30-11 15.00 at 2 chs outlet of branch 6<sup>th</sup>  
 N 74 3/4 W 44.50 oak timber in Valley  
 N 80 W 15.60 To Meander Cor to frac  
 Sec 3 & 4 thence in  
 5 Sec 4  
 N 56 W 3.55 To Cor to fract. Sec 4 & 3  
 in North boundary

70  
80

Meanders of the Right bank  
 of the Niobrara River  
 through said Township  
 begin at the Cor to fract.  
 H in said North boundary  
 of said township and run  
 down stream into the  
 Meanders of said River  
 in Sec 4.

Course Chain

N 45 E 14.50 To Meander Cor to fract.  
 Sec 3 & 4 thence in  
 Sec 3  
 S 77 1/4 E 23.00 high bluffs covered with  
 S 75 E 32.00 " " " " "  
 S 32 1/4 E 13.00 " " " " "  
 S 55 E 24.00 To Meander Cor to fract.  
 Sec 2 & 3 thence in Sec  
 2.

26.00  
 S 72 E 23.00  
 East 12.00  
 S 80 E 23.00  
 S 88 E 15.00  
 10  
 S 27 E 9.20  
 11  
 S 37 1/2 E 19.60  
 S 55 E 29.00  
 East 22.50  
 S 50 E 23.00  
 12

To Meander Cor to frac  
 Sec 10 & 2 thence in  
 Sec 1  
 To Meander Cor to frac Sec 9  
 1 & 2 thence in 12  
 high banks covered with  
 oak & pine timber  
 To Meander Cor to frac  
 Sec 12 in East Boundary  
 of Township

July 22<sup>d</sup> 1875

40

List of names  
 List of the names of the  
 individuals employed  
 to assist in surveying  
 Township 33 North of  
 base line of Range 70  
 25 West of 6<sup>th</sup> P.M. in  
 Nebraska showing  
 the respective capacities  
 in which they acted  
 as follows

S. J. Deussen	Chairman
Jerry Alstetter	"
W. Sprague	Recorder
J. E. Correll	"
Hayman	

41

78

is in

71

11

5-  
5

H.

78

We the undersigned do hereby  
 Certify that we assisted  
 Geo W Fairfield deputy Surveyor  
 in Surveying and subdividing  
 Township No 33 North of the  
 base line in Range No 25  
 West of the 6<sup>th</sup> P.M. in Nebraska  
 and that said Township has  
 been in all respects to the  
 best of our knowledge & belief  
 well & faithfully surveyed  
 and the boundary monuments  
 all planted according to  
 the instructions furnished  
 by the Surveyor General of  
 the dimensions character  
 construction & Marking  
 in the manner as specifically  
 described in the foregoing full  
 notes  
 William Peck Chairman  
 S. S. Dennis "  
 Perry Atwater "Mormon"  
 J. J. Sprague "Huguenot"  
 J. C. Gorrell "Huguenot"

Signed in my presence and  
 sworn to by the above named  
 persons before Me the  
 undersigned Notary Public this  
 22<sup>nd</sup> day of July 1845

John B. Gossett  
 Notary Public in & for  
 Autotopu Combska

is in

15  
15

I George W. Fairfield Deputy  
 Surveyor do solemnly swear  
 that in pursuance of a  
 Joint Contract No 91. dated  
 May 21<sup>st</sup> between Fred M  
 Dorrington and George W. Fairfield  
 as joint Contractors with  
 E. E. Cunningham Surveyor  
 General for the district  
 of Nebraska & Iowa  
 And in strict conformity  
 to the laws of the United  
 States and the instructions  
 furnished by the Surveyor  
 General. I have in my  
 own proper person faith-  
 fully & truly surveyed the  
 subdivision lines of town-  
 ship No 33 north of base  
 line of Range 25 West  
 of the 1<sup>st</sup> P.M. in Nebraska  
 And I do further solemnly  
 swear that all the corners  
 of such survey has been  
 established and perpet-  
 uated in strict conformity

H.

78

to the instructions furnished  
 by the Surveyor General  
 the Surveying Manual &  
 Special instructions of  
 dimensions character & con-  
 struction & Marking &  
 in the manner as specifi-  
 cally described in the  
 foregoing field notes  
 and that the foregoing are  
 the true and original field  
 notes of such survey

in

George W. Fairfield  
 Deputy Surveyor

Signed in my presence & sworn  
 before me the day signed  
 the 22<sup>nd</sup> day of July 1875

John B. Gossage  
 Notary Public in  
 & for Antelope Co  
 Nebraska

Field Notes  
of  
The Survey & Subdivision  
of  
Township No 34 North  
of  
Range No 25 West  
in  
Nebraska

Executed  
by George W. Fairfield  
deputy Surveyor under  
Joint Contract dated  
May 31<sup>st</sup> 1875

Survey  
Commenced July 23<sup>d</sup> 1875  
Completed " 29<sup>th</sup> 1875

List of Names  
Employed to assist in  
Surveying & subdividing  
said Township  
Wm Reese Chairman  
J. J. Demison "



1  
4 34 N. Range 2571

North cut Sec<sup>s</sup> 25 & 26  
Var 3" 40' E

40.00 Put post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound 2 ft  
high from pits 18 x 24 x  
12 in for gr sec cor

80.00 Put post 3 in x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised Mound  
3 ft high from pits 18 x 24  
x 12 in for Cor to sec<sup>s</sup>  
25-26-35 & 36  
Land broken 3<sup>rd</sup> rate

2  
4 34 N. Range 2571

East random line St.  
Sec<sup>s</sup> 25 & 26  
Var 3" 40' E

17.00 Wide drain or Cañon W.D.T.

44.00 Post for temporary gr cor

79.70 Intersect East boundary  
6000s North of Cor to sec<sup>s</sup>  
25 & 26 from which I run  
S 89° 34' West on true line cut  
Sec<sup>s</sup> 25 & 26.

Var 3" 40' E

39.85 Put post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound 3 ft high  
from pits 18 x 24 x 12 in for  
gr sec cor

79.70 Cor to sec<sup>s</sup> 25-26-35 & 36  
Land rolling 3<sup>rd</sup> rate

T 3rd N. Range 25 W

North lot Sec 25 & 26  
T 3rd N 40 E

5.00 wide drain or canon West

17.50 Drain 4 chs wide West

40.00 Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18x24x12 in for  
grace cor

80.00 Set post 3 in x 3 in x 4 ft high  
deep deposited charred  
stake raised mound  
3 ft high from pits 18x  
24x12 in for Cor to sec  
23, 24, 25 & 26  
Land rolling 3 gate

T 3rd N. Range 25 W

East random line lot  
Sec 24 & 25  
T 3rd N 40 E

40.00 Set post for temporary gate

79.80 Set post East boundary  
15 chs South of Cor to  
Sec 24 & 25 from which  
Cor drain

89.00 Set true line lot  
Sec 24 & 25  
T 3rd N 40 E

34.90 Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18x24x12 in  
for grace cor

79.80 Cor to sec 23-24-25-26  
Land rolling 2 gate

T 34 N. Range 25

North cut Sec 23 & 24  
T 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft  
deep deposited chord  
Gate raised Mound  
2 ft high from pits 18 x  
24 x 12 in for 9 sec Cor

80.00 Set post 3 in x 3 in x 4 ft  
1 ft deep deposited chord  
Gate raised Mound  
3 ft high from pits 18 x  
24 x 12 in for Cor to sec  
13. 14. 23 & 24

Land rolling 2 Gate

T 34 N. Range 25 W

Eastward on line cut  
Sec 13 & 24  
T 13° 40' E

40.00 Set post for temporary 9 Cor  
79.90 Set post East boundary

holds North of Cor  
Sec 13 & 24 from which  
Cor drew

1289° 43' West on line  
between Sec 13 & 24  
T 13° 40' E

39.95 Set post 2 x 3 in x 4 ft 1 ft  
deep deposited chord  
Gate raised Mound  
2 ft high from pits 18 x  
24 x 12 in for 9 sec Cor

79.90 Cor to sec 13. 14. 23 & 24  
Land rolling 2 Gate

T34 N. Range 25 W.

North cut Sec<sup>s</sup> 13 & 14  
Va 13" 40' E

40.00 Cut post 2x3m x 4ft 4ft deep  
deposited Corred Stake  
raised Mound 2ft high  
from pits 18x24x12 in  
for qd sec cor

44.00 Enter Valley S.W.

47.50 Drain S.W.

51.70 Leave Valley S.W. & N.E.

80.00 Cut post 2m x 3m x 4ft 4ft  
deep deposited Corred  
Stake raised Mound  
3ft high from pits 18x24  
x 12 in for Cor to sec<sup>s</sup>  
11, 12, 13 & 14

Land selling 2 rate

T34 N. Range 25 W

East random line  
cut Sec<sup>s</sup> 12 & 13  
Va 13" 40' E

21.40 Drain South

40.00 Post for temporary qd cor

52.00 Drain S.W.

79.96 Intersect East boundary  
at Cor to sec<sup>s</sup> 12 & 13

from which Cor I run  
West true line cut Sec<sup>s</sup>  
12 & 13

79.98 Cut post 2x3m x 4ft 4ft deep  
deposited Corred Stake  
raised Mound 2ft  
high from pits 18x24x  
12 in for qd sec cor

79.96 Cor to sec<sup>s</sup> 11, 12, 13 & 14  
Land selling 2 rate

East N. Range 25<sup>th</sup> W.

North of Sec<sup>s</sup> 11 & 12  
T<sub>16</sub> 3° 40' E

40.00 Set post 2x3 in x 4 ft  
deep deposited Chopped  
Stake raised Mound  
2 ft high from pits 18x  
24x12 in for specimen

80.00 Set post 3 in x 3 in x 4 ft  
ft deep deposited  
Chopped Stake raised  
Mound 3 ft high from  
pits 18x24x12 in for  
Cork & sec<sup>s</sup> 1, 2, 11 & 12  
Land rolling 2 rate

East N. Range 25<sup>th</sup> W.

Eastward on line  
Set Sec<sup>s</sup> 1 & 12  
T<sub>16</sub> 3° 40' E

40.00 Post for temporary corner  
80.00 Set up at East boundary  
30 cks north of Cor<sup>s</sup>

Sec<sup>s</sup> 1 & 12 from  
which Cor<sup>s</sup> & run  
N 89° 47' West on true line  
between Sec<sup>s</sup> 1 & 12  
T<sub>16</sub> 3° 40' E

40.00 Set post 2x3 in x 4 ft  
deep deposited Chopped  
Stake raised Mound  
2 ft high from pits 18x  
24x12 in for specimen

80.00 Cork & sec<sup>s</sup> 1, 2, 11 & 12  
Land rolling 2 rate

Fort N Gauge 25 W

North on random line  
cut sec 1 & 2  
Va 13° 40' E

40.00 Set post for temporary green  
80.22 later on North boundary  
Shells West of Corboec  
1 & 2 from which Corboec

36 West on true line cut  
sec 1 & 2  
Va 13° 40' E

40.22 Set post 2 x 3 in x 4 ft 1/2  
deep deposited Chopped  
rake raised Mound  
2 ft high from pits 18 x  
24 x 12 in for green

80.22 Corboec 1, 2, 11 & 12  
Land rolling & gate  
July 23<sup>d</sup>

Fort N Gauge 25 W

North cut Sec 1 34 & 35  
Va 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1/2  
deep deposited Chopped  
rake raised Mound  
2 ft high from pits 18 x  
24 x 12 in for green

80.00 Set post 3 in x 3 in x 4 ft 1/2  
deep deposited Chopped  
rake raised Mound  
2 ft high from pits 18 x  
24 x 12 in for Corboec

26.27, 34 & 35  
Land rolling & gate

T 34 N. Range 25 W

East on random line bet  
Sec<sup>s</sup> 26 & 35  
T 34 N 40 E

40.00 Post for temporary cor  
8018 Intersect N of line 946  
South of Corbo sec<sup>s</sup> 25, 26  
35 & 36 from which line

78 89156 West on true line  
bet sec<sup>s</sup> 26 & 35  
T 34 N 40 E

40.00 Post 2 x 3 in x 4 ft deep  
deposited Chopped Stake  
raised Mound 2 ft  
high from pits 18 x 24 x 12  
in for grass cor

8018 Corbo sec<sup>s</sup> 26, 27, 34 & 35  
Land rolling 2 gate

T 34 N. Range 25 W

North bet sec<sup>s</sup> 26 & 27  
T 34 N 40 E

36.00 Enter Valley NW & SE

38.00 Drain NW. down m.

40.00 (Post 2 x 3 in x 4 ft deep  
deposited Chopped Stake  
raised Mound 2 ft  
high from pits 18 x 24 x 12  
in for grass cor

80.00 Post 3 in x 3 in x 4 ft deep  
deposited Chopped  
Stake raised Mound  
3 ft high from pits 18 x 24  
x 12 in for Corbo sec<sup>s</sup>  
22, 23, 26 & 27

Land broken 3 gate

T 34 N. Range 26 W

Eastward down line bet  
Sec<sup>s</sup> 23 & 26  
Va 13° 40' E

40.00 Post for temporary go Cor  
80.00 Intersect N & S line 26 W  
North of Cor base<sup>s</sup> 23.  
24. 25 & 26. from which  
Cor & run

N 89° 49' West on true line  
bet Sec<sup>s</sup> 23 & 26  
Va 13° 40' E

40.04 Set post 2 x 3 m x 4 ft ft deep  
deposited charred stake  
raised Mound 2 ft  
high from pits 18 x 24  
x 12 in for grass cor

80.08 Cor base<sup>s</sup> 22. 23. 26 & 27  
Land rolling 2 rate

T 34 N. Range 25 W

North bet Sec<sup>s</sup> 22 & 23  
Va 13° 40' E

40.00 Set post 2 x 3 m x 4 ft ft deep  
deposited charred stake  
raised Mound 2 ft  
high from pits 18 x 24  
x 12 in for grass cor

50.00 Enter valley Str. 5 N E  
57.00 Drain Str.

59.50 Leave Valley N.E. & Str.

80.00 Set post 3 m x 3 m x 4 ft ft  
deep deposited charred  
stake raised Mound  
2 ft high from pits 18 x  
24 x 12 in for Cor base<sup>s</sup>  
14. 15. 22 & 23

Land rolling 2 rate

T34 N. Range 25 W

East W. random line  
bet Sec 14 + 23  
T4 13" 40' E

30.00 Enter Valley N. E. + S. W.

34.25 Main E. W.

37.00 Leave Valley N. E. + S. W.

40.00 Set post for temporary cor

80.00 ditto bet N. of line at

Cor to sec 13, 14, 23 + 24

from which cor main

Weston true line bet

Sec 14 + 23

T4 13" 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft

deep deposited charred

stake raised mound

2 ft high from pits 18 x

24 x 12 in for cor to cor

80.00 Cor to sec 14, 15, 22 + 23

Land rolling 2 rate

T34 N. Range 25 W

North bet Sec 14 + 15 -  
T4 13" 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep

deposited charred stake

raised mound 2 ft

high from pits 18 x 24 x

12 in for cor to cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft

deep deposited charred

stake raised mound

3 ft high from pits 18 x

24 x 12 in for Cor to sec

10, 11, 14 + 15 -

Land rolling 2 rate

4

19

T 24 N. Range 25 W

Eastward line

bet sec 11 & 14

7a 13" 40' E

40.00 Post for temporary  $\frac{1}{2}$  cor

38.70 Drain South 2" East

80.14 Intersect N & S line 33

cks north of Cor to sec

11, 12, 13 & 14 from which

I came

N 89° 46' West on true line

bet sec 11 & 14

7a 13" 40' E

40.07 Set post 2 x 3 in x 4 ft 1 ft

deep deposited Chert

Make raised Mound

2 ft high from pits 18 x 24 x

12 m for  $\frac{1}{2}$  cor

80.14 Cor to sec 10, 11, 14 & 15

Land selling 2 rate

21

T 24 N. Range 25 W

North bet sec 10 & 11

7a 13" 40' E

26.00 Enter Valley N. E. of m.

31.00 Drain S. W.

33.00 Leave Valley N. E. of m.

40.00 Set post 2 x 3 in x 4 ft 1 ft

deep deposited Chert

Make raised Mound

2 ft high from pits 18 x

24 x 12 m for  $\frac{1}{2}$  cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft

deep deposited Chert

Make raised Mound

3 ft high from pits 18 x 24

12 m for Cor to sec 11

2, 3, 10 & 11

Land selling 2 rate

21  
T 3/4 N. Range 25 W

Eastward on line cut  
Sec<sup>s</sup> 2 & 11  
T 13° 40' E

40.00 Post for temporary q cor

58.00 Spain S.W.

80.28 Intersect N & S line 16  
Ets. Centre of Cor Sec<sup>s</sup>  
1. 2. 11 & 12 from which  
Cor drawn

89° 53' West on true line  
cut Sec<sup>s</sup> 2 & 11  
T 13° 40' E

40.14 Cut post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised mound  
2 ft high from pits  
18 x 24 x 12 in for q cor

80.28 Cor Sec<sup>s</sup> 2. 3. 10. & 11  
Land selling 2 rate  
July 24<sup>th</sup>

T 3/4 N. Range 25 W

Northward on line cut  
Sec<sup>s</sup> 2 & 3  
T 13° 40' E

40.00 Post for temporary q cor

80.43 Intersect North boundary  
45 Ets West of Cor Sec<sup>s</sup>  
2 & 3 from which I run

81° West on true line cut  
Sec<sup>s</sup> 2 & 3  
T 13° 40' E

40.43 Cut post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18 x 24 x 12 in for  
q cor

80.43 Cor Sec<sup>s</sup> 2. 3. 10. & 11  
Land selling 2 rate  
July 24<sup>th</sup>

3rd n. Range 25 W

North cut Sec<sup>s</sup> 33 & 34  
Val 3" 40' E

4 24.00 Enter high bluffs E & W

40.00 Cut post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
state raised mound  
3 ft high from pits 18 x 24  
12 in for grace cor

55.00 Wide & deep caisson timber  
in same West oak

77.50 Enter deep caisson S W timber

80.00 Cut post 3 in x 3 in x 4 ft 1 ft deep  
deposited charred state  
raised mound 3 ft high  
from pits 18 x 24 x 12 in for  
C & S Dec<sup>s</sup> 27, 28, 33 & 34  
from which

An oak 24 in dia bears S 14 1/2° E 34 ft dia

" " 20 " " " 58 1/2° N 27 " "

" " 24 " " " 78° N 39 " "

Land baked 3 rate

3rd n. Range 25 W

Eastwarden line cut  
Dec<sup>s</sup> 27, 28 & 34  
Val 3" 40' E

40.00 Post for temporary q cor

79.70 Intersect N & S line 20 els  
North of C & S Dec<sup>s</sup> 26,  
27, 34 & 35 from which  
I run

N 89° 51' West on true line  
cut Sec<sup>s</sup> 27 & 34  
Val 3" 40' E

39.85 Cut post 2 x 3 in x 4 ft 1 ft deep  
deposited charred state  
raised mound 3 ft high  
from pits 18 x 24 x 12 in  
for grace cor

79.70 C & S Dec<sup>s</sup> 27, 28, 33 & 34  
Land baked hills 3 rate

T 34 N Range 25 W

North Sec 27 & 28

Ta 13° 40' E

7.00 Leave Valley + oak timber  
40.00 Set post 2x3 in x 4ft 1ft deep  
deposited charred stake  
raised mound 2ft high  
from pits 18x24x12 in  
for grade cor

78.00 Enter broken hills NW

80.00 Set post 3 in x 3 in x 4ft 1ft  
deep deposited charred  
stake raised mound  
2ft high from pits 18x24  
12 in for Cor to sec "

21.22. 27 & 28

Land high sandy 3 or 4 ft

T 34 N Range 25 W

East on random line set

Sec " 22 & 27

Ta 13° 40' E

13.99 Enter wider deep Cañon timber  
S E

19.00 Leave wide Cañon S E

40.00 Post for temporary gr Cor

79.78 Set back N & S line 14 ft  
North of Cor to sec " 22.

23.26 & 27 from which Cor  
S W

N 89° 57' West on true line

Set Sec " 22 & 27

Ta 13° 40' E

39.89 Set post 2x3 in x 4ft 1ft deep  
deposited charred stake  
raised mound 2ft  
high from pits 18x24x  
12 in for grade cor

79.78 Cor to sec " 21.22.27 & 28

Land broken 3 or 4 ft

T 34 N. Range 25 11

North lot Sec<sup>s</sup> 21 & 22  
Tas 3° 40' E

11.00 Enter wide canon timber  
SE

17.00 Bed of same

19.70 Leave same Enter high  
lands

40.00 Outpost 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
mixed Mound 2 ft high  
from pits 18 x 24 x 12 in  
for grass cor

80.00 Outpost 3 in x 3 in x 4 ft 1 ft  
deep deposited charred  
stake mixed Mound of  
char 2 ft high from pits  
18 x 24 x 12 in for Cor to sec<sup>s</sup>  
15. 16. 21 & 22  
Land high 3<sup>rd</sup> rate

T 34 N. Range 25 11

Eastward on line  
lot Sec<sup>s</sup> 15 & 22  
Tas 3° 40' E

40.00 Post for temporary grass cor

43.40 Drain 2 m soon SE.

79.82 Put stake N of line 8 lks  
outh of Cor to sec<sup>s</sup> 14, 15  
22 & 23 from which I run  
S 89° 57' West on true line  
lot Sec<sup>s</sup> 15 & 22  
Tas 3° 40' E

39.91 Outpost 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
mixed Mound 2 ft high  
from pits 18 x 24 x 12 in  
for grass cor

79.82 Cor to sec<sup>s</sup> 15. 16. 21 & 22  
Land rolling 2<sup>nd</sup> rate

F 34 N. Range 25 W

North bet Sec<sup>s</sup> 15 & 16  
T<sub>10</sub> 13° 40' E

31.00 Enter drain S W

37.20 Leave " " "

40.00 At post 2 x 3 in x 4 ft 1 ft deep  
deposited charred shale raised  
mound 2 ft high  
from pits 18 x 24 x 12 in  
for 9 or 10 cor

80.00 At post 3 in x 3 in x 4 ft 1  
ft deep deposited  
charred shale raised  
mound 2 ft high from  
pits 18 x 24 x 12 in for Cor  
base<sup>s</sup> 9, 10, 15 & 16  
Land rolling 2 rate

F 34 N. Range 25 W

Eastward on line  
bet Sec<sup>s</sup> 10 & 15  
T<sub>10</sub> 13° 40' E

41.00 Post for temporary 9<sup>th</sup> Cor

56.00 Enter drain S W

59.00 Leave same

79.80 Intersect N & S line 44  
E<sup>th</sup> north of Cor base<sup>s</sup>  
10, 11, 14 & 15 from which  
Cor 2 was

N 89° 41' West on true line  
bet Sec<sup>s</sup> 10 & 15  
T<sub>10</sub> 13° 40' E

39.90 At post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
shale raised mound  
2 ft high from pits 18 x  
24 x 12 in for 9<sup>th</sup> Sec<sup>s</sup>

79.80 Cor base<sup>s</sup> 9, 10, 15 & 16.  
Land rolling 2 rate

T 34 N. Range 25 W

North bet Sec<sup>s</sup> 9 & 10  
T 34 N 40 E

40.00 Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18x24x12 in  
for grass cut

80.00 Set post 3 in x 3 in x 4 ft  
deep deposited charred  
stake raised mound  
3 ft high from pits 18x  
24x12 in for Corboe<sup>s</sup>  
3.4. 9-10

Land partly falling 2 rate

T 34 N. Range 25 W

Eastward line bet  
Sec<sup>s</sup> 3 & 10  
T 34 N 10 E

40.00 Set post for temporary  
79.84 Intersect N & S line at  
Corboe<sup>s</sup> 2.3. 10-11

from which I run  
Westward line bet Sec<sup>s</sup>  
3 & 10

39.92 Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised mound 2 ft  
high from pits 18x24x  
12 in for grass cut

79.84 Corboe<sup>s</sup> 3.4. 9-10  
Land partly falling  
2 rate

T 34 N. Range 25 W

North on random line  
cut Sec. 3 & 4  
Val 3° 40' E

40.00 Post for temporary grade  
St. 62 Intersect North boundary  
25 also West of Cor to  
Sec. 3 & 4 from  
which Cor I run  
511' West true line cut  
Sec. 3 & 4

Val 3° 40' E  
40.62 Post 2x3m x 4ft 1ft  
deep deposited charred  
stake raised mound  
2ft high from pits 18x  
24x12 in for grade cor

St. 62 Cor to sec. 3, 4, 9 & 10  
Land rolling 2 rate  
July 25<sup>th</sup>

T 34 N. Range 25 W

North cut Sec. 32 & 33  
Val 3° 40' E

22.00 Trail to black hills NW & SE  
40.00 Post 2x3m x 4ft 1ft deep  
deposited charred stake  
raised mound 2ft high  
from pits 18x24x12 in  
for grade cor from  
which

A Pinetree 20 in dia bears N 16° W 122' also ditto  
" " " 14 " " " N 78° 15' W 168 " "

43.00 Cañon very deep East timber  
80.00 Post 3m x 3m x 4ft 1ft deep  
deposited charred stake  
raised mound 2ft high  
from pits 18x24x12 in for  
Cor to sec. 28, 29, 32 & 33  
Land broken sandy. 3 rate

T 34 N. Range 25 W

Eastward on line bet  
Sec<sup>s</sup> 28. & 33  
Ta 13° 40' E

- 16.00 Enter bottom - timber N.E.
- 40.00 Post for temporary q<sup>r</sup> cor
- 42.50 Right bank of Niobrara River  
Set post for temporary  
meander corner
- 50.50 Left bank of Niobrara River  
Set post for temporary  
meander corner
- 57.25 Leave low bottom N.E.
- 68.00 Enter wide drain N.E. &  
timber
- 80.70 Intersect N.E. line to  
E.W. North of Cor to sec<sup>s</sup>  
27. 28. 33 & 34. from  
which Cor I run  
N 89° 36' West on true line  
bet Sec<sup>s</sup> 28 & 33  
Ta 13° 40' E
- 29.70 Left bank of Niobrara  
River where I set  
Post 2 x 3 in x 4 ft 1 ft  
deep deposited charred

T 34 N Range 25 W

- stake raised mound  
from pits as per in-  
structions for Meander  
of Corn to frac Sec<sup>s</sup> 28 & 33
- 37.70 Right bank of Niobrara  
River where I set  
post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised mound  
from pits as per instuc-  
tions for Meander Cor  
to frac Sec<sup>s</sup> 28. & 33
- 40.10 Set post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18 x 24 x 12 in  
for q<sup>r</sup> cor
- 80.70 Cor to sec<sup>s</sup> 28. 29. 32 & 33  
Land broken 3 rate  
Valley 1 rate  
timber oak & pine

T33N Range 25W

North of Sec. 28 & 29  
T413°40'E

- 4.00 Bed of cañon filled with timber East
- 10.00 North bank of same East
- 21.00 Bottom oak timber
- 24.00 Stream 5-60 wide NE
- 25.00 South or right bank of Niobrara River where I set post 2x3 in x 4 ft 1 ft deep deposited charred stake raised Mound from pits as per instructions for meander Cor to pac Sec. 28 & 29
- 33.00 North or left bank of Niobrara River where I set post 2x3 in x 4 ft 1 ft deep deposited charred stake raised Mound from pits as per instructions for meander Cor to pac Sect. 28 & 29

over

T33N Range 25W

- 35.00 Leave low bottom E & W enter high bluff situated with Pines
  - 40.00 Set post 2x3 in x 4 ft 1 ft deep deposited charred stake raised Mound 2 ft high from pits 18x24x12 in for grass Cor to pac Sec. 20, 21, 28 & 29 N. E.
  - 64.00 Head of deep cañon + Pines
  - 74.00 Cañon East timber
  - 79.00 Cañon " "
  - 80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 3 ft high from pits 18x24x12 in for Cor to pac Sec. 20, 21, 28 & 29 N. E. side of cañon from which  
 Pine & diabers S 66° E 66 E No bit  
 " 6 " " " N 28° W 87 " "
- Land broken 3 rods  
 Timber oak & Pine

T 34 N. Range 25 W

Eastward line  
bet Sec<sup>s</sup> 21 & 28  
T 13<sup>o</sup> 40' E

- 8.50 Bed of Cañon filled with timber  
Stream 500 yds wide S.E.
- 21.00 Wide drain S.W.
- 40.00 Post for temporary q cor
- 70.00 Enter high bluffs E.W.S.E.
- 80.10 Merack N & S line 36 lvs  
Court of Cor to Sec<sup>s</sup> 21,  
22, 27, & 28 from which  
I run  
S 89<sup>o</sup> 45' West on true line  
bet Sec<sup>s</sup> 21 & 28  
T 13<sup>o</sup> 40' E
- 40.15 Put post 2x3 in x 4 ft 1/2 deep  
deposited Chond  
Stake raised 4' above  
2 ft high from pits 18x24  
12 in for q cor
- 80.10 Cor to Sec<sup>s</sup> 20, 21, 28 & 29  
Land broken 3 rate

T 34 N Range 25 W

North Cut Sec<sup>s</sup> 20 & 21  
T 13<sup>o</sup> 40' E

- 7.00 Cañon timber East
- 28.00 Cañon timber SE stream  
500 yds wide
- 31.00 Drain S.W. to deep Cañon
- 34.00 Leave Cañon S.W.
- 40.00 Put post 2x3 in x 4 ft 1/2  
deep deposited Chond  
Stake raised 4' above  
2 ft high from pits  
18x24 + 12 in for q cor
- 65.00 Enter high bluffs E.W.
- 80.00 Put post 2x3 in x 4 ft 1/2  
deep deposited Chond  
Stake raised 4' above  
2 ft high from pits 18x  
24x12 in for Cor to Sec<sup>s</sup>  
16, 17, 20 & 21 on table  
land  
Land broken 3 rate

T 34 N. Range 25-91

East random line East  
Sec<sup>s</sup> 16 & 21  
Var 13° 40' E

40.00 Post for temporary q<sup>r</sup> cor  
42.00 Enter drain from  
46.00 Leave " from

80.28 Set post N & line  
holes out of cor to  
Sec<sup>s</sup> 15, 16, 21 & 22  
from which cor & run

S 89° 43' West on true line  
East Sec<sup>s</sup> 16 & 21  
Var 13° 40' E

40.14 Out post 2 x 3 in x 4 ft 1/2  
deep deposited chord  
stone raised mound  
2 ft high from pits  
18 x 24 x 12 in for q<sup>r</sup> sec  
cor

80.28 Cor to sec<sup>s</sup> 16, 17, 20 & 21  
Land rolling 2 rate

T 34 N. Range 25-91

North East Sec<sup>s</sup> 16 & 17  
Var 13° 40' E

40.00 Out post 2 x 3 in x 4 ft 1/2  
deep deposited chord  
stone raised mound  
2 ft high from pits

80.00 Set post 3 in x 3 in x 4 ft 1/2  
deep deposited chord  
stone raised mound  
3 ft high from pits 18 x  
24 x 12 in for Cor sec<sup>s</sup>  
8, 9, 16 & 17

Land rolling 2 rate

1/2<sup>nd</sup> N. Range 25<sup>th</sup> W

East on railroad line  
bet Sec<sup>s</sup> 4 + 16  
Ta 13° 40' E

40.00 Post for temporary yr cor  
80.17 Intersects N + S line 18  
lks North of Cor to sec<sup>s</sup>  
9, 10, 15 + 16 from which  
Cor drawn

N 89° 52' West on true line  
bet Sec<sup>s</sup> 4 + 16  
Ta 13° 40' E

40.08 Post 2 x 3 in x 4 ft 1 ft deep  
deposited Chopped stake  
raised Mound 2 ft  
high from pits 18 x 24 x 12  
in for yr sec cor

80.17 Cor to sec<sup>s</sup> 8, 9, 16 + 17  
Land rolling 2 rate

8

1/2<sup>nd</sup> N. Range 25<sup>th</sup> W

North bet Sec<sup>s</sup> 8 + 9  
Ta 13° 40' E

37.30 drain 5<sup>th</sup> W.

40.00 Post 2 x 3 in x 4 ft 1 ft deep  
deposited Chopped stake  
raised Mound 2 ft high  
from pits 18 x 24 x 12 in  
for yr sec cor

80.00 Post 3 in x 3 in x 4 ft  
1 ft deep deposited  
Chopped stake raised  
Mound 2 ft high from  
pits 18 x 24 x 12 in for  
Cor to sec<sup>s</sup> 4, 5, 8 + 9

Land rolling 2 rate  
July 26<sup>th</sup> 1895

434 N. Range 25-11

East on random line  
cut Sec # 4 + 9  
Va 13° 40' E

33.00 Drain S.W.

40.00 Post for temporary 9<sup>th</sup> cor

80.26 Intersect N & S line 7 1/2  
North of Cor to sec # 3, 4.  
9-10 from which I run  
N 89° 57' West on true line  
cut Sec # 4, + 9  
Va 13° 40' E

40.13 Set post 2 x 3 in x 4 ft 1/2 deep  
deposited charred stake  
ruined Mound 2 ft  
high from pits 18 x 24 x  
12 in for 9<sup>th</sup> sec cor

80.76 Cor to sec # 4, 5, 8 + 9  
Land rolling 2 or a 1/2

434 N. Range 25-11

North on random line  
cut Sec # 4, + 5  
Va 13° 40' E

40.00 Set post for temporary 9<sup>th</sup> cor

80.28 Intersect N & S line 3/4

1/2 East of Cor to sec # 4 + 5  
from which cor I run  
S 15° East on true line cut  
Sec # 4 + 5

40.28 Set post 2 x 3 in x 4 ft 1/2 deep  
deposited charred stake  
ruined Mound 2 ft high  
from pits 18 x 24 x 12 in  
for 9<sup>th</sup> sec cor

80.28 Cor to sec # 4, 5, 8 + 9  
Land rolling 2 or a 1/2  
July 26<sup>th</sup>

T 3rd N. Range 25 W.

North East Sec. 29 & 32  
Ta 13° 40' E

11.5.00 Out post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stone  
raised Mound 2 ft high  
from pits 18 x 24 x 12 in  
for grasses

66.00 Trail N.W. + S.E.

80.00 Out post 2 in x 3 in x 4 ft 1 ft  
deep deposited charred  
stone raised Mound  
3 ft high from pits 18 x  
24 x 12 in for Cor to sec.  
29. 30. 31. & 32

Land varying sandy  
30 rate

T 3rd N. Range 25 W

East on random line East  
Sec. 29 & 32  
Ta 13° 40' E

5.61 Caution timber N.E.

20.61 Caution " " " "

29.00 Caution " " " North branch road  
of same 5 1/2 miles

40.00 Post for temporary gr Cor

42.12 Levee bottom cut high  
bluffs N.E. & South

79.88 Intersect N + S line 23-1/2  
North of Cor to sec. 28

29.32 & 33 from which draw  
N 89° 50 West on true line  
cut Sec. 29 & 32  
Ta 13° 40' E.

39.94 Out post 2 x 3 in x 4 ft 1 ft deep  
deposited charred stone  
raised Mound 2 ft high  
from pits 18 x 24 x 12 in for  
grasses

79.88 Cor to sec. 29. 30. 31. & 32  
Land very broken 30 rate

4  
34<sup>n</sup> Range 25<sup>n</sup> W

Westward line lot  
Dec<sup>n</sup> 30 & 31  
Var 3<sup>n</sup> 40<sup>n</sup> E

16.65 Trail N. W. & S E  
40.00 Post for temporary q<sup>r</sup> cor  
80.02 Intersect West boundary  
63 lts North of Cor to  
Dec<sup>n</sup> 30 & 31 from which  
Cor & run

289<sup>n</sup> 33 East true line  
lot Dec<sup>n</sup> 30 & 31  
Var 3<sup>n</sup> 40<sup>n</sup> E

40.02 At post 2 x 3 in x 4 ft 1 ft  
deep deposited charred  
stake raised mound  
2 ft high from pits 18 x 24  
x 12 in for q<sup>r</sup> cor

80.02 Cor to Dec<sup>n</sup> 29, 30, 31 & 32  
Land sandy & water

34<sup>n</sup> Range 25<sup>n</sup> W

North lot Dec<sup>n</sup> 29 & 30  
Var 3<sup>n</sup> 40<sup>n</sup> E

32.40 Enter bottom E & W  
40.00 At post 2 x 3 in x 4 ft 1 ft deep deposited  
charred stake raised mound  
2 ft high from pits 18 x 24 x 12 in  
for q<sup>r</sup> cor

42.50 Right bank of Niobrara river where I  
at post 2 x 3 in x 4 ft 1 ft deep de-  
posited charred stake raised  
mound from pits for instructions  
for meander Cor to Dec<sup>n</sup> 29 & 30

50.50 Left bank of Niobrara river where I  
at post 2 x 3 in x 4 ft 1 ft deep de-  
posited charred stake raised  
mound from pits for instructions  
for meander Cor to Dec<sup>n</sup> 29 & 30

66.10 Leave bottom timber E & W enter  
bluffs scattering trees

80.00 At post 3 in x 3 in x 4 ft 1 ft deep de-  
posited charred stake raised  
mound 2 ft high from pits 18 x 24  
x 12 in for Cor Dec<sup>n</sup> 19, 20, 29 & 30

Land rolling & water  
" valley 2 rods  
Timber oak & pine

Fort N. Range 25th

Eastward line let  
 Dec<sup>r</sup>. 20. 29  
 Val 3" 40' E

20.00 Cañon SE timber  
 40.00 along side of very high broken  
 + steep bluff cannot  
 establish temporary  
 gr cor

52.00 Top of bluff N. & S.  
 55.00 Cañon N. E. 3 chs wide  
 59.00 Enter timber + wide draw NE  
 64.00 Broken + high bluffs + timber  
 80.74 Intersect N & S line 47 chs  
 South of Cor to Dec<sup>r</sup>. 20. 29  
 28 + 29 from which cor drawn  
 S 89° 40' West on true line  
 let Dec<sup>r</sup>. 20 + 29  
 Val 30 40' E

40.12 Falls on side of very broken  
 + steep bluff therefore  
 cannot be established

80.74 Cor to Dec<sup>r</sup>. 19. 20. 29 + 30  
 Land very broken with less  
 timber mostly fire

Fort N. Range 25th

West Pt Dec<sup>r</sup>. 19 + 30  
 Val 3" 40' E

24.00 Leave high bluff + timber  
 enter river bottom N. N.  
 + S E + scattering timber

40.00 Post for temporary gr Cor  
 61.00 Draw S. E.  
 72.42 Draw S. E.  
 80.30 Intersect West boundary  
 18 chs North of Cor to  
 Dec<sup>r</sup>. 19 + 30 from  
 which cor drawn  
 N 89° 52' East on true line  
 let Dec<sup>r</sup>. 19 + 30  
 Val 3" 40' E

40.30 Pit post 2 + 3 in x 4 ft x 1 ft  
 deep deposited corner  
 stake raised mound  
 2 ft high from pits 18 +  
 24 + 12 in for gr see cor

80.30 Cor to Dec<sup>r</sup>. 19. 20. 29 + 30  
 Land 1<sup>st</sup> 20 chs broken  
 3<sup>rd</sup> rate remainder  
 Valley 2<sup>nd</sup> rate

Jan. Range 25-14

North bet Sec 19 & 20  
Tas 3" 40' E

40.00 Out post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound 2 ft high  
from pits 18x24x12 in  
for grass

6 80.00 Out post 3 in x 3 in x 4 ft  
1 ft deep deposited  
charred stake raised  
Mound 3 ft high from  
pits 18x24x12 in for Cor  
Sec 17, 18, 19 & 20  
Land high rolling 2 rate

Jan. Range 25-14

East on random line  
bet Sec 17 & 20  
Tas 3" 40' E

30.00 Enter Valley of wide drain &  
timber. Water in bed of  
wide SE

38.00 Leave Camp enter high land

40.00 Out post for Temporary grass

80.03 Intersect N & S line of Sec  
North of Cor Sec 16, 17  
20 & 21 from which trees  
N 89° 35' West on true line bet  
Sec 17 & 20  
Tas 3" 40' E

40.01 Out post 2x3 in x 4 ft 1 ft deep  
deposited charred stake  
raised Mound 2 ft high  
from pits 18x24x12 in for  
grass

80.03 Cor Sec 17, 18, 19 & 20  
Land high rolling 2 rate

34<sup>th</sup> N. Range 25<sup>th</sup> W

Weston random line  
cut Sec<sup>s</sup> 18 & 19  
Va 13° 40' E

40.00 1. Post for temporary gr cor  
80.66 Intersect West boundary  
at Cor to sec<sup>s</sup> 18 & 19 from  
which Cor I run  
East true line cut Sec<sup>s</sup>  
18 & 19

Va 13° 40' E

40.66 6. Post 2 x 3 in x 4 ft 1 ft deep  
deposited chorned  
Stake raised mound  
2 ft high from pits 18 x  
24 x 12 in for gr sec cor

80.66 8. Cor to sec<sup>s</sup> 17, 18, 19 & 20  
Land high rolling 2 rate

34<sup>th</sup> N. Range 25<sup>th</sup> W

North cut Sec<sup>s</sup> 17 & 18  
Va 13° 40' E

40.00 1. Post 2 x 3 in x 4 ft 1 ft  
deep deposited chorned  
Stake raised mound  
2 ft high from pits 18 x  
24 x 12 in for gr sec cor

40.30 6. Enter drain S.E.

46.00 Leave same " "

80.00 8. Post 3 in x 3 in x 4 ft 1 ft  
deep deposited chorned  
Stake raised mound  
2 ft high from pits 18 x  
24 x 12 in for Cor to sec<sup>s</sup>  
7, 8, 17 & 18

Land high rolling 2 rate

Fort n. Range 25 W

East on random line  
bet sec 8 & 17  
Ta 13" 40' E

- 37.00 Enter wide drain "grassy"
- 40.00 Post for temporary gr cor
- 41.70 Bed of same water in holes  
frr.
- 79.90 Intersect n. line at cor  
B sec 8. 9. 16 & 17 from  
which cor I run  
West on true line bet sec 8  
& 17

Ta 13" 40' E

39.90 Set post 2x3 m x 4 ft 1 ft deep  
deposited charred stake  
raised mound 2 ft  
high from pits 18x24x12  
w for gr sec cor

79.90 Cor to sec 7, 8, 17 & 18  
Land rolling 2 rate

Fort n. Range 25 W

West on random line  
bet sec 7 & 18  
Ta 13" 40' E

- 40.00 Set post for temporary gr cor
- 80.72 Intersect West boundary  
38 cts north of cor to  
sec 7 & 18. from which  
cor I run

N 89° 35' East on true line  
bet sec 7 & 18  
Ta 13" 40' E

40.72 Set post 2x3 m x 4 ft 1 ft deep  
deposited charred stake  
raised mound 2 ft high  
from pits 18x24x12 w for  
gr sec cor

80.72 Cor to sec 7, 8, 17 & 18  
Land rolling 2 rate

July 27 1845

3rd N. Range 25 W.

North bet Sec<sup>s</sup> 7 & 8  
T<sub>13</sub> 13" 40' E

32.00 Enter wide grassy drain  
S.E.

36.10 Leave same S.E.

40.00 Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised Mound 2 ft high  
from pits 18x24x12 in  
for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft high  
deposited charred  
stake raised Mound  
2 ft high from pits 18x24  
1/2 in for Cor to sec<sup>s</sup>  
5. 6. 7 & 8  
Land rolling 2 rate.

3rd N. Range 25 W

East on random line  
bet Sec<sup>s</sup> 5 & 8  
T<sub>13</sub> 13" 40' E

40.00 Post for temporary gr cor

79.93 Enter act N & S line 22  
lks North of Cor to sec<sup>s</sup>  
4. 5. 8 & 9 from which Cor  
I run

N 89° 51' West on true line  
bet Sec<sup>s</sup> 5 & 8  
T<sub>13</sub> 13" 40' E

39.96<sup>2</sup> Set post 2x3 in x 4 ft deep  
deposited charred stake  
raised Mound 2 ft  
high from pits 18x24x12  
in for gr sec cor

79.93 Cor to sec<sup>s</sup> 5. 6. 7 & 8  
Land rolling 2 rate

T34 N. Range 25 W.

Westward random line  
bet sec<sup>s</sup> 6 & 7  
Tas 13° 40' E

40.00 Post for Temporary gr Cor  
80.83 Intersect West boundary  
29 cks North of cent  
Sec<sup>s</sup> 6 & 7. from which  
Cor drawn

N 89° 48' East on true line  
bet sec<sup>s</sup> 6 & 7  
Tas 13° 40' E

40.83 Post 2x3 m x 4 ft 1 ft  
deep deposited chond  
stone raised mound  
2 ft high from pits 18x  
24x12 m for gr sec cor

80.83 Cor to sec<sup>s</sup> 5, 6, 7 & 8  
Land rolling 2 rate

T34 N. Range 25 W.

Northward random line  
bet sec<sup>s</sup> 5 & 6  
Tas 13° 40' E

40.00 Post for temporary gr Cor  
80.50 Intersect North boundary  
41 cks East of Cor to sec<sup>s</sup>  
5 & 6. from which Cor drawn  
S 18' East on true line bet  
Sec<sup>s</sup> 5 & 6.

40.50 Post 2x3 m x 4 ft 1 ft deep  
deposited chond stone  
raised mound 2 ft high  
from pits 18x24x12 in  
for gr sec cor

80.50 Cor to sec<sup>s</sup> 5, 6, 7 & 8  
Land rolling 2 rate  
July 28<sup>th</sup>

# Meanders

Meanders of the Niobrara River through said Township. I begin at the Cor to frac Sec 30 in West boundary of said Township and run down stream with the Meanders of Right bank in Sec 30

Courses	Chains	
N 73 1/2 E	17.00	Bluffs covered with timber
N 57 E	14.50	
N 78 E	17.00	
S 68 E	17.00	
S 60 E	23.10	To Meander Cor to frac Sec 29 & 30 thence in Dec 29
N 82 3/4 E	42.00	bottom oak timber
S 70 1/2 E	20.00	at 17 chs outlet of branch
S 49 1/2 E	25.10	To Meander Cor to frac Sec 28 & 29 thence in 28
S 42 1/4 E	15.00	Narrow bottom stream
S 70 E	16.00	& timber
S 86 E	13.30	
S 59 1/2 E	5.00	
S 89 1/2 W	5.00	To Meander Cor to frac Sec 28 & 33

Courses	Chains	thence in Sec 33
S 3 E	17.00	
S 7 E	21.00	Bluffs covered with timber
S 39 1/2 E	20.00	
S 61 1/4 E	13.00	
S 35 E	6.00	at 10 chs outlet of Spring
S 3 E	15.50	branch 20 chs wide

To Meander Cor to frac Sec 33 in South boundary of Township July 28 1876

Meanders of left bank of Niobrara River through said Township I begin at the Meander Cor to frac Sec 33 in South boundary of Township & run up stream with the Meanders of the left bank of said stream in Sec 33

Courses	Chains	
N 20 W	7.00	
North	10.00	bottom 4 chs wide
N 60 1/4 W	12.40	along foot of bluffs covered with timber

Courses	Chains	
N38 $\frac{1}{2}$ °W	15.00	
N6 $\frac{1}{4}$ °E	23.50	at 12 chs high perpendicular bluff or bank
N3°W	13.80	To meander Cor to frac
N.33 $\frac{1}{2}$ W.	9.70	Sec 28 & 33 thence in Sec 28
	7	
North	8.00	
N48°W	8.00	
N85 $\frac{1}{2}$ °W	22.50	at 14 chs outlet of Spring branch
N62°W	10.00	Bottom 6 chs wide & timber
N <del>46</del> <sup>45<math>\frac{1}{2}</math></sup> °W	18. <del>50</del> <sup>50</sup>	To meander Cor to frac Sec 28 & 29 thence in Sec 29
	8	
N46 $\frac{1}{2}$ °W	15.60	
N56°W	10.00	timber extends 20 chs north
N69 $\frac{1}{2}$ °W	17.00	
S84 $\frac{3}{4}$ °W	35.00	
S80°W	<del>10.00</del> <sup>9.50</sup>	To meander Cor to frac Sec 29 & 30 thence in Sec 30
	9	
N61 $\frac{1}{2}$ °W	16.50	
N64 $\frac{1}{4}$ °W	22.00	at 19 chs Spring branch 10 ell's wide

Courses	Chains
S77°W	21.20
S54 $\frac{3}{4}$ °W	14.00
S72 $\frac{1}{4}$ °W	<del>15.00</del> <sup>14.00</sup>
	10.

To Meander Corner to see Sec 30 in West boundary of Township July 24<sup>th</sup>

General Description  
 This Township is composed mostly of high table land 2<sup>nd</sup> rate. The Niobrara River running through the S.W. corner affords a great amount of bottom land & good timber. This Township is well adapted to stock raising but not so good for agriculture.

List of names

A list of the names of  
the individuals employed  
to assist in surveying  
and subdividing  
Township 30 N. Range  
25 West & showing the  
respective capacities  
in which they acted

Wm. Reese	Chairman
J. A. Seaman	"
Sam. Maffey	Recorder
H. L. Sprague	"
J. C. Gorrell	Flagman

We the undersigned do hereby  
certify that we assisted  
Geo. H. Fairfield deputy surveyor  
in surveying and subdividing  
Township No. 34 North of the  
base line in Range No 25  
West of 6<sup>th</sup> P. M. in Nebraska  
and that said Township has  
been in all respects to the  
best of our knowledge and  
belief well and faithfully  
surveyed and the boundary  
Monuments all planted  
according to the instructions  
furnished by the Surveyor  
General of the dimensions,  
character, construction &  
Marking, and in the manner  
as specifically described  
in the foregoing field notes

William Beechman  
S. S. Perry  
Perry & Spang  
J. C. Gorrell  
" "

Signed in my presence  
sworn by the above named  
persons before me the  
undersigned this 21<sup>st</sup> day  
of August 1875

John B. Cassock  
Notary Public in  
Antelope Co  
Nebraska

I George W. Fairfield Deputy  
Surveyor do solemnly swear  
that in pursuance of a  
joint contract wherein Fred W.  
Dornig and George W. Fairfield  
are joint Contractors with E. C.  
Cunningham United States  
Surveyor General for district  
of Nebraska Iowa bearing  
date May 31<sup>st</sup> 1875. I have well  
faithfully & truly in my own  
proper person and in strict con-  
formity with the instructions  
furnished by the Surveyor  
General the Surveying Manual  
& the laws of the United States  
surveyed all those parts or  
portions of township No 34 North  
Range No 25 West of 6<sup>th</sup> T.M. in  
Nebraska as are represented  
in the foregoing field notes as  
having been surveyed under  
my direction. And I do further  
solemnly swear that all the  
corners of said survey have

been established & perfected  
in strict accordance with  
the Surveying Manual and  
printed instructions & special in-  
structions of Surveyor General of  
the division. Character, Construction  
& Marking and in the manner  
as specifically described in  
the foregoing field notes  
and that the foregoing are the  
true and original field notes  
of such survey

George W. Fairfield  
Deputy Surveyor  
Signed in my presence  
sworn to before me this  
designed the 21<sup>st</sup> day of  
August, 1875

John B. Gorman  
Notary Public in  
& for Autotop Co  
Nebraska

Surveyor General's Office

Plattsmouth Neb. Nov 26<sup>th</sup> 1875

The foregoing field notes of the  
survey of the subdivision and  
meander lines of Township 34  
North of the Base line of Range  
25 West of the 6<sup>th</sup> P.M. in  
the State of Nebraska executed  
by George W. Fairfield under  
joint Contract No 91 of May  
31<sup>st</sup> 1875 in the month of  
July 1875 having been critically  
examined the necessary corrections  
and explanations made the  
said field and the surveys they  
describe are hereby approved

W. J. Clark

Surveyor General

Field Notes  
of  
Survey and Subdivision  
of  
Township No 35 North  
in  
Range 25 West.  
in  
Nebraska

Executed  
by Fred W. Dorrington  
Deputy Surveyor under  
joint Contract No 91 dated  
May 31<sup>st</sup> 1875.

Survey  
Commenced July 30<sup>th</sup> 1875.  
Completed Aug 1<sup>st</sup> 1875

List of Names  
A list of the names of the  
individuals employed to  
assist in surveying and  
subdividing Township No  
35 North Range 25 West

Nebraska showing the respective  
 Capacities in which they acted

B. S. Waack	Chairman
Geo. Hathaway	"
Thos. Skinner	Woundedman
Earl Sprague	"
Wm. C. Miller	Flugman

Town 35 Range 25 W  
 Judge Dearyan

6	5	4	3	2	1					
7	8	9	10	11	12					
----- State Line -----										
18	38	17	28	16	21	15	14	7	13	
17	36	27	20	18	6					
19	35	20	26	21	19	22	12	23	5	24
24	33	25	18	11	4					
30	32	29	24	28	17	27	10	26	3	25
31	30	23	16	9	2					
31	29	32	22	33	15	34	8	35	1	36

To determine the proper ad-  
 justment of my Compass for  
 subdividing Township 35 N  
 Range 25 West I begin at  
 the Cor to Towns 34 & 35 N  
 Ranges 24 & 25 West being  
 the 4<sup>th</sup> Guide Meridian and  
 run North on a blank line  
 along East Boundary of Sec  
 36. To 13° 45' East  
 39.78 To point 4 Ets West of Cor  
 79.84 To point 12 Ets West of Cor  
 to sec 25 & 26.

To retrace this line or run  
 a line parallel thereto  
 my Compass must be ad-  
 justed to a Variation of  
 13° 40' East

Township No 35 North

North between Sec<sup>s</sup> 35 & 36  
 Va 13° 40' E

40.00 Let post. 2 x 3 in x 4 ft. 1 ft in  
 ground deposited charred  
 Stake raised Mound  
 of earth from pits 18 x 24 x 12  
 for grass cor

80.00 Let post. 3 in x 3 in x 4 ft. 1 ft  
 in ground deposited  
 charred Stake raised  
 Mound of earth from  
 pits 18 x 24 x 12 in for  
 Cor to sec<sup>s</sup> 25, 26, 35 & 36  
 Land rolling sandy 3 rate

Range 25 West

East on random line bet  
 Sec<sup>s</sup> 25 & 36  
 Va 13° 40' E

40.00 Post for temporary grass cor  
 79.60 Let track East boundary to  
 LKs North of Cor to Sec<sup>s</sup>  
 25 & 36 from which  
 know

N 89° 43' West on true line  
 bet Sec<sup>s</sup> 25 & 36  
 Va 13° 40' E

39.80 Let post. 3 in x 3 in x 4 ft. 1 ft in  
 ground deposited  
 charred Stake raised  
 Mound of earth from  
 pits 18 x 24 x 12 in for  
 grass cor

49.60 Cor to sec<sup>s</sup> 25, 26, 35 & 36  
 Land rolling soil 2 rate

Township 35 North

North lot sec<sup>s</sup> 25 + 26  
T<sub>1</sub> 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound  
from pits 18 x 24 x 12 in  
for gr cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
in ground deposited  
charred stake raised  
mound from pits 18 x  
24 x 12 in for Cor sec<sup>s</sup>  
23, 24, 25 + 26.

Land rolling soil 2 rate

Range 25 West.

East on random line lot sec<sup>s</sup>  
24 + 25  
T<sub>1</sub> 3° 40' East.

40.00 Post for temporary gr cor  
79.80 Retract East boundary  
15 cks south of cor to  
pic<sup>s</sup> 24 + 25 from which  
draw

89° 57' West on true line  
lot sec<sup>s</sup> 24 + 25

39.90 Set post 2 x 3 in x 4 ft 1 ft in ground  
deposited charred stake  
raised mound of East  
from pits 18 x 24 x 12 in  
for gr cor

79.80 Cor to sec<sup>s</sup> 23, 24, 25 + 26  
Land rolling sandy 2 rate

Township 35 North

North let Sec<sup>s</sup> 23 + 24  
 Va 13° 40' E  
 40.00 Let post 2x3 in x 4 ft. 1 ft in deep  
 deposited charred shale  
 raised Mound of earth  
 3 ft high from pits 18x24  
 x12 in for gr & cor  
 60.00 Enter valley E & W  
 80.00 Let post 3 in x 3 in x 4 ft. 1 ft  
 in ground deposited  
 charred shale raised  
 Mound of earth from  
 pits 18x24 x12 in for  
 Cor to sec<sup>s</sup> 13, 14, 23 + 24  
 Land falling 2 rate

Range 25 West

East on random line let  
 Sec<sup>s</sup> 13 and 24  
 Va 13° 40' E  
 40.00 Post for temporary gr Cor  
 79.51 Enter to East Boundary  
 73 lbs South of Cor to  
 Sec<sup>s</sup> 13 + 24 from  
 which draw  
 S 29° 29' West on true line let  
 Sec<sup>s</sup> 13 + 24  
 Va 13° 40' E  
 39.75 Let post 2x3 in x 4 ft. 1 ft  
 in ground deposited  
 charred shale raised  
 Mound from pits 18x24  
 x12 in for gr & cor  
 79.51 Cor to sec<sup>s</sup> 13, 14, 23 + 24  
 Land falling 2 rate

Township 35 North

North lot Sec 13 & 14  
T<sub>13</sub> 13° 40' E

3. 10 Intersect State boundary  
line between Nebraska  
& Dakota at a point  
7 chains & 80 links  
East of 29<sup>th</sup> Mile post  
Whitford

Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound  
of earth from pits 18 x  
24 x 12 in for closing  
corner of prop<sup>d</sup> sec<sup>s</sup>  
13 & 14 Town 35 N  
Range 25 West  
Land selling 2 rate

Range 25 West

North lot Sec 13 & 14  
T<sub>13</sub> 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound of  
earth from pits 18 x 24  
x 12 in for prop<sup>d</sup> cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound  
of earth from pits 18 x  
24 x 12 in for Cor<sup>d</sup> sec<sup>s</sup>

H. 27. Sec 13 & 14  
Land selling 2 rate

Township 35 North

East random line bet.

Sec. 26 & 35 <sup>2013°40'</sup>

40.00 Post for temporary fence  
79.84 Intersect N of line 22 etc  
North of Cor Sec. 25  
26, 35 & 36 from which  
I run

N 89° 51' West true line

bet Sec. 26 & 35

Var 13° 40' E

39.92 Post 2x3 in x 4 ft. 1 ft in  
ground deposited & covered  
Stake raised & mound  
of earth from pits 18x  
24x12 in for grass cor

79.84 Cor Sec. 26, 27, 34 & 35  
Land selling 2 rate

Range 25 West

North bet Sec. 26 & 27

Var 13° 40' East.

40.00 Out post 2x3 in x 4 ft. 1 ft in  
ground deposited & covered  
Stake raised & mound  
of earth from pits 18x24  
x12 in for grass cor

80.00 Out post 3 in x 3 in x 4 ft. 1 ft in  
ground deposited & covered

Stake raised & mound  
of earth from pits 18x24  
x12 in for Cor Sec.  
22, 23, 26, & 27.

Land selling 2 rate

Township 35 North

East random line bet  
Sec<sup>s</sup> 23 & 26  
Var 3° Ho E

40.00 Post for temporary pr cor

80.00 Intersect N & S line 10  
links south of cor  
to sec<sup>s</sup> 23, 25 & 26  
from which I run

89° 56' West on true line  
bet sec<sup>s</sup> 23 & 26  
Var 3° Ho E

40.00 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound  
of earth from pits 18 x 24  
x 12 in for pr cor

80.00 Cor to sec<sup>s</sup> 22, 23, 26 & 27  
Land rolling soil 2<sup>nd</sup> rate

Range 25 West

North bet sec<sup>s</sup> 22 & 23  
Var 3° Ho E

35.00 Enter valley East & West.

40.00 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound of  
earth from pits 18 x 24 x  
12 in for pr cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
in ground deposited a  
charred stake raised  
mound of earth from  
pits 18 x 24 x 12 in for  
Cor to sec<sup>s</sup> 14, 15, 22 & 23

Land rolling 2<sup>nd</sup> rate

Township 35 North

East on random line bet  
Sec<sup>s</sup> 14 + 23  
Var 3° 40' E

40.00 set post for temporary year  
80.10 Intersect N. & E. line 28  
links North of Cor to  
Sec<sup>s</sup> 13, 14, 23 & 24  
from which Cor. Run  
N 89° 48' West intrus line  
bet Sec<sup>s</sup> 14 + 23

Var 3° 40' E  
40.05 set post 2 x 3 in x 4 ft. 1 ft in  
ground deposited & covered  
State raised mound of  
earth from pits 18 x 24 x  
12 in for N sec cor

80.10 Cor to Sec<sup>s</sup> 14, 15, 22 + 23  
Land Valley 2 gate

Range 25 West

North bet Sec<sup>s</sup> 14 & 15  
Var 13° 40' E

3. To Intersect State Boundary  
line between Nebraska  
& Dakota at point  
7 chains + 51 links  
East of 3<sup>rd</sup> Mile post  
where

set post 2 x 3 in x 4 ft. 1 ft in  
ground deposited & covered  
State raised mound  
of earth from pits  
18 x 24 x 12 in for closing  
Corner to fract<sup>n</sup> sec<sup>s</sup>  
14 + 15. Town 35<sup>th</sup>  
Range 25 West.

Land valley 2 gate  
July 30 1875

Township 35 North

North of Sec<sup>s</sup> 33 & 34  
Var 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited around  
stake raised mound  
of earth from pits 18 x  
24 x 12 in for grass cor

80.00 Set post 3 in x 3 in x 4 ft  
1 ft in ground deposited  
Charred stake raised  
mound of earth 3 ft  
high from pits 18 x 24  
x 12 in for Cor to sec<sup>s</sup>  
27, 28, 33 & 34

Land rolling soil 2 rate

Range 25 West

East on random line Lot Sec<sup>s</sup>  
27 & 34.

Var 3° 40' E

40.00 Set post for temporary grass  
80.00 Intersect N & S line 24 ft  
North of Cor to sec<sup>s</sup> 26,  
27, 33 & 35 from which  
I run

N 89° 50' West on true line  
Lot Sec<sup>s</sup> 27 & 34  
Var 3° 40' E

40.04 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited around  
stake raised mound of  
earth from pits 18 x 24 x  
12 in for grass cor

80.08 Cor to sec<sup>s</sup> 27, 28, 33 & 34  
Land rolling 2 rate

Township 35 North

North lot Sec<sup>s</sup> 27 & 28  
7<sup>1</sup>/<sub>2</sub> S 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft  
in ground deposited  
Chopped stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
gravel

80.00 Set post 3 in x 3 in x 4 ft 1 ft  
in ground deposited  
Chopped stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
Cort to sec<sup>s</sup> 21, 22, 27 & 28  
Land rolling 2 rate

Range 25 West

Easton roadway line lot  
Sec<sup>s</sup> 22 & 27  
7<sup>1</sup>/<sub>2</sub> S 13° 40' E

40.00 Post for temporary g. cor  
49.94 Intersect N & S. line 33  
lks south of Cort sec<sup>s</sup>  
22, 23, 26, & 27 from which  
I mean

89° 46' West true line  
lot Sec<sup>s</sup> 22 & 27  
7<sup>1</sup>/<sub>2</sub> S 13° 40' E

39.97 Set post 2 x 3 in x 4 ft. of line  
ground deposited  
Chopped stake raised &  
Mound of earth from  
pits 18 x 24 x 12 in for  
gravel

49.94 Cort to sec<sup>s</sup> 21, 22, 27 & 28  
Land rolling 2 rate

Township 35 North

North between Sec<sup>s</sup> 21 & 22  
T<sup>13</sup> H<sup>1</sup> E

H<sup>0.00</sup> Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited a  
Charred Stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for

H<sup>7.00</sup> <sup>Exte Valley E & W</sup>  
H<sup>0.00</sup> Set post 3 x 3 in x 4 ft 1 ft  
in ground deposited  
Charred Stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
Corb sec<sup>s</sup> 15.16.21 &  
22.

Land selling 2 rate

Range 25 West

East on random line  
Set Sec<sup>s</sup> 15 & 22  
T<sup>13</sup> H<sup>1</sup> E

H<sup>0.00</sup> Set post for temporary  
80.00 Intersect N & S line at  
Corb sec<sup>s</sup> 14.15.22 & 23  
from which I ran  
West on true line set  
Sec<sup>s</sup> 15 & 22

T<sup>13</sup> H<sup>1</sup> E  
H<sup>0.01</sup> Set post 2 x 3 in x 4 ft 1 ft  
All ground deposited  
Charred Stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
Gr Sec Cor

80.02 Corb sec<sup>s</sup> 15.16.21 & 22  
Land Valley 2 rate

1921  
Township 35 North

North 1st Sec<sup>n</sup> 15 & 16  
T<sup>13</sup> R<sup>40</sup> E

H. 3.00 Intersect State boundary  
line bet Nebraska  
& Dakota at point  
6 chains and 94 links  
East of 3<sup>rd</sup> mile post  
where I

H. 80  
Set post 2x3 in x 4 ft. 1 ft in  
ground deposited mound  
Stake raised mound  
of earth from pits 18x24  
x 12 in for crossing car  
to fract<sup>n</sup> sec<sup>n</sup> 15 & 16  
Town 35-52 Range  
25 West  
Land valley 2<sup>nd</sup> rate

Range 25 West.

North 1st Sec<sup>n</sup> 32 & 33  
T<sup>13</sup> R<sup>40</sup> E

H. 10.00 Set post 2x3 in x 4 ft. 1 ft in  
ground deposited mound  
Stake raised mound  
of earth from pits 18x24  
x 12 in for crossing car

80.00 Set post 2 in x 2 in x 4 ft 1  
ft in ground deposited  
charred stake raised  
mound of earth from  
pits 18x24x12 in for car  
to sec<sup>n</sup> 28, 29, 32 & 33  
Land valley 2<sup>nd</sup> rate

Township 30 North

Eastward line  
bet Sec<sup>s</sup> 28 & 33  
T<sub>1</sub> 3° 40' E

H 41.00 Post for temporary gr cor  
79.89 Intersect N rd line 7  
links south of Cor to  
Sec<sup>s</sup> 27, 28, 33 & 34

H 80 890 57 West on true line  
bet Sec<sup>s</sup> 28 & 33  
T<sub>1</sub> 3° 40' E

39.94 Let post 2+3 in x 4 ft 1 ft in  
ground deposited  
Charred Stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
gr cor

79.89 Cor to Sec<sup>s</sup> 28, 29, 32 & 33  
Land rolling 2 rate

Range 25 West

North bet Sec<sup>s</sup> 28 & 29  
T<sub>1</sub> 3° 40' E

40.00 Let post 2+3 in x 4 ft 1 ft in ground  
deposited Charred Stake  
raised Mound of earth  
from pits 18 x 24 x 12 in  
for gr cor

80.00 Let post 2 in x 2 in x 4 ft 1 ft  
in ground deposited  
Charred Stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for Cor  
18 Sec<sup>s</sup> 20, 21, 28 & 29

Land rolling 2 rate

Township 30 North

Eastward on line let  
Sec. 21 & 28

Var 3° 40' E

H

40.00 Post for temporary grass  
7982 Retract N & S line 31

lks North of Corboe

21.22.27.28 from

which down

H

80

W 89° H West on true line

let Sec. 21 & 28

Var 3° 40' E

39.91 let post 2 x 3 in x 4 ft 1 ft

in ground deposited

Chopped stake raised

Mound from pits 18 x

24 x 12 in for grass cur

7982 Corboe " So. 21.28 & 29

Land rolling soil 2 rate

Range 25 West

North let Sec. 21 & 21

Var 3° 40' E

40.00 let post 2 x 3 in x 4 ft 1 ft in  
ground deposited land

stake raised Mound of

work from pits 18 x 24

x 12 in for grass cur

54.10 Butter Valley N.E. S.W.

60.00 Marsh water lks wide N.E.

66.00 Same " " 3 " " NW

74.00 Same " " 6 " " NE

80.00 let post 3 in x 3 in x 4 ft 1 ft

in ground deposited

Chopped stake raised

Mound 3 ft high from pits

18.24 x 12 in for Corboe

16.17. 20 & 21

Land rolling 2 rate

Township 35 North

East random line  
bet Sec<sup>s</sup> 16 & 21  
T<sup>1</sup> 13° 40' E

H 40.00 Post for temporary p. cor  
79.94 Intersect N & S line 40  
Els south of Corbore<sup>s</sup>  
15.76. 21 & 22 from which  
Draw

H  
80

89° 43' West true line  
bet Sec<sup>s</sup> 16 & 21  
T<sup>1</sup> 13° 40' E

39.97 bet post 2 x 3 in x 4 ft x 1 ft  
in ground deposited  
corner stake mound  
Mound of earth from  
pits 18 x 24 x 12 in for  
p. cor

79.94 Corbore<sup>s</sup> 16. 17. 20 & 21  
Land valley 2 rate

Range 20 West

North bet Sec<sup>s</sup> 16 & 17  
T<sup>1</sup> 13° 40' E

2.70 Marsh and water 6 Ets wide  
3.70 Intersect State boundary  
line between Nebraska  
& Dakota at a point 7  
Chains and 20 Ets East  
of 32 d Mile post  
where I

bet post 2 x 3 in x 4 ft x 1 ft in  
ground deposited corner  
stake raised mound  
of earth from pits 18 x 24  
x 12 in for closing corner  
to fract<sup>s</sup> Sec<sup>s</sup> 16 & 17  
Town 35 N Range  
20 West

Land valley 2 rate  
July 31<sup>st</sup> 1895

Township 33 North

North lot Sec 21 21/532  
7a 13° 40' E

H 40.000 lot post 2x3 in x 4 ft  
1 ft in ground deposited  
Charred stake raised  
Mound 3 ft high from  
pits 18x24x12 in for  
grace cur

H 80.000 lot post 3 in x 3 in x 4 ft 1 ft  
in ground deposited  
Charred stake raised  
Mound from pits 18x  
24x12 in for Corbosee  
29. 30. 31. 532  
Land rolling 2 rate

Range 25 West

East random line lot  
Sec 29 29/532  
7a 13° 40' E

H 40.000 lot post for temporary grace cur  
80.12 lot ranch N & S line of lots  
North of Corbosee 28.  
29. 32 & 33 from which  
I run

N 89° 57' West on true line  
lot Sec 29 29/532  
7a 13° 40' E

H 0.56 lot post 2x3 in x 4 ft 1 ft in  
ground deposited charred  
stake raised mound  
of earth from pits 18x  
24x12 in for grace cur

80.12 Corbosee 29. 30. 31. 532  
Land rolling 2 rate

Township 35 North

West random line bet  
Sec<sup>s</sup> 30 & 31  
Var 13° 40' E

- H 32.00 Drain N E
- H 40.00 Post for temporary q cor
- 80.31 Intersect West Boundary  
19 links North of Cor  
to sec<sup>s</sup> 30 & 31 from  
which Cor from  
N 89° 52' East on true line  
bet sec<sup>s</sup> 30 & 31.  
Var 13° 40' E
- H 40.31 Let post 2 x 3 in x 4 ft. 1 ft in  
ground deposited & board  
stake raised Mound  
of earth from pits 18 x 24  
x 12 for q cor
- 80.31 Cor to sec<sup>s</sup> 29, 30, 31 & 32  
Land rolling 2 rate

Range 25 West

North bet Sect. 29 & 30  
Var 13° 40' E

- H 40.00 Let post 2 x 3 in x 4 ft. 1 ft in  
ground deposited  
board & stake raised  
Mound of earth from pits  
18 x 24 x 12 in for q cor
- 57.00 Enter Valley N E & S W
- 62.50 Slough or Marsh water in  
hole N E
- 64.50 Lower Valley N E enter  
level table land
- 80.00 Let post 3 in x 3 in x 4 ft 1 ft  
in ground deposited & board  
stake raised Mound of  
earth from pits 18 x 24 x 12  
for cor to sec<sup>s</sup> 19, 20, 24  
& 30
- Land level 2 rate

Township 35 North

Easton random line bet.

Sec<sup>s</sup> 20 & 29

Val 3° 40' E

20.00 Enter Valley N.E. & S.W.

24.00 Swail with water in holes  
S.E.

30.00 Leave Valley S.E. & N.W.

44.00 Post for temporary q cor

80 79.88 Enter sect N & S. line 17

links North of Cor 10

Sec<sup>s</sup> 20, 21, 28 & 29

from which I run

N 89° 53' West true line

bet Sec<sup>s</sup> 20 & 29

Val 3° 40' E

39.94 Set post 2x3 in x 4 ft in

ground deposited chert

Stake raised mound of

earth from pits 18x24x12

in for q cor

79.88 Cor to sec<sup>s</sup> 19, 20, 29 & 30

Land selling 2<sup>o</sup> rate

Range 25 West

Weston random line bet

Sec<sup>s</sup> 19 & 30

24.00 Enter S.E. Val 3° 45' E

40.00 Set post for temporary q cor

80.48 Enter sect West boundary

rocks East of Cor to Sec<sup>s</sup>

19 & 30 from which Cor run

S 89° 51' East true line

bet Sec<sup>s</sup> 19 & 30

Val 3° 40' E

40.48 Set post 2x3 in x 4 ft. 1 ft in

ground deposited chert

Stake raised mound of

earth from pits 18x24x12

in for q cor

80.48 Cor to sec<sup>s</sup> 19, 20, 29 & 30

Land selling 2<sup>o</sup> rate

Township No 35 North

North lot Sec. 19 & 20  
Tas 3° 40' E

4 14.00 Drain L here enter valley  
NW. & NE

34.50 Drain L E

40.00 Set post 2 x 3 in x 4 ft 1 ft  
in ground deposited  
Chopped stake raised  
Mound of earth from  
pits 18 x 24 x 12 in for  
grace cor

48.00

46.40 Enter spur of land bluff  
L, S, E

49.00 Leave dam enter rolling  
valley or table land

80.00 Set post 3 in x 3 in x 4 ft 1 ft in  
ground deposited chopped  
stake raised mound of  
earth from pits 18 x 24 x 12 in  
for Cor to sec 17, 18, 19 & 20  
Land rolling 2 rate

Range 25 West

East on random line lot  
Sec. 17 & 20  
Tas 3° 40' E

40.00 Post for temporary grace cor

65.00 Enter valley along drain  
NE

78.00 Dwell with water NE

80.04 Set stake N + S. line at cor  
to sec 16, 17, 20 & 21 from  
which cor draw

West on true line lot Sec.  
17 & 20  
Tas 3° 40' E

40.02 Set post 2 x 3 in x 4 ft 1 ft in  
ground deposited chopped  
stake raised mound  
of earth from pits 18 x 24  
x 12 in for grace cor

80.04 Cor to sec 17, 18, 19 & 20  
Land rolling 2 rate

Township 35 North

West random line bet.

Sec. 18 & 19

Tal 3° 40' E

H. 0.00 Post for temporary 9/8 cor

53.00 Leube Valley N.W. 1/4 SE

80.76 Intersect West Boundary

15 1/2 m North of cent.

Sec. 18 & 19. from which

Cor Arise

N 89° 57' East true line

bet Sec. 18 & 19.

Tal 3° 40' E

H. 0.76 At post 2 + 3 in x 4 ft. 1 ft in

ground deposited about

State raised Mound

of Earth from pits 18 x 24

x 12 in for grass cor

80.76 bet Sec. 17, 18, 19 & 20

Land selling 2 rate

Range 25 West

North bet Sec. 17 & 18

Tal 3° 40' E

3.20 Intersect State boundary

line between Nebraska

& Dakota 4 chains East

of 33 mile post where

I

At post 2 + 3 in x 4 ft. 1 ft in ground

deposited about State

raised Mound of Earth

from pits 18 x 24 x 12 for

Closing corners tract.

Sec. 7, 8, 17 & 18.

Land Valley 2 rate

General description

Township 35 North, Range 25

West is composed mostly of

rolling land 2 rate it is

well adapted to stock grazing

but too sandy for agriculture

Aug 1<sup>st</sup> 1898

List of names wanted

List of names  
A list of the names of the  
individuals employed  
to assist in surveying  
and subdividing Towns  
No 35 North Range 25<sup>th</sup>  
West C<sup>th</sup> M. in Nebraska  
and showing the respective  
capacities in which  
they acted  
J. S. Walker Chairman  
George Hathaway "  
Thos. W. Skinner "Member"  
C. B. Sprague "  
H. C. Miller "Magnum"

X. List of names met

We the undersigned do hereby certify that the assisted Fred M. Dorrington deputy Surveyor in surveying and subdividing Township No 35 North of the base line in Range No 25 West of the 6<sup>th</sup> P.M. in Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments all planted according to the instructions furnished by the Surveyor General of the dimensions character constructions and marking and in the Manual as specifically described in the foregoing field notes

B. S. Walker Chairman

Geo. Hathaway

Thos. M. Dorrington

E. D. Spague Flagman

W. C. Miller

signed in my presence and sworn to before me the undersigned this 10<sup>th</sup> day of August 1875

John B. Gossage

Notary Public

in and for Antelope Co.

Nebraska.

I Fred M Dorrington deputy  
Surveyor do solemnly swear  
that in pursuance of a joint  
Contract No 91 dated May 2<sup>nd</sup>  
1875. wherein Fred M Dorrington  
and George H. Fairfield are Joint  
Contractors with E. E. Cummings  
Surveyor General for the District  
of Nebraska & Iowa and in  
strict conformity to the laws  
of the United States and the in-  
structions of the Surveyor  
General. I have in my own  
proper person faithfully &  
truly surveyed the Subdi-  
vision lines of Township No  
35 North of base line in Range  
North West of 1<sup>st</sup> P.M. in  
Nebraska and do further  
solemnly swear that  
all the corners of such  
survey have been Estab-  
lished & perpetuated  
in strict conformity  
to the instructions  
furnished by the

Surveyor General the  
surveying Manual  
and Special instructions  
of dimensions Character  
Construction & Marking  
and in the manner  
as specifically de-  
scribed in the fore-  
going field notes  
& that the foregoing are  
the true & original field  
Notes of such Survey

Fred M Dorrington  
deputy Surveyor  
Signed in my presence  
Sworn before Me the un-  
dersigned this 10<sup>th</sup> day  
of August 1875  
John B. Cozzage  
Notary Public in  
& for Antelope Co  
Nebraska

Surveyor General's Office

Plattsmonth Neb <sup>Sept 18</sup> 1875  
the foregoing field Notes of  
the Survey and Subdivision  
of Township N<sup>o</sup> 35 North  
of the Base Line of Range  
N<sup>o</sup> 25 West of the 10<sup>th</sup> Principal  
Meridian in Nebraska Exec-  
uted by Fred. W. Derrington  
under joint contract N<sup>o</sup> 91  
dated May 31<sup>st</sup> 1875 in the  
Months of July and August 1875  
having been critically exam-  
ined the necessary corrections  
and explanations made the  
said field Notes and the  
Surveys they describe are  
hereby approved

J. M. Clark  
Surveyor General

# GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

**493**

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.