General Land Office • Original Field Notes

Book Number

498

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 17 Range 26 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes
of
The survey and Subdivision of
Township 17 North Range 26 W
of the 6th P.M.
in the
State of Nebraska

Executed
By Henry C Campbell Deputy
Surveyor under Joint Contract
No. 40 dated April 11th 1873

Survey
Commenced July 16th 1873
Completed July 21st 1873

List of Names
of persons employed to assist in
Surveying this Township Showing
the respective capacities in which
they acted

Henry McBroom } Chainmen
John La Munyon }

Elum P. Baily } Meundmen
Michael Delaney }

To determin the proper adjustment of my Compass for the subdivision of this Township I commence at the South East cor. of Township 17 N. Range, 26 W. and run North on a blank line along the East boundary of Sec. 36.

Var 12°. 50' E

40.04 1/4 Sec cor.

80.00 cor. to Secs. 25 and 36

Therefore my compass is in proper adjustment

Township 17 N. R 26 W. 6th P. M.

From the Cor. to Secs. 35 and 36 on the South Boundary of Township Trun (on 4th Stand, Parrall) Trun
North Bet. Secs. 35 and 36
Var. 12°50' E

40.00 1/4 Set Post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in x 12 in. deep for cor. to Secs. 25. 26. 35 and 36
This corner falls in ravine
Course N. W. -

Surface rough, Soil 3d rate

Township 17 N. R 26 W. 6th P. M

East on random line bet. Secs. 25 and 36
Var. 12°50' E

12.00 ravine N. W.
25.00 ravine N. W.
40.00 Leave hills and set post for temporary 1/4 Sec. cor. in valley SE.
75.00 Leave valley Enter low hills
79.88 intersect East boundary of Township 22 lks. South of cor. to Secs. 25 and 36 - from which cor. Trun.
S. 89°51' West on true line
Bet Secs. 25 and 36
Var. 12°50' E

39.94 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor

79.88 Cor. to Secs. 25. 26. 35. 36

Land 1st 1/2 level, rest Broken Tot 3d rate
2d and 3d rate

Township 17 N. R 26 W. 6th P. M

	North Bet. Secs 26 and 25
	Var. 12°. 50' E.
2.50	ravine Course N W.
15.00	ravine N E.
33.50	ravine E.
40.00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred & stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.00	ravine N.
80.00	Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred & stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for corners to Secs. 23. 24. 25 & 26
	Land Broken, 3d rate

Township 17 N. R 26 W. 6th P. M

	Eastern random line Bet. Secs 24 and 25
	Var. 12°. 50' E
6.50	ravine N
22.50	ravine North
40.00	Set post for temporary 1/4 Sec. cor.
115.00	ravine N E.
79.80	intersect East Boundary of Township 14 lks. South of Cor. to Secs. 24 and 25 — from which cor. I run
	S. 89°. 54' Western true line bet. Secs. 24 and 25
	Var. 12°. 50' E.
39.90	Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.80	Cor. to Secs. 23. 24. 25 & 26
	Land Rough 3d rate

Township 17 N. R 26 W. 6th P.M.

North Bet. Sec. 23 & 24

Var. 12°. 50' E

2,00	ravine N.
10,00	Same ravine E.
46,00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,00	ravine Course S E.
80,00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for Cor. to Sec.s 13. 14. 23 & 24

Land hilly, Soil 3d rate

Township 17 N. R. 26 W. 6th P.M.

East on random line Bet. Sec.s 13 and 24

Var 12°50' E

40,00	Set post for temporary 1/4 Sec. cor.
79,92	intersect East Boundary of Township 15 lks. North of cor. to Sec.s 13 and 24 – from which Cor. I run

N. 89° 54' West on true line Bet. Sec.s 13 and 24

Var. 12°. 50' E.

39,96	Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,92	Cor. to Sec.s 13. 14. 23 & 24

Land hilly, 3d rate

Township 17 N. R 26 W. 6th P. M.

North Bet. Sec. 13 and 14
var. 12° 50' E.

17.00 ravine S.E.
34.00 deep ravine N.W.
40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. in the above ~~[illegible]~~ cor.

50.00 ravine N.E.
67.00 Summit of high bluff
80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 11, 12, 13 & 14

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P. M.

East on random line Bet. Sec. 12 and 13
var. 12° 50' E

6.50 ravine East
8.50 ravine N
40.00 Set post for temporary 1/4 Sec. cor.
55.00 ~~to~~ falls leave hills & enter valley
79.80 intersect ~~N. & S. line~~ Boundary of Township 12 lk. South of cor. to Sec. 12 and 13 — from which cor. 2 run.
S 89° 55' West on line line bet. Sec. 12 and 13
var. 12° 50' E
89.50 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. cor.

79.80 Cor. to Sec. 11, 12, 13 and 14

Land East of line, not Broken
Soil 2d & 3d rates

Township 17 N. R 26 W. 6th P. M

North bet. Sec. 11 and 12

var. 12°50' E

8.00	varine N E.
40.00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. to Sec. 1. 2. 11 & 12

Land hilly, ~~E~~ rate 3d rate

Township 17 N. R 26 W. 6th P. M

Eastern random line bet. Sec. 1 and 12

var. 12°50' E

8.00	Taupe valley S. E
25.15	Taupe river 20 lks. wide S E.
41.50	Set post for temporary 1/4 Sec. cor.
60.00	Leave valley & enter low hills S E.
79.90	intersect East Boundary of Township 16 lks. South of cor. to Sec. 1 and 12 — from which cor. I run. S. 88° 53' W. on true line bet. Sec. 1 and 12

var. 12°50' E

39.95	on Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
7 79.90	Cor. to Sec. 1. 2. 11 and 12

Land level, good 2d rate

Township 17 N. R 26 W. 6th P. M

North on random line Bet. Secs. 1 and 2

var. 12°50' E

7.00 Lodge valley S.E. —
21.00 Loup river 21 lks. wide S.E
32.00 Same river 21 lks. wide S.W.
38.00 Same river 20 lks. wide E —
40.00 Set post for temporary 1/4 Sec. Cor.
79.82 to intersect North Boundary of Township 17 lks. east of Cor. to Secs. 1 and 2 — from which Cor. I run

S. 7' East on true line bet. Secs. 1 and 2

var. 12°50' E —

39.82 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79.82 Cor. to Secs. 1. 2. 11 & 12

July 16th 1873

Land Level, good 2d rate

Township 17 N. R 26 W. 6th P. M

North Bet. Secs. 34 and 35

var. 12°50' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 26. 27. 34 and 35

Land hilly, 3d rate

Township 17 N. R 26 W. 6th P. M.

	Easton random line 13th. Sec. 26 and 35
	var. 12°. 50' E
46.00	Set post for temporary 1/4 Sec. cor.
50.14	intersect N & S line 17 lks. South of cor. to Sec. 25.26.35 & 36 — from which cor. I run S. 89°. 53' West on true line bet. Sec. 26 and 35
	var. 12°, 50' E
46.07	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft high from pits 12x24 in. x 12 in. dep per 1/4 Sec. cor.
80.04	cor. to Sec. 26.27.34.35
	Land hilly, 3d rate

Township 17 N. R. 26 W. 6th P. M.

	North 13th. Sec. 26 and 27
	var. 12.50' E.
46.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in for 1/4 Sec. cor.
80.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. dep for cor. to Sec.
	22.23.26 & 27
	Land hilly, 3d rate

Township 17 N. R 26 W 6th P. M.

	East on random line bet. Sec. 23 and 26
	var. 12°.50' E
40.00	Set post for temporary ¼ sec. cor.
79.97	intersect N to S. line 18 lks. South of cor. to Sec. 23.24.25.26 — from which cor. bears S. 89°.52' West on true line bet. Sec. 23 and 26
	var. 12°.50' E
39.98½	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for ¼ Sec. cor.
79.97	Cor. to Sec. 22.23.26.27
	Land hilly, soil 3d rate

Township 17 N. R 26 W 6th P. M.

	North bet. Sec. 22 and 23 var 12°50' East
40.00	¼ Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for ¼ Sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 14.15.22 & 23
	Land hilly, soil 3d rate

Township 17 N. R 26 W. 6th P.M.

East on random line Bet. Sec. 14 and 23

var. 12°50' E

34.00 deep ravine S.E.

40.00 Set post 2 For temporary 1/4 Sec. cor.

80.00 intersect N + S line 12 lks. North of cor to Sec. 13.14.23 & 24 — from which cor. I run

N. 89°55' West

on true line bet. Sec. 14 + 23

var. 12°50' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth from pits 12 x 24 in. x 12 in deep for 1/4 Sec. cor.

80.00 Cor to Sec. 14.15.22 & 23

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M.

North bet. Sec. 14 and 15

var. 12°50' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in 12 in. deep for 1/4 Sec

60.00 ravine N E

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. 12 in. deep for for Cor. to Sec. 10.11.14 + 15

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M

	Easton random line Bet. Sec. 11 & 14
	var. 12°. 50' E
40.00	¼ Set post for temporary ¼ Sec. cor.
79.88	intersect N. & S. line 8 lks. North of cor. to Sec. 11.12.13 & 14 — from which Cor. I run N 89. 57' West on true line bet. Sec. 11 and 14
	var. 12°. 50' E
39.94	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. 12 in. deep for ¼ Sec cor.
79.88	Cor. to Sec. 10.11.14 & 15
	Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M

	North bet. Sec. 10 and 11
	var. 12°. 50' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ¼ Sec. cor.
67.00	ravine Course N E.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for Cor. to Sec. 2.3.10 & 11
	Land hilly 3d rate

Township 17 N. R. 26 W. 6th P. M.

	East on random line bet. Sec. 2 and 11
	Var. 12°50' E
6.00	varine N.
40.00	1/4 Set post for temporary 1/4 Sec. cor.
61.00	Low broken hills
79.85	intersect N & S. line 10 lks North of cor. to Sec. 1.2.11 and 12 — from which cor. I run
	N. 89° 56' West on true line bet. Sec. 2 and 11
	Var. 12°50' E
39.92½	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor
79.85	Cor. to Sec. 2.3.10.11

Land Low hills, 3d rate

N Townships 17 N. R. 26 W. 6th P. M.

	North on random line bet. Sec. 2 and 3
	Var. 12°50' E
40.00	Set post 2x3 in. x 4 ft for temporary 1/4 Sec. cor.
79.90	intersect North Boundary of Township 10 lks. East of cor. to Sec. 2 and 3 from which cor. I run.
	S. 4' East on true line bet. Sec. 2 and 3
	Var. 12°50' E
39.90	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
79.90	Cor. to Sec. 2.3.10 and 11

Land gently rolling, 2d rate

July 17th 1873

Township 17 N. R 26 W. 6th P. M.

North bet. Sec. 33 and 34
var 12.52' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

68.10 course SE.

80.00 Set post 3x3 in. x 4 ft. 1 ft in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 27. 28. 33 & 34

Land hilly. 3d rate

Township 17 N. R 26 W. 6th P. M.

East on random line bet. Sec. 27 and 34
var. 12° 52' E

40.00 Set post for temporary 1/4 Sec. cor.

79.90 intersect N & S. line 7 lks. South of cor. to Sec. 26. 27. 34 & 35 – from which cor. I run S. 89° 57' West on true line bet. Sec. 27 and 34
var. 12° 52' E

39.95 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.90 Cor. to Sec. 27. 28. 33. 34

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P. M.

	North Bet. Sec. 27 & 28
	var. 12°52' E
40.00	& Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Cor. to Sec. Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Sec. 21, 22, 27 & 28
	Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P. M.

	East on random line bet. Sec. 22 & 27
	var. 12°52' E
40.00	Set post for temporary 1/4 Sec. cor.
79.95	intersect N & S. line 12 lks. South of cor. to Sec. 22, 23, 26, 27 – from which cor. I run S. 89° ~~58'~~ 55' West on true line Bet. Sec. 22 & 27
	var. 12°52' E
39.97½	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.95	Cor. to Sec. 21, 22, 27 & 28
	Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M.

North Bet. Sec. 21 & 22

var. 12°. 52' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.

80.00 Cor. to Sec. Set post 3x3 in. x 4 ft. — 1 ft. in ground deposit charred stake, raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 15, 16, 21, 22

Land rolling, Soil 3d rate

Township 17 N. R 26 W. 6th P.M.

East on random line Bet. Sec. 15 and 22

var. 12°. 52' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 intersect N. & S. line 12 chs South of Cor. to Sec. 14, 15, 22, 23 — from which Cor. Pine S. 89°. 55' West on true line Bet. Sec. 15 and 22

var. 12°. 52' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. Cor.

80.00 Cor. to Sec. 15, 16, 21, 22

Land hilly, 3d rate

Township 17 N. R 26 W 6th P. M.

North Bet Secs. 15 & 16

var 12°. 52' E -

1,00 ravine N.E.

10,00 deep ravine N.E.

38,30 deep ravine N.E

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in x 12 in. deep for 1/4 Sec cor.

80,00 Set post 3 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Secs. 9.10.15.16

Land rolling, 2 3d rate

Township 17 N. R 26 W 6th P. M.

East on random line Bet. Secs. 10 and 15

var. 12°. 52' E

27,00 leave high prairie & enter hills descends East

40,00 Set post for temporary 1/4 Sec. cor

79,90 intersect N & S. line 7 lks. South of cor. to Secs. 10.11.14 & 15 - from which cor. I run S. 89°. 57' West on true line bet. Secs. 10 and 15

var. 12°. 52' E -

39,95 Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

79,90 Cor. to Secs. 9.10.15.16

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M.

North Bet. Sec. 9 & 10

Var. 12°.52' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred 8 toke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 SEC. cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred 8 toke raise mound of earth 3 ft. high from pits 12 x 24 in x 12 in. deep for cor. to Sec. 3.4.9 & 10

Land gently rolling, Prairie & Soil 2d rate

Township 17 N R 26 W. 6th P.M.

East on random line bet. Sec. 3 and 10

Var. 12°.52' E

38.00 deep ravine S.W.

40.00 1/4 post falls in same; set temporary 1/4 SEC cor.

60.00 ravine N.

79.88 intersect N + S line 5 lks. North of cor. to Sec. 2.3.10.11 — from which cor. I run N. 89.58' W on true line Bet. Sec. 3 and 10

Var. 12°.52' E

As place in which 1/4 post falls in Ravine I establish it at 37.88 chs in random line 20 lks. north of line

3788 ~~42.00~~ Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred 8 toke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for witness 1/4 SEC. cor. 206 chs East of true point and 20 lks N. of true line

79.88 Cor. to Sec. 3.4.9 & 10

Land hilly, 3d rate

Township 17 N. R 26 W. 6th P.M.

North on random line bet. Sec. 3 and 4

var. 12°. 52' E

40.00 Set temporary 1/4 Sec. cor.

79.95 intersect North Boundary of Township 11 lk. East of cor. to Sec. 3 & 4 — from which cor. I run

S. 5' East on true line bet. Sec. 3 & 4

var. 12°. 52' E —

39.95 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.95 Cor. to Sec. 3. 4. 9 & 10

1st 1/2 level, rest Broken

Soil 3d rate

July 18th 1873

Township 17 N. R 26 W. 6th P.M.

North Bet. Sec. 32 & 33

12°. 52' E

10.00 Varine N. E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 28. 29. 32 & 33

Land Gently roving prairie

Soil 2d rate

Township 17 N. R. 26 W. 6th P. M.

East on random line bet. bet. Sec. 28 & 33

28 & 33 Var. 12°, 52' E

24.00 ravine S.E.

40.00 Set post for temporary 1/4 Sec. Cor.

73.00 ravine

80.03 intersect N & S. line 5 lks. North of Cor. to Sec. 27. 28. 33 & 34 — from which Cor. 2 run.

— N. 89. 58' W. on true line Bet. Sec. 28 and 33

Var 12°, 52' E

40.01 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. Cor.

80.03 Cor. to Sec. 28. 29. 32 & 33.

Land hilly, 3d rate

Township 17 N. R. 26 W. 6th P. M.

North Bet. Sec. 28 and 29

Var. 12°. 52' E

41.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.

43.00 ravine N.E.

79.00 ravine N.E.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor. to 20. 21. 28 & 29

Land hilly, 3d rate

Township 17 N. R 26 W. 6th P. M

	East on variation line bet. Sec.s 21 and 28
	Var. 12°.52' E
40.00	Set post for temporary ¼ Sec. cor.
80.20	intersect N & S. line 8 lks. North of cor. to Sec.s 21, 22, 27 & 28 — from which cor. I run N. 89°. 57' West on true line bet. Sec.s 21 and 28
	Var. 12°. 52' E
40.10	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for ¼ sec. cor.
80.20	Cor. to Sec.s 20. 21. 28 & 29
	Land hilly, 3d rate

Township 17 N. R 26 W. 6th P. M

	North Bet. Sec.s 20 & 21
	Var. 12°.52' E
11.00	ravine N E.
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ¼ sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ¼ sec. cor to 16. 17. 20 and 21
	Land 1st Part Broken, rest level Soil 3d rate

Township 17 N. R 26 W. 6th P. M

East on random line
bet. Secs. 16 and 21
Var. 12°, 52' E

40.00 Set post for temporary 1/4
Sec. cor.

79.00 ravine N. E.

80.00 intersect N & S line 20 lks.
North of cor. to Secs. 15. 16. 21. 22
from which cor. 9 run
N. 89°. 51' E West on true line
bet. secs. 16 and 21
Var. 12°. 52' E –

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stoke
raise mound of earth 3 ft. high
from pits 12 x 24 in. 12 in. deep for
1/4 sec. cor.

80.00 Cor. to Secs. 16. 17. 20 & 21

Land gently rolling

Soil 2d rate

Township 17 N. R 26 W. 6th P. M

North Bet. Secs. 16 and 17
Var. 12°, 52' E.

40.00 Set post 2 x 3 in. x 4 ft. 1 ft. in
ground, deposit charred stoke
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in
ground, deposit charred stoke
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in
deep for cor. to Secs. 8. 9. 16. 17

Land level prarie

Soil 2d rate

Township 17 N. R 26 W. 6th P. M.

East on random line bet. Sec. 9 and 16

Var. 12°. 52' E.

40.00 Set post for temporary 1/4 Sec. cor.

79.90 intersect N. & S. line 12 ch. North of cor. to Sec. 9. 10. 15 and 16 — from which cor. I run N. 89°. 55' West on true line bet. Sec. 9 & 16

Var. 12°. 52' E.

37.95 Set post. 2x3 in. x 4 ft. — 18 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.90 Cor. to Sec. 8. 9. 16. 17

Land gently rolling, 2d rate

Township 17 N. R 26 W 6th P. M.

North bet. Sec. 8 and 9

Va 12° 52' E

40.00 I set post 2x3 in. x 4 ft. — 18 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 18 in. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Sec. 4, 5, 8 and 9

Land level, 2d rate

Township 17 N. R 26 W. 6th P. M.

East on random line
bet. Sec. 4 and 9
var. 12°. 52' E

40.00 Set post for temporary 1/4
Sec. cor.

50.00 intersect N. & S. line 10 lks.
North of cor. to Sec. 3. 4. 9 and 10
— from which cor. bears
N. 89°. 56' West on true line bet.
Sec. 4 and 9
var. 12°. 52' E.

40.00 Set post 2 x 3 in. x 4 ft. - 1 ft.
in ground, deposit charred
stubs raise mound of
Earth 3 ft. high from pits
12 x 24 in. x 12 in. deep for
1/4 Sec. cor.

80.00 Cor. to Sec. 4. 5. 8 and 9

Land gently rolling, 2d rate

Township 17 N. R 26 W. 6th P. M.

North on random line
bet. Sec. 4 and 5
var. 12°. 52' E

40.00 Set post for temporary 1/4 Sec. cor.

42.50 hills but descends North

79.85 intersect North Boundary
of Township 12 lks. East of cor.
to Sec. 4 and 5 — from which
cor. bears
S. 5' East on true line
bet. Sec. 4 and 5
var. 12°. 52' E

39.85 Set post 2 x 3 in. x 4 ft. 1 ft. in
ground, deposit charred stubs
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.

79.85 Cor. to Sec. 4. 5. 8 & 9

Land, South 1/2 gently rolling
North 1/2 hills descends into
Lamp valley
Soil 2d x 3d rates

July 19th 1873

Township 17 N. R 26 W. 6th P. M.

North bet. Secs. 31 and 32

var. 12°. 52' E.

40.00 A Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 C Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to secs. 29. 30. 31 and 32

Land gently rolling, 2d rate

Township 17 N. R 26 W. 6th P. M.

East on random line bet Secs. 29 & 32

var. 12°. 52' E.

10.00 Set post for temporary 1/4 Sec Cor.

79.93 intersect N & S. line 7 lks. South of cor. to Secs. 28. 29. 32 & 33 — from which cor. run.

S. 89°. 57' West on true line bet. Secs. 29 and 32

var. 12°. 52' E.

39.96 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.

79.93 Cor. to Secs. 29. 30. 31 & 32

Land rolling, 2d rate

Township 17 N. R 26 W. 6th P. M.

West on random line bet. Sec. 30 & 31

Var. 12° 52' E

40.00 Set post for temporary 1/4 Sec. cor.

80.10 intersect West Boundary of Township 15 bet. South & Cor. to Sec. 30 & 31 — from which cor. I run

S. 89° 54' East on true line bet. Sec. 30 & 31

Var 12° 52' E

40.10 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charcoal & stone raise mound of earth 3 ft. high from pits 12 x 24 in & 12 in deep for 1/4 Sec. Cor.

80.10 Cor. to Sec. 29. 30. 31 & 32

Land Low rolling hills

Soil 2nd rate

Township 17 N. R 26 W. 6th P. M.

North Bet. Sec. 29 and 30

Var. 12° 52' E.

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charcoal & stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charcoal & stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in deep for cor. to Sec. 19. 20. 29 & 30

Land low sand hills. 3rd rate

Township 17 N. R 26 W 6th P.M.

East on random line
bet Sec. 20 and 29
var. 12°. 52' E

20.00 ravine S. W.
29.00 ravine S. W.
40.00 Set post for temporary 1/4
Sec. cor.
80.05 intersect N. & S. line at cor.
to Sec. 20. 21. 28 & 29 — from
which cor. 9 oak
West on
true line bet Sec. 20 & 29
var. 12°. 52' E
40.02½ Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
slate raise mound of
earth 3 ft. high from pits
12 x 24 in. x 12 in. deep
for 1/4 Sec. Cor.
80.05 Cor. to Sec. 19. 20. 29 and 30
Land rolling hills, 2d rate

Township 17 N. R 26 W. 6th P.M.

West on random line
bet. Sec. 19 and 30
var. 12°. 52' E
40.00 Set post for temporary 1/4
Sec. cor.
80.23 intersect West Boundary of
Township 29 chs. south of
Cor. to Sec. 19 and 30 — from
which cor. 9 oak
S. 89°. 48' East on true line
bet. Sec. 19 and 30
var. 12°. 52' E
40.23 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred slate
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. cor.
80.23 Cor. to Sec. 19. 20. 29 & 30
Land low sand hills, 3d rate

Township 17 N. R 26 W 6th P. M.

North Bet. Sec. 19 and 20
var. 12°. 52' E.

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor.

80.00 Set post 3 x 3 in. x 4 ft – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 x 12 in deep for Cor. to Sec. 17, 18, 19 & 20

Land 1st p low sand hills rest Broken, soil 3d rate

Township 17 N. R 26 W. 6th P. M.

Eastern random line
Bet. Sec. 17 & 20
var. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.

70.00 pass SE.

79.90 intersect N to S. line ~~at~~ at post cor. to Sec. 16, 17, 20 & 21 – from which cor. 9 run –

West on line
line bet. Sec. 17 and 20
var. 12°. 52' E

89.95 Set post 2 x 3 x 4 ft. – 1 ft in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.90 Cor. to Sec. 17, 18, 19 & 20

Land Gently rolling, 2d rate

July 20th 1873

Township 17 N. R 26 W 6th P. M.

West on random line
bet. Sec. 18 & 19
Var. 12° 52' E

40.00 Set post for temporary 1/4
Sec. cor.

43.00 leave low hills enter valley
N. E.

50.18 intersect West Boundary of
Township 1 mile south of
Cor. to Sec. 18 and 19 — from
which cor. 9 mn
S. 89° ~~55~~ 56' East
on true line bet Sec. 18 & 19
Var. 12° 52' E

40.18 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
& take raise mound of earth
3 ft. high from pits 12 x 24 in.
12 in. deep for 1/4 Sec. cor.

80.18 Cor. to Sec. 17. 18. 19 & 20

Land is East 1/2 hilly rest
valley Soil 3d rate

Township 17 North R. 26 W. 6th P. M.

North Bet. Sec. 17 & 18
Var. 12° 52' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
& take raise mound of earth
3 ft. high from pits 12 x 22 in.
12 in. deep for 1/4 Sec. cor.

60.00 leave rolling prairie enter
Enter hills

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred
& take raise mound of 3 ft.
high from pits 12 x 24 in. x 12
deep for 1/4 Cor. to Sec.
17. 8 & 17 & 18

Land 1st 60 ac. rolling rest
hilly Soil 2d rate

Township 17 N. R 26 West 5 P. M.

East on random line
Bet. Sec. 8 and 17
var. 12° 52' E

20.00 Enter high & level prairie
40.00 Set post for temporary 1/4
Sec. Cor.
80.20 intersect N & S line 7 lks. North
of Cor. to Sec. 8. 9. 16 & 17 —
from which cor. I run
N. 89° 57' West on true line
bet Sec. 8 and 17
var 12° 52' E —
40.10 ~~intersect~~ Set post 2 x 3 in. x 4 ft.
1 ft. in ground, deposit charred
stake raise mound of earth
3 ft. high from pits 12 x 24 in
x 12 in. deep for 1/4 Sec. cor.

80.20 Cor. to Sec. 7. 8. 17. 18

Land level, 2d rate

Township 17 N. R 26 W. 6th P. M.

West on random line Bet.
Sec. 7 and 18
var. 12° 52' E

33.00 ravine N. W.
38.00 ravine N. W
40.00 Set post for temporary 1/4
Sec. Cor.
45.00 ravine N. E.
80.00 intersect West Boundary
of Township 10 lks. North
of Cor. to Sec. 7 and 18 — from
which cor. I run
N. 89° 56' East on true line
bet. Sec. 7 and 18
var. 12° 52' E
40.00 Set post 2 x 3 in. x 4 ft. 1 ft. in
ground, deposit charred
stake raise mound of
earth 3 ft. high from pits
12 x 24 in. x 12 in. deep for 1/4
Sec. cor.

80.00 Cor. to Sec. 7. 8. 17 & 18
Land rough. 3d rate

Township 17 N. Range 26 W 6th P.M.

North Bet. Sec. 7 and 8

var. 12°. 52

40,00 Set post 2x3 in x 4ft. – 1ft. in ground, deposit charred & take raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred & take raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 5.6.7 and 8

Land very rough 3d rate

Township 17 N. R 26 W. 6th P.M.

East on random line Bet Sec. 5 & 8

var. 12°. 52' E

34,00 leave hills & reach high prairie

40,00 Set post for temporary 1/4 SEC. cor. ~~ground, deposit charred & take raise mound of earth 3 ft high from pits 12 x 24 in. x 12 in. deep~~

80,15 intersect N. & S. line 12 chs. North of cor. to Sec. 4.5.8 & 9 — from which cor. bears N. 89° 55' West on true line bet Sec. 5 and 8

var. 12°. 52' E

0,74 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred & take raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 SEC. cor.

80,15 Cor. to Sec. 5.6.7 & 8

Land East rolling prairie not Rough 3d rate

Township 17 N. R 26 W 6th P.M.

West on random line bet. Sec. 6 and 7

var. 12°. 52' E —

40.00 Set post for temporary 1/4 Sec Cor.

79.92 intersect West Boundary of Township 12 lks. North of Cor. to Sec. 6 and 7 — from which Cor. I run

N. 89°. 55' East on true line bet. Sec. 6 and 7

var. 12°. 52' E.

39.92 Set post 2x3 in. x 4 ft. 18 in. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for 1/4 Sec Cor.

79.92 Cor. to Sec. 5. 6. 7 and 8

Land hilly, Soil 3d rate

Township 17 N. R 26 W. 6th P.M.

North Bet. Sec. 5

North on random line bet. Sec. 5 and 6

var. 12° 52' E.

40.00 Set post for temporary 1/4 Sec. cor. = in deep ravine Bears N. W

79.90 intersect North Boundary of Township 17 lks east of Cor. to Sec. 5 and 6 — from which Cor. I run

S. 7' East on true line bet. Sec. 5 and 6

var. 12°. 52' E

39.90 Set post 2x3 in. x 4 ft. — 18 in. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 deep for 1/4 Sec. cor.

79.90 Cor. to Sec. 5. 6. 7. 8

Land Broken. Soil 3d rate

July 21st 1873

Township 17 N. R. 26 West

General description

The north and east halves of this Township is rough and Broken The middle and South West part are gently rolling and more or less fair farming land —

The South Fork runs through the North east Corner of the Township

The Township contains no Timber

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township 17. North of the Base line of Range 26 West of the 6th Principal Meridian

Showing the respective capacities in which they acted

Henry McBroom } Chainmen
John LaMunyon }

Elum P. Baily } Moundsmen
Michael Delany }

We hereby certify that we assisted Henry C Campbell Deputy surveyor in surveying the subdivision lines of Township 17 N of Range 26 West of the 6th Principal Meridian and that said Township has been in all respects well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character construction and marking and in the manner specifically described in the foregoing field Notes

Henry McBroom Chainman
James LaMunyon "
Michael Delany Moundsman
Elum P. Bailey "

Subscribed and sworn to before me this 31st Day of July AD 1873.

James Belton
Clerk of the District Court for Lincoln County Nebraska

I Henry C. Campbell Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein Henry C. Campbell and Josiah B. Parkare joint Contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 11th day of April 1873 I have well faithfully and truly, in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual, and the laws of the United States Surveyed all those parts or portions of Township 17 North of the Base line, in range No 26 West of the 6th Principal meridian as are described in the foregoing field notes, as having been surveyed under my direction and do further solemnly swear that all the corners of said survey have been

Established and perpetuated in strict accordance with the Surveyor's manual printed instructions and Special instructions of the Surveyor General, of dimension character, construction and marking and in the manner as specifically described in the foregoing field notes; and that the foregoing are the true and original Field notes of such survey

Henry C. Campbell
Deputy Surveyor

Subscribed and sworn to in my presence this 2nd day of August 1873
Chas D. Smith
Notary Public

Surveyor General's Office
Plattsmouth Sept 10th 1873

The foregoing field notes of the survey of the subdivision lines of Township No 17 North of the Base line of Range No 26 West of 6th P.M. in the State of Nebraska: Executed by Henry C. Campbell under Joint Contract No 70 dated April 11. 1873. Wherein Henry C. Campbell and Joseph B. Park are Joint Contractors; in the month of July 1873. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

Field Notes

of Survey and Subdivisions
of
Township No. 18 North
Range No. 26 West
6th Principal Meridian

Survey Executed
by
Stephen C. McElroy
under joint contract
No. 74, dated May
20th 1873. wherein
Stephen C McElroy & Jacob
Stephenson are joint contractors
with E. D. Cunningham
Surveyor General.

Survey
Commenced Jan 27/78
Completed July 30/1878

List of names and duties of assistants in subdividing Township 18 N. Range 27 West of 6th P.M.

Cristian Jude Chainman
Adelbert Thompson "
Curtis DeWolf Moundman
Richard Burden "
Cyrus Penny Flagman

Town 18 Range 26 W

6	61	5	45	4	34	3	23	2	12	1	
60		59		47		33		21		11	
7	58	8	43	9	32	10	21	11	10	12	
57		56		42		31		20		9	
18	55	17	41	16	30	15	19	14	8	13	
54		53		40		29		18		7	
19	52	20	39	21	28	22	19	23	6	24	
51		50		38		27		16		5	
30	49	29	37	28	26	27	15	26	4	25	
48		47		36		25		14		3	
31	46	32	35	33	24	34	13	35	2	36	

Field Notes of the Subdivision lines in Township No 18 North

Range 26 West of 6th P M

To determine the proper adjustment of my Compass for subdividing this Township I commence at the corner to Townships 17 and 18 N Ranges 25 and 26 West and run ~~north~~ north on a blank line along the East boundary of Section 36

	bs 12° 50' E
40 06	to a point links East of the quarter Section Corner
80 10	to a point 14 links East of the corner to Secs 25 and 36 to retrace this line or run paralell thereto my compass must be adjusted to a variation of 12°56' East

Township No 18 N Range 26 W of 6th P M

	North on a true line between Secs 35 and 36 Va 12°56' E
39 00	Raising descender South West
40 00	Set ~~Stake~~ post 3x3 in x 4 ft 1 ft in ground deposit charred stake, raised mound of Earth 3 ft high from pits 12 x 24 in 12 in deep as per instructions for 1/4 sec cor
80 00	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake, raised mound of Earth 3 ft high from pits 12 x 24 in 12 in deep as per instructions for cor to Secs 25, 26, 35 and 36
	Land Broken Soil 2nd rate

Township No 18 N Range 26 West of 6th P M

	East on a random line between Secs 25 and 36 Va 12°56' East
40 00	Set Post for temporary 1/4 cor
42 00	Raising descender S. W.
79 40	Intersected East boundary 28 links South of the corner to Secs 25 and 36 from which I run South 89°48' West on a true line between Secs 25 and 36 Va, 12°56' E
39 00	Raising descender South West
39 40	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in 12 in deep as per instructions for 1/4 cor
79 40	cor to Secs 25, 26, 35 and 36
	Land rolling Soil 2nd rate

Township No 18 N Range 26 West of 6th P M

	North on true line between
	Secs 25 and 26
	Va 13° E
5 00	Ravine descends south west
36 40	Enter sandy valley descends
	20° South of East
40 00	Set Post 3 x 3 in x 4 ft 1 ft in
	ground deposit charred
	stake 2 ft high raised mound of
	earth from pits 12 x 24 in
	12 in deep as per instruc-
	-tions for ¼ cor
57 00	leave valley
~~80 00~~	~~corner~~ to Secs 2
80 00	Set Post 3 x 3 in x 4 ft 1 ft
	in ground deposit charred
	stake 2 ft high raised mound of
	earth from pits 12 x 24 in
	12 in deep as per instructions
	for corner to Secs 23. 24. 25
	and 26
	Land rolling Soil 2nd rate

Township No 18 N Range 26 W of 6th P M

	East on a random line between
	Secs 24 and 25
	Va 13° E
40 00	Set Post for temporary ¼ cor
79 72	Intersected East boundary
	10 links South of the cor to
	Secs 24 and 25 from which
	I run South 89° 56' West
	on a true line between Secs
	24 and 25 Va 13° E
35 86	Set Post 3 x 3 in x 4 ft 1 ft in
	ground deposit charred stake
	raised mound of earth 2 ft high from
	pits 12 x 24 in 12 in deep
	as per instructions for ¼ cor
79 72	corner to Secs 23. 24. 25 and 26
	Land rolling Sandy Soil 3rd rate

Township No 18 North Range 26 West of 6th Pm

	North on true line between Secs 23 and 24 Va 13° E
40 00	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in 12 in deep as per instructions for ¼ cor
80 00	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake raise mound of Earth 3 ft high with pits 12 x 24 in 12 in deep as per instructions for corner to Secs 13, 14, 23 and 24
	Land rolling sandy soil 3rd rate

Township No 18 N. Range 26 W. 6th Pm

	East on random line between Secs. 13 & 24 Va. 13° East
40.00	Set post for temporary ¼ sec cor
80.00	Intersected East boundary of Township at cor to Secs 13 & 24 from which cor I run
	West on true line between secs 13 & 24 Va. 13° East
40 00	Set post 2 x 3 in. x 4 ft. 1 ft in ground deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in deep as per instructions for ¼ Sec. Cor
80 00	Corner to Secs. 13. 14. 23 & 24
	Land rolling soil 3rd rate

Township 18 N. Range 26 West 6th P.M.

North between Secs 13 & 14
Va. 13° [illegible]' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground, deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft in ground, deposit charred stake raised Mound of Earth from pits 12 x 24 in x 12 in deep for Cor to Secs. 11. 12. 13 & 14

Land Rolling Soil 3d rate

Township No 18 N. Range No 26 West 6th P.M.

Easton random line between
Secs. 12 & 13
Va. 12° 58' East

40.00 Set Post for temporary 1/4 Sec. Cor

80.04 Intersects East boundary of Township 14 lks. North of Cor. to Secs 12 & 13 from which Cor bears
North 89° 54' West on true line between
Secs. 12 & 13
Va. 12° 58' East

40.02 Set Post 2 x 3 in. x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from Pits 12 x 24 in x 12 in deep
for 1/4 Sec. Cor.

80.04 Corner to Secs. 11. 12. 13 & 14
Land Rolling Soil 3d rate

Township No 18 S. Range 26 West 6th P.M.

North between Secs. 11 & 12
Va. 12° 58' East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for Cor to Secs. 1. 2. 11 & 12

Land Rolling Soil 3d rate

Township No 18 S. Range No 26 West 6th P.M.

East on random line between
Secs. 1 & 12
Va. 12° 58' East

40.00 Set post for temporary 1/4 Sec Cor

80.18 Intersected East Boundary 49
lks. North of Cor. to Secs. 1 &
12 from which Cor Trees
North 89° 39' West on true line between
Secs. 1 & 12
Va. 12° 38' East

40.09 Set Post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12
in. deep for 1/4 Sec. Cor

80.18 Cor. to Secs. 1. 2. 11 & 12
Land Rolling Soil 3d rate

Township No 18 N. Range No 26 West 6th PM

North on random line between
Secs 1 & 2
Va. 12° 55' East

4000 Set Post for temporary 1/4 Sec. Cor.

79.72 Intersected North Boundary of
Township 10. lks. West of
Cor. to Secs. 1 & 2 from
which Cor. I run
South 4' West on true line between
Secs. 1 & 2
Va. 12° 55' East

39.72 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12
in. deep for 1/4 Sec. Cor.

7972 Corner to Secs. 1. 2. 11 & 12
Land Sandy Soil 3d rate

Township No 18 N Range 26 W of 6th PM

North on a true line between
Secs 34 and 35
Va 13° E

20 00 Enter Valley descends ~~North West~~ ~~North~~
~~and~~ South East

40 00 Set Post 3 x 3 in x 4 ft 1 ft in ground
~~wt~~ deposit charred stake raised
mound of Earth 3 ft high from pits 12 x 24
in 12 in deep as per instructions
for 1/4 corner

66 00 South Branch of Loup 90 links
wide runs South East

71 05 Loup runs South West
73 00 Loup runs S. E
79 00 Loup runs South ~~East~~ West

80 00 ~~Corner to Secs~~ Set Post 3 x 3 in x 4
ft 1 ft in ground deposit
charred stake raised mound
of Earth 3 ft high from pits 12 x 24 in
12 in deep as per instructions
for corner to Secs 26, 27, 34 and
35
Land level. Soil. 1st. rate

June 27th 1873

Township No 18 N Range 26 W of 6th PM

East on a random line between
Secs 26 and 35
Va 13° 1' E

2 00 Loop 20 links wide runs South
30 00 leave Bottom Enter Bluffs
Bluff bears North West (East) and South
40.00 Set Post for temporary 1/4 Sec Cor
79.50 Ravine dis South West
80 32 Intersected N. & S. line 49 lks. North
of Cor. to Secs. 25. 26. 35 & 36
from which Cor. I run
North 89° 39' West on true line between
Secs. 26 & 35
Va. 13° 1' East
40.16 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12
in. deep for 1/4 Sec. Cor.
80 32 Corner to Secs. 34. 35. 26 & 27
Land Rolling Soil 2d rate

Township No 18 N. Range No 26 West 6th PM

North between Secs 26 & 27
Va. 13° 1' East

5.00 Loop 26 lks wide
36.50 Ravine diverges South West
40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft. high
from Pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.
57.00 Leave Bottom, Enter Bluffs bears N.W.
& South East
80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12
in deep for Cor. to Secs.
22. 23. 26 & 27
South part level North part broken
Soil 2d rate

Township No 78 N. Range No 26 W. 6th PM

East on random line between
Secs. 23 & 26
Va. 13° East

12.00 Drain descends North West

40.00 Set Post for temporary 1/4 Sec. Cor.

80.40 Intersected North & South line
57 lks. North of Cor. to Secs.
23. 24. 25 & 26 from which
Cor. I run
North 89° 36' West on true line be-
tween Secs. 23 & 26
Va. 13° East

40.20 Set Post 2x3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft. high
from Pits 12 x 24 in x 12
in deep for 1/4 Sec. Cor.

80.40 Corner to Secs. 22. 23. 26 & 27
Land Broken & Sandy Soil 2nd rate

Township No 78 N. Range No 26 West 6th PM

North between Secs. 22 & 23
Va. 12° 58' East

11.00 Ravine descends South West

15.00 Ravine descends South East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high.
from Pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor

61.00 Enter Sandy Valley

69.00 Leave Valley

80.00 Set Post 3x3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from Pits 12 x 24 in. x 12 in
deep for Cor. to Secs.
14. 15. 22 & 23

From this Cor. 39° West of South 20
chs. distant there is a small
clump of Cedars at the foot of
a Ridge. The Ridge bears North
West & South East.
Land on this line Rolling. Soil
Sandy 3d rate

Township No 18 N. Range No 26 W. 6th P.M.

East on random line between
Secs. 14 & 23
Va. 12° 58' East

40.00 Set Post for temporary 1/4 Sec. Cor
80.21 Intersected N. & S. line at Cor. to
Secs. 13. 14. 23 & 24 from
which Cor I run
Western true line between Secs.
14 & 23
Va. 12° 58' East

40 10 1/2 Set Post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in. x 12
in. deep for 1/4 Sec Cor.

80.21 Corner to Secs. 14. 15. 22 & 23

Land rolling,
Soil Sandy. 3d rate

Township No 18 N. Range No 26 West 6th P.M.

North between Secs. 14 & 15
Va. 12° 58' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in. x 12
in deep for 1/4 Sec. Cor.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs.
10. 11. 14 & 15.

Land Rolling Soil Sandy 3d rate

Township No 18 N. Range No 26 West 6th P.M.

	East on random line between Secs. 11 & 14 Va 12° 58' East
40.00	Set post for temporary 1/4 sec. Cor
79.82	Intersected N. & S. line 14 lks North of Cor. to Secs. 11. 12. 13. & 14 from which Cor I run North 89° 54' West on true line between Secs. 11 & 14 Va 12° 58' East
39.91	Set Post 2 x 3 in. x 4 ft. 1 ft in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.82	Corner to Secs. 10. 11. 14 & 15

Township No 18 N. Range No 26 W. 6th P.M.

	North between Secs. 10 & 11 Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
60.00	Enter Sandy Basin
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in 12 in deep for Cor. to Secs. 2. 3. 10 & 11

Land rolling & Sandy 3rd rate

East on random line between
Secs. 2 & 11.
Va. 13° East

40.00 Set post for temporary 1/4 sec. Cor
60.00 Enter Sandy Basin
79.60 Intersected N. & S. line 21 chs
North of Cor. to Secs. 1. 2. 11
& 12 from which Cor I run
North 89° 51' West on true line between
Secs. 2 & 11
Va. 13° East
39.80 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.
79.60 Corner to Secs. 2. 3. 10 & 11
Land. Rolling Soil Sandy 3d rate

North on random line between
Secs. 2 & 3
Va. 13° East

30.00 Leave Sandy Basin
40.00 Set post for temporary 1/4 Sec. Cor
79.90 Intersect North boundary of
Township 28 chs East of
Cor. to Secs 2 & 3 from
which Cor. I run
South 12' East on true line
between Secs. 2 & 3
Va. 13° East
39.90 Set Post 2 x 3 in x 4 ft 1 ft in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12
in deep for 1/4 Sec. Cor.
79.90 Corner to Secs 2. 3. 10 & 11
Land Sand Hills. Soil 3d rate

Township No 18 S. Range No 26 W. 6th PM

North between Secs. 33 & 34
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft 1 ft in ground deposit chained stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor

70.00 Enter Bottom. Bluffs bear North West & South East

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground deposit chained stake raised Mound of Earth 3 ft high, from pits 12 x 24 in x 12 in deep for Corner to Secs. 27. 28. 33 & 34

Land descending Soil 2nd rate

Township No 18 S. Range No 26 West 6th P.M.

Eastern random line between
Secs. 27 & 34
Va. 13° East

40.00 Set post for temporary 1/4 Sec Cor

79.70 Intersected N. & S. line at Corte
Secs. 26. 27. 34 & 35 from
which Cor I run
West on true line between
Secs. 27 & 34
Va. 13° East

39.85 Set Post 2 x 3 in x 4 ft, 1 ft in ground
deposit chained stake raised
Mound of Earth 3 ft
high from pits 12 x 24 in
x 12 in deep for 1/4 Sec Cor

79.70 Corner to Secs. 27. 28. 33 & 34
Land level Soil 1st rate

June 28th 1873

Township No 18 N. Range No 26 W.

North between Secs. 27 & 28
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
mound of Earth 3 ft high
from pits 12 x 24 in x 12
in deep for 1/4 Sec. Cor

70.00 Land 15 chs., wide

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high. from
pits 12 x 24 in x 12 in deep
for Cor to Secs. 21. 22. 27 & 28

Land level. Soil 1st rate

Township No 18 N. Range No 26 W. 6th PM

Easton random line between Secs.
22 & 27
Va. 13° East

3.00 Drain descends South
38.00 Enter low sand hills
40.00 Set Post for temporary 1/4 Sec. Cor
78.00 Drain descends South West
80.16 Intersect N. & S. line 49 chs. North
of Cor. to Secs. 22. 23. 26 & 27
from which Cor. I run
North 89° 39' West on true line between
Secs. 22. & 27
Va. 13° East

40.08 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor

80.16 Corner to Secs. 21. 22 27 & 28
Land rolling Soil 2d rate

Township No 78 N. Range No 26 W. 6th PM

North between Secs 21 & 22
Va. 13° East

2.00 Leave Bottom, Enter Sand Hills
38.00 Drain descends South West
40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor
80.00 Set post 3 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs.
15. 16. 21 & 22
Land broken. Soil Poor, 2d rate

Township No 78 N. Range No 26 West

East on random line between
Secs. 15 & 22
Va. 13° East

8.00 ~~Drain descends South~~
40.00 Set Post for temporary 1/4 Sec. Cor
48.00 Drain descends South
79.80 Intersect N. & S. line 42 lks North
of Cor. to Secs. 14. 15. 22 & 23
from which Cor. Trees.
North 89° 42' West on true line between
Secs. 15 & 22
Va. 13° East
39.90 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake. raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor
79.80 Corner to Secs. 15. 16. 21 & 22
Land rolling Soil 2d rate

Township No 18 N. Range No 26 W. 6th P.M.

North between Secs. 15 & 16
Va 13° 5' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dep. for 1/4 sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high from pits
12 x 24 in x 12 in dep. for
Cor. to Secs. 9. 10. 15 & 16
Land Sand Hills, Soil 3d rate

Township No 18 N. Range No 26 W. 6th P.M.

East on random line between
Secs. 10 & 15
Va. 13° 5' East

40.00 Set post for temporary 1/4 Sec. Cor

79.96 Intersect N. & S. line 21 lks North
of Cor. to Secs. 10. 11. 14 & 15
from which Cor I run.
North 89° 57' West on true line
between Secs. 10 & 15
Va 13° 5' East

39.98 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dep for 1/4 Sec. Cor

79.96 Corner to Secs. 9. 10. 15 & 16
Land Sand Hills Soil 3d rate

Township No 18 N. Range No 26 West

North between Secs 9 & 10
Va. 13° 5' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake raised
Mound of Earth 3 ft. high
from Pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs.
3. 4. 9 & 10

Land Sand Hills Soil 3d rate

Township No 18 N. Range No 26 West 6th P. M.

East on random line between
Secs. 3 & 10
Va. 13° 5' East

40.00 Set Post for temporary 1/4 Sec. Cor

80.22 Intersect N. & S. line 14 lks South
of Cor. to Secs. 2. 3. 10 & 11
from which Cor. I run
South 89° 54' West on true line
between Secs. 3 & 10
Va. 13° 5' East

40.11 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor

80.22 Mound to secs. 3. 4. 9 & 10
Land Sand Hills Soil 3d rate

Township No 18 S. Range No 26 West

North on random line between Secs. 3 & 4
Va. 13° 5' East

40.00 Set Post for temporary 1/4 Sec. Cor

79.80 Intersect the North boundary of Township at Cor. to Secs. 3 & 4 from which Cor. I run South on true line between Secs 3 & 4
Va. 13° 5' East

39.80 Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit Charred Stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor

79.80 Leave to Secs. 3, 4, 9 & 10

Township No 18 S. Range No 26 W. 6th PM

North between Secs. 32 & 33
Va. 13° East

20.00 Drain descends North West

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit Charred Stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit Charred Stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 28, 29, 32 & 33.

Land rolling Soil good 2nd rate

Township No 78 N. Range No 26 West

	Eastern random line between Secs 28 & 33
	Va. 13° East
40.00	Set post for temporary 1/4 sec. Cor
72.00	Enter Bottom Bluff bears N. W to S. E.
80.22	Intersect N & S. line 35 lks. South of Cor. to Secs 27. 28. 33 & 34 from which Cor. I run
	South 89° 45' West on true line between Secs. 28 & 33.
	Va. 13° East
40.11	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 sec. Cor.
80.22	of Cor. to Secs 28. 29. 32 & 33
	Land Rolling Soil good 2d rate

Township No 78 N. Range No 26 W. 6th P. M.

	North between Secs. 28 & 29
	Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
72.00	Enter Bottom
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for Cor. to Secs. 20. 21. 28 & 29
	Land Rolling. Soil good 2d rate

June 30th 1878

Township No 78 N. Range No 26 West

	East on random between Secs. 21 & 28 Va. 13° East
40.00	Set Post for temporary 1/4 Sec. Cor
55.00	Loup River 15 lks. wide Runs South E.
79.80	Intersect St. Y. S. line 14 lks South of Cor. to Secs. 21. 22. 27 & 28 from which Cor I run South 89° 54' West on true line between Secs. 21 & 28 Va. 13° East
34.90	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.80	Corner to Secs. 20. 21. 28 & 29 Land level Soil 1st rate

Township No 78 N. Range No 26 West 6th PM

	North between Secs. 20 & 21 Va. 13° East
14.00	Loup River 2.87/100 chs. wide runs E.
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
41.00	Leave Valley, Enter Sand Hills
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Sections 16. 17. 20 & 21
	Land, South part level North part broken Soil 2nd rate

Township No 18 S. Range No 26 West 6th P.M.

East on random line between
Secs. 16 & 21
Va. 13° East

40.00 Set Post for temporary 1/4 Sec. Cor.

79.72 Intersection N & S. line 28 chs south of Cor. to Secs 15. 16. 21 & 22 from which Cor. I run

South 89° 48' West on true line between Secs. 16 & 21
Va. 13° East

39.86 Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.

79.72 Corner to Secs. 16. 17. 20 & 21
Land Sand Hill bal 3d rate

Township No 18 S. Range No 26 W. 6th P.M.

North between Secs. 16 & 17
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs 8. 9. 16 & 17
Land Sand Hills. bal 3d rate

Township No. 18 N. Range No. 26 W. 6th P.M.

	East on random line between Secs. 9 & 16 Va. 13° East
40.00	Set post for temporary 1/4 sec Cor
79.92	Intersect N. & S. line 4 1/2 chs South of Cor. to Secs. 9. 10. 15 & 16 from which Cor I run South 89°42' West on true line between Secs. 9 & 16 Va. 13° East
39.98 6	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor
79.92	Corner to Secs. 8. 9. 16 & 17 Land Sand Hills Soil 3rd rate

Township No. 18 N. Range No. 26 West 6th P.M.

	North between Secs. 8 & 9 Va. 13°. East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 4. 5. 8 & 9
	Land Sand Hills Soil 3rd rate

Township No 78 N. Range No 26 West

	East on random line between Secs. 4 & 9 Va. 13° East
40.00	Set Post for temporary 1/4 sec Cor
80.04	Intersected N. & S. line at Corner to Secs. 3. 4. 9 & 10 from which Cor I run West on true line between Secs. 4 & 9 Va. 13° East
40.02	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit chained stake, raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor.
80.04	Corner to Secs. 4. 5. 8 & 9 Land Sand Hills Soil 3d rate

Township No 78 N. Range No 26 W. 6th P.M.

	North on random line between Secs 4 & 5 Va. 13° East
40.00	Set post for temporary 1/4 sec Cor
80.00	Intersect North boundary of Township 60 links West of Cor. to Secs. 4 & 5 from which Cor I run South 26' West on true line between Secs. 4 & 5 Va. 13° East
40.00	Set post 2 x 3 in x 4 ft. 1 ft. in ground deposit chained stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
80.00	Corner to Secs. 4. 5. 8 & 9. Land Sand Hills Soil 3d rate

Township No 18 S. Range No 26 W. 6th PM

North between Secs. 31 & 32
Va. 13° East

40.00 Set post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

77.50 Drain descends North West

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in. x 12 in
deep for Cor. to Secs
29. 30. 31 & 32

Land Rolling. Soil 2d rate

Township No 18 S. Range No 26 W. 6th PM

Easton random line between
Secs. 29 & 32
Va. 13° East

37.00 Enter Valley. low range of
hills bear North West & S. E.

40.00 Set post for temporary 1/4 Sec Cor

80.08 Intersect N. & S. line 21 chs. South
of Cor to Secs. 28. 29. 32 & 33
from which Cor. I run
South 89° 51' West on true line between
Secs. 29 & 32
Va. 13° East

40.04 Set Post 2 x 3 in. x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec Cor.

80.08 Corner to Secs. 29. 30. 31 & 32
Land Rolling Soil 2d rate

Township No 18 S. Range No 26 W. 6th P.M.

	West on random line between Secs. 36 & 35 Va. 13° East
8.00	Drain descends North West
40.00	Set post for temporary 1/4 Sec. Cor
79.60	Intersected West boundary of Township 14 chs. South of Cor. to Secs 30 & 31 from which Cor I run North 89°54' East on true line between Secs 30 & 31 Va 13° East
39.60	Set post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor
79.60	Corner to Secs. 29. 30. 31 & 32 Land rolling Soil 2d rate

Township No 18 S. Range No 26 W. 6th P.M.

	North between Secs. 29 & 30 Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in deep for Cor to Secs. 19. 20. 29 & 30
	Land level & Sandy Soil 2d rate

July 1st 1873

Township No 18 N. Range No 26 W. 6th P.M.

	East on random line between Secs. 20 & 29 Va. 13° East
40.00	Set Post for temporary 1/4 Sec. Cor.
80.00	Intersect. N. & S. line at a point 56 lks. South of Cor. to Secs. 20. 21 28 & 29 from which Cor I run South 89° 36' West on true line between Secs. 20 & 29 Va. 13° East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor
80.00	Cor. to Secs. 19. 20. 29 & 30 Land level Soil 2d rate

Township No 18. N. Range No 26 W. 6th P.M.

	West on random line between Secs. 19 & 30 Va. 13° East
23.00	drain descending N.
40.00	Set post for temporary 1/4 Sec Cor
79.40	Intersect West Boundary of Township 28 lks North of Cor. to Secs. 19 & 30 from which Cor I run North 89° 48' East on true line between Secs. 19 & 30 Va. 13° East
39.40	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. Cor.
79.40	Corner to Secs. 19. 20. 29 & 30 Land level Soil good 2d rate

Township No 18 N. Range No 26 W. 6th P.M.

North between Secs. 19 & 20
Va. 13° East

30.00 Loup River 30 lks. wide runs East

40.00 Set post 2x3 in x 4 ft. 1 ft. in ground deposit charred stake. raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor. & leave Bottom & Enter Sand Hills.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 17. 18. 19 & 20

South half level. North half half S. Hills Soil 2 rate

Township No 18 N. Range No 26 W. 6th P.M.

East on random line between Secs 17 & 20
Va. 13° East

10.00 Leave Sand Hills Enter Sandy Valley. descends South East

40.00 Set Post for temporary 1/4 Sec. Cor.

65.00 Leave Valley & Enter Sand Hills

80.04 Intersect N. & S. line 35 lks. South of Cor. to Secs. 16. 17. 20 & 21 from which Cor. I run South 89° 45' West on true line between Secs. 17 & 20.
Va. 13° East

40.02 Set Post 2 x 3 in x 4 ft. 1 ft. in ground deposit charred stake. raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec Cor.

80.04 Corner to Secs 17. 18. 19 & 20
Land Rolling, Sandy. 3d rate

Township No 18 S. Range No 26 West

	Western random line between Secs. 18 & 19 Va. 13° East
40.00	Set Post for temporary 1/4 Sec. Cor
79.62	Intersected West boundary of Township 29 lks. North of Cor. to Secs. 18 & 19 from which Cor. I run
	North 89°48' East on true line between Secs. 18 & 19 Va. 13° East
39.62	Set Post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.62	Corner to Secs. 17. 18. 19 & 20
	Land Sand Hills Rod 3rd rate

Township No 18 S. Range No 26 West 6th PM

	North between Secs. 17 & 18 Va. 13° East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
73.00	Enter Sandy Valley descends South East
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Secs. 7. 8. 17 & 18
	Land Rolling & Sandy 2d rate

Township No 78 N. Range No 26 W. 6th P.M.

East on random line between
Secs. 8 & 17
Va. 13° East

39.00 Leave Valley
40.00 Set Post for temporary 1/4 Sec Cor
79.82 Intersect N & S. line 14 lks South
of Cor to Secs. 8. 9. 16 & 17
from which Cor I run
South 89°54' West on true line
between Secs. 8 & 17
Va. 13° East
39.91 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor
79.82 Corner to Secs. 7. 8. 17 & 18
Land Sand Hills Soil 3d rate

Township No 78 N. Range No 26 West 6th P.M.

West on random line between
Secs. 7 & 18
Va. 13° East

8.00 Leave Valley
40.00 Set Post for temporary 1/4 Sec. Cor
79.68 Intersected West Boundary of
Township 7 lks. North of Cor
to Secs. 7 & 18 from which
Cor. I run
North 89°57' East on true line
between Secs. 7 & 18
Va. 13° East
39.68 Set post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.
79.68 Corner to Secs. 7. 8. 17 & 18
Land Sand Hills Soil 3d rate

Township No 18 N. Range No 26 West

North between Secs. 7 & 8
Va. 13° 5' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake. raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 sec. Cor

68.00 Leave Valley

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to secs. 5,
6. 7 & 8.

Land level soil 2d rate

Township No 18 N. Range No 26 W. 6th PM

East on random line between
Secs. 5 & 8
Va. 13° 5' East

40.00 Set post for temporary 1/4 sec Cor

~~Leave Valley~~

79.92 Intersect N. & S. line 28 lks North
of Cor to Secs. 4. 5. 8 & 9
from which bin. 1 mm
North 89° 48' West on true line
between Secs. 5 & 8
Va. 13° 5' East

39.96 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in. x 12 in.
deep for 1/4 sec. Cor

79.92 Corner to Secs. 5. 6. 7 & 8
Land rolling. Soil 3d rate

Township No 18 N. Range No 26 West

	Westerly random line between Secs. 6 & 7
	Va. 13° 5' East
18.00	Enter valley bearing N. W. & S. E.
40.00	Set post for temporary 1/4 sec Cor
63.00	Leave Valley
79.50	Intersected West Boundary of Township 14 lks South of Cor. to Secs 6 & 7 from which Cor. I run South 89° 54' East on true line between Secs. 6 & 7
	Va. 13° 5' East
39.50	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 sec. Cor
79.50	Corner to Secs. 5. 6. 7 & 8 Land Sand Hills Soil 3d rate

Township No 18 N. Range No 26 W. 6th PM

	North on random line between Secs. 5 & 6.
	Va. 13° 5' East
40.00	Set Post for temporary 1/4 sec Cor.
79.88	Intersect North boundary of Township 13 lks West of Cor. to Secs 5 & 6 from which Cor. I run South 6' Westerly true line between Secs. 5 & 6
	Va. 13° 5' East
39.88	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
79.88	Corner to Secs. 5. 6. 7 & 8 Land Sand Hills Soil 3d rate

July 2d 1873

General Description.

The greater part of the surface of this Township is rolling.

The soil sandy and probably not adapted to the growing of peanuts although grapes and other fruit might succeed with careful cultivation.

The Township is watered by the South Fork of Coup river the valley of which is quite fertile the soil being a sandy loam.

Irrigation by means of dams and canals would be possible in many places were it necessary, though the rainfall seems sufficient for the growth of ordinary crops.

Timber is not found.

A List of names of the persons assisting in surveying and subdividing of Township 18 North of Base line of Range 26 West of 6th Principal Meridian

Christian Fiede Chainman
Adelbert Thompson "
Curtis De Wolf Mounduman
Richard Burden "
Lyons Penny Flagman

We hereby certify that we assisted Stephen C McElroy Deputy Surveyor in Surveying the sections of Township No Eighteen (18) North of the Base line of Range No Twenty Six (26) West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character, construction and marking and in the manner as specifically described in the foregoing field notes.

Christian Thede Chainman
Adelbert Thompson Chainman
Curtis N Dekolf Moundman
Richard Burcken Moundman
Cyrus Nenny Flagman

Subscribed and Sworn to
before me this 9th day of
August 1873

O. Kolgoodale
Notary Public

I Stephen C. McElroy
Deputy Surveyor, do solemnly
swear that in pursuance
of a joint contract wherein
Stephen C. McElroy and Gadsby
Stephenson are joint con-
tractors with E. E. Cunning-
ham Surveyor General
for the District of Nebraska
and Iowa bearing date the
30th day of May 1873.
I have well, faithfully
and truly, in my own proper
person and in strict con-
formity to the instructions
furnished by the Surveyor
General, the Surveying Manual, and the laws of the
United States, surveyed all
those parts or portions of
Township No 18 North of the
Base line in Range No
26 West of the 6th Principal
Meridian as are represented
in the foregoing field Notes

as having been surveyed
under my direction and
I do further solemnly swear
that all the Corners of said
surveys have been established
and perpetuated in strict ac-
cordance with the Surveying
Manual, printed instructions
and Special Instructions
of the Surveyor General,
as to dimensions, character, con-
struction and marking and in
the manner specifically
described in the foregoing field
Notes, and that the foregoing
are the true and original field
notes of such survey.

Stephen C. McElroy
Deputy Surveyor

Subscribed and sworn to before
me a Notary Public within
and for the County of Cass & State
of Nebraska this 5th day of Sept.
1873

Thos Collock Notary Public

Surveyor Generals
Office

Plattsmouth Sept 22 1873

The foregoing field notes of the Survey & Subdivision of Township No 18 North of the Base Line & Range No 28 West of the 6th P.M. in Nebraska Executed by ~~Zadok~~ Stephen C McElroy under joint Contract No 74 wherein Stephen C McElroy and Zadok Stephenson are joint contractors in the months of June and July 1873, having been carefully examined and the necessary corrections & explanations made the said field notes are hereby approved

E E Cunningham
Surveyor General

Field Notes
of
The Survey and Sub-division
of
Township No 19 North
of
Range No 26 West of 6th P. M.
in
Nebraska

Executed by
Jador Stephenson under Joint
Contract No 74 dated
May 29th 1873

Survey
Commenced June 27th 1873
Completed July 2nd 1873

List of names and duties of asst's:

Lewis Dennis	Chainmen
Wm H. Wonner	
Charles F. Logan	Moundmen
David A. Glendenning	
Edward R Hood	Flagman

List of names of assistants employed in subdividing Township No 19 N. R No 26 W 6th P.M.

Lewis Dennis } Chainman
Wm Wonner }

David Glendenning } Moundman
Chas F Logue }

Edward Hood Flagman

Town 19 Range 26 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

To ascertain the proper adjustment of my compass for the subdividing of this Township I begin at the corner of Townships 18 and 19 N, Ranges 25 and 26 West of 6th P.M. and run North on a blank line along the East boundary of Sec. 36

Va 13° East

39.96 To 1/4 sec cor
79.93 To corner to secs 25 and 36
To retrace this line or run one parallel thereto my compass, therefore, is in proper adjustment

Township No 19 N. Range No 26 W 6th P.M.

	North between secs 35 & 36 Va 13° East
40.00	Set Post 2 X 3 in X 4 ft 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in. X 12 in deep for 1/4 sec cor.
80.00	Set Post 3 X 3 in X 4 ft, 1 ft in ground deposited charred stake, raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for cor to secs 25, 26, 35 & 36.
Land	Sand Hills Soil 3° rate

Township No 19 N. Range No 26 W 6th P.M.

	East on random line between Secs 25 and 36 Va 13° East
40.00	Set Post for temporary 1/4 sec. cor.
80.12	Intersect east boundary of township 21 links north of corner to secs 25 and 36, from which corner I run north 89° 57' West on true line between secs 25 and 36 Va 13° East
40.06	Set Post 2 X 3 in X 4 ft. 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in. deep for 1/4 sec. cor.
80.12	Corner to secs 25, 26, 35 & 36
Land	Sand Hills Soil 3° rate

Township No 19 N. Range No 26 W. 6th P.M.

	North between secs 25 and 26 Va 13° East
40.00	Set Post 2X3 in X 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for 1/4 sec. cor.
80.00	Set Post 3X3 in X 4 ft. 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for cor to secs 23, 24, 25 and 26.
Land	Sand Hills Soil 3d rate

Township No 19 N. Range No 26 W 6th P.M.

	East on random line between secs 24 and 25 Va 13° East
40.00	Set Post for temporary 1/4 sec. cor.
80.08	Intersected east boundary of township 26 links south of corner to secs 24 and 25 from which I run south 89° 49' W on true line between secs 24 and 25 Va 13° East
40.04	Set Post 2X3 in X 4 ft. 1 ft in ground, deposit charred stake, raised mound of earth 3 ft high, from pits 12X24 in X 12 in. deep for 1/2 sec. cor.
80.08	Corner to secs 23, 24, 25 and 26
Land	Sand Hills Soil 3d rate

Township No 19 N. Range No 26 W 6th P. M.

	North between secs 23 and 24
	Va 13° East
40.00	Set Post 2X3 in X 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for 1/4 sec. cor.
80.00	Set Post 3X3 in X 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high. from pits 12X24 in X 12 in deep for cor to secs 13, 14, 23 and 24
Land	Sand Hills Soil 3° rate

Township No 19 N. Range 26 W 6th P.M.

	East on random line between secs 13 and 24
	Va 13° East
40.00	Set Post for temporary 1/4 sec cor.
80.00	Intersected east boundary of township 28 links south of cor to secs 13 & 24 from which corner I run south 89°48' W. on true line between secs 13 and 24
	Va 13° East
40.00	Set Post 2X3 in X 4 ft. 1 ft in ground deposited charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep. for 1/2 sec. cor.
80.00	Corner to secs 13, 14, 23 and 24
Land	Sand Hills Soil 3° rate

Township No 19 N. Range No 26 W 6th P.M.

	North between secs 13 and 14
	Va 13° East
6.00	Drain descends North-east
40.00	Set Post 2x3 in x 4 ft 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.
80.00	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12x24 in x 12 in. deep for cor. to secs. 11, 12, 13 and 14.
Land	Rolling Sandy Soil 3d rate

Township No 19 N Range No 26 W. 6th P.M.

	East on random line between secs 12 and 13
	Va. 13° East
36.00	Drain descends 3° south of East
40.00	Set Post for temporary 1/4 sec. cor.
80.05	Intersected east boundary of township 21 links south of corner to secs 12 and 13 from which corner I run south 89° 51' W on true line between secs 12 and 13
	Va 13° East
40.02½	Set Post 2x3 in x 4 ft 1 ft in ground deposit charred stake, raised Mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/2 sec. cor.
80.05	Corner to secs 11, 12, 13 and 14
	Land Level Soil 2d rate

Township No 19 N Range No 26 W 6th P. M.

North between secs 11 and 12.

Va 13° East

3.00 Drain descender - east

35.00 Drain descender with water in holes south-east

40.00 Set Post 2X3in X 4ft 1ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12X24in X 12in. deep for 1/4 sec. cor.

80.00 Set Post 3X3in X 4 ft 1ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12X24in X 12 in deep for cor to secs 1, 2, 11 and 12

Land, Rolling, poor 2d rate

Township No 19 N. Range No 26 W 6th P. M.

East on random line between secs 1 and 12

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

80.08 Intersected east boundary of township 15 links south of cor. to secs 1 and 12, from which cor. I run south 89° 54' W on true line between secs 1 and 12

Va 13° East

40.04 Set Post 2X3in X 4 ft 1 ft in ground, deposit charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for 1/4 sec. cor.

80.08. Corner to secs 1, 2, 11 and 12

Land Sand Hills Soil 3d rate

Township No 19 N Range No 26 W 6th P. M.

North on random line between secs 1 and 2

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.70 Intersected the north boundary of township 15 links west of cor to secs. 1 and 2, from which corner I run south 6 West on true line between secs 1 and 2

Va. 13° East

39.70 Set Post 2X3 in X 4 ft 1 ft in ground deposit charred stake, raised Mound of earth 3 ft high, from pits 12X24 in X 12 deep for 1/4 sec. cor.

79.70 Corner to secs 1, 2, 11, and 12

Land Sand Hills 3° rate

Township No 19 N, Range No 26 W 6th P. M.

North between secs 34 & 35

Va. 13° East

40.00 Set Post 2X3 in X 4 ft, 1 ft in ground, deposit charred stake, raised mound of earth 3 ft high, from pits 12X24 in X 12 in deep for 1/4 sec. cor.

80.00 Set Post 3X3 in X 4 ft 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for cor. to secs 26, 27, 34 and 35

Land Sand Hills Soil 3° rate

June 29th 1893

Township No 19 S Range No 26 W. 6th P. Me.

East on random line between secs 26 and 35

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

11 >

79.91 Intersected ~~east boundary~~ North & South line 5 links north of cor. to secs 25, 26, 35 and 36, from which cor I run north 89° 58' West on true line between secs 26 and 35

Va 13° East

39.95 Set Post 2X3 in X 4 ft, 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for 1/4 sec. cor.

79.91 Corner to secs 26, 27, 34 & 35

Land Sand Hills Soil 3° rate

Township No 19 S Range No 26 W 6th P. Me.

North between secs 26 & 27

Va 13° East

40.00 Set Post 2 X 3 in X 4 ft, 1 ft in ground deposited charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for 1/4 sec. cor.

80.00 Set Post 3 X 3 in X 4 ft, 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep. for cor to secs 22, 23, 26 & 27.

Land Sand Hills Soil 3° rate

Township No 19 N. Range No 26 W 6th P. M.

East on random line between secs 23 & 26

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor

80.00 Intersect N. & S. line 12 links north of cor to secs 23, 24, 25 & 26, from which corner I run north 89° 55' West on true line between secs 23 & 26

Va 13° East

40.00 Set Post 2X3 in X4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for 1/4 sec. cor.

80.00 Corner to secs 22, 23, 26 & 27

Land Sand Hills Soil 3d rate

Township No 19 N. Range No 26 W 6th P. M.

North between secs 22 & 23

Va 13° East

40.00 Set Post 2X3 in X4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for 1/4 sec. cor.

80.00 Set Post 3X3 in X4 ft 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for corner to secs 14, 15, 22 & 23.

Land Rolling Sandy. Soil 2d rate

Township No 9 N. Range No 26 W 6th P. M.

East on random line between secs 14 and 23

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

77.00 Drain descends North-east

80.04 Intersected N. & S. line 14 links north of cor. to secs 13, 14, 23 & 24, from which cor. I run north 89° 54' W, on true line between secs 14 and 23

Va 13° East

40.02 Set Post 2x3 in x 4 ft, 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/4 sec. cor.

80.04 Corner to secs 14, 15, 22 & 23

Land Sandy Bottom Soil 2d rate

Township No 9 N Range No 26 W 6th P. M.

North between secs 14 & 15

Va 13° East

40.00 Set post 2x3 in x 4 ft 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/4 sec. cor.

80.00 Set Post 3x3 in x 4 ft. 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for cor. to secs. 10, 11, 14 & 15

Land Sandy bottom Soil 2d rate

Township No 19 N. Range No 26 W 6th P. M.

East on random line between secs 11 and 14

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.97 Intersect N. and S. line 4 links north of cor. to secs 11, 12, 13 and 14, from which corner I run north 89° 58' West on true line between secs 11 and 14

Va 13° East

39.98½ Set Post 2x3 in. x 4 ft. 1 ft in ground deposit charred stake. raised mound of earth 3 ft high, from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.97 Corner to secs 10, 11, 14 and 15

Land Sandy bottom 2d rate

Township No 19 N. Range No 26 W 6th P. M.

North between secs 10 and 11

Va 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set Post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in. x 12 in. deep. for corner to secs 2, 3, 10 and 11.

Land, low swampy bottom Soil 2d rate

Township No 19 N., Range No 26 W., 6th P.M.

East on random line between sections 2 and 11

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor with water in holes

53.00 Drain descends south-east

79.94 Intersect N and S line ~~Closed on cor of~~ cor of secs 1, 2, 11 and 12, from which I run west on a true line between secs 2 and 11.

Va 13° East

39.97 Set Post 2x3 in x 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in by 12 in deep for 1/4 sec. cor.

79.94 Cor. to secs 2, 3, 10 and 11.

Land level. Soil 2d rate

Township No 19 N., Range No 26 W., 6th P.M.

North on random line between secs. 2 and 3

Va. 13° East

39.00 Drain, with ponds of water, descends east

40.00 Set Post for temporary 1/4 sec. cor.

79.68 Intersect north boundary of Township at cor to ~~Closed on cor.~~ of secs. 2 and 3 ~~at the north boundary line~~, from which I run south on true line between secs 2 and 3

Va. 13° East

39.68 Set Post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.

79.68 Corner to secs. 2, 3, 10 and 11

Land level Soil 2d rate

Township No 19 N. Range No 26 W 6th P.M.

North between secs 33 and 34

Va. 13° East

40.00 Set Post 2X3 in X 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for 1/4 sec. cor.

80.00 Set Post 3X3 in X 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft. high from pits 12X24 in X 12 in deep for cor. to secs 27, 28, 33 and 34

Land Sand Hills

Soil 3rd rate

Township No 19 N Range No 26 W 6th P.M.

East on random line between secs 27 and 34

Va. 13° East

40.00 Set Post for temporary 1/4 sec cor. Intersect N&S line at

79.98 ~~[illegible]~~ cor. to secs. 26, 27, 34 and 35, from which I run west on true line between secs 27 and 34.

Va. 13° East.

39.99 Set Post 2X3 in X 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft. high from pits 12X24 in X 12 in deep for 1/4 sec cor.

79.98 Corner to secs 27, 28, 33 and 34

Land Sand Hills

Soil 3rd rate

June 28th 1893

Township No. 19 N., Range No. 26 W., 6th P. M.

North between secs 27 and 28

Va. 13° East

40.00 Set Post 2X3 in X 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12 X 24 in X 12 in deep for 1/4 sec. cor.

80.00 Set Post 3X3 in X 4 ft 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for cor to secs 21, 22, 27 and 28

Land Land Hills

Soil 3d rate

Township No. 19 N., Range No. 26 W., 6th P. M.

East on random line between secs 22 and 27.

Va. 13° East.

40.00 Set Post for temporary 1/4 sec. cor.

79.94 Intersect N. and S. line 7 lks north cor. to secs 22, 23, 26 and 27. from which cor. I run north 89° 57' west on true line between secs 22 and 27

Va 13° East.

39.97 Set Post 2X3 in X 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12X24 in X 12 in deep for 1/4 sec cor.

79.94 Corner to secs 21, 22, 27 and 28

Land Land Hills Soil 3d rate

Township No. 19 N. Range No. 26 W. 6th P. M.

North between secs 21 and 22

Va. 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set Post 3x3 in x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep. for corner to secs 15, 16, 21 and 22.

Land Sand Hills

Soil 3d rate

Township No. 19 N. Range No. 26 W. 6th P. M.

East on random line between secs 15 and 22

Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.90 Intersected N. and S. line 117 links north of cor. to secs 14, 15, 22 and 23, from which cor. I run North 89° 53' West on true line between secs 15 and 22

Va. 13° East

39.95 Set Post 2x3 in. x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec cor.

79.90 Corner to secs 15, 16, 21 and 22

Land Sand Hills

Soil 3d rate

Township No 19 N. Range No 26 W 6th P. M.

North between secs 15 and 16

Va. 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/4 sec. cor.

42.00 Valley course west

80.00 Set Post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep for cor. to secs 9, 10, 15 and 16.

Land Level
2d rate

Township No 19 N Range No 26 W. 6th P. M.

East on random line between secs 10 and 15

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.97 Intersect N & S line at ~~[illegible]~~ cor to secs 10, 11, 14 and 15, from which corner from West on true line between secs 10 and 15

Va. 13° East

29.98½ Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.

79.97 corner to secs 9, 10, 15 and 16

Land level
Soil 2d rate

Township No 19 S. Range No 26 W 6th P. M.

North between secs 9 and 10

Va 13° East

6.00 Enter Sand Hills bear east and west

40.00 Set Post 2x3in x 4ft. 1ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in for 1/4 sec. cor.

55.00 Enter Valley. Course north-west (and south east)

80.00 Set Post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep for cor to secs 3, 4, 9 and 10.

Land Rolling Soil 2d rate

Township No 19 S Range No 26 W 6th P. M.

East on random line between secs 3 and 10

Va 13° East

40.00 Set post for temporary 1/4 sec. cor.

80.00 Intersected S. and S. line 12 links north of corner to secs 2, 3, 10 and 11, from which cor I run north 89° 55' West on true line between secs 3 and 10

Va. 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec cor.

80.00 Corner to secs 3, 4, 9 and 10

Land Level Soil 2d rate

Township No 19 N. Range No 26 W 6th P.M.

North on random line between secs 3 & 4.

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.72 Intersect the north boundary line 16 links west of cor to 2 secs 3 & 4 from which corner I run south 7 west on true line between secs 3 & 4.

Va 13° East

39.72 Set Post 2x3 in x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. cor.

79.72 Corner to secs 3, 4, 9 & 10

Land Level Soil 2d rate

Township No 19 N. Range No 26 W 6th P.M.

North between secs 32 & 33

Va 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. cor.

70.00 Enter Hills bear north west and south (east

80.00 Set Post 3x3 in x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in x 12 in deep for corner to secs 28, 29, 32 & 33

Land Rolling Sandy

Soil 3d rate

Township No. 19 N. Range No. 26 W. 6th P.M.

	East on random line between secs 28 & 33
	Va 13° East
40.00	Set Post for temporary 1/4 sec. cor.
80.00	Intersected N. & S. line 14 links north of corner to secs 27, 28, 33 & 34, from which cor. I run north 89° 54' West on true line between secs 28 & 33.
	Va. 13° East
40.00	Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec cor.
80.00	Corner to secs 28, 29, 32 & 33
	Land Rolling Sandy Soil 3d rate

Township No. 19 N. Range No. 26 W. 6th P.M.

	North between secs 28 & 29
	Va 13° East
40.00	Set Post 2x3 in. x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep for 1/2 sec. cor.
80.00	Set Post 3x3 in x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for corner to secs 20, 21, 28 & 29
	Land Sand Hills. Soil 3d rate
	June 30th 1873

East on random line between secs 21 and 28

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.92 Intersected N. & S. line 5 links south of cor. to secs 21, 22, 27 and 28. from which cor. I run south 89° 58' West on true line between secs 21 and 28

Va 13° East

39.96 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.92 Corner to secs. 20, 21, 28 and 29

Land Sand Hills Soil 3rd rate

North between secs 20 and 21

Va 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft. in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/4 sec. cor.

80.00 Set Post 3x3 in x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for cor to secs 16, 17, 20 and 21

Land Sand Hills

Soil 3rd rate

Township No 19 N Range No 26 W. 6th P.M.

East on random line between secs 16 & 21

Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.94 Intersected N. & S. line 5 links south of cor. to secs 15, 16, 21 & 22 from which cor. I run south 89° 58' West on true line between secs 16 & 21

Va 13° East

39.97 Set Post 2x3 in. x 4 ft. 1 ft in ground, deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.94 Cor. to secs 16, 17, 20 & 21

Land Sand Hills
Soil 3rd rate

Township No 19 N Range No 26 W 6th P.M.

North between secs 16 & 17

Va. 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec. cor. & leave Sand Hills & enter Valley, course East & West.

57.00 Enter Swamp bears East and West

62.00 Leave Swamp

80.00 Set Post 3x3 in. x 4 ft 1 ft. in ground deposit charred stake, raised mound of earth 3 ft. high, from pits 12x24 in. x 12 in. deep for cor. to secs 8, 9, 16 & 17

Land Rolling Sandy
Soil 2nd rate

Township No 19 N. Range No 26 W 6th P.M.

	East on random line between secs 9 and 16
	Va 13° East
19.00	Enter Swamp trees north West and South East
36.00	Leave Swamp
40.00	Set Post for temporary 1/4 sec. cor.
79.98	Intersected N. and S. line 13 links south of cor. to secs 9, 10, 15 and 16, from which cor. I run south 89° 54' West on true line between secs 9 and 16
	Va 13° East
39.99	Set Post 3x3 in x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor
79.98	Corner to secs. 8, 9, 16 and 17
	Land level sandy. Soil 2d rate

Township No 19 N. Range No 26 W 6th P.M.

	North between secs 8 and 9
	Va 13° East
40.00	Set Post 2x3 in. x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec cor.
80.00	Set Post 3x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 3 ft high. from pits 12x24 in. x 12 in deep for cor. to secs 4, 5, 8 and 9.
	Land, Valley, with low scattering sand hills
	Soil 2d rate

Township No. 19 N. Range No. 26 W. 6th P.M.

East on random line between secs 4 and 9
Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

41.00 Circular pond of water, diameter 1.50.

80.00 Intersected No. and S. line 8 links north of cor. to secs 3, 4, 9 and 10, from which cor. I run north 89° 57' West on true line between secs 4 and 9.
Va 13° E.

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. cor.

80.00 Cor. to secs 4, 5, 8 and 9

Land level sandy
Soil 2nd rate

Township No. 19 N. Range No. 26 W. 6th P.M.

North on random line between secs 4 and 5
Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.82 Intersected North boundary line 25 links west of cor. to secs 4 and 5 from which cor. I run south 11' west on true line between secs 4 and 5.
Va. 13° East

39.82 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. cor.

79.82 Cor. to secs 4, 5, 8, and 9

Land Rolling Soil Poor 2nd rate

July 1st 1873

Township No 19 N. Range No 26 W 6th P.M.

North between secs 31 and 32

Va 13° East

40.00 Set Post 2X3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12 X 24 in. x 12 in. deep for 1/4 sec cor.

80.00 Set Post 3 x 3 in X 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12 x 24 in X 12 in. deep for cor. to 29, 30, 31 and 32

Land Sandy. Soil 3rd rate

Township No 19 N. Range No 26 W 6th P.M.

East on random line between secs 29 and 32.

Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

71.00 Leave valley, enter sand hills N. W. and S. E.

80.00 Intersected N. and S. line 10 links North of cor. to secs. 28, 29, 32 and 33, from which cor I run North 89°56' West on true line between secs 29 and 32

Va. 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Corner to secs 29, 30, 31 and 32

Land Sandy. Soil 3° rate

Township No. 19 N. Range No. 26 W. 6th P. M.

West on random line between secs 30 and 31

Va 13° East

31.00 Leave valley and Enter Sand Hills (bear North West and South West)

40.00 Set Post for temporary 1/4 sec. cor.

79.60 Intersect West boundary of township 7 links South of cor to secs 30 and 31, from which cor. I run south 89° 57' East on true line between secs 30 and 31

Va. 13° East

39.60 Set Post 2x3 in. x 4 ft 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.60 Cor. to secs. 29, 30, 31 and 32

Land Sand Hills. Soil 3rd rate

Township No. 19 N. Range No. 26 W. 6th P. M.

North between secs 29 and 30

Va 13° East

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep for 1/4 sec. cor.

80.00 Set Post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for corner to secs 19, 20, 29 and 30, and Enter Hills

Land Sand Hills

Soil 3rd rate

Township No 19 N. Range No 26 W 6th P.M.

	East on random line between secs 20 and 29 Va 13° East
40.00	Set Post for temporary 1/4 sec. cor.
80.04	Intersected N. and S. line 12 links north of cor to secs 20, 21, 28 and 29. from which cor. I run North 89° 55' West on true line between secs 20 and 29 Va 13° East
40.02	Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.
80.04	Corner to secs 19, 20, 29 & 30 Land Sand Hills Soil 3° rate

Township No 19 N. Range No 26 W 6th P.M.

	West on random line between secs 19 and 30 Va 13° East
40.00	Set Post for temporary 1/4 sec. cor.
79.46	Intersected west boundary of Township 17 links south of cor. to secs. 19 and 30, from which cor. I run south 89° 53' East on true line between secs 19 and 30. Va 13° East
39.46	Set Post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.
79.46	Cor. to secs 19, 20, 29, and 30 Land Sand Hills. Soil 3rd rate

Township No 19 N. Range No 26 W 6th P.M.

North between secs 19 and 20

Va 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for 1/4 sec. cor.

59.00 Valley course North-west

80.00 Set Post 3x3 in x 4 ft. 1 ft in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in deep for cor. to secs 17, 18, 19 and 20.

Land Rolling Soil 2d rate

Township No 19 N. Range No 26 W. 6th P.M.

East on random line between secs 17 and 20

Va 13° East

26.50 Enter Sand Hills bear North and South

40.00 Set Post for temporary 1/4 sec cor.

Intersect N and S line at

80.00 ~~Closed~~ cor. to secs 16, 17, 20 and 21, from which cor. I run West on true line between secs 17 and 20

Va 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft. in ground deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in deep for 1/4 sec. cor.

80.00 Cor. to secs 17, 18, 19 and 20

Land Rolling Soil 3d rate

Township No 19 N. Range No 26 W. 6th P.M.

West on random line between sects 18 and 19

Va 13° East

40.00 Set Post for temporary ¼ sec. cor.

79.41 Intersected the West boundary of township 6 links south of cor. to secs 18 and 19. from which cor. I run south 89° 57' East on true line between secs 18 and 19

Va 13° East

39.41 Set Post 2x3 in x 4 ft. 1 ft in ground Deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for ¼ sec. cor

79.41 Corner to secs 17, 18, 19 & 20

Land, valley, with low scattering Sand Hills, Soil Poor 2nd rate

Township No 19 N. Range No 26 W. 6th P.M.

North between secs 17 and 18

Va 13° East

40.00 Set Post 2x3 in x 4 ft. 1 ft in ground. Deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for ¼ sec. cor.

48.00 Enter Sand Hills bear NE and NW

80.00 Set Post 3x3 in. x 4 ft. 1 ft. in ground Deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for cor. to sections 7, 8, 17 and 18

Land Rolling
Soil 2nd rate

Township No 19 N. Range No 26 W 6th P.M.

East on random line between secs 8 and 17

Va. 13° East

10.00 Leave Hills. Enter Valley. bears north west and south east

40.00 Set Post for temporary 1/4 sec. cor.

79.98 Intersected N. and S. line 21 links north of cor. to secs. 8, 9, 16 and 17, from which I run north 89° 57' West on true line between secs 8 and 17

Va. 13° East

39.99 Set Post 2x3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.98 Cor. to secs. 7, 8, 17 and 18

Land Sand Hill. Soil 3d rate

Township No 19 N. Range No 26 W. 6th P.M.

West on random line between secs 7 and 18

Va 13° East

11.00 Enter Valley. Course North

40.00 Set Post for temporary 1/4 sec. cor.

79.50 Intersected West Boundary of Township 15 links south of cor to secs 7 and 18, from which cor. I run south 89° 54' east on true line between secs 7 and 18.

Va. 13° East

39.50 Set Post 2x3 in x 4 ft. 1 ft in ground Deposit charred stake, raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.

79.50 Cor. to secs 7, 8, 17 and 18

Land Rolling Soil 3d rate

Township No. 19 S. Range No. 26 W. 6th P.M.

North between secs. 7 and 8

Va 13° East

12.00 Enter Valley. Descend North-west

24.00 Leave Valley. Enter Sand Hills
bear north west and south east

40.00 Set Post 2x3 in. x 4 ft. 1 ft. in ground
Deposit charred stake, raised
mound of earth 3 ft high
from pits 12x24 in. x 12 in deep
for 1/4 sec. cor.

80.00 Set Post 3x3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
mound of earth 3 ft high
from pits 12x24 in x 12 in.
deep for corner to secs.
5, 6, 7 and 8, In Valley bearing
north west and south east
Land. Sand Hills
Soil 3rd rate

Township No. 19 S. Range No. 26 W. 6th P.M.

East on random line between
secs 5 and 8.

Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.

80.00 Intersected 7th S. line 16 links
north of cor to secs 4, 5, 8 and 9,
from which cor. I run north
89° 53' West on true line
between secs 5 and 8.

Va. 13° East.

40.00 Set Post 2x3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
mound of earth 3 ft high
from pits 12x24 in x 12 in.
deep for 1/4 sec. cor.

80.00 Corner to secs 5, 6, 7 and 8

Township No 19 N. Range No 26 N 6th P.M.

West on random line between secs 6 and 7.

Va 13° East

40.00 Set Post for temporary 1/4 sec. cor.

79.34 Intersected West Boundary of Township 4 links south of cor to secs 6 and 7, from which cor. I run south 89° 58' East on true line between secs 6 and 7

Va. 13° East

39.34 Set Post 2x3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised mound of earth 3 ft high from pits 12 x 24 in. x 12 in deep for 1/4 sec. cor.

79.34 Corner to secs 5, 6, 7 and 8

Land Sand Hills
Soil 3d rate

Township No 19 N. Range No 26 W. 6th P.M.

North on random line between secs 5 and 6

Va. 13° East

30.50 Enter Sand Hill bear north east north west and ~~Valley. Descend south west.~~

40.00 Set Post for temporary 1/4 sec cor.

79.78 Intersected North Boundary of Township, 7 links west of cor to secs 5 and 6, from which cor. I run south 3' West on true line between secs. 5 and 6.

Va. 13° East

39.78 Set Post 2x3 in x 4 ft. 1 ft. in ground Deposit charred stake raised mound of earth 3 ft high, from pits 12 x 24 in x 12 in. deep, for 1/4 sec. cor.

79.78 Corner to secs 5, 6, 7 and 8

Land Rolling. Soil 2d rate

July 2/73

General Description

The greater part of Township 19 North Range 26 West 6th P.M. is sand hill with soil of a 3d rate. In the northern part however is a broad valley, broken here and there by sandy knolls, which contains some fair 2d rate soil of a sandy loam. Small ponds of water with some swamps are found in this valley but the water is very strong of alkali.

No wood of any account is to be found.

List of names of persons employed to assist in the Survey and Subdivision of Township No. 19 North of Base line in Range No. 26 West of the 6th Principal Meridian and showing the respective capacities in which they acted,

Lewis Dennis } Chainman
Wm H Wonner }

Charles F Logue } Moundman
David A Glendenning }

Edward R Hood } Flagman

We hereby certify that we assisted Gadsk Stephenson Deputy Surveyor in surveying Township No. Nineteen (19) North of the Base line of Range Twenty Six (26) West of the Sixth Principal Meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General and of the dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

Lewis Dennis Chainman
William H Wonner Chainman
Charles F. Logue Moundman
David A Glendenning Moundman
Edward R Hood Flagman

Subscribed & Sworn to
before me this 9th day of
August 1873

O. R. Broadah
Notary Public

I Zadok Stephenson
Deputy Surveyor do
solemnly swear that in
pursuance of a joint con-
tract wherein Stephen
C McElroy and Zadok
Stephenson are joint con-
tractors with E E Cun-
ningham Surveyor
General for the district
of Nebraska and Iowa
bearing date the 20th
day of May 1873 I
have well ~~and~~ faithfully
and truly in my own
proper person and in strict
conformity to the instruc-
tions furnished by the
Surveyor General the
Surveying manual and
the laws of the United
States surveyed all those
parts or portions of Township
No 19 North of the Base
line of Range No 36

Subscribed & sworn to by the above named
Z. Stephenson before me a Notary Public within & for Cass
Co Nebraska this 24th day of Sept 1873 Tho Pollock Notary Public

west of the 6th Principal
Meridian as are represen-
ted in the foregoing field
notes as having been surveyed
under my direction and I do
further solemnly swear that
all the corners of said
surveys have been established
and perpetuated in strict ac-
cordance with the Surveying
Manual, printed Instructions
and Special Instructions of the
Surveyor General of dimen-
sions, character, construction
and marking and in the man-
ner specifically described
in the foregoing field notes
and that the foregoing are
the true and original field notes
of such survey

E. Z. Stephenson
Deputy Surveyor

Surveyor General's
Office

Plattsmouth Sept 22 1873

The foregoing Field Notes of the Surveys and Sub-divisions of Township No 18 North of the Base Line of Range No 26 West of the 6th Principal Meridian in Nebraska Executed by Zadok Stephenson under joint Contract No 74 wherein Zadok Stephenson and Stephen C. McElroy are joint Contractors; in the Months of June and July 1873: having been critically examined and the necessary corrections and explanations made, the said field notes are hereby approved

E. E. Cunningham
Surveyor General

Lown 20 Range 26 W.



Field Notes
of
the Survey and Subdivision
of
Township 20 North of range
26 West of the 6th P. M.

Executed
By Stephen C. McElroy Deputy
Surveyor under joint Contract
No. 74 dated May 20th 1873

Survey
Commenced July 26th 1873
Completed July 31st 1873

List of Names
of persons employed to assist in
Surveying this Township Showing
the respective capacities in which
they acted =

Christian Thede }
Adelbert Thompson } Chainmen
Curtis N. DeWolf }
Richard Burden } Moundmen
Cyrus Penny } Flagman

To ascertain the proper adjustment of my compass for the subdivision of this Township I begin at the corner Townships No. 19 & 20 N. Ranges 25 and 26 and run

North on a blank line along the East boundary of sec. 36

Va 12° 50' E

40.00 To a point 2 lks East of ¼ sec cor.

80.08 To a point 6 lks East of cor. to secs. 25 and 36.

To retrace this line or run parallel thereto therefore my compass must be adjusted to a variation of 12° 52' E.

Township 20 North, Range 26 W.

North Bet. Sect. 35 and 36

Va. 12°.52' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for Cor. to Sect.

25. 26. 35. 36

Land sand hills, 3d rate

Township 20 N. R. 26 W

East on random line bet. Sect. 25 and 36

Va. 12°. 52' E

for temporary 1/4 Sec. cor.

40.00 Set post [illegible]

80.10 intersect East Boundary of Township at cor. to Sect. 25 and 36

— from which cor. run ~~S. 89~~ West on true line bet. Sect. 25. 36

Va. 12°. 52' E

40.05 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

80.10 Cor. to Sect. 25. 26. 35. 36

Land sand hills, 3d rate

Township 20 Range 26 W.

North bet. Sec. 25 and 26

Va. 12°. 52' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound, of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 23. 24. 25. 26

Land low sand hills, 3d rate

Township 20 N. Range 26 W.

East on random line Bet. Sec. 24 and 25

Va. 12°. 52'. E

40,00 Set post for temporary 1/4 sec. cor.

79,80 intersect East boundary of Township 40 lks. South of cor. to Sec. 24 and 25 = from which cor. I run

S. 89°. 48' West on true line bet. Sec. 24 and 25

Va. 12°. 52' E

39,90 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79,80 Cor. to Sec. 23. 24. 25. 26

Land low rolling prairie Sandy. 2d rate

Township 20 N. Range 26 W.

North bet. Secs. 23 and 24
va. 12°.52' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 13. 14. 23. 24. Enter valley N. W. and S. E.
Land rolling sandy, 3d rate

Township 20 N. Range 26 W.

East on random line bet. Secs. 13 and 24
va. 12°.52' E

38 00 Enter Hills bear N. W. and S. E.
40,00 Set post for temporary 1/4 sec. cor.
79,95 intersect East Boundary of Township 12 lks. south of cor. to Secs. 13. 24 — from which cor. I run
S 89°.55' West
on true line Bet. Secs. 13 and 24
va. 12°.52' E

39,97½ Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79,95 cor. to Secs. 13. 14. 23. 24

Land, broken sand hills, 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 13 and 14

[illegible] va. va, 12°, 52' E

20.00 Enter Hills bear NW & SE

40.00 Set post 2 x 3 in, x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor

80.00 Set post 3 x 3 in, x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 11.12.13.14

Land rolling sand hills, 3d rate

Township 20 N. Range 26 W.

East on a random line Bet. Secs. 12 and 13

va. 12°, 52' E

40.00 Set post for temporary 1/4 sec. cor.

79.70 intersect East boundary of Town. 12 lks. South of cor. to Secs. 12 & 13 = from which cor. I run

S. 89°, 55' West

on true line Bet. Secs. 12 and 13

va. 12°, 52' E

39.85 Set post 2 x 3 in, x 4 ft. — 1 ft. in ground, deposit charred stake raise mound, of earth 3 ft. high from pits 12 x 24 in. deep for 1/4 sec. cor.

79.70 Cor. to Secs. 11.12.13.14

Land sand hills, 3d rate

Township 21 N. Range 26 W.

North Bet. Secs. 11 and 12

va. va. 12°.52'.E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound, of Earth 3 ft. high high from pits 12 x 24 in. x 12 in. deep for 1/4. Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to secs

1.2.11.12

Land rolling sand hills, 3d rate

Township 21 N. Rang 26 W.

East on random line bet. secs. 1 and 12

va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.
79.90 intersect East Boundary of Township at. cor. to Secs. 1 and 12 — from which cor. I run

West on true line

Bet. Secs. 1 and 12

va. 12°.52' E

39.95 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.90 cor. to Secs. 1.2.11.12

Land rolling sandy. 3d rate

Township 21 N. Range 26 W.

North cor. ~~random~~ true line Bet. Secs. 1 and 2

Va. 12°. 52' E

× 42.80 Entervalling Beam E & W

× 40.00 Set post 2 × 3 in. × 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 × 24 in. × 12 in. deep for 1/4 Sec. cor.

× 63.00 Dry creek NE.

80.50 intersect 5th Standard Parallel North at a point 19.05 chs. West of cor. to Secs. 35. 36 Township 21 N. Range 26 West and Set post (3 corners) 3 × 3 in. × 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 × 24 in. × 12 in. deep for Closing cor. to Secs. 1 and 2 Township 20 N. Range 26 W.

Land rolling 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 34 and 35

Va. 12°. 52' E

40.00 Set post 2 × 3 in. × 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 × 24 in. × 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 × 3 in. × 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 × 24 in. × 12 in. deep for cor. to Secs. 26. 27. 34 and 35

Land sand hills, 3d rate

July 26th 1873

Township 20 N. Range 26 W

East on random line Bet. Secs. 26 and 35

va. 12°.52' E

40.00 Set post for temporary 1/4 sec. cor.
79.82 intersect. N. S. line 35 lks. South of cor. to Secs. 25. 26. 35 & 36 = from which cor. I run

S. 89°. 45' West

On true line Bet. Secs. 26 & 35

va. 12°.52' E

89.91 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.82 cor. to Secs. 26. 27. 34. 35

Land sand hills, 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 26 and 27

va. 12°.52' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 22. 23. 26. 27

Land sand hills broken, 3d rate

Township 21 N. Range 26 W.

East on a random line Bet. Sec. 23 and 26

Var. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.
79.70 intersect N. and S. line 10 lks. South of cor. to Sec. 23.24.25.26 = from which cor. I run

S. 89°. 56' West

on true line Bet. Sec. 23 and 26

Var. 12°. 52' E

39.85 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.70 cor. to Sec. 22.23.26.27

Land low rolling sand hills

Soil, 3d rate

Township 21 N. Range 26 W.

North Bet. Sec. 22 and 23

Var. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 cor. to Sec. 14.15.22 & 23

Land sand hills, 3d rate

Township 20 N. Range 26 W.

East on a random line Bet. Secs. 14 and 23

va. 12°. 52' E

40,00 Set post for temporary 1/4 sec cor.

80,00 intersect N. and S. line 40 lks. South of cor. to Secs. 13.14.23.24 — from which cor. Turn South 89° 43' W

West on true line bet. Secs. 14 and 23

va. 12°. 52' E

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 cor. to Secs. 14.15.22.23

Land hilly 3d. rate

Township 20 N. Range 26 W.

North bet. Secs. 14 and 15

va. 12°. 52' E

3.8,00 Enter valley lean ~~[illegible]~~ hills. bear NW & SE

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Secs. 10.11.14.15

Land rolling 2d. rate

Township 20 N. Range 26 W.

East on random line bet. Secs. 11 and 14

va. va. 12°. 52' E

15,50 Enter hills Bear N. and S.

40,00 Set post for temporary 1/4 Sec. cor.

80,04 intersect N. and S. line at. cor to Secs. 11.12.13.14 — from which cor. I run

West on true line bet. Secs. 11 and 14.

va. 12°. 52' E

40.02 Set post 2x3 in. x 4 ft. — 1 ft. in. ground, deposit charred stake raise mound of earth 3 ft from pits 12x 24 in. x 12 in. deep for 1/4 sec. cor.

80.04 Cor. to Secs. 10.11.14.15

Land. hills, 3d rate

Township 20 N. Range 26 W

North Bet. Secs. 10 and 11

va. 12°52' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post. 3x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from ~~from~~ pits 12x 24 in. x 12 in deep for ~~1/4~~ sec. cor. to 2.3.10.11

Land valley 2d rate

Township 20 N. Range 26 W.

East on random line bet.
Sec. 2 and 11

Var. 12°, 52' E

30.00	Enter hills, bear N & S
40.00	Set post for temporary 1/4 sec. cor.
79.82	intersect N. & S. line 50 lks. South of cor. to Sec. 1, 2, 11, 12 — from which cor. I run S. 89° 39' West on true line line Bet. Sec. 2 & 11

Var. 12°, 52' E

39.91	Set post 2 x 3 in. x 4 ft. — 16 in. in ground, deposit charred & stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.82	cor. to 2, 3, 10, 11

Land hilly, 3d rate

Township 20 N. Range 26 W.

North on ~~random~~ true line bet.
Sec. 2 and 3

Var. 12°, 52' E

25.00	Dry bed of creek descends N E
40.00	Set post 2 x 3 in. x 4 ft. — 16 in. in ground, deposit charred & stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.26	intersect 5th Standard Parallel North at a point 18.50 chs. West of the cor. to Sec. 34 and 35 Township 21 N. Range 26 W. Set 3 corner post 3 x 3 in. x 4 ft. — 16 in. in ground deposit charred & stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for closing cor. to Sec. 2 and 3 Township 20 North Range 26 W.

Land level 2d rate

Township 20 N. Range 26 W.

North Bet. Sec. 33 and 34
Va. 12°, 52' E

40,00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 12 in. deep for cor. to Sec. 27. 28. 33. 34
Land sand hills, 3rd rate

Township 20 N. Range 26 W.

East on random line Bet. Sec. 27 & 34
Va. 12°, 52' E

40,00 Set post for temperary 1/4 cor.
80,00 intersect N & S, line bet. cor. to Sec. 26. 27. 34 & 35 — from which cor. 9 chn
West on true line Bet. Sec. 27 & 34
Va. 12°, 52' E
40,00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor
80,00 cor. to Sec. 27. 28. 33. 34

Land sand hills, 3rd rate

July 28th 1873

Township 20 N. Range 26 W.

North Bet. Sec. 27 and 28
va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. — 16 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 16 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 21. 22. 27. 28

Land S and hills, 3rd rate

Township 20 N. Range 26 W.

East on random line Bet. Sec. 22 and 27
va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.
19.70 intersect N. and S. line 40 lks. South of cor. to Sec. 22. 23. 26. 27 — from which cor. I run
S. 89°. 43' Western
true line Bet. Sec. 22 & 27
va. 12°. 52' E

39.85 Set post 2 x 3 in. x 4 ft. — 16 ft. in ground, deposit charred stake raise mound, of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
19.70 Cor. to Sec. 21. 22. 26. 27
Land low and hills 3rd rate

Township 20 N. Range 26 W.

North " Bet. Secs. 21 and 22
va. 12°, 52' E

40,00 Set post 2x3 in x 4ft. — 1ft in ground, deposit charred stoke raise mound of earth 3ft. high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.

80,00 Set post 3x3 in. x 4ft. 1ft. in ground, deposit charred stoke raise mound of earth 3ft. high from pits 12x24 in. 12 in. deep for cor. to secs. 15.16.21.22.

Land sand hills, 3d rate

Township 20 N. Range 26 W.

East on a random line Bet. Secs. 15 and 22
va. 12° 52' E

40,00 Set post for temporary 1/4 sec. cor.

79,84 intersect N. and S. line at cor. to secs. 14.15.22.23 — from which cor. I run

West on true line
Bet. Secs. 15 and 22
va. 12°. 52' E

39,92 Set post 2x3 in. x 4ft. — 1ft. in ground, deposit charred stoke raise mound of earth 3ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79,84 cor to Secs. 15.16.21.22

Land sand hills, 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 15 and 16
va. 12°.52' E

5,00 Enter valley bra. E and W

40,00 Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. Cor.

80,00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 9.10.15.16

Land valley level 2d rate

Township 20 N. Range 26 W.

East on random line Bet. Secs. 10 and 15
va. 12°52' E

40,00 Set post for temporary 1/4 sec. cor.

79,60 intersect N. and S. line 35 lks. South of cor. to secs. 10.11.14.15 – from which cor. I run
S. 89°.45' West
on true line Bet. Secs. 10 and 15
va. 12°.52' E

39.80 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79,60 cor. to secs. 9.10.15.16

Land valley 2d rate

Township 20 N. Range 26 W.

North Bet. Sec. 9 and 10
va. 12° 52' E

15 00 Bed of dry creek descends NE

46.00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 sec. cor.

82.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to sec. 3.4.9.10

Land level 2d rate

Township 20 N. Range 26 W.

Eastern random line Bet. Sec. 3 and 10
va. 12° 52' E

40.00 Set post for temporary 1/4 sec. cor.

79.68 intersect N. and S. line 42 lks. south of cor. to sec. 2.3.10.11 — from which cor. I run S. 89° 42' West on line line Bet. Sec. 3 and 10
va. 12° 52' E

39.84 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor

79.68 Set post 3 cor. to Sec. 3.4.9.10

Land level 2d rate

Township 20 N. Range 26 W.

North on true line Bet.
Sec. 3 and 4

va. 12°. 52' E

4,00 enter sand hills from N.E. to S.W.

40,00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

78,80 intersect 5th Standard Parallel North at a point 18,70 ch. West of cor. to Sec. 33 and 34 Township 21 N. Range 26 W

Set 3 cornered post 3 x 3 in. 4 ft. — 1 ft. in ground, deposit charred stone raise mound of Earth 3 ft. high from pits 12 x 24 in. 12 in. deep for closing cor. to Sec. 3 and 4 Tosh. 20. Range 26 West

Land sand hills, 3rd rate

Township 21 N Range 26 W.

North Bet. Sec. 32 and 33
va. 12°. 52' E

40,00 Set post ~~post~~ 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80,00 Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 28. 29. 32. 33

Land sand hills, 3rd rate

Township 20 N. Range 26 W.

Eastern random line bet. Sec. 28 and 33
va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.

80.00 intersect N. and S. line at cor. to Sec. 27. 28. 33. 34 – from which cor. I run Western line line Bet. Sec. 28 and 33
va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 cor. to Sec. 28. 29. 32. 33.
Land sand hills, 3rd rate

Township 20 N. Range 26 W.

North Bet. Sec. 28 & 29
va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.

72.00 valley N E. – N W

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in 12 in. deep for 1/4 sec. cor. to 20. 21. 28 and 29
Land rolling sandy, 3rd rate

July 29th 1893

Township 20 N. Range 26 W.

East on random line Bet. Sec. 21 and 28

Va. 12°. 52' E

11.00 Enter Hills N.E. & S.W.

45.00 Set post for temporary 1/4 sec. cor.

79.84 intersect N. and S. line 30 lks. South of cor. to Sec. 21. 22. 27. 28 — from which cor. I run S. 89°. 47' West on true line Bet. Sec. 21 and 28

Va. 12°. 52' E

39.92 Set post 2 x 3 in. x 4 ft. — 16 ft. in ground deposit charred stone raise mound of Earth 3 ft high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.84 ~~to~~ cor. to Sec. 20. 21. 28. 29

Land broken sand hills 3d rate

Township 20 N. Range 26 W.

North Bet. Sec. 20 and 21

Va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. — 16 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 16 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 cor. to sec.

16. 17. 20. 21

Land gently rolling, poor 2d rate

Township 20 N. Range 26 W.

East on random Bet. Secs. 16. 21.

Va. 12°. 52' E

46.00 Set post for temporary 1/4 Sec. cor.

70.00 Enter Hills near N.E. and S.W.

19.92 intersect N. & S. line 8 lks. South of cor. to Secs. 15.16.21.22 — from which cor. I run S. 89°. 57' West on true line bet. Secs. 16 and 21

Va. 12°. 52' E.

39.96 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.92 Set cor. to Secs. 16.17.20.21

Land gently rolling
Soil 3rd rate

Township 20 N. Range 26 W.

North Bet. Secs. 16 and 17

Va. 12°. 52' E

45.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

53.00 bed of dry creek descends E.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 cor. to secs. 8.9.16.17

Land rolling valley, 2nd rate

Township 20 N. Range 26 W.

East on random line
Bet. Sec. 9 and 16
va. 12°, 52' E

40.00 Set post for temporary 1/4 sec. cor.
73.00 Bed of dry creek descends NE
79.80 intersect N. and S. line 32 lks South of cor. to Sec. 9.10.15.16 — from which cor. I run
S. 89°46' West on true line Bet. Sec. 9 and 16
va. 12°, 52' E
39.90 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.80 Cor. to sec. 8.9.16.17

Land rolling sandy 3d rate

Township 20 N. Range 26 W.

North Bet. Sec. 8 and 9
va. 12°, 52' E
16.00 Enter Hills bear SW & NE
40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to sec.
4.5.8 and 9
Land Rolling sand hills, 3d rate

Township 20 N. Range 26 W.

East on random line
Bet. Secs. 4 and 9
va. 12°.52' E

40.00 Set post for temporary 1/4
sec. cor.
70.50 ~~Enter valley~~ Hillsbeam N & S
79.75 intersect N. and S. line 16 lks.
South of cor. to Secs. 3.4.9.10
— from which cor. I run
S. 89°.53' West
on true line Bet. Secs. 4 and 9
va. 12°.52' E
87 1/2
39.~~97 1/2~~ Set post 2 x 3 in. x 4 ft. 1 ft. in.
ground, deposit charred stake
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 sec. cor.

79.75 cor. to Secs. 4.5.8.9

Land rolling sand hills,
Soil 3d rate

Township 20 N. Range 26 W.

North on true line Bet.
Secs. 4 and 5
va. 12°.52' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
stake raise mound of earth
3 ft. high from pits 12 x 24 in.
x 12 in. deep for 1/4 sec. cor.

80.26 intersect 5th Standard Parallel
North at a point 18.40 chs. West
of cor. to Secs. ~~32~~ 33 and ~~33~~ 34 Town.
21 N. Range 26 W. and Set
a 3 cornered post 3 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred stake
raise mound, of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for closing cor. to Secs. 4 and 5
Township 20 North Range 26 W.

Land rolling sandy, 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 31 and 32
va. 12°, 52' E

40.00 Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stake raise mound of 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. - 1 ft. in ground. deposit charred charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs 29, 30, 31, 32.

Sand sand hills, 3d rate

Township 20 N. Range 26 W.

East on a random line
Bet. Secs. 29 and 32
va. 12° 52' E

40.00 Set post for temporary 1/4 sec.
80.26 intersect N. and S. line 21 chs. North of cor. to Secs. 28, 29, 32, 33 = from which cor. I run N. 89°, 51' ~~East~~ West on true line bet. Secs. 29 and 32
va. 12°, 52' E

40.13 Set post 2 x 3 in. x 4 ft. - 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.26 Cor. to Secs. 29, 30, 31, 32.

Sand sand hills, 3d rate

Township 20 N. Range 26 W

West on random line Bet. Sec. 30 and 31

va. 12°, 52' E

40.00 Set post for temporary 1/4 sec. cor.

79.60 intersect. West Boundary of Township 35 lks. South of cor. to sec. 30 and 31 — from which cor. I run

S. 89° 45' East on true line Bet. Sec. 30. and 31

va. 12° 52' E

39.60 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.60 cor. to Sec. 29. 30. 31. 32

Land sand hills, 3rd rate

Township 20 N. Range 26 W.

North Bet. Sec. 29 and 30

va. 12° 52' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 19. 20. 29. 30

Land sand hills. 3rd rate

July 30th 1873

Township 20 N. Range 26 W.

East on a random line Bet. Secs. 20 and 29

va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.

69.00 rolling ~~Hills~~ bearing N & S.E.

79.90 intersect N. S. line 18 lks. North of cor. to Secs. 20. 21. 28. & 29 — from which cor. I run

N. 89°. 52' West on true line Bet. Secs. 20 and 29

va. 12° 52' E

39.95 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.90 Cor. to Secs. 19. 20. 29. 30

Land sand hills 3d. rate

Township 20 N. Range 26 W

West on a random line Bet. Secs. 19 and 30

va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. cor.

79.70 intersect West Boundary of Township 40 lks North of cor. to Secs. 19 and 30 — from which cor. I run

N. 89° 43' East on true line Bet. Secs. 19 and 30

va. 12°. 52' E

39.70 Set post 2 x 3 in. x 4 ft. — 1 ft. in. ground, deposit charred stake raise mound of Earth 3 ft high from pits 12 x 24 in. x 12 in. deep for 1/4 sec cor.

79.70 Cor. to Secs. 19. 20. 29. 30

Land. rolling sandy. 3d. rate

Township 20 N. Range 26 W.

North Bet. Secs. 19 and 20
va 12°, 52' E

40,00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

45,00 Enter valley bears N.W. & S.E.

80,00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 cor. to Secs.
17.18.19.20

Land

Township 20 N. Range 26 W.

Easton random line Bet. Secs. 17 and 20
va. 12°, 52' E

40,00 Set post for temporary 1/4 sec. cor.

79,85 intersect N. & S. line 45 lks. North of cor. to Secs. 16.17.20 & 21 — from which cor. I run N. 89°. 41' West on line line bet. secs. 17 and 20
va 12°. 52' E

39,92½ Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79,85 cor. to Secs. 17.18.19.20

Same level 2nd rule

Township 20 N. Range 26 W.

West on a random line
Bet. Sec. 18 and 19
va. 12°; 52' E

40.00 Set post for temporary 1/4
sec. cor.

79.82 intersect A West Boundary
of Township 40 lks North of
cor. to Sec. 18 and 19 — from
which cor. I run
N. 89° 43' East
on true line Bet. Sec. 18 & 19
va. 12°; 52' E

39.82 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
raise mound of earth 3 ft.
high from pits 12 x 24 in. x 12 in.
deep for 1/4 sec. cor.

79.82 cor. to Sec. 17. 18. 19. 20
Land level, 2d rate

Township 20 N. Range 26 W.

North Bet. Sec. 17 and 18
va. 12°; 52' E

36.00 Bed of dry creek Course SE.
40.00 Enter lido hills Set post
2 x 3 in. x 4 ft. 1 ft. in ground, deposit
charred stake raise mound of
Earth 3 ft. high from pits 12 x 24 in.
x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred stake
stake raise mound of Earth 3 ft.
high from pits 12 x 24 in. x 12 in. deep
for cor. to Sec. 7. 8 & 17. 18

Land Sandy. 3d rate

Township 20 N. Range 26 W.

East on random line
Bet. Sec. 8 and 17
va. 12°. 52' E

40.00 Set. post for temporary 1/4 sec. cor.

79.75 intersect N. and S. line 32 lks North of cor. to Sec. 8. 9. 16. 17 = from which cor. I run
N. 89° 46' West
on true line Bet. Sec. 8 & 17
va. 12°. 52' E

39.87½ Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.75 Cor. to Sec. 7. 8. 17. 18

Land sandy. 3d rate

Township 20 N. Range 26 W.

West on a random line Bet.
Sec. 7 and 18
va. 12°. 52' E

40.00 Deposit for temp. 1/4 Sec. cor.

80.00 intersect West Boundary of Township 30 lks South of cor. to Sec. 7 and 18 = from which cor. I run
S 89° 47' East on
true line Bet. Sec. 7 and 18
va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Cor. to Sec. 7. 8. 17. 18
Land Broken sand hills, 3d rate

Township 20 N. Range 26 W.

North Bet. Secs. 7 and 8
Va. 12°. 52' E

40.00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Secs. 5. 6. 7. 8

Land, same hills, 3rd rate

Township 20 N. Range 26 W.

East on a random line Bet. Secs. 5 and 8
Va. 12°. 52' E

40.00 Set post ~~2 x 3 in. x 4~~ for temporary 1/4 Sec. cor.

79.90 intersect N. & line 10 lks. South of cor. to Secs. 4. 5. 8 & 9 = from which cor. 9 run
S. 89°. 56' West on true line Bet. Secs. 5 and 8
Va. 12°. 52' E

39.95 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

79.90 Cor. to Secs. 5. 6. 7. 8
Land rolling sandy, 3rd rate

Township 20 N. Range 26 W.

West on random line Bet. Secs. 6 and 7

va. 12°. 52' E

40.00 Set post for temporary 1/4 sec. Cor.

79.70 intersect West Boundary of Township 18 lks. South of cor. to Secs. 6 and 7 — from which cor. I run

S. 89°. 52' ~~West~~ East on true line Bet. Secs. 6 and 7

va. 12°. 52' E

39.70 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred sharred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.

79.70 Cor. to Sec. 5.6.7.8.

Land rolling sand hills

Soil 3d rate

Township 20 N. Range 26 W.

North on true line Bet. Secs. 5 and 6

va. 12°. 52' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80.20 intersect 5th Standard Parallel North at a point 18 18 chs. West of the cor. to Secs. 31 and 32 Township 21 North. Range 26 West and Set a 3 cornered post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for Closing cor. to Secs. 5 and 6 Township 20 North Range 26 West

Land rolling sandy, 3d rate

July 31st 1873

Township 20 N. Range 26 W.

General Description

The greater part of this Township is Sand Hill Soil, 3d rate.

There is some valley the bottom of which is mostly of low sandy knoll Soil 2d rate.

No Timber or living water.

A list of names of persons employed to assist in the survey and subdivision of Township No. 20 North of the Base line in Range No. 26 West of the 6th Principal Meridian in the State of Nebraska and showing the respective capacities in which they acted.

Christian Thede Adelbert Thompson	Chainmen
Curtis A. DeWolf Richard Burden	Moundmen
Cyrus Penny	Flagman

We hereby certify that we assisted Stephen H. McElroy Deputy Surveyor, in surveying the Sections of Township No. Twenty (20) North of Base line of Range Twenty six (26) West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General and of dimensions character, constructions and marking and in the manner as described in the forgoing field notes

Christian Thede Chainman
Adelbert Thompson Chainman
Curtis A. DeWolf Moundman
Richard Burden Moundman
Cyrus Penny Flagman

Subscribed and Sworn to before me this 9th day of August 1875

O. R. Goodale
Notary Public

I Stephen C. McElroy Deputy Surveyor do solemnly swear that in pursuance of a joint contract where in Stephen C. McElroy and Zadok Stephenson ar joint Contractors with E. E. cunningham Surveyor General for the District of Iowa and Nebraska bearing date the day of 1873

I have well faithfully and and truly in my own proper person and in strict conformity to the instructions furnished By the Surveyor General the Surveying manual and the Laws of the United States Surveyed all those parts or portions of Township 20 N. of the Base Line Range 26 West of the 6th Principal Meridian as are represented in the foregoing Field notes as having been surveyed under my direction and I do further Solemnly swear that all the corners of said Survey have been Established and perpetuated in accordance with the surveying manual, printed instructions, and Special instructions of the Surveyor General; of dimensions character construction and marking and in the manner as specifically described in the foregoing Field notes, and that the foregoing are the true and original Field notes of such survey

Stephen C. McElroy
Deputy Surveyor

Subscribed and Sworn to before me a Notary Public within and for the County of Cass and State of Nebraska this 5th day of September A.D. 1873.

Thos Pollock
Notary Public

Certificate wanted Sch

Surveyor General's Office
Plattsmouth Sept 22d 1873
The foregoing field notes of the Survey & subdivision of Township No 20. N. R. 26 W. 6th P.M. in Neb. Executed by Stephen C. McElroy under joint Contract No. 74 wherein Zadok Stephenson & Stephen C. McElroy are joint Contractors ~~with~~; in the month of July 1873 having been critically examined the necessary corrections & Explanations made, the said field notes & the survey they describe are hereby approved

E. E. Cunningham

General Land Office • Original Field Notes

Book Number

498

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.