General Land Office • Original Field Notes

Book Number

499

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

STATE
BLANK
JOB P
L
Magazi
in every

Field Notes
of
The Survey and Subdivision
of
Township No 21 North
In
Range 26 West
In
Nebraska

Executed
By Frank Dorrington Deputy
Surveyor under Joint Contract
No 80 dated July 24th 1874

Survey
Commenced Aug 8th 1874
Completed Aug 7th 1874

List of Names
A list of the Names of the individuals employed to assist
in Surveying and Subdividing
Township No 21 North of base
line in Range 26 West

of 6th P.M. in Nebraska showing the respective capacities in which they acted

John Gregory	Chainman
Wm Hancock	"
Jacob Totten	Flagman
Milton Totten	Moundman

Town 21, Range 26 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
55		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	20	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

To determine the proper adjustment of my Compass for subdividing Township 21 North Range 26 West in Nebraska I begin at the Corner to Townships 21 North Ranges 25 & 26 West on 5th Standard Ill. D Mn North on a black line along the East Boundary of Sec 36 Var 9° 35' E

40.02 To point 2 lks West of gr cor
80.03 To point 9 lks West of cor to Secs 25 & 26.

Therefore to retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 13° 31' East

Township No 21 N. Range 26 W.

chains	
	North between Secs 35 & 36. Va 13° 31' E.
40.00	Set post 2 x 3 in x 4 ft. long. 12 in. deep, raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in. deep. for 1/4 sec cor.
80.00	Set post 2 x 3 in x 4 ft. long. 12 in. deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in. deep raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in. deep. for cor to Secs 25. 26. 35 & 36.
	Sand Hills 3rd rate

Township No 21 N. Range 26 W.

chains	
	East on a random line bet Secs 25 & 36. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
80.10	Intersect East Boundary of Township ~~21 N to South~~ at cor to secs 25 & 36. from which cor. I run. West on a true line bet Secs 25 & 36. Va 13° 31' E.
40.05	Set post 2 x 3 in x 4 ft long 12 in deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in. deep for 1/4 sec. cor.
80.10	Cor. to Secs 25, 26, 35 & 36.
	Sand Hills 3rd rate

Township 21. N. Range 26. W

Chains	
	North between Secs 25 & 26. Va 13° 31' E.
40.00	Set post 2x3in x 4ft long 12in. deep. raised mound of earth 2½ ft high from pits 18. 24 in x 12 in deep. for Qr. sec. cor.
80.00	Set post 2x3in x 4ft long 12in. deep. raised mound of earth 2½ ft high from pits 18x 24in x 12in deep raised mound of earth 18x 24in x 12in. deep. for Cor to Secs 23. 24. 25 & 26.
	Sand Hills 3rd rate

Township 21. N Range 26 W.

Chains	
	East on a random line between Secs 24 & 25. Va 13° 31' E.
40.00	Set post for temporary Qr sec cor.
80.20	Intersect East Boundary of Township 21 Lks S of cor to Secs 24 & 25 from which cor. I run.
	S. 89° 52' West on a true line between Secs 24 & 25. Va 13° 31' E.
40.15	Set post 2x3in x 4ft long. 12. in. deep raised mound of earth 2½ ft high from pits 18 x 24in x 12 in. deep. for Qr. sec. cor.
80.30	Cor to Secs 23. 24. 25 & 26.
	Sand Hills 3rd rate

Township No 21. N Range 26 W.

Chains	
	North between Secs 23 & 24 Va 13° 31' E.
40.00	Set post 2×3in×4ft. 1ft deep deposited charred stake raised Mound of earth 2½ ft high pour pits 18×24×12in for grec cor
44.15	Right bank of Dismal flows N E
49.00	Left bank of same N E.
80.00	Set post 3×3in×4ft 1ft in ground deposited charred stake raised Mound of earth 3ft high pour pits 18×24×12 in for corner to sec 22. 23. 24. 13 & 14
	Land broken Bonate

Township 21 N Range 26 W.

Chains	
	East on a random line bet Secs 13 & 24, Va 13° 31' E.
31.50	Left bank of Dismal N E
34.00	Right bank N.E. swamps about 2 chs wide on either side of the same
40.00	Set post for temporary gr cor
80.15	Intersect East Boundary 7 chs South of Cor to sec 13 & 24 pour which bears S 89° 57' West on true line Set Sec 13 & 24 Va 13° 31 E
40.07	Set post 2×3in×4ft. 1ft deep deposited charred stake raised Mound of earth 2½ ft high pour pits 18×24×12 in for gr cor
80.15	Cor to sec 13. 14. 23 & 24
	Land broken Bonate

Township 21 N. Range 29 W.

Chains	
	North bet. Secs 13 & 14
	Va 13° 31' E.
40.00	Set post 2 x 3 in x 4 ft long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep. for Qr. sec. cor.
80.00	Set post 2 x 3 in x 4 ft long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep. for cor to secs 11, 12, 13 & 14.
	Sand Hills 3rd rate

Township No 21 N. Range 26 W.

Chains	
	Eastern random line bet. Secs 12 & 13.
	Va 13° 31' E.
40.00	Set post for temporary ¼ Sec. cor.
80.09	Intersect East Boundary of Township at cor to Secs 1, 2 & 13. from which cor. I run.
	Western a true line bet. secs 12 & 13.
	Va 13° 31' E.
40.04½	Set post 2 x 3 in x 4 ft long. 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep for ¼ Sec. ~~cor to secs 11, 12, 13 & 14~~
80.09	Cor to secs 11, 12, 13 & 14 ~~[illegible]~~
	Sand Hills 3rd rate

Township No 21 N Range 26. W.

Chains	
	North between Secs 11 & 12 Va 13° 31' E.
40.00	Set post 2 x 3 in x 4 ft long 12 in deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep. for ¼ sec. cor.
80.00	Set post 2 x 3 in x 4 ft long 12 in deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep. for cor to secs 1. 2. 11 & 12
	Sand Hills 3rd rate

Township No 21. N. Range 26 W.

Chs	
	Bearing random line between Secs 10 & 12. Va 13° 31' E.
40.00	Set post for temporary ¼ sec. cor.
80.17	Intersect East Boundary of Township 15 Lks N. of cor. to secs 10 & 12. from which cor. I run N 89° 54' West on a true line between Secs 10 & 12. Va 13° 31' E.
40.08	Set post 2 x 3 in x 4 ft. long. 12 in. deep. raised mound of earth 2½ ft high from pits 18 x 24 in. x 12 in. deep for gr sec. cor.
80.17	Corner to secs 1. 2. 11 & 12.
	Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chs	
	North on a random line bet. secs 1 & 2. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
80.40	Intersect North Boundary of Township 20 Lks E. of cor. to secs 1, 2, 35 & 36. from which cor I ran. South & W. on a true line bet. secs 1 & 2. Va. 13° 31' E
40.40	Set post 2 + 3 in + 4 ft. long. 12 in. dep. raised mound of earth 2 1/2 ft high from pits 18 + 24 in + 12 in. dep. for qr. sec. cor.
80.40	Cor to secs 1, 2, 11, 12,

Sand Hills 3rd rate

Township 21 N. Range 26. W.

Chs	
	North between Secs 34 & 35. Va 13° 31' E.
40.00	Set post 2 + 3 in. + 4 ft long. 12 in. dep. raised mound of Earth 2 1/2 ft high from pits 18 + 24 in + 12 in. dep for 1/4 sec cor.
80.00	Set post 2 + 3 in + 4 ft long. 12 in. dep. raised mound of earth 2 1/2 ft high from pits 18 + 24 in + 12 in. dep. for cor to secs 26, 27, 34 & 35.

Sand Hills 3rd rate.

August 3rd 1874

Township 21 N. Range 26 W.

Chains	
	Cor to sec 26 & 35. Va 130 21' E.
40.00	Set post for temporary 1/4 sec cor.
80.14	Intersect N & S. line 44 lks S. of cor. to secs 25 26. 35 & 36. from which cor I run
	S 89° 41' W. on a true line between Secs 26 & 35 Va 130 21' E
40.07	Set post 2 x 3 in x 4 ft. long. 12 in. deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for cor to secs 26. 27. 34 & 35.
80.14	Cor to secs 26. 27. 34 & 35 Sand Hills 3rd rate

Township 21. N. Range 26 W.

Chains	
	North between Secs 26 & 27. Va 130 21' E
40.00	Set post 2 x 3 in. x 4 ft. long. 12 in. deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in. deep for 1/4 Sec. cor.
80.00	Set post 2 x 3 in x 4 ft. long. 12 in. deep raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in. deep for cor to secs 22. 23. 26 & 27.
	Sand Hills 3rd rate.

Township No 21 N. Range 16 W.

Chains	
	Extra random line bet — sec 23 & 26. Va 13° 21' E.
40.00	Set post for temporary 1/4 Sec. cor.
80.28	Intersect N & S. line bet 22 & 23 N. of cor. to secs 23. 24. 25 & 26. from which cor bears. N 89° 34' West a true line bet sec 23 & 26. Va 13° 21' E
40.14	Set post 2+3 in: x 4 ft long. 12 in: dep. raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in: dep. for 1/4 sec cor.
80.28	Corner to secs 22. 23. 26. & 27.

Land Hills 3rd rate.

Township 21 N Range 16 W.

Chs	
	North bitown Sec 22 & 23. Va 13° 21' E.
28.20	Disenal River 4.E. 3.80 chs wide swift current. swamps on either side some timber on banks
40.00	Set post 2+3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft dep deposited charred stake raised mound of earth 2 ft high from pits 18 x 30 x 12 in for cor to secs 14. 15. 22 & 23

Land Hills 3rd rate

Township 21. N. Range 26 W.

Chains	
	Easton a random line bet- Sec. 14 & 23. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
80.09	Intersect R. of S. line 76 lks N. of cor. to secs 13. 14. 23. & 24. from which cor I run
	N 89° 27' West on a true line bet- Sec 14 & 23. Va 13° 31' E.
40.04	Set post 2 x 3 in: x 4 ft. long. 12 in: dep. raised mound of earth 2 in ft. high from pits 18 x 24 in x 12 in: dep. for qr. sec. cor.
80.09	Cor. to secs 14. 15. 22 & 23.
	Sand Hills 3rd rate.

Township 21. N. Range 26 W.

Chains	
	North bet. on Secs 14 & 15. Va 13° 31' E.
40.00	Set post 2 x 3 in: x 4 ft long. 12 in: dep. raised mound of earth 2 1/2 ft high from pits 18 x 24 in: x 12 in. dep. for 1/4. sec. cor.
80.00	Set post 2 x 3 in x 4 ft. long 12 in: dep. raised mound of earth 2 in ft high from pits 18 x 24 in x 12 in dep. for cor to secs 10. 11. 14 & 15.
	Sand Hills 3rd rate.

Township 21. N. Range 26 W

Chains	
	Cross a random line between Secs 11 & 14. Va 13° 31' E.
40.00	Set post for temporary 1/4 Sec cor.
80.21	Intersect N. & S. line 24 lks South of cor to secs 11 12. 13. & 14. from which cor. bears S89°50' West on a true line between Secs 11 & 14. Va 13° 31' E
40.10½	Set post 2+3 in: +4 ft. long. 12 in: deep raised mound of earth 2½ ft high from pits 18+24 in: +12 in: deep for 1/4 Sec. cor.
80.21	Cor to secs 10.11.14.& 15
	Sand Hills 3rd rate.

Township No 21. N. Range 26 W.

Chains	
	North between Secs 10.11. Va. 13° 31' E.
40.00	Set post 2+3 in +4 ft. long. 12 in: deep. raised mound of earth 2½ ft high from pits 18+24 in +12 in: deep for qr. sec. cor.
80.00	Set post 2+3 in: +4 ft long. 12. in: deep. raised mound of earth 2½ ft high from pits 18+24 in: +12 in: deep for cor. to Sec 2. 3. 10 & 11
	Sand Hills 3rd rate.

Township No 21. N. Range 26. W.

Chains	Chains	
		East on a random line between secs 2 & 11. Va 13° 31' E.
4	40.00	Set post for temporary 1/4 Sec. cor.
8	80.11	Intersect No. S. line 33 Lks N. of cor. to secs 1. 2. 11 & 12 from which cor. I run N 89° 46' West on a true line between secs 2 & 11 Va 13° 31' E.
4	40.05½	Set post 2 x 3 in. x 4 ft. long. 12 in. deep. raised mound of earth 2½ ft. high from pits 18 x 24 in. x 12 deep. for gr. sec. cor.
8	80.11	Cor. to secs 2. 3. 10 & 11
		Sand Hills 3rd rate

Township 21. N. Range 26 W.

Chains	Chains	
		North on a random line bet. secs 2 & 3. Va 13° 31' E.
	40.00	Set post for temporary 1/4 Sec cor.
	80.62	Intersect North Boundary of Township 38 Lks W. of Cor. to secs 2. 3. 34 & 35 from which Cor. I run South 15 W. on true line between Secs 2 & 3. Va 13° 31' E.
	40.31	Set post 2 x 3 in. x 4 ft long x 12 in. deep. raised mound of earth 2½ ft high from pits 18 x 24 in. x 12 in. deep for gr. sec. cor.
	80.62	Cor. to sec 2. 3. 10. & 11.
		Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chains	
	North between Secs 33 & 34 Va 13° 31' E.
40.00	Set post 2 + 3 in + 4 ft long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 × 24 in + 12 in: deep. for gr. Sec. cor.
80.00	Set post 2 + 3 in × 4 ft long. 12 in: deep. raised mound of earth 2½ ft high from pits 18 × 24 in × 12 in deep. for Cor to secs 27. 28. 33 & 34
	Sand Hills 3rd rate

Township 21 N. Range 26 W.

Chains	
	Eastern random line bet. Sec 27 & 34. Va 13° 31' E
40.00	Set post for temporary ¼ sec cor.
80.06	Intersect N & S. line Co Lks South of Cor to secs 26. 27. 34 & 35 from which cor Iron.
	S 89° ~~24'~~ 34' West on a true line bet Sec 27 & 34. Va 13° 31' E.
40.03	Set post 2 + 3 in + 4 ft. long 12 in: deep raised mound of earth 2½ ft high from pits 18 × 24 in: + 12 in deep. for gr. sec. cor.
80.06	Cor to sec 27. 28 33 & 34
	August 4th 1894

Township No 21. N. Range 26. W

Chains	
	North bet on Sec 27 & 28. va 13° 31' E.
40.00	Set post 2 x 3 in x 4 ft long. 12 in: deep raised mound of Earth 2½ ft high from pits 18 x 24 in: x 12 in: deep for ¼ sec cor.
80.00	Set post 2 x 3 in x 4 ft long 12 in: deep raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in deep for cor to secs 21. 22. 27 & 28.
	Sand Hills 3rd rate.

Township No 21. N. Range 26. W.

Chains	
	East on a random line bet. secs 22 & 27. va 13° 31' E.
40.00	Set post for temporary ¼ sec cor.
80.12	Intersect N & S. line 40 Lks N. of cor. to secs 22. 23. 26 & 27. from which cor. I. run.
	N 89° 42' West on a true line bet secs 22 & 27. va 13° 31' E.
40.06	Set post 2 x 3 in: x 4 ft long. 12 in: deep raised mound of Earth 2½ ft high from pits 18 x 24 in: x 12 in: deep for ¼ Sec cor
80.12	Cor. to Sec 21. 22. 26 & 27.
	Sand Hills 3rd rate.

Township 21. N. Range 26 W.

chains	
	North between Secs 21 & 22 Va 13° 21' E.
23.73	Dismal River 1 pole & 16 links wide flows East some trees on either bank water 2 ft deep
40.00	Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 for gr. cor
80.00	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for Corts sec's 15. 16. 21 & 22
	Land Broken 30 rods

Township 21. N. Range 26. W.

chains	
	East on a random line bet. Secs 15 & 22. Va 13° 21' E.
40.00	Set post for temporary ¼ Sec. cor.
80.09	Intersect N. & S. line 71. lks N. of cor to Secs 14. 15. 22 & 23. from which cor. I run.
	N 89° 20' West on a true line bet. Secs 15 & 22. Va 13° 21' E.
40.04	Set post 2 x 2 in. x 4 ft long 12 in deep raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in. deep for ¼ sec. cor.
80.09	Corner to Sec 15. 16. 21 & 22,
	Sand Hills 2nd rate

Township 21. N. Range 26 W.

chains	
	North bet. Secs 15 & 16. Va 13° 31' E.
40.00	Set post 2 & 3 in. x 4 ft. long. 12 in. dep. raised mound of Earth 2½ ft high from pits 18 & 24 in. x 12 in. dep. for gr. sec. cor.
80.00	Set post 2 & 3 in. x 4 ft. long 12 in. dep. raised mound of earth 2½ ft high from pits 18 & 24 in. x 12 in. dep for cor to secs 9. 10. 15 & 16.
	Sand Hills 3rd rate

Township 21 N. Range 26 W.

chs	
	East on a random line bet. Secs 10 & 15 Va 12° 21' E.
40.00	Set post for temporary ¼ Sec. cor.
80.26	Intersect N. S. line 21 Chs N. of cor. to Secs 10. 11. 14 & 15 from which cor. I run N 89° 47' West on a true line between Secs 10 & 15 Va 12° 21' E.
40.13	Set post 2 & 3 in. x 4 ft long 12 in. dep. raised mound of Earth 2½ ft high from pits 18 & 24 in. x 12 in. dep. for gr. sec. cor.
80.26.	Cor. to secs 9. 10. 15. & 16.
	Sand Hills 2nd rate.

Township No 21 N. Range 26 W.

chains	
	North bet. Secs 9. & 10. Va 13° 31' E.
40.00	Set post 2 x 3 in: x 4 ft long 12 in: dep. raised mound of Earth 2½ ft high from pits 18 x 24 in: x 12 in: dep for Gr. Sec. cor.
80.00	Set post 2 x 3 in: x 4 ft long 12 in. dep. raised mound of Earth 2½ ft high from pits 18 x 24 in: x 12 in: dep for cor to secs 3. 4 9. & 10.
	Sand Hills 3rd rate. —

Township No 21. N. Range 26. W.

chains	
	Easton Random line bet — Secs 3 & 10. Va 13° 31' E.
40.00	Set post for temporary ¼ Sec. cor.
80.33	Intersect N. & S. line 9. & 10 — of cor. to secs 2. 3. 10 & 11. from which cor. I run.
	S 89° 56' 41" W. along a true line bet Secs 3 & 10. Va 13° 31' E.
40.16	Set post 2 x 3 in: x 4 ft long 12 in: dep. raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in dep for Gr. sec. cor.
80.33	Corner to secs 3. 4. 9 & 10
	Sand Hills 3rd rate.

Township 21 N. Range 16 W.

chains	
	North on random line bet= Secs 3 & 4. Va 13° 31' E.
40.00	Set post for temporary 1/4 Sec. cor.
80.28	Intersect North Boundary of Township 45 Lts W. of cor. to secs 3. 4. 33. & 34. from which cor. I run South 19' W. on true line bet= secs 3 & 4. Va 13° 31' E.
40.28	Set post 2 x 3 in: x 4 ft. long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in: x 12 in: deep. for qr. sec. cor.
80.28	Corner to secs 3. 4. 9. & 10.

Sand Hills 2nd rate.

Township 21 N. Range 16 W.

chs	
	North bet secs 33 & 34. Va 13° 31' E.
40.00	Set post 2 x 3 in: x 4 ft. long 12 in: deep. raised mound of earth 2½ ft. high from pits 18 x 24 in: x 12 in: deep. for qr sec cor.
80.00	Set post 2 x 3 in: x 4 ft. long 12 in: deep. raised mound of earth 2½ ft. high from pits 18 x 24 in: x 12 in: deep. for cor. to secs 28. 29. 32. 33.

Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chains	
	East on a random line bet. Secs 28 & 33. Va 13° 31' E
40.00	Set post for temporary ¼ Sec cor.
80.41	Intersect Nor. line 61. Lks N. of cor. to secs 27. 28. 33. & 34. from which cor. I run N 89° 34' West on a true line bet. secs 28 & 33. from Va 13° 31' E.
40.20½	Set post 2 x 2 in x 4 ft long 12 in. dep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in. dep. for ¼ sec. cor.
80.41	Cor. to secs 28. 29. 32 & 33

Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chains	
	North between Secs 28 & 29. Va 13° 31' E
40.00	Set post 2 x 2 in. x 4 ft long 12 in. dep. raised mound of earth 2½ ft. high from pits 18 x 24 in x 12 in. dep. for qr. sec. cor.
80.00	Set post 2 x 2 in. x 4 ft. long. 12 in. dep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in dep. for cor to secs 20. 21 28. & 29.

Sand Hills 3rd rate

Aug 8th 1894

Township No 21 N. Range 26 W.

Chains	
	East on a random line between secs 21 & 28. Va 13° 31' E.
40.00	Set post for temporary qr. sec. cor.
80.22	Intersect U.S. line 41 Lks N. of cor. to secs 21, 22, 27, & 28. from which cor. I run.
	N 89° 42' West on a true line between secs 21 & 28. Va 13° 31' E.
40.11	Set post 2 x 3 in x 4 ft long 12 in. deep raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in. deep for qr. sec. cor.
80.22	Cor. to secs 20, 21, 28 & 29.
	Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chs	
	North between secs 20 & 21
22.80	Original River East Va 13° 31' E
40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound of earth 2½ ft high from pits 18 x 24 in x 12 in for qrs cor
80.00	Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred stake raised Mound 3 ft high from pits 18 x 24 x 12 in for cor to secs. 16, 17, 20 & 21
	Land rolling 3rd rate some timber is found along the Dismal River but very scrubby

Township 21. N. Range 26 W.

Chains	
	East on a random line bet secs 16 & 21. Va 13°31' E
40.00	Set post for temporary Gr. sec. cor.
80.20	Intersect Nor. line 28 lks South of cor to secs 15.16 21 & 22. from which cor I run
	S. 89°48' West on a true line bet town secs 16 & 21. Va 13°31' E
40.10	Set post 2 x 2 in: x 4 ft long 12 in: deep. ~~raised mound of Earth 2½ ft high~~ 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep for Gr. sec. cor.
80.20	Cor to Secs 16. 17. 20 & 21. Land hills 3rd rate

Township No 21. N. Range 26 W.

Chains	
	North between secs 16 & 17. Va 13°31' E.
40.00	Set post 2 x 2 in: x 4 ft long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep for Gr. sec. cor.
80.20	Set post 2 x 2 in: x 4 ft long. 12 in: deep. raised mound of Earth 2½ ft ~~high~~ from pits 18 x 24 in x 12 in: deep: for cor to secs 8. 9. 16. & 17.
	Land hills 3rd rate —

Township No 21. N. Range 26 W.

chains	
	East on a random line bet- sec. 9, & 16. Va 13° 31' E
40.00	Set post for temporary 1/4 Sec. cor.
61.32	Intersect N. & S. line 64 lks S- of cor. to secs 9, 10, 15 & 16 from which cor. I run S 89° ~~31'~~ 33' West on a true line between secs 9 & 16. Va 13° 31' E
40.16	Set post 2+3 in: x 4 ft. long 12- in: deep. raised mound of earth 2 1/2 ft. high from pits 18 x 24 in x 12 in: deep. for 1/4 sec cor
80.32	Cor. to secs 8, 9, 16, & 17.

Sand Hills 3rd rate

Township No 21. N. Range 26 W.

chains	
	North between secs 8 & 9. Va 13° 31' E.
40.00	Set post 2+2 in: x 4 ft long 12 in: deep. raised mound of Earth 2 1/2 ft high from pits 18 + 24 in x 12 in: deep. for qr sec. cor.
80.00	Set post 2+3 in x 4 ft long 12 in: deep. raised mound of earth 2 1/2 ft high from pits 18 + 24 in x 12 in: deep. for cor to secs 4, 5, 8, & 9.

Sand Hills 3rd rate

Township 21 N. Range 26 W.

chs	
	East on a random line bet. secs 4 & 9. Va 13° 31' E.
40.00	Set post for temporary qr. sec. cor.
50.21	Intersect Nor. line 66 lks S. of cor to secs 3, 4, 9 & 10, from which cor. I run S. 89° 31' West on a true line bet secs 4 & 9. Va 13° 31' E.
40.10½	Set post 2 + 3 in + 4 ft long 12 ins deep. raised mound of earth 2½ ft high from pits 18 + 24 in + 12 ins deep. for 1/4 sec cor.
50.21	Cor. to secs 4, 5, 8 & 9.
	Sand Hills 3d rate.

Township 21 N Range 26 W.

chs	
	North on random line below secs 4 & 5. Va. 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
50.20	Intersect North Boundary of Township 54 lks West of cor to secs 4, 5, 32 & 33, from which cor. I run. South ~~35~~ 36' W. on a true line bet secs 4 & 5 Va 13° 31' E.
40.30	Set post 2 + 3 in + 4 ft long 12 in deep. raised mound of earth 2½ ft high from pits 18 + 24 in 12 in deep. for qr sec. cor.
50.20	Cor. to secs 4, 5, 8 & 9.
	Sand Hill 3d rate.

Township 21 N. Range 26 W

Chains	
	North between secs 31 & 32 Va 13°31' E.
40.00	Set post 2 x 3 in x 4 ft long. 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in: deep for 1/4 sec cor.
80.00	Set post 2 x 3 in: x 4 ft long. 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in: deep for cor to secs 29. 30. 31 & 32.
	Sandhills 3d rate

Township 21 N. Range 26. W.

Chs	
	Recover a random line bet. secs 29 & 32. Va 13°31' E.
40.00	Set post for temporary 1/4 Sec. cor.
80.29	Intersect N. & S. line 29 Chs 28 N. of Cor. to secs 29 & 32 33. from which cor. I run.
	N 89°48' W. retrace line bet. secs 29 & 32. Va 13°31' E.
40.27	Set post 2 x 3 in x 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in: deep. for 1/4 sec. cor.
80.27	Corner to secs 29. 30. 31 & 32
	Sandhills 3d rate.

Township 21 N. Range 26 W

chains	
	West on a random line between Secs 20 & 31. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec cor.
79.86	Intersect West Boundary of Township 6th Lks N of cor to secs 20 & 21. from which cor. I run.
	N 89° 23' East on a true line between secs 20 & 31. Va 13° 31' E.
39.93	Set post 2 x 3 in: x 4 ft long 12 in: deep raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in: deep for qr. sec. cor.
79.86	Cor to secs 29. 30. 31. & 32
	Sand Hills 3d rate.

Township 21. N. Range 26. W.

chains	
	North between Secs 29 & 30. Va 13° 31' E.
40.00	Set post 2 x 2 in: x 4 ft long: 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in: deep for qr. sec. cor.
80.00	Set post 2 x 2 in: x 4 ft long 12 in: deep raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in: deep for cor. to sec 19. 20. 29. & 30.
	Sand Hills 3d rate.

Township 21 N. Range 26. W.

Chains	
	East on a random line between Secs 20 & 29. Va 13° 31' E.
40.00	Set post for temporary 1/4 Sec cor.
80.40	Intersect W. & E. line 44. links N. of cor. to Secs 20. 21. 28 & 29 from which cor. I run N 89° 44' West on a true line bet. Secs 20 & 29. Va 13° 31' E
40.20	Set post 2 + 2 in + 4 ft long 12 in: deep. raised mound of Earth 2½ ft high from pits 18 + 24 in: + 12 in: deep. for 1/4. Sec. cor.
80.40	Cor. to Secs 19. 20. 29 & 30.
	Sand Hills 3rd rate
	Aug 6th 1874

Township 21 N. Range 26 W.

Chains	
	West on a random line between Secs 19 & 30. Va 13° 34' E.
40.00	Set post for temporary 1/4 Sec. cor.
79.94	Intersect the West Boundary of Township 21, 44 links North of cor. to Secs 19 & 30. from which cor I run S 89° 23' East on a true line bet Secs 19 & 30. Va 13° 31' E.
39.94	Set post 2 + 2 in + 4 ft long. 12 in: deep. raised mound of earth 2½ ft high from pits 18 + 24 in + 12 in: deep for qr Sec cor.
79.94	Cor to Secs 19. 20. 29 & 30.
	Sand Hills 3rd rate.

Township 21 N. Range 26. W.

Chs	
	North between secs 19 & 20. Va. 130 31' E.
35.50	Sinual River East 170 lks wide 2½ ft deep current swift & swamp on either side
40.00	Set post 2 x 3 in x 4 ft. 1 ft dep deposited charred stake raised mound of earth 2½ ft high pom pits 18 x 24 x 12 in for quar cor
80.00	Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high pom pits 18 x 24 x 12 in for cor to secs 17, 18, 19 & 20
	Land broken 3rd rate

Chs	
	Cross on a random line bet secs 19 & 20. Va 130 31' E.
40.00	Set post for temporary ¼ sec cor.
80.37	Intersect Nor. line 41 Lks S. of cor to secs 16, 17, 20 & 21. from which cor I run S 89° 44' W 42' W on a true line bet. secs 19 & 20. Va 130 31' E.
40.18½	Set post 2 x 3 in x 4 ft long 12 in. deep raised mound of earth 2½ ft high pom pits 18 x 24 in. & 12 in. deep for ¼ sec cor.
80.37	Cor to secs 17, 18, 19 & 20
	Land broken 3rd rate

Township No 21 N. Range 26 W

Chs	
	Westerly a random line between secs 18 & 19. Va 13° 31' E
40.00	Set post for temporary 1/4 Sec cor.
79.87	Intersect West boundary of Township 54 Lks South of Cor to secs 18 & 19 from which cor. I run S 89° 37' East on a true line bet secs 18 & 19. Va 13° 31' E.
39.87	Set post 2 + 3 in + 4 ft long 12 in deep. raised mound of earth 2½ ft high from pits 18 + 24 in + 12 in; deep. for 1/4 sec cor
79.87	Cor. to secs 17, 18, 19 & 20.
	Sand Hills 3d rate

Township 21 N. Range 26 W.

Chains	
	North between secs 17 & 18. Va 13° 31' E.
40.00	Set post 2 + 3 in: + 4 ft long 12 in deep. raised mound of earth 2½ ft high from pits 18 + 24 in: + 12 in: deep. for 1/4 Sec. cor.
80.00	Set post 2 + 3 in: + 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 + 24 in + 12 in: deep. for cor to sec 7, 8, 17 & 18.
	Sand Hills 3d rate.

Township 21 N. Range 26 W.

chains	
	East on a random line bet. Secs 8 & 17. Va 13° 31' E.
40.00	Set post for temporary ¼ Sec cor.
79.94	Intersect W. bd. line 82 Lks South of Cor. to secs 8, 9, 16 & 17, from which cor I run.
	S 89° 25' West on a true line bet secs 8 & 17. Va 13° 31' E.
39.97	Set post 2 x 3 in x 4 ft long 12 in: deep raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in deep for qr. sec. cor.
79.94	Cor to secs 7, 8, 17, & 18.
	Saul Hills 3rd rate.

Township 21 N. Range 26 W.

chains	
	West on a random line bet. Secs 7 & 18. Va 13° 31' E
40.00	Set post for temporary ¼ sec cor.
80.40	Intersect West Boundary of Township 21. Lks North of cor to secs 7, & 18, from which cor I run.
	N 89° 47' East on a true line bet secs 7 & 18. Va 13° 31' E.
40.40	Set post 2 x 3 in x 4 ft long 12 in: deep raised mound of Earth 2½ ft high from pits 18 x 24 in x 12 in: deep for qr. sec. cor.
80.40	Cor to secs 7, 8, 17, & 18.
	Saul Hills 3rd rate.

Township 21 N. Range 26 W.

Chains	
	North between secs 7 & 8. Va 13°31' E
40.00	Set post 2 x 3 in: x 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in: deep for ¼ Sec. cor.
80.00	Set post 2 x 3 in: x 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in: x 12 in deep for cor to secs 5. 6. 7. & 8.
	Sand Hills 3rd rate.

Township 21 N. Range 26 W.

Chs	
	East on a random line between secs 5 & 8. Va 13°31' E.
40.00	Set post for temporary ¼ Sec. cor
80.06	Intersect N & S line 61 Lks N. of cor to secs 4. 5. & 9. from which cor. I run N 89°24' West on a true line bet: secs 5 & 8. Va 13°31' E.
40.03	Set post 2 x 3 in: x 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 x 24 in x 12 in: deep for gr. sec. cor.
80.06	Cor to secs 5. 6. 7. & 8.
	Sand Hills 3rd rate

Township 21 N. Range 26 W.

Chains	
	West on a random line bet secs 6 & 7. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
80.70	Intersect West Boundary of Township 21 Lks N. of cor to secs 6 & 7, from which cor I run N 89° 25' East on a true line bet Secs 6 & 7, Va 13° 31' E.
40.70	Set post 2 + 3 in × 4 ft long 12 in: deep. raised mound of earth 2½ ft high from pits 18 × 24 in + 12 in: deep. for 1/4 Sec. cor.
80.70	Cor to secs 5, 6, 7 & 8
	Sand Hills 3rd rate

Township 21 N. Range 26 W.

Chains	
	North on random line bet secs 5 & 6. Va 13° 31' E.
40.00	Set post for temporary 1/4 sec. cor.
80.51	Intersect North Boundary of Township 88 Lks N. of Cor to secs 5 & 6. from which cor I run S. 38' 37' W. on a true line between secs 5 & 6. Va 13° 21' E
40.51	Set post 2 + 3 in: 4 ft. long 12 in: deep. raised mound of earth 2½ ft high from pits 18 + 24 in + 12 in: deep. for 1/4 Sec. cor.
80.51	Cor to secs 5, 6, 7, & 8.
	Sand Hills 3rd rate, Aug 7th 1894

General Description

T 21 North Range 26
is composed chiefly of
Sand hills Worthless
The Dismal River running
through the township
is a stream of good
cold water The swamps
on either side are
the Spring feeders to
it & Extend along
either bank

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township 21 North of base line & Range 26 West of 6th P.M. in Nebraska & showing the respective capacities in which they acted.

John Quigley	Chainman
Wm Smyock	"
Jacob Potter	Flagman
Milton Potter	Nonresident

We hereby certify that we assisted Frederick Dorrington Deputy Surveyor in surveying and subdividing Township No 21 North of base line in range No 26 West of 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge & belief well and faithfully surveyed and the boundary Monuments all planted according to the instruction of the Surveyor General, of the dimension character construction & marking and in the manner as specifically described in the foregoing field Notes.

John Finger Chainman
Wm Shryock "
Jacob Fulton Flagman
Milton Fulton Chainman

Signed in my presence and sworn to by the above named persons before me the undersigned this 7th day of September 1874

D. W. Wheeler
Notary Public
Lexington Neb

I Fred M Dorrington Deputy Surveyor

do solemnly swear that in pursuance of a joint contract Wherein Fred M Dorrington & Leo W Fairfield are joint contractors with E.E. Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 3d day of July 1874 I have well faithfully & truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General. The surveying Manual & the laws of the United States Surveyed all those parts or portions of Township No 21 North of base line & Range No 26 West of the 6th P.M. in Michaelson as are represented in the foregoing field Notes as having been surveyed under my direction & I do further solemnly swear that all the corners of said survey have been established & perpetuated in strict accordance with the surveying Manual & printed instructions & special instructions of the Surveyor General of dimensions character construction & working and in the manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such survey

Fred M Dorrington
deputy Surveyor

Signed in my presence and sworn to before me the undersigned this 7th day of September 1874

D A Wheeler
Notary Public
Cap Co Neb

Plattsmouth 1874.

The foregoing field notes of the Survey and Subdivision of Township No 21. North of Base Line of Range No 26 West of 6th P. M. in Nebraska. Executed by Fred W Dorrington under Joint-Contract No 80 dated July 2nd 1874, having been critically examined, the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved -

E. E. Cunningham
Surveyor General

STATE JOURNAL COMPANY

Field Notes
of
The Survey and Subdivision
of
Township No 22 North
of
Range No 26 West
in
Nebraska
Executed
By David V. S. Stephenson Dept
Deputy Surveyor under
Joint contract No 82.
dated July 6th 1874.

Survey
Commenced Aug 7th 1874
Completed " 11th " 1874

List of Names
A list of the Names of the
individuals Employed
to assist in Surveying
Township No 22 North
of the Base line of Range

No 26 West of the 6th P M in Nebraska
and showing the respective capacities
in which they acted

Geo W Burton } Chainmen
Volney L James
Robert Finger } Mounds men
Edwin James
Geo F James — Flagman

Town 22 Range 26

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

I, P. O. Deeterick do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

Paul O. Deeterich

Sworn and subscribed to before me this 11th day of July 1874

O. R. Goodale
Notary Public

I, J. S. Wise do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

J. S. Wise

Sworn and subscribed to before me

this 11th day of July 1874

O. R. Goodale

Notary Public

I, Geo. W. Burton do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

George W. Burton

Sworn and subscribed to before me this 11th day of July 1874

O. R. Goodale
Notary Public

I, V. S. Janes do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

Volney S. Janes

Sworn and subscribed to before me this 11th day of July 1874

O. R. Goodale
Notary Public

I, E. L. James do solemnly swear (or affirm) that I will well and truly perform the duties of Mousman according to instructions given me, and to the best of my skill and ability. E. L. James

Sworn and subscribed to before me this 11th day of July 1874

O. R. Goodale
Notary Public

I, R. Stonger do solemnly swear (or affirm) that I will well and truly perform the duties of Mousman according to instructions given me, and to the best of my skill and ability. Robert Stonger

Sworn and subscribed to before me this 11th day of July 1874

O. R. Goodale
Notary Public

I, Geo. F. Janes do solemnly swear (or affirm) that I will well and truly perform the duties of Flagman according to instructions given me, and to the best of my skill and ability.

Geo. F. Janes

Sworn and subscribed to before me this 11th day of July 1874

O R Goodale
Notary Public

To Determine the proper adjustment of my compass for subdividing the Township No 22 North of the Base line & Range No 26 West of the 6th PM in Nebraska I begin at cor to Townships

21 22 N Ranges 25 & 26 West and run North on a blank line along the East Boundary of Sec 36

Va 13°45' E

40.00 To a point 3 lks East of cor

80.02 To cor to secs 25 & 36.

My compass is therefore in proper adjustment

Township 22 North

	North between Secs. 35 & 36 Va 13°45'
40.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ sec cor
80.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches for cor to secs. 25.26. 35 & 36
	Land very Broken Soil Sandy 3rd Rate

Range No 25 West of 6th P M

	East on a random line bet Secs. 25 & 36 Va 13°45'
40.00	Set Spade for temporary ¼ sec cor
80.12	Intersect N and S line 21 links South of cor to sec. 25 & 36 from which cor I ran S 89 51 W on a true line 25 & 36 Va 13°45'
40.06	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.12	cor to secs. 25 26 35 & 36 Land very Broken Soil Sandy 3rd Rate

Township 22 North of

	North bet secs. 25 & 26 Va 13°45'
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches for cor to secs. 23. 24. 25 & 26
	Land very Sandy and Broken Soil 3rd Rate

Range 26 W 6th P M

	East on a random line bet secs. 24 & 25 Va 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.31	Intersect East boundary of Township 27 links South of cor to secs. 24 & 25 from which cor I run S 89°48' West on a true line bet secs. 24 & 25 Va 13°45' E
40.15½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.31	Cor to secs. 23. 24, 25. 26
	Land very Broken Soil 3rd Rate

Township 22 North

	North bet secs. 23 & 24 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 for cor to secs. 13. 14. 23 & 24
	Land very Broken Soil Sandy 3rd Rate

Range 26 West of 6th P M

	East on a random line bet secs. 13 & 24 Va 13°45' E
40.00	Set Spade for temporary ¼ sec cor
80.46	Intersect N and S line 39 links South of cor to secs. 13 & 24 from which cor I run S 89°45' West on a true line See 13 & 24 Va 13°45' E
40.23	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inc deep for ¼ sec cor
80.46	corner to secs. 13 14 23 & 24
	Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet secs. 13 & 14 Var 13°45' E
40.00	Set Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ Sec. cor
80.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 for cor to secs. 11. 12. 13 & 14
	Land very Broken Soil 3rd Rate Sandy

Range 26 West 6th P M

	East on a random line bet secs. 12 & 13 Var 13°45' E
40.00	Set Spade for temporary ¼ Sec cor
80.41	Intersect East boundary of township 28 links South of cor to secs 12 & 13 from which cor S run S 89°48' West on a true line Var 13°45' E
40.20½	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ Sec cor
80.41	cor to Secs. 11. 12. 13 & 14 Land very Broken Soil Sandy 3rd Rate

Township 22 N Range 25 W. 6th PM

	North bet Secs. 11 & 12 Va 13°45' E
4000	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
8000	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to Secs 1, 2 11 & 12
	Land very Broken Soil Sandy 3rd Rate

	East on a random line bet Secs 1 & 12 Va 13 45 E
5.00	Leaves hills Entre Bottom Bears S. E & N. W
40.00	Set Spade for temporary 1/4 Sec cor
79.00	Right Bank of Loup River Swift current 2 feet deep willow Brush along Banks
80.30	Intersect East Boundary of Township 39 links South of witness which is 60 links North of true place for cor to secs 1 & 12 from said point for true cor I run S 89°43' West on a true line bet secs 1 & 12 Va 13°45' E
40.15	Raised Mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.30	Cor to secs 1, 2, 11 & 12 Land Level Soil 1st Rate

Township 22 North

	North on a random line bet Secs. 1 & 2 Va 13°45' E
5.00	Leave Broken Sand Hills enter Bottom
13.00	Bears S E
~~17.50~~	Right Bank of Middle Loup River Bears S.E 4.50 chs
	Wide
17.50	Left Bank
24.30	Leave Bottom enter Sand Bluffs B.E
40.00	Set Stone for temporary 1/4 Sec cor
79.98	Intersect North Boundary of township 36 links west of cor to secs. 1 & 2 from which cor I run S 15 W on a true line Va 13°45' E
39.98	Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for temporary 1/4 cor
79.98	Leave to secs. 1 & 2 11 & 12 Land Broken Soil 3rd Rate

Range 26 West 6th P.M.

	North bet Secs. 34 & 35 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 Sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for cor to Secs. 26 27 34 & 35 Land Broken Soil Sandy 3rd Rate
	any 79.84

Township 22 North

	East on a random line bet secs. 26 & 35 Va 13°45' E
40.00	Set Spade for temporary 1/4 SEC cor
79.86	Intersect N and South line at cor to sec 25.26.35 & 36 from which cor I run West on a true line Va 13°45' E
39.93	Raised Mound of Earth 2½ feet high from pits 18x24x12 in deep for 1/4 sec cor
79.86	cor to secs. 26.27.34. and 35
	Land very Broken
	Soil 3rd rate
	Sandy

Range 26 West 6th P.M.

	North bet secs. 26 & 27 Va 13°45' E
40.00	Raised Mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 SEC cor
80.00	Raised Mound of Earth 2½ feet high from pits 18x24x12 inches deep for cor to secs. 22 & 23.26. & 27
	Land very Broken
	Soil Sandy 3rd rate

Township 22 North

East on a random line bet secs. 23 & 26 Va 13°45' E

40.00 Set Spade for temporary 1/4 sec cor

79.69 Intersect N and S line 21 links North of cor. to secs. 22 23 26 & 27 from which cor I run N 89°51' West on a true line bet secs. 23 & 26 Va 13°45' E

39.84½ Raised Mound of Earth 2½ feet high from pits 18 X 24 & 12 inches deep for 1/4 sec cor

79.69 cor to secs. 22 23 26 & 27

Land very Broken

Range 26 West 6th P M

North bet secs. 22 & 23 Va 13°45' E

40.00 Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 SEC cor

80.00 Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for cor to secs. 14.15.22 & 23

Land very Broken

Soil Sandy 3rd Rate

Township 22 North

East on a random line
bet sec. 14 & 23
Va 13°45' E

40.00 Set Spade for temporary
1/4 Sec cor

79.61 Intersect N and S line
40 links South of cor
to secs. 13.14.23 & 24
from which cor to
run
S 89°43' West on a true
line bet secs 14 & 23
Va 13°45' E

39.80½ Raised mound of
Earth 2½ feet high
from pits 18x24x12
inches deep for 1/4
Sec cor

79.61 Cor to secs. 14 15 22 & 23
Land very Broken
Soil Sandy 3rd Rate

Range 26th West 6th PM

North bet secs. 14 & 15
Va 13°45' E

40.00 Raised Mound of
Earth 2½ feet high
from pits 18x24x12
inches deep for
1/4 Sec cor

80.00 Raised mound of earth
2½ feet high from
pits 18x24x12 inches
deep for cor to
Sec. 10.11.13 & 14
Land very Broken
Soil Sandy 3rd Rate

Township 22 North

	East on a random line bet sec. 11 & 14 Va 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
79.83	Intersect N & S line 46 links South of cor to sec. 11 12 13 & 14 from which cor I run S 89°40' West on a true line bet 11 & 14 Va 13°45' E
39.91½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.83	Not to sec. 10.11.14. & 15
	Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	North bet sec. 10 & 11 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to sec. 2 3 10 & 11
	Land very Broken Soil Sandy 3rd Rate

Township 22 North

East on a random line bet secs. 2 & 11
Va 13°45' E

40.00 Set Spade for temporary 1/4 sec cor

79.71 Intersect N and S line 53 links South of cor to secs. 1.2.11 & 12 from which cor S 89°37' West on a true line bet 2 & 11
Va 13°45' E

39.85½ Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor

79.71 Leave to sec 2.3.10 & 11

Range 26 West 6th P.M.

North on a random line bet secs. 3 & 2
Va 13°45' E

14.00 Leave Sand Bluffs Enter Bottom Bears East & West

20.00 Right Bank of Middle Loup River Bears East & West

25.00 Left Bank of Middle Loup River water 2 feet deep swift current Brush along its Banks

40.00 Set Spade for temporary 1/4 sec cor

50.00 Enter Sand Hills Bears Bears ~~E & W~~ S E

80.38 Intersect North Boundary of Township 36 links E of cor to secs. to secs. 2 & 3 ~~1 & 2~~ from which cor S 15° E on a true line secs 2 & 3
Va 13°45' E

40.38 Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor

80.38 Corner to secs. ~~1.2~~ 2.3.10 & 11
Canal broken 3rd Run except bottom which is 1st in Rate

Township 22 North

	North bet Secs. 33 & 34 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 for cor to secs. 27 28 33 & 34
	Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P M

	East on a random line bet secs. 27 & 34 Va 13°45' E
40.00	Set spade for temporary ¼ sec cor
80.18	Intersect N and S line 13 links North of cor to secs. 26 27 34 & 35 from which cor I run
	N S 5°54' West on a true line bet secs 27 & 34 Va 13°45' E
40.09	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.18	leave to secs. 27 28 33 & 34 Land very Broken Soil 3rd Rate Sandy Aug 8th 1874

Township 22 North

	North bet secs. 27 & 28 Va 13°45' E
40.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ Sec cor
80.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs. 21. 22. 27 & 28 Land very Broken Land Sandy 3rd Rate

Range 26 West 6th PM

	East on a random line bet secs. 22 & 27 Va 13°45' E
40.00	Set Spade for temporary ¼ sec cor
80.37	Intersect N and S line 28 links North of cor to secs. 22. 23. 26 & 27 from which cor I run N 89°48' West on a true line 22 & 27 Va 13°45' E
40.184	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.37	cor to secs. 22. 21. 27 & 28 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet sec. 21 & 22 Va 13°45' E
14.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs. 15, 16, 21 & 22
	Land Broken Sand Hills Soil 3rd Rate

Range 26 West 6th P.M.

	East on a random line bet secs. 15 & 22 Va 13°45' E
40.00	Set Spade for temporary ¼ Sec cor
80.50	Intersect N and S line 38 links North of cor to secs. 14 15 22 & 23 from which cor S mon North 89°44' West on a true line bet secs. 15 & 22 Va 13°45' E
41.25	Raised mound of Earth from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.50	Corner to secs. 15 16 21 & 22
	Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet secs. 15 & 16 Va 13°45' E
4000	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
8000	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs. 9 & 10 15 & 16. Land very Broken Soil 3rd Rate

Range 26 West C. M. P. M.

	East on a random line bet secs. 10 & 15 Va 13°45' E
4000	Set Spade for temporary 1/4 sec cor
8060	Intersect N and S line 45 links South of cor to secs. 14, 15, 22 & 23 from which cor S. runs S 89°41' West on a true line bet secs. 10 & 15 Variation 13°45' E
4030	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
8060	cor to secs. 9 & 10 15 & 16 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet Secs. 9 & 10
	Va 13°45' E
40.00	Raised mound of
	Earth 2½ feet high
	from pits 18 X 24 & 12 in
80.00	Raised mound of
	Earth 2½ feet high
	from pits 18 X 24 X 12 inches
	deep for cor to secs.
	3 4 9 & 10
	Land very Broken
	Soil 3rd Rate

Range 26 West 6th P.M.

	East on a random line
	bet secs. 3 & 10
	Va 13°45' E
40.00	Set Spade for temporary
	1/4 Sec cor
80.77	Intersect N and S line
	41 links North of cor
	to secs. 2 3 10 & 11 from
	which cor I run
	N 89°42' West on a true
	line bet secs. 3 & 10
	Va 13°45' E
40.38½	Raised mound of Earth
	2½ feet high from
	pits 18 X 24 & 12 inches
	deep for 1/4 Sec cor
80.77	bet to secs. 3, 4, 9 & 10
	Land very Broken
	Soil Sandy 3rd Rate

Township 22 North

	North on a Random line bet Secs. 3 & 4 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
60.70	Leave Sand hills Enter Bottom Bears S.E.
80.70	Intersect North boundary of township 66 links West of cor to Secs. 3 & 4 from which cor S 28° West on a true line Va 13°45' E
40.70	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches for 1/4 sec cor
80.70	Corner to Secs. 3, 4, 9 & 10 Land very Broken Soil Supply 3rd Rate

Range 26 W 6th P M

	North bet Secs. 32 & 33 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for cor to Secs. 28, 29, 32 & 33 Land Broken Soil 3rd Rate

Township 22 N Range 26 West of 6th P M

	East on a random line bet Secs 28 & 33 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
80.40	Intersect N and S line 25 links South of cor to Secs 27 28 33 & 34 from which cor I run S 89°45' West on a true line bet secs 28 & 33 Va 13°45' E
40.20	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 SEC cor
80.40	corner to secs 28. 29. 32 & 33 Land very Broken Soil Sandy 3rd Rate

	North bet 28 & 29 Va 13°45' E
40.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec Cor
80.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs 20. 21. 28 & 29 Land very Broken Sandy 3rd Rate

Aug 9th 1844

Township 22 North

	East on random line bet Secs. 21 & 28 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
80.28	Intersect N and S lim 30 links South of cor to secs. 21 22 27 & 28 from which cor I am S 89°47' West on a true line bet Secs. 21 & 28 Va 13°45' E
40.14	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.28	corner to secs. 20, 21, 28 & 29 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	North bet secs. 20 & 21 Va 13°45' E
40.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for Cor to secs. 16 17 20 & 21 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	East on a random line bet SECS. 16 & 21 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
80.10	Intersect N and S line 23 links South of cor to secs. 15.16.21 & 22 from which cor Sun S 89°50' West on a true line bet secs. 16 & 21 Va 13°45' E
40.05	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
80.10	Cor to secs. 16.17.20 & 21 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P M

	North bet secs. 16 & 17 Va 13°45' E
40.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
80.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for cor to secs. 8.9.16 & 17 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	East on a random bet 9 & 16 Va 13°45' E
40.00	Set Stake for temporary 1/4 Sec cor
80.00	Intersect N and S line 40 links South of cor to Secs. 9.10.15 & 16 from which cor I run S 88.43 West on a true line bet secs. 9 & 16 Va 13°45' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
80.00	Cor to secs. 8.9.16 & 17 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P M

	North bet secs. 8 & 9 Va 13°45' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
80.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for cor to Secs. 4.5.8 & 9 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	East on a random line bet secs. 4 & 9 Var 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
79.68	Intersect N and S line 27 links South of cor to secs. 3.4.9 & 10 from which cor I run S 89°48' West on a true line bet secs. 4 & 9 Var 13°45' E
39.84	Raised Mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches clef for 1/4 sec cor
79.68	bearing to secs. 4.5.8 & 9 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	North on a Random line bet secs. 4 & 5 Var 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.80	Intersect North boundary of township at cor to secs. 4 & 5 from which cor I run South a true line bet secs. 4 & 5 Var 13°45' E
40.80	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches clef for 1/4 sec cor
80.80	bearing secs. 4 5 8 & 9 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet secs. 31 & 32
	Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 2½ feet flat high from pits 18 X 24 X 12 inches deep for cor to secs. 29 30 31 & 32
	Land very Broken
	Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	East on a random line bet secs. 29 & 32
	Va 13°45' E
40.00	Set Spade for temporary ¼ sec cor
79.88	Intersect N and South line 26 links North of cor to secs. 28 29 32 & 33 from which cor I run N 89°49' West on a true line bet secs. 29 & 32
	Va 13°45' E
39.94	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
79.88	cor to secs. 29 30 31 & 32
	Land very Broken
	Soil Sandy 3rd Rate

Township 22 North

	West on a random line bet secs. 31 & 31 Va 13°45' E
40.00	Set Stake for temporary 1/4 Sec cor
81.15	Intersect West boundary of township 28 links North of cor to secs. 30 & 31 from which Cor S run N 89°48' E on a true line bet secs. 30 & 31 Va 13°45' E
41.15	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
81.15	Cor to Secs. 29, 30, 31 & 32 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	North bet secs 29 & 30 Va 13°45' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for cor to secs. 19 20 29 & 30 Land very Broken Soil 3rd Rate
	aug 10th 1874

Township 22 North

	East on a random line bet secs. 20 & 29 Va 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
79.48	Intersect N and S line 46 links North of cor to secs. 20 21 28 & 29 from which cor S run North 89°40' West on a true line bet secs. 20 & 29 Va 13°45' E
39.74	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
79.48	Cor to secs. 19 20 29 and 30 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P.M.

	West on a Random line bet secs. 19 & 30 Va 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.79	Intersect West Boundary of township 33 links North of cor to secs. 19 & 30 from which cor S run East N 89°46' ~~West~~ on a true line bet secs. 19 & 30 Va 13°45' E
40.79	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.79	Cor to secs. 19. 20. 29 & 30
	Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet sec. 19 & 20 Va 13°45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to sec. 17 18 19 & 20 Land very Broken soil Sandy 3rd Rate

Range 26th West 6th P.M.

	East on a random line bet sec. 17 & 20 Va 13°45' E
40.00	Set spade for temporary ¼ sec Cor
79.61	Intersect N and S line 58 links North of cor to sec. 16 17 20 & 21 from which cor I run N 89°35' West on a true line bet sec. 17 & 20 Va 13°45' E
39 80½	Raised mound of earth from 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec. Cor
79.61	Corner to sec. 17 18 19 & 20 Land Sandy Broken soil 3rd Rate

Township 22 North

	West on a random line bet secs. 18 & 19 Var 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.76	Intersect N and S line 50 links North of cor to secs. 18 & 19 from which cor I run N 89°39' East on a true line bet secs. 18 & 19 Var 13°45' E
40.76	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.76	Cor to secs. 17, 18, 19 & 20 Land very Broken Land Sandy 3rd Rate

Range 26 West 6th P M

	North bet secs. 17 & 18 Var 13°45' E
40.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for cor to secs. 7 & 17 & 18 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	East on a random line bet sec. 8 & 17 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
79.50	Intersect N and S line 63 links N of cor to sec. 8 9 16 & 17 from which cor S run N 89°33' West on a true line 8 & 17 Va 13°45' E
39.75	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.50	corner to sec. 7.8.17. & 18 Land very Broken Soil Sandy 3rd Rate

Range 26 West C.M.P.M.

	West on a random line bet sec. 7 & 18 Va 13°45' E
40.00	Set Spade for temporary 1/4 Sec cor
80.68	Intersect West Boundary of Township 68 links North of cor to sec. 7 & 18 from which cor S run N 89°31' East on a true line Va 13°45' E
40.68	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.68	cor to sec. 7 8 17 & 18 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	North bet secs. 7 & 8 Variation 13° 45' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ Sec cor
80.00	Raised mound of Earth from pits 18 X 24 X 12 inches deep for cor to Secs. 5 6 7 & 8 Land very Broken Soil Sandy 3rd rate Land Broken

Range No 26 West 6th P M

	East on a random line bet secs. 5 & 8 Va 13° 45' E
40.00	Set Spade for temporary ¼ Sec cor
76.75	Intersect N and S line 53 links N of cor to secs. 4 5 8 & 9 from which cor I run N 89° 37' West on a true line bet secs. 5 & 8 Va 13° 45' E
35.87½	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ Sec cor
79.75	Cor to secs. 5. 6. 7 & 8 Land very Broken Soil Sandy 3rd Rate

Township 22 North

	West on a random line bet secs. 6 & 7 Var 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.48	Intersect West Boundary of Township 39 links North of cor to secs. 6 & 7 from which cor I run N 89°43' East on a true line bet secs. 6 & 7 Var 13°45' E
40.48	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.48	Cor to secs 5. 6. 7 & 8 Land very Broken Soil Sandy 3rd Rate

Range 26 West 6th P M

	North on a random line bet secs. 5 & 6 Var 13°45' E
40.00	Set Spade for temporary 1/4 sec cor
80.48	Intersect North Boundary of Township 33 links West of cor to secs. 5 & 6 from which cor I run S 14' West on a true line bet secs. 5 & 6 Var 13°45' E
40.48	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.48	Cor to secs. 5. 6. 7 & 8 Land very Broken Soil Sandy 3rd Rate

aug 11th 1894

General Description

This Township consists of Broken Sand hills with the exception of the North East part through which the Middle Loup passes. There is good Bottom land on both sides of the River Aside from that the Soil is 3rd Rate There is no timber on this township

List of Names

A list of names of individuals employed to assist in running measuring or marking the lines & corners described in the foregoing field notes of Township No 22 North of the base line of Range No 26 West. 6th P.M. stating the respective capacities in which they acted

Geo. H. Buxton	chainman
Nahney L. James	
Robert Swager	mondaman
Edwin James	
Geo F. James	flagman

We hereby certify that we assisted David V. Stephenson Deputy Surveyor in subdividing Township No. 22 North of the base line Range No. 26 West of the 6th principal meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

George W. Benton } Chainmen
Volney Stokes
Robert Stanger } Moundman
Edward James
Geo H. James } Flagman

Subscribed and sworn to by the aforementioned parties before me a Probate Judge in and for Kearney Co Nebraska this 7th day of September 1884

L. L. Holbrook
Probate Judge

PROBATE COURT SEAL KEARNEY COUNTY NEBRASKA

I David V Stephenson Deputy Surveyor do Solemly swear that in Pursuance of a joint Contract wherein David V Stephenson and James L Slocum are joint Contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of July 1874 I have well, faithfully and truly, in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States Surveyed all those parts, or portion of Township 22 North of the Base line in Range 26 West of the 6th Principal Meridian as are represented in the foregoing Notes, as having been Surveyed under my direction and I do further Solemnly swear that all the Corners of said Surveys have been Established and perpetuated, in strict accordance with the Surveying Manual printed Instructions, and Special Instructions of the Surveyor General, of dimensions, character, construction, and ~~and~~ Marking and in the Manner specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such survey

D V Stephenson

Subscribed & Sworn to before me a Notary Public in & for Lincoln Co Neb this 14th day of Sept 1874

H N Goldsmith

Surveyor Generals
Office

Plattsmouth Oct 13th 1874

The foregoing field notes of the Survey and subdivision of Township No. 22 N. of the Base Line of Range No. 26 West of the 6th P.M. in Nebraska Executed by David V. Stephenson under joint contract No. dated July 6th 1874 have been critically examined & the necessary corrections & explanations made the said field notes and the surveys they describe are hereby approved

C. C. Cunningham
Surveyor General

Field Notes

of

Township No 23 North of
the
Base line of Range
No 26
West of the 6th Principal
Meridian
in
Nebraska
Executed by
James A Slocum
Deputy Surveyor under Contract
No 82 dated
July 6th 1874

Survey

Commenced Aug 4th 1874
Completed " 8th "

List of Names

A list of the Names of the individuals employed to assist in Subdividing Township No 23 North Range No 26 West 6th P M

And showing the respective capacities in which they acted

A M Forbes Chainman
E L Slocum
G Zehner Moundman
Ed Farley
J C Watson Flagman

Town 23 Range 26 W



To determine the proper adjustment of my compass for the subdivision of this Township I commence at the corner to Townships 22 & 23 North of the Base line of Ranges No 25 & 26 West of 6 PM and run N on a blank line along the East Boundary of Sec 36

Var 13° 50' E

3998 To the quarter cor
7996 To the cor to Secs 25 & 36

I therefore find that my compass is in proper adjustment for the subdivision of this Township ~~to retrace this line I run 1 line parallel thereto~~

Township No 23 North

North Between Secs 35
& 36
Var 13°56' E
4000 Raised mound of Earth
2½ ft high from pits
18 x 2 x 12 in deep
for gr sec Cor
8000 Raised mound of Earth
2½ ft high from
Pits 18 x 2 x 12 in deep
for sec Cor 25
23, 26, 35, and 36

Range No 26 West 6 PM

East on a random line
Between Secs 25 & 36
Var 13°50' E
4000 Set spade for temporary gr Sec Cor
8015 Intersect the East Boundary
of the township 16 chs
South of the Cor to Secs
25 & 36 from which Cor
I run
South 89 53 West on a true line
Between Secs 25 & 36
Var 13°56' E
4007 Raised mound of earth 2½
ft high from pits 18 x 2
x 12 in deep for gr sec
Cor
8015 Cor to Secs 25 26 35 & 36
Soil Sand hills
3rd rate

Township 23 North

North Between Secs
25 and 26
VW 13° 50' E

4000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for Qr Sec Cor

8000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for Cor to Secs
23 24 25 & 26

Soil Sand hills
3d rate

Range 26 West 6th PM

East on a random line
Between Secs 24 & 25
VW 13° 50' E

4000 Set stake for temporary qr
sec cor

8028 Intersect the East boundary
of the township 21 lks
South of the Cor to
Secs 24 and 25 from
which Cor I run
South 89° 51' West on a true
line Between Secs 24 & 25
VW 13° 50' E

4014 Raised mound of earth 2½
ft High from Pits 18 x 24
x 12 in deep for qr sec Cor

8028 Cor to Secs 23 24 25 & 26

Soil Sand hills
3d rate

Township No 23 North

North Between Secs 23 & 24
Var 13° 50' E

4000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for gr Sec Cor

8000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for Cor to Secs
13 14 23 & 24

Soil Sand hills
3rd rate

Range 26 West 6th PM

East on a random line
Between Secs 13 & 24
Var 13° 50' E

4000 Set Spade for temporary gr Sec Cor
8043 Intersect the East Boundary of
the Township 33 chs
South of the Cor to Secs
13 & 24 from which Cor
I plant
South 89° 46' West on a true
line Between Secs 13 & 24
Var 13° 50' E

4022 Raised mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for gr Sec
Cor

8043
~~4022~~ Cor to Secs 13 14 23 & 24

Soil Sand hills
3rd rate

Township No 23 North

North Between Sec 13 & 14
on 13° 50' E

4000 Raised mound of Earth
2½ ft high from
pits 18 x 24 x 12 in
deep for qr sec Cor

0000 Raised mound of
Earth 2½ ft high
from Pits 18 x 24
x 12 in deep for
Cor to Secs 11 12
13 & 14

Soil Sand hills
B rates

Range 26 West 6 P M

East on a random line
Between Sec 12 & 13
on 13° 50' E

4000 Set Spade for temporary qr Sec Cor

8056 Intersect the East Boundary
of the township 40 lks
South of the Cor to Secs
12 & 13 from which
Cor. bears
South 89° 45' West on a
true line Between Secs
12 & 13
on 13° 50' E

4028 Raised mound of Earth
2½ ft high from
pits 18 x 24 x 12 in
deep for qr sec Cor

8056 Cor to Secs 11 12 13 & 14

Soil Sand hills
B rate

Township No 23 North,

North Between Secs 11 & 12
on 13° 50 E

4000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for qr Sec Cor

8000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12
in deep for qr Sec
Cor 11, 12, 13 and 14.

Sand Hills
3d rate

Range No 2 West 6 P.M.

East on a random line
Between Secs 1 & 12
on 13° 50' E

4000 Set Spade In temporary qr
Sec Cor

8036 Intersect the East boundary
of the township 28 lks
South of the Cor to
Secs. 1 & 12 from
a pick Cor 1 nn

South 89° 48' West on a true
line Between Secs
1 & 12
on 13° 50 E

4018 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep
for qr Sec Cor

8036 Cor to Secs 1 2 11 & 12

Sand hills 3d rate

Township No 23 North

	North on a random line between Sec 1 & 2 Var 13° 50' E
4000	Set Shade for temporary Qr Sec Cor
8043	Intersect the North Boundary of the Township 38 lks West of the Cor to Secs 1 & 2 from which Cor I run South 16' West on a true line between Secs 1 & 2 Var 13° 50' E
4043	Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for Qr Sec Cor
8043	Cor to Secs 1 2 11 & 12
	Soil Sandy hilly 3d Rate

Range 26 West 6th PM

	North between Secs 34 & 35 Var 13° 50' E
4000	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for Qr Sec Cor
8000	Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for Cor to Secs 26 27 34 & 35
	Soil Sandy hilly 3d rate

Township No 26 North

East on a Random
line Between Secs 26 & 35
Var 13° 50' E

4000 Set Spade for temporary qr
sec Cor

7991 Intersect the N and S line
13 chs North of
the Cor to Secs 25
26 35 & 36 from
which Cor I run
North 89 55 West on a true
line Between Secs
26 & 35
Var 13° 50' E

3495 2 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for qr sec Cor

7991 Cor to Secs 26 27 34
& 35

Soil Sand Hills
& Knolls

Range No 26 West 6 P M

North Between Secs 26 & 27
Var 13° 50' E

4000 Raised mound of earth
2½ ft high from
Pits 18 x 24 x 12 in deep
for qr sec Cor

8000 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in deep
for Cor to Secs 22 23
26 & 27

Soil Sand Hills
& Knolls

Aug 4th 1874

Township 23 North

East on a random line
Between Secs 23 & 26
Va 13 50 E
4000 Set Spades for temporary qr
sec Cor
7988 Intersect the North & South
line 19 lks North of
the Cor to Secs 23 24
25 & 26 from which
Cor I run
North 89 52 West on a
true line Between
Secs 23 & 26
Va 13 50 E
3994 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in
Deep for qr sec Cor
7988 Va 15 Secs 22 23 26
& 27
Vol Sandy
Ordinate

Range No 6 West of 6th

North Between Secs
22 & 23
Va 13 50 E
4000 Raised mound of Earth
2½ ft high from
pits 18 x 24 x 12 in
deep for qr sec Cor
8000 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep
for Cor to Secs 14
15 22 & 23
Vol Sand Hill
Ordinate

Township 26 North

East on a random line
Between Secs 14 & 23
Var 13° 50' E

4000 Set Stake for temporary qr Sec Cor

7975 Intersect the N & S line 31 Chs North of the Cor to Secs 13 14 23 & 24 from which Cor I run North 89° 45' West on a true line between Secs 14 & 23
Var 13° 50' E

3987½ Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr Sec Cor

7975 Cor to Secs 14 15 22 & 23

Soil Sand Hills
B rate

Range No 26 West 6 P.M.

North Between Sec 14 & 15
Var 13° 50' E

4000 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 10 11 14 & 15

Soil Sand hills
B rate

Township No 23 North

East on a random line
Between Secs 11 & 14
Var 13° 50' E

4000 Set Stake for temporary
qr Sec Cor

7977 Intersect the N & S line 33
lks North of the Cor
to Secs 11 12 13 & 14
from which Cor
a pine
North 89° 46' West on a true
line between Secs
11 & 14
Var 13° 50 E

3988 2 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep
for qr Sec Cor

7977 Cor to Secs 10 11 14 & 15

Soil Sand
Hills 3d rate

Range 26 West 6 PM

North Between Secs 10 & 11
Var 13° 50' E

4000 Raised mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for qr Sec
Cor

8000 Raised mound of earth 2½
ft high from pits 18 x
24 x 12 in deep for
Cor to Secs 2, 3, 10
& 11

Soil Sand & Hills
3d rate

Township 23 North

East on a random line
Between Secs 2 & 11
Var 13°50' E

4000 Set Spade for temporary
qr sec cor

7968 Intersect the N & S. line
35 lks North of the
Cor to Secs 1 2 11 & 12
from which Cor I run
North 89° 45' West on a
true line Between Secs 2 & 11
Var 13°50' E

3984 Raised mound of Earth
2½ ft high from pits
18 x 2 & x 1½ in deep
for qr sec Cor

7968 Cor to Secs 2 3 10 & 11

Soil Sand
3rd rate

Range 26 W. 6 P.M.

North 80 on a random line
Between Secs 2 & 3
Var 13°50' E

4000 Set Spade for temporary qr
sec Cor

8008 Intersect the North Boundary
of the township 10 lks
West of the Cor to Secs
2 & 3 from which
Cor I run
South 4' West on a true line
Between Secs 2 & 3
Var 13°50' E

4008 Raised mound of earth
2½ ft high from pits
18 x 2 x 1½ in deep
for qr sec Cor

8008 Cor to Secs 2, 3, 10, & 11

Soil Sand Hills
3rd rate

Township 23 North

	North Between Secs 33 & 34 OW 13° 50' E
1,00	Middle fork of Loup River 2 chs & 75 lks wide Shallow swift-Current Low Banks Sandy Bottom
1300	Leave Bottom & Enter Sand Hills
4000	Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for gr Sec Cor
8000	Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for Cor to Secs 28 29 32 & 33
	Sand Hills 3rd rate

Range 26 West 6 PM

	East on a random line Between Secs 27 & 34 OW 13° 50' E
4000	Set Stake for temporary gr Sec Cor
7992	Intersect the N & S line 15 lks North of the Cor to Secs 26 27 34 & 35 from which Cor 8 pin
	North 89° 54' West on a true line Between Secs 27 & 34 OW 13° 50' E
3996	Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for gr Sec Cor
7992	Cor to Secs 26 27 34 & 35
	Soil Sand Hills 3rd rate

Township No 23 North

North Between Sec 27 & 28
VW 13° 50' E

4000 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in deep for
Qr Sec Cor

8000 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
Cor to Sec 21, 22, 27, 28

Soil Sand Hills
23rd rate

Range No 28 West 6th

East on a random line
Between Secs 22 & 27
VW 13° 50' E

40.00 Set Stake for temporary qr Sec Cor
7993 In line of the N. & S. line
28 lks North of the Cor to
Sec 22 23 26 & 27 from
which Cor I run
North 89° 48' West on a true
line Between Secs 22 & 27
VW 13° 50' E

3996.2 Raised mound of Earth 2½
ft high from pits 18 x
24 x 12 in deep for qr
Sec Cor

7993 Cor to Sec 21 22 27 & 28

Soil Sand Hills
23 rate

Township No 23 North

	North Between Secs 21 & 22
	VW 13°50' E
40.00	Raised mound of Earth 2½ ft high from pits 18x2½x½ in deep for qr Sec Cor
8000	Raised mound of Earth 2½ ft high from Pits 18x2½x½ in deep for Cor to Secs 15 16 21 & 22
	Soil Sandy & Hilly 3rd rate

Range 26 W 6 PM

	East on a random line Between Secs 15 & 22
	Va 13°50' E
4000	Set Spade for temporary qr Sec Cor
7966	Intersect the N & S line 36 lks North of the Cor to Secs 14 15 22 & 23 from which Cor I saw
	North 87°45' West on a true line Between Secs 15 & 22
	VW 13°50' E
3983.	Raised mound of earth 2½ ft high from pits 18x2½ ½ in deep for qr Sec Cor
7966	Cor to Secs 15 16 21 & 22
	Soil Sandy & Hilly 3rd rate
	Aug 5th 1874

Township No 23 North

North Between Secs 15 & 16
Var 13° 50' E

4000 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor

8000 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 9 10 15 & 16

Soil Sand Hills
Hills & Lakes

Range No 26 West 6th PM

East on a random line
Between Secs 10 & 15
Var 13° 50' E

4000 Set Stake for temporary qr sec Cor

7958 Intersect the N & S line 27 links North of the Cor to Secs 10 11 14 & 15 from which Cor I run
North 89° 48' West on a true line between
Secs 10 & 15
Var 13° 50' E

3979 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor

7958 Cor to Secs 9 10 15 & 16

Soil Sand Hills
Lakes

Township 23 North

North Between Secs 9 & 10
Var 13° 50' E

4000 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec cor

8000 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 3 4 9 & 10

Soil Sand Hills & gravel

Range No 26 West 6 PM

East on a random line Between Secs 3 and 10
Var 13° 50' E

4000 Set Spade for temporary qr Sec cor

7946 Intersect the N & S line 28 links North of the Cor to Secs 2 3 10 & 11 from which Cor I run North 89° 48' West on a true line Between Secs 3 & 10
Var 13° 50' E

3973 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec Cor

7946 Cor to Secs 3 4 9 & 10

Soil Sand hills & gravel

Township 26 North Range 26 West 6 PM

North on a random line
Between Secs 3 & 4
bw 13°50' E

4000 Set stake for temporary
qr Sec Cor

29.83
~~7683~~ Intersect the North Boundary
of the township 8 lks
East of the Cor to Secs
3 & 4 from which Cor
3 bears
South 3' E on a true line
Between Secs 3 & 4
bw 13°50' E

29.83
~~3841~~ Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in deep
for qr Sec Cor

29.83
~~7683~~ Cor to Secs 3 4 9 & 10

Soil Sand
Hills
Grade

North Between Secs 3 & 3
bw 13°50' E

1500 Leave Sand Hills and Enter
level Bottom Bears N W & E

4000 Raised mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for qr Sec
Cor

41.00 Right Bank of middle fork of
Lost river 1 ch & 4 lks
wide shallow swift Current
low Banks & Sandy Bottom
Bears S E

6000 Leave level Bottom & Enter
Sand Hills Bears E & W

8000 Raised mound of earth 2½
ft High from pits 18 x 24
x 12 in deep for Cor to
Secs 28 29 32 & 33

Soil Sand Hills Grade

Township No 20 North

East on a random line
Between Secs 28 & 33.
Var 13° 50' E

4000 set stake for temporary qr
sec cor

7991 Intersect the North & South
line 11 lks South of the
Cor to Secs 27 28 33 & 34
from which cor I run
South 89 55 West on a true
line Between Secs 28 & 33
Var 13° 50' E

39952 Raised mound of earth
2½ ft high from pits 18
x 24 x 12 in deep for
qr sec cor

7991 Cor to Secs 28 29 32 & 33

Soil Sandy
Broken & Rocky

Range No 26 West 6 P M

North Between Secs
28 & 29
Var 13° 50' E

4000 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12
in deep for qr sec cor

8000 Raised mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for Cor to
Secs 20 21 28 & 29

Soil Sand & Hills
& rocks

Township No 23 North

	East on a random line between Secs 21 and 28 Var 13°50' E
4000	Set Spade for temporary Qr Sec Cor
7987	Intersect the N & S line 22 lks South of the Cor to Secs 21 22 27 & 28 from which Cor Sun South 89°51' West on a true line Between Secs 21 & 28 Var 13°50' E
3993	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for Qr Sec Cor
7987	Cor to Secs 20 21 28 & 29

Soil Sand & Hill
3rd rate

Range No 26 West 4th P.M.

	North Between Secs 20 & 21 Var 13°50' E
4000	Raised mound 2½ ft high from pits 18 x 24 x 12 in deep for Sec Cor
8000	Raised mound of earth 2½ ft high from Pits 18 x 24 x 12 in deep for Cor to Secs 16 17 20 & 21

Soil Sand
3rd rate

Township 23 North

East on a random line
Between Secs 16 & 21
Var 13°50' E

4000 Set Spade for qr Sec Cor
7977 Intersect the 21st line 32
lks South of the Cor
to Secs 15 16 21 & 22
from which Cor
I run

~~3988~~ South 89¼° West on a line
line Between Secs 16 & 21
Var 13°50' E

3988 Raised mound ~~of earth~~ 2½
ft high from pits
18 x 24 x 12 in deep
for qr Sec Cor
7977 Cor to Secs 16 17 20 & 21

Soil Sand Hills
3d rate

Range No 26 West 5th

North Between Secs 16 & 17
Var 13°50' E

4000 Raised mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for qr Sec Cor
8000 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12
in deep for Cor to Secs
8, 9, 16 & 17

Soil Sand Hills
3d rate
Aug 6th 1874

Township No 23 North

East on a random line
Between Secs 9 & 16
Var 13°50' E

4000 Set Stake for temporary qr
sec cor

7965 Intersect the North & South
line 50 lks South of
the Cor to Secs 9 10 15
& 16 from which Cor
I saw

South 89 30' West on a true
line Between Secs 9 & 16
Var 13°50' E

3982 Raised mound of earth
2½ ft High from pits
18 x 2½ x 12 in deep for
qr Sec cor

7965 Cor to Secs, 8, 9, 16 & 17

Soil Sand & Hills
3d rate

Range 26 West 6 PM

North Between Secs 8 & 9
Var 13°50' E

4000 Raised mound of earth 2½
ft High from pits 18 x 2½
x 12 in deep for qr Sec
Cor

8000 Raised mound of earth 2½ ft
high from pits 18 x 2½
x 12 in deep for Cor
to Secs 4 5 8 & 9

Soil Sand & Hills
3d rate

Township No 23 North

	East on a random line Between Secs 4 & 9 Var 13°50' E
4000	Set Spade for temporary qr Cor
7956	Intersect the N & S line 60 lks South of the Cor to Secs 3, 4, 9 & 10 from which Cor I run South 89°34' West on a true line Between Secs 4 & 9 Var 13°50' E
3978	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec Cor
7956	Cor to Secs 4 5 8 & 9

Soil Sandy Hills
Timber

Range No 26 West 6 PM

	North on a random line Between Secs 4 & 5 Var 13°50' E
4000	Set Spade for temporary qr Sec Cor
8049	Intersect the North Boundary of the Township 26 lks East of the Cor to Secs 4 & 5 from which Cor I run South 12' E on a true line Between Secs 4 & 5 Var 13°50' E
4049	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec Cor
8049	Cor to Secs 4 5 8 & 9

Soil Sandy Hills
Timber

Township No 25 North

North Between Secs 31 and 32
on 13° 50' E

70.00 Leave Sand Hills and Enter level Bottom Bears E & W

26.10 Right Bank of Middle fork of loup river 3 Chs wide low Banks shallow and swift current sandy Bottom Bears E

40.00 Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for qr Sec Cor

45.00 Leave level Bottom & Enter Sand Bluffs Bears N W & S E

80.00 Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for Cor to Secs 29 30 31 & 32 South Sand Hills
B rate

Range No 20 West 6th M

East on a random line between Secs 29 & 32
on 13° 50' E

40.00 set Stake for temporary qr Sec Cor

79.90 Intersect the North & South line at the Cor to Secs 28 29 32 & 33 from which Cor I run

West on a true line between Secs 29 & 32
on 13° 50' E

39.95 Raised mound of earth 2½ ft High from pits 18 x 24 x 12 in deep for qr Sec Cor

79.90 Cor to Secs 29 30 31 & 32

South Sand Hills
B rate

Township No 23 North

	West on a random line Between Secs 30 & 31 bw 13°50' E
4000	Set Stake for temporary qr Sec Cor
7930	Leave Bluffs and Enter Bottom Bears N 74 & S E
7980	Intersect the West Boundary of the township 20 lks North of the Cor to Secs 30 & 31 from which Cor I run North 89.51 East on a true line Between Secs 30 & 31 bw 13°50' E
3980	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in depth for qr Sec Cor
7980	Cor to Secs 29 30 31 & 32
	Soil Sand Hills 3rd rate

Range 26 West 6th PM

	North Between Secs 29 & 30 bw 13°50' E
4000	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in depth for qr Sec Cor
8000	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in depth for Cor to Secs 19 20 29 & 30
	Soil Sand Hills 3rd rate

Township No 20 North

	East on a random line Between Secs 20 & 29 Var 13°50' E
4000	Set Spade for temporary cor Sec cor
7989	Intersect the N & South line 12 lks North of the Cor to Secs 20 21 28 & 29 from which Cor I run North 89°55' West on a true line Between Secs 20 & 29 Var 13°50' E
3994.2	Raised mound of earth 2½ ft High from pits 18 x 24 x 12 in deep for cor Sec cor
7989	Cor to Secs 19 20 29 & 30

Soil Sandy Hills & rate

Range 17 W 6th PM

	West on a random line Between Secs 19 & 30 Var 13°56' E
4000	Set Spade for temporary cor Sec cor
7956	Intersect the west boundary of the township 31 lks north of the Cor to Secs 19 & 30 from which Cor I run North 89°47' East on a true line Between Secs 19 & 30 Var 13°56' E
3956	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for cor Sec cor
7956	Cor to Secs 19 20 29 & 30

Soil Sandy & Rolly

Township No 23 North

	North Between Secs 19 & 20 Bu 13° 50' E
4000	Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for Qr Sec Cor
8000	Raised mound of earth 2½ ft High from pits 18 x 24 x 12 in deep for Cor to Secs 17 18 19 & 20
	Soil Sand Hills 3d rate

Range 26 West 6th PM

	East on a random line Between Secs 17 & 20 Bu 13° 50' E
4000	Set chade for temporary Qr Sec Cor
4988	Intersect the North and South line 41 lks North of the Cor to Secs 16 17 20 & 21 from which Cor I run North 89° 42' West on a true line Between Secs 17 & 20 Bu 13° 50' E
3994	Raised mound of earth 2½ ft High from pits 18 x 24 x 12 in deep for Qr Sec Cor
7988	Cor to Secs 17 18 19 & 20
	Soil sand Hills 3d rate

Township 23 North

West on a random line
Between Secs 18 & 19
Bw 13° 50' E

4000 Set Shade for temporary qs
Sec Cor

7946 Intersect the West Boundary
of the township 51 lks
North of the Cor to
Secs 18 & 19 from which
Cor bears
North 89° 38 East on a true
line between Secs 18 & 19
Bw 13° 50' E

3946 Raised mound of earth
2½ ft high from pits
18 x 2 x 12 in deep for
qr Sec Cor

7946 Cor to Secs 17 18 19 & 20

Soil Sand Hills
& rate

Range No 26 West 6 PM

North Between Secs 17 & 18
Bw 13° 50' E

4000 Raised mound of earth 2½
ft high from pits 18 x 2 x
x 12 in deep for qs Sec
Cor

8000 Raised mound 2½ ft high
from pits 18 x 2 x x 12
in deep for Cor to Secs
7 8 17 & 18

Soil Sand Hills
& rate

Aug 7th 1877

Township No 23 North

	East on a random line Between Secs 8 & 17 Var 13°50' E
4000	Set spade for temporary qr sec cor
7991	Intersect the North & South line 36 links North of the cor to Secs 8 9 16 & 17 from which cor I run North 89.45 West on a true line Between Secs 8 & 17 Var 13°50' E
3995	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in diam for qr sec cor
7991	Cor to Secs 7 8 17 & 18

Soil Sand hills
3d rate

Range 26 West 6 PM.

	West on a random line Between Secs 7 & 18 Var 13°50' E
4000	Set spade for temporary qr sec cor
7900	Intersect the West boundary of the township 38 lks North of the cor to Secs 7 & 18 from which cor I run North 89°44' East on a true line Between Secs 7 & 18 Var 13°50' E
3900	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in diam for qr sec cor
7900	Cor to Secs 7 8 17 & 18

Soil Sand hills
3d rate

Township No 23 North

North Between Secs 7 & 8
on 13° 50' E

4000 Raised mound of earth
2½ ft high from
Pits 18 x 24 x 12 in
deep for Gr Sec cor

8001 Raised mound of earth
2½ ft High from
Pits 18 x 24 x 12 in
Deep for Qr to Secs
5 6 7 & 8

Sol Sand
Stills
3rd rate

Range No 26 West 6th P.M.

East on a random line
Between Secs 5 & 8
on 13° 50' E

4000 Set Stake for temporary Gr Sec
cor

7981 Intersect the N & S line 25
links North of the Cor
to Secs 4 5 8 & 9 from
which cor stands
North 89° 49' West on a true
line Between Secs 5 & 8
on 13° 50' E

3995 Raised mound of earth,
2½ ft High from pits
18 x 24 x 12 in deep for
Qr Sec cor

7981 Cor to Secs 5 6 7 & 8

Sol Sand Hills
3rd rate

Township No 28 North

	West on a random line between Secs 6 & 7 Var 13°50' E
4000	Set Stake for temporary qr Sec cor
7959	Intersect the West boundary of the township 29 lks North of the Cor to Secs 6 & 7 from which cor bears North 89°48' East on a true line Between Secs 6 & 7 Var 13°50' E
3959	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec cor
7959	Cor to Secs 5 6 7 & 8

Soil Sand Hills & Brute

Range No 26 West 6 PM

	North on a random line Between Secs 5 & 6 Var 13°50' E
4000	Set Stake for temporary qr Sec cor
7986	Intersect the North boundary of the township 32 lks East of the Cor to Secs 5 & 6 from which Cor bears South 14' East on a true line Between Secs 5 & 6 Var 13°50' E
3986	Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for qr Sec cor
7986	Cor to Secs 5 6 7 & 8

Soil Sand Hills & Brute

Aug 8th 1874

General Description

The land in this Township is worthless except a small Portion of Bottom land in the South west part of the Township which is 1st rate soil and Covered with tall grass No water Except in the river which Runs through Secs 31 32 & 33 No stone or timber it is a sterile Barren region of Country

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the forgoing field notes of Township no. 23 North of the base line, & range no 26 west of the 6th Principal Meridian in Nebraska, showing the respective capacities in which they acted;

A. M. Forbes } Chainmen
G. S. Slocum }
C. Zehner } Axemen
Ed Farley }
J. C. Watson flagman

We hereby certify that we assisted James L. Slocum Deputy Surveyor in subdividing Township No. 23 North of the base line Range No. 26 west of the 6th Principal Meridian and that said Township has been in all respects to the best of my knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes.

A. M. Forbes } chainmen
G. E. Adams

O. Gehrer } moundmen
Ed Shirley
J. G. Watson } flagman

Subscribed and sworn to by the above mentioned parties before me a Notary Public in and for Richardson Co Nebraska this 13th day of Sept 1894.

James Cannon
Notary Public

I James L Slocum Deputy Surveyor do Solemnly Swear that in persuance of a Joint Contract wherein David S Stephenson and James L Slocum are Joint contractors with E E Cunningham Surveyor General for the district of Nebraska and Iowa bearing date the 6th day of July 1874 I have well faithfully and Truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual and the laws of the united States Surveyed all those parts or portions of Township No 23 North of the Base line in Range 26 west of the 6th Principal meridian as are represented in the foregoing field notes as having been Surveyed under my direction and I do further Solemnly Swear that all the Corners of said Surveys have been Established and perpetuated in strict accordance with the Surveying manual ~~and~~ printed instructions and special Instructions of the Surveyor general of dimentions character construction and marking and in the manner specifically described in the foregoing field Notes and that the foregoing are the true and Original field note of such Survey

James L Slocum

Subscribed & sworn to before me a Notary Public in & for Lincoln Co Neb this 14th day of Sept 1874

H M Goldsmith

Surveyor Generals office

Plattsmouth Oct 15th 1874

The foregoing Field Notes of the Survey and Subdivision of Township No 23 North of the Base Line of Range No 26 West of the 6th P.M. in Nebraska Executed by James L. Slocum under joint contract No. dated July 6th 1874 wherein David C. Stephenson & James L. Slocum are joint contractors in the month of August 74 having been critically examined the necessary corrections & explanations made, the said Field notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes
of
The Survey and Subdivision
of
Township No 24 N. of the Base line
of
Range No 26 West of the 6th P.M.
in
Nebraska

Executed
By James L. Slocum Deputy
Surveyor under joint contract No
82 dated July 16th 1874

Survey
Commenced Aug 9th 1874
Completed " 13th "

List of Names & duties of assistants

A.M. Forbes	chainmen
G.D. Slocum	
C. Zehner	Rodmen
Ed Fordy	
J.C. Walton	Flagman

Town 24 Range 26 West

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township No 24 S Range 26 W. 6th Prin

To determine the proper adjustment of my compass for subdividing this Township I commence at the cor to secs 31 & 36 (1, 2, 3 & 24 N) bet. Ranges No 25 & 26. and run

North on blank line along the E. boundary of Sec 36. Va 13° 50' E

4000 To qr sec cor

8000 To cor to secs 25 & 36.

My compass is therefore in proper adjustment.

North bet Secs 35 & 36. Va 13° 50' E

4000 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

8000 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 25, 26, 35 & 36.

Land Sand hills Soil 3rd rate

East on random line bet
secs 25 & 36
Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high
for temporary qr sec cor

80.08 Intersect E. boundary of Township 10 lks
S of cor to secs 25 & 36 from which
cor bears
S 8 gds 5 lks West on the line bet secs
25 & 36.
Va 13° 50' E

40.04 Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for qr sec cor

80.08 cor to secs 25, 26, 35 & 36
Land Sand hills Soil 3d rate

North bet Secs 25 & 26
Va 13° 50' E

40.00 Raise mound of earth 2 1/2
ft high from pits 18 x 24 x 12 in
deep for qr Sec cor.

80.00 Raise mound of earth 2 1/2 ft high
from pits 18 x 24 x 12 in deep for
cor to secs 23, 24, 25 & 26.

Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th P.M.

	East on random bet Secs 24 & 25 Va 13° 50' E
40.00	Raise mound for temporary qr
4	sec cor
80.36	Intersect E. boundary of Township
8	21 lks S. of cor to secs 24 & 25 from which cor I run S 89° 51' West on true line bet Secs 24 & 25 Va 13° 50' E
40.18	Raise mound of earth 2½ ft
4	high from pits 18 x 24 x 12 in deep for qr sec cor.
80.36	Cor to secs 24, 25, 23 & 26
8	Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th P.M.

	North bet secs 23 & 24 Va 13° 50' E
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor.
80.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 13, 14, 23 & 24
	Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

		East on random line bet Secs 13 & 24
		Va 13° 50' E.
4	40.00	Raise mound for temporary qr sec cor
8	80.21	Intersect E. boundary 11 lks S of cor to secs 13 & 24 from which cor I run
		S 89° 55' West on true line bet Secs 13 & 24
		Va 13° 50' E
4	40 10 1/2	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
8	80.21	Cor to sec 13, 14, 23 & 24
		Land Sand hills Soil 3d rate

Township No 24 N. Range No 26 W. 6th P.M.

		North bet Secs 13 & 14.
		Va 13° 50' E
	40.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor.
	80.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 11, 12, 13 & 14
		Land Sand hills Soil 3d rate

Township No 24 N. Range No 26 W. 6th P.M.

East on round on bet Secs 12 & 13
Va 13° 50' E

4000 Raise mound for temporary qr sec cor
4 79.86 Intersect E boundary of Township
12 lks N. of cor to secs 12 & 13 from
which cor I run
8 N 89° 55' West on true line
bet secs 12 & 13
Va 13° 50' E
3993 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12
in deep for qr sec cor
7986 cor to secs 11, 12, 13 & 14
Land Sand hills Soil 3d rate

Township No 24 N. Range No 26 W. 6th P.M.

North bet Secs 11 & 12
Va 13° 50' E
4000 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12 in
deep for qr sec cor
8000 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12 in
deep for cor to secs 1, 2, 11 & 12
Land Sand hills Soil 1st rate

Township 24 N Range 26 W. 6th PM

East on random line bet
Secs 1 & 12

Va 13° 50' E

4 40.00 Raise mound for temporary qr sec
cor

8 79.66 Intersect E. boundary of Township
20 lks N. of cor to secs 1 & 12
from which cor I run
N. 89° 51' West on true line
bet secs 1 & 12

Va 13° 50' E

4 39.83 Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12
in deep for qr sec cor

8 79.66 Cor to secs 1, 2, 11 & 12.
Land Sand hills Soil 3d rate

Township No 24 N Range No 26 W. 6th PM

North on true line bet secs 1 & 2

Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for qr sec cor

78.22 Intersect 6th Standard Parallel N.
7.60 lks west of cor to secs 31 & 36
where I
Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in deep
for closing cor to secs 1 & 2
Land Sand hills Soil 3d rate

Township No 24 N Range No 26 W. 6th PM

		North bet Secs 34 & 35
		Va 13° 50' E
	4000	Raise mound of earth 2 1/2 ft
40		high from pits 18 x 24 x 12 in
		deep for qr sec cor
80	8000	Raise mound of earth 2 1/2 ft high
		from pits 18 x 24 x 12 in deep for
		cor to secs 26. 27. 34 & 35
		Land Sand hills Soil 3d rate
4		
8		

Township 24 N Range No 26 W. 6th PM

	East on random line bet secs
	26 & 35.
	Va 13° 50' E
4000	Raise mound for temporary qr
	sec cor
79.76	Intersect N & S line at cor to secs
	25. 26. 35 & 36. from which
	cor I sun
	West on true line bet secs 26 &
	35.
	Va 13° 50' E
39.88	Raise mound of earth 2 1/2 ft high
	from pits 18 x 24 x 12 in deep
	for qr sec cor.
79.76	Cor to secs 26. 27. 34 & 35.
	Land Sand hills Soil 3d rate

Aug 9th 1874

Township 24 N. Range 26 W. 6th P.M.

North bet Secs 26 + 27
Va 13° 50' E

4000 Raise mound of earth 2½ ft high
40 from pits 18×24×12 in deep for
qr sec cor

80 8000 Raise mound of earth 2½ ft
high from pits 18×24×12
in deep for cor to secs 22, 23
26 + 27.

Land Sand hills Soil 3d rate

4

8

Township 24 N. Range 26 W. 6th P.M.

East on random line bet
Secs 23 + 26.
Va 13° 50' E

4000 Raise mound for temporary
qr Sec cor

7976 Intersect N + Sluice 12 lks N. of
cor to Secs 23 + 26 from
which cor I am
N. 89° 55' West on true line bet
Secs 23 + 26
Va 13° 50' E

3988 Raise mound of earth 2½ ft
high from pits 18×24×12 in
deep for qr sec cor

79.70 cor to secs 22. 23. 26 + 27
Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

		North bet Secs 22 + 23
		Va 13° 50' E
4	40.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor
8	80.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 14. 15. 22 + 23
		Land Sand hills Soil 3d rate
4		
8		

Township 24 N. Range 26 W. 6th P.M.

		East on random line bet secs 14 + 23.
		Va 13° 50' E
4	40.00	Raise mound for temporary gr sec cor.
79	79.60	Intersect N + S. line at cor to Secs 13 14. 23 + 24. from which cor d run
		West on true line bet secs 14 + 23.
		Va 13° 50' E
39	39.80	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor
79	79.60	Cor to secs 14. 15. 22 + 23
		Land Sand hills Soil 3d rate

Township 24 N Range 26 W 6th PM

North bet Secs 14 & 15
Va 13° 50' E

4 0.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

4 80 80.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 10, 11, 14 & 15

Land Sand hills Soil 3d rate

4

Line bet 11 & 14 See page ~~23~~ 19

8

Township No 24 N Range No 26 W 6th PM

East on random line bet
Secs 11 & 14
Va 13° 50' E

4 4.00 Raise mound for temporary qr sec cor.

79.68 Intersect N & S line 12 lks N of cor to Secs 11, 12, 13 & 14 from which cor I run

N. 89° 55' West on true line bet
Secs 11 & 14
Va 13° 50' E

39 39.84 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

79.68 Cor to Secs 10 11 14 & 15

Land Sand hills Soil 3d rate

Township 24 N Range No 26 th P.M.

North bet Secs 10 & 11

Va 13° 00' E

4	40.00		Raise mound of earth 2 1/2 ft high
40			from pits 18 x 24 x 12 in deep for
			qr Sec cor.
80	80	8.00	Raise mound of earth 2 1/2 ft high
			from pits 18 x 24 x 12 in deep for
			~~qr sec~~ cor to secs 2, 3, 10 & 11
			Land Sand hills Soil 3d rate
4			
8			

Township No 24 N Range No 26 W. 6th P.M.

East on random line bet Secs

2 & 11

Va 13° 00' E

	40.00	Raise mound of earth for temporary
		qr sec cor
2	8	Intersect N & S. line 36 lks N of cor to
	79.05	Secs 1, 2, 11 & 12 from which cor
		I run
		N. 89° 45' West on true line bet Secs
		2 & 11
		Va 13° 00' E
	39 77 1/2	Raise mound of earth 2 1/2 ft
		high from pits 18 x 24 x 12 in
		deep for qr sec cor
	79.05	cor to secs 2, 3, 10 & 11
		Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th P.M.

North on the line bet secs 21

Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

78.12 Intersect 6th Standard Parallel N. [illegible] has N. of cor to secs 35 + 36 where I.

T. 25 N. R. 26 W.

Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for closing cor to secs 2 + 3

Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th P.M.

North bet Secs 33 + 34

Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for Qcor to secs 27. 28. 33 + 34

Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th PM

East on random line bet secs
27 + 34
Va 13° 50' E

4 4000 Raise mound for temporary qr
sec cor

8 79.88 Intersect N + S line 10 chs N of cor
to secs 26. 27. 34 + 35. from
which cor I run
N 89° 56' West on true line
bet secs 27 + 34.
Va 13° 50' E

4 39.93 Raise mound of earth 2 1/2
ft. high from pits 18 x 24 x 12 in
deep for qr sec cor.

8 79.88 Cor to Secs 27. 28. 33 + 34
Land Sand hills Soil 3d
rate

Township 24 N Range 26 W. 6th PM

North bet Secs 27 + 28
Va 13° 50' E

4000 Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
for qr sec cor

8000 Raise mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for cor to secs 21. 22.
27 + 28.
Land Sand hills Soil 3d-rate

		East on random line bet Secs 22 + 27 Va 13° 50' E
4	4000	Raise mound for temporary qr sec cor
8	79.69.	Intersect N + S line 31 links of cor to secs 22.23.26 + 27, from which cor I run N 89° 47' West on true line bet Secs 22 + 27 Va 13° 50' E
4	3984½	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
8	79.69	Cor to secs 21. 22. 27 + 28 Land Sand hills Soil 3d rate

North bet Secs 21 + 22 Va 13° 50' E

4000	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
8000	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 15.16.21 + 22 Land Sand hills Soil 3d rate

Aug 10th 1874

Township 24 N. Range 26 W. 6th P.M.

	East on random line bet Secs 15 & 22
	Va 13° 50' E
40.00	Raise temporary qr sec cor.
79.56	Intersect N & S line 44 lks N. of cor to secs 14, 15, 22 & 23. from which cor I run
	N. 89° 41' West on true line bet Secs 15 & 16.
	Va 13° 50' E
39.78	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.56	Cr to Secs 15, 16, 21 & 22
	Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

	North bch Secs 15 & 16
	Va 13° 50' E
40.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 9, 10, 15 & 16
	Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th Pm

✓	East on random bet Secs 10 & 15 Va 13° 00' E
40.00	Raise mound for temporary qr sec cor.
79.66	Intersect N & S line 38 lks N. of cor to secs 10, 11, 14 & 15 from which cor d run N. 89° 44' West on true line bet Secs 10 & 15. Va 13° 50' E
39.83	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.66	Cor to secs 9, 10, 15 & 16. Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th Pm

✓	North bet Secs 9 & 10 Va 13° 50' E
40.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to Secs 3, 4, 9 & 10 Land Sand hills Soil 3d rate

East on random line bet
Secs 3 & 10
Va 13° 50' E

4 | 40.00 | Raise mound of earth for temporary qr sec cor

8 | 79.55 | Intersect N & S. line 31 lks N. of cor to secs 2. 3. 10 & 11 from which cor I run N. 89° 47' West on true line bet secs 3 & 10
Va 13° 50' E

4 | 39.77½ | Raise mound of earth 2½ ft high from pits 18×24×12 in deep for qr sec cor

8 | 79.55 | Cor to secs 34. 9 & 10
Land Sand hills Soil 3d rate

North on true line bet secs
3 & 4
Va 13° 50' E

40.00 | Raise mound of earth 2½ ft. high from pits 18×24×12 in deep for qr sec cor.

77.88 | Intersect 6th Standard Parallel N. 6 80/100 chains west of cor to Secs 3. 4. & 33 ? 25 N. R 26 W. where I
Raised mound of earth 2½ ft high from pits 18×24×12 in deep for closing cor to Secs 3 & 4.
Land Sand hills Soil 3d rate

North bet Secs 32 & 33
Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

80.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 28, 29, 32 & 33

Land Sand hills Soil 3d rate

East on random line bet secs 28 & 33
Va 13° 50' E

40.00 Raise mound for temporary qr sec cor

79.91 Intersect N & S line at cor to secs 27, 28, 33 & 34 from which cor 2 rm

West on true line bet secs 28 & 33
Va 13° 50' E

39.90 1/2 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

79.91 Cor to secs 28, 29, 32 & 33

Land Sand hills Soil 3d rate

Township No 24 N Range 26 W 6th P.M.

North bet Secs 28 & 29

Va 13° 50' E

40.00 Raise mound of earth 2½ ft high from pits 18×24×12 in deep for qr sec cor

80.00 Raise mound of earth 2½ ft high from pits 18×24×12 in deep for cor to secs 20, 21, 28 & 29.

Land Sand hills Soil 3d rate

Township 24 N Range 26 W 6th P.M.

East on random line bet Secs 21 & 28

Va 13° 50' E

40.00 Raise mound for temporary qr sec cor

79.88 Intersect N & S. line 20 lks S. of cor to secs 21, 22, 27 & 28. from which cor I run

S 89° 51' West on true line bet Secs 21 & 28.

Va 13° 50' E

39.94 Raise mound of earth 2½ ft high from pits 18×24×12 in deep for qr sec cor.

79.88 Cor to secs 20, 21, 28 & 29

Land Sand hills Soil 3d rate

North bet. Secs 20 + 21
Va 13° 50' E
40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 16, 17, 20 + 21
Land Sand hills Soil 3d rate

East on random line bet secs 16 + 21
Va 13° 50' E
40.00 Raise mound for temporary qr sec cor
79.61 Intersect N. + S. line 35 links S. of cor to secs 15, 16, 21 + 22, from which cor I run
S 89° 45' West on true line bet secs 16 + 21
Va 13° 50' E
3980 1/2 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.61 Cor to secs 16, 17, 20 + 21
Land Sand hills Soil 3d rate

Township 24 N Range 26 W 6th P.M.

North bet Secs 16 & 17

Va 13° 50' E

40.00 Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor

80.00 Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 8, 9, 16 & 17.

Land Sand hills Soil 3d rate

Aug 11th 1874

Township 24 N Range 26 W 6th P.M.

Cabon random line bet secs 9 & 16

Va 13° 50' E

40.00 Raise mound for temporary qr sec cor

79.55 Intersect t r S line 43 lks S. of cor to secs 9, 10, 15 & 16 from which cor I run S. 89° 42' West on true line bet secs 9 & 16.

Va 13° 50' E

39.77½ Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor

79.55 Raiser to secs 8, 9, 16 & 17.

Land Sand hills Soil 3d rate

Township 24 N. Range 26 E.M.

North bet Secs 8 & 9

Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor.

80.00 Raise mound of earth 2 1/2 ft high from pit 18 x 24 x 12 in deep for cor to secs 4, 5, 8 & 9

Land Sandhills Soil 3d rate

Township 24 N. Range 26 E 6th P.M.

East on random line bet secs 4 & 9

Va 13° 50' E

40.00 Raise mound for temporary

79.84 Intersect N & S. line 46 lks S. of cor to secs 34, 9 & 10 from which cor I run

S 89° 40' East on true line bet secs 4 & 5

Va 13° 50' E

39.92 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor.

79.84 Cor to secs 4, 5, 8 & 9.

Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

North on true line bet secs 4 & 5.

Va 13° 50' E

4000 Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for grass cor

77.89

79.89 Intersect 6th Standard Parallel N. 6.40 chs West of cor to 34 & 35 where I

.725 N. R 24 W.

Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing cor to secs 4 & 5.

Land Sand hills Soil 3rd rate

Township 24 N. Range 26 W. 6th P.M.

North bet secs 31 & 32.

Va 13° 50' E

4000 Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for grass cor

8000 Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 29. 30. 31 & 32

Land Sand hills Soil 3rd rate

Township 24 N Range 26 W. 6th P.M.

East on random line bet
sees 29 & 32
Va 13° 51' E

40.00 Raise mound for temporary
gr sec cor

79.96 Intersect N & S line 18 lks
of cor to sees 28.29.32 & 33
from which cor I run
S 89° 52' West on true line
bet sees 29 & 32
Va 13° 51' E

39.98 Raise mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for gr sec
cor

79.96 Cor to sees 29, 30, 31 & 32
Land Sand hills soil 3d
rate

Township 24 N. Range 26 W. 6th P.M.

West on random line bet
sees 30 & 31
Va 13° 51' E

40.00 Raise mound for temporary
gr sec cor

77.96 Intersect W. boundary of
Township 25 lks S of cor
to sees 30 & 31 from
which cor I run
S 89° 51' East on true line
bet sees 30 & 31
Va 13° 51' E

37.96 Raise mound of earth 2½
ft high from pits 18 x 24 x 12
in deep for gr sec cor

77.96 Cor to sees 29, 30, 31 & 32
Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

North bet Secs 29 & 30
Va 13° 50' E

40.00 Raise mound 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor

80.00 Raise mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for cor to secs 19. 20. 29 & 30.

Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

Easton random line bet secs 20 & 29.
Va 13° ~~30~~ 50' E

40.00 Raise mound for temporary gr sec cor

79.61 Intersect Tr S. line 28 lks S of cor to secs 20. 21. 28 & 29 from which cor I run S 89° 48' West on true line bet secs 20 & 29.
Va 13° 50' E

39.80 1/2 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor

79.61 Cor to secs 19 20. 29 & 30.

Land Sand hills Soil 3d rate

Township 24 N Range 26 W. 6th P.M.

West on random line bet
secs 19 & 30
Va 13° 50' E

40.00 Raise mound for temporary
qr sec cor

7782 Intersect W. boundary of Town=
=ship 33 lks S. of cor to secs
19 & 30 from which cor
bears
S 89° 45' East on true line
bet secs 19 & 30
Va 13° 50' E

3782 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12
in deep for qr sec cor

7782 Cor to secs 19, 20, 29 & 30
Land Sand hills Soil 3d
rate

Township 24 N Range 26 W. 6th P.M.

North bet secs 19 & 20
Va 13° 50' E

40.00 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12
in deep for qr sec cor

80.00 Raise mound of earth 2½ ft
high from pits 18 x 24 x 12 in
deep for cor to secs 17, 18
19 & 20

Land Sand hills Soil 3d rate

East on random line bet
secs 17 & 20 ' E
Va 13° 50' E

40.00 Raise mound for temporary
qr sec cor

79.60 Intersect N & S line 43 lks S.
of cor to secs 16, 17, 20 & 21
from which cor bears
S. 89° 42' West on true line
bet secs 17 & 20
Va 13° 50' E

3980 Raise mound of 2½ ft
high from pits 18 x 24 x
12 in deep for qr sec cor

7960 Cor to secs 17, 18, 19 & 20.
Land Sand hills Soil 3d rate

West on random line bet
Secs 18 & 19.
Va 13° 50' E

40.00 Raise mound for temporary
qr sec cor.

77.65 Intersect W. boundary 46 lks
S. of cor to secs 17 & 18
from which cor bears
S 89° 40' E on true line
bet secs 18 & 19
Va 13° 50' E

3765 Raise mound of earth
2½ ft. high from pits
18 x 24 x 12 in deep for
qr sec cor

7765 Cor to secs 17, 18, 19 & 20
Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

North bet secs 17 & 18
Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cr

80.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 7.8.17 & 18

Land Sand hills Soil 3d rate

Aug 12th 1874

Township 24 N. Range 26 W. 6th P.M.

✓ East on random line bet secs 8 & 17
Va 13° 50' E

✓ 40.00 Raise mound for temporary gr sec cr

79.55 Intersect ~~N&S~~ line 55 lks S. of cor to secs 8.9.16 & 17, from which cor I run S 89° 36' West on true line bet secs 8 & 17,
Va 13° 50' E

39.77 1/2 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cr

79.55 Cor to secs 7.8.17 & 18, Land Sand hills Soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

West on random line bet secs 7 & 18.
Va 13° 50' E

40.00 Raise mound for temporary qr sec cor

77.41 Intersect W. boundary of Township 55 lks S. of cor to secs 7 & 18, from which cor I run S. 89° 36' East on true line bet secs 7 & 18.
Va 13° 50' E

37.41 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

77.41 Cor to secs 7, 8, 17 & 18.
Land sand hills soil 3d rate

Township 24 N. Range 26 W. 6th P.M.

North between Secs 7 & 8
Va 13° 50' E

40.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr sec cor

80.00 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to secs 5, 6, 7 & 8
Land sand hills soil 3d rate

Township No 24 N. Range 26 W. 6th P.M.

East on random line bet secs 5 & 8.
Va 13° 50' E

40.00 Raise mound for temporary gr sec cor

79.45 Intersect N & S line 42 lks S of cor to secs 4.5.8 & 9 from which cor I run S 89° 42' West on true line bet secs 5 & 8.
Va 13° 50' E

39 7/2 Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor

79.45 Cor to secs 3.6.7 & 8
Land sand hills Soil 3d rate

Township No 24 N. Range 26 W. 6th P.M.

West on random line bet secs 6 & 7
Va 13° 50' E

40.00 Raise mound for temporary gr sec cor

77.20 Intersect N. boundary of Township 38 lks S of cor to secs 6 & 7 from which cor I run S 89° 44' East on true line bet secs 6 & 7.
Va 13° 50' E

37.20 Raise mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for gr sec cor

77.20 Cor to secs 5.6.7 & 8.
Land sand hills Soil 3d rate

Township No 24 N Range No 26 W
6th P.M.

North on true line bet secs
5 & 6

Va 13° 50' E

4.00 Raise mound of earth 2½
ft high from pits 18 x 24
x 12 in deep for gr sec cor
7.60 Intersect 6th Standard Parallel
3.90 chains West of cor to
secs 32 & 33 of T 25 N R 26 W Where I s
Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in deep for
Closing cor to secs 5 & 6
Land Sand hills Soil 3d
Rate

Aug 13th 1874

General Description

This Township is composed of very broken sand hills -

No water in the Township

No Timber in or near this Township.

List of Names

A list of names of individuals employed to assist in running measuring or marking the lines & corners described in the foregoing field notes of Township No 24 N. of the Baseline of Range No 26 West 6th P.M. showing the respective capacities in which they acted

A M Forbes	Chainman
G L Slocum	Chainman
C Lehner	Axeman
Ed Forley	Axeman
J C Watson	Flagman

We hereby certify that we assisted James L. Slocum Deputy Surveyor in subdividing Township No. 24 North of the base line Range No 26 West of the 6th principal meridian and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

A. M. Forbes } Chainmen
G. L. Sloan }

W. Zehner } monumenter
Ed Clarke }
J. C. Watson } flagman

Subscribed and sworn to by the abovenamed parties before me a Notary Public in and for Richardson Co. Nebraska this 13th day of Sept 1897

James Cannon
Notary Public.

do solemnly swear that in pursuance of a joint contract wherein David V Stephenson and James L. Slocum are joint contractors with E E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 6th day of July 1874 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States. Surveyed all those parts or portions of Township No. 24 North of the Base line in Range 26 West of the 6th Principal Meridian as represented in the foregoing field Notes as having been surveyed under my direction and I do further solemnly swear that all of the corners of said survey of said surveys have been Established and perpetuated in strict accordance with the surveying manual printed instructions and special

General. of dimensions, character, construction and marking, and in the manner specifically described in the foregoing field notes and that the foregoing are the true and Original field notes of such Survey

James L Slocum

Subscribed & sworn to before me a Notary Public in & for Lincoln Co Neb this 14th day of Sept 1874

H M Goldsmith

Surveyor Generals Office

Plattsmouth Oct - 15th 1874

The foregoing field notes of the survey and subdivision of Township No 24 N. Base Line of Range No 26 West 6th Principal meridian in the state of Nebraska, Executed by James L Slocum under joint contract No 82 dated July 6th 1874 in the month of August 1874, having been critically examined, the necessary corrections & explanations made, the said field notes, and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

499

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.