General Land Office • Original Field Notes

Book Number

502

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of
The Survey & Subdivision
of
Township No 33 North
of
Range 26 West
of
Nebraska
Executed
By Fred M Dorrington Deputy
Surveyor under Joint Contract
&c. dated May 31st 1875

Survey
Commenced Aug 10th 1875
Completed " 15th " 1875

List of Names
A list of the Names of the
individuals employed
to assist in the Survey
of said Township
D. J Malby Chainman
Geo Nathaway "
Thos Skinner Marker

E. B. Sprague — Monument Man
W. C. Miller — Flagman

Town 33 Range 26 W.

Index Diagram



To determine the proper adjustment of my Compass for Subdividing Town 33 North of base line Range 26 West. I begin at the S.E. to Townships 33 North Ranges 25 & 26 West of the 6th Standard N. 11 m & mm North on a blank line along East boundary of Sec 26.

Va 13" 40' E

40.06 To place cor
80.00 To Cor to Sec 25 & 36.

To retrace this line or run Parallel thereto my Compass is in proper adjustment

T33N R4W Sec 26

North Cent Sec ¼ T35 T26
Var 13° 45' E

40.00 Set post 2x 3in x 4½ 4ft 5ft
deep deposited Stones
Lake raised Mound
3ft high from pits 18x
2 4x12 m for Sec Cor

80.00 Set post 3in x 3in x 4½ 4ft 5ft
deep deposited Stones
Lake raised Mound
3ft high from pits 18x
2 4x12 m for Corner of
25. 26. 35 T 36

Sandhills Estate

T33N R4W Sec 26 cont

East transom line Cent
Sec ¼ 25 T 26
Var 13° 45' E

41.00 Set Stone on prop'd Q Cor
80.06 Intersect East Boundary
14 chs South of Cor to
Sec ¼ 25 T 36 from
Which Cor Bears
S89° 57' West on this line
Cent Sec ¼ 25 T 36
Var 13° 45' E

40.03 Set post 2x 3in x 4½ 4ft 5ft
deep deposited Stones
Lake raised Mound
3ft high from pits 18x
2 4x12 m for Sec Cor
80.06 Corner of 25. 26. 35 T 36
Sandhills Estate

T33N Range 26 W

North Qtr Sec. 25 T26
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 4 ft
deep deposited Chmnd
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for pr Sec Cor

80.00 Set post 3 in x 3 in x 4
ft 4 ft deep deposited
Chmnd 2 Stake Raised
Mound 3 ft high
from pits 18 x 24 x 12
for Cor to Sec 23.24
25 T26
Sand hills 3 Pete

T35 N. Range 26 W

Eastn Standard line
Qtr Sec. 24 T26
Var 13° 40' E

40.00 Post for temporary Cr. Cor
80.17 Intersect East boundary
40.45 Post of Cor
Sec. 24 T25 from
which Cor Drmn
S 89° 43' West on true line
Qtr Sec. 24 T26
Var 13° 40 E

40.08 Set post 2 x 3 in x 4 ft 4 ft
deep deposited Chmnd
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for pr Sec Cor
80.17 Cor to Sec. 23. 24. 25 & 26
Sand hills 3° Pete

T 33 N Range 26 W

North bet Sec ⁹ 23 & 24
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
Mixed Mound 2 ft high
Iron pits 18 x 24 x 12 in
for Grave Cor

80.00 Set post 3 in x 2 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high Iron pits 18 x
24 x 12 in for Cor to Sec ⁹
13. 14. 23 & 24
Sand hills Beyond

T 33 N. Range 26 W

East on random line
bet Sec ⁹ 13 & 24
Var 13° 40' E

40.00 Post for temporary Pp Cor
80.11 Intersect East boundary
16 chs North of Cor to Sec ⁹
13 & 24 from which I saw
N 89° 53' West on true line
bet Sec ⁹ 13 & 24
Var 13° 40' E
40.05 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
Mixed Mound 2 ft
high Iron pits 18 x 24
12 in for Grave Cor
80.11 Cor to Sec ⁹ 13. 14. 23 & 24
Sand hills Beyond

T33N Range 26 W

North 1/4 Cor Sec 13 & 14
Var 13° 40' E

40.00 Set post 2x3 in x 4 ft 1 ft deep deposited charred & Mixed Mound 3 ft high pour pits 18 x 24 x 12 in for Qr Sec Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred & Mixed Mound 3 ft high pour pits 18 x 24 x 12 in for Cor to Secs 11, 12, 13 & 14

Sand hills 3 mi W

T33N Range 26 W

Easting random line
Set Sec 12 & 13
Var 13° 40' E

40.00 Post for temporary Qr Cor

80.34 Subtract East boundary
28 chs South of Cor to
Sec 12 & 13 from
which Cor bears
S 89° 48' W on true line

Set Sec 12 & 13
Var 13° 40' E

40.14 Set post 2x3 in x 4 ft 1 ft deep deposited charred & Mixed Mound 3 ft high pour pits 18 x 24 x 12 for Qr Sec Cor

80.34 Cor to Secs 11, 12, 13 & 14

Sand hills 3 mi W

T 33 N Range 26 W

North bet Sec" 11 & 12
Va 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charcoal
Stake raised Mound
2 ft high pour pits 18 x
24 x 12 in for Charcoal
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited Charcoal
Stake raised Mound
2 ft high pour pits 18 x
24 x 12 in for Carbonac"
1. 2. 11 & 12
Sand Hills Gr Nate

T 33 N Range 26 W

Eastn random line bet
Sec" 1 & 12
Va 13° 40' E

40.00 Post for temporary Pp Cor
80.22 Intersect East boundary
14 chs North of Cor to
Sec" 1 & 12 pour
which Cor bears
S 89° 57' West on true
line bet Sec" 1 & 12
Va 13° 40' E
40.11 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charcoal
Stake raised Mound
2 ft high pour pits 18 x
24 x 12 in for Pp Lc & Cr
80.22 Carbonac" 1. 2. 11 & 12
Sand Hills Gr Nate

T32N Range 26 W

Northwandom line
Set Sec. 1 & 2
Var 13° 40' E

40.00 Set for temporary P. Cor
46.00 Sandy Drain E.W.
80.76 Intersect North boundary
of the Wisby Co's
Sec. 1 & 2 from
which I drive
16 West on true line Set
Sec. 1 & 2
Var 13° 43' E
80.76 Set post 2 x 3in x 4ft 1ft
deep deposited Chd
Oak Raised Mound
2ft high from pits
18 x 24 x 12 in for Cor
80.76 Cor to Sec. 1. 2. 11 & 12
Sand hills & Flats
Aug 10th

T33N Range 26 W

North Set Sec. 35 &
Var 13° 40' E
40.00 Set post 2 x 3in x 4ft 1ft
deep deposited Chd
Oak Raised Mound
2ft high from pits 18 x 24
x 12in for Cor
43.00 Drain E.W.
47.00 Enter Sand Bluff S.E.
N.E.
69.00 Enter low lands West
72.00 Enter Bluff again N.E.
80.00 Set post 3in x 3in x 4ft
1ft deep deposited
Chd Oak Raised
Mound 3ft high from
pits 18 x 24 x 12 in for
Cor to Sec. 26 27. 34 & 35
Sand hills & Flats

T33 n Range 26 w.

Eastn random line Ent.
Sec^n. 26 & 35
Var 13° 40' E

31.50 n Leave Sand bluff N. & E.
Enter rolling Sand hills
40.00 Set post for temporary
Pr Sec Cor
55.00 Drain North
79.64 Inlet Creek N & S line 3 x
chs North of Cor to Sec^n.
25. 26. 35 & 36 from
which Drum
N 89° 46' West true line
Ent Sec^n. 26 & 35
Var 13° 40' E
39.82 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Stones
Take raised Mound
2 ft high from hills 18 x
2 in x 12 in for Pr Sec Cor
79.64 Cor to Sec^n. 26. 27. 34 & 35
Sand hills & Inlet

T33 n Range 26 w

North Ent Sec^n. 26 & 24
Var 13° 40' E

34.00 n Leave Sand bluff East
37.00 Drain N E
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Stones
Take raised Mound
2 ft high from hills
18 x 2 in x 12 in for Cor
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Stones Take raised
Mound 3 ft high from
hills 18 x 2 in x 12 in for
Cor to Sec^n. 22. 23. 26 &
27
Sand hills & Inlet

T33n R26e

Eastern random line
Set sec. 23 T26
Va 13° 40' E

21.00 Enter Valley North
29.00 Leave Dalles "
40.00 Set post for temporary Cor
79.68 Inter set L N & S line 12
Lks North of Cor to sec.
23. 24. 25 T26 from
which Cor a brn
N89°55' West on true line
Set sec. 23 T26
Va 13° 40' E
39.84 Set post 2x3 in x 4 ft 1 ft
deep deposited Stone
Take raised Mound
2 ft high from pits 18 x
2 ft x 12 in for Grace Cor
79.68 Cor to sec. 22. 23. 26 T27
Sand hills 3rd rate

T33n R26e

North Set Sec. 22 T23
Va 13° 40' E
40.00 Set post 2x3 in x 4 ft 1 ft
deep deposited Stone
Take raised Mound
2 ft high from pits 18 x
2 ft x 12 in for Grace Cor
80.00 Set post 3x3 in x 4 ft 1 ft
deep deposited Stone
Take raised Mound
2 ft high from pits 18 x 2 ft
x 12 in for Cor to sec.
14. 10. 22 T23.
Sand hills 3rd rate

T33N Range 26 W

East on random line to
Sec^s 14 & 23
Var 13° 40' E

20.00 Enter Valley & brush N & S.
40.00 Set post for Temporary Gp Cor
65.00 Leave Valley N. & S. Tr.
79.78 Intersect N & S line 8.46
North of Cor to Sec^s 13.
14. 23 & 24 Sec^s on which
Cor Drive
S 89° 57' West on true line
to set Sec^s 14 & 23
Var 13° 40' E
39.89 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits 6 x
24 x 12 in for Gp Sec Cor
79.78 Cor to Sec^s 14. 15. 22 & 23
Sand hills 3 rate
Valley Sandy 3 rate

T33N Range 26 W

North to set Sec^s 14 & 15
Var 13° 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Gp Sec Cor
72.00 Drive S. Tr.
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Charred Stake raised
Mound 2 ft high from
pits 18 x 24 x 12 in for
Cor to Sec^s 10. 11. 14
& 15
Sand hills 3 rate

T3Sn Range 26 W

East meanders line
Set Sec. 11 & 14
Var 13° 40' E

24.50 Eagle Valley N & S brush
40.00 Post for Temporary Pr Cor
55.00 Leave Valley N & S
79.83 Intersect N & S line 19
chs North of Corner
11.12.13 D 14 from
which Cor Bears
N 89° 52 West 79.80
line Set Sec. 14 & 14
Var 13° 40' E
39.91½ Set post 2 x 3 in x 4 ft 1 ft
deep deposited Stones
Stake & raised Mound
2 ft high from pits
15 x 24 x 12 in for
Pr 2 Cor
79.83 Set Corner 10. 11. 14 & 15
Sand Hills & Gate
Valley Sandy Gate

T3Sn Range 26

North Set Sec. 10 & 11
Var 13° 40' E

21.30 Drain C. W.
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Stones
Stake & raised Mound
2 ft high from pits 18 x
24 x 12 in for Pr 2 Cor
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Stones Stake & raised
Mound 2 ft high from
pits 18 x 24 x 12 in
for Corner Sec. 2. 3
10 & 11
Sand Hills Gate

T33n Range 26 W

Eastern random line
Set Sec^ns 2 & 11
Va 13° 40' E

40.00 Post for temporary pos
56.00 Drain S.W.
79.70 Intersect N & S line
9.45 North of Cor
Sec^ns 1. 2. 11 & 12 from
which Cor Drain
S89°56' West on true
line Set Sec^ns 2 & 11
Va 13° 40' E
39.85 Set post 2 x 3 in x 4 ft
1 ft deep deposited
Chorned Stake raised
Mound 2 ft high from
Pits 18 x 24 x 12 inch
pos Cor
79.70 Cor to sec^ns 2. 3. 10 & 11
Sand Hills Brass

T33n Range 26 W

North on random line
Set Sec^ns 2 & 3
Va 13° 40' E

40.00 Post for temporary pos
71.00 Enter land Land S.W. N.E.
79.61 Intersect North boundary
60 LKs East of Cor
Sec^ns 2 & 3 from which
2 Trees
S26' East on True line
Set Sec^ns 2 & 3
Va 13° 40' E
39.61 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorned
Stake raised Mound
2 ft high from Pits 18 x
24 x 12 in for pos Cor
79.61 Cor to sec^ns 2. 3. 10 & 11
Sand Hills Brass
Aug 11 1875

23

T 33 N Range 26

North bet Sec 9, 33 & 34
Val 3" 40 E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Chorred
Stake raised Mound
2 ft high pour pits 18 x
24 x 12 in for Grlc Cor
56.40 Drain N E
64.50 Drain E pour N.W.
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Chorred Stake raised
Mound 2 ft high pour
pits 18 x 24 x 12 in for
Cor to Sec 9, 27. 28.
33 & 34
Sand Hills Beach

24

T 33 N Range 26

Eastern random line bet
Sec 9, 27 & 34
Val 3" 40 E

22.00 Drain N E
23.50 Enter Valley
36.00 Leave Canoe & Drain N & W
40.00 Post for temporary Gp Cor
74.50 Enter Bluff Land N & S
80.29 Intersect N & S line at
Cor to Sec 9, 26 27. 34
& 35 pour which Cor
is Alive
Western True line bet Sec 9,
27. & 34.
Val 3" 40 E
40.14 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake raised Mound
2 ft high pour pits 18 x 24
x 12 in for Grlc Cor
80.29 Cor to Sec 9, 27. 28. 33 & 34
Sand hills Beach

From T33N Range 26

North Bet Secs 27 & 28
Var 13° 40' E

40.00 Set post 2 x 2 in x 4 ft 1 ft
deep deposited charcoal
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for gr
Lee Cor

80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
charcoal Stake raised
Mound 2 ft high from
pits 18 x 24 x 12 in for
Cor to Sec's 21. 22
27. & 28
Sand hills & Gate

T33N Range 26 W

Eastern random line Bet
Sec's 22 & 27
Var 13° 40' E

32.00 Enter Valley N 37 W 4 lks.
40.00 Post for temporary Cor
44.00 Leave Valley N & E
80.33 Intersect N & S line 36
Mo Sou & Cor to
Sec's 22 23. 26 & 27
from which Cor bears
S 89° 45' West 5 links
dist Sec's 22 & 27
Var 13° 40' E

40.16 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charcoal
Stake raised Mound
2 ft high from pits 18 x 24
x 12 in for gr Recess
80.33 Cor to Sec's 21. 22. 27 & 28
Sand hills & Gate

T32n Range 26 W

North Ft Cor Sec 21 & 22
Var 3° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Mound 2 ft high Pm pits 18 x 2 x 12 in for Qr. Sec Cor

45.00 Enter Valley of mid Drain West

51.50 Leave Drain

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred Stake Mound 3 ft high Pm pits 18 x 3 x 12 in for Cor Sec 15. 16. 21 & 22

Sand hills 3 rods

T32n Range 26 W

Eastern random line Set Sec 15 & 22
Var 13° 40' E

33.75 Enter Valley NW & South

40.00 Post for temporary Qr Cor

57.00 Leave Valley N.E. & W.

80.44 Intersect N & S line 16 chs West of Cor to Sec 14. 15. 22 & 23 from which 2 pits Dug 5 3 West on true line

Set Sec 15 & 22
Var 13° 40' E

40.72 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake Mound 2 ft Pm pits 18 x 3 x 12 for Qr Sec Cor

80.44 Cor to Sec 15. 16. 21 & 22

Sand hills 3 rods

T33n R4ue 26 W

North bet Sec 9, 15 & 16
Var 13° 40' E

40.00 Set post 2 x 3in x 4 ft 1 ft dup deposited
Chorned Stake raised Mound 3 ft high
Pine hills - 18 x 24 x 12 m for grlee cor

80.00 Set post 3in x 3in x 4 ft 1 ft deep deposited
Chorned Stake raised Mound 3 ft high
Pine hills - 18 x 24 x 12 m for Cor Sec 9, 10, 15 & 16
Sand hills Grate

T33n R4ue 26 W

Eastern random line
bet Sec 9, 10 & 15
Var 13° 40' E

40.00 Post for temporary Gp Cor
53.20 Drain South
8.16 Intersect North line 7 ch Cor of Cor Sec 9, 10 11.14 & 15 from which Cor Drain
Deg 0.57 Western true line
bet Sec 9, 10 & 15
Var 13° 40' E
40.08 Set post 2 x 3in x 4 ft 1 ft dup deposited Chorned Stake raised Mound 3 ft high Pine hills 18 x 24 x 12 m for Gr Cor
8.16 Cor Sec 9, 10, 15 & 16
Sand hills Grate

31

T 3 N Range 26

North bet Sec 9 & 10
Var 3° 40' E
30.40 Cedar Valley N E of Sec
40.00 Set post 2 x 3 in x 4 ft
1 ft deep deposited
Charred Stake Mound
Mound 2 ft high
Pom pits 18 x 24 x 12
in for Qr Sec Cor
58.00 Drain S. W.
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Charred Stake Mound
Mound 2 ft high
Pom pits 18 x 24 x 12
for Cor to Secs 9 & 10
3. 4. 9 & 10
Sand Sandy 3 rd gate

32

T 3 N Range 26.

Easton Sand on line bet
Sec 9 & 10
Var 3° 40' E
14.00 Drain South 1000 L. W.
40.00 Post for temporary Qr Cor
43.20 Enter Sand hills N. E.
of L. W.
80.03 Subsurface at N & S line
at Cor to Sec 2. 3.
10 & 11 from which
Cor Drain
Weston True line bet
Sec 9 & 10
Var 3° 40' E
40.01 Set post 2 x 3 in x 4 ft 4 ft
deep deposited Charred
Stake Faced Mound
2 ft high from pits
18 x 24 x 12 in for Qr Sec
Cor
80.03 Cor to Sec 3. 4. 9 & 10
Land Sandy 3 rd gate

33

T32n. Range 26

North on random line
Set Sec. 3 & 4
Var 13° 40' E

2 40.00 Post for temporary gr Cor
4 79.82 Set Stone North 50 links
5 53 Lks East of Cor to
7 Sec. 3 & 4 from which
Cor bears
S 23' East on true line
Set Sec. 3 & 4
Var 13° 40' E
39.82 Set post 2 x 3 in x 4 ft 1 ft
3 deep deposited Stones
Make raised Mound
2 ft high from pits
18 x 24 x 12 in for gr
Sec Cor
79.82 Cor to Sec. 3. 4. 9 & 10
1 Land Sandy 3 rods
June 12th

T32n. Range 26

North bet Sec. 3 2 & 33
Var 13° 40' E
24.55 Enter Sand hills N. 25 lks E.
40.00 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Stones
Make raised Mound
2 ft high from pits 18 x
24 x 12 in for gr Sec Cor
80.00 Set post 3 in x 2 in x 4 ft
1 ft deep deposited
Stones Make raised
Mound 3 ft high from
pits 18 x 24 x 12 in for
Cor to Sec. 28. 29
33. & 33
Sandhills 3 rods

T33N Range 26 W

Eastern range line bet
Sec 27 & 28 & 33 & 34
Val 3" 40' E

40.00 Post for Temporary Cor
50.20 Runs S & E 500 m East
79.78 Intersects N & S line 19 ch
South of Cor to Secs 27. 28. 33 & 34
from which
a pine
bears S 89° 52' West 7 links
bet Secs 28 & 33
Val 3" 40' E
39.89 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred
stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Grace cor
79.78 Cor to Secs 28. 29. 32 & 33
Sand hills 3rd rate

T33N Range 26 W

North bet Secs 28 & 29
Val 3" 40' E

26.45 Enter Valley N. E. of Lyr.
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in
for Grace cor
50.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited Charred
Stake raised Mound
3 ft high from pits 18 x 24
x 12 in for Cor to Secs
20. 21. 28 & 29
Sand hills 3rd rate
Valley Sandy 3rd rate

T33n R26w

		East on random line between Sec 21 & 28 Var 13° 40' E
2	17.70	Enter Sandhills NE. Valley
4	40.00	Post for Temporary Prior
5	79.88	Intersect N of line 57 chs South of Cor to Secs 21. 22. 27. & 28 from which I run S 89° 36' West on True line between Secs 21 & 28 Var 13° 40' E
3	39.94	Set post 2 x 3in x 4 ft 3 ft deep deposited Charred Mixed Mound 2 ft high from pits 18 x 24 x 12 in for grecer
1	79.88	Cor to Secs 20. 21. 28 & 29 Sandhills Temporary Valley Sandy Temporate

T33n R26w

		North on Sec line between Secs 20 & 21 Var 13° 40' E
	31.20	Down N. E.
	40.00	Set post 2 x 3in x 4 ft 3 ft deep deposited Charred Oak Raised Mound 2 ft high from pits 18 x 24 x 12 in for grecer
	80.00	Set post 3in x 3in x 4 ft 3 ft deep deposited Charred Oak Raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Secs 16. 17. 20 & 21 Valley Sandy Temporate

East in random line last
Sec's. 16 & 21
Var 13° 40' E

14.60 Drain N
39.28 Leave Valley N & S E
40.00 Set post for temporary gr.
79.90 Inter sect N & S line
23 chs North of Cor
to Sec's. 16. 21 & 22
from which Drain
N 89° 50' West on true line
last Sec's. 16 & 21
Var 13° 40' E
39.95 Set post 2 x 3 in x 4 ft in ft
deep deposited Stone
Stake raised Mound
2 ft high from pits
18 x 24 x 12 in for Gr
Acres
79.90 Cor to Sec's. 16. 17. 20 & 21
Valley Sandy 3rd rate
Sand hills 3rd rate

North last Sec's. 16 & 17
Var 13° 40' E

19.45 Drain N E
40.00 Set post 2 x 3 in x 4 ft in ft
deep deposited Stone
Stake raised Mound
3 ft high from pits 18 x 24
12 in for Gr Acres
44.60 Leave Valley N E & Sy.
80.00 Set post 3 in x 3 in x 4 ft in ft
deep deposited Stone
Stake raised Mound
3 ft high from pits 18 x 24
12 in for Cor to Sec's.
S. 9. 16 & 17
Valley Sandy 3rd rate
Sand hills 3rd rate

T33n R4w

East on random line at Sec^n. 9 & 16
Var 13° 40' E

22.00 Enter Valley N E of Sec
40.00 Post for temporary Gr Cor
49.00 Leave Valley enter sand hills N.E. of Sec.
79.82 Intersect N. & S. line of Sec^s No North of Cor to Sec^s 9, 10, 15 & 16 from which Cor of Sec^s bears N 89° 30' W. West on true line at Sec^n. 9 & 16
Var 13° 40' E
39.91 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Galvanized Mound 2 ft high from hits 18 x 24 x 12 in for Gr Sec Cor
79.82 Cor to Sec^s. S. 9, 16 & 17
Sand hills 3 on Sec
Valley 3 on Sec

T33n R4w

North at Sec^n. 8 & 9.
Var 13° 40' E

16.00 Enter rolling sand hills N. 70° E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred Galvanized Mound 2 ft high from hits 18 x 24 x 12 in for Gr Sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Charred Galvanized Mound 3 ft high 2 from hits 18 x 24 x 12 in for Cor to Sec^s 4, 5, 8 & 9
Sand hills 3 on Sec

T33N Range 26W

East on Standard line
Set Sec. H+9
Va 13° 40' E

40.00 Leave Sand hills enter Mid
Level Valley N+S+
here
Set post for temporary pt Cor
79.94 Intersect N+S line 7 chs
North of Cor to sec. 3. H
9+10 from which I run
N89°57' West on true line
Set Sec. H+9
Va 13° 40 E
39.97 Set post 2×3 in × 4 ft 8 ft deep
deposited Charred Stake
Raised Mound 2 ft high
from pits 18×24×12 in for
pt Cor
79.94 Cor to sec. H. 5. 8 + 9
Sand hills 3rd rate
Valley 3rd rate

T33N Range 26W

North on Standard line
Set Sec. H+5
Va 13° 40' E

40.00 Post for Temporary Pt Cor
46.65 Leave Sand hills enter
Level Land N+S line
0.28 Intersect North boundary
Rocks East of Cor to sec.
H+5 from which I run
S 9' East on true line Set
Sec. H+5
Va 13° 40' E
40.28 Set post 2×3 in × 4 ft 8 ft deep
deposited Charred
Stake Raised Mound
2 ft high from pits 18×
24×12 in for pt Cor
0.28 Cor to sec. H. 5. 8. + 9
Sand hills 3rd rate
Aug 13th

T33n Range 26 W

North Left Sec. 21 T 33
Var 13° 40.6

41.01 Left post 2 x 3in x 4ft 1ft
deep deposited Chor
Stake raised Mound
2ft high from pits
24 x 12 in for Grace Cor

80.00 Cor post 2 in x 3in x 4ft
1ft deep deposited
Chorred Stake raised
Mound 3ft high from
pits 18 x 24 x 12 in
for Cor to Sec.
29. 30. 21 T 32
Level County Track

T33n Range 26 W

Eastern random line Left
Sec. 29 T 32
Var 13° 40.6

31.00 Run NE

41.11 Post for temporary JP Cor

864.00 Leave level land enter
Sand hills N.E. & S.E.

50.14 Intersect N & S line 48
chs North of Cor to Sec.
28. 29. 32 & 33 from
which Cor a Pine
N 89° 30' East on true line

Left Sec. 29 T 32
Var 13° 40' E

40.07 Cor post 2 x 3in x 4ft 1ft
deep deposited Chorred
Stake raised Mound
2ft high from pits 18 x
24 x 12 in for Grace Cor

80.14 Cor to Sec. 29. 30. 21 T 32
Sand County Track

T 32 N Range 26 W

West Boundary line
Set Sec. Cors 31
Var 13° 40' E

38.00 Enter rolling sand hills N 40.00
E.W.

40.00 Post for temporary Qr Cor
80.42 Reset West boundary
at Cor Sec. 30 & 31
from which Bears
Eastern Line Set Sec.
30 & 31.
Var 13° 40' E

40.42 Set post 2 x 3 in x 4 ft 1 ft
deep deposited Charred
Stake Mound
2 ft high from pits 18 x
24 x 12 in for Qr Sec Cor
80.42 Cor to Sec. 29. 30. 31. & 32
Land Sandy Flat

T 32 N Range 26 W

North Set Sec. 29 & 30
Var 13° 40' E

22.50 Enter Valley N & S.
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
Mound 2 ft
high from pits 18 x 24 x 12
for Qr Sec Cor
80.00 Set post 3 in x 3 in x 4 ft
1 ft deep deposited
Charred Stake Mound
Mound 2 ft high from
pits 18 x 24 x 12 in for
Cor to Sec. 19. 20. 29 & 30
Sandy Rolling Flat

T33n Range 26w

Eastonvrandom line
bet Sec" 20 & 29
Var 13° 40' E

41.11 Post for Temporary Cor
42.35 Enter Valley N.E. to Lm.
63.21 Drain N E
80.25 Intersect N & S line
North of Cor to Sec" 20
21.28 & 29 from which
Drain
N89°55' Westontrue line
bet Sec" 20 & 29
Var 13° 40' E
No. 12 Set post 2 x 3in x 4ft 1ft
deep deposited Chorn
Take raised Mound
2ft high from pits 18 x
24 x 12 in for 9 trees
80.25 Cor to Sec" 19. 20. 29 & 30
Sand Sand hills Z mate
" Valley Z mate

T33n Range 26w

Westonrandom line bet
Sec" 19 & 30
Var 13° 40' E

41.11 Post for Temporary Cor
80.72 Intersect west boundary
24 chs North of Cor to
Sec" 19 & 30 from which
Cor Drain
N89°55' Eastontrue line
bet Sec" 19 & 30
Var 13° 40' E
No. 72 Set post 2 x 3in x 4ft 1ft
deep deposited Chond
Take raised Mound
2ft high from pits 18 x
24 x 12 in for 9 trees
80.72 Cor to Sec" 19. 20. 29 & 30
Sand Sand hills Z mate

Town 33n Range 26

North bet Sec ⁹ 19 & 20
Var 13° 40' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
mixed Mound 2 ft
high from pits 18 x 24 x 12
in for grave cor

80.00 Set post 2 in x 2 in x 4 ft 1 ft
deep deposited Charred
Stake mixed Mound
3 ft high from pits 18
24 x 12 in for Cor to Sec ⁹
17. 18. 19. & 20
Sand hills Z-Gate

33n Range 26 W

East on random line bet
Sec ⁹ 17 & 20
Var 13° 40' E

27.00 Enter Valley N. & S.
40.00 Set post for Temporary Cor
80.10 Intersect N & S line at Cor
to Sec ⁹ 16. 17. 20 & 21
from which Cor a Witness
West on true line bet Sec ⁹
17 & 20
Var 13° 40' E

40.05 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
mixed Mound 2 ft
high from pits 18 x 24 x 12
for grave Cor

80.10 Cor to Sec ⁹ 17, 18, 19 & 20
Sand hills Z-Gate

T32n Range 26 W

Westerly random line East
Sec.s 18 & 19
Var 13° 40' E

40.00 Set post for Temporary Gp Cor
80.56 Intersect West boundary
at Cor to Sec.s 18 & 19
from which a Wit
Eastern pine line bears
18 & 19
Var 13° 40 E
40.56 Set post 2 x 3 in x 4 ft 1 ft dee
deposited Charred
Stake raised Mound
2 ft high from pits 18 x
24 x 12 in for Gp Sec Cor
80.56 Cor to Sec.s 17, 18, 19 & 20
Sand hills 3 miles

T32n Range 26 W

North bet Sec.s 17 & 18
Var 13° 40' E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in
for Gp Sec Cor
80.00 Set post 3 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 3 ft high
from pits 18 x 24 x 12 in
for Cor to Sec.s 17, 18, 19 & 20
Sand hills 3 miles
Aug 14th 1875

T33n Range 26

East random line Set
Sec. 8 & 17
Var 13° 40' E

18.20 Enter Valley of Wide Draw
N.W.

36.00 Draw NW

40.00 Post for Temporary Pr Cor

80.04 Intersect N & S line 2
chs South of Cor to Sec
8. 9. 16. & 17. from which
2 Pines
Beg. Oak 6 in Dia
Bears N 89° 57' West true line
Set Sec. 8 & 17
Var 13° 40' E

40.02 Set post 2 x 3 in x 4 ft 1 ft
deep deposited stones
Stake raised Mound
2 ft high from hills 18 x
24 x 12 in for Pr Sec Cor

80.04 Cor to Sec. 7. 8. 17. & 18
Sand hills 3 rd rate
Valley Sandy 3rd rate

T33n Range 26

West random line Set
Sec. 7 & 18
Var 13° 40' E

40.00 Post for Temporary Pr Cor

81.02 Intersect west boundary
10 chs North of Cor to Sec
7. & 18. from which a Pine
N 89° 57' East true line
Set Sec. 7 & 18
Var 13° 40' E

41.02 Set post 2 x 3 in x 4 ft 1 ft
deep deposited stones
Stake raised Mound
2 ft high from hills 18 x
24 x 12 in for Pr Sec Cor

81.04 Cor to Sec. 7. 8. 17. & 18
Sand hills 3rd rate

57

T 33 n Range 26

North Bet Sec" 7 + 8
Val 3° 40' E

35.40 Enter drain N 77 W.

40.00 Set post 2 x 3 in x 4 ft 1 lb
deep deposited stone
Take raised Mound
2 ft high from pits 18 x 2 x 12 in for 9 pr sec cor

47.00 Bed of sand drain N 77 W

57.00 Leave Valley of sand "

86.00 Set post 3 in x 3 in x 4 ft 1 lb
deep deposited stone
Take raised Mound
3 ft high from pits
18 x 2 x 12 in for Cor to
Sec" 5. 6. 7 + 8
Sand hills 3 pr ate

58

T 33 n Range 26 W

East Meander line bet
Sec" 5 + 8
Val 3° 40' E

40.00 Post for temporary pr cor

79.93 Intersect N + S line 22
lks North of cor to
Sec" 4. 5. 8 + 9 - pour
which I run
N 89° 07' West on true line
bet Sec" 5 + 8
Val 3° 40' E.

39.96 Set post 2 x 3 in x 4 ft 1 lb
deep deposited stone
Take raised Mound
2 ft high from pits
18 x 2 x 12 in for
pr sec cor

74.93 Cor to Sec" 5. 6. 7 + 8
Sand hills 3 pr ate

T32n Range 26 W

West boundary line
between Secs. 6 & 7
Var 3° 40' E

17.00 Enter Valley of drain N&W
31.00 Bed of same N.W.
52.00 Leave drain Valley N.W.
81.09 Intersect West boundary
53 Lks North of corner
6 & 7. From which cor
Pine
N89°37' East on true line
between Secs. 6 & 7
Var 3° 40' E
81.09 Set post 2 x 3 in x 4 ft
deep deposited charred
Stake mixed Mound
2 ft high from pits 18 x
24 x 12 in for 1/4 Sec cor
87.09 Cor to Secs 5. 6. 7 & 8
Sand hills & grate

T33n Range 26 W

North boundary line
between Secs 5 & 6
Var 3° 40' E

40.00 Set post for temporary cor
80.66 Intersect North boundary
24 Lks East of Cor to
Secs 5 & 6. From which
Pine
Bears
S15° East on true line
between Secs 5 & 6
Var 3° 40' E
40.66 Set post 2 x 3 in x 4 ft
deep deposited charred
Stake mixed Mound
2 ft high from pits
18 x 24 x 12 in for
1/4 Sec cor
80.66 Cor to Secs 5. 6. 7 & 8
Sand hills & grate
Aug 15th 1876

General description

Town 32 N Range 26
West is Composed almo
entirely of sand hills
& flats in the Valleys
are found good gras
and underbrush
the Township will do
for Stock Grazing
unfit for agricultur

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Town 23 North Base line Range 26 West of 6th P.M. Nebraska D showing the respective Capacities in which they acted

B. L. Walker Chainman
George Calhaway "
Thos. R. Skinner Monumenter
E. K. Sprague "
W. C. Miller Flagman

List of Names

A list of the Names of the individuals employed to assist in Surveying & subdividing Town 2 ½ North of the line Range 26 West of the 6th P.M. in Nebraska T. showing the respective Capacities in which they acted

B. F. Walker	Chainman
George Hathaway	"
Thos. R. Skinner	Monumenter
E. K. Sprague	"
W. C. Miller	Flagman

We the undersigned do hereby certify that we assisted Fred M Dorrington deputy Surveyor in Surveying and Subdividing Township No 33 North of the Base Line in Range No 26 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge & belief well and faithfully surveyed and the Boundary Monuments all planted according to the instructions furnished by the Surveyor General of the dimensions & character & situation & Marking and in the manner as specifically described in the foregoing field Notes

B. S. Walker Chairman
G. W. Hathaway "
Thos N. Skinner "
C. H. Miller "
Royce Clerk

Signed in my presence

Sworn to by the above named persons before me the undersigned a Notary Public in & for Antelope Co Nebraska this 21st day of August 1875

John B Mossage
Notary Public

I Fred M Dorrington
deputy Surveyor do solem
ly Swear that in pursu
ance of a joint Contract wherein
Fred M Dorrington and Geo
W Fairfield are joint con=
tractors with E. E. Cunningham
United States Surveyor
General for Nebraska & Iowa
bearing date May 21st
1895. I have well faith=
fully & truly in my own
proper person and in strict
Conformity with the in=
structions furnished by
the Surveyor General the
Surveying Manual and
the laws of the United
States Surveyed all those
parts or portions of Township
No 3 North of base line of
Range No 26 West of 6th P. M.
in Nebraska as are rep=
resented on the foregoing
field Notes as having been

* true and original field notes of Track Survey

Surveyed under my direction
and I do further Solemnly Swear
that all the corners of such
Survey has been Established &
perpetuated in strict Confor=
mity to the instructions furnished
by the Surveying Manual and
Surveyor General and Special
instructions of dimensions. Character con=
struction & Marking and in the Manner as
Specifically described in the foregoing
field Notes and that the foregoing are the *

Fred M Dorrington
Deputy Surveyor

Signed in My presence and
Sworn to before me the un=
dersigned this 21st day of
August 1895.

John B Gossage
Notary Public in
& for Antelope Co
Nebraska

Surveyor Generals Office

Plattsmouth Neb Nov 26th 1875.

The foregoing field Notes of the Survey on Subdivision of Town-ship No 33 North of the base line of Range No 20 West 6th Principal Meridian in Nebraska Executed by Fred M. Dennington under joint contract No 91 dated May 31st 1875 in the Month of August 1875 having been critically examined the necessary corrections & explanations made the said field Notes & the Surveys they describe are hereby approved

Surveyor General

Field Notes
of
Survey and Subdivision
of
Township No 34. North
of
Range No 26 West 6th P.M.
in
Nebraska

Executed
By Leo W. Fairfield Deputy Surveyor
under Joint Contract 91. dated
May 31st 1875

Survey
Commenced July 30th 1875
Completed Aug 5th 1875

List of names
A list of the Names of Individuals
employed to assist in Surveying
said Township
Wm Keese Chainman
S.S. Dennison "
F.L. Sprague Monumenter
Jerry A Staffer "
J. E Worrell Flagman

Town 34 N Range 26 W

Index Diagram



To determine the proper adjustment of my Compass for subdividing Township 34 North of base line Range 26 West I begin at the Cor to Towns 33 & 34 North Ranges 25 & 26 West and run Norton & Hamblin line along East side of Sec 36 Va 13° 40' E

39.92 To point 2 lks East of grade Cor
39.88 To point 5 lks East of Corner "
25 & 26.

Therefore to retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 13° 42' East

Town 34 N. Range 26

North between Sec" 35 & 36
Var 13° 42' E

40.00 Set post 2 x 3in x 4 ft 1 ft dep
deposited Chored Stake
raised Mound 2 ft high
pon pits 18 x 3in x 12 in
for grace Cor

80.00 Set post 3in x 3in x 4 ft 1 ft
dep deposited Chored
Stake raised Mound
2 ft high pon pits 18 x 3in
x 12 in for Cor to Sec"
25. 26. 35 & 36.
Sand hills Gate

Town 34 N Range 26 W

Eastwardom line between Sec"
25 & 36
Var 13° 42' E

40.00 Post for temporary QS Cor
36.00 Enter high bottom to table
Land N.W. & S.E.

80.15 Intersect Eastboundary
8 LKs North of Cor to 2 Sec"
25 & 36. Gnarled Jack Cor
2 Runs
N 89° 57' West true line
between Sec" 25 & 36.
Var 13° 42' E

40.07 Set post 2 x 3in x 4 ft 1 ft
dep deposited Chored
Stake raised Mound
2 ft high pon pits 18 x
3in x 12 in for grace Cor

80.15 Cor to Sec" 25. 26. 35 & 36
Sand hills Gate
Table Land 2 gate

Town 34 N Range 26 W

	North bet Sec^s 25 & 26 Var 13° 42' E
18.60	Enter high bottom or table Land N.E. of Sec
40.00	Set post 2x 3in x 4ft 1ft dep deposited charred Stake raised Mound 2ft high from pits 18 x 2x 12 in for Cor to Sec^n 23. 24. 25 & 26
86.00	Set post 3in x 3in x 4ft 1ft dep deposited charred Stake raised Mound 2ft high from pits 18 x 2x 12 in for Cor to Sec^n Table Land 2 Mile Sandhills 3 Mile

Town 34 N Range 26 W

	Eastn'ly random line bet Sec^s 24 & 25 Var 13° 42' E
7.00	Gordon Trail to Black Hills W.W. & S.E.
38.70	Bottom timber W.W. & S.E.
40.00	Post for temporary Cor
46.60	Right bank of Niobrara River where I set Post for temporary Meander Corner.
52.60	Left bank of Niobrara River where I set post for temporary Meander Corner
63.00	as ascertained distance across by chaining Low Bottom enter high Land N.W. & S.E.
80.27	Intersect East boundary 66 chs South of Cor to Sec^n 24 & 25 from which Cor I run S 89° 32' West on true line bet Sec^s 24 & 25 Var 13° 42' E
27.67	Left bank of Niobrara River

Town 31 N Range 26 W

where I set post 2×3 in. ×4 ft 1 ft deep deposited charred stake mixed Mound from pit as per instructions for Meander Cor & pacific Cor. Sec. 24 & 25

33.67 Right bank of Niobrara River where I set post 2×3 in ×4 ft 1 ft deep deposited charred stake mixed Mound 2 ft high from pit as per instructions for Meander Cor. & pacific Cor. Sec. 24 & 25

40.00 Set post 2×3 in. ×4 ft 1 ft deep deposited charred stake mixed Mound 2 ft high from pits 18×3 in ×12 in for Sec Cor

80.27 Cor to Sec. 23. 24. 25 & 26 Land broken & rocky

Town 31 N. Range 26 W

North between Sec. 23 & 24 Var 3° 42' E

6.00 Gordon Trail N.W. & S.E.

26.00 beginning of second bottom oak timber

36.00 Bottom low & scattering timber

40.00 Set post 2×3 in ×4 ft 1 ft deep deposited charred stake mixed Mound 2 ft high from pits 18×3 in ×12 in for Sec Cor

44.00 Right bank of River where I set post 2×3 in ×4 ft 1 ft deep deposited charred stake mixed Mound 2 ft high from pit as per instructions for Meander Cor to pacific Sec. 23 & 24

52.00 Left bank of River where I set post 2×3 in ×4 ft 1 ft deep deposited charred stake mixed Mound from pit as per instructions for Meander Cor to pacific Sec. 23 & 24

distance across River ascertained by chaining

55.00 Low bottom enter hills N.W. & W.

67.00 Creek Valley N.W. & E

69.00 Creek Hills 80 rods to E

71.00 Enter R spur of bluffs N.W. timber

80.00 Set post 3 in × 3 in × 4 ft 1 ft deep deposited charred stake raised Mound 3 ft high from pits 18×3 in ×12 in for Cor to Sec. 13. 14. 23 & 24

Somewhat broken & rocky

Pine 7 in dia bears N 24° W 60 lks dist

" 5 " " N 71° E 172 " "

Town 3 N Range 26 W

East and on dividing line between Secs 13 & 24
Var 13° 42' E

8.70 Leave Bluff enter Valley N 0 S
11.00 Creek 8 chs wide S E
13.00 Leave Valley & timber N W & S E
enter Spur & timber
23.00 Leave Spur & timber enter
Creek bottom N 0 S
26.50 Creek 8 chs wide N 0 S
30.00 Leave Valley N E & S E
40.00 Post for temporary Pr Cor
80.65 Intersect East boundary
17 chs East of Cor to sec 24
13 Ms. from which
a Pine
S 89° 53' W Astronomic line bet
Secs 13 & 24
Var 13° 42' E
40.32 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in for
Pr Sec Cor
80.65 Cor to Secs 13. 14. 23 & 24
Land broken 3 sides

Town 3 N Range 26 W

North Ent Sec 13 & 14
Var 13° 42' E

17.40 Leave Spur of bluff enter Valley
& timber N W & S E
20.50 Creek S E
25.00 Enter high bluff & scattering
Pines
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in for
Pr Sec Cor
61.00 Wide Drain or Canon 5 chs
Wide S E
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited charred
Stake raised Mound
3 ft high from pits 18 x 24
x 12 in for Cor to Secs 11 12 13 & 14
Land broken 3 sides

Town 3 N Range 26 W

Eastern meander line Set
Sec. 12 & 13
Var 13° 42' E

4.50 Drain L E
21.00 Enter Valley of drain N & S
23.40 Bed of same water 6 lks wide S
26.70 Leave Valley timber S W & N E
40.00 Post for temporary Cor
54.00 Enter Valley of drain N W.
57.00 Bed of same S W
60.00 Leave same S W.
80.70 Intersect East boundary of 24 lks South of Cor to Sec. 12 & 13 from which Cor bears S 89° 58' West one link
Set temporary line Cor Sec. 12 & 13
Var 13° 42' E
40.35 Cor post 2 x 3 in x 4 ft. 1 ft deep deposited stones and stake mixed mound 3 ft high pos pits 18 x 24 x 12 in for Cor Sec
80.70 Cor to Sec. 11. 12. 13 & 14
Land broken Z W ly

Town 3 N Range 26 W

North bet Sec. 11 & 12
Var 13° 42' E

31.00 Drain S E.
40.00 Set post 2 x 3 in x 4 ft. 1 ft deep deposited stones and stake mixed mound 2 ft high pos pits 18 x 24 x 12 in for Cor
80.00 Set post 3 x 3 in x 4 ft 1 ft deep deposited stones and stake mixed mound 3 ft high pos pits 18 x 24 x 12 in for Cor to Sec. 11. 12 & 14
Land broken Z W ly

Town 3 N Range 26

Eastn random line bet Sec 1 & 12
Var 13° 42' E

33.00 Enter Valley of Drain N & S
35.00 bed of same N & S
37.30 Lean Valley N & S
40.00 Post for temporary Sp cor
61.20 Valley N. E. Lyr
62.50 Drain N. E. L. W.
68.00 Lean Valley N. E. Lyr.
80.11 Intersect East boundary of Cor to Sec 1 & 12
from which cor Iron
West n/true line bet Sec 1 & 12
Var 13° 42' E
40.05 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound 2 ft
high from pits 18 x 24 x 12
for grave cor
80.11 Cor to Sec 1. 2. 11 & 12
Land broken 3 rate

Town 3 N Range 26 W

North random line bet
Sec 1 & 12
Var 13° 42' E
40.00 Post for temporary Sp cor
80.35 Intersect North boundary
22 chs East of Cor to Sec 1 & 12. from which cor
Drain
Sp. Eastn true line bet
Sec 1 & 12
Var 13° 42' E
40.35 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 2 ft
high from pits 18 x 24 x 12
for grave cor
80.35 Cor to Sec 1. 2. 11 & 12
Land high divide 2 rate
July 20 10

Town 34 N Range 26 W

North Cor Sec. 1 34 T 35
Var 13° 42' E

40.00 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
raised Mound 2 ft
high pomits 18 x 24 x 12
for 1/4 Sec Cor

7.60 Enter high bottom stable
Land E T W

80.00 Set post 3 in x 3 in x 4 ft 1 ft
dep deposited Charred
Stake Mound Mound
3 ft high pomits 18 x 24 x
12 in for Cor to Sec. 26.
27. 34 T 35
Sand hills 3rd rate

Town 34 N Range 26 W

Eastern random line Set
Sec. 26 T 35
Var 13° 42' E

40.00 Post for temporary 1/4 Cor
52.00 Drain N 3° W.
59.00 Enter Sand hills N.E. Sec.
79.86 Intersect N & S line 20 Ch
North of Cor to Sec. 25. 26
35 T 36. from which Bears
S 89° 48' West a true line
Set Sec. 26 T 35
Var 13° 42' E
39.93 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
mixed Mound 2 ft
high pomits 18 x 24 x
12 in for 1/4 Sec Cor
79.86 Cor to Sec. 26. 27. 34 T 35
Land Table Land 2 rate
" Sand hills 3rd rate

Town 3 N. Range 26 W

North Cor Sec 11 26 & 27
Var 13° 42' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Chorned Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for Grace Cor

32.00 Drain 4 chs Wide E & W.

64.00 Gordon Trail to Black Hills S.E. & N.W.

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Chorned Stake raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Secs 22. 23. 26. & 27

Land Table Land 2 Vols

Town 3 N Range 26 W

Eastn transdem line Sec 11 23 & 26
Var 13° 42' E

32.00 Gordon trail N.E. & W.

40.00 Post for temporary Cor

42.00 Enter drain & timber N.E.

45.00 Drain " " " "

80.00 Intersect N & S line 4 chs South of Cor to Secs 11. 23. 26 & 26. from which Cor Bears S 89° 58' W Eston true line to Sec 11. 23 & 26
Var 13° 42' E

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Chorned Stake raised Mound 2 ft high from pits 18 x 24 x 12 in for Grace Cor

80.00 Cor to Secs 11. 22. 23. 26 & 27

Land Table Land 2 Vols

Town 3 N Range 26 W

North bet Sec 1, 22 & 23
Var 13° 42' E

21.00 Enter Valley E. & W.

26.00 Right bank of Niobrara River where
I set post 2 x 3 in x 4 ft 1 ft deep de-
posited charred Stake raised
Mound pour pits for Meander
Cor to part Sec 22 & 23.

33.10 Left bank of Niobrara River where I
set post 3 in x 3 in x 4 ft 1 ft deep
deposited charred Stake raised
Mound pour pits for Meander
Cor to part Sec 22 & 23.

distance across River ascertained by chaining

40.00 Set post 2 x 3 in x 4 ft 1 ft deep de-
posited charred Stake raised
Mound 2 ft high pour pits
18 x 24 x 12 in for Grace Cor

53.00 Leave Valley enter Bluffs N 87° E

80.00 Set post 3 in x 3 in x 4 ft 1 ft deep
deposited charred Stake raised
Mound 3 ft high pour pits
18 x 24 x 12 in for Cor to Secs
14. 15. 22 & 23
Land broken 3rd rate

Town 3 N. Range 26 W

Eastn'ly and on line bet
Sec 1, 14 & 23
Va 13° 42' E

40.00 Post for temporary Qr Sec Cor

64.00 Enter Valley of Creek S. E.

70.00 Creek 4 chs wide S. E.

73.00 Leave Valley enter Bluffs N 87° E.

79.88 Intersect N & S line of 2 chs
North of Cor to Secs 1, 13
14. 23 & 24 pine 20 inch
Cor Burnt

N 89° 38' West on true line bet
Sec 1, 14 & 23
Va 13° 42' E

39.94 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred Stake
raised Mound 2 ft high
pour pits 18 x 24 x 12 for
Grace Cor

79.88 Cor to Secs 1, 14, 15, 22 & 23
Land high 3rd rate scattering
Pines on Points

Town 34 N Range 26

North bet Sec 14 & 15
Var 13° 42' E

7.00 Enter Valley of Creek + timber N.E. & S.
11.00 Creek 12 lks wide E. & W.
22.00 Canon S.E. to Creek
31.00 Oak Tree 12 in diameter
37.00 Creek E.E.
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 1 ft high pits 18 x 24 x 12 in for Grade Cor from which
An oak 4 in diam bears S. 28° E 6 links dist
An " 5 " " " N. 17° E 104 "
43.50 Same Valley enter broken
53.00 Same Valley enter broken on both sides hills N.E. & W. timber on both sides
56.60 Canon East to Creek
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred stake raised Mound 1 ft high pits 18 x 24 x 12 in for Cor to Sec 10. 11. 14 & 15
Land very broken to Gate

Town 34 N Range 26 W

East on random line bet Sec 11 & 14
Var 13° 42' E

16.00 Drain S.E.
19.00 Enter Valley of Creek + timber S. & W.
23.00 Creek 10 lks wide S. & W.
34.00 Leave Valley S. & W. to E.
40.00 Post for temporary Grade Cor
80.17 Intersect N. & S. line 19 lks North of Cor to Sec 11. 12 13 & 14 from which Drain
N 89° 52 Westerly on line bet Sec 11 & 14
Var 13° 42' E
40.08 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake raised Mound 1 ft high pits 18 x 24 x 12 in for Grade Cor
80.17 Cor to Sec 10. 11. 14 & 15
Land broken to Gate

Town 3 N Range 26 W.

North Lat Sec. 10 & 11
Var 13° 42' E

38.30 Enter Valley of Pride Drain S.W.

40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Chorred Stake Raised Mound 2 ft high from pits 18 x 2 M x 12 M for grade Cor

55.00 Leave Valley N.E. S.W.

80.00 Set post 3 in x 3 in x 3 ft deposited Chorred Stake Raised Mound 2 ft high from pits 18 x M x 12 M for Cor to Sec P. 2. 3. 10 & 11

Land broken & Rocky

Town 3 N Range 26 W

East and West line Sec P. 2 & 11
Var 13° 42' E

6.00 Valley of drain N & S

9.50 Drain N & S

13.00 Leave Valley N & S

40.00 Pit for temporary Gp Cor

53.00 Enter Valley of Drain N.E. S.W.

56.00 Drain S.W.

60.20 Leave Valley N.E. & S.W.

80.13 Intersect N & S line 16 & 16 North of Cor to Sec P. 1. 2. 11 & 12
From which Bears
S 89° 53' West 80.00 line Set.
Sec P. 2 & 11
Var 13° 42' E

40.06 Set post 2 x 3 in x 4 ft 1 ft deep deposited Chorred Stake Raised Mound 2 ft high from pits 18 x M x 12 for Gp Sec Cor

80.13 Cor to Sec P. 2. 3. 10 & 11
Land Very rolling & rocky

Town 3 N Range 26 W

North on Magdon line Cor.
Sec. 2 & 3
Var 13° 42' E

40.00 Post for temporary Qr Cor
37.00 Drain S.W.
50.38 Inter sect North boundary
9 chs East of Cor to Secs 2
2 & 3 from which Cor
a Tree
S 39° East on true line Cor.
Sec. 2 & 3
Var 13° 42' E
40.58 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
Raised Mound 2 ft
high from pits 18 in
x 12 in for Qr Sec Cor
50.38 Cor to Secs 2. 3. 10 & 11
Land rolling 3rd rate
July 31st

Town 3 N. Range 26 W

North Cor Sec 2, 33 & 34
Var 13° 42' E

15.00 Leave Sand hills enter Table
Land N.E. & N.W.
40.00 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
Raised Mound 4 ft high
from pits 18 x 24 x 12 in for
Qr Sec Cor
50.00 Set post 3 in x 3 in x 4 ft 1 ft
dep deposited Charred
Stake Raised Mound
3 ft high from pits 18 x 24 x
12 in for Cor to Secs 27.
28. 33 & 34
Land Sand hills 3rd rate
" Table Land 2nd rate

Town 3 N Range 26 W

East on random line Set
Sec. 27 & 34
Var 13° 42' E

30.30 Enter Valley of Drain N.W. & W.
35.00 Drain N.W.
37.50 Leave Valley N.W.
40.00 Post for temporary Gp Cor
79.95 Intersect N & S line 15
chs north of Corner Sec.
26. 27. 34 & 35 from
which Cor Bears
N 89° 54' West on this line
Set Sec. 27 & 34
Var 13° 42' E
39.97 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
mixed Mound of Earth
2 ft high from pits 18 x 24
12 in for grave Cor
79.95 Corner Sec. 27. 28. 33 & 34
Land Table land 2 rate

Town 3 N. Range 26 W

North Set Sec. 27 & 28
Var 13° 42' E

40.00 Set post 2 x 3 in x 4 ft 1 ft dep
deposited Charred Stake
mixed Mound 2 ft high
from pits 18 x 24 x 12 in
for grave Cor
44.70 Bed of Creek N.W. Valley
or bottom 5 chs wide
73.00 Gordon Trail N.W. & E.
80.00 Set post 3 in x 3 in x 4 ft 1 ft dep
deposited Charred Stake
mixed Mound 2 ft high
from pits 18 x 24 x 12 in for
Cor Sec. 21. 22. 27 & 28.
Land Mostly table land
2 rate

Town 31 N Range 26 W

East and on line Sec. 22 & 27
Var 13° 42' E

16.20 Creek 20 lks wide N & W 6 ft high timber on Creek
27.20 Creek 8 lks Wide North timber
37.20 Enter Table Land
40.00 Post for temporary Qr Cor
61.00 Bank N.W. timber
79.92 Intersect N & S line 29 chs North of Cor to Sec 22.23 26 & 27. from which Bears N 89° 48' E Section Line
Set Sec. 22 & 27
Var 13° 42' E
39.96 Set post 2 x 3 in x 4 ft 1 ft deep deposited Stones & Sticks raised Mound 2 ft high from pits 18 x 24 x 12 for Qr Sec Cor
79.92 Cor to Sec 21. 22. 27 & 28
Land Table Land 2 Gate

Town 31 N. Range 26 W

North Set Sec. 21. & 22
Var 13° 42' E

7.00 Drain East timber
13.00 Top of high bluffs Covered with timber
15.50 Bottom Enter
23.80 to right bank of Niobrara River here
1 Set post 2 x 3 in x 4 ft 1 ft deep deposited Stones & Sticks raised Mound from pits as per instructions for Meander Cor to part Sec. 21 & 22
30.20 to left bank of Niobrara River here 1 Set post 2 x 3 in x 4 ft. 1 ft deep deposited Stones & Sticks raised Mound from pits as per instructions for Meander Cor to part Sec. 21 & 22
distance across River ascertained by chaining
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Stones & Sticks raised Mound 2 ft high from pits 18 x 24 x 12 in for Qr Sec Cor
44.00 Enter high bluffs & timber N.W.
58.00 Wide Drain or Canon S.E.
80.00 Set post 3 in x 2 in x 4 ft 1 ft deep deposited Stones & Sticks raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec. 15. 16. 21 & 22.
Land broken 3 Gate
Timber Pine Oak & Cedar

Town 34 N Range 26 W

Eastwardly on line bet Sec 15 & 22 Val 13° 42' E

16.00 Enter Valley N & S timber
24.00 Creek 5 W. 10 lks wide
27.00 Leave Valley N.E. & S.W. enter high bluffs scattering Pines
40.00 Post for temporary Qr Cor
66.00 Enter Valley N.E. & S.W.
71.00 Creek 10 lks wide S.W. timber
77.00 Leave Valley N.E. & S.W.
80.41 Intersect N & S line 17 chs South of Cor Sec 14.15.22 & 23 from which I run S 89° 53' West on true line bet Sec 15 & 22 Val 13° 42' E
40.20 Set post 2 x 3 in x 4 ft. 1 ft deep depositted Chorred Stake raised Mound 2 ft high from pits 18 x 3 x 12 in for Qr. Sec Cor
80.41 Cor to Secs 15. 16. 21 & 22
Land broken & rocky
Timber Pine oak & Cedar

Town 34 N Range 26 W

North bet Secs 15 & 16 Val 13° 42' E

4.00 Cañon & timber East
11.00 Cañon " "
24.00 Cañon " "
29.50 Cañon " "
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Chorred Stake raised Mound 2 ft high from pits 18 x 3 x 12 in for Sec Cor from which A pine 5 in dia bears E. 117 lks dist " " 7 " " " N 18° W 92 " "
41.00 Drain S.W.
43.50 High & Spur of bluffs S.W.
56.50 Drain S.W.
62.00 Enter timber Pine S.W. & N.W.
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Chorred Stake raised Mound 2 ft high from pits 18 x 3 x 12 in for Cor to Secs 9. 10. 15 & 16 from which A pine 11 in dia bears N 41° W 38 lks dist " " 9 " " " N 27° E 120 " "
Land broken & rocky
Timber Pine

Town 34 N Range 26 W

East on random line bet Secs 10 & 15
Var 13° 42' E

10.60 Drain S. soon S.W.
40.00 Post for temporary gr Cor
42.00 Enter Creek bottom S.
45.60 Creek S
47.00 Leave bottom N.E. Sm. enter high land. Scattering Pine trees
80.34 Intersect N.S. line 32 chs North of Cor Secs 10. 11. 14 & 15 from which Drain
N 89° 46' West on true line bet Secs 10 & 15
Var 13° 42' E
40.17 Set post 2 x 3 in x 4 ft 1 ft deep deposited charred Stake mixed Mound 3 ft high from pits 18 x 24 x 12 in for gr Quarter
80.34 Cor Secs 9. 10. 15 & 16
Land broken & rate

Town 34 N. Range 26 W

North bet Secs 9 & 16
Var 13° 42' E

8.00 Drain West
14.00 Leave timber West
33.00 Drain timber S.W.
40.00 Post 2 x 3 in x 4 ft 1 ft deep deposited Charred Stake mixed Mound 3 ft high from pits 18 x 24 x 12 in for gr Quarter Cor
52.00 Drain S.W.
67.40 Drain West
73.00 Drain West soon S.W.
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited charred Stake mixed Mound 3 ft high from pits 18 x 24 x 12 in for Cor Secs 3. 4. 9 & 10
Land broken & rate

From 34 N. Range 26

East on random line Set
Dec° 3 & 10
Var 13° 42' E

31.00 Enter Valley N & S
33.20 Drain S.W.
39.00 Leave Valley N.E. & S.W. enter
high land
40.00 Post for temporary qr Cor
80.00 Intersect N & S line 49 ch
South of Cor to Sec°. 2. 3. 10 & 11
from which Drain
58 ft. 29. West on true line
Set Sec° 3 & 10
Var 13° 42' E
40.00 Set post 2 x 3 in x 4 ft. 1 ft deep
deposited charred Stake
Mound 2 ft high
from pits 18 x 24 x 12 inf
qr sec Cor
80.00 Cor to sec°. 3. 34. 9 & 10
Land rolling 3rd rate

From 34 N. Range 26 W

North on random line Set
Dec°. 2 & 4
Var 13° 42' E

21.20 Drain S.W.
40.00 Post for temporary qr Cor
81.00 Intersect North boundary
78 chs East of Cor to Sec°
3 & 4. from which Cor
Drain
S 33' East on true line Set
Sec°. 3 & 4
Var 13° 42' E
41.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited charred stake
Mixed Mound 2 ft
high from pits 18 x 24 x 12
in for qr sec Cor
81.00 Cor to sec°. 2. 34. 9 & 10
Land high table land
2nd rate
Aug 1st

Town 3 N. Range 26 W

North bet Sec 32 & 33
Var 13° 42' E

40.00 Set post 2 x 3 in x 4 ft 4 ft deep
deposited Chained 40 ft
Mixed Mound 2 ft high
Pine pits 18 x 24 x 12 in
for gr Sec Cor

64.00 Enter Sand hills enter Table
Land S E & North

80.00 Set post 3 in x 3 in x 4 ft 4 ft
deep deposited Chained
Lake mixed Mound
2 ft high Pine pits 18 x
24 x 12 in for Corner
Sec 28. 29. 32 & 33
Land Sand hills & Table

Town 3 N. Range 26 W

Eastman random line Bet.
Sec 28 & 33
Var 13° 42' E

40.00 Post for temporary qr cor
80.20 Intersect N & S line 28
1.80 South of corner
27. 28. 33 & 34 from which
Cor bears
S 89° 48' West true line
bet Sec 28 & 33
Var 13° 42' E

40.10 Set post 2 x 2 in x 4 ft 4 ft deep
deposited Chained Stake
mixed Mound 2 ft high
Pine pits 18 x 24 x 12 in
for qr sec cor

80.20 Corner Sec 28. 29. 32 & 33
Table Land 2 rate

Town 3 N Range 26 W

North bet Sec 28 & 29
Var 13° 42' E

15.50 Enter Valley of wide Drain N.E. of Lwr.
21.00 Drain N.E.
24.00 Lewis Valley N.E. of Lwr.
40.00 Set post 2 x 3in x 4 ft 1 ft deep, deposited Chorred & raised Mound 2 ft high from pits 18 x 24 x 12 for yr Cor
71.25 Gordon trail S.W. & N.E.
80.00 Set post 3in x 3in x 4 ft 1 ft deep deposited Chorred & raised Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec 21. 21. 28 & 29
Land Table Land 2 rate

Town 3 N. Range 26 W

Eastn'g random line bet Sec 21 & 28
Var 13° 42' E

16.60 Gordon Trail N.E. & S.W.
38.00 Valley of Creek N & S
40.00 Set post for temporary yr Cor
47.40 Creek 4 links wide North
49.50 Lewis Valley N W & S
80.32 Intersect N & S line 11 chs North of Cor to Sec 21. 22 27 & 28 from which I run N 89° 53' West on true line bet Sec 21 & 28
Var 13° 42' E
41.16 Set post 2 x 3in x 4 ft 1 ft deep deposited Chorred & raised Mound 2 ft high from pits 18 x 24 x 12 in for yr Cor
80.32 Cor to Sec 21. 21. 28 & 29
Land Rolling 2 rate

Tow 3 N Range 26 W

North bet Sec" 20 & 21
Va 13° 42' E

1	11.00	Canon N E filled with oak timber and Stream 15 lks wide in bed
2	13.50	Enter bottom, E. & W.
2	40.00	Set post 2 x 3 in x 4 ft 1 ft deep deposited chorned Stake Mound 2 ft high from pits 18 x 3 in x 12 in for gr Cor
	47.00	Cross Creek 25 x 25
1	49.10	Right bank of Niobrara River whence set post 2 x 3 in x 4 ft 1 ft deep deposited Chorned Stake mixed Mound 2 ft high from pits for Meander Cor 5 feet Sec" 20 & 21. Riverbank 10 ft high
	55.21	Left bank of Niobrara River whence set post 2 x 3 in x 4 ft 1 ft deep deposited chorned Stake mixed Mound 2 ft high for Meander Cor 5 feet Sec" 20 & 21
	66.00	Stream distant 4 links wide 2 E & timber
	80.00	Set post 3 in x 3 in x 4 ft 1 ft deep deposited chorned Stake mixed Mound 2 ft high from pits 18 x 3 in x 12 in for Cor Sec" 16. 17. 20 & 21
		Land broken & rocky

Tow 3 N Range 26 W

Eastn boundary line Sec" 16 & 21
Va 13° 42' E

	7.60	Stream 12 lks wide South
	21.00	Leave Valley enter high bluffs North & S.
	32.00	Enter Valley of Drain N.E. & S.W.
	35.00	Drain S.W.
	40.00	Set post for temporary Gr Cor
	43.00	Leave Valley N.E. & S.W. enter high bluffs
	58.40	Table land N.W. & E.
	72.00	Drain South 100 E.
	80.44	Intersect N & S line 77 lks North of Cor & Sec" 15. 16. 21 & 22 from which Cor Bears N 89° 27' West on true line bet Sec" 16 & 21 Va 13° 42' E
	40.22	Set post 2 x 3 in x 4 ft 1 ft deep deposited chorned Stake mixed Mound 2 ft high from pits 18 x 3 in x 12 in for Gr Sec Cor
	80.44	Cor to Sec" 16. 17. 20 & 21 Land broken & rocky

Tonn 3 N R Range 26 W

	North bet Sec 16 & 17
	Var 3° 40' E
2.20	Enter Spur of bluff E. of N.
12.00	Cañon East
17.00	Cañon East
23.00	Cañon East timber West
	along then Cañon
40.00	Set post 2 x 3 in x 4 ft 1 ft deep
	deposited Chorned Stake
	Mound 2 ft high
	pom pits 18 x 24 x 12 in for
	Trees
52.00	Cañon East
66.00	Cañon East
69.00	Drain E.
80.00	Set post 3 in x 3 in x 4 ft 1 ft deep
	deposited Chorned Stake
	Raised Mound 2 ft high
	pom pits 18 x 24 x 12 in for
	Cor to Sec 8, 9, 16 & 17 pom
	which
	Aspen 12 in dia bears S. 15½° E 80 lks
	Aspen 4 " " " N 71° W 42 " "
	Timber along this entire line
	Land broken & rocky

Tonn 3 N. Range 26 W

	Eastern random line
	bet Sec 9 & 16
	Var 3° 42' E
20.00	Leave high land & timber N. & S.
	Enter Valley with timber N. & S.
24.00	Stream 12 lks wide South
40.00	Post for temporary Cor
43.00	Drain S. W.
51.00	Leave Valley enter high land
	& Scattering Pines N. E. & W.
80.63	Intersect N. & S. line 23 lks West
	of Cor to Sec 4, 9, 10, 15 & 16.
	from which Cor bears
	N 89° 30 W estimated line bet.
	Sec 9 & 16
	Var 3° 42' E.
40.31	Set post 2 x 3 in x 4 ft 1 ft deep
	deposited Chorned Stake & mound
	Mound 2 ft high pom pits
	18 x 24 x 12 in for Trees
	from which
	An oak 7 in dia bears N. 19½° W 24 lks dist
	S 62° E. 108 lks dist
80.63	" Cor to Sec 4, 5, 9, 16 & 17
	Land Broken & Rocky

Town 3 N. Range 26 W

North 1/4 Cor Sec 9
Var 13° 42' E

5.20 Drain West Timber
9.50 Drain West "
27.00 Leave Timber & Low land Cut
high to Table Land W.W.
40.00 Set post 2x3 in x 4 ft 1 ft dep
deposited Chorred Mark
Raised Mound 2 ft
high Iron pipe 18 x 24 x 1/2
for 1/4 Sec Cor
41.40 Enter Valley of Drain S.E.
44.20 Drain S.E
51.00 Leave Valley S.E.
80.00 Set post 3 in x 3 in x 4 ft 1 ft
dep deposited Chorred
Stake Raised Mound 3
ft high Iron pipe 18 x 24 x 1/2
in for Cor to Sec 9 & 4 S. 8 & 9
Land Broken Bx Gate

Town 3 N. Range 26 W

East & random line Cut
Sec 9
Var 13° 42' E

40.00 Set for temporary 1/4 Cor
64.15 Enter Drain South
70.70 Leave Same South
80.09 Intersect N & S line 18 chs
North of Cor to Sec 3. 4. 9 & 10
Upon which Drain
N 89° 52' West True line Cut
Sec 9
Var 13° 42' E
40.04 Set post 2x3 in x 4 ft 1 ft dep
deposited Chorred Stake
Raised Mound 2 ft
high Iron pipe 18 x 24 x 1/2
in for 1/4 Sec Cor
80.09 Cor to Sec 4. 5. 8 & 9
Land Table Land Gate

Tow 34 N Range 26 W

North on random line
Set Sec^r. 4 & 5
Var 13° 42' E

40.00 Set post for temporary Cor
81.20 Intersect North boundary
38 chs East of Cor to Sec^s.
4 & 5 from which I run
S 16° East on true line Set.
Sec^r. 4 & 5.
Var 13° 42. E
41.20 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
Raised Mound 3 ft
high from pits 18 x 24
12 in for Pr Sec Cor
81.20 Cor to Sec^s. 4. 5. 8 & 9
Town Table Land 3 rate
Aug 24 "

Tow 34 N. Range 26 W

North 1/4 Sec^r. 32. T 33
Var 13° 42 E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 3 ft high
from pits 18 x 24 x 12
in for Pr Sec Cor
52.00 Leave Sand hills N. W. N. E.
enter Table Land
80.00 Set post 3 in x 3 1/2 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 3 ft high
from pits 18 x 24 x 12 in for
Cor to Sec^s 29. 30. 31 & 32
Land Sand hills 3rd rate
" Table Land 2 rate

Tonn 34 N. Range 26 W

Eastn random line Ext.
Sec^n. 29 & 32
Var 13° 42' E

40.00 Post for temporary gr cor
80.10 Intersect N & S line at cor
to Sec^s. 28. 29. 32 & 33 from
which cor a pine
Westn true line bet Sec^s
29 & 32.
Var 13° 42' E
40.00 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Chorred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in for
gr Sec Cor
80.10 Cor to Sec^s. 29. 30. 31. & 32
Table land 2^d rate

Tonn 34 N Range 26 W

Westn random line bet
Sec^s. 30 & 31.
Var 13° 42' E

27.00 Drain N 800 N.E.
40.00 Post for temporary gr cor
55.00 Enter Sand hills N.W. & S.E.
81.15 Intersect West boundary
at Cor to Sec^s. 30 & 31. from
which cor. a pine E. & pine tree bet. Sec^s
30 & 31
Var 13° 42' E
41.15 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Chorred Stake
raised Mound 2 ft high
from pits 18 x 24 x 12 in
for gr Sec Cor
81.15 Cor to Sec^s. 29. 30. 31. & 32
Land Table land 2^d rate
" Sand hills 3^d rate

Town 3 N. Range 26 W

North bet Sec" 29 & 30
Var 13° 42' E

28.10 Enter Valley N E & S W
32.00 Drain N E.
33.50 Leave Valley N E & S W.
40.00 Set post 2 x 2 in x 4 ft 1 ft
deep deposited Chorred
Stake mixed Mound
3 ft high pom pits 18 x 24
12 in for Qr Sec Cor
67.00 Gordon trail E & W
80.00 Set post 3 in x 3 in x 4 ft 1 ft
deep deposited Chorred
Stake mixed Mound
3 ft high pom pits 18 x 24
x 12 in for Cor to Sec" 19.
20, 29 & 30
Land Table land 2° rate

Town 3 N. Range 26 W

Eastn'ly random line bet
Sec" 20 & 29
Var 13° 42' E

37.00 Enter Valley N E & S W
39.00 Drain N E
40.00 Post for temporary Qr Cor
46.20 Leave Valley N. E. & S W.
80.05 Enter rock N & S line 39 ch
North of Cor to Sec" 20, 21
28 & 29 from which I run
N 89° 43' West on true line
bet Sec" 20 & 29
Var 13° 42' E.
80.02 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Chorred Stake
mixed Mound 2 ft high
pom pits 18 x 24 x 12 in for
Qr Sec Cor
80.03 Cor to Sec" 19. 20, 29 & 30
Table land 2° rate

51

Tow 3 N. Range 26 W

Weston Meridian line
Set Sec. 19 & 30
Var 13° 42' E

17.00 Gordon trail N.W. & S.E.
28.00 Enter Valley N.E. & S.W.
31.00 Drain N.E.
32.50 Leave Valley N.E. & S.W.
40.00 Post for temporary Gr Cor
80.61 Intersect West boundary
33 chs North of Cor to Sec. 19 & 30 from which Bears N 89° 46' East on true line
Set Sec. 19 & 30
Var 13° 42' E
40.61 Set post 2 x 3 in x 4 ft 1 ft deep deposited Stone mixed Mound 2 ft high from pits 18 x 24 x 12 in for Gr Sec Cor
80.61 Cor to Sec. 19, 20, 29 & 30
Table land 2 & 3 rate

52

Tow 3 N Range 26 W

North East Sec. 19 & 20
Var 13° 42' E

24.40 Enter bottom, E. & W.
30.00 Right bank of Niobrara River
Where I Set post 2 x 3 in x 4 ft
1 ft deep deposited stone mixed Mound 2 ft high from pits for Meander Cor by chain
Sec. 19 & 20
38.30 Left bank of Niobrara River where I set Post 2 x 3 in x 4 ft 1 ft deep deposited Stone mixed Mound 2 ft high for Meander Cor by chain
Sec. 19 & 20
* 61.00 Drain S.E. distance across River ascertained by Chaining
66.00 Spur of bluff North Scattering timber
*40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Stone mixed Mound 2 ft high from Pits 18 x 24 x 12 in for Gr Sec Cor
80.00 Set post 3 in x 3 in x 4 ft 1 ft deep deposited Stone mixed Mound 3 ft high from pits 18 x 24 x 12 in for Cor to Sec. 17, 18, 19 & 20
Land broken 3 & 4 rate

Town 34 N Range 26 W

East meander line Set
Sec.s 17 & 20
Var 13° 42' E

18.80 Leave bluffs & timber enter Valley N.E. & Sw
26.00 Drain S.W.
32.00 Leave Valley enter high land & scattering pines
40.00 Post for temporary Gr Cor
79.70 Enter Valley N & S
80.20 Intersect N & S line 16 chs North of Cor to Sec.s 16, 17, 20 & 21 from which Cor I run N 89° 53' West on true line bet Sec.s 17 & 20
Var 13° 42' E
40.10 Set post 2 x 3 in x 4 ft 1 ft deep deposited stones mixed Mound 2 ft high from which I take 18 x 24 x 12 in for Grave Cor
80.20 Cor to Sec.s 17, 18, 19 & 20 Land broken 3 rocks

Town 34 N Range 26 W

West meander line bet
Sec.s 18 & 19
Var 13° 42' E

11.80 Leave Spur of bluff enter Valley NW & SE
19.00 Drain S.E.
22.40 Leave Valley N.W. & S.E. Enter Bluff
40.00 Post for temporary Gr Cor
80.50 Intersect west Boundary of Sec 18 & 19 from which I run S 89° 21' East on true line bet Sec.s 18 & 19
Var 13° 42' E
40.50 Set post 2 x 3 in x 4 ft 1 ft deep deposited stones mixed Mound 2 ft high from which I take 18 x 24 x 12 in for Grave Cor
80.50 Cor to Sec.s 17, 18, 19 & 20 Land broken 3 rocks

Town 3 N. Range 26 W

North & East Sec. 17 & 18
Var 13° 42' E

29.00 Canon West from S.W.
40.00 Set post 2 x 3 in x 4 ft 1 ft dug
deposited Stones Stake
Mixed Mound 2 ft high
Pour pits 18 x 24 x 12 in for
Grass Cor
43.00 Canon West from NW
51.00 Canon West
63.40 Dep Drain timber West
2° South.
71.00 Enter Valley or table land N E
& W.
80.00 Set post 3 in x 3 in x 4 ft 1 ft dug
deposited Stones Stake
Mixed Mound 3 ft high
Pour pits 18 x 24 x 12 in
For Cor Sec. 7, 8. 17 & 18
From which
A Pine 6 in diam bears S 42° W 8 links dist
A Pine 5 " " " S 28½° E 136 " "
A Pine 9 " " " N 81° W 231 " "
Land low Ken 3 rods
Timber to all Courses along
Line

Town 3 N Range 26 W

East and West line Set
Sec. 8 & 17
Var 13° 42' E

15.00 Leave timber N. 5.
26.20 Drain S from N.E
29.50 Drain Short South
40.00 Post for temporary gr cor
66.40 Drain N E
72.00 Drain N W from S.W.
80.17 Intersect N & S line 10
Lks West of Cor Sec. 8
9, 16 & 17 from which Bears
N 89° 86' West true line Set
Sec. 8 & 17
Var 13° 42' E
80.08 Set post 2 x 3 in x 4 ft 1 ft dug
deposited Stones Stake
Mixed Mound 2 ft high
Pour pits 18 x 24 x 12 in
for Cor Sec. 7, 8. 17 & 18
80.17 Cor Sec. 7, 8. 17 & 18
Land high & broken 3 rods

Tow 3 N. Range 26 W

Weston random line Ent
Sec 7 T 18
Var 13° 42' E

7.00 Drain S.W.
16.70 Leave Valley NE & S.W. timber
19.20 Drain S.E.
37.50 Enter Valley NW & SE
40.00 Post for temporary Qr Cor
42.00 Drain S.E.
57.55 Leave Valley N.W. & S.E.
enter Bluffs & scattering
Pines
80.56 Intersect West boundary Section
South of Cor to Sec 7 T 18
from which I have
S 89° W Easton pine line
Ent Sec 7 T 18
Var 13° 42' E
40.56 Set post 2 x 3 in x 4 ft 1 ft deep
deposited Charred Stake
raised Mound 2 ft
high pine hills 18 x W x 12 in
for quarter
80.56 Cor to Sec 7. 8. 17 & 18
Land broken 3 rate

Tow 3 N. Range 26 W

North Ent Sec 7 T 8
Var 13° 42' E

5.40 Drain S.W. & timber
14.65 Drain S.W. " "
21.00 Leave Valley NE & S.W.
40.00 Set post 2 x 3 in x 4 ft 1 ft deep deposited Charred
Stake raised Mound
2 ft high pine hills 18 x
W x 12 in for Cor to Sec 7
54.00 Drain SE down SW
80.00 Set post 2 in x 3 in x 4 ft 1 ft
deep deposited Charred
Stake raised Mound
2 ft high pine hills 18 x
W x 12 in for Cor to Sec 7
5. 6. 7 & 8
Feble Land 2 rate

Tow 34 N Range 26 W

East'n random line Set
Dec" 5 & 8
Var 13° 42' E

30.20 Drain S E
40.00 Post for Temporary Gp Cor
57.85 Drain S E
59.00 Enter high land or bluff
N. & S. E.
79.93 Intersect N & S line 21
Lks North of Set Sec°
N. 25. 8 & 9 from which
Drain
N 89° 5' West on true line
Set Sec" 5 & 8
Var 13° 42' E
39.96 Set post 2 x 3 in x 4 ft 1 ft dep.
deposited charred Stake
Raised Mound 2 ft
high Pour pits 18 x 24 x 12
in for Grace
79.93 Cor to Sec" 5. 6. 7 & 8
Land high & falling S W

Tow 34 N Range 26 W

West'n random line Set
Dec" 6 & 7
Var 13° 42' E

24.00 Drain S. W.
40.00 Post for Temporary Gp Cor
80.48 Intersect West boundary
20 Lks South of Cor to
Sec" 6 & 7. from which
Cor Drain
N 89° 57' East on true line
Set Sec" 6 & 7
Var 13° 42' E
40.48 Set post 2 x 3 in x 4 ft 1 ft dep
deposited charred Stake
Raised Mound 2 ft high
Pour pits 18 x 24 x 12 in for
Grace
80.48 Cor to Sec" 5. 6. 7 & 8
Land high Nearly level & Stake

Tow 3 N. Range 26 W

North on random line
Set Sec. 5 & 6
Var 13° 42' E

40.00 Post for temporary prov
42.00 d Train SE.
80.64 Intersect North boundary
5 lks West of Cor to Secs
5 & 6 from which I run
S 21° West on true line Cor
Sec 5 & 6.
Var 13° 42' E
80.64 Set post 2 x 3 in x 4 ft 1 ft
dug deposited Stone
Mark raised Mound
2 ft high from pits 18 x 24
12 in for prov
80.64 Cor to Secs 5. 6. 7 & 8
Land Table Land 2 yds
Aug 31 1875

Meanders

of the Niobrara River through
said Township. I begin
at the Meander Cor to Sec.
Sec 19. 23 rd. in the West boun-
dary and run down Stream
with the Meanders of the
left bank of said River
in Sec 19
Var 3° 42' E

Course	Chains	
N 88° E	31.20	
S 64½° E	40.00	
S 87½ E	13.00	To Meander Cor to Sec. Sec 19 & 20. thence in 20
	2	
N 35° E	30.00	
N 71° E	21.60	
S 75° E	26.80	
S 65° E	19.00	To Meander Cor to Sec Sec 20 & 21. Thence in Sec 21.
	3	
N 70 1/4 E	20.00	at 3 chs to small branch 8 lks wide
S 75 1/4 E	12.00	Narrow bottom Covered with oak timber
S 57 1/4 E	10.20	along foot of high bluffs
S 24 1/4 E	7.40	
S 65 1/4 E	5.00	in low wet bottom

S 31¼° E	14.50	
S 86¼ E	27.00	To Meander Cor to pract^{n}
	4	Sec 21 & 22 thence in
		Sec 22
N 69¼° E	30.00	at 25 chs leave Mt bottom sto^{ne} Ht
East	12.00	of branch 10 chs wide
S 78½ E	40.80	To Meander Cor to prac Sec 22 & 23
	5	thence in Sec 23.
N 86½° E	39.50	at 30 low Wt bottom
N 68¾° E	44.00	To Meander Cor to pract^{n} Sec^{s} 23 & 24
	6	thence in Sec 24
S 67° E	19.40	at 14 chs outlet of branch 5 lks
S 32¼° E	22.00	wide from W. W.
S 8¾° E	15.80	
S 48 E	10.00	
South	16.80	To Meander Cor to pract^{n} Sec^{s}
	7	24 & 25 thence in 25
S 2½° E	10.00	
S 31¼° E	10.50	
S 58° E	21.20	To Meander Cor to pract^{n}
		Sec 20 in East
	8	boundary of township
		Aug 4th

Meanders of Right bank of Niobrara River through said Township begin at the Cor to prac. Sec 25 in the East boundary run up stream with the Meanders of said River in Sec 25 Var 13° 42' E

Courses	Chains	
N 60¼ W	27.00	
N 33° W	11.00	
N 15½ W	14.00	To Meander Cor to prac Sec^{s}
	10	24 & 25 Thence in 24.
N 4½° W	13.60	timber along banks
N 68½ W	8.00	" " " timber
N 84¾° W	13.00	high bank covered with oak
N 34¼° W	25.50	" " " " "
N 67° W	12.00	To Meander Cor to prac. Sec 22 & 24
	11	thence in 22.
S 67¾ W	39.00	timber along banks
S 86½ W	44.00	To Cor to pract. Sec^{s} 22 & 23 thence in
	12	Sec 22.
N 77° W	46.00	along bluffs Covered with timber
S 7½ W	37.50	at 3 chs outlet of branch at 2 chs
		out Cut of branch 15 Cor
	13	to prac Sec^{s} 21 & 22

	13	thence in Sec 21.
S. 88½° W	29.30	
N 32¼° W	17.00	oak timber extending back 15 chs
N 61° W	7.00	at 2 chs out lit of branch "
N 25-¾° W	9.00	oak timber 15 chs back from Riv. at 5 chs out lit of branch
N 59° W	12.50	" " " " "
S 70½° W	22.50	To Cor to frac Sec 20 & 21
	14	thence in Sec 20
N 73° W	45.10	timber along banks
S 68½° W	17.00	
S 31½° W	27.00	
S 68¼° W	7.50	To cor to frac. Sec 19 & 20 thence
	15	in Sec 19.
N 80° W	16.30	
N 64° W	39.60	
S 89° W	29.00	To cor to fract'l Sec's 19 & 24
	16	in West Boundary of Township
		Mile 90 links

General Description

This Township is very broken & unfit for agricultural purposes the South part is very Sandy the North & Centre very broken the Nishnabotna runs through the township from West to East is a wide & swift running stream Land bed. fine oak timber is found along the low Narrow bottoms on the River in the bluffs & high land the timber is worthy Note

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township No 3 North Range 26 West in Nebraska & showing the respective Capacities in which they acted

W^m Reese	Chainman
S. J. Dennison	"
Perry Altaffer	Monumentman
F. L. Sprague	"
Jo E. Correll	Flagman

We the undersigned do hereby certify that we assisted Geo N. Fairfield deputy Surveyor in Surveying and Subdividing Township No 32 North of Baseline in Range No 26 West of 6th P.M. in Nebraska and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary Monuments all planted according to the instructions furnished by the Surveyor General of the dimensions character Construction & Marking and in the Manner as Specifically described in the foregoing field Notes

Wm Phillippi Pres Chairman
Y y Sprague "
Perry A Harper Monumentor
J E Gorsuch Flagman
"

Signed in my presence and Sworn to before me the undersigned by the above Named persons this 21st day of August 1870

John B Conrad
Notary Public in & For Antelope Co Nebraska

Nelson H. Fairfield Deputy
Surveyor do

Surveyor Generals Office
Plattsmouth Nebr Nov 28th 1875

The foregoing field notes of the subdivision and meander lines of Township No 35 North of the Base Line of Range No 26 West of the 6th Principal Meridian in the State of Nebraska executed by George H. Fairfield under joint Contract No 91 of May 31st 1875 in the Months of July and August 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

[signature]
Surveyor General

Field Notes
of
Survey and Subdivision
of
Township No 35 North
of
Range No 26 West
of the
Nebraska
Executed
by Fred M Dorrington deputy
Surveyor under joint Contract
91. dated May 31st 1875

Survey
Commenced August 2nd 1875
Completed August 4th 1875

List of Names
A list of the Names of the
Individuals employed to
assist in Surveying Township
35 North Range 26 West
of Nebraska and showing the
respective Capacities in which

They a Sed
E. J Walker — Chainman
George Hathaway — "
Thos A Skinner — Monumentman
E. E. Sprague — "
H C Miller — Flagman

Town 35. Range 26
Index Diagram

6	5	4	3	2	1
7	8	9	10	11	12

State Line

18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

To determine the proper adjustment of my Compass for Subdividing Township 35 North of Base Line in Range 26 West I begin at the Center of Townships 34 & 35 North Range 25 & 26 West and North on Blank line along East Boundary of Sec 36.

Var 13° 45' East

40.00 To point 6 chs East of Quarter
80.09 To point 11 chs East of Corner of
25 & 36.

To retrace this line or run parallel thereto My Compass Must be adjusted for Variation of 13° 45' East

Township No 35 North

North Cor Sec" 35 T 36
Var 3° 45' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Stone Pile Mound 3 ft high from pits 18 x 24 x 12 in for grade Cor

80.09 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited Stone Pile Mound of earth from pits 18 x 24 x 12 in for Cor to Sec" 25. 26. 35. & 36.

Land Rolling & Vale

Range 26 West

Eastern random line Cor Sec" 25 T 36
Var 3° 45' E

40.00 Post for temporary Cor

79.70 Run East on South Boundary of Township 20 chs South of Cor to Sec" 25 T 36 from which Cor bears S 89° 57' West on true line Cor Sec" 25 T 36.
Var 3° 45' E

39.85 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Stone Pile Mound of Earth from pits 18 x 24 x 12 in for grade Cor

79.70 Cor to Sec" 25. 26. 35 & 36.

Land Rolling & Vale

Township No 30 North

North bet Sec 25 & 26
Var 13° 45' E

20.50 Enter Wide Drain N E pm
Sec 25

33.00 Leave Drain N E

40.00 Set post 2x3in x 4ft 1ft in
Ground deposited Stoned
Stake raised Mound of
Earth pm pits 18 x 24 x 12
for gr Sec Cor

80.00 Set post 3in x 3in x 4ft. 1ft
in ground deposited a
Stoned Stake raised
Mound of Earth from
pits 18 x 24 x 12 in for
Cor to Sec 23. 24. 25 &
26

Land rolling 2nd rate

Range 26 West

Easterly and down line bet
Sec 24 & 25
Var 13° 45' E

40.00 Set post for temporary p Cor
79.80 Intersect East boundary
9 Lks North of Cor to Sec
24. & 25 pm which I
run
N 89° 16 West on true line bet
Sec 24 & 25
Var 13° 45' E

39.90 Set post 2x3in x 4ft 1ft in
Ground deposited Stoned
Stake raised Mound of
Earth from pits 18 x 24 x 12
in for gr Sec Cor

79.80 Cor to Sec 23. 24. 25 & 26

Land rolling 2nd rate

Township 30 North

North Cor Sec. 23 on N
Var 13° 45' E

4 11.00 Cut post 2x3 in x 4 ft. 1 ft in
Ground deposited Stone
Stake raised Mound of
earth pits 18 x 24 x 12
in for pr Sec Cor

80.00 Cut post 3 in x 2 in x 4 ft. 1 ft in
Ground deposited Stone
Stake raised Mound of
earth pits 18 x 24 x 12
in for Cor Sec. 13. 14. 23
& 24

Land rolling & rich

Range 26 West

Eastin random line Cut Sec.
13 on N
Var 13° 45' E

4 11.00 Cut post for temporary pr Cor
79.72 Subtract East Boundary
of Cor Sec. 13 on N
from which Cor bears
Western pine line Cut Sec.
13 on N
Var 13° 45' E

39.86 Cut post 2x3 in x 4 ft. 1 ft in
Ground deposited Stone
Stake raised Mound of
earth pits 18 x 24 x 12
in for pr Sec Cor

79.72 Cor Sec. 13. 14. 23 on N
Land rolling & rich

Township 35 North

North between Sec^n 13 & 14
Var 13° 45' E

3.80 Intersect State Line bet.
Nebraska & Dakota 4
Chains & 20 lks East of
35 Mile Post Where
I

Set post 2 x 3 in x 4 ft. 1 ft in
Ground deposited Stones
Stake raised Mound of
Earth from pits 18 x 24 x 12
in for Cor Sec^n Post^n
13 & 24 Town 35 North
Range 26 West.
Land Rolling 2 Rate
J

Range 26 West

North bet Sec^n 23 & 35
Var 13° 45' E

4 11.00 Set post 2 x 3 in x 4 ft. 1 ft in
Ground deposited Stones
Stake raised Mound of
Earth from pits 18 x 24 x 12
in for Cor Sec^n

52.40 Valley S E & N W

59.00 Bed of Wide Drain S E

64.50 Leave Valley enter Rolling land

80.00 Set post 3 in x 3 in x 4 ft. 1 ft in
Ground deposited Stones
Stake raised Mound
of Earth from pits 18 x 24
x 12 in for Cor Sec^n
26. 27. 23 & 35
Land Rolling 2 Rate

Township 25 North

East on random line between Secs. 26 & 35
Var 13° 45' E

Ho. on 2 set post for temporary gr Cor

5 L. Ho. Enter Valley NE & S. W.
62.30 Bed of Wide Drain NE
72.00 Leave Valley NE & Lyr
80.00 Intersect N & S. line bet N. of Cor to Secs. 25 26. 35 & 36. from which Pine
N 89° 55' West on true line bet to Secs. 26 & 35
Var 13° 45' E
Ho. on 2 set post 2 x 2 in x 4 ft. 1 ft in ground deposited Charcoal Stake raised Mound of earth 2 ft high from pits 18 x 24 x 12 in for gr Sec Cor
80.09 Cor to Secs. 24. 25. 35 & 36
Land rolling 2nd rate

Range 26 West

North between Secs. 26 & 27
Var 13° 45' E

Ho. on 2 set post 2 x 2 in x 4 ft. 1 ft in ground deposited Charcoal Stake raised Mound of earth from pits 18 x 24 x 12 in for gr Sec Cor
80.00 set post 2 in x 2 in x 4 ft. 1 ft in ground deposited Charcoal Stake raised Mound of Earth from pits 18 x 24 x 12 in for Cor to Secs. 22. 23. 26. & 27
Land rolling 2nd rate

Township 35 North

East on standard line bet
Sec^n. 23 & 26
Var 13° 45' E

40.00 Set post for temporary grc
50.20 Witness tree N & S line 7 lks
South of Cor to sec^n. 23.24
25 & 26. from which I run
S 89° 57' West on true line bet.
Sec^n. 23 & 26
Var 13° 45' E
40.10 Set post 2 x 3 in x 4 ft. 1 bin
Mound deposited stones
Stake raised Mound of
earth from pits 18 x 24 x 12
in for gr sec Cor
80.20 Cor to sec^n. 22.23.26 & 24
Land falling 2 rate

Range 26 West

North bet Sec^n. 22 & 23
Var 13° 45' E
40.00 Set post 2 x 3 in x 4 ft 1 bin
Mound deposited stones
Stake raised Mound of
earth from pits 18 x 24 x 12
in for gr sec Cor
50.00 Set post 3 in x 3 in x 4 ft 1 ft
in ground deposited stones
Stake raised Mound of
earth from pits 18 x 24 x 12
in for Cor to sec^n. 14. 15.
22 & 23
Land falling 2 rate

Township 35 North

East meander line 1st Lec" 14 & 23
Var 13° 45' E

41.00 Set post for temporary Cor

80.32 Intersect N. Bdry 44 Mile Posts of Cor to Sec" 13. 14. 23 & 24 from which Cor Pine S 89° 44' West 17 links Set Lec" 14 & 23
Var 13° 45' E

41.16 Set post 2 x 3 in x 44 ft. 1 ft in ground deposited Stone Stake Mound of Earth 4 pits 18 x 24 x 12 in for Cor

80.32 Intersect Sec" 14. 15. 22 23
Land Rolling 2° rate

League 26 West

North bet Sec" 14 & 15
Var 13° 45' E

3.20 Intersect State Boundary line bet Nebraska & Dakota at point 7 Chains East of 36th Mile Post. Thence I set post 2 x 3 in x 44 ft. 1 ft in ground deposited Stone Mound Marked on 4 earth pits 18 x 24 x 12 in for Closing Corner to Fract" Sec" 14 & 15 Town 35 N. Range 26 West.
Land Rolling 2° rate

Aug 2d 1875

Township 35 North

Chains	
	North bet Sec^n 35 & 34
	Va 13° 45' E
40.00	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited Stoned Stake & Mound from which Bears N 45 E 25 links Mound from earth pits 18 x 24 x 12 in for Cor to Secs
80.00	Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited Stoned Stake & Mound of Earth from pits 18 x 24 x 12 in for Cor to Secs 27. 28. 33 & 34
	Land Rolling & rocky

Range 26 West

	East on random line bet Secs 27 & 34
	Va 13° 45' E
31.00	Enter Valley N W & S E
40.00	Set post for temporary Cor
44.60	Bed of wide Trail S E
45.80	Spur of bluff or sand ridge
62.00	Pocket of Valley opens to South
64.00	Leave Same
80.20	Intersect N & S line 3 f. Ch West of Cor to Secs 26 27. 34 & 35 from which Pine 8 Inches N 89° 45' West on true line bet Secs 27 & 34 Va 13° 45' E
40.10	Set post 2 x 3 in x 4 ft. 1 ft in ground deposited Stoned Stake & Mound of earth from pits 18 x 24 x 12 in for Cor to Secs
80.20	Cor to Secs 27. 28. 33 & 34
	Land Rolling & rocky

Township 30 N

North bet Sec" 27 & 28
Va 13° 45' E

9.00 Enter Valley E & W
13.00 Bed of Drain East
17.50 Leave Valley East
40.00 Lt post 2x3in x 4ft 1ft in ground deposited Chorred Stake raised Mound of Earth from pits 18 x 3ft x 12in for grass cor
80.00 Lt post 3in x 3in x 4ft 1ft in ground deposited Chorred Stake raised Mound of earth from pits 18 x 3ft x 12in for Cor to Sec" 21. 22. 27 & 28
Land rolling 2 rate

Range 26 West

Eastern random line bet
Sec" 22 & 27
Va 13° 45' E.

40.00 Lt post for temporary cor
80.10 Enter a Lk & S line 17 chs
North of Cor to Sec" 22. 23
26 & 27. from which Bears
N 89° 53' West on true line bet
Sec" 22 & 27
Va 13° 45' E
40.00 Lt post 2x3in x 4ft 1ft in
Ground deposited Chorred
Stake raised Mound of
earth from pits 18 x 3ft x 12
in for grass cor
80.10 Cor to Sec" 21. 22. 27 & 28
Land rolling 2 rate

Township 33 North

North Qt Sec. 21 T 22
Var 13° 45' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Mound Stake Raised Mound of earth from pits 18 x 24 x 12 in for Cor

80.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited Mound Stake Raised Mound of Earth from pits 18 x 24 x 12 in for Cor to Sec's 15. 16. 21 & 22

Land rocky & flat

Range 26 West

Eastern and one line Set Sec's 15 T 22
Var 13° 45' E

40.00 Set post for temporary Cor
79.93 Intersect N & S line 3 rd Std Court of Cer. & Sec's 14. 15. 22 & 23 from which 2 inch
S 89° 00' West on true line Qt Sec's 15 T 22
Var 13° 45' E

39.96 Set post 2 x 3 in x 4 ft 1 ft in Ground deposited Mound Stake Raised Mound of Earth from pits 18 x 24 x 12 in for Cor
79.93 Cor to Sec's 15. 16. 21 & 22
Land rocky & flat

Township 30 North

North Cut Sec^n. 15 & 16
Va 13° 45 East

2.60 Intersect State boundary line Cut Nebraska & Dakota at a point 6 chains East of 37th Mile post. Thence

Set post 2 x 2 in x 4 ft. 1 ft in ground deposited Chorred Stake Raised Mound of Earth from pits 18 x 24 x 12 in for closing Cor to Sec^n 15 & 16. Town 33 N Range 26 West

Land falling 2 rate

Range 26 West

North between Sec^n. 32 & 33
Va 13° 45 E

44.00 Set post 2 x 2 in x 4 ft 1 ft in ground deposited Chorred Stake raised Mound from pits 18 x 24 x 12 in for Cor

58.00 Set post 3 in x 3 in x 4 ft 1 ft in ground deposited Chorred Stake raised Mound of Earth from pits 18 x 24 x 12 in for Cor to Sec^n. 28. 29. 32 & 33

Land falling 2 rate

Township 35 North

Range 26 West

East on random line to Sec.
28 & 33
Va 13° 45' E

40.00 Set post for temporary cor
80.08 Iron Pin & Mound Stake 16 lks
North of cor to Sec. 27, 28
33 & 34. from which a wit
N 89° 53' West on true line
to Sec. 28 & 33
Va 13° 45' East
40.00 Set post 2 x 3 in x 4 ft. 1 ft in
Mound deposited & a
Stake raised Mound of
earth 1 rm pits 18 x 24 x 12
in for gr Sec cor
80.08 Cor to Sec. 28. 29. 32 & 33
Land rolling & rocky

North to Sec. 28 & 29
Va 13° 45' E
21.00 Ends Valley Le Van.
32.00 Drain "
38.00 Leave Valley " "
40.00 Set post 2 x 3 in x 4 ft 1 ft
in Mound deposited
& Mound Stake raised
Mound of Earth 1 rm
pits 18 x 24 x 12 for
gr Sec Cor
80.00 Set post 2 in x 3 in x 4 ft 1 ft
in Mound deposited
& Mound Stake raised
Mound of Earth 1 rm
pits 18 x 24 x 12 in for
Cor to Sec. 21. 28 & 29
Land rolling & rocky

Township 35 North

Range 26 West

Eastn random line Set
Sec.s 21 & 28
Va 13° 45' E

40.00 Set post for Temporary Gr Cor
79.86 Intersect N. & S. line 10 lks
East of Cor to Secs. 21. 22
27 & 28 from which Witness
S 89° 0' E. West on pro. line
Set Sec.s 21 & 28
Va 13° 45' E
39.93 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charcoal
& Stake raised Mound of Earth
4 pits 18 x 24 x 12 in for gr.
A. & Cor
7.93 Cor to Secs. 20. 21. 28 & 29
Land rolling 2 Vale

North Bet Secs. 20 & 21
Va 13° 45' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited Charcoal & Stake
raised Mound of Earth
4 pits 18 x 24 x 12 in
for gr. A. & Cor
80.00 Set post 3 in x 3 in x 4 ft. 1 ft
in ground deposited
Charcoal & Stake raised
Mound of Earth 4 pits
18 x 24 x 12 in for
Cor to Secs. 16. 17. 20 & 21
Land rolling 2 Vale

Township 30 North

East and West line bet.
Sec^ns 16. & 21
Var 13° 45' E

40.00 Post for Temporary Qr Cor
80.00 & Intersect N. & S. line at
Corner to Sec^ns 15. 16. 21 & 22
from which Cor Pine
West on True line between
Sec^ns 16 & 21
Var 13° 45' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
Stake raised Mound of
earth, from pits 18 x 24 x 12 in
for Corner
80.00 & Cor to Sec^ns 16. 17. 20 & 21
Land rolling & Flat.

Range 26 West

North between Sec^ns 16 & 17
Var 13° 45' E

40.00 Intersect State boundary
line between Nebraska
& Dakota at a point
6 chains & 24 Links
East of 38th Mile Post.
Whence
Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred Stake raised
Mound of Earth, from
pits 18 x 24 x 12 in for
Closing Corner to Sec^ns
Sec^ns 16 & 17. Town 30
North Range 26 West
Land rolling & Flat

May 3rd 1875

Township 35 North

North bet Sec. 31. & 32
Var 13° 45' E

40.00 Set post 2×3in×4ft. 1ft in ground deposited Stone Stake raised Mound of earth pon pits 18×24×12 for gr & c cor

80.00 Set post 3×3in×4ft. 1ft in ground deposited Stone Stake raised Mound of earth pon pits 18×24×12 in for Cor to Sec. 29. 30 31. & 32.
Land rolling 2 Vals

Range 26 West

Easton random line bet Sec. 29 & 32
Var 13° 45' E

40.00 Set post for temporary gr cor
80.14 Deflect 2 rods North of Cor to Sec. 28. 29 32. & 33. pon which cor I bear
N 89° 53' West on true line
bet Sec. 29 & 32
Var 13° 45' E

40.07 Set post 2×3in×4ft. 1ft in ground deposited Stone Stake raised Mound of earth pon pits 18×24×12 for gr & c cor

80.14 Cor to Sec. 29. 30. 31. & 32
Land rolling 2 Vals

Township 35 North

Range 26 West

West on random line bet Secs 30 & 31 Var 13° 45' E

No. 00 Set post for temporary gr cor

80.76 Intersect West Boundary 26 links North of Cor to Secs 30 & 31. From which N 89° 45 East 39 lks dist Var 13° 45' E Secs 30 or 31

No. 76 Set post 2 x 2 in x 4 ft 1 ft in ground deposited stones Stake raised Mound of Earth 1 ft high 18 x 24 x 12 in for Gr Sec Cor

80.76 Cor to Secs 29, 30, 31 & 32 Land rolling & flat

North bet Secs 29 & 30 Var 13° 45' E

No. 00 Set post 2 x 2 in x 4 ft 1 ft in ground deposited stones Stake raised Mound of earth 1 ft high 18 x 24 x 12 in for Cor to Secs 19, 20, 29 & 30

No. 00 Set post 2 in x 2 in x 4 ft 1 ft in ground deposited stones Stake raised Mound of earth 1 ft high 18 x 24 x 12 in for Cor to Secs 19, 20, 29 & 30

Land rolling & flat

Township 33 North

Range 26 West

East random line Set Sec. Cor
20 & 29
Var 13° 45' E

40.00 Post for temporary Qr Cor
33.00 Enter Valley N.W. & South
58.50 Bed of Drain E. East
63.50 Leave Valley N.W. & S.E.
80.18 Intersect N. & S. line 35 chs
North of Cor to Sec. 20.21
28 & 29 from which Cor
N.W.
N 89° 45' West on true line
Set Sec. 20 & 29
Var 13° 45' E
40.09 Set post 2 x 3 in x 4 ft. 5 in ground
deposited Stones & Stake
Raised Mound of earth
Pan pits 18 x 24 x 12 in for
Qr Sec Cor
80.18 Cor to Sec. 19. 20. 29 & 30
Land rolling 2 degrees.

West random line Set Sec.
19 & 30
Var 13° 45' East
40.00 Set post for temporary Qr Cor
81.04 Intersect West boundary
48 chs South of Cor to Sec.
19 & 30 from which Cor
E. 3 min
S 89° 45' East on true line Set
Sec. 19 & 30
Var 13° 45' East
41.04 Set post 2 x 3 in x 4 ft. 1 ft in
Ground deposited Stones
Stake Raised Mound of
earth Pan pits 18 x 24 x 12
in for Qr Sec Cor
81.04 Cor to Sec. 19. 20. 29 & 30
Land rolling 2 degrees

Township 23 North

Chains	
	North bet Sec^s. 19 & 20 Var 13° 45' E
37.00	Valley S.E. & N.W.
43.00 *	Bed of Drain S.E.
37.50	Leave Valley N.W. & E.
*40.00	Set post 2 x 2 in x 4 ft. 1 ft in ground deposited Charred Stake mixed Mound of Earth from pits 18 x 24 x 12 in for 1/4 Sec Cor.
86.00	Set post 2 in x 2 in x 4 ft. 1 ft in ground deposited Stake mixed Mound of earth from pits 18 x 24 x 12 in for Cor to Sec^s. 17. 18. 19 & 20.
	Land rolling & rate

Range 26 West

	Eastern random line bet Sec^s. 17 & 20 Var 13° 45' E
40.00	Set post for temporary 1/4 Cor
79.80	Intersect N. & S. side line of Sec^s. North of Cor to Sec^s. 16. 17 20 & 21. from which Cor I Pine
	N 89° 00' West on true line bet Sec^s. 17 & 20 Var 13° 45' E
39.90	Set post 2 x 2 in x 4 ft 1 ft in ground deposited Stake mixed Mound of Earth from pits 18 x 24 x 12 in for 1/4 Sec Cor
79.80	Cor to Sec^s. 17. 18. 19 & 20
	Land rolling & rate

Township 30 North

West on random line set
Sec.s 18 & 19
Var 13° 45' E

34.41 Drain S.E.

41.11 Set post for temporary cor

81.24 Intersect West boundary
of sec.s South of cor to
Sec.s 18 & 19 from which
Cor B Drain

S 89° 33' East on true line
Set Sec.s 18 & 19
Var 13° 45' E

41.32 Set post 2 x 2 in x 4 ft 1 ft in
ground deposited Stones
State raised Mound of
Earth pits 18 x 24 x 12
in for 1/4 Sec Cor

81.32 Corb Sec.s 17. 18. 19 & 20
Land Rolling 2nd rate

Range 26 West

North bet Sec.s 17 & 18
Var 13° 45' East

5.06 Intersect State boundary
line 5 Chains and 98
links East of 39th
Mile post Wkes

Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited Stones Raised Mound of Earth
pits 18 x 24 x 12 in for
Closing Corner bet Sec.s
Sec.s 17 & 18 E. Town 30
N Range 26 West
Land Rolling 2nd rate

General Description
Town 30 N Range 26 is Composed
of entire 2nd rate land Soil
Sandy. Water is found in the
Wide Drain No timber is found
in the township it is Not
adapted to agriculture
Aug 4th 1875

We the undersigned do hereby certify that We assisted Fred M. Dorrington, deputy Surveyor in Surveying and subdividing Township No 35 North of the base line in Range No 26 West of the 6th P.M. in Nebraska, and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments all planted according to the instructions furnished by the Surveyor General of the dimensions character construc= =tions and Marking and in the Manual as spacifically described in the foregoing field Notes

B. S. Walker Chainmen
Geo. Hollyaway "
Thos. S. Skinner Mkr
E. R. Sprague Flagman
H. E. Miller. "

signed in my presence and sworn to before me the undersigned this 10th day of August 1876

John B. Haggard
Notary Public
in & for Antelope Co
Nebraska

I Fred N Dorrington deputy

Surveyor do solemnly swear that in pursuance of a joint Contract No 9 dated May 31st 1875 wherein Fred N Dorrington and George H Fairfield are Joint Contractors with E. E. Cunningham Surveyor General for the district of Nebraska & Iowa and in strict conformity to the laws of the United States and the instructions of the Surveyor General. I have in my own proper person & by faithfully & truly surveyed the Subdivision lines of Township No 35 North of base line & Range No 26 West of 6th P. M. in Nebraska and I do further solemnly swear that all the Corners of such Survey has been established & perpetuated in strict Conformity to the instructions furnished by the Surveyor General the Surveying Manual and Special instructions & dimensions character Construction & Marking and in the Manner as specifically described in the foregoing field Notes & that the foregoing are the true and original field Notes of such Survey

Fred N Dorrington
deputy Surveyor

Signed in my presence & Sworn to before me the undersigned This 10th day of August 1875

John B Sosseigh
Notary Public in
for Antelope Co
Nebraska

Surveyor Generals Office
Plattsmouth Neb Sept 18th 1875

The foregoing field notes of the Survey & Subdivision of Township 36 N of Base Line & Range 26 W of 6th P. M. in Nebraska. Executed by Fred. M. Dorrington deputy Surveyor under Cont. Contract No 91 dated May 31st 1875. in the month of August 1875. having been chekked really examined & necessary corrections & explanations made. the said field notes & the Surveys they describe are hereby approved

Jno. C. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

502

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.