General Land Office • Original Field Notes

Book Number

503

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 1, Range 27 W.

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

Contract 48.

Field Notes
of
The Survey & Subdivision
of
Township No. 1. North of Base line
of
Range No 27 West of the 6th P.M.
in the
State of Nebraska
Executed by
George W. Fairfield Deputy Surveyor.

Survey

Commenced July 12th A.D. 1871
Completed July 17th A.D. 1871

List of Names

A list of the names (& duties) of assistants employed to assist in Subdividing this Township

Wm L. Wells: Chainman
Emmett H. Sprague Chainman
Frank L. Mather Axeman & Woundman
Wm E. Randall Flagman
George W. Fairfield
Compassman

Field Notes of the Subdivision Lines

of Township 1 N. of the Base line of Range 27 W of the 6th P.M.

To determine the proper adjustment of my Compass for subdividing this Township. I commence at the corner to Township 1 N. of the Base line of Range 27 W. and run N on a blank line along the east boundary of Sec 36.

Variation 13°20' E

39.98 To a point 3 links E of the ¼ Section

80.04 To a point 1 link E. of the corner to Sec 25 & 36. Where I find my Compass in proper adjustment for the subdivision of this Township

Survey commenced July 12th A.D. 1871

From the Corner to Sec 35 & 36
on the South boundary of the
Township I run
North bet Sec 35 & 36
Va 13° 20' E
40.00 Set Sandstone 12×10×9 for 1/4 Sec Cor
80.00 Set Sandstone 10×10×8 for Cor
to Sec 25.26.35 & 36

Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains East on random line between
Sec 25 & 36.
Va 13° 20' E
40.00 Set ~~Flag~~ Post for temporary 1/4 Sec Cor
79.98 Intersect E boundary at Corner
to Sec 25 & 36 from which
Corner I run
West on true line bet Sec 25 & 36
Va 13° 20' E
39.99 Set Sandstone 10×9×8 for 1/4 Sec Cor
79.98 Cor to Sec 25.26.35 & 36

Land rolling Soil 2d rate

Township 1. N. Range 27. W. 6th P.M.

chains	
	North bet Sec 25 & 26
	Va 13° 20' E
20.00	Ravine bears N.E.
40.00	Set Sandstone 10×9×9 for 1/4 Sec Cor
80.00	Set Sandstone 12×10×9 for Cor
40	to Sections 23. 24. 25 & 26
80	
	Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

chains	
	East on random line bet Sec 24 & 25
	Va 13° 20' E
30.00	Ravine bears N. W.
40.00	Set ~~Stake~~ Prop for temporary 1/4 Sec Cor
80.00	Intersect E boundary of Township
	5 links North of Cor to Sec 24 & 25
	from which Cor I run
	N° 89° 58' West on true line
	bet Sect 24 & 25. Va 13° 20' E
40.00	Set Sandstone 10×10×7 for
	1/4 Sec Cor
80.00	Corner to Sections 23. 24. 25
	& 26
	Land rolling Soil 2nd rate

Township 1. N. Range 27 W 6th P.M.

chains	
	North between Sec 23 & 24 Va 13° 20' E
35.00	Ravine bears N.W.
40.00	Set Sandstone 10×8×5 for 1/4 Sec Cor
40 80.00	Set Sandstone 12×9×6 for Corner to Sec 13.14. 23 & 24
80	
	Land rolling Soil 2nd rate

Township 1. N Range 27. W. 6th P.M.

chains	
	East on random line between Sections 13 & 24 Va 13° 20' E
40.00	Set Post Flag for temporary 1/4 Sec Cor
80.10	Intersect E. boundary of Township 11 lks S. of Cor to Sections 13 & 24 from which Cor I run South 89° 55 W. on true line bet Sec 13 & 24 Va 13° 20' E
40.05	Set Sandstone 9×9×8 for 1/4 Sec Cor
80.10	Corner to Sec 13.14. 23 & 24
	Land rolling Soil 2d rate

Township 1. N. Range 27 W. 6th P.M.

chains	
	North between Sec 13 & 14 Va 13°20' E
38.00	Leave Upland enter Creek bottom bears N.E. & S.W.
40.00	Set Sandstone 11x10x7 for 1/4 Sec Cor
40	
80	
56.00	Beaver Creek 20 links wide runs N.E. Scattering timber on banks
80.00	Drove Charred Stake set post and raised mound of earth from pits as per instructions for Cor to Sec 11.12.13 & 14

Land Bottom Soil 1st rate
Upland Soil 2. rate
Timber along Creek Box Alder and Ash

Township 1. N. Range 27 W. 6th P.M.

chains	
	East on random line between Sec 12 & 13 Va 13°20' E
4.00	Beaver Creek 20 lks wide bears N.
32.00	Same Creek bears S.
36.00	Same Creek bears N.
38.00	Same Creek bears S.
40.00	Set Stake for temporary 1/4 Sec Cor
61.00	Same Creek bears N.E.
67.00	Same Creek bears S.E.
73.00	Same Creek bears N.E.
80.15	Intersect E. boundary of Township 5 links S. of Cor to Sec 12 & 13 from which Cor I run South 89°58' W. on true line between Sections 12 & 13 Va 13°20' E
40.07½	Drove charred stake set post, raised mound of earth from pits as per instructions for 1/4 Sec Cor
80.15	Corner to Sec 11.12.13 & 14

Land level Soil 1st rate

2

40.00
80.00

Township 1. N. Range 27 W. 6th P.M.

chains	North between Sections 11 and 12
	Va 13° 20' E
40.00	Drove charred stake set post & raised mound of earth with pits as per instructions for 1/4 Sec Cor
	2. chains west of this Cor bend of Beaver Creek
55.00	Leave Bottom Enter Upland E & W.
80.00	Drove charred stake set post & raised mound of Earth from pits as per instructions for Corner to Sec 1. 2. 11 and 12

Land. Bottom Soil 1st rate
Upland Soil 2nd rate
Timber along Creek. Box Alder and Ash of young growth

Township 1. N. Range 27. W. 6th P.M.

chains	East on random line between Sections 1 and 12.
	Va 13° 20' E
30.00	Deep Ravine bears S.
40.00	Set Flag for temporary 1/4 Sec Cor
80.04	Intersect E. boundary of Township at post Corner to Sec 1 and 12 from which Cor I run West on true line between Sec 1 and 12
	Va 13° 20' E
40.02.	Drove charred stake set post & raised mound of earth from pits as per instructions for 1/4 Sec Cor.
80.04	Corner to Sec 1. 2. 11 and 12.

Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

	chains	
		North on random line between Sections 1 & 2 Va 13° 20' E
	40.00	Set post Flag for temporary 1/4 Sec Cor
40.00	80.10	Intersect N. boundary of Township at Post Corner to Sections 1 & 2 from which Corner I run
80.00		South on true line between Sec 1 & 2 Va 13° 20' E
	40.10	Drove charred stake set post & raised mound of Earth from Pits as per instructions for 1/4 Sec Cor
	80.10	Corner to Sec 1. 2. 11 & 12
		Land rolling Soil 2nd rate

July 12th A.D. 1871

Township 1 N. Range 27 W. 6th P.M.

chains	
	North between Sec 34 & 35 Va 13° 20' E
40.00	Set Sandstone 10 x 10 x 6 for 1/4 Sec Cor
80.00	Set Sandstone 12 x 10 x 9 for Corner to Sec 26. 27. 34 & 35.
	Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

	chains	East on random line between Sections 26 & 35 Va 13°20' E
	7.00	Ravine bears N.W.
	40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
40.00		
80.00	80.02	Intersect N & S line 5 lks S. of Corner to Sec 25.26. 35 & 36 from which Cor Iron
		South 89°58' W. on true line between Sec 26 & 35 Va 13°20' E
	40.01	Set Sandstone 10x10x7 for 1/4 Sec Cor
	80.02	Corner to Sec 26.27.34 & 35
		Land rolling Soil 2nd rate

Township 1 North Range 27 W. 6th P.M.

chains	North between Sec 26 & 27 Va 13°20' E
15.00	Deep Ravine bears N.W. with Sandstone along banks of Ravine
40.00	Set Sandstone 10x10x8 for 1/4 Sec Cor
80.00	Set Sandstone 12x11x7 for Cor to Sections 22.23.26 & 27.
	Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	East on random line between Sections 23 & 26. Va 13° 20' East	
8.00	Short Ravine bears N. W.	
40.00	Set Post for temporary 1/4 Sec Cor	
80.04	Intersect N & S line at Cor to Sections 23. 24. 25 & 26 from which Corner I run West on true line between Sections 23 & 26 Va 13° 20' E	40.00 80.00
40.02	Set Sandstone 11x9x8 for 1/4 Sec Cor	
80.04	Corner to Sections 22. 23 26 & 27	

Land high and rolling
Soil 2nd rate

Township 1. N. Range 27 W. 6th P.M.

Chains	North between Sections 22 & 23 Va 13° 20' E
10.00	Ravine bears N. W.
32.00	Deep Ravine bears N. E.
40.00	Set Sandstone 12x10x8 for 1/4 Sec Corner
80.00	Set Sandstone 12x12x9 for Corner to Sec 14. 15. 22 & 23

Land broken Soil 2nd rate

2

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 14 & 23 Va 13° 20' E
17.00	Ravine bears N. E.
40.00	Set ~~Hay~~ post for temporary 1/4 Sec Cor
79.97	Intersect N & S line 10 links North of Corner to Sections 13, 14, 23 & 24 from which Corner I run North 89° 56' West on true line between Sections 14 & 23 Va 13° 20' E
39.98½	Set Sandstone 11×11×7 for 1/4 Sec Cor
79.97	Corner to Sections 14, 15, 22 & 23

40.00
80.00

Land broken Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 14 & 15 Va 13° 20' E
20.00	Leave Upland enter Creek bottom
40.00	Set Sandstone 10×10×4 for 1/4 Section Corner
60.00	Beaver Creek bears East
80.00	Drove Chained stake set Post & raised mound of earth with pits as per instructions for Corner to Sections 10, 11, 14 & 15.

Land level Soil 1st rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 11 & 14 Va 13° 20' E
10.00	Beaver Creek 20 lks wide N.E.
26.00	Same Creek Bears S.
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Corner
40.00	
80.00	
47.00	Same Creek N.
64.00	Same Creek S.E.
79.90	Intersect N & S line at post Corner to Sections 11. 12. 13 & 14. from which Cor I run West on true line between Sections 11 & 14 Va 13° 20' E
39.95	Drove charred stake set Post & raise mound of earth with pits as per instructions for 1/4 Sec Cor
79.90	Corner to Sec 10. 11. 14 & 15

Land level Soil 1st rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 10 & 11 Va 13° 20' E
36.00	Leave Creek bottom & enter upland
40.00	Drove charred stake set post & raised mound of earth with pits as per instructions for qr Sec Cor
80.00	Drove charred stake set post & raise mound of earth with pits as per instructions for Corner to Sections 2. 3, 10 & 11

Land Bottom land Soil 1st rate
upland rolling 2nd rate

2

Township 1. N. Range 27 W. 6th P.M.

	chains	East on random line between Sections 2 and 11 Va 13° 20' E
	20.00	Cross Raines with extension Sand. Stone quarries on E side
40.00	40.00	Set ~~Stay~~ Post for temporary 1/4 Sec Cor
80.00	79.96	Intersect N and S line 7 links South of Corner to Sections 1. 2. 11 and 12 from which Cor I run South 89° 57' W. on true line between Sections 2 and 11 Va 13° 20' E
	39.98	Set Sandstone 13×10×6 for 1/4 Sec Cor
	79.96	Corner to Sections 2. 3, 10 and 11.

Land broken Soil 2nd rate

Township 1. N. Range 27 W. 6th P.M.

	chains	North on random line between Sections 2 and 3 Va 13° 20' E
	40.00	Set ~~Stay~~ Post for temporary 1/4 Sec Cor
	80.12	Intersect North boundary of Township 7 lks W. of Cor to Sections 2 and 3 from which Corner I run South 3' West on true line between Sections 2 and 3 Va 13° 20' E
	40.12	Set Sandstone 14×10×5 for 1/4 Sec Cor
	80.12	Corner to Sec 2. 3. 10 and 11

Land broken Soil 2nd rate

July 13th A.D. 1871

Township 1. N. Range 27. W. 6th P.M.

Chains	North between Sections 33 & 34 Va 13° 20' E
40.00	Set Sandstone 10×10×7 for 1/4 Sec Cor
80.00	Set Sandstone 12×10×6 for Corner to Sections 27. 28 33 & 34
40.00	
80.00	

Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6. P.M.

Chains	East on random line between Sections 27 & 34 Va 13° 20' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
59.00	Ravine bears N.
80.05	Intersect N & S line at post Corner to Sections 26. 27. 34 & 35 from which Cor I run West on true line between Sections 27 & 34 Va 13° 20' E
40.02½	Set Sandstone 11×8×5 for 1/4 Sec Cor
80.05	Corner to Sections 27. 28. 33 & 34.

Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 27 and 28 Va 13° 20' E
40.00	Set Sandstone 10×10×7 for 1/4 Sec Cor
80.00	Set Sandstone 13×11×6 for Corner to Sections 21. 22. 27 and 28
	Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 22 and 27. Va 13° 20' E
40.00	Set Post for temporary 1/4 Sec Cor
53.00	Ravine bears N.E.
80.02	Intersect N and S line 12 lks South of Cor to Sections 22. 23. 26 and 27 from which corner I run South 89° 55' West on true line between Sections 22 & 27 Va 13° 20' E
40.01	Set Sandstone 11×10×7 for 1/4 Sec Corner
80.02	Corner to Sections 21. 22. 27 and 28.
	Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 21 & 22 Va 13° 20' E
40.00	Set Sandstone 12×9×7 for 1/4 Section Corner
80.00	Set Sandstone 13×10×5 for Corner to Sections 15. 16. 21 & 22
	Land rolling Soil 2nd rate

Township 1. N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 15 & 22 Va 13° 20' E
31.00	Ravine Trees N.E.
40.00	Set Post Flag for temporary 1/4 Section Corner
80.10	Intersect N. & S line at the Corner to Sections 14. 15. 22 & 23 from which Corner I run West on true line between Sections 15 & 22 Va 13° 20' E
40.05	Set Sandstone 12×9×7 for 1/4 Section Corner
80.10	Corner to Sections 15. 16 21 & 22
	Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 15 and 16 Va 13° 20' E
40.00	Set Sandstone 11x10x8 for 1/4 Sec Cor
50.00	Leave Upland enter Creek bottom bears S.E. & N.W.
80.00	Drove charred stake set Post & raised mound of earth with pits as per instructions for Corner to Sections 9. 10, 15 and 16.
	Upland rolling Soil 2nd rate
	Bottom level " 1st rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 10 and 15 Va 13° 20' E
8.00	Beaver Creek bears S.
22.00	Cross Ravine bears S. scattering timber along Ravine
30.00	Same Creek N.E.
37.00	Same Creek S.E.
40.00	Set ~~Flag~~ Post for temporary 1/4 Section Corner
80.00	Intersect N and S line 5 lks N. of Cor to Sections 10. 11. 14 & 15 from which Cor I run North 89° 58' W. on true line between Sections 10 and 15 Va 13° 20' E
40.00	Drove charred stake set Post & raise mound of earth with pits as per instructions for 1/4 Section Cor
80.00	Corner to Sec 9. 10. 15 and 16
	Land level Soil 1st rate

Township 1 N. Range 27 W. 6th P.M.

Chains	North between Sections 9 and 10 Va 13° 20' E
17.00	Beaver Creek 20 lks wide runs S.E. water 15 inches deep. banks 10 feet high and muddy. Belt of timber along either bank abt 1 ch wide
40.00	Drove charred stake set Post & raised mound of earth from pits as per instructions for 1/4 Sec Cor
52.00	Leave Creek bottom Enter upland
75.00	Deep Ravine bears S.E.
80.00	Drove charred stake set Post & raised mound of earth from pits as per instructions for Corner to Sections 3, 4, 9 and 10
	Bottom land Soil 1st rate
	Upland Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	East on random line between Sections 3 and 10 Va 13° 20' E
26.00	Ravine bears S.W.
40.00	Set Plug for temporary 1/4 Sec Cor
80.04	Intersect N and S. line at the Corner to Sec 2, 3, 10 and 11 from which Corner I run West on true line between Sections 3 and 10 Va 13° 20' E
40.02	Set Sandstone 11x10x8 for 1/4 Sec Cor
80.04	Corner to Sections 3, 4 9 and 10.
	Land broken Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North on random line between Sections 3 and 4 Var 13° 20' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor
80.18	Intersect N boundary of Township at post Corner to Sections 3 and 4 from which Corner I run South on true line between Sections 3 and 4 Var 13° 20' E
40.18	Set Sandstone 12×9×6 for 1/4 Sec Cor
80.18	Corner to Sections 3, 4, 9 & 10.
	Land broken Soil 2nd rate
	July 14th A.D. 1871

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 32 and 33 Var 13° 20' E
40.00	Set Sandstone 11×9×6 for 1/4 Sec Cor
80.00	Set Sandstone 12×10×7 for Corner to Sections 28, 29, 32 and 33
	Land rolling Soil 2d rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 28 and 33 Va 13° 20' E
40.00	Set Stone Flag for temporary 1/4 Section Corner
42.00	Ravine bears N.W.
79.93	Intersect N. and S. line 6 lks S. of Cor to Sections 27. 28, 33 and 34 from which corner I run South 89° 57' West on true line between Sec 28 and 33 Va 13° 20' E
39.96½	Set Sandstone 12×9×6 for 1/4 Section Corner
79.93	Corner to Sections 28. 29. 32 and 33

Land high rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 28 and 29 Va 13° 20' E
40.00	Set Sandstone 10×10×7 for 1/4 Sec Cor
80.00	Set Sandstone 12×9×6 for Corner to Sections 20. 21. 28 and 29.

Land high rolling Soil 2d rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 21 and 28 Va 13° 20' E
30.00	Ravine bears N.W.
40.00	Set ~~Stake~~ Post for temporary 1/4 Section Corner
79.98	Intersect N and S line 5 links N. of Corner to Sec 21. 22. 27 and 28 from which Cor I run North 89° 58' W. on true line between Sections 21 and 28 Va 13° 20' E
39.99	Set Sandstone 12×10×5 for 1/4 Sec Cor
79.98	Corner to Sections 20, 21. 28 and 29

Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 20 and 21 Va 13° 20' E
40.00	Set Sandstone 12×9×7 for 1/4 Sec Cor
80.00	Set Sandstone 13×10×6 for Corner to Sections 16. 17. 20 and 21.

Land high & rolling Soil 2nd rate

Township 1 N. Range 27 W 6th P.M.

Chains	
	East on random line between Sections 16 and 21 Va 13° 20' E
30.00	Deep Ravine bears N.
40.00	Set Flag for temporary 1/4 Sec Cor
80.04	Intersect N and S line 12 lks North of Corner to Sections 15.16.21 and 22 from which Corner I run North 89° 55' West on true line between Sections 16 and 21 Va 13° 20' E
40.02	Set Sandstone 10×9×7 for 1/4 Sec Cor
80.04	Corner to Sections 16.17 20 and 21
	Land rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 16 and 17 Va 13° 20' E
40.00	Set Sandstone 12×10×9 for 1/4 Sec Cor
55.00	Leave Upland enter brush bottom bears SE. & SW.
80.00	Drove Standard stake set post & raise mound of earth with pits as per instructions for Corner to Sections 8. 9. 16 and 17
	Land Upland rolling Soil 2d rate Bottom level Soil 1st rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 9 and 16 Va 13° 20' E
10.00	Ravine bears N.
40.00	Set Post for temporary 1/4 Sec Cor
42.00	Beaver Creek 20 links wide South E.
61.00	Same Creek N.W.
80.02	Intersect N and S line 5 lks S of Corner to Sections 9. 10. 15 and 16. from which Cor I run South 89° 58' W. on true line between Sections 9 and 16 Va 13° 20' E
40.01	Drove charred stake set post & raised mound of earth from pits as per instructions for 1/4 Sec Cor
80.02	Corner to Sec 8. 9. 16 and 17

Land level. Soil 1st rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 8 and 9 Va 13° 20' E
20.00	Beaver Creek 20 lks wide bears E.
40.00	Drove charred stake set Post & raised mound of earth from pits as per instructions for 1/4 Sec Cor
58.00	Leave Creek Bottom Enter Upland bears E and S.W.
80.00	Drove charred stake set Post & raised mound of earth from pits as per instructions for Corner to Sections 4. 5. 8 and 9

Land Bottom Soil 1st rate
Upland rolling Soil 2nd rate

Township 1. N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 4 and 9. Var 13° 20' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
79.98	Intersect N. and S. line 7 lks S. of Corner to Sections 3, 4, 9 and 10. from which Cor I run South 89° 57' W. on true line between Sections 4 and 9 Var 13° 20' E
39.99	Drove chamd stake set Post and raised mound of Earth from pits as per instructions for 1/4 Sec Cor
79.98	Corner to Sec 4. 5. 8 and 9

Land rolling Soil 2nd rate

Township 1. N. Range 27 W 6th P.M.

Chains	
	North on random line between Sections 4 and 5. Var 13° 20' E
40.00	Set ~~Flag~~ Post for temporary 1/4 Sec Cor.
64.00	Ravine bears S.W.
80.22	Intersect N. boundary of Township 12 lks West of Corner to Sections 4 and 5 from which Corner I run South 5' W. on true line between Sections 4 and 5 Var 13° 20' E
40.11	Drove chamd stake set post & raised mound of Earth from pits as per instructions for 1/4 Sec Cor
80.22	Corner to Sections 4. 5. 8 and 9.

Land rolling Soil 2nd rate

July 15th A.D. 1871

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 31 and 32 Va 13° 20' E
40.00	Set Sandstone 12×9×7 for 1/4 Sec Cor
80.00	Set Sandstone 13×11×6 for Corner to Sections 29. 30. 31 and 32.
	Land high and rolling Soil 2d rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 29 and 32 Va 13° 20' E
22.00	Ravine Course N.
40.00	Set Stake for temporary 1/4 Sec Cor
80.00	Intersect N and S line at Corner to Sections 28. 29. 32 and 33 from which Corner I run West on true line between Sections 29 and 32 Va 13° 20' E
40.00	Set Sandstone 12×9×6 for 1/4 Sec Cor
80.00	Corner to Sections 29. 30. 31 and 32
	Land high and rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	West on random line between Sections 30 & 31.
	Var 13° 20' E
37.00	Deep Ravine bears N.E.
40.00	Set Stone Pract Flag for temporary 1/4 Sec Cor
75.00	Ravine bears N.E.
80.28	Intersect W. boundary of Township 5 links North of Cor to Sec 30 & 31. from which Cor I run North 89° 58' East on true line between Sections 30 & 31
	Var 13° 20' E
40.28	Set Sandstone 12x10x6 for 1/4 Sec Cor
80.28	Cor to Sec 29. 30. 31 and 32
	Land high and rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 29 and 30
	Var. 13° 20' E
40.00	Set a Sandstone 13x9x6 for w 1/4 Sec. Cor:
80.00	Set a Sandstone 12x10x7 for the corner to Sections 19. 20. 29 & 30
	Land high and rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 20 and 29
	Var: 13° 20' E
22.00	Ravine bears N.W.
40.00	Set flag for temporary 1/4 Sec. Cor:
79.96	Intersect the N. and S. line 12 links South of the corner to Sections 20. 21. 28 and 29 from which corner I run:
	S 89° 55' West on true line between Sections 20 and 29
	Var 13° 20' E
39.98	Set a Sandstone 14 X 9 X 6 for a 1/4 Sec Cor:
79.96	The corner to Sections 19. 20. 29 and 30

Land rolling: Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	West on random line between Sections 19 and 30
	Var: 13° 20' E
19.00	Ravine bears North
40.00	Set flag for temporary 1/4 Sec. Cor:
80.60	Intersect the West Boundary of the Township 5 links north of the corner to Sections 19 & 30 From which corner I run N. 89° 58' E. on a true line between Sections 19 and 30
	Var: 13° 20' E
40.60	Set a Sandstone 12 X 10 X 8 for a 1/4 Sec. Cor:
80.60	The corner to Sections 19. 20. 29 and 30

Land high and rolling Soil 2nd rate

Township 1 N. Range 27 W. 6th P.M.

Chains	North between Sections 19 and 20
	Var: 13°20' E
40.00	Set Sandstone 14 x 9 x 7 for a ¼ Sec: cor:
42.00	Deep Ravine bears N E
75.00	Leave Upland enter bottom bears N. E & W.
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 17. 18. 19 and 20

Upland high & rolling: Soil 2nd rate
Bottom land level: Soil 1st rate

Township 1 N. Range 27 W. 6th P.M.

Chains	East on random line between Sections 17 and 20
	Var: 13°20' E
24.00	Ravine bears N
26.00	Leave bottom bears N E & West enter Upland
40.00	Set flag post for temporary ¼ Sec: cor:
79.88	Intersect the N. & S. line 5 links South of the corner to Sections 16. 17. 20 and 21. From which corner I run S 89°38' West on true line between Sections 17 & 20
	Var: 13°20' E
39.94	Set a Sand Stone 12 x 10 x 5 for a ¼ Sec corner.
79.88	The corner to Sections 17 18 19 and 20

Township 1. N. Range 27. W. 6 P.M.

chains	
	West on a random line between Sections 18 and 19
	Var: 13° 20' E
40.00	Set post flag for temporary 1/4 Sec. cor:
62.00	Beaver creek bears North water about 20 links wide, banks high & Muddy Timber about one chain wide on either bank
80.94	Intersect the West Boundary of the Township at post corner to Sections 18 and 19 from which corner I run East on a true line between Sections 18 and 19
	Var: 13° 20' E
40.94	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec cor:
80.94	The corner to Sections 17. 18. 19 and 20
	Land level bottom: Soil 1st rate Timber Ash: Elm: & Bot alder

Township 1. N. Range 27. W. 6th P.M.

chains	
	North between Sections 17 and 18
	Var: 13° 20' E
24.00	Beaver creek bears S.E, water 20 links wide: timber one chain wide on either bank
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 7. 8. 17 and 18

Land level bottom Soil 1st rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 8 and 17
	Var: 13°20' E
4.60	Ravine bears South
15.00	Same Ravine bears N.W.
28.00	Same Ravine bears South
40.00	Set post flag for temporary 1/4 Sec cor.
50.00	Beaver Creek bears North
79.80	Intersect the N. and S. line 20 links North of the corner to Sections 8. 9. 16 & 17, from which corner I run N 89°35' West on a true line between Sections 8 and 17
	Var 13°20' E
39.90	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor.
79.80	The corner to Sections 7. 8. 17 and 18
	Land level bottom Soil 1st rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Sections 7 and 18
	Var: 13°20' E
35.00	Leave bottom bears N.E. & S.W.
40.00	Set post flag for temporary 1/4 Sec cor.
45.00	Ravine bears South
80.00	Ravine bears S.E.
81.30	Intersect the West Boundary of the Township 10 links South of the corner to Sec 7 and 18: From corner I run S. 89°58'15" East on true line between Sections 7 & 18
	Var 13°20' E
41.30	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner
81.30	The corner to Sections 7. 8. 17 & 18
	Bottom land level soil 1st rate Upland rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	North Between Sections 7 and 8.
	Var: 13°20' E
15.00	Leave bottom bears N.E. & S.W. enter upland
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 5, 6, 7, and 8
	Land rolling Soil 2nd rate

Township 1. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 5 and 8
	Var: 13°20' E
38.00	Ravine bears S.W.
40.00.	Set flag for temporary 1/4 Sec. Cor:
79.82	Intersect the N. and S. line 12 links North of the corner to Sections 4, 5, 8 and 9 From which corner I run
	N 89°55' West on a true line between Sections 5 and 8
	Var 13°20' E
39.91	Drove charred stake set post and raised Mound of earth from pits as per instructions for 1/4 Sec. Cor.
79.82	The corner to Sections 7, 8, 17, and 18.

Township 1 N Range 27 W. 6th P.M.

Chains	
	West on random line between Sections 6 and 7
	Var 13°20' E
40.00	Set post flag for temporary 1/4 Sec Cor.
50.00	Ravine bearing South
81.58	Intersect the West boundary of the Township 22 links South of the corner to Sections 6 and 7 from which corner I run S 89°51' E. on a true line bet. Sections 6 and 7.
	Var: 13°20' E
41.58	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
81.58	The corner to Sections 5.6.7 and 8

Land rolling
Soil 2nd rate

Township 1 N Range 27 W. 6th P.M.

Chains	
	North on random line bet. Sections 5 and 6
	Var 13°20' E
40.00	Set post flag for temporary 1/4 Sec. Cor:
80.29	Intersect the N. Boundary of the Township 15 links East of the corner to Sections 5 and 6. From which corner I run South 6' E On a true line between Sections 5 and 6
	Var: 13°20' E
40.29	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section Cor:
80.29	The corner to Sections 5.6.7 and 8

General Description.

The surface in this Township is high and broken Soil about 2nd rate: good for grazing Stock

Beaver Creek runs from West to East through the Township

July 17th 1871 — Some good farming land on the bottoms of said Creek

Banks of creek high & steep

Water Natural Stage 20 inches deep

Tow

Township No 1 N. Range 27 West 6

Chains	
	A list of the names of the individuals who assisted in running Measuring and Mark the Subdivision lines and corn of the foregoing Field Notes of Township No 1 North. Range 27. West of the 6th P. Meridian
40.00	Wm L. Wells } Chainman
50.00	Emmet H. Sprague }
81.58	Frank L. Mather } Axeman and Monumentman
41.58	William E. Randall Flagman
	George W. Fairfield Compassman
81.58	

We hereby certify that we assisted Geo. W. Fairfield Deputy Surveyor in subdividing Township No. One (1) North of the base line of Range No 27 West of the Forth Principal Meridian, and that said Township has been in all aspects, to the best of our knowledge and belief well and faithfully surveyed and the boundary and monuments planted according to the instructions furnished by the Surveyor General

Wm L. Wells Chainman
E H Sprague Chainman
Frank L. Mather Axman & Monumentman
William Randall Flagman
George W. Fairfield Compassman

Subscribed and sworn to by the above named persons before me a Notary Public

in and for the County of
Cass in the State of Nebraska
this eleventh day of October
A.D. 1871

Lloyd D Bennett
Notary Public
Cass Co Nebraska

I George W. Fairfield do
solemnly swear that in pursuance
of a contract No 48. wherein
George W. Fairfield is contractor
with E. E. Cunningham United
States Surveyor General for the
District of Nebraska and
Iowa bearing date the
day of June A.D. 1871,
I have well and faithfully
and truly in my own proper
person and in strict conformi=
=ity with the instructions of
the Surveyor General the
Surveying Manual and the
laws of the United States
Surveyed all those parts or
portions of Township No one (1)
North of the Base line of Range
No 27 West of the 6th Principal
Meridian in the State of Nebraska
as are represented in the Foregoing
Field Notes as having been
Surveyed under my direction

and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

George W. Fairfield
Dept Surveyor

Subscribed by the said George W. Fairfield Dept Surveyor and sworn to before me a Notary Public within and for the County of Cass in the State of Nebraska this eleventh day of October A.D. 1871

Lloyd D Bennett
Notary Public
Cass Co Neb.

Survey Commenced on July 12th A.D. 1871 and Completed July 17th A.D. 1871

Surveyor General's Office
Plattsmouth, Dec 16th 1871.

The foregoing Field Notes of the Survey of the Subdivision lines of Township No. 1 North of the Base line of Range No 27, W. 6th P.M. in the State of Nebraska executed by George W. Fairfield under his Contract No 47 dated the 17th day of June 1871, in the month of July 1871, having been critically examined, the necessary corrections and explanations made the said Field Notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes of The Survey & Subdivision of Township No. 2. North of Base line of Range No 27. West of the 6th P.M. in the State of Nebraska

Executed by George W. Fairfield Deputy Surveyor

Contract 48

Survey
Commenced July 17th A.D. 1871
Completed July 22 A.D. 1871

List of Names

List of names & duties of assistants employed to assist in Subdividing this Township

Wm. L. Wells, Chainman
Emmett H. Sprague Chainman
Frank L. Walker Axeman & Moundman
Wm. E. Randall Flagman
George W. Fairfield Compassman

T 2 N., R 27 W

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

1

Field Notes of the Subdivision lines of Township 2 N. of the Base line of Range 27 W. of the 6th P.M.

To determine the proper adjustment of my compass for Subdividing this Township: I commenced at the corner to Townships 1 and 2 North of the Base line of Range 27 W. and run N. on a blank line along the east boundary of Section 36

Variation 13° 20' E

40.02 To a point 3 links East of the 1/4 Sec cor

79.97 To post corner to Sections 25 & 36 Where I find my compass in proper adjustment for the Subdivision of this Township

Survey commenced July 17th 1871

Township 2 N. Range 27 W. 6th P.M.

Chains	
	From the corner to Sections 35 and 36 on the South boundary of the Township I run North Bet. Sec 35 and 36 Var. 13°20' E.
40.00	Set a Sand stone 14x9x5 for 1/4 Sec. cor.
80.00	Set a Sandstone 12x10x6 for the corner to Sections 25, 26, 35 & 36

Land rolling.
Soil 3rd rate.

Township 2 N. Range 27 W. 6 P.M.

Chains	
	East on random line between Sec. 25 and 36 Var: 13°20' E
40.00	Set ~~flag~~ post for a Temporary 1/4 Sec cor.
60.00	Ravine bears S.W.
80.02	Intersect E. boundary of the Township at the corner to Sec 25 and 36. from which corner I run West on a true line between Sec 25 and 36 Var 13°20' E
40.01	Set a Sandstone 13x9x5 for a 1/4 Sec cor:
80.02	Cor to Sec 25, 26, 35 and 36

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 23 and 26 Var: 13° 20' E
40.00	Set a Sandstone 12 x 8 x 6 for a 1/4 Sec. Cor.
80.00	Set a Sandstone 11 x 9 x 8 for Corner to Sections 23. 24. 25 and 26
	Land rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line bet Sec 24 and 25 Var: 13° 20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Cor.
45.00	Ravine bears N.E.
80.08	Intersect E. Boundary of the Township 7 links South of the cor to Sec. 24 and 25. from which corner I run S. 89° 57' West on a true line Between Sec 24 and 25 Var: 13° 20' E.
40.04	Set a Sandstone 14 x 10 x 6 for a 1/4 Sec Corner
80.08	The corner to Sections 23. 24, 25 and 26
	Land rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

chains	
	North between Sec 23 & 24 Var. 13°20' E
12.00	Ravine bears S.W.
40.00	Set Sandstone 12 x 8 x 5 for a 1/4 Sec Cor
61.00	Ravine bears S.E.
80.00	Set a Sandstone 12 x 10 x 4 for Corner to Sec 13. 14. 23 & 24

Land high rolling Prairie Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

chains	
	East on random line bet Sec. 13 & 24 Var. 13° 20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Corner.
80.10	Intersect E. Boundary of Township at the corner to Sections 13 & 24 from which Corner Drum West on a true line bet Secs 13 & 24 Va 13° 20
40.05	Set Sandstone 9 x 9 x 6 for a 1/4 Sec Cor.
80.10	the corner to Sec 13. 14. 23 & 24

Land rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 13 and 14 Var: 13° 20' E
40.00	Set a Sandstone 12 x 8 x 5 for 1/4 Sec. Cor;
80.00	Set a Sandstone 12 x 9 x 4 for the corner to Sec 11. 12. 13. and 14
	Land Highland rolling Soil 3rd rate

Township 2. N. Range 27. W. 6 P.M.

Chains	
	East on a random line between Sections 12 and 13 Var: 13° 20' E
30.00	Ravine bears N. W.
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor.
80.06	Intersect E. boundary of Township 5 links South of the corner to Sec 12 and 13 from which corner I run S 89° 58' West on a true line between Sections 12 and 13 Var: 13° 20' E.
40.03	Set a Sandstone 12 x 9 x 7 for a 1/4 Sec: Cor;
80.06	The corner to Sections 11. 12. 13 and 14
	Land Highrolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 11 and 12
	Var: 13° 20' E
40.00	Set a Sandstone 12 x 9 x 4 for a 1/4 Sec: cor:
80.00	Set Sandstone 14 x 9 x 5 for the corner to Sections 1. 2. 11 and 12
	Land High rolling Prairie Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 1 and 12
	Var: 13° 20' E
21.00	Ravine bears North
40.00	Set ~~flag~~ post for temporary 1/4 Sec: cor:
79.98	Intersect E Boundary of Township 12 links North of the corner to Sections 1 and 12 from which corner bears
	N 89.35 - West on true line between Sections 1 and 12
	Var: 13° 20' E
39.99	Set a Sandstone 12 x 8 x 7 for a 1/4 Sec: corner
79.98	Corner to Sec 1. 2. 11. and 12
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North on random line between Sections 1 and 2
	Var: 13° 20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Cor:
79.90	Intersect N. Boundary of Township at post corner to Sections 1 and 2
	From which corner I run South on a true line between Sections 1 and 2
	Var: 13° 20' E
39.90	Set Sandstone 12 x 9 x 5 for a 1/4 Section corner
79.90	Corner to Sec 1. 2. 11 and 12
	Land high & rolling
	Soil 3rd rate

July 17th A.D. 1871

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 34 and 35
	Var: 13° 20' E
5.00	Ravine bears S.E.
40.00	Set a Sandstone 12 x 7 x 4 for a 1/4 Sec Cor
80.00	Set a Sandstone 12 x 9 x 6 for the Corner to Sections 26. 27. 34 and 35
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 26 and 35
	Var: 13°20' E
25.00	Ravine bears S.W.
40.00	Set Post for temporary 1/4 Sec. Cor:
80.00	Intersect N. and S. line 5 links S. of the corner to Sections 25. 26. 35. and 36
	From which corner I run S 89°58' West on true line between Sec 26 and 35
	Var: 13°20' E
40.00	Set a Sandstone 10 x 10 x 7 for a 1/4 Section Corner:
80.00	Corner to Sec 26. 27. 34. and 35
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 26 and 27
	Var. 13°20' E
40.00	Set a Sandstone 12 x 7 x 5 for a 1/4 Sec. Cor:
80.00	Set a Sandstone 12 x 10 x 6 for the corner to Sections 22. 23. 26 & 27
	Land: High rolling Prairie
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains East on a random line between Sections 23 and 26

Var: 13°20' E

40.00 Set ~~flag~~ Post for Temporary 1/4 Sec Cor:

53.00 To Deep Ravine bears S.W.

80.05 Intersect N and S line 12 links North of the Corner to Sections 23. 24. 25 and 26

From which corner Jrun N 89°55' West on a true line bet. Sections 23 and 26

Var 13°20' E

40.02½ Set a Sandstone 13 × 10 × 4 for a 1/4 Sec: Cor:

80.05 Corner to Sec 22. 23. 26 + 27

Land high rolling Prairie Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains North between Sec 22 and 23

Var: 13°20' E

40.00 Set Sandstone 12 × 10 × 5 for a 1/4 Sec. Cor:

80.00 Set a Sandstone 14 × 9 × 3 for the corner to Sections 14. 15. 22 and 23

Land high and rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains East on random line between Sections 14 and 23

Var 13° 20' E

40.00 Set ~~flag~~ post for temporary 1/4 sec cor

50.00 Ravine bears S E

80.12 Intersect N and S line 5 links North of the corner to Sections 13. 14. 23 and 24

From which corner I run N 89° 38' West on a true line bet Sec 14 and 23

Var: 13° 20' E

40.06 Set a Sandstone 12 x 9 x 6 for a 1/4 Sec: Cor:

80.12 Corner to Sec 14. 15. 22 and 23

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains North between Sec 14 and 15

Var: 13° 20' E

40.00 Set a Sandstone 13 x 9 x 5 for a 1/4 Sec Cor:

80.00 Set Sandstone 14 x 10 x 4 for the corner to Sections 10. 11. 14 and 15

Land High & hilly rolling
Soil 3rd rate

Township 2 N. Range 27 W. 6th P.M.

Chains East on random line between Sections 11 and 14
Var: 13° 20' E
28.00 Ravine bears N.W.
40.00 Set ~~stake~~ post for temporary ¼ Sec. Cor:
80.08 Intersect N. and S. line at the corner to Sections 11.12.13 and 14
From which corner I run West on a true line bet Sections 11 and 14 Var 13° 20' E
40.04 Set a Sandstone 12 x 9 x 6
80.08 Cor to Sec 10.11.14 and 15
Land rolling Soil 3rd rate

Township 2 N. Range 27 W. 6th P.M.

Chains North between Sec 10 and 11
Var 13° 20' E
40.00 Set a Sandstone 13 x 9 x 5 for a ¼ Sec: Cor:
80.00 Set a Sand-stone 14 x 10 x 5 for Corner to Sections 2.3.10 and 11

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 2 and 11
	Var 13° 20' E
6.00	Ravine bears N.W.
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Cor.
70.00	Ravine bears N.W.
80.00	Intersect N. and S. line 7 links North of the corner to Sec 1. 2. 11 and 12
	From which corner Draw N 89° 57' West on true line bet Sections 2 and 11
	Var. 13° 20' E
40.00	Set a Sandstone 12 x 10 x 7 for 1/4 Sec. cor.
80.00	Corner to Sections 2. 3. 10 and 11
	Land high and rolling
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North on random line between Sections 2 and 3
	Var 13° 20' E
10.00	Ravine bears N.W.
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor.
79.87	Intersect North boundary of the Township at post, corner to Sec 2 & 3
	From which corner Draw South on true line bet. Sec. 2 and 3
	Var 13° 20' E
39.87	Set a Sandstone 12 x 8 x 7 for 1/4 Sec. corner
79.87	Corner to Sec. 2. 3. 10 and 11
	Land high and rolling
	Soil 3rd rate

July 18th A.D. 1871

Township 2 N. Range 27 W. 6th P.M.

Chains	
	North between Sec 33 and 34 Var: 13°20 E
18.00	Ravine bears S.W.
40.00	Set a Sandstone 13 x 9 x 5 for a 1/4 Sec. Cor.
80.00	Set a Sandstone 12 x 8 x 5 for the corner to Sections 27. 28. 33 and 34

Land rolling Soil 3rd rate

Township 2 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 27 and 34 Va 13°20' E
16.00	Ravine bears South
40.00	Set ~~flag~~ Post for temporary 1/4 Sec. Cor.
79.95	Intersect N. and S. line 5 links North of the Corner to Sec 26. 27. 34 ~~and~~ 35 34 From which corner I run N. 89°58' West on true line between Sections 27 and 34 Var: 13°20' E
39.97½	Set a Sandstone 12 x 8 x 5 for a 1/4 Sec Corner
79.95	Corner to Sections 27. 28. 33 & 34

Land rolling Soil 3rd

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 27 and 28
	Var: 13°20' E
40.00	Set a Sandstone 13.10.5 for a 1/4 Sec corner
80.00	Set Sandstone 12x10x7 for the corner to Sections 21. 22. 27 and 28
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 22 and 27.
	Var 13°20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor.
53.00	Ravine bears S.W.
79.90	Intersect N. and S. line at the corner to 22. 23. 26 and 27
	From which corner I run West on a true line between Sections 22 and 27
	Var: 13°20' E
39.95	~~Set a Sand~~ stone 12x11x7. for a 1/4 Sec corner
79.90	Corner to Sec 21 22. 27. and 28
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 21 and 22
	Var: 13°20' E
40.00	Set a Sandstone 12 x 9 x 7 for 1/4 Sec. C
80.00	Set a Sandstone 14 x 10 x 6 for the corner to Sections 15. 16. 21 and 22.
	Land. High rolling Prairie
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 15 and 22
	Var: 13°20' E
40.00	Set flag post for temporary 1/4 Sec. cor.
79.85	Intersect S and E line 7 links South of the corner to Sections 14. 15. 22 and 23
	From which corner I run
	S 89°57' West on true line between Sections 15 and 22
	Var: 13°20' E
39.927	Set a Sandstone 12 x 9 x 6 for a 1/4 Sec. Cor.
79.85	corner to Sections 15. 16. 21 and 22.
	Land high and rolling
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	North between Sections 15 and 16
	Var: 13°20' E
40.00	Set a Sandstone 12 x 8 x 5 for a 1/4 Sec cor:
80.00	Set a Sandstone 14 x 9 x 4 for cor to Sections 9. 10. 15 and 16

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	East on random line between Sections 10 and 15
	Var: 13°20' E
19.00	Ravine bears N and N.W.
40.00	Set post flag for temporary 1/4 Sec. Cor:
79.90	Intersect N and S. line 12 links South of the corner to Sections 10. 11. 14. and 15
	From which corner I run S 89°55' West on true line bet. Sections 10 and 15
	Var: 13°20' E
39.95	Set Sand Stone 14 x 9 x 6 for a 1/4 Sec corner
79.90	Corner to Sections 9. 10. 15. & 16

Land high & rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 9 and 10
	Va 13°20' E
40.00	Set Sandstone 13 x 10 x 5 for a
	1/4 Sec. cor.
47.00	Ravine bears S. W.
80.00	Set Sandstone 14 x 9 x 4 for the
	corner to Sections 3. 4. 9 and 10
	Land high rolling Prairie
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between
	Sections 3 and 10
	Va: 13°20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. corner.
80.04	Intersect N. and S. line at stone the
	corner to Sections 2. 3. 10 and 11
	From which corner I run
	West on a true line between
	Sections 3 and 10
	Var 13°20' E
40.02	Set a Sandstone 13 x 11 x 8 for
	a 1/4 Sec Corner
80.04	Corner to Sec 3. 4. 9. and 10
	Land high and rolling
	Soil 3rd Rate

Township 2. N. Range 27. W. 6. P.M.

Chains	
	North on a random line between Sections 3 and 4
	Var: 13°20' E
40.00	Set flag (posi) for temporary 1/4 Sec. cor.
79.80	Intersect the N. Boundary of Township 5 links East of the Corner to Sec 3 and 4
	From which corner I run South 2' E on true line between Sections 3 and 4
	Va 13°20' E
39.80	Set a Sand Stone 13 X 10 X 9 for a 1/4 Sec cor:
79.80	The corner to Sec 3. 4. 9 & 10
	Land rolling. Soil 3rd rate
	July 19th A.D. 1871

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 32 and 33
	Var: 13°20' E
40.00	Set a Sandstone 13 x 7 x 5 for a 1/4 Sec. cor:
80.00	Set Sand Stone 12 x 10 x 6 for cor to Sections 28. 29. 32 and 33
	Land rolling Soil 3rd rate

Township 2. N. Range 27. W. 6 P.M.

Chains	
	East on random line between Sections 28. and 33. Var 13°20' E
25.00	Ravine bears South
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor:
80.00	Intersect N. and S. line at stone the corner to Sections 27. 28. 33 and 34 From which corner I run West on a true line bet. Secs 28 and 33 Var: 13°20' E
40.00	Set Sandstone 14×9×7 for a 1/4 Sec. cor:
80.00	Corner to Sections 28. 29. 32 and 33

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6. P.M.

Chains	
	North between Sections 28 and 29 Var: 13°20' E
40.00	Set a Sandstone 12×9×6 for a 1/4 Sec cor:
62.00	Ravine bears S.E.
80.00	Set Sandstone 12×9×7 for ~~the~~ the corner to Sections 20. 21. 28. and 29

Land high & rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

chains	
	East on a random line between Sections 21 and 28
	Var: 13° 20' E
40.00	Set flag post for temporary 1/4 Sec. Cor:
79.98	Intersected the N. and S. line 7 links South of the corner to Sec 21. 22. 27 and 28
	From which corner I run S 89° 57' West on a true line between Sections 21 and 28
	Var: 13° 20' E
39.99	Set a Sandstone 12 x 10 x 6 for a 1/4 Sec: Cor:
79.98	The corner to Sections 20. 21. 28 and 29
	Land high & rolling
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

chains	
	North between Sections 20 and 21
	Var: 13° 20' E
40.00	Set a Sandstone 13 x 9 x 5 for a 1/4 Sec: Cor:
80.00	Set Sandstone 14 x 10 x 3 for the Corner to Sec 16. 17. 20 and 21
	Land high and rolling
	Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 16 and 21
	Var: 13° 20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor:
79.92	Intersect the N. and S. line 5 links North of the corner to Sections 15. 16. 21 and 22
	From which I run N 89° 38' West on a true line between Section 16 and 21
	Var: 13° 20' E.
39.96	Set Sandstone 12 x 9 x 6 for a 1/4 Sec cor:
79.92	The corner to Sec 16. 17. 20 and 21

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6 P.M.

Chains	
	North between Sections 16 and 17
	Var: 13° 20' E
40.00	Set a Sandstone 13 x 9 x 5 for a 1/4 Sec. cor:
80.00	Set a Sandstone 14 x 10 x 4 for the corner to Sections 8. 9. 16 and 17

Land High rolling Prairie
Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 9 and 16
	Var 13° 20' E
18.00	Ravine bears N.
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Cor.
79.96	Intersect N. and S. line 5 links North of the corner to Sec 9. 10. 15 and 16. From which corner I run: N 89° 58' West on a true line between Sec 9 and 16
	Var: 13° 20' E
39.98	Set a Sandstone 12 x 11 x 9 for a 1/4 Sec: Cor:
79.96	The corner to Sec 8. 9. 16 and 17

Land rolling: Soil 3rd rate.

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 8 and 9
	Var: 13° 20' E.
40.00	Set Sandstone 13 x 9 x 5 for a 1/4 Sec: Cor:
80.00	Set Sandstone ~~13 x 9 x 4~~ for the corner to Sections 4. 3. 8. and 9

Land broken:

Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 4 and 9
	Var 13°20' E
15.00	Ravine bears N
40.00	Set flag post for temporary 1/4 Sec. cor.
48.00	Ravine bears N.W.
80.00	Intersect N. and S. line 7 links South of the corner to Sections 3. 4. 9 and 10. from which corner I run
	S. 89°57' West on true line bet. Sec. 4 and 9
	Var 13°20' E
40.00	Set Sand stone for a 1/4 Sec. cor.
80.00	The corner to Sections 4. 5. 8 & 9.

Land high & rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6 P.M.

Chains	
	North on random line between Sections 4 and 5
	Var: 13°20 E
40.00	Set flag post for temporary 1/4 Sec. cor.
45.00	Ravine bears N.W.
79.92	Intersect the N. Boundary of the Township at post the cor to Sections 4 and 5
	From which corner I run South on a true line between Sections 4 and 5
	Var 13°20' E
39.92	Set a Sand Stone 12 x 8 x 6 for a 1/4 Sec corner.
79.92	Corner to Sec 4. 5. 8 and 9

Land broken, Soil 3rd rate

July 20th & 29 1871

Township 2. N. Range 27. W. 6th P.M.

chains	
	North between Sections 31 and 32
	Va 13°20' E
32.00	Ravine bears S.E.
40.00	Set a Sandstone 14×9×6 for a 1/4 Sec. Cor.
80.00	Set Sandstone 12×8×6 for the Cor to Sections 29.30.31 and 32
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6 P.M.

Chains	
	East on random line between Sections 29 and 32
	Var 13°20' E
40.00	Set post flag for temporary 1/4 Sec. Cor.
79.86	Intersect N and S. line 12 links N. of the corner to Sections 28.29.32 and 33 from which corner I run
	N. 89°55' West on true line Between Sections 29 and 32
	Var: 13°20' E
39.93	Set a Sandstone 13×9×4 for a 1/4 Sec. Cor:
79.86	The corner to Sec 29.30.31 and 32
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6. P.M.

Chains	
	West on random line between Sections 30 and 31
	Var: 13°20' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor.
65.00	Ravine bears South
81.26	Intersect the W. Boundary of the Township 20 links South of the cor to Sections 30 and 31 from which corner I run
	S 89°51' E on a true line between Sec 30 and 31
	Va 13°20' E
41.26	Set a Sandstone 14 x 8 x 4 for a 1/4 Sec cor:
81.26	The corner to Sec 29.30.31 and 32
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6. P.M.

Chains	
	North between Sections 29 and 30
	Va 13°20' E
40.00	Set Sandstone 12 x 9 x 7 for a 1/4 Sec. cor:
80.00	Set Sandstone 13 x 10 x 5 for the corner to Sections 19.20.29 and 30
	Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6. PM

Chains	
	East on random line between Sections 20 & 29
	Va 13° 20' E
40.00	Set flag post for temporary 1/4 Sec. cor
54.00	Ravine bears S.E.
79.90	Intersect the N and S. line 15 links North of the corner to Sec 20, 21, 28 and 29. from which corner I run
	N. 89° 54' West on true line between Sections 20 and 29
	Va 13° 20' E
39.95	Set a Sandstone 13 x 9 x 6 for a 1/4 Sec. cor:
79.90	The corner to Sections 19, 20, 29 and 30

Land rolling: Soil 3rd rate.

Township 2. N. Range 27. W. 6th PM.

Chains	
	West on random line between Sections 19 and ~~20~~ 30
	Va 13° 20 E
40.00	Set flag post for temporary 1/4 Sec. cor:
80.86	Intersect N. Boundary of the Township 12 links South of the corner to Sections 19 and ~~20~~ 30 from which corner I run S 89° 53' E. on true line between Sections 19 and ~~20~~ 30
40.86	Set a Sandstone 12 x 10 x 6 for a 1/4 Sec. cor: Variation 13° 20' E.
80.86	The cor: to Sections 19, 20, 29 and 30

Land rolling Prairie
Soil 3rd rate

Township 2. N Range 27. W. 6. P.M.

Chains North between Sections 19 and 20

Var: 13° 20' E

40.00 Set Sandstone 13 x 10 x 8 for a 1/4 Sec. cor:

80.00 Set Sandstone 12 x 9 x 8 for the corner to Sections 17. 18. 19 and 20

Land rolling: Soil 3rd rate

Township 2. N Range 27. W. 6. P.M.

Chains East on random line between Sections 17 and 20

Var: 13° 20' E

40.00 Set ~~flag~~ post for temporary 1/4 Sec. cor:

53.00 Ravine bears North

79.85 Intersect S. and S. line 5 links North of the corner to Sections 16. 17. 20 and 21 From which corner I run

N 89° 58' West on true line between Sections 17 and 20

Va. 13° 20' E

~~79.92~~ 39.92 Set Sandstone 13 x 9 x 7 for a 1/4 Sec. Cor:

79.85 The corner to Sections 17. 18. 19. and 20

Land high and rolling
Soil 3rd rate

Township 2. N. Range 27. W. 6. P.M.

Chains	
	West on random line between Sections 18 and 19
	Va: 13° 20' E
40.00	Set ~~flag~~ Post for temporary 1/4 Sec. Cor.
43.00	Ravine bears North
80.54	Intersect the West Boundary of Township 16 links South of the corner to Sections 18 and 19
	From which corner I run S. 89° ~~54'~~ 53' E on a true line between Sections 18 and 19
	Va 13° 20' E
40.54	Set a Sandstone 12 x 10 x 6 for 1/4 Sec. Cor.
80.54	The corner to Sections 17. 18. 19 and 20

Land rolling: Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 17 and 18
	Var 13° 20' E
40.00	Set a Sandstone 13 x 9 x 7 for a 1/4 Sec. Cor.
48.00	Ravine bears N.E.
80.00	Set a Sandstone 14 x 10 x 8 for the corner to Sections 7. 8. 17 and 18

Land high rolling Prairie Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 8 and 17
	Va 13° 20' E
9.00	Ravine bears N.W.
40.00	Set flag for temporary 1/4 Sec. cor:
51.00	Ravine bears N.
79.80	Intersect N. and S. line 10 links South of the corner to Sections 8. 9. 16 and 17. From which corner I run S. 89° 56' West on a true line between Sections 8 and 17
	Va 13° 20 E
39.90	Set Sandstone 12 x 11 x 7 for a 1/4 Sec. cor:
79.80	The corner to Sec 7. 8. 17 and 18

Land broken. Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	West on random line between Sections 7 and 18
	Var. 13° 20' E
40.00	Set flag for temporary 1/4 Sec. cor:
56.00	Ravine bears North
80.30	Intersect West Boundary of the Township 9 links South of the corner to Sections 7 and 18 From which corner I run S. 89° 56' East on true line between Sec 7 and 18
	Var: 13° 20' E
40.30	Set a Sandstone 14 x 10 x 6 for a 1/4 Sec: cor:
80.30	The corner to Sections 7. 8. 17 and 18

Land Broken Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 7 and 8
	Var: 13° 20' E
39.50	Ravine bears N.W.
40.00	Set a Sandstone 12 X 9 X 5 for a 1/4 Sec. Cor:
80.00	Set Sandstone 14 X 10 X 4 for the corner to Sections 5.6.7 & 8

Land high and rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 5 and 8
	Var: 13° 20' E
39.00	Ravine bears North
40.00	Set stake for temporary 1/4 Sec corner.
79.84	Intersect N and S. line at the corner to Sections 4.5.8 & 9 from which corner I run West on true line between Sections 5 and 8
	Var: 13° 20' E
39.92	Set a Sandstone 12 X 10 X 8 for 1/4 Sec cor:
79.84	The corner to Sec 5.6.7 and 8

Land rolling Soil 3rd rate

Township 2. N. Range 27. W. 6th P.M.

Chains	
	West on random line between Sections 6 and 7
	Var: 13° 20' E
8.50	Ravine bears North
40.00	Set flag (post) for temporary 1/4 Sec. cor.
79.98	Intersect the West Boundary of the Township 12 links South of the corner to Sec 6 and 7
	From which corner I run
	S. 89° 55' East on true line between Sections 6 and 7.
	Var: 13° 20' E
39.98	Set a Sandstone 12 x 8 x 6 for a 1/4 Sec. cor.
79.98	The corner to Sec 5. 6. 7 and 8

Land rolling: Soil 3rd rate

Sandstone Rock in ravines

Township 2. N. Range 27. W. 6th P.M.

Chains	
	North on random line between Sections 5 and 6
	Var 13° 20' E
40.00	Set flag (post) for temporary 1/4 Sec cor.
80.10	Intersect the N. Boundary of Township 19 links East of the corner to Sec 5 and 6
	From which corner I run
	South 8' E on true line between Sec 5 and 6
	Va 13° 20' E
40.10	Set a Sandstone 12 x 10 x 8 for 1/4 Sec. cor.
80.10	The corner to Sections 5. 6. 7 and 8

July 22nd A.D. 1871

Township 2 N. Range 27 W 6th P.M.

The land in this Township is high and rolling. The soil is quite sandy from 2nd to 3rd rate principally of the latter

If there was means of digging the greater portion of the land could be tilled successfully

The surface is covered with the famous Buffalo Grass which renders it excellent for the purpose of grazing

The North and South parts are interspersed with large Ravines along which banks are large quantities of Calcareous Sandstone

Survey completed July 22nd A.D. 1871

Township 2 N. Range 27 W. 6th P.M.

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing Field Notes of Township Two (2) North of the base line of Range Twenty Seven (27) West of the 6th Principal Meridian showing the respective capacities in which they acted

Wm L. Wells Chainman
Emmett H Sprague Chainman
Frank L. Mather Axeman & Monumentman
William E. Randall Flagman
George W. Fairfield Compassman

We hereby certify that we assisted George W. Fairfield Deputy Surveyor in Subdividing Township Number Two (2) North of the base line of Range Twenty seven (27) West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments planted according

to the instructions furnished by
the Surveyor General

Wm L. Wells Chainman
Chainman
Frank S Mather Axeman
William Randall Flagman
George W Fairfield Compassman

Subscribed and sworn to by the above
named persons before me a Notary
Public in and for the County of Cass
and State of Nebraska this eleventh
day of October A.D. 1871

Lyle D Bennett
Notary Public
Cass County Nebra-

I George W. Fairfield Deputy Surveyor
do solemnly swear that in pursuance
of a contract No 48 wherein George W.
Fairfield is contractor with E. E. Cunn-
ingham United States Surveyor General
for the District of Nebraska and Iowa
bearing date the day of June
A.D. 1871 I have well and faithfully
and truly in my own proper person
and in strict conformity with the instruc-
tions of the Surveyor General. the Sur-
veying Manual and the laws of the United
States: Surveyed all those parts or portions
of Township No 2 North of the base line
of Range No 27 West of the 6th P.M.
in the State of Nebraska as are repre-
sented in the foregoing field notes as
having been surveyed under my
direction

And I do further solemnly swear
that the foregoing are the true and
Original Field notes of such Survey

George W. Fairfield
Deputy Surveyor
Subscribed by the Said George W. Fairfield Deputy Surveyor and sworn to before me a Notary Public within and for the county of Cass in the State of Nebraska this 11th day of October A.D. 1871

L. D. Bennett
Notary Public
Cass County Nebras.

Surveyor Generals Office
Plattsmouth, Decr. 16th 1871.

The foregoing Field notes of the Survey of the Subdivision lines of Township No. 2 N. of the Base line of Range No 27 W. 6th P.M. in the State of Nebraska Executed by George W. Fairfield under his Contract No. 48. dated June 17. 1871 in the month of July 1871 having been critically examined the necessary corrections and explanations made the said Field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

T 3 N., R 27 W.

6	68	5	57	4	38	3	25	2	12	1
67		66		50		37		24		11
7	65	8	49	9	36	10	23	11	10	12
64		63		47		34		21		9
18	62	17	46	16	32	15	19	14	8	13
60		59		45		31		18		7
19	58	20	44	21	30	22	17	23	6	24
57		56		43		29		16		5
30	55	29	42	28	28	27	15	26	4	25
54		53		41		27		14		3
31	52	32	40	33	26	34	13	35	2	36

Contract 48

Field Notes
of
The Survey & Subdivision
of
Township No. 3. North of Base line
of
Range No 27. West of the 6th P.M.
in the
State of Nebraska

Executed by George W. Fairfield
Deputy Surveyor

Survey

Commenced July 24th A.D. 1871
Completed July 31st A.D. 1871

List of Names

A list of the names & duties of assistants employed to assist in Subdividing this Township:

Wm L. Wells: Chainman
Emmett H. Sprague: Chainman
Frank L. Mather: Axeman & Mounduman
Wm E. Rundall: Flagman
George W. Fairfield Compassman

Township 3. N. Range 27. W. 6. P.M.

Chains	
	Field Notes of the Sub-division lines. and Meanders of the Republican River. in Town=ship No 3. N. Range 27. W. 6th P.M.
	To determine the proper adjustment of my Compass for Subdividing this Township. I commenced at the established corner to Townships 2. and 3. N. Ranges 26 & 27. W. of the 6th P.M. and run North on a blank line along the east boundary of Sec 36
	Va: 13° 20' E
40.02	To a point 5 links E. of 1/4 Sec. Cor:
79.98	To a point 12 links E. of the Cor: to Sec 25 & 36. To retrace this line or to run Parallel thereto my Compass must be Adjusted to a Variation of 13° 25' E
	Survey commenced July 24 1871

Township 3. N. Range 27. W. 6. P.M.

Chains	North Between Sections 35 and 36 Va 13° 25' E
40.00	Drove charred Stake set Post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
80.00	Drove charred Stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 25. 26. 35 and 36

Land Gently rolling
Soil 2nd rate:

Township 3. N. Range 27. W. 6th P.M.

Chains	East on a Random line Between Sections 25 and 36 Va 13° 25' E.
40.00	Set a post for temporary 1/4 Sec corner
45.00	Ravine bears N. W.
80.04	Intersect the east boundary at Post corner to Sec 25 and 36
	From which corner (true) West On true line (Bet Sec 25 + 36 Var 13° 25' E)
40.02	Drove charred Stake set post and raised mound of earth from pits, as per instructions for a 1/4 Sec: Cor:
80.04	The corner to Sections 25. 26. 35 and 36

Land rolling
Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North Between Sections 25 (on) 26 Va: 13°25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.00	Drove charred stake set post and raised mound of earth from pits. as per. instructions for the corner to Sections 23, 24, 25 (on) 26.

Land rolling
Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	East on a random line Between Sec: 24 & 25 Va: 13° 25' E.
8.00	Deep ravine bears N.W.
40.00	Set Post for Temporary 1/4 Sec. corner:
79.94	Intersect East boundary 7 links north of the corner to sections 24 & 25 From which corner I run N. 89° 57' W. ~~(Va 13° 25' E)~~ On a true line between Sec 24 & 25
39.97	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor: var 13° 25' E
79.94	The corner to Sections 23. 24. 25 (on) 26.

Township 3. N. Range 27. W. 6th P.M.

Chains	North Between 23 and 24
	Var: 13° 25' E
8.00	Deep Ravine bears N.W.
40.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the corner to Sections 13. 14. 23 and 24

Land rolling
Soil 2nd rate

Township 3. N. Range 27. W. 6. P.M.

Chains	East on a random line between Sections 13 and 24.
	Var: 13° 25' E.
40.00	Set Post for temporary 1/4 Sec: corner:
79.70	Intersect the East boundary 5 links South of the corner to Sec 13 & 24
	From which (cor) I run S. 89° 58' W.
	On a true line between Sec 13 & 24
	Var: 13° 25' E
39.85	Drove Charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner
79.70	The corner to Sections 13. 14. 23 and 24

Land rolling
Soil 2nd rate

Township 3. N. Range 27 W. 6. P.M.

Chains	
	North Between Sec 13 & 14 Var: 13° 25' E.
35.00	Leave upland and enter bottom N.E. & West:
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 11. 12. 13. & 14
	Upland rolling Soil 2nd rate Bottom land level Soil 1st rate.

Township 3. N. Range 27. W. 6th P.M.

Chains	
	East on a random line Between Sections 12 & 13 Var 13° 25' E.
40.00	Set Post for temporary 1/4 Sec. corner:
73.00	Ravine bears N.E.
79.50	Intersect the East boundary at the corner to Sections 12 & 13 From which (corner) I run West on a true line (Bet Sec 12 & 13) Var: 13° 25' E
39.75	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.50	The corner to Sections. 11. 12. 13 & 14
	Land level Soil 1st rate

Township 3 N. Range 27 W. 6th P.M.

Chains	North Between Sec 11 & 12. Var: 13° 25' E
18.60	To the right bank of the Republican River where I drove a charred stake set post and raised mound of earth from pits as per instructions for a Meander Corner sections 11 & 12 to fractional
27.00	To the left bank of Republican River where I Drove a charred stake set post and raised Mound of earth from pits as per instructions for a Meander corner. to fractional section 11 & 12 I ascertained the distance across said river by actual Measurement. water 20 inches deep: current rapid.
40.00	Drove charred stake set post & raised Mound of earth with pits as per instructions for a 1/4 Sec cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 1. 2. 11 & 12.

Township 3. N. Range 27. W. 6th P.M.

Chains	East on random line Between Sections 1 & 12 Var: 13° 25' E
20.00	To Dry creek bears S.E.
35.00	Same creek bears N.W.
40.00	Set Post for Temporary 1/4 Sec. cor.
46.00	Same creek bears South with timber along banks about one chain wide
79.44	Intersect the East boundary 3 links South of corner to Sections 1 & 12 From which corner I run S. 89° 59' W. On a true line between Sec 1 & 12. Var: 13° 25' E
39.72	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner From which an Elm 30 inches in dia bears S. 1° E 86 links dist.
79.44	The corner to Sections 1 & 12

Bottom lands level
Soil 1st rate
Timber Elm. & Ash

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North on a random line between Sections 1 (and) 2 Var: 13° 25' E.
10.00	Leave bottom bears E. & W. and enter upland
40.00	Set Post for temporary 1/4 Sec. Cor:
79.80	Intersect the North boundry 20 links east of the corner to Sections 1 (and) 2. From which corner I run South, 9 E. a true line between Sections 1 (and) 2. Var: 13° 25' E
39.80	Grove charred Stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec. corner.
79.80	To the corner to Sections 1. 2. 11 (and) 12

Land rolling
Soil 2nd rate.

July 24th A.D. 1871

Township 3. N. Range 27. W. 6 P.M.

Chains	
	North between Sec 34 (and) 35 Var: 13° 25' E
36.00	Ravine bears N. W.
40.00	Grove charred Stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.00	Grove charred Stake set post & and raised mound of earth from pits as per instructions for the corner to Sections 26. 27. 34. (and) 35

Land High rolling prairie
Soil 2nd rate

Township 3 N. Range 27 W. 6 P.M.

Chains	
	East on a random line between Sections 26 & 35 Var: 13°25' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.00	Intersected N. and S. line 5 links North of the corner to Sections 25. 26. 35 & 36 From which corner I run N 89° 58' W
	On a true line between Sec 26 & 35 Var 13° 25' E
40.00	Drove Charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	The corner to Sections 26. 27. 34. & 35 Land rolling soil 2nd rate

Township 3 N. Range 27 W. 6 P.M.

Chains	
	North between Sec 26 & 27 Var: 13°25' E.
40.00	Drove charred stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 22. 23. 26 & 27.

Land: High rolling Prairie Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	East on a random line Between Sections 23 and 26
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec: Cor:
80.06	Intersected N. and S. line 10 links North of the corner to Sections 23. 24. 25 and 26
	From which corner I run N. 89° 56' West
	On a true line between Sec. 23 & 26
40.03	Var: 13° 24' E Drove Charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. corners
80.06	The corner to Sec 22. 23. 26 and 27
	Land high and rolling Soil 2nd rate.

Township 3. N. Range 27. W. 6. P.M.

Chains	
	North between Sections 22. and 23.
	Var: 13° 25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 14. 15. 22 and 23.
	Land high and rolling Soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 14 and 23. Var: 13° 25' E.
17.00	Deep ravine bears N.W.
40.00	Set post for temporary 1/4 Sec. cor:
80.03	Intersected N. and S. line 15 links North of the corner to Sections 13, 14, 23 and 24 From which corner I run N 89° 54' West On a true line between Sections 14 and 23 Var: 13° 25' E
40.01½	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
80.03	The corner to Sections 14, 15, 22 and 23

Land high and rolling Soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 14 and 15 Var: 13° 25' E.
20.00	Deep ravine bears N.W. with ~~calcerous~~ sandstone in the N. side
40.00	Set a sandstone 14 x 9 x 5 for a 1/4 Sec: cor:
45.00	Leave upland and enter bottom bears E & W.
62.75	To the right bank of the Republican River: where I drove charred stake set post and raised mound of earth from pits as per instructions for a Meander cor: to fractional sections 14 and 15
	From which a cottonwood 18 inches in dia bears S 7° 35' West 31 links A dead cottonwood 36 inches in dia bears S. 60° 45' E. 5.2 links
	Some scattering timber along river bank
71.00	To the left bank of Republican River where I drove a charred stake set post and raised mound of earth from pits as per instructions for a Meander corner to fractional sections 14 & 15 (over)

Township 3. N. Range 27. W. 6 P.M.

Chains	Continued
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to sections 10, 11, 14 and 15
	Land on South side to bottom is broken on North side level bottom

Township 3. N. Range 27. W. 6 P.M.

Chains	East on a random line between Sections 11 and 14 Var: 13° 25' E
11.00	To the left bank of Rep. River where I set post for temporary Meanider corner
21.00	To the right bank of Rep. River where I set post for temporary Meanider corner
40.00	Set post for temporary 1/4 Sec. cor.
79.80	Intersected the N. and S. line 10 links North of the corner to Sections 11, 12, 13 and 14 From which corner I run N 89° 56' West On a true line Between Sections 11 and 14. Va 13° 25' E
39.90	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Section corner
58.80	To right bank of Rep. River where I drove charred stake set post & raised Mound of earth from pits as per instructions for a Meander corner to fractional Sections 11 & 14
68.80	To left bank of river where I drove charred stake set post & raised mound of earth from pits as per instructions for a Meander Corner to fractional Sections 11 & 14

Township 3. N. Range 27. West 6. P.M.

Chains	
	Continued
79.80	The corner to Sections 10. 11. 14 (and) 15
	Land level bottom
	Soil 1st rate
	Scattering timber along the banks of river
	Cottonwood: Elm: (and) Ash.

Township 3. N. Range 27. W. 6. P.M.

Chains	
	North between Sections 10 (and) 11
	Var: 13° 25' E.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
65.00	Leave bottom bears N E & SW. & enter Upland
80.00	Drove charred stake set post & raised mound of earth from pits as per instructions for the corner to Sections 2. 3. 10 (and) 11
	Bottom land level
	Soil 1st rate
	Upland rolling Prairie
	Soil 2nd rate

Township 3 N. Range 27 W. 6 P.M.

Chains	
	East on a random Between Sections 2 and 11 Var: 13°25' E.
9.00	Ravine bears South
40.00	Set a post for temporary 1/4 Sec cor. Where I leave upland and enter bottom land
79.90	Intersected the N and S. line 5 links North of the corner to Sections 1. 2. 11 & 12 From which corner I run N 89° 55' West On a true line between Sec 2 and 11 Var 13° 25' E
39.95	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.90	The corner to Sections 2. 3. 10 and 11

Township 3 N. Range 27 W. 6 P.M.

Chains	
	North on a random line between Sections 2 and 3 Var: 13°25' E.
40.00	Set a post for temporary 1/4 Section Corner
44.00	Ravine bears S.E.
79.72	Intersected the North Boundary of the Township 10 links east of the corner to Sections 2 and 3. From which corner I run South (4' 8) on a true line between Sections 2 and 3 Var: 13° 25' E
39.72	Drove charred Stake set post & raised mound of earth from pits as per instructions for a 1/4 Section Cor:
79.72	The corner to Sections 2. 3. 10 and 11

Land rolling
Soil 2nd rate

July 25th A.D. 1871

Township 3. N. Range 27. W. 6. P.M.

Chains	
	North Between Sec 33 & 34 Var: 13° 25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 27. 28. 33 (and) 34

Land high; gently rolling
Soil 2nd rate

Township 3. N. Range 27 W. 6. P.M.

Chains	
	East on a random between Sections 27. (and) 34 Var: 13° 25' E.
29.00	Ravine bears N. W.
40.00	Set a post for temporary 1/4 Sec. Cor:
66.00	Ravine bears N. W.
80.10	Intersected the N. (and) S. line 9 links North of the corner to Sections 26. 27. 34 (and) 35 From which corner Drum N. 89° 56' West On a true line between Sec. 27 + 34. Var: 13° 25' E
40.05	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section corner
80.10	The corner to Sections 27. 28. 33 (and) 34

Land high, gently rolling.
Soil 2nd rate

Township 3. N. Range 27. W. 6. P.M.

Chains	
	North between Sections 27 & 28. Var: 13°25' E.
38.00	Ravine bears N. W.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
48.00	Ravine bears N. W. to large Ravine
80.00	Drove charred stake set post and raised mound of earth from as per instructions for the corner to Sections 21, 22, 27 & 28

Land somewhat broken
Soil 2nd rate

Township 3. N. Range 27. W. 6. P.M.

Chains	
	East on a random line between Sections 22 & 27. Var: 13°25' E.
40.00	Set post for a temporary 1/4 Sec. corner
80.18	Intersected the N. and S. line 7 links North of the corner to Sections 22, 23, 26 & 27 From which corner I run N: 89°57' West
	On a true line Between Sec 22 & 27. Var: 13°25' E.
40.09	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. corner:
80.18	The corner to sections 21, 22, 27 & 28

Land. High rolling Prairie
Soil 2nd rate

Township 3. N. Range 27. W. 6 P.M.

Chains	
	North between Sec. 21 and 22
	Var: 13° 25' E.
40.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.00	To a Bot Alder 12 inches in dia. which I marked for the corner to Sections 15. 16. 21 and 22

Township 3. N. Range 27. W. 6 P.M.

Chains	
	East on a random line between Sections 15. and 22.
	Var: 13° 25' E
.20	To lereek bears S.E. water 40 links wide
3.00	Same creek bears N.E. right bank about 15 feet high with scattering timber of young growth
40.00	Set Post for temporary. 1/4 Sec. corner:
76.00	~~Ravine bears~~ North
80.46	Intersected the N. and S. line 20 links North of the corner to Sections 14. 15. 22 and 23
	From which corner I run N. 89° 52' W.
	On a true line between Sections 15 and 22 Var 13° 25' E
40.23	Drove charred Stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec. cor.
80.46	To the corner to Sections 15. 16. 21 and 22

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 15 & 16 Var: 13° 25' E.
1,00	To Creek bears S.E. water 40 links wide 10 inches deep. current slow
11,00	Same Creek bears N.W. brush & Scattering timber on South bank North or right bank about 60 ft high where I leave brush & enter Prairie
40,00	Set a Sand stone 14 x 10 x 8 for a 1/4 Sec. cor:
43,00	Leave upland and enter creek and Republican River bottoms
57,00	Same creek bears N.E. with Scattering timber bearing N.E To the river and west about 10 chains
58,10	To an Ash tree 10 inches in dia
76,24	To Right Bank of Republican River where I set a post for a meander corner to fractional sections 15 and 16 from which A cottonwood tree 16 inches in dia bears S 4° 45' W 230 links. A cottonwood tree 12 inches in dia bears S 29° 5' E 305 links dist.
80,00	The point for the Section corner Falls on a Sand bar in the Rep=

Township 3. N. Range 27 W. 6 P.M.

Chains	
	River where I set a post for Temporary corner to Sec. 9, 10, 15 & 16 Water 350 links wide 18 in deep I ascertained the distance across the water by actual Measurement.
	South Part of Sections 15 & 16 Broken Soil 2nd rate
	North part level Bottoms Soil 1st rate
	Timber along Creek & River Cottonwood Elm: Ash: and Box Alder:

Township 3. N. Range 27. W. 6th P.M.

Chains	
	From the temporary corner To Sections 9. 10. 15 and 16 I run East on a random line Between Sec 10 and 15 Va 13° 25' E.
6.40	To left bank of Rep. River where I set post for a temporary Meander corner
40.00	Set a post for temporary 1/4 Sec cor:
80.50	Intersected the st. and S. line 12 links North of the corner to Sections 10. 11. 14 and 15 From which corner I run N. 89° 55' West On a true line between Sections 10 and 15 Var 13° 25' E
40.25	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section Corner.
74.10	To left Bank of Republican River Where I Drove charred stake set post, and raised mound of earth from pits as per instructions for a

Township 3. N. Range 27. W. 6th P.M.

Chains	
	Meander cor: to Fractional Sections 10 and 15
80.50	The temporary corner to Sections 9. 10. 15 and 16
	Land level bottom Soil 1st rate Some scattering timber along the left bank of River Cottonwood: Elm and Ash:

Township 3 N. Range 27 W. 6th P.M.

Chains	
	From the temporary corner to Sections 9.10.15 & 16 I run North between Sections 9 & 10
	Var: 13° 25' E
5.70	To left bank of Republican River where I drove charred stake set post and raised Mound of earth from pits as per instructions for a Meander cor: to Fractional Sections 9 & 10 from which A bottonwood tree 20 in in dia bears N 20° W. 924 links dist.
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec Cor.
65.00	~~Leave~~ bottom & enter upland
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 3.4.9 & 10
	Bottom land level. Soil 1st rate Upland rolling soil 2nd rate.

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 3 & 10
	Var: 13° 25'
40.00	Set post for temporary 1/4 Sec Cor.
80.32	Intersected the N and S line 20 links North of the corner to Sections 2.3.10 & 11
	From which corner I run N 89° 57' West
	On a true line bet. Sec 3 & 10
	Var: 13° 25' E
40.16	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sections corner.
80.32	The corner to Sections 3.4.9 & 10
	Land somewhat broken Soil 2nd rate.

Township 3 N. Range 27 W. 6th P.M.

Chains	
	North on a random line bet. Sections 3 and 4 Var 13° 25' E.
40.00	Set post for temporary 1/4 Sec Cor:
79.60	Intersected the North Boundary of Township 19 links West of the corner to Sections 3 and 4.
	From which corner I run South (8 West) on a true line Between Sec 3 and 4 Var: 13° 25' E
39.60	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.60	The corner to Sections 3. 4. 9 and 10
	Land rolling Soil 2nd rate
	July 26th A.D. 1871

Township 3 N. Range 27 W. 6 P.M.

Chains	

Township 3 N. Range 27 W. 6 P.M.

Chains	
	North Between Sections 32 and 33
	Var: 13° 25' E.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the Corner to Sections 28. 29. 32 and 33
	Land rolling
	Soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line Between Sections 28 and 33
	Var: 13° 25' E
40.00	Set post for a temporary 1/4 Sec. Cor:
80.04	Intersected the N. and S. line 7 links North of the cor to Sections 27. 28. 33 and 34
	From which corner I run N. 89° 57' West
	On a true line between Sec 28 & 33 Var 13° 25' E
40.02	Drove a charred stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec corner
80.04	The corner to Sections 28. 29. 32 and 33
	Land rolling
	Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 28 and 29 Var: 13°25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section corner
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 20. 21. 28 and 29
	Land high & rolling Soil 2nd rate

Township 3. N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 21 and 28 Var: 13°25' E
18.00	Ravine bears N.E.
40.00	Set post for a Temporary 1/4 Sec. Cor
76.00	~~Ravine bears~~ North
80.10	Intersected the N. and S. line quite North of the corner to Sections 21. 22. 27 and 28 From which corner Drum N 89°56' West On a true line between Sections 21 and 28. Var. 13°25' E
40.05	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.10	The corner to Sections 20. 21. 28 and 29
	Land high & rolling Soil 2nd rate

Township 3. N. Range 27. W. 6. P.M.

Chains	North Between Sections 20 and 21 Var: 13° 25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 sec. cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to sections 16. 17. 20 and 21

Land rolling Prairie Soil 2nd rate.

Township 3. N. Range 27. W. 6th P.M.

Chains	East on a random line between Sections 16. and 21 Var: 13° 25' E
40.00	Set a post for temporary 1/4 Sec. Cor:
67.00	To creek or spring branch bears N.E.
80.08	Intersected the N. and S. line 5 links South of the corner to Sections 15. 16. 21 and 22
	From which corner I run S. 89° 58' West
	On a true line bet: Sec 16 & 21 Var: 13° 25' E
40.04	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 sec. corner:
80.08	The corner to Sections 16. 17. 20 and 21

Land broken Soil 2nd rate

Township 3. N Range 27. W. 6th P.M.

Chains	North between Sec. 16 & 17 Va: 13° 25' E.
9.00	Leave upland and enter bottom bears East and West.
46.60	To the right bank of the Rep. River where I Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander corner. To Ex. Sec 16 & 17
54.20	To left bank of the Rep: River Where I set Post for Meander corner: To Fractional Sections 16 and 17 From which A Cottonwood tree 20. inches in dia bears N. 10° 30' W. 76 links A Cottonwood tree 16 inches in dia bears N. 42° W. 130 links dist. A Cottonwood tree 30 inches in dia bears N. 78° 30' W. 158 links dist
80.00	Drove charred stake set post & raised mound of earth from pits as per instructions for the Sec Corner to Sections 8. 9. 16. and 17

Township 3. N. Range 27. W. 6th P.M.

Chains	East on a random line bet. Sec 9. & 16 Var: 13° 25' E.
22.14	To the left bank of Rep. River Where I set a post for a temporary Meander corner.
29.40	To the right bank of the Rep. River Where I set post for Temporary Meander Cor: here I Enter Timber to River bears E & N.
40.00	Set post for temporary 1/4 Sec: cor:
76.00	Set a post for a temporary meander cor: on the right bank of the Rep. River
80.00	Intersected the N. and S line at the temporary corner to Sections 9. 10. 15 and 16 (Which corner is on Sand Bar in River) From which corner I run West on a true line between 9 & 16.
4.00	< Var. 13° 25' E Set post for Meander Cor to Fractional Sections 9 and 16 From which a Cottonwood Tree 10 inches in dia bears S 10° 30' W. 185 links A Cottonwood 22 in. in dia bears N 75° 40' W. 490 links dist
40.00	Drove charred Stake set post and

Township 3. N. Range 27. W. 6th P.M.

Chains	
	Raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
50.60	Drove charred Stake set post and raised mound of earth from pits, as per instructions for a Meander Corner to Fractional Sections 9 and 16 on the right bank of the Rep. River From which a cottonwood 10 inches in dia: bears N 33° E 50 lks dist.
57.86	Drove Charred Stake set post and raised mound of earth from pits as per instructions for Meander cor: to Fractional Sections 9 and 16 on the left bank of the Rep. River
80.00	The Corner to Sections 8. 9. 16 and 17

I ascertained the distance across the River by actual Measuring
Land level Soil 1st Rate
Timber ash & Cottonwood

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between Sec. 8 and 9 Var: 13° 25' E.
9.00	Willow Slough 40 lks wide bears N. E.
40.00	Drove Charred Stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec: Cor: (bears E + W)
70.00	Leave Bottom, and enter upland
80.00	Drove Charred Stake set post and raised mound of earth from pits as per instructions for the Corner to Sections 4. 3. 8 and 9

Bottom land level
Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 4 and 9 Va 13° 25' E.
40.00	Set Post for a temporary 1/4 Sec. Cor:
80.04	Intersected the N. and S. line 15 links South of the corner to Sections 3. 4. 9 and 10: From which corner I run S. 89° 54' West On a true line between Sec 4 & 9
40.02	Var: 13° 25' E. Drove Charred Stake set post and raised Mound of earth from pits as per instructions for a 1/4 Section Cor:
80.04	The Corner to Sections 4. 5. 8 and 9

Land broken Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North on a random line between Sections 4 and 5 Var: 13° 25' E.
40.00	Set post for temporary 1/4 Sec. Cor:
79.52	Intersected the North T.P. Boundary. 9 links West of the corner to Sections 4 and 5 From which corner I run South 54' West on a true line bet: Sec. 4 and 5 Va 13° 25' E.
39.52	Drove Charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
79.52	The Corner to Sections 4. 5. 8 and 9

Land rolling Soil 2nd rate

July 27th A.D. 1871

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 31 and 32
	Var: 13° 25' E.
40.00	Drove charred stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 29. 30. 31 & 32
	Land high and broken Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 29. and 32
	Var: 13° 25' E.
10.00	Ravine bears N.W.
40.00	Set post for temporary 1/4 Section corner
79.92	Intersected the N. and S. line 10 links South of the corner to Sections 28. 29. 32 and 33. From which corner I run S. 89° 56' West
	On a true line between Sec. 29 & 32 Var. 13° 25' E
39.96	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
79.92	The corner to Sections 29. 30. 31 and 32
	Land high and rolling Soil 2nd rate.

Township 3. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Sections 30 and 31 Va 13°25' E
19.00	Ravine bears North
40.00	Set post for a temporary 1/4 Sec. Cor:
51.00	Ravine bears S.E.
79.47	Intersected the West Boundary of the Township 5. links North of the corner to Sections 30 and 31
	From which corner I run N 89°58' E
	On a True line between Sec 30 and 31 Va 13°25' E
39.47	Drove Charred Stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.47	The corner to Sections 29. 30, 31 and 32.
	Land broken Soil 2nd rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 29 and 30 Va: 13°25' E
19.00	Deep Ravine bears N.W.
40.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Section corner
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the Cor: to Sections 19. 20. 29 and 30

Land rolling Soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 20 (on) 29 Va: 13° 25' E
40.00	Set post for a temporary 1/4 Sec. Cor:
79.90	Intersected the N. (on) S. line 5 links South of the corner to Sections 20, 21, 28 (on) 29 From which corner I run S. 89° 38' West On a true line between Sec 20 & 29. Var: 13° 25' E
39.95	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Corner:
79.90	The corner to Sections 19, 20, 29 (on) 30

Land rolling. Soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	West on a random line between Sections 19 (on) 30 Va 13° 25' E
40.00	Set post for a temporary 1/4 Sec. Corner
55.00	Deep Ravine bears N.W. scattering timber along its banks
78.91	Intersected the West Boundary of the Township 9 links North of the corner to Sections 19 (on) 30 From which corner I run N 89° 56' E On a true line between Sections 19 & 30 Var 13° 25' E
38.91	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec Cor:
78.91	The corner to Sections 19, 20, 29 (on) 30

Land rolling. Soil 2nd rate:

Township 3 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 19 and 20
	Var: 13° 25' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. corner:
70.00	Leave upland and enter bottom which bears N.E and West
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to sections 17. 18. 19 and 20.

Land rolling soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 17 and 20
	Var: 13° 25' E
18.00	Leave River bottom bears N.E and S.W.
40.00	Set post for temporary 1/4 Sec cor:
79.80	Intersected the N and S. line 3 lks South of the cor to sections 16. 17. 20 and 21
	From which corner I run S. 89° 59' West
	On a true line bet. Sec. 17 & 20
	Var 13° 25' E
39.90	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec cor:
79.80	The corner to sections 17. 18. 19. and 20

Land except in bottom rolling 2nd rate.
Bottom level 1st rate.

Township 3 N. Range 27 W. 6th P.M.

Chains	
	West on a random line between Sections 18 and 19 Var: 13°25' E
40.00	Set post for temporary 1/4 Sec. Cor:
52.20	To the right bank of Rep. River where I set post for temporary meander corner:
65.55	To left bank of River where I set post for temporary Meander corner:
78.40	Intersected the West Boundary of the Township at post the corner to Sections 18 and 19 From which corner I run East on a true line between Sec. 18 and 19 Var. 13°25' E
12.85	Drove charred stake set post and raised mound of earth from pits as per instructions for a meander cor: to Fractional Sections 18 and 19 on the left bank of the Republican River
26.20	Drove charred stake set post and raised mound of earth

Continued

Chains	
	from pits as per instructions for a Meander Cor to Fractional Sections 18 and 19 on the right bank of the Republican River:
38.40	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section corner:
78.40	The corner to Sections 17, 18, 19 and 20
	Land level bottom Soil 1st rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 17 and 18
	Var: 13°25' E
30.00	Enter timber bears E & W.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. and Meander Cor on the right bank of the Republican River.
47.35	Drove charred stake set post and raised mound of earth from pits as per instructions for a meander corner on the left bank of the Rep-River.
70.00	Willow Slough bears N.E.
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to sections 7. 8. 17 and 18
	Land level Bottom Soil 1st rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 8 and 17
	Va 13°25' E.
1.00	Short bend in Willow Slough bears S.E. 1 chain wide
6.00	Willow Slough bears N.E.
40.00	Set post for temporary 1/4 Sec. cor.
42.00	Same Slough bears S.E.
60.00	Same Slough bears N.E.
79.84	Intersected the N. and S. line 14. links South of the corner to Sections 8. 9. 16 and 17
	From which corner I run S. 89°54' West
	On a true line between Sec 8 & 17. Var 13°25' E
39.92	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 sec. cor.
79.84	The corner to Sections 7. 8. 17. and 18.
	Land level Soil 1st rate.

Township 3. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Sections 7. & 18 Var: 13°25' E
8.00	Ravine 200 links wide bears S.E.
36.00	Willow Slough 20 links wide timber along banks bears S.E.
40.00	Set post for a temporary 1/4 sec corner.
77.80	Intersected the West Boundary of the Township 8. links North of the corner to sections 7. & 18 From which corner I run N. 89°37' E On a true line between Sec 7. & 18 Var 13°25' E
37.80	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 section corner:
77.80	The corner to sections 7. 8. 17. & 18.

Land level bottom
Soil 1st rate

Township 3. N. Range 27. W. 6th P.M.

Chains	
	North between sections 7. & 8 Var: 13°25' E.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 section corner:
52.00	Leave bottom bears E. & N.W.
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to sections 5. 6. 7 & 8

Bottom land level soil 1st rate
Upland rolling soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 5 and 8 Var: 13°25' E
40.00	Set a post for temporary 1/4 Sec. cor:
80.09	Intersected the N. and S. line 5 links South of the corner to Sections 4. 5. 8 and 9
	From which corner I run S. 89°58' West
	On a true line between Sec. 5 & 8 Var 13°25' E
40.04½	Drove charred stake set post and raised Mound of earth from pits. as per instructions for a 1/4 Sec. cor:
80.09	The corner to Sections 5. 6. 7. and 8

Land rolling. soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	West on a random line between Sections 6 and 7 Var: 13°25' E
21.00	Ravine bears South
30.00	Same Ravine bears N.E.
35.00	Leave Ravine bears E comes from the N. W.
40.00	Set post for temporary 1/4 Sec. cor:
77.40	Intersected the West Boundary of the Township at post the corner to Sections 6 and 7
	From which corner I run East on a true line between Sections 6 and 7 Var 13°25' E
37.40	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
77.40	The corner to Sections 5. 6. 7 and 8

Land rolling soil 2nd rate

Township 3 N. Range 27 W. 6th P.M.

Chains	
	North on a random line between Sections 5 and 6 Var: 13° 25' E.
40.00	Set a post for temporary 1/4 Sec Cor:
47.00	Ravine bears S.W.
79.39	Intersected the North Boundary of the Township 12 links East of the corner to Sections 5 and 6
	From which corner I run South 45' E on a true line between Sections 5 and 6 Var: 13° 25' E
39.39	Drove charred stake set post and raised mound of earth from pits, as per instructions for a 1/4 Sec. cor:
79.39	The corner to Sections 5. 6. 7. and 8
	Land rolling Soil 2nd rate
	July 28th A.D. 1871

Township 3 N. Range 27 W. 6th P.M.

Meanders of the right bank of the Republican River through the Township

Begin at the corner to fractional Sections 18 and 19 on the West Boundary of the Township and on the right bank of the river and run thence down stream with the Meanders of the right bank of said river in fractional Section 19 Var 13° 25' E as follows:

Courses	Distances Chains	Remarks
N. 52 E.	33.25	To Meander cor: between Sec, 18 and 19
		At 9.00 chains mouth of Ravine 3.00 chains wide comes from the South
S		Thence in Section 18
N. 49 1/4 E	57.50	Some scattering timber
N. 63 1/4 E	14.30	To the Cor to fractional Sections 17 and 18
		High bottom land Soil 1st rate

Township 3 N. Range 27 W. 6th P.M.

Courses	Distances Chains	Remarks
N. 66 E	14.00	Thence in Sec 17
N. 82¾ E	14.60	
S. 80°50' E	26.40	
S. 87 E	13.00	
N. 73°10' E	14.10 4	To corner to fractional Sec 16 & 17 Thence in Section 16
N. 77 E	19.20	
N. 50 E	12.80	
N. ~~1¾~~ 2¼ E	24.40 5	To corner to fractional Sec. 9 and 16. Thence in Sec 9.
N 8.40 W.	11.00	In this bend of River there
N 15½ E	10.20	is quite a body of
N 78 E	14.20	Timber. Cottonwood & Elm
S. 55 E.	22.30	
S. 52 E	17.20 6	To cor. to fractional Sections 9 and 16. Thence in Sec 16
S ~~52½~~ 48 E	~~6.40~~ 5.60 7	To cor. to fractional Sections 15 and 16 Thence in Section 15.
S. 53¼ E	10.00	
S 74.50 E	50.00	At 13.50 chains crop Mouth of Spring branch 50 links wide at 20.00 Bluffs come to River

Township 3 N. Range 27 W. 6th P.M.

Courses	Distances Chains	Remarks
		To cor to fractional Sections 14 and 15
N 77½ E	24.50 8	At 12.00 chains crop deep ravine comes from the South. where River leaves Bluffs Thence in Section 14
N 3 ~~4~~ 6 E	15.00	
N 46.40 E	12.20 9	To cor to fractional Sec 11 & 14 Thence in Section 11.
N 46.40' E	7.50	
N 6 ~~7~~ 8 E	25.00	
N 74 E	18.00	
S. 84 E	13.00 10	To corner to fractional Sec 11 & 12 Thence in Section 12.
East	53.00	
S 74½ E	27.60 11	To cor to fractional Sec 12 on the Range line

I now crop the river to commence the Meanders on the left bank but cannot find the Meander corner. I then cause the river to be Measured and find the distance to the left bank on the Range line to be 6.10 chains the notes furnished me from

the office gives the width of the River at 5.00 chains which I suppose was correct at the time the Exterior was run but the continual falling in of the banks have increased the distance.

I therefore set a new meander corner on the left bank 17.30 chains North of the corner to Sections 12 and 13 from which corner I run up stream ~~the~~ with the meanders of the left bank of said river in fractional Section 12 as follows

V 13° 25' E

Causes	Distances	
12 N. 66 W.	19.00	
N. 70. W	8.70	At 3.00 a large body of timber bears N. W.
West	19.10	
S 87.40 W	23.40	
West	12.00 13	To the cor to Fractional Sections 11 and 12. Thence in Sec. 11
N. 85 3/4 W	15.50	At 10.00 on this course leave Timber which bears N.E.
3 S. 72 1/4 W	22.35	

Causes	Distances	Remarks
S. 65 W	22.20	
S. 45 1/2 W	16.80 14	To cor to fractional Sections 11 and 14 Thence in Sec 14
S 51° 05' W	14.20 15	To cor to fractional Sections 14 and 15. Thence in Sec 15.
S 75 1/4 W.	23.60	
N. 74 1/4 W	36.70	
N 72° 10' W	16.00 16	To cor to fractional Sections 10 and 15. Thence in Sec 10.
N 48 1/2 W	8.55 17	To cor: to fractional Sections 9 and 10 Thence in Sec 9
N. 51 3/4 W	34.60	
N. 64 1/2 W.	10.00	
S. 87 W	10.00	
S. 69 1/4 W	10.00	At 8.00 I cross mouth of Willow Slough which is 50 links wide
S 15 W	15.00	
S. 6 1/2 E	13.00 18	To corner to fractional Sections 9 and 16 Land in this section is 1st rate soil for Agricultural purposes.

Township 3 N. Range 27 W. 6th P.M.

Causes	Distances	Remarks
		Thence in Sec 16
S 2½ W	18.20	Some scattering timber on River banks
		Principally Cottonwood
S 51 W.	6.50	
S 77¾ W.	16.70 19	To corner to fractional Sections 16 and 17
		Some Scattering timber along this course
		Thence in Section 17
S 78½ W	19.50	
N 82 W	33.00	
S 85°10' W	15.00	
S 65½ W	15.00 20	To corner to fractional Sections 17 and 18
		Timber along this course and is about 3.00 chains wide N + S.
		Land is level bottom Soil 1st rate
		Grass on bottom is the large Blue Stem

Township 3 N Range 27 W. 6 P.M.

Causes	Distances	Remarks
		Thence in Sec. 18.
S 71 W	14.00	Timber along this course
S 54 W	17.50	
S ~~49~~ 50 W	50.00 21	To corner to fractional Sections 18 and 19 Thence in Section 19 -
S 43¼ W	18.80 22	To corner to Fractional Section 19 on the Range line
		Along the two last courses there is a Sandbar or Small Island in the river

Geil Description

The land in South Side of this Township is high + rolling the Soil is 2nd rate: the bottom land along the Repu=blican River is level the Soil 1st rate: the Surface is covered with blue Stem grass Several good bodies of timber along the River Timber Cottonwood: Ash: + Elm:

Township 3 N. Range 27. W. 6th P.M.

A list of the Names of the individuals who assisted in running, Measuring and marking the Subdivision lines and Meanders Corners of the foregoing Field notes of Township No 3 North. Range 27 West of 6th P. Meridian

Wm L. Wells } Chainman
Emmet H. Sprague

Frank L. Mather } Axeman
William E. Randall } Moundman
Flagman

Geo W Fairfield Compassman

July 31st A.D. 1871

We hereby certify that we assisted George W. Fairfield Deputy Surveyor in Subdividing Township No 3 North of the Base line of Range No 27 West of the 6th P.M. and and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed and the boundary & Meander Monuments planted according to the instructions of the Surveyor General

and meandering

Wm L. Wells Chainman
E H Sprague Chainman
Axeman
Frank L Mather Moundsman
William Randle Flagman
George W. Fairfield Compassman

Subscribed and sworn to by the above named persons before me a Notary Public

in and for the County of Cass
in the State of Nebraska
this 11th day of October
A.D. 1871

J. D. Bennett
Notary Public
Cass Co Nebraska

I George W. Fairfield do
Solemnly Swear that in
pursuance of a contract
No 48 Wherein George W.
Fairfield is contractor with
E. E. Cunningham United States
Surveyor General for the District
of Nebraska and Iowa bearing
date the 17th day of June
A.D. 1871
I have well and faithfully and
truly in my own proper person
and in strict conformity with
the instructions of the Surveyor
General the Surveying Manual
and the laws of the United
States. Surveyed all those parts
or portions of Township
No 3 North of the Base line of
Range No Twenty Seven (27) West
of the 6th Principal Meridian
in the State of Nebraska as are
represented in the foregoing
Field Notes as having been
Surveyed under my direction

and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

George W. Fairfield
Deputy Surveyor

Subscribed by the said George W. Fairfield Dept Surveyor and sworn to before me a Notary Public within and for the County of Cass in the State of Nebraska this 11th day of October A.D. 1871

Lloyd D Bennett
Notary Public
Cass Co Nebraska

Survey commenced on July 24th A.D. 1871
Completed July 31st A.D. 1871

Surveyor Generals Office
Plattsmouth, Decr. 16th 1871

The foregoing field Notes of the Survey and Subdivision of Township No. 3 North of the Base line of Range No. 27. West of the 6th P.M. Executed by George W Fairfield under his Contract No. 48 dated the 17th day of June 1871 in the month of July 1871 having been critically examined the necessary corrections and explanations made the said Field Notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Contract 48

Field Notes
of
The Survey & Subdivision
of
Town No. 4 North of Base line
of
Range No. 27 West of the 6th P.M.
in the
State of Nebraska

Executed by George W Fairfield
Deputy Surveyor

Survey
Commenced August 1st A.D. 1871
Completed August 5th A.D. 1871

List of Names

List of Names & duties of assistants Employed to assist in Subdividing this Township
Wm L Wells; and Emmet H Sprague: Chainmen
Frank L. Mather: Aceman & Mounelman
Wm E Randall Flagman: Geo. W. Fairfield Compassman

T 4 N., R 27. W.



Township 4 N Range 27 W. 6th P.M.

Field Notes of the Subdivision lines in Township No 4 North Range 27 W. 6th P.M.

To determine the proper adjustment of my Compass for Subdividing this Township I commenced at the post the established corner to Townships 3 and 4 North Ranges 26 and 27 West of the 6th P.M. and run North on a blank line along the East Boundary of Section 36

Var: 13°30' E

40.02 To a point 6 links East of the 1/4 Sec corner:

80.02 To a point 12 links East of the corner to Sections 25 & 36

To retrace this line or to run a line parallel thereto my compass must be adjusted to a Variation of 13°35' E

Survey commenced August 1st A.D. 1871

Township 4. N. Range 27. W. 6th P.M.

Chains	
	From the corner to Sections 35 and 36 on the South boundary of the Township I run North between Sec 35 and 36
	Var: 13°35' E
40.00	Set a Sandstone 12 X 10 X 6 for 1/4 Sec: cor:
80.00	Set Sandstone 12 X 11 X 8 for the corner to Sections 25. 26 35 and 36
	Land rolling: Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random line bet. Sec 25 and 36
	Var: 13°35' E
32.00	Dry creek bears S E with some scattering timber along its banks
40.00	Set a ~~flag for temporary~~ Post 1/4 Sec corner
80.04	Intersect East boundary of Township at the corner to Sec 25 and 36: From which corner I run West on a true line between Sections 25 and 36
	Var: 13°35' E
40.02	Set Sandstone 12 X 12 X 8 for a 1/4 Sec cor:
80.04	The corner to Sec 25. 26. 35 and 36:
	Land rolling: Soil 2nd rate

Township 4 N. Range 27 West 6th P.M.

Chains	North between Sec 25 & 26 Var 13° 35' E
40.00	Set a Sandstone 12 X 10 X 8 for a 1/4 Sec cor
60.00	Dry creek bears S.E.
80.00	Set a Sandstone 14 X 12 X 6 for the corner to Sections 23, 24, 25 and 26

Land rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	East on a random line between Sections 24 and 25 Var: 13° 35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor:
80.10	Intersect the East boundary of the Township 10 links South of the corner to Sec 24 & 25 From which corner I run S. 89° 56' West on a true line between Sec 24 & 25 Var: 13° 35' E
40.05	Set a Sandstone 13 X 10 X 7 for a 1/4 Sec cor
80.10	The corner to Sections 23, 24, 25 and 26

Land rolling: Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Sec 23 and 24
	Var 13°35' E
40.00	Set Sandstone 13 x 10 x 8 for a 1/4 Sec. Cor.
80.00	Set a Sandstone 12 x 12 x 6 for the corner to Sections 13. 14. 23 and 24
	Land high rolling Prairie Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 13 and 24
	Var: 13°35' E
40.00	Set post flag for temporary 1/4 Sec. Cor.
80.05	Intersect the East Boundary of Township 5 links North of the corner to Sec 13 and 24. From which corner I run North 89°58' West on a true line between Sec. 13 and 24
	Var: 13°35' E
40.02½	Set Sandstone 14 x 10 x 8 for a 1/4 Sec. Cor.
80.05	The corner to Sections 13. 14 23 and 24
	Land high and rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	North between Sec 13 and 14
	Var 13°35' E
40.00	Set Sandstone 12 x 10 x 6 for
	a 1/4 Sec. cor
63.00	Deep Ravine bears E.
80.00	Set Sandstone 14 x 12 x 6 for
	the corner to Sections 11. 12.
	13 and 14
	Land rolling: Soil 2nd rate
	West of where the line crosses
	deep ravine there is an
	extensive Sandstone quarry

Township 4. N. Range 27. W. 6th P.M.

Chains	East on a random line between
	Sections 12 and 13
	Var 13°35' E
19.00	Deep Ravine bears N.E.
40.00	Set post for temporary 1/4 Sec. cor.
42.00	Same Ravine bears S.E.
80.00	Intersect East Boundary
	of the Township at Post the
	corner to Sections 12 and 13
	From which corner I run
	West on a true line between
	Sections 12 and 13
	Var: 13°35' E
40.00	Set a Sandstone 12 x 12 x 6
	for a 1/4 Sec. cor:
80.00	The corner to Sections 11, 12,
	13 and 14
	Land broken soil 2nd rate
	Sandstone along deep ravine

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 11 and 12
	Var 13°35' E
40.00	Set Sandstone 14 x 10 x 5 for a 1/4 Sec. cor.
80.00	Set Sand stone 13 x 12 x 8 for the corner to Sections 1. 2. 11 and 12
	Land high and rolling
	Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 1 and 12
	Var 13°35' E
40.00	Set ~~stay~~ post for temporary 1/4 Sec. cor.
79.94	Intersect East Boundary of the Township 10 links South of the corner to Sections 1 and 12 From which corner I run S. 89°56' West on a true line between Sections 1 and 12
	Var 13°35' E
39.97	Set Sandstone 12 x 11 x 8 for 1/4 Sec. cor.
79.94	The corner to Sections 1. 2. 11 & 12
	Land high and rolling
	Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sections 1 and 2
	Var: 13°35' E
40.00	Set Sandstone 12 x 10 x 8 for 1/4 Sec: cor:
81.25	Set a Sandstone 13 x 12 x 7 for a closing corner to Sec 1 and 2 on 1st Standard Parallel North. 10.80 chains West of the corner to Township No. Five (5) North Ranges 26 and 27 West of the 6th P.M.
	Land gently rolling Soil 2nd rate

August 1st A.D. 1871

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 34 and 35
	Var: 13°35' E
40.00	Set Sandstone 14 x 12 x 4 for a 1/4 Sec: corner
80.00	Set Sandstone 13 x 12 x 6 for the corner to Sections 26. 27. 34 and 35
	Land broken Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 26 and 35 Var 13° 35' E
28.00	Ravine bears S.W.
40.00	Set ~~stay~~ Post for temporary 1/4 Sec cor:
80.00	Intersect the N. and S. line 12 links South of the corner to Sections 25. 26. 35 and 36
	From which corner I run S. 89° 55' West on the line between Sections 26 and 35 Var: 13° 35' E
40.00	Set Sandstone 12 x 11 x 9 for w 1/4 Sec cor:
80.00	The corner to Sections 26. 27. 34 & 35

Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec. 26 and 27 Var 13° 35' E
40.00	Set Sandstone 12 x 12 x 6 for a 1/4 Sec: cor:
80.00	Set Sandstone 14 x 10 x 6 for the corner to Sections 22. 23. 26 and 27.

Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sec. 23 and 26
	Var: 13°35' E
23.00	Ravine bears S.E.
40.00	Set ~~flag~~ stone for temporary 1/4 Sec. Cor:
62.00	Ravine ~~of any sort~~
80.06	Intersect N. and S. line 22 links North of the Cor to Sections 22. 24. 25 and 26
	From which corner I run N 89°51' West on a true line between Sec. 23 and 26
	Var 13°35' E
40.03	Set Sandstone 13 x 12 x 9 for 1/4 Sec. Cor:
80.06	The corner to Sections 22, 23, 26 and 27.
	Land somewhat broken Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 22 and 23
	Var: 13°35' E
38.00	Ravine bears S.E. Sandstone rock in Bed of Ravine, or Dry creek
40.00	Set Sandstone 12 x 12 x 8 for a 1/4 Sec. Cor:
80.00	Set Sandstone 13 x 10 x 7 for the corner to Sec 14. 15. 22 and 23
	Land broken: Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 14 and 23
	Var: 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor
61.00	Ravine bears South
80.15	Intersect the N and S. line at the corner to Sections 13. 14 23 and 24 From which corner I run
	West on a true line between Sections 14 and 23
	Var: 13°35' E
40.07½	Set Sandstone 12 x 12 x 8 for 1/4 Sec: cor:
80.15	The corner to Sec 14. 15 22 and 23.

Land high rolling
Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 14 and 15
	Var: 13°35' E
40.00	Set Sandstone 13 x 12 x 7 for a 1/4 Sec: cor:
80.00	Set a Sandstone 13 x 10 x 9 for the corner to Sections 10. 11. 14 and 15

Land high rolling Prairie
Soil good 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sections 11 and 14
	Var: 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor:
54.00	Deep ravine bears S.E. with Sandstone rock in Sides of Ravine
80.20	Intersect the N. and S. line 5. the South of the corner to Sections 11. 12. 13 and 14
	From which corner I run S. 89°58' West on a true line between Sections 11 and 14
	Var: 13°35' E
40.10	Set Sandstone 12 X 10 X 8 for 1/4 Sec. cor:
80.20	The corner to Sec 10. 11. 14 and 15

Land rolling soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Sec 10 and 11
	Var: 13°35' E
40.00	Set Sandstone 13 X 12 X 7 for 1/4 Sec cor
57.00	Deep ravine bears East
80.00	Set Sandstone 14 X 12 X 6 for the corner to Sec 2. 3. 10 and 11.

Land high rolling Prairie
Soil good 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 2 and 11
	Var: 13°35' E
30.00	Ravine bears South.
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor.
80.15	Intersect the N and S. line at the corner to Sections 1. 2. 11 and 12. From which corner I run
	West on a true line between Sec 2 & 11
	Var 13°35' E
40.07½	Set Sandstone 14 x 10 x 8 for a 1/4 Sec. cor:
80.15	The corner to Sections 2. 3. 10 and 11.

Land rolling: Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Sec 2 and 3
	Var: 13°28' E
40.00	Set Sandstone 12 x 10 x 9 for a 1/4 Sec cor:
80.75	Set a Sandstone 13 x 10 x 8 for closing corner to Secs 2 and 3 on 1st ~~Standard~~ Standard Parallel N 10 chains & 87 links West of the ~~Standard~~ corner ~~on the South boundary~~ to Secs. 35 and 36 Township 5 North Range 27 West

Land rolling Soil 2nd rate

August 2nd A.D. 1871

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Sec 33 and 34 Var 13°35' E
40.00	Set Sandstone 13 x 10 x 8 for a 1/4 Sec cor:
80.00	Set Sandstone 14 x 12 x 6 for the corner to Sections 27. 28. 33 and 34
	Land Light rolling Prairie. Soil. Good. 2nd Rate Good for grazing, but too dry for farming

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on random line between Sections 27 and 34. Var. 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor.
52.50	Ravine bears S.E.
79.86	Intersect the N. and S. line 3 link North of the corner to Sections 26. 27. 34 and 35. from which corner I run N. 89°59' West on a true line bet Secs. 27 & 34 {Var: 13°35' E
39.93	Set Sandstone 12 x 12 x 8 for a 1/4 Sec. cor.
79.86	The cor to Sections 27. 28. 33 and 34
	Land high & rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Secs 27 and 28 Var: 13°35' E
40.00	Set Sandstone 12 x 11 x 9 for a 1/4 Sec: cor:
80.00	Set Sandstone 13 x 10 x 9 for the corner to Sec 21. 22. 27 and 28
	Land high and rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on random line between Sections 22 and 27 Var: 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor.
79.90	Intersect the N. and S. line 8 lks South of the corner: to Sections 22. 23. 26. and 27. from which corner I run S. 89°57' West on a true line between Sections 22 and 27 Var 13°35' E
39.95	Set a Sandstone 13 x 12 x 7 for a 1/4 Sec: cor:
79.90	The corner to Sections 21. 22. 27 and 28
	Land high & rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	North between Sec 21 and 22 Var: 13°33' E
40.00	Set Sandstone. 13 x 11 x 7 for a ¼ Sec. Cor:
62.00	Deep Ravine bears East.
80.00	Set Sandstone 14 x 12 x 6 for the corner to Sections 15. 16. 21 and 22

Land high and rolling
Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	East on a random line between Sections 15 and 22 Var: 13°33' E
40.00	Set ~~flat~~ Post for temporary ¼ Sec. Cor.
41.00	Deep Ravine bears S.E.
80.00	Intersect the N. and S. line 15 links South of the corner to Secs. 14. 15. 22. and 23. From which corner I run S. 89°54' West on true line between Sec 15 and 22 Var: 13°33' E
40.00	Set Sandstone 12 x 10 x 8 for a ¼ Sec. Cor:
80.00	The corner to Sections 15. 16, 21 and 22.

Land Light & rolling
Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Secs. 15 and 16
	Var: 13°35' E
40.00	Set Sandstone 12 x 10 x 8 for a 1/4 Sec. Cor:
80.00	Set Sandstone 14 x 12 x 6 for the corner to Sections 9. 10. 15. and 16

Land high & rolling Prairie
Soil good 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random between Sections 10 and 15
	Var: 13°35' E
10.00	Ravine bears S.E.
40.00	Set ~~Stg~~ Post for temporary 1/4 Sec. Cor.
80.11	Intersect the N. and S. line at the corner to Secs. 10. 11. 14. and 15.
	From which corner I run West on a true line between Sections 10 and 15
	Var: 13°35' E
40.05½	Set Sandstone 12 x 12 x 7. for a 1/4 Sec cor:
80.11	To the corner of Sections 9. 10. 15 and 16

Land gently rolling
Soil good 2nd rate

Township 4. N. Range 27. W. 6. P.M.

Chains	North Between Secs. 9 and 10 Var 13°35' E
14.00	Ravine bears S.E.
40.00	Set Sandstone 13 x 10 x 7 for a 1/4 Sec cor.
80.00	Set Sandstone 14 x 12 x 6 for the corner to Sec 3. 4. 9 and 10

Land high rolling Prairie Soil good 2nd rate.

Township 4. N. Range 27. W. 6th P.M.

Chains	East on a random line between Secs. 3 and 10 Var: 13°35' E
32.00	Ravine bears SE
40.00	Set ~~flag~~ post for temporary 1/4 Sec: cor:
80.06	Intersect the N. and S. line 8 links North of the corner to Sections 2. 3. 10. and 11 From which corner I run N. 89°57' West on a true line between Sections 3 and 10 Var: 13°35' E
40.03	Set Sandstone 12 x 10 x 8 for 1/4 Sec: cor:
80.06	The corner to Sections 3. 4. 9. and 10.

Land somewhat broken Soil 2nd rate:

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Sections 3 and 4
	Var: 13°30' E
40.00	Set Sandstone 12 x 10 x 7 for a 1/4 Sec cor:
75.00	Ravine bears S.E.
80.18	Set a Sandstone 12 x 11 x 7 for closing corner to Sections 3 and 4. on 1st Standard Parallel 10 chs. 76 lks West of the Standard corner ~~and the South~~ to boundary of Secs. 34 and 35 Township 5 North Range 27 W.
	Land high and rolling Soil 2nd rate

August 3rd 1871

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Sec 32 and 33
	Var: 13°35' E
40.00	Set Sandstone 14 x 9 x 7 for a 1/4 Sec. Cor:
80.00	Set Sandstone 12 x 11 x 7 for the corner to Sections 28. 29. 32 and 33.
	Land high & gently rolling Soil good. 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random (line) between Secs. 28 and 33
	Var 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec. cor.
79.78	Intersect the N. and S. line 22 links South of the corner to Sections 27, 28, 33 and 34
	From which corner I run S. 89°51' West on a true line between Sections 28 and 33.
	Va 13°35' E
39.89	Set a Sandstone 12 x 10 x 8 for a 1/4 Sec corner
79.78	The corner to Sections 28, 29, 32 and 33.

Land high & gently rolling
Soil 2nd rate.

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 28 and 29
	Var: 13°35' E
40.00	Set Sandstone 12 x 11 x 9 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 7 for the cor to Secs. 20. 21. 28 and 29

Land high & Gently rolling
Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Secs 21 and 28
	Var: 13°35' E
40.00	Set stone for temporary 1/4 Sec corner
79.80	Intersect the N and South line at the corner to Secs 21. 22. 27 and 28
	From which corner I run West on a true line between Sections 21 and 28
	Var 13°35' E
39.90	Set Sandstone 13 x 12 x 7 for a 1/4 Sec cor:
79.80	The corner to Secs 20, 21, 28 and 29.
	Land high & rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Secs 20 and 21
	Var: 13°35' E
40.00	Set Sandstone 12 x 11 x 9 for a 1/4 Sec cor:
80.00	Set a Sandstone 14 x 12 x 6 for the corner to Sections 16. 17. 20 and 21
	Land high and rolling Soil good 2nd rate

Township 4. N. Range 27. West 6th P.M.

Chains	
	East on a random between Secs. 16 and 21 Var: 13° 35' E
31.00	Ravine bears S.E.
40.00	Set ~~flag~~ post for temporary ¼ Sec cor:
79.86	Intersect the N. and S. line 12 links North of the corner to Sections 15. 16. 21 and 22 From which corner I run N 89° 53' West on a true line between Sections 16 and 21 Var 13° 35' E
39.93	Set a Sandstone 13 x 10 x 8 for a ¼ Sec: cor:
79.86	The corner to Secs. 16, 17, 20 and 21

Land Rolling 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North Between Secs. 16 and 17 Var 13° 35'
36.00	Ravine bears S.E.
40.00	Set Sandstone 13 x 10 x 8 for a ¼ Sec cor:
80.00	Set Sandstone 14 x 12 x 6 for the corner to Sections 8. 9. 16. and 17.

Land High rolling Prairie

Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Sections 9 and 16 Var: 13°35' E
40.00	Set ~~flag~~ Post for temporary 1/4 Sec corner.
79.90	Intersect the N and S. line 20 links North of the cor to Sections 9. 10. 15. and 16 From which corner I run N. 89° 51' West on a true line between Sections 9 & 16 Var 13°35' E
39.95	Set a Sandstone 12 x 12 x 8 for a 1/4 Sec corner
79.90	The corner to Secs. 8. 9. 16 and 17

Land rolling: Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North Between Secs 8 and 9 Var: 13°33' E
40.04	Set Sandstone 13 x 12 x 7 for a 1/4 Sec
80.00	Set Sandstone 14 x 10 x 8 for the corner to Sections 4. 5. 8. and 9. From which corner

Land rolling
Soil 2nd rate

Township 4. N. Range 27. W. 6. P.M.

Chains	
	East on a random line bet. Secs. 4 and 9
	Var: 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor:
79.96	Intersect the N. and S. line 15 links South of the corner to Sections 3, 4, 9 and 10.
	From which corner I run
	S. 89°54' West on a true line between Sections 4 & 9
	Var: 13°35' E
39.98	Set Sandstone 14×12×6 for 1/4 Sec cor:
79.96	The corner to Sec 4. 5. 8 and 9
	Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 4 and 5
	Var: 13°35' E
40.00	Set Sandstone 14×12×9 for 1/4 Sec cor:
79.57	Set Sandstone 12×12×9 for closing corner to Secs. 4 & 5 on the 1st Standard Parallel 10 ch's 84 lks West of the ~~Standard~~ corner ~~on the South boundary~~ to Sections 33 and 34
	Township 5 N. Range 27 W
	Land rolling; Soil 2nd rate

August 4th A.D. 1871

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 31 and 32
	Var 13°35' E
40.00	Set Sandstone 12 x 12 x 6 for 1/4 Sec. cor:
80.00	Set Sandstone 14 x 10 x 5 for the corner to Sections 29. 30. 31 and 32
	Land rolling Soil 2nd rate,

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random line between Secs. 29 and 32
	Var 13°35' E
7.00	Ravine bears S
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor:
62.00	Ravine bears South
80.15	Intersect the N. and S. line 15 links N. of the corner to to Sections 28. 29. 32 & 33
	From which corner I run W
	N 89°54' West on a true line between Sections 29 and 32
	Var 13°35' E
40.07½	Set Sandstone 14 x 12 x 7 for a 1/4 Sec cor:
80.15	The corner to Secs. 29. 30. 31 and 32
	Land rolling
	Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Sections 30 and 31 Va 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor.
50.00	Ravine bears South with some Sandstone Rock in sides of the same
76.60	Intersected the West Boundary of the Township 12 links South of the corner to Secs. 30 + 31 From which corner I run South 89°55' E on a true line between Sections 30 and 31 Var 13°35' E
36.60	Set a Sandstone 12 x 12 x 9 for 1/4 Sec cor:
76.60	The corner to Sections 29. 30. 31 and 32

Land rolling
Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 29 and 30 Va 13°35' E
18.00	Ravine bears S.E.
40.00	Set Sandstone 13 x 12 x 7 for a 1/4 Sec cor:
80.00	Set Sandstone 14 x 10 x 6 for the corner to Secs. 19. 20. 29 and 30

Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	East on a random (line) between Sections 20 + 29
	Var 13°35' E
40.00	Set ~~flag~~ Post for temporary ¼ for a ¼ Sec cor:
80.00	Intersect the N and S. line 10 links North of the corner to Sections 20. 21. 28 and 29
	From which corner I run N 89°56' West on a true line between Sections 20 and 29
	Var 13°35' E
40.00	Set a Sandstone 14×12×9 for a ¼ Sec corner:
80.00	The corner to Sections 19. 20. 29 and 30

Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Sections 19 and 30
	Var 13°35' E
40.00	Set ~~flag~~ Post for a temporary ¼ Sec. cor:
60.00	Ravine bears South
76.45	Intersect the West boundary of the Township 16 links North of the corner to Sec 19 + 30
	From Which corner I run N 89°53' E on a true line between Sections 19 and 30
	Var 13°35' E
36.45	Set Sandstone 12×12×8 for a ¼ Sec Cor:
76.45	The corner to Sec 19. 20. 29. and 30

Land rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	North between Secs. 19 and 20 Va 13°35' E
40.00	Set Sandstone 14 x 10 x 6 for a 1/4 Sec cor:
80.00	Set Sandstone 14 x 12 x 5 for the corner to Sections 17, 18, 19 and 20
	Land rolling: Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Secs. 17 and 20 Va 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor:
79.80	Intersect the N and S. line 5 links South of the corner to Sections 16, 17 20 + 21
	From which corner I run S. 89°58' West on a true line between Sections 17 and 20 Va 13°35' E
39.90	Set Sandstone 12 x 12 x 7 for a 1/4 Sec cor:
79.80	The corner to Sections 17, 18, 19 and 20.
	Land rolling: Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	West on a random line between Secs. 18 and 19 Var 13° 35' E
38.00	Ravine bears S.
40.00	Set ~~stay~~ stone for a temporary 1/4 Sec corner.
76.37	Intersect the West boundary of the Township 10 links North of the corner to Secs. 18. and 19 From which corner a gum North 89° 56' East on a true line between Secs. 18 and 19 Var. 13° 35' E
36.37	Set a Sandstone 13 x 12 x 9 for a 1/4 Sec cor:
76.37	The corner to Sections 17. 18 19 and 20:

Land rolling: soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 17 and 18 Va 13° 35' E
40.00	Set Sandstone 12 x 11 x 9 for a 1/4 Sec corner
80.00	Set a Sandstone 14 x 12 x 6 for the corner to Sec 7. 8. 17 and 18.

Land high and rolling

Soil 2nd rate:

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line Between Secs. 8 and 17 Va 13° 35' E
40.00	Set ~~flag~~ Post for temporary 1/4 Sec. cor.
48.00	Deep ravine bears S.E.
79.70	Intersect the N and S. line 9 lks South of the cor. to Secs. 8. 9. 16. and 17. From which corner I run S. 89° 56' West on a true line between Sections 8 & 17 Variation 13° 35'
39.85	Set Sandstone 12 x 12 x 6 for a 1/4 Sec cor.
79.70	To the corner to Sections 7. 8. 17 and 18

Land rolling Soil 2nd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	West on a random line between Sections 7 and 18 Var 13° 35' E
40.00	Set ~~flag~~ Post for temporary 1/4 Sec cor.
76.25	Intersect the West Boundary of the Township 17 links South of the corner to Sec 7 and 18 From which corner I run S 89° 54' East on a true line between Secs. 7 & 18 Var 13° 35' E
36.25	Set Sandstone 12 x 12 x 9 for a 1/4 Sec cor.
76.25	The corner to Sec 7. 8. 17 and 18

Land rolling Soil 2nd rate

Township 4 N. Range 27 W 6th P.M.

Chains	
	North between Sections 7 and 8
	Var 13°35' E
40.00	Set Sandstone 14x12x6 for a 1/4 Sec cor:
51.00	Ravine bears S.E.
80.00	Set a Sandstone 13x12x7 for the corner to Sections 5. 6. 7 and 8

Land Ligh & rolling
Soil 3rd rate

Township 4 N. Range 27 W. 6th P.M.

Chains	
	East on a random line between Sec 5 and 8
	Var 13°35' E
40.00	Set ~~flag~~ post for temporary 1/4 Sec cor:
79.83	Intersect the N and S line 15 links North of the cor to Sections 4. 5. 8 and 9.
	From which corner I run
	N 89°54' West on a true line between Sections 5 and 8
	Va 13°35' E
79.91½	Set Sandstone 12x12x7 for a 1/4 Sec cor:
79.83	The corner to Sec 5. 6. 7 & 8

Land rolling: Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	West on a random line bet. Sections 6 and 7 Var: 13°35'
40.00	Set ~~flag~~ post for temporary 1/4 Sec. Cor.
42.00	Ravine bears S. E.
76.18.	Intersect the West boundary of the Township 23 lks South of the corner to Secs. 6 and 7
	From which corner I run South 89°50' East on a true line between Secs. 6 & 7 Var 13°35' E
36.18	Set Sandstone 14 x 12 x 6 for a 1/4 Sec cor.
76.18	The corner to Secs. 5, 6, 7 and 8
	Land rolling Soil 2nd rate

Township 4. N. Range 27. W. 6th P.M.

Chains	
	North between Secs. 5 & 6 Var: 13°35' E
40.00	Set Sandstone 12 x 12 x 6 for a 1/4 Sec. cor.
78.97	Set a Sandstone for closing corner to Secs. 5 & 6, on 1st Standard Parallel N. 10 ch's 88 lks West of the ~~standard~~ corner on the ~~South Boundary~~ to of Secs. 31, 32 ~~and~~ 33.

Township 5 North Range 27 W.

Land gently rolling
Soil 2nd rate.

August 5th A.D. 1871

Township 4. N. Range 27. W. 6th P.M.

Chains

General Description

The land in this Township is high and rolling. Soil 2nd & 3rd rate.

There is no streams from which the upland can be Irrigated rendering them unfit for farming use there is two dry creeks or large ravines running from the N.W. to S.E. through this Township: in which there is some small pools of Water: and a little scattering timber on them.

This Township is best adapted to grazing Stock Most of the Ravines have plenty of sandstone rock where good quarries might be opened.

Survey compted august 5th A.D. 1871

T 4 N R 27 W 6th P M

A list of the names of the individuals who assisted in running, measuring and marking the subdivision lines and Corners of the foregoing Field Notes of Township No 4 North Range 27 West of the 6th Meridian

Wm L. Wells Chainman
Emmit H Sprague Chainman
Frank L. Mather Axeman and Moundsman
George W Fairfield Compassman

We hereby Certify that we assisted George W Fairfield Deputy Surveyor in Subdividing Township No 4 North of the Base line of Range Number 27 West of the 6th P M. and that said Township has been in all respects to the best of our Knowledge and belief well & faithfully surveyed and the Boundary Monuments planted according to the instructions of the Surveyor General

Wm L. Wells Chainman
E H Sprague Chainman
Axeman
Frank L Mather, Moundsman
William E Randle Flagman
George W Fairfield Compassman

Subscribed and sworn to by the above named persons before me a Notary Public in

58

Tou

Chain

40.

51.

80.

and for the County of Cass
in the State of Nebraska
this eleventh day of
October AD 1871

Lloyd D Burnett
Notary Public

I George W Fairfield do solemly
swear that in pursuance of
a contract No. 48 wherein
George W Fairfield is contractor
with E E Cunningham United
States Surveyor General for the
District of Nebraska and Iowa
bearing date the 17 day of
June AD 1871. I have
well and faithfully and
truly in my own proper
person and in strict con-
formity with the instructions
of the Surveyor General the
Surveying Manual and the
laws of the United States
Surveyed all those parts or
portions of Township No. ~~one~~ 24
North of the Base line of Range
No. 27 West of the 6th Principal
Meridian in the State of Ne-
braska, as are represented in
the foregoing Field Notes as having
been surveyed under my

direction. And I do further solemnly swear that the foregoing are true and original Field Notes of such Survey.

George W Fairfield
Deputy Surveyor

Subscribed by the said George W Fairfield Deputy Surveyor and sworn to before me a Notary Public within and for the County of Otoe in the State of Nebraska this 11th day of October AD 1871

Lloyd D Bennett
Notary Public

Surveyor General's Office
Nebraska City, Decr 16th 1871.

The foregoing Field Notes of the survey of the Subdivision lines of Township No. 4 North of the Base line of Range No. 27 West of 6th Principal Meridian in the State of Nebraska. Executed by George W. Fairfield under his Contract No. 48. Dated June 17, 1871 in the month of August 1871 having been critically examined the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

503

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.