General Land Office • Original Field Notes

Book Number

507

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 17 Range 27 W.



6	62	5	46	4	33	3	22	2	11	1
61		60		45		32		21		10
7	54	8	44	9	31	10	20	11	9	12
58		57		43		30		19		8
18	56	17	42	16	29	15	18	14	7	13
55		54		41		28		17		6
19	53	20	40	21	27	22	16	23	5	24
52		51		39		26		15		4
30	50	29	38	28	25	27	14	26	3	25
49		48		37		24		13		2
31	47	32	34	33	23	34	12	35	1	36

Field Notes

of

the Survey and Subdivision of Township 17 N. Range 27 West of the 6th P. M.

in the

State of Nebraska

Executed

By Henry C. Campbell Deputy Surveyor under Joint Contract No 70 dated April 11th 1873

Survey

Commenced July 22d 1873

Completed July 26th 1873

List of Names

of persons employed to assist in Surveying this Township Showing the respective Capacities in which they acted.

Henry McBroom } Chainmen.
John LaMunson }

Elum P. Baily } Maundmen
Michael Delaney }

To find the proper adjustment of my compass for the subdivision this I commence at the south East cor. of Township 17 N. R 27 W. and run North along on a blank line along the eastern Boundary of Sec. 36. = Var. 12° 53' E.

46.00	to a point 3 lks. East of ¼ sec. cor
80.00	to a point 7 lks. east of cont. Sec. 25. 36.

Therefore my Compass will have to be adjusted to a variation of 12°. 56' E.

Township 17 N. R 27 W 6th P.M.

Chains	
	From the cor. to Sec. 35 and 36 on the South Boundary of Township (on 4th Stand. Var.)
	9 pam
	North between Sec. 35 and 36
	Var. 12°. 56' E.
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. to 25. 26. 35 & 36
	Land gently rolling, 2d rate

Township 17 N. R 26 W. 6th P.M.

Chains	
	East on random line bet. Sec. 25 and 36
	var. 12°. 56' E.
40.00	Set post for temporary 1/4 Sec. cor.
80.00	intersect East Boundary of Township 15 ch. North of Cor. to Secs 25 and 36 — from which cor. 9 pm N. 89° 54' West on true line bet. Sec. 25 and 36
	var. 12°. 56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Cor. to Sec. 25. 26. 35 and 36
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P. M

chains	
	North Bet. Sec. 25 and 26
	Var. 12° 56' E
40.00	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for to Sec. 23. 24. 25 and 26
	Land rolling, 2d rate

Township 17 N. R 27 W. 6th P. M.

chains	
	East on random line Bet. Sec. 24 and 25 V. 12° 56' E
40.00	Set post for temporary 1/4 sec. cor.
80.10	intersect East Boundary of Township 10 lks. North of cor. to Sec. 24 and 25 – from which Cor. Trees
	N. 84° 56' West on true line bet. Sec. 24 and 25
	Var 12° 56' E –
40.05	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80.10	Cor. to Sec. 23. 24. 25 and 26
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P. M.

Chains	North Bet. Sec. 23 and 24
	Var. 12°. 56' E
15.00	running N. W.
33.00	leave same
40.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
42.00	running N. W.
71.50	running West
77.00	running West
80.00	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 13. 14. 23. 24
	Land Broken, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	East on random line bet. Sec. 13 and 24
	Var. 12°. 56' E
00.60	running N. W.
20.00	running N. W.
24.00	running N. W.
40.00	Set post for temporary 1/4 Sec. cor.
55.00	valley N. W.
79.77	intersect East Boundary of Township 16th P. north of cor. to Sec. 13 and 24 — from which cor. 9 run N. 89° 53' West on true line bet. Sec. 13 and 24 Var. 12°. 56' E
39.80 1/2	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79.77	Cor. to Sec. 13. 14. 23 and 24
	Land rolling, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Sect. 13 and 14
	va. 12°. 56' E
60.30	varine N.W
9.00	varine NE.
40.00	Set post 2x3 in. x 4 ft — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.
60.00	Set post 3x3 in. x 4 ft — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sect. 11.12.13.14
	Land Land hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line bet. Sect. 12 and 13
	va. 12°. 56' E
4.00	Set post for temporary 1/4 Sec. cor
79.80	intersect East Boundary of Township 20 lks. South of cor. to Sect. 12 and 13 — from which cor. bears
	S. 89°. 51' West
	on true line Bet. Sect. 12 and 13
	va. 12°. 56' E
39.90	Set post 2x3 in. x 4 ft — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. cor.
79.80	Cor. to Sect. 11.12.13 and 14
	Land Land hills, 3d rate

Township 17 N. R 27 W 6th P. M.

Chains	
	North Bet. Sec. 11 and 12
	Va. 12°. 56' E
4,00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in 12 in. deep for 1/4 Sec. cor.
8,00	Set. post. 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 1.2.11 & 12
	Land low sand hills, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East on random line bet. Sec. 1 and 12
	Va. 12°. 56' E
4,00	Set post for temporary 1/4 sec. cor
8,00	intersect East Boundary of Township 15 chs. North of cor. to Sec. 1 and 12 — from which cor. I run
	N. 89° 54' West on true line bet. Sec 1 & 12
	Va. 12°. 56'. E
4,00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
8,00	Cor. to Sec. 1.2.11.12
	Land Sand hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North on random line bet Sec. 1 and 2 Va. 12° 56' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.85	intersect North Boundary of Township 15 lks East of Cor. to Sec. 1 and 2 — from which Cor. 9 mm S. 6' East on true line
	Bet. Sec. 1 and 2 Va. 12° 56' E
39.85	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec cor.
79.85	Cor. to Sec. 1. 2. 11. & 12
	Land low sand hills, 3d rate.
	July 22d 1873

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet. Sec. 34 and 35 Va. 12° 56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec 26. 27. 34 & 35
	Land gently rolling, 2d rate
	~~July 22d 1873~~

Township 17 N. R 27 W 6th P.M.

Chains	
	East on random line bet. Sec. 26 and 35 Va. 12°.56' E
40.00	Set post for temporary ¼ Sec cor.
79.90	intersect N & S. line 15 lks. North of Cor. to Sec. 25.26.35.36 — from which Cor. I run N. 89°. 54' West on true line bet. Sec. 26 and 35 Va. 12°56' E
39.95	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for ¼ Sec. cor.
79.90	intersect Cor. to Sec. 26.27.34 & 35

Land gently rolling
Soil 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Sec 26 and 27 Va. 12°.56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for ¼ cor. Sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for ¼ Cor. to Sec. 22.23.26 and 27

Land low sand hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line bet. Sec. 23 and 26 Va. 12°.56' E
40.00	Set post for temporary 1/4 Sec. cor.
50.05	intersect N & S. line 20 lks. North of cor. to Sec. 23.24.25.26 — from which cor. I run N. 89° 51' West on true line bet. Sec. 23 & 26 Va. 12°. 56' E. —
40.02½	Set post 2x3 in. x 4 ft. — 1 ft in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.
80.05	Cor. to Sec. 22.23.26 & 27
	Land rolling, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Sec. 22 and 23 Va. 12°.56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 sec. cor.
41.00	varine N. W.
60.00	varine N. W.
80.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 14.15.22 & 23.
	Land Broken, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East on random line bet. Sec. 14 and 23
	Va. 12°. 56' E.
18.00	ravine N
21.00	ravine N. W.
23.00	ravine S. W.
26.00	ravine N. W.
40.00	Set post for temporary 1/4 Sec Cor.
65.00	ravine NE
75.50	ravine NE
80.11	intersect N. & S. line 14 lks. North of Cor. to Sec. 13. 14. 23. 24 from which Cor. I run N. 89°. 54' West on true line bet. Sec. 14 and 23
	Va. 12°. 56' E.
40.00 5 1/2	Set post 2x3 in. x 4 ft. - 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
80.11	Cor. to Sec. 14. 15. 22 & 23
	Land hilly, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	North Bet Sec. 14 and 15
	Va. 12°. 56' E.
40.00	Set post 2x3 in. x 4 ft. - 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. Cor.
80.00	Set post 3x3 in x 4 ft. - 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for Cor to Sec. 10. 11. 14 & 15
	Land hilly, 3d rate

Township 17 N. R 27 W. 6th P.M.

chains	
	East on random line bet Sec. 11 and 14
	Va. 12°. 56' E.
40,00	Set post for temporary 1/4 Sec. cor.
68,00	Enter valley Course N.W.
80,00	intersect ~~24 lks~~ North and South line 24 lks. North of Cor. to Secs. 11. 12. 13 and 14 — from which cor. I run
	N 89°. 50' West.
	on true line on true line bet. Secs. 11 and 14
	Va. 12°. 56' E
40,00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,00	Cor. to Secs. 10. 11. 14 & 15 —
	Land mostly sand hills Soil 3d rate

Township 17 N. R 27 W. 6th P.M.

chains	
	North Bet. Secs. 10 and 11
	Va. 12. 56' E.
40,00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,00	Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Secs. 2. 3. 10 & 11
	Land low sand hills, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East on random line bet. Sec. 2 and 11
40,00	Set post 2x for temporary 1/4 Sec. cor. — va. 12°56' E.
79.85	intersect N + S. line 20 lks. North of cor. to Sec. 1, 2, 11 + 12 — from which cor. I run N. 89° 51' West on true line bet. Sec. 2 and 11
	va. 12°56' E
39.92½	Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in x 12 in. deep for 1/4 Sec. cor.
79.85	Cor. to Sec. 2.3.10 and 11
	Land low sand hills Soil 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	North on random line bet. Sec. 2 and 3
	va. 12°56' E
40,00	Set post for temporary 1/4 Sec. cor.
55,00	Loop valley E
79,85	intersect North Boundary of Township 20 lks east of cor. to Sec. 2 and 3 — from which cor. I run
	S. 9' East on true line Bet. Sec. 2 and 3
	var. 12°56' E
39,85	Set post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,85	7 Cor. to Sec. 2.3.10 + 11
	Land mostly sand hills 3d rate

July 23d 1873

Township 17 N. R 27 W. 6th P. M.

chains	
	North Bet. Sec. 33 and 34
40.00	Var. 12°56' E. Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stone mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. Cor.
80.00	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred charred stone mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for 1/4 Cor. to Sec. 27. 28. 33 and 34
	Land level prairie, 2d rate

Township 17 N. R 27 W. 6th P. M.

chains	
	East on random line bet. Sec. 27 and 34
40.00	Var. 12°.56' E Set post for temporary 1/4 Sec. cor.
79.88	intersect N & S. line 14 lks. North of Cor. to Sec. 26. 27. 34 and 35 — from which cor. I run N 89°.54' West on true line bet. Sec. 27 and 34
39.94	Var. 12°.56' E Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stone mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79.88	Cor. to Sec. 27. 28. 33 & 34
	Land gently rolling Soil 2d rate

Township 17 N. R 27 W 6th P.M.

Chains	
~~40.00~~	~~Set post 2x3 in. Va. 12°, 56' E~~
40.00	Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred & the raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
~~55.00~~	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred & the raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 21, 22, 27 & 28
	Land level prairie, 2d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East on random line bet. Sec. 22 & 27
	Va. 12° 56' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.83	intersect N & S. line 18 lks North of cor. to Sec. 22, 23, 26 & 27 — found which Cor. I run N. 89° 52' West on true line Bet. Sec. 22 & 27
	Va. 12° 56' E
39.91½	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred & the raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. Cor.
79.83	Cor. to Sec. 21, 22, 27 & 28
	Land Rolling, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet Sec. 21 & 22
	var. 12° 56' E
40,00	Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred slope raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor,
80,00	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred slope raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for cor. to Sec. 15, 16, 21, 22
	Land gently rolling prairie Soil 2d rate

Township 17 N. R 27 W

Chains	
	East on random line Sec. 15 and 22
	var. 12°. 56' E
40,00	Set post for temporary 1/4 Sec. cor,
79,80	intersect N & S. line 15 lks. North of cor. to Sec. 14, 15, 22, 23 — from which cor. I run N. 89°. 54' West on true line Bet. Sec. 15 and 22
	var. 12°. 56' E.
39,90	Set post 2x3 in. x 4 ft. 1 ft. — in ground, deposit charred slope raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 deep for 1/4 Sec. cor.
79,80	Cor. to Sec. 15. 16. 21 & 22
	Land Rolling 3d rate

Township 17 N. R 27 W 6th P.M.

chains	
	North Bet Sec. 15 and 16
	va. 12°56' E.
40.00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12x24 in 12 in. deep for 1/4 SEC. cor.
80.00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12x24 in. x 12 in. deep for Cor. to Sec. 9.10.15, 16
	Land rolling sand hills Soil 2d rate

Township 17 N. R 27 W. 6th. P.M.

chains	
	East on random line Bet. Sec. 10 and 15
	va. 12°56' E
40.00	Set post for temporary 1/4 sec. cor.
67.00	varine N. E
79.90	intersect N & S. line 12 lks. North of cor. to Sec. 10.11.14 & 15 — from which cor. I run
	N. 89°55' West on true line bet. Sec. 10 and 15
	va. 12°56' E
39.95	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec cor.
79.90	Cor. to Sec. 9.10.15 & 16
	Land low sand hills, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet. Sec. 9 and 10
	Va. 12°, 56' E
40,00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in 12 in. deep for 1/4 & Sec. cor.
80,00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 3.4.9 and 10
	Land low and hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line Bet. Sec. 3 and 10
	Va. 12°, 56' E
40,00	Set post for temporary 1/4 Sec. cor.
79,70	intersect N & S. line 18 lks. North of cor. to Sec. 2.3.10 and 11 – from which cor. bears N. 89°. 52' West on true line Bet. Sec. 3 and 10
	Va. 12°, 56' E
39,85	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of Earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,70	Cor. to Sec. 3.4.9 and 10
	Land low and hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North on random line bet. Sec. 3 and 4
	Var. 12°, 56' E
30,00	leave hills enter low valley E
40,00	Set post for temporary 1/4 Sec cor,
79,88	intersect North Boundary of Township 21 Rl. East of Cor. to Sec. 3 and 4 — from which cor. I run
	S. 9' East on true line bet. Sec. 3 and 4
	Var. 12°. 56' E -
39,88	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
79,88	Cor. to Sec. 34, 9 and 10
	Land low sand hills and valley 2d and 3d rate
	July 24th 1873

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet. Sec. 32 and 33
	Var. 12°. 56' E
40,00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.
80,00	Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in deep for Cor. to Sec. 28, 29, 32 and 33
	Land gently rolling 2d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East on random line bet. Sec. 28 and 33
	Va. 12°. 56' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.00	intersect N and S. line 7 lks South of Cor. to Sec. 27. 28. 33 & 34 — from which Cor. I run S. 89°. 57' West on true line bet. Sec. 28 and 33
	Va. 12°. 56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate, raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
80.00	Cor. to Sec. 28. 29. 33 and 34

Land gently rolling prairie
Soil 2nd rate

Township 17 N. R 27 W. 6th P. M

Chains	
	North Bet. Sec. 28 and 29
	Va. 12°. 56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate, raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor to Sec. 20. 21. 28 and 29

Land level prairie, 2nd rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line Bet. Secs. 21 and 28
	Va. 12°56' E.
40.00	Set post for temporary 1/4 Sec. cor.
79.90	intersect N + S. line 12 chs. South of cor. to Secs. 21.22.27.28 from which cor. I run S 89° 55' West on true line Bet. Secs. 21 and 28
	Va. 12°56' E.
39.95	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred slope raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.
79.90	Cor. to Secs. 20.21.28 & 29
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Secs. 20 and 21
	Va. 12°.56' E
40.00	Set post 2x3 in. x 4 ft. 1 ft. in ground deposit charred slope raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.
80.00	Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred slope raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for cor. to Secs. 16.17.20 & 21
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on a random line bet. Sec. 16 and 21 va 12°. 56' E.
40.00	Set post for temporary 1/4 Sec. cor.
80.08	intersect N & S. line 14 lks. South of cor. to Sec. 15.16.21.22 — from which cor. I run S. 89°. 54' West on true line Bet. Sec. 16 and 21 va. 12°. 56' E
3. 4.04	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor.
7 ~~80.08~~	~~Set post 3x3 in. x 4 ft. 1 ft. in ground~~
80.08	Cor. to Sec. 16.17.20x21
	Land rolling prairie 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet Sec. 16 and 17 va 12°. 56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
72.00	ravine West
74.50	leave same
77.00	ravine West
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 8.9.16 and 17
	Land rolling prairie 2d rate

Township 17 N. R 27 W 6th P.M.

Chains	
	East on random line bet. Sec. 9 and 16
	Va. 12°.56' E
40.00	Set post for temporary 1/4 Sec. cor.
79.88	intersect N & S. line 5 lks. North of cor. to Sec. 9.10.15 & 16 — from which cor. I run N. 89° 58' West on true line bet. Sec. 9 and 16
	Va. 12°. 56' E
39.94	Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stone, raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 Sec. cor
79.88	Cor. to Sec. 8.9.16 and 17
	Land Rolling 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Sec 8 and 9
	Va. 12°.56' E
40.00	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
80.00	Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Cor. to Sec. 4.5.8 and 9
	Land Low sand hills, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on a random line bet. Sec. 4 and 9
~~40.00~~	Var. 12° 56' E.
40.00	Set post for temporary 1/4 Sec. cor.
79.96	intersect N. & S. line 19 lks. North of cor. to Sec. 3.4.9 and 10 — from which cor. I run N. 89° 52' West on a true line bet. Sec. 4 and 9
	Var. 12° 56' E.
39.98	Set post. 2 X 3 in. X 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 X 24 in. 12 in deep for 1/4 Sec. cor.
79.96	Cor. to Sec. 4.5.8 and 9
	Land low sand hills, 3d. rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North on a random line bet. Sec. 4 and 5
	Var. 12° 56' E.
40.00	Set post post for temporary 1/4 Sec. cor.
79.90	intersect the North Boundary of Township 24 lks east of cor to Sec. 4 and 5 — from which cor. I run.
	S 10' East true line bet. 4 and 5 ~~from which~~
	Var. 12° 56' E
39.90	Set post 2 X 3 in. X 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 X 24 in. X 12 in. deep for 1/4 Sec. cor.
79.90	Cor. to Sec. 4.5.8.9
	Land low hills, 3d. rate

July 25th 1873

Township 17 N. R 27 W. 6th P.M.

Chains	
	North bet. Sec. 31 and 32
	Var. 12° 56' E. -
40,00	Set post 2x3 in. x 4 ft. - 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,00	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for cor. to Sec. 29. 30. 31 & 32
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	Eastern random line bet. Sec. 29 and 32
	Var. 12° 58' E
40,00	Set post for temporary 1/4 Sec cor.
80,15	intersect N & S. line 7 lks. North of cor. to Sec. 28. 29. 32 and 33 — from which cor. bears N. 89° 57' West on true line bet. Sec. 29 and 32
	Var. 12° 58' E
40,0112	Set post 2x3 in. x 4 ft. - 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.
80,15	Cor. to Sec. 29. 30. 31 and 32
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	A West on random line bet. Sec. 30 and 31.
	Var. 12° 58' E
40.00	Set post ~~for temporary 1/4 Cor. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4~~
79.90	intersect ~~A~~ West Boundary of Township 16 lks south of Cor. to Sec. 30 and 31 — from which Cor. I run S. 89° 53' East on true line bet. Sec. 30 and 31
	Var. 12° 58' E
39.~~30~~ 90	Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
79.90	Cor. to Sec. 29. 30. 31 and 32
	Land gently rolling 2d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet. Sec. 29 and 30
	Var. 12° 58' E
40.00	Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor.
50.00	Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Cor. to Sec. 19. 20. 29 and 30
	Land gently rolling 2d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	East random line bet. Sec. 20 and 29
	Var. 12° 58' E.
40.00	Set post for temporary ¼ Sec. Cor.
80.10	intersect N. & S. line 13 lks. North of Cor. to Sec. 20. 21. 28 and 29 — from which Cor. 2 pine
	N. 89° 54' West on true line bet. Sec. 20 and 29
	Var. 13° 5' E
40.05	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charcoal & take raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ¼ Sec. Cor.
80.10	Cor. to Sec. 19. 20. 29 & 30
	Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	West on a random random line bet. Sec. 19 and 30
	Var. 12° 58' E
40.00	Set post for temporary ¼ Sec. Cor.
79.90	intersect N. & S. line West Boundary of Township 11 lks. north of Cor. to Sec. 19 and 30 — from which Cor. 2 pine
	N. 89° 55' East on true line bet. Sec. 19 and 30
	Var. 12° 58' E
39.90	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charcoal & take raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for ¼ Sec. Cor.
79.90	Cor. to Sec. 19. 20. 29 and 30
	Land gently rolling 2d rate

Township 17 N. R 27 W. 6th P.M.

	Chains	
		North bet. Sec. 17 and 20 Var. 12°, 58' E
4	40,00	Set post 2x3 in. x 4 ft. 1 ft. in ground, deposit charred stone pile mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
7	80,00	Set post 3x3 in. x 4 ft. 1 ft. in ground, deposit charred stone pile mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Sec. 17, 18, 19 and 20
39		Land rolling sand hills Soil 3rd rate
X		
79.		

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line bet. Sec. 17 and 20 = Var. 12°, 58' E
10,00	ravine N.E.
21,00	ravine N.W.
40,00	Set post for temporary 1/4 Sec. Cor.
79,90	intersect N & S line 15 ch. south of cor. to Sec. 16, 17, 20 & 21 — from which cor. 2 mm S. 89° 54' West on true line bet. Sec. 17 and 20 Var. 12°, 58' E.
39,95	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone pile mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79,90	Cor. to Sec. 17, 18, 19 and 20
	Land Broken, 3rd rate

Township 17 N. R 27 W. 6th P. M.

	Chains	
		Weston random line bet. Sect 18 and 19
		Var. 12°, 55' E.
4	40,00	Set post for temporary ¼ Sec. cor.
	80,20	intersect West Boundary of Township 30 lks South of cor. to Sect. 18 and 19 — from which cor. 9 run
7.		S. 89°, 47' East on line
		line Bet. Sect 18 and 19
		Var. 12°, 55' E.
	41,20	intersect Set post 2 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for ¼ Sec. cor.
39.		
	80,20	Cor. to Secs. 17, 18, 19 and 20
		Land hilly, 3d rate
79.		

Township 17 N. R. 27 W. 6th P. M.

	Chains	
		North bet. Sec. 17 and 18
		Var. 12°, 55' E
	40,00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for ¼ Sec. cor.
	80,00	
	80,00	Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sect. 7, 8, 17 and 18
		Land gently rolling, 2d rate

Township 17 N. R 27 W. 6th P. M.

chains	East on a random line bet. Sec. 8 and 17	
	Va. 12°, 58' E	
4		
40,00	Set post for temporary 1/4 Sec. cor.	
62,00	ravine course N.	
80,12	intersect N and S. line 18 chs of cor to Sec. 8. 7. 16 and 17 — from which cor. I run	N
7	N. 89° 52' West	
	on true line bet. Sec. 8 & 17	
	Va. 12°, 58' E	
41,00	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stobs raise mound of earth 3 ft. high from pits 12 x 24 in x 12 in. deep for 1/4 Sec. cor.	
39.		
80,12	Cor. to Sec. 7. 8. 17 & 18	
	Land hilly, 3d rate	
79.		

Township 17 N. R 27 W. 6th P. M.

chains	West on a random line bet. Sec. 7 and 18
	Va 12°, 58' E
26,00	ravine N.
33,00	ravine N E.
40,00	Set post for temporary 1/4 Sec. cor.
80,15	intersect West Boundary of Township 8 chs south of cor to Sec. 7 and 18 — from which cor. I run
	S. 89° 57' ~~West~~ East on true line
	line bet. Sec. 7 and 18
	Va. 12°, 58' E.
41,15	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stobs raise mound of earth 3 ft high from pits 12 x 24 in x 12 in. deep for 1/4 Sec. cor.
80,15	Cor. to Sec. 7. 8. 17 & 18
	Land hilly 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	North Bet. Sec. 7 and 8
	Va. 12°, 58' E
40.00	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for ¼ Sec. Cor.
80.00	Set post 3x3 in. x 4 ft. – 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 18x24 in. x 12 in. deep for 1/4 Cor. to Sec. 5. 6. 7 and 8
	Land rolling, 3d rate

Township 17 N. R 27 W. 6th P.M.

Chains	
	East on random line bet. Sec. 5 and 8
	Va. 12°, 58' E.
40.00	Set post for temporary ¼ Sec. Cor.
70.04	intersect N. & S. line 18 lks. North of Cor to Sec. 4. 5. 8 and 9 – from which Cor. I run
	N. 87°, 52' West
	on true line bet. Sec. 5 and 8
	Va. 12°, 58' E
40.02	Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for ¼ Sec. cor.
70.04	Cor. to Sec. 5. 6. 7 and 8
	Land rolling hills, 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	West on random line bet. Sec. 6 and 7
	Va 12°. 58' E
40.00	Set post for temporary 1/4 sec. cor.
80.15	intersect West Boundary of Township 12 lks. north of cor. to Sec. 6 and 7 — from which Cor. 2 run
	N. 89°. 55' East on true line bet. Sec. 6 and 7
	Va. 12 58' E.
40.15	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in x 12 in. deep for 1/4 sec. cor.
80.15	Cor. to Sec. 5. 6. 7 and 8
	Land West 1/2 level 2d rate = rest hills and 3d rate

Township 17 N. R 27 W. 6th P. M.

Chains	
	North on a random line bet. Sec. 5 and 6
	Va. 12°. 58' E
40.00	Set post for temporary 1/4 sec. cor.
79.84	intersect North Boundary of Township 24 lks. east of cor. to Sec. 5 and 6 — from which cor. 2 run
	S. 10' East on true line bet. Sec. 5 and 6
	Va. 12°. 58' E
39.84	Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.
79.84	Cor. to Sec. 5. 6. 7 & 8
	Land low sand hills, 3d rate

July 26th 1873

Township 17 N R 21 W

General description

The North ½ of this Township is principally low sand hills – the South ½ is gently rolling prairie, but soil very hard – It contains no timber and no durable water –

List of Names

A list of the names of the Individuals employed to assist in running, measureing, or marking the lines and Corners described in the foregoing field notes of Township 17 North of the Base line of Range 27 West of the 6th Principal Meridian Showing the respective capacities in which they acted.

Henry McBroom } chainmen
John LaMunyon }

Elum. P. Bailey } moundmen
Michael Delaney }

We hereby certify that we assisted

Henry C Campbell
Deputy Surveyor

in Surveying the subdivision lines of Township 17 N Range 27 West of the 6th principal Meridian and that said Township has been to our best knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of dimensions character construction and marking and in the manner specifically described in the foregoing field notes

Henry McBroom Chainman
John LaMunyon "
Michael Delaney Moundsman
Elum P. Bailey "

Subscribed and sworn to before me this 31st day of July A D 1873,

James Belton
Clerk of the District
Court for Lincoln County Nebraska

I Henry C Campbell Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein Henry C Campbell and J. B. Park are joint contractors with E E. Cunningham Surveyor General for the district of Iowa and Nebraska bearing date the 11th day of April 1873 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States surveyed all those parts or portions of Township 17 north of the Base line in range 27 West of the 6th Principal meridian as are represented in the foregoing field notes. as having been surveyed under my direction and I do further solemnly swear that all the corners of said have

been established and perpetuated in a per strict accordance with the Surveying manual printed instructions Special instructions of the Surveyor General of dimensions, character, construction, and marking and in the manner as specifically set forth described in the foregoing field Notes: and that the foregoing are the true and original Field notes of such Survey

Henry Campbell
Deputy Surveyor

Subscribed and sworn to in my presence this 2nd day of August 1873

Chas D Smith
Notary Public

Surveyor General's
Office
Plattsmouth Sept 10th 1873

The foregoing Field Notes of the Survey and Subdivision of Township No 17 South of the Base Line of Range No 27 West of the 6th P.M. in Nebraska Executed by Henry C Campbell ~~and J B Park~~ under joint Contract No 70 wherein Henry C Campbell and J. B. Park are joint contractors in the month of July 1873 having been critically examined the necessary Corrections & explanations made, the said Field Notes are hereby approved

E. E. Cunningham
Surveyor General

Field Notes

of

Survey & Subdivision

of

Township No. 18.

North of the Base line

in

Range No. 2

West of the 6th Principal Meridian

in

The State of Nebraska

Survey executed

by

Stephen B. McElroy

deputy. Surveyor under

joint contract No. 74.

Dated May 20th 1873

Survey

Commenced July 2d 1873

Completed July 7 1873

List of names of assistants

Christian Shede } Chain
Adelbert Thompson }
Curtis W. DeWolf } mounds
Richard Burden }
Cyrus Penny Flagman

Town 18 Range 27 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township No 18 N. Range No 27 West

To determine the proper adjustment of my Compass for subdividing this Township I commence at the Corner to Townships 17 & 18 North, Ranges 26 & 27 West & run North on a blank line along the East boundary of Sec. 36 Va. 13° East

40.00	To 1/4 Sec. Corner
80.00	" Cor. to Sections 25 & 36

To retrace this line or run parallel thereto my Compass is therefore in proper adjustment

Township No 18 N. Range No 27 W. 6th P.M.

North between Secs. 35 & 36
Va. 13° East

32.00 Slough Runs North East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft in ground deposited charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec Cor. on Island in Slough.

67.00 Leave Slough

80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake, Raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor to secs 25. 26. 35 & 36

Land level. Soil good 2d rate

Leave 2nd rate
Po Pl.

Township No 18 No Range No 27 W. 6th P.M.

East on random line between Secs. 25 & 36
Va. 13° East

33.00 Enter Slough course N.E.

39.00 Leave Slough course North East

40.00 Set post for temporary 1/4 sec. cor.

80.10 Intersect East boundary 70 lks. North of corner to Secs 25 & 36 from which corner I run North 89°30' West on true line between Secs. 25 & 36
Va 13° East

40.05 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposited charred stake raised mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. cor.

80.10 Corner to Secs. 25. 26. 35. & 36.
Land level. Soil good 2nd rate.

Township No. 18 N. Range No 27 W. 6th P.M.

North between Secs. 25 & 26
Va. 13° East.

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake, raised mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.

50.00 leave Bottom enter Sand hills

80.00 Set post 3 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for cor to Secs. 23. 24. 25 & 26.
N. E. & N.W.

Land descending Soil 2nd rate.

Township No 18 N. Range No 27 W. 6th P.M.

East on random line between Secs 24 & 25
Va. 13° East

20.00 Leave Sand hills & Enter bottom N & S
35.00 Enter Swamp N & S
39.00 Leave Swamp N & S

40.00 Set post for temporary 1/4 Sec Cor.

80.00 Intersect East boundary 11 lks South of Cor to Secs 24 & 25 from which corner I run South 89° 55' West on true line between Secs 24 & 25
Va. 13° East

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake, raised mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.

80.00 Corner to Secs. 23. 24. 25 & 26
Land rolling - Soil 2nd rate.

Township No. 18 N. Range No. 27 W. 6th P.M.

	North between Secs 23 & 24
	Va. 13° East
40.00	Set post 2 x 3 in x 4 ft. 1 ft. in ground
	deposited charred stake raised
	mound of Earth 3 ft high
	from pits 5 12 x 24 in x 12 in. deep
	for 1/4 Sec Cor.
68.00	Enter Bottom N W & S E.
80.00	Set post 3 x 3 in x 4 ft. 1 ft. in ground
	deposited charred stake raised
	mound of Earth 3 ft. high
	from pits 5 12 x 24 in x 12 in deep
	for corner to Secs.
	13. 14. 23. & 24.
	Land rolling - Soil Sandy 3rd rate.

Township No. 18 N. Range No 27 W. 6th P.M.

	East on random line between
	Secs 13 & 24
	Va. 13° East
8.00	Enter Swamp N & S.
20.00	Spring creek 12 lks wide runs S. E.
36.00	Leave Swamp N & S.
40.00	Set post for temporary 1/4 Sec cor.
79.90	Intersect East boundary 35 lks
	South of Cor. to Secs. 13. & 24
	from which corner I run
	South 89° 45' West on true line
	between Secs 13 & 24.
	Va. 13° East.
39.95	Set post 2 x 3 in x 4 ft 1 ft in ground
	deposited charred stake
	raised mound of Earth 3 ft
	high from pits 5 12 x 24 in x 12
	in deep for 1/4 Sec. Cor.
79.90	Corner to Secs. 13. 14. 23. 24.
	Land level Soil good 2nd rate.

Township No 18 N. Range No 2 W. 6th P.M.

North between Secs. 13 & 14
Va. 13° East

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of Earth 3 ft
high from pits 12 x 24 in x 12
in. deep for 1/4 Sec. Cor.

44.00 Creek 15 lks wide runs S. E.

80.00 Set post 3 x 3 in. x 4 ft. 1 ft in ground
deposited charred stake
raised mound of Earth 3 ft.
high from pits 12 x 24 in x 12 in
deep for Cor to Secs.
11. 12. 13. & 14.

Land level soil good 2nd rate

Township No 18 N. Range No. 2 W. 6th P.M.

East on random line between
Secs. 12 & 13.
Va 13° East

40.00 Set post for temporary 1/4 Sec Cor
52.00 Leave Bottom N. W & S. E
80.14 Intersect East boundary 56 lks
North of Cor to Secs 12 & 13
from which corner I run
North 89° 36' West on true line
between Secs 12 & 13
Va 13° East

40.07 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of Earth
3 ft high from pits 12 x 24 in
x 12 in deep for 1/4 Sec Cor

80.14 Corner to Secs. 11. 12. 13. & 14.
Land level. Soil good 2nd rate.

Township No 18 N. Range No 27 W 6th P.M.

	North between Sect. 11. & 12.
	Va. 13° East
40.00	Set post 2 x 3 in x 4 ft. 1 ft in ground
	deposited charred stake raised
	mound of Earth 3 ft. high
	from pits 12 x 24 in x 12 in deep
	for 1/4 Sec. Cor.
46.00	Leave Bottom N. W. & S. E
50.00	Set post 3 x 3 in. x 4 ft. 1 ft in ground
	deposited charred stake
	raised mound of Earth
	3 ft high from pits 12 x 24 in
	x 12 in deep for Cor. to Sect.
	12. 11. & 12.
	Sand rolling — Soil 2nd rate.

Township No. 18 N. Range No 27 W. 6th P. M.

	East on random line between
	Sects 1. and 12 — Va 13° East
40.00	Set post for temporary 1/4 Sec. Cor.
80.05	Intersect East boundary 42 lks
	North of corner to Sect 1. and 12
	from which corner I run
	North 89° 42' West on true line
	between Sect 1 and 12.
	Va. 13° East
40.02 1/2	Set post 2 x 3 in x 4 ft. 1 ft. in ground
	deposited charred stake
	raised mound of Earth
	3 ft high from pits 12 x 24 in
	x 12 in deep for 1/4 Sec. Cor.
80.05	Corner to Sect 1. 2. 11. & 12 —
	Sand Hills - soil 3rd rate

Township No. 18 N. Range No 27 W. 6th P.M.

	North on random line between Secs. 1. and 2. Va 13° East
22.00	Leave Sand hills, enter valley descends W. of South.
40.00	Set post for temporary 1/4 Sec. Cor.
79.68	Intersect North boundary 49 lks West of Cor. to Secs 1. & 2. from which corner I run South 21' West on true line between Secs 1. and 2. Va 13° East
39.68	Set post 2 x 3 in x 4 ft. 1 ft. in ground deposited charred stake raised mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.68	Corner to Secs. 1. 2. 11. & 12. Land - level - Soil - 2nd rate.

Township No 18 N. Range No 27 West 6th P.M.

	North between Secs. 34 and 35 Va. 13° East
37.00	South Fork Loup River 30 lks. wide runs East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for Cor to Secs. 26. 27 34 and 35.
	Land level. Soil good 2nd rate

July 2d 1873.

Township No 18 N. Range No 27 West

	Easton random line between Secs. 26 & 35 Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
79.64	Intersect N. & S. line 7 lks. South of Cor. to Secs. 25. 26. 35 & 36 from which Cor I run South 89° 57' West on true line between Secs. 26 & 35 Va. 13° East
39.82	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
79.64	Corner to Secs. 26. 27. 34 & 35 Land level Soil good 2d rate

Township No 18 N. Range No 27 West 6th P.M.

	North between Secs. 26 & 27 Va. 13° 5' East
6.00	Leave Bottom & Enter Sand Hills N E & N W.
40.00	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 22. 23. 26 & 27
	Land Sand Hills. 3d rate

Township No 18 N. Range No 27 West

	Easton random line between Secs. 23 & 26
	Va. 13° 5' East
8.00	Enter valley N & S E
40.00	Set Post for temporary 1/4 sec. Cor
42.00	Enter Hills N & S E
79.90	Intersect N. & S. line 73 lks North of Cor. to Secs. 23. 24. 25 & 26 from which Cor. I run
	North 89° 29' West on true line between Secs. 23 & 26
	Va. 13° 5' East
39.95	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor
79.90	Corner to Secs. 22. 23. 26 & 27
	Land Sand Hills Soil 3d rate

Township No 18 N. Range No 27 West 6th P.M.

	North between Secs. 22 & 23
	Va. 13° 5' East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec Cor. from which
	A Pond 8 chs. Distant & 5 chs. in dia. bears South 88° East
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake. raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for Corner to Secs. 14. 15. 22 & 23
	Land Sand Hills. Soil 3d rate

Township No 18 N. Range No 27 West

East on random line between
Secs. 14 & 23
Va. 13°5' East

4000 Set Post for temporary 1/4 sec. Cor
7400 Enter Valley N W & S E
8004 Intersected N. & S. line at Cor.
to Secs. 13. 14. 23 & 24
from which Cor. I run
West on true line between Secs.
14 & 23
Va. 13°5' East

40.02 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from Pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor.

80.04 Corner to Secs. 14. 15. 22 & 23
Land Sand Hills. Soil 3d rate

Township No 18 N. Range No 27 West 6th Pm

North between Secs. 14 & 15
Va. 13° East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor to Secs. 10.
11-14 & 15.
Land Sand Hills. Soil 3d rate

Township No 18 N. Range No 27 West

	East on random line between Secs. 11 & 14 Va. 13° East
38.00	Enter Bottom. Sand Hills bear North West & South East
40.00	Set Post for temporary 1/4 sec. Cor
61.00	Spring brook 8 lks. wide runs South East
79.69	Intersect A & B. line 35 lks. North of Cor to Secs. 11. 12. 13 & 14 from which Cor. I run North 89° 45' West true line between Secs 11 & 14 Va. 13° East
39 84½	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake. raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
79.69	Corner to Secs. 10-11. 14 & 15 Land West part rolling. East part level Soil 2d rate

Township No 18 N. Range No 27 West 6th P.M.

	North between Secs. 10 & 11 Va. 13° East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
57.00	Enter Bottom. Bluffs bear N.W. & S.E.
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 2. 3 - 10 & 11

Land rolling. Soil good 2d rate

Township No 78 N. Range No 27 West 6th P.M.

	East on random line between Secs. 2 & 11 Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
56.00	Slough bears N.W. & S.E. 80 lks wi
65.00	Enter Hills bar N.W. & S.E.
79.80	Intersect N & S. line 35 lks South of Cor. to Secs. 1. 2. 11 & 12 from which Cor I run South 89°45' West on true line between Secs. 2 & 11 Va. 13° East
39.90	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
79.80	Corner to Secs. 2. 3. 10 & 11 Land level Soil good 2d rate

Township No 78 N. Range No 27 West 6th P.M.

	North on random line between Secs. 2 & 3 Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
60.00	Foot of Bluff bears North West & South East
79.68	Intersected North Boundary of Township at Cor. to Secs. 2 & 3 from which Cor I run South on true line between Secs. 2 & 3 Va. 13° East
39.68	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor
79.68	Corner to Secs. 2, 3. 10 & 11. Land Broken Soil 2d rate

Township No 78 N. Range No 27 West

	North between Secs. 33 & 34 Va. 13° East
33.00	South Fork of Loup River runs South East 28 lks. wide
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
70.00	Leave Bottom & Enter Sand Hills
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake. raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep, for Cor. to Secs. 27. 28. 33 & 34
	Land level Soil good 2° rate

Township No 78 N. Range No 27 West 6th P.M.

	Eastern random line between Secs. 27 & 34 Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
72.00	Drain descending South
80.27	Intersect N. & S. line 70 lks. North of Cor. to Secs. 26. 27. 34 & 35 from which Cor. I run North 89° 30' West on true line between Secs. 27 & 34 Va. 13° East
40.13½	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
80.27	Cor. to Secs. 27. 28. 33 & 34 Land level, Soil good 2° rate

July 3° 1873

Township No 78 N. Range No 27 West

North between Secs. 27 & 28
Va. 13° 5' East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor.

50.00 Leave hill enter valley N.W. & S.E.

71.00 Enter Swamp bears North West & S.E.

80.00 Point for Cor. to Secs. 21. 22. 27 & 28 being in Swamp I
Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Witness Corner to Secs.
21. 22. 27 & 28 Being
3 chs. West of point for
Corner which is in
Swamp, where Cor. cannot be established

Land level Soil good 2d rate

Township No 78 N. Range No 27 W 6th P.M.

East on random line between
Secs. 22 & 27
Va. 13° 5' East

7.00 Leave Swamp

40.00 Set Post for temporary 1/4 sec. Cor.

50.00 Enter Hill N. & S.

79.90 Intersect N & S. line 7 lks. South
of Cor. to Secs. 22. 23. 26 &
27 from which Cor. I run
South 89° 57' West on true line
between Secs. 22 & 27
Va 13° 5' East

39.95 Set Post 2 x 3 in. x 4 ft 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

79.90 Corner to Secs. 21. 22. 27 & 28
Land level Soil good 2d rate

Township No 18 N. Range No 27 West 6th P.M.

North between Secs 21 & 22
Va. 13° 5' East

37.00 Leave Swamp S.E. & S.W.

40.00 Set Post 2 x 3 in x 4 ft 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs. 15
16. 21 & 22

Land level Soil good 2d rate

Township No 18 N. Range No 27 W. 6th P.M.

East on random line between
Secs. 15 & 22
Va. 13° 5' East

18.00 Foot of Bluff bears South East

40.00 Set Post for temporary 1/4 sec. Cor

80.12 Intersect A.M. S. line 15 lks. South
of Cor. to Secs. 14. 15. 22
& 23 from which Cor. bears
South 89° 54' West on true line
between Secs. 15 & 22
Va. 13° 5' East

40.06 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

80.12 Corner to Secs 15. 16. 21 & 22
Land rolling Soil 2d rate

Township No 18 N. Range No 27 West

	North between Secs. 13 & 16
	Va. 13° 5' East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft in ground
	Deposit charred stake, raised
	Mound of Earth 3 ft high
	from pits 12 x 24 x 12 in
	deep for 1/4 sec Cor
45.00	Foot of Bluff bears North West & South East
80.00	Set Post 3 x 3 in x 4 ft. 1 ft in ground
	Deposit charred stake, raised
	Mound of Earth 3 ft. high
	from pits 12 x 24 in x 12 in
	deep for Cor to Secs.
	9. 10. 15 & 16
	Land rolling. Soil 2d rate

Township No 18 N. Range No 27 W. 6th P.M.

	Easton random line between
	Secs. 10 & 15
	Va. 13° 5' East
40.00	Set post for temporary 1/4 sec. Cor
80.16	Intersect N & S. line 28 lks. North
	of Cor to Secs. 10. 11. 14 & 15
	from which Cor I run
	North 89° 48' West on true line
	between Secs. 10 & 15
	Va. 13° 5' East
40.08	Set Post 2 x 3 in x 4 ft. 1 ft in ground
	Deposit charred stake, raised
	Mound of Earth 3 ft. high
	from pits 12 x 24 in x 12 in
	deep for 1/4 sec. Cor
80.16	Corner to Secs. 9. 10. 15 & 16
	Land Sand Hills. Soil 3d rate

Township No 18 N. Range No 27 W. 6th PM

North between Secs. 9 & 10
Va 13° East

40.00 Set Post 2x3 in x 4ft. 1ft in ground
Deposit charred stake, raised
Mound of Earth 3ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

80.00 Set Post 3x3 in. x 4ft. 1ft in ground
Deposit charred stake raised
Mound of Earth 3ft high
from pits 12 x 24 in x 12 in
deep for Cor to Secs.
3.4.9 & 10

Land Sand Hills, Soil 2nd rate

Township No 18 N. Range No 27 W. 6th PM

Eastern random line between
Secs. 3 & 10
Va 13° East

40.00 Set Post for temporary 1/4 Sec. Cor.
65.00 Enter Bottom, Bluff brush South
79.91 Intersect N. & S. line 61 lks North
of Cor. to Secs. 2. 3. 10 & 11
from which Cor. I run
North 89° 34' West true line
between Secs. 3 & 10
Va 13° East

39.95 1/2 Set Post 2x3 in. x 4ft. 1ft in ground
Deposit charred stake, raised
Mound of Earth 3ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

79.91 Corner to Secs. 3. 4. 9 & 10
Land rolling Soil 2nd rate

Township No 18 N. Range No 27 West

North on random line between
Secs. 3 & 4
Va. 13° East

40.00 Set Post for temporary 1/4 Sec Cor

79.90 Intersect North boundary of
Township. 56 lks. West of
Cor to Secs. 3 & 4 from
which Cor I run
South 24' West on true line
between Secs. 3 & 4
Va. 13° East

39.90 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

79.90 Corner to Secs. 3. 4. 9 & 10
Land Sand Hills Soil 3rd rate

Township No 18 N. Range No 27 West

North between Secs. 32 & 33
Va. 13° East

28.00 Enter Swamp

40.00 Point for 1/4 Sec Cor. in Swamp
as Corner Cannot
be Established permanently
here, at

47.50 I leave Swamp and at

48.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred Stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Witness Corner

70.00 Leave Bottom & Enter Sand Hills

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs. 28.
29. 32 & 33
Land level Soil 2nd rate

Township No 18 N. Range No 27 W. 6th PM

East on random line between
Secs. 28 & 33
Va 13° East

300 Leave Sand Hills & Enter Valley.
descends South East

40.00 Set Post for temporary 1/4 sec cor.

80.24 Intersect N. & S. line 21 chs. South
of cor. to Secs. 27. 28. 33
& 34 from which cor. I run
South 89° 57' West on true line
between Secs. 28 & 33
Va. 13° East

40.12 Set Post 2 x 3 in x 4 ft 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dep for 1/4 Sec Cor

80.24 Cor. to Secs 28. 29. 32 & 33
Land rolling Soil 2d rate

Township No 18 N. Range No 27 W. 6th PM

North between Secs. 28 & 29
Va. 13° East

1900 Leave Sand Hill & Enter Valley WNSE

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
dep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dep for Cor. to Secs.
20. 21. 28 & 29
Land rolling Soil 2d rate

July. 4th 1873.

Township No 78 N. Range No 27 West

East on random line
between Secs. 21 & 28
Va 13° East

30.00 Leave valley enter sand hill
40.00 Set Post for temporary 1/4 Sec. Cor
66.00 Leave Hill enter valley
80.50 Intersect N. & S. line 91 lks.
South of Cor. to Secs. 21
22. 27 & 28 from which
Cor 1 mile

South 89° 21' West on true line
between Secs. 21 & 28.
Va. 13° East

40.25 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec Cor.

80.50 Cor. to Secs. 20. 21. 28 & 29
Land level Soil 2d rate

Township No 78 N. Range No 27 W. 6th P.M.

North between Secs. 20 & 21
Va 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
Deep for 1/4 Sec. Cor.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep, for Cor. to Secs.
16. 17. 20 & 21

Land level Soil good 2d rate

Township No 18 N. Range No 27 West

East on random line between
Secs. 16 & 21
Va. 13° East

25.00 Enter Hills Bear N.E. and S.W.
40.00 Set Post for temporary 1/4 Sec. Cor
60.00 Leave hills enter valley N.W. & S.E.
80.00 Intersected N & S line at
Cor. to Secs. 15. 16. 21
& 22 from which Cor. I run
West on true line between Secs.
16 & 21
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

80.00 Corner to Secs. 16. 17. 20 & 21
Land broken Soil Poor 2d rate

Township No 18 N. Range No 27 W. 6th PM

North between Secs. 16 & 17
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor.

57.00 Enter Hills N.W. and S.E.
80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs.
8. 9. 16 & 17
Land Sand Hills Soil 3d rate

Township No 18 N. Range 27 West

East on random line
between Secs. 9 & 16
Va. 13° East

25.00 Valley, descends South East
40.00 Set Post for temporary 1/4 sec. Cor
70.00 Leave Valley & Enter Sand Hills, near Mr & SE
79.88 Intersect N. & S. line at Cor
to Secs. 9.10.15 & 16 from
which Cor. I run
West on true line between Secs. 9 & 16
Va. 13° East

39.~~44~~ 94 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec Cor
79.88 Cor. to Secs. 8.9.16 & 17
Land level Sandy, soil poor 2d rate

Township No 18 N. Range No 27 W. 6th PM

North between Secs. 8 & 9
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor
80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
Deep for Cor. to Secs. 4.5
8 & 9.
Land Sand Hills. Soil 3d rate

Township No 78 N. Range No 27 West

	East on random line between Secs. 4 & 9 Va. 13° East
40.00	Set Post for temporary 1/4 sec Cor
79.83	Intersect N. & S. line 14 lks. North of Cor. to Secs. 3. 4. 9 & 10 from which Cor I run.
	North 89° 54' West on true line between Secs. 4 & 9 Va. 13° East
39.91½	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in dep. for 1/4 Sec. Cor.
79.83	Corner to Secs. 4. 5. 8 & 9 Land Sand Hills Soil 3d rate

Township No 78 N Range No 27 West 6th P.M.

	North on random line between Secs. 4 & 5 Va. 13° East
40.00	Set Post for temporary 1/4 sec Cor
79.91	Intersect North Boundary of Township 21 lks. East of Cor. to Secs. 4 & 5 from which Cor. I run
	South 9' East on true line between Secs. 4 & 5 Va. 13° East
39.91	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in dep. for 1/4 sec. Cor
79.91	Corner to Secs: 4. 5. 8 & 9 Land Sand Hills, Soil 3d rate

Township No 18 N. Range No 27 West

North between Secs. 31 & 32
Va. 13° E

8.00 Enter Swamp course E & W
40.00 Point in Swamp for 1/4 sec. Cor.
which cannot here be
Established permanently
I therefore at
44.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Witness Corner
47.00 South Fork of Loup River 18 lks.
wide runs East
50.00 Leave Bottom & Enter Sand Hills
N.E. & S.W.
80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs.
29. 30. 31 & 32
Land South part level, North
part Rolling Soil 2d rate

Township No 18 N. Range No 27 West 6th P.M.

East on random line between
Secs. 29 & 32
Va. 13° East
5.00 Enter valley descends SE
40.00 Set Post for temporary 1/4 Sec. Cor
70.00 Enter Hills N.W. & S.E.
79.80 Intersect N. & S. line 14 lks.
South of Cor. to Secs. 28
29. 32 & 33 from which
Cor. I run
South 89° 54' West on true line
between Secs. 29 & 32
Va. 13° East
39.90 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor
79.80 Corner to Secs. 29. 30. 31 & 32
Land Sand Hills, Soil 3d rate

Township No 18 N. Range No 27 W. 6th P.M.

West on random line between
Secs. 30 & 31
Va. 13° East

40.00 Set post for temporary 1/4 sec Cor
72.00 Slough descends, East
79.68 Intersect West Boundary of
Township 21 chs. North
of Cor. to Secs. 30 & 31
from which Cor I am
North 89° 57' East on true line
between Secs. 30 & 31
Va. 13° East

39.68 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor.

79.68 Corner to Secs. 29. 30. 31 & 32
Land rolling Soil poor 2d rate

Township No 18 N. Range No 27 W 6th P.M.

North between Secs. 29 & 30
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor.

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for Corner to Secs.
19. 20. 29 & 30

Land Sand Hills Soil 3d rate

Township No 78 N. Range No 27 W

East on random line between
Secs. 20 and 29
Va. 13° East

24.00 Leave Sand Hills & Enter valley S.E.
40.00 Set Post for temporary 1/4 sec. Cor.
41.00 Leave ~~Sand Hills~~ valley & Enter ~~valley~~ Sand Hills
over N.W. & S.E. disc. S.E.
70.00 Enter Valley & Leave Sand Hills
79.65 Intersected N. & S. line 35 lks.
South of Cor. to secs. 20
21. 28 and 29 from
which Cor I run
South 89° 45' West on true line
between Secs. 20 & 29
Va. 13° East
39 82 1/2 Set post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 sec Cor
79.65 Corner to Secs. 19. 20. 29 & 30
Land Rolling & Sandy. Soil
poor 2d rate

July 5th 1873

Township No 78 N. Range No 27 W. 6th P.M.

West on random line between
Secs. 19 and 30
Va. 13° East

40.00 Set Post for temporary 1/4 sec. Cor
79.60 Intersect West Boundary of
Township 42 lks. North
of Cor. to Secs. 19 & 30.
from which Cor. I run
North 89° 42' East on true line
between Secs. 19 & 30
Va. 13° East
39.60 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor
79.60 Corner to Secs. 19. 20. 29 & 30
Land Sand Hills, soil 3d rate

Township No 18 S. Range No 27 W.

North between Secs 19 & 20
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

42.00 Enter Valley bears North West & South E.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Corner to Secs.
17. 18. 19 & 20

Land rolling Sandy poor 2d rate

Township No 18 S. Range No 27 W. 6th P.M.

East on random line between
Secs. 17 & 20
Va. 13° East

17.00 Leave Valley & Enter Sand Hills
27.00 Leave Sand Hills & Enter valley deg. 88
40.00 Set Post for temporary 1/4 Sec. Cor.
79.82 Intersect N. & S. line 7 lks. North
of Cor. to Secs. 16. 17. 20
& 21 from which Cor.
I run

North 89° 57' West on true line
between Secs. 17 & 20
Va. 13° East

39.91 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

79.82 Corner to Secs. 17. 18. 19 & 20
Land rolling & Sandy Soil 3d rate

Township No 18 N. R. 27 West

	Westerm random line between Secs. 18 & 19 Va 13° East
37.00	Enter Sand Hills bar N W S E
40.00	Set Post for temporary 1/4 Sec Cor.
79.47	Intersected West Boundary of Township 42 chs. North of Cor. to Secs. 18 & 19 from which Cor. I run North 89° 42' East on true line between Secs. 18 & 19 Va 13° East
39.47	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.47	Corner to Secs 17. 18. 19 & 20. Land rolling Sandy - Soil 2d rate

Township No 18 N. Range No 27 West

	North between Secs. 17 & 18 Va 13° East
37.00	Enter Sand Hills bar N W S E
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor
80.00	Set Post 3 x 3 in x 4 ft 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 7. 8. 17 & 18
	Land Sand Hills Soil 3d rate

Township No. 18 N. Range No. 27 W.

	East on random line between Secs. 8 & 17 Va. 13° East
38.00	Enter Valley descends S.E.
40.00	Set Post for temporary 1/4 sec. Cor.
70.00	Enter Sand Hills N 70 S E
80.08	Intersected N. & S. line 35 lks. South of Cor. to Secs. 8.9. 16 & 17. from which Cor. I run
	South 89° 45. West on true line between Secs. 8 & 17 Va. 13° East
40.04	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit channel stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in dep. for 1/4 sec Cor
80.08	Corner to Secs. 7. 8. 17 & 18 Land rolling Sandy Soil 3d rate

Township No. 18 N. Range No. 27 W 6th PM

	West on random line between Secs. 7 & 18 Va. 13° East
32.00	Enter Valley descends S E
40.00	Set Post for temporary 1/4 sec. Cor
68.00	Enter Sand Hills Nar N 70 S E
79.50	Intersect West Boundary of Township 49 lks. North of Cor. to Secs. 7 & 18 from which Cor I run
	North 89° 39' East on true line between Secs. 7 & 18 Va. 13° East
39.50	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit channel stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in dep. for 1/4 sec. Cor
79.50	Corner to Secs. 7. 8. 17 & 18 East half level, West 1/2 Sand Hills. Soil 2d rate

Township No 18 N. Range No 27 W.

	North between Secs. 7 & 8
	Va 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground
	Deposit chained stake raised
	Mound of Earth 3 ft. high
	from pits 12 x 24 in x 12 in
	deep for 1/4 sec. cor
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground
	Deposit chained stake raised
	Mound of Earth. 3 ft. high
	from pits 12 x 24 in. x 12 in
	deep for cor. to Secs.
	5. 6. 7 & 8
	Land Sand Hills Soil 3d rate

Township No 18 N. Range No 27 West

	Eastern random line between
	Secs. 5 & 8
	Va. 13° East
18.00	Enter Valley Descends S E
40.00	Set Post for temporary 1/4 Sec. Cor.
68.00	Enter Sand Hills bearing S E
80.02	Intersect 1st & S. line 70 lks. North
	of Cor to Secs. 4. 5. 8 & 9
	from which Cor I saw
	North 89° 30' West true line
	between Secs. 5 & 8.
	Va. 13° East
40.01	Set Post 2 x 3 in x 4 ft. 1 ft. in ground
	Deposit chained stake raised
	Mound of Earth 3 ft high
	from pits 12 x 24 in x 12 in
	deep for 1/4 sec. Cor.
80.02	Corner to Secs. 5. 6. 7 & 8
	Land rolling Soil poor 2d rate

Township No 18 S. Range No 27 W.

	Weston random line between Secs. 6 & 7 Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
79.60	Intersect West Boundary of Township 63 lks. South of Cor. to Secs. 6 & 7 from which Cor. I run
	South 89° 33' East on true line between Secs. 6 & 7 Va. 13° East
39.60	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits. 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.60	Corner to Secs. 5. 6. 7 & 8 Land Sand Hills Soil 3d rate

Township No 18 S. Range No 27 West

	North on random line between Secs. 5 & 6. Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
79.82	Intersect North Boundary of Township 49 lks West of Cor. to Secs. 5 & 6 from which Cor I run.
	South 71' West on true line between Secs. 5 & 6. Va. 13° East
39.82	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor
79.82	Corner to Secs. 5. 6. 7 & 8. Land Sand Hills Soil 3d rate

July 7th 1873

General Description

The surface of the township is very diversified and broken by sand hills. The land along the "South Fork of the Loup" "Cedar" river is low and marshy but possesses a strong rich soil. The valleys which extend north from the river have a soil of sandy loam adapted to the growth of cereals. The sand hills are fit for little except small fruits or grazing.

No timber is found in the township.

A. List of names of persons employed to assist in the survey and subdividing of Township No 18 North of the Base line in Range No. 27 West of the 6th Principal Meridian in the State of Nebraska and the respective capacities in which they acted.

Christian Thede } Chainmen
Adelbert Thompson }

Curtis N. Dewolf } Mountmen
Richard Burden }

Cyrus Penny Flagman

We hereby certify that we assisted Stephen C McElroy Deputy Surveyor in surveying Township No 18 north of the Base line of Range 27 West of the 6th Principal meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary monuments planted according to the instructions furnished by the surveyor General and of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

Christian Thede Chainman
Adelbert Thompson Chainman
Curtis N DeWolf Moundman
Richard Burden Moundman
Cyrus Penny Flagman

Subscribed and Sworn to
before me this 9th day of
August 1873

O. R. Goodale
Notary Public

I Stephen C. McElroy
deputy surveyor do solemnly
swear that in pursuance of a
joint contract wherein Stephen
C. McElroy and Jacob Stephenson
are joint contractors with E. E.
Cunningham Surveyor General
for the District of Nebraska and
Iowa bearing date May 20th 1873
I have well, faithfully and truly in
my own proper person, and in
strict conformity to the instructions
furnished by the Surveyor General
the Surveying Manual and the
laws of the United States, Surveyed
all those parts or portions of Township No.
Eighteen (18) North of the Base line
in Range No. Twenty Seven (27)
West of the 6th Principal Meridian
as are represented in the foregoing
field Notes as having been
Surveyed under my direction.
And I do further solemnly
swear that all the corners of
said surveys have been established
and perpetuated in strict accordance
with the Surveying Manual, printed
Instructions and Special Instructions
of the Surveyor General, of
dimensions, character, construc-
tion and marking and in the
manner specifically described
in the foregoing field notes, and
that the foregoing are the true
and original field notes of
such survey.

Stephen C. McElroy
Deputy Surveyor

Subscribed and sworn to
before me a Notary Public
within and for the County of
Cass and State of Nebraska
this 5th day of Sept. A.D. 1873

Thos Pollock
Notary Public

Surveyor General's Office
Plattsmouth Neb Sept 27th 1873

The forgoing field notes of the survey of Township No 18 North of Base line of Range No 27 West of 6th Principal Meridian executed by Stephen C McElroy under joint contract of the 20th day of May 1873 in the month of July 1873 having been critically examined, the necessary corrections and explanations made, the said field notes, and the survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Town 19 Range 27 W



Field Notes of Survey and Subdivisions of Township No 19 North of Base Line in Range No 27 West 6th Prin. Mer. in the State of Nebraska.

Survey Executed by Zadok Stephenson Deputy Surveyor under Joint Contract dated the 20th Day of May 1873.

Survey Commenced July 3d 1873
Completed July 8th 1873

List of names and duties of assistants

Lewis Dennis } Chainmen
Wm Homer }
David Glendenning } Moundmen
Chas F Logue }
Edward Hood } Flagman

To determine the proper adjustment of my Compass for Subdividing this Township, I Commence at the Corner to Townships 18 & 19 North, Ranges 26 & 27 West & run North on a blank line along the East boundary of Sec. 36. Va 13° East

4000	To 1/4 Sec Corner
8000	To Cor. to Secs. 25 & 36
	To retrace this line & run parallel thereto my Compass is therefore in proper adjustment

Township No 19 S. Range No 27 W. 6th PM

From the Corner to Secs. 35 & 36 on the South Boundary of Township I run North between Secs. 35 & 36 Va. 13° East

4000	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. deep for 1/4 sec. Cor
8000	Set Post 3 x 3 in. x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. deep for Cor to Secs. 25. 26. 35 & 36

Land Rolling. Soil poor 2d rate

Township No 19 N. Range No 27 West

East on sandom line between
Secs. 25 & 36
Va. 13° East

40.00 Set Post for temporary 1/4 Sec Cor
80.24 Intersect East Boundary
21 lks North of Cor. to Secs.
25 & 36 from which Cor.
I run
North 89° 51' West on true line
between Secs 25 & 36
Va 13° East

40.12 Set Post 2x3 in x 4 ft. 1 ft in ground
Deposit Charred Stake raised
Mound of Earth 3 ft high
from pits 12x24 in x 12 in
dug for 1/4 Sec Cor

80.24 Corner to Secs. 25. 26. 35 & 36
Land Rolling Sandy, Poor 2° rate

Township No 19 N. Range No 27 West

North between Secs. 25 & 26
Va. 13° East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dug for 1/4 Sec. Cor.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
dug for Cor to Secs. 23
24. 25 & 26

Land Sand Hills. 3d rate

Township No 19 N. Range No 27 West

East on random line between
Secs. 24 & 25
Va. 13° East

4000 Set Post for temporary 1/4 Sec. Cor

8014 Intersect East Boundary 14
Chs. North of Cor. to Secs.
24 & 25 from which Cor. I run
North 89° 54' West on true line
between Secs. 24 & 25
Va. 13° East

4007 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in. x 12 in.
dug for 1/4 Sec. Cor.

8014 Corner to Secs. 23. 24. 25 & 26
Land Sand Hills 3 Rate

Township No 19 N. Range No 27 W. 6th PM

North between Secs 23 & 24
Va. 13° East

4000 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in.
dug for 1/4 Sec. Cor

8000 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
dug for Cor. to Secs. 13.
14. 23 & 24

Land Sand Hills Cal 3 Rate

Township No 19 N. Range No 27 West

East on run down line between
Secs. 13 and 24
Va. 13° East

40.00 Set Post for temporary 1/4 Sec. Cor

80.20 Intersect East Boundary 17
Lks. North of Cor. to Secs. 13
& 24 from which Cor. I run
North 89° 53' West on true line
between Secs. 13 & 24
Va. 13° East

40.10 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
dug for 1/4 Sec. Cor

80.20 Corner to Secs. 13. 14. 23 & 24
Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

North between Secs. 13 and 14
Va. 13° East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
dug. for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in. x 12 in.
dug for Corner to Secs.
11. 12. 13 and 14
Land Sand Hills soil 3d rate

Township No. 19 N. Range No. 27 West

East on random line between Secs. 12 & 13
Va. 13° East

40.00 Set Post for temporary 1/4 sec. cor.
57.00 Enter Valley Course N.W.
80.12 Intersect East Boundary 5 lks. North of Cor. to Secs. 12 & 13 from which Cor. I run North 89° 58' West on true line between Secs. 12 & 13
Va 13° East

40.06 Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. Cor
80.12 Corner to Secs 11. 12 13 & 14
Sand Hills & Valley
Soil poor 2d rate

Township No. 19 N. Range No. 27 West

North between Secs. 11 & 12
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
80.00 Set Post 3 x 3 in x 4 ft 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in. deep for Cor. to Secs. 1. 2. 11. & 12.
Land Sand Hills Soil 3d rate

Township No. 19 N. Range No. 27 West

	East on random line between Secs. 1 & 12 Va. 13° East
30.00	Enter Valley bears N.W. & S.E.
40.00	Set Post for temporary 1/4 sec Cor
70.00	Leave Valley bears N.W. & S.E.
80.22	Intersect East Boundary 23 Lks North of Cor. to Secs 1 & 12 from which Cor. I run North 89° 50' West on true line between Secs. 1 & 12 Va 13° East
40.11	Set Post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 3 ft high Gun pits 12 x 24 in x 12 in. deep for 1/4 sec. Cor.
80.22	Corner to Secs. 1. 2. 11 & 12 Land level Soil 2nd rate

Township No. 19 N. Range No. 27 West

	North on random line between Secs. 1 & 12 Va. 13° East
7.00	Enter Valley bears N.W. & S.E.
40.00	Set Post for temporary 1/4 Sec. Cor.
79.80	Intersect North Boundary 15 Lks. West of Cor. to Secs. 1 & 12 from which Cor I run South 6' West on true line between Secs. 1 & 12 Va 13° East
39.80	Set Post 2 x 3 in. x 4 ft 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high Gun pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.80	Corner to Secs 1. 2. 11 & 12 Land level Soil 2nd rate

Township No 19 N. Range No 27 West

North between Secs. 34 & 35
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit Charred Stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor to Secs 26.
27. 34 & 35

Land Rolling & Sandy Soil 3d rate

July 3d 1873

Township No 19 N. Range No 27 West

East on random line between
Secs. 26 & 35
Va. 13° East.

9.00 Enter Valley trees N.W. & S.E

40.00 Set Post for temporary 1/4 Sec Cor

62.00 Leave Valley N.W. and S.E.

80.00 Intersect N. & S. line at Cor. to Secs.
25. 26. 35 & 36 from which
Cor I run

West on true line between Secs
26 & 35
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in.
deep for 1/4 Sec. Cor

80.00 Corner to Secs. 26. 27. 34 & 35
Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

North between Secs. 26 & 27
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 Sec. Cor

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in.
deep for Cor. to Secs. 22
23. 26 & 27

Land Sand Hills Soil 3rd rate

Township No 19 N. Range No 27 West 6th PM

East on random line between
Secs. 23 & 26
Va. 13° East

40.00 Set Post for temporary 1/4 Sec. Cor

79.90 Intersect N. & S. line 10 chs. North
of Cor. to Secs. 23. 24. 25 &
26 from which Cor. bears
North 89° 56 West on true line between
Secs 23 & 26
Va. 13° East

39.95 Set Post 2 x 3 in. x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in. x 12 in.
deep for 1/4 sec. Cor.

79.90 Cor. to Secs. 22. 23. 26 & 27
Land Sand Hills Soil 3rd rate

Township No. 19 N. Range No. 27 West

North between Secs. 22 & 23
Var. 13° East

40.00 Set Post 2×3 in × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in × 12 in
deep for 1/4 Sec. Cor.

80.00 Set Post 3×3 in × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in. × 12 in.
deep for Cor. to Secs.
14. 15. 22 & 23

Land rolling & Sandy Soil 3d rate

Township No. 19 N. Range No. 27 West

East on random line between
Secs. 14 & 23
Var. 13° East

40.00 Set Post for temporary 1/4 Sec. Cor

79.90 Intersect N. & S. line 4 chs. North
of Cor. to Secs. 13. 14. 23 &
24 from which Cor I run
North 89° 58' West on true line
between Secs. 14 & 23
Va. 13° East

39.95 Set Post 2×3 in. × 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12×24 in × 12 in.
deep for 1/4 Sec. Cor.

79.90 Cor. to Secs. 14. 15 22 & 23
Land Sand Hills. Soil 3d rate

Township No 79 N. Range No 27 West

North between Secs. 14 and 15
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs. 10.
11. 14 and 15

Land Sand Hills Soil 3d rate

Township No 79 N. Range No 27 West

East on random line between
Secs. 11 and 14.
Va. 13° East

40.00 Set Post for temporary 1/4 sec Cor
79.98 Intersect N. 1/4 S. line at Cor. to Secs.
11. 12. 13 & 14 from which
Cor I run
West on true line between
Secs. 11 and 14
Va. 13° East

39.99 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 sec. Cor

79.98 Cor. to Secs. 10. 11. 14 and 15
Land Sand Hills Soil 3d rate

Township No. 19 S. Range No. 27 West

North between Secs. 10 and 11
Va 13° East

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

67.00 Enter Valley trees N. W. and S. E.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for Cor. to Secs. 2.
3. 10 and 11.

Land Rolling Soil poor 2d rate

Township No. 19 S. Range No. 27 West

East on random line between
Secs. 2 and 11
Va. 13° East

40.00 Set Post for temporary 1/4 Sec Cor.

48.00 Leave Valley N. E. and S. E.

79.98 Intersect N. and S. line of lks. North
of Cor to Secs. 1. 2. 11 & 12
from which Cor I run
North 89° 54' West on true line
between Secs. 2 and 11
Va. 13° East

39.99 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor

79.98 Corner to Secs. 1. 2. 11 and 12
Land Valley or Bottom Soil 2d rate

Tow

Township No. 19 N. Range No. 27 West

		North on random line between Secs. 2 & 3 Va. 13° East
40.		
	38.00	Slough or Drain 30 lks. wide discends N. West
	40.00	Set Post for temporary 1/4 Sec. Cor
	79.85	Intersect North Boundary of Township 18 lks. West of
67.		Cor. to Secs. 2 & 3 from
80.		which Cor. Run South 8' West on true line between Secs. 2 & 3. Va. 13° East
	39.85	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor.
	79.85.	Corner to Secs 2. 3. 10 & 11 Land level Bottom Soil 2nd rate

Township No. 19 N. Range No. 27 West

	North between Secs. 33 & 34 Va. 13° East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 sec. Cor
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for Cor to Secs. 27. 28. 33 & 34
Land Rolling, Poor 2d rate soil	

July 4th 1873

Township No 19 N. Range No 27 West

	Eastern random line between Secs. 27 & 34 Va. 13° East
18.00	Enter Valley bears N.W. & S.E.
23.00	Leave Valley Enter Hills bearing N.W. & S.E.
40.00	Set Post for temporary 1/4 Sec Cor
79.84	Intersect N. & S. line 1/4 chs. North of Cor to Secs. 26. 27. 34 & 35 from which Cor. I run North 89° 54' West on true line between Secs. 27 & 34 Va. 13° East
39.92	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.84	Corner to Secs 27. 28. 33 & 34
	Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

	North between Secs. 27 & 28 Va. 13° East
12.00	Enter Valley. Descends N.W.
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
73.00	Enter Sand Hills bear E. & W.
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor to Secs. 21. 22. 27 & 28
	Land rolling. Soil poor 2d rate

Township No 79 N. Range No 27 West

East on random line between
Secs. 22 & 27
Va. 13° East

40.00 Set Post for temporary 1/4 Sec Cor
79.90 Intersected N. & S. line at
Cor. to Secs. 22.23.26
& 27 from which Cor
I run
West on true line between
Secs. 22 & 27
Va. 13° East

39.95 Set Post 2 x 3 in. x 4 ft 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in. x 12 in.
deep for 1/4 Sec. Cor

79.90 Corner to Secs. 21.22.27 & 28
Land Sand Hills. Soil 3d rate

Township No 79 N. Range No 27 West

North between Secs 21 & 22
Va. 13° East

40.00 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep, for 1/4 Sec. Cor.

80.00 Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake, raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
deep for Cor to Secs.
15.16.21 & 22
Land Sand Hills Soil 3d rate

Township No 19 N. Range No 27 West

	Eastern random line between Secs. 15 & 22 Va. 13° East
40.00	Set Post for temporary 1/4 Sec. Cor
79.93	Intersect N. & S. line 6 lks North of Cor. to Secs. 14. 15. 22 & 23 from which Cor Iron North 89° 57' West on true line between Secs. 15 & 22 Va. 13° East
3996½	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
7993	Corner to Secs. 15. 16. 21 & 22 Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

	North between Secs. 15 & 16 Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
80.00	Set Post 3 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 9. 10. 15 & 16
	Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

	East on random line between Secs. 10 and 15 Va 13° East
40.00	Set Post for temporary 1/4 sec Cor
79.87	Intersect Sr. and S. line at Cor. to Secs. 10, 11, 14 and 15 from which Cor I run West on true line between Secs. 10 & 15 Va. 13° East
39.93½	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit chaned stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. dep for 1/4 sec. Cor.
79.87	Corner to Secs 9, 10, 15 & 16 Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

	North between Secs. 9 & 10 Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit chaned stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in. dep. for 1/4 sec Cor
80.00	Enter Valley trav East & West thru I set Post 3 x 3 in x 4 ft. 1 ft in ground Deposit chaned stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. dep for Corner to Secs. 3, 4, 9 & 10. Land Rolling. Soil poor 2d rate

Township No 79 N. Range No 27 West

	Eastern random line between Secs. 3 & 10 Va. 13° East
40.00	Set Post for temporary 1/4 Sec. Cor
79.91	Foot of Sand Hills & Intersect N. & S. line at Cor. to Secs. 2. 3. 10 & 11 from which Cor I run
	Western true line between Secs. 3 & 10 Va 13° East
39.95½	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit chained stake raised Mound of Earth 3 ft high Pump pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor.
79.91	Corner to Secs. 3. 4. 9 & 10 Land Rolling Soil poor 2d rate

Township No 79 N. Range No 27 West

	Northern random line between Secs. 3 & 4 Va. 13° East
40.00	Set Post for temporary 1/4 Sec Cor
42.00	Slough 3 chs. wide discends N.W.
79.80	Intersect North Boundary 21 lks. West of Cor. to Secs 3 & 4 from which Cor I run
	South of Western true line between Secs 3 & 4 Va. 13° East
39.80	Set Post 2 x 3 in x 4 ft. x ft. in ground Deposit chained stake raised Mound of Earth 3 ft high Pump pits 12 x 24 in x 12 in. deep for 1/4 Sec. Cor
79.80	Corner to Secs 3. 4. 9 & 10 Land Level Bottom Soil 2d rate

Township No 19 N. Range No 27 West

	North between Secs. 32 & 33 Va. 13° East
28.00	Enter Valley, bears N.W. & S.E.
40.00	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in by 12 in deep for 1/4 Sec Cor 1/5 leave Valley
80.00	Set Post 3 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. deep for Cor. to Secs. 28 29. 32 & 33.
	Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

	Eastern random line between Secs. 28 & 33. Va. 13° East
40.00	Set Post for temporary 1/4 sec. Cor
46.00	Enter Valley, bears N.W. & S.E.
53.00	Leave Valley Enter Hills bar N.W.
80.00	Intersect N. & S. line 7 lks. South of Cor to Secs. 27. 28. 33 & 34 from which Cor. I run South 89° 57' West on true line between Secs. 28 & 33. Va. 13° East
40.00	Set Post 2 x 3 in x 4 ft 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. deep for 1/4 Sec. Cor.
80.00	Corner to Secs. 28. 29. 32 & 33
	Land Rolling Soil poor 2d rate

Township No 19 North Range No 27 West

North between Secs. 28 & 29
Va. 13° East

15.00 Enter Valley bears N.W. & S.E.

40.00 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
dist for 1/4 sec. Cor.

71.00 Enter Sand Hills bears N.W. & S.E.

80.00 Set Post 3 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in
dist for Cor to Secs. 20.
21. 28 & 29

Land Rolling Soil for 2d rate

July 5th 1873

Township No 19 N. Range No 27 West

East on random line between
Secs. 21 & 28
Va. 13° East

15.00 Enter Valley bears N.W. & S.E.

40.00 Set Post for temporary 1/4 Sec
Corner Enter Hills bear N.W. & S.E.

80.04 Intersect N. & S. line 8 chs. North
of Cor. to Secs. 21. 22 27 & 28
from which Cor I saw
North 89° 57' West on true line between
Secs. 21 & 28
Va 13° East

40.02 Set Post 2 x 3 in x 4 ft 1 ft. in ground
Deposit charred Stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
dist for 1/4 Sec Cor

80.04 Corner to Secs. 20. 21. 28 & 29
Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

	North between Secs. 20 & 21
	Va. 13° 5' East
10.00	Enter Valley runs N.W. & S.E.
17.00	Drain descends N.W.
25.00	Enter Hills bar N.W. & S.E.
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
	Deposit charred stake raised
	Mound of Earth 3 ft. high
	from pits 12 x 24 in x 12 in.
	deep for 1/4 Sec. Cor.
80.00	Set Post 3 x 3 in. x 4 ft. 1 ft. in ground
	Deposit charred stake raised
	Mound of Earth 3 ft high
	from pits 12 x 24 in x 12 in.
	deep for Cor. to Secs. 16.
	17. 20 & 21.
	Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

	Easton run down line between
	Secs. 16 & 21.
	Va. 13° 5' East
40.00	Set Post for temporary 1/4 sec. Cor.
79.95	Intersect N. & S. line at Cor. to Secs.
	15. 16. 21 & 22 from which
	Corner I mean
	West on true line between Secs
	16 & 21
	Va. 13° 5' East
399 7½	Set Post 2 x 3 in x 4 ft. 1 ft. in ground
	Deposit charred stake raised
	Mound of Earth 3 ft high
	from pits 12 x 24 in. x 12 in.
	deep for 1/4 Sec. Cor.
79.95	Corner to Secs. 16. 17. 20 & 21
	Land Sand Hills. Soil 3d rate

Township No 9 N. Range No 27 West

North between Secs. 16 & 17
Va. 13° 3' East

4000 Set Post 2 x 3 in. x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 sec. Cor

8000 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits. 12 x 24 in x 12 in.
deep for Cor to Secs.
8. 9. 16 & 17.
Land Sand Hills. Soil 3d rate

Township No 9 N. Range No 27 West

Eastern random line between
Secs. 9 & 16
Va. 13° 3' East

4000 Set Post for temporary 1/4 Sec. Cor
54.00 Drain descends North
8000 Intersect N. & S. line 13 lks. North
of Cor. to Secs. 9. 10. 15
& 16 from which Cor. I run
North 89° 54' West on true line
between Secs. 9 & 16
Va. 13° 3' East

4000 Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
deep for 1/4 Sec. Cor

8000 Corner to Secs 8. 9. 16 & 17
Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

North between Secs 8 & 9
Va. 13°3' East

40.00 Set Post 2×3 in × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in. × 12 in.
deep for 1/4 sec. Cor.

80.00 Set Post 3×3 in × 4 ft. 1 ft. in ground
deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in. × 12 in.
deep for Cor. to Secs. 4. 5.
8 & 9

Land Sand Hills Soil 3d rate

Township No 19 N. Range No 27 West

Easton random line between
Secs. 4 & 9
Va. 13°3' East

3.00 Enter Valley bears N.W. & S.E.

10.00 Leave Valley enter hills bears N.W. & S.E.

40.00 Set Post for temporary 1/4 sec. Cor.

79.92 Intersect N. & S. line 7 lks. North
of Cor. to Secs. 3. 4. 9 & 10
from which Cor. I run
North 89°57' West on true line
between Secs. 4 & 9
Va. 13°3' East

39.96 Set Post 2×3 in. × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in × 12 in.
deep for 1/4 sec. Cor.

79.92 Corner to Secs. 4. 5. 8 & 9
Land level, Soil 2d rate

Township No 19 N. Range No 27 West

	North on random line between Secs. 4 & 5 Va. 13° 3' East
8.00	Enter Valley N W and S E
10.00	Leave Valley Enter Hills bear N W & S E
40.00	Set Post for temporary 1/4 Sec Cor
73.00	Enter Valley descend N. W.
79.74	Intersect North Boundary at Cor. to Secs. 4 & 5 from which Cor I run South on true line between Secs. 4 & 5 Va. 13° 3' East
39.74	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit chained stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in. deep for 1/4 Sec. Cor.
79.74	Corner to Secs. 4. 5. 8 & 9 Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West

	North between Secs. 31 & 32 Va. 13° 3' East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground Deposit chained stake raised Mound of Earth 3 ft high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor
80.00	Enter Valley bears N. W & S. E. & Set Post 3 x 3 in. x 4 ft 1 ft in ground Deposit chained stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for Cor. to Secs. 29 30. 31 & 32
	Land Sand Hills Soil 3d rate

Township No 19 N. Range No 27 West

East on random line between
Secs. 29 & 32
Va. 13° 3' East

40.00 Set Post for temporary 1/4 Sec Cor
54.00 Leave Valley bears N.W. & S.E.
79.97 Intersect N. & S. line 21 lks. North
of Cor. to Secs 28. 29. 32
& 33 from which Cor I run
North 89° 57' West on true line
between Secs 29 & 32
Va. 13° 3' East
3998½ Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
dep for 1/4 Sec. Cor.
79.97 Corner to Secs. 29. 30. 31 & 32
Land rolling. Soil poor 2d rate

Township No 19 N. Range No 27 West

West on random line between
Secs. 30 & 31
Va. 13° 3' East

5.00 Enter Valley bears N.W. & S.E.
40.00 Set Post for temporary 1/4 Sec. Cor
76.00 Leave Valley Enter Hills bar N.W. & S.E.
79.43 Intersect West Boundary 16
lks. South of Cor. to Secs.
30 & 31 from which Cor.
I run:
South 89° 53' East on true line
between Secs. 30 & 31
Va 13° 3' East
3943 Set Post 2 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft high
from pits 12 x 24 in x 12 in.
dep for 1/4 Sec. Cor
79.43 Corner to Secs. 29. 30. 31 & 32
Land rolling. Soil 3d rate

Township No 79 N. Range No 27 West,

North between Secs. 29 & 30
Va. 13° 3' East

25.00 Leave Valley trav N.W. & S.E.

40.00 Set Post 2 x 3 in. x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft high.
from pits 12 x 24 in x 12 in
deep for 1/4 sec. Cor

80.00 Set Post 3 x 3 in x 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in.
deep for Cor. to Secs. 19
20. 29 & 30

Land Sand Hills Soil 3d rate

July 6th 1873

Township No 79 N. Range No 27 West

Eastm sandmr line between
Secs. 20 & 29
Va. 13° 3' East

40.00 Set Post for temporary 1/4 sec. Cor

42.00 Enter Valley trav N.W. & S.E.

74.00 Enter Sand Hills N.W. & S.E.

79.91 Intersect N. & S. line 12 lks.
North of Cor. to Secs. 20.
21. 28 & 29 from which
Cor. d mm

North 89° 55' West true line
between Secs. 20 & 29
Va. 13° 3' East

399.5½ Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in
deep for 1/4 Sec. Cor.

79.91 Corner to Secs. 19 20. 29 & 30
Land Sand Hills soil 3d rate

	West on random line between Secs. 19 & 30 Va 13° 3' East
40.00	Set Post for temporary 1/4 sec. Cor
79.00	Enter Valley bears South East
79.38	Intersect West Boundary of Cor. to Secs. 19 & 30 from which Cor. bears
	East on true line between Secs. 19 & 30 Va. 13° 3' East
39.38	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake, raised Mound of Earth 3 ft. high Trenches 12 x 24 in x 12 in. for 1/4 sec. Cor.
79.38	Corner to Secs 19. 20. 29 & 30 Land Sand Hills - Soil 3d rate

	North between Secs. 19 & 20 Va. 13° 3' East
40.00	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high Trenches 12 x 24 in x 12 in. deep for 1/4 sec. Cor.
75.00	Enter Valley bears N. W. & S. E.
80.00	Set Post 3 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake raised Mound of Earth 3 ft high Trenches 12 x 24 in x 12 in. deep for Cor. to Secs. 17. 18. 19 & 20
	Land Sand Hills. Soil 3d rate

Township No 19 N. Range No 27 West.

	East on random line between Secs. 17 and 20 Va. 13° 3' East
7.50	Enter Sand Hills Near NW & SE
40.00	Set Post for temporary 1/4 sec. Cor
79.95	Intersect N. and S. line 7 lks. South of Cor to Secs. 16. 17. 20 & 21 from which Cor I run South 89° 57' West on true line between Secs. 17 and 20 Va. 13° 3' East
39.97½	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit chained stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in. deep for 1/4 sec. Cor.
79.95	Corner to Secs. 17. 18. 19 and 20 Land Sand Hills Soil 3d rate

Township No 19 N. Range No 27 West

	West on random line between Secs. 18 and 19 Va. 13° 3' East
10.00	Enter Sand Hills Near NW and S.E.
40.00	Set Post for temporary 1/4 sec. Cor
79.34	Intersect West Boundary 4 lks. North of Cor to Secs 18 and 19 from which Cor. I run North 89° 58' East on true line between Secs. 18 and 19 Va 13° 3' East
39.34	Set Post 2 x 3 in. x 4 ft. 1 ft. in ground Deposit chained stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in. deep for 1/4 sec. Cor
79.34	Corner to Secs 17. 18. 19 & 20 Land Sand Hills 3d rate

Township No 19 N Range No 27 West

North between Secs. 17 & 18
Va. 13° 3' East

4000 Leave Valley & Enter Sand Hills
Set Post 2 x 3 in x 4 ft. 1 ft in
ground deposit charred stake
raised Mound of Earth 3 ft.
high from pits 12 x 24 in.
deep for 1/4 sec. Cor.

8000 Set Post 3 x 3 in. x 4 ft. 1 ft in
ground. Deposit charred
Stake raised Mound of
Earth 3 ft high from
pits 12 x 24 in x 12 in
deep for Cor. to Secs.
7. 8. 17 & 18

Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

Easton random line between
Secs. 8 & 17
Va. 13° 3' East

4000 Set Post for temporary 1/4 sec. Cor.

7993 Intersect N. & S. line 5 lks. South
of Cor. to Secs. 8. 9. 16 & 17
from which Cor I run
South 89° 58' West on true line
between Secs. 8 & 17
Va. 13° 3' East

3996½ Set Post 2 x 3 in x 4 ft. 1 ft in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12 x 24 in x 12 in.
deep for 1/4 sec. Cor

7993 Corner to Secs. 7. 8. 17 & 18

Land Sand Hills, Soil 3d rate

Township No 19 S. Range No 27 West

West on random line between
Secs. 7 & 18
Va. 13° 3' East

40.00 Set Post for temporary 1/4 sec. cor
39.92 Intersect West Boundary
8 chs. North of cor to Secs.
7 & 18 from which cor bears
North 89° 57' East on true line
between Secs 7 & 18
Va. 13° 3' East

39.92 Set Post 2×3 in. ×4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
From pits 12×24 in × 12 in.
deep for 1/4 sec cor.

79.92 Corner to Secs 7. 8. 17 & 18
Land Sand Hills - Soil 3d rate

Township No 19 S. Range No 27 West

North between Secs. 7 & 8
Va. 13° 3' East

40.00 Set Post 2×3 in. × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in × 12 in
deep for 1/4 sec. cor

80.00 Set Post 3×3 in × 4 ft. 1 ft. in ground
Deposit charred stake raised
Mound of Earth 3 ft. high
from pits 12×24 in × 24 in.
deep for cor. to Secs
5. 6. 7 & 8

Land Rolling Soil poor 2d rate

Township No 19 N. Range No 27 West

East on random line between
Secs. 5 & 8
Va. 13° 3' East

40.00	Set Post for temporary 1/4 Sec Cor
79.90	Intersect N. & S. line 7 lks. North of Cor. to Secs. 4.5.8 & 9 from which Cor I run North 89° 57' West on true line between Secs. 5 & 8 Va. 13° 3' East
39.95	Set Post 2 x 3 in x 4 ft. 1 ft in ground Deposit charred stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in deep for 1/4 Sec. Cor
79.90	Corner to Secs 5.6.7 & 8 Land Sand Hills Soil 3d rate

Township No 19 N. Range No 27 West

West on random line between
Secs. 6 & 7
Va. 13° 3' East

40.00	Set Post for temporary 1/4 Sec. Cor
79.20	Intersect West Boundary at Corner to Secs. 6 & 7 from which Cor I run East on true line between Secs. 6 & 7 Va. 13° 3' East
39.20	Set Post 2 x 3 in x 4 ft. 1 ft. in ground Deposit charred stake, raised Mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. Cor
79.20	Corner to Secs 5.6.7 & 8 Land Sand Hills. Soil 3d rate

Township No. 19 N. Range No. 27 West

	North on random line between Secs. 5 & 6 Va. 13° 3' East
40.00	Set Post for temporary 1/4 Sec Cor
50.00	Enter Valley trans East & West
79.70	Intersect North Boundary 14 lks. East of Cor. to Secs. 5 & 6. from which Cor. I run
	South 6' East on true line between Secs. 5 & 6 Va. 13° 3' East
39.70	Set Post 2x3 in x 4 ft. 1 ft. in ground Deposit chained stake raised Mound of Earth 3 ft. high from pits 12 x 24 in x 12 in. deep for 1/4 Sec. Cor.
79.70	Cor. to Secs 5. 6. 7 & 8 Land Rolling Soil poor 2d rate

July 8th 1873

General Description

The surface of the Township is generally quite hilly some valleys containing low sand hills extending diagonally across the S.W. corner and lying along the north boundary of the Township. The soil is nearly pure sand (3d rate) except in these valleys where is mixed with a little loam. The country is best adapted to the growth of small fruits or grazing. There are some small drains or slough containing water. Timber is not found

List of names of persons employed & assist in the survey and subdivision of Township No 19 North of the Base line in Range No 27 West of the 6th Principal Meridian and showing the respective capacities in which they acted.

Lewis Dennis } Chainmen
William Bonner }
Charles F. Logue } Moundmen
David A Hendenning }
Edward R. Hood } Flagman

We hereby certify that we assisted Hadok Stephenson, Deputy Surveyor, in surveying Township No 19. North of the Base line of Range No 27 West of the 6th Principal Meridian and that said Township has been to the best of our knowledge and belief in all respects well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General and of the dimensions, character, construction and marking and in the manner as described in the foregoing fieldnotes

William Bonner — Chainman
Lewis Dennis — Chainman
Charles F. Logue — Moundman
David A Hendenning — Moundman
Edward R Hood — Flagman

Subscribed & Sworn to before me this 9th day of August 1873
O R Goodale Notary Public

I Zadok Stephenson Deputy Surveyor do solemnly swear that in pursuancy of a joint contract wherein Stephen C. McElroy and Zadok Stephenson are joint contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 20th day of May 1873 I have well, faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of Township No. 19 North of the Base line in Range No. 37 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction. and I do further solemnly swear that all the corners of said Surveys have been established and perpetuated in strict ~~conformity~~ accordance with the Surveying Manual Printed Instructions and Special Instructions of the Surveyor General. of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes. And that the foregoing are the true and original field notes of such survey.

Z Stephenson
Deputy Surveyor

Subscribed & sworn to by the above named Z. Stephenson Dep. Sur. before me a Notary Public in & for Cass Co. Neb. this 24th day of Sept. 1873

Thos Pollock
Notary Public

Surveyors Office at Plattsmouth Neb.
Sept. 29th 1873

The foregoing field notes of the survey of Township No 19 North of Base line in Range No 27 West of the 6th Principal Meridian, executed by Hadock Stephenson under Contract of May 20th 1873 in the Month of July, having been critically Examined, the necessary corrections and explanations made, the said field notes, and the survey they describe, are hereby approved.

E. E. Cunningham
Surveyor General

Town 20 Range 27 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes
of
The Survey and Subdivision of Township 20 N. Range 27 West of the 6th P. M.
in the
State of Nebraska

Executed
By Zadok Stephenson Deputy Surveyor under Joint Contract No. 74 dated May 20th 1873

Survey
Commenced July 19th 1873
Completed July 24th 1873

List of names
of persons employed to assist in surveying this Township showing the respective capacities in which they acted

Lewis Dennis } Chainmen
William H. Womer }
David A. Glendenning } Mountmen
Edward Hood }

List of persons assisting in the survey of Township No. 20 N. Range 27 West 6th P.M.

Lewis Dennis Chainman
Wm Warner "

Charles F. Logue Moundman
David A. Glendening "

Edward Hood Flagman

To ascertain the proper adjustment of my compass for the subdividing of this Township I commence at the corner to Townships 19 and 20, of Ranges 26 and 27 West and run

North on a blank line along the East boundary of Sec. 36

Va 13° E

39.97 To 1/4 sec. corner.
79.92 To corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass is therefore in proper adjustment.

Township 20 N. R. 27 W. 6th P. M.

From the cor. to Sec. 35 and 36 on the south Boundary of Township run North bet. Sec. 35 and 36

Va. 13° E.

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground. deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 25. 26. 35 & 36

Land sand hills, 3d. rate

Township 20 N. R 27 W. 6th P. M.

East on random line bet. Sec. 25 and 36

Va. 13° E

40.00 Set post for temporary 1/4 sec. cor.

80.15 intersect East Boundary of Township 65 lks. South of cor. to Sec. 25 and 36 — from which cor. run S. 89° 32' West on true line bet. Sec. 25 and 36

Va. 13° E

40.07½ Set. post 2 x 3 in. x 4 ft. – 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 Sec. cor.

80.15 Cor. to, Sec. 25. 26. 35 and 36

Land sand hills, 3d. rate

Township 17 N. R 27 W. 6th P.M

North bet. Sec. 25 and 26

5.00 Enter Hills Va. 13° E

37.00 Leave hills N.E. & S.W. and enter valley Bears N W + S E.

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for 1/4 Sec. cor.

65.00 Leave valley enter Hills E.&W.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in deep for cor. to Sec. 23. 24. 25 & 26

Land rolling sandy

Soil poor. 2d rate

Township 17 N. R 27 W. 6th P.M.

East on a random line bet. Sec. 24 and 25

20.00 Leave Hills enter valley N.W. & S.E. Va. 13° E

32.00 drain with water 30 lks. wide ~~[illegible]~~ N.W.

40.00 Set post for temporary 1/4 sec. cor.

79.36 intersect East Boundary of Township 70 lks. South of cor. to Sec. 24 and 25 – from which cor. I run

S. 89° 30' West on true line bet. Sec. 24 and 25

Va. 13° E.

39.68 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.36 Cor. to Sec. 23. 24. 25 and 26

Land level, 2d rate

Township 17 N. R. 27 W. 6th P. M.

North Bet. Sec. 23 and 24
Va. 13°. E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 13. 14. 23 and 24

Land valley. 2d rate

Township 17 N. R. 27 W. 6th P. M.

East on a random line Bet. Sec. 13 and 24
Va. 13°. E

15.00 Enter valley ascending
35.00 Do again descending N. E.

40.00 Set post for temporary 1/4 Sec. cor.

80.00 intersect East Boundary of Township 68 lks. South of cor. to Sec. 13 and 24 — from which cor. I run =
S. 89° 31' West on line line bet. Sec. 13 and 24
Va. 13°. E

40.00 Set post ~~for temporary~~ 4 x 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Cor. to Sec. 13. 14. 23 and 24

Land valley. 2d rate

Township 17 N. R 27 W. 6th P. M.

North Bet. Sec. 13 and 14

Var. 13° E

37.00 × Sand hills bears S.E. & N.W.

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred slate, raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

69.00 valley S.E. and N.W.

80.00 Set post 3 x 3 in. x 4 ft. 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 11. 12. 13 & 14

Land rolling, 2d rate

Township 17 N. R 27 W. 6th P. M.

East on a random line

Bet. Sec. 12 and 13

Var. 13° E

40.00 Set post for temporary 1/4 Sec. cor.

43.00 Draw descending North

79.82 intersect. East Boundary of Township 35 ch. South of cor. to Sec. 12 and 13 — from which cor. bears

S. 89° 45' West on line

Line bet. Sec. 12 and 13

Var. 13° E.

79.91 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.82 Cor. to Sec. 11. 12. 13 and 14

Land rolling, 3d rate

Township 17 N. R 27 W. 6th P. M.

North bet. Sec. 11 and 12

Va. 13° E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

43.00 Sand hills Bears East

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 1. 2. 11 and 12

Sand hills enter x valley N. W. & S. E.

Land rolling, 2d rate

Township 17 N. R. 27 W. 6th P. M.

East on a random line bet. Sec. 1 and 12

Va. 13° E

14.00 Drain S E.

40.00 cont Set post for temporary 1/4 Sec. cor.

79.48 intersect East Boundary of Township 80 lks. south of cor. to Sec. 1 and 12 – from which cor. I run

S. 89° 26' West on true line bet. Sec. 1 and 12

Va. 13° E

39.74 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

79.48 Cor. to Sec. 1. 2. 11 and 12

Land, Rolling, 3d rate

Township 17 N. R 27 W. 6th P. M.

North on true line bet. Sec. 1 and 2

Va. 13°. E

40.00 Set post 2x3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in for 1/4 Sec. cor.

46.00 drain N.E.

80.76 intersected 5th standard Parallel North at a point 16.52/100 chs West of the cor. to Sec. 31 and 36 Township 21. North Ranges 26 and 27 West and Set 3 corered post 3 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for a Closing Cor. to Sec. 1 and 2 Township 20 N. Range 27 W

Land sand hills

Soil 3d rate

July 19th 1873

Township 20 N. R 27 W. 6th P. M.

North bet. Sec. 34 and 35

Va. 13°. E

16.00 Sand hills

40.00 Set post 2 x 3 in. x 4 ft. 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

77.00 valley Course E & W.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Cor. to Sec. 26. 27. 34 and 35

Land Sand hills, 3d rate

Township 20. N. R 27 W. 6th P. M

East on a random line
bet. Sec. 26 and 35
Va. 13° E

40.00 Set post for temporary 1/4 sec. cor.
62.00 Clear Valley Course SE.
80.00 " intersect N. and S. line 42 lks.
South of cor. to Sec. 25. 26. 35 & 36
— from which cor. I run
S. 89° 42' West
on true line bet. Sec. 26 & 35 —
Va. 13° E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground
deposit charred stone raise mound
of Earth 3 ft. high from pits 12x24 in.
12 in. deep for 1/4 Sec. cor.

80.00 Cor. to Sec. 26. 27. 34 and 35

Land rolling Sandy
Soil poor 2nd rate

Township 20. N. R 27 W. 6th P. M

North bet. Sec. 26 and 27
Va. 13° E.

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stone
raise mound of Earth 3 ft
high from pits 12x24 in. x 12 in deep
for 1/4 Sec. cor.
70.00 Clear Valley Course SE
80.00 Set post 3x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stone
raise mound of Earth 3 ft. high
from pits 12x24 in. x 12 in. deep
for cor. to Sec. 22. 23. 26 & 27

Land rolling sandy
Soil poor 2nd rate

Township 20 N. R 27 W. 6th P. M.

East on a random line bet. Secs. 23 and 26

10.00 Enter ~~Valley~~ Cooke Inv. S.E. va. 13° E

~~41.00~~ Set post for temporary 1/4 Sec. cor.

52.00 leave valley, enter sand hills N.W.

79.80 intersect N. & S. line 12 lks. North of cor. to Secs. 23.24.25 & 26 — from which cor. I run

N. 89° 55' West on true line bet Secs. 23 and 26

va. 13° E

39.90 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79.80 Cor. to Secs. 22.23.26 & 27

Land Rolling poor 2d rate

Township 20 N. R 27 W. 6th P. M

North Bet. Secs. 22 and 23

30.00 Enter valley E & W va. 13° E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

70.00 Low Sand Hills Bear E & W

80.00 Set post 3x3 in. x 4 ft. 1 ft. in ground deposit charred stake raise mound of earth 3 ft high from pits 12x24 in. 12 in. deep for cor. to Secs. 14.15.22.23

Land 1st part sand hills rest sandy valley 3d rate

Township 20 N. R 27. W. 6th P. M.

East on a random line

Bet. Secs. 14 and 23 va. 13° E

20.00 Leave hills enter valley

40.00 Set post for temporary 1/4 Sec. cor.

70.00 Enter hills N W. & SE.

79.88 intersect N. and S. line 24 lks.

North of cor. to Secs. 13. 14. 23 and 24

— from which cor. I run

N. 89°.50' West on true line bet.

Secs. 14 and 23

va. 13° E

39.94 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

79.88 Cor. to Secs. 14. 15. 22. 23

Land Land hills, and valley

Soil 3d rate

Township 20 N. R 27 W. 6th P. M

North Bet. Secs. 14 and 15

va. 13° E

8.00 Leave Hills E & W

23.00 hills N W. & SE.

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stoke raise mound of Earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

46.00 Leave hills Enter valley SE.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Cor. to Secs. 10. 11. 14. 15

Land hills and valley.

Soil in valley 2d rate rest 3d rate

Township 20 N. R 27 W. 6th P.M.

East on random line bet.
Sec. 11 and 14 Var. 13° E

40.00 low range of hills in valley
and Set post 2 for temporary 1/4
Sec. cor.

79.94 intersect. T. to S. line 16 chs. North
of cor. to Sec. 11.12.13 and 14 —
from which cor. 9 pins
N. 89° 53' West
on true line Bet. Sec. 11 and 14
Var. 13° E

39.97 Set post 2x3 in. x 4 ft. 1 ft. in
ground, deposit charred slate
raise mound of earth 3 ft.
high from pits 12x24 in. x 12 in.
deep for 1/4 Sec. cor.

79.94 Cor. to Sec. 10.11.14.15

Land Sandy loam, 2d rate

Township 20 N. R. 27 W. 6th P.M.

North Bet. Sec. 10 and 11
Var. 13° E.

38.00 leave valley Enter sand hills S.E. corn
40.00 Set post for 1 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred slate raise
mound of earth 3 ft. high from
pits 12x24 in. x 12 in. deep for 1/4
Sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in
ground, deposit charred slate raise
mound of earth 3 ft. high from
pits 12x24 in. x 12 in. deep for Cor. to
Sec. 2.3.10.11

Land broken sand hills, 3d rate

Township 20 N. R. 27 W. 6th P.M.

East on random line bet. Sec. 2 and 11

Va. 13°. E

40.00 Set post for temporary 1/4 Sec. cor.

80.22 intersect N. & S. line 20 lks. North of cor. to Sec. 1.2.11.12 — from which cor. I run

N. 89°. 51' West on true line bet. Sec. 2 and 11

Va. 13°. E

40.11 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.22 Cor. to Sec. 2.3.10.11

Land broken sand hills
Soil 3d rate

Township 20 N. R 27 W. 6th P.M.

North on true line bet. Sec. 2 and 3

Va. 13°. E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.92 intersect 5th Standard Parallel North at a point 15.68 chs. West of Cor. to Sec. 35 and 36 Township 21 North Ranges 27 West

Set 3 corned post 3x3x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for Closing Cor. to Sec. 2 and 3 Township 20 North. Range 27 W. 6th P.M.

Land broken sand hill, 3d rate

July 21st 1873

Township 20 N. R. 27 W. 6th P.M.

North Bet. Secs. 33 and 34

Va. 13°.5 E

38.00 Sand hills bear E and W

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor. to 27.28.33 & 34

Land Sand hills, 3d rate

Township 20 N. R. 27 W. 6th P.M.

East on random line Bet. Secs. 27 and 34

Va. 13°.5' E

2.00 Enter valley Bears East

40.00 Set post for temporary 1/4 sec. cor.

80.12 intersect N & S line at cor. to secs. 26.27.34 and 35 – from which cor. I run

West on true line Bet. secs. 27 and 34

Va. 13°.5' E

40.06 Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.12 Cor. to Secs. 27.28.33.34

Land level 2d rate

Township 20 N. R. 27 W. 6th P. M

North bet. Secs. 27 and 28

va. 13°. 5' E

10.00 Enter valley Lean E & W sand hills

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs 21. 22. 27. 28

Land broken sand hills, 3d rate

Township 20. N. R 27 W. 6th P. M.

East on a random line Bet. Secs. 22 and 27

va. 13°. 5' E.

40.00 Set post for temporary 1/4 sec. cor.

80.00 intersect N. & S. line 4 lks south of cor. to Secs. 22. 23. 26. 27 — from which cor. run

S. 89°. 58' West on true line Bet. Secs. 22 and 27

va. 13°. 5' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in 12 in. deep for 1/4 sec. cor.

80.00 Cor. to secs. 21. 22. 27 & 28

Land sand hills 3d rate

Township 20. N. R. 27 W. 6th P. M

North Bet. Sec. 21 and 22

Var. 13° 5' E

40.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in 12 in. deep for cor. to Sec. 15. 16. 21 and 22

Land. Sand hills, 3d rate

Township 20 N. R. 27 W. 6th P.M.

East on random line Bet. Sec. 15 and 22

Var. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.

80.21 intersect N. & S. line at cor. to sec. 14. 15. 22. 23. – from which cor. I run West on true line Bet. Sec. 15. 22

Var. 13° 5' E

40.10 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.

80.21 Cor. to Sec. 15. 16. 21 & 22

Land sand hills, 3d rate

Township 20. N. R. 27 W. 6th P. M.

North Bet. Secs. 15 and 16

Va. 13°. 5' E

9.00 Sand hills S.E. & N.W.

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 9. 10. 15 and 16

Land sand hills. 3d. rate

Township 20. N. R. 27 W. 6th P. M.

East on a random line Bet. Secs. 10 and 15

Va. 13°. 5' E

20.00 Valley S.E.

40.00 Set post for temporary 1/4 sec. cor.

80.28 intersect N. & S. line 25 lks. South of cor. to Secs. 10. 11. 14 and 15 — from which cor. a run

S. 89°. 45' West on true line Bet. Secs. 10 and 15

Va. 13°. 5' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of Earth 3 ft. high from pits 12x24 in 12 in. deep for 1/4 sec. cor.

80.28 Cor. to Secs. 9. 10. 15. 16

Land Rolling. 3d. rate

Township 20 N. R. 27 W. 6th P. M.

North bet. Sec. 9 and 10

Va. 13° 5' E

3.40	Valley course East
40.00	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.
48.00	Enter sand hills E & W
80.00	Set post 3 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to Sec. 3. 4. 9 & 10

Land sand hills and valley 2d & 3d rates

Township 20. N. R. 27 W. 6th P. M.

East on random line bet. Sec. 3 and 10

Va. 13° 5' E

40.00	Set post for temporary 1/4 sec. cor.
50.38	intersect N and S. line 38 lks. North of cor. to Sec. 2. 3. 10. 11 – from which cor. 2 mn

N. 89° 44' West on true line bet. Sec. 3 and 10

Va. 13° 5' E

40.19	Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.
80.38	Cor. to Sec. 3. 4. 9. 10

Land Sand hills, 3d rate

Township 20 N. R. 27 W. 6th P. M.

North on true line bet Secs. 3 and 4

Va. 13° 5' E

4000 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.91 intersect 5th Standard Parallel North at a point 16 ch. West of the cor. to Secs. 34 and 35 Township 21 North Range 27 W. and set post (3 cornered) 3 x 3 in x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of Earth 3 ft. high from pits 18 x 24 in. x 12 in. deep for closing cor. to Secs. 3 and 4, Township 20 N. Range 27 W. 6th P.M.

Land sand hills, 3d rate
July 22d 1873

Township 20 N. R 27 W. 6th P. M.

North Bet. Secs. 32 and 33

Va. 13° 5' E

3250 Enter sand hills

4000 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor. 8

80.00 Set post 2 x 3 in. x 4 ft. – 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 cor. to Secs. 28. 29. 32 & 33

Land sand hills
Soil 3d rate

Township 20 N. R 27 W. 6th P.M

East on random line Bet. Sec. 28 and 33

Va. 13°. 5' E

40.00 Set post for temporary 1/4 sec. cor.

79.67 intersect N and S. line 54 lks. North of cor. to sec. 27.28.33.34 — from which cor. I run

N. 89° 35' West

on true line bet. Sec. 28 & 33

Va. 13°. 5' E

39.83½ Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor

79.67 Cor. to sec. 28.29.32.33.

Land Sand hills, 3d rate

Township 20 N. R 27 W. 6th P.M.

North Bet sec. 28 and 29

Va. 13°. 5' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

66.00 Enter Basin in sand hills

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor to sec. 20.21.28.29

Land broken sand hills, 3d rate

Township 20. N. R. 27 W. 6th P.M.

East on random line Bet. Secs. 21 and 28

Va. 13°. 5' E

40.00 Set post ~~2x3 in. x 4 ft. – 1 ft. in ground~~ for temporary 1/4 sec. cor. ~~deposit charred stoke raise mound of earth 3 ft high from pits~~ 12

41.00 leave Basin, Enter sand hills SE & NW

70.00 leave hills enter valley

79.90 intersect N and S. line 18 lks. South of cor. to Secs. 21.22.27.28 – from which cor. I run

S. 89° 52' W

on true line bet. secs. 21 & 28

Va. 13°. 5' E

39.95 ~~40.06~~ Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.90 Cor. to Secs. 20.21.28 & 29

Land part level and part broken 2d & 3d rate

Township 20 N. R 27 W. 6th P.M.

North Bet. secs. 20 and 21

Va. 13°. 5' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

60.00 Enter hills NW and S. E.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground, deposit charred stoke raise mound of earth 3 ft. high from pits 12x24 in. x 12 in deep for cor. to secs. 16.17.20.21

Land rolling, 3d rate

Township 20 N. R 27 W. 6th P.M.

East on random line bet. Sec. 16 and 21

va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor. 1 ft

70.00 Leave hills. Ground very high

79.44 intersect N and S. line 26 lks. North of cor. to sec. 15, 16, 21, 22 — from which cor. I run

N. 89° 49' West

on true line bet. sec. 16 and 21

va. 13° 5' E

39.70½ Set post 2 x 3 in. x 4 ft — 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in 12 in. deep for 1/4 sec. cor.

79.44 Cor. to Sec. 16, 17, 20, 21

Land Rolling, 3d rate

Township 20 N. R 27 W.

North Bet. Sec. 16 and 17

va. 13° 5' E

40.00 Set post 2 x 3 in. x 4 ft — 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for cor. to sec. 8, 9, 16, 17

Land rolling, 3d rate

Townships 20 N. Range 27 W.

East on a random line
Bet. sec. 9 and 16

va. 13°. 5' E

40.00 Set post for temporary 1/4 sec. cor.
79.38 intersect N and S. line 58 lks.
south of cor. to Sec. 9. 10. 15. 16 —
from which cor. I run

S. 89°. 35' West

On true line bet. Sec. 9 and 16

va. 13°. 5' E

39.69 Set post 2 x 3 in. x 4 ft. — 1 ft. in
ground, deposit charred
stoke raise mound of earth
3 ft. high from pits 12 x 24 in
12 in. deep for 1/4 sec. cor.

79.38 Cor. to Sec. 8. 9. 16. 17

Land Hills, 3d rate

Township 20 N. R. 27 W

North Bet. Sec. 8 and 9

va. 13°. 5' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft.
in ground, deposit charred
stoke raise mound of earth
3 ft. high from pits 12 x 24 in
12 in. deep for 1/4 sec. cor.

80.00 Set post 3 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stoke raise mound
of earth 3 ft. high from pits 12 x 24 in.
12 in. deep for 1/4 sec. cor. to

4. 5. 8 and 9

Land high sand hills, 3d rate

Township 20 N. R. 27 W. 6th P.M.

East on a random line
bet. sec. 4 and 9

Va. 13° 5' E.

40.00 Set post for temporary 1/4 sec. cor
79.91 intersect N and S. 82 lks.
South of cor. to sec. 3.4.9.10 —
from which cor. 9 mn

S. 89° 25' West

on true line bet. sec. 4 and 9

Va. 13° 5' E

39.95½ Set post 2x3 in. x 4 ft. 1 ft. in
ground, deposit charred slate
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 sec. cor.

79.91 Cor. to sec. 4.5.8.9

Land sand hills
Soil 3d rate

Township 17 N. R 27. W. 6th P.M.

North on ~~random~~ true line
Bet. sec. 4 and 5

Va. 13° 5' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred slate raise mound
of earth 3 ft. high from pits 12 x 24 in.
12 in. deep for 1/4 sec. cor.

80.80 intersect 5th Standard Parallel
North at a point 15 47/100 ch. West of
cor. to sec. 33 and 34 Township 21 N.
Range 27 W and set post
3x3x3 in. x 4 ft. — 1 ft. in ground, deposit
charred slate raise mound of earth
3 ft. high from pits 12 x 24 in. x 12 in
deep for a Closing cor. to sec. 4 and 5
Township 20 North Range 27 W.

Land Rolling sandy 3d rate

Township 20 North R. 27 W. 6th P.M.

North bet. Secs. 31 and 32

Va. 13° 5' E

40.00 1/4 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 Sec. cor.

46.50 Enter same hills N.W. & S.E.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground, deposit charred slate raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for cor. to Secs. 29. 30. 31. 32

Land rolling. 3d rate

Township 20 North R 27 W. 6th P.M.

East on a random line bet. Secs. 29 and 32

Va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.

80.14 intersect N. and S. line at cor. to Secs. 28. 29. 32. 33 — from which cor. I run

West on true line bet. Secs. 29 and 32

Va. 13° 5' E

40.07 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred slate raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80.14 Cor. to Secs. 29. 30. 31. 32

Land sand hills, 3d rate

July 28th 1893

Township 20 North R 27 W. 6th P.M.

West on a random line
bet. sec. 30 and 31

Va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.
79.49 intersect West Boundary of
Township 57 lks. south of cor to
sec. 30 and 31 — from which cor. I
run

S. 89° 36' East on true line
Bet. sec. 30 and 31

Va. 13° 5' E

39.49 Set post. 2 x 3 in x 4 ft. — 1 ft. in
ground, deposit charred stone
raise mound of earth 3 ft. high
from pits 12 x 24 in. x 12 in. deep
for 1/4 sec. cor

79.49 Cor. to sec. 29. 30. 31. 32

Land sand hills, 3d rate

Township 20 N. R 27 W. 6th P.M.

North Bet. sec. 29 and 30

Va. 13° 5' E

40.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground,
deposit charred stone raise mound of
Earth 3 ft. high from pits 12 x 24 in. 12 in. deep
for 1/4 sec. cor

80.00 Set post 2 x 3 in. x 4 ft. — 1 ft. in ground
deposit charred stone raise mound of
Earth 3 ft. high from pits 12 x 24 in. x 12 in.
deep for cor. to sec. 19. 20. 29. 30

Land sand hills, 3d rate

Township 20 North Rang 27 W.

	East on a random line bet. Sec. 20 and 29
	Va. 13° 5' E
40,00	Set post for temporary 1/4 sec. cor.
65,00	leave valley Ent. sand hills. 3rd rate
80,29	intersect of N and S. line 10 lks. North of cor. to Sec. 20. 21. 28. 29 — from which cor. I run N. 89° 56' West on true line bet. sec. 20 and 29
	Va. 13° 5' E
40, 14 1/2	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 sec. cor.
80, 29	Cor. to Sec. 19. 20. 29. 30
	Land sand hills, 3d rate

Township 20 N. R. 27 W.

	West on a random line bet. Sec. 19 and 30
	Va. 13° 5' E
40,00	Set post for temporary 1/4 sec. cor.
79,49	intersect West Boundary of Township 16 lks. south of cor. to Sec. 19 and 30 — from which cor. I run S. 89° 53' East on true line bet. sec. 19 and 30
	Va. 13° 5' E
39,49	Set post 2 x 3 in. x 4 ft. — 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.
79,49	Cor. to Sec. 19. 20. 29 and 30
	Land sand hills, 3d rate

Township 20 N. R 27 W. 6th P.M.

North bet. sec. 19 and 20

va. 13° 5' E

36.00 Enter valley

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground, deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for 1/4 Sec. cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of earth 3 ft. high from pits 12 x 24 in. 12 in. deep for Cor. to sec. 17.18.19 & 20
Clump of small elms bears N. 20° W. 4 lks. dist.

Land rolling sandy
Soil 3rd rate

Township 20 N. R 27 W. 6th P.M.

East on a random line bet. Sec. 17 and 20

va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.

80.96 intersect N & S. line 89 lks. south of cor. to sec. 16.17.20.21 – from which cor. I run
S. 89° 22' West on true line bet. sec. 17 & 20

va 13° 5' E

40.48 Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stake raise mound of Earth 3 ft. high from pits 12 x 24 in. 12 in. deep for 1/4 sec. cor.

80.96 Cor. to sec. 17.18.19.20

Land rolling sandy valley, 3rd rate

Township 20 N. R 27 W. 6th P.M.

West on random line bet. Sec. 18 and 19.

Va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.
80.18 intersect West Boundary of Township 44 ch. South of cor. to sec. 18 and 19 — from which cor. I run.

Va

S. 89. 41' East on true line Bet sec. 18 and 19

Va. 13° 5' E

45.18 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

80.18 Cor. to sec. 17, 18, 19, 20

Land sand hills, 3d rate

Township 20 N. R 27 W. 6th P.M.

North Bet. sec. 17 and 18

Va. 13° 5' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80.00 Set post 3x3 in. x 4 ft. — 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in 12 in. deep for cor. to sec. 7. 8. 17. 18

Land very hilly 3d rate

Township 20 N. R. 27 W 6th P.M.

East on a random line bet. Sec. 8 and 17

Var. 13°. 5' E

40.00 Set post for temporary 1/4 sec. cor.

80.69 intersect N and S. line 42 lks. South of cor. to sec. 8. 9. 16. 17 — from which cor. I run

S. 89°. 42' West on true line bet. sec. 8 and 17

Var. 13° 5' E

40.34½ Set post 2x3 in. x 4 ft. — 1 ft. in ground, deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor

80.69 Cor. to sec. 7. 8. 17. 18

Land rolling, 2d rate

Township 20 N. R 27 W. 6th P.M.

West on random line bet. Sec. 7 and 18

Var. 13°. 5' E

40.00 Set post for temporary 1/4 sec. cor.

79.40 intersect West Boundary of Township 31 lks. South of cor. to sec. 7 and 18 — from which cor. I run

S. 89°. 47' East on true line bet. sec. 7 and 18

Var. 13°. 5' E

39.40 Set post 2x3 in. x 4 ft. — 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep for 1/4 sec. cor.

79.40 Cor. to sec. 7. 8. 17. 18

Land Rolling 2d rate

Township 20 N. R 27 W. 6th P.M.

North Bet. Sec. 7 and 8

Va, 13°. 5' E

40.00 Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stone raise mound of earth 3 ft high from pits 12x24 in 12 in. deep for 1/4 sec cor.

80.00 Set post 3x3 in. x 4 ft. – 1 ft. in ground deposit charred stone raise mound of earth 3 ft. high from pits 12x24 in, 12 in. deep for cor. to Sec. 5.6.7 and 8

Land rolling, 3d rate

Township 20 North R 27 W. 6th P.M.

East on random line Bet. sec. 5 and 8

Va. 13°. 5' E

40.00 Set post for temporary 1/4 sec. cor.

80.13 intersect N. and S. line 22 lks. South of cor. to sec. 4.5.8.9 – from which cor. I run

S. 89°. 51' West on true line Bet. Sec. 5 and 8

Va. 13°. 5' E

40.06½ Set post 2x3 in. x 4 ft. – 1 ft. in ground deposit charred stone raise mound of Earth 3 ft. high from pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80.13 Set Cor. to Sec. 5.6.7 and 8

Land rolling sandy, 3d rate

Township 20 North R 27 W. 6th P.M.

West on random line bet. sec.
6 and 7

Va. 13° 5' E

40.00 Set post for temporary 1/4 sec. cor.
79.24 intersect West Boundary of Township
27 ch. South of cor. to sec. 6 and 7 —
from which cor. I run

S. 89° 48' East

on true line bet. Sec. 6 and 7

Va. 13° 5' E

39.24 intersect Set post 2x3 in. x 4 ft. — 1 ft.
in ground, deposit charred stoke
raise mound of Earth 3 ft. high
from pits 12x24 in. 12 in. deep for 1/4
Sec. cor.

79.24 Cor. to Sec. 5.6.7.8

Land rolling sandy 2d rate

Township 20 N. R 27 W. 6th P.M.

North on true line Bet. Sec.
5 and 6

Va. 13° 5' E

40.00 Set post 2x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stoke raise
mound of earth 3 ft. high from
pits 12x24 in. 12 in. deep for 1/4 sec. cor.

80.35 intersect 5th Standard Parallel
North at a point 15.30 ch. West of
Cor. to sec. 32 and 33 Township
21 North Range 27 W. and set
post (3 corners) 3x3x3 in. x 4 ft. — 1 ft. in
ground, deposit charred stoke raise
mound of earth 3 ft. high from
pits 12x24 in. 12 in. deep for
Closing cor. to Sec. 5 and 6 Tow.
20 North Range 27 W.

high sand hills, 3d rate

July 24th 1893

General Description
Township 20 North R 27 W. 6th P.M.

Mountains but little tilable land. The soil is nearly pure sand in the hills and containing a small amount of loam in the vallies. There is no living water and no timber of any account

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field notes of Township 20 North of the Base line of range No. 27 W. of the 6th Principal Meridian showing the respective capacities in which they acted

Lewis Dennis } Chainmen
William Werner }

Charles F. Logue } Moundmen
David A. Glendenning }

Edward R. Hood } Flagman

We hereby certify that we assisted Zadok Stephenson, deputy surveyor in surveying Township No. Twenty (20) North of the Base line of Range Twenty seven (27) West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted accordingly to the instructions furnished by the Surveyor General as to dimensions, character, construction and marking and in the manner as specifically discribed in the forgoing field notes.

Lewis Dennis Chainman
William Werner Chainman
Charles F. Loger Moundman
David A. Glendenning Moundman
Edward R. Hood Flagman

Subscribed and Sworn to
before me this 9th day
of August 1873

O. R. Goodan
Notary Public

I Zadok Stephenson Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein Stephen E McElroy & Zadok Stephenson are joint contractors with E E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 20th day of May 1873 I have well ~~and~~ faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States, Surveyed all those or portions of Township No. 20 North of the Base line in Range 27 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction

I do further solemnly swear that all the corners of said Surveys have been Established & perpetuated in strict accordance with the Surveying Manual printed Instructions & Special Instructions of the Surveyor General, of dimensions, character, construction & marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such Survey.

Z Stephenson
Deputy Surveyor

Subscribed & Sworn to by the above named Z. Stephenson Dep. Sur. before me a Notary Public in & for Cass Co. Nebraska, this 24th day of Sept. 1873

Tho Pollock
Notary Public

Surveyors Office

Plattsmouth Neb Sept 22/73

The forgoing field notes of the survey of Township No. 20 North of the Base line in Range No. 13 West of 6th Principal Meridian executed by Jacob Stephenson under joint contract of 20th day of May 1873 in the month of July 1873 having been critically examined, the necessary corrections and explanations made, the said field notes and the survey the describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

507

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.