General Land Office • Original Field Notes

Book Number

512

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 1. Range 28 W

6	64	5	48	4	36	3	24	2	13	1	
63		62		47		35		23		12	
7	61	8	46	9	34	10	22	11	11	12	
60		59		45		33		21		10	
18	58	17	44	16	32	15	20	14	9	13	
57		56		43		31		19		8	
19	55	20	42	21	30	22	18	23	7	24	
54		53		41		29		17		6	
30	52	29	40	28	28	27	16	26	5	25	
51		50		39		27		15		4	
31	49	32	38	33	26	34	14	35	3	36	

Field

T
104 N
R 28 W

The Sec[illegible]ion

Township No. 1 North of the Base Line
of
Range No. 28 West of the 6th P.M.
in the
State of Nebraska
(Contract No 48)

Executed by George W. Fairfield
Deputy Surveyor:

Survey
Commenced Aug. 7. A.D. 1871
Completed Aug 11th A.D. 1871

List of Names
A list of the Names and duties of assistants employed to assist in Subdividing this Township

Wm L. Wells: Chainman
Emmett H Sprague: Chainman
Frank L. Mather axeman and Mound man
Wm E. Randall: Flagman
George W. Fairfield Compassman

Field Notes

of

The Survey and Subdivision

of

Township No. 1 North of the Base Line

of

Range No. 28 West of the 6th P.M.

in the

State of Nebraska

(Contract No 48)

Executed by George W. Fairfield

Deputy Surveyor.

Survey

Commenced Aug. 7. A.D. 1871

Completed Aug 11th A.D. 1871

List of Names

A list of the Names and duties of assistants employed to assist in Subdividing this Township

Wm L. Wells: Chainman

Emmett H Sprague: Chainman

Frank L. Slather axeman and Mound man

Wm E. Randall: Flagman

George W. Fairfield Compassman

Township 1 N. Range 28 W. 6 P.M.

To determine the proper adjustment of my Compass for Subdividing this Township I commenced at the Corner to Township No 1 North of the Base line of Ranges 27 and 28 West of the 6th P.M. and run North on a blank line along the East boundary of Section No 36

Var: 13° 15' E

40.02 To a point 8 links East of the 1/4 Sec: Corner

80.06 To a point 12 links East of the Corner to Sections 25 and 36

To retrace this line or run a line parallel thereto my Compass must be adjusted to a variation of

13° 20' E

Township 1 N. Range 28 W. 6 P.M.

chains North between Sections 35 and 36

Var: 13° 20' E

40.00 Set a Sand Stone 12 x 10 x 8 in for a 1/4 Sec: Cor:

80.00 Set Sandstone 14 x 12 x 6 for the corner to Sec 25. 26. 35 and 36

Land High & rolling
Soil 2nd rate

Township 1 N Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 25 and 36 Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor.
80.00	Intersect the East boundary of the Township at Post the corner to Sections 25 & 36 From which corner I run West on a true line between Sections 25 and 36 Var: 13° 20' E
40.00	Set a Sandstone 12 x 11 x 7 for a 1/4 Sec: cor:
80.00	The corner to Sections 23. 26. 35 & 36

Land Rolling.
Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec: 25 and 26 Var: 13° 20' E
40.00	Set Sand Stone 12 x 10 x 6 for a 1/4 Sec: cor:
60.00	Leave Upland enter bottom bear East & S.W.
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the corner to Sec: 23. 24. 25 and 26

Upland rolling Soil 2nd rate

Bottom land level Soil 1st rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 24 & 25
	Var 13° 20' E
31.00	Ravine bears N.E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.10	Intersect East boundary of the Township 8 links South of the corner to Sections 24 & 25. From which corner drn S 89° 57' West on a true line between Sec: 24 & 25 —
	Var 13° 20' E
40.05	Drove a charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.10	The cor: to Sec: 23. 24. 25 & 26
	Land level soil 1st rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec 23 & 24
	Var: 13° 20' E
17.50	Beaver Creek bears E, water about 20 links wide 10 to 15 inches deep banks high and muddy A strip of timber on either bank about one chain wide
22.00	Same creek bears S.W.
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
42.00	Same creek bears S.E.
76.00	Leave bottom bears E.N.E. Enter upland
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sec: 13. 14. 23 & 24
	Land on bottom level soil 1st rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 13 and 24
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor
47.00	Ravine bears S.E.
80.22	Intersect East boundary of the Township 15 links South of the corner to Sec: 13 & 24
	From which corner I run S. 89° 54' West on a true line Between Sections 13 and 24
	Var: 13° 20' E
40.11	Drove charred stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec cor:
80.22	The corner to Sec 13. 14. 23 & 24
	Land broken: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 13 and 14
	Var: 13° 20' E
40.00	Set Sand stone 12 x 10 x 8 for a 1/4 Sec: cor:
80.00	Set a Sand stone 12 x 12 x 6 for the corner to Sections 11. 12. 13 & 14
	Land high rolling Prairie Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 12 and 13
	Var: 13° 20' E
40.00	Set post for a temporary 1/4 Sec: Cor.
80.15	Intersect the East boundary of the Township 24 links South of the corner to Sections 12 and 13 From which corner I run S. 89° 50' West on a true line between Sections 12 and 13
	Var 13° 20' E
40.07½	Set Sand stone 12 x 11 x 9 for a 1/4 Sec cor:
80.15	The corner to Sec: 11. 12. 13 and 14
	Land high rolling Prairie Soil 2nd rate

Township 1 North Range 28. W. 6th P.M.

Chains	
	North between Sec: 11 and 12
	Var: 13° 20' E.
40.00	Set a Sandstone 14 x 12 x 5. for a 1/4 Sec: Cor:
80.00	Set a Sandstone 13 x 12 x 6 for the corner to Sections 1. 2. 11 and 12
	Land High and rolling Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 1 and 12
	Var: 13° 20' E
31.00	Ravine bears S E
40.00	Set post for a temporary 1/4 Sec corner
79.98	Intersect the East boundary of the Township 17 links South of the corner to Sections 1 & 12
	From which corner I run S 89° 53' West on a true line bet secs 1 & 12 Var 13° 20' E
39.99	Set a Sand stone 12 x 12 x 6 for 1/4 Sec corner.
79.98	The corner to Sections 1. 2. 11 and 12

Land somewhat broken
Soil 2nd rate

Sand stone in Deep Ravine

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North on a random line between Sections 1 and 2.
	Var: 13° 20' E.
40.00	Set post for a temporary 1/4 Sec. cor.
79.78	Intersect North Boundary of the Township 15 links West of the corner to Sec: 1 & 2
	From which corner I run S. 6' West on a true line bet. Sec 1 and 2
	Var 13° 20' E
39.78	Set a Sand stone 12 x 12 x 6 for a 1/4 Sec cor:
79.78	The corner to Sections 1. 2. 11 and 12

Land high and rolling

Soil 2nd rate

Township 1. N. Range 28. W. 6 P.M.

Chains	
	North between Sec 34 and 35 — Var: 13°20' E
40.00	Set a Sandstone 12 x 11 x 7 for a 1/4 Sec cor.
80.00	Set a Sandstone 14 x 9 x 6 for the corner to Sections 26. 27. 34 and 35 —
	Land high rolling Prairie Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 26 and 35 — Var: 13°20' E
30.00	Ravine bears N. E
40.00	Set post for temporary 1/4 Sec corr
79.70	Intersect N. and S. line 17 links South of the corner to Sections 25. 26. 35 and 36 — From which corner I run S. 89°53' W on a true line Between Sections 26 and 35 — Var: 13°20' E.
39.85	Set a Sandstone 12 x 12 x 6 for a 1/4 Section corner
79.70	The corner to Sections 26. 27. 34 and 35 —
	Land High rolling Prairie, Soil 2d rate.

Township 1. N. Range 28. W. 6. P.M.

Chains	
	North between Sec 26 & 27 Var: 13° 20' E
30.00	Leave Upland and enter bottom bears N.E. & S.W.
40.00	Drove charred Stake set post and raised mound of earth from pits, as per instructions for a 1/4 Sec: Cor:
55.00	Beaver creek bears East water 20. links wide banks high and muddy: Timber about one chain wide on each bank.
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the corner to Sections 22. 23. 26 and 27

Upland rolling Soil 2nd rate.

Bottom land level Soil 1st rate

August 7th A.D. 1871

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line Between Sections 23 and 26 Var: 13° 20' E
40.00	Set Post for temporary 1/4 Sec Cor:
47.00	Beaver creek runs North
79.76	Intersect the N. and S. line at the corner to Sections 23. 24. 25 and 26
	From which corner I run West on a true line between Sections 23 and 26. Var: 13° 20' E.
39.88	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
79.76	To the corner to Sections 22. 23. 26 and 27

Land level: Soil 1st rate.

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sections 22 and 23
	Var: 13° 20' E
40.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor.
51.00	Leave Bottom bears N.E. & S.W. Enter Upland
80.00	Drove charred Stake set post and raised mound of earth from pits, as per instructions for the corner to Sections 14. 15. 22 and 23

Bottom land level
Soil 1st rate.
Upland rolling: Soil 2nd rate

X

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 14 and 23
	Var 13° 20' E
40.00	Set post for a temporary 1/4 Sec. Cor.
53.00	Ravine bears South
74.00	Ravine bears South with Sandstone rock along east side
79.60	Intersect the N. and S. line 15 links South of the corner to Sections 13. 14. 23 and 24
	From which corner I run S. 89° 54' West on a true line Between Sec 14 and 23
	Var. 13° 20' E
39.80	Drove charred Stake set post and raised mound of earth from pits, as per instructions for a 1/4 Sec. Cor.
79.60	To the corner to Sec 14. 15. 22 and 23

Land broken Soil 2nd rate

Township 1. N. Range 28. W. 6th

Chains	
	North between Sec. 14 and 15
	Var: 13° 20' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
47.00	Ravine bears S.E.
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 10. 11. 14. and 15

Land high & rolling
Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 11 and 14
	Var: 13° 20' E
32.00	Deep Ravine bears S.E.
40.00	Set post for temporary 1/4 Sec cor
79.70	Intersect the N. and S. line 18 links North of the corner to Sections 11. 12. 13. and 14
	From which corner I run North 89° 53' 2" West on a true line between Sections 11 and 14
	Var: 13° 20' E
39.85	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec cor:
79.70	The corner to Sec 10. 11. 14. and 15

Land high & rolling
Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	North between Sec 10 and 11 Var: 13°20' E
25.00	Ravine bears S.E. Sand Stone (Sides)
40.00	Set Sandstone 12x12x6 for a 1/4 Sec cor:
80.00	Set Sandstone 14x12x5 for the corner to Sections 2. 3. 10 and 11

Land rolling: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 2 and 11 Var: 13°20' E
40.00	Set post for temporary 1/4 Sec Cor:
79.64	Intersect the N. and S. line 22 Links North of the corner to Sec 1. 2. 11 and 12 From which corner I run N 89°57' West on a true line between Sections 2 and 11 Var: 13°20' E
39.82	Set a Sandstone 12x11x7 for a 1/4 Sec corner:
79.64	To the corner to Sections 2. 3. 10 and 11

Land high rolling Prairie Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North on a random line between Sections 2. and 3. Var. 13° 20' E
40.00	Set post for temporary 1/4 Sec corner
79.66	Intersect the North Boundary of the Township 23 links West of the corner to Sec 2 and 3 From which corner I run South 10' West on a true line between Sections 2 and 3. Var 13° 20' E
39.66	Set a Sand stone 12 x 11 x 7 for a 1/4 Sec. cor.
79.66	To the corner to Sec 2. 3. 10 and 11

Land high & rolling
Soil 2nd rate

Township 1 N Range 28 W. 6th P.M.

Chains	North between Sec 33 and 34 Var 13°20' E
10.00	Ravine bears N.E.
40.00	Set Sandstone 12 x 10 x 8 for a 1/4 Sec cor;
41.00	Leave upland enter bottom, bears N.E. & S.W.
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the corner to Sections 27. 28. 33 and 34

Upland broken: Soil 2nd rate
Bottom land level. Soil 1st rate

Township 1 N. Range 28 W. 6th P.M.

Chains	East on a random line between Sections 27 and 34 Var: 13°20' E
27.00	Ravine bears N.E.
40.00	Set post for temporary 1/4 Sec. Cor:
51.00	Leave bottom bears N.E. & S.W. and enter upland
80.08	Intersect the N. and S. line 19 links South of the corner to Sections 26. 27. 34 and 35 — From which corner I run S. 89°52' West on a true line between Sec 27 and 34 Var: 13°20' E
40.04	Drove charred Stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.08	The corner to Sections 27. 28. 33 and 34

Bottom level upland, rolling
Soil 1st rate on Bottoms: on the
Upland 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec 27 and 28 Var: 13° 20' E
22.00	Beaver creek ~~bears~~ runs East: water 20 lks wide banks high and muddy strip of timber on either bank about 75 lks wide
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the Corner to Sections 21. 22. 27 and 28
	Level bottom; Soil 1st rate Timber: Ash. Elm & Bot alder

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line bet: Sections 22 and 27 Var: 13° 20' E
21.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec corner:
80.14	Intersect the N. and S. line 15 links North of the corner to Sec 22, 23. 26 and 27.
	From which corner I run N 89° 54' West on a true line Between Sec 22 and 27. Var: 13° 20' E
40.07	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner:
80.14	The corner to Sections 21. 22. 27 and 28
	Land level bottom: Soil 1st rate
	Aug 8th A.D. 1871

Township 1. N. Range 28. W. 6th P.M.

Chains	North between Sections 21 and 22 Var 13° 20' E
23.00	Leave bottom bears N.E. & S.W. Enter upland
40.00	Drove charred Stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred stake set post and raised Mound of earth from pits, as per instructions for the corner to Sections 15. 16. 21 and 22

Land Rolling: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	East on a random line Between Sections 15 and 22 Var: 13° 20' E
30.00	Deep ravine bears south with Limestone Rock in Sides of this ravine
40.00	Set post for temporary 1/4 Sec: Cor:
80.08	Intersect the N. and S. line 15 lks North of the Cor: to Sections 14. 15. 22 and 23. From which corner I run N. 89° 54' West on a true line
	between Sec 15 and 22 Var: 13° 20' E
40.04	Set a limestone 16 x 12 x 3 for a 1/4 Sec Cor:
80.08	The corner to Sections 15. 16. 21. and 22.

Land somewhat broken
Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec: 15 and 16 Var: 13° 20' E
40.00	Set a Limestone 14 x 12 x 5 for a 1/4 Sec: cor:
80.00	Set a Limestone 14 x 13 x 4 for the corner to Sections 9. 10. 15 and 16
	Land high rolling Prairie Soil 2nd rate
	"About 20.00 chains to the right or east of this line is a Deep ravine with quarry of Limestone

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 10 and 15 Var: 13° 20' E
22.00	Deep ravine bears South: with abundance of limestone in side of each bank
40.00	Set post for temporary 1/4 Sec corner:
80.22	Intersect the N. and S. line 24 links South of the corner: To Sections 10. 11. 14 and 15 From which corner I run S. 89° 50' West on a true line Between Sec 10 and 15 Var: 13° 20' E
40.11	Set a lime Stone 14 x 12 x 6 for a 1/4 Sec Cor:
80.22	The corner to Sections 9. 10. 15 and 16
	Land rolling Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 9 and 10 Var: 13° 20' E
40.00	Set Limestone 14 x 12 x 4 for a 1/4 Sec: cor:
80.00	Set Limestone 15 x 10 x 6 for the corner to Sections 3. 4. 9 and 10.
	Land high rolling Prairie Soil 2nd rate

Township 1. N. Range 28. West 6th P.M.

Chains	
	East on a random line between Sections 3 and 10. Var: 13° 20' E
16.00	Ravine bears S.E.
40.00	Set post for temporary 1/4 Sec. cor.
72.00	Rapids bears S. quite
80.33	Intersect N. and S. line 19 links South of the cor. to Sec. 2. 3. 10 & 11 From which cor: Iowa
	S 89° 52' West on a true line between Sec 3 and 10 Var: 13° 20' E
40.16½	Set Limestone 14 x 12 x 5 for a 1/4 Sec: cor:
80.33	The corner to Sections 3. 4. 9 and 10
	Land high and rolling Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains North on a random between Sections 3 and 4

Var: 13°20' E

21.00 Deep ravine bears S.E.,

40.00 Set post for temporary 1/4 Sec. Cor:

79.54 Intersect the North boundary of the Township 20 links West of the corner to Sections 3 & 4 From which corner I run South 9' West on a true line between Sec 3 & 4

Var 13°20' E

39.54 Set a Limestone 14 x 10 x 5 for a 1/4 Sec cor:

79.54 The cor to Sec. 3, 4, 9 and 10

Land rolling: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

chains	
	North between Sec: 32 and 33 Var 13° 20' E
10.00	Leave upland enter bottom bear N. E. & N. W.
18.00	Beaver Creek bears E
40.00	Drove charred stake set post and raise mound of earth from pits as per instructions for a 1/4 Sec: cor:
45.00	Ravine bears S. E.
80.00	Drove charred stake set post and raised mound of earth from pits. as per instructions for the cor: to Sec 28. 29. 32 and 33

Upland: Soil 2nd rate
Bottom land: Soil 1st rate

Timber ash: Elm: and Box alder

Township 1. N. Range 28. W. 6th P.M.

chains	
	East on a random line between Sections 28 and 33 Var 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
42.00	Beaver Creek bears North
79.98	Intersect 1st S. line at the corner to Sec: 27. 28. 33 and 34 From which cor: I run West on a true line between Sec: 28 and 33 Var: 13° 20' E
39.99	Drove a charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
79.98	The cor: to Sec 28. 29. 32 and 33

Land level bottom
Soil 1st rate

Township 1. N. Range 28. W. 6th P.M.

Chains	North between Sections 28 and 29. Var: 13°20' E
40.00	Drove charred stake set post and raised mound of earth from pits. as per instructions for a 1/4 Sec cor:
72.00	Leave bottom bears N.E. & S.W. Enter upland
80.00	Drove charred stake set post & raised mound of earth from pits as per instructions for the corner to Sec: 20, 21, 28 and 29

Land mostly level Soil 1st rate

Township 1. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 21 and 28 Var: 13°20' E
8.00	Leave upland & cross ravine bears S.E
19.00	Ravine bears S.W. where I again enter upland
38.00	Leave upland: enter bottom bears N.E & S.W.
40.00	Set post for temporary 1/4 Sec cor:
80.00	Intersect N. and S. line 5 links South of the cor to Sections 21. 22. 27 and 28 From which cor: I run S. 89°5-8' West on a true line Bet: Sections 21 and 28 Var 13°20' E
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.00	The corner to Sections 20. 21. 28 and 29

Upland broken. Soil 2nd rate
Bottom land level Soil 1st rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 20 & 21
	Var 13° 20' E
24.50	Ravine bears S.E.
40.00	Set a Lime Stone 14 x 10 x 5 for a 1/4 Sec: cor:
80.00	Set Lime stone 12 x 12 x 7 for the corner to Sections 16. 17. 20 and 21

Land broken Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 16 and 21
	Var 13° 20' E
38.00	Deep Ravine bears South with a quantity of Lime stone along banks
40.00	Set post for temporary 1/4 sec cor:
79.78	Intersect N. and S. line 17 links south of the corner to Sections 15. 16. 21 and 22
	From which corner I run S. 89° 53' West on a true line between Sec 16 & 21
	Var 13° 20' E
39.89	Set a Lime stone 12 x 12 x 5 for a 1/4 Sec: cor:
79.78	The corner to Sections 16. 17. 20. and 21

Land rolling: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North between Sec: 16 & 17 Var: 13° 20' E
40.00	Set a Limestone 13 x 11 x 7 for a 1/4 Sec: cor:
80.00	Set a Limestone 14 x 9 x 6 for the corner to Sections 8. 9. 16 and 17
	Land rolling: Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line Between Sections 9 and 16 Var: 13° 20' E
18.00	Ravine bears South bed of Lime stone in East side –
40.00	Set post for temporary 1/4 Sec. cor.
80.12	Intersect N. and S. line 22 lks North of the corner to Sections 9. 10. 15 and 16
	From which corner Down N. 89° 57' West on a true line between Sec 9 and 16 Var: 13° 20' E
40.06	Set a Limestone 12 x 10 x 8 for a 1/4 Sec corner:
80.12	The corner to Sections 8. 9. 16 and 17
	Land high and rolling Soil 2nd rate
	August 9th A.D. 1871

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec: 8 and 9 Var 13° 20' E
40.00	Set a Limestone 13 x 10 x 7 for a 1/4 Sec. cor:
58.00	Ravine bears S.E.
80.00	Set a Limestone 14 x 12 x 6 for the corner to Sections 4. 5. 8 and 9

Land high rolling Prairie
Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 4 and 9 Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
80.22	Intersect N. and S line 24 links North of the corner to Sections 3. 4. 9 and 10 From which cor: I run N 89° 50' West on a true line between Sec. 4 and 9 Var: 13° 20' E.
40.11	Set Limestone 12 x 12 x 5 for a 1/4 Sec cor:
80.22	The corner to Sections 4. 5. 8 & 9

Land high rolling Prairie
Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North on a random line between Sections 4 and 5 Var: 13° 20' E
40.00	Set a post for temporary ¼ Sec: cor:
79.64	Intersect the North boundary of the Township 10 Links West of the corner to Sections 4 and 5 From which corner I run South 4' West on a true line between Sections 4 and 5 Var 13° 20' E
39.64	Set a Lime stone 12 X 11 X 5 for a ¼ Sec cor:
79.64	The corner to Sections 4. 5. 8 & 9

Land high rolling Prairie
Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sec: 31 and 32 Var 13° 20' E
10.00	Leave upland & enter bottom bears N.E & S.W.
19.00	Ravine bears N.W.
28.00	Beaver creek ~~bears~~ run N.E.
40.00	20 links wide banks high & muddy Drove charred stake set post & raised mound of earth from pits as per instructions for a ¼ Sec corner
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the cor to Sec 29. 30. 31 and 32

Land comparatively level
Soil 1st rate
Timber along creek about one chain wide
The Bluffs on South boundary are a mass of ~~calcerous~~ Sandstone

Township 1. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 29 and 32 Var 13° 20' E
17.00	Beaver creek bears North
40.00	Set post for temporary 1/4 Sec. Cor:
43.00	Beaver creek bears South
53.00	Ravine bears South
55.00	Same Ravine bears North
57.00	Same Ravine bears South
65.00	Same Ravine bears North
70.00	Same Ravine bears S.E.
80.10	Intersect the N. and S. Line 22. links South of the corner to Sections 28. 29. 32 & 33 From which corner I run S 89° 51' West on a true line between Sections 29 and 32 Var 13° 20' E
40.05	Grove charred stake set post & raised mound of earth from pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Sections 29. 30. 31 and 32. Land level soil 1st rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	West on a random line between Sections 30 and 31 Var 13° 20' E
40.00	Set post for temporary 1/4 Sec
60.00	Corner Leave bottom enter upland
80.16	Intersect the West boundary of the Township at the corner to Sections 30 and 31 From which corner I run East on a true line between Sections 30 and 31 Var: 13° 20' E
40.16	Grove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
80.16	The corner to Sections 29. 30. 31. and 32.

Bottom land level.
Soil 1st rate
Upland broken Soil 2nd rate

Note Where Beaver creek runs through the S.W. 1/4 of Sec 31 is where the Indians Massacred the Buck Party

Township 1. N Range 28. W. 6th P.M.

Chains	
	North between Sections 29 and 30
	Var 13° 20' E
22.00	Ravine bears S.E. (bears E & S.W.)
31.00	Leave bottom & Enter upland
40.00	Drove charred Stake set post & raised Mound of earth from pits as per instructions for a 1/4 Sec cor:
80.00	Drove charred Stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 19, 20, 29 and 30
	Bottom land level soil 1st rate
	Upland rolling soil 2nd rate

Township 1. N Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 20 and 29
	Var: 13° 20' E
27.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec corner
79.84	Intersect the N and S line 16 lks South of the corner to Sec 20, 21, 28 and 29
	From which corner I run S. 89° 53' West on true line between Sections 20 and 29
	Var 13° 20' E
39.92	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec cor:
79.84	The corner to sections 19, 20, 29 and 30.
	Land rolling soil 2nd rate

Township 1 N. Range 28 W. 6 P.M.

Chains	
	West on a random line between Sections 19 and 30. Var 13°20' E
31.00	Ravine bears S.E.
40.00	Set post for temporary 1/4 Sec. cor.
80.20	Intersect the West boundary of the Township 22 links North of the corner to Sections 19 and 30
	From which corner I run East N. 89°57' East on a true line between Sections 19 and 30 var: 13°20' E
40.20	Grove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor.
80.20	The corner to Sections 19.20.29 and 30
	Land rolling soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	North between Sections 19 and 20 Var: 13°20' E
40.00	Grove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec corner.
70.00	Deep Ravine bears S.E. with ledge of Lime stone in east side of Ravine
80.00	Set a Lime stone 12 x 12 x 5 for the corner to Sections 17. 18. 19 and 20.
	Land Ligh and rolling Soil 2nd rate

Township 1 N Range 28 West 6th P.M.

Chains	
	East on a random line between Sections 17 and 20 Var 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
50.00	Ravine bears S.E.
79.72	Intersect N and S. line 23 lks North of the corner to Sections 16. 17. 20 and 21 From which corner I run N. 89° 50' West on a true line between Sections 17 and 20 Var 13° 20' E
39.86	Set a Limestone 12 x 12 x 4 for a 1/4 Sec. Cor:
79.72	The corner to Sections 17. 18. 19 & 20

Land rolling soil 2nd rate.

Township 1 N Range 28 W. 6th P.M.

Chains	
	West on a random line between Sections 18 and 19 Var 13° 20' E
7.00	Ravine bears S.E. with limestone in east side.
40.00	Set post for temporary 1/4 sec cor:
80.32	Intersect West boundary of the Township 29 links North of the corner to Sections 18 & 19 From which corner I run N 89° 48' East on a true line between Sec. 18 and 19 Var: 13° 20' E
40.32	Set a Limestone 14 x 9 x 7 for a 1/4 Sec cor:
80.32	The corner to Sections 17. 18. 19. and 20.

Land rolling: soil 2nd rate

Aug 10th A.D. 1871

Township 1 N. Range 28 W. 6th P.M.

chains	
	North between Sec 17 and 18 Va 13° 20' E
40.00	Set Limestone 14 x 12 x 7 for a 1/4 Sec Cor:
80.00	Set Limestone 16 x 12 x 4 for the corner to Sections 7. 8. 17 & 18
	Land rolling Soil 2nd rate

Township 1. N. Range 28 W. 6. P.M.

chains	
	East on a random line between Sections 8 and 17 Va 13° 20' E
40.00	Set post for temporary 1/4 Sec Cor:
79.82	Intersect N. and S. line 15 links South of the corner to Sections 8. 9. 16 and 17 From which corner I run S. 89° 3-4' West on a true line between Sections 8 & 17. Var 13° 20' E
39.91	Set a Limestone 12 x 12 x 8 for a 1/4 Sec Cor:
79.82	The corner to Sections 7. 8. 17 and 18.

Township 1. N. Range 28. W. 6 P.M.

Chains	
	West on a random line between Sec. 7 and 18
	Var 13°20' E
37.00	Deep ravine bears S.E.
40.00	Set post for temporary 1/4 Sec cor:
80.42	Intersect West boundary of Township 28 links north of the corner to Sections 7 and 18
	From which corner I run N 89°48' East on a true line between Sections 7 and 18
	Var: 13°20' E
40.42	Set a Limestone 13 x 9 x 7 for a 1/4 Sec: corner
80.42	The corner to Sections 7. 8. 17 and 18
	Land rolling soil 2nd rate

Township 1. N. Range 28. W. 6 P.M.

Chains	
	North between Sec: 7 and 8
	Var: 13°20' E
40.00	Set a Limestone 14 x 12 x 4 for a 1/4 Sec: cor:
80.00	Set a Limestone 14 x 10 x 7 for the corner to Sections 5. 6. 7. and 8
	Land high rolling Prairie Soil 2nd rate

Township 1 N. Range 28 W. 6 P.M.

Chains	
	East on a random line between Sections 5 and 8
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
63.00	Ravine bears S.E.
79.70	Intersect N. and S. line at the corner to Sections 4, 5, 8, & 9
	From which corner I run West on a true between Sec 5 & 8.
	Var 13° 20' E
39.85	Set a Limestone 13 x 11 x 9 for a 1/4 Sec. Cor:
79.70	The corner to Sections 5, 6, 7, and 8.
	Land rolling: Soil 2nd rate

Township 1 N. Range 28 W. 6th P.M.

Chains	
	West on random line between Sections 6 and 7
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor:
80.50	Intersect the West boundary of Township 36 links north of the corner to Sections 6 & 7
	From which corner I run N 89° 45' East on a true line between Sec 6 & 7
	Var: 13° 20' E
40.50	Set a Limestone 12 x 11 x 8 for a 1/4 Sec cor:
80.50	The corner to Sections 5, 6, 7, and 8
	Land high and rolling Soil 2nd rate

Township 1. N. Range 28. W. 6th P.M.

Chains	
	North on random line between Sections 5 and 6
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Section cor:
42.00	Ravine bears N. W. thence
79.80	Intersect the North boundary of the Township 15 links West of the corner to Sec: 5 and 6
	From which corner I run South 6' West on a true line between Sections 5 and 6
	Var: 13° 20' E
39.80	Set Limestone 13 x 12 x 7 for a 1/4 Sec corner
79.80	The corner to Sections 5. 6. 7. and 8.
	Land high and rolling
	Soil 2nd rate
	August 11th A.D. 1871

General Description

The upland in this Township is High rolling Prairie: with Several Deep Ravines where there is an abundance of Lime and Sandstone

Soil 2nd rate

Beaver creek passing through the Township from West to East. The bottoms of which are level: Soil 1st rate

Timber along creek Ash: Elm and Boxelder

T 1. N. R. 28. W. 6th P.M.

List of Names

A list of the names of the individuals who assisted in running, Measuring, and Marking the Subdivision lines and corners of the foregoing Field Notes of Township No. 1 North of the Base line of Range No. 28 West of the 6th P.M. in the State of Nebraska

Wm L. Wells: Chainman
Emmett H. Sprague: Chainman
Frank L. Walker { axeman and Mounduman
Wm E Randall Flagman
~~George W. Fairfield: Compassman~~

We hereby certify that we assisted George W. Fairfield deputy Surveyor in Subdividing Township No 1 North of the Base line of Range Number 28 West of the 6th Principal Meridean and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General

Wm L. Wells Chainman
E H Sprague Chainman
Exeman
Frank L. Walker Mounduman
William E Randall Flagsman

Subscribed and sworn to by the above named persons before me a Notary Public within and for the County of Lass

In the State of Nebraska
this 27th day of October
A.D. 1871

Lloyd D. Burnett
Notary Public
Cass County
Nebraska

I George W. Fairfield do solemnly swear that in pursuance of a contract No 48. wherein George W. Fairfield is contractor with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa: bearing date the 17th day of June, A.D. 1871, I have well and faithfully and truly in my own proper person: and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township No 1. North of the Base line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing Field Notes

as having been Surveyed
under my direction
And I do further Solemnly
Swear that the foregoing are
the true and original Field
Notes of such Survey

George W Fairfield
Deputy Surveyor

Subscribed by the said
George W. Fairfield Deputy
Surveyor and sworn to before
me a Notary Public within
and for the County of Cass
in the State of Nebraska
this 27th day of October
A.D. 1871

Lloyd D. Burnett
Notary Public
Cass County
Nebraska

Surveyor General's Office
Plattsmouth, Dec. 16th 1871

The foregoing field Notes of the
Survey and sub-division of
Township No 1 North Base Line
of Range 28 West 6th P.M.
Executed by George W Fairfield
under his Contract No 48 dated
June 17th 1871. during the month
of August 1871. having been
carefully Examined the
Necessary Corrections and
Explanations Made the said
field Notes and Surveys they
describe are hereby approv-
-ed

E. E. Cunningham
Surveyor General

T 2 N., R 28 W.

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

Field Notes

of

The Survey and Subdivision

of

Township No. 2 North of the base line

of

Range 28 West of the 6th P.M.

In the

State of Nebraska

Executed by George W. Fairfield
Deputy Surveyor

Survey:

Commenced August 10th 1871.

Completed August 15th 1871.

List of Names

A list of the names and duties of assistants employed to assist in Subdividing this Township

Wm L. Wells } Chainman
Emmett H. Sprague }
Frank L. Mather { axeman and Moundman
Wm E. Randall: Flagman
George W. Fairfield: Compassman

Township No 2. N. Range 28 W. 6 P.M.

To determine the proper Adjustment of my compass for Subdividing this Township:
I commenced at the corner to Townships 1 and 2. N of the Base line of Ranges 27 and 28. West of the 6th P.M. And run North on a blank line along the East boundary of Section No 36.
Var 13°20' E

40.00 The 1/4 Sec cor:
80.00 To post the corner to Sections 25 and 36
Where I find my compass in proper adjustment.

Township 2. N. Range 28. W. 6 P.M.

Chains
North between Sec 35 and 36
Var: 13°20' E
40.00 Set Limestone 13 x 12 x 7 for a 1/4 Sec cor.
80.00 Set Limestone 14 x 10 x 6 for the corner to Sections 25. 26. 35 and 36

Land high & rolling
Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on a random line between Sections 25 and 36
	Var: 13°20' E
40.00	Set post for temporary 1/4 Sec Cor.
73.00	Ravine bears N.E.
80.02	Intersect the East boundary of Township 5 links South of the corner to Sections 25 and 36
	From which cor d mn
	S. 89°58' West on a true line between Sections 25 and 36
	Var 13°20' E
40.01	Set Limestone 12 x 12 x 6 for a 1/4 Sec. cor:
80.02	The corner to Sections 25. 26. 35 and 36
	Land high & rolling
	Soil 2nd rate

Township 2 N. Range 28 W. 6. P.M.

Chains	
	North between (Sec) 25 and 26
	Var 13°20' E
40.00	Set Limestone 12 x 11 x 9 for a 1/4 Sec: cor:
80.00	Set Limestone 14 x 12 x 7 for the corner to Sec 23. 24. 25 and 26
	Land high & rolling
	Soil 2nd rate

Township 2. N. Range 28 W. 6. P.M.

chains	
	East on random line between Sec: 24 and 25
	Var 13° 20' E
38.00	Deep Ravine bears N.W. with Lime stone along East side
40.00	Set post for temporary 1/4 Sec. Cor.
80.10	Intersect the East boundary of the Township at the corner to Sections 24 and 25
	From which corner I run West on a true line between Sec. 24 and 25
	Var 13° 20' E
40.05	Set Limestone 13 x 10 x 5 for a 1/4 Sec. cor:
80.10	The corner to Sections 23 24. 25 and 26
	Land rolling: Soil 2nd rate

Township 2. N. Range 28 W. 6. P.M.

chains	
	North between Sec 23 and 24
	Var: 13° 20' E
40.00	Set Limestone 12 x 12 x 9 for a 1/4 Sec. cor:
53.00	Deep Ravine bears N.W.
80.00	Set Limestone 16 x 10 x 5 for the corner to Sections 13. 14. 23. and 24.
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on a random (line) between Sections 13 and 24
	Var 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.96	Intersect the East boundary of the Township 15 links South of the corner to Sec. 13 and 24
	From which corner I run South 89° 54' West on a true line between Sections 13 and 24
	Var: 13° 20' E
39.98	Set a Limestone 14 x 12 x 5 for a 1/4 Sec. cor:
79.96	The corner to Sections 13. 14. 23 and 24

Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	North between Sec 13 and 14
	Var: 13° 20' E
23.00	Ravine bears S.W. 80 Deep ravine
40.00	Set a Limestone 14 x 10 x 4 for a 1/4 Sec. Cor:
80.00	Set Limestone 15 x 11 x 5 for the corner to Sections 11. 12. 13 and 14.

Land rolling
Soil 2nd rate

Township 2. N. R. 28. W. 6th P.M.

Chains	
	East on random line between Sections 12 and 13
	Var: 13°20' E
40.00	Set post for temporary 1/4 Sec. cor.
79.83	Intersect the East boundary of the Township 10 links South of the corner to Sec 12 and 13
	From which corner I run
	S. 89°56' West on a true line between Sec 12 and 13
	Var: 13°20' E
39.91½	Set Lime stone 14 x 9 x 5 for a 1/4 Sec: cor:
79.83	The corner to Sec 11.12.13 and 14

Land rolling soil 2nd rate

Township 2. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 11 and 12
	Var: 13°20' E
40.00	Set Limestone 12 x 12 x 4 for a 1/4 Sec: cor:
50.00	Rapid Creek S.W.
80.00	Set Lime stone 16 x 9 x 4 for the corner to Sec: 1. 2. 11 and 12

Land rolling soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 1 and 12
	Var: 13° 20' E
28.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec. Cor:
79.92	Intersect the East Boundary of the Township 24 links south of the corner to Sec 1 and 12
	From which cor: I run S. 89° 50' West on a true line between Sec 1 and 12
	Var 13° 20' E
39.96	Set Limestone 14 x 10 x 5 for a 1/4 Sec. cor:
79.92	The cor: to Sec 1. 2. 11 and 12

Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North on a random line bet: Sections 1 and 2
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
79.60	Intersect North boundary of the Township 8 links East of the corner to Sec: 1 and 2
	From which corner I run South 3' East on a true line between Sections 1 and 2
	Var: 13° 20' E
39.60	Set Limestone 12 x 12 x 8 for a 1/4 Sec: Cor:
79.60	The corner to Sections 1. 2. 11 and 12.

Legend: high rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North between Sec 34 and 35
	Var 13°20' E
40.00	Set Limestone 14 x 12 x 7 for a 1/4 Sec. cor.
80.00	Set Limestone 12 x 12 x 7 for the corner to Sections 26, 27, 34 and 35
	Land rolling: Soil 2nd rate

August 10th 1871

Township 2. N. Range 28. W. 6 P.M.

Chains	
	East on random line between Sections 26 and 35
	Var: 13°20' E
39.00	Ravine bears North
40.00	Set post for temporary 1/4 Sec. cor:
80.20	Intersect N and S. line at the corner to Sections 25, 26, 35 and 36
	From which corner I run West on a true line between Sections 26 and 35
	Var: 13°20' E
40.10	Set Limestone 14 x 12 x 4 for a 1/4 Sec. Cor:
80.20	The corner to Sec 26, 27, 34 and 35
	Land rolling: Soil 2nd rate

Township 2. N. Range 28 W. 6 P.M.

Chains	North between Sec. 26 and 27
	Var 13° 20' E
40.00	Set Limestone 14 x 12 x 5 for a 1/4 Sec: cor:
80.00	Set Lime stone 15 x 10 x 6 for the corner to Sections 22. 23. 26. and 27
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	East on random line between Sections 23 and 26
	Var: 13° 20' E
27.00	Ravine bears N. W.
40.00	Set post for temporary 1/4 Sec: cor:
80.18	Intersect the N. and S. line 15 chs North of the corner to Sec: 23. 24. 25 and 26
	From which cor: I run N. 89° 54' West on a true line between Sections 23 and 26
	Var: 13° 20' E
40.09	Set a Lime Stone 12 x 11 x 8 for a 1/4 Sec cor:
80.18	The corner to Sections 22. 23. 26 and 27.
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	North between Sec 22 and 23
	Var 13° 20' E
28.00	Ravine bears N.W. with a quantity of Limestone in sides of ravine
40.00	Set Limestone 12 x 10 x 5 for a 1/4 Sec: cor:
80.00	Set Limestone 13 x 9 x 7 for the cor to Sec 14. 15. 22 and 23.

Land rolling. Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	East on random line between Sections 14 and 23
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec: cor:
59.00	Ravine bears N.W.
80.22	Intersect N. and S. line 8 links South of the corner to Sections 13. 14 23 and 24
	From which cor I run S 89° 57' West on true line between Sec: 14 and 23
	Var 13° 20' E
40.11	Set Limestone 12 x 10 x 5 for a 1/4 Sec: cor:
80.22	The corner to Sections 14. 15. 22 and 23

Land broken. Soil 2nd rate
Lime stone in bed and side of Deep ravine in this Section

Township 2. N. Range 28 W. 6. P.M.

Chains	North between Sec 14 and 15 Var: 13° 20' E
40.00	Set Limestone 12 x 10 x 6 for a 1/4 Sec cor:
44.00	Deep ravine bears N.W. lime stone along E side
80.00	Set Limestone 14 x 10 x 6 for the Corner to Sections 10, 11, 14 and 15
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	East on a random line between Sections 11 and 14 Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor:
80.30	Intersect N. and S. line 17 links South of corner to Sections 11. 12, 13 and 14. From which corner I run S 89° 53' West on a true line bet: Sections 11 and 14 Var: 13° 20' E
40.15	Set Limestone 12 x 9 x 5 for a 1/4 Sec cor:
80.30	Thr: cor: to Sec 10. 11. 14 and 15
	Land high rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6th P.M.

Chains	North between Sections 10 and 11
	Var: 13° 20' E
20.00	Ravine bears S.W.
40.00	Set Limestone 10 x 9 x 7 for a 1/4 Sec cor:
80.00	Set Limestone 9 x 9 x 7 for the corner to Sec 2. 3. 10 and 11
	Land broken: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	East on random line between Sections 2 and 11
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor.
80.38	Intersect N. and S. Line 29 lks South of the corner to Sec 1. 2. 11 and 12.
	From which cor. I run S. 89° 48' West on True line between Sections 2 and 11
	Var: 13° 20' E
40.19	Set limestone 12 x 9 x 7 for a 1/4 Sec. cor:
80.38	The corner to Sections 2. 3. 10 and 11
	Land high and rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North on random line between Sections 2 and 3
	Var: 13° 20' E
30.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec. Cor:
79.40	Intersect North boundary of Township 15 links West of the corner to Sections 2 and 3 From which corner Drum South 6' West on true line between Sections 2 and 3
	Var: 13° 20' E
39.40	Set Limestone 12 x 10 x 6 for a 1/4 Sec Cor:
79.40	The corner to Sections 2, 3, 10 and 11
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North between Sec 33 and 34
	Var: 13° 20' E
40.00	Set Limestone 12 x 10 x 5 for a 1/4 Sec: cor:
80.00	Set Limestone 14 x 10 x 4 for the corner to Sec 27. 28. 33 and 34
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 27 and 34
	Var 13°20'E
40.00	Set post for temporary 1/4 Sec. cor.
79.84	Intersect the N and S. line 15 lks North of the cor: to Sections 26, 27, 34 and 35 –
	From which corner I run N 89°54' West on the line between Sections 27 and 34
	Var 13°20'E
39.92	Set Limestone 12 x 12 x 5 for a 1/4 Sec cor:
79.84	The corner to Sections 27, 28 33 and 34
	Land rolling: Soil 2nd rate

Township 2. N. Range 28 W. 6 P.M.

Chains	
	North between Sec: 27 and 28
	Var: 13°20'E
40.00	Set limestone 14 x 9 x 7 for 1/4 Sec cor:
80.00	Set limestone 14 x 12 x 6 for the corner to Sections 21, 22, 27 and 28

Land high and rolling Soil 2nd rate

August 17th 1871

Township 2. N. Range 28. W. 6 P.M.

Chains	
	East on random line between Sections 22 and 27
	Va 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
80.00	Intersect S. and S. line 10 links South of the corner to Sections 22. 23. 26 and 27
	From which corner I run S. 89° 56' West on a true line between Sec 22 and 27.
	Var: 13° 20' E
40.00	Set Limestone 10 x 9 x 7 for a 1/4 Sec cor:
80.00	The corner to Sec 21. 22. 27 and 28
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North between (Sec) 21 and 22
	Var: 13° 20' E
40.00	Set limestone 10 x 9 x 7 for a 1/4 Sec: cor:
80.00	Set limestone 11 x 10 x 6 for the corner to Sections 15. 16. 21 and 22.
	Land rolling: Soil 2nd rate

Township 2. N Range 28 W. 6. P.M.

Chains	
	East on random between Sec 15 and 22. Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
72.00	Ravine bears N. W. Limestone in sides of this ravine
80.16	Intersect N. and S. line 22 links North of the cor to Sections 14. 15. 22 and 23. From which corner I run N 89° 51' West on a true line between Sec 15 and 22 Var: 13° 20' E
40.08	Set Limestone 12 x 10 x 5 for a 1/4 Sec: cor:
80.16	The corner to Sec: 15. 16. 21 and 22

Land high rolling Prairie Soil 2nd rate

Township 2. N. Range 28 W. 6. P.M.

Chains	
	North between (Sec) 15 and 16 Var 13° 20' E
40.00	Set limestone 14 x 12 x 6 for a 1/4 Sec: cor:
80.00	Set limestone 15 x 9 x 5 for the corner to Sections 9. 10. 15 and 16

Land high and rolling Prairie Soil 2nd rate

Township 2. N. Range 28 W. 6 P.M.

Chains East on random line between Sections 10 and 15
Var: 13° 20' E

38.00 Ravine bears N. W.

40.00 Set post for temporary 1/4 Sec. Cor:

80.20 Intersect N. and S. line at the corner to Sections 10. 11. 14 and 15. From which corner I run West on a true line Between Sections 10 and 15
Vars 13° 20' E

40.10 Set limestone 15 x 9 x 5 for a 1/4 Sec cor:

80.20 The corner to Sec 9. 10. 15 & 16

Land Broken: Soil 2nd rate

Township 2. N Range 28 W. 6 P.M.

Chains North between Sec 9 and 10
Var 13° 20' E

10.00 Deep Ravine bears N. W with a ledge of blue limestone in the North side of this ravine:

40.00 Set limestone 12 x 10 x 6 for a 1/4 Sec. cor:

80.00 Set Limestone 14 x 9 x 7 for the corner to Sec 3. 4. 9 and 10.

Land broken Soil 2nd rate

Township 2. N. Range 28 W. 6. P.M.

chains	
	East on random line between Sec 3 and 10
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor:
61.00	Ravine bears South
80.14	Intersect the N and S. line 24 links South of the corner to Sections 2. 3. 10 and 11
	From which corner I run S. 89° 50' West on true line between Sections 3 and 10
	Var: 13° 20' E
40.07	Set Limestone 12 x 9 x 5 for a 1/4 Sec. cor:
80.14	The cor: to Sec 3. 4. 9 and 10
	Land broken; soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

chains	
	North on random line between Sections 3 and 4
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor.
78.82	Intersect the North boundary of Township 28 links West of the corner to Sec 3 and 4
	From which corner I run South 12' West on true line between Sec 3 and 4
	Var: 13° 20' E
38.82	Set limestone 10 x 9 x 7 for a 1/4 Sec: cor:
78.82	The cor: to Sec. 3. 4. 9. and 10.
	Land high rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains North between Sec 32 and 33
Var: 13° 20' E

40.00 Set Limestone 11 x 10 x 6 for a 1/4 Sec: cor:

80.00 Set a Limestone 12 x 9 x 7 for the corner to Sections 28. 29. 32 and 33

Land high and rolling Prairie
Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains East on random line between Sections 28 and 33
Var: 13° 20' E

28.00 Ravine bears S.E. Sandstone in banks of ravine, (near its bed)

40.00 Set post for temporary 1/4 Sec: cor:

80.09 Intersect N. and S. line 24 lks North of the corner to Sections 27. 28. 33 and 34
From which corner I run N 89° 58' West on true line Between Sec 28 and 33
Var: 13° 20' E

40.04½ Set a Sandstone 10 x 9 x 7 for a 1/4 Sec: cor:

80.09 The corner to Sec 28. 29. 32 and 33.

Land somewhat Broken but
Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

chains North between Sec 28 and 29

Var: 13° 20' E

20.00 Ravine bears East

38.00 Ravine bears S.E.

& both of these ravines there is an abundance of Sandstone

40.00 Set a Sandstone 16 x 12 x 8 for 1/4 Sec: Cor:

80.00 Set a Sandstone 16 x 14 x 8 for the corner to Sec: 20, 21, 28 and 29

Land very broken: Soil 3rd rate

Township 2. N. Range 28. W. 6 P.M.

chains East on a random line between Sections 21 and 28

Var 13° 20' E

18.00 Ravine bears South

40.00 Set post for temporary 1/4 Sec cor

80.12 Intersect N. and S. line at the corner to Sections 21, 22, 27, and 28.

From which corner I run West on true line between Sections 21 and 28

Va 13° 20' E

40.06 Set a Sandstone 10 x 10 x 9 for a 1/4 Sec: cor:

80.12 The corner to Sections 20, 21, 28 and 29

Land rolling soil 3rd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North between Sec. 20 and 21
	Var: 13° 20' E
38.00	Ravine bears S.E.
40.00	Set a Sandstone 12×10×7 for a 1/4 Sec cor:
80.00	Set a Sandstone 12×12×8 for the corner to Sections 16. 17. 20 and 21
	Land broken Soil 3rd rate

August 12th 1871

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 16 and 21
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor
79.98	Intersect N. and S. line 26 links South of the corner to Sections 15. 16. 21. and 22
	From which corner I run S. 89° 49' West on true line between Sec 16 and 21
	Var: 13° 20' E
39.99	Set a Sandstone 10×9×7 for a 1/4 Sec. cor:
79.98	The corner to Sections 16. 17. 20 and 21
	Land rolling Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains North between Sec 16 and 17
Var: 13° 20' E

40.00 Set Sandstone 10 x 10 x 8 for a 1/4 Sec. cor:

80.00 Set a Sandstone 12 x 10 x 8 for the corner to Sections 8. 9. 16 and 17

Land high rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains East on random line between Sections 9 and 16
Var: 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor.

80.00 Intersect N. and S. 17 line 17 links North of the corner to Sections 9. 10. 15 and 16
From which cor I run North 89° 53' West on true line between Sec 9 and 16
Var: 13° 20' E

40.00 Set Sandstone 12 x 9 x 7 for a 1/4 Sec cor:

80.00 The corner to Sections 8. 9. 16 and 17.

Land broken soil 2nd rate

Township 2. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 8 and 9
	Var: 13° 20' E
30.00	Deep Ravine bears W. N. W.
	Ledge of Limestone in sides
40.00	Set a Limestone 12 x 12 x 5 for a 1/4 Sec cor
62.00	Ravine bears S. W.
80.00	Set a limestone 12 x 12 x 6 for the corner to Sec 4. 5. 8 and 9

Land broken soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 4 and 9
	Var: 13° 20' E
17.00	Ravine bears S. W.
40.00	Set post for a temporary 1/4 Sec cor:
80.23	Intersect the N. and S line 15 links South of the corner to Sec 3. 4. 9 and 10.
	From which corner I run S. 89° 54' West on true line between Sec: 4 and 9
	Va 13° 20' E
40.11½	Set a Limestone 12 x 10 x 5 for a 1/4 Sec cor:
80.23	The corner to Sections 4. 5 8 and 9.

Land rolling soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains	
	North on a random line between Sections 4 and 5
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
78.32	Intersect the North boundary of Township 35 links West of the corner to Sec 4 and 5 From which corner I run South 15 L. West on true line between Sections 4 and 5
	Var 13° 20' E
38.32	Set a Limestone 14. 12 x 5 for a 1/4 Sec cor:
78.32	The corner to Sec 4. 5. 8 and 9
	Land rolling Soil 2nd rate
	August 13th 1871

Township 2. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 31. and 32
	Var: 13° 20' E
22.00	Ravine bears N. E.
40.00	Set Sandstone 10 x 9 x 7 for a 1/4 Sec. cor:
80.00	Set Sandstone 12 x 12 x 5 for the corner to Sections 29. 30. 31 & 32
	Land rolling soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains East on a random line between Sections 29 and 32

Var: 13° 20' E

38.00 Ravine bears N. E.

40.00 Set post for temporary 1/4 Sec. Cor.

79.90 Intersect the N. and S. line 19. links South of the corner to Sections 28. 29. 32 and 33

From which corner I run S 89° 5-2' West on true line between Sections 29 and 32

Var: 13° 20' E

39.95 Set Sandstone 10 x 9 x 7 for a 1/4 Sec Cor.

79.90 The corner to Sections 29. 30. 31 and 32

Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

chains West on a random line between Sections 30 and 31

Var 13° 20 E

40.00 Set post for temporary 1/4 Sec. Cor.

80.10 Intersect West boundary of Township 15 links north of the corner to Sec 30 and 31

From which corner I run S 89° 5-4' East on true line between Sec 30 and 31

Var 13° 20' E

40.10 Set Sandstone 12 x 10 x 8 for a 1/4 Sec. cor.

80.10 The corner to Sections 29. 30 31 and 32

Land rolling soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	North between Sec. 29 and 30
	Var 13° 20' E
40.00	Set a Sandstone 12 x 12 x 6 for a 1/4 Sec. cor.
80.00	Set a Sandstone 14 x 12 x 5 for the cor. to Sec 19, 20, 29 and 30.
	Land High rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 20 and 29
	Var. 13° 20' E
37.00	Ravine bears S.E.
40.00	Set post for temporary 1/4 Sec. cor.
79.93	Intersect N. and S. line 22 links North of the corner to Sections 20. 21. 28 & 29 From which corner I run N 89° 51' West on true line between Sec 20 and 29
	Var 13° 20' E
39.96½	Set Sandstone 10 x 9 x 7 for a 1/4 Sec. cor.
79.93	The corner to Sections 19. 20. 29 and 30
	Land High rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	West on random line between Sections 19 and 30
	Var. 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
80.18	Intersect West boundary of the Township 8 links North of corner to Sections 19 and 30
	From which corner I run N 89° 57' East on true line between Sections 19 and 30
	Var 13° 20' E
40.18	Set a Sandstone 14 x 12 x 4 for a 1/4 Sec cor
80.18	The corner to Sec 19. 20. 29 & 30
	Land rolling Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	North between Sec 19 and 20
	Var. 13° 20' E
17.00	Ravine bears S.E.
40.00	Set a Sandstone 10 x 9 x 7 for a 1/4 Sec cor:
80.00	Set a Sandstone 12 x 10 x 6 for the corner to Sections 17. 18. 19 and 20.
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6th P.M.

Chains East on a random line between Sections 17 and 20

Var 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor:

79.80 Intersect the N. and S. line 17 lks north of the corner to Sections 16. 17. 20 and 21

From which corner I run N. 89° 53' West on a true line between Sections 17 and 20

Var: 13° 20' E

39.90 Set a Sandstone 12 x 10 x 6 for a 1/4 Sec: cor:

79.80 The corner to Sec: 17. 18. 19 and 20

Land rolling: soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains West on random line between Sec 18 and 19

Va 13° 20' E

40.00 Set a post for temporary 1/4 Sec cor:

79.84 Intersect the West boundary of the Township at the corner to Sections 18 and 19

From which corner I run East on a true line between Sections 18 and 19

Var: 13° 20' E

39.84 Set Sandstone 12 x 12 x 5 for a 1/4 Sec. cor:

79.84 The corner to sections 17. 18. 19 and 20.

Land rolling: soil 2nd rate

August 14/1871

Township 2. N. Range 28. W. 6th P.M.

Chains North between Sections 17. and 18
Var: 13° 20' E

40.00 Set a Sandstone 14 x 9 x 7 for a 1/4 Sec: cor:

80.00 Set Sandstone 15 x 10 x 4 for the corner to Sections 7. 8. 17. and 18

Land high rolling Prairie
Soil 2nd rate

Township 2. N. Range 28. W. 6 P.M.

Chains East on a random line between Sections 8 and 17
Var: 13° 20' E

40.00 Set post for temporary 1/4 Sec. cor.

79.90 Intersect N. and S. line 24 links South of the corner to Sections 8. 9. 16 and 17
From which corner I run S 89° 50' West on true line between Sections 8 and 17
Var: 13° 20' E

39.95 Set Sandstone 12 x 11 x 7 for a 1/4 Sec: cor.

79.90 The corner to Sections 7. 8. 17 and 18

Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	West on random line between Sections 7 and 18
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
79.74	Intersect the West boundary of the Township 15 links for of the corner to Sections 7 and 18
	From which cor: I run North 89° 54' East on a true line between Sections 7 and 18
	Var 13° 20' E
39.74	Set a Sandstone 10 x 9 x 7 for a 1/4 Sec: cor:
79.74	The corner to Sections 7. 8. 17 and 18
	Land high and rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	North between Sections 7 & 8:
	Var: 13° 20' E
38.00	Deep ravine bears East: discends W.
	Limestone Ledge in sides of ravine
40.00	Set a limestone 16 x 12 x 3 for a 1/4 Sec: cor:
80.00	Set a Limestone 15 x 13 x 4 for the corner to Sections 5. 6. 7 and 8.
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	East on random line between Sections 5 and 8
	Var 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.72	Intersect the N. and S. line 12 lks North of the corner to Sections 4. 5. 8 and 9
	From which corner I run N 89° 55' West on a true line between Sec 5 and 8
	Var: 13° 20' E
39.86	Set a Limestone 14x12x6 for a 1/4 Sec. Cor:
79.72	The corner to Sections 5. 6. 7 and 8.
	Land rolling: Soil 2nd rate

Township 2. N. Range 28. W. 6. P.M.

Chains	
	West on random line between Sections 6 and 7
	Var 13° 20' E
40.00	Set post for temporary 1/4 sec. cor.
79.60	Intersect West boundary of Township 20 links North of the corner to Sec 6 and 7
	From which corner I run N 89° 57' E on a true line between Sections 6 and 7
	Var: 13° 20' E
39.60	Set a limestone 14x12x4 for a 1/4 sec. cor:
79.60	The corner to Sec. 5. 6. 7 and 8.
	Land rolling Prairie Soil 2nd rate

Township 2. N. Range 28. W. 6th P.M.

Chains	
	North on random line between Sections 5 & 6
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
77.40	Intersect the North Boundary of the Township 47 links West of the corner to Sections 5 & 6. From which corner I run
	South 20' West on a true line between Sections 5 and 6
	Var 13° 20' E
37.40	Set a Limestone 12 x 9 x 7 for a 1/4 Sec. cor:
77.40	The corner to Sections 5. 6. 7 and 8

note This line falling 2.60 lks short of 80 chs the dist given for lenght of line between Sec's 1 & 6 o Therefore begin at the corner to Townships North Ranges 28 & 29 W. and with a Var: 13° 20' E. I run & meandered South on the line: at 36.00 chains to a pit 15 links W of the 1/4 Sec. cor. 76.00 chs to a pit 8 links West the cor to Sec 1. 6. 7 & 12. Where I find the line between sec's 1 & 6 to be 4.00 chs short

August 15th 1871

General Description

The Land in this Township is Generally high rolling Prairie, interspersed with deep Ravines, with an abundance of Lime and sandstone found in Sides of Deep Ravines

The Soil is about 2nd rate

No Water or timber worthy of note.

Township 2 N. Range 28 W. 6th P.M.

A list of the names of the individuals who assisted in running Measuring and Marking the Subdivision lines and Corners of the foregoing Field Notes of Township No (2) two North. Range 28 West of the 6th P. Meridian

Wm L. Wells } Chainman
Emmet H. Sprague }
Frank L. Mather } axeman & Mound man
William E. Randall: Flagman
George W. Fairfield: Compassman

We hereby certify that we assisted Geo W. Fairfield Deputy Surveyor in subdividing Township No. 2 North of the base line of Range 28 West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General.

Wm L Wells Chainman
E H Sprague Chainman
Frank L Mather Axeman & Moundman
William E Randall Flagman

Subscribed and sworn to by the above named persons before me a Notary Public within and

for the County of Cass in the State of Nebraska this 27th day of October A.D. 1871

Henry D. Barrett
Notary Public
Cass County Nebraska

11

I George W. Fairfield, do Solemnly Swear that in pursuance of a contract No 48: wherein George W. Fairfield is Contractor with E. E. Cunningham United States Surveyor General For the District of Nebraska and Iowa bearing date the 17th day of June A.D. 1871 I have well, faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township No (2) two North of the Base line of Range No (28) twenty Eight West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing

Field Notes as having been Surveyed under my direction and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

George W. Fairfield
Deputy Surveyor

Subscribed by the said George W. Fairfield Dept Surveyor and sworn to before me a Notary Public within and for the County of Cass in the State of Nebraska this twenty eighth day of October A.D. 1871

Lloyd D. Bequelt
Notary Public
Cass County Neb.

Survey commenced on August 10th A.D. 1871 and Completed August 15th A.D. 1871

Surveyor Generals Office
Hartsdewantha Dec 16th 1871

The foregoing field Notes of the Subdivision of Township No 2 North of the Base line of Range No 28 West 6th P.M. Executed by George W. Fairfield under his Contract No 48. dated June 17th 1871 in the month of August 1871 having been critically Examined the necessary corrections and Explanations made the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

T 3 N., R Range 28 W

6	66	5	50	4	35	3	23	2	12	1
65		64		49		34		22		11
7	63	8	48	9	33	10	21	11	10	12
62		61		47		32		20		9
18	60	17	45	16	31	15	19	14	8	13
59		58		42		30		18		7
19	57	20	41	21	29	22	17	23	6	24
56		55		40		28		16		5
30	54	29	39	28	27	27	15	26	4	25
53		52		38		26		14		3
31	51	32	37	33	25	34	13	35	2	36

Field Notes

of the

Survey and Subdivision

of

Township No. 3 North of the Base line of Range No. 28 West of the 6th P.M. in the State of Nebraska

Executed by

George W. Fairfield

Deputy Surveyor

Survey [illegible]

Commenced August 18th 1871

Completed August 25th 1871

A list of the names and duties of assistants employed to assist in Subdividing this Township

Wm L. Wells Chainman

Emmett H. Sprague Chainman

Frank L. Mather { Chainman & Moundman

Wm E. Randall Flagman

George W. Fairfield Compassman

Township 3 N. Range 28 W. 6th P.M.

Chains	
	Field notes of the Sub-division lines and Meanders of the Republican River. in Township 4 to 3 N. Range 28 W. 6th P.M.
	To determine the proper adjustment of my compass for Subdividing this Township I commenced at the post the established corner to Townships 2 and 3 N. Ranges 27 and 28 West of the 6th P.M. and run North on a blank line along the East Boundary of Sec 36
	Var: 13° 15' E
40.06	To a point 4 links east of the 1/4 cor
80.10	To a point 12 links East of the cor to Sections 25 and 36
	To retrace this line or to run parallel thereto my compass must be adjusted to a
	Var: of 13° 20' E

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North Between Sections 35 and 36
	Va: 13° 20' E
21.00	Ravine bears S.E.
40.00	Set a Sandstone 14 x 12 x 7 for a 1/4 Sec cor:
51.00	Ravine bears N.W.
80.00	Set a Sandstone 14 x 12 x 5 for the corner to Secs 25, 26, 35 + 36
	Land rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 25 and 36 Var: 13° 20' E
40.00	Set a post for a temporary 1/4 Sec. cor.
79.96	Intersect the East boundary of Township at the corner to Secs. 25 and 36 From which corner I run West on a true line between Secs. 25 and 36 Var: 13° 20' E
39.98	Set a Sandstone 12x12x7 for a 1/4 sec cor:
79.96	The cor to Secs. 25, 26, 35 and 36

Land high & rolling
Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	North Between Sections 25 and 26 Var: 13° 20' E
40.00	Set a Sandstone 12x12x5 for a 1/4 Sec cor:
80.00	Set a Sandstone 14x10x4 for the cor. to Secs. 23, 24, 25 & 26

Land high rolling Prairie
Soil 1st rate

Township 3 N. Range 28 W. 6th P.M.

Chains	East on a random line between Sections 24 and 25 Var: 13°20' E
40.00	Set a post for temporary 1/4 Sec cor
80.10	Intersect the East boundary of Township 5 links North of the corner to Secs. 24 and 25 From which cor: Down N 89°58' West on a true line between Secs. 24 and 25 Var: 13°20' E
40.05	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec. cor:
80.10	The cor. to Secs. 23. 24. 25 & 26
4	
80	Land rolling. Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	North Between Sections 23 and 24 Var: 13°20' E
34.00	Leave upland and enter bottom bears N.E. & S.W. where I enter timber bears E & W.
40.00	Set a Sandstone 12 x 11 x 4 for a 1/4 Sec. cor:
42.00	Leave timber bears E & W.
46.65	Set a Sandstone 14 x 10 x 4 on Right bank of Republican River. for. Meander. cor to Fractional Sections 23 and 24
62.65	Left bank of Republican River where I drove charred stake set post and raised Mound of earth from pits as per instructions for a Meander cor to Fractional Sections 23 and 24
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 13, 14, 23 and 24
	Upland broken: Soil 2nd rate Bottom land level soil 1st rate

Fou

Cha

Township 3. N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 13 and 24 Var: 13° 20' E.
40.00	Set post for temporary 1/4 Sec
80.16	Intersect East boundary of the Township at the corner to Secs. 13 and 24 From which corner Drove West on a true line between Secs. 13 and 24. Var: 13° 20' E
40.08	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.16	The corner to Sections 13. 14. 23 and 24

Land level bottom soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North Between Sec. 13 and 14 Var: 13 20 E.
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
70.00	Leave bottom bears E + W. and enter Upland
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the cor: To Secs. 11. 12. 13 and 14

Fo Cha

Township 3. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 12 and 13 Var: 13 20 E
38.00	Leave upland enter bottom
40.00	Set post for temporary 1/4 Sec: cor.
50.00	Ravine or Dry creek 16 links wide bears South: timber along bank 20 links wide
79.88	Intersect east boundary of Township 22 links North of the corner to Secs. 12 and 13. From which corner Down N.89°57' West on a true line between Secs. 12 and 13 Var: 13°20' E
39.94	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.88	The corner to Secs. 11. 12. 13 & 14

40
80

West part of land on this line broken Soil 2nd rate:
East part very good farming land.

Township 3. N. Range 28. W. 6. P.M.

Chains	North between Sections 11 and 12 Var: 13 20 E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
80.00	Drove a charred stake set post and raised mound of earth from pits as per instructions for the cor: to Secs. 1. 2. 11 and 12

Land high rolling Prairie Soil 2nd rate

Fol

Cha

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 1 and 12
	Var: 13°20' E
40.00	Set post for temporary 1/4 Sec. Cor:
52.00	Ravine or dry creek which bears south with narrow belt of timber along banks of young growth
79.90	Intersect East boundary of Township 15 links North of the corner to Secs. 1 & 12
	From which corner I run N 89°54' West on a true line between Secs. 1 and 12
	Var 13°20' E
39.95	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.90	The corner to Secs. 1, 2, 11 and 12

40
80

Land somewhat broken: Soil 2nd rate: good for grazing stock

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North on a random line between Sections 1 and 2
	Va: 13°20' E
40.00	Set post for temporary 1/4 raised Sec cor:
79.48	Intersect the north boundary of Township 12 links West of the corner to Secs. 1 and 2
	From which corner I run South 0°5' West on a true line between Secs. 1 and 2
	Var: 13°20' E.
39.48	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.48	The corner to Secs. 1, 2, 11 and 12

Land rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 34 & 35 — Var: 13°20' E
40.00	Set a Sandstone 14 x 10 x 7 for a 1/4 Sec. cor:
63.00	Ravine bears N.W.
80.00	Set a Sandstone 14 x 12 x 6 for the corner to Secs. 26. 27. 34 and 35 —
	Land gently rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Secs. 26 and 35 — Var: 13°20' E
30.00	Ravine bears North
40.00	Set post for temporary 1/4 Sec corner:
46.00	Ravine bears N.W. Ledge of sandstone in east side:
79.98	Intersect N and S. line 15 links South of the corner to Secs. 25. 26. 35 and 36 From which corner drum S. 89°54' West on true line between Secs. 26 and 35 — Var: 13°20' E
39.99	Set a Sandstone 10 x 9 x 7 for a 1/4 Sec: cor:
79.98	The corner to Secs. 26. 27. 34 and 35 —
	Land somewhat broken Soil 2nd rate
	August 18th 1871

Township 3 N. Range 28 W. 6th P.M.

Chains	North between Secs. 26 and 27
	Var: 13° 20' E
40.00	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec. cor:
70.00	Ravine bears N.W. with ledge of Sandstone in N.E. side of ravine
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Sections 22. 23. 26 and 27

Land high Prairie: Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	East on a random line between Secs. 23 and 26
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor:
80.00	Intersect N and S. line 10 links North of the corner to Secs. 23. 24. 25 and 26
	From which corner I run No 89° 56' West on true line between Secs. 23 and 26
	Var 13° 20' E
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec cor:
80.00	The corner to Secs. 22. 23. 26 and 27

Land, very rolling: Soil 2nd rate

Fou

Chai

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 22 and 23
	Var: 13° 20' E
5.00	Leave Upland enter bottom bears N.E. & W.
21.80	To the right bank of Republican River where I Drove a charred stake set post and raised mound of Earth from pits as per instructions for a Meander corner to Fractional Sections 22 and 23
34.00	To the Left bank of the Rep. River where I set a post for Meander corner to Fractional Secs. 22 and 23 from which
	A cottonwood tree 5 inch in diam: bears N 48° 25' West 106 lks dist.
	A cottonwood 2 inch's in diam bears N 42° 05' E 153 lks dist.
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a ¼ Sec. Cor:
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the cor to Sections 14. 15. 22 and 23
note	Ascertain distance across River by chaining
	Land level bottom: Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 14 and 23
	Var: 13° 20' E
10.00	Ravine bears South
40.00	Set post for temporary ¼ Sec. cor.
80.04	Intersect N. and S. line 22 links South of the corner to Secs. 13. 14. 23 and 24
	From which corner Drove S. 89° 51' West on a true line between Secs. 14 and 23
	Va 13° 20' E
4.02	Drove charred stake set post and raised mound of earth from pits as per instructions for a ¼ Sec: cor:
80.04	The corner to Sections 14. 15. 22. and 23.
	Land level bottom: Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 14 and 15
	Var: 13°20' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
63.00	Leave bottom bear E & W. & enter upland
80.00	Drove charred stake set post and raise mound of earth from pits as per instructions for the corner to Sections 10. 11. 14. and 15
	Bottom level: Soil 1st rate
	Upland rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on random between Sections 11 and 14
	Var: 13°20' E
30.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec. Cor:
80.10	Intersect N. and S. line 19 links South of the corner to Secs. 11. 12. 13 and 14
	From which corner I run S 89°52' West on a true line between Sections 11 and 14
	Var: 13°20' E
40.05	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
80.10	The corner to Secs. 10. 11. 14 and 15
	Land along this line is broken being near the break of Bluffs
	Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 10 and 11
	Var: 13°20' E
40.00	Drove charred stake set post and raised mound of earth with pits as per instructions for a 1/4 Sec cor:
50.00	Ravine bears S.E. Sandstone along north side of ravine
80.00	Set a Sandstone 10 x 9 x 7 for the corner to Secs. 2.3.10 and 11
	Land. High Prairie: Soil 2nd rate

Township 3 N. Range 28 W. 6 P.M.

Chains	
	East on random line between Sections 2 and 11
	Var: 13°20' E
12.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec. cor.
80.12	Intersect the N. and S. line 15 links North of the cor: to Sections 1.2.11 and 12
	From which corner I run N. 89°54' West on a true line between Secs. 2 and 11
	Var: 13°20' E
40.06	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec cor:
80.12	The corner to Secs. 2.3.10 and 11
	Land high rolling Prairie Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North on random line between Sections 2 and 3
	Var: 13° 20' E
27.00	Ravine bears S.E.
40.00	Set post for temporary ¼ Sec. Cor:
73.00	Ravine bears S.E
79.51	Intersect North boundary of Township 22 links East of the corner to Sections 2 and 3 from which corner I run
	South 0° 9' East on a true line between Secs. 2 and 3
	Var 13° 20' E
39.51	Set a Sandstone 12 x 10 x 7 for for a ¼ Sec. Cor:
79.51	The Cor: to Secs. 2. 3. 10 and 11
	Land broken Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains

Township 3 N. Range 28 W. 6th P.M.

Chains	North between Secs. 33 and 34
	Var 13°20' E
22.00	Ravine bears N.W.
40.00	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 6 for the cor: to Secs. 27, 28, 33 and 34
	Land broken: soil 2nd rate



Township 3 N. Range 28 W. 6th P.M.

Chains	East on a random line between Secs. 27 and 34
	Var: 13°20' E
40.00	Set post for temporary 1/4 Sec: cor:
42.00	Ravine bears N.W. with Sandstone in sides of same
80.08	Intersect N and S. line 15 links north of the corner to Secs. 26, 27, 34 and 35 - From which corner I run N 89°54' West on a true line between Secs. 27 and 34
	Var: 13°20' E
40.04	Set a Sandstone 12 x 12 x 8 for a 1/4 Sec: cor:
80.08	The corner to Secs. 27, 28, 33 and 34
	Land very rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 27 and 28 Var: 13°20' E
40.00	Set a Sandstone 12 x 12 x 7 for a 1/4 Sec. cor:
80.00	Set a Sandstone 14 x 11 x 7 for the corner to Secs. 21, 22, 27 and 28.
	Land. high dividing ridge Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Secs. 22 and 27 Var: 13°20' E
10.00	Ravine bears North
40.00	Set post for temporary 1/4 Sec. cor:
44.00	Ravine bears N.E. with scattering timber along banks
80.10	Intersect the N. and S. line 22 chs South of the corner to Secs. 22, 23, 26 and 27 From which corner I run S 89°51' West on a true line between Secs. 22 and 27 Var 13°20' E
40.05	Set a Sandstone 14 x 12 x 5 for a 1/4 Sec. cor:
80.10	The corner to Secs. 21, 22, 27 and 28
	~~Land.~~ The land on this line is very rough & broken being on the point of the Bluffs The Soil is not average 2nd rate

August 19th 1871

Township 3 N. Range 28. W. 6th P.M.

Chains	North between Sections 21 and 22
	Var: 13° 20' E
2.00	Leave upland enter bottom
25.00	Range bears E & W.
33.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander cor: to Fractional Secs. 21 and 22 On the right bank of the Republican River
40.00	The point for 1/4 Sec cor. falls in River
41.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander, cor to Fractional Secs. 21 and 22 On left bank of the River
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the cor: to Secs. 15. 16. 21 and 22
(Note)	Ascertain the distance across the River by chaining

Land: level bottom: soil 1st rate
A Large body of timber along River in Sec: 22. Cottonwood: ash: & Elm

Township 3 N Range 28. W. 6th P.M.

Chains	East on a random line between Secs. 15 and 22
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor: Some scattering timber N. of line
80.08	Intersect the N and S. line at the Corner to Secs. 14. 15. 22 and 23 From which corner I run West on a true line between Secs. 15 and 22.
	Var: 13° 20' E
40.04	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor.
80.08	The corner to Secs. 15. 16. 21 and 22.

Land: Level bottom: soil 1st rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 15 and 16 Var: 13° 20' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
65.00	Leave bottom bears E & N.W. and enter upland
80.00	Drove charred stake set post and raised mound of earth from pits as per instructions for the corner to Secs. 9, 10, 15 and 16
	Bottom land level: soil 1st rate Upland rolling: Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Secs. 10 and 15 Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor
79.92	Intersect the N and S. line 22 links South of the corner to Secs. 10, 11, 14 and 15 From which corner I run South 89° 51' West on a true line between Secs. 10 and 15 Var: 13° 20' E
39.96	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.92	The corner to Secs. 9, 10, 15 and 16
	Land broken: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 9 and 10
	Var: 13°20' E
40.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for a ¼ Sec. cor:
80.00	Drove charred Stake set post and raised mound of earth from pits as per instructions for the corner to Secs. 3. 4. 9 and 10
	Land. high rolling Prairie Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 3 and 10
	Var: 13°20' E
36.00	Ravine bears S.E.
40.00	Set post for temporary ¼ Sec. cor.
80.20	Intersect the N. and S. line at the corner to Secs. 2. 3. 10 and 11 From which corner I run West on a true line between Secs. 3 and 10
	Var: 13°20' E
40.10	Drove charred stake set post and raised mound of earth from pits as per instructions for a ¼ Sec. cor:
80.20	The corner to Secs. 3. 4. 9 and 10
	Land rolling: Soil 2nd rate

Township 3 N Range 28 W. 6th P.M.

Chains	
	North on a random line between Secs. 3 and 4
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor:
79.60	Intersect the North boundary of the Township 19 links East of the corner to Sec 3 and 4
	From which corner I run South 8' East on a true line between Secs. 3 and 4
	Var: 13° 20' E
39.60	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.60	The corner to Sections 3. 4. 9 and 10.
	Land rolling; Soil 2nd rate

Township 3 N. Range 28. W. 6th P.M.

Chains

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Sections 32 and 33
	Var: 13° 20' E
40.00	Set a Sandstone 12 x 10 x 9 for a ¼ Sec. cor:
45.00	Ravine or dry creek bears N.E.
80.00	Set a Sandstone 14 x 12 x 7 for the corner to Secs. 28. 29. 32 and 33
	Land rolling: Soil 2nd rate:

Township 3 N Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 28 and 33
	Var: 13° 20' E
31.00	Dry creek bears North: scattering timber along banks
40.00	Set post for temporary ¼ Sec: cor:
62.00	Ravine bears N.W.
80.03	Intersect the N. and S. line at the corner to Secs. 27. 28. 33 and 34
	From which corner I run
	West on a true line between Sections 28 and 33
	Var: 13° 20' E
40.01½	Set Sandstone 12 x 12 x 5 for a ¼ Sec: cor:
80.03	The corner to Secs. 28. 29. 32 and 33
	Land rolling Soil 2nd rate

Township 3 N. Range 28 W. of 6th P.M.

Chains	
	North between Secs. 28 and 29
	Var: 13°20' E
40.00	Set a Sandstone 14 x 12 x 5 for a 1/4 Sec: cor:
60.00	Leave Upland and enter bottom (bears N & S)
72.00	Deep ravine bears West.
77.00	Same Ravine bears East
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 20. 21. 28 and 29

Upland rolling: Soil 2nd rate
Bottom level Soil 1st rate

Township 3 N. Range 28 W. 6. P.M.

Chains	
	East on a random line between Secs 21 and 28
	Var 13°20' E
10.00	Ravine bears N.E. some scattering timber on banks
40.00	Set post for temporary 1/4 Sec. Cor:
60.00	Leave bottom bears N. E. & S. W. Enter Upland
79.92	Intersect N and S line 17 lks North of the corner to Secs. 21. 22. 27 and 28
	From which corner I run N. 89°58' West on a true line between Secs. 21 and 28
	Var: 13°20' E
39.96	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. Cor:
79.92	The corner to Secs. 20. 21. 28 and 29.

Land Principally level bottom
Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 20 and 21 Var 13° 20' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
51.40	To the right bank of the Republican river where I drove a charred stake set post and raised mound of Earth from pits as per instructions for a Meander cor: to Fractional sections 20 and 21
61.00	To the left bank of the Republican River where I Marked a cottonwood tree 12 inches in diam: for a (Meander) Cor: to Fractional Secs. 20 and 21. Enter timber (Etc)
80.00	Set a post for the cor to Secs. 16. 17. 20 and 21 From which A leottonwood 18 inches in dia: bears N 38° 35' E. 58 lks Dist A cottonwood 20. in. in dia. bears S. 55° 55' E 70. lks dist A cottonwood 28 inches in dia bears N. 80° 10' W. 105 lks Dist

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Secs. 16 and 21 Var: 13° 20' E
38.00	To Left bank of Republican River Where I set a post for temporary Meander cor: to Fractional Secs. 16 and 21
40.00	Point for 1/4 Sec. cor: falls in River
45.00	To Right bank of Republican River Where I set post for a temporary Meander cor: to fractional Secs. 16 and 21
71.00	To Right bank of Republican River: Where I set post for a temporary Meander corner to fractional Secs. 16 and 21
77.40	To the left bank of the River Where I set post for a temporary Meander corner to fractional Secs. 16 and 21
79.90	Intersect N. and S. line 10 lks North of the corner to Secs. 15. 16. 21 and 22 From which corner I run

(over)

Township 3. N. Range 28 W. 6. P.M.

Chains	
	N 89° 56' West on a true line between Secs. 16 and 21 Var. 13° 20' E
2.50	Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander corner to fractional Secs. 16 and 21 on the left bank of Rep. River
8.90	Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander corner to fractional Secs. 16 and 21 On Right bank of River
34.90	Drove charred stake set post and raised mound of earth from pits as per instructions for a Meander corner to fractional Secs. 16 and 21
39.95	The point for 1/4 Sec. Cor falls in river & could not be established
41.90	Drove a charred stake set post and raised mound of earth from pits as per

Township 3. N. Range 28. W. 6th P.M.

Chains	
	Instructions for a Meander corner to fractional Secs. 16 and 21 On left bank of Republican River.
79.90	The corner to Secs. 16. 17. 20 and 21

August 21st 1871

Gran: The land along this line is level bottom: the soil 1st rate:

All of the N W 1/4 of Sec 21 lying North of the River is covered with cottonwood timber

The S.W. 1/4 of Sec 16 as far North as the Red Willow is also covered with cottonwood timber of large growth

A Settlers claim on the S.W. 1/4 of Sec 16 Also on the N.W. 1/4 of Sec 21: And the S.E. 1/4 of Sec 17.

Timber principally cottonwood with a very little Ash:

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 16 and 17 Var: 13° 20' E
5.80	To a Slough of the Rep-River bears E. is 20 links wide Water 10 inches deep
6.70	To a cottonwood tree 18 inch in dia
21.33	To A Willow tree 10 in-in dia Where I leave timber bears N 10° E and S 10° West.
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a ¼ Sec. Cor: Note: A Plum Grove 10 ch's East of the line at this pt
46.50	Red Willow bears S.E.
52.00	Water about 4 feet deep 25 links wide bank very high + muddy
52.00	Same creek bears S.W. where I enter Plum grove
54.20	Same creek 25 lks wide bears S.E where I leave Plum Grove bears N + S. in bend of creek Some scattering timber on the banks of creek. Ash + Elm

Township 3. N. Range 28. W. 6th P.M.

Chains	
	continued
80.00	Drove a charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sections 8, 9, 16 and 17
	Land: Level bottom soil 1st rate
	Timber Cottonwood Ash Elm Box alder + Willow
	Under Growth Plum + young willow

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Secs. 9 and 16 Var: 13° 20' E
22.00	Leave bottom bears S.E. & N.W. and enter Upland
40.00	Set post for temporary 1/4 Sec Cor.
73.00	Ravine bears South
80.15	Intersect A. and S. line 17 links North of the corner to Secs. 9, 10, 15 and 16 From which corner Drum N 89°53' West on a true line between Secs. 9 and 16 Var 13° 20' E
40 07½	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec Cor:
80 15	The corner to Sections 8, 9, 16 and 17
	Land rolling Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 8 and 9 Var 13° 20' E
23.50	Leave bottom bears S.E. & N.W. and Enter Upland
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: Cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Secs. 4, 5, 8 and 9
	Bottom land level: soil 1st rate
	Upland Gently Rolling Soil good 2nd rate

Township 3 N. Range 28 W. 6th P.M.

chains	
	East on a random line between Secs. 4 and 9
	Var: 13° 20' E
34.00	Ravine bears S.E.
40.00	Set post for temporary 1/4 Sec: cor:
80.04	Intersect S and S line 15 links South of the cor: to Secs. 3. 4. 9 and 10
	From which cor I run
	S. 89° 54' West on a true line between Secs. 4 and 9
	Var: 13° 20' E
40.02	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.04	The corner to Secs. 4. 5. 8. and 9
	Land: Gently rolling: Soil 2nd rate but good: nearly 1st rate

Township 3 N. Range 28 W. 6th P.M.

chains	
	North on a random line between Secs. 4 and 5
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor.
79.72	Intersect the North boundary of Township 24 links East of the corner to Secs. 4 & 5
	From which corner I run South 10' East on a true line between Secs. 4 and 5
	Var 13° 20' E
39.72	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. corner
79.72	The corner to Secs. 4. 5. 8 and 9
	Land rolling soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 31 and 32
	Var: 13° 20' E
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the corner to Sec 29, 30, 31 and 32
	Land high rolling Prairie Soil good 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Secs. 29 and 32
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.12	Intersect the N and S line 22 links South of the corner to Secs. 28, 29, 32 and 33 From which corner I run S 89° 51' West on a true line between Secs. 29 and 32
	Var 13° 20' E
40.06	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec Cor:
80.12	The corner to Secs. 29, 30, 31 and 32
	Land rolling: Soil good 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	West on a random line between Sections 30 and 31 Var: 13° 20' E
25.00	Leave upland, enter bottom bears N. E. & West
28.00	Ravine bears N. W. some timber N. E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.40	Intersect the West boundary of Township 15 links South of the corner to Secs. 30 and 31 From which corner I run S 89° 54' East on true line between Secs. 30 and 31 Var: 13° 20' E
39.40	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Section corner
79.40	The corner to Sections 29. 30. 31 and 32

Upland broken: Soil 2nd rate:
Bottom level: Soil 1st rate
Some scattering timber along ravine in Sec 29.

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 29 and 30 Var: 13° 20' E
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 sec. cor:
46.00	Leave upland enter bottom bears N. E & S. W.: some scattering timber in bottom to the left of this line
80.00	Drove charred stake set post and raised Mound of Earth from pits as per instructions for the corner to Secs. 19. 20. 29 and 30

Upland rolling: Soil 2nd rate
Bottom level: Soil 1st rate

August 22nd A.D. 1871

Township 3 N. Range 28 W. 6th P.M.

Chains	
	East on a random between Secs. 20 and 29
	Var 13°20' E
40.00	Set post for temporary 1/4 sec corner
80.10	Intersect the N and S. line 24 links South of the corner to Sections 20. 21. 28 and 29
	From which corner I run S 89°50' West on a true line between Secs. 20 and 29
	Var 13°20' E
40.05	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.10	The corner to Secs. 19. 20. 29 and 30.
	Land level: Soil 1st rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	West on a random line between Secs. 19 and 30
3.00	R Var 13°20' E
3.00	Ravine bears N. E.
	at 20.00 chs short bend of River 50 links north of line
25.00	Enter timber bears N.W. & extends 1.00 ch south of line
40.00	Set post for temporary a 1/4 Sec corner
79.50	Intersect the West boundary of Township 15 links North of the corner to Secs. 19 and 30
	From which corner I run N 89°54' East on true line between Secs. 19 and 30
	Var 13°20' E
39.50	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.50	The corner to Secs. 19. 20. 29 and 30
	Land level: soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 19 and 20 Var: 13° 20' E
5.00	Ravine bears N.E. Some timber along banks
12.70	To Right bank of Rep. River where I drove charred stake set post and raised Mound of earth from pits as per instructions for a Meander cor: to Fractional Sections 19 and 20
20.20	To left bank of River where I drove charred stake set post and raised mound of earth from pits as per instructions for a Meander cor. to Fractional sections 19 and 20
40.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for 1/4 sec. cor:
80.00	Drove charred stake set post and raised Mound of earth from pits as per instructions for the cor to Secs. 17. 18. 19 and 20
Note	Settlers Claim on S.W. 1/4 of Sec 19. Land level Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Sections 17 and 20 Var 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
65.00	Slough of Rep-River water 25 links wide 12 inches deep bears N.E where I enter scattering timber
80.08	Intersect the N and S line 17 links South of the corner to Sections 16. 17. 20 and 21 From which corner I run S 89° 53' West on true line between Secs 17 and 20 Var 13° 20' E
40.04	Drove charred stake set post and raised Mound of earth from pits as per instructions for a 1/4 Sec. cor:
80.08	The corner to Secs. 17. 18. 19 and 20
	Land level: Soil 1st rate

Township 3. N: Range 28. W. 6th P.M.

Chains	
	West on a random line between Sections 18 and 19 Var 13° 20' E
40.00	Set a post for temporary 1/4 sec: cor:
43.00	Ravine bears S.E
50.00	Leave ~~bottom~~ bottom bears N.E & S.W.
79.52	Intersect the West boundary of the Township 10 links ~~South~~ of the corner to Secs. 18 and 19 From which corner I run S. 89° 56' East on a true line between Sections 18 and 19 Va 13° 20' E
39.52	Drove a charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.52	The corners to Sections 17. 18. 19 and 20

Bottom land level Soil 1st rate
Upland rolling: Soil 2nd rate

Township 3. N Range 28. W. 6th P.M.

Chains	
	North between Secs. 17 and 18 Var: 13° 20' E
40.00	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor: At foot of Bluffs where I enter upland - the bottom bears N.E. & S.W.
80.00	Drove charred stake set post and raise mound of earth from pits as per instructions for the corner to Secs. 7. 8. 17 and 18

Bottom land level: Soil 1st rate
Upland gently rolling
Soil good 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 8 and 17 Var 13° 20' E
33.00	Leave Upland: enter bottom bears N. & S. W.
40.00	Set post for temporary 1/4 sec: cor:
58.00	To Red Willow bears S.E. water 2½ feet deep 25 links wide banks high and muddy: scattering timber on banks
79.92	Intersect st and S. line 24 South of the corner to Secs. 8. 9. 16 and 17. From which corner I run S. 89° 50' West on true line between Secs. 8 and 17 Var 13° 20' E
39.96	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec: cor:
79.92	The corner to Secs. 7. 8. 17 and 18

Upland rolling: Soil 2nd rate
Bottom level: Soil 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	West on a random line between Sections 7 and 18 Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec cor:
79.42	Intersect West boundary of Township 16 links North of the Corner to Secs. 7 and 18 From which cor: I run N. 89° 53' East on true line between Secs. 7 and 18 Var 13° 20' E
39.42	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor:
79.42	The corner to Secs. 7. 8. 17. and 18

Land rolling: soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 7 and 8 Va 13°20' E
40.00	Drove charred stake set post and raised mound of earth from pits. as per instructions for a 1/4 Secs cors
80.00	Drove charred stake set post and raised mound of earth from pits. as per instructions for the corner to Secs 5. 6. 7. and 8
	Land rolling Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Secs 5 and 8 Var: 13°20' E
10.00	Leave upland enter creek bottom bears S.E. & N.W.
21.20	To Red Willow bears S.E. water 20 links wide 3 feet deep with narrow belt of timber on each bank about 50 lks wide
33.00	Leave creek bottom bears S.E. & N.W. enter upland
40.00	Set post for temporary 1/4 Sec. cor:
79.80	Intersect 2nd S. line 24 lks North of the corner to Sec 4. 5. 8 and 9 From which corner Drum N 89°50' West on true line between Sections 5 and 8 Va 13°20' E
39.90	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec cor:
79.80	The corner to Sec 5. 6. 7 and 8
(note)	Land: rolling: Soil on upland 2nd rate Bottom 1st rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	West on random line between Sections 6 and 7
	Var: 13° 20' E
40.00	Set post for temporary 1/4 Sec. cor.
79.30	Intersect West boundary of Township 20 links South of the corner to Secs. 6 and 7 From which corner I run S 89° 57' East on true line between Secs. 6 and 7
	Var: 13° 20' E
39.30	Drove a charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec cor.
79.30	The corner to Secs. 5. 6. 7 and 8

Land rolling: Soil 2nd rate

Township 3. N. Range 28. W. 6th P.M.

Chains	
	North on a random line between Secs. 5 and 6
	Var 13° 20' E
15.00	Leave upland: enter creek Bottom bears S.E. & N.W.
28.00	Red Willow 20 lks wide runs S.E. Bunks high: Some scattering timber on banks
40.00	Set post for temporary 1/4 Sec: cor: at foot of bluffs where I leave bottom: enter upland
79.70	Intersect the North boundary of Township 15 lks East of the corner to Secs. 5 and 6 from which corner I run South 0.6' East on a true line between Sections 5 and 6
	Var: 13° 20' E
39.70	Drove charred stake set post and raised mound of earth from pits as per instructions for a 1/4 Sec. cor.
79.70	The corner to Sec 5. 6. 7 and 8
	August 23d. 1871

Land high gently rolling: Soil 2nd rate

Township 3 N. Range 28 W. 6th P.M.

Meanders of the right bank of the Republican River through the Township

Begin at the corner to fractional Sections 19 and 24 in the West Boundary of the Township and on the right or S.E. Bank of the river and run thence down stream with the Meanders of the right bank of said river in fractional Section 19 as follows

Var: 13° 20' E

Stations	Causes	Distances	Remarks
1	N. 77¼ E	5.00	
2	N 30° E	5.00	
3	N ~~8°~~ 2° E	29.~~00~~ 5	
4	N. 4° E	6.40	
5	N 46° E	10.00	
6	Cash	13.10	
7	S. 31¾ E	13.00	
8	S 10° E	11.00	Settlers claim on S.W. 1/4 of
9	S 15½ E	11.20	Section 19
10	S. 46° E	18.30	
11	S 70° E	9.70	

Township 3 N. Range 28 W. 6th P.M.

Stations	Causes	Distances	Remarks
12	N. ~~59~~ 60½ E	20.00	
13	N 37° E	2.70 2	To meander cor to fractional Secs. 19 and 20 Land in fractional Sec 19 high rich bottom Thence in Sec. 20
1	N 56° E	18.00	
2	N 70° E	26.00	At 25 chains crop ravine 50 lks wide
3	N 23¾ E	33.50	
4	N 67° E	13.00	Timber in bend of river along
5	S. 51° E	10.00	these courses
6	S 37° E	12.30 3	To Meander cor. to fractional Secs. 20 and 21 Thence in Sec. 21
1	S. 63° E	16.20	
2	N 58° E	14.50	
3	N 28¾ E	21.30	
4	N 39¾ E	12.50 4	To Meander cor. to fractional Secs. 16 and 21 Thence in Sec. 16
1	N. 67¾ E	14.00	
2	S. 67¾ E	14.00 5	To Meander cor. to fractional Secs. 16 and 21

Thence in Sec. 21 (over)

Township 3. N. Range 28. W. 6th P.M.

Stations	Causes	Distances	Remarks
1	S 3½° E	38.40	
2	S 36¾° E	10.90 6	To Meander corner to fractional Sec 21 & 22 At 8.00 Chs. on this course cross Outlet of ravine 30 lks wide
			Thence in Sec. 22
1	N. 86½° E	7.30	
2	N. 74¼° E	14.30	
3	N. 24½° E	25.50	At 2.00 chs Enter timber bears S.E.
4	N 41¾° E	12.30	
5	N 67° E	10.00	
6	S 67° E	13.00	
7	S. 29° E	12.00	
8	S 1½° E	17.00	
9	S 19½° E	17.60	Leave timber at this point, bears South 10.00 chs thence N.W.
10	S. 69° E	7.30	To Meander cor. to fractional Sec. 22 and 23
			Thence in Sec. 23
1	N 74° E	12.30	
2	N 29¾° E	45.00	
3	N 52° E	11.00	Here Enter timber bears East
4	N. 76° E	7.00	
5	S. 76½° E	8.00	
6	S. 66° E	9.00	

Township 3. N. Range 28. W. 6th P.M.

Stations	Causes	Distances	Remarks
7	S 46° E	9.00	Here I leave timber bears West.
8	S. 29° E	16.30 8	To Meander corner to fractional Sections 23 and 24
			Thence in Sec. 24
1	S. 13° E	10.00	
2	S. 47° E	7.00	Some scattering timber bears E. & W. along river
3	N 85° E	12.00	along foot of Bluffs
4	N 64½° E	36.50	Along foot of Bluffs
5	N 74½° E	17.00	" " " "
6	N 62½° E	13.00 9	To Meander corner to fractional Sec. 19 and 24 in East Boundary of Township

August 24th A.D. 1871

Township 3. N. Range 28. W. 6th P.M.

Meanders of the left bank of the Republican River through the Township

Begin at the corner to fractions Sections 19 and 24 on the Range line 13.60 chains South of the corner to Sections 13 and 24 and on the left and north bank of said river and run thence upstream with the Meanders of the left bank of said river as follows

Var: 13° 20' E

Stations	Causes	Distances	Remarks
1	S 66¼ W	15.00	Some scattering timber along the 3 first courses
2	S 71° W	15.00	
3	S 66½ W	39.00	
4	West	7.10	
5	N 22¼ W	24.60	To Meander corner to fractional Sections 23 and 24 Thence in Section 23.
1	N 45½ W	14.00	
2	N 62¾ W	9.00	
3	N 78¾ W	13.00	

Township 3. N. Range 28. W. 6th P.M.

Stations	Causes	Distances	Remarks
4	S 81° W	7.00	At 2.00 chs mouth of deep Ravine 80 lks wide
5	S 58° W	11.50	
6	S 41° W	10.00	
7	S 32½° W	39.00	
8	N 63¼ W	6.00	To Meander corner to fractional Sections 22 and 23 Thence in Sec. 22
1	N 24° W	12.00	
2	North	15.40	
3	N 30½ W	14.00	
4	N 68° W	19.00	
5	West	4.80	
6	S 69° W	11.00	Here I enter timber
7	S 43° W	13.00	
8	S 28½° W	24.00	
9	S 72° W	10.00	[illegible] timber
10	West	7.50	To Meander corner to fractional Secs. 21 and 22 Thence in Sec. 21
1	N 10¼ W	14.20	
2	North	25.00	To Meander corner to fractional Secs. 16 and 21 Thence in Section 16

(over)

Township 3. N. Range 28. W. 6th P.M.

Stations	Causes	Distances	Remarks
1	N. 25° 4' W.	6.00	
2	N. 67° W.	18.00	
3	S. 68½° W	15.50	
4	S. 41½° W.	9.00 15	To Meander corner to fractional Sections 16 and 21 At 2.00 chains on last course I cross the Mouth of the Red Willow — 50 lks wide Thence in Section 21
1	S 41½° W.	8.50	
2	S 38½° W.	18.50	
3	S. 54° W.	11.00	
4	N 70° W.	10.00	
5	N 36° W.	8.00 16	To Meander corner to fractional Sections 20 and 21 Thence in Sec. 20
1	N 36° W.	12.60	
2	N 50° W	8.00	At 7.00 on this course cross Slough of Rep. River bears N & Water 50 links wide 12 inches deep
3	S 79° W	11.00	
4	S 66° W	5.00	
5	S 46° W.	5.50	
6	S 24½° W.	33.50	
7	S 71° W.	18.00	

Township 3. N. Range 28. W. 6th P.M.

Stations	Causes	Distances	Remarks
8	S 54° W	20.00 17	To Meander cors to fractional Sections 19 and 20 Thence in Sec. 19
1	S 54½° W	18.00	
2	S 68° W	5.00	
3	N 73½° W	5.00	
4	N 46½° W.	14.50	
5	N 14½° W	10.00	
6	N 4½° W	13.00	
7	N 33° W	18.00	Small Willow Island in river
8	West	16.00	
9	S 71¼° W.	10.00	
10	S 29° W.	12.00	
11	~~South~~ S 1½° W.	36.00 18	To Meander corner to fractional Sections 19 and 24 in west boundary of the Township "Note" The last course runs along a low willow bottom: the Meander corner should have been set at the ¼ Section corner: The land South west of this

Township 3 N. Range 28 W. 6th P.M.

Point is subject to inundation with one foot rise of water in the river

August 25th A.D. 1871

General Description

The land in this Township is better than the land will average along the river

The bottoms are high with rich soil.

Surface of the Prairie is covered with blue stem grass.

There are several large bodies of good timber along the river. The water in the river at usual stage is about 2 feet deep current rapid. bed of same sandy

The only creek worthy of note in this Township is that known as Red Willow bearing S.E. from Section 6 (6) Six where

Description continued

it enters this Township and empties into the Republican River in the south part of Sec. 16. There is a belt of timber along its banks which are very high affording good facilities for mill purposes

That portion of this Township lying south of Rep. River is broken by deep ravines with several quarries of Lime and sandstone

Near the S.W. corner of the Township is one of the finest quarries of Magnesia lime stone that I have ever seen.

The land north of the river being more level is better adapted to cultivation. there is quite a body of timber along a dry creek or ravine in Sections one (1) and twelve (12)

Township 3. N. R. 28. W 6th PM

A list of the names of the individuals who assisted in running Measuring and Marking the Subdivision and Meander lines and corners of the foregoing Field Notes of Township No (3) Three North of Range (28) Twenty Eight West of the 6th Principal Meridian

Wm L. Wells } Chainman
Emmet H Sprague }
Frank L. Mather } axeman & Monumentman
William E. Randall Flagman
Geo W Fairfield Compassman

We hereby certify that we assisted George W. Fairfield Deputy Surveyor in Subdividing and Surveying Township No 3 North of the Base line of Range No 28 West of the 6 principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and that the Boundary and Meander Monuments planted according to the instructions of the Surveyor General

Wm L. Wells Chainman
E H Sprague Chainman
Frank L Mather } axeman and Monumentman
William E Randall Flagman

Subscribed and sworn to by the above named persons, before me a Notary Public within and for the County of Cass in the State of Nebraska

This 27th day of October A.D. 1871

Lloyd D. Burnett
Notary Public
Cass Co Nebraska

I George W. Fairfield do Solemnly Swear that in pursuance of a Contract No 48. Wherein George W. Fairfield is Contractor with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa bearing date the 17th day of June A.D. 1871.
I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township No (3) three North of the Base line of Range (28) twenty eight West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been

Surveyed and Meandered under my direction. and I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

George W Fairfield
Deputy Surveyor

Subscribed by the said George W. Fairfield Dept Surveyor and sworn to before me a Notary Public within and for the County of Cass in the State of Nebraska this 27th day of October A.D. 1871

Lloyd D Burnett
Notary Public
Cass Co Neb

Survey commenced on August 18th A.D. 1871 and completed August 25th 1871

Surveyor Generals Office
Plattsmouth, Decr 16th 1871.

The foregoing field notes of the survey of the Subdivision lines and Meanders of Township No 3 North Base line of Range 28 West 6th P.M. in the State of Nebraska. Executed by George W. Fairfield under contract No 48. dated June 17th 1871. in the Month of August 1871. having been critically Examined the necessary corrections and Explanations made the said field notes and the surveys thereby described are hereby approved

E. E. Cunningham
Surveyor General

T 4 N., R 28 W

6	65	5	48	4	36	3	24	2	13	1
64		63		47		35		23		12
7	62	8	46	9	34	10	22	11	11	12
61		60		45		33		21		10
18	59	17	44	16	32	15	20	14	9	13
58		57		43		31		19		8
19	56	20	42	21	30	22	18	23	7	24
55		54		41		29		17		6
30	53	29	40	28	28	27	16	26	5	25
52		51		39		27		15		4
31	50	32	38	33	26	34	14	35	3	36

4
80

Field Notes
of the
Survey and Subdivision
of
Township No. 4 North of the
Base line of Range No 28, West
of
the 6th P.M. in the State of Nebraska
Executed
By George W. Fairfield
Deputy Surveyor

Survey
Commenced Aug 26th A.D. 1871
Completed Aug 31st A.D. 1871

List of Names

A list of the names and duties of assistants employed to assist in Subdividing this Township

Wm L. Wells: Chainman
Emmett A Sprague: Chainman
Frank L. Walker { axeman and Marksman
Wm E. Randall Flagman
~~George W. Fairfield Compassman~~

Township 4. N. Range 28. W. 6th P.M.

Chains	
	To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 3. and 4. North Range 27 and 28 W. 6th P.M. and run:
	North on a blank line along the East boundary of Section No 36
	Var: 13° 20' E
40.05	To a point 5 links East of the ~~cor~~ 1/4 Sec: cor:
80.10	To a point 12 links E of the corner to Sections 25 and 36
	To retrace this line or run parallel thereto My compass must be adjusted to a Var: of 13° 25' E
	Survey commenced

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 35 and 36
	Var: 13° 25 E
40.00	Set a Sandstone 10 x 8 x 7 for a 1/4 Sec cor
45.00	Ravine bears S.E.
63.00	Same Ravine bears S.W.
	Sandstone in sides of this ravine
80.00	Set a Sandstone 12 x 11 x 9 for the corner to Sections 25. 26. 35 and 36
	Land Broken Soil 1st rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 25 and 36 Va 13° 25' E
10.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec. C
80.04	Intersect the East boundary of the Township at the cor to Sections 25 and 36 From which cor I run West on a true line between Sections 25 and 36 Var 13° 25' E
40.02	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec cor.
80.04	The corner to Sections 25. 26. 35 and 36
	Land rolling soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec: 25 & 26 Var: 13° 25' E
40.00	Set a Sandstone 12 x 10 x 8 for a 1/4 Sec: cor:
50.00	Ravine bears S.E.
80.00	Set a Sandstone 14 x 12 x 6 for the corner to Sections 23. 24. 25 and 26
	Land somewhat broken Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 24 and 25 Var: 13°25' E
40.00	Set post for temporary 1/4 Sec Cor
80.00	Intersect the East Boundary of the Township 5 links south of the corner to Sec 24 and 25 From which cor I run S. 89°58' West on a true line between Sections 24 and 25 Var: 13°25' E
40.00	Set a Sandstone 12x9x7 for a 1/4 Sec: cor:
80.00	The corner to Sec 23. 24. 25 and 26

Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 23 and 24 Var: 13°25' E
40.00	Set Sandstone 12x12x5 for a 1/4 Sec: cor:
80.00	Set Sandstone 14x12x6 for the corner to Sec 13. 14. 23 & 24

Land highland rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 13 and 24. Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.10	Intersect East boundary of Township at the corner to Sec. 13 and 24 From which cor: I run West on a true between Sec 13 & 24 Var 13° 25' E
40.05	Set a Sandstone 12 x 10 x 6 for a 1/4 Sec. cor:
80.10	The corner to Sec 13. 14. 23 & 24
	Land high and rolling. Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec. 13 and 14 Var: 13° 25' E
40.00	Set a Sandstone 12 x 12 x 7 for a 1/4 Sec cor:
80.00	Set Sandstone 14 x 12 x 5 for the corner to Sections 11. 12. 13 and 14
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 12 and 13
	Var: 13°25' E
40.00	Set post for temporary 1/4 Sec: Cor:
60.00	Ravine bears S.E.
80.16	Intersect the East Boundary of Township 15 links South of the corner to Sections 12 and 13 From which corner I run S. 89°54' West on true line between Sections 12 and 13
	Var: 13°21'5" E
40.08	Set a Sandstone 12 x 9 x 7 for a 1/4 Sec: cor:
80.16	The corner to Sections 11. 12. 13. and 14
	Land high and rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 11 and 12
	Var: 13°25' E
40.00	Set a Sandstone 13 x 9 x 7 for a 1/4 Sec: cor:
80.00	Set a Sandstone 15 x 12 x 5 for the corner to Sections 1. 2. 11 and 12
	Land Rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 1 and 12
	Var: 13°25' E
23.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec. Cor:
80.08	Intersect the East Boundary of Township 12 links North of the corner to Sections 1 and 12
	From which corner I run
	N 89°55' West on a true line between Sections 1 and 12
	Var: 13°25' E
40.04	Set a Sandstone 12 x 10 x 7 for a 1/4 Sec. Cor:
80.08	The corner to Sections 1, 2, 11 and 12

Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North on a true line between Sections 1 and 2
	Var: 13°25' E
40.00	Set a Sandstone 12 x 9 x 7 for a 1/4 Sec. Cor:
78.70	Intersect 1st Standard parallel N. and Set a Sandstone 13 x 9 x 7 for a closing cor: to Sections 1 and 2 on the 1st Standard Parallel N.
	7.40 Chains West of Standard Cor to Township No 5 North Ranges 27 and 28 West of 6th P.M.

Land high and rolling Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	
	North between Sec 34 and 35
	Var: 13°25' E
40.00	Set a Sandstone 12 x 10 x 8 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 6 for the cor: to Sec 26. 27. 34. and 35
	Land rolling. Soil 2nd rate
	Aug 26th A.D. 1871

Township 4 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Sections 26 and 35
	Var: 13°25' E
40.00	Set post for temporary 1/4 Sec. cor.
79.95	Intersect N. and S. line 10 links North of the corner to Sections 25. 26. 35. and 36
	From which cor: I run N. 89°56' West on a true line between Sec: 26 and 35
	Var: 13°25' E
39.97½	Set a Sand Stone 12 x 9 x 7 for a 1/4 Sec: cor:
79.95	The corner to Sec 26. 27. 34 and 35.
	Land rolling Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	North between Sec. 26 and 27 Var: 13° 25' E
40.00	Set a Sandstone 15 x 7 x 5 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 9 x 7 for the corner to Sec: 22. 23. 26 & 27
	Land rolling. Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	East on random line between Sections 23 and 26 Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. cor:
67.00	Deep Ravine bears S.E. with ledge of Sandstone in sides of Ravine.
79.92	Intersect the N and S line 15 lks North of the corner to Sec 23. 24. 25 and 26: From which corner I run N. 89° 54' West on a true line between Sections 23 and 26 Var: 13° 25' E
39.96	Set a Sandstone 14 x 10 x 6 for a 1/4 Sec. cor.
79.92	The corner to Sections 22. 23. 26 and 27
	Land rolling. Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 22 and 23 Var: 13°25' E
40.00	Set a Sandstone 14 x 10 x 6 for a 1/4 Sec. cor:
65.00	Ravine bears S.E. with ledge of Sandstone in sides
80.00	Set a Sandstone 14 x 12 x 7 for the corner to Sec: 14, 15, 22 and 23

Land rolling. Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Sections 14 and 23 Var: 13°25' E
40.00	Set post for temporary 1/4 Sec cor
79.82	Intersect N and S. line 17 links North of the cor. to Sec 13, 14 23 and 24 From which corner I run N 89°53' West on a true line between Sec 14 and 23 Var 13°25' E
39.91	Set a Sandstone 15 x 9 x 5 for a 1/4 Sec: cor:
79.82	The corner to Sec 14, 15, 22 and 23

Land rolling: Soil 2nd rate
N.W. 1/4 of Sec 23 broken.

Township 4 N. Range 28 W. 6th P.M.

Chains	North between Sec. 14 and 15
	Var: 13° 25' E
40.00	Set a Sandstone 14 x 10 x 5 for the 1/4 Sec: cor:
80.00	Set a Sandstone 15 x 12 x 7 for the corner to Sec 10, 11, 14 and 15
	Land rolling soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	East on a random line between Sections 11 and 14
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. cor.
79.73	Intersect the N and S line at the corner to Sections 11, 12, 13 and 14
	From which cor: I run
	West on a true line between Sections 11 and 14
	Var: 13° 25' E
39.86½	Set a Sandstone 14 x 9 x 5 for a 1/4 Sec: cor:
79.73	The cor: to Sec 10, 11, 14 and 15
	Land rolling: Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	North between Sec. 10 and 11
	Var: 13° 25' E
32.00	Ravine bears South West
40.00	Set a Sandstone 14 x 12 x 7 for a 1/4 Sec: cor:
80.00	Set Sandstone 15 x 12 x 5 for the Cor: to Sec: 2. 3. 10 and 11
	Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Sections 2 and 11
	Var: 13° 25' E
35.00	Ravine bears S.W.
40.00	Set post for temporary 1/4 Sec. cor.
79.82	Intersect the N and S. line 20 links South of the cor corner to Sections 1. 2. 11. and 12
	From which cor: I run S 89° 5' 1" West on a true line between Sec: 2 and 11
	Var 13° 25' E
39.91	Set a Sandstone 14 x 12 x 4 for a 1/4 Sec. cor:
79.82	The cor: to Sections 2. 3. 10 and 11
	Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6. P.M.

Chains	
	North on a true line between Sections 2 and 3
	Var: 13° 25' E
40.00	Set a Sandstone 14 x 12 x 8 for 1/4 Sec. cor.
78.64	Intersected the standard parallel N. and Set a Sandstone 14 x 12 x 9 for the closing corner to Secs. 2 and 3 on the 1st ~~Standard Parallel~~ 7.53 chs W of the 6th ~~Standard~~ the Corner ~~on the South Boundary~~ of Secs. 35 & 36 T 5 N R 28 W
	Land High rolling Prairie Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains

Township 4. N. Range 28 W. 6th P.M.

Chains	North between Sec 33 and 34 Var: 13° 25' E
40.00	Set Sandstone 14 x 10 x 4 for a 1/4 Sec: cor:
80.00	Set a Sandstone 15 x 12 x 5 for the corner to Sec. 27. 28. 33 and 34
	Land Rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	East on a random line between Sections 27 and 34 Var: 13° 25' E
10.00	Ravine bear S.E.
40.00	Set post for temporary 1/4 Sect cor:
80.10	Intersect the N and S. line at the cor to Sections 26. 27. 34 and 35 From which cor: I run West on a true line between Sections 27 and 34 Var: 13° 25' E
40.05	Set a Sandstone 14 x 12 x 6 for a 1/4 Sec: cor:
80.10	The cor: to Sec 27. 28. 33 and 34
	Land rolling: Soil 2nd rate
	Aug. 28th A.D. 1871

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec 27 and 28 Var: 13° 25' E
15.00	Ravine bears S.E.
40.00	Set a Sandstone 13 x 9 x 7 for a 1/4 Sec: cor:
50.00	Ravine bears S.W.
80.00	Set a Sandstone 15 x 10 x 7 for the corner to Sec: 21. 22. 27 and 28
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6. P.M.

Chains	
	East on a random line between Sections 22 and 27 Var: 13° 25' E
40.00	Set a post for temporary 1/4 Sec: cor:
80.12	Intersect the N. and S. line 24 links South of the corner to Secs 22, 23. 26 and 27 From which cor: I run S. 89° 50' West on a true line between Sections 22 and 27 Var: 13° 25' E
40.06	Set a Sandstone 12 x 10 x 9 for a 1/4 Sec: cor:
80.12	The cor: to Sec: 21. 22. 27 and 28
	Land rolling soil 2d rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	North between Sec 21 and 22
	Var: 13° 25' E
40.00	Set a Sandstone 14 x 12 x 7 for a 1/4 Sec: cor:
80.00	Set Sandstone 16 x 14 x 4 for the corner to Secs. 15. 16. 21 and 22.
	Land. High rolling Prairie Soil 2nd rate

Township 4. N. Range 28. W. 6. P.M.

Chains	
	East on a random line between Sections 15 and 22
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec Cor.
71.00	Ravine bears S.E. Ledge of Sandstone Rock in this ravine
80.15	Intersect the N and S line 15 lks South of the cor: to Sections 14. 15. 22 and 23
	From which cor I run
	S. 89° 54' West on a true line between Sections 15 and 22
	Var: 13° 25' E
40.07½	Set a Sandstone 15 x 10 x 5 for a 1/4 Sec: cor:
80.15	The corner to Sections 15. 16. 21 and 22.
	Land high rolling Prairie Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	North between Sec 15 and 16
	Var: 13°25' E
40.00	Set a Sandstone 14 x 12 x 7 for a 1/4 Sec: cor:
55.00	Ravine bears S.E. Ledge of Sandstone
80.00	Set a Sandstone 16 x 9 x 7 for the corner to Secs. 9. 10. 15 and 16

Land somewhat broken
Soil 2nd rate

Township 4. N Range 28. W. 6th P.M.

Chains	East on a random line between Sections 10 and 15
	Var: 13°25' E
40.00	Set post for temporary 1/4 Sec: cor:
70.00	Ravine bears South
80.22	Intersect N and S. line 8 links South of the cor to Secs 10. 11. 14. & 15 From which cor: I run S. 89°5' West on true line between Secs. 10 and 15
	Var: 13°25' E
40.11	Set a Sandstone 20 x 15 x 7 for a 1/4 Sec cor:
80.22	The cor: to Secs. 9. 10. 15. and 16

Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sec. 9 and 10 Var: 13° 25' E
40.00	Set a Sandstone 14 x 10 x 5 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 4 for the cor. to Secs 3. 4. 9 and 10
	Land rolling Prairie Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Sections 3 and 10 Var: 13° 25' E
40.00	Set a post for temporary 1/4 Sec. cor.
57.00	Ravine bears South
80.30	Intersect N. and S. line 22 links North of the corner to Sections 2. 3. 10 and 11 From which corner I run N. 89° 51' West on a true line between Secs. 3 and 10 Var: 13° 25' E
40.15	Set a Sandstone 14 x 12 x 5 for a 1/4 Sec. cor:
80.30	The cor: to Secs. 3. 4. 9 and 10
	Land rolling: Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains

North on a true line between Sec. 3 and 4
Var: 13° 25' E

40.00 Set a Sandstone 12 x 12 x 5 for a 1/4 Sec. Cor.

78.48 Intersect 1st standard parallel N. and Set Sandstone 14 x 12 x 4 for closing corner. to Secs. 3 and 4 ~~on the 1st Standard Parallel~~ 7 chs and 32 lks West of the ~~Standard Cor: on the South boundary~~ Corner to of Secs. 34 and 35 Township 5 North Range 28 W

Land gently rolling:
Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains

Township 4. N. Range 28 W. 6th P.M.

Chains	
	North between Secs 32 and 33 Var: 13° 25' E
40.00	Set a Sandstone 12 x 9 x 7 for 1/4 Sec: Cor:
80.00	Set a Sandstone 14 x 10 x 4 for the Cor: to Secs. 28, 29, 32 and 33
	Land high rolling Prairie Soil 2nd rate

Township 4. N. Range 28 W. 6. P.M.

Chains	
	East on random line between Secs. 28 and 33 Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. cor.
79.80	Intersect the N. and S. line 12 lks South of the corner to Sections 27, 28, 33 and 34 From which corner I run S 89° 55' West on a true line between Secs. 28 and 33 Var: 13° 25' E
39.90	Set a Sandstone 14 x 9 x 7 for a 1/4 Sec. Cor:
79.80	The Cor: to Secs. 28, 29, 32 & 33
	Land rolling; Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Sections 28 and 29
	Var: 13° 25' E
40.00	Set a Sandstone 12 x 11 x 7 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 6 for the cor: to Secs. 20. 21. 28 and 29
	Land high rolling Prairie Soil 2nd rate
	Aug 29th A.D. 1871

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Secs. 21 and 28
	Var: 13° 25' E
28.00	Ravine bears S.E.
40.00	Set a post for temporary 1/4 Sec: cor:
79.90	Intersect the N. and S. line 15 lks North of the corner to Secs. 21, 22, 27 and 28
	From which corner I run N 89° 54' West on true line between Secs. 21 and 28
	Var: 13° 25' E
39.95	Set a Sandstone 12 x 9 x 7 for a 1/4 Sec: cor:
79.90	The cor: to Secs. 20. 21. 28 and 29
	Land rolling: Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 20 and 21
	Var: 13° 25' E
40.00	Set a Sandstone 12 x 12 x 5 for a 1/4 Sec: cor:
80.00	Set a Sandstone 14 x 12 x 7 for the cor: to Secs. 16. 17. 20 and 21
	Land high Prairie Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 16 and 21
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. cor:
79.80	Intersect the N. and S. line 8 lks North of the cor: to Sections 15. 16. 21 and 22
	From which cor: I run N. 89° 57' West on a true line between Sections 16 and 21
	Var: 13° 25' E
39.90	Set a Sandstone 13 x 9 x 7 for a 1/4 Sec: cor:
79.80	The cor: to Secs. 16. 17. 20 and 21
	Land rolling: Soil 2nd rate

Township 4. N Range 28. W. 6th P.M.

Chains	
	North between Secs. 16 and 17
	Var: 13°25' E
40.00	Set Sandstone 14. X 12 X 7 for a 1/4 Sec. Cor:
80.00	Set a Sandstone 16 X 12 X 7 for the Cor: to Secs. 8. 9. 16 and 17.
	Land very near level: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on random line between Secs. 9 and 16
	Var: 13°25' E
13.50	Deep ravine bears S.E.
40.00	Set post for temporary 1/4 Sec cor:
67.00	Ravine bears South
79.70	Intersect the N and S. line 15 links North of the corner to Secs. 9. 10. 15 and 16
	From which cor: I run N. 89°54' West on a true line between Secs. 9 and 16
	Var: 13°25' E
39.85	Set a Sandstone 12 X 9 X 7 for a 1/4 Sec. cor:
79.70	The corner to Secs. 8. 9. 16. and 17
	Land broken: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 8 and 9
	Var: 13° 25' E
8.00	Ravine bears S.E.
40.00	Set a Sandstone 14 x 12 x 4 for a 1/4 Sec cor:
80.00	Set a Sandstone 16 x 12 x 7 for the Cor to Secs. 4. 5. 8 and 9
	Land is somewhat broken
	Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 4 and 9
	Var: 13° 25' E
31.00	Ravine bears S. soon turns S.E.
40.00	Set post for Temporary 1/4 Sec. cor:
79.74	Intersect the N. and S. line 17 links South of the corner to Sections 3. 4. 9 and 10
	From which cor: I run S 89° 53' West on a mt line between Secs. 4 and 9
	Var: 13° 25' E
39.87	Set Sandstone 14 x 12 x 5 for a 1/4 Sec. cor:
79.74	The corner to Secs. 4. 5. 8 and 9
	Land rolling Prairie
	Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	
	on a true line North, between Secs. 4 and 5
	Var: 13°25' E
40.00	Set a Sandstone 12 x 12 x 6 for a 1/4 Sec. cor.
	Intersect 1st Standard parallel N.
78.32	Set a Sandstone 14 x 10 x 7 for closing corner to Secs. 4 and 5 on the 1st Standard Parallel 7 chs 40 links west of the Standard corner on the East Boundary of Sec. 33 and 34 To a Rx W

Land rolling: Soil 2nd rate

Township 4 N. Range 28 W. 6th P.M.

Chains	

Township 4. N. Range 28 W. 6th P.M.

Chains	North between Secs. 31 and 32
	Var: 13° 25' E
23.00	Ravine bears S.W.
40.00	Set a Sandstone 12 x 9 x 7 for a 1/4 Sec. cor:
80.00	Set a Sandstone 12 x 10 x 5 for the corner to Secs: 29. 30. 31 & 32
	Land: Broken Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	East on a random line between Secs. 29 and 32
	Var: 13° 25' E
17.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec. cor:
80.04	Intersect the N and S line 10 lks South of the cor: to Sections 28. 29. 32. and 33.
	From which corner I run S. 89° 56' West on a true line between Secs. 29 and 32
	Var 13° 25' E
40.02	Set a Sandstone 10 x 9 x 7 for a 1/4 Sec. cor:
80.04	The corner to Secs. 29. 30. 31 and 32
	Land rolling Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	West on a random line between Sections 30 and 31
	Var: 13°25' E
40.00	Set post for temporary 1/4 Sec. cor:
78.90	Intersect the West boundary of Township 24 links North of the corner to Secs. 30 and 31 From which cor: I run N 89°50' East on a true line between Secs. 30 and 31
	Var 13°25' E
38.90	Set a Sandstone 12 x 10 x 8 for a 1/4 Sec. cor:
78.90	The cor: to Secs. 29.30.31 & 32
	Land rolling: Soil 2nd rate

Township 4. N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 29 and 30
	Var: 13°25' E
40.00	Set a Sandstone 14 x 12 x 5 for a 1/4 Sec. cor:
80.00	Set a Sandstone 14 x 10 x 6 for the cor: to Sec: 19.20.29 and 30
	Land rolling: Soil 2nd rate
	Aug 30th A.D. 1871

Township 4 N. Range 28 W. 6th P.M.

Chains	
	East on a random line between Secs. 20 and 29
	Var: 13° 25' E
15.00	Ravine bears South
40.00	Set post for temporary ¼ Sec. Cor:
80.10	Intersect N. and S. line 24 links South of the Cor: to Secs. 20. 21. 28. and 29.
	From which corner I run S. 89° 50' West on true line between Secs. 20 and 29
	Var: 13° 25' E
40.05	Set a Sandstone 12 x 12 x 5
80.10	The corner to Sections 19. 20. 29 and 30
	Land rolling: Soil 2nd rate

Township 4 N. Range 28 W. 6 P.M.

Chains	
	West on a random line between Secs. 19 and 30
	Var: 13° 25' E
40.00	Set post for temporary ¼ Sec. Cor:
78.28	Intersect the West boundary of Township 30 links North of the cor: to Secs. 19 and 30
	From which cor: I run N. 89° 47 East on a true line Between Secs. 19 and 30
	Var: 13° 25 E
38.28	Set a Sandstone 14 x 12 x 5 for a ¼ Sec. cor:
78.28	The cor: to Secs. 19. 20. 29 and 30
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 19 and 20
	Var: 13° 25' E
40.00	Set a Sandstone 12 x 12 x 5 for a 1/4 Sec. cor:
80.00	Set a Sandstone 14 x 12 x 6 for the cor: to Secs. 17. 18. 19 and 20.
	Land rolling. Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Secs. 17 and 20
	Var: 13° 25' E
10.00	Ravine bears South
40.00	Set post for temporary 1/4 Sec cor:
80.15	Intersect the N. and S. line at the corner to Secs. 16. 17. 20 and 21.
	From which cor: I run West on a true line between Secs. 17 and 20
	Var: 13° 25' E
40.07½	Set a Sandstone 10 x 10 x 6 for a 1/4 Sec. cor:
80.15	The corner to Secs. 17. 18. 19 and 20
	Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	West on a random line between Secs. 18 and 19.
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec.
77.60	Intersect West boundary of the Township 35 links North of the cor: to Secs. 18 and 19
	From which corner Joun N. 89° 45' East on a true line between Sections 18 and 19
	Var 13° 25' E
37.60	Set a Sandstone 12 x 10 x 5 for a 1/4 Sec. cor:
77.60	The corner to Secs. 17. 18. 19 and 20
	Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 17. and 18
	Var: 13° 25' E
40.00	Set Sandstone 12 x 10 x 6 for a 1/4 Sec. cor:
41.00	Ravine bears South East
80.00	Set a Sandstone 12 x 12 x 6 for the corner to Secs 7. 8. 17. and 18
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6. P.M.

Chains	
	East on a random line Between Secs. 8 and 17
	Var: 13° 25' E
40.00	Set a post for a temporary 1/4 Sec cor:
80.20	Intersect the N and S. line 2 rods S. of the corner to Sections 8. 9. 16 17. From which corner I run
S. 89° 57'	West on a true between Sections 8 and 17
	Var: 13° 25' E
40.10	Set a Sandstone 12 x 12 x 6 for a 1/4 Sec: cor:
80.20	The cor: to Sections 7. 8. 17 and 18

Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6. P.M.

Chains	
	West on a random line between Secs. 7 and 18
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec cor:
77.00	Intersect West boundary of Township 38 links North of the corner to Sec 7 and 18 From which corner I run
	N 89° 43' East on a true line between Secs. 7 and 18
	Va 13° 25' E
37.00	Set Sandstone 12 x 12 x 4 for a 1/4 Sec: cor:
77.00	The cor: to Secs. 7. 8. 17 and 18

Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North between Secs. 7 and 8
	Var: 13° 25' E
40.00	Set a Sand stone 12x12x6 for a 1/4 Sec Cor.
80.00	Set a Sandstone 14.12x5 for the corner to Secs. 5. 6. 7 and 8
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	East on a random line between Secs. 5 and 8
	Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.11	Intersect the N. and S. line at the corner to Secs. 4. 5. 8. and 9.
	From which corner I run
	West on true line between Secs. 5 and 8
	Var: 13° 25' E
40.05½	Set a Sandstone 10x10x7 for a 1/4 Sec. Cor:
80.11	The corner to Secs. 5. 6. 7 and 8
	Land rolling: Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	West on a random line between Secs. 6 and 7 Var: 13° 25' E
40.00	Set post for temporary 1/4 Sec Cor:
70.00	Ravine bears S.W.
76.50	Intersect the West boundary of the Township 41 links North of the corner to Sections 6 and 7 From which corner I run N 89° 42' East on a true line between Sections 6 and 7. Var: 13° 25' E
36.50	Set a Sandstone 12 x 12 x 8 for a 1/4 Sec cor:
76.50	The corner to Secs. 5, 6, 7 and 8

Land rolling Soil 2nd rate

Township 4. N. Range 28. W. 6th P.M.

Chains	
	North on a true line between Secs. 5 and 6 Var 13° 25' E
40.00	Set a Sandstone 14 x 12 x 5
78.42	Inter 1st Standard parallel N. and Set a Sandstone 14 x 12 x 6 for closing corner between Secs. 5 and 6 on the 1st ~~Standard Parallel.~~ 7 chs 46 lks West of the ~~Standard~~ corner between to Sections 32 and 33 T 5 N R 28 W.

Land rolling: Soil 2nd rate

Aug 31st A.D. 1871

General Description

The quality of the land in this Township, as a rule, is about 2nd rate Soil being from 6 to 8 inches deep:

The greatest objection to these high lands is the scarcity of water or means of Irrigation which renders them very nearly worthless for agricultural purposes as the only way of getting water sufficient for that purpose would be by Wind Mill Pumps & deep

The land in this Township is high and rolling with deep ravines from 1 to 4 chains wide - there is an abundance of Lime stone & ~~[illegible]~~ Sandstone along these Ravines

General Description

The only stream which affords running or living water in this Township is that known as Red Willow which runs through the S.W. Part of the Township passing through Sec. 31 only

Good timber along the banks of this stream Principally cottonwood Ash and Hackberry

T 4 N R 28 W 6th P.M.

A list of the names of the individuals who assisted in running measuring and marking the subdivision lines and corners of the foregoing Field Notes of Township No 4 North Range 28 West of the 6th P. Meridian

Wm L. Wells Chainman
Emmit N Sprague Chainman
Frank L. Mather } Axeman
William E. Randall } Flagman
Geo W Fairfield } Compassman

We hereby certify that we assisted George W Fairfield Deputy Surveyor in subdividing Township No 4 North of the Base line of Range number 28 West of the 6th Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General.

Wm L. Wells } Chainman
E N Sprague } Chainman
Frank L Mather } Axeman
William E Randle } Flagman
Compassman

Subscribed and sworn to by the above named persons before me a Notary Public

in and for the County of
Cass in the State of
Nebraska this 27th day
of October 1871

Lloyd D Burnett
Notary Public
Cass Co Nebraska

I George W. Fairfield do solemnly
swear that in pursuance of
a contract No 48. wherein
George W. Fairfield is contractor
with E. S. Cunningham United
States Surveyor General for
the District of Nebraska and
Iowa bearing date the 17th
day of June A.D. 1871
I have well and faithfully and
truly in my own proper person
and in strict conformity with
the instructions of the Surveyor
General the Surveying Manual
and the laws of the United States
Surveyed all those parts or
portions of Township No 4.
North of the Base line of
Range No 28 West of the 6th
Principal Meridian in the
State of Nebraska as are
represented in the foregoing
Field notes as having been
Surveyed under my direction

And I do further solemnly swear that the foregoing are the true and original Field Notes of such Survey

George W Fairfield
Dept Surveyor

Subscribed by the said George W. Fairfield Dept Surveyor and sworn to before me a Notary Public within and for the County of Cass in the State of Nebraska this 27th day of October A.D. 1871

Clay D Dunnuth
Notary Public
Cass Co Neb^a

Survey commenced on August 26th A.D. 1871. Completed on August 31st A.D. 1871

Surveyor Generals Office
Nebraska Dec.r 16th 1871

The foregoing Field note of the Sur
vey & subdivision of Township No. 4
of the Base line & Range No 28 W.
6th Principal Meridian in the State
of Nebraska Executed by George W.
Farrifield under his contract No.
48. dated the 17th day of June 1871
in the month of August 1871
having been critically examined
the necessary corrections & explanation
made the said Field notes and the
Surveys they describe are hereby
approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

512

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.