General Land Office • Original Field Notes

Book Number

515

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index to

Town 13. Range 28 W.

6	66	5	48	4	36	3	23	2	12	1	
	65		64		47		35		22		11
7	63	8	46	9	34	10	21	11	10	12	
	62		61		45		33		20		9
18	60	17	44	16	32	15	19	14	8	13	
	59		58		43		31		18		7
19	57	20	42	21	30	22	17	23	6	24	
	56		55		41		29		16		5
30	53	29	39	28	27	27	15	26	4	25	
			51		37		24		13		2
31	49	32	38	33	26	34	14	35	3	36	

We

7

Field — Notes

of the Survey of the extension
of the West boundary of
Fort McPherson Reserv=
ation in Sec.s 3 2 T. 13 N.
294
R 28 W. of 6th Pr. Mer. Neb.
Executed
by J B Pratt Deputy
Surveyor, under Special
instructions from Robt
E Livingstone Surveyor
General for the District
of Nebraska and Iowa
dated ~~July~~ August 6th 1870

Survey Commenced
November 2nd 1870
Finished November 3rd 1870

We

List of Names
And duties of assistants

Edwd Lawrence } Chairmen
Guy C Laing }
Philip Ryan } Stewardmen

We

North Platte Nebraska
March 4th 1871

Hon R R Livingstone
Surveyor General
Nebraska & Iowa

Sir.

I would respectfully report that in compliance with Your Special instructions dated ~~July~~ August 6th 1870 I commenced at the Northwest corner of the Fort McPherson Military Reservation in Sec. 32. T. 13 N. R. 28 W. at 8,25 chains West, and 4,86 chs South of the established 1/4 Sec. Cor. between Sec^ns 29 and 32 and run thence N. 21° W. over

chains
4,86 on true line of said Reservation
Va. 17° 30' E.
Intersect line between
Sec 4 29 and 32. at 8,25
chains West of ¼ Sec, Cor.
Set post marked on the
East Side M.R. deposit
charred Stake, raised
mound of earth with pits
as per general instructions
for corner. to frac. Sec. 29 32.
Containing
5°,41 R
Intersect right bank
of North channel Platte
river Set post marked
on east side M.R.
deposit charred

chains
Stake raised mound of
earth with pits as per
instructions for meander
corner. to frac. Sec. 29
I now cause a flag to be
placed in the line on
the left bank of the
N. channel of Platte River
and to deter-
mine the distance there-
to, I run a base line
West 5 chains to a
point from which
the flag bears N. 73° 30' E. 11°46'
and find by calculation
the distance across the

We

tate of Nebra & t Lexet
incoln County
Subscribed & sy
t ence and s orn to
fore me this 4th day
March 1871

Notary Public

Samuel
3. 29
Juan
from
General for the District
Nebraska ~~and Iowa~~ dat
~~July~~ Aug 6 1870 I have well fa
fully and truly Surve
the extension of the
McPherson Military Rese
vation in Lee. 29 T. 13 N.
28 W. of the 6th Prin. Mer.
and that the foregoi
are the true and origin
field-notes of Such
Survey J. B. Pak
Deputy Su

Surveyor Generals Office

Plattsmouth Neb. March 17. 1871

The foregoing field notes of the Survey of the Extension of the West boundary of Fort McPherson Military Reservation in Sec^ns. 29, 32. T. 13 N. R. 28 W. of the Sixth Princip Meridian in the State of Nebraska. Executed by J. B. Park under Special Instructions dated August 6th 1870 in the month of November 1870 having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

Robt. R. Livingston

Surveyor General

Surveyor Generals Office

Plattsmouth Nbr. March 17. 1871

I notes of the Survey of the
West boundary of Fort
tary Reservation in Sec.ns 29
28 W. of the Sixth Princip
State of Nebraska.
Park under Special
d August 6th 1870
November 1870 having
examined the necessary
planations made the said
the Surveys they describe
roved

Robt. R. Livingston

Surveyor General

We hereby certify that we assisted
J. P. Park in Sarveying the extention
of the Western boundary of the Fort
Mc Pherson Milltary Reservation
in Townships 13 North of the Base line
of Range number 28 West of the
6th Prin. Mer. and that the Same
was to the best of our Knowledge
and belief well and faithfully
Surveyed according to instructions
furnished by the Sarveyor
General.

his
Edward X Sawyers
mark

Witness
W. H. Thom

Jerry Laing

Philip Rynne

Subscribed and sworn
before me this 7th day January 1871
W. H. Thom Notary Public

Shannon
Woodruff
Notary Public in and for Lincoln
County Nebr.

Field Notes

Of the Survey and Subdivision of Township number 13 North of the Base line, of range number 28 W. 6th Principal Meridian.

Executed by D. B. Park deputy Surveyor under ~~their~~ joint contract number 18 of April 29. 1869 wherein D. B. Park and W. L. Campbell are joint contractors

List of Names
and duties of assistants
Luther Ruhlman Chainman
Legrit Burnham Chainman
Alex Pickens } Axemen and
Richard B Reyes } Mounsmen

T. 13 N. R. 28 W. 6th P. M.

Chains

To determine the proper adjustment of my instrument for Subdividing this Township I commenced at the post on the 3rd Standard Parallel North, the corner to Townships 13 North Ranges 27 28 West and ran a blank line along the East Boundary of Sec 36.

Thence 13°

40.07 To the 1/4 Sec Cor.
58.50 To post on right bank of Channel
57.71 To post on left bank of Channel
80.01½ To corner to Secs 25. 36. 30. 31

Therefore to retrace this line & run parallel thereto my compass is in proper adjustment

Subdivision commenced September 15th 1869
Completed September 20th 1869

T. 13 N. R 28 W. 6th P. M.

Chains	The line between Secs. 35 and 36, being nearly all in the Fort Mc Pherson Military Reservation. I therefore commence at the corner to Secs 25, 36, 30, 31 in the East Boundary of the Township and run West on true line between Secs. 25 and 36.
	Vd 13° E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 sec cor
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 25, 26, 35, 36. Land level, Soil 2nd rate

T. 13 N. R 28 W. 6th P. M.

Chains	From the corner to Secs. 25 26, 35, 36 I run South on true line between Secs. 35 and 36
	Vd 13° E.
4.90	Intersect North Boundary line of Fort Mc Pherson Military Reservation at 31.65 links West of the North East corner post of said Reservation.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 35 & 36 on North Boundary of Reservation.
	Land level. Soil 2nd rate.

September 16th 1869

T. 13 N. R 28 W. 6th P. M.

Chains	
	From the corner to Secs. 25 26, 35, 36 North between Secs. 25 and 26. Va 13° E.
32,62	Union Pacific R.R. bears S 68° E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26 Land level. Soil 2nd rate.

T. 13 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Secs. 24 and 25 Va 13° E.
40,00	Set temporary 1/4 Sec. Cor.
80,18	Intersect East Boundary of Township 14 bears N 0° 19' 30" from which corner from N. 89° 54' W. on true line between Secs. 24 and 25 Va 13° E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 23, 24 25, 26, Land level Soil 2nd rate

T. 13 N. R. 2 ~~6~~ 8 W. 6th P. M.

Chains	
	North between Sec^ns 23 and 24
	Va. 18° E.
40.00	Set post deposit charred
	Stake raised mound
	of earth with pits as
	per instructions for 1/4 Sec Cor
42.50	Slough (or marsh) 25.0 Wide descends East
80.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Sec^ns 13, 14, 23, 24
	Land level,
	Soil 2nd rate -

T. 13 N. R. 2 8 W. 6th P. M.

Chains	
	East between Sec^ns
	13 and 24 true random line
	Va. 13° E.
8.00	Enter, (Slough or marsh) descends S. E. 5.00 chs wide.
40.00	Set temporary 1/4 Sec Cor.
61.00	Leave bottom and enter
	Sand hills bearing N.W. and S.E.
80.08	Intersect East Boundary
	of Township 16 links North
	of the corner to Sec^ns 13, 24
	18, 19, from which corner
	I run
	N. 89° 5-3' W. on true line
	between Sec^ns 13 and 24
	Va. 13° E
40.04	Set post deposit charred
	Stake raised mound of
	earth with pits as
	per instructions for a
	1/4 Sec Cor.
80.08	The corner to Sec^ns 13, 14
	23, 24
	Land - level soil 2nd rate

S. 13 N. R. 28 W. 6th P. M.

Chains	
	North between Sec^{ts} 13 and 14 Va. 13° E.
10,50	Slough, 8,50 or marsh 8,50 this wide descends S. E.
26,00	Leave bottom enter Sand hills bearing E. and W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ts} 11, 12, 13, 14 Land bottom level Soil 2nd rate - Upland low Sand hills Soil 3rd rate -

S. 13 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Sec^{ts} 12 and 13 Va. 13° E.
40,00	Set temporary 1/4 Sec. Cor.
75,20	Creek 10 links wide Swift current clear water Sandy bottom runs S. E.
79,95	Intersect East Boundary of Township 12 links South of the corner to Sec^{ts} 12, 13, 7, 18 from which corner Pawn S. 89° 55' W. on true line between Sec^{ts} 12 and 13. Va. 13° E.
39,97½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,95	The corner to Sec^{ts} 11, 12, 13, 14 Land low Sand hills. Soil 3rd rate -

T. 13 N. R 28 W. 6th P. M.

Chains	North between Secs. 11 and 12 Rd 18° E
40,00	Set post post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner 1, 2, 11, 12 Land low Sand hills. Soil 3rd rate -

T. 13 N. R. 28 W. 6th P. M.

Chains	East on random line between Secs. 1 and 12 Rd, 18° E,
40,00	Set post for tempory 1/4 Sec. Cor,
69.40	Creek 10 lks wide deep swift current clear water runs South
80.08	Intersect East Boundary of Township 11 link North of the corner to Sec 1, 12, 6, 7 from which corner Iron N. 89° 55' W. Run true line between Secs. 1 and 12 Rd, 18° E,
40.04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.08	The corner to Secs 1, 2, 11, 12 Land low Sand hills. Soil 2 nd rate -

T. 13 N. R 28 W. 6th P. M.

Chains	North on random line between Secs. 1 and 2 Rd. 18° E.
40.00	Set ~~post deposit~~ ~~charred Stake~~ raised ~~mound of earth with~~ pits ~~as per instructions~~ for a temporary 1/4 Sec. Cor.
80.16	Intersect North Boundary of Township 18 links West of the corner to Secs. 1, 2, 11, 12, ~~5 4 3 0~~ 11 12 6 from which corner Ibm S. E. W. on true line between Secs. 1 and 12 Va 13° E
40.16	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.16	The corner to Secs. 1, 2, 11, 12 Land low Sand hills. Soil 3rd rate -

T. 13 N. R 28 W. 6th P. M.

Chains	From the corner to Secs. 25, 26 35, 36 I run West on true line between between Secs. 26 and 35 Va 13° E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35. Land level. Soil 2nd rate -

T. 13 N. R. 28 W. 6th P. M.

Sec.	Chains	
		From the corner to Secs. 26, 27, 34, 35 I run South on true line between Secs. 34 and 35 Va 73° E
4	4.88	Intersect North Boundary of Fort McPherson Reservation at 31.68 chs West of the post one mile West of the North East corner of the Reservation — Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 34 & 35 on Reservation boundary.
8		
4		
8		

T. 13 N. R. 28 W. 6th P. M.

Chains	
	From corner to Secs. 26, 27 34, 35. I run North between Secs. 26 and 27 Va 73° E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a cor. See Cor.
64.00	Union Pacific R R bears N. 68° W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27 Land level, Soil 2nd rate

T. 18 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Sec^ns 23 and 26 Va 73° E
40,00	Set temporary 1/4 Sec'or,
52,00	Drain descends N.E,
80,11	Intersect N. and S. line 14 links South of the corner to Sec^ns 23, 24, 25, 26, from which corner I run S. 89° 54' W. on true line between Sec^ns 23 and 26,
	Va 73° E
40,05½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
80,11	The corner to Sec^ns 22, 23, 26, 27.
	Land level.
	Soil 2nd rate —

T. 18 N. R 28 W. 6th P. M.

Chains	
	North between Sec^ns 22 and 23 Va 73° E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
44,00	Center Slough or marsh bearing E and W,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^ns 14, 15, 22, 23, in Slough or marsh
	Land level, Soil good 2nd rate — Slough or marsh not very wet, covered with thick growth of high grass and rushes —
	September 16th 1869
	Tested and corrected Chain

T 13 S., R 28 W., 6th P.M.

Chains	
	East on random line between Secs. 14 and 23 Var 7 3/4° E
35.00	Leave Slough N. & W. & S. & E. bearing
4.00	Set temporary 1/4 Sec. Cor.
80.12	Intersect N. and S. line 18 links South of the corner to Secs. 13, 14, 23 24, from which corner I run S. 89° 58' W. on true line between Secs. 14 and 23 Var. 13° E.
40.06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.12	The corner to Secs. 14, 15, 22, 23 Land level. Soil 2 and rate

T. 13 N., R 28 W., 6th P.M.

Chains	
	North between Secs. 14, and 15 Var 7 3/4° E
8.50	Leave Slough N. or W. mark bearing E. & W.
21.00	Leave bottom enter Sand hills bearing E. & W.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land Bottom level Soil 2 and rate - Up land low Sand hills Soil 3 rd rate

T. 13 N. R 28 W. 6th P. M.

Chains	East on random line between Sec^{ns} 11 and 14 Var 18° 30' E
40,00	Set post deposit Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	Intersect N. and S. line 10 links South of the corner to Sec^{ns} 11, 12, 13, 14 from which corner Bears S. 89° 55' W one true line between Sec^{ns} 11 and 14 Var 13° 30' E
40,08	Set post deposit Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Sec^{ns} 10, 11 14, 15 Land low Sand hills, Soil Sandy

T. 13 N. R 28 W. 6th P. M.

Chains	North between Sec^{ns} 10 and 11 Var 13° 15' E.
40,00	Set post deposit Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 2, 3, 10, 11 Land low Sand hills. Soil Sandy

T. 13 N. R 28 W. 6th P. M.

Chains	
	East on random line between Sec^{ns} 2 and 11 Var 13° E.
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect N. and S. line 15 links North of the corner to Sec^{ns} 1, 2, 11, 12 from which corner bears N. 89° E. W. on true line between Sec^{ns} 2 and 11 Var 13° E
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sec^{ns} 2, 3 10, 11 Land low Sand hills. Soil 3rd rate.

T. 13 N. R 28 W. 6th P. M.

Chains	
	North on random line between Sec^{ns} 2 and 3 Var 13° E
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect North Boundary of Township 14 links East of the corner to Sec^{ns} 2 and 3, from which corner I run S. 6' E on true line between Sec^{ns} 2 and 3 Var 18° E
40,12	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Sec^{ns} 2, 3 10, 11 Land low Sand hills Soil 3rd rate

T. 13 N. R 28 W. 6th P. M.

Chains	
	From the corner to Secs. 26, 27, 34, 35 I run West on true line between Secs. 27 and 34. Bears 78° S. E.
27,50	I intersect North and left bank of N Channel of Platte River runs S 70° E. Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 27 and 34. I now measure with the chain across the channel and find it to be 8,50 chs wide and at
36,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 27, and 34, on Right bank of North channel in thicket of Small Willows -
37,50	Leave Willows bearing S 70° E N. 70° W.

T. 13 N. R 28 W. 6th P. M.

Chains	
39,03	I intersect North and left bank of Main North Channel runs S 65° E. Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 27 and 34 I now proceed to measure across the channel with the chain (the chain in alternating in deep water) and at
80,00	Intersect South and right bank (with of channel on line 40,97 chs) Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28 33, 34 on st. bk. W. N. Chan. Platte R. Land level, Soil State River low banks Swift current Sandy bottom, water from 1 to 2½ feet deep

T. 13 N. R 28 W. 6th P. M.

Chains	From the corner to Secs. 27, 28 33 and 34 I run. South on true line between Secs. 33 and 34 Var 18° 5' E.
4.91	I intersect North Boundary of Fort McPherson Reservation at 4.84.40 Chains ~~East~~ West of the 19.56 meander corner on Rt. bk. Main ~~East of the~~ first 1/4 mile n. channel of Platte River ~~on to~~ the Northwest corner of the McPherson Reservation boundary
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing ~~Sec. Cor.~~ to Secs. 33 & 34 Land level, Soil 1st rate

T. 13 N. R 28 W. 6th P. M.

Chains	North between Secs. 27 and 28 Var 18° 5' E
	This corner being on the South and right bank of the channel, to obtain the distance across, I caused a flag to be set in line on the left bank, and run a base line West 5 chains to a point from which the flag bears N. 16° 7' E. ~~across the channel to be~~
	Nat Cot. 16° 7' = 3.46080 26 5
	+ Base
	Chains 17.30 4 130
	and at
17.30	Set post deposit charred Stake raised mound of earth with pits as per instructions in place of the flag for a corner to fractional Secs. 27 and 28 on South Shore of Island (Left bank of mn. N. Channel of Platte R.)
26.40	I intersect North Shore of Island and right bank of Small North

T. 13 N. R 28 W. 6th P.M.

Chains	
	Channel runs S. 68° E.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sec^{ns} 27 and 28
30,30	North and left bank of Channel (3,90 chains wide)
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Sec^{ns} 27 and 28.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
50,00	Drain descends East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 21, 22, 27 28
	Land level. Soil 2nd rate-

T. 13 N. R 28 W. 6th P. M.

Chains	
	East on random line between Sec^{ns} 22 and 27 Var 13° 5' E
30,20	Union Pacific R.R. bears N 68½ W
40,00	Set temporary 1/4 Sec. Cor. Sec 22 and 27
80,12	The corner to Sec^{ds} 22, 23, 27, 28 from which corner Comm West on true line between Sec^{ns} 22 and 27 Var 13° 5' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Sec^{ns} 21, 22, 27 28
	Land level.
	Soil good 2nd rate-

T. 13 N. R 28 W. 6th P. M.

Chains	North between Secs. 21 and 22 Var 13° 5' E
17.06	Union Pacific R.R. 200 lks East of freight house bears N 68° W
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22 Land level, Soil 1st rate.

T. 13 N. R 28 W. 6th P. M.

Chains	East on random line between Secs. 15 and 22 Var 13° 5' E
4,00	Set temporary ¼ Sec. Cor.
4.50	Slough or marsh descends S.E.
80.21	Intersect N and S. line 18 links South of the corner to Secs. 14, 15, 22, 23 from which corner I run S. 89° 5' W. on true line between Secs. 15 and 22 Var. 13° 5' E.
40.10½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80.21	The corner to Secs. 15, 16, 21, 22 Land level, Soil 1st rate Slough or marsh covered with grass and rushes - not very wet

T. 13 N. R 28 W. 6th P. Me.

Chains	North between Secs. 15 and 16 Var 13° 6' E.
21.00	Leave bottom and enter Sand hills bearing E. and W.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land 21 chs level 1st rate Soil ballance low Sand hills - Soil 3rd rate

T. 13 N. R 28 W. 6th P. Me.

Chains	East on random line between Secs. 10 and 15 Var 13° 5' E.
40.00	Set temporary 1/4 Sec Cor.
79.94	Intersect W and S line 12 links North of the corner to Secs. 10, 11, 14, 15 from which corner I run N. 89° 55' W. on true line between Secs. 10 and 15 Var 13° 5' E.
399 1/7	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.94	The corner to Secs. 9, 10, 15, 16 Land low Sand hills. Soil 3rd rate -

T. 13 N., R 28 W., 6th P. M.

Chains	
	North between Sec^{ns} 9 and 10 Var 13° 30' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 3, 4, 9, 10
	Land low Sand hills.
	Soil 3rd rate -
	Sept 17th 1869

T. 13 N., R 28 W., 6th P. M.

Chains	
	East on random line between Sec^{ns} 3 and 10 Var 13° 0' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,10	Intersect N. and S. line 10 links South of the corner to Sec^{ns} 3 and 10 from which corner I. Pine 12 11 bears S. 89° 54' W. on true line between Sec^{ns} 3 and 10 Var. 13° 0' E.
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Sec^{ns} 3, 4, 9, 10 Land low Sand hills. Soil 3rd rate -

T. 13 N., R 28 W., 6th P. M.

6 Chains	North on ~~random~~ variation line between Secs. 3 and 4 Var. 13° E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.12	Intersect North Boundary of ~~Township~~ 15 Mile West of the corner to Secs. 3, 4, ~~33, 34.~~ from which corner I run S. 11° W. on true line between Secs. 3 and 4 Var. 13° E.
12 40.00	Set post deposit charred Stake mised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.12	The corner to Secs. 3, 4, 9, 10 Land low Sand hills. Soil 3rd rate.

T. 13 N., R 28 W., 6th P. M.

40.00	From the corner to Secs. 27, 28 33, 34, I run West on true line between Secs. 28 and 33, Var. 13° E.
40.00	Set post deposit charred Stake mised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60.00	Slough 5 chains or marsh wide descends S. 60 E.
70.20	Old road bears North and South
80.00	Set post deposit charred Stake mised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33 Land low Sand hills. Soil 3rd rate

T. 13 N. R 28 W. 6th P. M.

chains	From the corner to Secs 28, 29, 32, 33 I run South on true line between Secs 32 and 33. Var. 18° E.
4.86	I intersect North Boundary line of Fort McPherson Military Reservation at 31.79 chains West of the post 3 miles West from the N. E. corner to said Reservation ⊕ Land level. Soil 1st rate

⊕ and set post, depressed charred stake, raised mound of earth, with pits as per instructions for closing corner to Secs. 32 & 33.

T. 13 N. R. 28 W. 6th P. M.

Chains	From the corner to Secs. 28, 29, 32, 33 I run North between Secs. 28 and 29 Var. 18° E.
30.20	I intersect South and right bank of North channel Platte river runs S. 71° E. Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 28 29. I now proceed to the opposite bank and set my compass in the line between Secs. 28 and 29 and run a base line East 4 chains to a point from which the corner on the South and right bank bears S. 12° 45' W and by calculation find the distance across the channel to the flag to be Nat Cot. 12° 45' = 4.41 9/16 Chains 17.67 7/16 over

T. 13 N. R. 28 W. 6th P. M.

Chains	30.20+17.68=47.88 chains
88	and at
47.67	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to fractional Secs 28 and 29
	on North and left bank -
	The W/4 Sec/cor, falling in
	the river, it therefore
	cannot be established
8.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs 20, 21, 28, 29
	Land level,
	Soil 1st rate.

T. 13 N. R 28 W. 6th P. M.

Chains	East on random line
	between Secs 21 and 28
	Va 13° 5' E
4.00	Set temporary W/4 Sec/cor
60.80	Old road bears N. E and S. W
80.14	Intersect N and S. line
	20 links South of the corner
	to Secs 21. 22. 27. 28 from
	which corner I run
	S. 89° 51' W on true line
	between Secs 21 and 28
	Va 13° E
40.07	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a W/4 Sec/cor
80.74	The corner to Secs 20, 21
	28, 29
	Land level.
	Soil 1st rate -

T. 13 N. R 28 W. 6th P. M.

Chains	West between Sec.s 20 and 21 Var 13° E
10,00	Set post deposit shaved Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
43,00	Union Pacific R.R bears S. 69°
80,00	Set post deposit shaved Stake raised mound of earth with pits as per instructions for a corner to Sec.s 16, 17 20, 21 Land level Soil at rate covered with heavy growth of fine grass

T. 13 N. R 28 W. 6th P. M.

Chains	East on random line between Sec.s 16 and 21 Var 13° E
40,00	Set temporary 1/4 Sec. Cor.
79,88	Intersect West bank S. line 15 links North of the corner to Sec.s 15, 16, 21, 22, from which corner I run N. 89° 54' W. on true line between Sec.s 16 and 21 Var 13° E
39,94	Set post deposit shaved Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Sec.s 16, 17, 20, 21 Land level Soil at covered with fine grass

T. 13 N. R 28 W. 6th P. M.

Chains	
	North between Secs 16 and 17 Var 13° 5' E
40,00	Set post deposit charred Stake raised mound earth with pits as per instructions for a 1/4 Sec Cor,
48,00	Leave bottom enter Sand hills bearing N, W & S, E,
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 8, 9, 16, 17 Land 48 chs Slightly rolling, ballance low Sand hills. Soil & surface -

T. 13 N. R 28 W. 6th P. M.

Chains	
	East on random line between Secs 9 and 16 Var 13° 5' E.
40,00	Set post for temporary 1/4 Sec Cor,
80,15	Intersect N. and S. line 10 links West of the corner to Secs 9, 10, 15, 16 from which corner Juan N. 89° 56' W. on true line between Secs 9 and 16 Var 13° 5' E
40,07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,15	The corner to Secs 8, 9, 16, 17 Land low Sand hills Soil & surface -

T. 13 N. R 28 W. 6th P.M.

Chains	North between Secs 8 and 9 Var 13° E
40,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a Corner to Secs 4, 5, 8, 9 Land low Sand hills Soil Sandy

T. 13 N. R 28th W. 6th P. Mer.

Chains	East on random line between Secs 4 and 9 Var 13° E
40,00	Set temporary 1/4 Sec Cor.
79,94	Intersect W and S. line 12 links North of the corner to Secs 3, 4, 9, 10 from which corner Iron N. 89° E W on true line between Secs 4 and 9 Var 13° E.
39,97	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,94	The corner to Secs 4, 5, 8, 9. Land low Sand hills Soil Sandy -

T. 13 N. R. 28 W. 6th P. M.

Chains	
	North on random line between Secs 4 and 5 var 13° 5' E
40,00	Set temporary 1/4 Sec cor
80,05	Intersect North Boundary of Township 16 links East of the corner to Secs 4, 5, 32, 33, from which corner Iron mound S. 1° E on true line between Secs 4 and 5 var 13° 5' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec cor,
80,05	The corner to Secs 4, 5, 8, 9 Land low Sand hills Soil 3rd rate -

September 18th 1879

T. 13 N. R 28 W. 6th P. M.

Chains	
	North between Secs 31 and 32 var 13° 5' E
20,90	Intersect South and ~~left~~ right bank of South channel of Platte river runs S. 70° E,
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 31 and 32
	I continue to measure across the river with chain and at
24,60	Intersect South bank of Island to be meandered, covered with brush and some timber
	on left bank of South channel of Platte River
	Set post from which A Cottonwood 4 in diam, bears N 60° W 23 lks dist -
	An Elm 3 in diam N 20° E 15 lks dist for a corner to
40.00	* Set post in mound of charred Stake for 1/4 Sec. Corner
	fractional Secs 31 and 32
51.50	North bank of Island
	Set post for corner to fractional Secs 31, and 32
	on right bank of main South channel of Platte River

T. 13 N. R. 28 W. 6th P. M.

Chains	
	from which a
	A Cedar 6 in diam bears N. 11° E. 21 lks dist —
	A Cottonwood 5 in diam bears S. 100 W. 42 lks dist.
80,00	I on river therefor the corner to Sec. 28, 29, 32, 33
	cannot be established
	Land level Soil, 1st rate
	Timber Cottonwood Cedar
	Elm — Thick growth of bush
	on Island
	River full of small Island
	& Sand bars very little water

T. 13 N. R. 28 W. 6th P. M.

Chains	
	From the point in river the
	place for corner to Sec. 28, 29, 32, 33
	I run
	East on random line between
	Secs. 29 and 32
	Var. 18° 5' E.
5,80	I intersect North and left bank of
South	Channel of Platte River and
	Set post for temporary corner to fractional
	Secs. 29 and 32
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect North S. line 12 links
	South of the corners to Secs. 28
	29, 32, 33 from which corner
	I run
	S. 89° 55' W. on true line
	between Secs. 29 and 32
	Var. 18° 5' E.
39,96	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per mistake
	tions for a 1/4 Sec. Cor
74 1/2,12	Set post deposit charred

T. 13 N. R. 28 W. 6th P. M.

Chains	
	Stake raised mound of earth pits as per instructions for a corner to fractional Secs. 29, and 32, on left bank R of South channel of Platte R.
79.92	See. Cor. In river. Sand level, Soil 1st rate River has low bank, sandy bottom, filled with numerous Islands and Sand bars
	The line between Secs 30 and 31 is all in the river therefore it cannot be established

T. 13 N. R. 28 W. 6th P. M.

Chains	
	From the print in the river, the place for corner to Secs 29, 30, 31, 32, I run North between Secs 29 and 30 Var. 18° 5' E.
	~~North between Secs 29 and 30~~
2.80 South	Intersect North and left bank of channel of Platte River
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 29, and 30
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec cor.
5 80.20	Intersect South and right bank of North channel of Platte River mrs S. 78° E.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional

over

T. 13 N. R 28 W. 6th P. Me.

Chains

Secs 29 and 30

I now cause my flag to be placed in the line on the opposite bank and run a base line West 5 chains to a point from which the flag bears N 10° 23' E and find by calculation the width of the river to be:

Nat. Cot. 10° 23' = 5, 45751

By Base ---------- x 5 chains

27, 28755 Chains

and ~~cot~~ to which add 50, 20 dist. to S. side

Makes 77, 4879 Chs. to flag

77.4879 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 29 and 30. on left bank of North Channel of Platte R.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 19, 20, 29, 30

Land level, Soil 1st rate good Grass land

T. 13 N. R 28 W. 6th P. Me.

Chains

East on random line between Secs 20 and 29

Var. 13° 5' E.

40.00 Set temporary 1/4 Sec. Cor.

80.14 Intersect N. and S. line 21 links South of the corner to Secs 20, 21, 28, 29 from which corner I run S 89° 55' W on true line between Secs 20 and 29

Var 13° 5' E

40.07 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.14 The corner to Secs 19, 20 29, 30

Land level, Soil good 2nd rate -

T. 13 N., R 28 W., 6th P. Me.

Chains	West on ~~station~~ true line between Secs 19 and 30 Bd 1°30' E
40,00	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
63,00	Intersect North and left bank of North Platte River channel
	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 19 and 30
	Land level,
	Soil good & mate-

T. 13 N., R 28 W., 6th P. Me.

Chains	North between Secs 19 and 20 Bd 1°05' E
40,00	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
73,00	Union Pacific R R R bears S 69° E.
80,00	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a corner to Secs 17, 18, 19, 20.
	Land level,
	Soil 1st rate.

T. 13 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Secs. 17 and 20 Var. 13° 5' E.
29.00	Enter Slough (or marsh) descends S E.
38.00	Leave same Slough (or marsh) descends S. E.
40.00	Set temporary 1/4 Sec. Cor.
79.96	Intersect N. and S. line 18 links North of the corner to Secs. 17 and 20 from which corner I Pine N. 89° 5' W. 2 Pine trees line between Secs 17, 20 Var. 13° 5' E.
39.98	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.96	The corner to Secs. 17, 18, 19, 20 Land level, Soil and rate -

T. 13 N. R 28 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19 Var. 13° 5' E.
17.00	Union Pacific R.R. bears N. 69° W.
40.00	Set post for temporary 1/4 Sec. Cor.
79.91	Intersect ~~N. and S.~~ West boundary of Township 16 links S. South of the corner to Secs. 18, 19, 13, 24 from which corner I pine S. 89° 5' E. on true line between Secs. 18 and 19 Var. 13° 5' E.
39.91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.91	The corner to Secs. 17, 18, 19, 20 Land level, Soil 1st rate -

T. 13 N. R 28 W 6th P. M.

Chains	
	North between Sec^{ns} 17 and 18
	Var 7 3/4° E
21,00	Slough, or marsh 2 00 links wide descends East
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec^{r} Cor^{r}
50,00	Leave bottom inter Sand
	hills bearing N. W. and S. E.
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Sec^{ns} 7, 8, 17, 18
	Land bottom level,
	Soil 1st rate, Upland
	low Sand hills. Soil 3rd rate

T. 13 N. R 28 W. 6th P. M.

Chains	
	East on random line
	between Sec^{ns} 8 and 17
	Var 7 3/4° E
40,00	Set temporary 1/4 Sec^{r} Cor^{r},
80,17	Intersect N and S line
	15 links North of the corner
	to Sec^{ns} 8, 9, 16, 17 from which
	corner I run
	N. 89° 53' W. on true line
	between Sec^{ns} 8 and 17
	Var 7 3/4° E
40,08½	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec^{r} Cor^{r}
80,17	The corner to Sec^{ns} 7, 8, 17, 18
	Land low Sand hills
	Soil 3rd rate

T. 13 N. R 28 W. 6th P. M.

Chains	
	West on random between Sec^ns 7 and 18
35.00	Entry Bottom Vad. 13° E.
40.00	Set temporary Land N.W. & S.C. for Sec^r,
79.58	Intersect West Boundary of Township 20 links South of the corner to Sec^ns 7, 18, 12, 13 from which corner Bears S. 89° E. on true line between Sec^ns 7 and 18 Vad 13° E
39.58	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec^r,
79.58	The corner to Sec^ns 7, 8, 17, 18 Land low Sand hills, Soil 3rd rate -

T. 13 N. R 28 W. 6th P. M.

Chains	
	North between Sec^ns 7 and 8 Vad 13° E
40.00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec^r,
80.00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Sec^ns 5, 6, 7, 8 Land low Sand hills, Soil 3rd rate -

T. 13 N. R 28 W. 6th P.M.

Chains	
	East on random line between Sec^{ts} 5 and 8 Var 7 3/4° E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.91	Intersect North and South line 21 links South of the corner to Sec^{ts} 4, 5, 8, 9, from which corner bears S. 89° 51' W. true line between Sec^{ts} 5 and 8 Var 7 3/4° E.
39.95½	Set post deposit shares Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.91	The corner to Sec^{ts} 5, 6 7, 8. Land low Sand hills, Soil 3rd rate -

T. 13 N. R 28 W. 6th P.M.

Chains	
	West on Random line between Sec^{ts} 6 and 7 Var 7 3/4° E.
40.00	Set temporary 1/4 Sec. Cor.
79.46	Intersect West Boundary of Township 12 link S. of the corner to Sec^{ts} 6, 7, 1, 12 from which corner bears S. 89° 51' E. true line between Sec^{ts} 6 and 7 Var 7 3/4° E.
39.46	Set post deposit shares Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.46	The corners to Sec^{ts} 5, 6, 7, 8 Land low Sand hills. Soil 3rd rate

T. 13 N. R 28 W. 6th P. M.

Chains	North on random line between Sec^{ns} 5. and 6 and 13^{ch} E
40,00	Set temporary ¼ Sec^{r}
80,11	Intersect North Boundary of Township 16 links West of the corner to Sec^{ns} 5,6, 31, 32. from which corner I own S. 7° W. on true line between Sec^{ns} 5 and 6 and 13^{ch} E
40,11	Set post deposit shovel & stake raised mound of earth with pits as per instructions for a ¼ Sec^{r}
80,11	The corner to Sec^{ns} 5, 6, 7, 8. Land low Sand hills Soil 3rd rate —

September 19th 1869

T. 13 N. R 28 W. 6th P. M.

Chs

Meanders of Platte river ~~through the Township~~

Commence at the post in the West Boundary of the Township at 60,70 chs North of the corner on the 3rd Standard Parallel North to Townships 13 N. Ranges 28 and 29 W. the corner to fractional Sec^{ns} 30 and 31, on the South and right bank of the River. T. Channel of Platte,
and run down Stream with the meanders thereof in Section 31 as follows

Courses	Chains	
1 S. 7¾° E	36, 00	
S. 5° 2½ E.	24, 30	
S. 63° E	30, 00 2	To the corner to fractional Secs 31, 32
		Thence in Sec 32
S 70° E	12 00	
S. 45° E.	8, 00	
S. 30° E	13, 00 3	To the corner to fractional Secs 32, 5 on 3rd Standard Parallel North at 23.70 chs East of the corner to Secs 31 and 32 T 13 N R 28 W.

Sand level Soil, 1st rate

T. 13 N. R. 28 W 6th P. M.

From the post in the West Boundary of the Township, the corner to fractional Secs. 25 and 30 on the North Side of South Channel Inn down Stream with the meanders of the left bank in Sec. 30 as follows

Courses	Chains	
4 S. 74° E.	28,00	
S. 76° E.	25,00	
S. 68¼ E.	10,00	
East	19,50 5	To corner to fractional Sec. 29. 30 Thence in Section 29
S. 65 E.	6,40 6	To corner to fractional Sec. 29, 32 Thence in Sec 32
S 57½ E	30,00 7	To the corner to fractional Sec 32 on the West Boundary of the Fort Ke. Pherson Mile Reservation at 11,80 chains South of the North West corner of said Reservation

Land level Soil 1st rate

T. 13 N. R 28 W. 6th P. M.

From the post on the West Boundary of the Township on the South Side of the North Channel of Platte River, the corner to fractional Secs. 25 and 30 Inn down Stream along the right bank with the meanders thereof in Sec 30 as follows:

Chains	Courses	
8 East	31,00	
S. 84° E.	21,00	
S. 67° E.	37,40 9	To the corner to fractional Sec. 29 and 30 Thence in sec. 29
S. 82½ E	26,50	
S. 75½ E.	31,00	
S. 70° E.	25,00 10	To corner to fractional Secs. 28 and 29. thence in Sec 28
S. 71° E	18,20	
S. 64° E.	15,00	
S. 60° E.	30 34,00 30	
S. 85° E.	23,00 11	To the corner to Sec. 27, 28, 33, 34 Thence in Sec 34 (Meander Corner
S. 75° E.	20,00 12	To the corner to fractional Sec 34 on the North Boundary of Fort Ke Pherson Mile Reservation. Land level 1st rate Soil

T. 13 N. R 28 W. 6th P. M.

From the post at the North Side of the North Channel of Platte River in the West Boundary of the Township, the corner to fractional Secs 19 and 24 T 13 N R 28 W down the stream along the left bank with the meanders thereof in Sec 19 as follows:

Courses	Chains	
13 S. 71½ E.	17.80 18.20 14	To the corner to fractional Secs 19 and 30 80 Thence in Sec 80
S 60° E	5.00	
N. 87½ E.	24.00	
S. 85° E	28.00	
N. 65° E.	6.00	
S. 60° E	2.00 15	To the corners to fractional Secs 29 and 32 thence in Sec 29.
S. 60° E.	41.00	
East	14.50	
S. 63° E.	12.00	
S. 64° E	25.00	
S. 69° 70 E.	31.00 16	To the corners to fractional Secs 28 and 29 Thence in Sec 28 8
S. 72° E	25.80	

T 13 N. R 28 W 6th P. M.

Courses	Chains	
S. 78° E	27.00	
S 3 S. 82° E,	29.50 80.00 17	To the corner to fractional Secs 27 and 29 Thence in Sec 27
S. 80° E.	15.00	
S. 67° E.	20.00	
S. 41½ E	27.50 28.00 18	To the corner to fractional Secs 27, and 34, thence in Sec 34.
S. 76 75° E	19.70 18.60 19	To the corner to fractional Sec 34 in the North Boundary of the Fort Mc Pherson Military Reservation on the left bank of Small Channel-

Land level Soil 1st rate and valuable for hay

T. 13 N R 28 W. 6th P.M.

Meanders of the head of an Island in Sec. 31 & 32

Commence at the post on the 3rd Standard parallel North on the left bank of S. Channel of Platte River at 27.92 chs East of the corner to Secs 31 and 32 and 32; the corner to fractional Secs 31 and 32 and run up Stream along the South bank of Island with the meanders thereof in Sec 32 as follows:

Courses	Chains	
N. 32° W.	17.00	
N. 50° W.	8.00	
N. 70½ W.	14.00	To the corner to fractional Secs 31 and 32 thence in Sec 31
N. 61¾ W.	28.00	
N. 48° W	30.00	Head of Island
S. 80° E	24.00	Down right bank of main S. Channel
S. 85° E	24.00	To corner to fractional Secs 31 and 32 thence in Sec 32.
S 73½ E.	16.50	

carried up

T. 13 N. R 28 W. 6th P.M.

Courses	Chains	
S 50° E	20.00	To the post on the north Side of the Island on the West Boundary of the Fort Mc Pherson Military Reservation the corner to fractional Sec 32 and the Reservation Land level, Soil & stone Bank of river low and covered with brush.

T 13 N. R 28 W 6th P. M.

Meanders of Head of Island in Secs 27 28 and 34.

See note ⊕ I commence at the post on the South bank of the Island in the line between Secs 27 and 28 and run up Stream along the South bank with the meandes thereof in Sec 28 as follows: Up left bank of N. main chan.

Courses	Chains	
N. 85 W.	11.00	
N. 63° W.	22.00	to head of Island thence down Stream along North bank and right bank of N. channel
S. 87° E	30.50	27 To corner to fractional Secs 27 and 28 thence in Sec 27.
S. 68° E	29.00	
S. 49° E.	23.00	28 To the corner to Secs 27 and 34 thence in Sec 34.
S. 77° E.	22.10	29 To corner to fractional Sec 34 in the North Boundary of the Fort Mc Pherson Mil. Reservation

⊕ From the post on the South Side of Island in the line between Secs 27 and 28 and run

T. 13 N. R. 28 W. of 6th Pr. Mn.

down Stream along the South Shore of Platte R. N. main Chan. with the meanders thereof in Sec. 27 as follows:

Courses	Chains	
S. 73½ E.	26.00	
S. 60° E.	19.00	To the corner to fractional Secs 27 and 34 thence in Sec 34.
S. 68° E.	22.80 78 12.80	to the post on the North Boundary of the Fort Mc Pher= son Mil Reservation, the corner to fractional Sections 34 on the Reservation boundary

Land level. Soil Sandy

⊕ Note. The meanders in 2 last Secs to be rerun, thus: Beginning at meas. Cor. to frac. Sec. 34 on left bk. of N. main Chan. Platte R. & on N. bound. of Ft. Mc Pherson Mil. Res. thence up stream in Sec. 34, 24 N. 7 E. 22.80 to meas. Cor. to frac. Secs 27 & 34. Thence in Sec 27: 25

N. 66° W. 19.00

N. 73½ W. 26.00 to meas. cor. to frac. Sec. 27 & 28. Thence in Sec. 28 as on opposite page 26 ending on bound. of Mil. Res.

T. 13 N. R 28 W. 6th P. M.

Meanders of a N. channel of Platte river in Sec 36.

I commence at the post in the East Boundary of the Township on the South Side of channel at 53.50 chs North of the corner to Townships 13 North Ranges 27 and 28 W. the corner to fractional Sec^ns 36 and 31 and run up Stream along the South and right bank with the meanders thereof in Section 36, as follows:

Courses	Chains	
30 N. 85° W.	21.00	
S. 80° W.	28.00	31 To the post on the East Boundary of Fort McPherson Mil. Reservation, the corner to fractional Section 36, on the Reservation boundary

From the corner to fractional Sec^n 36 and 31 on the left bank of the N. Channel of Platte R. in the East Boundary of the

T 13 N. R. 28 W. of 6th Pr. Mn.

Township I run up Stream along the left bank with the meanders thereof in Sec 36 as follows-

Courses	Chains	
32 N. 85° W.	28.00	
S. 78° W.	26.22	33 To the post on the East Boundary of the Fort McPherson Mil. Reservation the corner to fractional Section 36 on the Reservation boundary

Sept 20 1869

General Description

The Surface of the South half of the Township is level, Soil 1st rate affording a fine growth of grass consists of The North half is low Sand hills, Soil 3rd rate not fit for cultivation - Platte river runs through the South part affording excellent facilities for irrigation

T 13 N. R. 28 W. 6th P.M.

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field-notes of Township number 13 North of the Base line of range number 28 West - Showing the respective capacities in which they acted -

Leavit Burnham Chainman
Luther Kuhlman Chainman
Richd B Keyes } Mondmen
Alex. Dickens } and axemen

We hereby certify that we assisted J B Clark deputy Surveyor in Subdividing Township number 13 North of the Base line Range number 28 West of the 6th Principal Meridian and that Said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed - and the Boundary Monuments planted according to instructions furnished by the Surveyor General

Luther E Kuhlman Chainman
Leavit Burnham Chainman
Alex Dickens Axemen and
Richard B. Keyes Mondmen

Subscribed in my presence and Sworn to before me this 10th day of November A.D. 1869

Watson B. Smith
Clerk Circuit Court of the
United States for District of Nebraska

I. I. B Park deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein I. B. Park and H. L. Campbell are joint contractors with P. W. Hitchcock Surveyor General for the States of Nebraska and Iowa dated the 29th day of April A D 1869 I have in my own proper person and in Strict conformity with the instructions furnished by the Surveyor General, the Surveying manual and the laws of the United States Surveyed all those parts or portions of Township number 13 North of the Base line of range number 28 West of the 6th Principal Meridian as are represented in the foregoing field-notes as having been Surveyed under my direction

And I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in Strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field-notes of Such Survey

I. B. Park

Deputy Surveyor

Subscribed in my presence and Sworn to before me this 10th day of November A D 1869

Watson L. Smith

Clerk Circuit Court of the United States for the Dist. of Nebraska

Surveyor Generals Office
Plattsmouth Neb. March 6th 1870

The foregoing field notes of the survey of Township No. 13 North of the Base Line of Range No. 28 West of the 6th Principal Meridian, in the State of Nebraska, executed by J. B. Park, under joint contract No. 18. of April 29. 1869. wherein J. B. Park and H. C. Campbell are joint contractors, in the month of September 1869. having been critically examined the necessary corrections and explanations made. the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

Field Notes

Of the Survey and Subdivision of Township number 14 North of the Base line of Range number 28 West of the 6th Principal Meridian executed by J. B. Park deputy Surveyor under ~~their~~ joint contract number 18 dated April 29th 1869 wherein J. B. Park and A. C. Campbell are joint contractors -

List of Names

And duties of assistants

Leavitt Burnham Chainman
R. V. Reges Chainmen
E. A. Beach
Luther Rublin and Woodmen

T 14 N., R 28 W. Index to

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	17	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

To determine the proper adjustment of my compass for Subdividing this Township I commenced at the corner to Townships 13 and 14 N. Ranges number 27 and 28 W. and run North on a blank line between Secs 31 and 36 Va 13° 15' E

39.99 To point 1 link West of the ¼ Sec cor

80,00 To point 2½ links West of the corner to Secs 25, 26, 30, 31

Therefore to retrace this line or run parallel thereto my Compass must be adjusted to Variation of 13° 14' E

Subdivision commenced October 22nd 1869

Completed October 26th 1869

Tested chain found it ½ inch too long corrected it to Standard

Chains

North between Secs 25 and 36 Va 13° 14' E

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec cor.

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 25, 26, 35, 36

Land Sand hills, Soil Sand rate -

T. 14 N. R 28 W. 6th P. M.

chains	
	East on random line between Sec^{ts} 25 and 36 Var 13° 14' E
23,70	Creek 10 links wide swift current clear water & swel bottom. runs S.
40,00	Set temporary p & Sec[illegible],
86,11	Intersect E. and S. line 16 links West of the corner to Sec^{ts} 25, 30, 36, & 31, ~~32~~ from which corner I run N. 89° 53' W. on true line between Sec^{ts} 25 and 36 Va 13° 14' E.
40 05½	Set post deposit charred & stake raised mound of earth with pits as per instructions for a p & Sec[illegible],
80 11	The corner to Sec^{ts} 25, 26, 25, 36 Land Same hills, Soil & rate - A fine large Spring about 30 chs N. E of this corner,

T. 14 N. R 28 W. 6th P. M.

chains	
	North between Sec^{ts} 25 and 26 Va 13° 14' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a p & Sec[illegible],
80,00	Set post deposit charred stake stake raised mound of earth with pits as per instructions for a corner to Sec^{ts} 23, 24, 25, 26 Land Sand hills, Soil Good rate -

T. 14 N. R. 28 W. 6th P. Mc.

Chains	East on random line between Sec^ns 24 and 25 Vol 13 & 14 E
4,00	Set post for temporary W/C Sec Cor,
79.92	Intersect East Boundary of Township 12 links S. of the corner to Sec^ns 24, 25, 19, 30 from which corner I run S. 89° 55' W on true line between Sec^ns 24 and 25. V. 13 p. 146.
39.96	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor,
79.92	The corner to Sec^ns 23, 24 25, 26 Land Sand hills. Soil Sandy

T. 14 N. R 28 W. 6th P. Mc.

Chains	North between Sec^ns 23 and 24 Vol 13 & 14 E
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a W/C Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^s 13, 14, 23, 24 Land Sand hills, Soil Sandy

T. 14 N. R 28 W. 6th P. M.

Chains	
	East on random line between Sec^{s} 13 and 24 Va 7° 14' E
40,00	Set post for temporary 1/4 Sec Cor, E. bound. of Iowa.
80,08	Intersect ~~Hard S line~~ 18 links North of the corner to Sec^{s} 13, 24, 18, 19 from which corner I am N. 89° 8' 2' W on true line between Sec^{s} 13 and 24 Va 7° 14' E
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
84,08	The corner to Sec^{s} ~~11 12~~ 13, 14, 23 & 24 Land Sand hills. Soil 3rd rate,

T. 14 N. R. 27 W. 6th P. M.

Chains	
	North between Sec^{s} 13 and 14 Va 7° 14' E
40,00	Set post deposit chanced Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
84,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{s} 11, 12, 13, 14, Land Sand hills, Soil 3rd rate.

T. 14 N. R 28 W. 6th P. Mer.

Chains	East on random line between Sec^{ns} 12 and 13 Bad 13° 14' E
40,00	Set post for temporary ¼ Sec^{r}.
80,15	Intersect East Boundary of Township 18 links N 0° E of the corner to Sec^{ns} 12, 13, 7, 18 from which corner Iron N. 89° 52' W. on true line between Sec^{ns} 12, and 13 Bad 13° 14' E
40,07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec^{r}.
80,15	The corner to Sec^{ns} 11, 12, 13, 14 Land Some hills. Soil Sandy

T. 14 N. R 28 W. 6th P. Mer.

Chains	North between Sec^{ns} 11 and 12 Bad 13° 15' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec^{r}.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 1, 2, 11, 12 Land Sand hills. Soil Sandy,

T. 14 N., R. 28 W. 6th P. M.

Chains	East on random line between Secs. 1 and 12 Bad 13° 14' E
40,00	Set post for temporary 1/4 Sec. cor.
79,96	Intersect East Boundary of Township 17 links South of the corner to Secs. 1, 12 6, 7 from which corner I run S. 89° 53' W. on true line between Secs. 1, and 12 Bad 13° 14' E
39,98	Set post deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec. cor.
79,96	The corner to Secs. 1, 2, 11, 12 Land Sand hills, Soil Sandy -

T. 14 N., R. 28 W. 6th P. M.

Chains	North on random line between Secs. 1 and 2 Bad 13° 14' E
40,00	Set post for temporary 1/4 Sec. cor.
80,16	Intersect North Boundary of Township 12 links West of the corner to Secs. 1, 2, 35, 36 from which corner I run S. 5° W. on true line between Secs. 1 and 2 Bad 13° 14' E.
40,16	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,16	The corner to Secs. 1, 2 11, 12 Land Sand hills, Soil Sandy -

T. 14 N. R 28 W. 6th P. M.

Chains	North between Secs 34 and 35 Nad 18° 14' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 26, 27, 34, 35 Lone Sand hills, Soil & sd sate —

T. 14 N. R 28 W. 6th P. M.

Chains	East on random line between Secs 26 and 35 Nad 18° 14' E
40,00	Set post for temporary ¼ Sec Cor,
80,20	Intersect N and S line 12 links South of the corner to Secs 25, 26, 35, 36 from which comes Iron S. 89° 45' W on true line between Secs ~~25~~ 26, and ~~36~~ 35 Nad 18° 14' E,
40,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
80,20	The corner to Secs 26, 27 34, 35 Lone hilly, Soil dry Sand & sd sate

October 22nd 1869

T. 14 N. R. 28 W. 6th P. Me.

Chains	
	North between Secs 26 and 27
	Bad 73° 14' E
4,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sec cor,
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs 22, 23, 26, 27
	Land Sand hills
	Soil & st rate

T. 14 N. R. 28 W. 6th P. Me.

Chains	
	East on random line
	between Secs 23 and 26
	Bad 73° 14' E
4,00	Set post for temporary
	1/4 Sec cor
80,16	Intersect North line
	14 links North of the corner to
	Secs 23, 24, 25, 26 from
	which corner I run
	N. 89° 45' W. on true line
	between Secs 23 and 26
	Bad 73° 14' E
40.08	
4,08	Set post deposit charred
	Stake raised mound
	of earth with pits as
	per instructions for
	a 1/4 Sec cor,
80,16	The corner to Secs 22, 23
	26, 27
	Land Sand hills,
	Soil & st rate -

T. 14 N. R 28 W. 6th P. M.

Chains	
	North between 22 and 23
	Var 13° 14' E
40,00	Set post at deposit charred
	Stake raised mound
	of earth with pits as
	per instructions for
	a 1/4 Sec Cor,
80,00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a corner to Secs,
	14, 15, 22, 23
	Land Sand hills,
	Soil Sandy

T. 14 N. R 28 W. 6th P. M.

Chains	
	East on random line
	between Secs 11 and 23
	Var 13° 15' E
40,00	Set post for temporary
	1/4 Sec Cor,
79,90	Intersect Name's line
	17 links North of the corner
	to Secs 13, 14, 23, 24
	from which corner Iron
	N. 89° 53' W, on true
	line between Secs 11
	14 and 23
	Var 13° 15' E
39,95	Set post deposit, charred
	Stake raised mound
	of earth with pits as
	per instructions for
	a 1/4 Sec Cor.
79,90	The corner to Secs 14, 15,
	22, 23
	Land Sand hills.
	Soil Sandy

T. 14 N. R 28 W. 6th P. Mc.

Chains	Ran W between Secs 11, 14 and 15	
	Rad 13 & 15 links E	
40,00	Set post deposit	
	charred Stake raised	
	mound of earth with	
	pits as per instructions	
	for a 1/4 Sec Cor.	
80,00	Set post deposit	
	charred Stake raised	
	mound of earth with	
	pits as per instructions	
	for a Corner to Secs 10,	
	11, 14, 15	
	Land Sand hills,	
	Soil Sandy	

T. 14 N. R 28 W. 6th P. Mc.

Chains	East on random line	
	between Secs 11 and 14	
	Rad 13 & 15 links E	
40,00	Set post for temporary	
	1/4 Sec Cor.	
80,18	Intersect W and S. line	
	11 links South of the	
	corner to Secs 11, 12, 13,	
	14 from which corner Azm	
	S. 89 55' W true line	
	between Secs 11 and 14	
	Rad 78 & 15 links E	
40,09	Set post deposit charred	
	Stake raised mound of	
	earth with pits as per	
	instructions for a	
	1/4 Sec Cor.	
80,18	Line corner to Secs 10, 11, 14	
	15	
	Land Sand hills	
	Soil Sandy	

T. 14 N., R. 28 W., 6th P. M.

Chains	
	North between Secs. 10 and 11
	Var. 13° 15' E.
40.00	Set post, deposit charred stake, mound of earth with pits as per instructions for a 1/4 Sec. cor.
80.00	Set post, deposit charred stake, mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land hilly,
	Soil 3rd rate,

T. 14 N., R. 28 W., 6th P. M.

Chains	
	East between Secs. 2 and 11 on random line
	Var. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. cor.,
80.11	Intersect N. and S. line 21 links South of the corner to Secs. 1, 2, 11 & 12 from which corner I run S. 89° 51' W. on true line between Secs. 2 and 11
	Var. 13° 15' E.
40.05½	Set post, deposit charred stake, mound of earth with pits as per instructions for a 1/4 Sec. cor.,
80.11	The corner to Secs. 2, 3, 10, 11
	Land Sand hills.
	Soil 3rd rate -

T. 14 N. R. 28 W. 6th P.M.

Chains	
	North on random line between Secs 11 2 and 3 Bd 13 & 16-1/2 E.
40,00	Set post for temporary 1/4 Sec Cor.
80,12	Intersect North Boundary of Township 16 links West of the corner to Secs 2, 3, 34, 35 from which corner Iron S. 7° W. on true line between Secs 11 2 and 3 Bd 13 & 16-1/2 E.
40,12	Set post deposit Stone Stake raised mound of earth with pits as per instructions for a 1/4 Section
80,12	The corner to Secs 2, 3, 10, 11 Land Sand hills, Soil Sandy mate -

T. 14 N. R. 28 W. 6th P.M.

Chains	
	North between Secs 11 3 and 34 Bd 13 & 16-1/2 E.
40,00	Set post deposit Stone Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit Stone Stake raised mound of earth with pits as per instructions for a corner to Secs 11 27 28, 33, 34 Land Sand hills, Soil Sandy mate -

T. 14 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Secs. 27 and 34 Var. 18° 15' E
40.00	Set post for temporary W/C Sector,
79.94	Intersect N. and S. line 22 links North of the corner to Secs. 26, 27, 34, 35 from which corner I run N. 89° 45' W on true line between Secs. 27 and 34 Var. 13° 15' E
39.97	Set post deposit charred stake raised mound of earth with pits as per instructions for a W/C Sector,
79.94	The corner to Secs. 27, 28, 33, 34 Land Sand hills. Soil Sandy

T. 14 N. R. 28 W. 6th P. M.

Chains	
	North between Secs. 27 and 28 Var. 18° 15' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for W/C Sector,
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for corner to Secs. 21, 22, 27, 28 Land Sand hills, Soil Sandy

T. 14 N. R 28 W. 6th P. M.

Chains	East on random line between Sec^{ns} 22 and 27 Var 18° 15' E
4,00	Set post for temporary 1/4 Sec^{r},
8,12	Intersect Range line 9 links West of the corner to Sec^{ns} 22, 23, 27, 28 from which corner I run N. 89° 56' W on true line between Sec^{ns} 22 and 27 Var 18° 15' E
4,06	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec^{r},
8,12	The corner to Sec^{ns} 21, 22, 27, 28 Land Sand hills. Soil Estimate -

T. 14 N. R 23 W. 6th P. M.

Chains	West between Sec^{ns} 21 and 22 Var 18° 15' E
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec^{r},
8,00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a corner to Sec^{ns} 15, 16, 21, 22 Land Sand hills, Soil Estimate -

October 23rd 1869

T. 14 N. R. 28 W. 6th P. M.

Chains	
	East on random line between Sec^{ts} 15 and 22 Bad 18 & 15^{5} E
4,00	Set post for temporary 1/4 Sec'or,
60,08	Intersect N. and S. line 19 links South of the corner to Sec^{ts} 14, 15, 22, 23 from which corner I run S. 89 & 5-2 W on true line between Sec^{ts} 16 and 22 Bad 18 & 15-1 E
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
80,08	The corner to Sec^{ts} 15, 16 22, 22. Land Sand hills, Soil 3rd rate,

T. 14 N. R. 28 W. 6th P. M.

Chains	
	North between Sec^{ts} 15 and 16 Bad 18 & 15-1 E
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ts} 9, 10 15, 16 Land Sand hills, Soil 3 rd rate.

T. 14 N. R 28 W. 6th P. M.

Chains	East on random line between Sec 11 and 15 Va 13° 15' E
40,00	Set post for temporary ¼ Sec Cor,
79.88	Intersect N and S, line 20 links North of the corner to Sec 10, 11 & 14, 15 from which corner I mim N. 89° 56' W. on true line between Sec 10 and 15 Va 78° 15' 5" E
39,94	Let post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
79,88	The corner to Sec 9, 10 15, 16 Land Sand hills, Soil 3rd rate-

T. 14 N. R 28 W. 6th P. M.

Chains	North between Sec 9 and 10 Va 13° 15' E
40,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec 3, 4, 9, 10 Land Sand hills, Soil 3rd rate-

T. 14 N., R. 28 W. 6th P.M.

Chains	East on random line between Secs 3 and 10 Var 13° 14' E
40.00	Set post for temporary 1/4 Sec. cor.
79.94	Intersect N. and S. line 21 links North of the corner to Secs 2, 3, 10, 11 from which corner I run N. 89° 51' W. on true line between Secs 3 and 10 Var 13° 14' E.
39.97	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec. cor.
79.94	The corner to Secs 3, 4, 9, 10 Land Sand hills, Soil S. and sate

T. 14 N., R. 28 W. 6th P.M.

Chains	North on random line between 3 and 4 Var 13° 15' E
40.00	Set post for temporary 1/4 Sec. cor.
79.89	Intersect North Boundary of Township 10 links West of the corner to Secs 3, 4, 33, 34 from which corner I run S. 4' W. on true line between Secs 3 and 4 Var 13° 15' E.
39.89	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec. cor.
79.89	The corner to Secs 3, 4, 9, 10 Land Sand hills, Soil S. and sate -

T. 14 N. R 28 W. 6th P. Me.

Chains	West between Sec^{ns} 32, and 33 Var 13° 15' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec^{r} Cor^{r}.
60,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 28, 29, 32, 33 Land hilly, Soil dry Sand & Rock

T. 14 N. R 28 W. 6th P. Me.

Chains	East on random line between Sec^{ns} 28 and 33 Var 13° 15' E
40,00	Set post for temporary 1/4 Sec^{r} Cor^{r}.
7,9,86	Intersect Name Stone 17 links West of the corner to Sec^{ns} 27, 28, 33, 34 from which corner I run N. 89° 45' W. on true line between Sec^{ns} 28 and 33, Var 13° 15' E
39,93	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec^{r} Cor^{r}.
79,86	The corner to Sec^{ns} 28, 29, 32, 33 Land Sand hills, Soil Sand & Rock -

T. 14 N. R 28 W. 6th P. Mc.

Chains	
	North between Sec 28 and 29
	Bea 13° 15' E
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sector,
80,00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a corner to Sec 20, 21, 28, 29
	Land hilly,
	Soil dry Sand 3rd rate

T. 14 N. R 28 W. 6th P. Mc.

Chains	
	East on random line
	between Sec 21 and 28
	Bea 13° 15' E
40,00	Set post for temporary
	1/4 Sector,
80,11	Intersect N and S. line
	20 links South of the corner
	to Sec 21, 22, 27, 28, from
	which corner I run
	S. 89° 61' West true line
	between Sec 21 and 28
	Bea 13° 15' E,
40,05½	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a 1/4 Sector,
80,11	The corner to Sec 20, 21
	28, 29
	Land Sand hills,
	Soil 3rd rate -

T. 14 N. R 28 W. 6th P. M.

Chains	
	West between Secs. 20 and 21
	Nd 13° 15' E
40,00	Let post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a 1/4 Sec. Cor.
80,00	Let post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Sec. 16, 17, 20, 21
	Land hilly,
	Soil dry Land Estimate

T. 14 N. R 28 W. 6th P. M.

Chains	
	East on survey line
	between Secs. 16 and 21
	Nd 13° 15' E
40,00	Let post for temporary
	1/4 Sec. Cor.
80,12	Intersect North 5 line
	16 links North of the gomes
	to Secs. 15, 16, 21, 22 from
	which corner I run
	N. 89° 53' W. on true line
	between Secs. 16 and 21
	Nd 13° 15' E
40,06	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a 1/4 Sec. Cor.
80,12.	The corner to Secs. 16, 17
	20, 21
	Land Sand hills,
	Soil, Estimate -

T. 14 N. R 28 W. 6th P. M.

Chains	
	North between Secs 16 and 17 Var 13° 15' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 8, 9, 16, 17 Land Sand hills, Soil Saline -

T. 14 N. R 28 W. 6th P. M.

Chains	
	East on mid on line between Secs 9 and 16 Var 13° 15' E
40,00	Set post for temporary 1/4 Sec Cor.
80,16	Intersect N and S line 16 links South of the corner to Secs 9, 10, 15, 16 from which corner I run S, 89° 56' W true line between Secs 9 and 16
	Var 13° 15' E
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,16	The corner to Secs 8, 9, 16, 17 Land hilly, Soil dry Sand Saline

October 24th 1869

T. 14 N. R 28 W. 6th P. M.

Chains	North on between Secs 8 and 9 Var. 13° 15' E.
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.,
80,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a corner to Secs 4, 5, 8 & 9 Land Sand hills, Soil Sand rate

T. 14 N. R 28 W. 6th P. M.

Chains	East between Secs 4 and 9 on random line Var 13° 15' E
40,00	Set post for temporary 1/4 Sec. Cor.,
80,00	Intersect North S. line 14 links North of the corner 3, 4, 9, 10 from which corner I run N. 89° 54' West true line between Secs 4 and 9 Var 13° 15' E
40,08	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.,
80,06	The corner to Secs 4, 5, 8, 9. Land Sand hills, Soil Sand rate

T. 14 N. R 28 W. 6th P. M.

Chains	
	North on random line between Sec^{ts} 4 and 5 Var 13° 15' E
40,00	Set post for temporary 1/4 Sec'or,
80,09	Intersect North Boundary of Township 16 links East of the corner to Sec^{ts} 4, 5, 32, 33 from which corner I mark S. 7' E on true line between Sec^{ts} 4 and 5 Var 13° 15' E
40,09	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
8,09	The corner to Sec^{ts} 4, 5, 8, 9 Land Sand hills, Soil 3rd rate —

T. 14 N. R 28 W. 6th P. M.

Chains	
	North between Sec^{ts} 31 and 32 Var 13° 15' E
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
80,00	Set post deposit chared Stake raised mound of earth with pits, as per instructions for a corner to Sec^{ts} 29, 30, 31, 32 — Land Sand hills Soil 3rd rate,

T. 14 N. R 28 W. 6th P.M.

	Chains	East on a random line between Secs 29 and 32 Va 7° 15' E
40.00		Set post for temporary 1/4 Sec cor.
79.92		Intersect N and S line 14 links North of the corner to Secs 28, 29, 32, 33 from which corner I mm N. 89° 54' W a true line between Secs 29 and 32 Va 7° 30 15' E
39.96		Set post deposit charred stake raised mound of earth with pits, as per instructions for a 1/4 Sec cor
79.92		The corner to Secs 29, 30, 31, 32 Land Sand hills, Soil Sand rate -

T. 14 N. R 28 W. 6th P.M.

	Chains	West between Secs 30 and 31 on a random line Va 18° 15' E
40.00		Set post for temporary 1/4 Sec cor.
79.50		Intersect West Boundary of Township 18 links North of the corner to Secs 30, 31, 25, 36, from which corner I mm N. 89° 52' E. on true line between Secs 30 and 31 Va 7° 30 15' E.
39.50		Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec cor
79.50		The corner to Secs 29, 30, 31, 32 Land Sand hills, Soil Sand rate.

T. 14 N. R 28 W. 6th P.M.

Chains	
	North between Secs. 29 and 30 Var 13° 45' E
40,00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Section.
80,00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a Corner to Secs. 19, 20, 29 30. Land Sand hills, Soil Sandy rate -

T. 14 N. R 28 W. 6th P.M.

Chains	
	East on random line between Secs. 20 and 29 Var 13° 45' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,19	Intersect Name S. line 15 links South of the corner to Secs. 20, 21, 28, 29, from which corner I run S. 89° 54' W on true line between Secs. 20, and 29 Var 13° 30' 15' E
40,09½	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,19	The corner to Secs. 19, 20, 29, 30 Land Sand hills, Soil Sandy rate -

T. 14 N. R. 28 W. 6th P.M.

Chains	
	West on random line between Secs 19 and 30 Var 17° 15' E
40,00	Set post for temporary 1/4 Sec Cor.
79,42	Intersect West Boundary of Township 18 Lin Bs Sou 4th of the corner to Secs 19, 30, 24, 25 from which corner I men S. 89° 54' E on true line between Secs 19 and 30 Var 18° 15' E
39,42	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec Cor.
7942	The corner to Secs 19, 20, 29, 30 Land Sand hills, Soil Sandy

T. 14 N. R 28 W. 6th P.M.

Chains	
	North between Secs 19 and 20 Var 17° 14' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 17, 18, 19, 20, ~~29, 30~~ Land Sand hills, Soil Sandy

T. 18 N. R. 28 W. 6th P. Mc.

Chains	
	East on random line between Sec^{ns} 17 and 20 Va. 13° 15' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.18	Intersect N. and S. line 21 links South of the corner to Sec^{ns} 16, 17, 20, 21 from which corner I saw S. 89° 51' W. on true line between Sec^{ns} 17 and 20 Va. 13° 15' E.
40.06½	Set post deposit chained Stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Secs 17, 18, 19, 20 Land Sand hills. Soil 3rd rate.

T. 18 N. R 28 W. 6th P. Mc.

Chains	
	West on random line between Sec^{ns} 18, 19 Va. 13° 14' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.45	Intersect West Boundary of Township 18 links North of the corner to Sec^{ns} 18, 19, 13, 24 from which corner I saw N. 89° 51' E. on true line between Sec^{ns} 18 and 19 Va. 13° 14' E.
39.45	Set post deposit chained stake raised mounds of earth with pits as per instruction for 1/4 Sec. Cor.
79.45	The corner to Secs 17, 18, 19, 20. Land, Broken Sand Hills Soil 3rd rate.

T. 14 N. R 28 W. 6th P. Mc.

Chains	North between Secs 17 and 18 Var 13° 15' E
40,00	Set Pp. deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 7, 8 17, 18
	Land hilly and some brake Soil dry Sand 3rd rate

October 25th 1869

T. 14 N. R 28 W. 6th P. Mc.

Chains	East on random line between Secs 8 and 17 Var 13° 14' E
40,00	Set post for temporary 1/4 Sec Cor.
80,04	Intersect N and S line 10 links W of W of the corner to Secs 8, 9, 16, 17, from which corner I run N. 89° 56' W on true line between Secs 8 and 17 Var 13° 14' E,
40,02	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,04	The corner to Secs 7, 8, 17, 18 Land Sand hills. Soil 3rd rate.

T. 14 N. R 28 W. 6th P.M.

Sta	Chains	
		West on random line between Secs 7 and 18 Rd 13° 15' E
40	40.00	Set post for temporary 1/4 Sec cor.
	79.30	Intersect West Boundary of Township 17 links North of the corner to Secs 7, 18, 12, 18 from which corner I run N. 89° 58' E on true line between Secs 7 and 18 Rd 73° 15' E,
	39.30	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a 1/4 Sec cor.
	79.30.	The corner to Secs 7, 8, 17, 18 Land Sand hills. Soil & surface -

T. 14 N. R. 28 W. 6th P.M.

Chains	
	North between Secs 7 and 8 Rd 13° 15' E
40.00	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a 1/4 Sec cor.
80.00	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a corner to Secs 5, 6, 7, 8 Land Sand hills. Soil & surface -

T. 14 N. R 28 W. 6th P. M.

Chains	
	East on random line between Sec 5 and 8 Var 13° 15' E
40.00	Set post for temporary 1/4 Sec Cor.
79.89	Intersect North line 20 links South of the corner to Secs 4, 5, 8, 9, from which corner I run S. 89° 51' West true line between Secs 5 and 8 Var 13° 15' E,
39.94½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.89	The corner to Secs 5, 6, 7, 8 Land Sand hills, Soil 3rd rate -

T. 14 N. R. 28 W. 6th P. M.

Chains	
	West between Secs 6 and 7 on random line Var 13° 14' E
40.00	Set post for temporary 1/4 Sec Cor.
79.80	Intersect West Boundary of Township 16 links South of the corner to Secs 6, 7, 1, 12 from which corner I run S. 89° 58' E. between Secs 6 and 7 Var 13° 14' E
39.80	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.80	The corner to Secs 5, 6, 7, 8 Land Sand hills, Soil 3rd rate -

T. 14 N. R 28 W. 6th P.M.

Chains	
	North on random line between Secs 5 and 6 Va 7 30 15-1 E
40.00	Set post for temporary 1/4 Sec Cor.
79.86	Intersect North Boundary of Township 21 Links West of the corner to Secs 5, 6, 31 32 from which corner Elm 8 9 W. on true line between Secs 5 and 6 Va. 7 30 15-1 E.
39.86	Set post deposit charcoal & take raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.86	The corner to Secs 5, 6, 7, 8 Land Sand hills. Soil & surface -

October 26th 1869

T. 14 N. R 28 W. 6th P.M.

General Description

The surface of this Township is hilly and rough. Soil white Sand barren and unfit for cultivation. No timber, and no water in the Township except a fine large Spring in the S.W. 1/4 of Sec. 25.

List of Names

A list of the names of the individuals employed to assist in running measuring & marking the lines and corners of Township number 14 N. of the Base line of range number 28 West of the 6th Principal Meridian showing the respective capacities in which they acted —

Levitt Burnham — Chainman
R. B. Reyes — Chainman
E. A. Beach — axemen and
Luther Ruhlman — Mounduen

We hereby certify that we assisted J. B. Watkins deputy Surveyor in Subdividing Township number 14 North of the Base line of Range number 28 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the Boundary monuments planted according to instructions furnished by the Surveyor General

Levitt Burnham
Richard B. Reyes
E. A. Beach
Luther Ruhlman

State of Nebraska }
Lincoln County } ss. Subscribed in my presence and Sworn to before me a Justice of the Peace in and for said County this 29 day of October A.D. 1869

R. C. Doughty
Justice of the Peace

I, J. B. Park deputy Surveyor do Solemnly Swear that, in pursuance of a joint contract wherein J. B. Park and H. C. Campbell are joint contractors with J. W. Pitchcock Surveyor-General for the States of Nebraska and Iowa bearing date the 29th day of April A.D. 1869 I have faithfully and truly in my own proper person and in Strict conformity with the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed all those parts or portions of Township number 14 North of the Base line of range number 28 West of the 6th Principal Meridian as are represented in the foregoing field-notes as having been Surveyed under

My direction -
and I do further Solemly
Swear that all the corners
of Said Survey have been
established and perpetuated
in Strict accordance with
the Surveying manual
and the printed instructions
and that the foregoing are
the true and original
field-notes of Such
Survey

J. B. Park deputy Surveyor

State of Nebraska }
County of Lincoln }

Subscribed in my
presence and Sworn to before
me a justice of the Peace in
and for Said County of
Lincoln this 29th day of October
A.D. 1869

R C Dougherty
Justice of the Peace

Surveyor Generals Office
Plattsmouth Nebr March 1870.

The foregoing field notes of the
Survey of the Subdivision lines of
Township 14. North of the Base line
Range 28 West of the 6th Principal
Meridian in the State of Nebraska
executed by J. B. Park deputy Surveyor
under joint contract number 18. dated
April 29. 1869. Wherein J. B. Park.
and H. C. Campbell are joint con-
tractors in the month of October
1869. having been Critically exam-
ined the necessary Corrections and
explanations made the said field
Notes and the Surveys they describe
are hereby approved

Robt. R. Livingston
Surveyor General

Index to

T 13 N., R 28 West

6	53.	5	37	4	31	3	22	2	11	1	
	52		51		36		30		21		10
7	50	8	36	9	30	10	20	11	9	12	
	49		48		35		29		19		8
18	47	17	35	16	29	15	19	14	7	13	
	46		45		34		28		17		6
19	44	20	34	21	27	22	16	23	5	24	
	43		42		33		26		15		4
30	41	29	33	28	25	27	14	26	3	25	
	40		39		32		24		13		2
31	38	32	31	33	23	34	12	35	1	36	

Field Notes

of the Survey and Subdivision of Townships number 15 N. of the Base line of Range number 28 W. of the 6th Prin. Mer. Executed by J B Dalkeyne under his contract number 39 with Robt R Livingston Surveyor General for the District of Nebraska and Iowa dated Aug. 6. 1870

List of Names - A list of names and duties of assistants, showing the capacities in which they respectively acted.

E. A. Beach	Chainman
Philip Ryan	Chainman
Thos. Keibler	Axemen or
Edwd Lawrence	Mound men

Township 15 N. Range 28 W 6th P. M.

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 14 and 15 N, Ranges 27 and 28 W, and run North on a blank line along the East Boundary of Sec 36

Var. 13° 05' E.

4.00 2 To the 1/4 Sec Cor,
8.01 To the corner to Secs 25, 36
30.81

Therefore I find my compass to be in proper adjustment.

Survey Commenced
~~August~~ Sept 5th 1870
Completed ~~August~~ Sept 10th 1870

Township 15 N. Range 28 W. 6th P. M.

Chains

North between Secs 35 and 36
Var. 12° 50' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
8.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 25, 26, 35, 36
Land Low Hills Soil Timber.

Township 15 N. Range 28 W. 5th P.M.

Chains	
	East on random line between Secs 25 and 36 Var. 12°55' E.
40.00	Set temporary Sec Cor.
78.98	Intersect East Boundary of Township 26 links West of the corner to Secs 25, 36, 30, 31 from which corner Bears N. 89° 49' West true line between Secs 25 and 36 Var. 12°55' E.
39.99	Set post deposit, charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.98	The corner to Secs 25, 26, 35, 36 Land Sand hills, broken Soil Sandstone.

Township 15 N. Range 28 W. 5th P.M.

Chains	
	North between Secs 25 and 26 Var. 12°50 E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80.00	Set post deposit charred & Stake raised mound of earth with pits as per instructions for a corner to Secs 23, 24, 25, 26 Land hilly and broken Soil Sand Sandstone.

Township 15 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 24 and 25 Var. 12° 58' E.
40,00	Set temporary 1/4 Sec. cor.
80,19	Intersect East Boundary of Township 18 links South of the corner to Secs. 24, 25, 19, 30 from which corner I own S. 89 1/2 W. on true line between Secs. 24 and 25 Var. 12° 55' E.
40,09½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,19	The corner to Secs. 23, 24, 25, 26 Land hilly & broken Soil Indifferate - Sand

August 5th 1870

Township 15 N. Range 28 W. 6th P.M.

Chains	North between Secs. 23 and 24 Var. 12° 50' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24 Land Sand hills, Soil Barren.

Township 15 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Sec^{ns} 13 and 24 Var, 12°55' E.
40,00	Set post for temporary ¼ Sec, Cor,
80,25	Intersect East Boundary of Township 20 links South of the corner to Sec^{ns} 13, 24 18, 19 from which corner Pine S, 89°51' W on true line between Sec^{ns} 13 and 24 Var, 12°55' E,
40,12½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec, Cor,
80,25	The corner to Sec^{ns} 13, 14 23, 24 Land Sand hills, Soil Sandy,

Township 15 N. Range 28 W. 6th P.M.

Chains	
	North between Sec^{ns} 13 and 24 Var, 12°50' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 11, 12, 13, 14, Land Sand hills, Soil Sandy,

Township 15 N. Range 28 W. 5th P.M.

Chains	East on said outline between Secs. 12 and 13 Var. 12° 55' E.
40.00	Set temporary 1/4 Sec. Cor.
39.80	Intersect East Boundary of Township 22 links South of the corner to Secs. 12, 13 T. 14 S., from which corner I run S. 89° 51' W. on true line between Secs. 12 and 13 Var. 12° 55' E.
39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 11, 12, 13, 14 Land Sand hills, Soil Sandstone.

Township 15 N. Range 28 W. 5th P.M.

Chains	North between Secs. 11 and 12 Var. 12° 50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12 Land Sand hills, Soil Sandstone.

Township 15 N., Range 28 W., 6th P.M.

Chains	
	East on random line between Secs. 1 and 12 Va. 12° 8½' E.
40,00	Set temporary ¼ Sec. Cor.
80,16	Intersect East Boundary of Township 26 links North of the corner to Secs. 1, 12 & 7 from which corner I saw N. 89° 49' W. on true line between Secs. 1 and 12 Va. 12° 8½' E.
40,08	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,16	The corner to Secs. 1, 2. 11, 12, Land Sand hills. Soil Sandy.

Township 15 North Range 28 W., 6th P.M.

Chains	
	North on random line between Secs. 1 and 2 Va. 12° 5' E.
40,00	Set temporary ¼ Sec. Cor.
79,92	Intersect North Boundary of Township 28 links West of the corner to Secs. 1, 2, 35, 36 from which corner I saw S. 12° W. on true line between Secs. 1 and 2 Va. 12° 5½' E.
39,92	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a ¼ Sec. Cor.
79,92	The corner to Secs. 1, 2 11, 12 Land Sand hills. Soil Sandy.

Township 15 N. Range 28 W 6th P. M.

Chains	North between Secs 34 and 35 Va 12° 50' E
40,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a Corner to Secs 26, 27, 34 & 35 Land hilly, Soil Sand Sandstone.

Township 15 N. R 28 W. 6th P. M.

Chains	East on random line between Secs 26 and 35 Va, 12° 50' E,
40,00	Set temporary 1/4 Sec Cor,
80,08	Intersect Ch and S, line 12 links North of the corner to Secs 25, 26, 35, 36 from which corner Quaking Asp 6 in Diam, N 89° 45' W 0 links Pine 6 in Diam, N 45° E 50 links Pine 6 in Diam, S 45° W 50 links Pine 6 in Diam, S 45° E 50 links Pine 6 in Diam, N 45° W

Township 18 N, Range 28 W, 6th P. M,

Chains	
	North between Secs 26 and 27 Va, 12° 50' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 22, 23, 26, 27 Land Sand hills, Soil Sandy,

Township 18 N, Range 28 W, 6th P. M,

Chains	
	East on range on line between Secs 23 and 26 Va, 12° 50' E,
40,00	Set temporary 1/4 Sec Cor,
80,28	Intersect W. and S. line 24 links South of the corner to Secs 23, 24, 25, 26, from which corner bears S, 89° 50' W on true line between Secs 23 and 26 Va, 12° 50' E,
40,14	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,28	The corner to Secs 22, 23 26, 27 Land hilly, Soil Sand, 3rd rate,

Township 15 N. Range 28 W. 6th P. M.

Chains	North between Sec.s 22 and 23 Co. 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec.s 14, 15, 22, 23 Land Sand hills, Soil Sand.

Township 15 N. Range 28 W. 6th P. M.

Chains	East on random line between Sec.s 14 and 23 Co. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,15	Intersect N. and S. line 12 links South of the corner to Sec.s 13, 14, 23, 24 from which corner I run S. 89° 55' W. on true line between Sec.s 14 and 23 Co. 12° 50' E.
40,07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,15 (18)	The corner to Sec.s 14, 15, 22, 23. Land hilly Soil Sand. Sand.

Townships 15 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 14 and 15 Var. 12° 50' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 10, 11, 14, 15 - Land Sand hills, Soil. 3rd rate.

August ~~6th~~ Sept 1870

Townships 15 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs 11 and 14 Var. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,17	Intersect W. and S. line 24 links North of the corner to Secs 11, 12, 13, 14 from which corner I own N. 89° 50 - W on true line between Secs 11 and 14 Var. 12° 50' E.
40,08½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,17	The corner to Secs 10, 11, 14, 15 - Land Sand hills, Soil 3rd rate.

Township 15 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 10 and 11 W, 12°50' E
40,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a corner to Secs 2, 3, 10, 11 Land Sand hills, Soil 3rd rate,

Township 15 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs 2 and 11 W, 12°50' E,
40,00	Set post for temporary 1/4 Sec Cor,
80,20	Intersect N. and S. line 16 links South of the corner to Secs 1, 2, 11, 12 from which corner I mrk S, 89°45' W. on true line between Secs 2 and 11 W, 12°50' E,
40,20	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,20	The corner to Secs 2, 3 10, 11 Land Sand hills, Soil 3rd rate,

Township 15 N. Range 28 W 5th P. M.

Chains	North on random line between Secs 11 2 and 3 Va. 12° 50' E.
40,00	Set temporary ¼ Sec cor,
79,84	Intersect North Boundary of Township 18 links East of the corner to Secs 11 2, 3, 34, 35 from which corner Bears N. S. 18 W. E. on true line between Secs 11 2 and 3 Va. 12° 50' E,
~~40,00~~ 39,84	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec cor,
79,84	The corner to Secs 11 2, 3, 10, 11 Land hilly, Soil Estimate

Township 15 N. Range 28 W 5th P. M.

Chains	North between Secs 11 3 and 34 Va 12° 50' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 11 27, 28, 33, 34 Land Sand hills, Soil Sandrate,

Township 15 N. Range 28 W. 6th P. M.

Chains	
	East on ~~true~~ a random line between Secs 27 and 34 Var. 12° 50' E.
4,000	Set temporary 1/4 Sec. cor.
80,15	Intersect N and S. line 26 links North of the corner to Secs 26, 27, 34, 35 from which corner bears N. 89° 48' W. Wan. line between Secs 27 and 34 Var. 12° 50' E.
40,07½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,15	The corner to Secs 27, 28, 33, 34 Land hilly Soil Sand 3 rk rate

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs 27 and 28 Var. 12° 50' E.
4,000	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 21, 22, 27, 28 Land Sand hills. Soil Sand rate.

Township 15 N, Range 28 W 6th P.M.

Chains	East on random line between Secs 22 and 27 Ca, 12°50' E,
4,00	Set temporary 1/4 Sec Cor,
19,94	Intersect N and S, line 22 links South of the corner to Secs 22, ~~26, 27~~, 23 from which corner a pine S 89°51' W, on true line between Secs 22 and 27 Ca, 12°50' E,
39,97	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
19,94	The corner to Secs 21, 22, 27, 28 Land hilly, Soil Sand & adobe,

Township 15 N, Range 28 W 6th P.M.

Chains	North between Secs 21 and 22 Ca, 12°50' E,
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 15, 16, 21, 22 Land hilly. Soil Sand & adobe,

Township 15 N. R. 28 W. 6th P. M.

Chains	
	East between Secs. 15 and 22 on random line Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,21	Intersect N. and S. line 16 links South of the corner to Secs. 14, 15, 22, 23 from which corner Sun S. 89-5-3 W. on true line between Secs. 15 and 22 Va. 12°50' E.
40,10½	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,21	The corner to Secs. 15, 16, 21, 22 Land hilly Soil Land 2nd rate

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs. 15 and 16 Va. 12°50' E.
40,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land hilly, Soil Land 2nd rate
	East on random line between Secs. 10 and 15 Va. 12°50' E.
40,00	Let temporary 1/4 Sec. Cor.
80,12	Intersect W. and S. line 22 links South of the corner to Secs. 10, 11, 14, 15, from which corner Sun S. 89,5 W. on true line between Secs. 10 and 15
40,06	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. Va. 12°50' E.
80,12	The corner to Secs. 9, 10, 15, 16 Land Land hills, Soil 2nd rate

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs 9 and 10 va. 12° 50' E.
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a corner to Secs 3, 4, 9, 10 Land hilly, Soil Sand 3 rd rate
	East on random line between Secs 3 and 10 va, 12° 50' E,
40,00	Set temporary 1/4 Sec Cor
80,08	Intersect N. and S. line 20 links South of the corner to Secs 2, 3, 10, 11 from which corner I mm S, 89° 51' W on true line bet, Secs 3 and 10 va, 12° 50' E
40,04	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,08	The corner to Secs 3, 4, 9, 10 Land hilly, Soil 3 rd rate

(August 7th 1870)

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs 3 and 4 on random line. va, 12° 50' E,
40,00	Set temporary 1/4 Sec Cor,
80,21	Intersect North Boundary of Township 16 links East of the corner to Sec 3, 4, 33, 34 and from which corner I mm S, 7° E on true line between Secs 3 & 4
40,21	Set post deposit va, 12° 50' E, chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,21	The corner to Secs 3, 4, 9, 10 Land hilly, Soil Sand 3 rd rate
	North between Secs 32 and 33 va, 12° 50' E
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a corner to Secs 28, 29, 32, 33 Land hilly. Soil Sand 3 rd rate

Township 15 N. Range 28 W. 6th P. M.

Chains	East on random line between Secs. 28 and 33 (va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,80	Intersect N. and S. line 20 links South of the corner to Secs. 27, 28, 33, 34 from which corner a pine S. 89°5-1/2' W. on true line between Secs. 28 and 33 (va. 12°50' E.
39,90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,80	The corner to Secs. 28, 29 32, 33 Land hilly, Soil Sand 3rd rate

Township 15 N. Range 28 W. 6th P. M.

Chains	North between Secs. 28 and 29 va. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land Sand hills, 3rd rate Soil.
	East on random line between Secs. 21, 28 (va. 12°50' E.
40,00	Set post for temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 28 lks South of the corner to Secs. 21, 22 27, 28 from which corner a pine S. 89°2,1/2' W. on true line between Secs. 21 and 28 va. 12°50' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 20, 21, 28, 29 Land Sand hills, Soil 3rd rate.

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs 20 and 21 va 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 16, 17, 20, 21 Land Sand hills Soil Good rate.
	East on random line between Secs 16 and 21 va 12°50' E.
40,00	Set temporary 1/4 Sec Cor
80,21	Intersect East Boundary of Township 24 links North of the Corner to Secs 15, 16 21, 22, from which corner Surv N 89° 50' W Auxiliary line between Secs 16 and 21 va 12°50' E.
40,10½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,21	The corner to Secs 16, 17, 20, 21 Land hilly, Soil Good rate

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs 16 and 17 va 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 8, 9, 16, 17 Land Sand hills, Soil Good rate
	East on random line between Secs 9 and 16 va 12°50' E.
40,00	Set temporary 1/4 Sec Cor,
79,86	Intersect N. and S. line 16 links South of the corner to Secs 9, 10 15, 16 from which Cor. Surv S 89° 53' W. on true line between Secs 9 and 16 va 12°50' E.
39,93	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor
79,86	The corner to Secs 8, 9, 16, 17. Land hilly, Soil Good rate.

Townships 15 N. Range 28 W. 6th P. M.

Chains	
	North between Sec^{ns} 8 and 9 va. 12° 50' E,
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor,
60,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 4, 5, 8, 9 Land Land hills Soil 3rd rate
	East on random line between Sec^{ns} 4 and 9 va. 12° 50' E,
40,00	Set temporary 1/4 Sec. cor,
80,11	Intersect N and S, line 26 links North of the corner to Sec^{ns} 3, 4, 9, 10 from which corner I run N. 89° 48 W. on true line between Sec^{ns} 4 and 9 va. 12° 50' E
1005 1/2	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor,
80,11	The corner to Sec^{ns} 4, 5, 8, 9 Land hilly, Soil 3rd rate

Townships 15 N. Range 28 W. 6th P. M.

Chains	
	North on random line between Sec^{ns} 4 and 5 va. 12° 50' E,
40,00	Set temporary 1/4 Sec. cor
79,88	Intersect North Boundary of Township 20 links West of the corner to Sec^{ns} 4, 5, 32, 33 from which corner I run S. 9° W. on true line between Sec^{ns} 4 and 5 va. 12° 50' E,
39,88	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor,
79,88	The corner to Sec^{ns} 4, 5, 8, 9, Land hilly Soil Sand 3rd rate, August 6th 1870 Sept

Township 15 N, Range 28 W, 6th P, M,

Chains	
	North between Sec^{ns} 31 and 32 Va, 12°80 E,
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec^{ns} 29, 30, 31, 32, Land Sand hills Soil Sand rate

Township 15 N, Range 28 W, 6th P, M,

Chains	
	East on random line between Sec^{ns} 29 and 32 Va, 12°50 E,
4,00	Set temporary 1/4 Sec Cor,
80,30	Intersect North bank of S, line 26 links South of the corner to Sec^{ns} 28, 29, 32, 33 from which corner I mark S, 89°49 W, on true line between Sec^{ns} 29 and 32 Va, 12°50 E,
40,15	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,30	The corner to Sec^{ns} 29, 30, 31, 32 Land hilly Soil 3rd rate.

Township 15 N. Range 28 W. 6th P. M.

Chains	
	West on random line between Sec. 30 and 31 (a) 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,36	Intersect West Boundary of Township 18 links South of the corner to Secs. 30, 31, 25, 36 from which Corner Bears S. 89° 52' E. on true line between Secs. 30 and 31 (a) 12° 50' E.
39,86	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,36	The corner to Secs. 29, 30, 31 & 32 Land Sand hills, Soil 3rd rate.

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North between Secs. 29 and 30 (a) 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 19, 20, 29, 30 Land Sand hills, Soil 3rd rate.

Township 15 N. Range 28 W. 6th P. M.

Chains	East on Random line between Sec^{ns} 20 and 29 Va, 12°50' E
40,00	Set temporary 1/4 Sec^{r} Cor,
79,92	Intersect N. and S. line 22 links North of the corner to Sec^{ns} 20, 21, 28, 29 from which corner I run N. 89°51' W. on true line between Sec^{ns} 20 and 29 Va, 12°50' E,
39,96	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec^{r} Cor,
79,92	The corner to Sec^{ns} 19, 20 29, 30 Land hilly, Soil Sand & clay

Township 15 N. Range 28 W. 6th P. M.

Chains	West on random line between Sec^{ns} 19 and 30 Va, 12°50' E
40,00	Set temporary 1/4 Sec^{r} Cor,
79,28	Intersect West Boundary of Township 12 links North of the corner to Sec^{ns} 19, 30 24, 25, from which corner I run, N. 89°56' E, on true line between Sec^{ns} 19 and 30 Va, 12°50' E,
39,28	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec^{r} Cor,
79,28	The corner to Sec^{ns} 19, 20 29, 30 Land hilly, Soil Sand & clay

Sounship 15 N. Range 2 ~~W~~ 8 W. 6th P. M.

Chains	
	North between Secs. 19 and 20
	Var. 12° 50' E.
40.00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a ¼ Sec. Cor.
80.00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a Cor. to Secs. 17, 18, 19, 20
	Land Land hills
	Soil 3rd rate.

Sounship 15 N. Range 2 ~~8~~ W. 6th P. M.

Chains	
	East on random line
	between Secs. 17 and 20
	Var. 12° 50' E.
40.00	Set post for temporary
	~~mound of earth with pits as per~~ ¼ Sec. Cor.
	~~instructions for a ¼ Sec. Cor.~~
79.90	Intersect N. and S. line
	18 links North of the corner
	to Secs. 16, 17, 20, 21, from
	which corner I run
	N. 89° 52' W. on true line
	between Secs. 17 and 20
	Var. 12° 50' E.
39.95	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a ¼ Sec. Cor.
79.90	The corner to Secs. 17, 18
	19, 20
	Land hilly.
	Soil 3rd rate.

Township 15 N. Range 28 W. 6th P.M.

Chains	
	West on random line between Sec^ns 18 and 19 Var. 12° 50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.40	Intersect West Boundary of Township 14 North of the corner to Sec^ns 18, 19 13, 24, from which corner Bears S. 89° 54' E. on true line between Sec^ns 18 and 19 Var. 12° 50' E.
89.40	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.40	The corner to Sec^ns 17, 18, 19, 20 Land hills Soil Bad rate, Sand,

Township 15 N. Range 28 W. 6th P.M.

Chains	
	North between Sec^ns 17 and 18 Var. 12° 50' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sec^ns 7, 8, 17, 18 Land Sand hills, Soil Bad rate,

Township 15 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 8 and 17 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 14 links South of the corner to Secs. 8, 9, 16, 17 from which corner I own, S. 89°54' W. on true line between Secs. 8 and 17 Va. 12°50' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 7, 8, 17, 18 Land Sand hills, Soil Sand rate.

Township 15 N. Range 28 W. 6th P.M.

Chains	
	West on random line between Secs. 7 and 18 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,43	Intersect West Boundary of Township 10 links N. of the corner to Secs. 7, 18, 12, 13 from which corner I own N. 89°56' E. on true line between Secs. 7 and 18 Va. 12°50' E.
39,48	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,48	The corner to Secs. 7, 8, 17, 18 Land hilly, Soil Sand rate - Sand.

Township 15 N. Range 28 W. 6th P. M.

Chains	West between Secs. 7 and 8 Var. 12° 50' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8 Land hilly, Soil Sand, Timber

August ~~9th~~ Sept 9th 1870

Township 15 N. Range 28 W. 6th P. M.

Chains	East on random line between Secs. 5 and 8 Var. 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
80,19	Intersect Island 3, line 16 links North of the corner to Secs. 4, 5, 8, 9, from which corner I run W. 89° 53' W. on true line between Secs. 5 and 8 Var. 12° 50' E.
40,09½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,19	The corner to Secs. 5, 6, 7, 8. Land Sand hills Soil Timber.

Township 15 N. Range 28 W. 6th P. M.

Chains	
	West on random line between Secs 6 and 7 Var 12°50' E
40,00	Set temporary ¼ Sec Cor,
79,35	Intersect West Boundary of Township 14 links South of the corner to Secs 6, 7, 1, 12 from which Corner Pine, S. 89°54 E, on true line between Secs 6 and 7 Var 12°50' E,
39,35	Set Post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
79,35	The corner to Secs 5, 6 7, 8 Land Land hills Soil 3rd rate.

Township 15 N. Range 28 W. 6th P. M.

Chains	
	North on random line between Secs 5 and 6 Var 12°50' E,
40,00	Set post for temporary ¼ Sec Cor,
80,20	Intersect North Boundary of Township 12 links West of the corner to Secs 5, 6, 31, 32, from which corner Pine S. 5° W on true line between Secs 5 and 6 Var 12°50' E,
40,20	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor,
80,20	The corner to Secs 5, 6 7, 8 Land hills Soil Land 3rd rate

August Sept. 10th 1870

Township 15 N. Range 28 W. 6th P.M.

General description.
This Town is entirely composed of Sand Hills. Soil very light and unproductive. No timber and no water in the Township. Not well adapted to Settlement and cultivation.

List of Names and duties of assistants

E. A. Beach — Chainman
Philip Ryon — Chainman
Leo H. Fichler — Axemen & Monumenters
Edwd Lawrence — Monumenter

We hereby certify that we assisted L. P. Park Deputy Surveyor in Subdividing Township 15 N. of Range 28 W. of the 6th P.M. Mer. and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to instructions from the Surveyor General

E. A. Beach Chainman
Philip Ryon Chainman
Thomas K. Fichler Axemen
Edward Lawrence Monumenters

State of Nebraska }
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 27th day of September A.D. 1870

M. Slaw
Probate Judge
in and for said County

I, C. B. Park deputy Surveyor do
Solemnly Swear that, in
pursuance of a contract
Number 39 with Robt K
Livingston Surveyor General for
the district of Nebraska and Iowa
bearing date the 6th day of
August A. D. 1870 I have well faithfully
and truly in my own proper
person and in Strict conformity
with the instructions furnished by
the Surveyor General, the Surveying
manual, and the laws of the
United States, Surveyed and
subdivided all those parts or
portions of Township 15 North
of the base line of Range 28 West
of the 6th Principal Meridian
as are represented in
the foregoing field-notes
as having been Surveyed
under my direction,
and I do further
Solemnly Swear

that, all the corners of said Survey have been established and perpetuated in strict accordance with the surveying manual, the printed instructions and that the foregoing are the true and original field-notes of such Survey

J. B. Park
Deputy Survey

State of Nebraska
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 27th day of September A.D. 1870

Wm Stow
Probate Judge
in and for said County

Surveyors Office at

Plattsmouth Neb. Dec. 3. 1870

The foregoing field Notes of the Survey of the Subdivision lines Township No 15 North of the Base line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska executed by J. B. Park under his Contract of the 6th day of August 1870. in the month of September 1870 having been critically examined the necessary corrections and explanations made the said field notes & the Surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General

T 16 N., R 28 W.



Field Notes

Of the Survey and Subdivision of Township 16 North of the base line, of Range number 28 West of the 6th Prin. Mer. Executed by L. B. Park deputy Surveyor under their joint contract number dated June 1871 wherein L. B. Park and A. C. Campbell are joint contractors.

Township 16 N. Range 28 W. 6th P. M.

List of Names

and duties of assistants

Chas. F. Billopp } Chainmen
C. Harris
R. B. Reyes } Monuments
A. McBroom.

Ch. To determine the proper adjustment of my Compass for Subdividing this township. I commence at the corner to townships 15 and 16 North of the base line Ranges 27 and 28 West of the Sixth P. M., Mer and run North along the eastern boundary of Sec. 36 Va. 13° 34' E.

40.01 To the 1/4 Sec. Cor.

80.02 To the corner to Sec. 25, 26 35, 31

To run parallel to this line therefore my Compass is in proper adjustment

Subdivision commenced Aug. 29th. 1871

Completed Sept. 2 nd 1871

Township 16 N. Range 28 W. 6th P.M.

chains	
	North between Secs 35 and 36 Va. 13° 35' E.
40,00	Set post deposit Marked Stake raised mound of earth with pits as per instructions for a W.C. Sector,
80,00	Set post deposit, Marked Stake raised mound of earth with pits as per instructions for a corner to Secs, 25, 26, 35, 36 Land Sand hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P.M.

chains	
	East on random line between Secs 25 and 36 Va. 13° 35' E
40,00	Set post for temporary W.C. Sector,
80,10	Intersect East Boundary of Township 16 links South of the Corner to Secs, 25, 30, ~~30,31~~ from which corner I run S. 89° 53' W. on true line between Secs. 25 and 36 Va. 13° 35' E,
40,05	Set post deposit Marked Stake, raised mound of earth with pits as per instructions for a W.C. Sector,
80,10	The corner to Secs. 25, 26, 35, 36, Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 25 and 26 On. 13° 35' E
40.00	Set post deposit Marked Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80.00	Set post deposit Marked Stake raised mound of earth with pits as per instructions for a corner to Secs, 23, 24, 25, 26 Land Sand hills Soil Bad rate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 24 and 25 On. 13° 35' E.
40.00	Set temporary 1/4 Sec Cor,
79.96	Intersect East Boundary of Township 12 links North of the corner to Secs. 24, 25, 19 20 from which corner I run N. 89° 55' W. on true line between Secs, 24, 25 On. 13° 35' E.
39.98	Set post deposit Marked Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.96	The corner to Secs. 23, 24, 25, 26. Land Sand hills Soil Bad rate

Township 16 N. Range 28 W. 6th P.M.

Chains	North between Secs. 23 and 24 Va. 13° 35' E
40,00	Set post deposit deposit Scarred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24 Land hilly and Some Broken Soil Sandy Loam

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs 13 and 24 Va. 13° 35' E.
40,00	Set temporary 1/4 Sec Cor.
80,12	Intersect East Boundary of Township 18 Links South of the corner to Secs 13, 24, ~~18 19~~ from which corner Iron S. 89° 52' W. on true line between Secs 13 and 24 Va. 13° 35' E.
1	
40,06	Set post deposit Scarred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,12	The corner to Secs. 13, 14, 23, 24 Land Land hills Soil Sandy Loam.

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 13 and 14 Va. 13° 38' E.
40.00	Set post deposit Charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit Charred Stake mixed mound of earth with pits as per instructions for a comer to Secs 11, 12, 13, 14 Land Sand hills Soil Sandy

Township 16 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 12 and 13 Va. 13° 38' E.
40.00	Set temporary 1/4 Sec Cor
80.16	Intersect N. and S line 10 links North of the corner to Secs. 12, 13, 7, 18 from which corner I run N. 89° 58 W. on true line between Secs. 12 and 13 Va 13° 38 E.
40.08	Set post deposit Charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.16	The corner to Secs. 11, 12, 13, 14 Land rolling Soil Sand and sate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 11 and 12 Va. 1° 35' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 1, 2, 11, 12 Land Rolling Soil Sand 3rd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 1 and 12 Va. 1° 30' E.
40.00	Set temporary 1/4 Sec Cor,
79.84	Intersect East Boundary of Township 18 links North of the corner to Secs. 1, 12, 6, 7 from which corner I run N. 89° 52' W. on true line between Secs. 1 and 12 Va. 1° 30' E.
39.92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.84	The corner to Secs, 1, 2, 11, 12 Land rolling Soil 2nd rate

Township 16 N. Range 28 W. 6th P. M.

Chains	North between Secs 1 and 2 Var. 13° 34' E.
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.35	Intersect 4th Standard Parallel North at 11,80 chs. West of the corner to Secs 31 and 36 T. 17 N.R. 27 and 28 W. where Set post deposit chared Stake mound of earth with pits as per instructions for a closing Corner to Secs, 1 and 2. T. 16 N.R 28 W. Land very rolling Soil 2 nd rate.

Township 16 N. Range 28 W. 6th P. M.

Chains	North between Secs. 34 and 35 Var. 13° 35' E.
40,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit chared Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35 Land Sand hills Soil 3 rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 26 and 35 Va. 13° 35' E.
40,00	Set temporary 1/4 Sec Cor.
80,12	Intersect N and S. line 18 links South of the corner to Secs. 25, 26, 35, 36 from which corner I saw S. 89° 52' W. on true line between Secs 26 and 35 Va. 13° 35' E,
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,12	The corner to Secs. 26, 27, 34, 35 Land Sand hills Soil Sandstone.

Township 16 N. Range 28 W. 6th P.M.

Chains	North between Secs. 26 and 27 Va. 13° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22 23, 26, 27 Land Sand hills Soil Sandstone.

August 29th 1871

Township 16 N. Range 28 W. 6th P. M.

Chains	East on random line between Secs. 28 and 26 On. 13° 35' E.
40.00	Set temporary ¼ Sec Cor.
79.88	Intersect Ward S. line 6 links North of the corner to Secs. 2, 3, 24, 25 26, from which corner I run N. 89° 58' W. on true line between Secs. 23 and 26 On. 13° 35' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
79.88	The corner to Secs. 22, 23 26, 27 Land Sand hills Soil Barren.

Township 16 N. Range 28 W. 6th P. M.

Chains	North between Secs. 22 and 28 On. 13° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
60.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 14, 15, 22, 23 Land Sand hills Soil Barren

Township 16 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs. 14 and 23 On. 13° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 14 links South of the corner to Secs. 13, 14, 23, 24 from which corner Iowa S. 89° 54 W. on true line between Secs. 14 and 26 On. 13° 35' E.
80,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 14, 15, 22, 23 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 14 and 15 On. 13° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P. M.

Chains	East on random line between Secs. 11 and 14 Va. 13° 35' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,14	Intersect N and S. line 8 links South of the corner to Secs. 11, 12, 13, 14 from which corner I run S. 89° ~~35~~ 57 W. on true line between Secs. 11 and 14 Va. 13° 35' E.
40,07	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,14	The corner to Secs. 10, 11 14, 15 Land Sand hills Soil 3rd rate

Township 16 N. Rang 28 W. 6th P. M.

Chains	North between Secs. 10 and 11 Va. 13° 35' E.
40,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 3, 10, 11 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

	Chains	East on random line between Secs. 2 and 11 Va. 13° 35' E.
	40.00	Set temporary 1/4 Sec. Cor.
	79.90	Intersect N. and S. line 22 lks North of the corner to Secs. 1, 2, 11, 12 from which corner I run N. 89° 55' W. on true line between Secs. 2 and 11 Va. 13° 35' E.
	39.95 ~~40.95~~	Set post deposit charred Stake raised a mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.90	Line comers to Secs. 2, 3, 10, 11 Land rolling Soil 2nd rate.

Township 16 N. Range 28 W. 6th P.M.

	Chains	North between Secs 2 and 3 Va. 13° 35' E.
	40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.15	Intersect 4th Standard Parallel North at 11.50 chs West of the corner to Secs. 35 and 36, T. 17 N. R. 28 W. where Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing Corner to Secs. 2 and 3, T. 16 N. R. 28 W. Land rolling Soil 2nd rate

Township 16 N. Range 28 W. 6th P.M.

	Chains	North between Secs 33 and 34 W. 13° 35' E
	40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
	80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions ~~for a 1/4 Sec. Cor.~~ for Cor to Secs 27, 28, 33, 34
		Land Sand hills.
		Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

	Chains	East on random line between Secs. 27 and 34 W. 13° 35' E.
	40.00	Set temporary 1/4 Sec. Cor.
	80.18	Intersect N. and S. line 16 links North of the corner to Secs. 26, 27, 34, 35, from which corner I run N 89° 53' W. on true line between Secs. 27 and 34 W. 13° 35' E.
	40.09	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80.18	The corner to Secs. 27, 28, 33, 34
		Land Sand hills.
		Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	North between Secs. 27 and 28 On. 18.00 35-1 E.
40,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a Corner to Secs. 21, 22, 27, 28 Land Sand hills Soil Sandy.

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 22 and 27 On. 18.00 35-1 E.
40,00	Set temporary 1/4 Sec Cor.
79,92	Intersect N and S line 20 links South of the corner to Secs. 22 23, 26, 27 from which Witness Corner
80,00	Pine 1, 89.00 51 W. on true line between Secs. 22 and 27 On. 18.00 35-1 E.
39,96	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,92	The Corner to Secs 21, 22, 27, 28 Land Low Sand hills Soil Sandy.

Township 16 N. Range 28 W. 6th P.M.

Chains		North between Secs 21 and 22 Va. 13° 35' E.
10,00		Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00		Set post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22, Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 15 and 22 Va. 13° 35' E.
10,00	Set temporary 1/4 Sec Cor,
80,16	Intersect N. and S. line 8 links South of the corner to Secs. 14, 15, 22, 23 from which corner I run S. 89° 58' W. on true line
	Secs. 15 and 22 Va. 13° 35' E.
10,08	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,16	The corner to Secs. 15, 16, 21, 22 Land Sand hills Soil 3rd rate.
	August 30th. 1871 Correct chain with Standard

Township 16 N. Range 28 W. 6th P.M.

Chains North between Secs. 15 and 16
Va. 13° 35' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16
Land Sand hills,
Soil 3rd rate,

Township 16 N. Range 28 W. 6th P.M.

Chains East on random line between Secs. 10 and 15
Va. 13° 35' E

40.00 Set temporary ¼ Sec Cor
80.18 Intersected N. and S. line 16 Links North of the corner to Secs. 10, 11, 14, 15 from which corner Bears N 89° 53' W. on true line between Secs. 10 and 15
Va. 13° 35' E.

40.09 Set post deposit charred Stake raised mound of earth with pits, as per instructions for a ¼ Sec Cor.

80.18 The corner to Secs. 9, 10 15, 16
Land Sand hills
Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	North between Secs. 9 and 10, Va. 13° 35' E.	
40,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.	
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 3, 4, 9, 10 Land low Sand hills Soil 3rd rate.	

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 3 and 10 Va. 13° 35' E.	
40,00	Set temporary ¼ Sec. Cor.	
80,08	Intersect N. and S. line 10 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run S. 89° 56' W. on true line between Secs. 3 and 10 Va. 13° 35' E.	
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.	
80,08	The corner to Secs. 3, 4, 9, 10. Land rolling Soil 2nd rate.	

Township 16 N. Range 28 W. 6th P.M.

	Chains	North between Secs. 3 and 4 Var. 13° 35' E.
	40.00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.80	Intersect 4th Standard Parallel North at 11.65 chs West of the corner to Secs 34 and 35 T. 17 N. R. 28 W. where Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs 3 and 4 T. 16 N. R 28 W. Land rolling Soil 2nd rate

Township 16 N. Range 28 W. 6th P.M.

	Chains	North between Secs. 32 and 33 Var. 13° 35' E
	40.00	Set post deposit. deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
	80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29 32, 33 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains

East on random line between Secs. 28 and 33
Va. 13° 35' E.

40,00 Set temporary 1/4 Sec. Cor.
80,10 Intersect N. and S. line 16 links North of the corner to Secs. 27, 28, 33, 34 from which a witness tree bears N. 89° E. 5.3 links distant, Va. 13° 30' E.

1095 Set post deposit Stone Marked Stake mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,10 The corner to Secs. 28, 29, 32, 33,
Land Sand hills
Soil Sandstone.

Township 16 N. Range 28 W. 6th P.M.

Chains

North between Secs. 28 and 29
Va. 13° 20' E.

40,00 Set post deposit, Marked Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit Marked Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29
Land Sand hills
Soil Sandstone

Township 16 N. Range 28 W. 6th P.M.

	Chains	East on random line between Sec. 21 and 28 Var. 13° 30' E.
4	4,00	Set post for temporary ¼ Sec Cor.
8	8,08	Intersect N. and S line 16 links North of the corner to Secs. 21, 22, 27, 28 from which corner I marry N. 89° 53' W. on true line between Sec. 2 and 28 Var. 13° 30' E.
4	46,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for ¼ Sec Cor
8	0,08	The corner to Secs. 20, 21 28, 29 Land Sand hills Soil Bad rate.

Township 16 N. Range 28 W. 6th P.M.

	Chains	North between Secs. 20 and 21 Var. 13° 35 E.
4	0,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
8	4,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16 17, 20, 21 Land Sand hills Soil Bad rate

Township 16 N. Range 28 W. 6th P. M.

	Chains	East on random line between Secs. 16 and 21 Va. 13° 35' E.
4	40,00	Set temporary 1/4 Sec Cor.
8	80,02	Intersect East Boundary of Township 10 links North of the corner to Secs. 15, 16 21, 22, from which corner Pine N. 89° 56 W. on true line between Secs. 16 and 21 Var. 13° 35' E.
	40,01	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,02	The corner to Secs. 16, 17 20, 21 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P. M.

Chains	North between Secs. 16 and 17 Var. 13 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit, charred Stake raised, mound of earth with pits as per instructions for a ~~Corner to~~ Secs. 8, 9, 16, 17 Land Sand hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 9 and 16 Va. 13° 35' E.
40,00	Set temporary 1/4 Sec. cor.
79.90	Intersect N. and S. line 14 links South of the corner to Secs. 9, 10, 15, 16 from which corner I run S. 89° 54' W. on true line between Secs. 9 and 16 Va 13° 35' E.
39,95	Set post deposit Charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. cor.
79,90	The corner to Secs. 8, 9, 16, 17 Land Sand hills Soil 3rd rate.

Township 16 North Range 28 W. 6th P.M.

Chains	North between Secs. 8 and 9 Va. 13° 35' E.
40,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9, Land Sand hills Soil 3rd rate

August 31st 1871

Township 16 N. Range 28 W 6th P. M.

chains	East on random line between Secs. 4 and 9 Var 13° 34' E.
40.00	Set temporary 1/4 Sec. Cor.
79.88	Intersect N and S. line 16 lks South of the corner to Secs. 3, 4, 9 10, from which corner I run S. 89° 53' W. on true line between Secs. 4 and 9 Var. 13° 34' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.88	The corner to Secs. 4, 5, 8, 9 Land rolling Soil 2 nd rate

Township 16 N Range 28 W 6th P M

chains	N or A between Secs. 4 and 5 Var. 13° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.55	Intersect 4th Standard Parallel North at 11.08 chs West of the corner to Secs. 33 and 34 T. 17 N. R 28 W. where Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 4 and 5 T. 16 N. R 28 W. Land hilly Soil 2 nd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	North between Secs. 21 and 22 Va. 13° 35' E
40,00	Le. post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Le. post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32 Land Sand hills. Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 29 and 32 Va. 13° 35' E.
40,00	Le. post for temporary 1/4 Sec. Cor.
80,12	Intersect W and S. line 20 links South of the corner to Secs. 28, 29 32, 33 from which corner Spur S. 89° 51' W. on true line between Secs. 29 and 32 Va. 13° 35' E.
10,06	Le. post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs. 29, 30, 31, 32. Land low Sand hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P.M.

chains	
	West on random line between Secs. 30 and 31 Va. 13° 35' E.
40.00	Set temporary 1/4 Sec. Cor.
79.20	Intersect West Boundary of Township 22 links South of the corner to Secs 30, 31, ~~26, 30~~ from which corner I mon S. 89° 81 E.
	Continue line between Secs. 30 and 31 Va. 13° 35' E.
39.20	Set post deposit stone raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.20	The corner to Secs, 29 30, 31, 32 Land Land hills Soil Bad rate.

Township 16 N. Range 28 W. 6th P.M.

chains	
	North between Secs. 29 and 30 Va. 13° 35' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 19, 20, 29, 30 Land Land hills Soil Bad rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	East on random line between Secs. 20 and 29 Va. 13° 35' E.
40,00	Set temporary 1/4 Sec. cor.
80,10	Intersect N. and S. line 16 links North of the corner to Secs. 20, 21, 28, 29 from which corner Govt. cor. N. 89° 62' W. on true ~~62~~ 53 between Secs 20 and 29 Va. 13° 35' E.
40,05	Set post deposit deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,10	The corner to Secs. 19, 20, 29, 30 Land Land hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	West on random line between Secs. 19 and 30 Va. 13° 35' E.
40,00	Set temporary 1/4 Sec. cor.
78,53	~~Intersect~~ West Boundary of Township 16 links South of the Corner to Secs. 19, 30. ~~24, 25~~ from which corner I run S. 89° 53' E. on true line between Secs. 19 and 30 Va. 13° 35' E.
38,53	Set Post deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
78,53	The corner to Secs. ~~19~~ 19, 20 29, 30 Land Land hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P. M.

Chains	North between Secs. 19 and 20 Va. 13° 35' E.
40,00	Set post, deposit charred Stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20 Land Sand hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P. M.

Chains	East on random line between Secs. 17 and 20 Va. 13° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	Intersect N. and S. line 14 links South of the corner to Secs. 16, 17, 20, 21 from which we run S. 89° 54' W. on true line between Secs. 17 and 20 Va. 13° 30' E.
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs. 17, 18 19, 20, Land Sand hills Soil 3rd rate,

Township 16 N. Range 28 W. 6th P. M.

Chains West on random line between Secs. 18 and 19 Va. 13° 30' E.

40,00 Set post for temporary 1/4 Sec. Cor

78,18 Intersect West Boundary of Township 12 on R. 28 West of the corner to Secs. 18, 19, 13, 24 from which corner Pine N. 89° 55' E. on true line between Sec. 18 and 19 Va. 13° 35' E.

38,18 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

78,18 The corner to Secs. 17, 18 19, 20 Land Land hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P. M.

Chains North between Secs. 17 and 18 Va. 13° 35' E.

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit, charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8 17, 18 Land Sand hills Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

	East on random line between Secs. 8 and 17 Va, 13° 35' E,
40,00	Set temporary 1/4 Sec'or,
19,92	Intersect West Boundary of Township 18 Links North of the corner to Secs, 8, 9, 16 17 from which corner Bears N, 89° 52' W on true line between Secs, 8 and 17 Va, 13° 35' E,
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
79,92	The corners to Secs, 7, 8 17, 18 Land Sand hills Soil 3rd rate.,

September 1st 1871

Township 16 N. Range 28 West 6 P.M.

	West on random line between Secs, 7 and 18 Va, 13° 35' E,
40,00	Set temporary 1/4 Sec'or,
77,65	Intersect West Boundary of Township, 8 Links South of the Corner to Secs, 7, 18 12, 93 from which corner Bears S, 89°, 57 E on true line between Secs, 7 and 18 Va, 13° 35' E,
37,68	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
77,68	The corners to Secs, 7, 8, 17, 18 Land Sand hills, Soil 3rd rate.

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs 7 and 8 Va. 13°35' E.,
4.00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
8.00	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 5, 6, 7, 8 Land Lane hills Soil 3rd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	East on random line between Secs, 5 and 8 Va. 13°35' E.
40.00	Set temporary 1/4 Sec Cor.
79.92	Intersect N. and S. line 14 links North of the corner to Secs. 4, 5, 8, 9 from which corner I run N. 89°54 W. on true line between Secs. 5 and 8 Va 13°35' E,
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.92	The corner to Secs. 5, 6, 7, 8 Land rolling Soil 2nd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	West on random line between Secs. 6 and 7 Va. 13° 35' E.
40.00	Set temporary 1/4 Sec. Cor.
80 77.20	Intersect West boundary of Township 16 links North of the corner to Secs. 6, 7, 1 & 12 from which corner I run N. 89° 53' E. on true line between Secs. 6 and 7 Va. 13° 35' E.
37.20	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.20	The corner to Secs. 5, 6, 7, 8 Land rolling Soil 2nd rate

Township 16 N. Range 28 W. 6th P.M.

Chains	
	North between Secs. 5 and 6. Va. 13° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.20	Intersect 4th Standard Parallel North at 11.12 chs. West of the corner to Secs. 32 and 33 T. 17 N. R. 28 W. where Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 5 and 6 T. 16 N. R. 28 W. Land rolling Soil 2nd rate.

September 2nd 1871

General Description

This Township is rolling and hilly. The Soil a light Sand thinly covered with tough grass There is no timber and no water in the Township and it is not fit for Settlement and cultivation

List of Names

A list of names of individuals employed to assist J. B. Pyle Dept Surveyor in Surveying running meanding and Marking the lines and Corners described in the foregoing field notes of Township 16 N. Range 28 W of the 6th Prin Mer. Showing the respective capacities in which they acted.

Chas F Billopp } Chainmen
A. Harris }
A. Mc Brown } Monumentors & Axmen
R. B. Keyes }

We hereby certify that we assisted
L. B. Park Park deputy Surveyor in
Surveying and Subdividing Township
16 North of the base line of Range 28
West of the 6th Prin. Mer. and that
said Township has been to the best
of our Knowledge and belief in
all respects well and faithfully
Surveyed, and the boundary
monuments planted according
to instructions furnished by
the Surveyor General
Chas. F. Billop Chairman
C. A. Harris. Chairman
R. B. Kizer. Agents or
H. M. Broom Mound men
Subscribed in my presence and
Sworn to before me this 21 day
of September 1871
Wm. J Patterson J. P.

I, L. B. Park deputy Surveyor do
Solemnly Swear that in pursu-
ance of a joint contract
wherein L. B. Park and A. L.
Campbell are joint contractors
with E. E. Cunningham Surveyor
General for the District of
Nebraska and Iowa bearing
date June 16th 1871 I have
well faithfully and truly, in my
own proper person and in strict
conformity with instructions
furnished by the Surveyor
General, the Surveying Manual
and the Laws of the United States
Surveyed all those parts or portions
of Township 16 N. of the base line
of Range 28 W. of the 6th Prin. Mer.
as are represented in the foregoing
field-notes as having been
Surveyed under my direction;
and I do further Solemnly
Swear that all the corners to
said Survey have been

established and perpetuated in Strict accordance with the Surveying manual, and printed instructions, and that the foregoing are the true and original field-notes of Such Survey

L. B. Park

Deputy Surveyor

State of Nebraska
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 21st day of Sept, 1871

W. L. Patterson J. P.

Surveyor Generals Office
Nebraska City, Dec. 8th, 1871

The foregoing field Notes of the Survey of Subdivision of Township No 6 North Base line Range 28 West 6th P.M. Executed by J. B. Park under Joint contract 47 Dated June 16th 1871. wherein J. B. Park and H. C. Campbell are Joint contractors in the months of August and September 1871 having been critically Examined and the Necessary Corrections and Explanations Made the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

515

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.