# General Land Office • Original Field Notes

## Book Number

# 517

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes
of
The Survey and Subdivision
of
Township No 21 North
of
Range No 28 West
In
Nebraska

Executed
By Frank Dorrington
Deputy Surveyor under
Joint Contract No 80
dated July 24 1874

Survey
Commenced Aug 14th 1874
Completed Aug 18th 1874

List of Names
A list of the Names of the individuals employed based
in Surveying and Subdividing
Township 21 North of Range

28. West showing the respective ca-
pacities in which they acted

| | |
|---|---|
| John Ginger | Chairman |
| Wm Shryock | " |
| Jacob Totten | Flagman |
| Milton Totten | Moundman |

Town 21 Range 28 W.

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 22 | 2 | 11 | 1 |
| 59 | | 58 | | 43 | | 32 | | 21 | | 10 |
| 7 | 57 | 8 | 42 | 9 | 31 | 10 | 20 | 11 | 9 | 12 |
| 56 | | 55 | | 41 | | 30 | | 19 | | 8 |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7 | 13 |
| 53 | | 52 | | 39 | | 28 | | 17 | | 6 |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5 | 24 |
| 50 | | 49 | | 37 | | 26 | | 15 | | 4 |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3 | 25 |
| 47 | | 46 | | 35 | | 24 | | 13 | | 2 |
| 31 | 45 | 32 | 34 | 33 | 23 | 34 | 12 | 35 | 1 | 36 |

To determine the proper ad-
justment of my compass for
subdividing Township No 21
North of base line of Range
No 28 West of 6th P. M. in
Nebraska I begin at the
Cor to Townships 21 North
Ranges 27 & 28 West and
run North on a blank line
along the East Boundary
of Sec 36.

Va 13° 29' E

40.00 To a point 1 ch East of Cor
80.00 To a point 3 chs East of Cor to
Secs 25 & 36.

Therefore to retrace this line
or run parallel therets
my Compass must be
adjusted to a Variation
of 13° 30' E

## Township 21 North

| | |
|---|---|
| | North bet Secs 35 & 36 Va 13° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for Cor to Secs 25. 26. 35 & 36 |
| | Land broken 3 rate |



## Range 28 West

| | |
|---|---|
| | East on random line bet. Secs 25 & 36 Va 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.40 | Intersect East boundary 31. lks North of Cor to Secs 25 & 36. from which drum |
| | N 89° 47' West on true line bet Secs 25 & 36. Va 13° 30' E. |
| 39.70 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 x 12 for gr sec cor |
| 79.40 | Cor to Secs 25. 26. 35 & 36 |
| | Land broken 3 rate |

## Township 21. North

| | | |
|---|---|---|
| | | North bet Secs 25 & 26 Va 13° 30' E |
| 40. | 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 80. | 80.00 | Set post 3 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of Earth 3 ft high from pits 12 x 24 x 12 in for Cor to secs 23. 24. 25 & 26 |
| | | Land broken Zorate |



## Range 28 West

| | |
|---|---|
| | East on random line bet Secs 24 & 25 Va 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.28 | Intersect East Boundary 14 lks South of Cor to secs 24 & 25 from which drum |
| | S. 89° 54' West on true line bet Secs 24 & 25 Va 13° 30' E |
| 39.64 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 79.28 | Cor to secs 23. 24. 25 & 26 |
| | Land broken Sandy Zorate |

# Township 21 North

| | |
|---|---|
| | North Lat Secs 23 & 24 |
| | Val 3° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| | 10 chs. East of this cor is a large Limestone rock quarry |
| 50.50 | Right bank of Dismal River N 80° East |
| 54.65 | Left bank of same |
| 57.00 | Military road N E |
| 63.00 | Military road North. NE |
| 80.00 | Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for Cor to secs 13. 14. 23 & 24 |
| | Land broken Zorate |



# Range 28 West

| | |
|---|---|
| | Eastern random line bet Secs 13 & 24 |
| | Val 3° 30' E |
| 4.00 | Military road N E |
| 34.00 | Military road N E |
| 40.00 | Set post for temporary gr cor |
| 79.56 | Intersect East boundary 44 chs North of Cor to secs 13 & 24, from which Irvine |
| | N 89° 41' West on true line bet Secs 13 & 24 |
| | Val 3° 30' E |
| 39.78 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 79.56 | Cor to secs 13. 14. 23 & 24 |
| | Land broken Zorate |

## Township 21 North

North bet Secs 13 & 14
Var 3° 30' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor

80.00 Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 x 12 in for cor to secs 11. 12. 13 & 14.

Land very broken sandy 3 rate



## Range 28 West

East on random line bet Secs 12 & 13
Var 3° 30' E

21.00 Military road bears N.W. & S.E.

40.00 Set post for temporary gr cor

79.39 Intersect East Boundary 64 lks N of cor to secs 12 & 13 from which cor Inv

N 89° 32' West on true line bet Secs 12 & 13
Var 3° 30' E

39.64 Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake in mound of Earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor

79.39 Cor to secs 11. 12. 13 & 14
Sand hills 3 rate

Township 21 North

North bet Secs 11 & 12
Va 13° 30' E.

23.00 Military road N.W.

40.00 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposit charred
Stake raised Mound
of earth 3 ft high from
pits 12 x 24 x 12 in for
gr sec cor

80.00 Set post 3 x 3 in x 4 ft. 1 ft in
ground deposit charred
Stake raised Mound of
earth 3 ft high from pits
12 x 24 x 12 in for cor to
Secs 1. 2. 11 & 12
Land broken Zorate



Range 28 West

East on random line bet
Secs 1 & 12
Va 13° 30' E

40.00 Set post for temporary gr cor

79.64 Intersect East boundary
33 lks North of cor to
Secs 1 & 12 from which
cor I run
N 89° 37' West on true line bet
Secs 1 & 12
Va 13° 30' E

39.82 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited charred
Stake raised Mound of
earth 3 ft high from pits
12 x 24 x 12 in for gr cor

79.64 Cor to secs 1. 2. 11 & 12
Land sand hills Zorate

# Township 21 North

North on randym line bet
Secs 1 & 2
Vol 3° 30' E

40.00 post for temporary gr cor
80.32 Intersect North boundary
72 lks. East of Cor to Secs
1 & 2. from which I run
S 31. East on true line bet
Secs 1 & 2
Vol 3° 30' E

40.32 Set post 2 x 3 in x 4 ft 1 ft in
ground deposit charred
Stake raised Mound
of Earth 3 ft high from
pits 12 x 24 x 12 in for
gr 2 sec cor
80.32 Cor to Secs 1. 2. 11 & 12
Land Sand hills 3 rate



# Range 28 West

North bet Secs 34 & 35
Vol 3° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred & stake raised
Mound of earth 3 ft high
from pits 12 x 24 x 12 in for
gr sec cor
80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground
deposit charred & stake raised
Mound of earth 3 ft high
from pits 12 x 24 x 12 in for
Cor to Secs 26. 27. 34 & 35
Land Sandy broken 3 rate

Aug 14th 1874

## Township 21 North

| | |
|---|---|
| | East on random line bet. Secs. 26 & 35 Va 13° 30' E |
| 28.00 | Military road North & S. |
| 40.00 | Set post for temporary gr cor |
| 79.10 | Intersect N & S line 41 Chs South of cor to secs. 25. 26. 35 & 36. from which Cor drum |
| | S 89° 42' West on true line bet Secs. 26. & 35 Va 13° 30' E |
| 39.55 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of Earth 3 ft high from pits 12 x 24 x 12 in for gr cor |
| 79.10 | Cor to secs. 26. 27. 34 & 35 Land broken 3d rate |



## Range 28 West

| | |
|---|---|
| | North bet Secs. 26 & 27 Va 13° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for cor to secs. 22. 23. 26 & 27. |
| | Land landing broken 3d rate |

Township 21 North

| | |
|---|---|
| | East on random line bet. Sec.s 23 & 26 Val 3° 30' E |
| 37.50 | Military road N. E. |
| 40.00 | Set post for temporary gr |
| 79.19 | Intersect N & S. line & 9 lk South of cor to sec.s 23 24. 25 & 26. from which Cor Irrm |
| | S 89° 52' West on true line bet. Sec.s 23 & 26 Val 3° 30' E |
| 39.59 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of earth 3 ft high from hits 12 x 24 x 12 in for gr sec cor |
| 79.19 | Cor to sec.s 22. 23. 26. & 27 |
| | Land broken Sandy Zorate |



Range 28 West

| | |
|---|---|
| | North bet Sec.s 22 & 23 Val 3° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of earth 3 ft high from hits 12 x 24 x 12 in for gr sec cor |
| 62.60 | Dismal river 9 lks wide flows East some scattering trees of either bank |
| 80.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred Stake raised Mound of earth 3 ft high from hits 12 x 24 x 12 in for Cor to sec.s 14 15. 22. & 23 |
| | Land broken Zorate |

Township 21 North

East on random line set
Sec. 14 & 23
Var 13° 30' E

40.00 Set post for temporary gr cor
79.02 Intersect N & S line 66 chs
South of cor to sec. 13. 14. 23
& 24. from which cor bears
S 89° 3' West on true line set
Sec. 14 & 23
Var 13° 30' E

39.51 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of earth 3
ft high from pits 12 x 24 x 12
for gr sec cor

79.02 Corroseo. 14. 15. 22 & 23
Land broken & rocky



Range 28 West

North set. Sec. 14 & 15
Var 13° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposit charred stake
raised mound of earth
3 ft high from pits 12 x 24 x
12 in for gr sec cor

80.00 Set post 3 x 3 in x 4 ft 1 ft in ground
deposit charred stake
raised mound of earth
3 ft high from pits 12 x 24
x 12 in for cor to sec.
10. 11. 14 & 15

Land sand hills & rocky

Township 21 North

| | |
|---|---|
| | East on random line bet Sec.s 11 & 14 Val 3° 30' E |
| 40.00 | Set post for temporary gr |
| 79.18 | Intersect N & S line 53 eks South of cor to sec.s 11. 12 13 & 14 from which Irm |
| | S 89° 37 West on true line bet. Sec.s 11 & 14 Val 3° 30' E |
| 39.59 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 79.18 | Cor to sec.s 10. 11. 14 & 15 |
| | Land Sand hills 3 rate |



Range 25 West

| | |
|---|---|
| | North bet Sec.s 10 & 11 Val 3° 30' E. |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for cor to sec.s 2. 3. 10 & 11 |
| | Land broken Sandy 3 rate |

# Township 21 North

| | |
|---|---|
| | Easton random line between Secs. 2 & 11 Var 13° 30' E |
| 40.00 | Post for temporary Gr cor |
| 69.00 | Military road N & S |
| 79.28 | Intersect N & S line 8 chs South of cor to secs. 1. 2 11 & 12 from which bears S 89° 57' West on true line bet Secs. 2 & 11 Var 13° 30' E |
| 39.64 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for Grac cor |
| 79.28 | Cor to sec. 2. 3. 10 & 11 Land Broken Sandy Soil |



# Range 28 West

| | |
|---|---|
| | North random line bet Secs. 2 & 3 — Var 13° 30' East |
| 40.00 | Set post for temporary Gr cor |
| 80.30 | Intersect North boundary 110 chs East of Cor to sec. 2 & 3 from which Cor bears South 47' East on true line bet Secs. 2 & 3 Var 30° 30' E |
| 40.30 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high from pits 12 x 24 x 12 in for Grac cor |
| 80.30 | Cor to sec. 2. 3. 10 & 11 Land Very broken Sandy Soil |

Township 21 North

| | |
|---|---|
| | North bet Secs 33 & 34 |
| | Val 13" 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high pom pits 12 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high pom pits 12 x 24 x 12 in for Cor to secs 27. 28. 33 & 34 |
| | Land broken 3 rate |



Range 28 West

| | |
|---|---|
| | East on random line bet Secs 27. & 34 |
| | Val 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 78.97 | Intersect N & S line 11 lks South of Cor to secs 26. 27. 34 & 35 from which cor drawn |
| | S 89° 55' West on true line bet Secs 27 & 34 |
| | Val 13° 30' E |
| 39.48 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high pom pits 12 x 24 x 12 in for gr sec cor |
| 78.97 | Cor to secs 27. 28. 33 & 34 |
| | Land sandy broken 3 rate |

Aug 15th 1894

# Township 21 North

North bet Secs. 27 & 28
Var 13° 30' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr Sec cor

80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound of earth 2 ft high pom pits 18 x 24 x 12 in for Cor to Secs. 21. 22. 27. & 28

Land broken & rate



# Range 28 West

Eastern random line bet Secs.
22 & 27.
Var 13° 30' E

40.00 Set post for temporary gr cor

78.88 Intersect N & S line 21 chs North of Cor to Secs. 22. 23. 26 & 27 from which Cor bears

N 89° 57' West true line bet Secs. 22 & 27.
Var 13° 30' E

39.44 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited Charred Stake raised Mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr sec cor

78.88 Cor to Secs. 21. 22. 27 & 28
Land Sandy & rate

# Township 21 North

North bet Secs. 21 & 22
Var 13° 30' E

40.00 Set post 2x3in x 4ft. 1ft in ground deposited charred Stake raised Mound of earth 2½ ft high from pits 18x24x12 in for Gr Sec cor

78.00 Decimal River flows East Soon turns N E. 120 lks Wide 2½ ft deep

80.00 Set post 3x3in x 4ft. 1ft in ground deposited charred Stake raised Mound of earth 3 ft high from pits 18x24x12 in for Cor to sec. 15, 16, 21, & 22

Land broken 30 rods



# Range 28 West

East & random line bet Secs. 15 & 22
Var 13° 30' E

5.00 Decimal River 200 lks wide N
N 5° East 2½ to 3 ft deep

16.00 Decimal River S. 28° East

40.00 Temporary Gr. Sec cor

79.20 Intersect N & S line 8 lks South of cor to Secs. 14, 15, 22 & 23 from which bears S 89° 25' West true line bet Sec. 15 & 22
Var 13° 30' E

39.60 Set post 2x3in x 4ft. 1ft in ground deposited charred Stake raised Mound of earth 3 ft high from pits 18x24x12 in for gr sec cor

79.20 Cor to Secs. 15, 16, 21 & 22
Land broken 30 rods
Some scattering trees on River

## Township 21 North

North Cet Secs 15 & 16
Val 3° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of Earth 2 1/2 ft high pour pits 18 x 24 x 12 in for gr cor

80.00 Set post 3 x 3 in x 4 ft 1 ft in ground deposited charred stake raised Mound 2 1/2 ft high pour pits 18 x 24 x 12 in for cor to secs 9.10.15 & 16
Land sand hills 3 rate



## Range 28 West

East on random line Cet Secs 10 & 15
Val 3° 30' E

40.00 Set post for temporary gr cor

79.11 Intersect N & S line 74 chs South of cor to secs 10.11 14 & 15 pour which from S 89° 28 West on true line Cet Secs 10 & 15
Val 3° 30' E

39.55 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high pour pits 18 x 24 x 12 in for gr sec cor

79.11 Cor to secs 9.10, 15 & 16
Land sandy 3 rate

## Township 21 North

North Cet Sec.s 9 & 10
Va 13° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high pour pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 3 ft high pour pits 18 x 24 x 12 in for Cor to sec.s 3. 4. 9 & 10
Sand hills 3 rate



## Range 28 West

East on random line Cet Sec.s 3 & 10
Va 13° 30' E

40.00 post for temporary gr cor

79.16 Intersect N & S line 34 lks South of cor to sec.s 2, 3 10 & 11 from which I run S 89° 45' West on true line Cet Sec.s 3 & 10
Va 13° 30' E

39.58 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high pour pits 18 x 24 x 12 in for gr sec cor

79.16 Cor to sec.s 3, 4, 9 & 10
Land Sand hills 3 rate

## Township 21 North

North on random line bet Secs 3 & 4
Val 3° 30' E.

40.00 post for temporary gr cor
80.40 Intersect North boundary
235 lks East of Cor to Secs 3 & 4 from which Cor
Irrm
S 1° 40' East on true line bet Secs 3 & 4
Val 3° 30' E

40.40 Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred Stake raised Mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in for gr sec cor
80.40 Cor to Secs 3. 4. 9 & 10
Land sand hills 3 rate



## Range 28 West

North between Secs 32 & 33
Val 3° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 for gr cor
80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred Stake raised Mound of earth 3 ft high from pits 18 x 24 x 12 in for cor to Secs 28. 29. 32 & 33
Sand hills 3 rate

Aug 16th 1874

# Township 2 North

East and West line bet
Secs. 28 & 33
Var 13° 30' E

40.00 Post for temporary gr cor
78.94 Intersect N & S line 29 & 32
North of cor to Secs. 27,
28, 33 & 34 from which
Cor bears
N 89° 48' West witness line bet
Secs. 28 & 33
Var 13° 30' E

39.48 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of earth
2½ ft high pen pits
18 x 24 x 12 for grave
78.97 Cor to Secs. 28, 29, 32 & 33
Surface sandy hilly & gate



# Range 28 West

North bet Secs. 28 & 29
Var 13° 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of earth
2½ ft high pen pits 18 x 24 x 12
for gr cor
80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised mound of earth
3 ft high pen pits 18 x 24
x 12 in for Cor to Secs.
20, 21, 28 & 29
Surface hilly & gate

## Township 21 North

| | |
|---|---|
| | East on random line bet Secs 21 & 28 Val 3° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.17 | Intersect N & S line at cor to secs 21 22. 27. 28 from which cor Iron |
| | West on true line bet Secs 21 & 28 Val 3° 30' E |
| 39.58 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr sec cor |
| 79.17 | Cor to secs 20. 21. 28 & 29 Land hilly sandy 3 oz rate |



## Range 28 West

| | |
|---|---|
| | North between Secs 20 & 21 Val 3° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr cor |
| 80.00 | Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor to secs 16. 17. 20 & 21 Surface hilly soil sandy 3 oz rate |

## Township 21 North

| | |
|---|---|
| | East on random line bet Secs 16 & 21 |
| | Val 3° 30' E |
| 40.00 | post for temporary gr cor |
| 62.00 | Dismal river S. 46° East 110 lks wide |
| 74.00 | Dismal river N. 23° East. 100 lks wide 3 ft deep with some scattering timber on either bank |
| 77.00 | Dismal river S. 10° East |
| 79.07 | Intersect N & S line 92 lks S of cor to secs 15. 16. 21 & 22 from which cor to run |
| | S 89° 20' West on true line bet Secs 16 & 21 |
| | Val 3° 30' E |
| 39.53 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr sec cor |
| 79.07 | Cor to secs 16. 17. 20 & 21 |
| | Surface hilly soil 3 rate |



## Range 28 West

| | |
|---|---|
| | North bet Secs 16 & 17 |
| | Val 3° 30' E |
| 18.00 | Swamp E & W 5 chs wide |
| 23.00 | Dismal river 135 lks wide flows S 52° East 3 ft deep |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft deep deposited charred stake raised mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high pom pits 18 x 24 x 12 in for cor to secs 8. 9. 16 & 17 |
| | Surface hilly soil sandy 3 rate |

## Township 21 North

Eastonrandom line bet Secs 9 & 16
Val 3" 30' E

40.00 Set post for temporary gr cor

78.90 Intersect N & S line 18 chs North of Cor to Secs 9, 10, 15 & 16. from which cor Drum

N 89° 53' West on true line bet. Secs 9 & 16
Val 3" 30' E

39.45 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound 2 1/2 ft high from pits 18 x 24 x 12 in for gr sec cor

78.90 Cor to Secs 8. 9. 16 & 17
Surface hilly soil 3 vate

78.90
39



## Range 28 West

North bet Secs 8 & 9
Val 3" 30' E

40.00 Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in for gr sec cor

80.00 Set post 3 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 3 ft high from pits 18 x 24 x 12 in for Cor to Secs 4. 5 8 & 9

Surface hilly soil 3 vate

Township 21 North

| | |
|---|---|
| | Exterior boundary line bet Secs 4 & 9 |
| | Var 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.09 | Intersect N & S line 47 chs N of Cor to Secs 3. 4. 9 & 10 |
| | from which cor bears |
| | N 89° 40' West on true line bet |
| | Secs 4 & 9 |
| | Var 13° 30' E |
| 39.54 | Set post 2 & 3 in x 4 ft. 1 ft in ground deposited charred stake |
| | mixed Mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr bc cor |
| 79.09 | Cor to Secs 4. 5. 8 & 9 |
| | Surface hilly Set 3 rocks |



Range 28 West

| | |
|---|---|
| | North exterior line bet |
| | Secs 4 & 5 |
| | Var 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 80.27 | Intersect North boundary 5 chs |
| | 320 E of Cor to Secs 4 & 5 |
| | from which cor bears |
| | S 2° 17' E on true line bet |
| | Secs 4 & 5 |
| | Var 13° 30' E |
| 40.27 | Set post 2 & 3 in x 4 ft. 1 ft in ground deposited charred stake |
| | mixed Mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr bc cor |
| 80.27 | Cor to Secs 4. 5. 8 & 9 |
| | Rock hills 3 rocks |

Township 21 North

North bet Secs 31. & 32
Va 13° 30' E

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground
deposited charred stake
raised Mound of earth
2½ ft high from pits 18 x 24
x 12 in for gr cor

80.00 Set post 3 x 3 in x 4 ft. 1 ft in
ground deposited
charred stake raised
Mound of earth 3 ft high
from pits 18 x 24 x 12 in
for cor to secs 29. 30
31. & 32
Surface broken rail 3 rate

Aug 17th 1814



Range: 28 West

East on random line bet Secs
29 & 32
Va 13° 30' E

40.00 Set post for temporary gr cor
79.37 Intersect N & S line 70 lks S
of cor to secs 28. 29. 32 & 33
from which cor down
S 89° 30' West on true line bet
Secs 29 & 32
Va 13° 30' E

39.68 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited charred stake
raised Mound of earth 2½
ft high from pits 18 x 24 x 12
in for gr sec cor

79.37 Cor to secs 29. 30. 31. & 32
Surface hilly & broken 3 rate

Township 21 North

| | |
|---|---|
| | West on random line bet Secs 30 & 31 Val 3° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.04 | Intersect West Boundary 52 lks North of Cor to Secs 30 & 31 from which cor trees |
| | N 89° 50' East on true line bet Secs 30 & 31 Val 3° 30' E |
| 39.52 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposit charred stake raised mound of earth 2½ ft high pour pits 18 x 24 x 12 in for gr sec cor |
| 79.04 | Cor to Secs 29. 30. 31. & 32 Surface broken & 3 rate |



Range 28 West

| | |
|---|---|
| | North bet Secs 29 & 30 Val 3° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high pour pits 18 x 24 x 12 in for gr cor |
| 80.00 | Set post 3 in x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of earth 3 ft high pour pits 18 x 24 x 12 in for Cor to Secs 19. 20. 29 & 30 |
| | Surface hilly & broken 3 rate |

## Township 21 North

Eastonrandom line betn
Secs 20 & 29
Val 3° 30' E

40.00 Set post for temporary gr cor
79.12 Intersect N & S line 14 lks
South of Cor to Secs 20
21. 28 & 29 from which
Cor Drum
S 89° 54' West on true line
bet Secs 20 & 29
Val 3° 30' E

39.56 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposit Charred Stake
raised Mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in for gr cor
79.12 Cor to Secs 19. 20. 29 & 30
Sandhills 3 o rate



## Range 28 West

Westonrandom line bet
Secs 19 & 30
Val 3° 30' E

40.00 Post for temporary gr cor
79.24 Intersect West boundary 38
lks North of cor to Secs 19 & 30
from which cor Drum
N 89° 44' East on true line
bet Secs 19 & 30
Val 3° 30' E

39.62 Set post 2 x 3 in x 4 ft. 1 ft in ground
deposited Charred Stake
raised Mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in for gr Sec cor
79.24 Cor to Secs 19. 20. 29 & 30
Land broken & sandy
3 o rate

# Township 21 North

| | |
|---|---|
| | North Lat Sec. 19 & 20 Var 13° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 in x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for cor to sec. 17. 18. 19 & 20 |
| | Land broken 30 rods |



# Range 28 West

| | |
|---|---|
| | Eastern random line lat sec. 17 & 20 Var 13° 30' E |
| 40.00 | Post for temporary gr sec cor |
| 79.16 | Intersect N & S line 53 lks South of Cor to sec. 16. 17. 20 & 21 from which cor bears |
| | S 89° 36' West true line lat sec. 17 & 20 Var 13° 30' E |
| 39.58 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr sec cor |
| 79.16 | Cor to sec. 17. 18. 19 & 20 |
| | Land sandy 30 rods |

## Township 21 North

| | |
|---|---|
| | West on random line betw Sec.s 18 & 19 Va 13° 30' E |
| 40.00 | Post for temporary gr cor |
| 79.08 | Intersect West Boundary 41 chs North of Cor to Sec.s 18 & 19 from which Town N 89° 42' East on true line bet Sec.s 18 & 19 Va 13° 30' E |
| 39.54 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high pom pits 18 x 24 x 12 in for gr sec Cor |
| 79.08 | Cor to Sec.s 17. 18. 19 & 20 Land broken Zorate |



## Range 28 West

| | |
|---|---|
| | North bet Secs 17 & 18 Va 13° 30' E |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high pom pits 18 x 24 x 12 in for gr cor |
| 74.00 | Enter Swamp West about 18 chs & East to River |
| 80.00 | Point for Cor falls in Swamp I therefore set W. C. |
| | Post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised Mound of earth 2 1/2 ft high on left bank of Dismal near 3 chs North of point for Cor & 3 chs East of point for true Cor |
| | Land broken Zorate |

to Sec. 7. 8. 17 & 18.

~~July 31~~ 21st

## Township 21 North

| | |
|---|---|
| | Eastonrandom line bet Sec.s 8 & 17 Va 13° 30' E |
| | From point for true Cor |
| 1.75 | Dismal river South soon turns S E |
| 2.75 | East Bank of Dismal river S & here enter swamp |
| 6.75 | Leave swamp enter hills |
| 40.00 | Post for temporary gr cor |
| 79.07 | Intersect N & S line 33 lks S of cor to sec.s 8.9.16.&17 from which cor Irun |
| | S89°46' West on true line bet Sec.s 8 & 17 Va 13° 30' E. |
| 39.53 | Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr sec cor |
| 79.07 | Cor to sec.s 7.8.17 & 18 Land broken 3 rate |



## Range 28 West

| | |
|---|---|
| | Westonrandom line bet Sec.s 7 & 18 |
| | From point for true Cor Irun Va 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.01 | Intersect West Boundary 64 lks North of cor Irun |
| | N89°33' East on true line bet Sec.s 7 & 18 Va 13° 30' East |
| 39.50 | Set post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of earth 2½ ft high pom pits 18 x 24 x 12 in for gr sec cor |
| 79.01 | Cor to sec.s 7.8.17 & 18 Land rolling 2 rate Timber along river Cedar & ash |

## Township 21 North

| | |
|---|---|
| | North bet Secs 7 & 8 |
| | Va 13° 30' E |
| 3.50 | Desmal River 180 lks wide |
| | flows S 63° East |
| | 3 ft deep current |
| | swift & leave sw amp |
| 40.00 | Set post 2 x 3 in x 4 ft. 1 ft in ground |
| | deposited charred stake |
| | raised Mound of Earth |
| | 2 1/2 ft high pom pits 18 x |
| | 24 x 12 in for gr sec cor |
| 80.00 | Set post 3 in x 3 in x 4 ft. 1 ft in |
| | ground deposited charred |
| | Stake raised Mound of |
| | earth 2 1/2 ft high pom |
| | pits 18 x 24 x 12 in for cor |
| | to secs 5. 6. 7 & 8 |
| | Surface hilly 3rd rate |



## Range 28 West

| | |
|---|---|
| | East on random line bet Secs |
| | 5 & 8 |
| | Va 13° 30' E |
| 40.00 | Set post for temporary gr cor |
| 79.06 | Intersect N & S line 15 lks |
| | North of Cor to secs 4.5 |
| | 8 & 9. pom which cor |
| | Drum |
| | N 89° 54' West on true line |
| | bet Secs 5 & 8 |
| | Va 13° 30' E |
| 39.53 | Set post 2 x 3 in x 4 ft 1 ft in |
| | ground deposited |
| | charred stake raised |
| | Mound of Earth 2 1/2 |
| | ft high pom pits 18 x 24 |
| | x 12 in for gr sec cor |
| 79.06 | Cor to secs 5. 6. 7 & 8 |
| | Land hilly sandy 3rd rate |

Township 21 North

West on random line bet Secs
6 & 7.
Va 13° 30' E

40.00 Set post for temporary gr cor
79.14 Intersect West Boundary 62
lks North of cor to secs
6 & 7. from which cor
Irun
N 89° 33' East on true line
bet Secs 6 & 7
Va 13° 30' E

39.57 Set post 2 x 3 in x 4 ft. 1 ft in
ground deposited
Charred Stake raised
Mound of earth 2 1/2
ft high from pits 18
x 24 x 12 in for gr cor
79.14 Cor to secs 5. 6. 7 & 8
Land Sand hills 3 rate



Range 28 West

North on random line bet
Secs 5 & 6
Va 13° 30' E

40.00 Set post for temporary gr cor
80.22 Intersect North boundary
450 lks East of cor to
Secs 5 & 6. from
Which cor Irun
South 3° 13' East on true
line bet Secs 5 & 6
Va 13° 30' E

40.22 Set post 2 x 3 in x 4 ft 1 ft in
ground deposited
Charred Stake raised
Mound of earth 2 1/2
ft high from pits
18 x 24 x 12 in for
gr sec cor
80.22 Cor to secs 5. 6. 7. & 8
Land Sand hills 3 rate
Aug 18th 1874

## General Description

This township is composed entirely of very broken land the soil is sandy and but very little vegetation is found on the hills. along the river is found some groves of Cedar Ash & along either bank is scattering trees Mostly dead burned

List of Names

A list of the names of the individuals employed to assist in surveying and subdividing Township 21 North of the base line of Range 28 West of 6th P.M. in Nebraska & showing the respective capacities in which they acted.

John Gregory Chairman
Wm Stryock "
Jacob Totten Flagman
Milton Totten Monumentman

Fred M Dorrington
Compassman

We do hereby certify that we assisted Fred M Dorrington Deputy Surveyor in Surveying and Subdividing Township No. 21. North of the Base line in Range No 28 West 6th P.M. in Nebraska and that Township has been surveyed well and faithfully and the boundary Monuments all planted according to Law and the instructions of the Surveyor General of the dimensions character. Constructions Marking and in the Manner as specifically described in the foregoing field Notes

John Grigory Chainman
W. Shryock "
Jacob Sutton Flagman
Milton Sutton Monumentman

Signed in my presence and sworn to by the above named persons before me the undersigned a Notary Public in for Cass County Neb in 7th day of September 1874

D A Wheeler
Notary Public
Cass Co Neb

I Fred M. Dorrington deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein Fred. M. Dorrington & Geo W. Fairfield are joint contractors with E. E. Cunningham Surveyor General for the district of Nebraska & Iowa bearing date the 2d day of July 1874. I have well faithfully & truly in my own proper person & in strict conformity with the instructions furnished by the Surveyor General. the Surveying Manual. & the laws of the United States surveyed the those parts or portions of Township No 21 North of base line of Range No 28. West of 6th P.M. in Nebraska as are represented in the foregoing field Notes as having been surveyed under my direction And I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual. printed instructions & special instructions of the Surveyor General. of dimensions character. construction & Marking and in the manner as specifically described in the foregoing field Notes And that the foregoing are the true & original field Notes of such Survey

Fred M Dorrington
Deputy Surveyor

Signed in my presence & sworn to before me the undersigned this. 7th day of September 1874

D S Wheeler
Notary Public
Carleo Neb

Field Notes
of
The Survey and subdivision
of
Township No. 22 North
of
Range No 28 West
in
Nebraska

Executed
By Hamil D. Stephenson Deputy
Surveyor under joint contract
No. 82 dated July 6th 1899

Survey
Commenced Aug 24th 1899
Completed " 28th 1899

List of Names.
A list of the names of the individuals employed to assist in surveying and subdividing Township No 22 North of the base line of Range No. 28

West of the 6th P.M. in Nebraska and showing the respective capacities in which they acted

George W. Burton } chainmen
J. S. Wise
Robert Funger } Moundman
Edward Janes
George F. Janes. Flagman

Town 22 Range 28 W

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 22 | 2 | 11 | 1 |
| 59 | | 58 | | 43 | | 32 | | 21 | | 10 |
| 7 | 57 | 8 | 42 | 9 | 31 | 10 | 20 | 11 | 9 | 12 |
| 56 | | 55 | | 41 | | 30 | | 19 | | 8 |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7 | 13 |
| 53 | | 52 | | 39 | | 28 | | 17 | | 6 |
| 19 | 51 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5 | 24 |
| 50 | | 49 | | 37 | | 26 | | 15 | | 4 |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3 | 25 |
| 47 | | 46 | | 35 | | 24 | | 13 | | 2 |
| 31 | 45 | 32 | 34 | 33 | 23 | 34 | 12 | 35 | 1 | 36 |

To determine the proper adjustment of my compass for subdividing township no. 22 north of base line Range No. 28 West of 6th P.M. in Nebraska I begin at the corner to townships 21 & 22 N. Ranges 27 & 28 W and run north on a blank line along the east boundary of sec. 36

Var 13° 45' E

40.01 To a point 2 Chs. east of gr. cor

80.02 To corner of Secs. 25 & 36

My compass is therefore in proper adjustment.

## Town 22 North

North bet Secs. 35 & 36
Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 25 26 35 & 36
Land sand hills; 3rd rate.

## Range 28 West

East on random line between secs. 25 & 36
Va 13° 45' E

40.00 Set spade for temporary gr. cor.

80.15 Intersected east boundary 10 lks. south of corner to secs. 25 & 36 from which corner Fran S 89° 56' W on true line bet secs. 25 & 36
Va 13° 45' E

40.07½ Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor

80.15 Corner to secs 25 26 35 & 36
Land sand hills; 3rd rate.

Town 22 North

North bet secs. 25 & 26
bg 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs 23 24 25 & 26
Land sand hills; 3rd rate.



Range 28 West

East on random line between
secs. 24 & 25
bg 13° 45' E
40.00 Set spade for temporary gr. cor.
80.25 Intersected east boundary 19 lks.
south of corner to secs. 24 & 25
from which corner Iron
S 89° 52' W on true line bet
secs. 24 & 25 bg 13° 45' E
40.10½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.25 Corner to secs. 23 24 25 & 26
Land sand hills; 3rd rate

Town 22 North

North bet secs. 23 & 24
bar 13° 45' E

40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor

80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for corner to secs. 13 14 23 & 24
Sand sand hills; 3rd rate



Range 28 West

East on random line between
secs 13 & 24
bar 13° 45' E

40.00 Set spade for temporary qr. cor.

80.33 Intersected east boundary 24 lks.
south of corner to secs. 13 & 24
from which corner I ran
S 89° 48' W on true line bet.
secs. 13 & 24 bar 13° 45' E

40.16½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.

80.33 Corner to secs. 13 14 23 & 24
Sand sand hills; 3rd rate.

Town 22 North

South bet secs. 13 & 14
Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 cm for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 cm for corner to secs. 11 12 13 & 14 Sand sand hills; 3rd rate



Range 28 West

East on random line between secs. 12 & 13
Va 13° 45' E

40.00 Set spade for temporary gr. cor

80.40 Intersected east boundary 23 lks south of corner to secs. 12 & 13 from which corner I ran S 89° 30' W on town line bet secs. 12 & 13
Va 13° 45' E

40.20 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 cm for gr. sec. cor.

80.40 Corner of secs 11 12 13 & 14 Sand sand hills; 3rd rate

Town 22 North

North between Secs. 11 & 12
On 13° 45' E

40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to Secs. 1 2 11 & 12
Sand sand hills, 3rd rate



Range 28 West

East on sand and line between
Secs. 1 & 12
On 13° 45' E

40.00 Set stake for temporary gr. cor.

80.63 Intersected east boundary 4 links
south of corner to Secs. 1 & 12
from which corner I ran
S 89° 45' W on true line set
Secs. 1 & 12 On 13° 45' E

40.31½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

80.63 Corner of Secs. 1 2 11 & 12
Sand sand hills 3rd rate

# Town 22 North

North on random line bet.
secs. 1 & 2
Va 13° 45' E
40.00 Set stake for temporary gr. cor.
80.33 Intersected north boundary 43
lks. east of corner to secs 1 & 2
from which corner I ran
S 18° E on true line bet
secs. 1 & 2 Va 13° 45' E
40.33 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.33 Corner of secs. 1, 2, 11 & 12
Land sandhills 3rd rate



# Range 28 West

North bet secs. 34 & 35
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
" for corner to secs. 26 27 34 & 35
Land sand hills; 3rd rate.

Town 22 North

East on random line between secs. 26 & 35
Va 13° 45' E

9.60 Old wagon road bears N.W. + S.E.
40.00 Set stake for temporary qr. cor
79.86 Intersected N + S. line 25 lks. north of corner to secs. 25, 26, 35 + 36 from which corner ✱ run N 89° 55' W on true line bet secs. 26 + 35 — Va 13° 45' E
39.93 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor.
79.86 Corner to secs. 26 27 34 & 35
Sand sand hills; 3rd rate.



Range 28 West

North bet secs 26 & 27
Va 13° 45' E

6.40 Old wagon road bears N.W. & S.E.
15.00 " " " " N.E. & S.W.
40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor
80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 22 23 26 & 27
Sand sand hills; 3rd rate

Town 22 North

East on random line between secs. 23 & 26
Va 13° 45' E

5.80 Old wagon road bears N. & S.

40.00 Set stake for temporary qr. sec.

79.80 Intersected N. & S. line 35 links north of corner to secs. 23 24 25 & 26 from which corner I ran N 89° 45' W on true line bet secs. 23 & 26
Va 13° 45' E

39.90 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor.

79.80 Corner of secs. 22 23 26 & 27
Land level hills; 3rd rate.



Range 28 West

North between secs. 22 & 23
Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 14 15 22 & 23
Land level hills; 3rd rate

Town 22 North

East on random line between
secs. 14 & 23
Va 13° 45' E
32.00 Old wagon road bears N & S
40.00 Set stake for temporary qr. cor
39.65 Intersected N & S line 2 links
north of corner to sect. 13 14 23 & 24
from which corner Bran
N 89° 48' W on true line bet. secs.
14 & 23 Va 13° 45' E
39.82½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for qr. sec. cor.
39.65 Corner to secs. 14 15 22 & 23
Land poor hills; 3rd rate



Range 28 West

North between secs. 14 & 15
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for qr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs 10 11 14 & 15
Land poor hills; 3rd rate

Town 22 North

East on random line between
secs. 11 & 14
Va 13° 45' E
23.80 Old wagon road bears N & S
40.00 Set stake for temporary qr. cor
39.60 Intersected N & S line 40 lks
north of corner to secs. 11 12 13 & 14
from which corner I ran
N 89° 45' W on true line bet
secs. 11 & 14 Va 13° 45' E
39.80 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.
39.60 Corner to secs. 10 11 14 & 15
Sand sand hills; 3rd rate.



Range 28 West

North between secs. 10 & 11
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins.
for corner to secs. 2, 3, 10 & 11
Sand sand hills; 3rd rate

Township 22 South

East on random line between secs. 2 & 11
Va 13° 45' E

40.00 Old wagon road bears N & S where I set spade for temporary gr. sec. cor.

79.15 Intersected N & S. line 61 lks. north of corner to secs 1, 2, 11 & 12 from which corner I ran N 89° 33' W on true line bet secs 2 & 11 Va 13° 45' E

39.57½ Raised mound of earth 2½ ft high from fills 18 x 24 x 12 ins for gr. sec. cor.

79.15 Corner to secs. 2 3 10 & 11
Land part hills 3rd rate



Range 28 West

North on random line between secs. 2 & 3
Va 13° 45' E

40.00 Set spade for temporary gr. cor.

63.00 Old wagon road bears N W & S E

79.86 Intersected north boundary 33 lks. west of corner to secs. 2 & 3 from which corner I ran S 14' W on true line bet secs. 2 & 3. Va 13° 45' E

39.86 Raised mound of earth 2½ ft high from fills 18 x 24 x 12 ins for gr. sec. cor.

79.86 Corner of secs. 2 3 10 & 11
Land part hills; 3rd rate.

## Township 22 North

North bet secs. 33 & 34
Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 inc for qr. sec. cor

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 inc for corner to secs. 27 28 33 & 34
Land sand hills; 3rd rate



## Range 28 West

East on random line between secs. 27 & 34
Va 13° 45' E

40.00 Set stake for temporary qr. cor.

80.26 Intersected N & S line 18 links south of corner to secs. 26 27 34 & 35 from which corner I ran S 89° 52' W on true line bet secs. 27 & 34
Va 13° 45' E

40.13 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 inc for qr. sec. cor.

80.26 Corner to secs. 27 28 33 & 34
Land sand hills; 3rd rate.
Aug 20th, 1874

## Township 22 North

North between secs. 27 & 28
On 13° 45' E

40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor

80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs. 21 22 27 & 28
Sand and hills; 3rd rate



## Range 28 West

East on random line between
secs. 22 & 27
On 13° 45' E

40.00 Set stake for temporary gr. cor.
79.87 Intersected N. & S. line 36 chs.
south of corner to secs. 22 23 26 & 27
from which corner bran
S 89° 45' W on true line bet
secs. 22 & 27
On 13° 45' E

399.3½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

79.87 Corner to secs. 21 22 27 & 28
Sand and hills; 3rd rate.

# Township 22 North

North bet. secs. 21 & 22
On 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 ins for qr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 ins for corner to secs. 15 16 21 & 22
Land level hills; 3rd rate.



# Range 28 West

East on random line between secs. 15 & 22
On 13° 45' E

40.00 Set stake for temporary qr. cor.

79.88 Intersected east boundary 40 lks south of corner to secs. 14, 15, 22 & 23 from which corner I ran S 89° 43' W on true line bet. secs. 15 & 22
On 13° 45' E

39.94 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 ins for qr. sec. cor.

79.88 Corner to secs. 15 16 21 & 22
Land level hills; 3rd rate.

# Township 22 North

North bet secs. 15 & 16

Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for ~~gr~~ sec. cor. to 9, 10, 15, 16.

Land sand hills; 3rd rate



# Range 28 West

East on random line between secs. 10 & 15

Va 13° 45' E

40.00 Set stake for temporary gr. cor

39.98 Intersected N. & S. line 60 lks south of corner to secs 10, 11, 14 & 15 from which corner I ran S 89° 34' W. on true line bet secs. 10 & 15 Va 13° 45' E

39.99 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

39.98 Corner to secs. 9, 10, 15 & 16

Land sand hills; 3rd rate

## Township 22 North

North bet secs. 9 & 10
Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 3 4 9 & 10
Land sand hills; 3rd rate



## Range 28 West

East between secs. 3 & 10 on random line
Va 13° 45' E

40.00 Set spade for temporary gr. cor.

80.31 Intersected N & S. line 50 lks. south of corner to secs 2 3 10 & 11 from which corner I ran south 89° 39' W on true line bet secs. 3 & 10 Va 13° 45' E

40.15½ Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor

80.31 Corner of secs. 3 4 9 & 10
Land sand hills; 3rd rate

# Township 22 South

North bet. secs. 3 & 4 on random line
Va 13° 45' E

40.00 Set stake for temporary gr. cor.
80.32 Intersected north boundary 65 lks.
west of corner to secs. 3 & 4
from which corner I ran
S 28' W on true line bet. secs. 3 & 4
Va 13° 45' E
40.32 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.32 Corner to secs. 3 4 9 & 10
Land sand hills; 3rd rate.



North between secs. 32 & 33
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs. 28 29 32 & 33
Land sand hills; 3rd rate

# Township 22 South

East on random line between
secs. 28 & 33
Va 13° 45' E
40.00 Set stake for temporary qr. cor.
80.25 Intersected N. & S. line at corner
to secs. 29 28 33 & 32 from
which corner I ran
west on true line bet secs. 28 & 33
Va 13° 45' E
40.12½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.
80.25 Corner of secs. 28 29 32 & 33
Land level hills; good water



# Range 28 West

North between secs. 28 & 29
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for corner to secs. 20 21 28 & 29
Land level hills; good water

Aug. 26 1874

## Township 22 North

East on random line bet secs. 21 & 28

Va 13° 45' E

40.00 Set spade for temporary gr. co.

80.30 Intersected N & S line at corner to secs. 21 22 27 & 28 from which corner I ran W. on true line bet secs. 21 & 28

Va 13° 45' E

40.15 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.30 Corner to secs. 20 21 28 & 29 Land sand hills; 3rd rate.



## Range 28 West

North between secs. 20 & 21

Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 16 17 20 & 21 Land sand hills; 3rd rate

East on random line between
secs. 16 & 21
Va 13° 45' E
40.00 Set spade for temporary qr. cor.
80.90 Intersected N. & S. line 30 links
north of corner to secs. 15 16 21 & 22
from which corner Gran
N 89° 45' W on true line bet secs.
16 & 21 Va 13° 45' E
40.45 Raised mound of earth 2½ ft
high from 8 pits 18 x 24 x 12 ins
for qr. sec. cor
80.90 Corner of secs. 16 17 20 & 21
Land land hills; 3rd rate.



North bet. secs. 16 & 17
Va 13° 45'
40.00 Raised mound of earth 2½ ft
high from 8 pits 18 x 24 x 12 ins
for qr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from 8 pits 18 x 24 x 12 ins
for corner to secs. 8 9 16 & 17
Land land hills; 3rd rate

## Township 22 North

East on random line between secs. 9 & 16

Va 13° 45' E

40.00 Set stake for temporary qr. cor.

80.80 Intersected ~~last~~ S line 40 lks. south of corner to secs. 9 10 15 & 16 from which corner Bran S 89° 43' W. on true line bet secs. 9 & 16

Va 13° 45' E

40.40 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor.

80.80 Corner to secs. 8 9 16 & 17

Sand sand hills; 3rd rate.



## Range 28 West

North on random line between secs. 8 & 9

Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for qr. sec. cor

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 4 5 8 & 9

Sand sand hills: 3rd rate.

Township 22 North

East on random line bet.
secs. 4 & 9
Va 13° 45' E

40.00 Set stake for temporary qr. cor.
80.65 Intersected N. & S. line 35 lks.
south of corner to secs. 3 4 9 & 10
from which corner I ran
S 89° 45' W on true line bet
secs. 4 & 9 Va 13° 45' E

40.32½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for qr. sec. cor.

80.65 Corner of secs. 4 5 8 & 9
Land sand hills; 3rd rate.



Range 28 West

North on random line between
secs. 4 & 5
Va. 13° 45' E

40.00 Set stake for temporary qr. cor.
80.91 Intersected north boundary 96 lks.
west of corner to secs. 4 & 5
from which corner I ran
S 45' W on true line bet secs
4 & 5
Va 13° 45' E

40.91 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for qr. sec. cor

80.91 Corner of secs. 4 5 8 & 9
Land sand hills 3rd rate

Township 22 North

North bet secs. 31 & 32
Va 13° 45' E

40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.

80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for corner to secs. 29 30 31 & 32.
Land sand hills; 3rd rate



Range 28 West

East on random line between
secs. 29 & 32
Va 13° 45' E

40.00 Set stake for temporary qr. cor.

39.91 Intersected N. & S. line 16 lks.
south of corner to secs. 28 29 32 & 33
from which corner I ran
S 89° 53' W on true line bet
secs 29 & 32 Va 13° 45' E

39.45½ Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 ins
for qr. sec. cor.

39.95 Corner to secs. 29 30 31 & 32
Land sand hills; 3rd rate

Township 22 North

West on random line between secs. 30 & 31

Va 13° 45' E

40.00 Set stake for temporary gr. c.

74.66 Intersected west boundary 15 chs. south of corner to secs. 30 & 31 from which corner bears S 89 54 E on true line bet secs. 30 & 31

53

Va 13° 45' E

34.66 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in. for gr. sec. cor.

74.66 Corner to secs 29 30 31 & 32

Land sand hills; 3rd rate

Aug. 27th 1844



Range 28 West

North between secs. 29 & 30

Va 13° 45' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for gr. sec. cor.

80.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in for corner to secs. 19 20 29 & 30

Land sand hills; 3rd rate

Township 22 North

East on random line between
secs. 20 & 29
Va 13° 45' E

40.00 Set spade for temporary gr. cor.
39.88 Intersected N. & S. line 26 lks.
south of corner to secs. 20 21 28 & 29
from which corner I ran
S 89° 49' W on true line bet.
secs 20 & 29
Va 13° 45' E

39.94 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. corner

39.88 Corner of secs. 19 20 29 & 30
Land level hills; 3rd rate



Range 28 West

West on random line between
secs. 19 & 30
Va 13° 45' E

40.00 Set spade for temporary gr. cor.
34.25 Intersected west boundary 357 lks
south of corner to secs. 19 & 30
from which corner I ran
S 89° 33' E on true line bet
secs. 19 & 30
Va 13° 45' E

34.25 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

34.25 Corner of secs. 19 20 29 & 30
Land level hills; 3rd rate

# Township 22 North

North between Secs. 19 & 20
Va 13° 45' E

40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs. 17 18 19 & 20
Land sand hills; 3rd rate



# Range 28 West

East on random line between
secs. 19 & 20
Va 13° 45' E

40.00 Set spade for temporary gr. cor.

79.50 Intersected N. & S. line 45 lks.
north of corner to secs. 16 17 20 & 21
from which corner I ran
N 89° 45' W on true line bet
secs. 17 & 20
Va 13° 45' E

39.75 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.

79.50 Corner to Secs. 17 18 19 & 20
Land sand hills; 3rd rate

Township 22 North

West on random line between
secs. 18 & 19
Va 13° 45' E
40.00 Set stake for temporary gr. co
34.10 Intersected west boundary 160 lks
south of corner to secs. 18 & 19
from which corner Iron
Pipe 53' S on true line bet
secs. 18 & 19
Va 13° 45' E
34.10 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
34.10 Corner of secs. 17 18 19 & 20
Land level hills; 3rd rate



Range 28 West

North between secs. 17 & 18
Va 13° 45' E
40.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for gr. sec. cor.
80.00 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for corner to secs. 7 8 17 & 18
Land gently hills; 3rd rate

# Township 22 South

East on random line between secs. 8 & 17

Va 13° 45' E

40.00 Set stake for temporary qr. cor.

79.28 Intersected N. & S. line 19 lks. north of corner to secs. 8 & 16 & 17 from which corner Gran N 89° 52' W on true line bet secs. 8 & 17

Va 13° 45' E

39.64 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 ins for qr. sec. cor.

79.28 Corner of secs. 7 8 17 & 18 Sand sand hills; 3rd rate.



# Range 28 West

West on random line between secs. 7 & 18

Va 13° 45' E

40.00 Set stake for temporary qr. cor.

74.00 Intersected west boundary 40 lks. south of corner to secs. 7 & 18 from which corner of Gran S 89° 43' E on true line bet secs 7 & 18

Va 13° 45' E

34.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 ins for qr. sec. cor.

74.00 Corner to secs. 7 8 17 & 18 Sand sand hills; 3rd rate

Township 22 North

North between secs. 7 & 18
Va 13° 45' E

40.00 Raised mound of earth 2½ft
high from pits 18 x 24 x 12 in
for qr. sec. cor.

80.00 Raised mound of earth 2½ft
high from pits 18 x 24 x 12 in
for corner to secs. 5 6 7 & 8
Land sand hills; 3rd rate



Range 28 West

East on random line between
secs. 5 & 8
Va 13° 45' E

40.00 Set stake for temporary qr. cor.

79.18 Intersected N. & S. line 61 chs
north of corner to secs. 4 5 8 & 9
from which corner I ran
N 88° 34' W on true line bet
secs. 5 & 8 Va 13° 45' E

39.59 Raised mound of earth 2½ft
high from pits 18 x 24 x 12 in
for qr. sec. cor

79.18 Corner to secs. 5, 6, 7 & 8
Land sand hills; 3rd rate.

Township 22 North

West on random line between
secs. 6 & 7

Va 13° 45' E

40.00 Set stake for temporary qr. cor
33.68 Intersected west boundary 35 lks.
south of corner to secs. 6 & 7
from which corner bears
S 89° 45' E on true line bet.
secs. 6 & 7 44'

Va 13° 45' E

33.68 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in.
for qr. sec. cor.

33.68 Corner of secs 5 6 7 & 8
Sand sand hills; 3rd rate.



Range 28 West

North on random line between
secs. 5 & 6

Va 13° 45' E

40.00 Set stake for temporary qr. cor
80.55 Intersected north boundary 38 lks.
west of corner to secs. 5 & 6
from which corner bears
S 38' W on true line bet
secs. 5 & 6

Va 13° 45' E

40.55 Raised mound of earth 2½ ft
high from pits 18 x 24 x 12 in
for qr. sec. cor.

80.55 Corner to secs. 5 6 7 & 8
Sand sand hills; 3rd rate

Aug 28th 1874

This township consists entirely of sand hills sparsely covered with grass and has neither timber nor water. Could probably be irrigated by windmills or artesian well but this would not be likely to make it productive. It is better adapted to grazing than anything else.

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the ~~following~~ foregoing field notes of township No. 22 north of the base line range no. 28 west of the 6th Principal meridian in Nebraska, showing the respective capacities in which they acted:

George W. Burton } chainmen
J. S. Wise }
Robert Funger } Moundman
Edward Janes } Flagman
George S. Janes }

We hereby certify that we assisted David V. Stephenson Deputy Surveyor in subdividing township 22 North of the base line Range 28 West of the 6th principal meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

George W. Brixton } Chainmen
G. S. Wise
Robert Frazer } Moundman
Edward Jones
Geo. F. Jones } Flagman

Subscribed and sworn to by the aforementioned parties before me a Probate Judge in and for Kearney Co Nebraska this 27th day of August 1874.

J. S. Hollrook
Probate Judge

I David V Stephenson

I Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein David V Stephenson and James L Slocum are Joint contractors with E E Lemmington Surveyor General for the District Nebraska and Iowa bearing date the 6th day of July 1874 I have fully well and truly in my own person and in strict conformity to the instructions furnished by the surveyor General the Surveying manual and the laws of the United States, Surveyed all those parts or portions of Township No 22 N of the Base line in Range No 28 West of the 6th Principal Meridian as are represented on the foregoing field notes as having been Surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the Surveyor General

of dimensions. character. construction and markings and in the manner specifically described & in the foregoing field notes and that the foregoing are the true and original field notes of such Survey

D V Stephenson

Subscribed & sworn to before me a Notary Public in for Lancaster Co Neb this 14th day of Sept 1874

H M Goldsmith

Surveyor Generals Office
Plattsmouth Oct 15th 1874
The foregoing field notes of the Survey and subdivision of Township No 22 N of R No 28 W of 6 P M in Neb — Executed by David V Stephenson under joint Contract No 82 — dated July 6th 1874, having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

E. E. Cummins
Surveyor General

Survey & Subdivision
Lines of Township No 23
North of Range. No 28
West of the 6th Principal
Meredian in Nebraska

Surveyed By

Jas. L Slocum
US, Deputy Surveyor, under
Joint Contract No 82 dated July 6th 1874
Survey Commenced Aug 25th
" Completed " 29

List of Names.
A list of the Names of
Persons Employed in
Surveying and Subdividing
Township 23 North of Range
28 West. 6 P.M.
A M. Forbes. } Chainman
G L Slocum }
C Zehner } Moundman
Ed Farley }
J C Watson Flagman

Index Diagram to T. P. 23 Range 28 West, 6th P.M.

Town 23 Range 28 W.




Township No 23 Rang 28 W 6 P.M.

To Determine the Proper adjustment of my Compass for Subdividing Township No 23 North of Base line of Range No 28 west of 6th P.M. P.M in Nebraska

Began at the Corner to Township 22 and 23 Ranges 27 and 28 and Run North on a Blank line along the E. Boundary of Sec 36

Va 1.4° E.

40,00 to the ~~gr~~ to sec cor

8005 To a point 8 lks West of the cor to Secs 25 & 36

I therefore find my Compass to Be in Proper adjustment for Subdividing this Township

Township 23 North Range 28 West 6 P.M.

North Between Secs 35 & 36
Va 14° E

40.00 Set Post 2×3×4 in 1 ft in ground Deposited Charred stake Raised Mound of Earth 2½ ft High from Pits 18×24×12 in for gr sec Cor

80.00 Set Post 2×3×4 in 1 ft in ground deposited Charred stake raised Mound of Earth 2 ft High from Pits 18×24×12 in for Cor to Sect 25 26 35 & 36.

Heigh Broken
Sand Hills
3d Rate



East on a Random line Between Secs 25 and 36
Va 14° E

40.00 Set Post for temporary gr sec cor

80.10 Intersect the East boundary 9 lks South of the Cor To Secs 25 and 36 From which Cor I run

S 89°56' West on a true line Between Secs 25 and 36.
Va 14° E.

40.05 Set Post 2×3 in ×4 ft 1 ft in ground deposited Charred stake raise mound of Earth 2½ ft High from Pits 18×24×12 in for gr sec cor

80.10 Cor to Sec 25 26 35 and 36

Land Sandy Broken 3d Rate

Township No 23 North

| | |
|---|---|
| | North Between Sec 25 and 26 on 14° E. |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Chained stake raised mound of Earth 2½ ft High from Pits 18x24x12 in for Cor ~~or sec Cor~~ |
| 80.00 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Chained stake raise Mound of Earth 2½ ft High from Pits 18x24x12 in for Cor to Secs 23 24 25 & 26 |
| | Land Sand hills 3d Rate |



Range 28 West 6. P. M.

| | |
|---|---|
| | East on a Random line Between Sec 24 and 25 on 14° E. |
| 40.00 | Set Post for temporary Cor |
| 79.80 | Intersect the East Boundary of Township 10 lks North of Cor to Secs 24 and 25 From which Cor I Run |
| 18.95 | West on a line line Between Secs 24 and 25 on 14 E. |
| 39.90 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Chained stake raised mound of Earth 2½ ft High from Pits 18x24x12 for cor sec cor |
| 79.80 | Cor to Secs 23 24 25 and 26 |
| | Land Broken Sandy 3d Rates |

# Township 23 North

North Between Secs 23 & 24 on 14 th E

40 00 Set Post 2 x 3 in x 4 ft in ground deposit charred stake raised mound of 2½ ft Heigh from Pits 18 x 24 x 12 in for qr sec Cor

80 00 Set Post 2 x 3 in x 4 ft in ground deposited charred stake raised Mound of Earth 2½ ft high from Pits 18 x 24 x 12 in for Cor to Secs 13 14 23 and 24

Land Broken

Sand Hills



# N 28 West 6 P M

East on a Random line Between Secs 13 and 24 on 14 th E

40 00 Set Post for temporary qr sec Cor

79 65 Intersect East Boundary of the Township 40 chs North of the Cor to Secs 13 and 24 from which Cor I run

N 89 45 West on a true line Between Secs 13 and 24 on 14 E.

39 82½ Set Post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raise mound of Earth 2½ ft Heigh from Pits 18 x 24 x 12 in for qrtr Cor

79 65 Cor to Secs 13 14 23 and 24

Land Sandy & Rocky

Township No 23 North

North Between Secs 13 and 14
on 14° E.

40.00 Set Post 2×3 in × 4 ft in ground Deposit
Chained stake raised
mound of Earth 2½
ft High from Pits 18×12×
24 in for qr Sec Cor

80.00 Set Post 2×3 in × 4 ft in
ground deposited Chained
Stake raised mound of
Earth 2½ ft High from
Pits 18 × 12 × 24 in for Cor
to Secs 11 12 13 and 14

Land Broken
Soil Sandy 3d Rate



Range 28 West 6th P.M.

East on a random line
Between Secs 12 & 13
on 14 E.

40 00 Set Post for temporary qr Sec Cor
.7989 Intersect the East Boundary
of the Township 28 lks
N of the Cor to Secs 12 & 13
from which Cor I run
N 89 48 West on a true line
Between Secs 12 and 13
on 14 E.

3994½ Set Post 2×3 in × four ft 1 ft in
ground deposited Chained
stake raise mound of Earth
2½ ft High from Pits 18×
24 × 12 in for qr sec Cor

.7989 Cor to Secs 11 12 13 and 14
Land Sandy & Broken
Soil 3d rate

# Township No 23 North

| | |
|---|---|
| | North Between Secs 1 and 12 Dw 14° E |
| 36.00 | Leave Sand Hills and Enter Bottom covered with an abundance of Tall grass |
| 110.00 | Set Post 2x3 in x 4 ft - 1 ft in ground deposited charred State raised Mound of Earth 3 ft High from Pits 18x24x12 for qr sec cor |
| 43 40 | To the Right Bank of Middle Loup river swift current low Banks sandy Bottom and about 2 ft deep 1 Ch and 60 lks wide |
| 65.00 | Leave Bottom and Enter Sand Bluffs |
| 80.00 | Set Post 2x3 in x 4 ft 1 ft in ground deposited charred State raised mound of Earth 2½ ft High from Pits 18x24x12 in for cor to Secs 1 2 11 and 12 |

Land Broken
Sandy 3d Rate



# Range No 28 West 6 P M

| | |
|---|---|
| | East on a Random line Between Secs. 1 and 12. Dw 14° E. |
| 40.00 | Set Post for temporary qr sec cor |
| .7980 | Intersect the East Boundary of the Township 15 lks North of the Cor to Secs 1 and 12 from which cor I Run |
| | N 89 54 West on a true line Between Secs 1 and 12 Dw 14° E |
| 3990 | Set Post 2x3 in x 4 ft 1 ft in ground deposited charred State raised mound of Earth 2½ ft high from Pits 18x24x12 in for qr sec cor |
| .7980 | Cor to Secs 1 2 11 and 12 |

Land Broken
Soil 3d Rate Sandy

# Township 23 North Range 28 West 6 P M

North on a Random line Between Secs 1 and 2 on 14° E

4000 Set Post for temporary qr sec cor

79 15 Intersect the North Boundary of the Township at the Cor to Secs 1 and 2 from which Corner I run S

South on a true line Between Secs 1 and 2 on 14° E

39 15 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in for Qr sec cor

7915 Cor to Secs 1 2 11 and 12

Sandy & Rate



North Between Secs 34 and 35 on 14 E

4000 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft high from Pits 18 x 12 x 24 in for Qr sec cor

80.00 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for Cor to Secs 26 27 34 and 35

Land Sandy Broken 3d rate

Township 23 North

East on a random line
Between Secs 26 and 35
vw 14° E

40.00 Set Post for temporary gr sec Cor
80 20 Intersect the N and S line
28 lks North of the Cor
To Secs 25 26 35 and 36
from which Cor I run
N 89 48 West on a true line
Between Secs 26 and 35
vw 14° E.

40 10 Set Post 2×3 in×4 ft 1 ft in
ground deposited Charred
Stake raise mound of
Earth 2½ ft High from
Pits 18×24×12 in for gr
Sec Cor

80 20 Cor to Secs 26 27 34 + 35

Land Broken
sandy 3d Rate



Range 28 West 6 PM

North Between Secs 26 and 27
vw 14° E.

40.00 Set Post 2×3 in×4 ft 1 ft in
ground deposited Charred
Stake raised Mound of
Earth 2½ ft high from
Pits 18×24×12 in for gr
Sec Corner

80 00 Set Post 2×3 in×4 ft 1 ft in ground
deposited Charred stake raised
Mound of Earth 2½ ft
High from Pits 18×24×12
in for Cor to Secs. 22 23
26 and 27.

Land Sandy and
Broken 3d rate

Aug 25th

# Township 23 North

| | |
|---|---|
| | East on a random line Between Sect. 23 and 24 vu 14° E |
| 40.00 | Set Post for temporary gr sec cor |
| 80 31 | Intersect the N. & S. line 30 lks North of the Cor to Sect 23 24 25 and 26 from which Cor I run |
| | N 89 47 West on a true line Between Sect 23 and 26 vu 14° E. |
| 40 15½ | Set Post 2×3 in × 4 ft 1 ft in ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18×24×12 in for gr sec cor |
| 80 31 | Cor to Secs 22 23 26 and 27 |

Land Broken
Sandy 3d Rate



# Range No 28 West 6 P.M.

| | |
|---|---|
| | North Between Sect. 22 and 23 vu 14° E. |
| 40.00 | Set Post 2×3 in × 4 ft 1 ft in ground deposited Charred Stake raise mound of Earth 2½ high from Pits 18×24 1×12 in for gr sec cor |
| 80.00 | Set Post 2×3 in × 4 ft 1 ft in ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18×12×24 in for Cor to Secs 14 15 22 and 23 |

Land Rolling
Soil Sandy 3d Rate

Township 23 North

| | |
|---|---|
| | East on a Random line Between Secs 14 and 23 On 14th E |
| 40 00 | Set Post for temporary qr sec Cor |
| 80 08 | Intersect the N and S line 10 chs North of the Cor To Secs 13 14 23 and 24 from which Cor I run North 89 56 West on a true line Between Secs 14 and 23 On 14th E |
| 40 04 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for qr sec cor |
| 80 08 | Cor to Secs 14 15 22 and 23 Land Broken Soil 3d Rate |



Range No 28 West 6th

| | |
|---|---|
| | North Between Secs 14 and 15 On 14th E |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for qr sec Cor |
| 80.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 12 x 24 in for Cor to Secs 10 11 14 and 15 Land Broken Soil Sandy 3d Rate |

# Township 23 North

East on a random line
Between Sec 11 and 14
on 14° E

40.00 Set Post for temporary qr sec cor
7988 Intersect the N and S line 20
lks South of the Cor to
Secs 11 12 13 and 14 from
which cor I run
South 89.50 West on a true
line Between Secs 11 and 14
on 14° E

3994 Set Post 2x3 in x 4 ft 1 ft in
Ground deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18x24x12 in for qr
Sec Cor

7988 Cor to Secs 10 11 14 and 15

Land Broken
Soil 3rd Rate



# Range No 28 West 6th P.M.

North Between Sec 10 and 11
on 14° E.

5.00 Leave Sand Hills and Enter
Bottom Bears E & W.

240.00 Set Post 2x3 in x 4 ft 1 ft in
Ground deposited Charred
stake raised mound of
Earth 3 ft High from
Pits 18x24x12 in. for qr
Sec Cor

4750 Middle loup River 1 ch
and 50 lks wide low
Banks Shallow water and
Sandy Bottom

60.00 Leave Bottom and Enter
Sand Bluffs Bearing East
and West

80.00 Set Post 2x3 in x 4 ft 1 ft
in ground deposited
Charred stake raised mound
of Earth 2½ ft High
From Pits 18x24x12 in
for Cor to Sec. 2, 3, 10 and
11

Land rolling and Sandy
3rd rate Except Bottom which is 2nd Rate

Township 23 North

East on a random line
Between Sect 2 and 11
Va 14° E

4000 Set Post for temporary gr Sec Cor

7990 Intersect the North and South line 18 lks South of the Cor to Secs 1 2 11 & 12 from which Cor I run S. 8952 west on a true line Between Secs. 2 and 11
Va 14° E

3995 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor

7990 Cor to Secs 2 3 10 and 11

Land Squdy &
Hilly 3d Rate



Range No 28 West C P M

North on a Random line
Between Secs 2 and 3
Va 14° E

4000 Set Post for temporary gr sec Cor

7982 Intersect the North Boundary of the Township 30 lks East of the Cor to Secs 2 & 3 from which Cor I run S 13' East on a true line Between Secs. 2 and 3.
Va 14° E

3982 Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor

7982 Cor to Secs 2 3 10 and 11

Land Broken

Soil Sandy 3d Rate

# Township 23 North

| | |
|---|---|
| | North Between Secs 33 and 34 Va 14° E |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18x24x12 in for gr sec cor |
| 80.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred stake raise Mound of Earth 3 ft High from Pits 18x24 x12 in for cor to Secs 27 28 33 and 34 |

Land Rolling &

Sandy Soil 3d Rate



# Range 28 West 6th P.M.

| | |
|---|---|
| | East on a random line Between Secs 27 and 34 Va 14° E |
| 33.60 | Old wagon road Bears South East |
| 40.00 | Set Post for temporary gr sec cor |
| 80.30 | Intersect the N and S line 15 lks South of the cor & Secs 26 27 34 and 35 From which Cor I run South 89 54 West on a true line Between Secs 27 and 34 Va 14° E |
| 40.15 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft high from Pits 18x 24x12 in for gr sec cor |
| 80.30 | Cor to Secs 27 28 33 and 34 |

Land Sand Hills
3d Rate

# Township 23 North

| | |
|---|---|
| | North between Sec 27 and 28 on 14° E |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised Mound of Earth 2½ ft high from Pits 18x 24x 12 in for qr sec Cor |
| 80.00 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred stake raised Mound of Earth 2½ ft High from Pits 18x24 x 12 for Cor to Secs 21 22 27 and 28 |
| | Land Sand Hills 3d Rate |



# Range 28 West 6 P.M.

| | |
|---|---|
| | East on a random line Between Sec 22 and 27 on 14° E |
| 20.00 | Old wagon road bears N W and S E. |
| 40.00 | Set Post for temporary qr sec Cor |
| 80.60 | Intersect the N and S line 38 lks South of the Cor to Sec 22 23 26 and 27 from which Cor I run |
| | South 89 48 West on a true line Between Sec 22 and 27 on 14° E |
| 40.30 | Set Post 2x3 in x 4 ft 1 ft in ground deposit Charred stake raise mound of earth 2½ ft High from Pits 18x 24x 12 in for qr sec Cor |
| 80.60 | Cor to Secs 21 22 27 and 28 |
| | Land Sand Hills 3d Rate aug 76 |

# Township 23 North

| | |
|---|---|
| | North Between Secs 21 & 22 on 14th E |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised Mound of Earth 3 ft High from Pits 18x24 x 12 in for qr Sec Cor |
| 8.00 | Set post 2x3 in x 4 ft 1 ft in ground & deposited Charred stake raised Mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for Cor to Secs 15 16 21 and 22 |
| | Land Sandy Poker & Rate |



# Range 28 West 6th M.

| | |
|---|---|
| | East on a random line Between Secs 15 and 22 on 14th E |
| 2.50 | Old wagon road Bears N W and S E |
| 4.00 | Set Post for temporary qr sec cor |
| 80.80 | Intersect N and S line 31 lks South of the Cor to Secs 14 15 22 & 23 from which Cor I Run |
| | South 89 47 West on a true line Between Secs. 15 and 22 on 14th E |
| 40.40 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised Mound of Earth 2½ ft high from Pits 18 x 24 x 12 in for qr Sec cor |
| 80.80 | Cor to Secs 15 16 21 and 22. |
| | Soil Sand Hills |

# Township 23 North Range

| | |
|---|---|
| | North Between Secs 15 and 16 on 14th E |
| 7.00 | Old wagon road Bears N W and S E |
| 40.00 | Set Post 2x3 in x 4 ft - 1 ft in Ground deposited Charred Stake raised Mound of Earth 2½ ft High from Pits 18x24x12 in for qr sec Cor |
| 80.00 | Set Post 2x3 in x 4 ft - 1 ft in ground deposited Charred stake raised Mound of Earth 2½ ft High from Pits 18x24x12 in for Cor to Secs 9. 10. 15 & 16 Lands Sand Hills 3d Rule |



# No 28 West G S M

| | |
|---|---|
| | East on a Random line Between Secs 10 & 15 on 14th E |
| 40.00 | Set Post for temporary qr sec cor |
| 80.39 | Intersect the 1st and 5th line 38 lks South of the Corner to Secs 10 11 14 and 15 from which Cor bears |
| | South 89 44 West on a true line Between Secs 10 and 15 on 14th E |
| 40 19½ | Set Post 2x3 in x 4 ft - 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft - high from Pits 18x24x12 in for qr sec Cor |
| 80.39 | Cor to Secs 9 10 15 and 16 |
| | Soil Sand Hills 3d Rule |

Township 23 North Range

(North Between Secs 9 & 10)
on 14° E

6.00 Leave Sand Hills & Enter Level Bottom Beins E & W

24.10 Middle fork of Loup River 1 Ch and 20 lks wide

40.00 Set Post 2 x 3 in x 4 ft 1 ft in Ground Deposited Charred stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec cor

80.00 Set Post 2 x 3 in x 4 ft 1 ft in Ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for cor To Secs 3, 4, 9, & 10

Land Sandy
3d Rate



28 West 6 P.M.

(East on a Random line Between Secs 3 & 10)
on 14° E

40.00 Set Post for temporary gr sec cor

80.28 Intersect the N and S line 40 lks South of the Cor To Secs 2, 3, 10 and 11 from which Cor I run

(South 89 43 West on true line Between Secs 3 and 10)
on 14° E

40.14 Set Post 2 x 3 in x 4 ft 1 ft in Ground deposed Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor

80.28 Cor to Secs 3, 4, 9 & 10

Soil Sandy 3d Rate

# Township 23 North

(North on a random line
Between Secs 3 and 4
Va 14° E

40.00 Set Post for temporary gr sec Cor
7971 Intersect the North Boundary
of the Township 30 lks
West of the Cor to Secs 3
& 4 from which Cor
I run
South 13' West on a true
line Between Secs 3 & 4
Va 14° E

39 3971 Set Post 2 x 3 in x 4 ft 1 ft in
ground deposited
Charred Stake raised
Mound of Earth 2½
ft high from Pits 18 x
24 x 12 in for gr sec Cor
7 7971 Cor to Secs 3, 4, 9 & 10

Laved Sundry
3d Rate



# Range No 28 West 6 P M

(North Between Secs 32 & 33)
Va 14° E

40.00 Set Post 2 x 3 in x 4 ft 1 ft in
Ground Deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18 x 24 x 12 in for
gr Sec Cor
80.00 Set Post 2 x 3 in x 4 ft 1 ft in
Ground Deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18 x 24 x 12 in for Cor
to Secs 28 29 32 & 33

Soil Sand Hills
3d Rate

# Township 23 North

(East on a random line
Between Secs 28 and 33
Vw 14° E

40.00 Set Post for temporary gr sec Cor
7900 Intersect the N and S line at
the Corner to Secs 27 28
33 and 34 from which
Cor I run

(West on a true line
Between Secs 28 and 33
Vw 14° E

3980 Set Post 2×3 in × 4 ft 1 ft in
ground deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18×24×12 for gr
Sec Cor
7900 Cor to Secs 28 29 32 & 33

Soil sand Hills
3d Rate



# Range No 28 W 6 PM

(North Between Secs 28 and 29
Vw 14° E.

40.00 Set Post 2×3 in × 4 ft 1 ft in
ground Deposited Charred
Stake raised Mound of
Earth 2½ ft High from
Pits 18×24×12 in for gr
Sec Cor
80.00 Set Post 2×3 in × 4 ft 1 ft in
ground deposited Charred
Stake raised Mound of
Earth 2½ ft High from
Pits 18×24×12 in for
Cor to Secs 20 21 28 &
29

Soil Sand Hills
3d Rate

aug 27th 1874

# Township No 23 North

| | |
|---|---|
| ✓ | East on a Random line Between Sec 21 & 28 va 14° E |
| 40.00 | Set Post for temporary gr Sec Cor |
| 7938 | Intersect the N & S line 18 lks North of the Cor to Secs 21 22 27 and 28 from which Cor I run North 89 52 West on a true line Between secs 21 & 28 va 14° E |
| ✓ 3969 | Set Post 2x3 in x 4 ft 1 ft in Ground deposed Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor |
| 7938 | Cor to Secs 20 21 28 & 29 |

Soil Sand Hills
3d Rate



# Range No 28 West 6 PM

| | |
|---|---|
| ✓ | North Between Sec 20 & 21 va 14° E |
| 4000 | Set Post 2x3 in x four ft 1 ft in Ground Deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr Sec Cor |
| 8000 | Set Post 2x3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for Cor to Secs 16 17 20 & 21 |

Soil Sand Hills
3d Rate

# Township 23 North Range No 28 West 6 PM

| | |
|---|---|
| | East on a random line Between Secs 16 and 21 Va 14° E |
| 40.00 | Set Post for temporary gr sec Cor |
| 79.10 | Intersect the N and S line 30 lks North of the Cor to Secs 15 16 21 & 22 |
| | From which Cor I run North 89 43 West on a true line Between Secs 16 & 21 Va 14° E |
| 39.55 | Set Post 2 x 3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor |
| 79.10 | Cor to Secs 16 17 20 & 21 |
| | Land Sandy 3d Rate |

| | |
|---|---|
| | North Between Secs 16 & 17 Va 14° E |
| 40.00 | Set Post 2 x 3 in x 4 ft 1 ft in Ground Deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor |
| 77.00 | leave Bluff and Enter Bottom S W N E |
| 80.00 | Set Post 2 x 3 in x 4 ft 1 ft in Ground Deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for Cor to Secs 8 9 16 & 17 |
| | Soil Sandy 3d Rate |

# Township 23 North

| | |
|---|---|
| | East on a random line Between Secs 9 & 16 Va 14° E |
| 4000 | Set Post for temporary gr sec Cor |
| 55.00 | Old wagon road N W & S E |
| 79 12 | Intersect the N and S line 30 lks North of the Cor To Secs 9 10 15 & 16 from which Cor I run |
| | North 89 47 West on a true line Between Secs 9 & 16 Va 14° E |
| 3956 | Set Post 2 x 3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor |
| 7912 | Cor to Secs 8 9 16 & 17 |

Laird Sandy
3d Rate



# Range No 28 W 6 P M

| | |
|---|---|
| | North Between Secs 8 and 9 Va 14° E |
| 1750 | Middle fork of Loup river 1 Ch and 50 lks wide Low Banks Sandy Bottom Shallow Bears N W & N E |
| 30.00 | Leave Bottom and Enter Bluffs Bearing N W & N E. |
| 40.00 | Set Post 2 x 3 in x 4 ft 1 ft in ground Deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor |
| 8000 | Set Post 2 x 3 in x 4 ft 1 ft in Ground Deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for Cor To Secs 4 5 8 & 9 |

Soil Sandy 3d Rate

# Township 23 North

| | |
|---|---|
| | East on a random line Between Secs 4 and 9 Vu 14° E |
| 4000 | Set Post for temporary gr sec Cor |
| 7939 | Intersect the Nand I line 18 lks North of the Cor to Secs 3 4 9 & 10 from which Cor I run |
| | N 89 52 West on true line Between Secs 4 and 9 Vu 14° E |
| 39.69½ | Set Post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec cor |
| 7939 | Cor to Secs 4 5 8 and 9 |

Land Broken Soil 3d rate

# Range No 28 W 6 F M

| | |
|---|---|
| | North on a random line Between Secs 4 and 5 Vu 14° E |
| 4000 | Set Post for temporary gr sec Cor |
| 7960 | Intersect the North Boundary of the Township 25 lks East of the Cor to Secs 4 and 5 from which Cor I run |
| | S 11' East on a true line Between Secs 4 and 5 Vu 14° E |
| 3960 | Set Post 2 x 3 in x 4 ft 1 ft in ground deposited charred stake raised mound of Earth 3 ft High from Pits 18 x 24 x 12 in for gr sec cor |
| 7960 | Cor to Secs 4 5 8 & 9 |

Soil Sand 7 3d Rate

# Township 28 North

North Between Secs 31 & 32
on W 14° 8

40,00 Set Post 2 x 3 in x 4 ft 1 ft in
Ground deposed Charred
Stake raised mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in for
Qr Sec Cor

80 00 Set Post 2 x 3 in x 4 ft
1 ft in ground deposited
Charred stake raised
Mound of Earth 2½
ft high from Pits
18 x 24 x 12 in for Cor
to Sec 29 & 20 21 & 32

Soil Sandy
Hilly
& Rate



# Range 28 West 6 P.M.

East on a random line
between Secs 29 & 32
on W 14° 8

40 00 Set Post for temporary sec Cor
79 96 Intersect the N & S line 18 chs
north of the Cor to Secs
28 29 32 and 33 from which
Cor I run

N 89 52 West on a true line
Between Secs 29 & 32
on W 14° E

39 98 Set Post 2 x 3 in x 4 ft 1 ft in
ground deposited Charred
Stake raised mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in for
Qr Sec Cor

79 96 Cor to Sec 29 & 30 31 & 32

Land Rolling
Soil Sand

# Township 23 North

West on a random line
Between Sec 30 and 31
On 14th E

40.00 Set Stake for temporary qr sec cor
74.21 Intersect East Boundary of
the Township at the Cor
to Secs 30 & 31 from which
Cor I run
East on a true line
Between Secs 30 & 31
On 14th E

34.21 Set Post 2x3 in x 4 ft - 1 ft in
Ground deposited
Charred stake raised
Mound of Dirt 2½ ft
High from Pits 18x24
x 12 in for qr sec cor
74.21 Cor to Secs 29 30 31 & 32

Land Sand Hills

Pd Rate



# Range 28 West 6 PM

North Between Secs 29 & 30
On 14th E

40.00 Set Post 2x3 in x 4 ft - 1 ft in
Ground deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18 x 24 x 12 in for qr
sec Cor
80.00 Set Post 2x3 in x 4 ft - 1 ft in
Ground deposited Charred
Stake raised mound of
Earth 2½ ft High from
Pits 18 x 24 x 12 in for Cor
to Secs 19 20 29 & 30

Land Broken

Sandy & Rate

# Township 23 North

| | |
|---|---|
| | East on a Random line Between Secs 20 & 29 Va 14° E |
| 40.00 | Set Post for temporary gr sec Cor |
| 80.21 | Intersect the N. & S line 38 links North of the Cor to Secs 20 21 28 & 29 from which Cor I run |
| | North 89 43 West on a true line Between Secs 20 & 29 Va 14° E |
| 40.10½ | Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18x24x12 in for gr sec Cor |
| 80.21 | Cor to Secs 19 20 29 & 30 |

Soil Sand Hills
3d Rate



# Range 28 West C F M

| | |
|---|---|
| | West on a Random line Between Secs 19 & 30 Va 14° E |
| 40.00 | Set Post for temporary gr sec Cor |
| 74.38 | Intersect the west Boundary of the Township 40 lks N of the Cor to Secs 19 & 30 from which Cor I run |
| | North 89 43 East on a true line Between Secs 19 & 30 Va 14° E |
| 34.38 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18x24x12 in for gr sec Cor |
| 74.38 | Cor to Secs 19 20 29 & 30 |

Soil Sand Hills
3d Rate
Aug 28th 1874

# Township 23 North

North Between Secs 19 & 20
Va 14° E

4000 Set Post 2 x 3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec cor

8000 Set Post 2 x 3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 3 ft High from Pits 18 x 24 x 12 in for Cor to Sections 17 18 19 & 20

Soil Sand Hills
3d Rate



# Range 28 West 6 P M

East on a Random line
Between Secs 17 & 20
Va 14° E

4000 Set Post for temporary gr sec cor
8050 Intersect the N and S line 41 lks N of the Cor to Secs 16 17 20 & 21 from which cor of the 2 Run

North 89 42 West on a true line
Between Secs 17 and 20
Va 14° E

4025 Set Post 2 x 3 in x 4 ft 1 ft in Ground deposited Charred Stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec cor

8050 Cor to Secs 17 18 19 & 20

Sand Hills
3d Rate

# Township 23 North

(West on a mud on line Between Secs 18 and 19 Var 14° E)

4000 Set Post for temporary gr sec cor

7450 Intersect the West Boundary of the Township 21 lks North of the Corner to Secs 18 and 19 from which Cor I run

(North 8950 East on a true line Between Secs 18 & 19) Var 14° E

3450 Set Post 2x3 in x 4 ft 1 ft in ground Deposit Charred stake raised Mound of Earth 2½ ft High from Pits 18 x 24 x 12 in for gr sec Cor

7450 Cor to Secs 17 18 19 & 20

Soil Land Hills
3d Rate



# Range 28 West C P M

(North Between Secs 17 & 18) Var 14° E

4000 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for gr sec cor

80,00 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18 x 24 x 12 in deep for Cor to Secs 7 8 17 & 18

Land Land Hills
3d Rate

# Township 23 North

| | |
|---|---|
| | East on a random line Between Secs 8 and 17 Var 14° E |
| 40 00 | Set Post for temporary gr sec cor |
| 65 00 | Leave Sand Bluffs and Enter Bottom Bears N W & N E |
| 80 68 | Intersect the N and S line 51 links North of the Cor. to Secs 8 9 16 & 17 from which Cor I run |
| | North 89 38 West on a true line Between Secs 8 & 17 Var 14° E |
| 40 34 | Set Post 2 x 3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for gr sec Cor |
| 80 68 | Cor. to Secs 7 8 17 & 18 |

Soil Sand Hills
3d Rate



# Range 28 West 6 P M

| | |
|---|---|
| | West on a random line Between Secs 17 and 18 Var 14° E |
| 40 00 | Set Post for Temporary gr sec Cor |
| 74 60 | Intersect the West Boundary of the Township 25 lks North of the Cor to Secs 7 & 18 from which Cor I run |
| | North 89 ~~44~~ 48 East on a true line Between Secs 7 & 18 Var 14° E |
| 34 60 | Set Post 2 x 3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for gr sec Cor |
| 74 60 | Cor to Secs 7, 8, 17, 18 |

Land Sandy Hills
3d Rate

# Township 23 North

(North Between Secs 7 and 8
Va 14 E)

1700 leave Bluffs and Enter Bottom covered with tall grass

4000 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 3 ft High from Pits 18x24 x 12 in deep for gr sec cor

5600 Middle fork of Loup river low Bank 1 Ch and 50 lks wide Shallow water Sandy Bottom

5900 leave Bottom & Enter Sand Hills Bears N.W. and S.E.

80.00 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raise mound of Earth 2½ ft High from Pits 18x24x12 in deep for cor to Secs 5 6 7 & 8

on Bottom 1st Rate soil
on Bluff sandy



# Range 28 West 6 P.M.

(East on a Random line Between Secs 5 and 8
Va 14 E)

4000 Set Post for temp or gr sec cor

8021 Intersect the N & S line 30 lks North of the Cor to Secs 4 5 8 & 9 from which cor I run

(North 8947 West on a true line Between Secs 5 & 8
Va 14 E)

4010½ Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18x24x12 in deep for gr sec cor

8021 Cor to Secs 5 6 7 & 8

Soil Sandy
3d rate
Broken

# Township 23 North

West on a Random line Between Secs 6 and 7 Va 14 E

4000 Set Post for temporary gr sec Cor

7490 Intersect the West Boundary of the Township 48 lks North of the Cor to Secs 6 and 7 from which Cor I run

North 89° ~~40'~~ 38' East on a true line Between Secs 6 and 7 Va 14° E

3490 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18x24x12 in deep for gr Sec Cor

7490 Cor to Secs 5, 6, 7, 8

Soil Sandy Broken
3d Rate



# Range 28 West C P M

North on a Random line Between Secs 5 and 6 Va 14 E

4000 Set Post for temporary gr sec Cor

7951 Intersect the North Boundary of the Township 33 lks East of the Cor to Secs 5 & 6 from which Cor I run

South 14 East on a true line Between Secs 5 & 6 Va 14° E

3951 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft High from Pits 18x24 x 12 in deep for gr Sec Cor

7951 Cor to Secs 5 6 7 and 8

Soil Sand Hills
3d Rate

aug 29th 1874

# General Description

The land in this Township is very Broken Soil Sandy and Generally worth less Except the Valley through which flows the Middle Fork of Loup river the Bottom can be Irrigated from the river. No springs or Pools of water Elsewhere in the Township no Chance for Irrigation Except by artisian wells and Wind Mills This Township is better adapted for Grazing than farming

(all of this)

We hereby certify that we assisted James L. Slocum Deputy Surveyor in subdividing township No. 23 North of the base line Range No 28 west of the 6th Principal Meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

A. M. Forbes } Chainmen
G. L. Slocum
C. Zehner } Mound men
Ed Darly
J. C. Watson } flagman

Subscribed and sworn to by the aforementioned parties before me a Notary Public in and for Richardson Co. Nebraska this 13th day of September 1874

James Cameron.
Notary Public.

I, James L. Slocum Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein David V. Stephenson and James L. Slocum are joint contractors with E. E. Cunningham Surveyor General for the district of Iowa and Nebraska bearing date the Sixth day of July 1874 I have well faithfully and truly and in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying manual and the laws of the United States surveyed all those parts and portions of Township No. 23 north of the base line in range No. 28 west of the 6th Principal meridian as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual, printed instructions and special instructions of the surveyor general, of dimensions character construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey.

James L. Slocum

Subscribed & Sworn to before me a Notary Public in & for Lancaster Co Neb this 24th day of Sept 1874

H. M. Goldsmith

Surveyor Generals Office
Plattsmouth Nd. 15th. 1874.
The foregoing field notes of the Survey and Subdivision of Township No 23 N of Base Line of Range No 28 W of 6th P M in Nebraska Executed by James L Bloomer under cont. Contract No 82 dated July 6th 1874 in the month of August 1874. having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes
of
The Survey and subdivision
of
Township No 24 North of the
Base line
of
Range No 28 West of the
6th Principal Meridian
In Nebraska
Executed
James J. Slocum
U.S. Deputy Surveyor
Under Govt Contract No 87.

Survey
Commenced Aug 30th 1874
Completed Sept 13th 1874

List of Names
A List of the Names of the
Persons Employed to assist
Jas J. Slocum Deputy Surveyor
in Subdividing Township No 24
North Range No 28 West of the
6 Principal Meridian in

Nebraska showing the respective
Capacities in which they acted
A M Forbes Chainman
G L Slocum
Ed Farley Moundman
Chas Zahner
Jas H Watson Flagman

Town 24 Range 28 W

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 6 | 60 | 5 | 44 | 4 | 33 | 3 | 22 | 2 | 11 | 1 |
| 59 | | 58 | | 43 | | 32 | | 21 | | 10 |
| 7 | 59 | 8 | 42 | 9 | 31 | 10 | 20 | 11 | 9 | 12 |
| 36 | | 55 | | 41 | | 30 | | 19 | | 8 |
| 18 | 54 | 17 | 40 | 16 | 29 | 15 | 18 | 14 | 7 | 13 |
| 53 | | 52 | | 39 | | 28 | | 17 | | 6 |
| 19 | 57 | 20 | 38 | 21 | 27 | 22 | 16 | 23 | 5 | 24 |
| 50 | | 49 | | 37 | | 26 | | 15 | | 4 |
| 30 | 48 | 29 | 36 | 28 | 25 | 27 | 14 | 26 | 3 | 25 |
| 47 | | 46 | | 35 | | 24 | | 13 | | 2 |
| 31 | 45 | 32 | 34 | 33 | 23 | 34 | 12 | 35 | 1 | 36 |

To Determine the Proper

adjustment of my Compass, for Subdividing the Township I commence at the Cor to Townships 23 & 24 North of Ranges 27 & 28 West 6 PM and run N on a Blank line along the East Boundary of Sec 36 on 13°50' E

4002 To the qr Sec Cor
8005 To the cor to Secs 26-35-36

I retrace this line or run a line parallel thereto and find my compass to be in proper adjustment for the subdivision of this Township

# Township No 24 North

| | |
|---|---|
| | North Between Sec 35 & 36 Va 13° 50' E |
| 40.00 | Set Post 2x3 in x 4 ft - 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft high from Pits 18x 24 x 12 in deep for qr sec Cor |
| 80.00 | Set Post 2x3 in x 4 ft - 1 ft in ground deposited Charred stake raised mound of Earth 2½ ft high from Pits 18x 24 x 12 in deep for Cor 25 26 35 & 36 |
| | Soil Sand Hills |
| | 3d Rate |



# Range No 28 West 6th PM

| | |
|---|---|
| | East on a Random line Between Secs 25 and 36 Va 13° 50' E |
| 40.00 | Set Post for temporary qr sec Cor |
| 80.10 | Intersect the East Boundary of the Township 15 lks South of the Cor to Secs 25 and 36 from which Cor I found South 89° 56' West on a true line Between Secs 25 and 36 Va 13° 50' E |
| 40.05 | Set Post 2x3 in x 4 ft - 1 ft in ground Deposited Charred Stake raised Mound of Earth 2½ ft high from Pits 18 x 24 x 12 in Deep for qr Sec Cor |
| 80.10 | Cor to Sec 25 26 35 and 36 |
| | Soil Sand Hills 3d rate |

# Township No 22 North

| | |
|---|---|
| | North Between Sec 25 & 26 Va 13° 50' E |
| 40.00 | Set Post 2x3 in x 4 ft 1 ft in ground deposited Chained Stake raised mound of Earth 2½ ft High from Pits 18x 24 x 12 in deep for qr sec Cor |
| 80.00 | Set post 2x3 in x 4 ft 1 ft in ground deposited Chained Stake raised mound of Earth 2½ ft high from Pits 18x 24 x 12 in deep for Cor to Sec 23 24 25 and 26 |
| | Soil Sand Hills 3d Rate |



# Range No 28 West 6 P M

| | |
|---|---|
| | East on a random line Between Sec 24 and 25 Va 13° 50' E |
| 40.00 | Set Stake for temporary qr sec Cor |
| 79.59 | Intersect the East boundary of the township 36 chs South of the Corner to Secs 24 and 25 From which Cor I run South 89° 40' West on a true line Between Sec 24 and 25 Va 13° 50' E |
| 39.94 | Set post 2x3 in x 4 ft 1 ft in Ground deposited Chained Stake raised mound of Earth 2½ ft high from pits 18x24 x 12 in Deep for qr sec Cor |
| 79.89 | Cor to Secs 23 24 25 and 26 |
| | Soil Sandy & Broken 3d rate |

# Township No 24 North

North between Secs 23 and 24
Var 13° 50 E

4000 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft high from pits 18x24x12 in deep for gr sec Cor

8000 Set Post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised Mound of Earth 2½ ft high from Pits 18x24x12 in Deep for Cor to Secs 13 14 23 and 24

Soil Sand Hills
3d rate



# Range No 28 West 6 P M

East on a random line
Between Secs 13 & 24
Var 13° 50' E

4000 Set Post for temporary gr sec cor

7968 Intersect the East Boundary of the Township 43 lks South of the cor to Secs 13 & 24 from which cor I raise

South 89 42 West on a true line Between Secs 13 & 24
Var 13° 50' E

3984 Set post 2x3 in x 4 ft 1 ft in ground deposited Charred Stake raised mound of Earth 2½ ft high from Pits 18x24x12 in deep for gr Sec Cor

7968 Cor to Secs 13 14 23 & 24

Soil Sandy Hilly
3d rate

# Township No 22 North

North Between Sec 13 & 14
on 13° 50' E

4000 Set Post 2x3 in x 4 ft 1 ft in
ground deposited Charred
Stake raised Mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in deep
for qr sec cor

2000 Set post 2x3 in x 4 ft 1 ft
in ground deposited
Charred stake raised
mound of Earth 2½
ft high from pits
18 x 24 x 12 in deep for
Cor to Secs 11 12 13 & 14

Soil Sand Hills
3d rate



# Range No 28 West 6 PM

East on a random line
between Sec 12 and 13
on 13° 50' E

4000 Set Stake for temporary qr sec cor
7988 Intersect the East boundary of
the township 40 lks
South of the Cor to Secs
12 and 13 from which cor
a Pine
South 89 43' West on a true line
between Sec 12 and 13
on 13° 50' E

3994 Set post 2x3 in x 4 ft 1 ft in
ground deposited Charred
Stake raised mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in deep
for qr sec cor

7988 Cor to Sec 11 12 13 & 14

Soil Sand Hills
3d rate

# Township 24 North

North between Sec 11 & 12
Var 13° 50' E

4000 Set post 2 x 3 in x 4 ft 1 ft in
Ground deposited Chained
Stake raised mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in Deep
for gr Sec Cor

8080 Set Post 2 x 3 in x 4 ft 1 ft
in ground Deposited
Chained Stake raised
mound of Earth 2½ ft
high from Pits 18 x 24 x 12
in deep for Cor to Secs
1 2 11 and 12

Soil Sand hills
3d rate



# Range No 28 West 6 P M

East on a random line
between Sec 1 and 12
Var 13° 50' E

4000 Set Stake for temporary Sec Cor
7943 on line sec the East Boundary
of the township 31 lks
South of the Cor to Secs
1 and 12 from which
Cor bears
South 89° 43' West on a true line
between Secs 1 & 12
Var 13° 5 0 E

3971 12 Set Post 2 x 3 in x 4 ft 1 ft in
ground deposited Chained
Stake raised mound of
Earth 2½ ft high from
Pits 18 x 24 x 12 in deep
for gr Sec Cor
7943 Cor to Secs 1 2 11 & 12

Soil Sand hills
3d rate

# Township No 24 North

√ North on a true line
Between Secs 1 and 2
Va 13°50' E E

4000 Set Post 2x3 in x 4 ft 1 ft in
7910 ground deposited Charred
Stake raised mound
of Earth 2½ ft high
from Pits 18x24x12 in
deep for gr sec cor

7910 Intersect the 6th standard Parallel
North 90 links East of the
Cor to Secs 31 & 36 in Town
25 N Range 27 & 28 W where
I Set post 2x3 in 4 ft 1 ft in
ground deposited Charred
Stake raised mound of
Earth 2½ ft high from
Pits 18x24x12 in Deep
for Closing Cor to Sec
1 & 2 Township 24 North
Range 28 West 6th PM

Soil Sand Hills
3d rate



# Range No 28 West 6th PM

North Between Secs 34 & 35
Va 13°50' E

40.00 Raised Mound of Earth 2½ ft
high from Pits 18x24x12
in deep for gr sec Cor

8000 Raised Mound of Earth
2½ ft High from
Pits 18x24x12 in deep
for Cor to Secs 26
27 34 & 35

Soil Sand Hills
3d Rate

Aug 30th 1894

Township No 24 North

East on a random line
Between secs 26 & 35
Va 13° 50' E

4000 Set Spade for temporary gr sec Cor
7968 Intersect the N & S line
18 lks North of the Cor
to Secs 25 26 35 & 36
from which Cor I run
North 89° 52' West on a true
Line Between secs 26 & 35
Va 13° 50' E

3984 Raised mound of Earth
2½ ft High from Pits
18 x 24 x 12 in deep for
gr sec Cor
7968 Cor to Secs 26 27 34 & 35

Sand Hills
3d Rate



Range 28 West 6 P.M.

North Between Secs 26 & 27
Va 13° 50' E

4000 Raised mound of Earth
2½ ft high from
Pits 18 x 24 x 12 in deep
for gr sec Cor
8000 Raised mound of Earth
2½ ft high from pits 18
x 24 x 12 in deep for
Cor to Secs 22 23 26
& 27

Soil Sand Hills
3d rate

Township 24 North

| | |
|---|---|
| | East on a random line Between Secs 23 and 26 Vw 13°50' E |
| 4000 | Set Spade for temporary gr sec Cor |
| 7988 | Intersect the N & South line 16 lks North of the Cor to Secs 23 24 25 & 26 from which Cor I run North 89°53' West on a true line Between Sect 23 & 26 Vw 13°50' E |
| 3994 | Raised mound 2½ ft High from Pits 18 x 24 x 12 in deep for gr Sec Cor |
| 7988 | Cor to Secs 22 23 26 & 27 |

Soil sand Hills 3d rate



Range 28 West 6 P.M.

| | |
|---|---|
| | North Between Sect 22 & 23 Vw 13°50' E |
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec Cor |
| 8000 | Raised mound 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 14 15 22 and 23 |

Land Sandy & hilly

Soil 3d rate

# Township 24 North

East on a temporary line
Between Sec 14 & 23
Va 13° 50' E

4000 Set Spade for temporary gr
Sec Cor

7968 Intersect the Div line
41 lks North of the
Cor to Sec 13 14 23
and 24 from which
Cor I saw
North 89° 45' West on a true
line Between Sec 14 & 23
Va 13° 50' E

3984 Raised mound of Earth 2½
ft high from pits 18 x 24
x 12 in deep for gr sec
Cor

7968 Cor to Sec. 14 15 22 & 23

Soil Sand hills
3d rate



# Range No. 28 West 6 PM

North Between Sec 14 & 15
Va 13° 50' E

4000 Raised Mound of Earth 2½
ft high from pits 18 x 24 x
12 in deep for gr sec
Cor

8000 Raised mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep for Cor to Secs
10 11 14 and 15

Soil Sand hills
3d rate

# Township No 24 North

| | |
|---|---|
| | East on a random line Between secs 11 & 14 VW 13°50 E |
| 4000 | Set Spade for temporary gr sec Cor |
| 7971 | Intersect the N & S line 39 lks North of the Cor to Secs 11 12 13 & 14 from which Cor I run North 89°43 West on a true line Between secs 11 & 14 VW 13°50 E. |
| 3985 | Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep. for gr sec Cor |
| 7971 | Cor to Secs 11 12 13 & 14 |

Soil Sand hills
3d rates



# Range 28 West 6 P.M

| | |
|---|---|
| | North Between Secs. 10 & 11 VW 13°50' E |
| 4000 | Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in Deep. for gr sec Cor. |
| 8000 | Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for Cor 2, 3 10 & 11 |

Soil Sand hills
3d rate

# Township No 24 North

| | |
|---|---|
| | East on a random line Between Sec 2 and 11 Va 13° 50' E |
| 4000 | Set Spade for temporary qr sec Cor |
| 7960 | Intersect the Nands line 28 links North of the Cor to Sec 1 2 11 & 12 from which Cor I run North 89° 48' West on a true line Between sec 2 & 11 Va 13° 50' E |
| 3980 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 7960 | Cor to Secs 1 2 11 & 12 |

Soil Sand hills 3d rate



# Range 28 West 6 PM

| | |
|---|---|
| | North between Secs 2 & 3 Va 13° 50 |
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 7900 | Intersect the 6th standard Parallel North 130 lks East of the Cor to Secs. 35 and 36 Township 29 Range 28 West Where I Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for Closing Cor to Secs 2 and 3 Township 24 North Range 28 West 6 PM |

Soil Sand Hills 3d rate

Township 24 North

North Between Sec 33 & 34
on 13° 50'

4000 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor

80.00 Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for cor to sect. 27 28 33 and 34

Soil sand Hills
3d rates



Range 28 West 6 P.M.

East on a random line
Between sect 27 & 34
on 13° 50' E.

4000 Set spade for temporary qr sec cor

7988. Intersect the E. N. & P. line 16 lks North of the cor to secs 23 24 25 & 26 from which cor I run
North 89° 53' West on a true line
Between sect. 27 and 34
on 13° 50' E.

3994 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor

7988 Cor to secs. 27 28 33 and 34 ~~26 27 34 & 35~~

Soil sand Hills
3d rates

# Township 2 North

North Between Sec 27
& 28
on 13° 50' E

4000 Raised mound of Earth
2½ ft high from pits
18 x 2 x 1½ in deep for
gr sec Cor

8000 Raised mound 2½ ft high
from Pits 18 x 2 x 1½ in
deep for Cor to Secs 21
22 27 & 28

Soil Sand hills
3d rate



# Range 28 West 6 B M

East on a random line
Between Secs 22 and 27
on 13° 50' E

4000 Set stake for temporary sec Cor
7975 Intersect the standard line 39
lks north of the Cor to
Secs 22 23 26 & 27
from which cor I run
North 89° 43' West on a line bind
Between Secs 22 and 27
on 13° 50' E

3975 Raised mound of Earth 2½ ft
high from pits 18 x 2 x 1½
in deep from sec cor
7975 Cor to Secs 21 22 27 & 28

Soil sandy 3d rate

Aug 31st 1874

# Township 24 North

North Between Secs 21 & 22
Var 13° 50' E

4000 Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for qr sec cor

8000 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep. for Cor to Secs 15 16 21 & 22

Soil Sand Hills
3d rate



# Range No 28 West 6th Pm

East on a random line
Between Secs 15 & 22
Var 13° 50' E

4000 Set Spade for temporary qr sec cor

7965 Intersect the N & S line 18 lks North of the Cor to Secs 14 15 22 and 23 from which Cor a red

North 89° 52' West on a true line
Between Secs 15 & 22
Var 13° 50' E

3982 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor

7965 Cor to Secs 15 16 21 & 22

Soil Sand Hills
3d rate

# Township 24 North

| | | |
|---|---|---|
| | | North Between Sec 15 & 16 Var 13°50 |
| 40 | 4000 | Raised mound of Earth 2½ ft high from Pits 18x24 x 12 in deep for gr sec Cor |
| 80 | 8000 | Raised mound of Earth 2½ ft high from Pits 18x24x12 in deep for Cor to Sec 9, 10, 15 and 16. |
| | | Soil Sand & Hills 3rd rate |



# Range No 28 West 6 PM

| | | |
|---|---|---|
| | | East On a random line Between Sec 10 & 15 Va 13°50' E. |
| | 4000 | Set stake for temporary qr sec cor |
| | 7968 | Intersect the N & S line 10 chs North of the Cor to sec 10 11 14 & 15 from which cor I run |
| | | North 89°56' West on a true line Between Sec 10 & 15 Va 13°50 E |
| | 8961½ | Raised mound of earth 2½ ft high from Pits 18x24x12 in deep for qr sec cor |
| | 7968 | Cor to Secs 9 10 15 & 16 |
| | | Soil Sand Hills 3rd rate |

# Township 24 North

North Between Sec 9 & 10
W 13° 50' E

44 000 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep. for qr sec Cor

80.00 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep. for Cor to Sec 3 4 9 & 10

Soil Sand & Hill
3rd rate



# Range No 2 West 6 P.M.

East on a random line
Between Secs 3 & 10
W 13° 50' E.

4000 Set Spade for temporary qr sec Cor

7960 Intersect the N and S line 15 chs South of the Cor to Secs 2, 3, 10 & 11 from which
Cor Iron.
South 89° 54' West on a true line
Between Sec 3 & 10
W 13° 50' E.

3980 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor

7960 Cor to Secs 3 4 9 & 10

Soil Sand & Hills
3rd rate

# Township 24 North

| | | |
|---|---|---|
| | | North Between Secs 3 & 4 VW 13° 50' E |
| 40 | 40 00 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 80 | 79 10 | Intersect the E standard Parallel North 200 lks East of the Cor to secs 34 and 35 Township 25 North Range 28 West E P A where I Raised mound 2½ ft high from pits 18 x 24 x 12 in deep for Closing Cor to Secs 3 & 4 Township 24 North Range 28 West 6 PM |
| | | Soil Sand Hills & rate |



# Range 28 West 6 PM

| | | |
|---|---|---|
| | | North Between Secs 32 & 33 VW 13° 50' E |
| | 40 00 | Raised mound 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| | 80 00 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for [illegible] Cor to Secs 28 & 29 & 32 and 33 |
| | | Soil Sand Hills & rate |

# Township No 24 North

| | |
|---|---|
| | East on a random line between Secs 28 and 33 Var 13°50' E |
| 4000 | set spade for temporary qr sec Cor |
| 8 7990 | Intersect the North and South line 30 links South of the Cor to Secs 27 28 33 and 34 from which Cor I run South 89°47' West on a true line between secs 28 & 33 Var 13°50 E |
| 3995 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 7990 | Cor to Secs 28 29 32 & 33 |
| | Soil Sand Hills 2nd rate |



# Range 28 W. M. M.

| | |
|---|---|
| | North between sec 28 and 29 Var 13°50' E |
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 8000 | Raised mound 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 20 21 28 and 29 |
| | Soil Sand Hills 3rd rate |

# Township 24 North Range 28 West 6th PM

| | |
|---|---|
| V | East on a random line Between Secs 21 & 28 Ow 13°50 E |
| 4000 | Set Spade for temporary gr Sec Cor |
| 7965 | Intersect the N and S line 70 lks South of the Cor to Secs 21 22 27 and 28 from which Cor I run South 89°30' West on a true line Between Secs 21 & 28 Ow 13°50' E |
| 3982 | Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for gr sec Cor |
| 7965 | Cor to Secs 20 21 28 & 29 |

Soil Sand Hills
3d rate



| | |
|---|---|
| | North Between Secs 20 & 21 Ow 13°50' E |
| 4000 | Raised mound of earth 2½ ft high from pits 18×24×12 in deep for gr sec Cor |
| 8000 | Raised mound 2½ ft high from pits 18×24×12 in deep for gr sec Cor to Secs 16 17 20 & 21 |

Soil Sand Hills
3d rate

# Township No 24 North

| | |
|---|---|
| | East on a random line Between Sec 16 & 21 VW 13° 50' E |
| 4000 | Get Spade for temporary gr sec Cor |
| 7931 | Intersect the North & line 80 lks South of the Cor to Sect 15 16 21 & 22 from which Cor I run South 89° 25' West on a true line Between Secs 16 & 21 VW 13° 50' E |
| 3965 | Raised mound of earth 2½ ft high from pits 18 24 x 12 in deep for gr sec Cor |
| 7931 | Cor to Secs 16 17 20 & 21 Soil Sand Hills 3d rate |



# Range No 28 West 6 PM

| | |
|---|---|
| | North Between Sec 16 & 17 VW 13° 50' E |
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 12 in deep for gr sec Cor |
| 80.00 | Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Sec 8 9 16 & 17 |

Soil Sand Hills

# Township 24 North

| | |
|---|---|
| | East on a random line between Sec 9 & 16 Var 13°50' E |
| 4000 | Set Shade for temporary gr sec cor |
| 7938 | Intersect the N & S line 93 lks South of the Cor to Secs 9 10 15 & 16 from which Cor I run South 89°20' West on a true line Between Sec 9 & 16 Var 13°50' E |
| 3969 | Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for gr sec cor |
| 7938 | Cor to Sec 8, 9, 16 & 17 |

Soil Sand Hills 3d rate



# Range No 28 West 6 PM

| | |
|---|---|
| | North Between Sec 8 & 9 Va 13°50' E |
| 4000 | Raised mound 2½ ft High from Pits 18 x 24 x 12 in deep for gr sec cor |
| 8000 | Raised mound 2½ ft High from Pits 18 x 24 x 12 in deep for Cor to Secs 4 5 8 & 9 |

Soil Sand Hills 3d rate
~~[illegible]~~ 9 Sept 1st 1874

# Township No 24 North

East on a random line
Between Secs 4 & 9
VW 13° 50' E

4000 Set spade for temporary gr
sec Cor

7950 Intersect the Vands line
73 lks south of the
Cor to Secs 3 4 9 & 10 from
which Cor I run
South 89° 29' West on a true
line Between Secs 4 & 9
VW 13° 50' E

3975 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
gr sec cor

7950 Cor to Secs 4 5 8 & 9

Soil Sand Hills
3d rate



# Range No 28 West 6 PM

North Between Secs 4 & 5
VW 13° 50' E

4000 Raised mound of Earth 2½
ft High from pits 18 x 24
x 12 in deep for gr sec
Cor

7969 Intersect the 6th Standard
Parallel 156 lks. East of
the Cor to Secs 33 & 34
Township 25 North Range
28 West 6 PM where
I Raised mound of
Earth 2½ ft High from
Pits 18 x 24 x 12 in deep
for Closing Cor to Secs
4 & 5 Township 24
North Range 28 West
6 PM.

Soil Sand Hills
3 rate

Township No 24 North

North Between secs 31 & 32
Vu 13°50' E

4000 Raised mound of Earth 2½ ft high from pits 18x24x12 in for gr sec cor

8000 Raised mound of Earth 2½ ft high from pits 18x24x12 in for cor to Secs 29 30 31 & 32

Soil sandy & Hilly
3d rate



Range No 28 West 6 P.M.

East on a random line
Between Secs 29 & 32
Vu 13°50' E

4000 set spade for temporary gr sec cor

7988 Intersect the U & S line 11 lks North of the Cor to Secs 28 29 32 & 33 from which Cor I run

North 89°55' West on a true line
Between secs 29 & 32
Vu 13°50' E

3994 Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for gr sec Cor

7988 Cor to Secs 29 30 31 & 32

Soil sand Hills
3d rates

Township No 24 North Range No 28 West 6. PM

| | | |
|---|---|---|
| | | West on a random line Between Sec 30 & 31 Var 13° 50' E |
| 4000 | 4000 | set spade for temporary qr sec Cor |
| 8000 | 7521 | Intersect the West Boundary of the Township 18 lks South of the Cor to secs 30 & 31 from which Cor I run South 89° 52' East on a true line Between secs 30 & 31 Var 13° 50' E |
| | 3521 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| | 7521 | Cor to secs 24 30 31 & 32 |
| | | Soil Sand Hills 3rd rate |

North Between Sec 29 & 30 Var 13° 50' E

| | |
|---|---|
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec Cor |
| 8000 | Raised mound of Earth 2½ ft High from pits 18 x 24 x 12 in deep for Cor to Sec 19 20 29 & 30 |
| | Soil Sand hills 3rd rate |

Tor



# Township No 24 North

| | | |
|---|---|---|
| | | East on a random line Between secs 20 & 29 Vce 13°50' E |
| 4000 | 4000 | Set spade for temporary gr sec Cor |
| 8000 | 7980 | Intersect the N & S line 19 links N of the Cor to secs 20 21 28 & 29 from which Cor I run North 89°52' West on a true line Between secs 20 & 29 Vw 13°50' E |
| | 3990 | Raised mound of earth 2½ ft high from pits 18x24x12 in for gr sec Cor |
| | 7980 | Cor to secs 19 20 29 & 30 |

Soil Sand hills
3d rates



# Range No 28 West 6 P M

| | |
|---|---|
| | West on a random line Between Secs 19 & 30 Vw 13°50' E. |
| 4000 | Set Spade for temporary gr sec Cor |
| 7541 | Intersect the west boundary of the Township 28 links South of the Cor to secs 19 & 30 from which Cor I run South 89°48' East on a true line Between secs 19 & 30 Vw 13°50' E. |
| 3541 | Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for gr sec Cor |
| 7541 | Cor to secs 19 20 29 & 30 |

Soil Sand Hills
3d rates

# Township No 24 North

| | | |
|---|---|---|
| | | North Between Secs 19 & 20 |
| | | Vw 13° 50' E |
| 400 | 4000 | Raised mound of earth 2½ |
| | | ft High from pits 18 x 24 x |
| | | 12 in deep for gr sec cor |
| 800 | 8000 | Raised Mound of earth 2½ |
| | | ft high from pits 18 x 24 |
| | | x 12 in deep for Cor to |
| | | Secs 17 18 19 & 20 |
| | | Soil Sand hills |
| | | 3d Rate |



# Range No 28 West 6 PM

| | |
|---|---|
| | East on a random line |
| | Between Secs 17 & 20 |
| | Vw 13° 50' E |
| 4000 | Set spade for temporary gr sec Cor |
| 7967 | Intersect the N & S line 38 lks |
| | North of the Cor to Secs 16 |
| | 17 20 & 21 from which Cor |
| | I run |
| | North 89° 44' West on a true line |
| | Between Secs 17 & 20 |
| | Vw 13° 50' E |
| 3983 | Raised mound of earth 2½ ft |
| | high from pits 18 x 24 x 12 |
| | in deep for gr sec cor |
| 7967 | Cor to Secs 17 18 19 & 20 |
| | Soil Sand hills |
| | 3d rate |

# Township No 24 North

| | | |
|---|---|---|
| | | West on a random line between Secs 18 & 19 Var 13° 50' E |
| 400 | | |
| | 4000 | Set Spade for temporary qr sec cor |
| | 7510 | Intersect the West boundary of the township 41 lks South of the Cor to Secs 18 & 19 from which Cor I saw South 89° 44' East on a true line between Secs 18 & 19 Var 13° 50' E |
| 800 | | |
| | 3510 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor |
| | 7510 | Cor to Secs 17 18 19 & 20 |

Sand Hills
3d rate



# Range No 28 West 4th M

| | |
|---|---|
| | North between Secs 17 & 18 Var 13° 50' E |
| 4000 | Set raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor |
| 8000 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 7 8 17 & 18 |

Soil Sand hills
3d rate

Tow



## Township No 24 North Range No 28 West of the 6 P.M.

| | |
|---|---|
| | East on a random line Between Secs 8 and 17, vw 13°50' E |
| 4000 | Set spade for temporary gr sec cor |
| 7931 | Intersect the U & S line 21 links N. of the cor to Secs 8 9 16 & 17 from which I run North 89°51' West on a true line Bet secs 8 & 17 vw 13°50' E |
| 3965 | Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec cor |
| 7931 | Cor to Secs 7 8 17 & 18 |

Soil Sand hills
3d rate



| | |
|---|---|
| | West on a random line Between Secs 7 & 18 vw 13°50' E |
| 4000 | Set spade for temporary gr sec cor |
| 7536 | Intersect the West Boundary of the township 56 lks South of the cor to secs 7 & 18 from which cor I run South 89°36' East on a true line Between Secs 7 & 18 vw 13°50' E |
| 3536 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec cor |
| 7536 | Cor to Secs 7 8 17 & 18 |

Soil Sand hills
3d rates

# Township No 24 North

| | |
|---|---|
| | North Between Secs 7 & 8 |
| | Var 13°50' E |
| 4000 | Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec Cor |
| 8000 | Raised mound of earth 2½ ft High from pits 18 x 24 x 12 in deep for Cor to Secs 5 6 7 & 8 |
| | Soil Sand Hills |
| | 3d rate |
| | Sept 2d 1874 |



# Range No 28 West 6 P.M.

| | |
|---|---|
| | East on a random line Between Secs 5 & 8 |
| | Var 13°50' E |
| 4000 | Set spade for temporary gr sec Cor |
| 7915 | Intersect the North and south line at the Cor to Secs 4 5 8 & 9 from which Cor I run |
| | West on a true line Between Secs 5 & 8 |
| | Var 13°50' E |
| 39.57 | Raised mound of Earth 2½ ft high from Pits 18 x 24 x 12 in deep for gr sec Cor |
| 7915 | Cor to Secs 5 6 7 & 8 |
| | Soil Sand Hills |
| | 3d rate |

# Township No 24 North Range No 28 West 6 PM



| | |
|---|---|
| | West on a random line Between Secs 6 & 7 VW 13°50' E |
| 4000 | Set Spade for temporary gr sec Cor |
| 7515 | Intersect the West Boundary of the Township 45 lks South of the Cor to Secs 6 & 7 from which Cor I run South 89°40' East on a true line Between Secs 6 & 7 VW 13°50' E |
| 3515 | Raised mound of earth 2½ ft High from pits 18-24 x12 in deep for gr sec Cor |
| 7515 | Cor to Secs 5 6 7 & 8 |

Soil Sand Hills
3d rate

| | |
|---|---|
| | North Between Secs 5 & 6 VW 13°50' E. |
| 4000 | Raised. Mound of earth 2½ ft high from pits 18x24 x12 in deep for gr sec Cor |
| 7938 | Intersect the 6th Standard Parallel North 340 lks East of the Standard Cor to Secs 32 & 33 ~~North R~~ Township 25 North Range 28 West 6 PM where I |
| | Raised mound of earth 2½ ft high from pits 18x24 x12 in deep, for Closing Cor to Secs 5 & 6 Township 24 North Range 28 West 6 PM |

Soil Sand Hills
3d rate

Sept 3d 1874

To

4000

8000

# General Description

The soil in this township is Sandy 3d rate there are many Sand Bluffs no water stone or timber. Scarcely any vegetation and my opinion is that Even with the aid of Irrigation it will not produce Grain or any other of the products of our Country

# List of Names

A List of Names of individuals employed to assist in running measuring or the lines & corners described in the foregoing field notes of Township No 24 North of the Base Line of Range No 28 West of the 6th R.M. showing the respective capacities in which they acted

| | |
|---|---|
| A.M. Forbes | Chainman |
| G.L. Slocum | Chainman |
| Ed Forley | Mountaineer |
| Chas Zahner | Mountaineer |
| Jas B Watson | Flagman |

Tow

4000

8000

We hereby certify that we assisted James L. Slocum Deputy Surveyor in subdividing township No. 24 North of the base line Range No. 28 west of the 6th Principal Meridian and that said township has been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor general and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

A. M. Forbes } chainmen
~~[illegible]~~
Ob Fehner } mound men
Ed Farley
J. C. Watson } flagman

Subscribed and sworn to the aforementioned parties before me a Notary Public in and for Richardson Co Nebraska this 13th day of September 1874.

James Cameron
Notary Public

For

4000

8000

I James L Slocum Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein David V Stephenson and James L Slocum are joint contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of July 1874 I have well faithfully and truly in my own proper person and in strict conformity to the Instructions furnished by the Surveyor General the surveying manual and the laws of the United States surveyed all those parts of fractional Township No 24 north of the Base line in Range No 28 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual printed Instructions and Special Instructions of the Surveyor General of dimensions, character, construction, and marking, and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

James L Slocum

Subscribed & sworn to before me a Notary Public in & for Lancaster Co Neb this 14th day of Sept 1874

H M Goldsmith

Town

| | |
|---|---|
| | No |
| 4000 | Re |
| 8000 | Re |

Surveyor Generals Office

Plattsmouth Oct 15th 1874

The foregoing Field Notes of the Survey & subdivision of Township No 24 N. of the Base line of Range No 28 West of the 6th Principal Meridian in Nebraska Executed by James L Slocum under point Contract No 82 dated July 6th 1874, having been critically examined, the necessary corrections & explanations made, the said field notes & the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

# General Land Office • Original Field Notes

## Book Number

# 517

---

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.