General Land Office • Original Field Notes

Book Number

518

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 25 Range 28 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes
of
the survey and sub-division
of Township No. 25 North
of the Base Line of Range
No 28 West of the 6th
Principal Meridian in the
State of Nebraska

Executed by
William A. Richards
Deputy Surveyor
under point contract No 85 bearing date
27th day of Aug 1874

Sub-division commenced
May. 21. 1875
Sub-division completed.
May. 24, 1875

List of Names

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Flagmen &
C. M. McClintock } Marksmen

Township No 25 N. Range No 28 W

To determine the proper adjustment of my compass for subdividing this Township. I commence at the corner to Townships 24 & 25 N Ranges 27 & 28 West and run North on a blank line along the east boundary of section 36.

Va 13° 30' E

40.15 To a point 11 links east of the quarter section corner

80.30 To a point 25 links east of the corner to sections 25 & 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13° 30' E

Subdivision commenced May. 21, 1875

There is no wood in or near this Township so I can set no posts

Township No 75 N Range No 28 W

Chains	
	From the corner to Secs. 1. 2. 35 & 36 on the South boundary of the Township Run North between secs 35 & 36 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 25. 26. 35 & 36.
	Surface Rolling & broken Soil sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	Pass on a random line between secs. 25 & 36 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sect. cor.
80.50	Intersect East boundary of Township a point 66 lks. south of the corner to secs 25 & 36 from which corner Drag S. 89° 34' W. on this line between secs. 25 & 36 Va 13° 30' E —
40.25	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	The corner to secs. 25. 26, 35 & 36
	Surface Rolling & broken Soil — Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	North between secs 25 & 26 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 23. 24. 25. & 26.
	Surface Rolling & broken Soil Sandy 3rd rate No vegetation except a poor quality of bunch grass —

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs 24 & 25 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec cor —
80.46	Intersect East boundary of Township at a point 35 links south of the corner to secs. 24 & 25 from which corner Drum — S. 89° 45' W on true line between secs 24 & 25 Va, 13° 30' E —
40.75	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor
80.46	The corner to secs 23, 24, 25 & 26
	Surface Rolling & broken Soil Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	North between Sec 23 & 24 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mounds of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 13. 14. 23 & 24.
	Surface Rolling Soil Sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs. 13 & 24 Va 13° 30' E —
35.00	Entry valley bearing N. W. & S. E.
40.00	Set flag for temporary 1/4 Sec. Cor —
79.70	Intersect East boundary of Township at a point 90 links South of the corner to Secs. 13 & 24 from which corner Run S. 89° 51' W. on true line between Secs. 13 & 24 Va 13° 30 E
39.85	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.70	The corner to Secs 13. 14. 23 & 24
	Upland Rolling soil 3rd rate Valley land soil 2nd rate

Township No 25 S Range No 28 W

Chains	
	North between Secs. 13 & 24 Va 13° 30' E —
30.00	Enter valley, E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor ——.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 11. 12. 13 & 14.
	Surface of upland rolling of valley level all sandy 3rd rate —

Township No 25 S Range No 28 W

Chains	
	East on a random line between Secs. 12 & 13 Va 13° 30' E
40.00	Set flag & cor temporary 1/4 Sec. Cor. —
79.60	Intersect East boundary at a point 85 links south of the corner to Secs. 12 & 13 from which corner bears S. 89° 24' W. on true line between Secs 12 & 13 Va 13° 30' E
39.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.60	The corner to Secs. 11, 12, 13 & 14
	Surface level soil sandy 3rd rate

Township No 75 N. Range No 78 W

Chains	
	North between Secs 11 & 12 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 1. 2. 11. & 12.
	Surface level & gently rolling Soil sandy 3rd rate —

Township No 75 N Range No 78 W

Chains	
	East on a random line between Secs 1 & 12 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
65.00	Lean valley bearing S. E & N. W.
79.57	Intersect East boundary of Township at a point 47 links South of the corner to Secs. 1 & 12 from which corner I run S. 89° 40' W. on true line between Secs 1 & 12 Va 13° 30' E —
29.76	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.57	The corner to Secs 1. 2. 11 & 12 Surface of valley level & of land rolling All sandy 3rd rate —

Township No. 75 N Range No. 28 W

Chains	
	North on a random line between Secs 1 & 2 Va 13°30' E —
77.00	Leave valley S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor.
80.80	Intersect North boundary of Township at a point 21 links East of the corner to Secs 1 & 2 from which corner I run — S. 9' E. on true line between Secs 1 & 2 Va 13°30' E —
40.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.80	The corners to Secs. 1, 2, 11 & 12
	Surface rolling — Soil sandy 3rd rate —

Township No. 75 N Range No. 28 W

Chains	
	North between Secs. 34 & 35 Va 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 26, 27, 34 & 35.
	Surface Rolling Soil sandy 3rd rate —

Township No 25 & Range No 28 W

Chains	
	East on a random line between Secs 26 & 35 — Va 13° 30' E —
40.00	Set flag for temporary 1/4 sec. cor —
79.90	Intersect Ch. & S. line at a point 26 links south of the corner to Secs. 25, 26, 35 & 36 from which corner Sun S. 89° 49' W. on true line between Secs. 26 & 35 — Va 13° 30' E —
39.95	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
79.90	The corner to Secs. 26. 27. 34 & 35
	Surface rolling — Soil Sandy 3rd rate —
	May. 21. 1870 —

Township No 25 & Range No 28 W

Chains	
	North between Secs 26 & 27 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor. to Secs. 22. 23. 26. & 27.
	Surface rolling — Soil Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs. 23 & 26 Va 13° 30' E
40.00	Set flag for temporary 1/4 Sec cor
80.20	Intersect N. bd. line at a point 16 links North of the corner to Secs. 23, 24, 25 & 26 from which corner I run N. 89° 53' W. on true line between Secs 23 & 26 Va 13° 30' E —
40.10	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.20	The corner to Secs. 22, 23, 26 & 27
	Surface rolling Soil sandy 3rd rate — growing bunch grass —

Township No 25 N Range No 28 W

Chains	
	North between Secs. 22 & 23 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
70.00	Enter valley E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 14. 15. 22. & 23.
	Surface rolling — Soil sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs. 14 & 23 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor
70.00	Leave valley, course N. & S.
80.40	Intersect N. & S. line at the corner to Secs. 13, 14, 23 & 24 from which corner I run W. on a true line between Secs. 14 & 23 Va 13° 30' E —
40.20	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.40	The corner to Secs. 14, 15, 22 & 23
	Surface level Soil sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	North between Secs. 14 & 15 Va 13° 30' E —
5.00	Leave valley N. E. & S. W.
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor. to Secs. 10, 11, 14 & 15.
	Surface rolling — Soil sandy 3rd rate —

Township No 75 N Range No 78 W

Chains	
	East on a random line between Secs. 11 & 14 Va. 13° 30' E —
38.00	Enter valley N. & S.
40.00	Set flag for temporary 1/4 Sec. cor —
80.00	Intersect N. & S. line at a point 25 links South of the corner to Secs 11, 12, 13 & 14, from which corner I run S. 89° 00' W. on true line between Secs. 11 & 14 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	The corner to Secs. 10 11 14 & 15 —

Surface of upland rolling of valley level. All sandy soil 3rd rate —

Township No 75 N Range No 78 W

Chains	
	North between Secs 10 & 11 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor. to Secs. 2. 3. 10. & 11.

Surface Rolling
Soil Sandy 3rd rate

Township No 75 N Range No 28 W

Chains	
	East on a random line between Secs 2 & 11 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
69.00	Enter valley N. & S.
80.14	Intersect N. & S. line at a point 9 links south of the corner to Secs 1, 2, 11 & 12 from which corner I run S. 89° 56' W. on true line between Secs 2 & 11 Va 13° 30' E —
40.07	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.14	The corner to Secs 2, 3, 10 & 11
	Upland rolling — Valley level. All sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	North on a random line between Secs. 2 & 3 Va, 13° 30
40.00	Set flag for temporary 1/4 Sec. cor —
50.00	Cross sand hills for valley E. & W.
80.86	Intersect North boundary of Township at a point 9 links East of the corner to Secs. 2 & 3 from which corner I run S. 4' E. on true line between Secs. 2 & 3 Va. 13° 30' E —
40.86	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.86	The corner to Secs. 2. 3. 10 & 11 Upland rolling. Valley level Soil of all sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	North between 33 & 34 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor to Secs. 27. 28. 33. & 34.
	Surface rolling Soil Sandy, 3rd rate

Township No 25 N Range No 28 W

Chains	
	East on a random line between secs. 27 & 34 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.15	Intersect N. & S. line at the corner to secs. 26. 27. 34 & 35. from which corner I run W. on a true line between Secs 27 & 34 Va. 13° 30' E —
40.07	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.15	The corner to Secs 27. 28. 33 & 34
	Surface Rolling Soil Sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	North between Secs 27 & 28 Va, 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor. to Secs. 21.22 27 & 28.
	Surface Rolling — Soil Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs. 22 & 27 Va. 13°30' E
40.00	Set flag for temporary 1/4 Sec cor —
79.90	Intersect No S. line of a point 28 links South of the corner to Secs. 22 23 26 & 27 from which corner Run S. 89°48' W. on true line between Secs. 22 & 27. Va 13°30' E —
39.95	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
79.90	The corner to Secs. 21, 22, 27, & 28
	Surface Rolling — Soil Sandy 3rd rate —

Township No 75 N Range No 78 W

Chains	
	North between Secs. 21 & 22 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 15. 16. 21. & 22.
	Surface Rolling Soil Sandy 3rd rate

Township No 75 N Range No 78 W

Chains	
	East on a random line between Secs 15 & 22 Va, 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
76.00	Enter valley N. E. & S. W.
79.70	Intersect N. & S. line at a point 11 lks. north of the corner to Secs. 14. 15. 22 & 23 from which corner True N. 89° 57' W. on true line between Secs. 15 & 22 Va 13° 30' E —
39.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep 1/4 Sec. cor —
79.70	The corner to Secs. 15. 16. 21 & 22
	Surface Rolling Soil Sandy 3rd rate
	May. 22. 1875

Township No 75 N Range No 28 W

Chains	
	North between secs. 15 & 16 Va 13°30' E —
20.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 9. 10. 15. & 16.
	Surface Rolling — Soil Sandy 3rd rate —

Township No 75 Range No 28 W

Chains	
	East on a random line between Secs 10 & 15 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec-Cor —
80.10	Intersect N. & S. line at a point 10 lks. S. of the corner to Secs. 10. 11. 14 & 15 from which corner I run S. 89° 56' W. on true line between Secs. 10 & 15 Va 13° 30' E —
40.05	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep of 1/4 Sec. cor —
80.10	The corner to Secs 9. 10. 15 & 16
	Surface Rolling — Soil Sandy 3rd rate —

Township No 25 N Range No 3 W

Chains	
	North between Secs 9 & 10 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 3. 4. 9 & 10.
	Surface Rolling — Soil Sandy 3rd rate —

Township No 25 N Range No 2 W

Chains	
	East on a random line between Secs. 3 & 10 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.40	Intersect N. & S. line at a point 76 links North of the corner to Secs. 2. 3. 10 & 11 from which corner Drum: N. 89° x 9' W. on true line between Secs 3 & 10 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.40	The corner to Secs 3. 4. 9 & 10
	Surface rolling Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	North on a random line between Secs 3 & 4 Va. 13°30' E —
40.00	Set flag for temporary 1/4 Sec. cor. and leave pond hills for valley bearing E. & W.
80.94	Intersect North boundary of Township at the corner to Secs. 3 & 4 from which corner S. run S. on true line between Secs. 3 & 4 Va 13°30' E —
4094	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.94	The corner to secs 3.4.9 & 10

Upland Rolling Sandy 3rd rate. Valley level 3rd rate bearing good grass —

Township No 75 N Range No 28 W

Chains	
	North between Sec 32 & 33 Va. 13°30' E
40.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 28. 29. 32 & 33.

Surface Rolling Soil Sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs 28 & 33 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.38	Intersect N. & S. line at a point 17 links North of the corners to Secs 27, 28, 33 & 34 from which corner Sun N. 89° 56' W. on true line between Secs 28 & 33 Va 13° 30 E
40.14	Raised mound of earth 8 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.28	The corner to Secs 28, 29, 32 & 33

Surface Rolling
Soil Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	North between Secs 28 & 29 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor to Secs. 20. 21. 28. & 29.

Surface Rolling
Soil Sandy 3rd rate —

Chains	
	East on a random line between Secs. 21 & 28 Va 13° 30' E —
40.00	Set post for temporary 1/4 Sec. cor —
79.74	Intersect N. & S. line at a point 14 links South of the corner to Secs 21. 22. 27 & 28 from which corner Drum S. 89° 54' W. on true line between Secs 21 & 28 Va 13° 30' E
39.87	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
79.74	The corner to Secs, 20 21 28 & 29
	Surface Rolling Soil Sandy 3rd rate —

Chains	
	North between Secs 20 & 21 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor to Secs. 16. 17. 20. & 21.
	Surface Rolling — Soil Sandy 3rd rate —

Township No 25 N Range No 28 W

Chains	
	Cast on a random line between Secs 16 & 21 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
80.00	Intersect N. & S. line at a point 10 lks. South of the corner to Secs. 15. 16. 21 & 22 from which corner Drum S. 89° 56' W. on true line between Secs 16 & 21 Va 13° 30' E —
40.00	Raised mound of earth 2 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	The corner to Secs 16, 17, 20 & 21

Surface Rolling
Soil Sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	North between Sec. 16 & 17 Va 13° 30' E —
40.00	Raised mound of earth 2 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 2 ft. high from pits 18 X 18 X 12 in deep for cor to Secs. 8. 9. 16. & 17.

Surface Rolling
Soil Sandy 3rd rate

Township No 75 N. Range No 78 W

Chains	
	East on a random line between Secs. 9 & 16 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.40	Intersect N. & S. line at a point 35 links North of the corner to Secs. 9, 10, 15 & 16 from which corner Drum N. 89° 45' W. on true line between Secs 9 & 16 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.40	The corner to Secs 8, 9, 16 & 17
	Surface Rolling Soil Sandy 3rd rate —

Township No 75 N. Range No 78 W

Chains	
	North between Secs 8 & 9 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft high from pits 18 X 18 X 12 in deep for cor to Secs. 4. 5. 8. & 9.
	Surface Rolling Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	East on a random line between secs. 4 & 9 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
79.94	Intersect N. B. line at the corner to Secs 3, 4, 9 & 10 from which corner Iron W. on true line between Secs. 4 & 9 Va 13° 30' E
39.97	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.94	The corner to Secs 4, 5, 8 & 9

Surface Rolling —
Soil Sandy 3rd rate

Township No 75 N Range No 28 W

Chains	
	North on a random line between Secs 4 & 5 Va, 13° 30' E
40.00	Set flag for temporary 1/4 Sec. Cor.
47.00	Enter Valley bearing E & W.
80.70	Intersect North boundary of Township at a point 16 links West of the corner to Secs. 4 & 5 from which corner Iron S. 7 W. on true line between Secs 4 & 5 Va. 13° 30' E —
40.70	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.70	The corner to Secs 4. 5. 8 & 9

Upland Rolling Sandy 3rd rate
Valley level bears good grass soil 2nd rate —
May, 23, 1875 —

Township No 75 N Range No 78 W

Chains	
	North between Secs 31 & 32
	Va 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor to Secs. 29. 30. 31. & 32.
	Surface Rolling
	Soil Sandy 3rd rate

Township No 75 N Range No 78 W

Chains	
	East on a random line between Secs 29 & 32
	Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
80.00	Intersect N. & S. line at a point - 37 links South of the corner to Secs. 28. 29. 32 & 33 from which corner Bears S. 89° 44' W. on true line between Secs 29 & 32
	Va 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	The corner to Secs 29, 30, 31 & 32
	Surface Rolling
	Soil Sandy 3rd rate

Township No 75 N Range No 28 W

Chains	
	West on a random line between Secs 30 & 31 Va 13° 30' E —
40.00	Set ~~stake~~ for temporary 1/4 Sec. cor —
79.40	Intersect West Boundary of Township at a point 47 links south of the corner to Secs 30 & 31 from which corner Bears S. 89° 40' E on true line between Secs 30 & 31 Va 13° 30' E —
39.40	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
79.40	The corner to Secs 19, 20, 30 & 31

Surface Rolling
Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	North between Secs 19 & 30 Va 13° 30 E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor to Secs. 19. 20. 29 & 30.

Surface Rolling
Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	East on a random line between Secs 20 & 29 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor.
80.17	Intersect N. & S. line at a point 75 links North of the corner to Secs 20, 21, 28 & 29 from which corner Drum Sta North 89° 50' W on true line between Secs 20 & 29 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.17	The corner to Secs 19, 20, 29 & 30

Surface rolling
Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	West on a random line between Secs 19 & 30 Va 13° 30 E
40.00	Set flag for temporary 1/4 Sec. cor —
79.36	Intersect West Boundary of Township at a point 56 links South of the corner to Secs 19 & 30 from which corner Drum S. 89° 36' E on true line between Secs 19 & 30 Va 13° 30' E
39.36	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.36	The corner to Secs 19, 20, 29 & 30 —

Surface Rolling.
Soil Sandy 3rd rate.

Township No 15 N Range No 28 W

Chains	
	North between Secs 19 + 20 Va 13° 30' E
40.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 17. 18. 19 + 20.
	Surface Rolling. Soil Sandy 3rd rate.

Township No 15 N Range No 28 W

Chains	
	East on a random line between Secs. 17 + 20 Va 13° 30' E. —
40.00	Set flag for temporary 1/4 Sec. cor —
80.78	Intersect N. + S. line at a point 20 links South of the corner to Secs 16. 17. 20 and 21 from which corner Drun S. 89° 49' W. on true line between Secs 17 + 20 Va 13° 30' E —
40.39	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.78	The corner to Secs 17. 18. 19. + 20
	Surface Rolling — Soil Sandy 3rd rate —

Township No 75 N Range No 28 W

Chains	
	West on a random line between Secs. 18 & 19 Va. 13°30' E —
40.00	Set flag for temporary 1/4 Sec. cor.
79.77	Intersect West boundary of Township at 77 links South of the corners to Sections 18 & 19 from which corners I run, S. 89°27' E on true line between Secs 18 & 19 Va. 13°30' E
39.77	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
79.77	The corners to Secs 17, 18, 19 & 20
	Surface rolling Soil Sandy 3rd rate

Township No 75 N Range No 28 W

Chains	
	North between Sec 17 & 18 Va 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor to Secs. 7, 8, 17 & 18.
	Surface Rolling Soil Sandy 3rd rate

Township No 15 & Range No 28 W

Chains	
	East on a random line between Secs. 8 & 17 Va. 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor —
80.50	Intersect N. & S. line at the corner to Secs 8. 9. 16 & 17 from which corner Drum W. on a true line between Secs 8 & 17 Va. 13° 30' E —
40.25	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec cor —
80.50	The corner to Sections 7. 8. 17 & 18
	Surface Rolling — Soil Sandy 3rd rate —

Township No 15 & Range No 28 W

Chains	
	West on a random line between Secs. 7 & 18 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
79.00	Intersect West boundary of Township at a point 93 links South of the corner to Secs 7 & 18 from which corner Drum S. 89° 70' E. on true line between Secs. 7 & 18 Va 13° 30' E
39.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec cor —
79.00	The corner to Secs 7 8. 17 & 18
	Surface Rolling Soil Sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	North between Sec 7 & 8 Va 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor to Secs. 5.6.7 & 8.
	Surface rolling Soil sandy 3rd rate

Township No 25 N Range No 28 W

Chains	
	East on a random line between Secs. 5 & 8 Va. 13° 30' E
40.00	Set flag for temporary 1/4 Sec. Cor —
80.46	Intersect N.&S. line at a point 24 links South of the corner to Secs 4.5.8 & 9 from which corner I run, S. 89° 50' W on the line between Secs. 5 & 8 Va 13° 30' E —
40.73	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.46	The corner to Secs 5.6.7 & 8
	Surface Rolling — Soil Sandy 3rd rate

Township No 75 N Range No 78 W

Chains	
	West on a random line between Secs. 6 & 7 Va. 13°30' E
17.00	Leave sand hills for valley N.W. & S.E.
40.00	Set flag for temporary 1/4 Sec. cor.
57.00	Leave Valley N & S.
78.80	Intersect West boundary of Township at point 1.84 links South of the corner to Secs 6 & 7 from which corner I run S 89° 44' E. on true line between Secs. 6 & 7 Va. 13° 30' E —
38.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
78.80	The corner to Secs. 5. 6. 7 & 8

Surface Rolling.
Soil Sandy 3rd rate —

Township No 75 N Range No 78 W

Chains	
	North on a random line between Secs 5 & 6 Va 13°30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
77.40	Enter valley E. & W.
79.57	Intersect North boundary Township at a point 5.0 links West of the corner to Secs 5. & 6. from which corner I run — S. 71' W. on true line between Secs. 5 & 6 Va 13° 30' E —
39.52	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.57	The corner to Secs 5. 6. 7 & 8

Surface Rolling.
Soil Sandy 3rd rate.
May, 24, 1875

General Description

This Township consists of Sand Hills with the exception of a small portion in the North East corner, and a narrow strip on the North side which is noted as a "valley". The sand hills are destitute of vegetation except a kind of coarse bunch grass. The soil of the low land is mostly sand but bears a fair crop of grass. A little water was found standing in holes in the drain in Sec 7. There is no timber in the Township —

List of Names —

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field note of Township No 18 S North of the Base line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska, showing the respective capacities in which they acted —

R. D. Rossiter	Chainmen
P. P. Wheaton	
B. F. Morgan	Monument & Flagmen
C. M. McClintock	

and of dimensions character construction and marking the manner as specifically described in the foregoing field notes

We hereby certify that we assisted William A. Richards Deputy Surveyor, in surveying and subdividing Township number twenty five North of the Base Line of Range number twenty eight West of the Sixth Principal Meridian in the state of Nebraska, and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General —

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Monument
G. W. McClintock } Flagmen —

Subscribed and sworn to by the above named persons before me this 28th day of June 1875

James Bellon
Clerk of the District Court for Lincoln County Nebraska —

I, William A. Richards, Deputy Surveyor, do solemnly swear that, in pursuance of a joint contract, No. 85 wherein William A. Richards and Alonzo V. Richards were joint contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska and Iowa, bearing date the 27th day of August 1874, I have well, truly and faithfully, in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the laws of the United States surveyed all those parts or portions of Township Number twenty five North of the Base Line of Range number twenty Eight West of the sixth Principal

and Special Instructions of the Surveyor General of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes

Meridian in the State of Nebraska as are represented in the foregoing field notes as having been surveyed under my direction — and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field notes of such survey.

William A. Richards
Deputy Surveyor

Subscribed by said William A. Richard and sworn to before me this 28th day of June 1875

James Belton
Clerk of the District Court for Lincoln County Nebraska

Surveyor Generals Office
Plattsmouth Neb 1875.

The foregoing field notes of the Subdivision of Township 215 N of Base Line of Range 28 W of 6th P.M. in the State of Neb - Executed by William A Richards under joint Contract No 85 dated Aug 27th 1874. in the month of June 1875. having been critically examined, the necessary corrections and explanations made - the said field notes and the surveys they describe are hereby approved

Jno R. Clark
Surveyor General

Town 26 Range 28 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes
of the
survey and sub-division of Township No 26 North of the Base Line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska.

Executed by
William A. Richards
Deputy Surveyor
under point contract No 85 bearing date 27th day of aug. 1874

Sub-division commenced-
May. 25. 1875
Sub-division completed-
May. 29. 1875

List of Names

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Monumenters
C. M. McClintock } Flagmen

Township No. 26 N. Range No. 28 W

To determine the proper adjustment of my compass for sub-dividing this Township, I commence at the corner to Townships 25 & 26 N. Ranges 27 & 28 West and run:

North on a blank line along the East boundary of section 36.

Va. 13° 24' E.

40.16 To a point 5 links East of the 1/4 Sec. cor.

80.75 To a point 15 links East of the corner to Secs. 25 & 36

To retrace this line as run parallel thereto, my compass must be adjusted to a variation of 13° 30' E

Sub-division commenced May. 25. 1875.

There is no timber from which to make posts within this Township or near it, and I must omit them.

Township No 26 N Range No 28 W

chains	From the corner to Secs 25, 35 & 36 on the South boundary of the Township Drum North between Secs 35 & 36 Va 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 25. 26. 35. & 36.
	Surface Rolling Soil Sandy Loam —

Township No 26 N. Range No 28 W

chains	East on a random line between Secs 25 & 36 Va 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor —
80.08	Intersect East boundary of Township at a point 16 links North of the corner to Secs 25 & 36 from which corner Drum North 89° 53' W. on True line between Secs. 25 & 36 Va 13° 30' E
400.4	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
800.8	The corner to Secs 25, 26, 35 & 36
	Surface Rolling Soil Sandy Loam —

May 26 1870

Township No 26 N. Range No 28 W

Chains	
	North between Secs 25 & 26 Va. 13° 30' E —
4000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 deep for 1/4 Sec. cor —
8000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Sec's. 23. 24. 25 & 26.
Surface Soil	Rolling & broken — Sandy 3rd rate —

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 24 & 25 Va 13° 30' E —
4000	Set plug for temporary 1/4 Sec. Cor —
8016	Intersect East boundary of Township at the corner to Secs. 24 & 25 from which corner I run. W. on a true line between Secs 24 & 25 Va 13° 30' E —
4008	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
8016	The corner to Sec 23. 24. 25 & 26
Surface Soil	Rolling & broken Sandy 3rd rate

May 26 1870

Township No 26 N Range No 28 W

Chains	
	North between Secs 23 & 24 Va, 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 13. 14. 23 & 24.
Surface	Rolling
Soil	Sandy Loam

Township No 26 N Range No 28 W

Chains	
	East on a random line between Secs. 13 & 24 Va. 13°30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.40	Intersect East boundary of Township at a point 18 links North of the cor to Secs 13 & 24 from which corner I run N. 89° 55' W. on true line between Secs. 13 & 24 Va 13° 30' E —
40.20	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.40	The corner to Secs 13 14 23 & 24.
Surface	Rolling
Soil	Sandy Loam

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 13 & 14 Va, 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
77.00	Enter valley E. & W.
18.50	Enter wet marsh
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for corner to Secs. 11, 12, 13 & 14 —
	Surface Rolling — Soil Sandy 3rd rate —

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 12 & 13 Va, 13° 30' E
7.00	Leave marsh N. E. & W.
40.00	Set flag for temporary 1/4 Sec. cor —
80.47	Intersect East boundary of Township at a point 15 links South of the corner to Secs. 12 & 13 from which corner I run S. 89° 54' W. on true line between Secs. 12 & 13 Va. 13° 30' E —
40.71	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.47	The corner to Secs 11 12 13 & 14
	Surface Level Soil 2nd rate This bottom is mostly marsh & wet

May 26, 1870

Township No 26 N. Range No 28 W

Chains	
	North between Secs 11 & 12 Va. 13°30' E
27.00	Leave marshy bottom E. & W. for low sand Hills —
4000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
8000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 1. 2. 11 & 12.
	Bottom Level 2nd rate — Upland Rolling Sandy 3rd rate

X

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs. 1 & 12 Va 13°30 E
2800	Enter valley S.E & N.W.
4000	Set flag for temporary 1/4 Sec. cor —
80.28	Intersect East boundary of Township at a point 14 links North of the corner to Secs, 1 & 12 from which corner Drum N. 89°54' W. on true line between Secs, 1 & 12 Va. 13°30' E
40.14	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.28	The corner to Secs 1. 2. 11 & 12 rolling Upland Sandy 3rd rate Bottom Level 2nd rate

May 26 1870

Township No 26 N. Range No 28 W

Chains	
	North between Secs 1 & 2 Va 13° 30' E
20.00	Enter valley S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor.
80.00	Intersect N. boundary of Township at a point 54 links West of the corner to Secs. 1 & 2, from which corner Iron S. 23' W. on true line between Secs 1 & 2 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 1, 2, 11 & 12
	Upland Rolling sandy 3rd rate
	Bottom Level 2nd rate —
	May. 25 - 1875 —

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 34 & 35 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Sec. 26. 27. 34. & 35.
Surface	Rolling
Soil	Sandy 3rd rate

May 26 1875

Township No 26 N. Range No 28 W

Chain	
	East on a random line between Secs. 26 & 27 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor
80.00	Intersect N & S line at the corner to Secs, 25, 26, 35 & 36 from which corner I run W. on a true line between Secs 26 & 27 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 26, 27, 34 & 35 —
Surface	Rolling
Soil	Sandy 3rd rate —

Township No 26 N. Range No 28 W

Chain	
	North between Secs 26 & 27 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for cor. to Secs. 22. 23. 26. & 27.
Surface	Rolling
Soil	Sandy 3rd rate

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 23 & 26 Va. 13° 30' E
40.00	Set flag for temporary 1/4 Sec. Cor —
80.15	Intersect N. & S. line at a point 4 links N. of the corner to sections 23, 24, 25 & 26 from which corner Drum N. 89° 47' W. on the line between Secs 23 & 26 Va. 13° 30' E —
40.07	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor — .
80.15	The corner to Secs 22, 23, 26 & 27

Surface Rolling
Soil Sandy Loam

Township No 26 N. Range No 28 W

Chains	
	North between Secs 22 & 23 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 14. 15. 22. & 23.

Surface Rolling
Soil Sandy Loam

May 26 1870

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 14 + 23 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
80.00	Intersect N. & S. line at a point 35 links South of the corner to Secs. 13.14.23 & 24 from which corner Drum S. 89° 45' W. on true line between Secs. 14 & 23 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs 14 15 22 & 23
Surface Rock	Rolling Sandy Loam

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 14 + 15 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
76.00	Leave sand dune for valley E & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 10. 11. 14 & 15.
Surface Rock	Rolling Sandy Loam

May 16. 1870

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 11 & 14 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor
79.60	Intersect N. & S. line at a point 24 links North of the corner to Secs 11, 12, 13 & 14 from which corner I run N. 89° 50' W on true line between Secs 11 & 14 Va 13° 30' E
39.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.60	The corner to Secs 10. 11. 14 & 15

Surface Level
Soil Wet & marshy growing good grass 2nd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs 10 & 11 Va, 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
76.60	Leave Valley for sand hill SW
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12. in deep for cor. to Secs. 2. 3. 10. & 11.

Surface Level
Soil Wet, marshy 2nd rate
Good grazing & some good meadow land in Valley

May 26 1870

Township No 26 N. Range No 28 W

Chain	
	East on a random line between Secs. 2 & 11 Va. 13° 30' E —
4.00	Enter valley N. & S.
25.00	Leave valley N & S for hills —
40.00	Set flag for temporary 1/4 Sec Cor —
79.80	Intersect N & S line at a point 16 links North of the corner to Secs 1, 2, 11 & 12 from which corner Drum N. 89° 53' W. on true line between Secs. 2 & 11 Va. 13° 30' E —
39.90	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec cor —
79.80	The corner to Secs. 2, 3, 10 & 11

Township No 26 N. Range No 28 W

Chain	
	North on a random line between Secs. 2 & 3 Va 13° 30' E
5.00	Enter valley N.W. & S.E.
38.50	South edge of marsh E & W.
40.00	Set flag for temporary 1/4 Sec. cor
47.00	Leave marsh E & W.
73.00	Leave valley S.W. & E —
79.80	Intersect N. boundary of Township at a point 12 links West of the corner to Secs. 2 & 3 from which corner Drum S. 5' W. on true line between Secs 2 & 3. Va 13° 30
41.30	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for witness corner — 1.50 S. of true pt. for cor.
79.80	The corner to Secs. 2, 3, 10 & 11 Surface Level Soil 2nd rate, wet & marshy. Bearing good grass —

May 26, 1870

Township No 26 N. Range No 28 W

Chain	
	North between Secs 33 & 34 Va. 13° 30' E —
4000	Raised mound of earth 3 ft. high from pits. 18 x 18 x 12 in deep for 1/4 Sec. cor —
8000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 27. 28. 33 & 34.
	Surface Rolling — Soil Sandy 3rd rate —

Township No 26 N. Range No 28 W

Chain	
	East on a random line between Secs. 27 & 34 Va 13° 30' E —
4000	Set flag for temporary 1/4 Sec. cor —
7988	Intersect N. & S. line at a point 19 links North of the corner to Secs. 26. 27. 34 & 35 from which corner I run — N. 89° 52' W. on true line between Sec. 27 & 34 Va. 13° 30' E —
39.94	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.88	The corner to Secs. 27, 28, 33 & 34
	Surface Broken Soil Sandy 3rd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 27 & 28 Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
77.00	Valley S.E. & W
80.00	Raised mound of earth 3. ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 21. 22. 27. & 28.
Surface	Broken —
Soil	Sandy 3rd rate —

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs. 22 & 27 Va 13° 30' E —
25.00	Leave bottom bearing W.
40.00	Set flag for temporary 1/4 Sec. cor —
79.70	Intersect N. & S. line at a point — 30 links North of the corner to Secs 22. 23. 26 & 27 from which corner I run N. 89° 47' W. on true line between Secs 22 & 27 Va. 13° 30' E
39.85	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.70	The corner to Secs. 21. 22. 26 & 27
Upland	Rolling Sandy 3rd rate
Valley	Level 2nd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 21 & 22 Va 13° 30' E —
11.00	Leave Valley S. & W.
35.00	Enter do S & E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
53.00	Leave Valley S. E. & N. W.
9000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 15. 16. 21. & 22.

Upland Rolling
Bottom Level all
3rd rate

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs. 15 & 22 Va 13° 30' E —
40.00	Set stake for temporary 1/4 Sec. cor —
79.78	Deflect N. & S. line at the corner to Secs. 14. 15. 22 & 23 from which corner I run W. on a true line between Secs 15 & 22 Va. 13° 30' E —
39.89	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.78	The corner to Secs. 15, 16, 21 & 22

Surface Rolling
Soil Sandy 3rd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 15 & 16
	Va. 13° 30' E —
37.00	Enter valley N.E. & S.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec cor —
1 71.00	Leave valley S. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Sec's. 9. 10. 15 & 16.
	Upland Rolling, Valley Level, all sandy
	Upland 3rd rate
	Valley 2nd rate —

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs 10 & 15
	Va. 13° 30' E —
40.00	Set post for temporary 1/4 Sec. Cor —
49.00	Enter valley N. & S. E —
79.67	Intersect N. & S. line at a point 30 link North of the corner to Secs 10. 11. 14 & 15 — from which corner I run North 89° 47' W. on true line between Secs. 10 & 15
	Va. 13° 30' E —
39.81	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.67	The corner to Secs, 9. 10. 15 & 16
	Upland Rolling sandy 3rd rate
	Bottom Level 2nd rate with a good crop of grass but rather wet & marshy —

Township No 26 N. Range No 28 W

Chains	
	North between Secs 9 & 10 Va. 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 3. 4. 9. & 10.
	Surface Rolling —
	Soil Sandy 3rd rate —

Township No 26 N Range No 28 W

Chains	
	East on a random line between Secs. 3 & 10 Va. 13°30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
79.40	Intersect N. B. line at a point 11 links South of the corner to Secs. 3. & 10 & 11 from which corner Drum S. 89°55' W. on true line between Secs. 3 & 10 Va. 13°30 E —
39.70	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.40	The corner to Secs 3. 4. 9 & 10
	Surface Rolling & Broken
	Soil Sandy 3rd rate

Township No 76 N. Range No 78 W

Chains	
	North on a random line between secs. 3 & 4 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
79.20	Intersect N. boundary of Township at a point 42 link East of the Corner to Secs 3 & 4, from which corner I run S. 18' E. on true line between secs. 3 & 4. Va. 13° 30' E —
39.20	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.20	The corner to Secs 3.4.9 & 10
	Surface Broken
	Soil Sandy 3rd rate —
	May. 27. 1875 —

Township No 76 N. Range No 78 W

Chains	
	North between secs 32 & 33 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 28. 29. 32 & 33.
	Surface Level —
	Soil 2nd rate —

Township No 16 N Range No 28 W

Chains	
	East on a random line between Secs. 28 & 33 Va. 13° 30' E —
18.00	Leave bottom N. & S.
40.00	Set flag for temporary 1/4 Sec cor —
80.96	Intersect N. & S. line at a point 70 links South of the corner to Secs. 27, 28, 33 & 34 from which corner I run S. 89° 30' W. on true line between Sec. 28 & 33 Va 13° 30' E —
40.48	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —.
80.96	The corner to Secs 28. 29 32 & 33
	Bottom land level 2nd rate Upland Rolling sandy 3rd rate

Township No 16 N Range No 28 W

Chains	
	North between Secs 28 & 29 Va. 13° 30' E —
25.00	Leave bottom bearing E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
50.00	Enter bottom E & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 20. 21. 28 & 29.
	Bottom Level 2nd rate — Upland Rolling 3rd rate —

Township No 26 N Range No 28 W

Chains	
	East between Secs 21 & 28
	Va. 13° 30' E —
27.00	Leave bottom N. & S.
40.00	Set flag for temporary 1/4 Sec. cor. —
58.00	Enter bottom bearing E & W.
80.54	Intersect N. & S. line at a point 44 links South of the corner to Secs. 21, 22, 27 & 28 from which corner I run S. 89° 41' W. on true line between Secs. 21 & 28
	Va. 13° 30
40.27	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.54	The corner to Secs 20, 21, 28 & 29
	Upland - Sand hills - 3rd rate — Valley level 2nd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 20 & 21
	Va. 13° 30' E
10.00	Leave bottom E & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 16, 17, 20 & 21.
	Upland Rolling Sandy 3rd rate —
	Bottom Level Soil 2nd rate

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs. 16 & 21 Va. 13°30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
46.00	Enter bottom N & S
72.00	Leave bottom for sand hills N. & S.
80.70	Intersect N & S. line at a point 70 links South of the corner to secs. 15, 16, 21 & 22 from which corner I run S. 89°30' W. on true line between Secs 16 & 21 Va 13°30' E
4035	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec cor —
8070	The corner to Secs. 16 17 20 & 21
	Upland Rolling. Soil sandy 3rd rate Bottom Level soil 2nd rate

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 16 & 17 Va 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
50.00	Enter valley. E & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 8. 9. 16. & 17.
	Upland Rolling Soil 3rd rate Bottom or valley Level Soil 2nd rate

Township No 16 N Range No 28 W

Chains	
	East on a random line between Secs. 9 & 16 Va 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor. —
65.00	Leave bottom for sand hills course S. E. & N. W.
80.77	Intersect N & S line at a point 37 links south of the corner to Secs. 9, 10, 15 & 16 from which corner I run S. 89° 44' W. on true line between Secs 9 & 16 Va. 13° 30' E —
40.38	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.77	The corner to Secs. 8, 9, 16 & 17
	Bottom Level Soil 2nd rate Upland Rolling Soil Sandy 3rd rate —

Township No 16 N Range No 28 W

Chains	
	North between Secs. 8 & 9 Va 13° 30' E
38.00	Leave bottom for sand hills S. E. & N. W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 4, 5, 8 & 9.
	Upland rolling sandy 3rd rate Bottom Level 2nd rate —

Township No 26 N. Range No 78 W

Chains	
	East on a random line between Secs. 4 & 9 Va. 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor
80.86	Intersect N. & S. line at a point 49 links South of the corner to Secs. 3, 4, 9 & 10 from which corner I run South 89° 39' W. on true line between Secs. 4 & 9 Va. 13° 30' E —
40.43	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.86	The corner to Secs. 4, 5, 8 & 9.

Surface Rolling —
Soil Sandy B & Gravel —

Township No 26 N. Range No 78 W

Chains	
	North on a random line between Secs. 4 & 5 — Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor.
79.00	Intersect N. boundary of Township at the corner to Secs. 4 & 5 from which corner I run S. on true line between Secs. 4 & 5 Va. 13° 30' E —
39.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor. —
79.00	The corner to Secs. 4, 5, 8 & 9

Surface Broken
Soil Sandy B & Gravel

Township No 26 N. Range No 28 W

Chains	
	North between Secs. 31 & 32 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
18.000	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 29. 30. 31. & 32.
	Surface Level Soil 2nd rate Dry bottom affording good grazing —

Township No 26 N Range No 28 W

Chains	
	East on a random line between Secs. 29 & 32 Va. 13° 30' E
5.00	Enter low wood hills N. & S.
30.00	Leave wood hills for bottom N. & S
40.00	Set flag for temporary 1/4 Sec. cor.
79.87	Intersect N. & S. line at a point 18 links North of the corner to Secs. 28. 29. 32 & 33 from which corner I run N. 89° 57' W. on this line between Secs. 29 & 32 — Va. 13° 30' E —
39.91	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.87	The corner to Secs. 29. 30. 31 & 32
	Upland rolling Soil Sandy 3rd rate Bottom Level Soil 2nd rate —

Township No 26 N. Range No 28 W

Chains	
	West on a random line between Secs. 30 & 31 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.00	Intersect West boundary of Township at a point 15 links North of the corner to Secs. 30 & 31 — from which corner I run, 89° 54' E. on true line between Secs 30 & 31 Va 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	The corner to sec 19, 30, 31 & 36

Surface Level
Soil 1st rate —

May. 28. 1875 —

Township No 26 N. Range No 28 W

Chains	
	North between Secs 19 & 30 Va. 13° 30' E —
11.00	Enter pond lake N.W. & S.E.
35.00	Leave pond for valley E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
46.00	Leave valley for pond hill E & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Sec's. 19. 20. 29. & 30.

Surface Rolling

Soil Sandy 3rd rate

Township No 16 N. Range No 28 W

Chain	
	East on a random line between Secs 20 & 29 Va. 13° 30' E —
11.00	Leave hills for valley N. & S.
40.00	Set flag for temporary 1/4 Sec. cor.
79.70	Intersect N. & S. line at a point 16 links North of the corner to Secs. 20, 21, 28 & 29 from which corner I run N. 89° 53' W. on true line between Secs 20 & 29 Va. 13° 30' E —
39.85	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.70	The corner to Secs. 19, 20, 29 & 30

Surface Level —
Soil Sandy 2nd rate —

Township No 16 N. Range No 28 W

Chain	
	West on a random line between Secs. 19 & 30 Va. 13° 30' E —
15.00	Enter valley course N. & S.
40.00	Set flag for temporary 1/4 Sec. cor.
42.00	Leave Valley N. & S.
79.88	Intersect West boundary of Township at a point 18 links North of the corner to Sections 19 & 30 from which corner I run N 89° 56' E. on true line between Secs. 19 & 30 Va 13° 30' E
39.88	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.88	The corner to Secs. 19, 20, 29 & 30

Upland Rolling sandy 3rd rate —
Valley level soil 2nd rate —

Township No 26 N. Range No 28 W

Chains	
	North between Secs 19 + 20 Va. 13°.30' E —
15.00	Enter valley course N.E. & S.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 17. 18. 19. & 20.

Surface Level

Soil 2nd rate

Township No 26 N. Range No 28 W

Chains	
	East on a random line between Secs. 17 + 20 Va. 13° 30' E
40.00	Set post for temporary 1/4 Sec. cor —
78.00	Leave valley N. & S.
79.58	Intersect N. & S. line at a point 37 links North of the corner to Secs. 16. 17. 20 + 21 from which corner I run N 89° 44' W. on true line between Secs. 17 + 20 Va. 13° 30' E —
39.79	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.58	The corner to Secs 17. 18. 19 + 20

Surface Level
Soil 2nd rate
Good grazing land

Township No 26 N Range No 28 W

Chains	
	West on a random line between Secs. 18 & 19 Va. 13° 20' E
17.00	Leave bottom for Sand Hill N. 05.
40.00	Set flag for temporary 1/4 Sec. cor.
79.76	Intersect the Western boundary of Township at a point 47 links South of the corner to Sec 18 & 19 from which corner I run S. 89° 40' E on true line between Secs. 18 & 19 Va. 13° 30' E —
79.76	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.76	The corner to Secs. 18, 17, 19 & 20
Surface	Rolling —
Soil	Sandy 3rd rate —

Township No 26 N Range No 28 W

Chains	
	North between Secs 17 & 18 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
45.00	Leave bottom & Enter hill 60 lks
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 7, 8, 17 & 18.
Upland	Rolling
Soil	Sandy 3rd rate
Valley	Level
Soil	2nd rate
Bears good grass	

Township No 26 N Range No 28 W

Chains	
	East on a random line between Secs. 8 & 17 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor
46.00	Enter valley S. & N. W.
79.50	Intersect N. & S. line at a point 44 links North of the corner to Secs. 8.9.16 & 17 from which corner I run N. 89° 41' W. on true line between Secs 8 & 17 Va. 13° 30' E —
39.75	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.50	The corner to Secs. 7. 8 17. & 18

Upland Rolling
Soil Sandy 3rd rate

Bottom Level
Soil 2nd rate

Township No 26 N. Range No 28 W

Chains	
	West on a random line between Secs 7 & 18 Va. 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor.
79.88	Intersect West boundary of Township at a point 24 links North of the corner to Sec 7 & 18 from which corner I run N. 89° 49' E. on true line between Secs. 7 & 18 Va 13° 30' E —
39.88	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.88	The corner to Secs 7. 8. 17 & 18

Surface — Broken
Soil Sandy 3rd rate

Township No 26 N. Range No 28 W

Chains	North between Secs. 7 & 8 Va. 13° 30' E
15.00	Enter valley E. & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
50.00	Leave valley E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Sec's. 5. 6. 7 & 8.
	Upland Rolling Soil Sandy 2nd rate
	Valley Level Soil Sandy 2nd rate

Township No. 26 N Range No 28 W

Chains	East on a random line between Secs. 5 & 8 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. Cor —
79.74	Intersect N. & S. line at a point 49 links North of the corner to Secs 5 & 8 from which corner I run N. 89° 39' W. on true line between Secs 5 & 8 Va. 13° 30' E
39.67	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79.74	The corner to Secs. 5. 6. 7 & 8
	Surface Rolling — Soil Sandy 2nd rate —

Township No 26 N. Range No 28 W

Chains	
	West on a random line between Secs. 6 & 7 Va 13° 30' E
40,00	Set flag for temporary 1/4 Sec. cor
79,74	Intersect West boundary of Township at a point 63 links North of the corner to Secs. 6 & 7 from which corner I run N. 89° 33' E on this line between Secs. 6 & 7 Va. 13° 30' E —
39,74	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
79,74	The corner to Secs 5, 6, 7 & 8

Surface Rolling
Soil Sandy 3rd rate

Township No 26 N. Range No 28 W

Chains	
	North on a random line between Secs 5 & 6 Va. 13° 30' E —
20 —	Enter valley E. & W.
40,00	Set post for temporary 1/4 Sec. cor
70,00	Leave valley bearing E. & W.
79,10	Intersect North boundary of Township at a point 64 links East of corner to Secs. 5 & 6 from which corner I run S. 27° E. on this line between Secs 5 & 6 Va 13° 30' E —
39,10	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
79,10	The corner to 5, 6, 7 & 8

Upland rolling sandy 3rd rate
Valley Level 2nd rate
May. 29. 1875 —

General Description

About one half of the Township is bottom land — level, 2nd rate soil, and producing good grass for grazing, and in some places grass grows heavy enough for hay or meadow land. But these places are only in the N.E. portion where the land is quite marshy. The bottom in the S.W. part of the Township is dry. Aside from these bottoms or valleys the soil is too sandy for cultivation producing but a poor quality of bunch grass —

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines & corners described in the foregoing field notes of Township No 26 North of the Base Line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted —

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Monumenters &
C. M. McClintock } Flagmen

and

of dimensions, character, condition and marking in the manner as specifically described in the foregoing field notes.

We hereby certify that we assisted William A. Richards Deputy Surveyor, in surveying and subdividing Township number twenty six North of the Base Line of Range number twenty eight West of the sixth Principal Meridian in the State of Nebraska and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

R. L. Rossiter } Chainmen
P. P. Wheaton
B. F. Morgan } Monument
S. W. McCullock } Flagmen

Subscribed in my presence and sworn to before me by the above named persons, this 28th day of June, 1875.

James Bellon
Clerk of the District Court for Lincoln County Nebraska

I William A. Richards
Deputy Surveyor, do solemnly
swear that, in pursuance of
a joint contract No 85 wherein
William A. Richards & Alonzo
V. Richards are joint contrac-
tors, with E. E. Cunningham
United States Surveyor General
for the district of Nebraska
and Iowa, bearing date the
27 day of August 1874
I have well faithfully
and truly in my own
proper person and in strict
conformity with the instruct-
ions furnished by the Surveyor
General, the Surveying Manual
and the laws of the United
States, surveyed all those
parts and portions of Township
number twenty six North
of the Base Line of Range
number twenty eight
West of the sixth Principal
Meridian in the State of

and special instructions of the Surveyor General, of
dimensions, character, construction, and in all
manner as specifically described in the foregoing field notes,

Nebraska as are represented
in the foregoing field
notes as having been sur-
veyed under my direction
and I do further solemnly
swear that all the corners
of said survey have been
established and perpetuated
in strict accordance with
the Surveying Manual
and printed instructions,
and that the foregoing
are the true and original
field notes of said survey.

William A. Richards
Deputy Surveyor

Subscribed by said William
A. Richards and sworn to
before me this 28th
day of June 1875

James B. Allen
Clerk of the District Court
for Lincoln County Nebraska

Surveyor Generals Office
Plattsmouth Neb 1875

The foregoing field notes of the subdivision of Township 26 N. of Base Line of Range 28 West of 6th Principal Meridian in the State of Nebraska Executed by William A Richards under joint Contract No. 85 dated August 27th 1874 in the month of June 1875 Having been critically examined the necessary corrections and explinations made the said field Notes and the surveys they described are hereby approved

Jno. G. Clark.
Surveyor General



I, Richard L. Rossiter do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability.

Richard L. Rossiter

Sworn and subscribed to before me

this 13 day of May 1875

James Bellon
Clerk of the District
Court for Lincoln County
Nebraska

I, P. P. Wheaton do solemnly swear (or affirm) that I will faithfully execute the duties of chain carrier; that I will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that I will report the true distance to all notable objects, and the true length of all lines that I assist in measuring, to the best of my skill and ability. P. P. Wheaton

Sworn and subscribed to before me

this 18 day of May 1875

James Bellon
Clerk of the District
Court for Lincoln
County Nebraska

I, B. F. Morgan do solemnly swear (or affirm) that I will well and truly perform the duties of Mundman & Flagman according to instructions given me, and to the best of my skill and ability. B. F. Morgan

Sworn and subscribed to before me

this 13 day of May 1875

James Belton
Clerk of the District
Court for Lincoln
County Nebraska

I, C. M. McClintock do

solemnly swear (or affirm) that I will well and truly perform the duties of Moundbuilder & Flagman

according to instructions given me, and to the best of my skill and ability. C. M. McClintock

Sworn and subscribed to before me

this 18 day of May 1870

James Bellon
Clerk of the District
Court for Lincoln
County Nebraska

Town 27. Range 28 W



Field Notes
of the
Survey and sub-division of Township No 27 North of the Base Line of Range No 28 West of 6th Principal Meridian in the State of Nebraska.

Executed by
William A. Richards
Deputy Surveyor
under joint contract No 85 bearing date 27th day of Aug. 1874

Sub-division commenced
May. 30. 1875

Sub-division completed
June. 8. 1875

List of Names

R. L. Rossiter } Chainmen
P. P. Wheaton }

B. F. Morgan } Marksman
C. M. McCluitock } & Flagman

Township No 27 North Range No 28 W

To determine the proper adjustment of my compass for sub-dividing this Township I commence at the corner to Townships 26 & 27 North Ranges 27 & 28 West and run.

North on a blank line along the east boundary of Section 36 –

Va. 13° 40' E –

39.95 To a point 10 links west of the ¼ sec. cor –

79.94 To a point 22 links west of the corner to sections 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13° 30' E

Sub-division commenced May 30, 1875 –

I can obtain no wood either in this Township or the surrounding country; cannot therefore set any posts for section corners –

Township No. 27 N. Range No. 28 W

Chains	
	From the corner to Secs 1. 2. 35 & 36 on the South boundary of the Township Run North between Secs 35 & 36 Va. 13° 30' E –
4.00	Beam bottom bearing E. & W.
40.00	Raised mound of earth 2½ ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor –
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 25. 26. 35 & 36.
	Surface Rolling
	Soil Sandy 3rd rate

Township No. 27 N. Range No. 28 W

Chains	
	East on a random line between Secs. 25 & 36 Va. 13° 30' E –
40.00	Set flag for temporary 1/4 Sec. cor
80.14	Intersect East boundary of Township at a point 15 links North of the corner to Secs 25 & 36 from which corner Run – North. 89° 54' W. on the line between Secs. 25 & 36 Va 13° 30' E –
40.07	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor –
80.14	The corner to Secs. 25. 26. 35 & 36
	Surface Rolling
	Soil Sandy 3rd rate

Township No 27 N. Range No 28 W

Chains	
	North between Secs 25 & 26
	Va. 13° 30' E –
26.00	Enter bottom of Loup River course [illegible] E & W.
27.88	S. bank Loup River course S. 85 E
32.35	N. bank of same – The river here is wide and shallow with quick sand bottom –
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 23, 24, 25 & 26.
	Upland sand Hills
	Bottom – Level –
	Soil partly 1st partly 2nd rate – with good grass –

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 24 & 25
	Va 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor –
51.00	Leave bottom course S. E & W
79.86	Intersect East boundary of Township at a point 19 links South of the corner to Secs. 24 & 25 from which corner I now S. 89° 52' W. on true line between Secs. 24 & 25
	Va. 13° 30' E –
39.93	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor –
79.86	The corner to Secs. 23, 24, 25 & 26
	Bottom Level soil 1st & 2nd rate
	Upland Rolling Sandy 3rd rate –

Township No. 27 N. Range No. 28 W

Chains	
	North between Secs. 23 & 24 Va. 13° 30' E —
13.00	Leave bottom S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
55.00	Enter valley S.E. & N.W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 13. 14. 23. & 24.
	Bottom level soil 1st & 2nd rate
	Upland rolling soil sandy 3rd rate —

Township No. 27 N. Range No. 28 W

Chains	
	East on a random line between Secs. 13 & 24 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor. —
80.10	Intersect East boundary of Township at a point 15 links North of the corner to Secs. 13 & 24 from which corner Trees N. 89° 54' W. on true line between Secs. 13 & 24 Va. 13° 30' E —
40.05	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.10	The corner to Secs. 13. 14. 23 & 24
	Surface Level Soil sandy 2nd rate

Township No 27 N. Range No 28 W

Chains	
	North between Secs 13 & 14
	Va. 13° 30' E.
22.00	Cross valley bearing NE. & SW.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 & 12 in. deep for 1/4 Sec. cor -.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 11. 12. 13. & 14.
	Bottom Land Soil 2nd rate
	Upland rolling Sandy 3rd rate -

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 12 & 13
	Va. 13° 30' E -
27.00	Ravine bearing N. & S.
40.00	Set flag for temporary 1/4 Sec. cor -
79.60	Intersect East boundary of Township at a point 24 links S. of the corner to Secs 12 & 13 from which corner Chain S. 89° 48' W. on true line between Secs 12 & 13
	Va. 13° 30' E -
39.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor -
79.60	The corner to Secs. 11. 12. 13 & 14
	Surface Broken
	Soil Sandy 3rd rate -

Township No 27 N. Range No 28 W

Chains	
	North between Secs 11 & 12 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 1. 2. 11 & 12.
Surface	Rolling —
Soil	Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 1 & 12 Va. 13° 30' E —
9.00	Enter bottom N. & S.
40.00	Set flag for temporary 1/4 Sec. cor. —
58.00	Leave bottom N. & S.
79.50	Intersect East boundary of Township at the corner to Secs. 1 & 12 from which corner Run W. on a true line between Secs. 1 & 12 Va 13° 30' E —
39.75	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.50	The corner to Secs. 1. 2. 11 & 12.
	Upland Rolling Sandy 3rd rate
	Bottom Level Sandy 2nd rate —

Township No 27 N. Range No 28 W

Chains	
	North on a random line between Secs 1 & 12 Va. 13° 30' E —
7.00	Enter bottom N.W. & E —
40.00	Set flag for temporary 1/4 Sec. cor —
44.00	Leave bottom. N.W. & E —
80.10	Intersect North boundary of Township at a point 93 links East of the corner to Secs. 1 & 12 from which corner I run S. 40' E. on true line between Secs. 1 & 12 Va. 13° 30' E —
40.10	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.10	The corner to Secs. 1. 2. 11 & 12

Bottom land 2nd rate
Upland rolling sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 34 & 35 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 26. 27. 34. & 35.

Surface — Rolling & Broken
Soil — Sandy 3rd rate

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs 26 & 35 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.40	Intersect N. & S. line at a point 21 links South of the corner to Secs. 25, 26, 35 & 36 from which corner I run S. 89° 51' W. on true line between Secs. 26 & 35 — Va. 13° 30' E —
40.20	Raised mound of earth 2 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.40	The corners to secs 26, 27, 34 & 35 —
Surface Soil	Rolling Sandy 3rd rate

Township No 27 N. Range No 28 W

Chains	
	North between Sec 26 & 27 Va 13° 30' E —
13.00	Enter bottom E. & W.
40.00	Raised mound of earth 2 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
43.40	Crossing River 7.30 chains wide, course East,
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Sec's. 22, 23, 26 & 27.
	Upland Rolling Sandy 3rd rate
	Bottom level 1st & 2nd rate soil bearing good grass —
	May. 30. 1875

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 23 & 26 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.18	Intersect N. & S. line at the corner to Secs. 23, 24, 25 & 26 — from which corner I run W. on true line between Secs. 23 & 26. Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.18	The corner to Secs. 22, 23, 26 & 27

Surface Level
Soil Sandy 2nd rate
Good grass

Township No 27 N. Range No 28 W

Chains	
	North between Secs 22 & 23 Va. 13° 30' E —
27.00	Cross bottom S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
64.00	Enter valley E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 14, 15, 22 & 23.

Bottom Level Soil 2nd rate
Upland Rolling Soil 3rd rate

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 14 & 23 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor
80.00	Intersect N. & S. line at a point 8 links South of the corner to Secs. 13. 14. 23 & 24. from which corner Iron S. 89° 57' W. on true line between Secs 14 & 23 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 14. 15. 22 & 23

Surface Level
Soil Sandy 2nd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 14 & 15 Va. 13° 30' E
34.00	Leave bottom S. E. & N. W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
67.00	Enter bottom N. W. & E —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 10. 11. 14. & 15.

Bottom Level soil 2nd rate

Upland Rolling Soil 3rd

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 11 & 14 Va. 13° 30' E —
8.00	Enter marsh N.W.
10.00	Leave sand
13.00	Leave bottom N. E. & S.
40.00	Set flag for temporary 1/4 Sec. cor —
80.08	Intersect N. & S. line at the corner to Secs. 11, 13, 12 & 14 from which corner Drum W. on true line between Secs 11 & 14 Va. 13° 30' E
40.04	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.08	The corner to Secs. 10, 11, 14 & 15 —

Surface Rolling —
Soil Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 10 & 11 Va 13° 30' E —
3.40	S. edge of marsh S.E. & N.W.
29.00	Leave marsh —
32.00	Leave bottom E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
56.00	Enter marshy bottom E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 2. 3. 10. & 11.

Upland Rolling
Soil Sandy 3rd rate —

Bottom, Level, soil wet & marshy unfit for cultivation. There are indications of the marsh being drier later in the summer —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 2 & 11 Va. 13° 30' E —
10.40	Leave marsh S. E. & N. W.
22.00	Leave bottom N. & S.
40.00	Set flag for temporary 1/4 Sec. cor —
80.18	Intersect N. & S. line at a point 27 links North of the corner to Secs. 1. 2. 11. & 12 from which corner I run N. 89°48' W. on true line between Secs 2 & 11 Va. 13° 30' E —
40.09	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.18	The corner to Secs. 2. 3. 10 & 11
	Upland Rolling. Sandy 3rd rate
	Bottom Marshy, in places, where dry soil is 2nd rate — heavy good grass —

Township No 27 N. Range No 28 W.

Chains	
	North on a random line between Secs. 2 & 3 Va. 13° 30' E —
17.00	Leave marsh E. & W.
40.00	Set flag for temporary 1/4 Sec. cor —
62 —	Leave bottom E. & W.
79.84	Intersect North boundary of Township at a point 65 links East of the corner to Secs. 2 & 3 from which corner I run — S. 2° 8' E. on true line between Secs 2 & 3 Va. 13° 30' E —
39.84	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.84	The corner to Secs. 2, 3, 10 & 11
	Bottom level and when dry soil is 2nd rate —
	Upland rolling sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between secs 33 & 34 Va. 13°30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
69.00	Enter bottom E & W
79.00	S. bank of Loup River — course N. 40' E &
	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for witness corner to ~~fractional~~ Secs. 27. 28. 33 & 34
80.00	Point for cor. to Secs 27. 28. 33 & 34 falls in Riv. can not be established
	Surface Rolling Soil sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	Point for ~~the~~ corner to Secs. 27. 28. 33 & 34 falling ~~within~~ in the Loup River, I ~~commence at the corner to Secs. 26. 27. 34 & 35 &~~ run ~~West~~ East on a ~~true~~ Random line between Secs. 27 & 34 Va. 13° 30' E —
40.00	~~Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —~~
45.00	~~Enter bottom lining N.E. & S.W.~~
79.70	~~Raised mound of earth 3 ft high from pits 18 x 18 x 12 in deep for witness cor. to fractional secs. 27 & 34~~
	Upland Rolling Sandy 3rd rate Bottom Level 2nd rate —

Township No 27 N. Range No 28 W

Chains	From the Witness corner on South bank of the Loup River one chain South of the point for corner to Secs. 27, 28, 33 & 34 from North between secs. 27 & 28 Va. 13° 30' E —
2.84	North bank of Loup River — course N.E. The river is very shallow with a quick-sand bottom —
40.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 21. 22. 27. & 28.

Surface Level
Soil Sandy 2nd rate
bearing good grass —

Township No 27 N. Range No 28 W

Chain	East on a random line between Secs. 22 & 27 Va 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor.
80.00	Intersect N. & S. line at a point 28 links North of the corner to secs. 22, 23, 26 & 27 from which Corner from N. 89° 48' W. on true line between Secs. 22 & 27 Va. 13° 30' E —
40.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 21, 22, 27 & 28

Surface Level
Soil 2nd Rate —

Township No 27 N. Range No 2 W

Chains	
	North between Secs. 21 & 22 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
56.00	Leave Loup River bearing E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 15. 16. 21 & 22.
	Bottom Level, Sandy 2nd rate —
	Upland Rolling Sandy 3rd rate —

Township No 27 N. Range No 2 W

Chains	
	East on a random line between Secs. 15 & 22 — Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
46.00	Enter bottom bearing S.E. & N.W.
80.38	Intersect N. & S. line at a point 33 links North of the corner to Secs. 14, 15, 22 & 23 from which corner I run — N. 89° 46' W. on true line between Secs. 15 & 22 Va. 13° 30' E —
40.14	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.28	The corner to Secs. 15, 16, 21 & 22
	Upland Rolling, Sandy 3rd rate
	Bottom Level Sandy 2nd rate

Township No. 27 N. Range No. 28 W

Chains	
	North between Secs. 15 & 16 Va. 13° 30' E —
17.00	Enter bottom bearing S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
59.00	Leave bottom S.E. & N.W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 9. 10. 15 & 16.
	Bottom land said 2nd rate Upland Rolling Sandy 3rd rate

Township No. 27 N. Range No. 28 W

Chains	
	East on a random line between Secs. 10 & 15 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
68.00	Enter bottom house N.W. & S.E.
80.47	Intersect N. & S. line at a point 30 links South of the corner to Secs. 10. 11. 14 & 15. from which point I run S. 89° 47' W. on true line between Secs 10. & 15 Va. 13° 30' E —
40.21	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.42	The corner to Secs. 9. 10. 15 & 16
	Surface Rolling Said Sandy 3rd rate —
	June 1st 1875 —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 9 & 10
	Va. 13° 30' E —
40.00	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
45.00	Enter marshy bottom — course E. & W.
59.00	Leave marshy bottom —
80.00	Raised mound of earth 3 ft. high from pits 15 x 15 x 12 in. deep for cor to Secs. 3. 4. 9. & 10.
	Upland Rolling sandy 3rd rate
	Bottom marshy unfit for cultivation —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 3 & 10
	Va. 13° 30' E —
35.00	Enter bottom course N. & S.
40.00	Set flag for temporary 1/4 Sec. cor.
41.50	Enter marsh course N. & S.
80.00	Intersect N. & S. line at a point 21 links South of the corner to Secs. 2. 3. 10 & 11 from which corner Drum S. 89° 57' W. on true line between Secs. 3 & 10
	Va. 13° 30' E
40.10	Raised mound of earth 3 ft. high from pits 15 x 15 x 12 in. deep for 1/4 Sec. cor —
80.10	The corner to Secs 3. 4. 9 & 10
	Surface of Upland rolling soil sandy 3rd rate —
	Bottom level but marshy & unfit for cultivation, though it is probably dry in mid summer —

Township No 27 N. Range No 28 W

Chains	
	North, on a random line between Secs. 3 & 4 Va. 13° 30' E —
73.00	Enter bottom course E & W.
40.00	Set flag for temporary 1/4 Sec. cor —
56.00	Leave bottom course E. & W.
80.14	Intersect — North boundary of Township at a point — 82 links East of the corner to Secs. 3 & 4 from which corner Drum, S. 35' E — on true line between Secs 3 & 4. Va. 13° 30' E —
40.14	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.14	The corner to Secs 3.4. 9 & 10

Upland rolling, Sandy 3rd rate. Bottom level 1st & 2nd rate — Good hay land —

Township No 27 N. Range No 28 W

Chains	
	North between Secs 32 & 33. Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
45.00	Enter Lamp River bottom course N.E. & S.W.
55.92	Lamp River 2.50 chains wide course East.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 28. 29. 32 & 33.

Upland Rolling Sandy 3rd rate

Bottom level 2nd rate —

Township No 27 N. Range No 28 W

Chains	
	~~Knowing that the line between Secs. 28 & 33 will strike the Loup River within 80. chains I run~~
	East on a ~~true~~ random line between Secs. 28 & 33
	Va 13° 30' E
40.00	Set flag for temporary ¼ sec. cor. ~~Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for ¼ Sec. cor~~ —
	North Bank of Loup Riv. N.E. & S.W.
79.16	~~Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for witness corner~~
80.00	Intersect N. & S. line of point for cor. to Sec. 27. 28. 33 & 34 [illegible] point & run W. on true line for sec. 25 & 33 V. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 24 x 12 in. deep for ¼ sec. cor.
80.00	Cor. to Sec. 28. 29. 32 & 33
	Surface Level
	Soil partly 1st partly 2nd rate — Good grass land —

Township No 27 N. Range No 28 W

Chain	
	North between Secs. 28 & 29
	Va. 13° 30' E —
20.00	Leave bottom course E. & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for ¼ Sec. cor —
52.00	Enter valley course N.E. & S.W.
75.00	Leave valley N.E. & S.W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 20. 21. 28. & 29.
	Bottom Level 2nd rate
	Upland Rolling Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	East on random line between Secs. 7 & 8 Va. 13° 30' E —
4.00	Enter valley course N.E. & S.W.
7 14.00	Leave valley
40.00	Set flag for temporary 1/4 Sec. cor —
79.00	Enter Loup river bottom —
79.90	Intersect N. & S. line at a point 17 links South of the corner to Secs 21, 22, 27 & 28 from which corner I run N. 89° 55' W. on true line between Secs. 7 & 8 Va. 13° 30' E —
39.95	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.90	The corner to 20, 21, 28 & 29
	Surface Rolling — Soil Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs 20 & 21 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 16, 17, 20 & 21.
	Surface Rolling Soil Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 16 & 21 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
80.18	Intersect N. & S. line at the corner to Secs. 15.16.21 & 22 from which corner I run West — on a true line between Secs 16 & 21 Va. 13° 30' E —
40.09	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.18	The corner to Secs. 16.17.20 & 21

Surface Rolling
Soil Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs 16 & 17 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 8.9.16 & 17.

Surface Rolling
Soil Sandy 3rd rate

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 9 & 16 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor —
59.00	Enter valley course N. & S.
77.00	Leave valley —
79.90	Intersect N. & S. line at a point — 78 links South of the corner to Secs. 9, 10, 15 & 16 from which corner I run S. 89° 50' W on true line between Secs. 9 & 16 Va. 13° 30' E
39.95	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.90	The corner to Secs. 5, 9, 16 & 17

Surface Rolling
Soil Sandy 3rd rate

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 8 & 9 Va. 13° 30' E
10.00	Enter bottom course E. & W.
21.00	South bank of shallow lake of stagnant water extends E and W.
37.00	North bank of Lake —
40.00	Raised mound of earth 8 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
47.00	Leave bottom for point of hills.
77.00	Enter bottom course S.E. & N.W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 4, 5, 8 & 9.

Upland Rolling Soil sandy 3rd rate

Bottom level marshy unfit for cultivation

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 4 & 9 Va. 13° 30' E —
8 18.00	Leave valley course S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor —
79.70	Intersect N. & S. line at a point — 80 links S. of the corner to Secs. 3, 4, 9 & 10 from which corner Run — S. 89° 47' W. on true line between Secs. 4 & 9 Va. 13° 30' E —
39.85	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.70	The corner to Secs. 4. 5. 8 & 9

Surface Rolling
Soil Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North on a random line between Secs. 4 & 5 Va. 13° 30' E
15.00	Leave bottom course S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor —
47.00	Enter marshy bottom course E. & W.
80.42	Intersect North boundary of Township at a point — 70 links East of the corner to Secs. 4 & 5 from which corner Run — S. 30' E. on true line between Secs. 4 & 5 Va. 13° 30' E —
40.42	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.42	The corner to Secs. 4. 5. 8 & 9

Upland Rolling Soil Sandy 3rd rate
Bottom Marshy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs 31 & 32
	Va 13° 30' E
15.00	Enter bottom course E. & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
64.00	Lamp River 1.90 chs. wide course S. 80° East —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 29. 30. 31. & 32.
	Upland Rolling
	Soil Sandy 3rd rate
	Bottom Level
	Soil Sandy 2nd rate —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 29 & 32
	Va 13° 30' E
40.00	Set stake for temporary 1/4 sec. cor —
80.00	Intersect N. & S. line at a point 26 links South of the corner to Secs 28. 29. 32 & 33 from which corner I run
	S. 89° 49' W. on true line between Secs. 29 & 32
	Va. 13° 30' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 29. 30. 31 & 32
	Surface Level
	Soil 2nd rate

Township No. 27 N. Range No. 28 W

Chains	
	West on a random line between Secs 30 & 31 — Va. 13° 30' E —
29.86	Loup River 3.00 chs. wide, course S. 60° E — Water very shallow with a quick sand bottom —
40.00	Set flag for temporary 1/4 Sec. cor —
78.68	Intersect West boundary of Township at the corner to Secs. 30 & 31 from which corner I run — East on a true line between Secs 30 & 31 Va. 13° 30' E —
88.68	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
78.68	The corner to Secs. 29. 30. 31 & 32

Surface Level
Soil 2nd rate —
June. 7th 1878

Township No. 27 N. Range No. 28 W

Chains	
	North between Secs. 29 & 30 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
42.00	Leave bottom bearing N.W. & S.E
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 19. 20. 29 & 30. Bottom level soil 2nd rate. Upland Rolling Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 20 & 29 Va 13° 30' E
40.00	Set flag for temporary 1/4 Sec. cor —
80.00	Intersect N rd line at a point 30 links North of the corner to Secs. 20, 21, 28 & 29 from which corner I run — N. 89° 47' W. on true line between Secs 20 & 29 Va. 13° 30' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.00	The corner to Secs. 19, 20, 29 & 30
Surface Soil	Rolling Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	West on a random line between Secs. 19 & 30 Va 13° 30' E —
10.00	Enter bottom bearing N. & S
40.00	Set flag for temporary 1/4 Sec. cor.
47.00	Leave bottom for spur of hills N. & S.
50.00	Enter bottom of Loup River bearing S.E. & N.W.
78.70	Intersect West boundary of Township at a point 23 links South of the corner to Sec 19 & 30 from which corner I run — S. 89° 50' E — on true line between Secs. 19 & 30 Va. 13° 30' E
38.70	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
78.70	The corner to Secs. 19, 20, 29 & 30
Bottom land Soil	2nd rate
Upland Rolling Sandy	3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 19 + 20
	Va. 13° 30' E –
14.00	Enter bottom bearing N E & W
40.00	Raised mound of earth 3 ft. high from pits. 18 x 18 x 12 in. deep for 1/4 Sec. cor –
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 17. 18. 19. + 20.
	Upland Rolling sandy 3rd rate –
	Bottom Level 2nd rate –

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 17 + 20
	Va. 13° 30' E
37.00	Enter sand hill bearing N & S
40.00	Set flag for temporary 1/4 Sec. cor.
50.00	Leave sand hill for bottom –
70.00	Leave bottom + Enter sand hill bearing N & S
80.10	Intersect N. & S. line at a point 4 2 links North of the corner to Secs. 16. 17. 20 + 21 from which corner I run N. 89° 42' W. on true line between Secs. 17 + 20
	Va. 13° 30' E –
40.05	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor –
80.10	The corner to Secs. 17. 18. 19. + 20
	Bottom Level Soil 2nd rate
	Upland Rolling Sandy 3rd rate –

Township No 27 N. Range No 28 W

Chains	
	West on a random line between Secs. 18 & 19
	Va. 13° 30' E —
32.00	Leave bottom for sand hill bearing N. & S.
40.00	Set flag for temporary 1/4 Sec. cor.
78.70	Intersect West boundary of Township at a point 16 links North of the corner to Secs. 18 & 19 from which corner I run,
	N. 89° 53' E. on true line between Secs. 18 & 19
	Va. 13° 30' E —
38.70	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec cor —
78.70	The corner to secs. 17, 18, 19 & 20
	Bottom Level 2nd rate
	Upland Rolling Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 17 & 18
	Va. 13° 30' E —
23.00	Leave bottom for sand hill bearing N.E. & S.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
71.00	Enter west end of bottom E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 7, 8, 17 & 18.
	Bottom Level 2nd rate —
	Upland Rolling Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chain	
	East on a random line between Secs. 8 & 17 Va. 13° 30' E
33.00	Leave bottom for sand hills N & S.
40.00	Set post for temporary 1/4 Sec. cor
79.80	Intersect N. & S. line at a point 35 links South of the corner to Secs. 8. 9. 16 & 17 from which corner I run S. 89° 45' W. on true line between Sec. 8 & 17. Va. 13° 30' E
39.90	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor
79.80	The corner to Secs. 7. 8. 17. & 18
	Bottom Level Soil 2nd rate
	Upland Rolling Soil 3rd rate

Township No 27 N. Range No 28 W

Chain	
	West on a random line between Secs. 7 & 18 Va. 13° 30' E
3.00	Leave bottom bearing N & S
13.00	~~Leave~~ Enter bottom bearing N. W. & S. W.
40.00	Set flag for temporary 1/4 Sec. cor
77.90	Intersect West boundary of Township at the corner to Secs. 7 & 18 from which corner I run East on a true line between Secs. 7 & 18 Va. 13° 30' E
37.90	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor
77.90	The corner to Secs. 7. 8. 17. & 18
	Upland Sand hills 3rd rate
	Bottom Level 2nd rate soil

Township No 27 N. Range No 28 W

Chains	
	North between Secs. 7 & 8 Va. 13° 30' E —
37.00	Enter bottom bearing N.W. & S.E.
40.00	Raised mound of earth 3 ft. high from pits. 18 x 18 x 12 in. deep for 1/4 Sec. cor —
45.00	Leave bottom for Sand Hills
80.00	Raised mound of earth 3 ft. high from pits. 18 x 18 x 12 in. deep for cor. to Secs. 5. 6. 7 & 8.
Surface	Rolling
Soil	Sandy 3rd rate —

Township No 27 N. Range No 28 W

Chains	
	East on a random line between Secs. 5 & 8 Va. 13° 30' E —
40.00	Set flag for temporary 1/4 Sec. cor.
76.00	Leave hill for bottom bearing S.E. & N.W.
80.76	Intersect N. & S. line at a point 14 links North of the corner to Secs. 4. 5. 8 & 9 from which corner I run — N. 89° 54' W. on true line between Secs. 5 & 8 Va. 13° 30' E —
40.19	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.76	The corner to Secs. 5. 6. 7 & 8.
Surface	Rolling
Soil	Sandy 3rd rate —

Township No 27 N. Range No 28 W.

Chain	
	West on a random line between Secs 5 & 6 Va. 13° 30' E
18.50	East edge of shallow marsh lake extends N & S.
50.00	West bank of lake. Set flag for temporary witness corner
77.80	Intersect West boundary of Township at a point 76 links S. of the corner to Secs. 6 & 7, from which corner I run S. 89° 49' E on true line between Secs. 6 & 7 — Va. 13° 30' E.
27.80	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for witness corner to 1/4 Sec. 10.00 W. of P. [illegible]
77.80	The corner to Secs. 5. 6. 7 & 8
	Surface Level soil too wet for cultivation

Township No 27 N. Range No 28 W

Chain	
	North on a random line between Secs. 5 & 6. Va. 13° 30' E —
10.00	Enter bottom bearing E. & W.
16.00	South edge of wet marsh. E & W
31.00	North " " " "
40.00	Set flag for temporary 1/4 Sec. cor.
80.50	Intersect North boundary of the Township at a point 56 links East of the corner to Secs. 5 & 6. from which corner I run. S. 2 H E. on true line between Secs 5 & 6. Va. 13° 30' E —
40.50	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor ——.
80.50	The corner to Secs 5. 6. 7 & 8 Upland Rolling soil sandy 3rd rate — Bottom. Level. Marshy in place 2nd rate soil whereby — Jul. 3rd 1875

General Description

Nearly one half of the land in this Township is level bottom land bearing good grass for grazing purposes -
The bottom on either side of the Loup is fair 2nd rate soil, rather sandy, but could doubtless be cultivated successfully. The other bottoms in the Township are rather too dry for cultivation, except the marshes which are too wet. The lakes notice are shallow stagnant waters, and I think that later in the Summer they become dry or very nearly so -
There is no wood in the Township

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No. 27 North of the Base line of Range No. 28 West of the 6th Principal Meridian in the State of Nebraska, showing the respective capacities in which they acted -

W. L. Rossiter } Examiner
P. P. Wheaton }

B. F. Morgan } Monumenters &c
C. M. McClintock } Flagmen

of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes.

We hereby certify that we assisted William A. Richards Deputy Surveyor, in surveying and subdividing Township number twenty seven North of the Base Line of Range number twenty eight west of the Sixth Principal Meridian in the State of Nebraska, and that said Township has been in all respects, to the best of our knowledge and belief well and faithfully surveyed, and the boundary monuments planted according to the instructions of the Surveyor General.

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Mountmen &
C. M. McClintock } Flagmen

Subscribed and sworn to before me by the above named persons this 28th of June 1875.

James Belton

Clerk of the District Court for Lincoln County Nebraska.

I, William A. Richards Deputy Surveyor — do solemnly swear, that in pursuance of a joint contract No 85 wherein William A. Richards and Alonzo V. Richards are joint contractors with E. E. Cunningham United State Surveyor General for the district of Nebraska and Iowa — bearing date the 27th day of August 1874 I have well faithfully and truly, — in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the laws of the United State, surveyed all those parts or portions of Township No 27 North of the Base Line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing field notes as having been surveyed under my direction, and I do further solemnly swear, that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying Manual and printed instructions and that the foregoing are the true and original field notes of such surveys

and special instructions of the Surveyor General of dimensions, character, construction and marking, and in the manner as specifically described in the foregoing field notes.

William A Richards
Deputy Surveyor

Subscribed by said William A. Richards and sworn to before me this 28th day of June 1875

James Belton
Clerk of the District Court for Lincoln County Nebraska —

Surveyor Generals Office
Plattsmouth Neb. 1875

The foregoing field notes of the Subdivision of Township No 27 N of Base Line of Range No 28 W of 6th P. M. in the State of Nebraska. Executed by William. A Richards, under point-Contract No 85 dated Aug 27th 1874. Having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they describe are hereby approved.

Jno. F. Clark
Surveyor General

Town 28 Range 28 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		34		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes
of the
survey and sub-division
of Township No 28 North
of the Base Line of Range
No 28 West of the 6th
Principal Meridian in
the State of Nebraska.

Executed by
William A. Richards
Deputy Surveyor
under joint contract No 85 bearing date
27th day of Aug. 1874

Sub-division commenced
June 5th 1875

Sub-division completed
June 9. 1875

List of Names

R. L. Rossiter } Chainmen
P. P. Wheaton }

B. F. Morgan } Monumentman
C. M. McClintock } Flagman

Township No 78 N. Range No 78. W.

In obedience to instructions I examined the exteriors of this Township before commencing its subdivision.

The southern and eastern boundaries are as reported in the field notes. – I remeasured the 7th Standard Parallel north, from the corner to Secs. 31 & 32. – of T. 79. N. R. 77. W. – West to the corner to Secs. 31 & 32 of T. 79. N. R. 78. W. and found the distance to be 6. m. 7. ch. 30 lks. (The length of each mile is given in the accompanying note & upon the plat.) The line between Ts 78 N. Rs 78 & 79 West. is out of limits

Township No 7 & N. Range No 78. W.
at its intersection of 7th S.P. North -

Notwithstanding the excess in length of the 7th Standard Parallel North - so I correct it by destroying the closing corner which marks its intersection and erecting another mound of earth similar to it at a point 14.40 chs. East from the corner to Secs. 31 & 32 of for closing corner to Secs. 1 & 6 -
T. 79. N. R. 78. W. and correct the Western boundary of the Township by running from said closing corner -

S. 32' E. on true line between Ts 78, N. Rs. 78 & 79. W.
Va. 13° 30' E -

Township No 78. N. R. No 78. W -
chains -

0 38.80	Rebuilt - 1/4 Sec - cor. -
78.80	Rebuilt - cor to Secs. 1, 6, 7 & 12
	S. 32' E - Bet - Secs. 7 & 12
	Va. 13° 30' E
40.00	Rebuilt - 1/4 Sec. cor. -
80.00	Rebuilt - cor to Secs. 12, 13, 7 & 18
	S. 32' E. between Secs. 13 & 18
	Va. 13° 30' E -
40.00	Rebuilt - 1/4 Sec. cor -
80.00	Rebuilt - cor. to Secs. 18, 19, 13 & 24
	S. 32' E - between Secs. 19 & 24
	Va. 13° 30 -
40.00	Rebuilt - 1/4 Sec. cor -
80.00	Rebuilt - cor to Secs. 24, 25, 19 & 30
	S. 32' E - Bet. Secs. 25 & 30 -
	Va. 13° 30' E
40.00	Rebuilt - 1/4 Sec. cor -
80.00	Rebuilt - cor to Secs. 30, 31, 25 & 36 -

Township No 28 N. Range No 28 W.

S. 30' E. between Secs. 31 & 36
Va. 13°30' E.
40.00 Rebuilt 1/4 Sec. cor.
80.00 The corner to Ts. 27 & 28 N.
Rs. 28 & 29 W.
The corners upon the old line were destroyed.
Taking into account the Excess of length of the 7th Standard Parallel North, the Intersection of the line between Ts. 28 N. Rs 28 & 29 W. with said Parallel is now within limits.

June 4. 1875

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships 27 & 28 North, Ranges 27 & 28 West and run
North, on a blank line along the East boundary of section 36
Va. 13° 30' East
39.92 To a point 13 links East of the 1/4 Sec. cor.
79.89 To a point 27 links East of the corner to Sec. 25 & 36
To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13° 48' E.

Sub-division commenced June 5, 1875
" " completed " 9. 1875
This Township contains no timber, nor is there any sufficiently near to be obtained, consequently I can set no posts.

Township No 28 N Range No 28 W

Chains	
	From the corner to Secs. 1. 2. 35 & 36. on the South boundary of the Township I run — North between Secs. 35 & 36 Va. 13° 42' E —
40.00	Raised mound of earth 3½ ft high from pits 18 x 18 x 12 in. deep for ¼ Sec. cor —
80.00	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in deep for cor. to Secs 25. 26. 35 & 36 —
	Surface Rolling
	Soil Sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs. 25 & 36 Va. 13° 42' E —
9.00	Enter valley, marshy, bears N. & S.
70.00	Leave valley
40.00	Set flag for temporary ¼ Sec. cor —
80.14	Intersect East boundary of Township at a point 49 links North of the corner to Secs. 25 & 36 from which corner I run — N. 89° 39' W. on true line between Secs. 25 & 36 Va. 13° 42' E —
40.00	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for ¼ Sec. cor —
80.14	The corner to Secs 25. 26. 35 & 36
	Surface Rolling
	Soil Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 25 & 26 Va. 13° 42' E –
11.00	Enter valley course N. & S. E.
25.00	Leave valley –
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor. –
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for corner to Secs 23, 24, 25 & 26 –
Surface	Rolling –
Soil	Sandy 3rd rate –

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs. 24 & 25 Va. 13° 42' E –
40.00	Set flag for temporary 1/4 Sec. cor –
80.54	Intersect East boundary of Township at a point 63 links North of the corner to Secs 24 & 25 from which corner I run – N. 89° 33' W. on true line between Sect. 24 & 25 – Va. 13° 42' E –
40.27	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. corner –
80.54	The corner to Secs 23, 24, 25 & 26
Surface	Rolling
Soil	Sandy 3rd rate –

Township No 28 S Range No 28 W

Chains	
	North between Secs 23 & 24 Va. 13° 42' E —
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor to Secs. 13. 14. 23 & 24 —
Surface	Rolling
Soil	Sandy 3rd rate —
	A narrow bottom lies a few chains to West of the line for last 50 chains. It is marshy but bears good grass

Township No 28 S Range No 28 W

Chains	
	East on a random line between Secs. 13 & 24. Va. 13° 42'
36.00	Enter bottom course S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor —
45.66	Edge of marsh N.W. & S.E.
54.00	Leave marsh —
80.44	Intersect East boundary of Township at a point 42 links North of the corner to Secs. 13 & 24 from which corner I run N. 89° 42' W. on the line between Secs. 13 & 24 Va. 13° 42' E
40.22	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.44	The corner to Secs. 13. 14. 23 & 24 Upland Rolling Sandy soil 3rd rate — Bottom Level. Lakes deep 2nd rate soil

Township No 28 N. Range No 28 W

Chains	
	North between Secs 13 & 14 Va. 13° 42' E
11.00	Enter valley bearing S.E. & W
14.00	Enter marsh S. E. & W
38.00	Leave marsh
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
41.50	Leave valley S. E. & W. for point of sand hills running E. & W.
57.00	Leave hills for valley S.E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor. to Secs. 11. 12. 13 & 14 —

Upland Rolling, sandy, 3rd rate —

Bottom level but generally wet & marshy, when dry a fair 2nd rate soil — Good grass is plenty in the bottom —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 12 & 13 Va. 13° 47' E —
13.00	Leave bottom land & enter sand hills bearing S. E. & W
40.00	Set flag for temporary 1/4 Sec. cor
80.56	Intersect East boundary of Township at a point 70 links North of the corner to Secs 12 & 13 from which corner I run N. 89° 30' W. on true line between Secs. 12 & 13 Va. 13° 42' E —
40.28	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.56	The corner to Secs. 11. 12. 13 & 14

Surface Rolling
Soil Sandy 2nd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs 11 & 12 Va. 13° 42' E
23.00	Leave bottom bearing S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for cor. to Secs. 1. 2. 11. & 12 —
Uplands	Rolling
Soil	Sandy 3rd rate —
Bottom Land	
Soil	2nd rate —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs 1 & 12 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor —
63.00	Leave sand hills for valley, S. E. & N. W.
80.50	Intersect East boundary of Township at a point 68 links North of the corner to Secs 1 & 12 from which corner Sun — N. 89° 31' W. on true line between Secs 1 & 12 Va. 13° 42' E —
40.25	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
80.50	The corner to 1. 2. 11 & 12
Surface	Rolling
Soil	Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	North on a true line between Secs. 1 & 2 Va 13° 42' E —
12.00	Enter valley bearing N.E. & S.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
64.00	Leave valley bearing N.E. & S.W.
78.75	Intersect 7th Standard Parallel North at a point 3.50 chs. East of the corner to Townships 29. North of Ranges 27 & 28 West. Raise mound of earth 3 ft. high, from pits 18 x 18 x 12 in deep for closing corner to Secs. 1 & 2 — Re-measure South boundary of Sec. 31 — Township 29 N. Range 27 West and find its length to be 81.37 chs. So my closing is within limits —
	Surface of upland Rolling soil sandy 3rd rate of valley level soil 2nd rate —

June 5th 1875 —

Township No 28 N. Range No 28 W

Chains	
	North between secs. 34 & 35 Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to secs 26. 27. 34 & 35 —
	Surface Rolling
	Soil Sandy 3rd rate

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 26 & 35 — Va. 13° 42' E
22.00	Enter bottom bearing N. & S.
31.50	Edge of marsh bear N. & S.
40.00	Set flag for temporary 1/4 sec. cor
45.00	Leave marsh
50.00	Leave bottom
79.48	Intersect N. & S. line at a point 26 links North of the corner to Secs. 25. 26. 35 & 36 — from which corner I run — N. 89° 49' W. on true line between Secs. 26 & 35 Va. 13° 42' E —
39.74 ~~48.45~~	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep, for Witness corner on West edge of marsh —
79.48	The corner to Secs. 26. 27. 34 & 35 — Upland Rolling soil sandy 3rd rate Bottom Level soil 2nd rate where dry. marsh unfit for cultivation,

Township No 28 N. Range No 28 W

Chains	
	North between Secs 26 & 27 Va. 13° 42' E —
30.00	Enter wet marshy bottom bears S. E. & N. W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 sec. cor —
60.00	Leave marshy bottom
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor. to Secs. 22. 23. 26 & 27

Upland Rolling
Soil sandy 3rd rate

Bottom Level
Marshy unfit for cultivation but yielding good grass —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 23 & 26 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor —
79.30	Intersect N. & S. line at a point — 12 links South of the corner to Secs. 23. 24. 25 & 26 from which corner I run S. 89° 55' W on true line between Secs. 23 & 26 Va. 13° 42' E
39.65	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 deep for 1/4 Sec. cor —
79.30	The corner to Secs. 22. 23. 26 & 27

Surface Rolling
Soil Sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	North between Secs. 22 & 23 Va. 13° 42' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 dis. deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs 14. 15. 22 & 23

Surface Rolling
Soil Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	Oashona random line between Secs. 14 & 23 Va. 13° 42' E.
40.00	Set flag for temporary ¼ Sec. cor.
50.00	Enter marshy valley bears N.S.
70.00	Leave valley.
79.70	Intersect N. & S. line at a point 22 links North of the corner to Secs. 13. 14. 23 & 24 from which corner I run N. 89° 57' W. on true line between Secs. 14 & 23 Va 13° 42' E.
39.85	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for ¼ Sec. cor.
7.970	The corner to Secs. 14. 15. 22 & 23

Upland Rolling Sandy soil 3rd rate
Valley marshy unfit for cultivation

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 14 & 15 Va. 13° 42' E.
10.00	Enter bottom bears E. & W. - marshy.
39.00	Leave marsh
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for ¼ Sec. cor.
40.00	Leave bottom bearing E & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for corner to Secs. 10. 11. ~~14~~ 14 & 15

Upland Rolling Sandy 3rd rate soil

Bottom generally marshy unfit for cultivation but with good grass in many places

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 11 & 14 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. corner —
57.00	Enter valley bears S.E. & N.W.
80.12	Intersect N & S line at a point 24 link South of the corner to Secs. 11, 12, 13 & 14 from which corner I run S. 89° 50' W. on true line between Secs. 11 & 14 Va. 13° 42' E —
40.06	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec cor
80.12	The corner to Secs. 10 11 14 & 15
	Upland Rolling Soil Sandy 3rd rate
	Bottom Level soil 2nd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 10 & 11 Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor. to Secs. 2, 3, 10 & 11
	Surface Rolling —
	Soil Sandy 3rd rate —

Township No 78 N. Range No 28 W

Chains	
	East on a random line between Secs. 2 & 11 Va. 1 30 & 2' E —
40.00	Set stake for temporary 1/4 Sec. Cor —
80.00	Intersect N. bd line at a point 71 links North of the corner to Secs. 1. 2. 11 & 12 from which corner True N. 89° 54' W. on true line between Secs. 2 & 11 Va. 1 30 & 2' E
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor. —
80.00	The corner to Secs. 2. 3. 10 & 11
	Surface Rolling Soil Sandy 3rd rate —

Township No 78 N. Range No 28 W

Chains	
	North on true line between Secs. 2 & 3 Va. 1 30 & 2' E —
40.00	Raised mound of earth 3 ft high from pits 18 X 18 X 12 in deep for 1/4 Sec. cor —
78.61	Intersect 7th Standard Parallel North at a point 4.88 chs. East of the corner to Secs. 35 & 36 Township No 79 North Range No 28 West — Raise mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for closing corner to Secs 2 & 3. — As this closing is so far East I ~~[illegible]~~ the South boundary of Sec. 36 Township No 79 North, Range No 28 West and find its length to be 80.95 chains.
	Surface Rolling — Soil Sandy 3rd rate — June 6th 1875

Township No 28 N. Range No 28 W

Chains	
	North between Secs 33 & 34 Va. 13° 42' E —
30.00	Enter bottom, marshy in places. bears E & W
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor.
50.00	Leave bottom bearing E & W.
80.00	Raised mound of earth 3 ft. high from pits. 18 X 18 X 12 in. deep for cor. to Secs. 27. 28. 33 & 34
	Upland Rolling Soil Sandy 3rd rate —
	Bottom Level Soil where not marshy, 2nd rate —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 27 & 34 Va. 13° 42' E —
27.50	Enter bottom bears. N. W. & S. E
35.00	Set flag for temporary witness corner on West edge of marsh —
50.00	Leave bottom & marsh —
80.78	Intersect N. & S. line at a point 30 links North of the corner to Secs. 26. 27. 34 & 35 from which corner I run — N. 89° 47' W. on true line between Secs 27 & 34 Va 13° 42' E
45.78	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in deep for witness corner — on West edge of marsh —
80.78	The corner to 27. 28. 33 & 34
	Upland Rolling Soil Sandy 3rd rate
	Bottom mostly marsh, too wet to be cultivated —

Township No 28 S., Range No 28 W

Chain	
	North between Secs. 27 & 28 Va. 13° 42' E
20.00	Enter bottom bearing N. W. & S. E.
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor. to Secs. 21, 22, 27 & 28.
	Upland Rolling Soil Sandy 3rd rate —
	Bottom Gravel — Soil 2nd rate —

Township No 28 S Range No 28 W

Chain	
	on a random line East between Secs. 22 & 27 Va. 13° 42' East —
40.00	Set flag for temporary 1/4 Sec. corner —
41.00	Leave bottom for sand hills bearing S. E. & N. W.
80.36	Intersect N. & S. line at the corner to Secs. 22, 23, 26 & 27 from which corner I run — W. on a true line between Secs. 22 & 27 Va. 13° 42' E —
40.18	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.36	The corner to Secs. 21, 22, 27 & 28
	Bottom, Gravel, soil 2nd rate —
	Upland Rolling soil sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	North between Secs 21 & 22
	Va. 13° 42' E-
18.00	Leave bottom bearing S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor-
68.00	Enter bottom bearing E & W
80.00	Raised mound of earth 3 ft- high from pits 18 X 18 X 12 in deep for cor. to secs. 15. 16. 21 & 22
	Upland Rolling, soil sandy 3rd rate-
	Bottom Level, soil 2nd rate -

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 15 & 22
40.00	Set flag for temporary 1/4 Sec. cor
43.00	West bank of shallow lake of stagnant water course S.E. & N.W.
47.70	East bank of lake
64.00	Leave bottom bears. S.E. & N.W.
80.16	Intersect N. & S. line at a point 13 links North of the corner to Secs. 14. 15. 22 & 23. from which corner I run-
	N. 89° 54' W. on true line between Secs. 15 & 22
	Va. 13° 42' E-
40.08	Raised mound of earth 3 ft- high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor-
80.16	The corner to Secs. 15. 16. 21 & 22.
	Bottom Level generally marshy to wet for cultivation, whereby soil 2nd rate-
	Upland Rolling Sandy 3rd rate-

Township No 28 N Range No 28 W

Chains	
	North between Secs 15 & 16 Va. 13° 42' E —
23.00	Leave marshy bottom bears E & W
40.00	Raised mound of earth 3 ft high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for cor. to Secs. — 9. 10. 15 & 16
	Upland Rolling Soil Sandy 3rd rate —
	Bottom Level Soil too wet for cultivation — bearing good grass and in the dry season the ground is probably hard enough for stock to feed there —

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs 10 & 15 Va. 13° 42' E —
40.00	Set stake for temporary 1/4 Sec. cor.
80.17	Intersect N. & S. line at the corner to Secs. 10. 11. 14 & 15 from which corner I run W. on a true line between Secs. 10 & 15 Va. 13° 42' E —
40.08 =	Raised mound of earth 3 ft. high from pits 18 X 18 X 12 in. deep for 1/4 Sec. cor —
80.17	The corner to Secs. 9. 10. 15 & 16 —
	Surface Rolling — Soil Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 9 & 10 Va. 13° 47' E
2.00	Enter bottom lands, E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
41.00	Leave bottom lands. E. & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 3. 4. 9. & 10.
	Upland Rolling — Soil Sandy 3rd rate —
	Bottom Level — Soil 2nd rate — bears good grass. East of the line it becomes marshy with an open pond of shallow water near its head —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 3 & 10 Va. 13° 42' E
40.00	Set flag for temporary 1/4 Sec. cor —
79.80	Intersect N. & S. line at a point 42 links South of the corner to Secs. 3, 4, 9 & 10 from which corner Run S. 89° 42' W. on true line between Secs. 3 & 10 Va. 13° 42' E —
39.90	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.80	The corner to Secs. 3, 4, 9 & 10
	Surface Rolling Soil Sandy 3rd rate

Township No 28 N. Range No 28 W

Chains	
	North on a true line between Secs. 3 & 4
	Va. 13° 42' E —
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
78.90	Intersect 7th Standard Parallel at a point — 5.90 chs. East of the corner to Secs. 34 & 35 Township No 29 N. Range No 28 West —
	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for closing corner to Secs. 3 & 4 —
	This closing being out of limits I remeasure the South boundary of Sec. 35 Township No 29 N. Range No 28 W. and find its length to be 81.28 chs. so the closing is within limits —
	Surface Rolling —
	Soil Sandy 3rd rate —
	June, 7th 1875

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 32 & 33
	Va. 13° 42' E —
2.70	Leave bottom bearing E & W
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
51.00	Enter bottom bearing S. E. & N. W. marshy in places —
76.00	Leave bottom —
80.00	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for cor to Secs. 28. 29. 32. & 33.
	Surface of Upland Rolling soil sandy 3rd rate of bottom level soil wheredry 1st rate marsh unfit for cultivation

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 28 & 33 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. Cor.
79.90	Intersect N. & S. line at a point 35 links South of the corner to Secs. 27, 28, 33 & 34 from which corner I run S. 89° 45' W. on this line between Secs 28 & 33 — Va. 13° 42' E —
39.95	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
79.90	The corner to Secs. 28. 29. 32. 33.

Surface Rolling
Soil Sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	North between Secs. 28 & 29 Va. 13° 42' E —
39.00	Enter valley bearing E. & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec cor —
41.40	S. edge of marshy pond E. & W.
41.60	N. edge of pond —
50.00	Leave valley E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12. in. deep for cor to Secs. 20. 21. 28 & 29.

Upland Rolling
Soil Sandy 3rd rate

Bottom Level
Soil marshy, 2nd rate. —

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs. 21 & 28
	Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor —
57.00	Enter bottom bearing S & N. W —
80.00	Intersect N. & S. line at a point 10 links South of the corner to Secs. 21. 22. 27 & 28 from which corner I run S. 89° 56' W. on true line between Secs. 21 & 28.
	Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.00	The corner to Secs. 20, 21, 28 & 29
	Upland Rolling
	Soil Sandy 3rd rate
	Bottom Level
	Soil 2nd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 20 & 21
	Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
40.50	Enter wet, marshy bottom bearing E. & W.
52.00	Leave bottom for sand hills —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 16. 17. 20. & 21.
	Surface (except bottom) rolling
	Soil sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 16 & 21 Va. 13° 42' E —
37.00	Enter bottom bearing S.E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor —
79.46	Intersect N. & S. line at the corner to Secs 15. 16. 21 & 22 from which corner I run W. on a true line between Secs. 16 & 21 Va. 13° 42' E —
30.73	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
79.46	The corner to Secs. 16. 17. 20 & 21
	Upland Rolling Soil sandy 3rd rate — Bottom Level, marshy to North of the line, where dry 2nd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 16 & 17 Va. 13° 42' E —
29.00	Enter bottom bearing S.E. & N.W. generally wet & marshy
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
53.00	Leave bottom for spur of hills running W
71.00	Enter bottom E. & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 8. 9. 16. & 17.
	Upland Rolling Soil Sandy 3rd rate
	Bottom Level Soil too wet for cultivation but bearing good grass —

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 9 & 16 Va. 130 42' E —
23.60	Leave bottom bottom E. & N.W.
40.00	Set flag for temporary 1/4 Sec. cor —
79.60	Intersect N. & S. line at a point 2 x links South of the corner to Secs. 9. 10. 15 & 16 from which corner I run S. 89° 50' W. on true line between Secs. 9 & 16 Va. 130 42' E —
29.80	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —.
79.60	The corner to Secs 8. 9. 16 & 17
	Surface Rolling
	Soil Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 8 & 9 Va. 130 42' E —
9.00	Leave bottom for a spur of hills running West —
21.00	Reaches bottom bearing E & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
43.00	Leave bottom bearing E & W
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 4. 5. 8. 9.
	Upland Rolling Soil sandy 3rd rate —
	Bottom Level Soil 2nd rate —

Township No. 28 N. Range No. 28 W.

Chains	
	East on a random line between Secs. 4 & 9 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor.
57.00	Enter valley bearing N. & S.
64.00	Leave valley.
80.00	Intersect N. & S. line at a point 44 links North of the corner to Secs. 3, 4, 9 & 10 from which corner I run N. 89° 41' W. on true line between Secs. 4 & 9 Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	The corner to Secs. 4, 5, 8 & 9

Surface Rolling
Soil Sandy & Late —

Township No. 28 N. Range No. 28 W.

Chains	
	North on a true line between Secs. 4 & 5 Va. 13 & 2' E —
18.00	Enter bottom bearing E. & W.
30.60	S. Bank of shallow lake of stagnant water, course E. & W.
41.40	North bank Lake. Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
47.00	Leave bottom bearing E. & W.
78.50	Intersect 7th Standard Parallel at a point 7 chs. East of the corner to Secs. 33 & 34
	Township No. 29 N. Range No. 28 W. Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for closing corner to Secs. 4 & 5 —

Remained the South boundary of Secs. 34 Township No. 29 N. Range No. 28 W. and find its length to be 81.30 chs. which proves the closing to be correct.

Upland Rolling soil sandy & late —

Bottom Level soil too wet for cultivation, bearing pretty fair grass —

Township No 28 N Range No 28 W

Chains	
	North between Secs 31 & 32 Va. 13° 42' E —
14.00	Enter marshy bottom bearing E & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for cor to Secs. 29, 30, 31 & 32.
	Surface Rolling —
	Soil Sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs. 29 & 32 Va. 13° 42' E —
17.00	Enter bottom bearing S. E & N. W. Marshy in places —
40.00	Set flag for temporary 1/4 Sec. cor.
76.00	Leave bottom for dry hill bearing S. E. & N. W.
80.28	Intersect N. & S. line at a point 25 links North of the corner to Secs. 28. 29. 32 & 33 from which corner I run N. 89° 49' W. on true line between Secs. 29 & 32 Va. 13° 42' E —
40.14	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
80.28	The corner to 29. 30. 31 & 32
	Level surface in bottom Soil 2nd rate marshy in some places —

Township No 78 N Range No 78 W

Chains	
	West on a random line between Secs 30 & 31 Va. 13° 42' E
40.00	Set stake for temporary 1/4 Sec. cor —
76.86	Intersect West boundary of Township at about 15 links North of the corner to Secs. 30 & 31 from which corner bears N. 89° 53' E. on true line between Secs. 30 & 31 Va. 13° 42' E —
76.86	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
76.86	1/4 corner to Secs. 19, 30, 31 & 36
	Surface Rolling
	Soil Sandy 3rd rate —
	June 8th 1875

Township No 78 N Range No 78 W

Chains	
	North between Secs. 19 & 30 Va. 13° 42' E —
3.00	Leave hill & enter valley marshy in places, bearing S.E. & N.W.
26.00	Leave valley course S.E. & N.W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
76.00	Enter ravine bearing N.W. & S.E.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 19, 20, 29 & 30.
	Upland Rolling
	Soil Sandy 3rd rate
	Bottom Low & level
	Soil marshy in place

Township No 78 N Range No 28 W

Chains	
	East on a random line between Secs 20 & 29 Va 13° 42' E —
7.50	Leave ravine N.W. & S.E.
40.00	Set flag for temporary 1/4 Sec. cor —
80.14	Intersect N. & S. line at a point 7 links South of the corner to Secs. 20, 21, 28 & 29 from which corner I run S. 89° 57' W. on true line between Secs 20 & 29 Va 13° 42' E —
40.117	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
80.14	The corner to Secs. 19, 20, 29 & 30
Surface	Rolling —
Soil	Sandy 3rd rate —

Township No 78 N. Range No 28 W

Chains	
	West on a random line between Secs. 19 & 30 Va. 13° 42' E —
7.00	Leave ~~ravine~~ course N.W. & S.E.
18.00	Enter ravine course N. & S.
33.00	Leave ravine
40.00	Set flag for temporary 1/4 Sec. cor —
76.08	Intersect West boundary of Township at a point 47 links South of the corner to Secs 19 & 30 from which corner I run S. 89° ~~40~~ 39' E. on true line between Secs. 19 & 30 Va. 13° 42' E.
36.08	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
76.08	The corner to Secs. 19, 20, 29 & 30
Surface	Rolling
Soil	Sandy 3rd rate

Township No 28 N. Range No 28 W

Chains	
	North between Secs 19 & 20 Va. 13° 42' E—
.40	Leave varine N.W. & S.E.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 17. 18. 19. & 20.

Surface Rolling
Soil Sandy 3rd rate

Township No 28 N Range No 28 W

Chains	
	East on a random line between Secs 17 & 20 Va. 13° 42' E—
40.00	Set flag for temporary 1/4 Sec. cor—
80.34	Intersect N. & S. line at a point 33 links North of the corner to Secs. 16. 17. 20 & 21 from which corner Iron N. 89° 46' W. on true line between Secs. 17 & 20 Va. 13° 42' E—
40.17	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor—
80.34	The corner to Secs. 17. 18. 19 & 20

Surface Rolling—
Soil Sandy 3rd rate—

Township No 28 N Range No 28 W

Chains	
	West on a random line between Secs. 18 & 19 Va 13° 42' E-
40.00	Set flag for temporary 1/4 Sec. cor
75.93	Intersect West boundary of Township at a point 28 links South of the corner to Secs. 18 & 19 from which corner I run- S. 89° 47' E. on true line between Secs. 18 & 19 Va. 13° 42' E
85.93	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor-
75.93	The corner to Secs. 18. 17. 19 & 20

Surface Rolling -
Soil Sandy 3rd rate -

Township No 28 N Range No 28 W

Chains	
	North between Secs. 17 & 18 Va. 13° 42' E-
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor -.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep from to Secs. 7. 8. 17. & 18.

Surface Rolling -
Soil Sandy 3rd rate -

Township No. 28 N. Range No. 28 W.

Chains	
	East on a random line between Secs. 8 & 17 Va. 13° 42' E
40.00	Set post for temporary 1/4 Sec. cor —
44.00	Enter marsh bottom, course S. E. & N. W.
80.12	Intersect N. & S. line at the corner to Secs. 8, 9, 16 & 17 from which corner I run W. on true line between Secs. 8 & 17. Va. 13° 42' E —
40.06	Raised mound of earth 3 ft high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —.
80.12	The corner to Secs. 7, 8, 17 & 18
	Upland Rolling Soil Sandy 3rd rate — Bottom Level, marshy, too wet for cultivation but bearing good grass

Township No. 28 N. Range No. 28 W.

Chains	
	West on a random line between Secs. 7 & 18 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor —
75.41	Intersect West boundary of Township at a point 16 links North of the corner to Secs. 7 & 18 from which corner I run, N. 89° 53' E. on true line between Secs. 7 & 18 Va. 13° 42' E —
35.41	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 deep for 1/4 Sec. cor —
75.41	The corner to Secs. 7, 8, 17 & 18
	Surface — Rolling — Soil — Sandy 3rd rate —

Township No 28 N. Range No 28 W

Chains	
	North between Secs. 7 & 8 Va. 13° 42' E-
21.00	Enter bottom bearing S. E & W.
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor -.
43.00	Leave bottom found line E & W.
80.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for cor to Secs. 5. 6. 7. & 8.
	Upland Rolling Soil Sandy 2nd rate
	Bottom Level 2nd rate soil

Township No 28 N. Range No 28 W

Chains	
	East on a random line between Secs. 5 & 8 Va. 13° 42' E-
40.00	Set flag for temporary 1/4 Sec. cor-
80.49	Intersect N. & S. line at a point 21 links South of the corner to Secs. 4. 5. 8 & 9 from which corner I run S. 89° 51' W. on true line between Secs. 5 & 8 Va. 13° 42' E-
40.242	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor -.
80.49	The corner to Secs. 5. 6. 7 & 8
	Surface Rolling - Soil Sandy 2nd rate -

Township No 28 N. Range No 28 W

Chains	
	West on a random line between Secs. 6 & 7 Va. 13° 42' E —
40.00	Set flag for temporary 1/4 Sec. cor —
75.70	Intersect West boundary of Township at a point 76 links North of the corner to Secs. 6 & 7. from which corner Brns. N. 89° 44' E, on true line between Secs. 6 & 7. Va. 13° 42' E
55.70	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for 1/4 Sec. cor —
75.70	The corner to Secs. 5, 6, 7 & 8

Surface Rolling —
Soil Sandy 3rd rate —

Township No 28 N Range No 28 W

Chains	
	North on a true line between Secs. 5 & 6 Va. 13° 42' E
40.00	Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in deep for 1/4 Sec. cor —
41.75	Enter valley bearing E. 4 links
48.00	Cream valley —
78.75	Intersect 7th Standard Parallel North — at a point 8.13 chs. East of the corner to Secs. 5, 4, 32 & 33 Township No 29 N. Range No 28 W. West. Raised mound of earth 3 ft. high from pits 18 x 18 x 12 in. deep for closing corner to Secs. 5 & 6 — Remeasured the South boundary of Sec 33. Township No 29 N. Range No 28 W. and find its length to be 81.29 chs. which added to excess in length of 7th Standard Parallel ascertained from previous remeasurement of the four preceding miles thereof brings this closing within the limit — Surface Rolling. Soil Sandy. 3rd rate —

Dec. 9th 1875

Remeasured S. bdry. of sec. 33 & found it to be

General Description

There is quite a large amount of fair 2nd grade land within this Township lying in the bottoms & adjoining the marshes frequently noted — The latter are at present quite soft and boggy with water standing above the sod in many places, but I think that later in the season they become much more dry. Underlying the sod, perhaps at a depth of a few feet, there is probably quick sand. There is very little willow or other growth of brush in these marshes. They produce good grass and during several months of the year, commencing with June, stock could be kept in these valleys to good advantage — The lakes noted are ponds of shallow stagnant water. The upland, sand hills —

List of Names

A list of the names of the individuals employed to assist in running measuring, and marking the lines and corners described in the foregoing field notes of Township No 28 North of the Base Line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted —

R. L. Rossiter } Chainmen
P. P. Wheaton }

B. F. Morgan } Mounduer and
C. M. McClintock } Flagmen

We hereby certify that we assisted William A. Richards Deputy Surveyor in surveying and sub-dividing Township number twenty eight north of the Base Line of Range number twenty eight west of the sixth Principal Meridian in the State of Nebraska, and that said Township has been in all respects, to the best of our knowledge and belief well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General

R. L. Rossiter } Chainmen
P. P. Wheaton }
B. F. Morgan } Moundmen &
C. W. McClintock } Flagmen

Subscribed and sworn to before me by the above named persons this 28th day of June 1875

James Belton

Clerk of the District Court for Lincoln County Nebraska

I William A. Richards
Deputy Surveyor, do solemnly
swear that, in pursuance
of a joint contract No. 85 in which
William A. Richards and Alonzo
V. Richards are joint contractors
with E. E. Cunningham
United States Surveyor General
for the District of Nebraska
and Iowa bearing date the
27th day of August 1874,
I have well, faithfully
and truly, in my own
proper person, and in
strict conformity with
the instructions furnished
by the Surveyor General, the
Surveying Manual, and the
laws of the United States sur-
veyed all those parts or
portions of Township
No 28 North of the Base
Line of Range No 28 West
of the 6th Principal
Meridian in the State of
Nebraska, as are represented in the
foregoing field notes as having been
surveyed under my direction, and do
further solemnly swear that all
the corners of said surveys
have been established and perpetuated
in strict accordance with the sur-
veying Manual and printed
instructions & special
and that the
foregoing are the true
and original field notes
of such survey —

William A. Richards
Deputy Surveyor —

Subscribed by said William
A. Richards and sworn to
before me this 28th day
of June 1875 —

James Bellon
Clerk of the District Court
for Lincoln County
Nebraska —

Surveyor Generals Office
Plattsmouth Neb

The foregoing field notes of the survey of the Subdivision Lines of Township No. 28 North of the Base Line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska, executed by William A. Richards, under joint Contract No 85 bearing date Aug 27th 1874, in the month of June 1875 having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Jno F Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

518

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.