General Land Office • Original Field Notes

Book Number

520

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index

Referring the lines to the page of field notes.

Township 33 North Range 28 W 6th P.M.



Field Notes of the Survey

Ch

of the subdivisions and meanders in Township 33 North of the Base line of Range No 28 West of the 6th Principal Meridian in the State of Nebraska By James L Slocum, Deputy Surveyor under Joint contract No 92. dated the 26th Day of May 1875

Survey
commenced July 22nd 1875
completed Aug 7th 1875

List of Names
of persons employed to assist in surveying this showing the respective capacities in which they acted

A M Forbes } Chainmen
E J Holebrook }
S P. Koon } Moundmen
L Stanburg }
Wm H Oneill Flagman

Township 33 N, Range 29 W.

Chs	
	East on a Random bet secs 25 & 36 Va 13°45' E
40.00	Set post for temporary 1/4 sec cor
61.00	Schlegel creek 15 links wide in a deep canon
80.30	Intersect N. and S. line 22 links North of cor to secs 25, 30, 31 and 36 from which cor I run N 89°51' West on a true line bet secs 25 and 36 Va 13°45' E
40.15	Set post 3x3 in x 4 feet by 1 foot in ground deposit charred stake Raised mound of Earth 2½ feet high from pits 18x24x12 in. deep for 1/4 sec cor
80.30	Corner to secs 25, 26, 35, and 36 Land Sand hills Soil 3rd Rate

Township 33 N, Range 29 W.

Chs	
	North bet secs 25 & 36, Va 13°45' E.
40.00	Set post 2x3 in x 4 feet x 1 foot in ground deposit charred stake Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor
81.00	Set a stone 20x8x4x11 in ground from which a pitch pine 7 in dia bears North distant 73 lks - Pitch pine 7 in dia bears S 86° W. distant 1.15 lks
	Land Sand hills Soil 3rd Rate

Township 33 N Range 28 West

chs	
	East on a random line bet secs 24 & 25 Va 13°45' E
40.00	Set post for temporary ¼ sec cor and deposit
63.00	Schlegel creek 12 links wide Bears North with Pine timber on each side 4 chs. wide
80.38	Intersect East boundary of township 45 links North of cor to secs 19, 24, 25 and 30, from which cor I run N 89°41' West on a true line bet Secs 24 & 25 Va 13°45' E
40.19	Set Post 2x3 in x 4 feet x 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for qr sec cor
80.30	Corner to secs 23, 24, 25 and 26
	Land Sand Hills Soil 3rd Rate

Township 33 N. Range 28 W

chs	
	North bet secs 23 & 24 Va 13°45' E
.50	Enter Bluffs Bears North East
36.00	Enter Bottom " " "
~~39.62~~	~~Meander & Witness cor on South Bank of Niobrara River~~
39.62	~~Built by~~ Setting Post 2x3 in x 4 feet high x 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for Meander & Witness cor on South Bank of Niobrara River Bears North East
53.70	Set Post 3x3 in x 4 feet 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for Meander cor on North Bank of Niobrara River
63.00	Top of Bluffs Bears North East
80.00	Set Post 3x3 in x 4 feet x 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for cor to secs 13, 14, 23 & 24.
	Land Sandy Soil 3rd Rate

Township 33 N. Range 28 West

Chs	
	East on a random line bet. secs 13 & 24. Va 13°45' E
35.00	Enter bluffs Bears North of East
40.00	Set post for temporary qr sec cor
62.00	Enter Bottom Bears North of East
80.41	Intersect East boundary of township 43 links North of cor to secs 13, 18, 19 and 24 from which cor I run N 89.42 West on a true line bet secs 13 & 24 Va 13°45' E
40.20½	Set post 2 X 3 in x 4 feet X 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for qr sec cor
4	
80.41	Cor to secs 13, 14, 23, and 24
8	Land in bluffs and Sand hills 3rd rate in Bottom 2nd Rate

Township 33 N. Range 28 West

Chs	
	North bet secs 13 & 14 Va 13°45' E
40.00	Set post 3 X 2 in x 4 feet X 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Set post 3 X 3 in x 4 feet X 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for cor to secs 11, 12, 13, & 14

Land Sand hills
Soil 3rd Rate

July 22nd 1875

Township 33 N Range 28 West

Chs	
	East on a random line bet sec 12 & 13 Va 13°45' E
40.00	Set post for temporary qr sec cor
80.66	Intersect east boundary of Township 61 links North of cor to sec 7 12 13, 18, and 18 from which cor set run N 89°34' West on a true line bar sec 12 & 13 Va 13°45' E
40.33	Set post 2X3 in X 4 feet X 1 foot in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12 in deep for qr sec cor
4	
80.66	corner to sec 11, 12, 13, and 14 Land Land hills Soil 3rd Rate
8	

Township 33 N Range 28 West

Chs	
	North bet sec 11 & 12 Va 13°45' E
40.00	Set post 2X3 in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12 in deep for qr sec cor
80.00	Set post 3X3 in X 4 ft 1 ft in ground deposit stake raised mound of Earth 2½ feet high from pits 18X24X12 in deep for cor to sec 1, 2, 11, and 12. Land Land hills Soil 3rd Rate

Township 33 N Range 28 West

Chs	
	East on a random line bet sec 1 and 12 Var 13°45= E
40.00	Set post for temporary 1/2 sec cor
80.92	Intersect East boundary of township 78 links North of cor to secs 1, 6, 7, and 12 from which cor I run N 89°27' West on a true line ~~bet~~ bet Sec 1 & 12 Var 13°45= E
40.46	Set post 2X3 in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18X24X12 inches deep for 1/2 sec cor
80.92	Corner to secs 1.2.11 & 12

Land Gully Rolling
Land hills
Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	North bet secs 1 & 2 Var 13° 45= E
40.00	Set post 2X3 in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18X24X12 in deep for 1/2 sec cor
79.21	Intersect North boundary of township 88 links West of cor to secs 1 2 35 & 36 from which cor I run S 38= West on a true line Var 13°45= E
31.21	Set post 2X

Township 33 N. Range 28 W.

Chs	
	North on a random line bet secs 1 & 2 Va 13°45' E
40.00	Set post for temporary qr sec cor
79.21	Intersect North boundary of township. 80 links W. of cor to secs 1, 2, 35 & 36 from which cor I run S 38° West on a true line. bet sec 1 & 2 Va 13°45' E
39.21	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 inches deep for qr sec cor
79.21	Corner to secs 1, 2, 11 & 12,

Land Gently Rolling
Sandy hills & Soil
3rd Rate

Township 33 North, Range 28 West

Chs	
	North bet secs 35 & 36 Va 13°45' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for cor to secs 26, 27, 34 and 35

Land Gently Rolling
Sandy hills & Soil 3rd
Rate

Township 33 North, Range 28 West

Chs	
	East on a random line bet sec 26 & 35
~~40.00~~	Va 13°45' E
40.00	Set post for temporary qr sec cor
50.00	Intersect N. and S. line 18 links South of cor to sec 25, 26, 35, and 36, from which cor I run S 87°-2' West on a true line bet sec 26 and 35
	Va 13°45' E
40.00	Set post 2 x 3 in. x 4 ft 1 foot in ground deposit charred stake Raised Mound of Earth 2½ ft high from pit 18 x 24 x 12 in deep for qr sec corner
80.00	Corner to sec 26 27 34 and 35
	Land Gully Rolling Sand hills / Soil 3rd Rate

Township 33 North Range 28 West

Chs	
	North bet secs 26 & 27
	Va 13°45' E
35.00	Enter Bluffs covered with pine timber scattering
40.00	Set Limestone 21 x 12 x 5 in gin deep with pits 18 x 24 x 12 in deep for qr sec cor
	From which a pine 4 in dia. bears South 1.35 lks
63.00	Enter low bottom
74.72	To channel of river 185 lks over 3 ft deep runs N of E
78.24	Set a post 3 x 2 in x 4 ft 14 in in ground
	Raised a mound of earth 2½ ft high from pit 18 x 24 x 12 in deep for corner to fractionals sections ~~22 23~~ 26 and 27 on the South bank of the Main channel of the Niobrara River which bears N of E
80.00	Point for corner to sections 22 23, 26 and 27, in the river

Township 33 N Range 28 West

chs	
	East on a random line between sections 23 and 26 Va 13°45 E
5.09	Set post on right bank, for temporary cor to fractional Sec^ts 23 and 26
13.95	A channel of river 14.0 lks over runs N.E course
40.00	Set post for temporary 1/4 sec. cor
54.00	Ravine descends North
80.14	Intersect the N and S line 28 lks North of cor to sec's 23, 24, 25 and 26 from which cor I run N 89°48' W on a true line between Sec's 23 & 26 Va 13°45' E
40.07	Set a stone 18×10×6 in 10 in deep mark^d 1/4, with pits 18×24×12 in for qr sec cor
75.05	Set a post 3×3^in×4 ft 12^in in ground, deposited mark^d stone Raised mound of earth 2 1/2 ft high from pits 18×24×12^in deep for corner to fractional sec's 23 and 26
80.14	The point corner to sec's 22 23 26 27 in river

Township 33. North, Range 28 W

chs	
	North bet Sec^s 22 & 23 Va 13°45 E
4.68	By chaining, North Bank of the Niobrara River where I set post 3×3^in 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18×24×12^in deep for meander cor
6.80	Enter Bluffs Bears N.E.
19.00	Enter Gently rolling sand hills, top of Bluffs
40.00	Set post 2×3^in×4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18×24×12^in deep for qr sec cor
80.00	Set post 3×3^in×4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18×24×12^in deep for qr sec cor

Land Sandy Soil 3rd Rate

Feet Ses. 14, 15, 22, 23

Township 33 North, Range 28 W.

Chs	
	East on a random line bet secs 14 & 23 Va 13°45' E
40.00	Set post for temporary qr sec cor
80.22	Intersect North and South line 26 links North of cor to secs 13, 14, 23, and 24 from which cor Grun N on a true line bet secs 14 & 23 Va 13°45' E
40.11	Set post 2×3m×4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18×24×12in deep for qr sec cor
80.22	Corner to secs 14, 15, 22, and 23 Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 West

Chs	
	North bet secs 14 & 15 Va 13°45' E
40.00	Set post 2×3m×4 feet 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18×24×12in deep for qr sec cor
80.00	Set post 3×3m×4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18×24×12in deep for cor to secs 10, 11, 14, & 15
	Land Sand hills Soil 3rd Rate

Township 33 North Range 28 West

Chs	
	East on a random line bet. secs. 11 & 14 Va 13°45' E
40.00	Set post for temporary qr sec cor
80.35	Intersect North and South line 36 links South of cor to secs. 11 & 12 13 and 14 from which corner I run N 89°45' W on a true line bet. Sec. 11 & 14 Va 13°45' E
40.17½	Set post 2 x 3in x 4 ft 1 ft in ground deposit Charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.35	Corner to secs. 10, 11, 14, and 15

Land Sand hills
Soil 3rd Rate

Township 33 N. Range 28 W.

Chs	
	North bet. secs. 10 & 11 Va 13°45' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for cor to secs. 2, 3, 10 and 11

Land Sand hills
Soil 3rd Rate
July 23rd 1875

Township 33 North, Range 28 W.

Chs	
	East on a random line bet Secs 2 & 11 Va 13°45' E
40.00	Set post for temporary qr sec cor
80.12	Intersect North & South Line 28 links North of cor to secs 1, 2, 11, & 12 from which cor I run N 89.48 West on a true line bet Secs 2 & 11 variation 13°45' E
40.06	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.12	Cor to secs 2 3 10 & 11

Land Sand hills
Soil 3rd Rate

Township 33 N, Range 28 W.

Chs	
	North, on a random line bet Secs 2 & 3 Va 13°45' E
40.00	Set Post for temporary qr sec cor
79.18	Intersect North boundary of township 75 links West of cor to secs 2, 3, 34 and 35 from which corner I run ~~S 87~~ S 32 West on a true line bet Secs 2 and 3 Va 13°45' E
39.18	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 ins deep for qr sec cor
79.18	Cor to secs 2, 3, 10, & 11.

Land Sand hills
Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	North bet secs 33 & 34 Var 13°45' E
40.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2½ ft from pits 18 X 24 X 12in deep for qr sec cor
80.00	Set post 3 X 3in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for cor to secs 27 28 33 and 34
	Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	East on a random line bet secs 27 & 34 Var 13°45' E
17.00	Enter canon filled with pine Timber Bears North
35.00	Leave canon Enter Sand hills
40.00	Set post for Temporary qr sec cor.
79.86	Intersect North and South line 15 links North of cor to secs 26, 27, 34, and 35 from which cor I run N 89°54' West on a line bet secs 27 & 34 Var 13°45' E
37.93	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for qr sec cor
79.86	Corner to secs 27, 28, 33. and 34 Land Sand hills Soil 3rd Rate

Township 33 N. Range 28 W.

Chs	North bet sec cors 27 & 28 Va 13°45' E
2.00	Enter Bluffs and timber Pine
22.00	Enter Bottom and Run Oak timber
40.00	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 in deep for 1/2 sec cor.
43.50	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 in deep for meander cor on North Bank of Niobrara river
55.42	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of 2½ ft high from pits 18x24x12 in deep for meander cor on North Bank of Niobrara River at foot of Bluffs
80.00	Set post 3x3 in x 4 ft 1 ft in ground deposit charred stake Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for cor sec cors 21, 22, 27 & 28

Land on hills 3rd Rate in bottom 2nd Rate

Township 33 North, Range 28 West.

Chs	East on a random line bet sec cors 22 & 27 Va 13°45' E
40.00	Set post for temporary 1/2 sec cor
74.06	Intersected the left bank of the Niobrara river, where I set a post for temporary cor to fractional secs 22 and 27. (Thence by chaining)
80.47	Intersected the North and S line 222 lks North of the cor to fractional sections 26 and 27. And thence 46 lks North of the cor. to sections 22, 23 26 and 27. from which cor I run N 89°40' W on a true line between sections 22 and 27 Va 13°45' E
6.48	Set a post 3x3 in x 4 ft 1 ft in ground deposited a charred stake and raised a mound of earth 2½ ft high from pits 18x24x12 in deep for cor to fractional sections 22 and 27
40.23½	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
80.47	corner to sec 21, 22, 27 and 28

Land Sandy Soil 3rd Rate

Township 33 North, Range 28 W.

Chs		North bet secs 21 & 22 Va 13°45' E
2.	40.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit char-red stake raised mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for gr sec cor
2		
4	80.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for cor to secs 15, 16, 21, and 22
4		
5		Land Sand Hills Soil 3rd Rate
8		

Township 33 North, Range 28 W.

Chs	East on a random line bet secs 15 & 22 Va 13°45' E
40.00	Set post for temporary gr sec cor
80.31	Intersect North & South line 18 links North of cor to secs 14, 15, 22 & 23, from which cor I run N 89°52' West on a true line bet secs 15 & 22 Va 13°45' E
40.15½	Set post 2 X 3in X 4 ft 1 ft in ground deposit char-red stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for gr sec cor
80.31	Corner to secs 21, 22, 15, and 16
	Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 W.

	Chs	
		North bet. secs. 15 & 16 Va 13°45' E
2.	40.00	Set post 2X3 in X4 ft. 1 ft. in ground deposit charred Stake Raised Mound of Earth 2½ ft. high from pits 18X24X12 in deep for gr sec cor
4	80.00	Set post 3X3 in X4 ft. 1 ft. in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12 in deep for cor to secs. 9, 10, 15 & 16
5		Land Sand Hills Soil 3rd rate

Township 33 North, Range 28 W.

	Chs	
		East on a random line bet. secs. 10 & 15 Va 13°45' E
	40.00	Set post for temporary gr sec cor
	80.25	Intersect North and South 36 links North of cor to secs. 10, 11, 14 & 15 from which cor I run N 89°45' W on a true line bet. S.E. 10 & 15 Va 13°45' E
	40.12½	Set post 2X3 in X4 ft. 1 ft. in ground deposit charred stake raised mound of Earth 2½ ft. high from pits 18X24 X 12 inches deep for gr sec cor
	80.25	Corner to secs. 9, 10, 15 and 16, Land Sand hills Soil 3rd Rate

Township 33 N. Range 28 W.

Chs	
	North bet sec 9 & 10 Va 13°45' E
20.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to sec 3, 4, 9, & 10
	Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	East on a random line bet sec 3 & 10 Va 13°45' E
20.00	Set post for temporary qr sec cor
80.15	Intersect North and South line 26 Links North of cor to sec 2, 3, 10 & 11 from which cor I run N 89°49' West on a true line bet Sec 3 and 10 Va 13°45' E
40.07½	Set post 2 x 3in x 4 ft 1 ft in ground deposit Wked Stone raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.15	corner to sec 3 & 4 9 & 10
	Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	North on a random line bet secs 3 & 4 Va 13° 45' E
40.00	Set post for temporary qr sec cor
79.55	Intersect North boundary of township 65 links West of cor to secs 3, 4, 33, and 34 from which cor I run South 28° West on a true line bet Secs 3 & 4 Va 13° 45' E
39.55	Set post 2X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12 in deep for qr sec cor
79.55	Corner to secs 3 4 9 & 10

Land Sand Hills
Soil 3rd Rate
July 24th 1875

Township 33 N. Range 28 W

Chs	
	North bet secs 32 & 33 Va 13° 45' E
40.00	Set post 2X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12 in deep for qr sec cor
57.00	Enter Bluffs Bears E & W covered with Pine, and Bur Oak
73.00	Set Post 3X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12 in deep for meander cor on South Bank of the Niobrara River
80.00	The point for cor in Niobrara River cannot be established

Land Sandy
Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	East on a random line bet. secs 28 & 33 Va 13°45' E
8.00	Set Post 3X3 in X4 feet 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12 inches deep for meander cor on Left Bank of Niobrara River
33.00	Set Post 3X3 in X4 feet 1 ft in ground
4	From the corner point in River I run East on a random line bet secs 28 & 33. Va 13°45' E
5	
8.00	Set post for temporary meander cor on left Bank of Niobrara River
8	
33.00	Set post for temporary meander cor on left Bank of Niobrara River
41.00	Set post for temporary meander cor on Right Bank of Niobrara River

Township 33 N, Range 28 West

Chs	
43.00	Enter steep Bluffs covered with pine timber Bears N.E.
71.00	Top of Bluffs Leave timber
79.96	Intersect North and South line 10 links North of cor to secs 27, 28, 33, and 34 from which cor I run N 89°56' West on a true line bet Secs 28 and 33 Va 13°45' E
38.96	Set post 3X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12 inches deep for meander cor on Right Bank N.R
46.96	Set post 3X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12 in deep for meander cor on left Bank of Niobrara ~~Riv~~ River Water in River 2 ft deep swift current sand Bottom
71.96	Set post 3X3 in X4 ft 1 ft in ground deposit charred stake raised mound of Earth from pits 18X24X12 in deep for meander cor on left Bank of Niobrara River
79.96	Point for cor to secs 28, 29, 32 & 33 Land Sandy Level 3rd Rate

Township 33 North, Range 28 West

chs	
	North bet secs 28 & 29 Va 13°45' E
	from corner found I ran North by chaining
6.00	Set post 3X3in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12in deep for Meander cor on Left Bank of Niobrara River
14.00	Enter sand Bluffs Bears E & W
40.00	Set Sand Stone 18X13X14in 9ins deep Mkd 1/4 with pits 18X24 X12in deep for qr sec cor
80.00	Set post 3X3in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12in deep corner to secs 20, 21, 28, and 29
	Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 West.

chs	
	East on a random line bet Secs 21 & 28 Va 13°45' E
40.00	Set post for temporary qr sec cor
77.81	Intersect North and South line 31 links North of cor to secs 21, 22, 27, and 28, from which cor I run N 89°47' West on a true line bet secs 21 and 28 Va 13°45' E
39.90½	Set post 2X3in X4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12 inches deep for qr sec cor
79.81	Corner to secs 20, 21, 28, and 29
	Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 West.

Chs	
	North bet secs 20 & 21
	Va 13°45' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 inches deep for cor to secs 16, 17, 20, and 21,
	Land Sand hills
	Soil 3rd Rate

Township 33 North, Range 28 West.

Chs	
	East on a random line bet secs 21 & 16 and 21
	Va 13°45' E
40.00	Set post for temporary qr sec cor
79.68	Intersect North and South line 34 links North of cor to secs 15, 16, 21, and 22. from which cor I run N 89°45' West on a true line bet secs 16 and 21
	Va 13°45' E
39.84	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.68	Corner to secs 16 17, 20, and 21,
	Land Sand hills
	Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	Chs	
	Chs	North bet secs 16 & 17 Var 13°45' E
40.0	40.00	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for qr sec cor.
80	80.00	Set post 3x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for cor to secs 8, 9, 16, & 17.
		Land Land hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	East on a random line bet secs 9 & 16 Var 13°45' E
40.00	Set post for temporary qr sec cor
79.58	Intersect North and South line 50 links North of cor to secs 9, 10, 15 and 16 from which cor I run N 89°39' West on a true line bet Secs 9 and 16 Var 13°45' E
34.71	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for qr sec cor
79.58	Corner to secs 8, 9, 16, and 17
	Land Land hills Soil 3rd rate

Township 33 North, Range 28 W.

Chs	
	North bet secs 8 & 9 Var 13°45' E.
40.00	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 4, 5, 8, and 9

Land Sand Hills
Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	East on a random line bet secs 4 & 9 Var 13°45' E
40.00	Set post for temporary qr sec cor
79.62	Intersect North and South line 48 links North of cor to secs 3, 4, 9, & 10 from which cor I run N 89.39 West on a true line bet secs 4 and 9 Var 13°45' E
31.81	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
77.62	Corner to secs 4, 5, 8, & 9.

Land Sand Hills Soil
3rd Rate

Township 33 North, Range 28 W.

Chs	
	North bet secs 4 & 5 on a random line Var 13°45' E
40.00	Set post for temporary qr sec cor
79.72	Intersect North boundary of township 48 Links west of cor to secs 4, 5, 32 and 33 from which cor I run S 21° West on a true line bet secs 4 and 5 Va 13°45' E
39.72	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.72	Corner to secs 4, 5, 8, and 9. Land Sand hills Soil 3rd Rate

July 25th 1875

Township 33 North, Range 28 W.

Chs	
	North bet secs 31 & 32 Va 13°45' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit mkd stone raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
47.50	Enter Bluffs a few scattering trees on top of Bluffs
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit mkd stone raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 29 30, 31 and 32. Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 West

Chs	
	East on a random line bet Secs 29 & 32 Va 13° 45' E
40.00	Set post for temporary qr sec cor
47.00	Enter Bur Oak timber Bears S.E.
55.00	Spring Branch 5 lks wide Bears N.E.
60.00	Righ Bank of Niobrara River where I set post for temporary meander cor River Bears S.E.
80.15	Intersect North and South line 6.10 South of meander cor bet secs 28 & 29 Therefore my falling is 10 links South of true point for cor to secs 28, 29, 32 and 33, from true point for cor I run S 89° 56' West on a true line bet secs 29 & 32 Va 13° 45' E
20.15 ~~20.85~~	Set post 3 X 3in X 4 ft 1 ft in ground deposit mkd stone Raised mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for meander cor on Right Bank of Niobrara Riv
40.07½	Set post 2 X 3in X 4 ft 1 ft in ground deposit mkd stone raised mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for qr sec cor
80.15	Corner to secs 29 30 31 & 32 Land Sandy Soil 3rd Rate

Township 33 North, Range 28 West 6th Pm

Chs	
	West on a random line bet Secs 30 & 31 Va 13° 45' E
40.00	Set post for temporary qr sec cor
47.00	Enter timber and Bulch
51.00	Gordens creek 20 lks wide Bears North
55.00	Leave timber and Bulch Bears North
80.92	Intersect West boundary of Township 15 links South of cor to secs 25 30 31 & 36 from which cor I run S 89° 54' E on a true line bet secs 30 & 31 Va 13° 45' E
42.92	Set post 2 X 3in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for qr sec cor
80.92	corner to secs 29 30 31 & 32 Land Sandy Soil 3rd Rate

Township 33 N. Range 28 West.

Chs	
	North bet secs 29 & 30 Va 13°45' E
27.00	Enter Bottom Bears E & W
30.00	South Bank Niobrara River Where I set post 3X3in X4ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12in deep for meander
8 40.00	Cor The point for gr sec cor falls in River
43.00	Set post 3X3in X4ft 1ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18X24X12in deep for meander cor on left Bank of Niobrara River water 2ft deep swift current Sand Bottom
50.00	Leave Bottom Enter Sand hills B E & W
½ 80.00	Set post 3X3in X4ft 1ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18X24X12in deep for cor to secs 19, 20, 29, and 30, Land Sandy Soil 3rd Rate

Township 33 North, Range 28 West.

Chs	
	East on a random line bet secs 20 & 29 Va 13°45' E
40.00	Set post for temporary gr sec cor
80.33	Intersect North and South line 61 links North of cor to secs 20, 21, 28, and 29, from which cor I run N 89°34' West on a true line bet secs 20 and 29 Va 13°45' E
4 0.161	Set post 2X3in X4ft 1ft in ground deposit mixed stone raised mound of Earth 2½ ft high from pits 18X24X12in deep for gr sec cor
6 0.33	Corner to secs 19, 20, 29 and 30
	Land Sandy Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	West on a random line bet Secs 19 & 30 Var 13°45' E
28.00	Enter ~~pine~~ canon full of pine
40.00	Set stone for temporary qr sec cor
48.00	Leave canon enter sand hills Bears N & S
81.46	Intersect West boundary of township 12 links North of cor to secs 19, 24, 25 & 30 from which cor 8 mm N 89°35' East on a true line bet Secs 19 & 30, Var 13°45' E
41.46	Set sand stone 18 X 14 X 4in 9in deep mkd 1/4 with pits 18 X 24 X 12in deep for qr sec cor
81.46	Corner to secs 19, 20, 29 & 30
	Land sandy soil 3rd Rate

Township 33 N. Range 28 West.

Chs	North bet secs 19 & 20 Var 13°45' E
40.00	Set sand stone 18 X 13 X 4in 9in deep mkd 1/4 with pits 18 X 24 X 12in deep for qr sec cor
80.00	Set sand stone 18 X 24 X 4in 9in deep mkd 3 N, 3 S, 5 E, 1 W. With pits 18 X 24 X 12in deep for cor to secs 17, 18, 19 and 20
	Land sand hills soil 3rd Rate

Township 33 North, Range 28 W.

Chs	East on a random line bet sec 17 & 20 Va 13°45' E
40.00	Set post for temporary gr sec cor
80.41	Intersect North and South 38 links North of cor to sec 16, 17, 20, 21 from which cor I run North 89°44' West on a true line bet sec 17 & 20 Va 13°45' E
40.20½	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for gr sec cor
80.41	Corner to secs 17, 18, 19 and 20 Land Sand hills Soil 3rd Rate

Township 33 N, Range 28 W.

Chs	West on a random line bet secs 18 & 19 Va 13°45' E
40.00	Set Post for temporary gr sec cor
81.60	Intersect West boundary of township 22 links North of cor to secs 13, 18, 19 and 24 from which cor I run N 89°51' East on a true line bet secs 18 & 19 Va 13°45' E
41.60	Set Post 2 x 3in x 4 ft 1 ft in ground deposit mkd stone raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for gr sec cor
81.60	Cor to secs 17, 18, 19 and 20 Land Sand hills Soil 3rd Rate

Township 33 North, Range 28 W,

Chs	
	North bet sec 17 & 18 Va 13°45' E
40.00	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for ¼ sec cor
80.00	Set post 3x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for cor to sec 7, 8 17 & 18
	Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 West

Chs	
	East on a random line bet sec 8 & 17 Va 13°45' E
40.00	Set post for temporary ¼ sec cor
80.45	Intersect North and South line 33 links North of cor to sec 16, 17, 8, and 9 from which cor S ann N 89°46' West on a true line bet secs 8 and 17. Va 13°45' E
40.22½	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for ¼ sec cor
80.45	Corner to sec 7, 8, 17, and 18
	Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	West on a random line bet sec 7 & 18 Var 13°45' E
11.00	Set post for temporary qr sec cor
81.88	Intersect West boundary of township 26 links North of cor to sec 7, 12, 13, and 18 from which cor I run N 89°49' East on a true line bet sec 7 & 18 Var 13°45' E
41.88	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
81.88	Cor to sec 7, 8, 17, and 18 Land Sand Hills Soil 3rd Rate

Township 33 North, Range 28 W.

Chs	
	North bet sec 7 & 8 Var 13°45' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for cor to sec 5, 6, 7, and 8.

Land Sand Hills
Soil 3rd Rate
July 26th 1875

Township 33 North, Range 28 W.

Chs	
	East on a random bet secs 5 & 8 Va 13°45' E
40.00	Set post for temporary qr sec cor
80.72	Intersect North and South line 48 links North of cor to secs 4, 5, 8 & 9, from which cor I am N 89°39' West on a true line bet secs 5 & 8 Va 13°45' E
40.36	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.72	cor to secs 5, 6, 7 & 8.

Land Level Hills
Soil 3rd Rate

Township 33 N Range 28 West

Chs	
	West on a random line bet secs 6 & 7 Va 13°45' E
40.00	Set post for temporary qr sec cor
82.48	Intersect West boundary of township 21 links North of cor to secs 7, 6, 1 and 12 from which cor I am N 89°51' East on a true line bet secs 6 & 7 Va 13°45' E
42.48	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
82.48	Corner to secs 5, 6, 7 & 8.

Township 33 North. Range 28 W.

Chs	
	North on a random line bet. secs 5 & 6 Va 13°45' E
40.00	Set post for temporary qr sec cor
79.68	Intersect North boundary of township 80 links West of cor to secs 5, 6, 31 & 32 from which cor I run South 34' West on a true line between secs 5 and 6 Va 13°45' E
39.68	Set a post 2 X 3 in X 4 ft 1 ft in ground deposit charcoal Stake raised mound of Earth 2½ ft high, from pits 18 X 24 X 12 in deep for qr sec cor
79.68	Cor of Secs 5, 6, 7 & 8

Land Sand hills
Soil 3rd rate
July 27th 1875.

Township 33 North Range 28 West.

Meanders of the Left bank of the Niobrara River through the township

Begin at the corner to fractional sections 25 and 30 in the west boundary of the township and on the left bank of the river and run thence down stream with the meanders of the left bank of the said river in fractional section 30 as follows

Courses	Distance	Remarks
S 88° E	8.00	Ns
S 76° E	28.00	
S 61° E	8.00	
S 70½ E	10.00	
S 80½ E	22.00	
N 69° E	8.10	To the Cor to fractional Sections 29 and 30
		Thence Section 29
S 83 E	20.00	
S 70½ E	16.00	

Township 33 N Range 28 West

Causes	Distance	Remarks
S 55½ E	34.00 chs	
S 22 E	9.00	At termination of this station
S 87 E	4.00	~~Enter grove of cedar~~ 5 chs through
S 83 E	9.50	To the corner to fractional sections 28 & 29 Thence in Sec 28
S 74 E	5.00	
S 38 E	5.50	To corner to fractional sections 28 and 33 Thence in Sec 33
S 62 E	15.00	
N 60½ E	14.00	To corner to fractional Sections 28 and 33 on the N.W Side of river. Thence in section 28
N 27 E	24.00	
N 42 E	27.00	
N 74 E	10.00	
N 32½ E	14.00	To cor. to fractional Secs 27 and 28 Thence in Section 27
N 42 E	17.00	
N 53 E	10.00	
N 76 E	12.00	

Township 33 N Range 28 West

Causes	Distance	Remarks
S 36 E	14.00 chs	Along this station the bluff
East	7.00	Come directly up to water
N 36 E	10.00	edge
N 78 E	15.00	
N 70 E	8.75	To corner to fractional secs 22 and 27 Thence in section 22
N 36 E	8.00	To cor to fractional Secs 22 and 23, Thence in Section 23
N 65 E	16.00	
N 40½ E	8.00	
N 70 E	10.00	
N 68½ E	22.00	
N 55¼ E	12.00	
N 47 E	10.00	
N 53 E	18.10	To cor to fractional Secs 23, and 24, Thence in section 24
N 80 E	8.00	
N 61 E	30.00	
N 77 E	15.00	
N 85 E	22.00	
N 88 E	9.40	To the corner to fractional Secs 19 and 24 on the East boundary of the township

Meanders of the Right bank of the Niobrara River through the township Begin at the corner to fractional sec. 19 and 24 in the East boundary of the township and on the right and South bank of the River and run thence up the stream with the meanders of the right bank of said river in fractional section 24

Courses	Distances	
N 89° W	24.00 chs	At 8.60 chs cross mouth
S 79½ W	22.00	of Schligals creek in
S 39½ W	26.00	marsh This station runs
S 48¾ W	10.00	all the way through marsh
S 75 W	5.00	The corner to fracl
	"	secs 23 and 24 Thence
		in sec 23
S 73° W	8.00	
S 54¾ W	27.00	
S 69 W	27.00	Mouth of channel 2.30 chs
S 62 W	16.00	over runs N.E at terminus
		of this station

S 75 W	7.00	To cor-to fractional secs 23 and 26. Thence in sec 26
S 70¾ W	5.40 chs	To cor to fractional secs 26 and 27. Thence in section 27
S 60 W	14.00	At 4.40 chs Channel 2 ft
S 77 W	11.00	deep 2.90 chs over-runs
S 43¾ W	15.00	Eastward
N 86¾ W	10.00	
N 50¼ W	12.00	
S 72 W	7.00	
S 45¾ W	22.00	
S 47¼ W	8.00	To cor-to fractional secs 27 and 28 Thence in sec 28
S 45½ W	7.00	
S 70½ W	12.00	
S 35½ W	20.00	
S 30½ W	21.30	To the Corner to sections 28 and 33 Thence in Section 33
S 43 W	15.00	
S 60¾ W	10.00	
N 77½ W	13.00	
N 57½ W	11.70	To corner to fractional secs 28 and 33

59

61

Tow

Chs

40.0

79.

3

Township 33 North Range 28 West

Causes,	Distances	Meanauders in Sec 32
N 82° W	8.00	
N 65½ W	14.00	To cor to fractional secs 29 and 32 Thence in section 29
N 41 W	21.00	At 3.65 lks mouth of Spring
N 62½ W	24.00	branch 10 lks wide along this stream to the south there is a body of nearly 40 acres of good burr oak timber
N 83½ W	25.00	To cor to fractional secs 29 and 30. Thence in sec 30
S 88 W	11.00	
N 70¾ W	20.00	At 13.10 mouth of Gordons Creek
N 68¼ W	27.00	50 lk wide
N 76¼ W	21.00	
N 80½ W	5.60	To cor to fractional sections 25 and 30 on the west boundary of the township

General Description

The Niobrara river runs in an easterly direction through the southern part of the township and lies in a deep Canon with long steep bluffs Especially on the south side, There is some timber in the Canon of the river, most on the south side The timber consisting of cottonwood is on the low bottoms, Burr oak on a second bottom or bench and extending up the steep bluff a short distance & meeting the Pine timber which extends up to the top of bluffs

The Land South of the river is Sandy hills, and 3d rate The part North of river is rolling prairie and so sandy that a good portion might properly be termed Sand hills Soil 3d rate

Schlergal Creek runs through the S.E part, has some scattering pine on it

This township is only adapted Grazing

Aug 7th 1875

A list of names of the individuals who assisted in running measuring Meandering and Marking the subdivision lines and corners of the foregoing field notes of township No 33 North in Range No 28 West of the 6th Principal Meridian in the State of Nebraska

A M Forbes. } Chainmen
E J Holdbrook }
S P Koon } Moundmen
L Stambaugh }
W F Oneill Flagman

We hereby certify that we assisted James Z. Slocum Deputy Surveyor in Subdividing & Meandering Township No 33 North of the Base line Range No 28 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the Instructions of the Surveyor General and of dimensions Character — —

Construction and Marking

And in the Manner as Specifi-
-ically described in the foregoing
field Notes

A. M. Farber } Chainman
J. J. Woldhoff }

S. P. Koon } Mountsmen
L. Stambaugh }

W. F. Ohse Flagman

Subscribed and Sworn to by
the above named parties
before me a Notary Public in and
for the County of Cuming
and State of Nebraska this
22th day of August 1875

J. McMillan

I James L Slocum Deputy

Surveyor do Solemnly swear
that in pursuance of joint
contract wherein David V
Stephenson James L Slocum
and William Hardin are
joint contractors with E. E.
Cunningham Surveyor General
for the District of Iowa
and Nebraska bearing date
the 21st day of May 1875
I have well, faithfully, and
truly in my own proper
person and in strict conformity
to the instructions furnished
by the surveyor General,
the surveying manual, and
the laws of the United States
Surveyed all those parts or
portions of Township 33 North
of the Base line in Range
28 West of the 6th principal
Meridian as are represented
in the foregoing field
Notes as having been sur-
-veyed under my direction

and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instruction and special instructions of the surveyor General of dimensions, character and construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

James L Sloan

Subscribed by the said James L Sloan, Deputy Surveyor and sworn to before me a Notary Public in and for Saunders County State of Nebraska this 31st day of August AD 1875 A B Fuller

Notary Public

Surveyor Generals Office

Plattsmouth Neb Nov 2 1875

The foregoing field Notes of the Survey of the Subdivision and Meander lines of Township No 33 North of the Base line of Range No 28 West 6th Principal Meridian in the State of Nebraska executed by James L. Sloan deputy Surveyor under joint contract No 92 dated May 26th 1875 in the Months of July and August 1875 having been critically examined the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

S. W. Clark

Surveyor General

List of Names of persons employed to assist in Surveying Township 34 North of the Base line in Range 28 West of the 6th Principal meridian in the state of Nebraska showing the respective capacities in which they acted

A M Forbes Chainman
E J Holdbrook Chainman

S P Koon } Moundman
L Stanbaugh }
W F Oneill Flagman

Index

Referring the lines to the pages of the field notes

T 34 N R 28 W

6	62	5	46	4	35	3	24	2	13	1
61		60		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12
58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36

Field notes of the Survey

of the subdivision lines in Township 34 North, of the Base line, of Range No 28 West, of the 6th Principal Meridian, in the State of Nebraska by James L Slocum deputy Surveyor, under joint contract, No 92 dated May 26th 1875

Sub-divisions commenced July 27th 1875

Sub-divisions completed Aug. 1st 1875

To determine the proper adjustment of my compass for subdividing this township I commence at the corner to townships 33 and 34 North Ranges 27 & 28 West and run North on a blank line along the East boundary of section 36

Var 13°50' E.

39.96 To a point at the qr sec corner

79.91 To a point at the corner to secs 25 & 36

My compass is therefore in proper adjustment

Township 34 North Range 28 W

Chs

From the corner to secs 35 and 36 on the south boundary of the Township I run North bet secs 35 and 36

Var 13°50' E

35.00 Minachadiga River 35 links wide Low Banks water swift 2 ft deep sandy Bottom Brush along Banks

40.00 Set post 2 x 3 in x 4 ft 1 ft in ground deposit charcoal State raised mound of Earth 2½ ft high from pit 18 x 24 x 12 in deep for qr sec cor

44.00 Foot of high Bluffs Bears E & W

79.00 Gulch 50 lks wide Bears S.E.

80.00 Set Sand Stone 18 x 24 x 4 in 9 in deep Mkd 5 N. 1 S. 1 E. 5 W. with pits 18 x 24 x 12 in deep for cor to secs 25 26, 35 and 36 From which a Pine tree 6 inches dia Bears East 3 ch distant

Land Sandy

Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line bet sec 25 & 36 Va 13°, 55' E
3.00	Gulch 3 chs wide full of pine timber Bears S.E
40.00	set post for temporary qr sec cor
51.00	Minachaduga River 35 links wide Bears N.E
80.50	Intersect North and South line 40 links North of cor to secs 25, 30, 31 and 36 from which cor I run N 89°43' West on a line bet secs 25 & 36 Va 13°50' E
40.15	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.30	corner to secs 25, 26, 35 & 36 There is scattering timber all along the Bluffs on both sides of the line Land Sandy Soil 2nd Rate

Township 34 North, Range 28 West.

Chs	
	North bet secs 25 & 26 Va 13°55' E
8.00	Gulch 1.00 chn wide Bears S.E
23.00	Top of Bluff Bears E.
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit mkd stone Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec. cor
47.25	Enter canon with scattering pine trees Bears S.E
57.00	Leave canon Enter Level plain Bears S.E.
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for cor to secs 23 24 25 and 26 Land Sandy Soil 2nd Rate

Township 34 North, Range 28 West

Chs	
	East on a random line bet secs 24 & 25 Va 13°5'-5" E
18.00	Canon Bears S.E. 5 chs wide full of pine timber
26.00	Canon 4 chs wide full of pine timber Bears S.E.
40.00	Set Post for Temporary 1/4 sec cor
60.00	Canon 10 chs wide Bears S.E.
80.52	Intersect East boundary Township 60 links North of cor to secs 19, 24, 25, and 30 from which cor I run N 88°34' West on a true line bet secs 24 & 25 Va 13°5'-5" E
40.26	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.52	Cor to secs 23, 24, 25 & 26, Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North bet secs 23 & 24 Va 13°5'-5" E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 14, 13, 23 & 24
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line bet secs 13 & 24 Va 13°35' E
40.00	Set post for temporary qr sec cor
48.00	Canon 8 chs wide Bears S.E. full of pine timber
68.00	Canon 5 chs wide Bears S.E full of pine timber
80.28	Intersect East boundary of Township 72 links North of cor to secs 13, 18, 19 and 24 from which cor I run ~~bc~~ N 89°29' West on a true line bet secs 13 & 24 Va 13°35' E
40.14	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.28	Corner to secs 13, 14, 23, and 24 Land Sandy Soil 2nd Rate July 27th 1875

Township 34 North, Range 28 West.

Chs	
	North bet secs 13 & 14 Va 13°35' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
76.00	Ravine Bears S.E.
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12in deep for cor to secs 11, 12, 13 and 14
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line bet secs 12 & 13 Va 13°55' E
40.00	Set post for temporary qr sec cor
58.00	Ravine Bears S.E.
69.00	Ravine Bears S.E.
79.98	Intersect East boundary township 81 links North of cor to secs 7, 12, 13, 18 from which cor S min N 89°25' West on a line line bet secs 12 & 13 Va 13°55' E
39.99	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.98	Corner to secs 11, 12, 13, and 14 Land Sandy Soil 2nd Rate

Township 34 N, Range 28 W.

Chs	
	North bet secs 11 & 12 Va 13°55' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 1, 2, 11 and 12 Land Sandy Soil 2nd Rate

Township 34 N. Range 28 W.

chs	
	East on a random line bet secs 1 & 12 Va 13°58' E
40.00	Set Stake for temporary qr sec cor
73.00	Ravine Bears S.E.
79.81	Intersect East boundary of township 88 links North of cor to secs 1, 6, 7, and 12, from which cor I run N 89°22' West on a true line bet secs 1 & 12 Va 13°58' E
39.90½	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high, from pits 18x24x12 inches deep for qr sec cor
79.81	Cor to secs 1, 2, 11, & 12

Land Gently Rolling Soil Sandy 2nd Rate

Township 34 N. Range 28 W.

chs	
	North on a random line bet secs 1 & 2 Va 13°58' E
40.00	Set post for temporary qr sec cor
79.20	Intersect North boundary of township 21 links East of cor to secs 1, 2, 35 & 36 from which cor I run S 9 East on a true line bet secs 1 & 2 Va 13°58' E
39.20	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for qr sec cor
79.20	Cor to secs 1, 2, 11 & 12.

Land Sandy Soil 2nd Rate

Township 34 N. Range 28 W.

Chs	
	North between SECs 34 & 35 Va 13°55' E
27.00	Minachaduga ~~River~~ Creek 35 links wide bears. E
40.00	Set post 2x3m x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ ft high from pits 18x24x12in deep for qr sec cor
48.00	Enter Bluffs ~~settering~~ Scattering pine timber along the bluffs ~~pine~~
80.00	Set post 3x3m x 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for Cor to secs 26, 27, 34, and 35
	Land Broken + Sandy, Soil 2nd Rate ~~Broken~~

Township 34 N. Range 28 West.

Chs	
	East on a random line between secs 26 & 35 Va 13°55' E
40.00	Set post for temporary qr sec cor
77.00	Gulch 1.00 chain wide Bears S. E.
80.24	Intersect North and South line 36 links North of cor to secs 25 26 35 & 36 from which cor I run North 89°45' W on a true line bet secs 26 & 35 Va 13°55' E
40.12	Set post 2x3m x 4 ft 1 ft in ground deposit charred Stake raised mound of Earth from pits 18x24x12in deep for qr sec cor
80.24	Corner to secs 26 27 34 & 35 Land Eneven Bluffy Soil 2nd Rate Scattering pine trees along the Bluffs

Township 34 North, Range 28 West

Chs	
	North between Secs 26 & 27 Va 13°5-5- E
18.00	Leave Bluffs Enter Gently Rolling table land, Bears N.E.
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred Stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 feet 1 ft in ground deposit charred Stake raised mound of 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 22, 23, 26 & 27
	Land Gently Rolling Soil Good 2nd Rate

Township 34 North, Range 28 West

Chs	
	East on a random line between Secs 23 & 26 Va 13°5-5- E
40.00	Set post for temporary qr sec cor
80.20	Intersect North and South line 30 links North of cor to secs 23 24 25 & 26 from which cor I run North 89°45- West on a true line between secs 23 & 26 Va 13°5-5- E
40.10	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred Stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.20	Corner to secs 22, 23, 26, and 27 Land sandy Soil Good 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 22 & 23 Va 13°55' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for Cor to sec 14, 15, 22, and 23.

Land sandy Soil
Good second Rate

Township 34 North Range 28 Range

Chs	
	East on a random line between secs 14 & 23 Va 13°55' E
40.00	Set post for temporary qr sec cor
79.96	Intersect the North and South line 46 links North of cor to secs 13, 14, 23, and 24 from which cor I run N 87°40' West on a true line between secs 14 & 23 Va 13°55' E
39.98	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.96	Cor to sec 14, 15, 22, & 23.

Land Gently Rolling
Soil Good 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 14 & 15 Va 13°58' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for cor to secs 10, 11, 14, and 15
	Land Sandy Soil Good 2nd Rate

Township 34 North, Range 28 West.

Chs	
	East on a random line between secs 11 and 14 Va 13°58' E
40.00	Set post for temporary qr sec cor
73.00	Ravine Bears S. E.
79.88	Intersect North and South line 63 North of cor to secs 11, 12, 13 and 14 from which cor I run North 89°35' West on a true line between secs 11 and 14 Va 13°58' E
39.94	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.88	Cor to secs 10, 11, 14 & 15.
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 West.

Chs	
	North between secs 10 & 11 Va 13°58' E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs 2, 3, 10 and 11.
	Land Sandy Soil 2nd Rate
	July 28th 1875

Township 34 North, Range 28 West.

Chs	
	East on a random line between secs 2 & 11 Va 13°58' E.
13.00	Ravine Bears S.E.
40.00	Set post for temporary qr sec cor
71.76	Intersect North and South line 69 links North of cor to secs 1, 2, 11 and 12. from which cor I run North 89°30' West on a true line between secs 2 & 11 Va 13°58' E
39.88	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.76	Cor to secs 2, 3, 10, and 11
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North on a random line between Secs 2 & 3 Va 13°5-8- E
11.50	Ravine Bears S. E.
40.00	Set post for temporary qr sec cor
79.36	Intersect North boundary of township 35 links East of cor to secs 2, 3, 34, and 35 from which cor I run South 15- East on a true line between Secs 2 & 3 Va 13°5-8- E
39.36	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.36	Cor to secs 2, 3, 10, & 11.

Land Sandy Soil
2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 33 & 34 Va 13°58- E
40.00	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
51.00	Minachaduga River 35 links wide Bears South of East water swift 2 ft deep willow brush along its Banks
60.00	foot of Bluffs Bears S. of E.
80.00	Set Sandstone 18 x 24 x 5in 9in deep mkd 5 N. 1 S. 3 E. 3 W. with pits 18 x 24 x 12in deep for cor to secs 27, 28, 33 and 34

Land Broken Soil
3rd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 27 & 34 Va 13°58' E
40.00	Set post for temporary qr sec cor
80.26	Intersect North and South line .38 links North of cor to secs ~~27~~ 26 ~~28~~ 27 ~~33~~ 34 and ~~34~~ 35 from which cor I run N 89°34' West on a true line between secs 27 & 34 Va 13°58' E
40.13	Set Sand Stone 18 X 12 X 4 in 9 in deep Mkd 1/4 ~~for~~ with pits 18 X 24 X 12 in deep for qr sec cor
80.26	Corner to secs ~~28~~ 27 ~~29~~ 28 ~~32~~ 35 and ~~33~~ 34

Land Broken Sandy Soil 3rd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 27 & 28 Va 13°58' E
12.00	Ravine Bears S. W.
40.00	Set Sandstone 18 X 12 X 4 in 9 in deep Mkd 1/4 with pits 18 X 24 X 12 in deep for qr sec cor
80.00	Set post 3 X 3 in X 4 ft 1 ft in ground deposit Mkd Stone raised Mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for cor to secs 21, 22, 27 & 28

Land Sandy Soil Poor second Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 22 & 27 Va 13°58' E
17.00	Ravine Bears South
40.00	Set post for temporary qr sec cor
80.10	Intersect North and South line 42 links North of cor to secs 22, 23, 26 & 27 from which cor I run North 89°42' West on a true line between secs 22 and 27 Va 13°58' E
40.05	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.10	Corner to secs 21, 22, 27, and 28

Land Sandy Soil
Poor 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 21 & 22 Va 13°58' E
34.00	Ravine Bears S.E.
40.00	Set Sandstone 18 x 12 x 4in 9in deep mkd "4 north pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit marked Stone raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 15, 16, 21 and 22

Land Sandy Soil
Poor 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between Sec= 15 & 22 Va 13°58' E
40.00	Set post for temporary qr sec cor
79.86	Intersect North and South line 56 links North of cor to sec= 14, 15, 22, and 23, from which cor I run North 89°36 West on a true line between sec= 15 & 22 Va 13°58' E
39.93	Set post 2x3in x 4 ft 1 ft in ground deposit chared stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for qr sec cor
79.86	Cor to sec= 15, 16, 21, and 22 Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between sec= 15 & 16 Va 14° E
40.00	Set post 2x3in x 4 ft 1 ft in ground deposit char-ed stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for qr sec cor
80.00	Set post 3x3in x 4 ft 1 ft in ground deposit char-ed stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for cor to sec= 9, 10, 15 and 16 Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	East on a random line between secs 10 and 15 Va 14° E
40.00	Set post for temporary qr sec cor
80.15	Intersect North and South line 56 links North of cor to secs 10, 11, 14 & 15. from which cor I run N 89°36' West on a true line between secs 10 & 15 Va 14° E
40.07½	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.15	corner to secs 9, 10, 15, and 16. Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	North between secs ~~8 & 9~~ 9 & 10 Va 14° E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for cor to secs 3, 4, 9 & 10, from which cor [illegible]

Land Sandy Soil
2nd Rate

Township 34 N. Range 28 W.

chs	
	East on a random line between secs 3 and 10 Va 14° E
40.00	Set post for temporary qr sec cor
80.15	Intersect North and South line 63 links North of cor to secs 2, 3, 10 and 11, from which cor I run N 89°33' West on a true line Va 14° E.
40.07½	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.15	Corner to secs 3, 4, 9, and 10

Land Sandy Soil
2nd Rate

Township 34 North Range 28 W.

chs	
	North on a random line between secs 3 & 4 Va 14° E
40.00	Set post for temporary qr sec cor
79.61	Intersect North boundary of township 30 links East of cor to secs 3, 4, 33 and 34 from which cor I run South 13' East on a true line between secs 3 and 4 Va 14° E
39.61	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.61	Corner to secs 3, 4, 9, & 10.

Land Sandy Soil
2nd Rate
July 29th 1875

Township 34 North, Range 28 W.

chs	
	North between secs 32 and 33. Va 14° E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
71.00	Minachadiga creek 33 links wide Bears S E Willow Brush along Banks
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 28, 29, 32 & 33
	Land on South side of creek 3rd Rate North side Poor 2nd Rate

Township 34 North, Range 28 W.

chs	
	East on a random line between secs 28 & 33 Va 14° E
14.75	North bank of creek or River
40.00	Set post for temporary qr sec cor
72.22	Reference Bears South
80.22	Intersect North and South line 45 links North of cor to secs 27, 28, 33, and 34 from which cor I run N 89°41' West on a true line between secs 28 and 33 Va 14° E
40.11	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.22	Corner to secs 28 29 32 and 33
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between SECs 28 & 29 Va 14° E
5.00	Enter Bluffs Bings E & W.
40.00	Set Sandstone 18 x 12 x 4 in 9 in deep mkd 1/4 with pits 18 x 24 x 12 in deep for qr sec cor
44.00	Leave bluffs Enter hilly rolling country
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit mkd stone raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for cor to SECs 20, 21, 28 and 29
	Land Sandy Soil Poor 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 21 & 28 Va 14° E
40.00	Set post for temporary qr sec cor
80.12	Intersect North and South line 56 links North of cor to secs 21, 22, 27 and 28, from which cor I run North 89° 36' W on a true line between secs 21 & 28 Va 14° E
40.06	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.12	Corner to secs 20, 21, 28 & 29. Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between Secs 20 and 21 Va 14° E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor.
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for cor to secs 16, 17, 20, 21,
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between Secs 16 & 21 Va 14° E
40.00	Set post for temporary qr sec cor
80.00	Intersect North and South line 43 links North of cor to secs 15, 16, 21, and 22, from which cor I run North 89° 42' West on a true line between secs 16 and 21 Va 14° E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Corner to secs 16, 17, 20 & 21, Land sandy soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 16 & 17 Va 14° E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit chared Stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit char Stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 8, 9, 16, and 17
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 9 & 16 Va 14° E
40.00	Set post for temporary qr sec cor
79.82	Intersect North and South line 69 links North of cor to secs 9, 10, 15, and 16, from which cor I run N 89° 30' West on a true line between secs 9 and 16 Va 14° E
39.91	Set post 2 x 3 in x 4 ft 1 ft in ground deposit Charred Stake ~~raised~~ raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.82	corner to secs 8, 9, 16 & 17
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 8, and 9. Va 14°3' E.
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for cor to secs 4, 5, 8, and 9.
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 West.

Chs	
	East on a random line between secs 4 & 9 Va 14°3' E
40.00	Set post for temporary qr sec cor
79.64	Intersect North and South line 48 links North of cor to secs 3, 4, 9, & 10, from which cor I run North 89°39' West on a true line between secs 4 and 9. Va 14°3' E.
39.82	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.64	Corner to secs 4, 5, 8, & 9.
	Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North on a random line between secs 4, and 5. Va 14° 5= E
40.00	Set post for temporary qr sec cor
79.66	Intersect North boundary of township 35 links East of cor to secs 4, 5, 32, and 33, from which corner I run South 15= East on a true line between secs 4 & 5 Va 14° 5= E
39.66	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
79.66	Course to secs 4, 5, 8, & 9.

Land Sandy Soil
2nd Rate

Township 34, North, Range 28 W.

Chs	
	North between secs 31 and 32 Va 14° 5= E
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft deep deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to secs 29, 30, 31, and 32.

Land Sand hills
Soil 3rd Rate
July 30th 1875

Township 34 North Range 28 W

Chs	
	East on a random line between Secs 29 & 32 Va 14° 5' E,
40.00	Set post for temporary qr sec cor
5 8.00	Enter Bottom Bears S.E.
6 4.00	Minachadugu River 25 links wide 18 in deep Willow Brush along Banks
79.81	Intersect North and South line 49 links North of cor to secs 28, 29, 32, and 33, from which cor I run North 89°39' W on a true line between Secs 29 and 32 Va 14° 5' E
39.90½	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.81	Corner to secs 29, 30, 31, and 32
	Land Sandy 3rd Rate

Township 34 North, Range 28 W.

Chs	
	West on a random line between Secs 30 & 31 Va 14° 5' E,
40.00	Set post for temporary qr sec cor
82.88	Intersect West boundary of township 33 links South of corner to secs 25, 30, 31, and 36 from which cor I run S 89°47' ~~West~~ East on a true line between Secs 30 & 31 Va 14°. 5'. E,
42.88	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
82.88	Cor to secs 29, 30, 31, & 32,
	Land Sandy Soil Soil 3rd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 29 & 30 Va 14°.5' E.
18.00	Enter Bottom Bears E.
28.00	Minachaduga River Bears S. E. low Banks 23 links
40.00	Set post 2 x 3 m x 4 ft 1 ft deep chamfered S.H. & C
50.00	Leave Bottom Enter Bluffs Bears S. E.
79.00	Gulch Bears S. W.
80.00	Set Sand Stone 18 x 24 x 4 m x 9 m in ground Mkd 4 N. 2 S. 5 E. 1 W. with pits 18 x 24 x 12 m deep for cor to secs 19, 20, 29, and 30 ⊠
	Land on South side of River is Sandy Soil 3rd Rate, on North side is 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 20 & 29 Va 14°.5' E.
2.00	Gulch Bears S. W.
8.00	Enter Gently Rolling prairie n. w.
40.00	Set post for temporary gr sec cor
79.65	Intersect North and South line 40 links North of cor to secs 20 21 28 and 29 from which cor I run N 89°43' West on a true line between secs 20 & 29 Va 14°.5' E.
39.82½	Set Sand Stone 18 x 12 x 4 m 9 m deep with pits 18 x 24 x 12 m deep for gr sec cor
79.65	Corner to secs 19, 20, 29, and 30. Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W

Chs	
	West on a random line between secs 19 and 30, Va 14° 5' E
40.00	Set post for temporary qr sec cor
77.00	Enter Bottom Bears S.E.
82.28	Intersect West boundary of township 28 links South of cor to secs 19, 24, 25, and 30, from which corner I run S 89° 48' East on a true line between secs 19 and 30 Va 14° 5' E.
42.28	Set sandstone 18 x 12 x 4 in 9 in deep mkd 1/4 with pits 18 x 24 x 12 in deep for qr sec cor
82.28	Corner to secs 19, 20, 29 and 30, Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 19 & 20 Va 14° 8' E.
40.00	Set Sandstone 22 x 12 x 4 in 9 in deep mkd 1/4 with pits 18 x 24 x 12 in deep for qr sec corner
42.00	Ravine Bears S. E.
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for cor to secs 17, 18, 19, and 20, Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	East on a random line between secs 17 & 20 Va 14° 8' E
40.00	Set post for temporary qr sec corner
80.10	Intersect the North and South line 18 links North of cor to secs 16 17 20 and 21 from which corner I run N 89.52 West on a true line between secs 16 and 21 Va 14° 8' E
40.05	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec corner
80.10	Corner to secs 17, 18, 19, and 20 Land Sandy soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	West on a random line between secs 18 & 19 Va 14° 8' E
40.00	Set post for temporary qr sec cor
49.00	Ravine Bears S.E.
82.00	Intersect West boundary of township 36 links South of cor to secs 13, 18, 19, and 24, from which corner I run South 89° 45' East on a true line between secs 18 & 19 Va 14° 8' E
42.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high, from pits 18 x 24 x 12in deep for qr sec cor
82.00	Corner to secs 17, 18, 19, and 20. Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	
	North between secs 17 & 18 Va 14° 10' E
40.00	Set post 2 x 3 in x 4 ft; 1 ft; in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 7, 8, 17, and 18.

Land Sandy Soil
2nd Rate

Township 34 North, Range 28 West.

Chs	
	East on a random line between secs 8 and 17 Va 14° 10' E
40.00	Set post for temporary qr sec cor.
79.86	Intersect North and South line 15 links North of corner to secs 8, 9, 16, & 17 from which corner I run North 89° 54' West on a true line between secs 8, and 17. Va 14° 10' E.
39.93	Set post 2 x 3 in x 4 ft; 1 ft. in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.86	Corner to secs 7, 8, 17 & 18

Land Gently Rolling
Soil Sandy 2nd Rate

Township 34 North, Range 28 West.

Chs	
	West on a random line between secs 7, & 18, Va 14°10' E.
40.00	Set post for temporary qr sec cor
47.00	Ravine or Dry creek. Bears South
81.86	Intersect West boundary of township 335 links South of corner to secs 7, 12, 13, and 18, from which corner I run South 89°45' East on a true line between secs 7 and 18 Va 14°10' E
41.86	Set post 2x3in x 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2½ feet high from pits 18x24x12 inches deep for qr sec corner
81.86	Corner to secs 7, 8, 17 & 18 Land Sandy Soil 2nd Rate

Township 34 North, Range 28 West.

Chs	
	North between secs 7 & 8 Va 14°10' E.
40.00	Set post 2x3in x 4 ft 1 ft in ground deposit Charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for qr sec corner
80.00	Set post 3x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ ft high from pits 18x24x12 inches deep for corner to secs 5, 6, 7, and 8.

Land Gently Rolling Soil a sandy loam 2nd Rate would produce good wheat

Township 34. North, Range 28 W.

Chs	
	East on a random line between secs 5. and 8. Va 14°10' E
40.00	Set post for temporary qr sec corner
79.92	Intersect North and South line 10 links South of cor to secs 4, 5, 8, and 9. from which corner I run South 89¾ West on a true line between secs 5, and 8, Va 14°10' E
39.96	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 in deep for qr sec corner
79.92	Corner to secs 5, 6, 7, & 8,

Land Sandy Soil 2nd Rate
July 31st 1875

Township 34 North, Range 28 W.

Chs	
	West on a random line between secs 6, and 7, Va 14°10' E
40.00	Set post for temporary qr sec corner
62.00	Ravine Bears South
81.12	Intersect West boundary of township 39 links South of corner to secs 1, 6, 7, & 12, from which corner I run South 89°43' East on a true line between secs 6, and 7, Va 14°10' E
41.12	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake, raised Mound of Earth 2½ ft high from pits 18x24x12 inches deep for qr sec corner
81.12	Corner to secs 5, 6, 7 & 8,

Land Sandy Soil 2nd Rate

Township 34 North, Range 28 W.

Chs	North on a random line between Secs 5. and 6. Va 14°, 13' E.
40.00	Set post for temporary qr Sec corner
80.00	Intersect North Boundary of township 11 links West of corner to secs 5, 6, 31 and 32 from which corner I run South 5 West on a true line between secs 5 and 6 Va 14°, 13' E.
40.00	Set post 2 x 3 in x 4 ft. 1 ft. in ground. deposit charred Stake raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec corner
80.00	Corner to secs 5, 6, 7 & 8.

Land Sandy Soil 2nd Rate

August 1st 1875

General Description

This township is well adapted to grazing in the south part.
All the land North of the Minachaduga River is good farming land.
The soil North of the River is a sandy loam 2nd Rate
South of the River it is to sandy for farming purposes.

There some scattering timber in the Eastern portion of this township principally pine. It is found in the Gulches Ravines and Bluffs.

The Grass is principally Buffalo grass North of the River South of the River it is a coarse tall Grass that is generally found in the Sand hills

62

A list of the names of the individuals who assisted in running measuring and marking the subdivisions lines and corners of the foregoing field notes of Township No thirty four (34) North of Range No twenty Eight (28) West of the 6th Principal Meridian.

A M Forbes } Chainmen
E B Goldbrook
S B Koon } Moundman
L Stumbaugh

W F Oneill Flagman

We hereby certify that we assisted James L. Slocum Ed Deputy Surveyor in subdividing Township No 34 North of the Base line Range No 28 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the

Tow

Chs

40.00

80.00

40.00

80.00

Surveyor General and of dimensions Character Construction and Marking and in the Manner as Specifically described in the foregoing field Notes

A M. Forbes } Chainman
E. J. Holdbrook

A. P. Koon } Moundman
L. Stambaugh

Flagman

Subscribed and Sworn to by the abovenamed Parties before me a Notary Public in and for the County of Cuming and State of Nebraska this 22 day of Aug 1875

J. McMillan

I James L Slocum Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein David V Stephenson James L Slocum and William Hardin are joint contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 26th Day of May 1875 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the surveying manual and the laws of the United States surveyed all those parts or portions of township No Thirty four (34) North of the Base line in Range Twenty Eight (28) West of the 6th Principal Meridian as are represented over

in the foregoing field
Notes, as having been
surveyed under my
direction, and I do
further solemnly swear
that all the corners of
said surveys have been
established and perpetuated
in strict accordance
with the surveying
Manual printed Instruc-
tions and Special Instruc-
tions of the surveyor
General, of dimensions
character, construction
and marking, and in
the manner specifically
described in the foregoing
field notes, and that
the foregoing are the true
and Original field
Notes of such Survey

James L Slocum

Subscribed by the said
James L Slocum, Deputy
Surveyor and Sworn to
before me a Notary Public
in and for Saunders
County, and State of
Nebraska this 31st day
of August A D 1875

A B Fulles
Notary Public

62

To

Chs

40.0

80.00

40.0

Surveyor Generals Office
Plattsmouth Neb. Nov 12th 1875.

The foregoing field notes of the Survey and Subdivision lines of Township No 34 North of the Base Line of Range No 28 West of the 6th P.M. in the State of Nebraska executed by James S. Slocum under joint Contract No 92 of May 26th 1875 in the Months of July and August 1875 having been critically examined the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

Jno. F. Clark Surveyor General

Index referring the lines to the page of field notes.

Township 35 North Range 28 W 6th PM

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16 23	15 14	14 9	13
			22	15	8
19 35	20 28	21 21	22 14	23 7	24
34	33	27	20	13	6
30 32	29 26	28 19	27 12	26 5	25
31	30	25	18	11	4
31 29	32 24	33 17	34 10	35 3	36

Field notes of the Survey of the subdivision lines in Township No 35 North of the Base line of Range No 28 West of the Sixth Principal Meridian in the State of Nebraska by James L Slocum deputy Surveyor under joint contract No 92 dated the 26th day of May 1875

Subdivisions commenced August 1st 1875

Subdivisions completed Aug 4th/75

List of Names of persons Employed to assist in surveying this Township showing the respective capacities in which they acted

A M Forbes } Chainmen
E J Holdbrook }
S P Koon } Moundmen
L Stumbaugh }
W F Oneill Flagman

Township 35 North Range 28 W.

		To determine the proper adjustment of my compass for subdividing this township I commence at the corner to townships 34 and 35 North Ranges 27 and 28 West and run North on a blaze line along the East boundary of Section 36
		Va 14°10' E
	39.93	To a point 6 links East of the qr section corner
3	79.86	To a point 11 links East of the corner to sections 25 and 36.
		To retrace this line or run a line parallel there to my compass must be adjusted to a variation of 14°15' E

chs		From the corner to sections 35 and 36 on the South boundary of the township I run North between sections 35 and 36
		Va 14°15' E
	40.00	Set post 2x3 in x 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ ft high from pits 18x24 x 12 in deep for qr sec cor
	80.00	Set post 3x3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to sec's 25 26 35 x 36

Land Sandy Soil
2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between Secs 25 and 36 Va 14°15' E
40.00	Set post for temporary qr sec cor
79.88	Intersect East boundary of township 60 links North of cor to Secs 25 & 36 from which cor I run North 89°34' West on a true line between Secs 25 & 36 Va 14°15' E
39.94	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ ft high from pits 18x24x12 inches deep for qr sec cor
79.88	Corner to Secs 25, 26, 35 and 36.

Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between Secs 25 & 26 Va 14°15' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground deposit Charred stake raised mound of Earth 2½ feet high from pits 18x24x12 in deep for qr sec cor
80.00	Set post 3x3 in x 4 ft 1 ft in ground deposit Charred Stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for corner to Secs 23, 24, 25 & 26

Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between Secs 24 and 25 Va 14° 15' E
40.00	Set post for temporary qr sec cor
79.80	Intersect East boundary of township 72 links North of cor to secs 24 & 25 from which cor I run S 89° 29' West on a true line between Secs 24 and 25 Va 14° 15' E.
39.90	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for qr sec cor
79.80	Corner to secs 23 24 25 and 26

Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between secs 23 & 24 Va 14° 15' E
40.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ ft high from pits 18 X 24 X 12in deep for qr sec corner
80.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for corner to secs 13, 14, 23 and 24

Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between sec= 13 & 24 Va 14°15' E
40.00	Set post for temporary qr sec cor
79.36	Intersect east boundary of township .89 links North of cor to sec= 13 & 24 from which cor I run North 89°22' W on a true line between sec= 13 & 24 Va 14°15' E
39.63	Set post 2 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.36	Corner to sec= 13, 14, 23 and 24 Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between 13 & 14 Va 14°15' E
2.30	Intersect North boundary of the State 6.00 chs East of the forty Seventh Mile Corner. Where I set post 3 x 3 in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for closing cor to fractional sec= 13 & 14

Land Sandy Soil
2nd Rate

August 1st 1875

Township 35, North, Range 28 W.

chs	
	North between secs 34 and 35 Va 14°15' E.
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth from pits 18 x 24 x 12in deep for corner to secs 26 27 34 and 35
	Land sandy soil 2nd Rate

Township 35 North, Range 28 W.

chs	
	East on a random line between secs 26 and 35 Va 14°15' E.
40.00	Set post for temporary qr sec cor
80.16	Intersect North and South line 55 links North of cor to secs 25, 26, 35, and 36, from which cor I run N 89°36' West on a true line between secs 26 and 35 Va 14°15' E
40.08	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12in deep for qr sec cor
80.16	Corner to secs 26 27 35 & 36
	Land sandy soil 2nd Rate

Township 35 North, Range 28 W

Chs	
	North between secs 26 and 27 Va 14°15' E.
40.00	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for qr sec corner
80.00	Set post 3 X 3in X 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for cor to secs 22, 23, 26, & 27
	Land Sandy Soil 2nd Rate Table land

Township 35 North, Range 28 W.

Chs	
	East on a random line between secs 23 & 26 Va 14°15', E.
40.00	Set post for temporary qr sec cor
80.22	Intersect North and South line 43 links North of cor to secs 23, 24, 25 and 26 from which corner I run North 89°42' West on a true line between secs 23 & 26 Va 14°15' E
40.11	Set post 2 X 3in X 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for qr sec cor
80.22	I return to secs 22, 23, 26 and 27
	Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between sections 22 and 23 Va 14°15' E
40.00	Set post 2 X 3 in X 4 ft 1 ft in ground deposit charred Stake raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for qr sec cor
80.00	Set post 3 X 3 in X 4 ft 1 ft in ground deposit charred Stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for corner to secs 14, 15, 22 and 23
	Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between secs 14 & 23 Va 14°15' E.
40.00	Set post for temporary qr sec corner
80.00	Intersect North and South line 63 links North of corner to secs 13 14 23 and 24 from which corner I run North 89°33' West on a true line between secs 14 and 23 Va 14°15' E
40.00	Set post 2 X 3 in X 4 ft 1 ft in ground deposit charred Stake raised Mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for qr sec corner
80.00	Corner to secs 15, 14, 23, and 22

Township 35, North, Range 28 W.

Chs	
	North between Secs 14 and 15 Va 14°15' E
1,70	Intersect North boundary of State, (6,30) Six chains and thirty links East of 48th Mile corner Thence I set post 3x3in x 4 feet 1 ft in ground deposit charred stake, raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for corner to fractional sections 14, and 15,
	Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between Secs 33 & 34 Va 14°15' E
40,00	Set post 2x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for gr Sec corner
80,00	Set post 3x3in x 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for corner to secs 27, 28, 33 and 34,
	Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between secs 27 & 34, Va 14° 15' E
40.00	Set post for temporary qr sec corner
79.89	Intersect North and South line 46 links North of corner to secs 26, 27, 34 and 35 from which corner 8 min. N 89° 40' West on a true line between secs 27 and 34, Va 14° 15' E.
89.94½	Set post 2 x 3 in x 4 ft 1 ft in ground deposit Charred Stake Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
79.89	Corner to secs 27, 28, 33 and 34 Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	North between secs 27 & 28, Va 14° 15' E.
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for corner to secs 21, 22, 27, and 28. Land Sandy Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	
	East on a random line between secs 22 and 27 Va 14°15' E
40.00	Set post for temporary qr sec cor
79.76	Intersect North and South line 37 links North of cor to secs 22, 23, 26, and 27, from which corner I run North 89°44' West on a true line between secs 22 and 27 Va 14°15' E
39.88	Set post 2 X 3 in X 4 ft 1 ft in ground deposit charred stake raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for qr sec cor
79.76	Corner to secs 21, 22, 27 & 28 Land Sandy Soil 2nd Rate

Township 35 North Range 28 W

Chs	
	North between secs 21, and 22, Va 14°15' E.
40.00	Set post 2 X 3 in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for qr sec cor
80.00	Set post 3 X 3 in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for corner to secs 15, 16, 21 and 22.

Land Sandy Soil
2nd Rate
August 2nd 1875

Township 35 North Range 28

Chs	
	East on a random line between secs 15 and 22 Va 14°15' E
40.00	Set post for temporary qr sec cor
79.82	Intersect North and South line 46 links North of corner to secs 14, 15, 22 & 23, from which Corner I run North 89°40' West on a true line between secs 15, and 22. Va 14°15' E.
39.91	Set post 2 X 3in X 4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for qr sec cor
79.82	Corner to secs 15, 16, 21, and 22 Land Sandy Soil 2nd Rate

Township 35 North. Range 28 W.

Chs	
	North between secs 15 and 16. Va 14°15' E
30	Intersect North boundary of State Six chs and Sixty two links East of the 49th Mile post.
	Where I set post 3 X 3in X 4 feet 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18 X 24 X 12in deep for corner to fractional secs 15 & 16
	Land Sandy Soil 2nd Rate

Township 35. Range 28 West.

Chs	
	North between Secs 32 & 33. Va 14°15' E.
40.00	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ ft high from pits 18 x 24 x 12in deep for qr sec cor
80.00	Set post 3 x 3in x 4 ft 1 ft in ground deposit charred stake raised, mound of Earth 2½ ft high from pits 18 x 24 x 12 inches deep for corner to secs 28 28 32 & 33
	Land Sandy Soil 2nd Rate

Township 35 North. Range 28 W.

Chs	
	East on a random line between Secs 28 and 33 Va 14°15' E
40.00	Set post for temporary qr sec cor
80.12	Intersect North & South Line 57 links North of cor to secs 27, 28, 33, and 34 from which corner I run North 89.38 West on a true line between Secs 28 and 33. Va 14°15' E
40.06	Set post 2 x 3in x 4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18 x 24 x 12in deep for qr sec corner
80.12	Corner to secs 28, 29, 32 and 33.
	Land Sandy loam Soil 2nd Rate

Ch

4 40.0

80.00

3 40.0

Township 35. North. Range 28 W.

Chs	
	North between sections 28 and 29 Va 14°15' E.
40.00	Set post 2x3in x4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ ft high from pits 18x24x12in deep for qr sec corner
80.00	set post 3x3in x4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18x24x12in deep for Corner to SECs 20, 21, 28, and 29.
	Land Sandy loam Soil 2nd Rate

Township 35. North. Range 28 W.

Chs	
	East on a random line between SECs 21 and 28 Va 14°15' E.
40.00	Set post for temporary qr sec corner
79.82	Intersect North and South line 75 links North of corner to secs 21, 22, 27 & 28, from which corner I run North 89°28' West on a true line between sections 21 and 28 Va 14°15' E.
39.91	Set post 2x3in x4 ft 1 ft in ground deposit charred stake raised Mound of Earth 2½ high from pits 18x24x12in deep for qr sec corner
79.82	corner to SECs 20, 21, 28, & 29. Land Sandy loam Soil 2nd Rate

Township 35 North, Range 28 W.

Chs	North between Sections 20 and 21 Va 14°15 E.
40.00	Set post 2x3in x4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ feet high from pits 18x24x12 inches deep for qr sec cor
78.50	Intersect the North boundary of the State 7.00 chains East of the 50. mile post where I set Set post 3x3in x4 ft 1 ft in ground deposit charred Stake raised Mound of Earth 2½ feet high from pits 18 x24x12 inches deep for Corner to fractional Secs 20 and 21 Land a Sandy loam Soil 2nd Rate

Township 35 N. Range 28 West

Chs	North between secs 31 & 32 Va 14°15 E
40.00	Set post 2x3in x4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ ft high from pits 18x24 x12in deep for qr sec corner
80.00	Set post 2x3in x4 ft 1 ft in ground deposit Charred stake raised Mound of Earth 2½ feet high from pits 18x24x12in deep for Corner to secs 29, 30, 31 and 32.
	Land Sandy Loam Soil 2nd Rate

Township 35 N. Range 28 W.

Chs	
	East on a random line between secs 29 and 32. Va 14°15' E
40.00	Set post for temporary qr sec cor
79.92	Intersect North and South line 57 links North of corner to secs 28, 29, 32, and 33. from which corner I run N 89°38' West on a true line between secs 29 and 32 Va 14°15' E
39.96	Set post 2x3in x 4 ft - 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18x24x12in deep for qr sec corner
79.92	Corner to secs 29, 30, 31, and 32, Land Sandy Soil 2nd Rate

Township 35 N. Range 28 West.

Chs	
	West on a random line between secs 30 & 31 Va 14°15' E.
40.00	Set post for temporary qr sec corner.
80.95	Intersect West boundary of township 30 links South of corner to secs 30 & 31 from which corner I run South 89°47' East on a true line bet secs 30 & 31 Va 14°15' E.
40.95	Set post 2x3in x 4 ft - 1 ft in ground deposit charred stake raised Mound of Earth 2½ feet high from pits 18x24x12in deep for qr sec corner
80.95	Corner to secs 29, 30, 31, and 32. Land sandy loam Soil 2nd Rate

Township 35 N. Range 28 W.

Chs.	
	North between Secs 29 and 30. Va 14°15' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18x24x12 in deep for qr sec corner
80.00	Set post 3x3 in x 4 ft 1 ft in ground deposit Charred Stake raised Mound of Earth 2½ feet high from pits 18x24x12 in deep for corner to secs 19, 20, 29 and 30
	Land Sandy loam Soil 2nd Rate

Township 35 N. Range 28 West

Chs	
	East on a random line between Secs 20 and 29 Va 14°15' E.
40.00	Set post for temporary qr sec. corner
80.18	Intersect North and South line 78 links North of corner to secs 20, 21, 28, and 29, from which corner I run N 89°27' West on a true line between secs 20 & 29. Va 14°15' E.
40.09	Set post 2x3 in x 4 ft 1 ft in ground deposit charred stake raised mound of earth from pits 18x24x12 in deep for qr sec corner
80.18	corner to secs 19 20, 29 and 30 Land Sandy Soil 2nd Rate

Township 35 North, Range 28 West

Chs	
	West on a random line between secs 19 and 30 Va 14°15' E
40.00	Set post for temporary qr sec corner
80.52	Intersect West boundary of Township 5 links South of corner to secs 19 and 30, from which corner I run South 89°58' East on a true line between secs 19 & 30 Va 14°15' E.
40.52	Set post 2x3in x4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for qr sec corner
80.52	Corner to secs 19, 20, 29 & 30

Land Sandy Soil 2nd Rate
Aug 3rd 1875

Township 35 N, Range 28 West

Chs	
	North between secs 19 & 20 Va 14°15' E
40.00	Set post 2x3in x4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for qr sec corner
76.60	Intersect the North boundary of the State 6.92 chains East of the 51st Mile post, where I set post 3x3in x4 ft 1 ft in ground deposit charred stake raised mound of Earth 2½ feet high from pits 18x24x12in deep for corner to fractional secs 19 and 20.

Land Sandy loam
Soil 2nd Rate
Aug 4th 1875

General Description

This Township consists of high table land gently rolling. Soil a sandy loam.

Good wheat land.

The grass in this town is short buffalo grass there is neither water or timber in this township.

I think water can be found by digging from 75. to 100 feet.

Surveyor Generals Office

Plattsmouth Neb Nov 12th 1875

The forgoing field notes of the Survey & subdivision of Township No 35 North, Range 28 West 6th Principal Meridian in the State of Nebraska, Executed by James L. Slocum under Joint Contract No 92 dated the 26th day of May 1875, in the Month of August 1875 having been critically Examined, the necessary Corrections & Explanations made, the said field Notes and the Surveys the describe are hereby approved

Jno. P. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

520

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.