General Land Office • Original Field Notes

Book Number

528

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

43.

Field Notes

of

The Survey and subdivisions of Township No. 29 N Range No. 29 W. of 6th Principal Meridian in the State of Nebraska

Executed

By James L Slocum Deputy Surveyor under Joint contract No. 92 dated May 26. 1875

Survey

Commenced July 5th 1875
Completed July 10th 1875

List of Names

of persons employed to assist in surveying and meandering this Township showing the respective capacities in which they acted

A M Forbes } Chainmen
E J Holebrook }
S P Koon } Moundmen
L Stambaugh }
Wm F Oneill Flagman

Index

Referring the Lines to the page of field notes

Town 29 N R 29 W 6th P M



To determine the proper adjustment of my compass for the subdivisions of this Township I commenced at the corner to Townships 28 & 29 N Ranges 28 & 29 W on standard line and ran north on a blazed line along the east boundary of sec 31.

Va 13° 20' E

4003 To a Point 2 links East of the sec 4 corner

80.04 To a Point 3 links East of the corner to secs 25 & 36

To retrace this line or run Parallel thereto my compass must be adjusted to a va of 13° 21' E

Township 29 N R 29 W 6th P.M.

Chains	
	From the corner to secs 35 & 36 on standard line I run North between Secs 35 & 36 Va 13°21' E
40.00	Raised a mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 25.26 35 & 36
	Land, Sand hills Soil 3rd rate
	July 4th 1873

Township 29 N Range 29 W 6th P.M.

Chs	
	East on a random line between secs 25 & 36 Va 13°21' E
40.00	Erected a mound for Temporary ¼ sec cor
84.20	Intersect the East boundary of the Township 15 links South of cor to secs 25 & 36 from which cor I run South 89°54' West on a true line between sections 25 and 36 Va 13°21
42.10	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
84.20	The corner to sections 25.26.35 and 36
	Land Sand hills Soil 3rd rate

Note An excess in the length of the South boundary of Sec 36 amounting to 4.10 chs being discovered in the sub-division of T 28 N R 29 W. by William Hardin Deputy surveyor and joint contractor with me, I did not deem it necessary to re run any of the lines

chs	
	North between sections 25 and 26 Va 13° E
40.00	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor
50.00	To South edge of Shallow Lake 2 ft deep in centre will likely dry up during dry seasons
66.40	North edge of lake (by chaining)
74.00	Enter sand hills bears E & W
80.00	Raised a mound of earth 3 feet high from pits 18 24 x 20 in deep for corner to sections 23, 24, 25 and 26.
	Land S½ Sand hills N½ mostly lake and marsh

chs	
	East on a random line between sections 24 and 25 Va 13° E
40.00	Erected a mound for temporary qr Sec Cor
83.56	Intersected the East boundary of the township 57 lks South of the corner to sections 24 and 25. from which corner I run S 89° 37' West on a true line between sections 24 and 25. Va 13° E
41.78	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr Sec Cor
83.56	The corner to sections 23, 24, 25 and 26 Land Sand hills Soil 3rd rate

Township 29 N. Range 29 West

Chs	North between sections 23 and 24
	va 13° E
40.00	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
70.40	To the south shore of lake (to be meandered) Where I raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for corner to fractional sections 23 and 24
80.00	Point for cor to sections 13, 14, 23, 24 in the lake.
	Land Sand hills
	Soil 3rd rate

Township 29 N Range 29 West

Chs	From the corner to fractional sections 23 and 24 on the south shore of the lake, I run East on offset
line	15.00 chs to a point - thence North 9.60 chs. on the east shore of lake where I raised a mound for temporary cor to fractional sections 13 and 24 Thence East on random line between sections 13 and 24 counting part in lake
	va 13° E
40.00	Erected a mound for temporary qr sec cor
83.03	Intersected the east boundary of the township 44 lks South of the corner to sections 13 and 24, from which corner I run South 89°42 West on a true line between sections 13 and 24
	va 13° E
41.51½	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
68.03	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for corner to fractional sections 13 and 24
83.03	~~The~~ corner to sections 13, 14, 23 and 24

Township 29 N. Range 29 West

Chs	
	From the true meander corner to fractional sections 23 and 24 on the South shore of the lake I run West 10.00 chs Thence North 9.60 chs to a point on the West shore of the lake and West of the true point for cor to sections 13, 14, 23 and 24 N.C. whence I run West 30.00 chs. making in all 40.00 chs West from this point I run North 6.00 chs Thence East 40.00 chs to a point in meander line between sections 13 and 14 I then run South 2.40 chs to the North shore of the Lake which gives us the distance around the lake 67.20 chs - and
57.60	To a point on north shore of the lake where I raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for corner to fractional sections 13 and 14
68.40	Enter sand hills bears E & W
80.00	Raised a mound of earth 3 feet high from pits 18 x 24 x 18 in deep for corner to sections 11, 12 13 and 14

Township 29 N Range 29 West

Chs	
	East on a random line between sections 12 and 13 Va 13° E
40.00	Erected a mound for temporary qr sec cor
57.95	To the S.W shore of Dad's lake bearing S of East. Here I Erected a mound for ~~temporary~~ temporary meander corner to fractional sections 12 and 13
	From this mound I run South 6.00 chs Thence east on offset line 24.67 chs and intersect the East boundary of the township 88 lks South of the meander corner to fractional sections
82.62	13 and 18 which gives me 82.62 chs for the length of the line between sections 12 and 13 and 38 lks for the falling south of the true corner
	The corrected line then will be
	From the true corner to sections 12 and 13 Run South 89°45' W on true line between sections 12 and 13 Va 13° E
24.67	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for meander corner to fractional sections 12 and 13
41.31	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
82.62	The corner to sections 11, 12, 13 and 14

Township 29 N Range 29 West

Chs	North between sections 11 and 12 on 13° E
27,00	Raised a mound of earth 2½ feet high from pits 18x24 x12 in deep for corner to fractional sections 11 and 12 on South shore of Pelican Lake
	From this corner I run a base West 1850 chs to a point from which a flag placed on the north shore of the lake and in the line between sections 11 and 12 bears North 26° 34' East which gives 37,00 chs as distance across the lake and counting distance South of the lake
64,00	to flag on north shore of lake where I raised a mound of earth 2½ feet high from pits 18x24x12 in deep for corner to fractional meander sections 11 and 12 on the north shore of the lake
69,50	Enter Sand Ridge bears S.E
80,00	Raised a mound of earth 3 feet high from pits 18x24x18 in deep for corner to sections 1, 2, 11 & 12
	Land Sand ridges & Lakes

Township 29 N Range 29 West

Chs	East on a random line between sections 1 and 12 on 13° E
40,00	Erected a mound for temporary qr sec cor
81,94	Intersected the east boundary of the township 68 chs South of the corner to sections 1 and 12 from which corner I run South 89° 31' West on a true line between sections 1 and 12 on 13° E
40,47	Raised a mound of earth 2½ feet high from pits 18x24x12 in deep for qr sec cor
81,94	The corner to sections 1, 2, 11 and 12
	Land Sand ridges Soil nearly pure sand and 3rd rate

Township 29 North Range 29 West

Chs	
	North on a random line between sections 1 and 2 va 13° E
25,00	Leave sand ridges and enter valley bears E & W
40,00	Erected a mound of earth for temporary 1/4 sec cor
56,00	Enter sand ridges bearing E & W
80,10	Intersected the north boundary of the township 68 lks West of the corner to sections 1 and 2 from which corner I run South 31 West between sections 1 and 2 va 13° E
40,10	Raised a mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec cor
80,10	The corner to sections 1, 2, 11 and 12
	Land - Sand hills and valley Sand hills

Township 29 N. Range 29 West

Chs	
	North bet secs 34 & 35 va 13°18' E
40,00	Raised mound of earth 2½ feet high from pits 18 x 24 x 18 inches deep for 1/4 sec cor
80,00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 26 27 ~~28 & 29~~ 34 & 35
	Land Broken Sand Hills Soil 3rd rate

Township 29 N Range 29 W 6th P.M.

Chs	
	East on a random bet secs 26 & 35 Va 13°18' E
40.00	raised mound for temporary 1/4 sec cor
~~79.81~~	
79.81	Intersect N and S line 23 links south of cor to secs 25 26 35 & 36 from which cor I run South 89°50' West on a true bet secs 26 & 35 Va 13°18' E
39.90½	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 for 1/4 sec cor
79.81	The cor to secs 26 27 34 & 35
	Land Sand Hills Soil 3rd rate

Township 29 N Range 29 W

Chs	
	North bet secs 26 & 27 Va 13°18' E
40.00	raised mound of Earth 2½ feet high from pits 18 x 24 x 12 for 1/4 sec cor
80.00	raised mound of Earth 3 feet high from pits 18 x 24 x 18 for cor to secs 26 and 27 21 and 22
	Land Sand Hills Soil 3rd rate

July 5th 1875

Township 29 North

Chs	
	East on a random line bet secs 23 & 26 Va 13°18' E
40.00	raised mound of earth for temporary 1/4 sec cor
80.13	Intersect N & S line 17 links North of cor to secs 23, 24, 25 & 26 from which cor S run North 89°33' West on a true line Va 13°18' E
400.12	raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
801.3	cor to secs 22, 23, 26, and 27
	Land Sand Hills Soil 3rd rate

Range 29 West 6th PM

Chs	
	North bet secs 22 & 23 Va 13°15' E
40.00	raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 14, 15, 22 and 23
	Land Sand Hills Soil 3rd rate

Look out for this line

Township 29 North of

0	Chs	~~South 89°53'~~ East on a true line bet secs 14 & 23 Var 13°15' E
4	40.00	raised mound of earth 2½ feet high from pits 18 x 24 x 12 for ¼ sec cor
8		
	70.00	West Bank of Lake where I raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for cor to fractional secs 14 & 23
40		
	80.00	
8		Land Sand Hills Soil 3rd rate

Range 29 West of the 6th P.M.

	Chs	North bet secs 14 & 15 Var 13°10' E
	40.00	raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
	80.00	raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 10, 11, 14 & 15
		Land Sand Hills Soil 3rd rate

Township 29 North

Chs	East on a random line bet Secs 11 and 14 Va 13°10' E
40.00	raised mound of Earth for temporary 1/4 sec cor
80.36	Intersect N and S line 38 links N of cor to secs 11, 12, 13 and 14 from which cor I run N 89°44' West on a true line Va 13°10' E
40.18	raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.36	Cor to secs 10, 11, 14 and 15 Land Sand Hills Soil 3rd rate

Range 29 West of the 6th P M

Chs	North bet secs 10 & 11 Va 13°10' E
40.00	raised mound of earth 2 1/2 ft high pits 18 x 24 x 12 in deep for ~~temporary~~ 1/4 sec cor
50.00	Enter valley B.S.E
71.00	Enter Sand Hills Bears South East
80.00	raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 2 & 3, 10 & 11

Land Sand Hills all except Bottom
Bottom 2nd rate
Balance 3rd rate

Township 29 North of the Base Line

Chs	East on a random line bet secs 2 & 11 Va 13° 10' E
40.00	raised mound of Earth 2½ feet high for Temporary ¼ sec cor
80.26	Intersect N and S line 15 links south of cor to secs 1, 2, 10 and 12 from which cor I run S 89° 54' West on a true line bet. secs 2 & 11 Variation 13° 10' E
40.13	raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.26	Cor to secs 2, 3, 10 & 11 Land Broken Sand Hills Soil 3rd Rate

Range 29 West of the 6th P.M.

Chs	North on a Random line bet secs 2 & 3 Va 13° E
40.00	raised mound of Earth for Temporary ¼ sec cor
50.00	Enter valley Bears S.E.
70.00	Leave valley Enter Sand Hills Bears S.E.
79.64	Intersect North boundary of Township 77 links west of cor to secs 2, 3, 34 & 35 from which cor I South 33' West on a true line bet. secs 2 & 3 Va 13° E
39.64	raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
79.64	Cor to secs 2, 3, 10 & 11 Land Sand & Soil 3rd Rate

Township 29 North of

Chs	
	North bet secs 33 & 34 Va 13°18' E
40.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised Mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 27, 28, 33 and 34 Soil 3rd Rate Land Sand Hills

Range 29 West of the 6th PM

Chs	
	East on a random line bet secs 27 and 34 Va 13°18' E
40.00	Raised mound of Earth for temporary ¼ sec cor
80.48	Intersect N and S line 46 links North of cor to secs 26, 27, 34 & 35 from which cor I run N 89°40' West on a true line bet sec 27 & 34 Va 13°18' E
40.24	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.48	Cor to secs 27, 28, 33, and 34 Land Sand Hills Soil 3rd Rate

Township 29 North

Chs	
	North bet. Secs 27 & 28 Va 13°18' E
40.00	raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
80.00	Raised Mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to Secs 21.22 27 x 28
	Land Broken Sand Hills Soil 3rd Rate

Range 29 West 6th P M

Chs	
	East on a random line bet. Secs 22 & 27 Va 13°18' E
40.00	Raised mound of earth for temporary 1/4 sec cor
80.26	Intersect N and S line 13 links North of cor to Secs 22.23.26 and 27 from which cor S run N 89°54' West on a true line bet Secs 22 & 27 Va 13°18' E
40.13	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.26	Cor to Secs 21.22.27 and 28 Land Sand Hills Soil 3rd Rate

Township 29 North

Chs	
	North bet secs 21 & 22 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.00	Raised Mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 15, 16, 21, and 22 Land Sandy Broken Soil 3rd Rate

Range 29 West 6th P M

Chs	
	East on a random line bet secs 15 and 22 Va 13°18' E
40.00	Raised mound of earth for temporary ¼ sec cor
80.50	Intersect N and S line 11 links South of cor to 14, 15, 22 and 23 from which cor I run I run S 89°55' West on a true line bet Secs 15 & 22 Va 13°18' E
40.25	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.50	Cor to secs 15, 16, 22 and 21 Land Broken Sand hills Soil 3rd rate

Township 29 North of the Base Line

Chs	North bet secs 15 x 16 Va 13°15' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 9, 10, 15 and 16
	Land Sandy Soil 3rd Rate
	July 6th 1875

Range 29 West of the 6th PM

Chs	East on a random line bet secs 10 and 15 Va 13°15' E
40.00	Raised mound of earth for temporary ¼ sec cor
80.33	Intersect N. and S. line 36 links south of cor to secs 10, 11, 14 & 15 from which cor I run S 89°45' West on a true line bet secs 10 & 15 Va 13°15' E
40.66½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.33	cor to secs 9, 10, 15, and 16 Land Sandy Soil 3rd Rate

Township 29 North B.L.

Chs	
	North bet secs 9 x 10 Va 13°15 E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 in deep for cor to secs 3.4.9 x 10
	Land Sand Hills Soil 3rd Rate

Range 29 West of the 6th Pm

Chs	
	East on a random line bet secs 3 and 10 Va 13°15 E
15.00	Enter valley Bears. S.E.
40.00	raised mound of Earth for temporary ¼ sec cor
72.50	Leave valley Enter Sand Hills Bears. S.E.
80.35	Intersect N and S line 14 links South of cor to secs 2.3.10. and 11 from which cor I run South 89°54 W on a true line bet Secs 3 x 10 Va 13°15 E
40 17½	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for ¼ sec cor
80.35	Cor to secs 3.4.9 and 10
	Land Sandy Soil 3rd Rate

Township 29 N Range 29 West 6th PM

	chs	
		North on a random line bet secs 3 & 4 Va 13.10 E
40.	4.00	Enter valley Bears S.E.
	40.00	raised Mound of Earth for temposary for 1/4 sec cor
80.	48.00	Leave valley Enter Sand Hills Bears S.E.
	79.00	Intersect North boundary of Township 93 links West of cor to secs 3, 4, 33 & 34 from which cor S run S 40 Minutes West on true line bet secs 3 & 4 Va 13°10' E
	39.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
	79.00	cor to secs 3, 4, 9 X 10, Land Sandy 3rd Rate

chs	
	North bet secs 32 & 33 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 28 29 32 & 33
	Land Sandy Soil 3rd rate

Township 29 North

Chs	East on a random line bet secs 28 & 33 Va 13°18' E
40.00	Raised mound of earth for temporary 1/4 sec cor
80.07	Intersect N and S line 36 links N of cor to secs 27, 28, 33 & 34
	from which cor I run N 89°45' West on a true line bet sec 28 and 33 Va 13°18' E
40.03½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 18 inches deep for 1/4 sec. cor
80.07	Cor to secs 28 27 32 and 33 Land Sandy Soil 3rd Rate

Range 29 West 6th PM

Chs	North bet secs 28 & 29 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 18 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 20, 21, 28 & 29
	Land Sand Hills Soil 3rd Rate

Township 29 North

	Chs	
		East on a random line bet secs 21 & 28 Va 13°18' E
40.	40.00	Raised mound of Earth for temporary 1/4 sec cor
	80.63	Intersect N. and S. line 58 links North of cor to secs 21 22 27 & 28 from which cor I run N 89°35' West on a true line, Va 13°18' E
	40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 18 inches deep for 1/4 sec cor
	80.63	Cor to secs 20. 21. 28 and 29

Land Sand Hills
Soil 3rd Rate

Range 29 West 6th Prin

Chs	
	North bet secs 20 & 21 Va 13°16' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 16, 17, 20, & 21.

Land Sand Hills
Soil 3rd Rate

Township 29 North

	Chs	
		East on a random line bet secs 16 & 21 Va 13°16' E
40.	40.00	Raised mound of Earth for temporary 1/4 sec cor
	80.11	Intersect N. and S. line 17 links North of cor to secs 15, 16, 21 & 22
80.		from which cor S run N 89°53' West on a true line Va 13°16' E
	40 05½	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
	80.11	Cor to secs 16, 17, 20, and 21
		Land Sand Hills Soil 3rd Rate

Range 29 West - 6th Pm

Chs	
	North bet secs 16 & 17 Va 13°15' E
40.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 8, 9, 16 & 17
	Land Sand Hills Soil 3rd Rate

Township 29 North

	Chs	
		East on a random line bet sec= 9 & 16 Va 13°15' E
40	40.00	Raised mound of Earth for temporary 1/4 sec cor
	80.30	Intersect N. and S. line 15 links South of cor to sec=
80		9, 10, 15 & 16 from which cor S run S 89°54' West on a true line bet Sec 9 and 16 Va 13°15' E
	40.15	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
	80.30	Cor to sec= 8, 9, 16, and 17 Land Sand Hills Soil 3rd rate

Range 29 West 6th P.M.

Chs	
	North bet sec= 8 and 9 Va 13°12' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
62.00	Enter valley Bears S.E.
75.00	Enter Sand Hills
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to sec= 4, 5, 8 and 9
	Land Sandy 3rd Rate

Township 29 North

Chs	East on a random line bet secs 4 and 9 Va 13°12' E
40.00	Raised mound of Earth for temporary 1/4 Sec cor
79.77	Intersect N and S line 57 links South of the cor to secs 3, 4, 8 and 10 from which cor I run South 89°38' W on a true line Va 13°12' E
39.88½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
79.77	Cor to secs 4, 5, 8, and 9 Land Sand Hills Soil 3rd Rate

July 7th 1875

Range 29 West 6th PMM

Chs	North on a random line bet secs 4 & 5 Va 13°10' E
40.00	Raised mound of Earth for temporary 1/4 Sec cor
79.56	Intersect North boundary of Township 56 links west of cor to secs 4, 5, 32 and 33 from which cor I run South 24' ~~minutes~~ west on a true bet. Secs 4 and 5 Va 13°10' E
39.78	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
79.56	Cor to secs 4, 5, 8, and 9 Land Sand Hills Soil 3rd Rate

Township 29 North

Chs	
	North bet secs 31 & 32 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 29, 30, 31 and 32
	Land Sand Hills Soil 3rd Rate

Range 29 West 6th PM

Chs	
	East on a random line bet secs 29 and 32 Va 13°18' E
40.00	Raised mound of Earth for temporary ¼ sec cor
80.00	Intersect N. and S. line 60 links South of cor to secs 28 & 29, 32 & 33 from which cor I run ~~South~~ S 89°54' West on a true line Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.00	Cor to secs 29, 30 31 & 32
	Land Sand Hills Soil 3rd Rate

Township 29 North

Chs	
	West on a random line bet sec= 30 & 31 Va 13°18' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.50	Intersect west boundary of Township 16 links North of cor to secs 25, 30 31 & 36 from which cor S run N 89°53' E on a true line bet. sec. 30 & 31 Va 13°18' E
40.50	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.50	Cor to secs 29, 30 31 and 32 Land Sand Hills Soil 3rd Rate

Range 29 W 6th PM

Chs	
	North bet secs 29 & 30 Va 13°18' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 19, 20, 29, & 30.
	Land Sand Hills Soil 3rd Rate

Township 29 North

Chs	
	East on a random line bet secs 20 & 29 Va 13°18' E
2 40.00	Raised mound of Earth for temporary 1/4 sec cor
79.76	Intersect N and S line 30 links South of cor to 28, 29, 20 and 21 from which cor S run S 89°47' W on a true line bet secs 20 & 29 Va 13°18' E
8 39.88	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.76	Cor to secs 19, 20, 30, and 31 Land Sand Hills Soil 3rd Rate

Range 29 West 6th Pm

Chs	
	West on a random line bet secs 19 & 20 Va 13°18' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.28	Intersect West boundary of Township 38 links South of cor to secs 19, 24, 25 & 30, from which cor S run S 89°44' E on a true line bet secs 19 & 30 Va 13°18' E
40.28	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.28	Cor to secs 19 20 29 and 30 Land Sand Hills Soil 3rd Rate

Township 29 North

	Chs	
		North bet secs 19 & 20 Va 13°15' E
40.	40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.	80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 17, 18, 19 and 20
3		Land Sand Hills Soil 3rd Rate
7		

Range 29 West - 6th Prin

Chs	
	East on a random line bet secs 17 & 20 Va 13°15' E
40.00	Raised mound of earth for temporary ¼ sec cor
79.66	Intersect N and S line 35 links North of cor to secs 16 17 20 & 21 from which cor I run N 89°45' W on a true line Va 13°15' E
39.83	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
79.66	Cor to secs 17, 18, 19 and 20 Land Sand Hills Soil 3rd Rate

~~June~~ July 8th 1875

Township 29 North of Range 29 West 6th Prin

	0	Chs	West on a random line bet sec 18 & 19 Va 13°15' E	Chs	North bet sec 17 & 18 Va 13°18' E
40	4	40.00	Raised mound of Earth for temporary 1/4 sec cor	40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80	7	80.70	Intersect west boundary of Township 30 links North of cor to secs 13. 18. 19. and 24. from which cor I run North 89°47' on a true line bet. Secs 18 & 19 Va 13°15' E	80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 7, 8, 17 and 18
	3	40.70	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor		Land Sand Hills Soil 3rd Rate
	7	80.70	Cor to secs 17 18 19 & 20 Land Sand Hills Soil 3rd Rate		

Township 29 North

Chs	East on a random line bet secs 8 & 17 Va 13°18' E
4 4000	Raised mound of Earth for temporary 1/4 sec cor
80.00	Intersect North and South line 11 links South of cor to secs 8, 9, 16 and 17 from which cor S run S 89°55' W on a true line bet Secs 8 & 17 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 Inches deep for 1/4 sec cor
80.00	Corner to secs 7, 8, 17, and 18 Land Land Hills Soil 3rd Rate

Range 29 West - 6th Pm

Chs	West on a random line bet secs 7 & 18 Va 13°18' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.16	Intersect west boundary of Township 31 links South of cor to secs 7, 12, 13 and 18 from which cor S run S 89°47' E on a true line bet Secs 7 & 18 Va 13°18' E
40.16	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 Inches deep for 1/4 sec cor
80.16	Cor to secs 7, 8, 17, and 18 Land Land Hills Soil 3rd Rate

Township 29 North

chs	
	North bet secs 7 & 8 Va 13°18' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 Inches deep for 1/4 sec cor
66.00	Enter valley Bears S.E.
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 5.6 7 and 8

Land Sand Hills
Soil 3rd Rate

Range 29 West 6th Pri

chs	
	East on a random line bet secs 5 & 8 Va 13°18' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
61.00	Enter Sand Hills Bears S E
79.76	Intersect N. and S. line 51 links North of cor to secs 4, 5, 8 & 9 from which cor L run N 89°38' W on a true line bet. secs 5 and Va 13°18' E
39.88	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 Inches deep for 1/4 sec cor
79.76	Cor to secs 5.6 7 & 8

Land Sandy
Soil 3rd Rate

Township 29 North

Chs	
	West on a random line bet secs 6 & 7 Va 13°18' E
20.00	Enter Sand Hills Bears S. E.
40.00	Raised mound of Earth temporary 1/4 sec cor
80.49	Intersect N and S line or west boundary of Township 15 links South of cor to secs 1. 6 7 and 12 from which cor S run S 89°54' E on a true line bet secs 6-7 Va 13°18' E
40.49	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.48	Cor to secs 5. 6. 7 & 8 Land Sandy Soil 3rd Rate

Range 29 West 6th PM

Chs	
	North on a random line bet ~~bet~~ secs 5 & 6 Va 13°18' E
18.00	Enter sand Hills Bears S. E.
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.86	Intersect North boundary of Township 36 links West of cor to secs 5. 6 31 & 32 from which cor S run S 15' W on a true line Va 13°18' E
39.86	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 Inches deep for 1/4 sec cor
79.86	Cor to secs 5. 6. 7 and 8 Land Sandy Soil 3rd rate

Township 29 North Range 29 West 6th Pmt

Meanders of Pelican Lake

From the meander corner to fractional sections 1 and 36 on the North boundary of the township and on the S. W edge of the lake I run thence in section 1 as follows.

S 71° 3/4 E. 65.40 chs to meander corner to fractional sections 1 and 6 on the East boundary of the township

Land. Sand hill close up to Shore

Meanders of "Dads" lake

From the corner to fractional sections 7 and 12 on the east boundary of the township and on the north side of the lake I run as follows in section 12

N 60 3/4° W. 25.00 chs ~~N 68° W. 12.00 chs~~
N 72° W 34.00 "
S 85 1/2° W. 16.00 To the meander corner to fractional sections 11 and 12
Thence in section 11
N 85° W. 18.00 chs
West 9.00 "
N 55° W 14.00
S 35° W 6.00
S 30° E 15.00
S 49° E 19.00
S 51° E 25.90 To the corner to fractional sections 11 and 12. Thence in section 12
S 65° E 64.00 to the corner to fractional sections 12 and 13 Thence Sec 13
S 77 1/4° E 23.10 ch to corner to fractional sections 13 and 18 on the South Shore of the lake

July 9th 1875

Land The Sand bluffs come directly up to the edge of lake Except on the west end. There there is a valley about 12 chs wide N & S & extending N of West

Township 29 N Range 29 West

Meanders of a lake lying in sections 13, 14, 23 and 24

From the corner to fractional sections 13 and 14 on the north side of the lake I run as follows, in section 14

S 50° W. 18.00 chs
S 34 W. 23.00 "
S 44° E 20.00 "
S 12° E 12.80 " To corner to fractional sections 14 and 23 Thence in section 23
S 47° E. 13.80 to corner to fractional sections 23 and 24 Then in sec 24
N 48° E 8.00 chs
N 67° E. 9.80 " To corner to fractional sections 13 and 24 Thence in sec 13
N 20° E 22.00 ch
East 28.00 "
N 80° E 12.00 chs

Township 29 N Range 29 West

N 10° E 16.00 chs
N 14 W. 16.00 "
N 72½ W. 31.00
West 31.00 To the meander corner to fractional sections 13 and 14. the place of beginning

Land around this lake - Sandy hills except a narrow border of wet bottom on the east side in section 14

July 10th 1875.

General Description

This township is nearly all Sand hills There is a nice valley in section 8 and a valley Extending in a North westerly direction from "Dad's" lake but where it is not wet and boggy it is Sandy and poor

There are many lakes and ponds in the township and Some of them Slightly Salt and which in dry times will probably be quite Salty At present owing to many heavy rains all the lakes and ponds (especially the shallow ones) are greatly beyond their usual size

This Township is not adapted to any use Except to pasturage and but poorly suited to that on account of the poor quality of the grass

A List of the names of individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township 29 North of the Base line of Range 29 West of the 6th Principal meridian and capacities in which they severally acted

A M Forbes Chainmen
E J Holebrook "
S P Koon Moundman
L Slambaugh "

W F Oneill Flagman

We hereby certify that we assisted James L Sloan Deputy Surveyor in Subdividing and meandering Township No 29 North of the Base Line in Range No 29 West of the 6th principle Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the

instructions of the Surveyor General and of Dimensions Character Construction and Marking and in the manner as specifically Described in the foregoing field Notes.

A. M. Forbes } Chainmen
E. J. McCleeck }
S. P. Koon } Moundmen
L. Stambaugh }
W. F. O'Neill Flagman

Subscribed and Sworn to by the abovenamed Parties before me as Notary Public for Cuming County and State of Nebraska this 22 day of Aug 1875
J. M. Millan

I James L Slocum Deputy

Surveyor do solemnly swear that in pursuance of a joint wherein David V Stephenson James L Slocum and William Hardin are Joint Contractors with E E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 26th day of May 1875. I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 29 North of the Base line in Range number Twenty Nine West of the 6th Principal Meridian

as are represented in the foregoing field notes as having been surveyed under my direction. and I do further solemnly swear that all the corners of said surveys have been Established and perpetuated in strict accordance with the surveying Manual printed Instructions, and Special Instructions, of the Surveyor General, of dimension character, construction, and marking and in the Manner specifically described in the foregoing field notes, and that the foregoing are the true and origonal field field notes of such survey

James L Slocum

Subscribed by the said James L Slocum, Deputy Surveyor and Sworn to before me a Notary Public in and for Saunders County, State of Nebraska this 31st day of August A D 1875

A B Fuller
Notary Public

Surveyor Generals Office
Plattsmouth Neb Nov 12th 1875.

The foregoing field notes of the survey of the subdivision and Meander lines of Township No 29 North of the Base Line of Range No 29 West of the 6th Principal Meridian in the State of Nebraska Executed by James L. Placum Deputy Surveyor under joint Contract No 92 dated May 26th 1875 in the Month of July 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Jno. C. Clark

Surveyor General

Index

Referring the lines to the pages of the field notes

T 30 N. Range 29 W

6	62	5	46	4	36	3	24	2	13	1
61		60		45		35		23		12
7	59	8	44	9	34	10	22	11	11	12
58		57		43		32 33		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	37	33	25	34	14	35	3	36

Field Notes of the Survey

and subdivision and Meanders of Township No 30 North of Range No 29 West of the 6th Principal Meridian in the State of Nebraska Executed by William Harding Deputy Surveyor under Joint contract No 92 dated the 26th Day of May 1875

Survey
Commenced July 13 1875
Completed July 17 1875

List of Names
of persons employed to assist in surveying and meandering this Township showing the respective capacities in which they acted.

J F Hinton Chainman
Alexander McLean Chainman
A B Stickey Mounduman
James Hannan Flagman

Township 30 N Rang 29 W

Having Surveyed the exterior boundaries of T. 30 N. R 29 W. My compass is in adjustment for Sub dividing said Township

Township 30 N Range 29 West

From the corner to sections 1. 2. 35 and 36 on the South boundary of the township I run

North between sections 35 and 36 va 13° 24' E

7.00 To the South Shore of Pelican lake. Where I erected a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for meander corner to fractional sections 35 and 36 From this corner I run a base West 17.87 chs to a point from which a flag placed in the line between sections 35 and 36 on the north Shore of the lake bears N 26° 34' East which gives 35.74 chs as the distance across the lake and

40.50 [illegible] cor. falls in lake corner not be established

42.74 To the flag on north Shore where I raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for corner to fractional sections 35 and 36

80.00 Raised a mound of earth 3 ft high from pits 18 x 24 x 18 in deep for Corner to sections 25. 26. 35 and 36

Township 30 N Range 29 West

Chs	East on a random line between sections 25 & 36 va 13° 24' E
40.00	Raised a mound of earth for temporary qr sec cor
42.50	Erected mound for temporary cor to fractional sections 25 and 36 on West side of lake I from this corner run North 6.00 chs Thence East on offset line 37.63 chs and intersect the East boundary of the township 6.42 north of corner to sections 25 and 36 - Which gives me 80.13 chs as length of the line and 42 chs as the falling North of the section corner from this corner I run N 89° 42' West on a true line between sections 25 and 36 va 13° 24' E
1560	Raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for corner to fractional sections 25 and 36 on East shore of Lake
3763	Raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for corner to fractional sections 25 and 36
4006½	Raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
8013	The corner to sections 25, 26, 35, 36 Land W½ Sandy hills

Township 30 N Range 29 West

Chs	North between sections 25 and 26 va 13° 24' E
36.00	Leave Sand hills E & W.
39.00	Raised a mound 2½ feet high from pits 18 x 24 x 12 in deep for Witness Cor to 1/4 Sec cor & ~~Meander Cor~~ on the South edge of a lake or morass From this corner I run West 13.00 chains Thence North on offset line across morass or marsh 14.00 chs to a point Thence East 15.00 chs to a point in the line between sections 25 and 26 Where I raised
53.00	a mound of earth 2½ feet high for Witness point on north edge of morass.
54.75	Enter Sand hills bear E and W
80.00	Raised a mound of earth 3 ft high from pits 18 x 24 x 18 in deep for corner to sections 23, 24, 25 and 26 Land Sand hills 3d rate Except 20 chs of marsh or swamp in middle of line

Township 30 North Range 27 W

Chs	
	East on a random line bet Secs 24 & 25 Va 13°24' E
40.00	Raised mound for temporary 1/4 Sec cor
80.30	Intersect North and S line 15 links North of cor to Secs 19.24. 25. & 30 from which cor I run N 89.54 West on a true line bet Secs 24 & 25 Va 13°24' E
40.15	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
80.30	Corner to secs 25.26. 35 & 36

Land Sand Hills
Soil 3rd Rate

Township 30 North Range 27 West

Chs	
	North between Secs 23 & 24 Va 13°24' E
33.50	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for witness point on south bank of shallow pond or Lake
33.80	Enter pond
40.00	Point for 1/4 Sec cor falls in pond
80.00	Point for cor to Secs 13, 14, 23, and 24. falls in pond at a point 2 Chs North of true point for corner I raised a mound of earth 3 feet high from pits 18 X 24 X 18 inches deep for witness point to cor to secs 13, 14, 23 and 24

Land Sandy Soil 3rd Rate
Water in this pond is from 6 inches to 2 feet deep
~~Aug 1st 1875~~

Township 30 N Range 29 West

Chs	
	From true point for cor to secs 13, 14, 23 and 24 I run East on a random line bet secs 13 & 24 Va 13°24'
3.00	Leave Marsh or pond Enter Sand Hills. Bears S.E.
40.00	Raised mound for temporary 1/4 sec cor
75.00	Leave Sand Hills Enter Bottom Bears N.E
80.40	Intersect East boundary of township 46 links North of cor to secs 13, 18, 19 and 24 from which cor I run N 89°40' W on a true line bet Secs 13 and 24 Va 13°24' E
40.20	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.40	True point for cor to secs 13, 14, 23 and 24

Township 30 N Range 29 West

Chs	
	North bet secs 13 & 14 Va 13°24' E
	From Witness point - counting part of line south of said point I run North
4.00	Enter Sand Hills Bears S.E.
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches for 1/4 sec cor
69.00	Enter Valley Bears S.E.
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 11, 12, 13 & 14.

Laid Sandy 3rd Rate

Township 30 North Range 29 W

Chs	
	East on a random line bet sec 12 & 13 Va 13°24' E
40.00	Raised mound for temporary 1/4 sec cor
67.50	Leave valley Enter Sand Hills Bears S.E.
80.50	Intersect East boundary of Township 56 links North of cor to secs 7.12.13. and 18 from which cor I run N 89°36' West on a true line bet Sec 12 and 13 Va 13°24' E
40.25	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
805.0	corner to secs 11.12. 13 and 14 Land Sandy Soil 3rd Rate

Township 30 North Range 29 West

Chs	
	North between secs 11 & 12 Va 13°24' E
5.00	Leave valley Enter Sand Hills Bears E & W
40.00	Raised Mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised Mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 1.2. 11 and 12
	Land Sand Hills Soil 3rd Rate

Township 30 North Range 29 West

Chs	
	East on a random line bet Secs 1 & 12 Va 13°24' E
8.00	Enter Valley Bears S.E.
40.00	Raised mound of earth for temporary 1/4 Sec cor
68.00	Enter Sand Hills Bears N.E. and S.W.
80.15	Intersect East Boundary of Township 28 links North of cor to Secs 1, 6, 7 and 12 from which cor I run N 89°0' West on a true line bet Secs 1 and 12 Va 13°24' E
40 07½	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
80.~~57~~ 15	Cor to Secs 1, 2, 11, and 12 Land Sandy 2nd Rate

Township 30 North Range 29 W

Chs	
	North on a random line bet Secs 1 & 2 Va 13°24' E
13.00	Enter valley Bears S.E.
40.00	Raised mound for temporary 1/4 Sec cor
79.12	Intersect North boundary of Township 44 links west of cor to Secs 1 & 2 35 and 36 from which cor I run South 19' West on a true line bet Secs 1 & 2 Variation 13°24' E
39.12	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
79.12	Cor to Secs 1, 2, 11 and 12 Land Sandy 2nd Rate

July 13th 1875

Township 30 North Range 29 W.

chs	
	North bet. secs 34 & 35 Va 13°24' E
36.00	Enter Bottom Bears S.E.
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
48.00	South Bank of Pelican Lake where I raised mound of Earth Earth 2½ feet high from pits 18 X 24 X 12 inches deep for meander cor on South Bank of lake
49.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for meander corner on North Bank of Lake
59.00	Enter Sand Hills Bears S.E.
80.00	Raised mound of earth for Corner to 26, 27, 34 and 35 Sand Hills 3rd Rate Valley 2nd Rate

* not by the usual form.

Township 30 N Range 29 West

chs	
	East on a random line bet. secs 26 & 35 Va 13°24' E
40.00	Raised Mound of earth for temporary ¼ sec cor
80.36	Intersect N & S line 15 links South of cor to secs 25, 26, 35 & 36 from which cor I run S 89°54' West on a true line bet. Secs 26 & 35 Va 13°24' E
40.18	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.36	Corner to secs 26, 27, 34 & 35 Level Sand Hills Soil 3rd Rate

Township 30 N Range 29 West

chs	
	North bet secs 26 & 27 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
65.00	Enter valley Bears. East
75.00	Enter Sand Hills Bears. E.
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 22. 23. 26 and 27

Land Sandy 3rd Rate

Township 30 N Range 29 West

chs	
	East on a random line bet secs 23 & 26 Va 13°24' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.62	Intersect N. and S. line 36 links South of cor to secs 23. 24. 25 & 26 from which cor S run S 89°45' West on a true line bet secs 23 & 26 Va 13°24' E
40.26	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.62	Corner to secs 22. 23. 26. and 27

Land Sand Hills Soil 3rd Rate

Township 30 North Range 29 W.

chs	
	North bet secs 22 & 23 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 14 15 22 and 23
	Land Sand Hills Soil 3rd Rate

Township 30 N Range 29 West

chs	
	East on a random line bet secs 14 & 23 Va 13°24' E
8.00	Enter swampy ground
40.00	raised mound of Earth for temporary 1/4 sec cor
43.00	Enter pond or marsh Bears S.E.
80.78	Intersect N. and S. line 1.39 links South of witness cor therefore I am 61 links North of true point for cor to 13, 14 23 x 24 from which point I run North 89°34' West on a true line bet secs 14 & 23 Va 13°24' E
40.39	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.78	Land No Low and wet to be of acct

Township 30 North Range 29 W

chs	
	North bet sec 14 & 15 Va 13°24' E
4.00	Enter swamp or marsh Bears S.E.
16.00	Leave swamp B.E. Enter Sand hills
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
70.00	Raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor with set cor on South edge of swamp
80.00	Point for cor falls in Marsh 1 chain North of true point is S. Bank of marsh where I set witness corner By Raising mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for Witness cor to secs 10.11. 14 and 15. Land Sandy Soil 3rd Rate

Township 30 North Range 29 West

chs	
	East on a random line bet sec 11 & 14 Va 13°24' E
36.00	Leave marsh Enter Bottom Bears S.E.
40.00	Raised mound of Earth for temporary 1/4 Sec cor
42.00	Enter marsh Bears N.E.
77.00	Leave marsh and Enter Bottom Bears S.E.
80.78	Intersect N and S line 69 links South of cor to secs 11. 12. 13. & 14. from which cor I run S 89°30' W on a true line ~~Va~~ bet Sec. 11 & 14 Va 13°24' E
40.39	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.78	True point for cor to secs 10. 11. 14. & 15. Land 2nd Rate

Township 30 N Range 29 W

chs	
	~~North bet secs 10 & 11 Va 13°24' E~~
	from witness point to Section 10, 11, 14 and 15. I run North between sections 10 and 11 Va 13° 24' E
	Counting for part of line South of the witness
5.50	Enter Sand hills bearing E and W.
40.00	Raised a mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for qr sec cor
80.00	Raised a mound of earth 3 ft high from pits 18 X 24 X 18 in deep for corner to sections 2. 3. 10 and 11
	Land Sand hills Soil 3rd rate

Township 30 North Range 29 W

chs	
	East on a random line bet Secs 2 & 11 Va 13°24' E
40.00	Raised mound for temporary ¼ sec cor
80.23	Intersect N. and S. line 70 links ~~North~~ South of cor to secs 1, 2 11, and 12. from which cor I run S 89.30' West on a true line bet Secs 2 & 11 Va 13°24' E
40 1/2	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for ¼ sec cor
80.23	Cor to secs 2. 3. 10. and 11 Land Sand Hills Soil 3rd Rate

Township 30 N Range 29 W

Chs	North on a random line bet sec 2 & 3 Var 13°24' E
13.00	Enter valley Bears S. E.
40.00	Raised mound of Earth for temporary 1/4 sec cor
68.00	Enter sand Hills Bears N.E. & S.W.
79.28	Intersect North boundary of Township 72 links west of cor to sec 2, 3, 34 and 35 from which cor I run S 31' W on a true line. bet sec 2 & 3 Var 13°24' E
39.28	Raised mound of earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor
79.28	Corner to 2, 3, 10 & 11

Land Sandy
Soil 2nd Rate
July 14th 1875

Township 30 N Range 29 West

	North bet sec 33 & 34 Var 13°24' E
3.00	Enter valley Bears S. E.
14.50	Enter Pond Bears S. E.
24.00	Leave Pond & Enter valley Bears S. E.
40.00	Raised mound of earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor
48.00	Leave valley Enter Sand Hills Bears S. E.
80.00	Raised mound of earth 3 feet high from pits 18x24x12 inches deep for cor to sec 27, 28, 33 & 34

Land Sandy
Soil 3rd Rate

Township 30 North Range 29 W

Chs	
	East on a random line bet secs 27 & 34 Va 13.24 E
40.00	Raised mound of earth for temporary 1/4 sec cor
80.32	Intersect North and S. line 30 links North of cor to secs 26 27 34 & 35 from which cor I run N 89°47' West on a true line bet Secs 27 & 34 Va 13°24' E
40.16	Raised mound Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.32	Corner to secs 27, 28, 33 and 34 Land Hills Soil 3rd Rate

Township 30 N Range 29 West

Chs	
	North bet secs 27 & 28 Va 13°24' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to secs 21, 22, 27 & 28
	Land Sand Hills Soil 3rd Rate

Township 30 N Range 29 W

Chs	
	East on a random line bet secs 22 & 27 Va 13°24' E
40.00	Raised mound of earth for temporary 1/4 sec cor
65.00	Enter valley Bears S.E.
70.00	Enter Sand Hills Bears S.E.
80.28	Intersect North and South line 31 links North of cor to secs 22, 23, 26, and 27 from which cor I run N 89°47' W on a true line bet Secs 22 & 27 Va 13°24' E
40.14	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.28	Cor to secs 21, 22, 27, & 28. Land Sand Hills Soil 3rd Rate

Township 30 N Range 29 West

Chs	
	North bet secs 21 & 22 Va 13°24' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to secs 15, 16, 21, and 22.

Land Sand Hills
Soil 3rd Rate

Township 30 North Range 29 W

Chs	
	East on a random line bet Secs 15 & 22 Va 13°24' E
40.00	Raised mound of Earth ~~2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor~~ for temporary 1/4 sec cor
30.46	Intersect North and South line 42 links North of cor to secs 14, 15, 22, & 23, from which cor I run N 89°42' W on a true line bet Secs 15 & 22 Va 13°24' E
40.23	Raised Mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.46	Cor to secs 15, 16, 21, and 22 Land Sandy Soil 3rd Rate

Township 30 N Range 29 West

Chs	
	North bet secs 15 & 16 Va 13°24' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
63.00	Entir valley Bears S.E.
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 9, 10, 15, and 16.
	Land Sandy Soil 3rd Rate

Township 30 North Range 29 West

Chs		East on a random line bet Secs 10 & 15 Var 13°24' E
4	6.00	To Marsh Brars S. E. where I turn South 10 chs To a point thence East on an offset line
8	40.00	counting the distance on the random line 40.00 ch where I Erected mound for temporary Witness Cor for qr sec cor
	80.11	I Intersected the N and S line at the Witness Cor to Sections 10 11 14 and 15
4		From this Witness cor I run West on the offset line
	40.05½	To a point on the South Edge of Swamp when I raised
8		a mound of earth 2½ ft high from pits 18x24x12 in deep for Witness cor for ¼ sec cor 10.00 chs South of the true point for qr sec corner. ¼ Thence

Chs.	West on the said offset line
80.11	~~80.11 chs~~ to point 10.00 chs South of the corner to Sections 9, 10, 15 and 16
	The swamp extending from here East along the lines between Sections 10 and 15. 11 and 14 is now owing to late heavy Rains much larger and more difficult to Survey than it would be in a dry season of the year. The grassy bottoms around the swamp is covered with water from 8 to 12 in deep

Township 30 North Range 29 West

chs	
	North bet secs 9 & 10 Va 13°24' E
4.60	Enter Swamp Bears S.E.
32.50	Enter Sand Hills Bears S. E.
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
78.00	Enter valley Bears S. E.
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 in deep for cor to secs 3, 4, 9 & 10
	The water in the swamp is from six in to 2 feet deep and full of Rushes and cane brake Land Sand Hills 3rd Rate Soil

Township 30 North Range 29 W

chs	
	East on a random line bet. secs 3 & 10 Va 13°24' E
17.00	Enter Sand Hills Bears S. E.
40.00	Raised mound for temporary ¼ sec cor
80.28	Intersect N. and S. line 41 links North of cor to secs 2 3 10 and 11 from which cor I run N 89 ~~43~~ 42 West on a true line bet secs 3 & 10 Va 13°24' E
40.14	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.28	Cor to secs 3, 4, 9, & 10 Land Sandy Soil 3rd Rate

Township 30 North Range 29 W

Chs	
	North bet secs 3 & 4 on a random line Va 13°24' E
7.00	Enter sand Hills Bears S. E.
40.00	Raised mound for temporary 1/4 sec cor
56.00	Enter valley Bears. S. E.
65.00	Edge of willow slough Bears
67.00	Leave willow slough Bears N. W.
78.00	Willow Slough 15 links wide Bears E & W.
79.18	Intersect North Boundary of township 32 links west of cor to secs 3, 4, 33, and 34, from which cor I run S 14° W on a true line bet. Secs 3 & 4 Va 13°24' E
39.18	Raised mound of Earth for 1/4 sec cor
79.18	Cor to secs 3, 4, 9 & 10.

Land Landy 2nd Rate

July 15th 1875

Township 30 North Range 29 West

Chs	
	North bet secs 32 & 33 Va 13°24' E
22.00	Enter valley Bears E.
40.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
64.00	Enter sand Hills Bears S. E.
80.00	Raised mound of earth 3 feet high from pits 24 X 24 X 12 inches deep for cor to secs 28, 29, 32 and 33

Land Sandy Soil
2nd rate in valley
3rd in sand Hills

East on a random line between 28 & 33 Va 13°24' E

Chs	
40.00	Temporary 1/4 sec cor
79.70	Intersect N & S line 29 W North of cor to secs 27, 28, 33 and 34 from which cor I run N 89°48' W on a true line between Secs 28 and 33 Va 13°24' E
39.85	Raise a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.70	The corner to sections 27 28 33 and 34

Land sand hills

Township 30 North Range 29 W

Chs	
	North bet Secs 28 & 29 Va 13°24' E.
23.00	Enter valley Bears E & W
34.00	Enter Sand Hills Bears E. and W.
40.00	Raised Mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec cor
80.00	Raised mound of Earth 3 feet high from pits 24 X 24 X 12 inches deep for cor to Secs 20, 21, 28 & 29
	Land Sandy Soil 3rd Rate

Township 30 North Range 29 West

Chs	
	East on a random line bet Secs 21 & 28 Va 13°24' E
40.00	Raised mound for temporary 1/4 sec cor
80.15	Intersect N. and S. line 38 links North of cor to Secs 21, 22, 27, and 28, from which cor I run N 89°44' W. on a true line bet Secs 21 & 28 Va 13°24' E
40.07½	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 Sec cor
80.15	Cor to Secs 20, 21, 28, & 29.
	Land Sand Hills Soil 3rd Rate

Township 30 North Range 29 W

chs	
	North bet secs 20 & 21 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 16, 17, 20 and 21
	Land Sand Hills Soil 3rd Rate

Township 30 North Range 29 W

chs	
	East on a random line bet secs 16 & 21 Va 13°24' E
40.00	Raised mound for temporary 1/4 sec cor
80.09	Intersect North & South line 11 links North of cor to secs 15, 16, 22 and 21 from which cor I run N 89°56' West on a true line bet Secs 16 and 21 Va 13°24' E
40.04½	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.09	Cor to secs 16, 17, 20, and 21
	Land Sand Hills Soil 3rd Rate

Township 30 North Range 29 W

Chs	
	North bet secs 16 & 17 Var 13°24' E
14.00	Enter valley Bears E & W
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to secs 8, 9, 16, and 17
	Land Sandy Soil 2nd Rate in valley 3rd Rate on Hills

Township 30 N Range 29 W

Chs	
	East on a random line bet secs 9 & 16 Var 13°24' E
2.00	Enter sand Hills Bears North and South
14.00	Raised mound for temporary 1/4 sec cor
62.00	Enter valley Bears S. E.
80.26	Intersect N. and S. line 12 links South of cor to secs 9, 10, 15 and 16 from which cor S 88° 55' West on a true line bet Secs 9 and 16 Var 13°24' E
40.13	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.26	Cor to secs 8, 9, 16, and 17.
	Land Sandy Soil 3rd Rate

Township 30 N Range 29 West

Chs	
	North bet secs 8 & 9 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.50	Willow creek 10 links wide Bears N.W. and S.E.
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to secs 4, 5, 8, and 9. Land Sandy Soil 2nd Rate

Township 30 North Range 29 W

Chs	
	East on a random line bet secs 4 & 9 variation 13°24' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
45.00	Willow creek 15 links wide dry
61.00	Enter Sand Hills Bears North and South
76.00	Enter valley Bears S.E.
80.06	Intersect N and S line 46 links North of cor to secs 3, 4, 9, and 10. from which cor I run N 89 40 West on a true line bet secs 4 & 9 Va 13°24' E
40.03	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.06	Cor to secs 4 5 8 and 9 Land Sandy Soil 2nd Rate

Township 30 North Range 29 West

Chs	
	North on a random line bet secs 4 & 5 Va 13°24' E
2.00	Willow creek Bears N.E. 10 links wide
6.00	Willow creek 10 links wide Bears N W
7. 8.00	Willow creek 10 links wide Bears N.E.
8 9.50	Willow creek 13 links wide Bears N.W.
10.00	Enter sand Hills Bears S.E.
23.00	Enter valley Bears S.E.
40.00	Raised mound for temporary 1/4 sec cor
58.00	Enter Sand Hills B.S.E.
79.10	Intersect North Boundary of Township 25 links West of cor to secs 4, 5, ~~8 & 9~~ from which cor I run South 11 W on true line bet Secs 4 & 5 Va 13°24' E
39.10	Raised mound of Earth 2 1/2 feet from pits 18 x 24 x 12 in deep for 1/4 sec cor to secs 4, 5, 8 and 9
79.10	Land sandy 3rd Rate July 16

Township 30 N Range 29 W 6th Pm

Chs	
	North bet secs 31 & 32 Va 13°24' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 24 x 24 x 12 in deep for cor to secs 29, 30, 31, and 32.

Land Gently Rolling Sand Hills Soil 3rd Rate

Township 30 N Range 29 W

chs	
	East on a random line bet secs 29 & 32 Va 13°24' E
40.00	Raised mound of earth for temporary 1/4 sec cor
79.87	Intersect N. and S. line 26 links North of cor to secs 28 29 32 and 33 from which cor I run N 89°49' West on a true line between Secs 29 & Va 13°24' E
39.93½	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79.87	Cor to secs 29, 30, 31, and 32. Land Sandy Soil 3rd Rate

Township 30 N Range 29 W 6th PM

chs	
	West on a random line bet secs 30 & 31 Va 13°24' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.79	Intersect west Boundary of township 7 links South of cor to secs 25, 30, 31, and 36 from which cor I run S 89°57' East on a true line bet Secs 30 and 31 Va 13°24' E
40.79	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.79	cor to secs 29 30 31 and 32 Land Sandy 3rd Rate

Township 30 North Range 29 W

Chs	
	North between Secs. 29 & 30 Va 13°24' E
18.00	Enter valley Bears E & W
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 12 in deep for cor to secs 19, 20, 29 & 30
	Land Sandy Soil 2nd Rate

Township 30 North Range 29 West

Chs	
	East on a random line bet secs 20 & 29 Va 13°24' E
28.00	Enter Sand Hills Bears N and S
40.00	Raised mound of Earth for temporary ¼ sec cor
80.20	Intersect N and S line 31 links S of cor to secs 20, 21, 28, and 29, from which cor I run S 89.47' West on a true line bet Secs 20 & 29 Va 13°24' E
40.10	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ sec cor
80.20	Cor to secs 19, 20, 29, and 30. Land Sandy in Botton Soil 2nd Rate Land Hills Soil 3rd Rate

Township 30 North Range 29

Chs	
	West on a random line bet Secs 19 & 30 Va 13°24' E
40.00	Raised mound of Earth for temporary 1/4 Sec cor
69.00	Enter Sand Hills Bears N and S
81.07	Intersect West boundary Township 6 links South of cor to Secs 19, 24, 25, and 30 from which cor I run S 89.57 E on a true line bet Secs 19 & 30 Va 13°24' E
41.07	Raised Mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec cor
81.07	Cor to Secs 19, 20, 29, and 30. Land Sandy 2nd Rate

Township 30 N Range 29 W

Chs	
	North bet Secs 19 & 20 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec cor
40.50	Enter Sand Hills Bears E & W
80.00	Raised mound of Earth 3 feet high from pits 24 X 24 X 18 in for cor to Secs 17, 18, 19 & 20

Land South 1/2 Sandy 2nd Rate
North half Sand Hills 3rd Rate
Soil

Township 30 N, Range 29 W.

Chs	
	East on a random line bet secs 17 & 20 Va 13°24' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.12	Intersect N and S line 15 links north of cor to secs 16, 17, 20, & 21 from which cor I run N 89°54' W on a true line bet Secs 17 & 20 Va 13°24' E
40.06	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.12	Cor to secs 17, 18, 19, and 20
	Land Sand Hills. Soil 3rd Rate

Township 30 N Range 29 W

Chs	
	West on a random line bet secs 18 & 19 Va 13°24' E
40.00	Raised mound for Temporary 1/4 sec cor
81.10	Intersect west boundary of Township 23 links South of cor to secs 13, 18, 19 and 24 from which cor I run S 89°56' E on a true line bet Secs 18 and 19 Va 13°24' E
41.10	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
81.10	Cor to secs 17 18 19 & 20 Land Sand Hills Soil 3rd Rate

Township 30 N Range 29 W 6th P.M.

Chs	
	North bet secs 17 & 18 Va 13°24' E
37.00	Enter valley B.S.E.
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ sec cor
77.00	Enter Sand Hills Bears East & West
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 in deep for cor to secs 7 8 17 and 18
	Land Sandy Soil 3rd Rate

Township 30 N Range 29 West

Chs	
	East on a random line bet secs 8 & 17 Va 13°24' E
40.00	Raised mound of Earth for temporary ¼ sec cor
68.00	Enter valley Bears North & South
80.00	Intersect North and South line at cor to secs 8 9 16 & 17 from which cor I run west on a true line bet Secs 8 & 17 Va 13°24' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ sec cor
80.00	Cor to secs 7, 8, 17 & 18
	Land Sandy Soil 3rd Rate

Township 30 N Range 29 W

chs	
	West on a random line bet secs 7 & 18 Va 13°24' E
40.00	Raised mound for temporary 1/4 sec cor
81.00	Intersect west boundary of township 48 links North of cor to secs 7, 12, 13, & 18 from which cor I run N 89.39 East on a true line bet Sec 7 & 18 Va 13°24' E
41.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
81.00	Cor to secs 7, 8, 17, and 18
	Land Sandy 3rd Rate Soil

Township 30 N Range 29 West

chs	
	North bet secs 7 & 8 Va 13°24' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
65.00	Enter Bottom Bears E & W
77.00	Willow creek 15 links wide B. E. & W. water 6 inches deep not running
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 5, 6, 7, and 8
	Land Sandy 3rd Rate

Township 30 North Range 29 W

Chs	
	East on a random line bet secs 5 & 8 Va 13°24' E
40.00	Raised mound of Earth 2½ for temporary 1/4 SE cor
55.00	Willow creek 10 links wide dry Bears N & S
79.30	Willow creek 12 links wide Bears N. & S.
79.50	Intersect N. and S. line 48 links North of cor to secs 4.5. 8. and 9. from which cor I run N 89°39' W, on a true line bet Secs 5 & 8 Va 13°24' E
39.75	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 sec cor
79.50	cor to secs 5.6. 7 & 8.

Land Sandy Soil 2nd Rate

Township 30 N Range 29 W

Chs	
	West on a random line bet secs 6 & 7 Va 13°24' E
30.00	Enter Sand Hills Bears S. E.
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.77	Intersect west Boundary of Township 54 links N of cor to secs 1. 6. 7. & 12. from which cor I run N 89°39' E on a true line bet Secs 6 & 7 Va 13°24' E
40.77	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 sec cor
80.77	Cor to secs 5. 6. 7 & 8

Land in valley is 2nd Rate Sand Hills 3rd Rate

Township 30 N Range 29 W.

Chs	
	North on a random line bet Secs 5 & 6 Va 13°24' E
40.00	Raised mound of earth for temporary 1/4 sec cor
47.00	Enter sand Hills Bears S.E.
79.42	Intersect North boundary of Township 61 links west of cor to secs 5, 6, 31, & 32, from which cor I run South 26 West on a true line bet Secs 5 & 6 Va 13°24' E
39.42	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79.42	Cor to secs 5, 6, 7 & 8, Land in valley 2nd Rate in Sand Hills 3rd Rate

General Description

This Township is nearly all Sand Hills There is a nice valley in Secs 1, 2, 3, 4, 5 & and 6, also in 19, 30, and 17. Soil in the valleys will grow good wheat. Water can be found by digging from 4 to 10 feet most any where in the valleys. There is a good many Ponds and marshes in the lower part which are much larger now than in a dry time. Pelican Lake in the South East part of the Township is a nice body of water several feet deep. This Township is well adapted for Grazing

Township No 30 N Range 29 West

Meanders of Pelican Lake in Sections 35 and 36 From the corner to fractional Sections 31 and 36 on the East boundary of the township, north shore of Lake I run in Section 36 as follows

Causes		Distances	
N 68°	W	4600 chs	
N 72°	W	39.60	Corner to fractional secs 35 & 36 thence in sec. 35
N 79½	W	31.00	
N 82½	W	29.00	
N 72°	W	10.00	
S ~~71½~~ 61	W	12.80	Corner on North Bank of Lake in to fractional secs ~~34 &~~ 35. Thence from Meander cor on the South side of Lake in frac. sec. 35
~~South~~		~~1.00~~	
S 50°	E	22.00	
S 51°	E	12.00	
S 53½	E	15.00	
S 70½	E	18.00	
S 80°	E	25.40	Corner to fractional secs

Township No 30 N Range No 29 West Meanders of a lake

S 69½ E	19.30	35 & 36. Thence in section 36 Corner to fractional Secs 1 & 6	lying in Sections 25 and 36. From the corner to fractional Sections 31 and 36 on the East boundary of the Township and North side of lake I run as follows in Sec 36

Causes Distances

N 75½ W	11.00 chs	
N 59¾ W	5.80	To cor-to fractional Secs 25 and 36. Thence in Sec 25
N 54 W	10.00 "	
West	9.00 "	
S 40 W	7.80 "	To cor-to fractl Secs 25 and 36 on west side of lake. Thence in Sec 36
S 10 W	9.00 "	
S 32¾ E	8.00	
S 69 E	17.00	
S 85¼ E	19.20	Cor to fractional Sections 31 & 36 on Range line and on South shore of lake

July 17th 1875

A list of names of the individuals who assisted in running, Measuring, and marking the sub-division lines and Meanders and corners of the foregoing field notes of Township No 30 North of the Base line in Range No 29 West of the 6th Principal Meridian in the State of Nebraska,

J F Hinton, Chainmen
A McLean Chainmen

A B Stuckey Woodman

James Hannan Flagman

We hereby certify that we assisted William Nardin Deputy Surveyor in Sub-dividing and Meandering Township No 30 North of the Base line Range No- 29 West of the 6th Principal Meridian in the State of Nebraska and that in all respects the said township to the best of our knowledge and belief has been well and faithfully surveyed and the boundary monuments planted according

to the instructions of the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

J. T. Stinson } Chainmen
A. McLean }
A. B. Stuckey } Mound men

James Hannan Flagman

Subscribed and sworn to by the above named Parties before me a Notary Public in and for Cuming County State of Nebraska this 22nd day of Aug 1875

J. M. Gillan
Notary Public

I William Hardin Deputy Surveyor do solemnly swear that in pursuance of joint contract wherein David V. Stephenson James L. Slocum and William Hardin are joint contractors with E. E. Cunningham Surveyor General for the District Nebraska & Iowa bearing date the 26th Day of May 1875, I have well truly and faithfully in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying manual and the laws of the United States, Surveyed all those parts or portions of Township Thirty (30) North of the Base line in Range No Twenty nine (29) West of the 6th Principal

Meridian as are represented

in the foregoing field notes as having been surveyed under my direction, and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the surveyor general, of dimensions, character, and construction and marking, and in the manner specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such survey

William Hardin

Subscribed by the said William Hardin deputy surveyor and sworn to before me a Notary public in and for Saunders County State of Nebraska this 31st day of August 1875

A B Fuller
Notary Public

Surveyor Generals Office
Plattsmouth Neb Nov 12th 1875

The foregoing field notes of the survey of the subdivision and meander lines of Township No 30 North of the Base Line of Range No 29 West of the 6th Principal Meridian in the State of Nebraska executed by William Hardin under joint Contract No 92 dated May 26th 1875 in the Month of July 1875 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Jno. Clark
Surveyor General

A List of names of individuals employed to assist in running measuring and marking the lines in this township and capacities in which they acted

A M Forbes } Chainmen
E J Holdbrook }
S P Koon } Moundmen
L Stambaugh }
W. F. Oneill, Flagman

Town 31 Range 29 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
57		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field notes of the Survey of the subdivision lines in Township No 31 North of the Base line of Range 29 West of the Sixth Principal Meridian in the State of Nebraska Executed by James L Slocum Deputy Surveyor under Joint contract No 92 dated May 26th 1875

Survey Commenced July 17th 1875

Survey Completed July 21st 1875

List of names next

To determine the proper adjustment of my compass for the subdivisions of this Township I commenced at the corner to Townships 30 and 31 N Ranges 28 and 29 West and run North on a blank line along the East boundary of sec 36.

Va 13.30 E

40.03 To a Point at 1/4 sec cor

80.04 To a point at the cor to sec 25 & 36
Therefore to run a line parallel to this my compass is in proper adjustment

Township 31 North Range 29 W

chs

From the corner to sections 1, 2, 35 and 36 on South boundary of Township I run
North between sections 35 & 36
Va 13.30 E

40.00 Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 sec cor

53.00 Enter Sand Hills Bears S. E.

80.00 Raised mound of earth 3 feet high from pits 24 X 24 X 12 in deep for cor to sec 25, 26, 35 and 36
Land in valley 2nd Rate hills 3rd Rate

Township 31 N Range 29 W

chs	
	East on a random line bet secs 25 & 36 Va 13°30' E
40.00	Raised mound for temporary 1/4 sec cor
80.10	Intersect N and S line 15 links North of cor to secs 25 30 31 and 36 from which cor ℄ run N 89°-4' West on a true line ~~bet~~ bet secs 25 & 36 Va 13°30' E
40.05	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.10	Cor to secs 25, 26, 35 and 36 Land sand hills Soil 3rd Rate

Township 31 N Range 29 W 6th Prin

chs	
	North bet secs 25 & 26 Va 13°30' E
35.00	Enter valley Bears E. & W
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
76.00	Enter sand hills B. E & W
80.00	Raised mound of earth 3 feet high from pits ~~24~~ x 24 x 12 in deep for cor to secs 23. 24. 25 and 26

Land in valley 2nd Rate in hills 3rd Rate

Township 31 N Range 29 W 6th PM

chs	East on a random line bet secs 24 & 25 Va 13°30' E
10.00	Enter valley Bears S.E.
40.00	Raised mound for temporary 1/4 sec cor
77.88	Intersect N. and S. line 19 links North of cor to secs 19 24 25 & 30 from which cor S run N.89.52. W. on a true line bet 24 & 25 Va 13°30' E
39.94	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.88	Cor to secs 23 24 25 & 26 Land Sandy 2nd Rate

Township 31 N Range 29 W 6th PM

chs	North bet secs 23 & 24 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
47.00	Enter valley Bears S.E.
72.10	Gordon creek ~~Bears~~ Runs ~~E.~~ West 10 links wide
80.00	Raised mound of Earth 3 feet high from pits 24 x 24 x 12 in deep for Cor to secs 13.14. 23 & 24

Sand hills 3rd Rate
Soil valley 2nd Rate

Township 31 N Range 29 W 6th PM

Chs	
	East on a random line bet secs 13 & 24 Va 13°30' E
23.00	Godins creek 10 links Wide Bears N. W.
40.00	Raised mound for temporary 1/4 sec cor
62.00	Enter Swamp Bears N. and S.
76.00	Leave swamp Bears N. & S.
79.66	Intersect N. and S. line 28 links North of cor to secs 13.18.19 and 24 from which cor S 1111 N 89°48' West on a true line bet secs. 13 and 24 Va 13°30' E
39.83	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79.66	Cor to secs 13 14 23 & 24 Land Sandy 2nd Rate

Township 31 N Range 29 W 6th PM

Chs	
	North bet secs 13 & 14 Va 13°30' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
45.50	Enter Sand hills Bears N. E.
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 in deep for cor to secs 11.12, 13 & 14.

Land in the S. and Western portion of this sec is 2nd Rate Soil
In the N. E. portion 3rd Rate Soil

Township 31 N Range 29 W 6th PM

Chs	East on a random line bet secs 12 & 13 Va 13° 30' E
40.00	Raised Mound of Earth ~~2½ feet high from~~ for temporary 1/4 sec cor
57.00	Enter valley Bears N.E.
79.72	Intersect East boundary of township 21 links North of cor to secs 7, 12, 13 and 18, from which cor I run N 89° 57' West on a true line bet 12 & 13 Va 13° 30' E
39.86	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79.72	Cor to secs 11, 12, 13, and 14. Land in valley Sandy 2nd Rate Sand hills 3rd Rate

Township 31 N Range 29 West

Chs	North bet secs 11 & 12 Va 13° 30' E.
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 1, 2, 11, and 12. Land Sand hills Soil 3rd Rate

Township 31 N Range 29 W

Chs	
	East on a random line bet secs 1 & 12 Va 13°30' E
40.00	Raised mound of earth for temporary 1/4 sec cor
73.00	Gordons creek 25 links wide water 1 foot deep running slow Bears N.W.
79.91	Intersect N and S line at cor to secs 1, 6, 7, & 12 from which cor I run ~~from which cor I run~~ west on a true line bet secs 1 and 12 Va 13°30' E
39.95½	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79.91	Cor to secs 1 2 11 & 12
	Land Sand hills Soil 3rd Rate

Township 31 N Range 29 W 6th Prin

Chs	
	North on a random line bet secs 1 & 2 Va 13°30' E
40.00	Raised mond for temporary 1/4 sec cor
70.00	Gordons creek South Bank Bears N W here the creek is dammed by beaver which makes 6 chs wide, and about 2 feet deep
80.18	Intersect North boundary of township (2.30) Two chs and thirty links West of witness cor Therefore my falling is 70 links East of true point for cor. ~~from true point for cor~~ to secs 1, 2, 35 and 36. I run South 30' E on a true line bet secs 1 and 2 Va 13°30' E
40.18	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.18	Cor to secs 1, 2, 11 & 12 Land Sand Hills Soil 3rd Rate

Township 31 N Range 29 West

Chs	
	North bet sec 34 x 35 Va 13 30
21.00	Enter valley Bears S.E.
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 in deep for cor to sec 26, 27, 34 & 35
	Land Sandy 2nd Rate

Township 31 N Range 29 West

Chs	
	East on a random line bet sec 26 & 35 Va 13°30 E
40.00	Raised mound of earth for temporary ¼ sec cor
45.00	Enter Sand hills B N and S.
80.18	Intersect N and S line 20 links N of cor to sec 25, 26, 35 & 36. from which cor I run N 89°51 W on a true line bet 26 & 35 Va 13°30 E
40.09	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ sec cor
80.18	Corner to sec 26, 27, 34 and 35
	Land in valley 2nd Rate the rest 3rd Rate

Township 31 N. Range 29 W.

chs	
	North bet secs 26 & 27
	Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 sec cor
42.00	Willow Creek Bears S.W. 15 links wide water in pools
80.00	Raised Mound of Earth 3 feet high from pits 24 X 24 X 12 in deep for cor to secs 22, 23, 26 and 27
	Land Sandy Soil 2nd rate
	July 17th 1875

Township 31 N Range 29 West

chs	
	East on a random line bet secs 23 & 26
	Va 13°30' E
27.00	Enter Sand Hills Bears S. E.
40.00	Raised mound for temporary 1/4 sec cor
80.18	Intersect N and S line 28 links N of cor to secs 23, 24, 25, and 26, from which cor I run N 89°48' W on a true line bet 23 and 26
	Va 13°30' E
40.09	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.18	Cor to secs 22, 23, 26, and 27
	Land Sandy 3rd Rate

Township 31 N. Range 29 W.

Chs	
	North bet secs 22 & 23 Va 13°30' E
25.00	Enter Sand hills Bears S.E.
40.00	Raised mound of Earth 2½ feet high from pits 18x24x12 in deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18x24x18 inches for cor to secs 14, 15, 22, and 23.
	Land Sandy 3rd Rate

Township 31 N Range 29 W

Chs	
	East on a random line bet secs 23 & 14 Va 13°30' E
27.00	Enter valley Bears N and S.
40.00	Raised mound of Earth 2½ feet high from pits 18x24x12 inches for 1/4 sec cor
~~75.00~~	~~Enter Sand hills B S.E.~~
75.00	Gordon creek 12 links wide Bears S. E.
80.00	Enter sect N. and S. line 26 links North of cor to secs 13 14 23 & 24 from which cor I run N 89°49' W on a true line Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18x24x12 inches deep for 1/4 sec cor
80.00	Cor to secs 14, 15, 22, & 23. Land Sandy in Bottom 2nd Rate Sand hills 3rd Rate

Township 31 N Range 29 W

chs	
	North bet sec 14 & 15 Va 13°30' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 inches deep for Cor to secs 10, 11, 14 & 15
	Land Sand hills Soil 3rd Rate

Township 31 N Range 29 W 6th PM

chs	
	East on a random line bet secs 11 & 14 Va 13°30' E
40.00	Raised mound for temporary 1/4 Sec cor
80.70	Intersect N. and S. line 30 links south of cor to secs 11, 12, 13, and 14, from which cor I run S 89°47' W. on a true line 11 & 14 Va 13°30' E
40.35	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.70	Cor to secs 10, 11, 14 & 15.
	Land Sand hills Soil 3rd Rate

Township 31 N Range 29 W

Chs	
	North between secs 10 & 11 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 24 x 24 x 12 in deep for cor to secs 2 3 10 & 11
	Land Sand hills Soil 3rd Rate

Township 31 N Range 29 W

Chs	
	East on a random line bet secs 2 & 11 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.85	Intersect N. and S. line 43 links south of cor to secs 1, 2, 11 & 12 from which cor S run S 89°42' W on a true line 2 & 11 Va 13°30' E
40 42½	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.85	Cor to secs 2, 3, 10 & 11
	Land Sand hills Soil 3rd Rate

Township 31 N, Range 29 W.

Chs	
	North bet secs 2 & 3 on a random line Va 13°30' E
40.00	Raised Mound of Earth for temporary 1/4 sec cor
80.68	Intersect North Boundary of Township 55 links East of cor to secs 2, 3, 34 & 35 from which cor S mm South 24 E on a true line Va 13°30' E
40.68	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80.68	Cor to secs 2 3 10 & 11
	Land Sand hills Soil 3rd Rate

Township 31 N, Range 29 W.

Chs	
	North bet secs 33 & 34 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 sec cor
52.00	Enter Sand hills Bears N.E & S.W.
80.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 18 in deep for cor to secs 27, 28, 33, and 34.
	Land in valley 2nd Rate, Sand Hills 3rd Rate

Township 31 N Range 29 W

Chs	
	East on a random line bet secs 27 & 34 Va 13°30' E
13.00	Enter valley Bears N.E.
40.00	Raised mound for temporary 1/4 sec cor
66.00	Willow creek Bears S.E. 12 links wide dry
79.81	Intersect N. and S. line 25 links North of cor to secs 26, 27, 34, & 35 from which cor I run N 89°49' West on a true line Va 13°30' E
39.90½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.81	Cor to secs 27, 28, 33 and 34
	Land Sandy 2nd Rate

Township 31 N Range 29 W

Chs	
	North bet secs 27 & 28 Va 13°30' E
11.00	Enter valley Bears E & W
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 21, 22, 27 & 28
	Land Sandy Soil 2nd Rate

Township 31 N Range 29 W

chs	East on random line bet secs 22 & 27 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.63	Intersect N. and S. line 36 links North of cor to secs 22, 23, 21 & 27 from which cor I run N 89°45' West on a true line Va 13°30' E
39.81½	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
79.63	Cor to secs 21, 22, 27, and 28.

Land sandy. 2nd Rate

Township 31 N Range 29 W

chs	North bet secs 21 & 22 Va 13°30' E
12.00	Enter Sand hills Bears E. & W.
40.00	Raised mound of earth 3 feet high from pits 24 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits ~~24~~ X 24 X 12 inches. deep for Cor to secs 15, 16, 21, and 22.

Land Sand Hills
Soil 3rd Rate
July 18th 1875

Township 31 N Range 29 W

Chs	
	East on a random line bet secs 15 & 22 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.50	Intersect N. and S. line 48 links North of cor to secs 14, 15, 22, & 23. from which cor I run N 89°39' W. on a true line 15 and 22 Va 13°30' E
39.75	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
79.50	Corner to secs 15, 16, 21, and 22. Land Sandy Hills Soil 3rd Rate

Township 31 N Range 29 W

Chs	
	North bet secs 15 & 16 Va 13°30' E
40.00	Raised mound of Earth 2 1/2 feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
55.00	Enter valley Bears E & W
74.00	To S. Edge of swamp. As it is impossible to establish permanently the cor to secs 9, 10, 15 and 16 in the swamp I therefore at this point 6.00 chains South of true point for said sec cor. Raise a witness mound 2 1/2 feet high from pits 18 X 24 X 12 inches deep for witness cor
80.00	A point in swamp for cor to secs 9 10 15 & 16 Land Sandy 3rd Rate

Township 31. N. Range 29. W.

chs	
	East on a random line bet secs 10. & 15 Va 13.30 E
40.00	Raised mound for temporary 1/4 sec cor
70.00	Leave marsh and Enter Sand Hills Bears N. and S.
79.28	Intersect N. and S. line 72 links North of cor to secs 10, 11, 14, and 15 from which cor I run N. 89°29' W on a true line 10 9/15 Va 13°30' E
39.64	Point for 1/4 sec cor in swamp. as it is impossible to establish a cor here I ran South 5.00 chains to S. edge of swamp where I raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for Witness cor
79.28	Point for cor to secs 9, 10, 15 & 16 Land Sandy 3rd Rate

Township 31. N. Range 29. West.

chs	
	North bet secs 9 & 10 Va 13°30' E
10.00	Leave Swamp Enter valley Bears N. E.
30.00	Enter Sand hills Bears N. E.
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Corner to secs 3. 4. 9. & 10.
	Land Sandy 3rd Rate

Township 31 N. Range 29. W.

Chs	
	East on a random line line bet secs 3. and 10. Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 Sec cor
79.75	Intersect N & S line 86 links North of cor to secs 2. 3. 10. & 11. from which cor S run N 89°23' West on a true line Va 13°30' E
398 7½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.75	corner to secs 3. 4. 9. and 10. Land Sand hills Soil 3rd Rate

Township 31 N. Range 29. W.

Chs	
	North on a random line bet secs 3 & 4 Va 13°30' E.
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.68	Intersect North boundary Township 75 links East of cor to secs 3. 4. 33. & 34 from which cor S run S 32° E on a true line Va 13°30' E
4068	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
8068	cor to secs 3. 4. 9 & 10

Land Sand hills
Soil 3rd Rate

Township 31 N. Range 29 W.

chs	
	North bet sec 32 & 33 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to Secs 28, 29, 32, and 33.
	Land Sand Hills Soil 3rd Rate

Township 31 N. Range 29 W.

chs	
	East on a random bet secs 28 & 33 Va 13°30' E
16.00	Enter valley Bears S.E.
38.00	Enter Sand Hills. Bears N.E.
40.00	Raised mound of Earth for temporary 1/4 sec cor
80.00	Intersect N. and S. line 30 links North of cor to secs 27, 28, 33, & 34 from which cor S. run N 89°47' West on a true line 28 and 33 Va 13°30' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Cor to secs 28, 29, 32, and 33.
	Land Sandy Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	North bet sec 28 & 29 Va 13°30' E
31.00	Entr valley Bears East and West
40.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.00	Raised Mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to sec 20, 21, 28 & 29

Land Sandy Soil 2nd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet sec 21 & 28 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.81	Intersect N. & S. line 31 links North of cor to sec 21, 22, 27 & 28 from which cor S run N 89°47' E on a true line between sec 21 & 28 Va 13°30' E
39.90½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.81	Cor to sec 20, 21, 28, and 29. Land Sandy Soil 2nd Rate

Township 31 N. Range 29 W.

Chs	
	North bet Secs 20 & 21 Va 13°30' E
30.00	Enter Sand hills Bears E and W
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
65.00	Enter valley Bears E & W
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to Secs 16, 17, 20, & 21.

Land Sandy Soil
3rd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet Secs 16 & 21 Var 13°30' E
17.00	Enter Sand hills Bears N. E.
40.00	Raised mound for Temporary ¼ Sec cor
79.86	Intersect N. and S. line 44 links North of cor to Secs 15, 16, 21 & 22 from which cor I run N 89°41' West on a true line 16 and 21 Va 13°30' E
39.93	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
79.86	Cor to Secs 16 17 20 & 21

Land Sandy Soil
3rd Rate

Township 31 N Range 29 W

Chs	
	North bet SECS 16 & 17 Va 13.30 E
29.00	Enter Sand hills Bears N. E.
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 24 X 24 X 12 inches deep for cor to secs 8, 9, 16 & 17
	Land Sandy Soil 3rd Rate
	July 19th 1875

Township 31. N. Range 29. W.

Chs	
	East on a random line bet secs 9 & 16. Va 13.30 E
40.00	Raised mound of Earth for temporary 1/4 cor
49.00	Enter Valley Bears N. & S.
71.77	Enter marsh Bears S. E.
79.77	Intersect North and South line 6.48 chs North of witness cor to secs 9. 10. 15 & 16 Therefore my falling is 48 links North of point for cor to secs 9 10 15 & 16 from which cor point I run N 89° 39' West on a true line 9 and 16 Va 13° 30' E
39.88½	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
79.77	Corner to secs 8. 9. 16. and 17. Land Sandy Soil 3rd Rate

Township 31 N. Range 29 W.

chs	
	North bet Secs 8 & 9 Var 13.30° E
40.00	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ Sec cor
80.00	Raised mound of earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to Secs 4, 5, 8, and 9.
	Land Sand hills Soil 3rd Rate

Township 31 N. Range 29 W.

chs	
	East on a random line bet Secs 4 & 9. Var 13°30' E
40.00	Raised mound of earth for temporary ¼ Sec Cor
79.92	Intersect North and South line 46 links North of cor to Secs 3, 4, 9 and 10, from which cor 8 run N 89°40' West on a true line 4 and 9 Var 13°30' E
39.96	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ Sec cor
79.92	Corner to Secs 4, 5, 8 and 9. Land Sand hills Soil 3rd Rate

Township 31 N, Range 29 W.

Chs	
	North bet secs 4 & 5. on a random line Va 13°30' E.
40.00	Raised Mound of Earth for temporary 1/4 sec cor
80.18	Intersect North boundary of township 80 links East of corner to secs 4.5. 32. & 33. from which cor I run South 34° East on a true line 4 and 5 Va 13°30' E
40.18	Raised Mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
80.18	Corner to secs 4, 5, 8. and 9.
	Land Sand hills Soil 3rd Rate.

Township 31 N. Range 29 W.

Chs	
	North bet Secs 31 & 32 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
48.00	Enter valley Bears S.E.
80.00	Raised mound of Earth 3 feet high from pits 24 x 24 x 12 inches deep for cor to secs 29.30. 31 & 32
	Land Sandy Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet secs 29 & 32 Va 13°30' E
40.00	Raised mound of earth for temporary 1/4 sec cor
62.00	Enter sand hills Bears North and South
80.15	Intersect N. and South line 25 links North of cor to secs 28, 29, 32, and 33, from which cor I run N 89°49' W on a true line bet 29 & 32 Va 13°30' E
40.07½	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.15	Cor to secs 29, 30, 31, 32,
	Land Sandy soil in valley 2nd Rate Hills 3rd Rate

Township 31 N. Range 29 W.

Chs	
	North bet secs 29 & 30 Va 13°30' E
33.00	Enter sand hills Bears N &
40.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of earth 3 feet high from pits 18 X 24 X 18 inches deep for Cor to secs 19, 20, 29 and 30.
	Land in valley soil 2nd Rate In hills 3rd Rate

Township 31 N. Range 29 W.

Chs	West

Township 31 N. Range 29 W.

Chs	West
	West on a random line bet secs 30 & 31 Va 13°30' E
27.00	Enter Sand hills Bars S.E.
40.00	Raised mound for temporary 1/4 sec cor
81.12	Intersect West boundary of township, 33 links South of cor to secs 25, 30, 31, and 36, from which cor I run S 89°47' East on a true line 30 and 31 Va 13°30' E
41.12	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
81.12	Cor to secs 29, 30, 31, and 32.
	Land in valley 2nd Rate
	on sand hills 3rd Rate

Township 31 N. Range 29 W.

Chs	
	North bet secs 29 & 30 Va 13°30' E
33.00	Enter Sand Hills Bears N.E.
40.00	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 X 24 X 18 inches deep for cor to secs 19, 20, 29 & 30
	Land in valley 2nd Rate. In Sand Hills 3rd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet secs 20 & 29 Va 13°30' E
40.00	Raised mound for temporary 1/4 sec cor
59.00	Enter valley Bears N.E.
80.38	Intersect North and South line 40 links North of corner to secs 20, 21, 28, and 29, from which cor I run N 89°43' West on a true line 20 and 29 Va 13°30' E
40.19	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.38	Corner to secs 19, 20, 29, 30
	Land Sandy 3rd Rate in hills in valley 2nd Rate

Township 31 N. Range 29 W.

Chs	
	West on a random line bet sec 19 & 30 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
81.28	Intersect West boundary of Township 28 links South of cor to sec 19, 24, 25, and 30, from which cor I run S 89°48' East on a true line Va 13°30' E
41.28	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
81.28	Cor to sec 19, 20, 29, and 30 Land Sand Hills Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	North bet sec 19 & 20 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 inches deep for 1/4 sec cor
80.00	Raised mound of Earth 2½ feet high from pits 18 X 24 X 18 inches deep for cor to sec 17, 18, 19, and 20, Land Sand Hills Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet Secs 17 & 20
	Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 Sec cor
61.00	Enter valley Bears North and South
80.10	Intersect North and South line 42 links North of cor to 16, 17, 20 and 21 from which cor I run N 89°42' W, on a true line 17 and 20
	Va 13°30' E
40.05	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
80.10	Corner to Secs 18, 19, 20, and 17.
	Land in East part SEC 2nd Rate In west part 3rd Rate

Township 31 N. Range 29 W.

Chs	
	West on a random line bet Secs 18 & 19
	Va 13°30' E
40.00	Raised mound for temporary 1/4 Sec cor
81.41	Intersect West boundary of township 20 links South of cor to Secs 13, 18, 19 and 24. from which corner I run S 89.57 E on a true line 18 and 19
	Va 13°30' E
41.41	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 Sec cor
61.41	Corner to Secs 17, 18, 19, and 20.
	Land Sand hills
	Soil 3rd Rate
	July 20th 1875

Township 31 N, Range 29 W.

Chs	
	North bet sec 17 & 18 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to sec 7, 8, 17 & 18
	Land Sand Hills Soil 3rd Rate

Township 31 N Range 29 W 6th Pm

Chs	
	East on a random line bet sec 8 & 17 Va 13°30' E
40.00	Raised mound of Earth for temporary ¼ sec cor
79.87	Intersect North and S line 57 links North of cor to secs 8, 9, 16, and 17, from which corner I run N 89°38' West on a true line 8 and 17 Va 13°30' E
39.93½	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for ¼ sec cor
79.87	Corner to secs 7, 8, 17 and 18
	Land Sand Hills Soil 3rd Rate

Township 31 N. Range 29 W.

chs	
	West on a random line bet secs 7 & 18 Va 13°30' E
40.00	Raised mound for temporary 1/4 sec cor
81.60	Intersect West boundary of township 10 links North of corner to secs 7, 12, 13, and 18, from which cor I run N 89°56' E on a true line and 18 Va 13°30' E
41.60	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
81.60	Corner to secs 7, 8, 17, and 18.

Township 31 N. Range 29 W.

chs	
	North bet secs 7 & 8 Va 13°30' E
40.00	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
44.50	Enter valley Bears E. & W.
79.50	Enter Sand hills Bears East and West
80.00	Raised mound of Earth 3 feet high from pits 18 x 24 x 18 inches deep for cor to secs 5, 6, 7, and 8.
	Land Sand hills Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	East on a random line bet sec 5 & 8 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.76	Intersect North and South line 33 links North of cor to sec 5, 4, 8, and 9, from which cor I run N 89°45' W on a true line 5 and 8 Va 13°30' E
39.88	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.76	Cor to sec 5. 6. 7. and 8.

Land Sand Hills
Soil 3rd Rate

Township 31 N. Range 29 W.

Chs	
	West on a random line bet sec 6 & 7 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
81.35	Intersect West boundary of township 18 links North of cor to sec 1. 6. 7 & 12 from which cor I run N 89°52' E on a true line 6 and 7. Va 13°30' E
41.35	Raised mound of Earth 2½ feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
81.35	Corner to sec 5. 6. 7. and 8.

Land Sand Hills
Soil 3rd Rate

Township 31 N Range 29 W.

Chs	North on a random line bet secs 5 & 6 Va 13°30' E
40.00	Raised mound of Earth for temporary 1/4 sec cor
79.86	Intersect North boundary of Township 60 links East of cor to secs 5, 6, 31, and 32, from which cor I run South 26 East on a true line Va 13°30' E
39.86	Raised mound of Earth 2 1/2 feet high from pits 18 x 24 x 12 inches deep for 1/4 sec cor
79.86	Cor to secs 5 6 7 & 8

Land Sand Hills
Soil 3rd Rate
July 21st 1875.

General Description

The land in the valleys is a sandy loam, about six inches deep sub-soil sand, water can be obtained in the valleys by digging from 1 to 8 feet deep.

This Township is well adapted to Grazing.

Willow creek in the South East part of Township, water stands in pools, no running water.

Gordon creek runs through secs 1 & 12 is a nice spring Branch dammed in many places by Beavers

A list of names of individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township 31 North of the Base line in Range No 29 West of the Sixth Principal Meridian in the State of Nebraska and the capacities in which they acted

A. M. Forbes, } Chainmen
Edward A. Holdbrook }
S. P. Koon, } Moundmen
L Stambaugh }

W F Oneill Flagman

We hereby certify that we assisted James L Slocum Deputy Surveyor in Subdividing Township No 31 North of the Basi Line in Range No. 29 West of the 6th Principle Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments planted according to the instructions of the Surveyor General. and of Dimensions ~~and~~ Character construction and Marking and in the manner as specifically Described in the foregoing field notes

A. M. Forbes } Chainmen
E. J. Goldbrook
S. P. Koon } Moundmen
T. Stamfaugh
W. F. O'Neill } Flagman

Subscribed and Sworn to by the abovenamed Parties before me a Notary Public in and for Cuming County State of Nebraska. this 22nd day of Aug 1875

J McMillan

I James L Slocum Deputy Surveyor do Solemnly Swear that in pursuance of a Joint Contract wherein Darell V Stephenson James L Slocum & William Hardin are Joint contractors with E E Cunningham Surveyor General for the District of Nebraska & Iowa bearing date the 26th day of May 1875 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying manual, and laws of the United States, Surveyed all those parts or portions of Township 31 North of the Base line in Range 29 West of the 6th Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my Direction, and I do further solemnly Swear that all the Corners of said survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special Instructions of the Surveyor General, of dimensions, character, constructions, and marking, and in the manner specifically described in the foregoing field notes, and that the foregoing are the true and original field Notes of such Survey

James L Slocum

Subscribed by the said James L Slocum deputy Surveyor and sworn to before me a

Notary Public in and
for Saunders County
State of Nebraska
this 31st day of August
1875

A B Fuller
Notary Public

Surveyor Generals Office

Plattsmouth Neb Nov 5th 1875

The foregoing field Notes of the Survey and Subdivision of Township No 31. North of the Base Line of Range No 29. West 6th Principal Meridian in Nebraska Executed by James L. Sloann under joint contract No 92 dated May 26th 1875 in the month of July having been critically examined the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

Jno. R. Clark.
Surveyor General

Town 32 Range 29 W.



Field Notes of

the Survey of the Subdivision lines of Township No 32 North of the Base line of Range No 29 West of the Sixth Principal Meridian in the State of Nebraska by William Hardin deputy Surveyor under joint contract No 92 dated May the 26th 1875

Sub-division Commenced July 8th 1875

Sub-division Completed July 12th 1875

A List of names of persons employed to assist in Sub-dividing Township 32 N Range 29 West and their Several duties

J. F. Hinton Chainman
A McLean "
H B Stukey Moundman
S M Slocum "
James Hannan Flagman

Township 32 North Range 29 West

Having run the exterior boundaries of this township my compass is in adjustment for sub-dividing it From the Witness cor on the south boundary of the township I run North on offset line 8.00 chs thence West 3.00 chs. Thence North between sections 35 and 36
Va 13° 30' E

Counting length of offset line

40.00 Set a post 2x3 in x 4 ft - 1 ft in ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for gr sec - cor

7.640 Creek - (dammed by Beavers) runs North

8.00 Point for cor in Beaver dam Therefore I run West 150 lks to point on west bank of creek where I set post 3x3 in x 4 ft - 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for Witness cor to secs 25 26 35 and 36

Township 32 N. Range 29 West

Chs	
	East on a random line between Sec^s 25 and 36 Va 13°30
2.30	Leave creek Enter Sand hills
40.00	Set post for temporary qr sec Cor
79.95	Intersected East boundary of township 50 lks North of Cor to Sec^s 25 and 36 from which Cor I run North 89.39 West on a true line between Sec^s 25 and 36 Va 13°30'E
39.97½	Set a post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised a mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec Cor
79.95	The Corner point to Sec^s 35, 36 25 and 26
81.45	Witness Cor Land Sand hills

Township 32 N Range 29 West

Chs	
	North between Sec^s 25 and 26 Va 13°30'E
5.50	Leave beaver dam
32.00	Creek 15 lks over - running E of North
40.00	Set post 2x3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec Cor
80.00	Set a post 3x3x4 ft - 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for Cor to Sec^s 23 24 25 and 26 Land broken Soil Sand - 3^d rate

Township 32 N Range 29 West

Chs	East on a random line between sections 24 and 25. Va 13°30 E
17.00	So. Creek (Gordons) 10 lks over runs North
40.00	Set post for temporary qr sec cor
79.68	Intersected East boundary of township 36 lks North of cor to secs 24 and 25 - from which Cor I run North 89°45' West on a true line between secs 24 and 25 - Va 13°30.
39.84	Set a post 2x3in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12in deep for qr sec cor
79.68	The cor to secs. 23, 24, 25, 26 Land - Sand Hills Soil 3d rate

Township 32 N Range 29 West

Chs	North between sections 23 and 24 Va 13°33' E
40.00	Set post 2x3in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12in deep for qr sec cor
80.00	Set post 3x3in x 4 ft 1 ft in ground - deposited charred stake raised mound of earth 2½ ft high for Cor - to secs 13 14 23 and 24
	Land Sand hills Soil 3d rate

Township 32 N Range 29 W

Chs	East on a random line between Secs 13 and 24 Va 13°33' E
21.55	Gordons Creek 20 lks over runs E of North
79.82	Intersected East boundary of township 45 lks North of cor - to Secs 13 and 24 from which cor - I run North 89°41' West on a true line between Secs 13 and 24 Va 13°33' E
39.91	Set a post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24 x12 in deep for qr sec Cor -
79.82	The cor - to Secs 13, 14 23 and 24 Land Sand hills Soil 3d rate

Township 32 N. Range 29 West

Chs	North between sections 13 and 14 Va 13°33' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24 x12 in deep for qr sec Cor
80.00	Set a post 3x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24x 12 in deep for Cor to Secs 11, 12, 13 and 14 Land Sand hills Soil 3d rate

Township 32 N Range 29 W

chs	East on a random line between secs 12 and 13 Va 13°33' E
40.00	Set post for temporary qr sec cor
72.50	Gordon Creek 10 lks over course North
80.28	Intersected East boundary of township 64 lks north of cor to secs 12 and 13 from which cor I run North 89.33 West on a true line between secs 12 and 13 Va 13°33' E
40.14	Set a post 2"x3" x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.28	The cor to secs 11.12 13 and 14

Land Sandy hills
Soil 3d rate

Township 32 N. Range 29 West

chs	North between sections 11 and 12 Va 13°33' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 1.2.11 and 12

Land Sand hills
Soil 3d rate

Township 32 N Range 29 W

chs	East on a random line between Sec^s 1 and 12 Va 13° 33' E
40.00	Set post for temporary qr Sec cor.
51.30	Gordons creek 15 lks wide running North
79.87	Intersected the East boundary of township 85 links North of cor to sec^s 1 and 12 from which cor I run North 89° 24' West on a true line between sec^s 1 and 12 Va 13° 33' E
39.93½	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited charred stake and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.87	The corner to sec^s 1, 2, 11 and 12 Land Sandy hills Soil 3^d rate

Township 32 N. Range 29 West

chs	North on a true line between sec^s 1 and 2 Va 13° 33' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor.
69.50	Wagon road bears E & W
76.05	Intersected the 8th stand and parallel 15.31 chs West of the cor to Township 33 North Range 28 and 29 West at which point of intersection I set a post 3 x 3 in x 4 ft 1 ft in the ground - deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing cor to fractional sec^s 1 and 2 July 8 1878 Land Sandy hills Soil 3^d

Township 32 N Range 29 W

Chs	
	North between Secs 34 and 35 Va 13°30' E
40.00	Set a post 2x3in x 4 ft - 1 ft in ground - deposited a charred stake and raised mound of earth 2½ ft high from pits 18x24x 12 in deep for gr sec cor
80.00	Set a post 3x3in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for cor to Secs 26 27 34 and 35
	Land Sand hills Soil 3d rate

Township 32 N Range 29 West

Chs	
	East on random line between sections 26 and 35 Va 13°30' E
40.00	Set a post for temporary qr sec - cor -
68.00	Enter creek bottom.
78.56	To a point 33 lks north of Witness corner to sections 25 26 35 and 36 which gives 8006 as length of line From this witness cor I run N 89°46' West on a true line between Secs 26 and 35 - counting part of line east of W. cor Va 13°30' E
40.03	Set a post 2x3in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x 12 in deep for gr sec cor
80.06	The cor - to Secs 26, 27, 34 and 35 -
	Land Sand hills Soil 3d rate

Township 32 N. Range 29 West

Chs	North between Sections 26 and 27 Va 13°30' E
40.00	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake and raised mound of earth 2½ ft high from pits 18x24x12 in deep for gr sec-cor-
80.00	Set a post 3x3 in x 4 ft 1 ft in ground deposited charred stake and raised mound of earth 2½ ft high from pits 18x24x12 in deep for cor to sec^s 22, 23, 26 and 27
	Land Sand hills Soil 3^d rate

Township 32 N Range 29 W

Chs	East on a random line between sec^s 23 and 26 Va 13°30' E
40.00	Set a post for temporary gr sec cor
80.42	Intersected N and S line 42 chs north of Cor to sections 23 24 25 and 26 from which Cor - I run North 89°42' West on a true line between sec^s 23 and 26 Va 13° 30' E
40.21	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for gr sec cor
80.42	The cor to sec^s 22, 23, 26, 27 Land Sand hills Soil 3^d rate

Township 32 N Range 29 W

chs	
	North between sections 22 and 23 Va 13°30' E
40.00	Set a post 2x3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised Mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec Cor.
80.00	Set a post 3x3 in x 4 ft - 1 ft in the ground deposited Charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for Cor - to sec 14 15 22 and 23 Land Sand hills Soil 3d rate

Township 32 N Range 29 West

chs	
	East on a random line between Secs 14 and 23 Va 13°30' E
40.00	Set a post for temporary qr sec Cor
79.90	Intersected N and S line 76 lks North of the Cor to Secs 13, 14 23 and 24 from which cor - I run North 89°27' West on a true line between Secs 14 and 23 Va 13°30
39.95	Set a post 2x3 in 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
79.90	The corner to sections 14, 15, 22 and 23 Land Sand hills Soil 3d rate

Township 32 N. Range 29 West

Chs	North between sections 14 and 15 va 13° 30' E
40.00	Set a post 2x3 in x 4 ft 1 ft in ground - deposited Charred Stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.00	Set post 3x3 in x 4 ft 1 ft in ground - deposited Charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for cor to sec^s 10, 11, 14 and 15
	Land Sand hills Soil 3^d rate

Township 32 North Range 29 West

Chs	East on a random line between sec^s 11 and 14 va 13° 30' E
40.00	Set a post for temporary qr sec cor
50.19	Intersected the N and S line 80 lks north of cor to sec^s 11 12 13 and 14 from which cor - I run North 89° 26' West on a true line between sec^s 11 and 14 va 13° 30' E
40.09½	Set a post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.19	The cor - to sec^s 10, 11, 14 and 15
	Land Sand hills Soil 3^d rate

Township 32 N Range 19 W

Cho	North between sections 10 and 11 Var 13°30
40.00	Set post 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set a post 3x3 in x 4 ft 1 ft in the ground - deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 2, 3, 10 and 11
	Land Sandy hills Soil 3d rate

Township 32 N Range 29 West 6

Cho	East on a random line between Secs 2 and 11 Var 13°30' E
40.00	Set a post for temporary qr sec cor
80.25	Intersects N and S line 56 lks north of cor to Secs 1, 2, 11 and 12 from which cor I run North 89° 36' West on a true line between Secs 2 and 11 Var 13°30' E
40.13½	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.27	The cor - to Secs 2, 3, 10 and 11 Land low Sandy hills Soil Sandy poor 2d rate

Township 32 North Range 29 W

Chs	North between sections 2 and 3 Var 13° 30' E
40.00	Set a post 2 x 3 in x 4 ft 1 ft in the ground deposited a charred stake and raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
61.30	Wagon road bears E & W
75.42	Intersected the 8th Stand and parallel at a point 15.45 chs West of the cor to secs 35 and 36 Township 33 North Range 29 West At which point I set a post 3 x 3 in x 4 ft - 1 ft in the ground - deposited a charred stake and raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing cor to secs 2 and 3 - July 9th 1895
	Land Sandy hon 2d rate

Township 32 N. Range 29 W

Chs	North between sections 33 and 34 Var 13° 30' E
40.00	Set a post 2 x 3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set a post 3 x 3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to secs 27, 28 33 and 34
	Land Sand hills
	Soil nearly pure sand

Township 32 N Range 29 W

chs	East on a random line between Secs 27 and 34 Va 13° 30' E
40.00	Set post for temporary qr sec cor
80.37	Intersected N and S line 40 lks North of the cor to Secs 26 27 34 and 35 from which cor I run North 89° 43' West on a true line between sections 27 and 34 Va 13° 30' E
40.18½	Set a post 2x3 in x 4 ft 1 ft in the ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec Cor
80.37	The cor to Secs 27 28 33 and 34 Land low sand hills Soil 3d rate

Township 32 N. Range 29 West

chs	North between sections 27 and 28 Va 13° 30' E
40.00	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.00	Set a post 3x3 in x 4 ft 1 ft in the ground deposited charred stake raised a mound of earth 2½ ft high from pits 18x24x12 in deep for cor - to sections 21. 22 27 and 28

Land Sand hills
Soil 3d rate

Township 32 North Range 29 West.

Chs	East on a random line between sec^s 22 and 27 Var 13°30' E
40.00	Set a post for temporary qr sec cor
80.02	Intersected N and S line 71 lks North of cor - to sec^s 22-23-26 and 27 from which cor - I run North 89°30' West on a true line between sec^s 22 and 27 Var 13°30' E
40.01	Set a post 2x3in x4ft 1ft in ground - deposited charred stake and raised a mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.02	The cor to sections 21 22 27 and 28 Land Sand hills Soil 3^d rate

Township 32 N. Range 29 West

Chs	North between sections 21 and 22 Var 13°30' E
40.00	Set post 2x3in x4ft - 1ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24 x12 in deep for qr sec - cor -
80.00	Set post 3x3in x4ft 1ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x 24x12in deep for cor - to sec^s 15, 16, 21 and 22 Land Sand hills Soil 3^d rate

Township 32 North Range 29 West

Chs	
	East on a random line between sec^s 15 and 22 Var 13° 30' E
40.00	Set post for temporary gr sec cor
80.38	Intersected the North and South line 33 lks North of Cor - to sec^s 14, 15, 22 and 23 from which Cor - I run North 89° 37' West on a true line between sec^s 15 and 22 Var 13° 30' E
40.19	Set post 2 x 3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec - Cor
80.38	The cor - to sec^s 15, 16, 21 and 22,
	Land Sand hills Soil 3^d rate

Township 32 N - Range 29 West

Chs	
	North between sections 15 and 16 Var 13° 30' E
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec cor
80.00	Set post 3 x 3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to sec^s 9, 10, 15 and 16
	Land Sand hills Soil 3^d rate

Township 32 N Range 29 West

Chs	East on a random line between Secs 10 and 15 Va 13° 38' E
40.00	Set post for temporary qr sec-cor
79.88	Intersection N and S line 57 lks North of Cor to Secs 10, 11, 14 and 15 from which Cor I run North 89° 36' West on a true line between Secs 10 and 15 Va 13° 30' E
34.94	Set post 2 x 3 in x 4 ft - 1 ft in ground - deposited Charred Stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.88	The cor to Secs 9, 10, 15 and 16

Land Sand hills
Soil 3d rate

Township 32 N. Range 29 West

Chs	North between sections 9 and 10 Va 13° 30' E
40.00	Set post 2 x 3 in x 4 ft - 1 ft in ground deposited Charred Stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3 x 3 in x 4 ft - 1 ft in ground - deposited Charred Stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 3, 4, 9 and 10

Land low Sand hills
Soil 3d rate

Township 32 N. Range 29 West

Chs.	East on a random line between sections 3 and 10 Var 13° 30' E
40.00	Set post ~~2x3 in x 4 ft 1 ft~~ for temporary qr sec cor
79.82	Intersected N and S line 78 lks North of cor to secs 2 3, 10 and 11 from which Cor I run North 89° 27' West on a true line between sections 3 and 10 Var 13° 30' E
39.91	Set post 2x3 in x 4 ft high 1 ft in ground - deposited Charred Stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.82	Thence - to secs 3, 4, 9 and 10

Land low sand hills
Soil poor 2d rate

Township 32 N Range 29 West

Chs.	North on true line between sections 3 and 4 Var 13° 30' E
40.00	Set a post - 2 x 3 in x 4 ft - 1 ft in ground - deposited Charred Stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec - cor
74.71	Intersected the 8th Stand and line at a "point" 15.08 chs West of cor to secs 34 and 35 T. 33 N R 29 West at which "point" I set a post 3 x 3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing cor to secs 3 and 4

July 10th 1875.

Land low flat & sand hills
Soil poor 2d rate

Township 32 North Range 29 W

Chs	North between Sections 32 and 33 Va 13° 30' E
40.00	Set post 2 x 3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec Cor
80.00	Set a post 3 x 3 in x 4 ft 1 ft in ground - deposited Charred stake and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor to Secs 28, 29, 32 and 33
	Land Sand hills Soil 3d rate

Township 32 N Range 29 West

Chs	East on random line between Secs 28 and 33 Va 13° 30' E
40.00	Set a post for temporary qr Sec - Cor.
79.75	Intersected the N and S line 48 lks North of Cor to Secs 27, 28 33 and 34 from which Cor I run North 89° 39' West on a true line between Secs 28 and 33 Va 13° 30' E
39.87½	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr Sec Cor
79.75	Thence cor to Secs 28 29 32 and 33
	Land Sand hills Soil Sandy 3d rate

Township 32 North Range 29 West

Chs	North between Secs 28 & 29 Va 13°30'E
40.00	Set post 2x3in x 4ft - 1ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18x24x 12in deep for qr sec cor
80.00	Set post 3x3in x 4ft - 1ft in ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x 12in deep for cor - to Secs 20 21 28 and 29
	Land Sand hills Soil almost pure sand

Township 32 North Range 29 West

Chs	East on a random line between Secs 21 and 28 Va 13°30'E
40.00	Set a post for temporary qr sec - cor
79.70	Intersected N and S line 32 lks north of cor to Secs 21 22 27 and 28 from which cor - I run North 89°46' West on a true line between Secs 21 and 28 Va 13°30'E
39.85	Set post 2x3in x 4ft - 1ft in ground - deposited charred stake - and raised mound of earth 2½ ft high from pits 18x24x12in deep for qr sec cor
79.70	The cor - to Secs 20 21 28 and 29 Land Sand hills Soil 3d rate

Township 32 N Range 29 W

chs	North between Sections 20 and 28 Va 13° 30' E
40.00	Set post 2x3in x4 ft 1 ft in ground deposited Charred stake - raised Mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.00	Set a post 3x3in x4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18x24 x12in deep for cor to sections 16 17. 20 and 21
	Land Sand hills Soil 3d rate

Township 32 North Range 29 West

Chs	East on a random line between Secs 16 and 21 Va 13° 30' E
40.00	Set a post for temporary qr sec cor
80.13	Intersected N and S line 84 lks north of cor to secs 15, 16, 21 and 22 from which cor - I run North 89° 24' West on a true line between secs 16 & 21 Va 13° 30' E
40.06½	Set a post 2x3in x4 ft 1 ft in ground Deposited Charred stake Raised mound of earth 2½ ft high from pits 18x24x12in deep for qr sec cor
80.13	The cor to secs 16, 17, 20 and 21 Land Sand hills Soil 3d rate

Township 32 N Range 29 West

Chs	North between sections 16 and 17 Va 13° 30' E	
4 40.00	Set post 2x3in x4 ft 1 ft in the ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12in deep for gr sec-cor-	
8 80.00	Set post 3x3in x4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12in deep for corner to sec^s 8, 9, 16 and 17	
	Land Sand hills Soil 3^d rate	

Township 32 N Range 29 West

Chs	East on a random line between sec^s 9 and 16 Va 13° 30' E	
10.00	Set post for temporary gr sec Cor	
80.18	Intersected N and S line 90 lks North of cor to sec^s 9, 10, 15 and 16 from which cor - I run North 89° 21' West on a true line between sec^s 9 and 16 Va 13° 30' E	
40.09	Set a post 2x3in x4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12in deep for gr sec cor	
80.18	The cor - to sec^s 8, 9, 16 and 17 Land Sand hills Soil 3^d rate	

Township 32 N. Range 29 West

Chs	
	North between sections 8 and 9 Var 13° 30' E
40.00	Set a post 3x3in x4ft 1ft in ground — deposited Charred stake raised mound of Earth 2½ ft high from pits 18x24x12in deep for gr sec — cor —
80.00	Set post 3x3in x4 ft 1ft in ground — deposited Charred stake — raised mound of earth 2½ ft high from pits 18x24 x12in deep for cor to Secs 4.5. 8 and 9
	Land Small sandhills Soil 3d rate

Township 32. N. Range 29 West

Chs	
	East on a random line between Secs 4 and 9 Var 13° 30' E
40.00	Set post for temporary qr sec cor
79.95	Intersected N and S line 46 lks North of cor — to Secs 3.4. 9 and 10. from which Cor — I run North 89° 40 West on a true line between Secs 4 and 9 Var 13° 30' E
39.97½	Set post 2x3in x4ft 1ft in the ground — deposited Charred stake — raised mound of earth 2½ ft high from pits 18x24 x12 in deep for gr sec Cor
79.95	Cor — to Secs 4, 5, 8, and 9. Land low sand hills Soil poor 2d rate

Township 32 N. Range 29 West

Chs	North between sections 4 and 5 Va 13° 30' E
31.00	Wagon road - E and W
40.00	Set post 2x3 in x 4 ft - 1 ft in ground - deposited Charred stake - raised a mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Gr Sec Cor
74.28	Intersected 8th Standard and parallel 14.79 chs West of Cor - to Secs 33 and 34 Township 33. North Range 29 West. Where (at point of intersection) I set post 2x3 in x 4 ft - 1 ft in ground deposited charred stake and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing Cor - to Secs 4 and 5 Land low flat sandy hills Soil poor 2d rate July 11th 1875

Township 32 N Range 29 West

Chs	North between sections 31 and 32 Va 13° 30' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Gr Sec - Cor -
80.00	Set post 3 x 3 in x 4 ft 1 ft in ground deposited Charred stake and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor - to Secs 29, 30, 31 and 32

Land Sand hills
Soil 3d rate

Township 32 North Range 29 W

0 lks	East on a random line between Sec. 29 and 32 Va 13° 30' E
40.00	Set post for temporary qr sec cor
86.02	Intersected N and S line 37 lks north of the cor to secs 28 29 32 and 33, from which cor I run North 89° 44' West on a true line between sections 29 and 32 Va 13° 30' E
40.02	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake and raised a mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.04	The cor to secs 29, 30, 31, and 32 - Land S and hills Soil 3d rate

Township 32 N. Range 29 West

0 lks	West on a random line between Secs 30 and 31 Va 13° 30' E
40.00	Set post for temporary qr sec cor
81.03	Intersected West boundary of the township 55 lks South of cor to secs 30 and 31 from which cor I run South 89° 36 East on a true line between secs 30 and 31 Va 13° 30' E
41.03	Set post 2x3 in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.03	The cor to secs 29 30 31 and 32 Land S and hills soil 3d rate

Township 32 N. Range 29 W

Chs	
	North between sections 29 and 30. Va 13° 30' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground – deposited Charred Stake – raised mound of earth 2½ ft high from pits 18x24x12 in deep for gr sec cor
80.00	Set post 3x3 in x 4 ft 1 ft in the ground – deposited Charred Stake – raised mound of earth 2½ ft high from pits 18x24x12 in deep for cor – to sec's 19, 20, 29 and 30
	Land Sand hills Soil 3d rate

Township 32 N. Range 29 West

Chs	
	East on a random line between sec's 20 and 29 Va 13° 30' E
40.00	Set post for temporary gr sec – cor –
79.83	Intersected N and S line 66 lks north of cor – to sec's 20, 21, 28 and 29 from which cor I run North 89° 32' West on a true line between sections 20 and 29 Va 13° 30' E
39.92½	Set a post – 2x3 in x 4 ft 1 ft in ground – deposited Charred stake – raised mound of earth 2½ ft high from pits 18x24x12 in deep for gr sec – cor –
79.83	The cor – to sec's 19, 20, 29 and 30 Land Sand hills Soil 3d rate

Township 32 N. Range 29 West

Obs	West on a random line between Secs. 19 and 30 Var 13° 30' E
40.00	Set post for temporary qr sec-cor-
81.00	Intersected the West boundary of the township 38 lks South of cor- to secs 19 and 30, from which Cor I run South 89° 44 East on a true line between Secs 19 and 30 Var 13° 30' E
41.00	Set a post- 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec-cor-
81.00	The cor- to secs 19, 20 29 and 30 Land Land hills Soil 3d rate

Township 32 N. Range 29 West

Obs	North between Sections 19 and 20 Var 13° 30' E
40.00	Set post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec-cor-
80.00	Set a post 3x3 in x 4 ft, 1 ft in ground - deposited Charred stake and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Cor- to secs 17, 18, 19 and 20 Land Land hills Soil 3d rate

Township 32 N Range 29 West

0.00	East on a random line between Secs 17 and 20 Va 13° 30' E
40.00	Set post for temporary qr sec-cor.
79.64	Intersected N and S line 45 lks north of cor to secs 16, 17, 20 and 21 from which Cor I run North 89° 45' West on a true line between secs 17 and 20 Va 13° 30' E
39.82	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr-sec-cor.
79.64	The cor to secs 17, 18, 19, 20. Land Sand hills Soil 3d rate

Township 32 N. Range 29 W

0.00	West on a random line between Secs 18 and 19 Va 13° 30' E
40.00	Set post for temporary qr sec-cor.
80.16	Intersected West boundary of township 36 lks South of cor to secs 18 and 19 from which cor I run South 89° 45' East on a true line between secs 18 and 19 Va 13° 30' E
40.16	Set post 2x3 in x 4 ft. 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18x24x12 in deep for qr sec cor
80.16	The cor to secs 17, 18, 19 and 20 Land Sand hills Soil 3d rate

Township 32 N Range 29 W.

Chs	
	North between sections 17 and 18 Var 13° 30
40.00	Set a post - 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec cor
80.00	Set post 3x3 in x 4 ft 1 ft in ground deposited charred stake raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor to sec.s - 7, 8, 17 and 18
	Land Sand hills Soil 3d rate

Township 32 N Range 29 W

Chs	
	East on a random line between sec.s 8 and 17 Var 13° 30' E
40.00	Set a post for temporary qr sec - cor -
79.71	Intersected N and S line 38 lks north of cor to sections 8, 9, 16 and 17 from which cor - I run North 89° 44 West on a true line between sections 8 and 17 Var 13° 30' E
39.85½	Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec - cor
79.71	The Cor - to sec.s 7 8 17 and 18
	Land Sand hills Soil 3d rate

Township 32 North Range 29 West

Chs	West on a random line between sections 7 and 18 Va 13° 30' E
40.00	Set post for temporary qr sec cor
79.96	Intersected the West boundary of the township 79 chs South of cor to secs 7 and 18 from which cor I run South 89.26 East on a true line between secs 7 and 18 Va 13° 30' E
39.96	Set post 2x3in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.96	Wa cor - to secs 7, 8, 17 and 18 -

Land Sand hills
Soil 3d rate

Township 32 N Range 29 West

Chs	North between sections 7 and 8 Va 13° 30 E
40.00	Set post 2x3in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
80.00	Set post 3x3in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for cor - to secs 5, 6, 7 and 8

Land low sand hills
Soil poor 2d rate

Township 32 N Range 29 W

Chs	East on a random line between Sec.s 5 and 8 Va 13° 30' E
40.00	Set post for temporary qr sec cor
79.48	Intersected N and S line 65 lks north of cor to Sec.s 4, 5, 8 and 9 from which cor I run North 89° 32' West on a true line between sec.s 5 & 8 Va 13° 30' E
39.74	Set post 2 x 3 in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.48	The cor to sections 5, 6 7 and 8 Land low sandy hills Soil poor 2d rate

Township 32 N. Range 29 West

Chs	West on a random line between Sec.s 6 and 7 Va 13° 30' E
40.00	Set post for temporary qr sec cor
56.70	Wagon road bears S 9 E
79.47	Intersected the west boundary of township 55 lks South of cor to sections 6 and 7 from which cor I run South 89° 36' East on a true line between sec.s 6 and 7 Va 13° 30' E
39.47	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr sec cor
79.47	The cor - to sec.s 5, 6, 7 and 8 Land low sand hills Soil poor 2d rate

Township 32 N Range 29 West

Chs	
	North on a true line between sec^s 5 and 6 Va 13° 30' E
12.75	Wagon road bearing E and W
40.00	Set post 2 x 3 in x 4 ft 1 ft in ground - deposited Charred Stake - raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr sec Cor -
73.92	Intersected the 8th Standard parallel at point 14.34 chs West of Cor to Sec^s 32 and 33. Township 33 N. Range 29 West At which point I set post 3 x 3 in x 4 ft 1 ft in ground - deposited charred Stake - raised mound of earth 2½ ft high for closing Cor to Sec^s 5 and 6

Land low Sand hills 2^d rate

Bearing of Standard line here by my Solar compass is N 89° 42' West - Jul 12th 1875

General Description

This Township is entirely Sand hills No vallies. The north tier of sections is not so broken as the other portions but is too Sandy for farming

Gordons Creek is a fine Stream rapid. a clear. below the Beaver dams which lie in Sec^s 25 26 35 and 36

There are some scattering pines along the creek. and a few in the SW part of the Township

The township would be well adapted to grazing

A list of the names of persons employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of the sub division of Township 32 North Range 29 West and the capacities in which they acted

J F Hinton } Chainmen
J A McLean }
A B Stuckey } Mound men
S M Slocum }
James Hannan Flagmen

We hereby certify that we assisted William Hendin Deputy Surveyor in sub-dividing Township No 32 North of the Base line Range No 29 West of the Sixth Principal Meridian in the State of Nebraska and that said township to the best of our knowledge and belief has been in all respects well and ~~truly~~ faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes

J. F. Hinton } Chainmen
J. A. McLean }
A. B. Stuckey } Mound men
Samuel M Slocum }
James Hannan } Flagmen

Subscribed & sworn to by the above named parties before me a notary Public in and for Cuming County State of Nebraska this 12th day of August 1875

L. W. McMillan

I William Hardin Deputy Surveyor do Solemnly Swear that in pursuance of a Joint contract wherein David V Stephenson James L Slocum and William Hardin are joint contractors with E E Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 26th Day of May 1875 I have well faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed all those parts or portions of Township 12 North of the Base line in Range No 29 West of the 6th Principal Meridian, as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying Manual, printed Instructions and special Instructions of ~~the~~ the Surveyor General of dimensions, character, construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

William Hardin

Subscribed by said William Hardin deputy Surveyor and Sworn to before me a Notary Public in and for Saunders County State of Nebraska this 18 day of September 1875. A B Fuller Notary Public

Surveyor Generals Office
Plattsmouth Neb Oct 15th 1875

The foregoing field notes of the Subdivision of Tows 32 N of Base Line of Range 29 W of 6th P. M. Executed by William Hardin under Contract No. 92. dated May 26th 1875 - in the month of July 1875. having been critically examined, the necessary corrections and explanations made the said field notes and the Surveys they describe are hereby approved

Jno. F. Clark.
Surveyor General

General Land Office • Original Field Notes

Book Number

528

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.