

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

529

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 33. Range 29W.

6	68	5	56	4	39	3	26	2	14	1
67		66		50		38		25		13
7	57 65	8	49	9	36	10	24	11	12	12
64	58	63	57	48		35		23		11
18	62	17	47	16	35	15	22	14	10	13
61	55	60	54	46		34	30	21		9
19	59	20	45	21	33	22	20	23	8	24
58		57		38	44	32		19		7
30	56	29	38 43	28	31	27	{ 17 18	26	5-6	25
55		54		32		29	30	15		4
31	{ 51 47 53	32	{ 40 36 31	33	{ 25 28	34	15	35	3	36

Field notes of the

Survey of the sub-division lines and meanders of the Niobrara River in Township No 33 North of the Base line; of Range No 29 West of the sixth Principal Meridian in the State of Nebraska by William Hoardin deputy Surveyor under joint contract.

No 92. Dated the 26th day of May 1875

Sub-division commenced July 31st 1875
Sub-division completed August 6th 1875

A List of the
names of persons
employed to assist
in surveying Town-
ship 33 N Range 29
West and capaci-
ties in which they
soverably acted

J. F. Hinton Chairman
Alex McLean "
A. B. Stuckey Moundman
J. M. Slocum "
James Harmon flagman

3
Township 33 N Range 29 W

Having surveyed the
exterior boundaries of this
Township my compass is
already in adjustment for
subdividing this township

From the corner to sec^s
35 and 36 on the south bound-
ary (the 8th standard par-
allel) of the Township I run
North between sections 35
and 36

wa 13° 57' E

4000 Set a post 2x3 in x 4 ft - 1 ft in ground
deposited charred stake - raised
a mound of earth 2 1/2 ft high
from pits 18x24x12 in deep for
qr sec - cor -

8000 Set post 3x3 in x 4 ft - 1 ft in the
ground - deposited charred
stake - raised mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep for
corner to sec^s 35-26, 35 and
36

Land Sandy hills 3rd 2nd 2nd

Township 33 N Range 29 W

Chs East on a random line
between sec^s 25 and 36
va 13° 57' E

44.00 Set post for temporary
qr sec cor

79.88 Intersected the East
boundary of the township
46 lks North of the cor
to sec^s 25 and 36 from
which cor - I run North
89° 40' West on a true
line between sec^s 25
and 36
va 13° 57' E

39.94 Set a post 2x3 in x 4 ft - 1 ft in
ground - deposited charred
stake - raised a mound
of earth 2 1/2 ft high
from pits 18x24x12 in
deep for qr sec - cor.

79.88 The cor - to sec^s 25 26, 35
and 36
Land low sand hills
Soil 3rd rate

Township 33 North Range 29 West

Chs North between sec^s 25 and 26
va 13° 57' E

40.00 Set a post 2x3 in x 4 ft - 1 ft in
ground - deposited charred stake
- raised mound of earth 2 1/2 ft
high from pits 18x24x12 in deep
for qr sec cor

51.60 Top of bluffs bears E and W.

57.75 Intersected the south and
right bank of the Niobrara
River running east - swift
current - sandy bottom - 2 1/2
ft deep, at the greatest depth
Here I set a post 2x3 in x 4 ft -
1 ft in ground deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for cor - to fractional sec^s
25 and 26 on right bank

64.80 North and left bank of river
(by chaining across)
Here I set a post 2x3 in
x 4 ft - 1 ft in ground
deposited charred stake

Township 33 North Range 29 West

Raised mound of earth
 2 1/2 ft high from pits
 18x24x12 in deep for cor
 to fractional sec 25 and
 26, on Left bank of river
 77.30 Foot of steep bluffs bears
 E & W.

80.00 Set a Stone 22x8x6 in 12 in
 deep marked N. 2 S
 18 5 W. dug pits 18
 x24x12 in deep for cor
 to sec 23, 24, 25 and 26
 Land broken Soil 3^a
 Timber - some scattering
 pines on brow of ~~bluffs~~
 bluffs on the south side
 A few scrubby br oak
 along foot of bluff - low
 Willow bushes on low bottom
 North bluff - bare
 Stone crops out along
 the brow of bluff on both
 sides of river

Township 33 North Range 29 West

Chs East on a random line
 between sec 24 and 25 -
 va 13° 57' E
 40.00 Set a ~~post~~ ^{stone} for temporary
 1/4 sec cor
 79.78 Intersected the East bound-
 ary of the township 57 lbs
 north of cor to sec 24 and 25 -
 from which cor. I run
 North 89° 36' West on a true
 line between sec 24 and 25
 va 13° 57' E

39.84 Set sand stone 18x10x4x
 9 in deep marked 1/4 - dug
 pits 18x24x12 in deep for
 cor sec cor
~~54.50 Top of bluff top E.~~
 79.78 The corner to sec 23 24
 25 and 26.

Land river bluffs
 Soil 3^a sub

Township 33 North Range 29 West

Chs North between sections
23 and 24

wa 14° E

3,500 Top of bluffs and enter
Sand hills bears E & W

4,000 Set a post 2x3 in x 4 ft
1 ft in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for gr sec
Cor

5,000 Set post 3x3 in x 4 ft
1 ft in ground - depos-
ited charred stake -
raised mound of
earth 2 1/2 ft high from
pits 18x24 x 12 in deep
for Cor to sec 13, 14
23 and 24

Land Sand hills
Soil 3rd rate

Township 33 North Range 29 West

Chs East on a random line
between sec 13 and 24

wa 14° E

4,000 Set a post for temporary
gr sec cor

7,990 Intersected the East
boundary of the township
34 Ws North of the corner
to sec 13 and 24 from
which cor - I run North
89° 45' West on a true
line between sections
13 and 24

wa 14° E

3,995 Set a post 2x3 in x 4 ft
1 ft in ground - depos-
ited charred stake -
Raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for gr sec
Cor

7,990 The cor - to sec 13, 14
23 and 24

Land Sand hills
Soil 3rd rate

Township 33 N Range 29 West

Chs North between sections
13 and 14
va 14°E

4000 Set a post 2x3 in x 4 ft
deposited charred stake
Raised mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec - cor

8000 Set a post 3x3 in x 4 ft
1 ft in ground -
Deposited charred stake
- raised mound of
earth 2 1/2 ft high from
pits 18 x 24 x 12 in deep
for cor - to sec 11, 12
13 and 14
Land Land hills
Soil 3rd rate
July 31st 1875

Township 33 N. Range 29 West

Chs East on a random
line between sections
12 and 13
va 14°E

40.00 Set post for temporary qr
sec cor -

80.28 Intersected the East
boundary of the town-
ship 46 Ws north of
the cor - to sec 12 and
13. from which cor -
I run North 89°40' West
on a true line between
sections 12 and 13
va 14°E

40.14 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18 x 24 x
12 in deep for qr sec cor

80.28 The cor - to sec 11, 12, 13 and 14
Land Land hills
Soil 3rd rate

Township 33 North Range 29 West

chs North between sections
11 and 12
va 14° E

4000 Set a post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for gr sec cor

8000 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for Cor. to
Sec 1, 2, 11 and 12

Land sand hills
Soil 3^d rate

Township 33 N. Range 29 West

chs East on a random
line between sections
1 and 12
va 14° E

4000 Set post for temporary
gr sec - cor -

80.37 Intersected the East
boundary of Township
5-8 lbs north of Cor to
Sections 1 and 12, from
which cor - I run North
89 35 West on a true line
between sec 1 and 12

va 14° E
40.18 1/2 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2
ft high from pits 18x24
x 12 in deep for gr sec
cor -

80.37 The cor. to sec 1, 2, 11 and
12
Land sandy hills
Soil 3^d rate

Township 33 N Range 29 West

Chs North on a random line between sec^s 1 and 2
 Va 14° E

4000 Set post for Temporary gr sec cor

5013 Intersected north boundary of township 31 N 3 West of cor to sec^s 1 and 2 from which cor I run south 22' West on a true line between ~~sec~~ sec^s 1 and 2
 Va 14° E

4013 Set a post 2x3 in x 4 ft - 1 ft in ground - deposited Charred Stake and raised mound of earth 2 1/2 ft high from pits 18x24 x 12 in deep for gr sec cor

5013 The cor. to sec^s 12, 11, and 12
 Land Sand hills
 Soil 3rd rate

Township 33 N Range 29 West

chs North between sections 34 and 35
 Va 14° E

4000 Set a post 2x3 in x 4 ft - 1 ft in ground - deposited Charred Stake - raised a mound of earth 2 1/2 ft high from pits 18x24 x 12 in deep for gr sec cor

5000 Set a post 3x3 in x 4 ft - 1 ft in ground - deposited Charred Stake - raised a mound of earth 2 1/2 ft high from pits 18x24 x 12 in deep for cor to sections 26 27 34 and 35
 Land Sand hills
 Soil 3rd rate

Township 33 N Range 29 West

- cho East on a random line between sections 26 & 35
va 14° E
- 4000 Set a post for temporary
qr sec cor
- 80.31 Intersected the N and S
line 36 lks north of the
Corner to sec 25 26, 35
and 36 from which cor-
I run North 89° 45' West
on a true line between
Sections 26 and 35.
va 14° E
- 40.15 1/2 Set a post 2x3 in x 1 1/2 ft
1 ft in ground - depos-
ited charred stake
Raised mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep
for qr sec - cor
- 80.31 The cor-to sec 26 27, 34 & 35
Land sandy hills
Soil 3^d rate

Township 33 N Range 29 West

- cho North between sections
26 and 27
va 14° E
- 1600 Top of river bluff bears N, E
- 4000 Set a ^{sand} stone 21x8x5 mks
1/4 dug pits 18x24x12 in
deep for qr sec cor
- 51.82 To south and right
bank of Moberara river
running east
Here I set a post 2x3 in x 1 1/2 ft
1 ft in ground - deposited
mk stone - raised mound
of earth 2 1/2 ft high from
^{18x24x12 in deep} pits
for cor to fractional sec 2
26 and 27
- 63.55 (By chaining) The north bank
or left bank of the river
Here I set a post 2x3 in x 1 1/2 ft
^{1.5 ft in ground} deposited charred stake
Raised mound of earth
2 1/2 ft high from pits
18x24x12 in deep for ^{meander} cor
to fractional sec 26 and 27

Township 33 N Range 29 West

Chs Between Secs 26 & 27
66.00 foot of bluffs

77.00 Top of bluffs bears East

50.00 Set a ^{sand} stone 20 x 9 x 4
12 in deep marked 4W, 2 S
2 E, 4 W dug pits 18
x 24 x 12 in deep for
Cor to sec 22 23, 26
and 27

Land broken soil 3rd rate
Timber scattering
Pine on brow of bluffs
& Cottonwood at foot

Township 33 N Range 29 West

Chs East on a random line
between sections 23 and 26
wa 14° E

40.00 Set stone for temporary gr
sec cor

8022 Intersected the N and S
line 52 lbs North of cor to
Sec 23, 24, 25 and 26
from which Cor - I run
North 89° 35' West on a
true line between sections
23 and 26
wa 14° E

40.11 Set a sand stone 18 x 10 x 9
9 in deep marked 1/4
Dug pits 18 x 24 x 12 in deep
for gr sec cor

8022 The cor - to sec 22 23
26 and 27

Land river bluff
Soil 3rd rate, no timber

Township 33 North Range 29 West

Obs North between sections
22 and 23
ba 14° E

4000 Set a post 2x3 in x 4 ft
1 ft in ground deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for gr sec cor

5000 Set post 3x3 in x 4 ft
1 ft in ground
deposited charred
stake raised mound
of earth 2 1/2 ft high
from pits 18x24x12 in
deep for corner to
Sec 14 15 22 and 23

Land Sand hills
Soil 3^d rate

Township 33 N. Range 29 West

Obs East on a random line
between Sec 14 and 23
ba 14° E

4000 Set post for temporary
gr sec cor

8029 Intersected A and G line
76 lks north of cor to
Sec 13, 14, 23 and 24 from
which cor I run North
89° 27' Met on a true line
between sec 14 and 23
ba 14° E

10,14 1/2 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
charred stake and
raised mound of earth
2 1/2 ft high from pits
18x24x12 in deep for gr
Sec cor

8029 The cor - to sec 14 15 22 & 23
Land Sand hills
Soil 3^d rate

Township 33 N Range 29 West

Ch North between sections
14 and 15
va 14° E

4000 Set post 2x3 in x 4 ft
1 ft in ground
deposited charred stake
raised mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec cor

8000 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18 x 24
x 12 in deep for cor to
sec - 10 11 14 and 15

Land sand hills
Soil 3^d rate

Township 33 N Range 29 West

Ch East on a random line
between sec^s 11 and 14
va 14° E

4000 Set post for temporary
qr sec - cor

8008 Intersected N and S line
40 Ws North of cor to
sec^s 11, 12, 13 and 14 from
which cor - I run North
89° 43' West on a true
line between sec^s 11 and 14
va 14° E

4004 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth from
pits 18 x 24 x 12 in deep
for qr sec cor

8008 The cor to sec^s 10, 11, 14 and 15
Land sand hills
Soil 3^d rate
August 1st 1875

Township 33 N Range 29 West

Chs North between sections
10 and 11

ba 14° E

40.00 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for gr sec cor

50.00 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for cor to
sections 2, 3, 10 and 11

Land sand hills
Soil 3^d rate

Township 33 N Range 29 West

Chs East on a random line
between sec^s 2 and 11

ba 14° E

40.00 Set post for temporary gr
sec cor

51.30 Intersected N and S line
58 lks north of cor to sec
1, 2, 11 and 12 from which
Cor - I run North 89°35'
West on a true line be-
tween sec^s 2 and 11

ba 14° E

40.15 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for gr sec - cor

50.30 The cor to sec^s 2, 3, 10 and 11
Land sand hills
Soil 3^d rate

Township 33 N Range 29 West

Chs North on a random
line between sections
2 and 3

40 4000 Va 14° E
Set a post for tempo-
rary gr sec. cor.

80 1986 Intersected north boundary
of township 45 N west
of cor. to sec 2 and 3
from which cor. I run
south 21' West on a true
line between sections
2 and 3

3986 Va 14° E
Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for gr sec cor

7986 The corner to sec 2, 3,
10 and 11
Land sand hills
Soil 3rd rate

Township 33 N Range 29 West

Chs North between sections
33 and 34
Va 13° 57' E

1200 Enter Bluffs bears E 4 N

3800 Enter bottom " "

4000 Set Stone 18x10x4 9 in
deep, marked 1/4, dug pit
18x24x12 in deep for gr
sec. cor.

5220 The south and right bank
of Niobrara river runs N 8 E
Here I set a post 2x3 in x 4 ft
1 ft in ground - deposited
marked stone - raised mound
of earth 2 1/2 ft high from
pits 18x24x12 in deep for
corner to fractional sections
33 and 34

6210 To north and left bank of
river - (by chaining)
Here I set a post 2x3 in
x 4 ft - 1 ft in ground
deposited charred stake
and raised mound of
earth 2 1/2 ft high from

Township 33 N Range 29 West

Pits 18x24x12 in deep
for ^{meander} cor - to fractional
sections 33 and 34

40 7000 Enter bluff bearing E 1/2 W

5000 Set sand stone 20x10x
x5 in 11 in deep mika
5 N 1 S 3 E & 3 W dug
pits 18x24x12 in deep for
Cor to sec 27, 28
33 and 34

Land broken soil 3rd set
Some scattering pines
and br oaks on south
side of river. Willow brush
on bottoms

Township 33 N Range 29 West

000 East on random line
between sec 27 and 34
va 13° 57' E

3100 Enter bottom

3900 Set temporary ^{meander} cor to frac
tional sec 27 & 34 on left
bank of river

4000 Point for q^u sec in river

5030 Intersected right bank of
river & set post for temporary
cor to fractional sec 27
and 34

7000 Top of bluffs bear NE

8030 Intersected N and S
line 45 hrs north of
Cor to sec 26 27, 34 and
35. from this corner I
run North 89° 41' West
on a true line between
sections 27 and 34
va 13° 57' E

3090 Set post 2x3 in x 4 ft 1 ft in
ground - deposited char-
red stake - raised mound
of earth 2 1/2 ft high

Township 33 N Range 29 West

Set ^{from} pits 18x24x12 in deep for ^{eye under} cor- to fractional sec^s 27 and 34 on right bank of river

41.30 Set a post 2x3 in x 4 ft 1 ft in ground - deposited charred stake - raised mound of earth 2 1/2 ft high from pits 18x24x12 in deep for ^{under} cor- to fractional sec^s 27 and 34 on left bank of river

80.30 The cor- to sec^s 27, 28, 33 and 34

Land broken soil 3rd rate
Timber small bushes
Except scattering timber on the East side on bluff

Township 33 North Range 29 West

Ch North between sections 27 and 28
on 13° 57' E

4000 Set sand stone 17x10x5 in marked 1/4 dug pits 18x24x12 in deep for cor- to

6600 Leave bluffs. Enter sand hills bearing E and W of S

8000 Set post 3x3 in 4 ft 1 ft in ground deposited charred stake - raised mound of earth 2 1/2 ft high from pits 18x24x12 in deep for cor- to sec^s 21, 22, 27 and 28

Land river bluffs
Soil 3rd rate
Soft sand stone crops out of brow of bluff

Township 33 N. Range 29 W

Ch East on a random line between sec^s 22 and 27
wa 13° 57' E

4000 Set post for temporary
qr sec - cor

8000 Intersected N and S line
22 lbs North of cor to
sec^s 22, 23, 26 and 27
from which cor. I run
North 89° 51' West on a
true line between sections
22 and 27
wa 13° 57' E

4000 Set post 2x3ⁱⁿ x 4ft - 1ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for qr sec. cor

8000 The corner to sec^s 21, 22, 27, 28
Land Sand hills
Soil 3^d rate

Township 33 N. Range 29 West

North between sections
21 and 22
wa 13° 57' E

4000 Set a post 2x3ⁱⁿ x 4ft
1ft in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for qr sec cor

8000 Set post 3x3ⁱⁿ x 4ft - 1ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12ⁱⁿ deep for cor to sec^s
^{15.} ^{16.}
~~15.~~ 22 and 23

Land Sand hills
Soil 3^d rate

Township 33 North Range 29 West

Chs East on a random line
between sections 15 & 22
ba 13° 57' E

4000 Set post for temporary
qr sec - cor -

7985 Intersected N and S
line 68 lks north of cor to
sec^s 14, 15, 22 and 23 from
which cor - I run
North 89° 31' West on a true
line between sections 15 & 22
ba 13° 57' E

3992 1/2 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for qr sec - cor -

7985 The cor - to sec^s 15, 16, 21 and
22
Land sand hills

Township 33 N. Range 29 West

Chs North between sections
15 and 16
ba 13° 57' E

4000 Set a post 2x3 in x 4 ft, 1 ft
in ground, deposited
charred stake - raised
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for qr sec cor

8000 Set a post 3x3 in x 4 ft, 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for cor - to sec^s
9, 10, 15 and 16

Land sand hills
Soil 3^d rate

Township 33 N. Range 29 West

2/10 East on a random line between sec^s 10 and 15
ba 13° 57' E

40.00 Set post for temporary
gr sec^s cor.

79.88 Intersected N and S line
44 lks North of cor to
Sec^s 10, 11, 14 and 15 - from
which cor - I run
North 89° 41' West on a
true line between sections
10 and 15
ba 1337' E

39.94 Set a post 2x3 in x 4 ft. 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for gr sec - cor

79.88 The cor. to sections
9, 10, 15 and 16
Sand and hills
August 2^d 1875

Township 33 N. Range 29 West

Chs North between sections
9 and 10
ba 13° 57' E

40.00 Set post 3x3 in x 4 ft. 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12
in deep for gr sec - cor

80.00 Set post 3x3 in x 4 ft. 1 ft
in ground - deposited
charred stake, raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for cor. to
Sec^s 3, 4, 9 and 10

Sand and hills
Soil 3^d rate

Township 33 North Range 29 West

Ch East on a random line between sections 3 and 10
ba 13° 57' E

4000 Set a post for temporary
qr sec cor

7966 Intersected North and
South line 73 lbs North
of cor to sections 2, 3, 10
and 11 from which cor
I run North 89° 29' West on
a true line between sec
3 and 10
ba 13° 57' E

3983 Set post 2x3in x 4ft - 1ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12in
deep for qr sec cor

7966 The cor - to sec 3, 4
9 and 10

Land Sand hills
Soil 3^d rate

Township 33 North Range 29 West

Ch North on a random line
between sections 3 and 4
ba 13° 57' E

4000 Set post for temporary
qr sec - cor

79⁹⁴ Intersected North boundary
of township 22 links West
of cor to sec 3 and 4 - from
which cor - I run South 91'
West on a true line between
sections 3 and 4
ba 13° 57' E

3994 Set post 2x3in x 4ft - 1ft in
ground - deposited Charred
stake - raised mound
of earth 2 1/2 ft high from
pits 18x24x12in deep for
qr sec - cor -

79⁹⁴ The cor - to sec 3, 4, 9, 10

Land Sand hills
Soil 3^d rate

Township 33 N Range 29 West

Ch North between sections 32 and 33

870
25.71
Bearing 13° 57' E
Elyte bluffs bearing E
intersected right and south
bank of Nebraska River run
ning Eastward 7.06 chs over
by chaining - 2 1/2 ft deep at
deepest place, sandy bottom
Here I set post 2 x 3 in x 4 ft
1 ft in ground - deposited
charred stake - raised
a mound of earth 2 1/2
ft high from pits 18 x 24 x
12 in deep for ^{marker} cor - to frac-
tional sec 32 and 33

32.80 Set post 2 x 3 x 4 ft - 1 ft
in ground deposited
charred stake and raised
mound of earth 2 1/2 ft
from pits 18 x 24 x 12 in deep
high for cor to fractional
sec 32 and 33 on the left
bank of River

Township 33 N Range 29 West

4000 Between sec 32 and 33

4000 Set a post 2 x 3 in x 4 ft
1 ft in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for cor sec 32

4600
71.50
8000
Elyte bluffs bearing East
Lean bluff, ^{with sand hills}
Set a post 3 x 3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for cor - to sec
28, 29, 32 and 33

Land broken
Timber scattering -
Pine Burr oak & Cottonwood

Township 33 N. Range 29 West

Chs East on a random line between sec^s 28 and 33
va 13° 57' E

4100 Set stone for temporary
gr sec cor

4850 Enter river bluffs bears N E

7982 Intersected N and S line
60 lbs north of cor - to sec^s
27, 28, 33 and 34 from which
cor - I run North 89° 34' W,
on a true line between
sec^s 28 and 33
va 13° 57' E

3991 Set a ^{Sand} Stone 22x10x5 in m^{rk}
1/4 dug pits 18x24x12 in deep
for gr sec cor

7982 Corner to sec^s 28 29 32 and
33

Land Sand hills
& river bluffs
Soil 3rd rate

Township 33 N. Range 29 West

Chs North between sections
28 and 29
va 14° E

4600 Set Sand Stone 18x10x5 in
9 in deep
m^{rk} 1/4 dug pits 18x24
x12 in deep for gr sec - cor

8000 Set a Sand Stone 19x10x4
m^{rk} L. N. 2 S - 48 and 2 West
10 in deep - Pits 18x24x12 in
deep for cor to sec^s
20 21, 28 and 29

Land Sand hills
Soil 3rd rate

Township 33 N Range 29 West

Chs East on a random line between sec 21 and 28
ba 14° E

4000 Set a post for q^r sec cor

5008 Intersected N and S line 38 lbs north of cor to sec 21 and 22 27 and 38 from which cor is run North 89 45 West on a true line between sec 21 and 28
ba 14° E

4004 Set post 2x3 in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

5008 The cor to sec 20, 21, 28 and 29
Land Sand hills
Soil 3^d rate

Township 33 N. Range 29 West

Chs North between sections 20 and 21
ba 14° E

4000 Set a post 2x3 in x 4 ft - 1 ft in ground - deposited charred stake and raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for q^r sec cor

5000 Set post 3x3 in x 4 ft - 1 ft in ground - deposited charred stake - raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for cor to sec 16, 17, 20 and 21

Land Sand hills
Soil poor 2^d rate

Township 33 N. Range 29 West

Chg East on a random line between sec^s 16 and 21 on 14° E

41 4000 Set post for temporary gr sec-cor-

8018 Intersected N and S line 58 lvs north of cor to sec^s 15, 16, 21 and 22 from which Cor-S line North 89 35' West on a true line between sec^s 16 and 21 on 14° E

4009 Set post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2 1/2 ft high from pits 18x24 1/2 in deep for gr sec cor

8018 The cor to sec^s 16, 17, 20, 21 Land rolling Soil sandy poor 2nd rate

Township 33 North Range 29 West

Chg North between sections 16 and 17 on 14° E

4000 Set post 2x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised a mound of earth 2 1/2 ft high from pits 18x24 x 12 in deep for gr sec cor

8000 Set a post 3x3 in x 4 ft 1 ft in ground - deposited Charred stake - raised mound of earth 2 1/2 ft high from pits 18x24 x 12 in deep for cor to sec^s 8, 9, 16 and 17.

Township 33 N Range 29 West

chs East on a random line between sections 9 and 16
Va 14° E

4000 Set post for temporary
qr sec - cor

1992 Intersected N and S
line 40 lbs North of cor
to sec^s 9 10 15 and 16
from which cor - I run
North 89° 43' West on a
true line between sec^s
9 and 16
Va 14° E

3996 Set a post 2x3 in x 4 ft
1 ft in ground - depos-
ited Charred stake
raised mound of earth
2 1/2 ft high from pits
18x24x12 in deep for
qr sec - cor

1992 The cor - to sec^s 8, 9, 16
and 17

Land rolling Soil poor 2nd sat
August 30 1875

Township 33 N Range 29 West

chs North between sec^s
8 and 9
Va 14° E

4000 Set post 2x3 in x 4 ft, 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for qr sec cor

5000 Set a post 3x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for cor -
to sec^s 4, 5, 8 and 9

Land rolling
Soil sandy poor 2nd sat

50
Township 33 N Range 29 West

Chs East on a random line
between sec^s 4 and 9
Va 14° E

4000 Set post for temporary
qr sec - cor.

7983 Intersected N and S line
64 lks North of cor to
Sec^s 3, 4, 9 and 10 from
which cor - I run North
89° 33' West on a true line
between sec^s 4 and 9
Va 14° E

3991 1/2 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake - and
raised mound of earth
2 1/2 ft high from pits
18x24x12 in deep for
qr sec cor

7983 The cor - to sec^s 4, 5, 8 & 9
Land Sandy hills
Soil poor 2nd rate

51
Township 33 N Range 29 West

Chs North on a random line
between sec^s 4 and 5
Va 14° E

4000 Set post for temporary
qr sec - cor.

7991 Intersected North bound
ary of township at cor
to sec^s 4 and 5 from
which cor I run South
^{on a true line}
between sections 4 and 5 -
Va 14° E

3991 Set a post 2x3 in x 4 ft -
1 ft in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for qr
sec cor

7991 The cor - to sec^s 4, 5, 8,
and 9
Land Sandy hills
Soil poor 2nd rate

Township 33 N. Range 29 West

Ch North between Sec^s
31 and 32
on 14° E

1120 Top of bluffs

1310 Intersect south and right
bank of Mobernara river
When I set post 3x3 in x 4 ft
1 ft in ground - deposited
Charred stake - raised
mound of earth 3 1/2 ft
high from pits 18x24
x 12 in deep for ^{meander} cor- to
fractional sections
31 and 32

1870 (Over the river by chain) To
the North and left bank
of river. Here I set post
2x3 in x 4 ft - 1 ft in ground
deposited charred stake
and raised mound of
earth 3 1/2 ft high from
pits 18x24 x 12 in deep for
Cor - to fractional sec^s
31 and 32

2100 Foot of bluffs bear E or W

Township 33 N. Range 29 West

Between Sec^s 31 and 32

2900 Leave bluffs enter sand hills

4000 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
charred stake - raised
mound of earth 3 1/2 ft
high from pits 18x24 x 12 in
deep for q. sec cor

5000 Set post 3x3 in x 4 ft, 1 ft
in ground - deposited
charred stake - raised
mound of earth 3 1/2 ft
high from pits 18x24
x 12 in deep for cor -
to sec^s 29, 30, 31 and 32
Land low sandy hills
Soil 3rd rate

Township 33 North Range 29 West

Ch East on a random line
between sec^s 29 and 32
va 14° E

4000 Set a post for temporary
gr sec cor

8036 Intersected A and G
line 35th lbs north of
cor to sec^s 28, 29, 32
and 33 from which
cor - Run North 89° 45'
West on a true line
between sec^s 29 and 32
va 14° E

4018 Set post 2x3 in x 4 ft 1 ft
in ground - deposited
charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for gr sec cor

8036 The cor to sec^s 29, 30, 31, 32
Land rolling
Soil sandy poor 2nd rate

Township 33 N Range 29 West

Ch West on a random line
between sec^s 30 and 31
va 14° E

4000 Set a post for temporary
gr sec cor

7977 Intersected the West bound
ary of the township 48 lbs
south of cor - to sections
30 and 31 from which
cor - Run South 89° 39' East
on a true line between sec^s
30 and 31
va 14° E

8077 Set post 2x3 in x 4 ft 1 ft in
ground - deposited a
charred stake - raised
mound of earth 2 1/2 ft high
from pits 18x24 x 12 in deep
for gr sec cor

7977 In cor to sec^s 29, 30
31 and 32
Land low - flatish sand
hill soil poor 2nd rate

Township 33 N Range 29 W

Ch North between Secs
29 and 30
Va 14° E

4000 Set a post 2x3 in x 4 ft
1 ft in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for gr sec
Cor

8000 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited.
Charred stake - raised
mound of earth 2 1/2 ft
high for cor to sec
19, 20, 29 and 30

Land low - sandy hills
Soil poor 2nd rate

Township 33 N. Range 29 West

Ch East on a random line
between Secs 20 and 29
Va 14° E

4000 Set post for temporary
gr sec cor

8015 Intersected North and S line
70 fms North of cor to sec
20, 21, 28 and 29 from
which cor - I run North 89 30 W
on a true line between
Secs 20 and 29
Va 14° E

400 1/2 Set a post 2x3 in x 4 ft -
1 ft in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for gr sec cor

8015 Ch corner to Secs 19, 20
29 and 30
Land rolling
Soil poor 2nd rate

Township 33 North Range 29 West

Chs West on random line
between sec^s 19 and 30
wa 14°E

4000 Set post for temporary
gr sec cor

8002 Intersected West boundary
of Township 32 also South
of cor to sec^s 19 and 30
from which cor - I run
South 89°46' East on a
true line between sec^s
19 and 30
wa 14°E

4002 Set a post 2x3ⁱⁿx4 ft
1 ft in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for gr sec - cor -

8002 The cor - to sec^s 19, 20,
29 and 30
Land rolling
Soil 2^d rate

Township 33 N. Range 29 West

Chs North between sections
19 and 30
wa 14°E

4000 Set a post 2x3ⁱⁿx4 ft. 1 ft in
ground - deposited Charred
Stake - raised mound
of earth 2 1/2 ft high from
pits 18x24x12 in deep for
gr sec - cor -

8002 Set a post 3x3ⁱⁿx4 ft. 1 ft
in ground - deposited
Charred stake raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for cor - to
sec^s 17, 18, 19 and 20

Land hilly
Soil poor 2^d rate

Township 33 North Range 29 West

110 East on a random line between sec^o 17 and 20 Va 14° E

4000 Set a post for temporary gr sec - cor -

8005 Intersected the N and S line 45 lks north of the cor- to sec^s 16, 17, 20 and 21 from which cor I run N 89° 41' West on a true line between sec^s 17 & 20 Va 14° E

4002 1/2 Set post 2x3 in x 4 ft 1 1/2 in ground - deposited charred stake - raised mound of earth 2 1/2 ft high from pits 18x20x12 in deep for gr sec cor

8005 The corner to sections 17, 18, 19 and 20 Land low sandy hills Soil 3^d rate Aug 4th 1875

Township 33 N Range 29 West

110 West on a random line between sec^o 18 and 19 Va 14° E

4000 Set a post for temporary gr sec cor

7980 Intersected the West bound- ary of the township 5 3/4 lks South of the cor - to sec^s 18 and 19 from which cor I run South 89° 37' East on a true line between sec^s 18 and 19 Va 14° E

3980 Set post 2x3 in x 4 ft 1 1/2 in ground - deposited charred stake and raised mound of earth 2 1/2 ft high from pits 18x24x12 in deep for gr sec cor

7980 The cor to sec^s 17 18 19 and 20 Land rolling Soil 2^d rate

Township 33 North Range 29 West

Ch North between sections
17 and 18
ba 14°E

4000 Set post 2x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x
12 in deep for gr sec cor

5000 Set post 3x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake and
raised mound of earth
2 1/2 ft high from pits
18x24x12 in deep for
Cor to sec 7, 8, 17 and 18

Land rolling
Soil sandy poor 2nd rate

Township 33 North Range 29 West

Ch East on a random line
between sect 8 and 17
ba 14°E

4000 Set post for temporary gr
sec cor

7986 Intersected A and S line
38 lbs north of the cor to sec
8, 9, 16 and 17. From which
Cor. I run North 89°44' West
on a true line between
sections 8 and 17
ba 14°E

3993 Set a post 2x3 in x 4 ft - 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x12 in deep for gr sec - cor

7986 The cor - to sec 7, 8, 17, and 18

Land low sandy hills
Soil 3rd rate

Township 33 N Range 29 West

Obs West on a random line between sec^s 7 and 18
va 14° E

40.00 Set a post for temporary
qr sec cor

79.96 Intersected the West bound-
ary of the township 28 hrs
North of the cor to sec^s
7 and 18 from which
Cor - I run ~~South~~^{NORTH} 89° 48 East
on a true line between
sec^s 7 and 18
va 14° E

39.96 Set post 2x3 in x 4 ft, 1 ft
in ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12 in
deep for qr sec cor

79.96 The cor to sec^s 7, 8, 17 and
18.
Land rolling soil
poor 2nd rate

Township 33 N. Range 29 West

Obs North between sections
7 and 8
va 14° E

40.00 Set a post 2x3 in x 4 ft - 1 ft
in ground - deposited char-
red stake - raised mound
of earth 2 1/2 ft high from
pits 18x24x12 in for qr sec
cor -

80.00 Set post 3x3 in x 4 ft - 1 ft in
ground - deposited charred
stake - raised mound
of earth 2 1/2 ft high from
pits 18x24x12 in deep for
cor - to sec^s 5, 6, 7 and 8.

Land low sandy hills
Soil poor 2nd rate

Township 33 North Range 29 West

Ch East on a random line
between sec^s 5 and 8
va 14° E

4000 Set post for temporary
qr sec cor

8010 Intersected the N and S
line 55 lbs north of cor
to sec^s 4, 5, 8 and 9 from
which cor. I run North
89° 36' West on a true line
between sec^s 5 and 8
va 14° E

4005 Set a post ^{2x3 in x 4 ft - 1 ft in ground} deposited a
Charred Stake - raised
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for qr sec - cor

8010 The cor - to sec^s 5, 6, 7 and
8

Land rolling
Soil poor 2nd rate

Township 33 N Range 29 West

Ch West on a random line
between sec^s 6 and 7
va 14° E

4000 Set a post for temporary
qr sec - cor

7972 Intersected the West bound
ary of township 44 lbs
South of cor - to sec^s
6 and 7 from which
cor - I run South 89° 41' East
on a true line between
Sec^s 6 and 7
va 14° E

3972 Set a post 2x3 in x 4 ft
1 ft in ground - deposited
Charred Stake - raised
mound of earth 2 1/2 ft
high from pits 18x24
x12 in deep for
qr sec cor

7972 The cor - to sec^s 5, 6, 7 and 8
Land low sandy hills
Soil 3rd rate

Township 33 N Range 29 W

Chs North on a random line between sec^o 5 and 6 va 14° E

4000 Set post for Temporary gr sec cor

8014 Intersected the north boundary of the township 31 N 33 West of the cor to sec^o 5 and 6 from which cor - I run South 13' West on a true line between sec^o 5 and 6 va 14° E

4014 Set a post - 2x3 in x 2 ft 1 foot in ground - deposited charred stakes - raised mound of earth 2 1/2 ft high from pits 18x24x12 in deep for gr sec cor

8014 The cor to sec^o 5, 6, 7 and 8 August 5th 1875

Township 33 N Range 29 W

Meanders of the left bank of the Niobrara river through the Township

Begin at the corner to fractional sections 6 and 31 on the 8th standard parallel and on the left and N.W. bank of the river and run thence down stream with the meanders of the left bank of said river in ^{grace} sec 31 as follows

Cause	Distances	
N 62° E	21.00 chs	✓
N 49° E	17.00 "	✓
S 72° E	9.00	✓
N 71° E	15.00	✓
S 78° E	23.20	Go cor to fractional Sec ^o 31 and 32, thence in sec 32
N 72° E	7.00	✓
N 75° E	25.00	✓
S 88 1/2° E	29.00	✓
N 80° E	4.00	✓

Township 33 N Range 29 West

Cause	Distance	Remarks
N 58 1/2 E	9.00	
S 87 1/2 E	8.50	Cor to fractional Sec 32 and 33 Thence in Sec-33
N 44 1/2 E	22.00	August 5th
S 64 1/2 E	13.00	
N 75 1/2 E	16.00	
N 68 E	40.15	To cor to fractional Sec 33 and 34 Thence in Sec 34
N 71 1/2 E	27.00	
N 56 E	12.00	
N 61 E	4.60	To cor to fractional Sec 27 and 34. Thence in Sec-27
N 48 E	7.00	
N 29 E	8.00	
N 17 E	12.00	
N 12 E	18.00	
N 41 E	28.00	
N 84 E	7.35	To corner to fraction at Sec 26 and 27 Thence in Sec 26
N 82 E	11.00	

Township 33 N Range 29 West

Cause	Dist	Meanders in Sec
N 85 E	37.00	26
S 80 E	29.00	
N 67 1/2 E	4.25	To Cor to fractional Sec 25 and 26 Thence in Sec. 25
S 83 E	10.00	
S 78 E	6.00	
S 66 E	6.00	
S 73 E	3.00	
S 74 E	15.00	
N 89 E	8.00	
N 87 E	28.00	
N 76 E	6.00	To cor to fractional sections 25 and 30 on the east boundary of the township

But very little bottom on this side of river the bluff generally come within a few chains of the river and the bottoms are low & subject to over flow

Township 33 N Range 29 W

Meanders of the Right bank of Nobara river through the Township

Begin at the corner to fractional sections 25 and 30 on the East boundary of the Township and on the South and right bank of the river and run thence up stream along the meanders of the Right bank of said River in fractional section 25

Courses	Distances	Remarks
S 83 1/4 W	31.00 chs	✓
N 87 1/2 W	16.00 "	✓
N 70 1/4 W	11.00	✓
N 75 W	14.00	✓
N 89 1/2 W	9.20	To the corner to fractional sec ^s 25 and 26 Thence in sec 26
	10	
N 86 W	11.00	✓
N 80 W	18.00	✓
N 86 3/4 W	10.00	✓
S 76 1/4 W	42.35	To the cor to fractional sections 26 and 27
	11	

Township 33 North Range 29 West

Courses	Distances	Meanders in sec 27
S 46 W	15.00 chs	✓
S 25 W	13.00 "	✓
S 20 W	22.00	✓
S 39 1/2 W	10.65	To the cor to fractional sec ^s 27 and 34 Thence in section 34
	12	
S 49 1/2 W	21.00	✓
S 67 W	26.00	✓
S 71 1/2 W	11.40	To cor to fractional sec ^s 33 and 34 Thence in sec 33
	13	
S 74 W	28.00	✓
S 67 1/2 W	19.00	✓
S 88 1/2 W	12.00	✓
N 62 W	7.00	✓
S 60 1/2 W	5.80	✓
S 45 1/2 W	18.50	To cor to fractional sec ^s 32 and 33 Thence in section 32
	14	
N 50 1/4 W	7.00	✓
S 63 1/2 W	14.00	✓
S 89 1/2 W	36.00	✓
S 74 W	25.15	To the corner to fractional sec ^s 31 and 32
	15	

Township 33 N Range 29 West

Courses	Distances	Remarks
	15	31
N 7 1/2 W	30.00	
S 73 1/2 W	15.00	
N 84 3/4 W	11.00	
S 54 W	23.90	No cor to fractional Sec 1 and 31 on the 16 th standard line

Land - Bottoms narrow - low
 Subject to overflow - generally
 covered with ^{small} willows
 Aug 5th 1875

General Description

The quality of the land
 in this township ranges
 from poor 2^d rate to 3^d rate; the
 soil all being composed mostly
 of sand. There is no bottom lands
 adjoining the river ~~and~~ of any
 extent. And the small patches
 of bottom appear to have been
 sand bars left by change of
 channel of river & are pure
 sand cover'd with grass & weeds

Timber Pitch pine Burr
 oak. Cottonwood and Willow
 and is confined to the Canon
 of the river. Scattering pines
 occupy the brow of the bluff
 The Burr oaks the foot & highest
 bottoms - Cottonwood & Willow the
 small islands & wet bottoms
 The pine and oak timber
 is very scattering & confined
 to the South side of river
 a ledge of soft sandstone
 crop out of brow of hills bluff on
 both sides of river The Grass

is such as is common to Sand
hills - coarse and thin on the
ground

This township is only adapted
to grazing

A list of the names of

Individuals employed to
assist in running mens-
-uring and marking the
lines and corners described
in the foregoing field notes
of Township No 33 North of the
base line of Range No 29 West
of the 6th Principal Meridian
showing the respective capaci-
-ties in which they acted

J. A. Hinton Chairman

A. McLean "

A. B. Stecky Moundman

S. M. Slocum "

James Harmon Flagman

We hereby Certify that we assisted William Gardin Deputy Surveyor in Sub dividing and meandering Township No 33 North of the Baseline Range No 2 of West of the Sixth Principal Meridian in the State of Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General and of dimensions

Character construction

and marking and in the manner as specifically described in the foregoing field notes

J. P. Dinton } Chanoner
A. M. Lean }

A. B. Stuckey } Monitioner
Samuel W. Bloom }

James Hannan } Flagman

Subscribed and sworn to by the foregoing above named parties before me a Notary Public in and for Cuming County State of Nebraska this 22th day of August 1875

J. M. Millan

William Hardin deputy Surveyor

do solemnly swear that in pursuance of a joint contract wherein David P. Stephenson James L. Secum and William Hardin are joint Contractors with E. E. Cunningham Surveyor General for the District of Nebraska and Iowa bearing date the 26th day of May 1875 I have well, faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States - Surveyed all those portions or parts of Township No Thirty three north of the base line, in Range No twenty nine west of the Sixth Principal Meridian in the state of Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly

I swear that all the corners of
said Survey have been estab-
lished and perpetuated in
strict accordance with the Sur-
veying Manual - printed instruc-
tions and special instructions
of the Surveyor General - of
dimensions Character - Construc-
tion and marking and in
the manner specifically descri-
bed in the foregoing field
notes and that the foregoing are
the true and original field
notes of such Survey

William Hardin

Subscribed by the aforesaid
William Hardin, Deputy to
Surveyor and sworn to before
me a Notary Public
in and for Saunders County
and State of Nebraska this
18 day of Sept - 1875

A. B. Fuller
Notary Public

Surveyor General's Office
Platteauout Neb. Nov 12th 1875.

The foregoing field notes of the survey
of the Subdivision Lines and Meanders
of Township No 53 North of the Base Line
of Range No 29 West of the 6th Principal
Meridian in the State of Nebraska, executed
by William Hardin under joint Contract
No 92 dated May 26th 1875, in the months
of July and August 1875 having been
critically examined, the necessary cor-
rections and explanations made,
the said field notes and the surveys
they describe are hereby approved.

J. M. Clark

Surveyor General.

Town 34 Range 29W.

6	62	5	46	4	35	3	24	2	13	1
61		60		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12
58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36

Field notes of the Survey

of the subdivision lines
 in Township No 34 North
 of the Base line of Range
 No 29 West of the Sixth
 Principal Meridian
 in the State of Nebraska
 by William S. Hoardin
 deputy Surveyor under
 joint Contract No 92
 dated the 26th day of
 May 1875

Sub division commenced
 July 25th 1875
 Sub division Completed
 July 30th 1875

List of names of assistants employed to assist in subdividing Township 34 N Range 29 West and the capacity in which they usually acted

J J Hurton } Chairman
A McLean }

J M Sloun } Moundman
A B Stucky }

James Hannan Flagman

3
Township 34 N. Range 29 West

Having run the exterior boundaries of this township my compass is in adjustment for subdividing this township

From the corner to sections 3, 2, 35 and 36 on the South boundary of the township I run

North between sections 35 & 36
on $14^{\circ} 15' E$

40.00 Set a post $2 \times 3 \text{ in} \times 4 \text{ ft} 12 \text{ in}$ in ground deposited a charred stake and raised a mound of earth $2 \frac{1}{2} \text{ ft}$ high from pits $18 \times 24 \times 12 \text{ in}$ deep for cor sec cor

80.00 Set a post $3 \times 3 \text{ in} \times 4 \text{ ft} 12 \text{ in}$ in ground deposited a charred stake and raised a mound of earth $2 \frac{1}{2} \text{ ft}$ high from pits $18 \times 24 \times 12 \text{ in}$ deep for cor to sections 25-26 35 and 36
Sand sand hills 30 rods

Township 34 N. Range 29 West

Chs East on a random line between sections 23 & 36
ba 14°15'E

4000 Set post for temporary 1/4
Sec cor

7981 Intersected the East bound-
ary of the township 28th
North of cor. to sections
25 and 36, from which cor
I run N 89°48'W. on a
true line between sections
25 and 36.

ba 14°15'E

3990 Set a post 2x3ⁱⁿ x 4ft. 12 in in
ground. Deposited a char-
red stake and raised a
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for 1/4 sec cor

7981 The corner to sections 25, 26
35 and 36

Land Sand hills
Soil Parcl 3^d rate

Township 34 N Range 29 West

Chs North between sections
25 and 26
ba 14°15'E

4000 Set post 2x3ⁱⁿ x 4ft. 12ⁱⁿ in gr
ground deposited a char-
red stake and raised a
mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for gr sec cor

8000 Set post 3x3ⁱⁿ x 4ft high
12ⁱⁿ in ground deposited
Charred stake and
raised a mound of
earth 2 1/2 ft high from
pits 18x24x12ⁱⁿ deep
for cor - to sections
23, 24, 25 and 26

Land Sand hills
Soil 3^d rate

Township 34 N Range 29 W

chs East on a random line
between sections 24 and 25
va 14°15' E

40,00 Set a stone for temporary 1/4 sec cor

52,50 Enter bottom bears S of E

56,26 To right bank of Minachaduga
river 1/2 links over on line
Runs S.E rapid clear stream
20 inches deep sandy bottom

63,10 Slough runs south

80,08 Intersected the East boundary
of the township 9 chs north of the
cor- to sections 24 and 25 from
which cor- I run N 89°56' W on
a true line between sections 24 & 25
va 14°15' E

+4004 Set a sand stone 21x10x4 in 10 in
deep mark 1/4 - with pits 18x24
x12 in deep for 1/4 sec cor

80,08 The corner to sec's
23, 24, 25 and 26

Land E 1/2 Sandy bottom
Soil poor 2^d rate
W^g sand hills
July 25th 1875

Township 34 N Range 29 West

chs North between sections
23 and 24
va 14°15' E

40,00 Set a post 2x3 in x 4 ft 12 in
the ground deposited a
marked stone Raised a
mound of earth 2 1/2 ft high
from pits 18x24x12 in deep
for 1/4 sec cor

49,50 Along south bank of Minache
duga Creek runs S.E. 300 yds
wide

54,00 Low sand hills or bluffs

80,00 Set ^{sand} stone 18x12x5 in 9 in deep
mark 3 N, 3 S, 1 E, and 5 W
with pits 18x24x12 in deep for
corner to sec's 13, 14, 23 and 24

Land Generally sandy
hills Soil 3rd rate

Township 34 N Range 29 W

Chs East on a random
line between sections 13 & 24
va 14° 13' E

40.00 Set a stone for temporary
1/4 sec cor

60.00 Leave bluff & enter table land

80.40 Intersect the east bound-
ary of the township 46 1/3
south of the corner to sec's
13 and 24 from which cor
I run S. 89° 40' West on a
true line between section
13 and 24
va 14° 13' E

40.20 Set a limestone 22x10x6
10 in in ground marked 1/4
for 1/4 sec cor

80.40 The corner to sections
13 14 23 and 24
Land W 1/2 bluffs 3 a
E 1/2 table land 3 a

Township 34 N Range 29 West

Chs North between sections
13 and 14
va 14° 15' E

33.00 Enter table land bears S, E

40.00 Set a stone 16x10x4 in 9 in
deep marked 1/4 with pits
18x24x12 in deep for 1/4 sec cor

80.00 Set a ^{bastard limestone} stone 20x8x6
marked 2 N, 4 S, 1 E 5 W with
pits 18x24x12 in for corn-
er to sections 11, 12, 13
and 14
Land level table land
Soil sandy poor 2 a

Township 34 N Range 29 West

cho East on a random line
between sections 12 and 13
ba 14° 15' E

4000 Set a Sandstone for
temporary 1/4 sec cor

5840 Ravine descending S E

7988 Intersected the ~~random~~
~~line~~ East boundary of the
Township 38 Chd from
of the corner to sections
12 and 13 from which
cor I run N 89° 44' W
on a true line between
sections 12 and 13
ba 14° 15' E

3994 Set a Sand Stone 20
x 12 x 5 in ^{10 in deep in ground} Mark 1/4 for
quarter sec cor & dug
pits 18 x 24 x 12 in deep

7988 The corner to sections
11, 12, 13 and 14.

Land East portion broken
W part level 2nd rate

Township 34 N Range 29 West

cho North between sections
11 and 12
ba 14° 15' E

4000 Set a Sand Stone 24 x 12 x 24
12 in deep. Marked 1/4 for
qr sec cor, with pits
18 x 24 x 12 in deep

71400 Ravine bears S, E

8000 Set a Sand Stone 18 x 10 x 6 in
9 in deep Marked 1 N 5 S -
1 E - 5 W with pits 18 x 24
x 12 in deep for cor to
section 1, 2, 11 and 12
land broken
Soil poor 2nd rate

Township 34 N. Range 29 West

Chs East on a random line between sections 1 and 12
va 14° 15' E

4000 Stone for temporary 1/4 sec cor

7992 Intersected the East boundary of the township 17 1/2 m north of the cor to sections 1 and 12 from which cor I run N 89° 3' 3" W on a true line ~~West~~ between sections 1 and 12
va 14° 15' E

4
3996 Set a sand stone 18 x 8 x 5 in 9 in on ground make 1/4. ~~Make~~ pits 18 x 24 x 12 in deep for gr sec cor

7992 The cor to sections 1, 2 11 and 12
Land broken
Soil 2nd rate

Township 34 N Range 29 West

Chs North on a random line between sections 1 and 2
va 14° 15' E

4000 Set a stone for temporary gr sec cor

8031 Intersected the North boundary of the township 19 1/2 m East of cor to sections 1 and 2 from which cor I run South 8' East on a true line between sections 1 and 2
va 14° 15' E

4031 Set a sand stone 21 x 8 x 5 in 10 in deep make 1/4 for gr sec cor with pits 18 x 24 x 12 in deep

8031 The cor to sections 1, 2, 11 and 12
Land Generally level but cut by ravines
Soil 2nd rate

Township 34 N Range 29 West

chs North between sec 34 & 35
va 14° 15' E

4000 Set a post 2x3ⁱⁿ x 4ft 1ft
in ground deposited char-
red stake and raised a
mound of earth 2 1/2 ft
high from pits 18x24x
12ⁱⁿ deep for gr sec cor

8000 Set a post 3x3ⁱⁿ x 4ft
12ⁱⁿ in ground deposited
charred stake and raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
in deep for corner to
sec 26, 27, 34 and 35-

Land Sand hills
Soil nearly clean Sand

Township 34 N Range 29 West

chs East on a random line
between sec 26 and 35
va 14° 15' E

4000 Set post for temporary gr
sec-cor-

8038 Intersected the Rand G
line 36 lks North of cor
to sec 25-26-35 & 36
from which cor I run
N 89° 45' W on a true
line between sec 26 & 35
va 14° 15' E

4019 Set a post 2x3ⁱⁿ x 4ft 1ft
in the ground deposited
charred stake raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for gr sec cor

8038 The cor- to sec 25, 26, 35 & 36

Land Sand hills
Soil 3rd rate

Township 34 N. Range 29 West

cho North between sections
26 and 27
ba 14° 15' E

4000 Set a post 2x3ⁱⁿ x 4 ft
1 ft. in ground - deposited
charred stake. Raised
mound of earth 2 1/2 ft
high from pits 18x24x
12ⁱⁿ deep for gr sec cor

8000 Set a post 3x3ⁱⁿ x 4 ft
1 ft in ground deposited
charred stake. Raised
a mound of earth
2 1/2 ft high from pits
18x24x12ⁱⁿ deep for
cor - to sec^s 22, 23, 26
and 27

Land Sand hills
Soil 3rd rate

Township 34 N. Range 29 West

cho East on a random
line between sec^s 23 and 26
ba 14° 15' E

4000 Set post for temporary
1/4 sec cor

8012 Intersected the N & S line
21 Mo South of the cor. to
sec^s ~~22, 23, 26 and 27~~^{23, 24, 25, 26}
from which cor. I run
South 89° 51' W on a true
line between sec^s 23 and
26

ba 14° 15' E

4006 Set a post 2x3ⁱⁿ x 4 ft. 1 ft
in ground. deposited
charred stake - Raised
a mound of earth 2 1/2
ft high from pits 18x24
x12 in deep for gr sec-cor

8012 The cor. to sec^s 22, 23,
26 and 27.

Land Sand hills
Soil 3rd rate

Township 34 N. Range 29 West

Chs North between sections
22 and 23
ba 14° 15' E

4000 Set a sand stone 17x10x6ⁱⁿ
9 in deep m^{kd} 1/4 and
pits 18x24x12 in deep for
qr sec cor

5650 Enter creek bottom base S.E

6300 Mniachaduga creek 30 lbs
over, runs South of East

7900 Enter sandy bluffs base S.E

8000 Set a stone 20x8x6. 10 in
deep m^{kd} 3 N. 3 S. 3 E.
3 W. dug pits 18x24x12 in
deep for cor to sec 14
15 22 and 23

Land S 3/4th Sand hills
N 1/4th Creek valley
Soil 3^d rate
July 26th 1875

Township 34 N. Range 29 West

Chs East on a random line
between sec 14 and 23
ba 14° 15' E

4000 Set stone for temporary ~~1/4~~
qr sec - cor -

7982 Intersected the sand &
line 18 lbs north of cor to sec.
13 14 23 and 24 from which
cor - I run N 89° 52' west on
a true line between sec
14 and 23,
ba 14° 15' E

3991 Set a sand
stone 20x9x4 m^{kd}
1/4 Dug pits 18x24x12 in deep
for qr sec cor

7982 The corner to sections
14 15 22 and 23

Land bluffs - Rocky -
Soil 3^d rate

Township 34 N Range 29 West

Chs North between sections
14 and 15
va 14°15'E

4,000 Set a sandstone 18x10x6ⁱⁿ
10 in in ground (marked 1/4
dug pits 18x24x12 in deep
for gr sec cor

65,000 Leave cross bluffs enter
level table land, bears S, E

80,000 Set a sand stone 17x10x5ⁱⁿ
9 in deep (marked 2 N. 48
2, E, 4, W, Dug pits 18x24
x12 in deep for cor to
sec 10 11 14 and 15

Land S 3/4th sandy bluffs
N 1/4 Table land 2nd rate

Township 34 N. Range 29 West

Chs East on a sandorn line
between sec 11 and 14
va 14°15'E

40,000 Set a post for temporary
gr sec - cor -

79,940 Entered the north & S
line 42 chs north of cor
to sec 10 11 14 and 15 from
which cor, I run N 89°42' W
on a true line between
sec 11 and 14
va 14°15'E

39,917 Set a post 2x3ⁱⁿ x 4 ft 1 ft
in the ground - deposited
a charred stake and
raised a mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for gr sec
cor

79,940 The corner to sec 10, 11, 14
and 15

Land level

Soil sandy 2nd rate
grass short buffalo grass

Township 34 N Range 29 W

Chs North between sections
10 and 11
ba 14°15'E

4000 Set a post 2x3ⁱⁿ x 4ft 1ft
in ground - deposited
Charred stake and
raised a mound of
earth 2 1/2 ft high from
pits 18x24x12ⁱⁿ deep for
qr sec cor

8000 Set a post 3x3ⁱⁿ x 4ft - 1ft
in the ground - deposited
a charred stake. Raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for cor - to sec^s
2, 3, 10 and 11

Land level
Soil Sandy 2^d rate

Township 34 N Range 29 W

Chs East on a random
line between sec^s 2 and 11
ba 14°15'E

4000 Set post for temporary
qr sec cor

7100 Ravine descends SE

8012 Intersected the N and S line
2 1/2 m North of cor - to sec^s
2, 3, 10 and 11 from which
cor I run N 89°48' West
on a true line between
sec^s 2 and 11
ba 14°15'E

4006 Set post 2x3ⁱⁿ x 4ft - 1ft in
the ground - deposited
Charred stake and raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for qr sec cor

8012 The cor - to sec^s 2, 3, 10 and 11
Land level
Soil Sandy 2^d rate

Township 34 N Range 29 West

Chs North on a random line
between sections 2 and 3
ba 14° 15' E

4 4000 Set a post for temporary
gr sec cor

80.11 Intersected the north bound
ary of the township 8 Ms
East of the cor to sec^s 2 & 3
from which cor I run
South 3' East on a true
line between sec^s 2 and 3
ba 14° 15' E

40.11 Set a post 2x3ⁱⁿ x 4ft 1ft
in the ground - deposited
a charred stake - raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for gr sec cor

80.11 The cor - to sec^s 2, 3, 10 & 11

Land level
Soil sandy 2^d rate

Township 34 N Range 29 W.

Chs North between sections
33 and 34
ba 14° 15' E

4000 Set a post 2x3ⁱⁿ x 4ft 1ft
in the ground, deposited
Charred stake - Raised
a mound of earth 2 1/2
ft high from pits 18x
24x12ⁱⁿ deep for gr sec, cor,

8000 Set a post 3x3ⁱⁿ x 4ft, 1ft
in ground, deposited a
Charred stake - Raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for cor - to sec^s
27, 28, 33 and 34

Land, bad sand hills
Soil worthless

Township 34 N Range 29 West

Chs East on a random line between sec^s 27 and 34
wa 14°15'E

4 4000 Set a post for temporary
qr sec - cor

8006 Intersected the N and S
line 46 lrs North of the
Cor - to sec^s 26, 27, 34
and 35 from which cor
I run N 89°40' West on
a true line between sec^s
27 and 34
wa 14°15'E

4003 Set a post 2x3ⁱⁿ x 4ft, 1ft
in ground - deposited
a charred stake -
raised a mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for 1/2 sec cor

8006 The Cor - to sec^s 27, 28, 33, 34
Land Sand hills
Soil nearly pure sand

Township 34 N. Range 29 West

Chs North between Sec^s 27 and 28
wa 14°15'E

4000 Set a post 2x3ⁱⁿ x 4ft, 1ft
in the ground deposited
a charred stake raised
a mound of earth 2 1/2 ft
high from pits 18x24
x 12 in deep for qr
sec cor

8000 Set a post 3x3ⁱⁿ x 4ft,
1ft in the ground
deposited charred stake
and raised a mound
of earth 2 1/2 ft high
from pits 18x24x12 in deep
for Cor - to sec^s 21, 22
27 and 28

Land Sand hills
Soil 3^a rate

Township 34 N. Range 29 W

Chs East on a random line between sec^s 22 and 27
Va 14° 15' E

4 1,000 Set post for temporary
qr sec cor

79.76 Intersected the N and S
line 22 lks North of the
cor to sec^s 22, 23, 26 & 27
from which cor. I run
North 89° 51' West on a
true line between sections
22 and 27

Va 14° 15' E

39.88 Set a post 2x3ⁱⁿ x 4ft. 1ft
in ground - deposited
charred stake - raised
a mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec cor

79.76 The corner to sections
21, 22, 27, and 28
Land Sand hills

Township 34 N. Range 29 West

Chs North between sections
21 and 22
Va 14° 15' E

4000 Set a post 2x3ⁱⁿ x 4ft. 1ft
in the ground - deposited
a charred stake and
raised a mound of
earth 3 1/2 ft high from
pits 18 x 24 x 12 in deep
for qr sec cor

8000 Set a post 3x3ⁱⁿ x 4ft. 1ft
in ground - deposited a
charred stake - raised
a mound of earth 2 1/2 ft
high from pits 18 x 24 x 12 in
deep for corner to sec^s
15, 16, 21 and 22

Land Sand hills

Township 34 N Range 29 W

- Chs East on a random line between sec^s 15 and 22
wa 14°15'E
- 3250 Minachaduga Creek 30 lbs
over 20 in deep runs SE
- 4000 Set post for temporary or
sec cor
- 7990 Intersected the North and
S line 24 lbs South of cor
to sec^s 14, 15, 22 and 23 from
which cor I run South
89°50' West on a true line
between sec^s 15 and 22
wa 14°15'E
- 3995 Set a post 2x3ⁱⁿ x 4 ft, 1 ft
in ground deposited a
charred stake - raised
a mound of earth 2 1/2
ft high from pits 18x24
x 12 in deep for or sec cor
- 7990 The corner to sec^s 15, 16, 21
and 22
Land W. of creek sand hills
E " " level sandy
bottom poor 2^d rate

Township 34 N Range 29 West

- Chs North between sec^s 15 and 16
wa 14°15'E
 - 1400 Minachaduga Creek 28 lbs
over runs East
 - 4000 Set a ^{sand} stone 20x7x5 in 10 in
deep marked 1/4. Dug pits
18x24x12 in deep for or
sec cor
 - 5700 Leave Creek bluffs entire
table land bearing S, E
 - 8000 Set a sand stone 18x10x4 in
10 in deep marked 2 N, 4 S, 3 E -
and 3 W. - Dug pits 18x24x
12 in deep for cor to sec^s
9, 10, 15 and 16
- Land Broken
Soil sandy poor 2^d rate
July 27 1875

Township 34 N Range 29 West

Chs East on a random line between sections 10 and 15 va 14° 15' E

4 4000 Set stone for temporary qr sec cor

7960 Intersected the N and S line 27 lbs north of cor to sec 9 10 14 and 15 from which cor I run North 89° 48' West on a true line between sec 10 and 15 va 14° 15' E

3980 Set a sand stone 17x10x5 in (mk'd 1/4 - dug pits 18x24x12 in deep for qr sec cor

7960 The cor. to sec 9, 10, 15 and 16

Land level prairie Soil Sandy 2^d rate

Township 34 N Range 29 West

Ch North between sec 9 and 10 va 14° 15' E

4000 Set a post 2x3 in x 4 ft. 1 ft in ground deposited charred stake raised a mound of earth 2 1/2 ft high from pits 18x24x12 in deep for qr sec cor

8000 Set a post 3x3 in x 4 ft. 1 ft in ground deposited charred stake raised a mound of earth 2 1/2 ft high from pits 18x24x12 in deep for cor to sec 3, 4, 9 and 10

Land level prairie Soil Sandy 2^d rate

Township 34 N Range 29 West

Chs East on a random line between sec^s 3 and 10 Va 14° 15' E

4000 Set post for temporary gr sec cor

7946 Intersected the N & S line 53 lns North of cor to sec^s 2, 3, 10 and 11 from which cor I run North 89° 37' West on a true line between sec^s 3 and 10

Va 14° 15' E
3973 Set a post 2x3ⁱⁿ x 4ft 1ft in ground deposited a marked stone raised a mound of earth 2 1/2 ft high for gr sec cor

7946 The cor - to sec^s 3, 4 9 and 10

Land level prairie
Soil sandy 2^d rate

Township 34 N Range 29 West

Chs North on a random line between sec^s 3 and 4 Va 14° 15' E

4000 Set post for temporary gr sec cor

7988 Intersected the North boundary of the township 26 lns East of the cor - to sec^s 3 and 4 from which cor I run South 11' East on a true line between sec^s 3 and 4

Va 14° 15' E
3988 Set a post 2x3ⁱⁿ x 4ft 1ft in ground deposited a limestone 5x6ⁱⁿ notched on sides raised a mound of earth 2 1/2 ft high from pits 18x24x22 in deep for gr sec cor

7988 The cor - to sec^s 3, 4, 9 and 10

Land level prairie
Soil 2^d rate

Township 34 N Range 29 W

Ch North between Sec^s
32 and 33
ba 14° 15' E

4. 4000 Set post 2x3ⁱⁿ x 4 ft
1 ft in ground
deposited charred stake
Raised a mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep
for gr Sec cor

8 8000 Set a post 3x3ⁱⁿ x 4 ft
1 ft in the ground
deposited a charred
stake and raised a
mound of earth 2 1/2
ft high from pits 18x
24x12 in deep for cor-
to sec^s 28, 29, 32 and 33
Land sand hills soil 3rd rate.

Township 34 N Range 29 West

Ch East on a random
line between sec^s 28 and 33
ba 14° 15' E

4000 Set a post for temporary gr
Sec cor

7982 Intersected the Rand S
line 38 lvs North of the
Cor. to sec^s 27, 28, 33 & 34
from which Cor. I run
N 89° 44' West on a true line
between sections 28 and 33
ba 14° 15' E

3991 Set a post 2x3ⁱⁿ x 4 ft
1 ft in ground
deposited charred stake
Raised a mound of earth
2 1/2 ft high from pits
18x24x12 in deep for
gr Sec Cor

7982 The corner to sections
28, 29, 32 and 33
Land Sand hills soil
Soil 3rd rate

Township 34 N Range 29 West

Ch North between sections
28 and 29
ba 14°15'

4000 Set a post 2×3 in \times 4 ft
1 ft in ground
Deposited a charred stake
Raised a mound of
earth $2\frac{1}{2}$ ft high from
pits $18 \times 24 \times 12$ in deep for
gr sec cor

8000 Set a post 3×3 in \times 4 ft. 1 ft
in ground. Deposited
a charred stake and
raised a mound of
earth $2\frac{1}{2}$ ft high from
pits $18 \times 24 \times 12$ in deep for
Cor to sec 20, 21, 28 & 29

Land Sand hills
Soil 3rd rate

Township 34 N Range 29 West

Ch East on a random line
between sec 21 and 28
ba 14°15'E

4000 Set a post for temporary
gr sec cor

8022 Intersected the North and
South line 21 hrs north of
the corner to sec 21, 22, 27
and 28, from which cor
I run North $89^{\circ}51'$ West on
a true line between sec
21 and 28

ba 14°15'E

4011 Set a post 2×3 in \times 4 ft, 1 ft
in the ground.

Raised a mound of earth
 $2\frac{1}{2}$ ft high from pits $18 \times 24 \times$
 12 in deep for gr sec cor

8022 The cor - to sec 20, 21, 28 and
29

Land Sand hills
Soil 3rd rate

Township 34 N Range 29 West

Chs North between sections
20 and 21
Va 14° 15' E

4. 4000 Set a post 2x3 in x 4 ft
deposited charred stake
1 ft in ground raised
a mound of earth 2 1/2
ft high from pits 18x24
x 12 in deep for gr sec cor.

8000 Set post 3x3 in x 4 ft 1 ft
in ground deposited
a charred stake
Raised mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep
for cor- to sec 16 17
20 and 21

Land sand hills
Soil 3rd rate

Township 34 N Range 29 West

Chs East on a random line
between sec 16 and 21
Va 14° 15' E

4000 Set a post for temporary
gr sec cor

8035 Intersected the Sand Hill
14 lbs North of cor- to sec 15-16 21 and 22 from
which cor, I run North
89' 34" West on a true
line between sec 16 and 21
Va 14° 15' E

40175 Set a post 2x3 in x 4 ft, 1 ft
in ground - Deposited
charred stake - raised
a mound of earth 2 1/2
ft high from pits 18x
24x12 in deep for gr sec cor-

8035 The cor- to sec 16 17 20 & 21
Land sand hills
Soil 3rd rate

Township 34 N. Range 29 West

cho North between sections
16 and 17
ba 14° 15' E

4 48.00 Set a post 2x3 in x 4 ft
1 ft in ground
deposited charred stick
Raised a mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep
for gr sec cor

59.00 Enter Creek bottom bear S.E

62.30 Minachadusa cross 30 links
across runs S.E

70.00 ^{foot of} ~~stick~~ bluff S.E

80.00 Set a sand stone 22x
x 9 x 5 in marked 2 N. 4 S
4 E 2 W - dug pits 18x24
x 12 in deep for corner
to sections 8, 9, 16 and 17

Land S 2/3 d Sand hills
N 1/3 d Sandy bottom
3^d rate

Township 34 N Range 29 W.

cho East on a random line
between Sec 9 and 16
ba 14° 15' E

40.00 Set stone for temporary
gr sec cor

47.75 top of bluffs Enter table
land bears S.E

80.12 Intersected N and S line
40 lks North of cor to sec
9, 10, 15 and 16 from which
cor, I run North 89° 43' West
on a true line between
sections 9 and 16
ba 14° 15' E

40.06 Set a sand stone 19x10x4
10 in deep marked 1/4 dug
pits 18x24x12 in deep for
gr sec cor

80.12 The cor - to sec 8, 9, 16 and 17
land W 1/2 bluffs Soil 3^d rate
E 1/2 level soil 2^d rate
Soil

Township 34 N Range 29 West

Chs North between sections
8 and 9
ba 14° 15' E

4000 Set a sand stone 21x8x6
^{12 in deep}
in N marked 1/4 - dug pit
18x24x12 in deep for gr
sec - cor

47.00 Top of bluff & enter table
land bearing S E

80.00 Set sand stone 18x6x6 in
9 in deep mrd 1 N-58-4 E
2 W, - dug pits 18x24x12 in
deep for cor to sec 4, 5
8 and 9.

Land 3/2 broken 3^d rate
N 1/2 level 2^d rate
July 28th 1875

Township 34 N Range 29 West

Chs East on a random line
between sec 4 and 9
ba 14° 15' E

4000 Set a post for temporary
gr sec cor

80.33 Intersected the N and S
line 22 lbs north of cor to
sections from which cor
I run N 89° 51' W on a
true line between sec 4
and 9
ba 14° 15' E

40.16 1/2 Set a post 2x3 in x 4 ft 1 ft
in ground - deposited
charred stake raised a
mound of earth ^{2 1/2 ft high} from pits
18x24x12 in deep for gr
sec cor

80.33 The cor - to Sec 2 3, 4, 9 and 10
Land level
Soil sandy, 2^d rate

Township 34 N Range 29 West

Chs North on a random line between sections 4 and 5

4000
80,05
Set post for temporary 1/4 sec cor
Intersected the North boundary of the township at cor. to Secs 4 and 5 from which cor I run South on a true line between sec 4 and 5 va 14°15'E

4005 Set a post 2x3 in x 4 ft 1 ft in ground - deposited mark stone raised a mound of earth 2 1/2 ft high from pits 18x24x12 in deep for qz sec cor

80,05 The cor. to sec 4, 5, 8 and 9.
Land level
Soil 2d rate

Township 34 N. Range 29 West

Chs North between sec 31 and 32 va 14°15'E

4000 Set a post 2x3 in x 4 ft 1 ft in ground deposited charred stake and raised a mound of earth 2 1/2 ft high from pits 18x24x12 in deep for qz sec cor

8000 Set a post 3x3 in x 4 ft 1 ft in ground, - deposited charred stake - raised a mound of earth from pits 18x24x12 in deep for corner to sec 29, 30 31 and 32

Land Sand hills
Soil 3d rate

Township 34 N Range 29 W

Chs East on a random line between sec^s 29 & 32
va 14° 15' E

4000 Set post for temporary
1/4 sec cor

7996 Intersected the N and G
line 17 Chs north of cor
to sec^s 28, 29, 32 and 33
from which cor I run
North 89° 53' West on a
true line between sec^s
29 and 32
va 14° 15' E

3998 Set a post 2x3 in x 4 ft 1 ft
in ground - deposited
charred stake and
raised a mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep for
qr sec cor

7996 The cor. to sec^s 29, 30, 31, & 32
Land sand hills 3^d rate

Township 34 N Range 29 West

Chs West on a random line
between sections 30 and 31
va 14° 15' E

4000 Set a post for temporary
qr sec cor

7982 Intersected the West bound
ary of the township 31 Ws
South of Cor to sec^s 30
and 31 from which cor
I run South 89° 47' East on
a true line between
sec^s 30 and 31
va 14° 15' E

3982 Set a post 2x3 in x 4 ft
1 ft in ground - deposited
a charred stake
Raised a mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep
for qr sec - cor.

7982 The cor. to sec^s 29 30
31 and 32

Land sand hills
Soil - 3^d rate

Township 34 N Range 29 West

Chs North between sections
29 and 30
wa 14°15' E

4000 Set a post 3x3ⁱⁿ x 4 ft. 1 ft
in ground - deposited
Charred stake - raised a
mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for gr sec - cor

8000 Set a post 3x3ⁱⁿ x 4 ft. 1 ft
in the ground - deposited
Charred stake - raised
mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for cor - to sec^s
19, 20, 29 and 30

Land high bare sand
hills Soil worthless

Township 34 N Range 29 West

Chs East on a random line
between sect^s 20 and 29
wa 14°15' E

4000 Set post for temporary gr
sec cor

8045 Intersected the N and S
line 10 lbs South of cor -
to sec^s 20, 21, 28 and 29
from which cor - I run
South 89°56' West on a
true line between sec^s
20 and 29
wa 14°15' E

4022 1/2 Set a post 2x3ⁱⁿ x 4 ft - 1 ft
in ground - deposited
Charred stake - raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for gr sec - cor

8045 The cor - to sec^s 19, 20, 29 and 30
Land broken sand hills
Soil clean sand 3rd rate

Township 34 N Range 29 West

Obs West on a random line between sec 19 and 30
ba 14°15'E

4000 Set post for temporary
qr sec. cor.

79.62 Intersected the west bound
ary of the township 5-80m
South of cor. to sec 19 and
30 from which cor. Run
South 89°35' West on a true
line between sec 19 and
30

ba 14°15'

39.62 Set a post 2x3ⁱⁿ x 4ft -
1ft in the ground - deposit
ed charred stake - Raised
a mound of earth 2 1/2
ft high from pits 18x22x12ⁱⁿ
deep for qr sec - cor -

79.62 The corner to sec 19, 20,
29 and 30
Land Sand hills
Soil 3^d rate

Township 34 N Range 29 West

Obs North between sections
19 and 20
ba 14°15'E

4000 Set a post 2x3ⁱⁿ x 4ft - 1ft
in the ground - deposited
a charred stake - raised
a mound of earth 2 1/2 ft
high from pits 18x24x12ⁱⁿ
deep for qr sec - cor

8000 Set a post 3x3ⁱⁿ x 4ft
1ft in ground
deposited a charred
stake - raised a mound
of earth 2 1/2 ft deep for
cor to sec 17, 18, 19 & 20

Land Sand hills
Soil 3^d rate

Township 34 N Range 29 West

Chs East on a random line between sec^s 17 and 20
ba 14°15'E

4,000 Set post for temporary
qr sec cor

80,14 Intersected the N and S
line 30 lns North of cor-
to sec^s 16, 17, 20 and 21
from which cor- I run
N 89°47' West on a true
line between sec^s 17 & 20
ba 14°15'E

20,07 Set a post 2x3 in x 4 ft - 1 ft
in the ground - deposited
charred stake - raised
a mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec cor

80,14 The cor- to sec^s 16, 17, 19
and 20
Land sand hills
July 29 1875

Township 34 N Range 29 W

chs West on a random line
between sec^s 18 and 19
ba 14°15'E

4,000 Set post for temporary
qr sec cor

79,35 Intersected the West
boundary of township
15 lns South of cor- to
sec^s 18 and 19 from
which cor- I run
S 89°54' East on a true
line between sec^s 18 & 19
ba 14°15'E

39,35 Set a post 2x3 in x 4 ft - 1 ft
in the ground -
deposited charred stake
Raised a mound of
earth 2 1/2 ft high from
pits 18 x 24 x 12 in deep for
qr sec cor -

79,35 The cor- to sec^s 17, 18, 19, 20
Land sand hills
Soil 3^d rate

Township 34 N Range 29 West

Chs North between sections
17 and 18
va 14°15' E

4000 Set a post 2x3 in x 4 ft
1 ft in ground
deposited charred stake
raised mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec - cor -

8000 Set a post 3x3 in x 4 ft - 1 ft
in the ground - raised
a mound of earth 2 1/2
ft high from pits 18 x 24
x 12 in deep for cor -
to sec 8, 9, 16 and 17

Land lurid Sand hills
Soil 3^d rate

Township 34 N Range 29 West

Chs East on a random
line between sec 8 and 17
va 14°15' E

4000 Set a stone for temporary
qr sec cor

5000 Enter creek bottom bears S.E

5710 Minachaduya Creek 32 lbs
over 20 in deep runs S.E

7100 Enter foot of bluffs, S.E

7958 Intersect the N and S
line 17 lbs North of cor - to
sec 8, 9, 16 and 17 from which
cor I run North 89°53' West on
a true line between sec 8 and 17
va 14°15' E

3979 Set a sand stone 19 x 11 x 3 in
11 in deep marked 1/4 for
qr sec - cor -

7958 The corner to sections
7, 8, 17 and 18

Land East 30 chs 2^d rate
West 50 Sand hills

Township 34 N Range 29 West

chs West on a random line between sec^s 7 and 18
 Va 14° 15' E

4000 Set a post for temporary gr-sec-cor-

79,36 Intersected the West boundary of the township 25 chs North of cor- to sec^s 7 and 18. From which cor, I run N 89° 58' East on a true line between sec^s 7 and 18
 Va 14° 15' E

39,36 Set a post 2x3ⁱⁿ x 4^{ft} - 1^{ft} in the ground - raised a mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for gr sec cor

79,36 Thi cor- to sec^s 7, 8, 17 & 18
 Land sand hills
 Soil 3^d rate

Township 34 N Range 29 West

chs North between sections 7 and 8
 Va 14° 15' E

900 Enter creek bottom bears S.E.

19,22 Minchaduga Creek 31 chs over runs S.E.

4000 Set ^{stone} stone 17 x 8 x 5 in
 9 in deep ^{marked} 1/4
 dug pits 18 x 24 x 12 in deep for gr sec cor

4100 foot of bluffs bear S E & N W

5500 Enter table land

8000 Set sand stone 16 x 10 x 4 in
 9 in deep ^{marked} 1 N-5 S
 5 E - 1 m. dug pits 18 x 24 x 12 in deep for cor- to sec^s 5, 6, 7 and 18

Land 2^d rate

Township 34 N. Range 29 West

- Chs East on a random line between sec^s 5 and 8
va 14° 15' E
- 4000 Set a post for temporary
qr sec cor
- 7986 Intersected the stand
line 54 lks north of the
cor - to sec^s 4, 5, 8 and 9
from which cor - I run
North 89° 37' West on a
true line between sec^s
5 and 8
va 14° 15' E
- 3993 Set a post 2 x 3 in x 4 ft - 1 ft
in the ground - deposit
charred stake and
raised mound of earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
qr sec cor.
- 7986 The cor - to sec^s 5, 6, 7 and 8
Land level
Soil 2 rat

Township 34 N Range 29 West

- Chs West on a random
line between sec^s 6 and 7
va 14° 15' E
- 4000 Set a stone for temporary
qr sec cor
- 4300 Ravin descending E of S
- 7911 Intersected the west bound
ary of township 11 lks
south of cor - to sec^s 6
and 7 from which cor -
I run S 89° 56' East on
a true line between
sections 6 and 7
va 14° 15' E
- 3911 Set a sand stone 20 x 10
x 4 in 11 in deep m^{ss}
1/4 - dug pits 18 x 24 x 12 in
deep for qr sec cor -
- 7911 The cor - to sec^s 5, 6, 7 and 8

Land broken
Soil poor 2^d rate

Township 34N Range 29 West

Obs North on a random line
between sec^s 5 and 6
ba 14°15'E

4500 Set a post for temporary
qr sec cor

7973 Intersected the North
boundary of the township
17 lps west of the corner to
sec^s 5 and 6 from which
cor - I run South 7' West
on a true line between
sections 5 and 6
ba 14°15'E

3973 Set a post 2x3 in x 4 ft
1 ft in the ground
deposited Chamae stake
raised a mound of
earth 2 1/2 ft high from
pits 18x24x12 in deep for
qr sec cor -

7973 The cor - to sec^s 5, 6, 7 & 8
Land level soil 2^d rate
July 30th 1875

General Description

The Ammachaduga Creek
a beautiful stream about
30 lps wide and 2 ft deep
runs in a South easterly
course through this town-
ship, dividing it into
two parts the South being
somewhat the largest
All that part South of
the creek is sand hills
and worthless. ~~The north~~
That portion of the north part
composed of the creek bottom
or valley and the bluffs
is sandy and 3^d rate
The North part of township
is table land & adapted
to wheat & probably other
grain. At the top of the
bluffs on North side of creek
a ledge of rock crops
out all through the town-
ship. The rock is a bastard
between sand ^{stone} and limestone
Some small trees or bushes along
the creek but of no value

A list of the names of

persons employed to assist
in running measuring
and marking the line
and corners described in
the foregoing field notes
of the Survey of Township
34 North of Range 29 West
and the capacity in which
they severally acted

J. F. Anton Chairman
A. M. Lean "
A. B. Stuckey Moundman
S. M. Bloom "
James Hannan Flagman

We hereby certify that we
Assistant William H. Ordine Deputy
Surveyor in subdividing Township
No. 34 North of the Base Line Range
No. 29 West of the 6th Principal
Meridian and that said Township
has been in all respects to the best
of our knowledge and belief well
and faithfully surveyed and the
boundary monuments planted
according to the instructions of
the Surveyor General and of said
Ordinary Character construction
and marking and in the manner
as specifically described in the
foregoing field notes

J. F. Anton Chairman
A. M. Lean


A. B. Stuckey Moundman
Samuel Bloom

James Hannan Flagman

Subscribed and sworn to
Swear 31st

by the above named parties
before me a Notary Public in
and for the County of Cumming
and State of Nebraska this
22nd day of August 1875

J. M. Millar



I William Hardin Deputy

Surveyor do solemnly swear
that in pursuance of
joint contract wherein
David V Stephenson James
L Slocum and William
Hardin are joint
contractors with E. C.
Cunningham, Surveyor
General for the District
of Nebraska and Iowa
bearing date the 26th
day of May 1875, I have
well faithfully and truly,
in my own proper person
and in strict conformity
to the instructions by the
surveyor General the
surveying Manual and
the laws of the United
States surveyed all those
parts of sections of
township No thirty four
(34) North of the Base line
in Range No twenty nine
(29) West of the 6th

Principal meridian as are

represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual printed instructions and special instructions of the surveyor general of dimensions, character and construction and marking and in the manner specifically described in the foregoing field notes and that the foregoing are the and original field notes of such survey

William Hardie

Subscribed by the afore

Said William Hardie
deputy surveyor and
sworn to before me
a Notary public in
and for Saunders
County State of
Nebraska this 31st
day of August
1875

A B Fuller
Notary Public

Surveyor General's Office
Plattsmouth Neb Nov 12th 1875

The foregoing field notes
of the survey of the sub-
division lines of Township
No. 34 North, of the Base Line,
of Range No. 29 West of the 6th
Principal Meridian in the
State of Nebraska, executed
by William Hardin under joint
Contract No. 42, dated May 26th
1875 in the month of July
1875 having been critically examined,
the necessary corrections and explana-
tions made, the said field
notes and the surveys they
describe are hereby approved.

J. M. Clark
Sur Genl.

Surveyor General's Office

Plattsmouth Neb 1875

~~The foregoing field notes of the
Survey and Subdivision of
Township N^o 35 North 28 West
ath Principal Meridian in the
State of Nebraska Executed
by James L. Krum under
joint contract N^o 92 dated
the 20th day of May 1875 in
the month of August 1875
having been critically examined,
the necessary corrections and
explanations made the said
field notes and the surveys
they describe are hereby
approved~~

Surveyor General

Township 35 N. Range 29 W.

D. B

Index Referring the
lines to the pages of field notes
Town. 35 Range 29 W

19	29	20	22	21	17	22	12	23	7	24
28		27		21		16		11		6
30	26	29	20	28	15	27	10	26	5	25
25		24		19		14		9		4
31	23	32	18	33	13	34	8	35	3	36

Township 35 N. Range 29 West: W.

Field notes of the survey
of the subdivisions lines
in Township No 35 North
of the Base line, of Range
No 29 West of the sixth
Principal Meridian
in the State of Nebraska
by James L Slocum
deputy surveyor under
joint contract No 92
dated the 26th day of
May 1875

Subdivisions Commenced
Aug 4th 1875

Subdivisions Completed Aug
6th 1875 List of names

of persons employed to assist
in surveying this township
showing the respective capacities
in which they acted

A M Forbes	} Chairman
E S Holdbrook	
S P Koon	} Moundman
L Stambaugh	
W F O'Neill	} Flagman

To determine the proper
 adjustment of my
 compass for subdividing
 this township. I commence
 at the corner to town-
 ships 34 and 35 North
 Ranges 28 and 29 West
 and run
 North on a blank line
 along the East boundary
 of Section 36
 Va 14.15. E.

40.00 To a point at the gr
 section corner

80.03 To a point at the corner
 to sections 25 & 36.
 To retrace this line or
 run a line parallel
 thereto my compass
 is in proper adjust-
 -ment

Township 35 North, Range 28 W.

Chs From the corner to sec= 1, 2, 35 and 36 on the South boundary of the township I run North between sec= 35 and 36

40.00 Va 14.15. E.
 Set post 2x3^m x 4 ft-1 ft in ground deposit charred stake raised Mound of earth 2 1/2 feet high from pit 18x24x12 inches deep for gr section corner

80.00 Set post 3x3^m x 4 ft-1 ft in ground deposit charred stake raised Mound of earth 2 1/2 feet high from pits 18x24x12^m deep for corner to sec= 25, 26, 35 and 36

Land sandy soil 2nd Rate

Township 35 N Range 29 W

Chs East on a random line between sec 25 & 36
 Va 14° 15' E
 40.00 Set post for temporary gr sec cor
 68.00 Ravine Bears S.E.
 80.10 Intersect East boundary of township 47 look North of corner to sec 25 & 36 from which corner I am N 89° 40' West on a true line between sec 25 and 36.
 Va 14° 15' E
 80.05 Set post 2x3^m x 4 ft 1 ft in ground deposit Charred Stake raised Mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec corner
 80.10 Corner to sec 25 26 35 & 36
 Land Sandy Soil 2nd Rate

Township 35 North, Range 29 W.

Chs North between sections 25 and 26
 Va 14° 15' E
 40.00 Set post 2x3^m x 4 ft 1 ft in ground deposit Charred Stake raised Mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec corner
 80.00 Set post 3x3^m x 4 ft 1 ft in ground deposit Charred Stake raised Mound of earth 2 1/2 feet high from pits 18x24x12^m deep for cor to sec 23, 24, 25 and 26
 Land Sandy Soil 2nd Rate

Township 35 N. Range 29 W.

Chs East on a random
line between sec= 24 and 25
Va 14.15 E.

40.00 Set post for temporary
gr sec corner

45.15 Ravine Bears South

80.18 Intersect East bound-
ary of township 57 links
North of corner to sec= 13 and 24 from which
corner I run
North 89.36 West on a
~~line~~ line between
sec= 13 & 24
Va 14.15 E.

40.09 Set post 2x3ⁱⁿ x 4 ft - 1 ft
in ground deposit charred
stake raised mound of
earth 2 1/2 feet high from
pits 18x24x12ⁱⁿ deep for gr
sec corner

80.18 corner to sec= 23, 24,
25 and 26
Land Sandy Soil 2nd Rate

Township 35 N. Range 29 West.

chs North between sec= 23 and 24
Va 14.15 E.

40.00 Set post - 2x3ⁱⁿ x 4 ft 1 ft
in ground deposit -
Charred stake raised
mound of earth 2 1/2 ft
high from pits 18x24x
12ⁱⁿ deep for gr sec cor

65.00 Enter Bottom Bears S E

73.00 Intersect North boundary
of the state 7.00 chains
East of the 53rd Mile
post where I set post
3x3ⁱⁿ x 4 ft - 1 ft in ground
deposit charred stake
raised mound of earth
2 1/2 feet high from
pits 18x24x12ⁱⁿ deep for
corner to fractional
sec= 23 & 24

Land a sandy loam
Soil 2nd Rate

Township 35 N. Range 29 West.

North between sections
34 and 35-
Va 14°15' E
40.00 Set post-2x3ⁱⁿx4 ft
1 ft in ground deposit
Charred stake raised
mound of earth 2 1/2 feet
high from pits 18x24x12
inches deep for gr
sec corner

4 80.00 Set post-3x3ⁱⁿx4 ft 1 ft
in ground deposit
Charred stake raised
mound of earth 2 1/2
feet high from pits
18x24x12ⁱⁿ deep for cor
to sec 26, 27, 34 and
35

Land Gently Rolling
Table Land Soil
Sandy 2nd Rate

Township 35 N. Range 29 West.

Sh East on a random
line between Sec
26 and 35-
Va 14°15' E

40.00 Set post for temporary
gr sec cor
79.96 Intersect North and
South 48 links North
of cor to sec 25, 26,
35 and 36 from which
corner I run
North 89°39' West on
a true line between
Sec 26 & 35

39.98 Va 14, 15, E.
Set post-2x3ⁱⁿx4 ft
1 ft in ground deposit
Charred stake raised
mound of earth 2 1/2
feet high from pits
18x24x12ⁱⁿ deep for
gr sec corner

79.96 Corner to sec 26, 27, 34
and 35.

Land Gently Rolling Soil
Sandy 2nd Rate

Township 35 N. Range 29 W.

Chs North between sec= 26 and 27
 Va 14° 13' E.
 40.00 Set post 2x3^mx4 ft
 1 ft in ground deposit
 Charred stake raised
 Mound of Earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec cor

80.00 Set post 3x3^mx4 ft
 1 ft in ground depos.
 -it- charred stake raised mound of Earth 2 1/2 feet high from pits 18x24x12 inches deep for corner to sec= 22, 23, 26, and 27.

Land Gently Rolling
 Table land soil
 2nd Rate
 August 4th 1873.

Township 35 N. Range 29 West

Chs East on a random line between sections 23 & 26
 Va 14° 15' E

40.00 Set post for temporary gr sec corner

79.81 Intersect North and South line 51 links North of cor to sec= 23, 24, 25, and 26, from which corner I run North 89° 38' West on a true line between sec= 23 & 26

Va 14° 15' E.
 39.90 Set post 2x3^mx4 ft
 1 ft in ground deposit
 Charred stake raised
 Mound of Earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec cor

79.81 Corner to sec= 22, 23, 26, and 27
 Land Sandy Soil 2nd Rate

Township 35 North, Range 29W

chs North between sec= 22 and 23
 Va 14, 15, E.
 40.00 Set post 2x3ⁱⁿ x 4 ft 1 ft in ground deposit Charred Stake raised mound of earth 2 1/2 feet high from pits 18x24x12ⁱⁿ deep for gr sec cor
 71.92 Intersect North boundary of the state 7.50 chs East of the 5-4th Mile post. where I set post 3x3ⁱⁿ x 4 ft 1 ft in ground deposit Charred stake raised of earth 2 1/2 feet high from pits 18x24x12ⁱⁿ deep for corner to fractional sec= 22, and 23,
 Land Gently Rolling Soil Sandy loam 2nd Rate

Township 35-N, Range 29W,

chs North between sec= 33 & 34
 Va 14, 15, E.
 40.00 Set post 2x3ⁱⁿ x 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2 1/2 feet high from pits 18x23x12ⁱⁿ deep for gr sec cor
 80.00 Set post 3x3ⁱⁿ x 4 ft 1 ft in ground deposit & Charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12ⁱⁿ deep for cor to sec= 27, 28, 33, and 34
 Land Gently Rolling Soil Sandy loam 2nd Rate

Township 35 N, Range 29 W.

Chs East on a random line between sec= 27 and 34

va 14°15' E

40.00 Set post for temporary gr sec corner

79.90 Intersect North and South line 41 links North of corner to sec= 26, 27, 34 and 35 from which corner I run North 89°42' West on a true line between sec= 27 & 34

va 14°15' E

39.95 Set post 2x3^m x 4 ft 1 ft in ground deposit

Charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec corner

79.90 corner to sec= 27, 28, 33, & 34. Land sandy soil 2nd Rate

Township 35 N, Range 29 West.

Chs North between sections 27 and 28

va 14°15' E

40.00 Set post 2x3^m x 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec cor

80.00 Set post 3x3^m x 4 ft 1 ft in ground deposit Charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12^m deep for corner to sec= 21, 22, 27 and 28

Land gently rolling Table land soil 2nd Rate

Township 35-N, Range 29 W.

chs East on a random line between sec= 22 and 27

Va 14° 15' E

40.00 Set post for temporary gr sec cor

79.88 Intersect North and South line 43 links North of cor to sec= 22 23, 27 and 26 from which corner I run N 89° 42' West on a true line between sec= 22 and 27

Va 14° 15' E.

39.94 Set post - 2x3^mx4 ft - 1 ft in ground deposit char-act stake raised mound of earth 2 1/2 ft high from pits 18x24x12^m deep for gr sec corner

79.88 corner to sec= 21 22 27 & 28

Land Sandy Soil 2nd Rate

Township 35-N, Range 29 W.

chs North between sections 21 & 22

Va 14° 15' E.

40.00 Set post - 2x3^mx4 ft - 1 ft in ground

deposit charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec cor

71.40 Intersect North boundary of the State 7.80 chains East of the 55 Mile corner where I.

Set post - 3x3^mx4 ft - 1 ft in ground deposit - charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12^m deep for corner to fractional sec= 21 & 22

Land Sandy Soil 2nd Rate

Township 35 N, Range 29 W.

Chs North between sec 32 and 33.
Va 14° 15' E.

40.00 Set post 2x3^mx4 ft
1 ft in ground deposit
Charred stake raised
Mound of earth 2 1/2 feet
high from pits 18x24
x 12^m deep for gr
sec corner

80.00 Set post 3x3^mx4 ft
1 ft in ground
deposit - Charred
stake raised Mound
of earth 2 1/2 feet high
from pits 18x24x12^m
deep for corner to
secs 28, 29, 32 and 33.

Land heavily rolling
table land soil
Sandy loam 2nd
Rate

Township 35 N, Range 29 W.

Chs East on a random
line between sec 28 and 33
Va 14° 15' E.

40.00 Set post for temporary
gr sec cor

80.08 Intersect North and
South line 43 links
North of corner to
secs 27, 28, 32 and 34,
from which corner
I run North 89° 42 West
on a true line between
secs 28 and 33
Va 14, 15 E.

40.04 Set post 2x3^mx4 ft 1 ft
in ground deposit
Charred stake raised
Mound of earth 2 1/2
feet high from pits
18x24x12^m deep for gr
sec corner

80.08 corner to sec 28 29 32 & 33
Land Sandy 2nd Rate

20
Township 35 N, Range 29 W,

Chs North between sections
28 and 29

Va 14° 15' E,

40.00 Set post 2 x 3^m x 4 ft -
1 ft in ground deposit
Charred stake raised
Mound of earth 2 1/2
feet high from pits -
18 x 24 x 12 inches deep
for gr sec corner

80.00 Set post 3 x 3^m x 4 ft - 1 ft
in ground deposit
Charred stake raised
Mound of earth 2 1/2
feet high from
pits 18 x 24 x 12^m deep
for corner to sec =
20, 21, 28, and 29.

Land Sandy Soil
2nd Rate

Township 35 N, Range 29 W,

Chs East on a random line
between sec = 21 & 28
Va 14° 15' E,

40.00 Set post for temporary
gr sec cor

79.90 Intersect North and
South line 46 links
North of cor to sec =
21, 22, 27, and 28, from
which cor I run
North 89° 40' West on a
true line between
sec = 21 & 28

Va 14° 15' E,

39.95 Set post 2 x 3^m x 4 ft
1 ft in ground deposit
Charred stake raised
Mound of earth 2 1/2
feet high from pits -
18 x 24 x 12^m deep for
gr sec cor

79.90 Corner to sec = 20, 21, 28,
and 29.

Land sandy loam
Soil 2nd Rate

Township 35 N, Range 29 W.

Chs North between secs
20 and 21

va 14° 15' E.

40.00 Set post- 2x3ⁱⁿ x 4 ft-
1 ft in ground
deposit charred stake
raised mound of
earth 2 1/2 feet high
from pits 18x24x12
inches deep for gr
sic corner

70.55 Intersect North boundary
of State 7.88 East of
the 56 Mile post
where I set post- 3x3ⁱⁿ
x 4 ft- 1 ft in ground
deposit charred stake
raised mound of earth
2 1/2 feet high from
pits 18x24x12ⁱⁿ deep
for corner to fractional
secs 20 and 21.

Land Gently Rolling
Soil Sandy 2nd Rate
Aug 30th 1875

Township 35 N Range 29 W.

Chs North between sections
31 & 32

va 14° 15' E.

40.00 Set post- 2x3ⁱⁿ x 4 ft-
1 ft in ground deposit-
charred stake raised
mound of earth 2 1/2 ft-
high from pits 18x24
x 12ⁱⁿ deep for gr sic
corner

80.00 Set post- 3x3ⁱⁿ x 4 ft- 1 ft
in ground deposit-
charred stake raised
mound of earth 2 1/2
feet high from pits
18x24x12ⁱⁿ deep for cor
to secs 29, 30, 31 & 32.

Land Gently Rolling
Soil a Sandy loam
2nd Rate
Good Wheat land

Township 35 N Range 29 W

Chs

East on a random line between sec= 29 and 32

va 14°15' E

40.00

Set post for temporary gr sec corner

80.00

Intersect North and South line 56 links North of corner to sec= 28, 29, 32 and 33. from which corner I run North 89°36' West on a true line between sec= 29 and 32.

va 14°15' E

40.00

Set post 2x3^mx4 feet 1 ft in ground deposit Charred stake raised Mound of earth 2 1/2 ft high from pits 18x24x12^m deep for gr sec corner

80.00

Corner to sec= 29, 30, 31, and 32. Land sandy. Soil 2nd Rate,

Township 35 N. Range 29 W.

Chs

West on a random line between sec= 30 & 31 va 14°15' E.

40.00

Set post for temporary gr sec corner

64.35

79.33

Ravine Bears South. Intersect North and south line 40 links South of corner to sec= 30 and 31 from which corner I run South 89°43' East on a true line between sec= 30 and 32.

va 14°15' E.

39.33

Set post 2x3^mx4 ft-1 ft in ground deposit Charred stake raised Mound of earth 2 1/2 feet high from pits 18x24x12^m deep for gr sec corner

79.33

Corner to sec= 29 30 31 & 32. Land Sandy Soil 2nd Rate

Township 35 North, Range 29 W.

Chs North between sections 29, and 30.

va 14°15' E.

40.00 Set post- 2 x 3ⁱⁿ x 4 ft-1 ft in ground deposit charred stake raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 inches deep for gr section corner

80.00 Set post- 3 x 3ⁱⁿ x 4 ft-1 ft in ground deposit charred stake raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12ⁱⁿ deep for corner to sections 19, 20, 29, 3 and 30.

Table land soil Sandy 2nd Rate

Township 35 North, Range 29 W.

Chs East on a random line between sections 20 and 29.

va 14°15' E

40.00 Set post for temporary gr sec corner.

80.05 Intersect North and South line 63 links North of corner to sec 20, 21, 28 and 29, from which corner. I run North 89°33' West on a true line between sections 20, and 29.

va 14°15' E

40.02 1/2 Set post 2 x 3ⁱⁿ x 4 ft-1 ft in ground deposit charred stake raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12ⁱⁿ for gr sec cor.

80.05 Corner to sections 19, 20, 29, and 30. Land Sandy Gently Rolling Soil 2nd Rate

Township 35 N. Range 29 W.

Chs West on a random line between sections 19 and 30.

Va 14° 15' E.

40.00 Set post for temporary

58.00 ~~79.62~~ gr sec corner

~~Intersect West on a random line between sections~~

79.62 Intersect West boundary of township 30 links South of corner to sections 19 and 30 from which corner I run

South 89° 47' East on a true line between sec 19 & 30

Va 14° 15' E.

39.62. Set post 2x3ⁱⁿ x 4 ft - 1 ft in ground deposit charred stake raised mound of earth 2 1/2 ft high from pits 18x24x12ⁱⁿ deep for gr sec corner

79.62 corner to sec 19, 20, 29, & 30. Land Sandy Table land Soil 2nd Rate

Township 35 N Range 29 West

Chs North between sections 19 and 20

Va 14° 15' E

40.00 Set post 2x3ⁱⁿ x 4 ft - 1 ft in ground deposit

Charred stake raised mound of earth 2 1/2 ft high from pits 18x24x12ⁱⁿ deep for gr sec corner.

69.22 Intersect North boundary of the state 7.90 chains East of the 57th Mile post. where I set post

3x3ⁱⁿ x 4 ft - 1 ft in ground deposit charred stake raised mound of earth 2 1/2 feet high from pits 18x24x12ⁱⁿ deep for corner to fractional sec 19 and 20.

Land high table land Soil 2nd Rate

August 6th 1875

General Description

The land in this township is high table land gently rolling. In east-tied of sections and also in the west-tie there is a dry Ravine descending to the south.

There is neither water or timber ⁱⁿ this township. I think ^{water} can be found by digging from 75 to 100 feet.

The soil in this ^{township} will raise good wheat,

The soil is a sandy loam 2nd Rate Grass is a short-Buffalo grass

A list of the names
of the individuals who
assisted in running
measuring and marking
the subdivisions lines
and corners of the foregoing
field notes of Township
No (35) thirty five North of
Range Twenty Eight &
Nine (28) and (29) West
of the 6th Principal
Meridian

A M Forbes } Chainmen
E J Holdbrook }

J P Koon } Monumentmen
L Stambaugh }

W F O'Neill Flagman

We hereby certify that - we
assisted James L Slocum
Deputy Surveyor in subdividing
Township No (29) North of the
Base Line in Range No
28 & 29 West of the 6th Principal
Meridian and that said
Township has been in all
respects - to the best of our
knowledge and belief well and
faithfully surveyed and the
boundary monuments planted
according to the instructions
of the Surveyor General.

and of Bimensions Character
Constructions and Marking
and in the manner as
Specifically, described in
the foregoing field notes.

A. M. Forbes } Chairman
E. F. McWhorter }
J. P. Koon } Monuments
L. Stambaugh }
W. S. O'Neill } Flagman

Subscribed and sworn to
by the abovesigned parties
before me a Notary Public in
and for the County of Cass
and State of Nebraska this
12 day of Aug 1875

J. M. Miller

I James L Sloenn Deputy

Surveyor do solemnly swear
that in pursuance of a
joint contract wherein
David V Stephenson James
L Sloenn & William Hardin
are joint contractors with
E Edmunningham Surveyor
General for the District
of Nebraska & Iowa bearing
date the 26th Day of
May 1875. I have well
faithfully and truly in
my own proper person
and in strict conformity
to the instructions furnished
by the Surveyor General,
the surveyors manual
and the Laws of the United
States surveyed all those
parts or portions of Township
35 North of the Base line
in Range Twenty eight
and Twenty nine West
of the 6th Principal Meridian
as are represented.

in the foregoing field
notes as having been
surveyed under my
direction, and I do further
solely swear that all
the corners of said
survey have been estab-
lished and perpetuated
in strict accordance
with the surveying Man-
ual, printed instructions
and special instructions
of the surveyor general,
of dimensions, character,
construction, and marking,
and in the manner
specifically described in
the foregoing field notes,
and that the foregoing
are the true and original
field notes of such survey.

James L. Stoenb
Subscribed by the said
James L. Stoenb Deputy
Surveyor and sworn

To before me a notary
Public in and for
Sawardus County State
of Nebraska this 31st day
of August - 1873 -

A B Fuller
Notary Public

GENERAL LAND OFFICE • ORIGINAL FIELD NOTES

BOOK NUMBER

529

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.