General Land Office • Original Field Notes

Book Number

533

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 13 Range 30 W

6	62	5	47	4	35	3	24	2	12	1
								23		11
7	61	8	45	9	33	10	21	11	9	12
60		59		44		32		20		8
18	58	17	43	16	31	15	19	14	7	13
57		56		42		30		18		6
19	55	20	41	21	29	22	17	23	5	24
54		53		40		28		14		4
30	52	29	39	28	27	27	15	26	3	25
51		50		38		26		14		2
31	49	32	37	33	25	34	13	35	1	36

Field Notes

Of the Survey and Subdivisions of Township number 13 North of the Base line of range number 30 West of the 6th Principal Meridian executed by J. B. Park deputy Survey or under ~~their~~ joint contract wherein J. B. Park and H C Campbell are joint contractors with P. W. Hichcock Survey or General for the States of Nebraska and Iowa.

E 4

List of names and
duties of assistants

Leavitt Burnham	Chainman
Richard B. Keyes	Chainman
Luther Ruhlman	Axemen and
E. A. Beach	Markmen

T. 13 N. R 30 W. 6th P. M.

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to township 13 North on the 3rd Standard Parallel North, between Ranges 29 and 30 W. and run North on a blank line along the East Boundary of Sec 36 ~~on a blank line~~

Va 12°45' E

40.01 The 1/4 Sec Cor
80.03 The corner to Secs. 25, 36, 30, 31
Therefore my Compass is in proper adjustment

Subdivision Commenced August 15th 1869
Completed August 20th 1869

T. 13 N. R 30 W. 6th P.M.

Chains	North between Secs. 25 and 36 Va 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
65,00	Ravine descends N.W.
75,00	Ravine descends N.E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for corner to Secs. 25, 26, 35, 36 Land very hilly and broken Soil 3rd rate -

T. 13 N. R 30 W. 6th P.M.

Chains	East on random line between Secs. 25 and 36 Va 12° 45' E
4,00	Ravine descends North
29,00	Ravine descends N.W.
40,00	Set temporary 1/4 Sec Cor.
45,00	Ravine descends North
62,00	Ravine descends N.W.
80,30	Intersect East Boundary of Township 21 links South of the corner to Secs. 25, 36, 30, 31 from which corner I run S 89° 51' W on true line between Secs. 25 and 36 Va 12° 45' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,30	The corner to Secs. 25, 26, 35, 36 Land hilly and broken Soil 3rd rate

T. 13 N. R 30 W 6th P. M.

Chains	
	North between Secs 25 and 26 Var 12° 45' E
24,00	Ravine descends N. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
55,00	Ravine descends N. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26 Land hilly and broken Soil 3rd rate -

T. 13 N. R 30 W. 6th P. M.

Chains	
	East on random line between Secs. 24 and 25 Var 12° 45' E
40,00	Set temporary 1/4 Sec Cor
62,00	Ravine descends North
80,28	Intersect East Boundary of Township 16 links North of the corner to Secs. 24, 25 19,30 from which corner I run N 89° 53' West true line between Secs. 24 and 25 Var 12° 45' E
40,14	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,28	The corner to Secs 23, 24 25, 26 Land hilly, Soil 3rd rate

T. 13 N. R 30. W. 6th P. M.

chains	
	North between Secs. 23, 24 Va 12° 45' E
16,00	Drain descends N. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instruct. for ¼ Sec. Corner.
41,00	Leave up land enter bottom bearing N. W. and S. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24 Land up land rolling 3rd rate Bottom level 2nd rate

T 13 N. R 30 W. 6th P. M.

chains	
	East on random line between Secs. 13 and 24 Va 12° 45' E
25,00	Drain descends N. E.
40,00	Set temporary ¼ Sec. Cor.
79,90	Intersect East Boundary of Township 26 North of the corner to Secs. 13, 24 18, 19 from which corner I run N 89° 49' W on true line between Secs. 13 and 24 Va 12° 45' E
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79,90	The corner to Secs. 13, 14 23, 24 Land level Soil 1st rate

T. 13 N. R. 30 W. 6th P.M.

Chains	
	N. & W. between Secs. 13 and 14
	Va 12° 45' E
24,50	Slough 50 lks wide runs East
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
79,00	South and right bank of S. channel
of S. Platte R.	runs N 78 1/2 E
	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to fractional Secs. 13 and
	14 on South side of river.
80,00	In river therefore the
	corner to Secs. 11, 12, 13, 14
	cannot be established
	Land level, Soil 1st rate

T. 13 N. R. 30 W. 6th P.M.

Chains	
	Throw the point in river,
	the place for corner to Secs. 11, 12,
	13, 14 I run
	East on random line
	between Secs. 12 and 13
	Va 12° 45' E
5,00	Intersect right bank of South channel
of S. Platte R.	runs N 77° E.
	Set temporary Meander Corner
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect East Boundary of
	Township 14 links North of the corner to
	Secs. 12, 13, 7, 18 from which
	corner I run
	N 89° 54' W on true line between
	Secs. 12 and 13
	Va 12° 45' E
4,06	Set post deposit charred
	Stake, raised mound of
	earth with pits as per instruct=
	ions for a 1/4 Sec. Cor.
8,12	Set post deposit charred stake raised
	mound of earth with pits as per instruc=
	=tions for corner to fractional Secs 12 and 13
	on right bank of river. of S. Chan. of Platte
	Land level, Soil 1st rate

~~80,12 In river therefore the corner to Secs. 11, 12, 13, 14 cannot be established~~

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs 11 and 12
	Va 12° 45' E
	From the point in river, the place for corner to Secs 11, 12, 13, 14 I measure with chain
6,30	Intersect North and left bank of S. channel - Its width on line is 7,30 chs
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 11 and 12 on North bank of channel.
2560	South and right bank of South Platte river runs N 80° E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 11 and 12. I now cause a flag to be set in the line on the opposite bank of the river

T. 13 N. R. 30 W. 6th P. M.

Chains	
	and run a base line East 5 chains to a point from which the flag bears N. 14° 31' W. and find by calculation its width
	Nat. Cot. 14° 31' = 3,86~~0~~2 08
	X By base 5
	to be 19,3~~0~~1 0 40 Chains
	19.31
	and at
45.9~~2~~1	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 11 and 12 on the North and left bank of South Platte river.
	The point for 1/4 Sec. lor. falling in the river it therefore cannot be established
80,00	Set post deposit charred. Stake raised mound of earth with pits as per instructions for a corner to Secs 1, 2, 11, 12
	Land level Soil 1st rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on true line between Secs. 1 and 12 Va 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
46,00	Enter Willow thicket bearing N. W. and S. E.
56,40	Intersect South and right bank North Platte River runs S. 50 1/2 E.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 1 and 12 Land level, Soil 1st rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North on true line between Secs. 1 and 2 Va 12° 45' E
39,30	Intersect South and right bank North Platte River runs S 43° E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 1 and 2 Land level, Soil 1st rate

August 15th 1869

Tested chain found it 1/2 in too long corrected it to Standard

T. 13 N., R. 30 W., 6th P. M.

Chains	
	North between Secs. 34 and 35
	Va 12° 50' E
30,00	Canon descends West.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
63,00	Canyon descends West
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35
	Land hilly and broken Soil good rate.

T. 13 N., R. 30 W., 6th P. M.

Chains	
	East on random line between Secs. 26 and ~~27~~ 35
	Va 12° 50' E
15,00	Ravine descend N.W.
40,00	Set temporary 1/4 Sec. Cor.
42,00	Ravine descends North
49,50	Ravine descends N.W.
80,22	Intersect N. and S. line 26 South of the corner to Secs. 25, 26, 35 & 36 ~~and 27~~ from which corner I run S. 89° 49' W. on true line between Secs. 26 and ~~27~~ 35
	Va 12° 50' E
40,11	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,22	The corner to Secs. 26, 27, 34, 35
	Land hilly and broken
	Soil good rate

T. 18 N., R. 30 W., 6th P. M.

Chains	North between Secs. 26 and 27 Va 12° 50' E
27,00	Canyon descends N. W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
43,00	Head of Ravine descend N. W.
55,00	Enter Ravine at head descends North
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, ~~26~~ 26 & 27 in Same Ravine descend N 18° E Land hilly & broken. Soil 3rd rate.

T. 18 N., R. 30 W., 6th P. M.

Chains	East on random line between Secs. 23 and 26 Va 12° 50' E
9,00	Ravine descends N. W.
24,00	Ravine descends North
40,00	Set temporary ¼ Sec. Cor.
43,00	Ravine descend N. E.
80,09	Intersect N and S. line 28 chains North of the corner to Secs. 23, 24, 25, 26, from which corner I run N 89° 48' W on true line between Secs. 23 and 26 Va 12° 50' E
40,04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,09	The corner to Secs. 22, 23, 26, 27 Land hilly and broken Soil 3rd rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs. 22 and 23 Var. 12° 50' E
9.00	Leave Ravine ascends N. 25° E
23.00	Drain descends N. E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
46.00	Leave upland and enter bottom bearing N 70° W and S 70° E
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23
	Land Upland hilly 3rd rate
	Bottom level 12th rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on random line between Secs. 14 and 23 Var. 12° 50' E
40.00	Set temporary 1/4 Sec Cor.
79.84	Intersect N. and S. line 16 links North of the corner to Secs. 13, 14, 23, 24 from which corner I run N 89° 53' W. on true line between Secs. 14 and 23 Var. 12° 50' E.
39.92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79.84	The corner to Secs. 14, 15, 22, 23
	Land level Soil 2nd rate

T. 13 N., R. 30 W. 6th P. M.

Chains	
	North between Secs. 14 and 15 On 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
56,00	Slough 50 links wide descends E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15
	Land level, Soil 1st rate

T. 13 N., R. 30 W. 6th P. M.

Chains	
	East on true line between Secs. 11 and 14 On 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
72,00	Intersect South and right bank of S channel of South Platte river, mns S. 78½ E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 11 and 14
	Land level, Soil 1st rate

chains	
	North between Secs. 10 and 11
	bad 12° 45' E
20,70	Intersect S. channel of S. Platte R. runs S. 79½ E
	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a corner to fr Secs. 10 and
	11, on South or right bank of channel
	I now measure across with the
	chain and find its width to be
	be 5,40 chains and at
26,10	Set post deposit charred
	Stake raised mound of
	earth with pits, as per
	instructions for a corner to
	fractional Secs. 10, and 11
	on North Side ~~of the~~ of S. channel of S. Platte R.
33,00	Intersect South or right bank S. Platte
	river runs S 70° E.
	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner to
	fractional Secs. 10 and 11
	I now cause a flag to

chains	
	be placed in the line on the
	opposite bank of the river and
	run a base line West 5 chains
	to a point from which the
	flag bears N 12° 4' E and
	from this data find by calculation
	Nat. Cot. 12° 4' = 4,67786
	× By Base 5
	the river to be 23,3893 30 chains
	wide and at
56,39	Set post in place of flag deposit
	charred Stake raised mound
	of earth with pits as per instruc-
	tions for a corner to fractional
	Secs. 10 and 11 of left bank of S. Platte R.
	The ¼ Sec. lor coming in river it
	therefore cannot be established
8,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner to
	Secs. 2, 3, 10, 11
	Land level. Soil 1st rate

T. 13 N., R. 30 W., 6th P.M.

Chains	East on random line between Secs. 2 and 11
	Var. 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.08	Intersect N. and S. line 12 links North of the corner to Secs. 1, 2, 11, & 12 from which corner I run
	N. 89° 55' W. on true line between Secs. 2 and 11
	Var. 12° 45' E
40.04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.08	The corner to Secs. 2, 3, 10, 11
	Land level, Soil 1st rate
	West on true line between Secs. 3 and 10
	Var. 12° 45' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
66.60	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 3 and 10 on left bank of River.
	Land level, Soil 1st rate

T. 18 N., R. 30 W., 6th P.M.

Chains	North on random line between Secs. 2, and 3
	Var. 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.04	Intersect North Boundary of Township 15 links West of the corner to Secs. 2, 3, 34 & 35 from which corner I run
	S. 7 W. on true line between Secs. 2 and 3
	Var. 12° 45' E
40.04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.04	The corner to Secs. 2, 3, 10, 11
	Land level, Soil good 2nd rate

S. 13 N. R. 30 W. 6th P. M.

Chains	North between Secs 33 & 34 ~~and 35~~ Va 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
69.00	Ravine descends N. W.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 27, 28, 33 & 34. ~~35~~ Land hilly Soil 3rd rate

S. 13. N. R 30. W. 6th P. M.

Chains	East on random line between Secs 27 and 34. Va 12° 50' E
40.00	Set temporary 1/4 Sec Cor
43.00	Canyon descends N. W.
79.80	Intersect N. and S. line 24 lks South of the corner to Secs 26, 27, 34, 35 from which corner I run S.
	S. 89° ~~49~~ 50' W. on true line between Secs 27 and 34 Va 12° 50' E
39.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.80	The corner to Secs ~~26~~, 27, 28, 33 & 34 ~~35~~. Land hilly & broken Soil 3rd rate

Chains	
	North between Secs. 27 and 28
	Var 12° 50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28
	Land hilly, Soil 3rd rate

Chains	
	East on random line between Secs. 22 and 27
	Var 12° 50' E
30,00	Ravine descends North
40,00	Set temporary 1/4 Sec. Cor.
57,00	Ravine descends N.E.
65,00	Drain descends North
80,21	Intersect Nav. S. line 18 links North of the corner to Secs. 22, 23, 26, 27 from which corner I run
	N 89° 52' W on true line between Secs. 22 and 27
	Var 12° 50' E
40,10½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,21	The corner to Secs. 21, 22, 27, 28
	Land hilly and broken
	Soil 3rd rate
	August 16th 1869
	Last chain found it correct

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs. 21 and 22
	Var 12° 50' E
10,00	Drain descends N.W.
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a ¼ Sec. Cor.
54,00	Leave upland enter bottom
	bearing N 70° W and S 70° E
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 15, 16, 21, 22
	Land up land rolling 3d rate
	Bottom level 1st rate soil

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on random line between
	Secs. 15 and 22
	Var 12° 50' E
40,00	Set temporary ¼ Sec. Cor.
80,10	Intersect N and S. line
	21 links North of the corner
	to Secs. 14, 15, 22, 23 from
	which corner I run
	N 89° 51' W. on true line
	between Secs. 15 and 22
	Var 12° 50' E
40,05	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a ¼ Sec. Cor.
80,10	The corner to Secs. 15, 16, 21, 22.
	Land level soil good 2d rate

T. 13 N. R 30 W. 6th P. M.

Chains	
	North between Secs. 15 and 16
	Var 12° 50' E
35,00	Slough. 35 lks wide descends N. E.
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 sec. cor
80,00	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a corner to Secs. 9, 10, 15, 16
	Land level. Soil good 2nd
	rate

T. 13 N. R 30 W. 6th P. M.

Chains	
	East on random line between
	Secs. 10 and 15
	Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
80,09	Intersect N. and S. line 28 lks
	South of the corner to Secs.
	10, 11, 14, 15 from which corner
	I run
	~~W~~ S. 89,49 W on true line between
	Secs. 10 and 15
	Var 12° 50' E
40,04 1/2	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions for
	a 1/4 Sec. Cor.
80,09	The corner to Secs. 9, 10, 15, 16
	Land level. Soil 1st rate

T. 13 N. R 30 W. 6th P.M.

Chains	North between Secs. 9 and 10 Va 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. or
40.80	Intersect South or right bank of S. Chan. of S. Platte river runs S. 70° E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 9 and 10
	I measure across the channel with the chain and find its width to be 8.80 chs and at
49.60	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 9 and 10. on left bank of S. Chan. ~~of S. Platte R.~~
62.00	Intersect ~~main~~ South and right bank of main channel S. Platte river
	Set post deposit charred

S. 13 N. R 30. W. 6th P.M.

Chains	Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 9 and 10.
	I now cause a flag to be placed in the line on the opposite bank of the river and run a baseline West 4.00 chs to a point from which the flag bears N 10° 12' E and find by calculation the width of the river ~~to the flag~~ to be
	Nat. Cot. aug. 10° 12' = 5.5~~7~~5.7~~6~~7
	× Base 4.
	22.~~3~~1~~0~~4~~8~~ 22.23108 Chains
	Therefore at
80.00	The point for corner to Secs. 3, 4, 9, 10, coming in the river the corner cannot be established
	Land level, Soil 1st rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	From the point in the river the place for corner to Secs. 3, 4 9, 10.
	North between Secs. 3 and 4 On random line Var 12° 45' E
4,~~31~~ 23	North and left bank S. Platte river.
	Set post for temporary corner to fr Secs 3 and 4
40,00	Set temporary 1/4 Sec Cor.
80,07	Intersect North Boundary of Township 3 links West of the corner to Secs. 3, 4, 33 & 34, from which corner I run S. 1° W. on true line between Secs. 3 and 4 Var 12° 45' E
40,07	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
75,~~76~~ 84	Set post deposit

T. 13 N. R 30 W 6th P. M.

	charred stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 3 and 4 on the left bank of South Platte River
80,07 Sec. Cor	In river
	Land level. Soil good and rate —
	River Smooth Sand bottom Swift current clear water

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs. 32 & 33 Var 12° 50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33 Land hilly, Soil Indifferate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on random line between Secs. 28 and 33 Var 12° 48' E
6,00	Ravine descends S.W.
16,00	Ravine descends N.W.
40,00	Set temporary 1/4 Sec. Cor.
69,00	Canyon descends N.W.
80,08	Intersect N. and S. line 22 links South of the corner to Secs. 27, 28 & 33, 34, from which corner I run S. 89° 51' W on true line between Secs. 28 and 33 Var 12° 48' E
40,04	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 28, 29, 32, 33 Land hilly and broken Soil Indifferate -

T. 13 N. R. 30 W. 6th P.M.

Chains	North between Secs. 28 and 29 Va 12° 50' E
5,00	Ravine descends N.W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
45,00	Ravine descends N.W.
57,00	Ravine descends N.W.
80,00	Set post deposit deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land hilly and broken. Soil 3rd rate.

T. 13 N. R. 30 W. 6th P.M.

Chains	East on random line between Secs. 21, and 28 Va 12° 50' E
6,00	Ravine descends N.W.
29,00	Ravine descends N.E.
40,00	Set temporary 1/4 Sec. Cor
43,00	Ravine descends N.W.
80,20	Intersect N and S. line 14 links South of the corner to Secs. 21, 22, 27, 28 from which Corner Inv. S. 89° 54' W. betw. Secs. 21 & 28 Va 12° 50' E
40,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,20	The corner to Secs. 20, 21, 28, 29 Land hilly and broken Soil 3rd rate.

T. 13 N. R. 30 W. 6th P.M.

Chains	
	North between Secs. 20 and 21 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
47,00	Leave upland and enter bottom bearing East and West
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21 Land Upland hilly broken Soil 3rd rate. Bottom level Soil 1st rate

T. 13 N. R. 30 W. 6th P.M.

Chains	
	East on random line between Secs. 16 and 21 Var 12° 50' E
40,00	Set temporary ¼ Sec. Cor.
80,25	Intersect N and S. line 17 lks South of the corner to Secs. 15, 16, 21, 22. from which corner I run S 89° 52' W. on true line between Secs. 16 and 21 Var 12° 50' E
40,12½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,25	The corner to Secs. 16, 17, 20, 21 Land level Soil 2nd rate

Aug 17th 1869

Test of chain found it correct

T. 13 N. R 30 W. 6th P.M.

Chains	North between Secs 16 and 17 Va 12° 50' E
4000	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
46.00	Slough 40 lks wide runs East
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 8, 9, 16, 17 Land level, Soil 1st rate

T. 13 N. R. 30 W. 6th P.M.

Chains	East on random line between Secs 9 and 16 Va 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
79.89	Intersect N and S line 21 links South of the corner to Secs 9, 10, 15, 16 from which corner I run S 89° 51' W on true line between Secs 9 and 16 Va 12° 50' E
39.94½	Set a Sand Stone 15 in long 10 in. wide 4 in. thick for a 1/4 Sec Cor
79.89	The corner to Secs 8, 9, 16, 17 Land level, Soil 1st rate

T. 13 N. R. 30 W. 6th P. M.

chains North between Secs. 8 and 9
Var 12° 50' E

40,00 Set post deposit charred
Stake raised mound of earth
with pits as per instructions
for a 1/4 Sec. Cor.

54,10 Intersect South and right
bank ~~channel of~~ S. Channel of S. Platte
river runs S. 80° E
Set post deposit charred
Stake raised mound of
earth with pits as per
instructions for a corner to
fractional Secs. 8 and 9
I measure across the channel
with the chain and find it to
be 6,20 chs wide and at

60,30 Set post deposit charred
Stake raised mound of
earth with pits as per
instructions for a corner to
fractional Secs. 8 and 9 on
North and left bank of S. channel of Platte R.

63,20 Intersect South and right

T. 13 N. R. 30 W. 6th P. M.

bank of South Platte river
runs S 83° E.
Set post deposit charred
Stake raised mound of
earth with pits as per instruc-
tions for a corner to fractional
Secs. 8 and 9
To determine the distance
across the river I cause a flag
to be set in the line on the opposite
bank, and run a base line
West 4 chains to a point from
which the flag bears N 9° 21' E
and find by calculation its width
Nat. Cot. ang. 9° 21' = 6,073 ~~39~~ 40
+ Base 4 chains
to be 24,293 ~~56~~ 60 chains

80,00 In river Here fore the corner
to Secs. 4, 5, 8, 9 cannot be
established -
Land level Soil 1st rate
The line between Secs.
Secs. 4 and 9 is wholly
in the river and cannot
therefore be established

T. 18 N. R. 30 W. 6th P.M.

Chains	
	From the point in South Platte river, the place for corner to Secs. 4, 5, 8, 9 I am North on random line between Secs. 4 and 5
	Bad 12° 45' E
7,~~50~~ 49	North and left bank of South Platte river.
	Set temporary corner to fractional Secs. 4 and 5
40,00	Set temporary 1/4 Sec. Cor.
80,09	Intersect North Boundary of Township 9 links West of the corner to Secs. 4, 5, 32, 33 from which corner I run S. 4' W. on true line between Secs. 4 and 5
	Bad 12° 45' E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
72,~~59~~ 60	Set post deposit charred

T. 13 N. R. 30 W. 6th P.M.

	Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 4, 5 on the left bank of South Platte River
80,09	The point in river for corner to Secs 4, 5, 8, 9
80.09	Land level Soil 1st rate ~~River Smooth sandy bottom Swift current clear water~~

T. 13 N. R 30 W 6th P. M.

Chains	
	North between Secs 3 and 32 Va 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32 Land hilly, Soil rate

T. 13 N. R 30 W 6th P. M.

Chains	
	East on random line between Secs. 29 and 32 Va 12° 50 E
40,00	Set temporary 1/4 Sec. Cor.
54,00	Ravine descends N. W.
80,19	Intersect N and S. line 12 lin Rs South of the corner to Secs. 28, 29, 32, 33 from which corner I am S 89° 55' W. on true line between Secs. 29 and 32 Va 12° 50' E.
40,09½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,19	The corner to Secs. 29, 30, 31, 32 Land hilly, Soil Bad rate

Chains	
	West on random line between Secs. 30 and 31 Var 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersect West Boundary of Township 14 links North of the Corner to Secs 30, 31 & 25 & 36, from which Corner Iron
	N 89° 54' E on true line between Secs. 30 and 31 Var 12° 50' E
39.92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 sec Sec. Cor.
79.92	The corner to Secs 29, 30, 31, 32
	Land rolling, Soil 3rd rate

Chains	
	North between Secs. 29 and 30 Var 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30
	Land hilly Soil 3rd rate

T. 13 N. R. 30 W. 6th P.M.

chains	
	East on random line between Secs. 20 and 29 Var 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
52.00	Drain descends North
64.00	Ravine descends N.W.
80.00	Intersect Naval bottle line 20 links North of the corner to Secs. 20, 21, 28 29, from which corner I run N.
	N 89° 51' W on true line between Secs. 20 and 29 Var 12° 50' E
40.03	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.06	The corner to Secs. 19, 20, 29, 30
	Land hilly and broken Soil 3rd rate

T. 13 N. R. 30 W. 6th P.M.

chains	
	West on random line between Secs. 19 and 30 Var 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
80.10	Intersect West Boundary of Township 15 links South of the corner to Secs. 19, 30 24 and 25 from which corner I run
	S 89° 54' E on true line between Secs. 19 and 30 Var 12½° 50' E
40.10	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 19, 20, 29, 30
	Land hilly. Soil 3rd rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs. 19 and 20
	Var 12° 50' E
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
55,00	Leave upland and enter
	bottom bearing East and West
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 17, 18, 19, 20
	Land rolling, Soil Sandy Loam

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on random line
	between Secs. 17 and 20
	Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
80,18	Intersected Land S line 2.6 links
	South of the corner to Secs.
	16, 17, 20, 21 from which
	corner I run
	S 89° 49' West true line
	between Secs. 17 and 20
	Var 12° 50' E
40,09	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 17, 18, 19, 20
	Land level, Soil Sandy Loam

T. 13 N. R 30 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19
	Vad 12° 5 0' E
40,00	Set temporary 1/4 Sec Cor
80,15	Intersect West Boundary of Township 21 links North of the corner to Secs. 18, 19, 13, 24 from which corner I run N. 89° 51' E on true line between Secs. 18 and 19
	Vad 12° 50' E
40,15	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,15	I he corner to Secs. 17, 18, 19, 2[illegible]
	Land level 3rd rate
	August 18th 1869

T. 13 N. R. 30 W. 6th P. M.

Chains	
	North between Secs. 17 and 18
	Vad 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
53,50	Slough 50 lks wide runs East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18
	Land level Soil 2nd rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	East on random line between Secs. 8 and 17 Var 12° 50' E
40,00	Set temporary 1/4 Sec Cor.
79,84	Intersect Mound & line 18 links South of the corner to Secs 8, 9, 16, 17 from which corner I run S. 89° 52' W on true line between Secs. 8 and 17 Var 12° 50' E
39,92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,84	The corner to Secs 7, 8, 17, 18 Land level Soil 1st rate

T. 13 N. R. 30 W. 6th P. M.

Chains	
	West on random line between Secs. 7 and 18 Var 12° 50' E
40,00	Set temporary 1/4 Sec Cor
80,30	Intersect West Boundary of Township 16 links South of the corner to Secs. 7, 18, 12, 13 from which corner I run S 89° 53' E on true line between Secs. 7 and 18 Var 12° 50' E
40,30	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,30	The corner to Secs 7, 8, 17, 18 Land level, Soil 1st rate

Chains	
	North between Secs. 7 and 8 Var 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a sp. Sec. Cor
64.60	Intersect South and right bank of South Platte river. runs S 85° E
	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 7 and 8. ~~on right bank~~ I continue the measure with the chain and at
80.00	I in river therefore the corner to Secs. 5, 6, 7, 8 cannot be established
	Land level. Soil, alluvate
Note	The lines between Secs. 5 and 8 and 6 and 7 all in river therefore they cannot be established

Chains	
	North on random line between Secs. 5 and 6 Var 12° 50' E
	From the point in South Platte river the place for corner to Secs 5, 6, 7, 8. I measure with the chain
13.40	Intersect North and left bank of river.
	Set post, for temporary corner to fractional Secs. 5 and 6.
40.00	Set temporary sp. Sec. Cor
80.10	Intersect North Boundary of Township 12 links West of the corner to Secs 5, 6, 31, 32 from which corner I run S. 6' 5' W on true line between Secs 5 and 6 Var 12° 50' W E
40.10 ~~1080~~	Set post deposit charred Stake raised mound of earth with pits as per instructions for a sp. Sec. Cor
66.70	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs 5 and 6 on left bank of S. Platte river

over

T. 13 N R. 29 W. 6th P. M.

Chains	
80.10	The point for corner to Secs. 5. 6. 7. 8. in river Land level. Soil good 2nd rate

August 19th 1869

T. 13 N. R. 30 W. 6th P. M.

Meanders of South Platte river through the Township - From the corner (on the South and right bank of the river) to fractional Secs. 7 and 12 - 7.50 chs North of the corner to Secs. 12. 13. 7. 18 I run up the South and right bank of the river (T. Chan. of Platte) with the meanders thereof as follows

Courses	Chains	Remarks
N. 71° W.	10.00	
S. 85° W.	32.00	
S. 77° W.	34.40 2	To corner to fractional Secs 12 and 13 Thence in Lev 13
S. 78½° W.	5.30 3	To corner to fractional Secs. 13 and 14. Thence in Lev 14
N. 83° W.	8.10 4	To corner to fractional Secs. 11 and 14 thence in Lev 11
N. 63° W.	15.00	
N. 75° W.	38.00	
N 81° W.	22.20 5	To corner to fractional Secs. 10 and 11 Thence in Lev 10
West	17.00	
N. 76½ W.	24.00	
N. 71 W.	42.20 6	To corner to fractional Secs. 9 and 10 Thence in Lev 9
N. 75 W.	30.00	
N. 86° W.	33.00	
N. 80 W.	18.40 7	To corner to fractional Secs. 8 and 9 thence in Lev 8
N. 81° W.	43.00	
N. 85° W.	37.60 8	To corner to fractional Secs 7 and 8 thence in Lev 7.

over

T. 13 N. R 30 W. 6th P. M.

Courses	Chains	In Sec. 7.
N. 75° W.	30.00	
S. 82° W.	32.00	
N. 81° W.	20.00 9	To corner to fractional Secs. 7 and 12 in the West Boundary of the Township at 71.20 chains North of the corner to Secs. 7, 18, 12, 13.
		From the corner to fractional Secs. 7 and 12 in the East Boundary of the Township at 44.50 chains North of the corner to Secs. 12, 13, 7, 18 I run up stream along the North or left bank of S. Platte R. with the meanders thereof as follows:
10 N. 86° W.	30.00	In Sec 12
S. 80° W.	19.00	
N. 89° W.	31.00 11	To corner to fractional Secs. 11 and 12 Thence in Sec 11.
N. 80° W.	41.00	
N. 85° W.	39.80 12	To corner to fractional Secs. 10 and 11 Thence in Sec 10
N. 86° W.	18.80	
N. ~~59½~~ 60½ W.	~~44.00~~ 43.50 13	To corner to fractional 3 and 10 Thence in Sec 3.

carried up

T. 13 N. R 30 W. 6th P. M.

Courses	Chains	In Sec. 3.
N. ~~79.20~~ 80° W.	~~24.00~~ 23.60 14	To corner to fractional Secs. 3 and 4 Thence in Sec 4.
N. 78° W.	21.00	
West	19.00	
S. 88° W.	40.50 15	To corner to fractional Secs. 4 and 5 Thence in Sec 5.
N. 82° W.	39.00	
N. 89° W.	41.80 16	To corner to fractional Secs. 5 and 6 Thence in Sec 6.
N. 86° W.	29.00	
N. 88° W.	27.00	
N. 85° W.	24.60 17	To the corner to fractional Secs 1 and 6 in the West Boundary of the Township at 61.40 chains South of the corner to Townships 13 and 14 North Ranges, 30 and 31 West.

Meanders of ~~the~~ Long Island in South Platte river. in the Township — Secs. 8, 9, 10, 11 & 12

From the corner to fractional Secs 7 and 12. in the East Boundary of the Township at 13,00 chains North of the corner to Secs. 7, 18, 12, 13

I run up & Stream along the South bank of the Island and up the bank of S. Channel of S. Platte R. with the meanders thereof as follows:

Courses	Chains	
18 N. 72° W.	8,00	In Sec 12
West	14,00	
S. 85° W.	23,00	
S. 78° W.	24,00	
S. 81° W	12,30 19	To corner to fractional Secs 11 and 12
		Thence in Sec 11.
West	8,00	
N. 71° W.	27,00	
N. 78° W.	27,00	
N. 75½° W.	20,80 20	To corner to fractional Secs 10 and 11
		Thence in Sec 10.
West	17,50	
N. 75° W.	32,00	
N. 68½° W.	20,00	
N. 70° W.	15,00 21	To corner to fractional Secs 9 and 10 up

Courses	Chains	
		Thence in Sec 9.
N. 71° W.	18,00	
N. 89 W.	31,00	
N. 82½ W.	32,80 22	To corner to fractional Secs 8 and 9
		Thence in Sec 8.
N. 7½° W	10,00	To head of Island, thence down right bank of S. Platte River Stream along the North bank of Isl. 8
S. 87° E	9,40 23	To corner to fractional Secs 8 and 9. thence in Sec 9.
S. 86½ E	29,00	
N. 89° E.	33,00	
East	18,00 24	To corner to fractional Secs 9 and 10
		Thence in Sec 10.
S. 70° E.	23,30	
S. 63½° E	46,00	
N. 89° E	17,00 25	To corner to fractional 10 and 11
		Thence in Sec 11.
S. 70° E.	20,00	
N. 89¾ E.	16,00	
S. 80° E	25,00	
N. 80° E	21,00 26	To corner to fractional Secs 11 and 12
		Thence in Sec 12.
East	24,00	
S. 89° E	36,00	
S. 82° E.	15,00	

over

T. 13 N. R. 30 W. 6th P. M.

Courses	Chains	in Sec 12.
East	5,00 27	To corner to fractional
Secs.		7. 12 in the East
Boundary of the Township at		
22,80 chains North of the		
corner to Secs. 12, 13, 7, 18		

T. 13 N. R. 30 W. 6th P. M.

Meanders of North Platte river through the Township.

From the corner to fractional 7 and 12 in the East Boundary of the Township at 60,80 chains North of the corner to Secs 12, 13, 7, 18 I run up stream along the South and right bank of the river with the meanders thereof as follows:

Courses	Chains	
28 N. 5 ~~8~~ 1/2 W.	30,20 29	to the corner to fractional Secs. 1 and 12
		Thence in Sec 1.
N. 6 ~~8~~ 4° W.	42,00	
N. 43° W.	28,00 30	To the corner to fractional Secs. 1 & 2
		Thence in Sec 2.
N. 5 ~~8~~ 2° W.	3 ~~4~~ 3,00	
N. 41 1/2 W.	26,50 31	To the corner to fractional Secs 2 and 35 on North Boundary
of Township at 36,40 chains East		
of the corner to Secs. 2, 3, 34, 35		

From the corner to fractional Secs. 1 and 6 in the East Boundary of the Township on the

left and North Bank of ~~the~~ N. Platte river at 57.5 1/2 chains South of the corner to Townships 13 and 14 N. Ranges 29 and 30 W. I run up Stream along the North & left bank of the river with the meanders thereof as follows:

Course	Chains
32 N. 45 1/2 W.	48.70
N. 52° W.	37.00 33 To the corner to fractional Secs 1 and 36 in the North Boundary of the Township at 63.60 ~~61.10~~ chains West of the corners to Townships 13 and 14 N. Ranges 29 and 30 W.

Meanders surveyed August 19th and 20th 1869

T. 13 N. R. 30 W. 6th P.M.

General Description

This township is composed of dry Sand hills in the Southern part, the Soil 3rd rate unfit for Settlement and cultivation. The middle and Northern portion of the Township lies in the Platte Valley and is mostly 1st rate Soil covered with a large growth of fine grass. The northern portion of the Township is watered by both branches of Platte river and is well adapted to Settlement and cultivation. There is no timber worth noting ~~to speak of~~ in the Township.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field-notes of Township number 13 N. of the Base line of range number 30 West of the 6th Principal Meridian, showing the respective capacities in which they acted

Leavitt Burnham } Chainmen
Richard B Keyes } Chainmen
E. A. Beach } Axemen and
Luther Kuhlman } Moundmen

We hereby certify that we assisted L. B. Park deputy Surveyor in Surveying and Subdividing Township 13 North of the Base line of Range 30 West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the Boundary monuments planted according to instruction furnished by the Surveyor General

Leavitt Burnham } Chainman
Richard B. Keyes. } Chainman
E. A. Beach } Axemen and
Luther Kuhlman } Moundmen

State of Nebraska }
Lincoln County } ss

Subscribed in my presence and Sworn to before me this 17th day of Sept A.D. 1869

R C Dougherty
Justice of the Peace in and for Lincoln County

I, J. B. Park deputy Surveyor do
Solemnly Swear that in pursu
ance of a joint contract
wherein J. B. Park and
A. C. Campbell are joint
contractors with B. W. Hitchcock
Surveyor General for the States of
Nebraska and Iowa bearing
date the 29th day of April A.D.
1869. I have well faithfully
and truly, in my own proper
person and in strict compli
ity with the instructions fur
nished by the Surveyor General
the Surveying manual
and the laws of the United
States, Surveyed and Subdivi
ided Township 13 North of the
Base line, of Range numb
30 West of the 6th Principal
Meridian as are represen
ted in the foregoing
field-notes as having
been Surveyed under my
direction; and I do further
Solemnly Swear that all the
corners of said Survey have
been established and perma
ted in strict accordance
with the Surveying manual
and the printed instructions,
and that the foregoing are
the true and original field-
notes of such Survey.

J. B. Park
Deputy Surveyor

State of Nebraska }
Lincoln County } ss

Subscribed in my presence
and sworn to before me a
Justice of the Peace in & for
Said County this 17th day of Sept.
A.D. 1869

R. C. Dougherty
Justice of the Peace

Surveyor General's Office
Plattsmouth Neb Mar. 5th 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No. 13. North of the Base Line of Range No. 30. West of the 6th Principal Meridian in the State of Nebraska, executed by J. B. Park under joint contract No. 18. of April 29. 1869. wherein J. B. Park and H. C. Campbell are joint contractors, in the month of August 1869 having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

T 14 N., R 30 W.

6	39	5	45	4	34	3	23	2	12	1	
	60		58		44		33		22		11
7	57	8	43	9	32	10	21	11	10	12	
	56		55		42		31		20		9
18	54	17	41	16	30	15	19	14	8	13	
	61		46		40		29		18		7
19	53	20	39	21	28	22	17	23	6	24	
	52		51		38		27		16		5
30	50	29	37	28	26	27	15	26	4	25	
	49		48		36		25		13		3
31	47	32	35	33	24	34	14	35	2	36	

Field Notes - of the Survey and Subdivision of Township 14 North of the Base line, of Range number 30° West of the Sixth P.M. Meridian. in the State of Nebraska, Surveyed by J. B. Park Deputy Surveyor under his contract number 39 dated August 6th. 1870

List of Names and duties of assistants

Charles Rivers Chainman
Andrew J Cooper Chainman
Edward Lawrence Axeman or
Philip Ryan Moundman

Township 14 N. Range 30 W. 6th P.M.

Chains

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 13 and 14 North, Ranges 29 and 30 West and run North on a blank line along the East Boundary of Sec. 36

Variation 12° 45' E

40.01 To a point 1 link East of the 1/4 Sec Cor.

80.04 To a point 3 links East of the Corner to Secs 25, 36

30.81

Therefore to retrace this line or run a line parallel thereto my compass must be adjusted to a variation of 12° 46' E

Subdivisions Commenced the 3rd August ~~1st~~ 1870 and 7th completed August 12th 1870

T. 14 N. R 30 W. 6 P. M.

Chains

From the corner to Townships 13, and 14 N. Ranges 29 and 30 W. I run N 89° 50' W. along the South Boundary of Sec 36

Va 12° 45' E

63.60 chs to the Meander corner betwtween Secs. 1 and 36. I then run North on an offset line 16.70 chs to a point. Thence West 16.40 chs to a point in line between Secs. 35 and 36, on left bank of N. Platte River

Therefore, North betw. Secs. 35 & 36, Var. 12° 46' E. — at —

16.70 North of the point in river for Cor. to Secs. 1, 2, 35, 36 ~~where~~ I Set post deposit charred Stake raised mound of earth with pits as per instructions for meander a cor. to fr. Secs. 35 and 36.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

58.00 U.P.R.R. track on a Curve. S.E. to S.W.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for Cor. to Secs 25, 26, 35, 36

Land level Soil 1st rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs 25 and 36 Va. 12°45' E.
23.00	Slough 2 chs wide runs S.E.
40.00	Set temporary 1/4 Sec Cor.
80.09	Intersect East Boundary of Township 16 links North of the Corner to Secs 30, 31, 25, 36 from which corner I run N 89°53' W on true line bet. Sections 25 and 36 Va. 12°45' E
40.04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80.09	The Corner to Secs 25, 26, 35, 36 Land level, Soil 1st rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 25 and 26 Va 12°40' E
8.00	Enter Slough or marsh bears S.E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. on North Side of Same Slough or marsh bearing S.E.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 23, 24, 25, 26 Land level, Soil 1st rate Slough or marsh wet filled with high grass and rushes.

Township 14 N. R. 30 W. 6th P. M.

Chains	
	East between Secs 24 and 25 on random line Var 12° 45' E
40,00	Set temporary 1/4 Sec Cor at foot of hills bearing N. W and S. E.
79,84	Intersect East Boundary of Township 20 links South of the corner to Secs. 19, 30, 24, 25 from which Corner I run S. 89° 51' W. on true line between Secs 24 and 25 Var 12° 45' E.
39,92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,84	The corner to Secs. 23, 24, 25, 26

Land West half level Soil 1st rate ballance very rolling, Soil light Sand

Township 14 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 23 and 24 Var 12° 45' E.
35,00	Leave bottom & enter Sand hills bearing S. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24

Land 1st 35 chs level, Soil 1st rate, ballance low Sand hills Soil poor 2nd rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line bet, Secs. 13 and 24 Va 12° 45' E
40,00	Set post for temporary 1/4 Sec Cor
80,10	Intersect East Boundary of Township 20 links South of the cor, to Secs 18, 19, 13, 24 from which Corner I run S 89° 51' W on true line between Secs. 13 and 24. Va 12° 48' W,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	The corner to Secs. 13, 14, 23, 24

Land very rolling,
Soil Sandy & moderate

Township 14 N. R 30 W. 6th P.M.

Chains	
	North between Secs. 13 and 14 Va. 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12, 13, 14

Land very rolling.
Soil light Sand poor
2nd rate Soil. covered
with Buffalo grass

Township 14 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Sect. 12 and 13 Var 12° 45' E
40,00	Set temporary 1/4 Sec. Cor.
79,90	Intersect East Boundary of Township 30 links South of the Corner to Sect. 7, 18, 12, 13 from which corner I run S 89° 47' W. on true line between Sect. 12 and 13 Var. 12° 45' E
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,90	The corner to Sect. 11, 12, 13, 14 Land very rolling. Soil 2nd rate.

Township 14 N. Range 30 W. 6th P. M.

Chains	
	North between Sect 11 and 12 Var 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sect. 1, 2, 11, 12 Land very rolling. Soil 3rd rate.

Township 14 North R 30 W. 6th P.M.

Chains	
	East on random line between Secs. 1 and 12 Va, 12°45-1 E
40,00	Set temporary 1/4 Sec. Cor.
80,10	Intersect East Boundary of Township 18 links North of the Corner to Secs 6,7,1,12 from which corner I run N.89°52' West true line between Secs 1 and 12 Va 12°45-1 E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs 1,2,11,12 Land hilly, Soil light Sand 3rd rate

August 7th 1870

Township 14 N. R 30 West 6th P.M.

Chains	
	North on random line between Secs. 1 and 2 Va 12°45-1 E
40,00	Set post for temporary 1/4 Sec. Cor.
80,40	Intersect North Boundary of Township 26 links West of the Corner to Secs 1,2,35,36 from which Cor. I run S. 11 W. on true line between Secs. 1 and 2 Va 12°45-1 E
40,40	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,40	The corner to Secs 1,2,11,12 Land low Sand hills Soil 3rd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	* West on true line between Secs. 26 and 35 Var 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
56,40	Intersect left and North bank of North Platte River runs S 60° E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to fractional Secs 26. and 35. Rest of line in River
	Land level. Soil 1st rate

(* Write this after line of Sec. 34 & 35)

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 34 and 35 Var 12° 45' E
18,45	U.P. R.R track on a curve N.E. & S.W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
42,60	Slough 60 lks wide runs S.E.
53,26	Right and South bank of South branch or channel of Platte River runs S. 56 1/2 E.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fr Secs. 34, and 35,
57,00	Small Island 250 lks wide
	I continue the measure across the river with chain the chainmen alternating
80,00	In river therefore no cor. can be set to Secs. 26, 27, 34, 35
	Land level Soil 1st rate

Township 14 N. Range 30 W. 6th P.M.

chains	
	North between Secs 26 and 27 Va 12° 45' E
24,50	North and left-bank of ~~North Branch~~ North Platte river
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to Secs 26 and 27
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 22, 23, 26, 27.
	Land level Soil 1st rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs 23 and 26 Va 12° 45' E
31,50	Wet Slough 200 lks wide runs S.E.
40,00	Set temporary 1/4 Sec Cor.
80,08	Intersect N and S line 20 lks North of the corner to Secs 23, 24, 25, 26, from which corner I run N 89° 51' W on true line between Secs 23 and 26 Va 12° 45' E
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,08	The corner to Secs 22, 23 26, 27
	Land level Soil 1st rate.

Township 14 N. R 30 West 6th P.M.

Chains	
	North between Secs 22 and 23 Va 12° 45' E
35.00	Creek and Slough 40 lks wide runs S.E. connects marshes
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
68.00	foot of Sand hills bears N W and S.E.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs - 14, 15, 22, 23. Land. bottom level. Soil 1st rate, Sand hills 3rd rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs 14 and 23 Va 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
79.80	Intersect N and S. line 22 links South of the Cor. to Secs 13, 14, 23, 24 from which corner I run S. 89° 51' W. on true line between Secs 14 and 23 Va 12° 45' E.
39.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs 14, 15, 22, 23. Land very rolling Soil light Sand 3rd rate

Township 14 N. R 80 West 6th P. M.

chains	
	North between Secs. 14 and 15 Va 12° 45' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 10, 11, 14, 15 Land very rolling. Soil Sandy. 3rd rate

Township 14 N. R 80 West 6th P. M.

chains	
	East on random line between Secs. 11 and 14 Va 12° 45' E
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect N and S. line 10 links South of the corner to Secs. 11, 12, 13, 14 from which corner Sun S, 89° 56' W, on true line between Secs. 11 and 14 Va 12° 45' E
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs. 10, 11 14, 15 Land Slightly hilly Soil Sandy. 3rd rate

Township 14 N. Range 30 W. 6th P.M.

chains	North between Secs. 10 and 11 Va 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land hilly Soil 3 ord rate

Township 14 N. Range 30 W. 6th P.M.

chains	East on random line between Secs. 2 and 11 Va 12° 50' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,06	Intersect N and S line 12 links N. orth of corner to Secs. 1, 2, 11 & 12 from which corner Trans N. 89° 55' W. on true line between Secs. 2 and 11 Va 12° 50' E
40,03	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Secs. 2, 3, 10, 11
	Land hilly,
	Soil dry Sand 3 ord rate

Township 14 N. Range 30 W. 6th P.M.

chains	
	North on random line between Sect. 2 and 3 Va 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect North Boundary of Township 24 lin's to East of the corner to Secs. 2, 3, 34, 35, from which corner I any S 10' E on true line between Sect. 2 and 3 Va 12° 50' E
40,16	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs 2, 3, 10, 11 Land hilly. Soil dry Land 3rd rate

August 8th 1870

Township 14 N. R 30 W. 6th P. M.

chains	
	North between Sect. 33 and 34 Va 12° 45' E
30,10	U. P. R. R. track bears N 80° 10' W.
37,50	Slough 75 lks wide S. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
50,00	Slough 100 lks wide S. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sect. 27, 28, 33, 34 Land level, Soil good 2nd rate.

Chains	
	East on true line between Secs. 27 and 34 Va 12° 50' E
38,00	Slough 50 lks wide mis S. E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
42,55	Set post deposit charred Stake, raised mound of earth with pits as per instructions, on the right and South bank of North ~~branch~~ Platte River, for a meander corner to fr. Secs. 27, and 34, The ballance of this line being in river was not run. Land level, Soil 2nd rate

Chains	
	North between Secs. 27 and 28 Va 12° 50' E
22,00	Intersect right bank North Platte River. Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to Secs. 27 and 28. Measure across river with chain the channel alternating, and find its width to be 38,30 chs and at
60,30	On left bank thereof Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to Secs 27 and 28. The 1/4 Sec Cor falling in river cannot be established
80,00	Set post deposit charred Stake, raised mound of earth with pits as per instructions for Cor. to Secs. 21, 22, 27, 28 Land level, Soil 1st rate.

Chains	
	East on random line between Secs. 22 and 27 Va 12° 50' E.
40,00	Set temporary 1/4 Sec Cor.
79,82	Intersect N. and S. line 10 links South of the cor. to Secs. 22, 23, 26, 27 from which corner I run S. 89° 56' W. on true line between Secs. 22 and 27 Va 12° 50' E
39,91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,82	The corner to Secs. 21, 22 27, 28
	Land level,
	Soil 1st rate,

Chains	
	North between Secs. 21 and 22 Va 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
62,00	Enter wet Slough or mouth bears S. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22 in Slough, or marsh
	Land level,
	Soil 1st rate, covered with fine hay Six feet high

Township 14 N, Range 30 W. 6th P. M.

chains	
	East on random line between Secs. 15 and 22. Var 12° 50' E
15,00	Leave Slough or marsh bearing S. E.
40,00	Set temporary 1/4 Sec Cor.
65,00	Leave bottom enter Hills S. E.
80,13	Intersect North S. line 14 links South of the corner to Secs. 14, 15, 22, 23 from which corner I run S 89° 54' W. on true line between Secs. 15 and 22. Var 12° 50' E.
40,06½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,13	The corner to Secs. 15, 16 21, 22. Land level, Soil 1st rate.

Township 14 N. R 30 West 6th P. M.

chains	
	North between Secs. 15 and 16 Var 12° 50' E.
16,00	Leave Slough or marsh & enter dry prairie, bearing S. E.
35,00	Enter Sand hills, S. E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land 35 chs level Soil 1st rate, ballance very rolling, Soil 3rd rate

Township 14 N. R 30 West 6th P. M.

Chains	
	East on random line between Secs 10 and 15 Var 12° 50' E.
40,00	Set temporary 1/4 Sec Cor,
80,10	Intersect Range S. line 10 link North of Corner to Secs 10, 11, 14, 15, from which corner I run N. 89° 50' W on true line between Secs 10 and 15 Var 12° 50' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,10	The come to Secs 9, 10, 15, 16 Land very rolling Soil light Sand & adobe

Township 14 N. R 30 West 6th P. M.

Chains	
	North between Secs 9 and 10 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 3, 4, 9, 10 Land very rolling Soil & adobe -

Chains East on random line
between Secs. 3 and 10
Var 12° 50' E
40,00 Set temporary 1/4 Sec Cor,
80,16 Intersect Range line
22 links South of the Cor,
to Secs. 2, 3, 10, 11 from
which corner I run betw. Sec. 3 & 10
S. 89° 51' W on true line
Var 12° 50' E
40,08 Set post deposit charred
Stake raised mound of
earth with pits as per
instructions for a 1/4 Sec Cor.
80,16 The corner to Secs. 3, 4, 9, 10
Land very rolling
Soil light Sand & rock

Chains North on random line
between Secs. 3 and 4
Var 12° 45' E
40,00 Set post for temporary
1/4 Sec Cor,
80,18 Intersect North Boundary
of Township 26 links west of
the corner to secs. 3, 4, 33, 34
from which corner I run
S. 11' W. on true line bet=
ween Secs. 3 and 4
Var 12° ~~50~~ 45' E
40,18 Set post deposit charred
Stake raised mound of
earth with pits as per
instructions for a 1/4 Sec
Cor.
80,18 The corner to Secs. 3, 4, 9, 10
Land very rolling
Soil & rock -
August 9th 1870

Tested and corrected chain
by the Standard

Township 14 N. R 30 West 6th P. M.

Chains	
	North between Secs. 32. and 33 Var. 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
42,57	U. P. R. track bears N 80° 10' W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33. Land level, Soil good 2nd rate,

Township 14 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 28 and 33 Var 12° 50' E
40,00	Slough 50 links wide S. E. ½ Set post for temporary 1/4 Sec. Cor.
80,08	I intersect N and S line 14 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run, N. 89° 54' W. on true line between Secs. 28 and 33 Var. 12° 50' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 28, 29, 32, 33. Land level, Soil 2nd rate

Township 14 N. R 30 West 6th P. M.

Chains	North between Secs. 28 and 29 Va 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
53,60	Intersect right bank North Platte River, and Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander Corner to fr. Secs. 28, and 29. I measure across with the chain and at
80,00	In river on a Sand bar I Set my flag for temporary mark. Corner to Secs. 20, 21, 28 & 29 cannot be set Land level, Soil 2nd rate. River Swift current Shallow and full of Sand bars.

Township 14 N. Range 30 W. 6th P. M.

Chains	East on a random line between Secs. 21 and 28 Va 12° 48' E
	From the point in river for Cor. to Secs. 20, 21, 28, 29
25,00	Small Island 200 lks wide
36,10	Set temporary Cor on left bank
40,00	Set temporary 1/4 Sec. Cor.
80,06	Intersect N and S. line 4 links South of Corner to Secs 21 22, 27, 28 from which corner I run S. 89° 58' W on true line between Secs. 21 and 28, Va 12° 48' E
40,03	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
43,90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to fr. Secs. 21 and 28 on left bank of river.
80,06	To the flag in river the point for Cor to Secs 20, 21, 28, 29. Land level, Soil 1st rate

Township 141 N. Range 30 W. 6th P. M.

Chains	
	From the point in river for corner to Secs. 20. 21. 28. 29 North between Secs. 20 and 21 Va 12° 50' E
22.20	North bank of river mns S. 59° E. Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to for Secs. 20 and 21
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 16, 17, 20, 21
	Land level Soil 1st rate.

T. 141 N. Range 30 West 6th P. M.

Chains	
	East on random line between Secs. 16 and 21 Va 12° 50' E
40.00	Set post for temporary 1/4 Sec. Cor.
40.60	Enter Slough or marsh bears N 80° W. S 80° E.
79.90	Intersect N and S. line 32 links North of corner to Secs 15, 16, 21, 22, from which corner I run N. 89° 46' W on true line between Secs. 16 and 21 Va 12° 50' E.
39.95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs 16, 17, 20, 21.
	Land level Soil 1st rate Slough or marsh wet, covered with heavy growth of reed and rushes

Township 14 N. R 30 W. 6th P. M.

Chains	
	North between Secs. 16 and 17 Va 12° 50' E
10,00	Enter Slough or marsh descends East
21,00	Leave Same Slough or marsh descends East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70,00	Enter Slough or marsh descends S. E.
80,00	In Slough or marsh Set post deposit charred Stake raised mound of earth with pits as per instructions for a cor. to Secs. 8, 9, 16, 17 Land level, Soil 1st rate. Sloughs or marshes wetland covered with canes and rushes

Township 14 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 9 and 16 Va 12° 50' E
4,00	Leave Slough or marsh descends South
40,00	Set temporary 1/4 Cor
55,00	Leave bottom & enter Sand hills bearing N. W. & S. E.
80,18	Intersect N and S line 22 links North of Cor. to Secs. 9, 10, 15, 16, from which corner I run N. 89° 51' W. on true line between Secs. 9 and 16 Va 12° 50' E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 8, 9, 16, 17 Land, bottom level, Soil 1st rate, ballance very rolling, Soil 3rd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 8 and 9 Var 12° 50' E
35,00	Leave Slough or marsh descends S.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
65,00	Leave bottom & Enter Same hills bearing N.W. S.E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 4, 5, 8, 9

Land. Bottom level Soil 1st rate. ballance hilly Soil 3rd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Sections 4 and 9 Var 12° 50' E
40,00	Set temporary 1/4 Sec Cor.
80,09	Intersected N. and S. line 14 links N. of the cor. to Secs. 3, 4, 9, 10 from which corner I run N. 89° 54' W. on true line between Secs. 4 and 9 Var 12° 50' E.
40 & 41½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,09	The corner to Secs. 4, 5, 8, 9

Land very rolling. Soil light Sand 3rd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North on random line between Secs. 4 and 5 Var 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
79.86	Intersect North Boundary of Township 23 links West of the corner to Secs 4, 5, 32, 33. from which Cor. I mn S. 10' W. on true line between Secs 4, and 5 Var 12° 40' E
39.86	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.86	The corner to Secs. 4, 5, 8, 9. Land very rolling. Soil 3rd rate.

August 10th 1870

Township 14 N. Range 30 W. 6th P.M.

Chains	
	* West on true line between Secs. 17 and 20 Var 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
55.30	Intersect left bank North Platte River, mns S 37¾ E
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander cor. to Sec. 17, and 20 Land level Soil 1st rate

Corner to Secs. 17, 18, 19 & 20 in Riv.

(* Write this after line of Sec. 19 & 20)

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 31 and 32 Va 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
56,13	A P R R track bears N 80 1/4 W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32
	Land level, Soil good 2nd rate

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on a random line between Secs. 29 and 32, Va 12° 50' E
40,00	Set post for temporary 1/4 Sec Cor.
80,16	Intersect N and S. line 12 links South of the corner to Secs. 28, 29, 32, 33. from which corner I run S. 89° 55' W on true line between Secs. 29 and 32 Va 12° 50' E
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,16	The corner to Secs. 29, 30 31, 32
	Land level Soil gravelly 2nd rate -

Township 14 N. R 30 W. 6th P. M.

Chains	
	West on and on line between Secs. 30 and 31 Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor
80,60	Intersect West Boundary of Township 22 links North of the corner to Secs. 30, 31, 25, 36 from which corner I run N 89° 51' E on true line between Secs 30 and 31 Var 12° 50' E
40,60	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
84,60	The corner to Secs. 29, 30 31, 32,

Land level,
Soil 2nd rate

Township 14 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 29 and 30 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,00	Slough 40 links wide runs East
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30

Land slightly rolling
Soil 2nd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	East on true line between Secs. 20 and 29 Va. 12° 50' E.
27.20	Intersect right bank North Platte River runs S 37¾ E Set post deposit charred Stake raised mound of earth with pits as per instructions for a one mile corner to for Secs. 20 and 29 Land level Soil 1st rate

Comm to Secs. 20, 21, 28 & 29 in river.

Township 14 N. Range 30 W. 6th P.M.

Chains	West on random line between Secs. 19 and 30 Va. 12° 50' E.
13.00	Slough 40 lks wide runs S 70° E
40.00	Set temporary 1/4 Sec. Cor.
80.50	Intersect West Boundary of Township 12 links South the corner to Secs. 19, 30, 24, 25. from which corner I run S. 89° 55' E on true line between Secs. 19 and 30 Va. 12° 50' E.
40.50	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.50	The corner to Secs. 19, 20 29, 30 Land level. Soil 2nd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
0	North between Secs. 19 and 20 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
52,20	Intersect right bank North Branch Platte river Set post deposit charred Stake raised mound of earth with pits as per instructions for a meandn corner to for Secs. 19 and 20,
	The water being low I measure across the river with the chain
80,00	In River therefore the corner to Sections 17, 18, 19, 20 cannot be established
	Land level,
	Soil good 2nd rate.

(Write line of Secs. 17 & 20 & 18 & 19 after the survey)

Township 14 N. Range 30 W. 6th P.M.

Chains	
0	From the point in North Platte river for corner to Secs. 17, 18, 19, 20
	North between Secs. 17 and 18 Var 12° 50' E.
34,40	Intersect North and left bank North Platte river Set post deposit charred Stake raised mound of earth with pits as per instructions for a meandn corner to for Secs. 17 and 18
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18
	Land level, Soil 1st rate,

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 8 and 17 Var. 12° 50' E.
8.00	Slough or marsh 100 links wide descends S.E.
19.00	Slough or marsh 150 lks wide descends S.E.
40.00	Set temporary 1/4 Sec Cor.
77.50	Enter S slough or marsh descends South
80.11	Intersect Name S. line 14 links North of the corner to Secs 8.9.16.17 from which corner Iowa
	N. 89° 54' W. on true line between Secs. 8 and 17 Var 12° 50' E.
40.05½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.11	The corner to Secs. 7.8.17.18. Land level, Soil 1st rate.

Township 14 N. R 30 West 6th P.M.

Chains	
	West on true line between Secs. 7 and 18 Var 12° 50' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60.00	Intersect left bank North Platte river.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to fr. Secs. 7 and 18, ~~Cor. to Sec. 7, 12, 13 & 18 in Rivr~~
	Land Level Soil 1st rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 7 and 8 Vd 12° 50' E.
9.00	Enter Slough 200 lks wide descends S. E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
69.00	Enter Slough S. E.
74.50	Leave same Slough descend S. E.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 5, 6, 7, 8. Land level, Soil 1st rate covered with heavy growth of fine grass.

Aug 8th 1870

Township 14 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 5 and 8 Vd 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
50.00	Leave bottom Enter Sand hills bearing N. W. and S. E.
66.40	Creek 10 lks clear water swift current gravelly bottom runs South.
80.09	Intersect N and S. line 28 lks North of the corner to Secs. 4, 5, 8, 9. from which corner I run N. 89° 50' W. on true line between Secs. 5 and 8 Vd 12° 50' E
40.04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.09	The corner to Secs. 5, 6, 7, 8 Land level, Soil 1st rate producing abundance of grass

Township 14 N. Range 30 W. 6th P.M.

Chains	
	North on random line between Secs. 5 and 6 Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
42,50	Leave bottom & Enter Sand hills. bearing S.E.
80,15	Intersect with Boundary of Township 24 links West of the corner to Secs. 5, 6, 31, 32. from which corner I run S. 10 W. on true line between Secs. 5 and 6 Var 12° 50' E
40,75	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,15	The corner to Secs. 5, 6, 7, 8 Land bottom level Soil 1st rate. ballance rolling Soil 3rd rate.

Township 14 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs. 6 and 7. Var 12° 50' E
3,00	Slough or marsh descends S.E.
10,00	Leave Same Slough or marsh descends S.E.
40,00	Set temporary 1/4 Sec. Cor.
44,50	Slough or marsh 100 W. wide descends S.E.
80,75	Intersect West Boundary of Township 18 links North of the corner to Secs. 6, 7, 1, 12 from which corner I run N. 89° 52' E on true line between Secs. 6 and 7 Var 12° 50' E
40,75	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,75	The corner to Secs. 5, 6, 7, 8. Land Level. Soil 1st rate bearing heavy growth of grass

Township 14 N. Range 30 W. 6th P.M.

chains	* East on true line between Secs. 18 and 19 Va 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
58,00	Intersect right bank North Platte river, Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander corner to fr. Secs. 18 and 19. Land level Soil 1st rate

* Write this after line of Secs. 17 & 20

Township 14 N. Range 30 W. 6th P.M.

Meanders of North Platte River through the township. Commencing at the corner to fr Secs. 35 and 2. in the South Boundary of the Township 36.40 chs East of the corner to Secs. 34. 35. 2. 3. I run up Stream along the right bank of the river with the meanders thereof in Sec 35 as follows:

Courses	Dist.	Remarks
N 28½ W.	27,70	18 chs to mouth Slough 50 lks wide
N 38° W.	37.00 2	At 2.50 cud of U.P. R.R. Bridge N.E. & S.W. To cor. to fr Secs. 27 and 34 thence in Sec. 34
N. 50° W.	22,00	
N. 59½ W.	24.00 3	To cor. to fr Secs. 27 and 34 thence in Sec. 27.
N. 63° W.	47.70 4	at 18 chs l.d. of Slough 50 lks wide to cor. to fr Secs. 27. 28 thence in 28
N. 59° W.	30,00	
N. 70° W.	27,00	
N. 75½ W.	30,40 5	To cor. to fr. Secs. 28 and 29 thence in Sec. 29
N 58½ W	50,00 6	At 45 chs Mouth of Slough 40 lk to cor to fr Secs. 20 and 29 over

Township 14 N. Range 30 W. 6th P.M.

Courses	Chains	Remarks
		Thence in Sec. 20
N. 39° W.	32.00	
N. 32½ W.	32.30	to cor. to fr. Secs. 19 and 20 thence in Sec. 19.
N. 38½ W.	35.40	To cor. to fr. Secs. 18 and 19 Thence in Sec. 18
N. 38° W.	39.00	
N. 60° W.	39.30	To cor. to fr Secs. 13 and 18 in West Boundary of Township at 50.20 chs North of the corner to Secs. 18, 19, 13, 24

August 13th 1870

Township 14 N. Range 30 W. 6th P.M.

Beginning at the corner to fr Secs. 36. and 1. in the South Boundary of the Township at 63.60 chs West of the Corner to Townships 13 and 14 North Ranges 29 and 30 West and run up Stream along the ~~right~~ left bank of the river with the meanders thereof in Secs 36. as follows

Courses	Chains	Remarks.
N. 43¾ W.	22.80	To cor to fr Secs. 35 and 36 thence in Sec. 35
N. 47° W.	48.50	At 46. chains U.P. R.Road bridge bears N.E.
N. 36° W.	37.00	To cor. to fr Secs. 26 and 35 thence in Sec. 26
N. 45° W.	33.00	To cor. to fr Secs 26 & 27 thence in 27
N. 55½ W.	32.40	
N. 70° W.	26.00	
N. 71 W.	30.70	To cor. to fr. Secs. 27. and 28 thence in Sec. 28
N. 66° W.	48.00	To cor. to fr. Secs 21 and 28 thence in Sec 21
N. 59° W.	42.50	To cor. to fr Secs. 20. and 21 Thence in Sec 20
N. 49° W.	37.00	

over

Township 14 N. Range 30 W. 6th P. M.

Cor	Courses	Chains	Remarks
N.3	N 37° W	40 3/4 412.20	To Cor. to fr. Secs. 17 and 20 thence in Sec 17.
N.3	N. 37 3/4 W.	43.20	To cor. to fr. Secs. 17 and 18 thence in Sec. 1"
N.3	N. 44° W.	36.00	
N.3	N. 62° W.	410.00	To cor. to fr. Secs. 7 and 18 thence in Sec. 7,
N.6	N 8 4 1/2 W	25.00	To cor. to fr. Secs. 7 and 1 in West Boundary of Township at 64.90 chs South of the corner to Secs. 6.7.1.12

August 18th 1870

Township 14 N. Range 30 W. 6th P. M.

Chains

General Description

This Township lies mostly in the Valley of N. Platte River. The bottom land is rich and productive, but on account of the Scarcity of rain, will require irigation A ditch for that purpose has been made the present Season along the South line of the Township and proves a Success. the water being taken from Platte river. The Town of North Platte is Situated on Section 33 in this Township - It contains about eight hundred inhabitants. The U. P. R.R. has erected Machine Shops and a round house with 20 Stalls. They employ about three hundred men in the Shops - The Township is well watered by Platte River.

Township 14 N. Range 30 W. 6th P. M.

Chains

List of names of assistants and their duties

Charles Rivers Chainman
Andrew J Cooper Chainman
Edward Lawrence Axeman or
Philip Ryan Moundman

Township 14 N. Range 30 W. 6th P. M.

We do hereby certify that we assisted J. B. Park Deputy Surveyor in Surveying and Subdividing Township fourteen North of the Base line Range thirty West of the 6th Principal Meridian, and that said Survey has been in all respects to the best of our Knowledge and belief well and faithfully executed and the Boundary Monuments planted according to instructions from the Surveyor General.

Charles P. Rivers Chainmen
Andrew J. Cooper Chainmen
Philip Ryan Axemen or
Edward Lawrence Moundmen
Mark

Subscribed in my presence and sworn to before me this 23 day of August 1870

M W Stone
Probate Judge
in and for Lincoln County Nebraska

I, J. B. Park Deputy Surveyor do Solemnly Swear that, in pursuance of a contract wherein E. B. Park is contractor with Robert R. Livingstone Surveyor General for the District of Nebraska and Iowa, bearing date the 6th day of August, 1870, I have well faithfully and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying manual, and the laws of the United States, Surveyed and Subdivided all those parts or portions of Township 14 North of the Base line Range number 30 West of the 6th Principal Meridian, as are represented in the

foregoing field notes as having been Surveyed under my direction; and I do further Solemnly Swear that all the corners of Said Survey have been established and perpetuated in Strict accordance with the Surveying manual and printed instructions, and that the foregoing are the true and original field-notes of Such Survey.

J. B. Park
Deputy Surveyor

State of Nebraska
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 23d day of August 1870

W. G. Stone
Probate Judge
in and for Said County.

Surveyor Generals Office,
Plattsmouth Neb. Oct. 26th 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No. 14 North of Range No. 30 West of the 6th Principal Meridian in the State of Nebraska, executed by J. B. Park, under contract No. 39. of the 6th day of August 1870. in the month of August 1870. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

T 15 N., R 30 W.

6	61	5	45	4	34	3	23	2	12	1
60		59		44		33		22		11
7	58	8	43	9	32	10	21	11	10	12
57		56		42		31		20		9
18	55	17	41	16	30	15	19	14	8	13
54		53		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
51		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

Field Notes

of the Survey and Subdivision of Township 15 N. of the Base line of Range 30 W. of the 6th P. M., executed by J. B. Park deputy Surveyor, under his contract number 39 with Robt R Livingstone Surveyor General for the district of Nebraska and Iowa, bearing date the 6th day of August, A.D. 1870.

List of Names

A list of names of individuals employed to assist J. B. Park deputy Surveyor in Subdividing Township 15 N. of the Base line of Range 30 W. of the 6th P. M., Showing the capacities in which they respectively acted.

E. A. Beach Chainman
Philip Ryan Chainman
Thos. Reihler Axemen or Monumenter

Township 15 N. Range 30 W. 6th P. M.

To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 14 and 15 N. Ranges 29 and 30 W. and run North on a ~~random~~ blank line along the East Boundary of Sec. 36

Va. 12° 50' E.

39.98 The 1/4 Sec. Cor.

79.97 The corner to Secs. 25, 36 30, 31.

Therefor my Compass is in proper adjustment

Survey Commenced ~~August~~ Sept 15th 1870

Completed ~~August~~ Sept 19th 1870

Township 15 N. Range 30 W. 6th P. M.

chains North between Secs. ~~2~~ 3 5 and 36

Va. 12° 50' E.

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 25, 26, 35, 36,

Land very rolling

Soil Land 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 25 and 36 Va. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,23	Intersect East Boundary of Township 24 links North of the corner to Secs. 25, 30, 31, 36 from which corner I run N. 89° 50' W. on true line between Secs. 25 and 36 Va. 12° 50' E
40,11 1/2	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,23	The corner to Secs. 25, 26, 35, 36
	Land hilly.
	Soil Sand, 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 25 and 26 Va. 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26
	Land hilly.
	Soil Sandy, 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on ~~true~~ Random line between Sect. 24 and 25 Va. 12° 50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersect East Boundary of Township 10 links South of the corner to Sects. ~~13,~~ 14, 24, ~~18, 19~~ 25 430 from which corner I run S. 89° 55' W on true line between Sects. 24 and 25 Va. 12° 50' E.
39.96	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Sects. 23, 24, 25, 26 Land hilly Soil Sand, Est rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Sect. 23 and 24 Va. 12° 50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sects. 13, 14, 23, 24 Land hilly. Soil Sand. Est rate.

Township 15 N, Range 30 W, 6th P. M.,

Chains	
	East on random line between Secs. 13 and 24 Va. 12° 50' E,
40,00	Set temporary 1/4 Sec. Cor.
80,10	I intersect East Boundary of Township 26 miles South of the corner to Secs. 13, 24, 18, 19 from which corner I run
	S. 89° 49' W. on true line between Secs. 13 and 24 Va. 12° 50' E,
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	the corner to Secs. 13, 14, 23, 24.
	Land hilly -
	Soil Sand. 3rd rate.

Township 15 N, Range 30 W, 6th P. M.,

Chains	
	North between Secs. 13 and 24 Va. 12° 50' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12, 13, 14
	Land hilly & broken
	Soil Sand 3rd rate.

Township 18 N. Range 30 W. 6th P. M.

Chains	East on random line between Secs. 12 and 13 Va. 12° 50' E.
40,00	Set post for temporary 1/4 Sec. Cor.
8 80,28	Intersect East Boundary of Township 18 links North of the corner to Secs. 12, 13, 7, 18 from which corner I run N. 89° 52' W. on true line between Secs. 12 and 13 Va. 12° 50' E.
40,14	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,28	The corner to Secs. 11, 12, 13, 14
	Land hilly
	Soil Sand Sod rate

Township 18 N. Range 30 W. 6th P. M.

Chains	North between Secs. 11 and 12 Va. 12° 50' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12
	Land hilly
	Soil Sand, 3rd rate.

Township 15 N. Range 30 W. 6th P.M.

chains	East on random line between Secs. 1 and 12 Var. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,14	Intersect East Boundary of Township 20 links North of the corner to Secs. 1, 12, 6, 7 from which corner I run N. 89° 51' W. on true line between Secs. 1 and 12 Var. 12° 50' E.
40,07	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,14	The corner to Secs. 1, 2, 11, 12. Land hilly. Soil Sand. Timber

Township 15 N. Range 30 W. 6th P.M.

chains	North on random line between Secs. 1 and 2 Var. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,84	Intersect North Boundary of Township 28 links West of the corner to Secs. 1, 2, 35, 36 from which corner I run S. 12° W. on true line between Secs. 1 and 2 Var. 12° 50' E.
39,84	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The corner to Secs. 1, 2, 11, 12. Land hilly and Timber Soil Sand Timber.

Township 15 N, Range 30 W, 6th P.M.

Chains	
	North between Secs. 34 and 35
	Va. 12° 50' E.
40,00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a 1/4 Sec. Cor.
80,00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a corner to Secs. 26,
	27, 34, 35
	Land hilly,
	Soil Sand, 3rd rate,

Township 15 N, Range 30 W, 6th P.M.

Chains	
	East on random line
	Secs. 26, and 35
	Va. 12° 50' E.
40,00	Set post for temporary
	1/4 Sec. Cor.
80,15	Intersect N. and S. line
	22 links North of the
	corner to Secs. 25, 26, 35, 36
	from which corner I run
	N. 89° 57' W. on true line
	between Secs. 26 and 35
	Va. 12° 50' E.
40,07½	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sec. Cor.
80,15	The corner to Secs. 26, 27, 34,
	35.
	Land hilly.
	Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	West between Sect. 26 and 27 Va. 12°50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sect. 22, 23, 26, 27.
	Land very rolling. Soil Sand 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Sect. 23 and 26 Va. 12°50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.84	Intersect N. and S. line 16 links South of the corner to Sect. 23, 24, 25, 26 from which corner I run S. 89°53' W. on true line between Sect. 23 and 26 Va. 12°50' E.
39.92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.84	The corner to Sect. 22, 23, 26, 27
	Land very rolling Soil Sand, 3rd rate

Township 15 N, Range 30 W, 6th P. M.,

Chains	
	North between Secs. 22 and 28 Va. 12°50' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23
	Land hilly
	Soil Sand, 3rd rate

Township 15 N, Range 30 W, 6th P. M.,

Chains	
	East on random line between Secs. 14 and 28 Va. 12°50' E.
40.00	Set temporary 1/4 Sec. Cor.
80.18	Intersect N. and S. line 28 links South of the corner to Secs. 13, 14, ~~22~~ 24, 23, from which corner I run S. 89°48' W. on true line between Secs. 14 and 23 Va. 12°50' E
40.09	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Secs. 14, 15, 22, 23.
	Land hilly.
	Soil Sand & 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 14 and 15 Va. 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15.
	Land hilly
	Soil Sand Brownsate
	~~August~~ Sept 15th 1870

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 11 and 14 Va. 12° 50' E
40.00	Set temporary 1/4 Sec. Cor.
79.88	Intersect N. and S. line 26 links South of the corner to Secs. 11, 12, 13, 14 from which corner I saw S. 89° 49' W. on true line between Secs. 11 and 14 Va. 12° 50' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.88	The corner to Secs. 10, 11, 14 15.
	Land hilly.
	Soil Sand Brownsate.

Township 15 N. Range 30 W. 6th P. M.

chains	North between Secs. 10 and 11 Var. 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land hilly, Some Broken Soil Sand. 3rd rate

Township 15 N. Range 30 W. 6th P. M.

chains	East on random line between Secs. 2 and 11 Var. 12° 50' E.
40,00	Set post for temporary 1/4 Sec Cor.
80,12	Intersect North and South line 18 links North of the corner to Secs. 1, 2, 11, 12 from which corner I run N. 89° 5' 2" W. on true line between Secs. 2 and 11 Var. 12° 50' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,12	The corner to Secs. 2, 3 10, 11
	Land hilly
	Soil 3rd rate. - Sand -

Township 15 N. Range 30 W. 6th P.M.

Chains	North on random line between Secs. 2 and 3. Var. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,17	I intersect North Boundary of Township 22 Links West of the corner to Secs. 2, 3, 34, 35 from which corner I run S. 9° W. on true line between Secs. 2, and 3 Var. 12°50' E.
40,17	Set post deposit charred Stake raised mound of earth, with pits as per instructions for a 1/4 Sec. Cor.
80,17	The corner to Secs. 2, 3 10, 11
	Land hilly
	Soil Sand. 3rd rate.

Township 15 N. Range 30 W. 6th P.M.

Chains	North between Secs. 33 and 34 Var. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28, 33, 34
	Land hilly
	Soil Sand. 3rd rate

Chains	
	East on random line between Secs. 27 and 34 Var. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	I intersect N. and S. line 24 links South of the corner to Secs. 26, 27, 34, 35 from which corner I run S. 89° 50' W. on true line between Secs. 27, and 34 Var. 12°50' E.
40,04	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 27, 28, 33, 34
	Land low Sand hills
	Soil Sand, 3rd rate

Chains	
	North between Secs. 27 and 28 Var. 12°50' E.
40,00	Set post deposit charred stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28
	Land hilly
	Soil Sand, 3rd rate.

Chains	East on random line between Secs. 22 and 27 Var. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,21	Intersect N. and S. line 16 links South of the corner to Secs. 22, 23, 26, 27 from which corner I run S. 89°53' W. on true line between Secs. 22 and 27 Var. 12°50' E.
40,10½	Set post deposit charred Stake raised mound of earth with pits as per instruction for a 1/4 Sec. Cor.
80,21	The corner to Secs. 21, 22 27, 28
	Land hilly
	Soil Sand, 3rd rate.

Chains	North between Secs. 21 and 22 Var. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22
	Land hilly
	Soil Sand, 3rd rate
	?

Chains	
	East on random line between Secs. 15 and 22 Va. 12° 50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.80	Intersect N. and S. line 24 links North of the corner to Secs. 14, 15, 21, 22 from which corner I run N. 89° 50' W. on true line between Secs. 15 and 22 Va. 12° 50' E.
39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 15, 16 21, 22
	Land hilly Some broken Soil 3rd rate - Sand -

Chains	
	North between Secs. 15 and 16 Va. 12° 50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10 15, 16
	Land hilly Soil 3rd rate - Sand.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs 10 and 15 Va. 12°50' E.
40.00	Set temporary 1/4 Sec. Cor
80.21	Intersect N. and S. line 22 links South of the corner to Secs. 10, 11, 14, 15 from which corner I run S. 89° ~~49~~ 51' W. on true line between Secs. 10 and 15 Va. 12°50' E.
40.10½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.21	The corner to Secs. 9, 10, 15, 16
	Land hilly.
	Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 9 and 10 Va. 12°50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 3, 4, 9, 10
	Land low Sand hills
	Soil 3rd rate

Township 15 N. Range 30 W. 6th P. M.

	chains	East on random line between Secs. 3 and 10 Va. 12°50' E.
40	40,00	Set temporary 1/4 Sec. Cor.
80	79.90	Intersect N. and S. line 20 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run S. 89°51' W. on true line between Secs. 3 and 10 Va. 12°50' E.
40,1	39,95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,	79,90	The corner to Secs. 3, 4, 9, 10 Land low Sand hills, Soil 3rd rate.

~~August~~ Sept 16th 1870

Township 15 N. Range 30 W. 6th P. M.

	chains	North between Secs. 3 and 4 on random line Va. 12°50' E.
	40,00	Set post for temporary 1/4 Sec. Cor.
	80,26	Intersect North Boundary of Township 24 links East of the corner to Secs. 3, 4, 33, 34, from which corner I run S. 10° E. on true line between Secs. 3 and 4 Va. 12°50' E.
	40,26	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,26	The corner to Secs. 3, 4, 9, 10 Land low Sand hills Soil 3rd rate

Chains	North between Secs. 32 and 33 Va. 12°50' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Corner to Secs. 28, 29, 32, 33.
	Land low Sand hills Soil 3rd rate.

Chains	East on random line between Secs. 28 and 33 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,20	I intersect N. and S. line 28 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run N. 89°48' W. on true line between Secs. 28 and 33 Va. 12°50' E.
40,10	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,20	The corner to Secs. 28, 29, 32, 33.
	Land low Sand hills Soil 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 28 and 29 (va. 12°50' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29
	Land low sand hills Soil good rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 21, and 28 (va. 12°50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.86	Intersect N. and S. line 18 links North of the corner to Secs. 21, 22, 27, 28 from which corner I run N. 89°05'-2"-W. on true line between Secs. 21 and 28 (va. 12°50' E.
39.93	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.86	The corner Secs. 20, 21, 28, 29 Land low sand hills Soil good rate -

Township 15 N. Range 30 W. 6th P. M.

Chains	North between Secs. 20 and 21 Va. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21
	Land low Sand hills Soil Sand 3rd rate

Townships 15 N. Range 30 W. 6th P. M.

Chains	East on random line between Secs. 16 and 21 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,19	Intersect N. and S. line 22 links North of the corner to Secs. 15, 16, 21, 22, from which corner I run N. 89°51' W on true line between Secs. 16 and 21 Va. 12°50' E.
40,09½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,19	The corner to Secs. 16, 17 20, 21
	Land low Sand hills Soil 3rd rate -

Township 15 N, Range 30 W, 6th P. M.

Chains	
	North between Secs. 16 and 17
	Va. 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17
	Land low Sand hills, Soil 3rd rate.

Township 15 N, Range 30 W, 6th P. M.

Chains	
	East on random line between Secs. 9 and 16
	Va. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 20 links South of the corner to Secs. 9, 10, 15, 16 from which corner I run S. 89° 51' W. on true line between Secs. 9 and 16
	Va. 12° 50' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 8, 9, 16, 17
	Land low Sand hills. Soil 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 8 and 9 Va. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9
	Land low Sand hills. Soil 3rd rate.

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 4 and 9 Va. 12°50' E.
40,00	Let temporary 1/4 Sec. Cor.
79,90	Intersect N and S. line 24 links North of the corner to Secs. 3, 4, 9, 10, from which corner I run N. 89°50' W. on true line between Secs. 4 and 9 Va. 12°50' E.
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,90	The corner to Secs. 4, 5, 8, 9
	Land low Sand hills Soil 3rd rate -

Township 15 N. Range 30 W. 6th P. M.

	Chains	
		North on random line between Secs. 4 and 5 Var. 12° 50' E.
40	40.00	Set temporary 1/4 Sec. Cor.
80	79.88	Intersect North Boundary of Township 20 links West of the corner to Secs. 4, 5, 32, 33. from which corner I run S. 9° W. on true line between Secs. 4 and 5 Var. 12° 50' E.
40	39.88	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80	79.88	The corner to Secs 4, 5 8, 9.

Land low Sand hills
Soil 3rd rate
~~August~~ Sept 17th 1870
Compared and corrected chain with standard

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 31 and 32 Var. 12° 50' E
30.50	Creek 15 lks wide clear water gravelly bottom runs S. E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 29, 30 31, 32

Land very rolling
Soil Sand 3rd rate.

Township 15 N. Range 30 W. 6th P.M.

chains	East on random line between Secs. 29 and 32 Va. 12°50' E
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect Vand S. line 28 links South of the corner to Secs. 28, 29, 32, 33 from which corner I run S. 89°51' W on true line between Secs. 29 and 32 Va. 12°50' E.
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs. 29, 30 31, 32 Land hilly Soil 3rd rate

Township 15 N. Range 30 W. 6th P.M.

chains	West on random line between Secs. 30 and 31 Va. 12°50' E.
18,00	Creek 15 links wide clear water swift current gravelly bottom runs South
40,00	Set temporary 1/4 Sec. Cor.
80,67	Intersect West Boundary of Township 28 links North of the corner to Secs 25, 30, 31, 36 from which corner I run N. 89°48' E on true line between Secs. 30 and 31 Va. 12°50' E.
40,67	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,67	The corner to Secs. 29, 30, 31 32 Land hilly Soil Sand 3rd rate

Chains	North between Secs. 29 and 30
	Var. 12° 50' E.
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sector.
80,00	Set post deposit
	charred Stake raised
	mound of earth with
	pits as per instructions
	for a Corner to Secs
40	19, 20, 29, 30
	Land hilly.
	Soil Sand,
	3rd rate
8	

Chains	East on random line
	between Secs. 20 and 29
	Var. 12° 50' E.
40,00	Set temporary 1/4 Sector
80,25	Intersect Ward's line
	20 links South of the
	corner to Secs. 20, 21, 28, 29
	from which corner Ward
	S. 89° 51' W. on true
	line between Secs. 20 and 29
	Var. 12° 50' E.
40,12½	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sector.
80,25	The corner to Secs. 19, 20
	29, 30
	Land hilly
	Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	West on random line between Secs. 19 and 30 Va. 12°50' E.
	~~Creek 10 links wide clear water gravel bottom runs South~~
40,00	Set post for temporary ¼ Sec. Cor.
44.50	Creek 7 lks wide runs South
80,49	Intersect W. Boundary of Township ~~N. and S. line~~ 24 links North of the corner to Secs. 19, 30, 24, 25 from which corner I run N. 89°50' E. on true line between Secs. 19 and 30 Va. 12°50' E.
40.49	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,49	The corner to Secs. 19, 20, 29, 30
	Land hilly;
	Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 19 and 20 Va. 12°50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20
	Land hilly;
	Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 17 and 20 Va. 12°50' E.
40,00	Set post for temporary 1/4 Sec. Cor.
79.92	Intersect N. and S. line 12 links South of the corner to Secs. 16, 17, 20, 21 from which corner I run S. 89°55' W. on true line between Secs. 17 and 20 Va. 12°50' E.
39.96	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 17, 18, 19, 20 Land hilly. Soil Sand 3rd rate

Township 15 N. Range 30 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
65,00	Spring at Head of creek 2 chs. North
80,54	Intersect ~~N. and S. line~~ N. Boundary of Township 20 links South of the corner to Secs. 18, 19, 13, 24 from which corner I run S. 89°51' E. on true line between Secs. 18 and 19 Va. 12°50' E.
40.54	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,54	The corner to Secs. 17, 18, 19, 20 Land hilly Soil Sand 3rd rate

Chains	North between Secs. 17, and 18 Var. 12° 50' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18
	Land hilly
	Soil Sand, 3rd rate

Chains	East on random line between Secs. 8 and 17 Var. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
79,86	I intersect N. and S. line 22 links North of the corner to Secs. 8, 9, 16, 17 from which corner I run N. 89° 58' W. on true line between Secs. 8 and 17. Var. 12° 50' E.
39,93	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Secs. 7, 8, 17, 18
	Land hilly
	Soil Sand, 3rd rate

Township 15 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs 7 and 18 Va. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,65	Intersect West Boundary of Township 26 links South of the corner to Secs 7, 18 12, 13 from which corner I run S. 89°49' E. on true line between Secs 7 and 18 Va. 12°50' E.
40,65	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,65	The corner to Secs 7, 8, 17, 18. Land hilly. Soil Sand 3rd rate.

Township 15 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 7 and 8 Va. 12°50' E.
40,00	Set post deposited charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 5, 6, 7, 8. Land hilly. Soil Sand. 3rd rate.

Township 15 N. Range 20 W. 6th P.M.

Chains	
	East on random line between Secs. 5 and 8 Va. 12°50' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.16	Intersect N. and S. line 20 links South of the corner to Secs. 4, 5, 8, 9 from which corner I run S. 89°51' W. on true line between Secs. 5 and 8 Va. 12°50' E.
40.08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.16	The corner to Secs. 5, 6, 7, 8 Land hilly Soil Sand. 3rd rate.

~~August~~ Septr. 18th 1870

Township 15 N. Range 20 W. 6th P.M.

Chains	
	West on random line between Secs. 6 and 7 Va. 12°50' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.51	Intersect West Boundary of Township 12 links North of the corner to Secs. 6, 7, 11, 12 from which corner I run N. 89°55' E. on true line between Secs. 6 and 7 Va. 12°50' E.
40.51	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.51	The corner to Secs. 5, 6, 7, 8 Land hilly Soil Sand. 3rd rate

Township 15 N, Range 30 W, 6th P, M

Chains	North on random line between Secs. 5 and 6 Va. 12° 50 - E.
40,00	Set temporary 1/4 Sec. Cor.
80,28	Intersect North Boundary of Township 22 links East of the corner to Secs. 5, 6 31, 32, from which corner I run S. 9 - E. on true line between Secs. 5 and 6, Va. 12° 50 - E.
40,28	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,28	The Corner to Secs. 5, 6, 7, 8. Land hilly & broken Soil 3rd rate - Sand -

~~August~~ Sept 19th 1870

Township 15 N, Range 30 W, 6th P, M,

General Description

This Township lies wholly in the Sand hills North of Platte river Valley. The soil is light Sand; unproductive and quite barren. There is a Spring brook which rises in Secs. 18, and runs South through Secs. 19, 30, 31, & 32, it has clear water & gravelly bottom. The Township is not well adapted to Settlement and cultivation -

S W 1/4 of

List of Names and
duties of assistants.
E. A. Beach chainmen
Philip Ryan chainmen
Thos. Keihler Axemen or
Edwd Lawrence Moundmen

We hereby certify that we assisted
J. B. Park deputy Surveyor in Subdividing
Township 15 North of the Base line of
Range 30 W. of the 6th Principal Meridian
and that said Township has been to
the best of our knowledge and belief
well and faithfully Surveyed,
and the Boundary monuments
planted according to instructions
furnished by the Surveyor Genl.

E. A. Beach Chainman
Philip Ryan Chainman
Thomas Keihler Axemen or
Edwd Lawrence Moundmen-
mark

State of Nebraska
Lincoln County } ss.
Subscribed in my
presence and sworn to
before me this 27th day
of September AD 1870
M. Stone
Probate Judge
in and for said County

I, J. B. Park deputy Surveyor do
Solemnly Swear that, in
pursuance of a contract
with Robt R Livingston
Surveyor General for
the District of Nebraska
and Iowa bearing date
the 6th day of August A.D. 1870
I have well faithfully and
truly, in my own proper
person and in strict
conformity with the
instructions furnished by
the Surveyor General, the
Surveying manual, and
the laws of the United States,
Surveyed and Subdivided
all those parts or portions
of Township number 18
N. of the Base line of Range
number 30. W. of the
6th P. M., Mer, as are
represented in the foregoing
field-notes as
having been Surveyed under
my direction; and I do
further Solemnly Swear,
that all the corners of said
Survey have been estab=
lished & perpetuated in strict accordance
with the Surveying Manual
and the printed instructions,
and that the foregoing are
the true and original
field-notes of such Survey=

J. B. Park
Deputy Surveyor

State of Nebraska
Lincoln County } ss.
Subscribed in my
presence and sworn to
before me this 27th day
of September A.D. 1870

W. W. Stone
Probate Judge
in and for said County

Surveyor General's Office
Plattsmouth Nebr. Dec. 3. 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 15 North of the Base Line of Range No. 30 West of the 6th Principal Meridian in the State of Nebraska, executed by J. B. Park under his contract of the 6th day of August 1870, in the month of September 1870, having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Field Notes

of the Survey and Subdivision of Township 16 North of Range 30 West Executed by J. B. Park deputy Surveyor under their joint contract number dated June 16th 1871 wherein J. B. Park and A. C. Campbell are joint contractors.

List of Names

and duties of assistants

Charles W. Billopp } Chainmen
H. Hains
R. B. Keyes } Moundmen
H. McBroom

T 16 N., R 30 W.



Township 16 N. Range 30 W. 6th P.M.

chains

To determine the proper adjustment of my compass for Subdividing this township I commence at the corner to townships 15 and 16 North of Ranges 29 and 30 West and run North along the East boundary of Sec 36, Var 13° 30' E.

40.02 The 1/4 Sec. Cor.
80.03 To the corner to Secs. 25, 26, 35, 36

Therefore to retrace this line or run parallel thereto my compass in proper adjustment

Subdivision commenced Sept 7th 1871
Completed Sept. 11th 1871

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 35 and 36.
	Va. 13° 30' E.
40.00	Left post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sector,
80.00	Left post deposit, charred stake raised mound of earth with pits as per instructions for a Cor. to Secs. 25, 26, 35, 36
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 25 and 36
	Va. 13° 30' E.
40.00	Left temporary ¼ Sector
80.20	Intersect East Boundary of Township 16 N. R. 30 W. South of the corner to Secs. 25, 36, ~~30~~ 31 ½ from which corner
	S. 89° 56' W. on true line between Secs. 25 and 36
	Va. 13° 30' E.
40.10	Left post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sector
80.20	The corner to Secs. 25, 26, 35, 36
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 25 and 26 Va. 13° 30' E.
40.00	Set post deposit charred stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26 Land Sand hills Soil Indifferent.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 24 and 25 Va. 13° 30' E.
40.00	Set temporary 1/4 Sec. Cor.
79.90	Intersect Ward's line 12 links North of the corner to Secs. 24, 25, ~~19.80~~ from which corner I run N. 89° 55' W. on true line between Secs. 24 and 25 Va. 13° 30' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 23, 24, 25, 26 Land Sand hills Soil Indifferent.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 23 and 24 Va. 13° 30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 13, 14, 23, 24 Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 13 and 24 Va. 13° 30' E.
40.00	Set temporary 1/4 Sec. Cor.
84.16	Intersect East Boundary of Township 16 links South ~~of the~~ Corner to Secs. 13, 24 ~~18, 19~~ from which corner I run S. 89° 53' W on true line between Secs. 13 and 24 Va. 13° 30' E.
40.08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.16	The corner to Secs. 13, 14, 23, 24 Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

chains	
	North ~~on~~ between Secs. 13 and 14 Va. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs 11, 12, 13, 14 Land Land hills Soil 3rd rate.

Sept 7th 1871

Township 16 N. Range 30 W. 6th P. M.

chains	
	East on random line between Secs. 12 and 13 Va. 13° 30' E.
40,00	Set temporary 1/4 Sec Cor.
79,96	Intersect East Boundary of Township 14 links North of the corner to Secs. 12, 13, 7 18, from which corner I run N. 89° 54' W on true line between Secs. 12 and 13 Va. 13° 30' E.
39,98	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,96	The corner to Secs. 11 12, 13, 14 Land Land hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 11 and 12
	Va. 13° 30' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit Stake raised mound of earth with pits as per instructions for a comer to Secs. 1, 2, 11, 12
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 1 and 12
	Va. 13° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
79,84	Intersect East Boundary of Township 10 links North of the comer to Secs. 1, 2, 11, 12 from which comer I run
	N. 89° 56 W. on true line between Secs 1 and 12
	Va. 13° 30' E.
39.92 ~~39.87~~	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The comer to Secs 1, 2 11, 12,
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	North between Secs. 1 and 2
	Va. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,80	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 1 and 2, T. 16 N. R. 30 W. on the 4th Standard Parallel North at 5,32 chns West of the corner to Secs. 31 and 36 T. 17 N Ranges 29 and 30 W.
	Land Sand hills
	Soil 3rd rate.

2

Interred

1

Township 16 N. Range 30 W. 6th P. M.

Chains	North between Secs. 34 and 35
	Va. 13° 30 E.
40,00	Set post deposit, charred Stake raised, mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit, charred Stake raised, mound of earth with pits as per instructions for a corner to Secs Secs. 26, 27, 34, 35
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 26 and 35 Va. 13° 30' E.
40.00	Set temporary 1/4 Sector
79.90	Intersect N. and S. line 16 links South of the corner to Secs. 25, 26, 35, 36 from which corner I run S. 89° 53' W. on true line between Secs. 26 and 35 Va 18° 30' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sector
79.90	The corner to Secs. 26, 27, 34, 35. Land level hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 26 and 27 Va. 13° 30' E.
40.00	Set post deposit. charred stake raised mound of earth with pits as per instructions for a 1/4 sector.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27 Land level hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	East between Secs. 23 and 26 on random line
	Var. 13° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
80,14	I intersect N. and S. line 20 links North of the corner to Secs. 23, 24 25, 26 from which corner I run
	W. 89° 51' W. on true line between Secs. 23 and 26
	Var. 13° 30' E.
40,07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,14	The corner to Secs. 22, 23, 26, 27
	Land Sand hills
	Soil Good rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 22 and 23
	Var. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23
	Land Sand hills
	Soil Good rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 14 and 23 Va. 13° 30' E
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect N and S. line 16 links South of the corner to Secs. 13, 14, 23, 24 from which corner I run S. 89° 53' W. on true line between Secs. 14 and 23 Va. 18° 30' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 14, 15, 22, 23. Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

	North between Secs. 14 and 15 Va. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 11 and 14 Va. 13° 30' E.
40,00	Lat temporary 1/4 Sec. Cor.
80,14	Intersect W. and S. line 16 links South of the corner to Secs. 11, 12, 13, 14 from which corner I run S. 89° 53' W. on true line between Secs. 11, and 14 Va. 13° 30' E.
~~40,00~~ 40.07	Lat post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
~~80,14~~	~~The corner to Secs 11, 12 13, 14~~
80.14	The corner to Secs, 10, 11, 14 15
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 10 and 11 Va. 13° 30' E.
40,00	Lat post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	Lat post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. ~~10, 11~~ 2-3-10-11, ~~14~~, 15
	Land Sand hills.
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 2 and 11 Var. 13° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,11	Intersect N. and S. line 14 links South of the corner to Secs. 1. 2. 11. 12, from which corner I run S 89° 54' W on true line between Secs. 2 and 11 Var. 13° 30' E.
40,05½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,11	The corner to Secs. 2, 3, 10 11
	Land Sand hills Soil 3rd rate.
	Sept. 8th 1871

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 2 and 3 Var. 13° 30' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,50	Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs. 2 and 3 T 16 N R 30 W. Intersect ~~on the~~ 4th Standard Parallel North at 5,25 chs West of the corner to Secs. 35 and 36, T. 17 N. R 30 W.
	Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	North between 33 and 34
	Va. 13° 30' E.
40.00	Set post deposit charred stake
	raised mound of earth
	with pits as per instructions
	for a 1/4 Sec. cor.
80.00	Set post deposit charred
	stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 27, 28, 33, 34
	Land Land hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	
	East on random line
	between Secs. 27 and 34
	Va. 13° 30' E.
40.00	Set temporary 1/4 Sec. cor.
79.90	Intersect N. and S. line
	12 links South of the corner
	to Secs. 26, 27, 34 & 35 from
	which corner Iron
	S. 89° 55' W. on true line between
	Secs. 27 and 34
	Va. 13° ~~25~~ 30' E.
39.95	Set post deposit charred
	stake raised mound
	of earth with pits as per
	instructions for a 1/4 Sec. cor.
79.90	The corner to Secs 27, 28
	33, 34
	Land Land hills - rough
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 27 and 28 Va. 13° 30' E.
40,00	Set post, deposit charred stake raised mound of earth with pits as per instructions for a sp Sector,
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28 Land Sand hills Soil 3rd rate.

Township 16 N. R 30 W. 6th P.M.

Chains	
	East on random line between Secs. 22 and 27 Va. 13° 30' E.
40,00	Set post for temporary ~~sp~~ Sector,
80,18	Intersect N. and S. line 12 links North of the corner to Secs. 22, 23, 27, 28 from which corner I run N. 89° 55' W. on true line between Secs. 22 and 27 Va. 13° ~~35~~ 30' E.
40,09	Set post deposit charred stake raised mound of earth with pits, as per instructions for a sp Sector,
80,18	The corner to Secs 21, 22 27, 28 Land Sand hills Soil 3rd rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 21 and 22 Va. 13° 30' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00.	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs, ~~21, 22, 27, 28~~ 15.16.21.22 Land Sand hills, Soil Poor rate,

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on round on line between Secs. 15 and 22 Va, 13° 30' E,
40,00	Set post for temporary 1/4 Sec Cor,
79,96	Intersect N. and S. line 14 links North of the corner to Secs, 14, 15, 22, 23 from which corner I run N. 89° 54' W. on true line between Secs. 15 and 22 Va, 13° 30' E.
89,98	Set post deposit, charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79,96	The corner to Secs, 15, 16, 21, 22 Land Sand hills Soil Poor rate

Township 16 N. Range 30 W. 6th P. M.

Chains	
	North between Secs. 15 and 16 Va. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 9, 10, 15, 16
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 30 W. 6th P. M.

Chains	
	East on random line between Secs. 10 and 15 Va, 13° 30' E.
40,00	Set temporary 1/4 Sec Cor.
84,16	Intersect N. and S. line 20 links South of the corner to Secs 10, 11, 14, 15 from which corner my S 89° 51' W on true line between Secs. 10 and 15 Va, 13° 30' E.
40,08	Set post, deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
84,16	The corner to Secs 9, 10, 15, 16
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W 6th P. M.

Chains	North between Secs 9 and 10 Va. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 3, 4 9, 10 Land Sand hills Soil 3rd rate,

Township 16 N, Range 30 W. 6th P. M.

Chains	East on random line between Secs, 3 and 10 Va. 13° 30' E.
40,00	Set temporary 1/4 Sec, Cor,
79,92	Intersect N and S, line 10 links North of the corner to Secs, 2, 3, 10, 11 from which corner I run N. 89° 56' W on true line between Secs, 3 and 10 Va, 13° 30' E,
39.96 ~~89,92~~	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
79.92	The corner to Secs, 3, 4 9, 10 Land Sand hills Soil 3rd rate,

Township 16 N. Range 30 W. 6th P.M.

chains	
	North between Secs 3 and 4 Va. 13° 30' E.
40,00	Left post deposit, charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.30	Intersect 4th Standard Parallel North at 5, 32 chs West of the corner to Secs 34, 35 T. 17 N. R. 29 W. where Left post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs. 3 and 4 T. 16 N. Range 30 W. Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

chains	
	North between Secs. 32 and 33 Va. 13° 30' E.
40,00	Left post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Left post charred stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33
	Land Sand hills. Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

chains	East on random line between Secs. 28 and 33 Var. 13° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,16	Intersect N and S. line 8 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run N. 89° ~~45'~~ 57' W on true line between Secs. 28 and 33 Var. 13° 30' E.
40,08	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs. 28, 29, 32, 33 Land Sand hills Soil 3rd rate.

Sept 9th 1871

Township 16 N. Range 30 W. 6th P.M.

chains	North between Secs. 28 and 29 Var. 13° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land Sand hills, Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 21 and 28 Var. 13° 15' E
40,00	Set temporary 1/4 Sec Cor.
80,10	Intersect N. and S. line 16 links South of the corner to Secs. 21, 22, 27, 28 from which corner I run S. 89° 58' W. on true line between Secs. 21 and 28 Var. 13° 15' E.
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,10	Set corner to Secs. 20, 21, 28, 29 Land Sand hills. Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 20, and 21 Var. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit, charred stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21 Land Sand hills. Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 16 and 21 Var. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.90	Intersect N. and S. line at post, the corner to Secs 15, 16, 21, 22 from which corner I run West on true line between Secs. 16 and 21 Var. 13° 15' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 16, 17 20, 21 Land Land hills Soil 3rd rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs 16 and 17 Var. 13° 15' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17 Land Sand hills. Soil 3rd rate.

Township 16 N. Range 30 W. 6 P.M.

chains	East on random line between Secs. 9 and 16 Var. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect N. and S. line 20 links North of the corner to Secs. 9, 10, 15, 16 from which corner I run N. 89° 51' West true line between Secs. 9 and 16 Var. 13° 15' E.
40,06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs. 8, 9, 16, 17
	Land Sand hills
	Soil Indifferent.

Township 16 N. Range 30 W. 6th P.M.

chains	North between Secs. 8 and 9 Var. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9
	Land Sand hills
	Soil Indifferent.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 4 and 9 Va. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.14	Intersect N. and S. line 16 links South of the corner to Secs. 3, 4, 9, 10 from which corner I run S. 89° 53' W. on true line between Secs. 4 and 9 Va. 13° 15' E.
40.07	Set post deposit, charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.14	The corner to Secs. 4, 5, 8, 9. Land Sand hills Soil Sandy.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 4 and 5. Va. 13° 15' E.
40.00	Set post deposit, charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.65	Intersect 4th Standard Parallel North at 5.22 chs West of the corner to Secs. 33 and 34 T. 17 N. R. 30 W. Where I Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs 4 and 5 T. 16 N. R. 30 W. Land Sand hills. Soil Sandy.

Township 16 N. Range 30 W. 6th P. M.

chains	
	North between Secs 31 and 32 Va. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 29, 30, 31, 32
	Land Sand hills
	Soil Good rate

Township 16 N. Range 30 W. 6th P. M.

chains	
	East on random line between Secs, 29 and 32 Va. 13° 15' E,
40,00	Set temporary 1/4 Sec Cor
79,90	Intersect W and S. line 20 links North of the Corner to Secs, 28, 29, 32, 33 from which corner I run N, 89° 51' W, on true line between Secs, 29 and 32 Va, 13° 15' E,
39,95	Set post deposit charred Stake raised mound of earth, with pits as per instructions for a 1/4 Sec Cor,
79,90	The corner to Secs, 29, 30, 31, 32
	Land Sand hills
	Soil Good rate.

Township 16 N. Range 30 W. 6th P. M.

Chains	West on random line between Secs. 30 and 31 Var. 13° 15' E.
40.00	Set temporary 1/4 Sec. Cor
79.82	Intersect West Boundary of Township 18 links North of the corner to Secs. 30, 31, ~~25, 36~~ from which corner I run N. 89° 52' E. on true line between Secs 30 and 31 Var. 13° 15' E.
39.82	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.82	The corner to Secs, 29, 30, 31, 32 Land Sand hills Soil 3rd rate

Township 16 N. Range 30 W. 6th P. M.

Chains	North between Secs. 29 and 30 Var. 13° 15' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 19 20, 29, 30. Land Sand hills Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 20 and 29 Va. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.08	Intersect Ward's line 16 links South of the corner to Secs. 20, 21, 28 29, from which corner I run S. 89° 53' W. on true line between Secs. 20, and 29 Va. 13° 15' E.
40.04	Set post deposit charred stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.08	The corner to Secs. 19, 20 29, 30 Land Sand hills Soil Good rate.

Sept. 10th 1871

Township 16 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs. 19 and 30 Va. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.22	Intersect West Boundary of Township 12 links North of the corner to Secs. 19, 30, ~~24, 25~~ from which corner I run N. 89° 55' E. on true line between Secs. 19 and 30 Va. 13° 15' E.
39.22	Set post deposit charred stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.22	The corner to Secs. 19, 20 29, 30 Land Sand hills Soil Good rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 19 and 20
	Var. 13° 15' E.
40.00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 17 and 20
	Var. 13° 15' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.92	Intersect N and S. line at post, the corner to Secs. 16 17, 20, 21 from which corner I run
	West on true line between Secs. 17 and 20
	Var. 13° 15' E.
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 17 18, 19, 20
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs. 18 and 19 Va. 13° 18' E.
40,00	Set post for temporary 1/4 Sec Cor.
78,40	Intersect West Boundary of Township 16 links South of the corner to Secs. 18 19, ~~13, 24~~ from which corner I run S. 89° 53' E on true line between Secs. 18 and 19 Va. 13° 18' E.
38,40	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
78,40	The corner to Secs. 17, 18 19, 20 Land Sand hills Soil Good rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 17 and 18 Va. 13° 18' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land Land hills Soil Good rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	East on random line between Secs. 8 and 17 Var. 13° 15' E.
40.00	Set post for temporary 1/4 Sector,
80.10	Intersect N. and S. line 10 links North of the corner to Secs. 8, 9, 16, 17, from which corner I run, N. 89° 56' W. on true line between Secs. 8, 17 Var. 13° 15' E,
40.05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector,
80.10	The corner to Secs. 7, 8 17, 18 Land Sand hills Soil Good rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs. 7 and 18 Var. 13° 15' E,
40.00	Set post for temporary 1/4 Sector,
77.95	Intersect West Boundary of Township 18 links South of the corner to Secs. 7, 18 ~~12, 13~~ from which corner I run S. 89° 52' E. on true line between Secs. 7 and 18 Var. 13° 15' E,
37.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector,
77.95	The corner to Secs. 7, 8 17, 18 Land Sand hills Soil Good rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	North between Secs. 7 and 8
	Va. 13° 15' E.
40,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec. 5, 6, 7, 8
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	East on random line between Secs 5 and 8
	Va. 13° 15' E.
40,00	Let temporary 1/4 Sec. Cor.
80,18	Inter Sect N. and S. line 10 links North of the corner to Secs ~~5 and 8~~ 4, 5, 8 and 9 from which corner I run, line bet. Sec. 5 & 8 N. 89° 56' W. on line
	Va. 13° 15' E.
40,19	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 5, 6, 7, 8
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 30 W. 6th P.M.

Chains	
	West on random line between Secs. 6 and 7 Var. 13° 15' E.
40.00	Set temporary 1/4 Sec. Cor.
77.85	Intersect West Boundary of Township 16 links North of the corner to Secs. 6, 7 ~~1, 12~~ from which corner I run N. 89° 58' E. on true line between Secs 6 and 7 Var. 13° 15' E.
37.85	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.85	The corner to Secs. 5, 6, 7, 8
	Land Sand hills
	Soil Good rate

Township 16 N. Range 30 W. 6th P.M.

Chains	
	North between Secs. 5 and 6 Var. 13° 15' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.12	Intersect 4th Standard Parallel North at 5.15 chs West of the corner to Secs. 32 and 33 where Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs. 5 and 6 T. 16 N. Range 30 W.
	Land Sand hills
	Soil Good rate

September 11th 1871

Township 16 N. Range 30 W. 6th P.M.

General Description

This Township is hilly
the Soil light Land covered
thinly with tough grass
It is very unproductive.
There is no water and no
timber within the
Township.
It will not do for
Settlement and Cultivation.

Township 16 N Range 30 W. 6th P.M.

List of Names

A list of names of persons
employed to assist in Subdividing this Township
showing the respective
capacities in which
they acted

Chas Billopp } Chainman
C. Harris
R. B. Reges } Monumenter
H. McBroom

We hereby certify that we assisted L. B. Park deputy Surveyor in Surveying and Subdividing Township 16 North of the base line of Range 30 W. of the 6th Prin. Mer. and that said Township has been to the best of our knowledge and belief in all respects well and faithfully Surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General

C. F. Billapp Chainman
C. A. Harris his mark Chainman
R. B. Keyes Axemen
H. W. Brown Axemen

State of Nebraska }
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 21st day of Sept, 1871

Wm. J. Patterson N. P.

I, J. B. Park deputy Surveyor do
Solemnly Swear that in pursu
of a joint wherein J. B. Park
and A. L. Campbell are joint
contractors with E. E. Cunning
Surveyor General for the
District of Nebraska and Du
bearing date June 16th 1871 I
in my own proper person and in
Strict conformity with the instru
tions furnished by the Surveyor
General, the Surveying manual
and the laws of the United States
Surveyed all those parts or
portions of Township 16 N. of the
base line, of Range 30 W. of
the 6th Prin Mer, as are repor
sented in the foregoing field
notes as having been Survey
under my direction; and
I do further Solemnly
Swear that all the corners
of said Survey have been
established and perpetuate
in Strict accordance with
the Surveying manual and
printed instructions and
that the foregoing are the
true and original field-
notes of Such Survey.

J. B. Park
Deputy Surveyor.

State of Nebraska
Lincoln County } ss.

Subscribed in my presence
and Sworn to before me
this 21st day of Sept, 1871

Wm. Patterson J. P.

Surveyor Generals Office

Plattsmouth. Dec. 8th 1871

The foregoing field notes of the Sur. and Subdivision of Township No 16 North Range No 30 West 6th P.M. in the State of Nebraska Executed by J.B Park under joint Contract No 47 Dated June 6th 1871 Wherein J.B. Park and H. C. Campbell are joint Contractors in the month of September 1871 having been critically Examined the necessary corrections and explanations made the said Field notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

533

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.