General Land Office • Original Field Notes

Book Number

536

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Diagram

of

Township No 25 N. Range 30 West 6th P.M.



Field Notes

of

Survey of Township 25 N

of

Range No 30 West of 6th P.M.

In

Nebraska

Executed

by Ira W. LaMunyon deputy Surveyor under Joint Contract No 104 dated Sept 6th 1876.

Survey

Commenced Nov 15th 1876

Completed " 18th 1876.

List of Names

A list of the Names & duties of assistants.

Frank Foutze Chainman

A. E. Sturgis Chainman

W. B. Thompson Monumentman

Alfred Davis Flagman

To determine the proper adjustment of my Compass for subdividing township No 25 North of base line of Range No 30 West of 6th P.M. in Nebraska I begin at the Corner to Townships 25 Ranges 29 & 30 West on 6th Standard Parallel North and run North on a blank line along East boundary of sec 36. Va 13° 35'

4 " " To point 6 lks W of gr sec cor
179.9 " To point 12 " W of Cor to sec 25 & 36.

Therefore to retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 13° 30' E East

Township no 25 North

North bet. Secs 35 & 36.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft high, from pits 18 + 24 + 12 in deep. as per instructions for qr. Sec. cor.

80.00 Raised mound of earth 3 ft high, from pits 18 + 24 + 12 in deep. as per instructions for cor. to Secs 25, 26, 35 & 36.

Land broken 3d rate.

Range no 30 West.

East on random line bet.
Secs 25 & 36.
Va 13°30 East.

40.00 Stake for temporary qr. cor.

80.15 Intersect East boundary 17 lks South of cor. to Secs 25 & 36. from which cor
S. 89°55' West on true line bet.
Secs 25 & 36. Va 13°30' E.

40.07 Raised mound of earth 2½ ft high, from pits 18 + 24 + 12 in deep. as per instructions for qr. Sec. cor.

80.15 Cor. to Secs 25, 26, 35 & 36.
Land broken 3d rate.

Township 25 N.

North bet. Sec'n 25 & 26.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. Cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instructions for for Cor. to Sec'n 23, 24, 24, & 26.

Land broken 3d rate.

Range 30 W.

East on random line bet Sec'n 24 & 25.
Va 13°30' E.

40
80.00 Flag for temporary gr. Cor.
.90 Intersect E. boundary 30 lks N. of Cor. to Sec'n 24 & 25 from which Cor. I run
N 89°47' W. on true line bet Sec'n 24 & 25.
Va 13°30' E

40
95 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. Cor.

80
.90 Cor. to Sec'n 23, 24, 25 & 26.
Land broken 3d rate.

North bet. Secs. 23 & 24.
Va 13°30' E

40. 40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for gr. Sec. Cor.

80. 80.00 Raised mound of earth 3 ft
high, from pits 18+24+12
deep, as per instruction
Cor. to Secs. 13, 14, 23 & 24.

Land broken 3d rate.

East on random line bet.
Secs. 13 & 24.
Va 13°30' E

40.00 Flag for temporary gr. Cor.

80.12 Intersect E. boundary 20 lks
S. of Cor. to Secs. 13 & 24
from which Cor. B. pin
S. 89°51' West on true line bet.
Secs. 13 & 24.
Va 13°30' E.

40.06 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for gr. Sec. Cor.

80.12 Cor. to Secs. 13, 14, 23 & 24.
Land broken 3d rate.

Township 25 N.

North bet. Secs. 13 & 14,
Va 13° 30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18 + 24 + 12 in
deep, as per instructions
for qr. Sec. Cor.

50.00 Raised mound of earth 3 ft
high, from pits 18 + 24 + 12 in
deep, as per instructions for
Cor. to Secs. 11, 12, 13 & 14.
Land broken 3d rate.

Range 31 W.

East on random line bet.
Secs. 12 & 13,
Va 13° 30' E.

40.00 Flag for temporary qr. cor.

80.21 Intersect E. boundary 50 lks
S. of Cor. to Secs. 12 & 13,
from which Cor. a pine
S. 89° 39' West on true line bet
Secs. 12 & 13,
Va 13° 30' E.

70.10 Raised mound of earth 2½ ft
high from pits 18 + 24 + 12 in
deep, as per instructions
for qr. Sec. Cor.

80.21 Cor. to Secs. 11, 12, 13 & 14.
Land broken 3d rate.

Township 25 N.

North bet. Sec.s 11 & 12.
Va 13°30' E.

32.00 Enter valley E & W.
35.00 Leave " " ".
40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. cor.
80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instructions for cor. to Sec.s 1, 2, 11 & 12.
Land broken 3d rate.

Range 30 W.

East on random line bet. Sec.s 1 & 12.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
79.84 Intersect E. boundary 17 lks S. of cor. to Sec.s 1 & 12, from which cor. I run S. 89°53' W. on true line bet. Sec.s 1 & 12.
Va 13°30' E.
39.92 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. Cor.
79.84 Cor. to Sec.s 1, 2, 11 & 12.
Land broken 3d rate.

Town 25 N.

North on random line bet. Secs. 1 & 2.

Va 13°30' E

32

35 40.00 Flag for temporary gr. cor.

40 80.17 Intersect North boundary 22 lks. E. of cor. to Secs. 1 & 2, from which cor. I run

80 S. 9' E. on true line bet Secs. 1 & 2.

Va 13°30' E.

40.17 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for gr. Sec. cor.

80.17 Cor. to Secs. 1, 2, 11 & 12.

Land broken 3d rate.

Range 30 W.

North bet. Secs. 34 & 35.

Va 13°30' E.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep as per instructions for cor to Secs. 26, 27, 34 & 35.

Land broken 3d rate.

Township no 25 N.

East on random line bet.
Sec^s 26 & 35.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
80.08 Intersect N. & S. line 24 lks
S. of cor. to Sec^s 25, 26.
35 & 36. from which cor.
I run
S. 89°50' W. on true line bet.
Sec^s 26 & 35.
Va 13°30' E.

40.04 Raised mound of earth 2½ ft
high, from pits 18+24+12
in. deep, as per instruction
for gr. Sec. Cor.
80.08 Cor. to Sec^s 26, 27, 34 & 35.
Land broken 3d rate.

Range ~~31~~ 30 West.

North bet. Sec^s 26 & 27.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for gr. Sec. Cor.
80.00 Raised mound of earth 3 ft
high, from pits 18+24+12 in
deep, as per instruction
for Cor. to Sec^s 22, 23,
26 & 27.
Land broken 3d rate.

Township 25 N.

	East on random line bet. Sec'n 23 & 26. Va 13°30' E.
40.00	Flag for temporary gr. Cor.
79.87	Intersect N. & S. line 15 lks S. of Cor. to Sec'n 23, 24, 25 & 26. from which Cor. & run
	S. 89°54' West on true line bet. Sec'n 23 & 26. Va 13 30 E.
39.93	Raised mound of earth 2½ ft high, from pits 18 x 24 x 12 in deep, as per instruction for gr. Sec. Cor.
79.87	Cor. to Sec'n 22, 23, 26 & 27. Land broken 3d rate. Nov. 15th 1876

Range 30 W.

	North bet. Sec'n 22 & 23. Va 13°30' E.
40.00	Raised mound of earth 2½ ft high, from pits 18 x 24 x 12 in deep, as per instruction for gr. Sec. Cor.
80.00	Raised mound of earth 3 ft high, from pits 18 x 24 x 12 in deep, as per instruction for Cor. to Sec'n 14, 15, 22 & 23.
	Land broken 3d rate.

Township 25 N.

East on random line bet.
Sec^n 14 & 23.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
80.30 Intersect N. & S. line 5 lks S.
of cor. to Sec^n 13, 14, 23,
& 24, from which cor.
I run
S. 89°58' W. on true line bet.
Sec^n 14 & 23.
Va 13°30' E.

40.15 Raised mound of earth 2½ ft
high from pits 18+24+12
in deep. as per instruction
for gr. Sec. Cor.
80.30 Cor. to Sec^n 14, 15, 22 & 23.
Land broken 3d rate.

Range 31 W.

North bet. Sec^n 14 & 15.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep. as per instruction
for gr. Sec. Cor.
80.00 Raised mound of earth 3 ft
high, from pits 18+24+12
in deep, as per instruction
for Cor. to Sec^n 10, 11, 14
& 15.
Land broken 3d rate.

Township 25 N.

		East on random line bet. Sec's. 11 & 14. Va 13°30' E.
4	40.00	Stake for temporary qr. cor.
80	79.80	Intersect N. & S. line 15 chs S. of cor. to Sec's. 11, 12, 13 & 14, from which qr. cor. bears
		S. 89°54' W. on true line bet. Sec's 11 & 14. Va 13°30' E.
4	39.90	Raised mound of earth 2½ ft high, from pits 18 + 24 + 12 in deep, as per instruction for qr. Sec. cor.
8	79.80	Cor. to Sec's. 10, 11, 14 & 15. Land broken 3½ rods.

Range 30 W.

	North bet. Sec's 10 & 11. Va 13°30' E.
31.00	Enter valley N.E. & S.W.
33.00	Leave " " "
40.00	Raised mound of earth 2½ ft high from pits 18 + 24 + 12 in deep, as per instructions for qr. Sec. cor.
80.00	Raised mound of earth 3 ft high, from pits 18 + 24 + 12 in deep, as per instruction for cor. to Sec's. 2, 3, 10 & 11.
	Land broken 3½ rods.

Township 25 N.

East on random line bet. Sec. 2 & 11.
Va 13°30' E.

4 40.00 Flag for temporary gr. cor.
8 80.10 Intersect N & S. line 37 lks S. of cor. to Sec. 1, 2, 11 & 12, from which cor. I run
S. 89°44' W. on true line bet. Sec. 2 & 11.
Va 13°30' E.

4 40.05 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. cor.
80.10 Cor. to Sec. 2, 3, 10 & 11.
Land broken 3d rate.

Range 30 W.

North on random line bet. 7 Sec. 2 & 3.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
80.30 Intersect North boundary 7 lks W. of cor. to Sec. 2 & 3, from which cor. I run
S. 3' W. on true line bet. Sec. 2 & 3.
Va 13°30' E.

40.30 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instructions for gr. Sec. cor.
80.30 Cor. to Sec. 2, 3, 10 & 11.
Land broken 3d rate.

Township 25 N.

North bet. Sec.ⁿ 33 & 34.
Va 13°30' E

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for gr. Sec. Cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instruction for cor. to Sec.ⁿ 27, 28, 33 & 34.

Land broken 3d rate.

Range 30 W.

East on random line bet. Sec.ⁿ 27 & 34.
Va 13°30' E.

40.00 Flag for temporary gr. cor.

80.32 Intersect N. & S. line 12 lks N. of cor. to Sec.ⁿ 26, 27, 34 & 35, from which cor. I run

North 89°55' W. on true line bet. Sec.ⁿ 27 & 34.
Va 13°30' E.

40.16 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for gr. Sec. Cor.

80.32 Cor. to Sec.ⁿ 27, 28, 33 & 34.

Land broken 3d rate.

Township 25 N.

North bet Sec. 27 & 28.
Va 1330' E.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for gr. Sec. Cor.

80.00 Raised mound of earth 3 ft high from pits 18+24+12 in deep. as per instruction for. Cor. to Sec. 21, 22, 27 & 28.

Land broken 3d rate.

Range 30 W.

East on random line bet.
Sec. 22 & 27.
Va 1330' E.

40.00 Flag for temporary gr. Cor.

80.09 Intersect N. & S. line 28 lks S of Cor. to Sec. 22, 23, 26 & 27, from which Cor. S pin
S. 89°48' W. on true line bet.
Sec. 22 & 27.
Va 1330 E.

40.04 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for gr. Sec. Cor.

80.09 Cor. to Sec. 21, 22, 27 & 28.
Land broken 3d rate

Town. 25 N.

North bet. Sec.s 21 & 22,
Va. 13°30' E

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for qr. Sec. Cor.

80.00 Raised mound of earth 3 ft
high, from pits 18+24+12 in
deep, as per instruction
for Cor. to Sec.s 15, 16,
21 & 22.

Land broken 3d rate.

Range 30 W.

East on random line bet.
Sec.s 15 & 22.
Va 13°30' E.

40.00 Flag for temporary qr. cor.

79.95 Intersect N & S. line 11 lks N.
of cor. to Sec.s 14, 15, 22 &
23, from which cor.
B run
N. 89°55' W. on true line bet. Sec.s
15 & 22,
Va 13°30' E.

39.97½ Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for qr. Sec. cor.

79.95 Cor. to Sec.s 15, 16, 21 & 22.
Land broken 3d rate.

Town. 25 N.

North bet. Secs. 15 & 16.
Va 13°30' E.

40.00 Raise mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for qr. Sec. Cor.

64.20 Enter valley W. & S.w.

80.00 Raise mound of earth 3 ft high, from pits 18+24+12 in deep. as per instruction for Cor. to Secs. 9, 10, 15 & 16.

Land. Valley 2d rate.
" balance 3d "

Range 30 W.

East on random line bet. Secs. 10 & 15.
Va 13°30' E.

16.00 Leave valley W. & S.w.

40.00 Flag for temporary qr. Cor.

80.17 Intersect N. & S. line 30 lks N. of Cor. to Secs. 10, 11, 14 & 15 from which Cor. B. run N. 89°47' W. on true line bet. Secs. 10 & 15.
Va 13°30' E.

40.08 Raise mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for qr. Sec. Cor.

80.17 Cor. to Secs. 9, 10, 15 & 16.
Land. Valley 2d rate.
" balance 3d ".
Nov. 16th 1876

North bet. Sec.ns 9 & 10.
Va 13°30' E.

8.00 Leave valley NE & SW.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction, for qr. Sec. Cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instruction for Cor. to Sec.ns 3, 4, 9 & 10.

Land. valley 2d rate.
" balance 3d " "

East on random line bet.
Sec.ns 3 & 10.
Va 13°30' E.

40.00 Flag for temporary qr. Cor.

80.42 Intersect N. & S. line 24 lks N. of Cor. to Sec.ns 2, 3, 10 & 11, from which Cor. I run N. 89°50' W. on true line bet.
Sec.ns 3 & 10.
Va 13°30' E.

40.21 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for qr. Sec. Cor.

80.42 Cor. to Sec.ns 3, 4, 9 & 10.
Land broken 3d rate.

Town. 25 N.

North on random line bet.
Sec. 3 & 4.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
79.98 Intersect North boundary 56 lks.
W. of cor. to Sec. 3 & 4.
from which cor. I run
S. 24' W. on true line bet. Sec.
3 & 4.
Va 13°30' E.

39.98 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for gr. Sec. cor.

79.98 Cor. to Sec. 3, 4, 9 & 10.
Land broken 3d rate.

Range 30 W.

North bet. Sec. 32 & 33.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for gr. Sec. cor.

80.00 Raised mound of earth 3 ft
high, from pits 18+24+12 in
deep, as per instruction
for cor. to Sec. 28, 29,
32 & 33.

Land broken 3d rate.

Town. 25 N.

East on random line bet. Sec^s. 28 & 33.
Va 13°30' E.

40.00 Flag for temporary gr. cor.

79.95 Intersect N & S. line 6 lks N. of cor. to Sec^s. 27, 28, 33 & 34. from which cor. I run

N. 89°57' W. on true line bet. Sec^s. 28 & 33.
Va 13°30' E.

39.97 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for gr. Sec. cor.

79.95 Cor. to Sec^s. 28, 29, 32 & 33.

Land broken 3^d. rate.

Range 30 W.

North bet. Sec^s. 28 & 29.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep. as per instruction for gr. Sec. cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instructions for cor. to Sec^s. 20, 21, 28 & 29.

Land broken 3^d. rate.

East on random line bet.
Sec's. 21 & 28.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
80.15 Intersect North & S. line 13 links
S. of cor. to Sec's. 21, 22,
27 & 28. from which cor.
I run
S. 89°54' W. on true line bet.
Sec's. 21 & 28.
Va 13°30' E.

40.07½ Raised mound of earth 2½ ft
high from pits 18+24+
12 in deep. as per instruc-
tions for gr. Sec. Cor.
80.15 Cor. to Sec's. 20, 21, 28 & 29.
Land broken 3d rate.

North bet. Sec's. 20 & 21.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high from pits 18+24+12 in
deep. as per instruction
for gr. Sec. Cor.

80.00 Raised mound of earth 3 ft
high from pits 18+24+12
in deep. as per instruction
for Cor. to Sec's. 16, 17, 20
& 21.

Land broken 3d rate.

Town. 25 N.

East on random line bet.
Sec^ns. 16 & 21.
Va 13°30' E.

40.00 Flag for temporary gr. Cor.
79.79 Intersect N. & S. line 9 lks S.
of Cor. to Sec^ns. 15, 16, 21 &
22, from which Cor.
3 run
S. 89°56' W. on true line bet.
Sec^ns. 16 & 21.
Va 13°30' E.

39.892 Raised mound of earth 2½
ft. high, from pits 18 & 24
12 in deep, as per instruc-
-tion for gr. Sec. Cor.
79.79 Cor. to Sec^ns. 16, 17, 20 & 21.
Land broken 3^d rate.

Range 30 W.

North bet. Sec^ns. 16 & 17.
Va 13°30' E.

8.30 Enter valley Ws. NW. & SW.
40.00 Raised mound of earth 2½ ft
high, from pits 18 & 24
12 in deep, as per instruc
tion for gr. Sec. Cor
59.00 Leave valley Ws. SW & NW.
80.00 Raised mound of earth 3 ft
high, from pits 18 & 24
12 in deep, as per instruc
-tion for Cor. to Sec^ns.
8, 9, 16 & 17.
Land. Valley 2^d rate.
" balance 3^d "

Town. 25 N.

East on random line bet. Sec.s 9 & 16.
Va 13°30' E.

40.00 Flag for temporary qr. cor.
63.00 Enter valley N.E. & S.W.
80.02 Intersect R & L. line at cor. to Sec.s 9, 10, 15 & 16. from which cor. 2 pts. West on true line bet. Sec.s 9 & 16.
Va 13°30' E.

40.01 Raise mound of earth 2½ ft high, from pit 18+24+12 in deep. as per instructions for qr. Sec. cor.

80.02 Cor. to Sec.s 8, 9, 16 & 17.
Land, Valley 2d rate.
" balance 3d " .

Range 30 W.

North bet. Sec.s 8 & 9.
Va 13°30' E.

40.00 Raise mound of earth 2½ ft high, from pit 18+24+12 in deep. as per instructions for qr. Sec. cor.

80.00 Raise mound of earth 3 ft high, from pit 18+24+12 in deep. as per instructions for cor. to Sec.s 4, 5, 8 & 9.

Land broken 3d rate.

Town, 25 N.

East on random line.
bet. Sec^n 4 & 9.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
79.91 Intersect N. & S. line 14 lks
N. of cor. to Sec^n 3, 4,
9 & 10. from which cor.
I run
N. 89°54' West on true line bet.
Sec^n 4 & 9.
Va 13°30' E.

39.95½ Raised mound of earth 2½ ft
high, from pits 18 + 24 +
12 in deep. As per instruc-
-tions for gr. Sec. cor.
79.91 Cor. to Sec^n 4, 5, 8 & 9.
Land broken 3^d rate.

Range 30 W.

North on random line bet.
Sec^n 4 & 5.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
80.12 Intersect North boundary
20 lks west of cor. to Sec^n
4 & 5. from which cor.
I run
S. 9' W. on true line bet. Sec^n
4 & 5.
Va 13°30' E.

40.12 Raised mound of earth 2½ ft
high, from pits 18 + 24 + 12
in deep, as per instructions
for gr. Sec. cor.
80.12 Cor. to Sec^n 4, 5, 8 & 9.
Land. broken 3^d rate

North bet. Sec's. 31 & 32,
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep, as per instruction
for qr. Sec. Cor.

80.00 Raised mound of earth 3 ft.
high, from pits 18+24+12
in deep, as per instruc-
-tion for Cor. to Sec's.
29, 30, 31 & 32.

Land broken 3d rate.
Nov. 17th 1876

East on random line bet.
Sec's. 29 & 32.
Va 13°30' E.

40.00 Flag for temporary qr. cor.

79.81 Intersect N & S line 15 lks.
N. of cor. to Sec's. 28,
29, 32 & 33, from which
cor. I run
N. 89°54' W. on true line bet.
Sec's. 29 & 32.
Va 13°30' E.

39.90 Raised mound of earth 2½ ft
high, from pits 18+24+12
in deep, as per instruction
for qr. Sec. cor.

79.81 Cor. to Sec's. 29, 30, 31 & 32.
Land broken 3d rate.

Town. 25 N.

West on random line
bet. Secs. 30 & 31.
Va 13°30' E.

40.00 Stake for temporary qr. cor.

79.40 Intersect W. boundary 18
lks. S. of cor. to Secs.
30 & 31. from which cor.
S pin
S. 89°52' E. on true line bet.
Secs. 30 & 31.
Va 13°30' E.

39.40 Raised mound of earth 2½ ft
high, from pits 18+24+
12 in dep. as per instruction
for qr. Sec. cor.

79.40 Cor. to Secs. 29, 30, 31 & 32.
Land broken 3 ch. rate.

Range 30 W.

North bet. Secs. 29 & 30.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12
in dep. as per instruction
for qr. Sec. cor.

80.00 Raised mound of earth 3 ft
high, from pits 18+24+12
in dep. as per instruction
for cor. to Secs. 19, 20,
29 & 30.

Land broken 3 ch. rate.

Town. 25 N.

East on random line bet.
Sec^s. 20 & 29.
Va 13°30' E.

40.00 Flag for temporary gr. Cor.
80.27 Intersect N. & S. line 21 lks.
N. of cor. to Sec^s. 20.
21, 28 & 29, from which
Cor. I run
N. 89°51' W. on true line bet.
Sec^s. 20 & 29.
Va 13°30' E.

40.13² Raised mound of earth 2½ ft
high, from pits 18+24+12
in deep, as per instruction
for gr. Sec. cor.
80.27 Cor. to Sec^s. 19, 20, 29 & 30.
Land broken 3^d rate.

Range 31 W.

West on random line bet.
Sec^s. 19 & 30.
Va 13°30' E.

40.00 Flag for temporary gr. cor.
79.61 Intersect West boundary
at Cor. to Sec^s. 19 & 30.
from which cor. I run
East on true line bet. Sec^s.
19 & 30.
Va 13°30' E.

39.61 Raised mound of earth 2½ ft
high, from pits 18+24+
12 in deep, as per instruc-
-tion for gr. Sec. cor.
79.61 Cor. to Sec^s. 19, 20, 29 & 30.
Land broken 3^d rate.

Town. 25 N.

North bet. Sec.s 19 & 20.
Va 13°30' E.

40.00 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for qr. Sec. Cor.

80.00 Raised mound of earth 3 ft high, from pits 18+24+12 in deep, as per instruction for Cor. to Sec.s 17, 18, 19 & 20.

Land broken 3d rate.

Range 30. W.

East on random line bet. Sec.s 17 & 20.
Va 13°30' E.

19.00 Enter valley N. & W. & S.

40.00 Stay for temporary qr. cor.

66.30 Leave valley N.E. N.W. & S.

79.87 Intersect N. & S. line 24 lks N. of Cor. to Sec.s 16, 17, 20 & 21, from which Cor. ¾ pine

N. 89° 41' West on true line bet. Sec.s 17 & 20.
Va 13°30' E.

39.93 Raised mound of earth 2½ ft high, from pits 18+24+12 in deep, as per instruction for qr. Sec. Cor.

79.87 Cor. to Sec.s 17, 18, 19 & 20.

Land. Valley 2d rate.
" balance 3d rate.

Town 25 N.

West on random line bet.
Sec^n 18 & 19.
Va 13°30' E

40.00 Flag for temporary gr. Cor.
79.56 Intersect West boundary 7 lks
S. of cor to Sec^n 18 & 19,
from which cor. 2 run
S. 89°57' E. on true line bet.
Sec^n 18 & 19.
Va 13°30' E.
39.56 Raised mound of earth 2½ ft
high from pits 18+24+12
in deep. as per instruction
for gr. Sec. Cor.
79.56 Cor. to Sec^n 17, 18, 19 & 20.
Land broken 3^d rate

Range 30 W.

North bet. Sec^n 17 & 18.
Va 13°30' E.
40.00 Raised mound of earth 2½ ft
high, from pits 18+24+12 in
deep. as per instructions
for gr. Sec. Cor.
80.00 Raised mound of earth 3 ft
high, from pits 18+24+12 in
deep. as per instructions
for Cor. to Sec^n 7, 8, 17
& 18.
Land broken 3^d rate.

Township 25 N.

East on random line bet.
Sec.ⁿ 8 & 17.
Va 13°30' E.

8.25 Enter valley S & NW.
40.00 Flag for temporary gr. cor.
41.00 Leave valley S. & NW.
80.09 Intersect N. & S. line 10 lks N.
of cor. to Sec.ⁿ 8, 9, 16 & 17
from which Cor. I run
N. 89°56' W. on true line bet.
Sec.ⁿ 8 & 17.
Va 13°30' E.

40.04 Raised mound of earth 2½ ft
high, from pits 18 + 24 + 12 in
deep. as per instruction
for gr. Sec. Cor.
80.09 Cor. to Sec.ⁿ 7, 8, 17 & 18.
Land. Valley 2d rate.
" bal and 3d " ".

Range 30 W.

West on random line bet.
Sec.ⁿ 7 & 18.
Va 13°30' E.

35.00 Enter valley NE. & SW.
40.00 Flag for temporary gr. cor.
45.20 Leave valley NE. & SW.
79.24 Intersect West boundary 12
lks N. of cor. to Sec.ⁿ 7 &
18. from which Cor. I run
N. 89°55 E. on true line bet.
Sec.ⁿ 7 & 18.
Va 13°30' E.

39.24 Raised mound of earth 2½ ft
high, from pits 18 + 24 + 12 in
deep. as per instruction
for gr. Sec. Cor.
79.24 Cor. to Sec.ⁿ 7, 8, 17 & 18.
Land. Valley 2d rate.
" bal and 3d " ".

Town 25. N.

North bet. Secs. 7 & 8
Va 13°30' E.

12,25 Enter valley S.E. & S.W.

40,00 Raised mound of earth 2½ ft
high, from pits 18+24+12
in dep. as per instruction
for qr. Sec. Cor.

42,00 Leave valley S.E. & S.W.

80,00 Raised mound of earth 3 ft
high, from pits 18+24+12
in dep. as per instruction
for Cor. to Secs. 5, 6, 7
& 8.

Land, valley 2 ch. rate.
" balance 3 ch. "

Range 30 W.

East on random line bet.
Secs. 5 & 8.
Va 13°30' E.

40,00 Flag for temporary qr. Cor.

80,15 Intersect N. & S. line 18 lks
S. of cor. to Secs. 4, 5, 8 &
9, from which cor.
3 pm
S. 89°52' W. on true line bet.
Secs. 5 & 8.
Va 13°30' E.

40,07½ Raised mound of earth 2½ ft
high, from pits 18+24+12
in dep. as per instruction
for qr. Sec. cor.

80,15 Cor. to Secs. 5, 6, 7 & 8.
Land broken 3 ch. rate.

Town. 25 N.

	West on random line bet. Sec's. 6 & 7. Va 13°30' E.
40.00	Flag for temporary qr. cor.
79.32	Intersect W. boundary 38 lks N. of cor. to Sec's. 6 & 7. from which cor. is run N. 89°44' E. on true line bet. Sec's. 6 & 7. Va 13°30' E.
39.32	Raise mound of earth 2½ ft high, from pits 18+24+12 in diap. as per instruction for qr. Sec. cor.
79.32	Cor. to Sec's. 5, 6, 7 & 8. Land broken 3 ch. rate.

Range 30 W.

	North on random line bet. Sec's. 5 & 6. Va 13°30' E.
40.00	Flag for temporary qr. cor.
80.49	Intersect North boundary 48 lks W. of cor. to Sec's. 5 & 6. from which cor. is run S. 21' W. on true line bet. Sec's. 5 & 6. Va 13°30' E.
40.49	Raise mound of earth 2½ ft high, from pits 18+24+12 in diap. as per instruction for qr. Sec. cor.
80.49	Cor. to Sec's. 5, 6, 7 & 8. Land broken 3 ch. rate. Nov. 18. 1876

General Description

The quality of land in this Township is poor 3d rate. The uplands being composed Chiefly of broken Sand Hills. Covered with a luxuriant growth of "bunch grass" valuable for grazing purposes. The Valley is of better quality of soil, but is not adapted for cultivation.
Water can be procured in the valley, by digging from 8 to 20 ft deep. No surface waters in the Township.

List of Names

A list of the Names of the individuals employed to assist in Surveying and subdividing Township No 25 North of base line of Range No 30 West of 6th P.M. in Nebraska and showing the respective Capacities in which they acted

Mack Foley Chainman
J. E. Sturgis Chainman
W. B. Thompson Moundman
Alfred Davis Flagman

WE do hereby certify that WE

assisted Ira W. La Munyon
deputy Surveyor in Surveying
and Subdividing Township No
25 North of base line of
Range No 30 West of 6th
P.M. in Nebraska and that
said township has been
in all respects to the best
of our knowledge and
belief well and faithfully
Surveyed and the boundary
Monuments planted accor-
ding to the instructions fur-
nished by the Surveyor
General of dimensions
Character Construction &
Marking and in the Manner
as specifically described
in the foregoing field Notes
Frank. Fouts, Chainman
A. E. Sturgis Chainman
W. B. Thompson. Mounderman
Alfred. Davis Flagman

Signed in my presence &
sworn to by the above
Named persons before me
the undersigned this 10th
day of Dec 1876
O R Gaadali
Notary Public for
Lincoln Co Nebra

I Ira W. LaMunyon deputy Surveyor do Sol-
emnly swear that in pursuance
of Joint Contract wherein E. E.
Cunningham. Fred M. Dorrington
Alango Cunningham Geo. W. Fairfield
and Ira W. LaMunyon are Joint
Contractors with John R. Clark
United States Surveyor General
for Nebraska & Iowa bearing
date Sept 6th 1876. I have well
faithfully and truly in my own
proper person and in strict
Conformity with the instructions
furnished by the Surveying
Manual. the Surveyor General
and the laws of the united States
surveyed all those parts or
portions of Township No 25
North of base line of Range No
10 West of 6th P.M. in Nebraska
as are represented in the fore-
going field Notes as having been
surveyed under my direction
and I do further solemnly swear
that all the Corners of such
Surveys have been established and
perpetuated in strict accor-
dance with the Surveying
Manual and printed instructions
and special instructions of the Surveyor General
of dimensions. Character Con-
struction and Marking and in the
manner as specifically described
in the foregoing field Notes and
that the foregoing are the true
and original field Notes of such
Survey.

Ira W LaMunyon
Deputy Surveyor

Signed in my presence and
sworn to by the above Named
persons before me the
undersigned this 10 day
of Dec 1876.

O. R. Goodale
Notary Public
Lincoln Co Nebra

Surveyor's Office
Plattsmouth
Nebraska.
Jan 24th 1877.

The foregoing field notes of the Survey and Subdivision of Township No 25 North of base line of Range No 30 west of the 6th P.M. in Nebraska, executed by Ira W. La Munyon under point Contract No 104, bearing date 6th day of Sept. 1876 in the month of Nov 1876 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

J. W. Clark
Surveyor General.

Diagram

of

Township No 26 N. Range No 30 West 6th PM



Field Notes

of

Survey of Township 26 N

of

Range No 30 West

In

New Mexico

Executed

by Jno W La Munyon deputy Surveyor

under Joint Contract No 104

dated Sept 6th 1876

Survey

Commenced Nov 19th 1876

Completed Nov 22d 1876

List of Names

and duties of assistants

Frank Fontzo Chainman

A. E. Sturgis Chainman

W. B. Thompson Moundman

Alfred Davis Flagman

To determine the proper adjustment of my Compass for Subdividing Township No 26 North of Base line of Range No 30 West 6th P.M. in Nebraska I begin at the Corner to Townships 25 & 26 N. Ranges 29 & 30 West. and run North on a blank line along East boundary of Sec 36. Var 13° 30' E

40.02 To point 2 lks W of gr sec cor
80.04 To point 5 " W of Cor to sec 25 & 36.

Therefore to retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 13° 28' East

Township No 26 North

	North bet Secs 35 & 36 Va 13° 28' E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec cor
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to Secs 25. 26. 35 & 36.
	Land rolling, sandy poor 2 rate

Range No 30 West

	East on random line bet. Secs 25 & 36 Va 13° 28' E
40.00	Flag for temporary gr Cor
79.59	Intersect East boundary 7 links south of Cor to Secs 25 & 36. from which Cor I run
	S 89° 57' West on true line bet Secs 25 & 36 Va 13° 28' E
39.79	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec cor
79.59	Cor to Secs 25. 26. 35 & 36
	Land rolling poor 2 rate

Township No 26 North

North Cor Secs 25 & 26
Va 13° 28' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr Sec Cor.

80.00 Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to Secs 23. 24. 25 & 26
Land rolling sandy poor 2 Vats.

Range No 30 West

East on random line Cor Secs 24 & 25
Va 13° 28' E

40.00 Flag for Temporary Gr Sec Cor
79.52 Intersect East boundary 9 links North of Cor to Secs 24 & 25 from which Cor I Veen
N 89° 56' West on true line Cor Secs 24 & 25
Va 13° 28' E

39.76 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr Sec Cor

79.52 Cor to Secs 23. 24. 25 & 26
Land rolling sandy poor 2 Vats

Township No 26 North

North Cor Sec.s 23 & 24
Va 13° 28' E

24.15 Enter Valley or wide drain N.E. & S.W.
29.00 Leave same S.W. & N.E.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr sec Cor
80.00 Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to sec.s 13. 14. 23 & 24.
Land rolling sandy poor 2 Rate

Range No 30 West

East on random line Cor Sec.s 13 & 24
Va 13° 28' E

40.00 Flag for temporary Gr sec Cor
43.00 Valley or drain 3 Chs wide S.W.
79.40 Intersect East Boundary 21 Chs North of Cor to sec.s 13 & 24 from which Cor I run
N 89° 51' West on true line
Cor Sec.s 13 & 24
Va 13° 28' E
39.70 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr sec Cor
79.40 Cor to sec.s 13. 14. 23 & 24
Land rolling soil 2 Rate sandy

Township No 26 N

North Cut Secs 13 & 14
Val 13° 28' E

40.00 Raised Mound of Earth 2½ ft high pum pits 18 x 24 in x 12 in deep for gr sec Cor E & W

71.40 Enter bottom N. N.W. & N.W.

80.00 Raised Mound of Earth 3 ft high pum pits 18 x 24 in x 12 in deep for Cor to Secs 11. 12. 13 & 14

Land rolling 2 rate

Range No 30 West

East on random line Cut Secs 12 & 13
Val 13° 28' E

25.20 Leave Valley N.E. & S.W.

40.00 Flag for temporary gr sec Cor

79.17 Intersect East boundary 44 lks North of Cor to Secs 12 & 13 pum which Cor d Van

N 89° 41' West on true line Cut Secs 12 & 13
Val 13° 28' E

39.58 Raised Mound of Earth 2½ ft high pum pits 18 x 24 in x 12 in deep for gr sec Cor

79.17 Cor to Secs 11. 12. 13 & 14

Land rolling sandy poor 2 rate

Township No 26 North

	North Bet Secs 11 & 12
	Va 13° 28' E
40.00	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 in x 12 in deep for gr sec cor
62.00	Enter Marsh or Swail N E & S E
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to Secs 1. 12. 2 & 11
	Land Valley 2 rate

Range No 30 West

	East on random line Bet Secs 1 & 12
	Va 13° 28' E
1.00	Bank of Lake in Marsh
15.00	East Bank of Lake in Marsh
32.00	Leave Marsh S & N W
40.00	Flag for temporary gr sec cor
56.00	Leave bottom & Enter hills N & S.
79.28	Intersect East Boundary 28 chs North of Cor to Secs 1 & 12 from which Cor I run
	N 89° 48' West on true line Bet Secs 1 & 12
	Va 13° 28' E
39.64	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 in x 12 in deep for gr sec cor
79.28	Cor to Secs 1. 2. 11 & 12
	Land in Valley good 2 rate
	" hills poor 2 rate

✓

Township No 26 North

	North on random line bet Sec.s 1 & 2 Var 13° 28' E
9.00	Leave Marsh S. 5 E.r. West.
20.00	Leave Valley enter hills E & W
40.00	Flag for temporary 1/4 Sec Cor
80.21	Intersected North boundary 3 1/2 chs East of Cor to Sec.s 1 & 2. from which Cor I run
	S 14° East on true line bet Sec.s 1 & 2. Var 13° 28' E
40.21	Raised Mound of Earth 2 ft. 8 ft high from pits 18 x 24 in & 12 in deep for 1/4 sec cor
80.21	Cor to Sec.s 1. 2. 11 & 12 Land Valley poor 2 rate

Range No 30 West

	North bet Sec.s 34 & 35 Var 13° 28' E
24.70	Enter Valley E.r.N.
40.00	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 in & 12 in deep for 1/4 sec Cor
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in & 12 in deep for Cor to Sec.s 26. 27. 34 & 35
	Land Valley good 2 rate
	" balance poor 2 rate

Township No 26 North

		East on random line bet Secs 26 & 35 Val 13° 28' E
9	40.00	Flag for temporary gr sec Cor
2	61.10	Leave Valley N & S
4	79.30	Intersect N & S line 29 chs Cont of Cor to Secs 25. 26 35 & 36. from which Cor I run
8		S 89° 48' West on true line bet Secs 26 & 35 Val 13° 28' E.
	39.65	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
4		
8	79.30	Cor to Secs 26. 27. 34 & 35
		Land Valley good 2 rate
		" balance poor 2 rate

Range No 30 West

	North bet Secs 26 & 27 Val 13° 28' E
13.00	Leave Valley enter sand hills N. E & S. W.
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
47.30	Leave hills Enter Valley E & N W
56.15	Leave Valley Enter hills N E & N W
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 2 in for Cor to Secs 22. 23. 26 & 27
	Land rolling sand hills poor 2 rate

Township No 26 North

East on random line bet Secs 23 & 26
Var 13° 28' E

40.00 Flag for temporary gr Cor.
59.50 Enter Valley N E
63.20 Leave same N & S.
79.41 Intersected N & S line 10 lks South of Cor to Secs 23. 24 25 & 26. from which Cor I view
S 89° 56' West on true line bet Secs 23 & 26
Var 13° 28' E
39.70 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
79.41 Cor to Secs 22. 23. 26 & 27
Land rolling sand poor 2 Rate

Nov. 19th 1876

Range No. 30 West

North bet Secs 22 & 23
Var 13° 28' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
80.00 Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to Secs 14. 15. 22 & 23
Land rolling poor 2 Rate sandy

Township No 26 North

East on random line bet
Secs 14 & 23
Va 13° 28' E

40.00 Flag for temporary gr sec cor
79.54 Intersected N & S line 11 lks
North of Cor to secs 13
14. 23 & 24 from which Cor I run
N 89° 55' West on true line bet
Secs 14 & 23
Va 13° 28' E

39.77 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for
gr sec cor
79.54 Cor to secs 14. 15. 22 & 23
Land rolling sandy poor 2 rate

Range No 30 West

North bet Secs 14 & 15
Va 13° 28' E

40.00 Raised Mound of Earth 2½
ft high from pits 18 x 24 in
x 12 in deep for gr sec cor
80.00 Raised Mound of Earth 3 ft
high from pits 18 x 24 in x
12 in deep for Cor to secs
10. 11. 14 & 15
Land rolling poor 2 rate

Township No 26 North

	East on random line bet Sec. 11 & 14 Va 13° 28' E
40.00	Flag for temporary gr sec cor
51.00	Enter Valley N.W. & S.E
79.49	Intersect N & S line 16 chs South of Cor to sec. 11. 12 13 & 14 from which Cor I Veer
	S 89° 53' West on true line bet Sec. 11 & 14 Va 13° 28' E
39.74	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec cor
79.49	Cor to sec. 10. 11. 14 & 15 Land rolling poor 2 rate

Range No 30 West

	North bet Sec. 10 & 11 Va 13° 28' E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec cor
41.40	Enter Valley N W & S E
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to sec. 2. 3. 10 & 11
	Land rolling poor 2 rate
	" W Valley good 2 rate

Township No 26 North

East on random line bet
Secs 2 & 11
Va 13° 28' E

13.40 Enter grassy [illegible] Marsh
S.E. & N.W.

40.00 Flag for temporary Gr sec Cor

79.47 Intersect N & S line at Cor
to Secs 1. 2. 11 & 12 from
which Cor I run
West on true line bet Secs
2 & 11
Va 13° 28' E

39.75 Raised Mound of Earth 2½
ft high from pits 18 x 24 in
x 12 in deep for Gr sec
Cor

79.47 Cor to Secs 2. 3. 10 & 11
Land Valley Good 2 rate
Good grass Water
Good & found by
Shallow digging

Range No 30 West

North on random line
bet Secs 2 & 3
Va 13° 28' E

10.00 Enter grassy Marsh N.W. & S.E.

14.00 Leave " " " " "

40.00 Flag for temporary Gr sec Cor

42.10 Leave Valley N.W. & S. soon E.

80.80 Intersect North boundary
51 links East of Cor to
Secs 2 & 3 from which
Cor I run
S 22' East on true line bet
Secs 2 & 3
Va 13° 28' E

40.80 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for
Gr sec Cor

80.80 Cor to Secs 2. 3. 10 & 11
Land Valley Good 2 rate
" Salinas poor 2 rate

Township No 26 North

	North bet Sec^s 33 & 34
	Va 13" 28' E
7.25	Valley E & W.
40.00	Raised Mound of Earth 27 ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
62.00	Leave Valley E & W
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to sec^s 27. 28. 33 & 34.
	Land Mostly Valley good 2 Vate

Range No 30 West

	East on random line bet Sec^s 27 & 34
	Va 13" 28' E
40.00	Flag for temporary gr sec Cor
59.00	Enter Valley N & S W
79.60	Intersect N & S line 12 lks South of Cor to sec^s 26. 27 34 & 35 from which Cor to run
	S 89" 55' West on true line bet Sec^s 27 & 34
	Va 13" 28' E
39.80	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
79.60	Cor to sec^s 27. 28. 33 & 34
	Land Rolling Sandy 3 Vate

Township No 26 North

North bet Sec^s 27 & 28
Va 13° 28' E

40.00 Raised Mound of Earth 2½ ft high pour pits 18 x 24 in x 12 in deep for Gr Sec Cor

80.00 Raised Mound of Earth 3 ft high pour pits 18 x 24 in x 12 in deep for Cor to Sec^s 21. 22. 27 & 28

Land rolling Poor 2 rate

Range No 30 West

East on random line bet Sec^s 22 & 27
Va 13° 28' E

40.00 Flag for temporary Gr Cor

44.00 Drain 3 chs wide N.W. & S.E.

79.52 Intersect N & S line 27 links North of Cor to Sec^s 22. 23. 26 & 27 pour which Cor Drain

N 89° 48' West on true line bet Sec^s 22 & 27
Va 13° 28' E

39.76 Raised Mound of Earth 2½ ft high pour pits 18 x 24 in x 12 in deep for Gr Sec Cor

79.52 Cor to Sec^s 21. 22. 27 & 28
Land rolling 3 rate

Township No 26 North

	North bet Sec.s 21 & 22 Va 13° 28' E
24.00	Valley or wide drain SE & NW
30.00	Large Valley NW & SE
40.00	Raised Mound of Earth 2½ ft high 9 mm pits 18 x 24 in x 12 in deep for gr sec Cor
50.00	Raised Mound of Earth 3 ft high 9 mm pits 18 x 24 in x 12 in deep for Cor to sec.s 15. 16. 21 & 22
	Land rolling poor 2nd rate

Range No 30 West

	East on random line bet Sec.s 15 & 22 Va 13° 28' E
40.00	Flag for Temporary gr sec Cor
79.56	Intersect N & S line 13 links North of Cor to sec.s 14. 15. 22 & 23 9 mm which Cor I drive
	N 89° 57' West on true line bet sec.s 15 & 22 Va 13° 28' E
39.78	Raised Mound of Earth 2½ ft high 9 mm pits 18 x 24 in x 12 in deep for gr sec Cor
79.56	Cor to sec.s 15. 16. 21 & 22 Land broken 3rd rate

Township No 26 North

North bet Secs. 15 & 16
Var 13° 28' E

40.00 Raised Mound of Earth 2½ ft high pine pits 18 x 24 in x 12 in deep for 1/4 sec Cor

80.00 Raised Mound of Earth 2 ft high pine pits 18 x 24 in x 12 in deep for Cor to Secs. 9. 10. 15 & 16

Land rolling poor 2 Vat

Range No 30 West

Eastings and on line bet Secs. 10 & 15
Var 13° 28' E

40.00 Plug for temporary 1/4 Cor

79.28 to Intersect N & S line 28 chs North of Cor to Secs. 10. 11 14 & 15 from which Cor bears S 89° 48' West on true line bet Secs. 10 & 15
Var 13° 28' E

39.64 Raised Mound of Earth 2½ ft high pine pits 18 x 24 in x 12 in deep for 1/4 sec Cor

79.28 Cor to Secs. 9. 10. 15 & 16
Land rolling poor 2 Vat

Nov. 20th 1876

Township No 26 North

North bet Sec.s 9 & 10
Var 13° 28' E

40.00 Raised Mound of Earth 2½
ft high pine pits 18 x 24 in
x 12 in deep for gr sec cor

80.00 Raised Mound of Earth 3
ft high pine pits 18 x
24 in x 12 in deep for
Cor to sec.s 3. 4. 9 & 10
Land rolling poor 2 Pate

Range No 30 West

Eastern range line bet
Sec.s 3 & 10
Var 13° 28' E

21.40 Enter Valley S E & N.W.
40.00 Flag for temporary gr Cor
79.44 Intersect N & S line 5 links
North of Cor to sec.s 2. 3.
10 & 11 pine which Cor to
N 89° 58' West on true line
bet Sec.s 3 & 10
Var 13° 28' E

39.72 Raised Mound of Earth 2½
ft high pine pits 18 x 24
in. x 12 in. deep for
gr sec cor

79.44 Cor to sec.s 3. 4. 9 & 10
Land rolling poor 2 Pate

Township No 26 North

North on random line
bet Sec.s 3 & 4
Va 13° 28' E

10.80 Enter Valley S.E. & N.W.
36.00 Enter grassy Marsh or Swail
S.E. & N.W.
40.00 Flag for temporary Gr Cor
52.00 Leave Valley N.W. & S.E.
80.17 Intersect North boundary
82 links East of Cor to
Sec.s 3 & 4. from which
Cor I run
S 35' East on true line bet
Sec.s 3 & 4
Va 13° 28' E
40.17 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for Gr
Sec Cor
80.17 Cor to Sec.s 3. 4. 9 & 10
Land Valley Good 2 Vat
" balance poor "
Good grass

Range No 30 West

North bet Sec.s 32 & 33
Va 13° 28' E
35.00 Enter Valley N.W. & S.E.
40.00 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for Gr
Sec Cor
63.00 Leave Valley E & W
80.00 Raised Mound of Earth
3 ft high from pits 18 x
24 in x 12 in deep for
Cor to Sec.s 28. 29. 32 & 33
Land Valling Poor 2 Vate

Township No 26 N

	East on random line bet Secs. 28 & 33 Va 13° 28 E
40.00	Flag for temporary gr Cor
79.31	Intersect N & S line 30 lks North of Cor to Secs. 27 & 28 33 & 34 pm which Cor [illegible]
	N 89° 47' West on true line bet Secs. 28 & 33 Va 13° 28' East
39.65	Raised Mound of Earth 2 1/2 ft high pm pits 18 x 24 in x 12 in deep for gr sec Cor
79.31	Cor to Secs. 28. 29. 32 & 33 Land rolling poor 2 rate

Range 30 West

	North bet Secs. 28 & 29 Va 13° 28' E
40.00	Raised Mound of Earth 2 1/2 ft high pm pits 18 x 24 in x 12 in deep for gr sec Cor
80.00	Raised Mound of Earth 3 ft high pm pits 18 x 24 in x 12 in deep for Cor to Secs. 20. 21. 28 & 29 Land rolling 2 rate poor sandy

Township No 26 N

	East on random line bet Sec^s 21 & 28 Va 13° 28' E
40.00	Flag for temporary Gr Cor
79.23	Intersect N & S line 50 eks North of Cor to Sec^s 21.22 27 & 28 from which Cor I run
	N 89° 38' West on true line bet Sec^s 21 & 28 Va 13° 28' E
39.61	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr Sec Cor
79.23	Cor to Sec^s 20.21.28 & 29 Land Rolling poor 2 rate

Range No 30 West

	North bet Sec^s 20 & 21 Va 13° 28' E
31.00	Enter Valley N.W. & S.4° E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr Sec Cor
70.50	Leave Valley N.W. & S.E.
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to Sec^s 16.17.20 & 21 Land Rolling poor 2 rate

Township No 26 North

	East on random line between Sec. 16 & 21 Var 13° 28' E
40.00	Flag for temporary Cor
79.10	Intersect N & S line 22 links North of Cor to Sec. 15. 16. 21 & 22 from which Cor & from N 89° 50' West on true line between Sec. 16 & 21 Va 13° 28' E
39.55	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Grs Cor
79.10	Cor to Sec. 16. 17. 20 & 21 Land rolling poor 2 Nets

Range No 30 West

	North bet Sec. 16 & 17 Var 13° 28' E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Grs Cor
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 x 12 in deep for Cor to Sec. 8. 9. 16 & 17
	Land rolling poor 2 Nets

Township No 26 N

East on random line
bet Sec 9 & 16
Var 13° 28' E

40.00 Flag for temporary Gr sec Cor
79.40 Intersect N & S line 32 chs
North of Cor to sec 9.10.15
& 16 from which Cor I run
N 89° 46' West on true line
bet Sec 9 & 16
Var 13° 28' E

39.70 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for gr
sec Cor
79.40 Cor to sec 8.9.16 & 17
Land rolling poor & Fate

Range No 30 W

North bet Sec 8 & 9
Var 13° 28' E

40.00 Raised Mound of Earth 2½
ft high from pits 18 x 24
in x 12 in deep for
gr sec Cor
80.00 Raised Mound of Earth 3
ft high from pits 18 x 24
in x 12 in deep for Cor
to sec 4.5.8 & 9
Land rolling poor & Fate

Township No 26 North

East on random line
bet Secs 4 & 9
Va 13° 28'

40.00 Flag for temporary gr sec cor
79.48 Intersect N & S line at Cor
to Secs 3. 4. 9 & 10 pm
which Cor I run
West on true line bet Secs
4 & 9.
Va 13° 28' E
39.74 Raised Mound of Earth 2½
ft high pm pits 18 x 24
in x 12 in deep for
gr sec Cor
79.48 Cor to Secs 4. 5. 8 & 9
Land rolling poor 2 rate

Range No 30 West

North on random line
bet Secs 4 & 5
Va 13° 28' E
22.50 Valley E & W
40.00 Flag for temporary gr sec Cor
42.00 Enter Marshy Swail
S.E. & N.W.
54.00 Leave Swail N.W. & S.E.
80.38 Intersect North boundary
87 links East of Cor to
Secs 4 & 5. pm which
Cor I run
S 37' East on true line
bet Secs 4 & 5
Va 13° 28' E
40.38 Raised Mound of Earth 2½
ft high pm pits 18 x 24 in
x 12 in deep for gr sec
Cor
80.38 Cor to Secs 4. 5. 8 & 9
Land rolling poor 2 rate
" in Valley good 2 rate
Water can be had by
shallow digging

Township No 26 North

North bet Sec.s 31 & 32
Va 13° 28' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr sec Cor

80.00 Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to sec.s 29. 30. 31. & 32.

Land rolling poor 2 rate

Nov. 21/76

Range No. 30 West

Easton random line bet Sec.s 29 & 32
Va 13° 28' E

22.00 Enter drain S.E. & N.W.

25.40 Leave " " " " "

40.00 Flag for Temporary Gr Cor

79.62 Intersect N & S line 3 lks North of Cor to sec.s 28. 29. 32. & 33. from which Cor I View

N 89° 59' West on true line bet Sec.s 29 & 32
Va 13° 28' E

39.81 Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for Gr sec Cor

79.62 Cor to sec.s 29. 30. 31. & 32

Land rolling poor 2 rate

Township No 26 North

	West on random line bet Sec. 30 & 31 Va 13° 28' E
40.00	Flag for temporary gr sec Cor
79.17	Intersect West boundary 10 links North of Cor to sec. 30 & 31. from which Cor I run N 89° 56' East on true line bet Sec. 30 & 31 Va 13° 28' E
39.17	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
79.17	Cor to sec. 29. 30. 31 & 32 Land rolling poor 2 rate

Range No 30 West

	North bet Sec. 29 & 30 Va 13° 28' E
17.00	Enter Drain E & W
20.70	Leave Drain E & W
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 in x 12 in deep for gr sec Cor
80.00	Raised Mound of Earth 3 ft high from pits 18 x 24 in x 12 in deep for Cor to sec. 19 20. 29 & 30 Land rolling poor 2 rate

Township No 26 N

East on random line
bet Sec^s 20 & 29
Val 13° 28' E

40.00 Flag for temporary gr Cor
79.37 Intersect N & S line 12
links North of Cor to Sec^s
20. 21. 28 & 29. from which
Cor I run
N 89° 55' West on true line
bet Sec^s 20 & 29
Val 13° 28' E

39.68 Raised Mound of Earth
2 1/2 ft high from pits
18 x 24 in x 12 in deep
for gr sec Cor
79.37 Cor to Sec^s 19. 20. 29 & 30
Land Sandy Rolling 3 Gate

Range No 30 West,

West on random line
bet Sec^s 19 & 30
Val 13° 28' E

40.00 Flag for temporary gr Cor
78.85 Intersect West boundary
16 links South of Cor
to Sec^s 19 & 30 from
which Cor I run
S 89° 53' East on true line
bet Sec^s 19 & 30
Val 13° 28' E

38.85 Raised Mound of Earth
2 1/2 ft high from pits
18 x 24 in x 12 in deep
for gr Sec Cor
78.85 Cor to Sec^s 19. 20. 29 & 30
Land Rolling Sandy 3 Gate

Township No 26 North

North bet Sec ". 19 & 20
Var 13° 28' East
40.00 Raised Mound of Earth 2½
ft high pine pits 18 x 24 in.
x 12 in deep for qr sec Cor
80.00 Raised Mound of Earth
3 ft high pine pits 18 x
24 in x 12 in deep for
Cor to sec ". 17. 18. 19 & 20
Land Rolling Sandy Soil

Range No 30 West

Easton random line
bet Sec ". 17 & 20
Var 13° 28' E
20.00 Enter Valley N.W. & S.E.
40.00 Flag for temporary qr Cor
63.00 Leave Valley N.W. & S.E.
79.51 Intersect N & S line 17 chs
South of Cor to sec ". 16.
17. 20 & 21. pine which
Cor I find
S 89° 53' West on true line
bet Sec ". 17 & 20
Var 13° 28' E
39.75 Raised Mound of Earth
2½ ft high pine pits
18 x 24 in x 12 in deep
for qr sec cor
79.51 Cor to sec ". 17. 18. 19 & 20
Land Rolling Sandy Soil
" Valley 2 Vale

Township No 26 North

West on random line
bet Secs 18 & 19
Val 13° 28' E

40.00 Flag for temporary gr Cor
79.20 Intersect West boundary
5 olks South of Cor to
Secs 18 & 19. from which
Cor I run
S 89° 38' East on true line
bet Secs 18 & 19
Val 13° 28' E
39.20 Raised Mound of Earth
2 1/2 ft high pum pits
18 x 24 in x 12 in deep
for gr sec cor
79.20 Cor to Secs 17. 18. 19 & 20
Land rolling Sandy
3 rate

Range No 30 West

North bet Secs 17 & 18
Val 13° 28' E
6.30 Enter Valley E & N.W.
40.00 Raised Mound of Earth
2 1/2 ft high pum pits
18 x 24 in x 12 in for gr
sec cor
51.00 Leave Valley E & N.W. soon
S.E.
80.00 Raised Mound of Earth
3 ft high pum pits 18 x
24 in x 12 in deep for
Cor to Secs 7. 8. 17 & 18
Land in Valley 2 rate
" remainder 3 rate

Township No 26 North

East on random line
bet Secs. 8 & 17
Var 13° 28' E

40.00 Flag for temporary Gr Sec Cor
79.50 Intersect N & S line 20 chs
South of Cor to Secs. 8. 9.
16 & 17. from which Cor
Bears
S 89° 57' West on true line
bet Secs. 8 & 17
Var 13° 28' E

39.75 Raised Mound of Earth 2½
ft high from pits 18 x
24 in & 12 in deep for
Gr Sec Cor

79.50 Cor to Secs. 7. 8. 17 & 18
Land rolling Sandy 3rd rate

Range No 30 West

West on random line bet
Secs. 7 & 18
Var 13° 28' E

40.00 Flag for temporary Gr Sec Cor
79.27 Intersect West boundary
5 chs South of Cor to Secs.
7 & 18. from which Cor Bears
S 89° 58' East on true line
between Secs. 7 & 18
Var 13° 28' E

39.27 Raised Mound of Earth 2½
ft high from pits 18 x 24
in & 12 in deep for Gr
Sec Cor

79.27 Cor to Secs. 7. 8. 17 & 18
Land broken Sandy 3rd rate

Township No 21 North

North Cet Sec.s 7 & 8
Va 13° 28' E

40.00 Raised Mound of Earth 2½ ft high pum pits 18 × 24 in × 12 in deep for gr sec Cor

80.00 Raised Mound of Earth 3 ft high pum pits 18 × 24 in × 12 in deep for Cor to sec.s 5. 6. 7 & 8

Land Valling Sandy 3 Vat

Range No 30 West

East on random line Cet Sec.s 5 & 8
Va 13° 28' E

40.00 Flag for temporary gr Cor

79.70 Intersect N & S. line 37 links south of Cor to sec.s 4. 5. 8 & 9. from which Cor I view

S 89° 44' West on true line Cet Sec.s 5 & 8
Va 13° 28' E

39.85 Raised Mound of Earth 2½ ft high pum pits 18 × 24 in × 12 in deep for gr sec Cor

79.70 Cor to sec.s 5. 6. 7 & 8
Land Valling Sandy 3 Vat

Township No 26 North

	West on random line bet Sec^s 6 & 7
	Va 13° 28' E
40.00	Flag for temporary Gr sec Cor
78.94	Intersect West boundary 17 links North of Cor to Sec^s 6 & 7. pm which Cor I run
	N 89° 53' East on true line bet Sec^s 6 & 7
	Va 13° 28' E
38.94	Raised Mound of Earth 2 1/2 ft high pm pits 18 x 24 in x 12 in deep for Gr sec Cor
78.94	Cor to Sec^s 5. 6. 7. & 8
	Land Rolling Sandy 3 rate

Range No 30 West

	North on random line bet Sec^s 5 & 6
	Va 13° 28' E
40.00	Flag for temporary Gr sec Cor
47.00	Enter Valley N.W. & S.E.
64.00	Marshy Swail S.E.
65.50	Leave Swail S.E.
80.52	Intersect North boundary 95 links East of Cor to Sec^s 5 & 6. pm which Cor I run
	S 41' East on true line bet Sec^s 5 & 6
	Va 13° 28' E
40.52	Raised Mound of Earth 2 1/2 ft high pm pits 18 x 24 in x 12 in deep for Gr sec Cor
80.52	Cor to Sec^s 5. 6. 7 & 8
	Land Rolling Sandy 3 rate
	" Valley Second rate

Nov. 22^d 1876

General Description

This township is Composed of Rolling poor 2 Rate Land Soil Sandy the Valleys are a little better than the high lands, Soil 2 Rate a ~~Lake~~ & Swamp or Marsh Swail is found along the North Tier of Section. a Lake is found in Sec^s. 1 & 12. Good Water is found in this Valley, good grasses is found over the Surface of the Township well adapted to Stock & Might be used for the Cultivation of Small Grain in the Valleys

List of Names

A list of the Names ~~and~~ of the individuals employed to assist in Surveying and Subdividing Township No 26 North of base line of Range No 30 West of 6th P.M. in Nebraska & Showing the respective Capacities in which they acted.

Frank Foutz Chainman
A. E. Sturgis Chainman
W. B. Thompson Mounduran
Alfred Davis Flagman

We do hereby certify that we assisted Jas W. La Monnyon deputy Surveyor in Surveying and Subdividing township No 26 North of base line of Range No 30 West of 6th P.M. in Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General of dimensions Character Construction & Marking and in the manner as specifically described in the foregoing field Notes

Frank Fants, Chainman
A. E. Sturgis Chainman
W. B. Thompson. Monuman
Alfred Davis Flagman

Signed in my presence and sworn to by the above named persons before me the undersigned this 10 day of December 1876

O R Goodale
Notary Public for
Lincoln Co Nebra

I Ira W. La Munyon Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein E. E. Cunningham Fred M Dorrington Alonzo Cunningham Geo. W. Fairfield & Ira W. La Munyon are joint Contractors with John R. Clark United States Surveyor General for Nebraska & Iowa bearing date Sept 6th 1876. I have well faithfully and truly, in my own proper person and in strict Conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No 26 North of base line of Range No 30 West of the 6th P. M. in Nebraska as are represented in the foregoing field Notes as having been surveyed under my direction and I do further solemnly swear that all the Corners of such surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions of Surveyor General of dimensions character construction and Marking and in the manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such Survey

Ira W La Munyon
Deputy Surveyor

Signed in my presence and sworn to before me the undersigned this 10th day of Dec 1876

O R Goodale
Notary Public
Lincoln Co Neba

Surveyor Genl's office
Washington Jan 24th 1877

The foregoing field Notes of the Survey and subdivision of Township No 26. North of base line of Range No 30 West of 6th P. M. in Nebraska executed by Ira W. La Munyon under Joint Contract No 104. dated Sept 6th 1876. in the Month of Nov 1876. having been critically examined, the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

Jno. A. Clark
Surveyor General

Field Notes of survey
and subdivision of
Township No. 27.
North of the base line
of
Range No. 30 West of
6th P. M.
in the
State of Nebraska

Executed by D. V.
Stephenson Deputy Surveyor
under Joint contract
No 118 Dated July 25th 1848

Aug 31st Survey Commenced
Sept 6th " Completed

List of Names

J. D. Benner	Chainman
M. B. Hardin	do
A. R. Bowen	Mounduman
J. C. Boyd	Flagman

Town. 27 N. Range 30 W.

6	60	5	44	4	33	3	23	2	12	1
54		55		43		32		22		11
7	57	8	42	9	31	10	21	11	10	12
56		55		41		30		20		9
18	54	17	40	16	29	15	19	14	8	13
53		52		39		28		18		7
19	51	20	38	21	27	22	17	23	6	24
50		49		37		26½		16		5
30	48	29	36	28	26	27	15	26	4	25
47		46		35		25		14		3
31	45	32	34	33	24	34	13	35	2	36

Town 27 N Range 30 W

To find the proper adjustment of my Compass, for the subdivision of this Township, I begin at the Cor. to Townships 26 and 27 North, of Ranges 29 and 30 West and run north on a blank line along the East Boundary of Sec. 36

Va 13° 30' E

40.00 To a point 30 lks N of ¼ Sec Cor

80.00 To a point 70 lks N of Cor to Sec. 25, 26, 35 and 36

Therefore to run a line parallel thereto my Compass must be adjusted to a

Va 13° 00' E.

Township 27 Range 30 W.

From the corners to Sec. 35 and 36 on South boundary of Township I run North bet Sec's 35 and 36

39.00 Enter Upland. Va 13°00 E.

40.00 Raised Mound of Earth 2½ ft high from Pits 18 x 24 x 12 in Deep for ¼ Sec Cor. M.S.W.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep And drove Willow Stake 2 x 2 in and 2 ft in S.E. pit for Cor. to Sec's 25. 26. 35 and 36

Land rolling & Sandy Soil 2nd Rate

Town 27 W. Range 30 W.

East on a random Line Bet. Sec's 25 and 36

12.00 Enter Bottom N.S. Va 13°00 E

40.00 Set temporary ¼ Sec. Cor.

80.60 Intersect E. Boundary of Township at Cor. to sec's 25 and 36. from which Cor I run

West on a true Line bet. Sec's 25 and 36.

Va 13°00 E

40.30 Raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

80.60 To Cor to Secs 25. 26. 35 and 36

Land rolling and Sandy Soil 2nd Rate

Town 27 N Range 30 W.

North bet. Secs 25 and 26

25.00 Enter Bottom Mile V a 13°00 E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep. Drove Willow Stake 2 x 2 in and 2 ft in SE Pit for Cor to Sec's 23. 24. 25 and 26

Land level and Sandy Soil 2nd Rate

Town 27 N Range 30 W.

East on a Random line Bet. Sec's 24 and 25 V a 13°00 E.

40.00 Set Temporary ¼ Sec. Cor.

80.45 Intersect East boundary of Township 12 lks. S. of Cor to Sec's 24 and 25. from which Cor I run South 89°55 West on true line bet. Sec's 24 and 25 V a 13°00 E

40.22½ Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

80.45 To Cor. to Secs. 23. 24. 25 and 26

Land rolling and Sandy Soil 2nd Rate

Town 27 N. Range 30 W.

North on true line bet
Sec's 23 and 24
Va 13°00 E

40.00 Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep
for ¼ Sec. Cor.

80.00 Deposited Charcoal
Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep
Drove Willow Stake
2 x 2 in and 2 ft in S.E. pit
for Cor to Sec's 13.14.23 + 24
Land rolling + Sandy
Soil 2nd Rate

Town 27 N Range 30 W.

East on a random line
bet. 13 and 24.

10.00 Enter Upland Mwd 16 Va 13°00 E
20.00 Island Island Bld Hill, Road Mwd 16
40.00 Set temporary ¼ Sec. Cor.

80.70 Intersect E. boundary of
Township 5 lks North of
Cor. to Sec's 13 and 24 from
which Cor. I run
North 89°58 West on true line
bet Sec 13 and 24
Va 13°00 E.

40.35 Raise Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec. Cor.

80.70 To Cor to Sec's 13.14.23 + 24
Land rolling and Sandy
Soil 2nd Rate

Town 27 N Range 30 W

North bet Sec's 13 and 14

12.00 Enter Upland Var 13°00 E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep Drove Stake in S.E. pit 2 x 2 in and 2 ft for cor. to Sec's. 11, 12, 13 and 14

Land Rolling

Soil 2nd Rate

Town 27 N. Range 30 W

East on a Random line bet. Sec's 12 and 13

4.00 Crossed Island Var 13°00 E.

40.00 Set temporary ¼ Sec. Cor.

80.60 Intersected E boundary of Township 7 lks N of Cor's to Sec's 12 and 13 from which Cor I run

N 89°57' W. on a true line bet. Sec's 12 and 13.

Var 13°00 E

40.30 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor.

80.60 To Cor to Sec's 11.12.13 & 14

Land Level

Soil 2nd Rate

Town 27 N Range 30 W

North on a true line bet
Sec's 11 and 12
Va 13°00 E
5.00 Grand Island Bet Hills Road Mn Sc.
23.00 Enter Bottom Mn Sc.
40.00 Raised Mound of
Earth 2½ ft high from
pits 18 x 24 x 12 in Deep
for ¼ Sec. Cor
44.80 Creek 10 lks wide S.E.
80.00 Deposited Charcoal
Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep
Drove Stake 2 x 2 in
and 2 ft in S.E pit
for Cor to Sec's 1.2.11 and 12
Land level
Soil 2nd Rate.

Town 27 N Range 30 W

East on a random line bet
Sec's 1 and 12
Va 13°00 E
8.00 North Loup River East
28.00 North Bank River S.E.
40.00 Set Temporary ¼ Sec Cor
60.00 Foot of Hills N W and S E.
80.00 Intersect East boundary of
Township at cor. to sec's
1 and 12. from which Cor.
I run
West on a true line bet
Sec's 1 and 12
Va 13°00 E
40.00 Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec. Cor.
80.00 Cor. to Sec's 1.2.11. and 12
Land level & Rolling
Soil 2nd Rate

Town 27 N. Range 30 W.

North on a random line
bet Sec's 1 and 2
Va 13° 00 E
2.00 Loup River 2 chs wide
South East
30.00 Foot of Hills
40.00 Set temporary 1/4 Sec Cor.
79.20 Intersect North boundary
of Township 95 lks E.
of Cor to Sec's 1 and 2 from
which Cor. I run
S 41 East on true line
bet. Sec's 1 and 2
Va 13° 00 E
39.20 Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep
for 1/4 Sec Cor.
79.20 To Cor to Sec's 1. 2. 11. and 12
Land Bottom and Rolling
Soil 2nd Rate

Town 27 N Range 30 W.

From Cor to Sec's 34 and 35
on S. Boundary of Township
I run
North on a true line
Bet. Sec's 34 and 35
Va 13° 00 E.
40.00 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for 1/4
Sec. Cor.
80.00 Deposited Charcoal raised
Mound of Earth 2½ ft high
from pits 18 x 24 x 12 in Deep
Drove Stake 2 x 2 in 2 ft in S.E
pit for Cor to Sec's 26. 27. 34. 35
Land Rolling & Sandy
Soil 2nd Rate

September 1st 1878

Town 27 N Range 30 W

East on a Random line
Bet. Sec's 26 and 35
Va 13°00 E

40.00 Set temporary ¼ Sec Cor
79.14 Intersect N. and South line
9 lks North of Cor to Sec's
25. 26. 35 and 36 from which
Cor. I run
N 89°56 W on true line
Bet. Sec 26 and 35
Va 13°00 E

39.57 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec Cor.

79.14 Cor. to Sec's 26 & 27. 34 & 35
Land Rolling and Sandy
Soil 2nd Rate

Town 27 N Range 30 W.

North bet. Sec's 26 and 27
Va 13°00 E

40.00 Raised mound of earth
2½ ft high from pits 18 x 24 x
12 in Deep for ¼ Sec. Cor.

60.00 Enter bottom W 84.56.

80.00 Deposited Charcoal,
raised mound of earth 2½
ft high from pits 18 x 24
x 12 in Deep Drove Stake
2 x 2 in and 2 ft in S.E pit
for Cor to Sec's 22. 23. 26
and 27.
Land rolling & Bottom
Soil 2nd Rate

Town 27 N. Range 30 W.

East on random bet
23 and 26
Va 13° 00 E

40.00 Set temporary ¼ Sec Cor
80.00 Intersect N and South
line 10 lks north of cor
to Sec's 23.24.25 & 26
from which cor I run
N. 89° 56 West on a true
line bet Sec's 23 and 26
Va 13° 00 E

40.00 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec Cor.
80.00 Cor to Sec's 22.23.26 and 27
Land Level
Soil 2nd Rate

Town 27 N Range 30 W.

North bet. Sec's 22 and 23
Va 13° 00 E.
40.00 Raised Mound of earth
2½ ft high from pits 18 x 24 x 12
in Deep for ¼ Sec. Cor
80.00 Deposited charcoal raised
Mound of earth 2½ ft high
from pits 18 x 24 x 12 in Deep
Drove Stake 2 x 2 in and 2 ft
in S. E. pit for Cor to Sec's
14. X 5. 22. and 23
Land level
Soil 2nd Rate

Town 27 N Range 30 W.

		East on a random line bet Sec's 14 and 23 Va 13°00 E
40	40.00	Set temporary 1/4 Sec Cor
80	79.10	Intersect W and S line 15 lks W of Cor to Sec's 13.14.23 and 24 from which Cor I run
		W. 89°54 West on true line bet. Sec's 14 and 23 Va 13°00 E
40	39.55	Raised Mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec Cor.
80.	79.10	Cor to Sec's 14.15.22 + 23
		Land gently rolling Soil 2nd Rate

Town 27 N Range 30 W.

		North bet Sec's 14 and 15 Va 13°00 E
40.00		Raised Mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec Cor.
48.00		Stream 20 lks wide N.E and S.W.
64.00		Enter replands. E and W
80.00		Deposited Charcoal raised Mound of earth 2½ ft high from pits 18×24×12 in Deep drove stake 2×2 in and 2 ft in S E pit for Cor to Sec's 10.11.14 and 15.
		Land Bottom + Rolling Soil 2nd rate

Town 27 N Range 30 W

		East on a random line between Sec's 11. and 14 Va 13°00 E
	14.00	Enter bottom N & S.
40.	20.00	Stream 20 lks wide NW and S. E
80.	22.00	Leave bottom
	40.00	Set temporary 1/4 Sec. cor.
	49.72	Intersect N. and S line 55 lks North of Cor to Sec's 11. 12, 13 and 14 from which Cor I run
		North 89°36 West on a true line bet. Sec's 11. and 14 Va 13°00 E
40	39.86	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec Cor
80	49.72	To Cor to Sec's 10. 11. 14 and 15
		Land Bottom + Rolling Soil 2nd Rate

Town 27 N. Range 30 W.

		North bet. Sec's 10. and 11. Va 13°00 E
	19.00	Enter bottom E. & W
	40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec Cor.
	63.00	Enter uplands E & W
	80.00	Deposited Charcoal and raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep
		Drove Stake 2 x 2 in and 2 ft in S E pit for Cor to Sec's. 2. 3. 10 and 11
		Land Bottom + Rolling Soil 2nd Rate

Town 27 N. Range 30 W

East on a random line
bet. Sec's 2 and 11.
Va 13°00 E

20.00	Enter bottom N W SE
23.80	Black Hills road NW SE
40.00	Set temporary 1/4 Sec cor
80.00	Intersect N and S. line 6 lks north of cor to Sec's 1. 2. 11 and 12 from which Cor S run

W 89°57 West on a true line bet Sec's 2 and 11
Va 13°00 E

40.00	Raised mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec. cor.
80.00	Cor. to Sec's 2. 3. 10. and 11 Land Mostly Bottom Soil 2nd Rate

September 2 1878

Town 27 N Range 30 W.

North on a random line bet Sec's 2 and 3
Va 13°00 E

27.00	Enter bottom NW SE
28.00	Black Hills Road NW SE
40.00	Set temporary 1/4 Sec. Cor.
48.40	North Loup River N.W. and S.E. 2 chs and 10 lks wide
53.00	Enter uplands NW SE
79.15	Intersect N. boundary of Township 50 lks E. of Cor to Sec's 2 and 3. from which Cor S run

S 21 East on a true line bet Sec's 2 and 3
Va 13°00 E.

39.15	Raised mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec cor.
79.15	Cor. to Sec's 2. 3. 10 and 11 Land Mostly bottom Soil good 2nd rate

Town 27 N. Range 30 W.

North bet. Sec's 33 and 34
Va 13°00 E.

40.00 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec. cor.

80.00 Deposited charcoal and
raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep Drove
Stake 2 x 2 in and 2 ft
in S.E. pit for Cor to Sec's
27, 28, 33 and 34.
Land Rolling & Sandy
Soil 2nd rate.

Town 27 N Range 30 W

East on a random line
bet. Sec's 27 and 34
Va 13°00 E.

40.00 Set temporary ¼ Sec. Cor
79.75 Intersect N and S. line
41 lks S. of Cor to Sec's 26, 27
34 and 35. from which Cor.
I run
S. 89° 43' W on a true line
bet Sec's 27 and 34.
Va 13°00 E.

39.87 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec. cor.

79.75 Cor. to Sec's 27, 28, 33 and 34
Land Rolling
Soil 2nd Rate

Town 27 N. Range 30 W.

North bet. Sec's 27 and 28
Va 18°00 E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

65.00 Enter Valley E & W

80.00 Deposited Charcoal Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep drove Stake 2 x 2 in and 2 ft in S.E. pit for cor to Sec's. 21. 22. 27 and 28.
Land Rolling & valley
Soil 2nd Rate.

Town 27 N Range 30 W

East on a Random line bet Sec's 22 and 27
Va 13°00 E.

40.00 Set temporary ¼ Sec Cor.

79.50 Intersect N and S line 82 lks W. of Cor to Sec's 22. 23. 26 and 27 from which Cor. S run
N 89° 25' West on true line bet Sec's 22 and 27
Va 13°00 E

39.75 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

79.50 Cor to Sec's. 21. 22. 27 and 28.
Land Bottom
Soil good 2nd Rate.

Town 27 N Range 30 W.

North bet Sec: 21 and 22
Va 13°00 E

30.00 Entered upland E & W

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

80.00 Deposit Charcoal raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep drove Stake 2 x 2 in and 2 ft in S. E. pit for Cor to Sec's 15, 16, 21 and 22
Land Rolling & Bottom
Soil 2nd Rate

Town 27 N Range 30 W.

East on a random line bet. Sec's 15 and 22
Va 13°00 E.

40.00 Set temporary ¼ Sec. Cor

50.00 Enter Bottom N & S.

79.43 Intersect N. and S line 20 lks S. of Cor to Sec's 14, 15, 22 and 23. from which Cor. S run
S 89°57 W. on a true line bet. Sec's 15 and 22
Va 13°00 E

39.72 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor

79.43 Cor to Sec's 15, 16, 21 and 22
Land Bottom and Rolling
Soil 2nd Rate.

Town 27 N Range 30 W.

	North bet Sec's 15 and 16 Va 13°00 E
21.00	Enter Bottom E & W
27.00	Creek 20 lks wide E & W
31.00	Enter upland E & W.
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.
80.00	Deposited Charcoal Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep above stake 2 x 2 in and 2 ft in S. E. pit for Cor to Sec's 9. 10. 15 and 16 Land Bottom & Rolling Soil 2nd Rate

Town 27 N Range 30 W

	East on a random line bet. Sec's 10 and 15 Va 13°00 E
40.00	Set temporary ¼ Sec. Cor.
79.15	Intersect W and S line 70 lks S. of Cor to Sec's 10. 11. 14 and 15 from which Cor I run S. 89°30 W on a true line bet Sec's. 10. and 15 Va 13°00 E.
39.57	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.
79.15	Cor. to Sec's 9. 10. 15 and 16 Land Rolling & Sandy Soil 2nd Rate.

Town 27 N. Range 30 W.

North bet. Sec's 9. and 10.
Va 18°00 E

40.00 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec. Cor.

80.00 Deposited Charcoal
Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep
drove Stake 2 x 2 in
and 2 ft in S.E. pit for
Cor to Sec's 3. 4. 9. and 10
Land Rolling + Sandy
Soil 2nd Rate

September 3rd 1848

Town 27 N Range 30 W.

East on a random
line bet. Sec's 3 and 10
Va 18°00 E.

40.00 Set temporary ¼ Sec. Cor.

79.60 Intersect N and S line
39 lks S. of Cor to Sec's
2. 3. 10 and 11 from which
Cor I run
S 89°43' West on a true
line bet Sec's 3 and 10.
Va 18°00 E

39.80 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec. Cor.

79.60 Cor to Sec's 3. 4. 9. and 10.
Land Rolling + Sandy
Soil 2nd rate

Town 27 N Range 30 W.

North on a random line bet. Sec's 3 and 4
Va 13°00 E

40.00 Set temporary 1/4 Sec Cor.

75.00 Enter Bottom E & W.

76.00 Wrand Bland & Blk Hills Road E.W.

79.00 Intersect N. boundary of Township 93 lks E of Cor to Sec's 3 and 4 from which cor I run S. ~~20~~ 140' E on a true line bet Sec's 3 and 4.
Va 13°00 E

39.00 Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec Cor

79.00 Cor to Sec's 3. 4. 9 and 10.
Land Rolling
Soil 2nd Rate.

Town 27 N Range 30 W.

North bet. Sec's 32 and 33
Va 13°00 E

40.00 Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. Cor.

80.00 Deposited Charcoal Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep drove Stake 2 x 2 and 2 ft in S.E. pit Cor. to Sec's 28. 29. 32 and 33
Land rolling & Sandy
Soil 2nd Rate.

Town 27 N Range 30 W

	East on a random line bet. Sec's 28 and 33
25.00	Enter Hill Va 13°00 E.
40.00	Set temporary 1/4 Sec cor
79.74	Intersect N and S line 29 lks W. of Cor. to Secs 27.28.33 and 34 from which cor. I run N 89°48 west on a true line bet. Secs 28. and 33.
	Va 13°00 E
39.87	Raised Mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec. cor.
79.74	To Cor Sec's 28.29.32 and 33
	Land Rolling & Sandy
	Soil 2nd rate

Town 27 N Range 30 W

	North bet. Sec's 28 and 29
	Va 13°00 E
40.00	Raised Mound of earth 2½ ft high from pits 18×24×12 in Deep for 1/4 Sec. Cor.
58.00	Leave Bottom E&W
80.00	Deposited Charcoal
	Raised Mound of earth 2½ ft high from pits 18×24×12 in Deep
	drove Stake 2×2 in and 2 ft in S.E. pit for Cor to Sec's 20.21.28 and 29
	Land Rolling & Bottom
	Soil 2nd Rate

Town 27 N Range 30 W.

		East on a random line bet Sec's 21 and 28. Va 13° 00 E
4	40.00	Set temporary 1/4 Sec
8	64.00	Cor. Enter Bottom N & S.
	79.80	Intersect N and S. line 10 chs W. of cor to Sec's 21. 22 27 and 28 from which cor I run W. 89° 52 West on a true line bet Sec's 21 and 28 Va 13° 00 E
4	39.90	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. cor.
80	79.80	Cor to Sec's 20. 21. 28 & 29 Land mostly bottom Soil 2nd rate.

Town 27 Range 30 W.

	North bet Sec's 20 and 21 Va 13° 00 E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec cor.
80.00	Deposited Charcoal Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep drove Stake 2 x 2 in and 2 ft in S. E. pit for cor to Sec's 16. 17. 20 and 21. Land Chiefly Bottom Soil 2nd Rate

Town 27 N Range 30 W.

East on a random line
bet Sec's 16 and 21
Va 18°00 E
40.00 Set temporary ¼ Sec
Cor
79.65 Intersect N and S
line at Cor to Sec's
15. 16. 21 and 22 from
which Cor. I run
West on a true line
bet Sec's 16 and 21
Va 13°00 E
39.82 Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec cor
79.65 Cor to Sec 16. 17. 20 + 21
Land gently Rolling
Soil 2nd Rate.

Town 27 N. Range 30 W

North bet Sec's 16. and 17
33.00 Enter Bottom Va 13°00 E.
40.00 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in. Deep for ¼
Sec. Cor.
48.28 Bank of Creek 2 chs
54.00 Enter upland Wide S.E course
80.00 Deposited Charcoal
Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep Drove
Stake 2 x 2 in 1 and 2 ft. in S.E. pit for Cor.
to Sec's. 8. 9. 16 and 17
Land Rolling + Bottom
Soil 2nd Rate

Town 27 N. Range 30 W.

	East on a Random line bet. Sec's 9 and 16. Va 13°00 E
40.00	Set temporary 1/4 Sec cor
79.88	Intersected N and S line 40 lks W. of cor to sec's 9.10.15 and 16 from which Cor. I run N. 89°43 West on a true line bet Sec's 9. and 16. Va 13°00 E.
39.94	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. Cor.
79.88	To Cor.s to Sec's 8.9.16 and 17. Land Rolling Soil 2nd Rate

Town 27 North Range 30 W.

	North bet. Sec's 8 and 9 Va 13°00 E.
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. cor.
80.00	Deposited Charcoal Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep drove Stake 2 x 2 in and 2 ft in S.E. pit for cor. to sec's 4.5.8 and 9. Land Rolling Soil 2nd Rate.

September 4th 1848

Town 27 N Range 30 W.

East on a random line
bet. Sec's 4 and 9.
Va 13°00 E.

40.00 Set temporary 1/4 Sec. Cor.
79.24 Intersected W and S line
14 lks W of Cor. to Sec's
3.4.9 and 10 from which
Cor. I run
N 89°54 W. on a true line
bet Sec's 4 and 9
Va 13°00 E

39.62 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for 1/4
Sec Cor.

79.24 Cor to Sec's 4.5.8 and 9.
Land gently Rolling
Soil 2nd Rate.

Town 27 N. Range 30 W.

North on a random line
bet Sec's 4 and 5.
Va 13°00 E.

40.00 Set temporary 1/4 Sec. Cor.
79.40 Intersected N. Boundary
of Township 95 lks E.
of Cor. to Sec's 4 and 5
from which I run
S ~~18~~ 41' E on a true line
bet. Sec's 4 and 5.
Va 13°00 E.

39.40 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
1/4 Sec Cor.

79.40 Cor. to Sec's 4.5.8 and 9.
Land Rolling
Soil 2nd Rate.

Town 27 N. Range 30 W.

North bet. Sec's 31 and 32.
Va 13°00 E.

30.00 Left Bottom N & S W

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep Drove stake in S.E. pit for Cor to Sec's 29.30.31 and 32
Land Level
Soil 2nd rate

Town 27 N. Range 30 W.

East on a Random line bet. Sec's 29 and 32
Va 13°00 E.

30.00 Left Ridge and entered Bottom

40.00 Set temporary ¼ Sec. Cor. (N & S)

79.15 Intersected N and S. Line 53 lks N. of cor. to Sec's 28.29.32 and 33. from which Cor. I run.
N 89°37 W. on a true line bet. Sec's 29 and 32
Va 13°00 E.

39.57 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor.

79.15 Cor to Sec's 29.30.31 and 32.
Land Level
Soil 2nd rate

Town 27 Range 30 W.

West on a random line
bet Sec's 30 and 31
Va 13°00 E.

40.00 Set temporary 1/4 Sec. Cor.

79.25 Intersected W. boundary
of Township 80 lks N of
Cor. to Sec's 30 and 31 from
which Cor I run
N 89°26 E. on a true line
bet. Sec's 30 and 31
Va 13°00 E.

39.25 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
1/4 Sec cor.

79.25 Cor to Sec's 29.30.31 and 32.
Land Rolling
Soil 2nd Rate

Town 27 N Range 30 W

North bet. Sec's 29 and 30
Va 13°00

11.00 Entered Bottom E & W.

40.00 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
1/4 Sec. cor.

67.00 Left Bottom and enter Hills E & W

80.00 Deposited charcoal
Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep drove
Stake 2 x 2 in and 2 ft in
S.E. pit for cor to Sec's
19.20.29 and 30.
Land Mostly Bottom
Soil 2nd Rate.

Town 27 N. Range 30 W.

East on a random line
bet Sec's 20 and 29
Va 13°00 E.

40.00 Set temporary 1/4 Sec. Cor.

80.00 Intersected W and S line
20 lks N. of cor. to Sec's
20, 21, 28 and 29 from which
Cor I run
N 89°52 West on a true
line bet. Sec 20 and 29
Va 13°00 E.

40.00 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
1/4 Sec. Cor.

80.00 Cor. to Sec's 19, 20, 29 and 30.
Land Rolling
Soil 2nd Rate

Town 27 N. Range 30 W.

West on a random line
bet. Sec's 19 and 30
Va 13°00 E.

40.00 Set temporary 1/4 Sec. Cor.

79.27 Intersected W. boundary
of Township 90 lks N of Cor
to Sec's 19 and 30 from which
cor I run
N 89°22½ E. on a true line
bet Sec's 19 and 30.
Va 13°00 E.

39.27 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for 1/4
Sec. Cor.

79.27 Cor. to Sec's 19, 20, 29 and 30.
Land Rolling
Soil 2nd Rate

Town 27 N Range 30 W

North bet. Sec's 19 & 20.
Va 13°00 E.

40.00 Raised mound of Earth
2½ ft high from pits
18 × 24 × 12 in Deep for
¼ Sec. Cor.

64.00 Left Ridge and Entered Bottom (E.W)

80.00 Deposited charcoal
Raised mound of Earth
2½ ft high from pits
18 × 24 × 12 in Deep
Drove Stake 2 × 2 in and
2 ft in S.E. pit for cor
to Sec's 17.18.19 & 20
Land Rolling
Soil 2nd Rate

Town 27 N. Range 30 W.

East on a Random line
bet. Sec's 17 & 20.
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.

41.00 Left Bottom and Entered upland

80.25 Intersect N and S. line (N&S)
40 lks North of cor. to Sec's
16.17.20 & 21. from which cor.
I run
N 89°43 W on a true line
bet. Sec's 17 & 20
Va 13°00 E.

40.12 Raised mound of Earth
2½ ft high from pits
18 × 24 × 12 in Deep for
¼ Sec. cor.

80.25 Cor. to Sec's 17.18.19 & 20
Land Rolling & Bottom
Soil 2nd Rate.

Town 27 N Range 30 W

	West on a Random line bet Sec's 18 & 19 Va 13°00 E.
37.00	Left Bottom Entered uplands
40.00	Set temporary 1/4 Sec. Cor. N.S.
79.00	Left upland Entered Bottom N.S.
79.60	Intersected W. boundary of Township 80 lks North of Cor. to Sec's 18 & 19 from which Cor. A pine N. 89°26 E. on a true line bet. Sec's 18 & 19. Va 18°00 E.
39.60	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. Cor.
79.60	Cor. to Sec.s 17, 18, 19 & 20. Land Bottom and upland Soil 2nd Rate

September 5. 1878

Town 27 N Range 30 W

	North bet. Sec's 17 & 18.
39.00	Enter upland Va 13°00 E.
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for 1/4 Sec. Cor.
77.00	Left Ridge & Entered Bottom N.W.
78.00	Creek 20 lks wide E.
80.00	Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep Drove Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Sec's 7, 8, 17 & 18. Land Rolling Soil 2nd Rate.

Town 27 N Range 30 W.

East on a random line
bet. Sec's 8 and 17.
Va 15°00 E

5.00 Left Bottom and entered
upland NW. SE

40.00 Set temporary ¼ Sec. Cor.

80.09 Intersected N and S. line
70 lks North of cor to Sec's
8.9.16 and 17 from which
cor. I run
N 89° 30 W. on a true line
bet. Sec's 8 and 17.
Va 13°00

40.04 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec. Cor.

80.09 Cor to Sec's 7.8.17 and 18
Land Rolling
Soil 2nd Rate

Town 27 N. Range 30 W.

West on a random line
bet. Sec's 7 and 18
Va 15°00 E.

2.00 Creek 10 lks Wide S.E.

8.00 Enter Upland NW. SE

40.00 Set temporary ¼ Sec. Cor.

79.39 Intersected N. boundary
of Township 63 lks N. of
cor. to Sec's 7 and 18 from
which cor. I run
N 89° 33 E. on a true line
bet. Sec's 7 and 18.
Va 13°00 E.

39.39 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec. cor.

79.39 Cor to Sec's 7.8.17 and 18.
Land Rolling
Soil 2nd Rate.

Town 27 N Range 30 W.

	North bet Sec's 7 and 8
7.00	Enter. upland Va 13°00 E NW & SE
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. cor.
80.00	Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep Drove Stake 2 x 2 in and 2 ft in S.E. pit for Cor. to Sec's 5.6.7. and 8
	Land Rolling Soil Sandy 2nd Rate

Town 27 N Range 30 W.

	East on a random line bet Sec's 5 and 8. Va 13°00 E
40.00	Set temporary ¼ Sec. cor.
80.00	Intersect N and S line at cor to Sec's 4.5.8 and 9 from which cor. I run W on a true line bet Sec's 5 and 8 Va 13°00 E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. cor.
80.00	Cor. to Sec's 5.6.7. & 8
	Land Rolling Soil 2nd Rate

Town 27 N Range 30 W.

	West on a random line bet. Sec's 6. and 7 Va 13°00 E
40.00	Set temporary ¼ Sec cor
79.72	Intersect N. boundary of Township 37 lks W. of cor to Sec's 6 and 7. from which cor. I run N 89°36 E on a true line bet. Sec's 6 and 7 Va 13°00 E.
39.72	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. cor.
79.72	Cor to sec's 5. 6. 7 and 8. Land Rolling Soil 2nd Rate

Town 27 N Range 30 W

	North on a random line bet Sec's 5 and 6. Va 13°00 E.
40.00	Set temporary ¼ Sec. Cor.
80.00	Intersect N. boundary of Township 78 lks E. of Cor to Sec's 5 and 6. from which cor. I run S. 35¾ E on a true line bet. Sec 5 and 6 Va 13°00 E.
40.00	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor
80.00	Cor to Sec's 5. 6. 7 and 8. Land Rolling Soil 2nd Rate.

September 6th 1878

Town 27 N Range 30 W

General Description

This Township Contains a good quantity of Valley land fit for Cultivation. Along the Creek which enters in Sec 7 and empties into the N Loup River in Sec 12 also along the Loup River which runs across the N Eastern part. from Secs 3 to 12. also in South part of Township. in Secs 26. 27. 28. 33. 34 & 35 The Upland or Rolling prairie is well Clothed with grass & affords excellent pasture. Water is abundant. but no Timber found.

Town 27 N Range 30 W

List of Names

A List of names of the individuals employed to assisst in running measuring & marking the lines and Corners described in the foregoing field Notes and showing the respective Capacities in which they acted

J. D. Benner Chainman
M. B. Hardin Chainman
A. R. Bowen Mornadman
F. C. Boyd Flagman.

Town 27 N Range 30 W

We do hereby Certify that we assisted D. V. Stephenson Deputy Surveyor in Surveying and Subdividing Township No 27 North of the Base line Range No 30 West of the 6th Principal Meridian in Nebraska and that said Township has been in all respect to the best of our knowledge & belief well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General of Dimensions Character Construction & marking & in the manner as specifically described in the foregoing field Notes

J. D. Benner Chainman
M. B. Hardin Chainman
A. R. Bowen Moundman
F. C. Boyd. Hayman

Town 27 N Range 30 W.

Subscribed in my presence and sworn to before me this 18th day of Sept. 1878.

J. L. Stephens
Notary Public in and for Valley County State of Nebraska

Town 24 N Range 30 W.

I, D. V. Stephenson Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein D. V. ~~Stephenson~~ Stephenson. S. C. McElroy and N. S. Scott are Joint Contractors with J. R. Clark United States Surveyor General for the District of Nebraska & Iowa bearing date July 25th 1878 I have well faithfully and truly in my own proper person and in strict Conformity with the instruction furnished by the Surveyor General the Surveying Manual and the Laws of the United States Surveyed all those parts or portions of Township No 24 North of the Base line Range No 30 West of the 6th principal meridian

Town 24 N Range 30 W

in Nebraska as are represented in the foregoing field notes as having been surveyed under my direction, and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual printed instructions and Special instructions of the Surveyor General of the Dimensions Character Construction & Marking & in the manner as specifically described in the foregoing field notes & that the foregoing are the true & original field Note of such Survey.

David V Stephenson
Deputy Surveyor.

Subscribed in my presence and sworn to before me this 18th day of Sept. 1878. J. S. Stephens Notary Public
In and for Valley County State of Nebraska

Surveyor General's Office
Plattsmouth Neb. Nov. 11th 1878

The foregoing field Notes of the Survey & Subdivision of Township No 27 North of the Base Line, of Range No 30 West of the 6th Principal Meridian in the State of Nebraska. Executed by David V. Stephenson Deputy Surveyor under joint Contract No 108 dated July 25th 1878, in the months of August & Sept. 1878, having been critically Examined the necessary corrections and Explanations made the said field Notes and the surveys they describe are hereby approved.

[signature]
Surveyor General

Field Notes of Survey and
Subdivision of Township
28 North of the base line
of
Range No 30 West of the
6th P.M.
In the State of
Nebraska

Executed by N. S. Scott
Deputy Surveyor
under Joint contract
No 108 Dated July 25th 1878

Sept 7 1878 Survey commenced
do 13th 1878 Completed

List of Names

Wm Barr	Chainman
F. J. Thurman	do
Alanson S Moon	Moundman
Geo. W. Little	Flagman

Town 28 N Range 30 W

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

To find the proper adj-
-ustment of my Compass
for the subdivision of this
Township I begin at the Cor. to Town-
-ships 27 and 28 North of
Ranges 29 and 30 W. and
run W. on a blank line
along the East boundary
of Sec. 36

Va 13° 15' E

40.00 To a point 17 lks West of 1/4
Sec Cor

80.00 To a point 35 lks W of cor
to Sec 25.26.35 & 36

Therefore to run a line par-
-allel thereto my Compass
must be adjusted to a
Va 13° 00' E

Town 28 N Range 30 W.

From the cor.s to Sec's 35 and 36. on S. boundry of Town-ship. I run W. bet Sec's 35 and 36

Va 13°00 E.

40.00 Raised Mound of Earth 2½ ft high from pits 18×24×12 in Deep for ¼ Sec. Cor.

51.00 Enter Bottom NW SE.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18×24×12 in Deep and drove Stake 2×2 in and 2 ft in S.E. pit for cor. to Sec's 25.26.35 and 36.

Land Level Bottom Rolling

Soil 1st Rate

Town 28 N Range 30 W.

East on a random line bet. Sec's 25 and 36

Va 13°00 E.

23.60 Creek 15 lks wide W and S.

40.00 Set temporary ¼ Sec. Cor.

53.00 Left Bottom and entered ridge

80.00 Intersect E. boundary of Town ship at cor to Sec's 25 and 36 from which cor I run West on a true line bet Sec's 25 and 36

Va 13°00 E

40.00 Raised Mound of Earth 2½ ft high from pits 18×24×12 in Deep for ¼ Sec Cor.

80.00 To cor. to Sec's 25.26.35 and 36

Land Mostly Bottom

Soil 1st Rate

Town 28 N Range 30 W

North bet Sec's 25 and 26
Va 13°00 E

40.00 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep for
¼ Sec. Cor.

62.50 Creek 15 lks wide N.W. & S.E.

80.00 Deposited Charcoal
Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in Deep Drove
Stake 2 x 2 in and 2 ft
in S.E. pit for cor to Sec's
23. 24. 25 and 26
Land Valley.
Soil 2nd Rate

Town 28 N Range 30 W

East on a random line bet.
Sec's 24 and 25
Va 13°00 E

8.00 Left Bottom

40.00 Set temporary ¼ Sec. Cor.

80.35 Intersected East boundary
of Township 80 lks S. of cor's
to Sec's 24 and 25 from which cor
I run
S. 89°26 W. on a true line bet
Sec's 24 and 25
Va 13°00 E

40.17 Raised mound of earth
2½ ft high from pits
18 x 24 x 12 in Deep for ¼
Sec Cor.

80.35 To Cor. to Sec's 23. 24. 25 and 26.
Land Rolling
Soil 2nd Rate.

Town 28 N Range 30 W.

North bet. Sec's 23 and 24
Va 13°00 E

40.00 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec. Cor.

80.00 Deposited Charcoal
Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep Drove Stake 2 x 2 in and 2 ft in S. E. pit. for cor to Sec's 13.14.23 and 24
Land Level Bottom
Soil 1st Rate

Town 28 N. Range 30 W.

East on a Random line bet. 13 and 24
Va 13°00 E

30.00 Left Bottom

40.00 Set temporary ¼ Sec. Cor.

80.70 Intersected E boundary of Township 90 lks S of Cor. to Sec's 13 and 24. from which cor I run
S 89°25' West on a true line bet. Sec's 13 and 24
Va 13°00 E.

40.35 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in Deep for ¼ Sec Cor.

80.70 To Cor. to Sec's 13.14.23 and 24
Land Bottom & Rolling
Soil 2nd Rate

Town 28 N. Range 30 W

North bet. Sec's 13. and 14
Va 13°00 E.

35.00 Left bottom & Entered upland

40.00 Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for ¼ Sec. Cor.

60.00 Left upland Entered Valley

80.00 Deposited Charcoal raised Mound of Earth 2½ ft. high from pits 18x24x12 deep and drove Stake 2x2 in and 2 ft in S.E. pit for cor. to Sec's 11.12.13 and 14.
Land Bottom and Rolling
Soil 2nd Rate.

Town 28 N. Range 30 W.

East on a random line bet. Sec's 12 and 13.
Va 13°00 E.

37.00 Left Bottom and entered Ridge

40.00 Set temporary ¼ Sec. Cor.

80.74 Intersected E. boundary of Township S. 25 lks of cor. to Sec's 12 and 13. from which cor. I run
S 89°49' W. on a true line bet. Sec's 12 and 13
Va 13°00 E.

40.37 Raised mound of Earth 2½ ft high from pits 18x24x12 in Deep for ¼ Sec. Cor.

80.74 Cor to Sec's 11.12.13 and 14
Land Bottom and upland
Soil 2nd Rate.

Town 28 N. Range 30 W.

North bet. Sec's 11 and 12.
Va 13°00 E

28.00 Left Valley Entered upland.

40.00 Raised Mound of Earth 2½ ft high from pits 18×24×12 in Deep for ¼ Sec. Cor.

80.00 Deposit Charcoal raised Mound of Earth 2½ ft high from pits 18×24×12 in deep and drove Stake 2×2 in and 2 ft in S.E. pit for cor to Sec's 1.2.11 and 12.
Land Rolling and Bottom Soil 2nd rate.

Town 28 N. Range 30 W

East on a random line bet Sec's 1 and 12
Va 13°00 E

40.00 Set temporary ¼ Sec. Cor.

80.74 Intersected E. boundary of Township 95 lks S. of cor. to Sec's 1 and 12 from which cor I run
S. 89°19 W. on a true line bet. Sec's 1 and 12
Va 13°00 E.

40.37 Raised Mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

80.74 Cor to Sec's 1.2.11 and 12
Land Rolling
Soil 2nd Rate.

September 7th 1878

Town 28 N Range 30 W.

North on a true line
bet. Sec's 1 and 2.
Var 13°00 E

40.00 Raised a mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec Cor

82.40 Intersected 4th Standard
Parallel North 13.96 Chs
West of ¼ Sec Cor South
boundary of Sec 31 T
29 N Range 29 W.
Raised a mound of earth 2½
ft high from pit 18 x 24
x 12 in deep. drove stake
2 x 2 in x 2 ft in East pit
erected B. C. for closing
Cor to Sec's 1 & 2 Town
28 N Range 30 W.
Land Rolling
Soil 2nd Rate

Town 28 N Range 30 W

North bet. Sec's 34 and 35
Va 13°00 E.

40.00 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. Cor.

80.00 Deposited Charcoal, raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep, drove stake
2 x 2 in and 2 ft in S.E. pit
for Cor to Sec's
26. 27. 34 and 35
Land Rolling Good Grass
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line
bet Sec's 26 and 35.
Va 13°00 E.

36.00 Enter Valley NW SE
40.00 Temporary 1/4 Sec Cor

80.95 Intersected N and S. line
at cor. to Sec's
25.26.35 and 36 from which
Cor I run
West on a true line
bet Sec's 26 and 35
Va 13°00 E.

40.47 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

80.95 Cor. to Sec's 26.27.34 and 35
Land Rolling Valley
2nd Rate

Town 28 N. Range 30 W.

North bet Secs 26 and 27
Va 13°00 E

40.00 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep for.
1/4 Sec. Cor.

70.00 Foot of Hiles Enter
Valley W. & SE.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft
high from pits 18×24×12
in deep. drove Stake
2×2×in and 2 ft in S.E. pit
for Cor to Sec's
22.23.26 and 27.
Land Valley & Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line bet Sec's 23 and 26
Va 13°00 E

40.00 Set temporary 1/4 Sec. cor.
62.00 Creek 18 lks wide NW. SE.
80.73 Intersect N. and S. line 98 lks N. of cor. to Sec's 23.24.25 and 26. from which Cor. I run North 89° 18' W. on a true line bet. Sec's 23 and 26
Va 13°00 E.

40.36 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor.
80.73 Cor. to Sec's. 22.23.26 and 27
Land Level
Soil 1st Rate

Town 28 N. Range 30 W.

North bet. Sec's 22 and 23
Va 13°00 E.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor.
55.00 Foot of Hills
Leave Valley NW & NE
80.00 Deposit Charcoal. raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep drove Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Sec's 14.15.22 and 23.
Land Rolling & Valley
Soil 2nd Rate.

Town 28 N. Range 30 W.

East on a random line
bet. Sec's 14 and 23
Va 13°00 E.

15.00
40.00 Set temporary 1/4 Sec. cor.
Enter Valley N. & SW
40.00 Enter bed of Creek N. & SE.
80.60 Intersect N and S. line
27 lks S. of cor. to Sec's
13.14.23 and 24 from which
Cor. S run
South 89.48' W on a true
line bet. Sec's 14 and 23.
Va 13°00 E

40.30 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

80.60 Cor to Sec's 14.15.22 and 23.
Land Rolling Valley
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Sec's 14 and 15
Va 13°00 E.

40.00 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

41.00 Enter Valley NW & SE

80.00 Deposited Charcoal. raised
Mound of Earth 2½ ft
high from pits 18×24×12
in deep. drove Stake
2×2 in and 2 ft in S.E. pit
for Cor to Sec's 10.11.14 and 15
Land Rolling Valley
Soil 2nd Rate

Town 28 N. Range 30 W.

	East on a random line bet. Sec's 11 and 14 Va 13°00 E.
40.00	Dry bed of Creek, Nw & SE
40.00	Temporary 1/4 Sec Cor.
80.80	Intersected N and S. line 60 lks S. of cor. to Sec's 11.12.13 and 14 from which Cor. I run South 89°34' W. on a true line bet Sec's 11 and 14 Va 13°00 E.
40.40	Raised mound of Earth 2 1/2 ft high from pits 18×24×12 in deep for 1/4 Sec. cor.
80.80	Cor. to Sec's 10.11.14. and 15 Land Level. Soil 2nd Rate

Town 28 N. Range 30 W.

	North bet Sec's 10 and 11 Va 13°00 E.
40.00	Raised Mound of Earth 2 1/2 ft high from pits 18×24×12 in deep. for 1/4 Sec. cor.
47.00	Leave Valley Nd & SE.
80.00	Deposit Charcoal, raised mound of Earth 2 1/2 ft high from pits 18×24×12 in deep. drove Stake 2×2 in and 2 ft in S.E. pit for cor. to Sec's 2.3.10 and 11. Land Rolling & level. Soil 2nd Rate

September 9th 1878

Town 28 N. Range 30 W

East on a random line
bet. Sec's 2 and 11
Va 13°00 E.

40.00 Set temporary 1/4 Sec. cor.

80.80 Intersected N and S. line
50 lks S. of cor. to Sec's
1. 2. 11 and 12 from
which cor. I run
South 89°39' W. on a true
line bet Sec's 2 and 11
Va 13°00 E.

40.40 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
1/4 Sec. cor.

80.80 Cor. to Sec's 2. 3. 10 and 11
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North on a true line
bet. Sec's 2 and 3
Va 13°00 E.

40.00 Raised mound of earth 2½
ft high from pit 18 + 24 x
12 in deep for 1/4 Sec Cor

83.00 Intersect 1st Standard
Parallel North 13.35 Chains
West of 1/4 Sec Cor South
boundary of Sec 36 T 29
N Range 30 W. and
Raised mound of earth 2½
ft high from pit 18 + 24
x 12 in deep. Drove stake
marked C. C. in last pit
for Closing Cor to Sec's
2 and 3. Town 28 N
Range 30 W.
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet. Sec's 33 and 34.
Va 13°00 E.

19.30 North Loup River 1.00 Ch. wide
Runs S of East

27.00 Leave Bottom Enter Hills
bear N of W. and S. of East.

40.00 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

80.00 Deposited Charcoal. raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep. drove Stake
2 x 2 in and 2 ft in S.E. pit
for cor. to Sec's
27, 28, 33 and 34
Land South part Level
Soil 1st Rate
North part Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line
bet Sec's 27 and 34.
Va 13°00 E

40.00 Set temporary ¼ Sec. Cor.

79.80 Intersected N. and S. line
42 lks S. of cor. to Sec's
26, 27, 34 and 35. from which
Cor. S. run
South 89° 42' W. on a true
line bet Sec's 27 and 34
Va 13°00 E.

39.90 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

79.80 Cor. to Sec's 27, 28, 33 and 34
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W

North bet Sec's 27 and 28.
Va 13°00 E.

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

80.00 Deposited Charcoal. raised mound of Earth 2½ ft high from pits 18×24×12 in deep. drove Stake 2×2 in and 2 ft in S.E. pit for cor. to Sec's 21. 22. 27 and 28.

Land Gently Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line bet. Sec's 22 and 27.
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.

44.50 Leave upland Enter Valley bears N and S.

79.68 Intersected N and S. line 34 lks S. of cor. to Sec's 22. 23. 26 and 27 from which Cor. I own

South 89°45' W. on a true line bet Sec's 22 and 27
Va 13°00' E

39.84 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

79.68 Cor. to Sec's 21. 22. 27 and 28

Land West half Rolling
East half Level
Soil 1st Rate

Town 28 N. Range 30 W.

	North bet. Secs 21 and 22 Va 13°00 E
13.00	Left Upland Entered Bottom
40.00	Raised Mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.
80.00	Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18×24×12 in deep drove Stake 2×2 in and 2 ft in S.E. pit for Cor. to Sec's 15.16.21 and 22 Land Rolling Valley Soil 2nd Rate

Town 28 N Range 30 W.

	East on a random line bet Sec's 15 and 22 Va 13°00 E
40.00	Set temporary ¼ Sec. Cor.
45.00	Leave Valley NW SE
79.20	Intersected N. and S. line 15 lks N. of cor to Sec's 14.15.22 and 23 from which cor. I. run North 89°54' W. on a true line bet. Sec's. 15 and 22 Va 13°00 E.
39.60	Raised Mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.
79.20	Cor. to Sec's 15.16.21 and 22 Land Rolling Valley Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Sec's 15 and 16
Va 13°00 E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor.

55.00 Left Valley. Nat. Sto.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep. drove Stake 2 x 2 in and 2 ft in S.E. pit for cor. to Sec's 9.10.15 and 16.
Land Rolling & Bottom Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line bet Sec's 10 and 15
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.

67.00 Left Ridge Entered Valley. N.

80.06 Intersected N and S. line 4 lks N. of cor. to Sec's 10.11.14 and 15 from which
80.06 Cor. S run
North 89°58 W. on a true line bet Sec's 10 and 15.
Va 13°00 E.

40.03 Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep. for ¼ Sec. cor.

80.06 Cor. to Sec's 9.10.15 and 16
Land Rolling Heavy Soil 2nd Rate
September 10 1878

Town 28 N. Range 30 W.

North bet. Sec's 9 and 10
Va 13°00 E.

40.00 Raised Mound of Earth 2½ ft high from pits 18x24x12 in deep for 1/4 Sec. cor.

80.00 Deposited charcoal raised mound of Earth 2½ ft high from pits 18x24x12 in deep. drove Stake 2x2 in and 2 ft in S.E. pit for Cor. to Sec's 3.4.9 and 10.

Land level Bottom
Soil 1st Rate

Town 28 N. Range 30 W.

East on a random line bet Sec's 3 and 10.
Va 13°00 E.

10.00 Left Bottom Entered Upland

40.00 Set temporary 1/4 Sec. cor.

79.90 Intersected N and S. line 5 lks S. of cor. to Sec's 2.3.10. and 11 from which Cor. I run
South 89°58' W. on a true line bet Sec's 3 and 10.
Va 13°00 E.

39.95 Raised Mound of Earth 2½ ft high from pits 18x24x12 in deep for 1/4 Sec. cor.

79.90 Cor. to Sec's 3.4.9 and 10

Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North on a true line
bet Sec's 3 and 4
Va 13°00 E.
40.00 Raised mound of earth 2½ ft high
from pit 18 x 24 x 12 in deep for ¼ Sec Cor
53.00 Left Bottom Entered upland
83.47 Intersected 4th Standard Parallel
North 13.00 Chain West of ¼
Sec. Cor South boundary of
Sec 35 Town 29 N Range 30 W.
Raised mound of earth 2½ ft
high from pit 18 x 24 x 12 in
and drove stake 2 x 2 in x
2 ft marked S. C in S.E. pit
for Closing Cor to Sec's 3 &
4 Town 28 N Range 30 W
Land Bottom & Rolling
Soil 1st & 2nd Rate

Town 28 N Range 30 W.

North bet. Sec's 32 and 33.
Va 13°00 E.
11.50 River Bottom bears N of W.
and S of E.
13.00 North Loup River 80 lks
wide runs S of East
40.00 Raised mound of Earth
2½ ft high from ~~pits~~
18 x 24 x 12 in deep, for
¼ Sec. cor.
57.00 Bluffs bears E and West
80.00 Deposit charcoal, raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in deep. drove Stake
2 x 2 in and 2 ft in S.E.
pit for cor. to Sec's
28, 29, 32 and 33
Land Level and Rolling
Soil 1st and 2nd Rate

Town 28 N. Range 30 W.

East on a random line bet. Sec's 28 and 33.
Va 13°00 E.

40.00 Set temporary 1/4 Sec. cor.

80.30 Intersected N. and S line 14 lks S. of cor to Sec's 27.28.33. and 34 from which cor. I run South 89° 54' W. on a true line bet Sec's 28 and 33
Va 13°00 E.

40.15 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for 1/4 Sec. cor.

80.30 Cor. to Sec's 28.29.32 and 33.
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Sec's 28 and 29
Va 13°00 E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for 1/4 Sec. cor.

80.00 Deposited Charcoal. raised mound of Earth 2½ ft high from pits 18×24×12 in deep. above Stake 2×2 in and 2 ft in S.E. pit for cor. to Sec's 20.21.28 and 29.
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line
bet Sec 21 and 28
Va 13°00 E.

40.00 Set temporary 1/4 Sec cor

80.00 Intersected N and S. line
at cor to Sec's
21.22.27 and 28 from
which cor. I run
West on a true line
bet Sec's 21 and 28
Va 13°00 E

40.00 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep, for
1/4 Sec. cor.

80.00 Cor. to Sec's 20.21.28 and 29
Land Rolling
Soil 2nd Rate.

Town 28 N. Range 30 W.

North bet. Sec's 20 and 21
Va 13°00 E

40.00 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep. for
1/4 Sec. cor.

Enter
50.00 Valley. NW & SE.

80.00 Deposit Charcoal. raised
mound of Earth 2½ ft
high from pits 18×24×12
in deep. drove Stake
2×2 in and 2 ft. in S.E. pit
for cor. to Sec's
16.17.20 and 21.
Land Rolling Valley
Soil 2nd Rate

Town 28 N. Range 30 W

East on a random line
bet Sec's 16 and 21
Va. 13°00 E.

40.00 Set temporary 1/4 Sec. cor.

80.50 Intersected N and S line
70 lks South of cor. to
Sec's 15.16.21 and 22 from
which cor. I run
S. 89°30' West on a true
line bet. Sec's 16 and 21.
Va 13°00 E.

40.25 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep, for
1/4 Sec. cor.

80.50 Cor. to Sec's 16.17.20 and 21.
Land level.
Soil 2nd Rate

Town 28 N Range 30 W.

North bet. Sec's 16 and 17
Va 13°00 E

40.00 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

80.00 Deposited Charcoal, raised
mound of Earth 2½ ft
high from pits 18×24×12
in deep. drove stake
2×2 in and 2 ft in S.E pit
for cor to Sec's
8. 9. 16. and 17
Land level.
2nd Rate

Town 28 N Range 30 W.

East on a random line
bet Sec's 9 and 16
Va 13°00 E

39.00 Lear Valley NW SE

40.00 Set temporary 1/4 Sec. cor.

80.90 Intersected N and S. line
30 lks S. of Cor. to Sec's
9.10.15 and 16 from which
Cor. I run
S. 89°47 W. on a true line
bet Sec. 9 and 16
Va 13°00' E

40.45 Raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep, for
1/4 Sec. cor.

80.90 Cor. to Sec's 8.9.16. and 17.
Land Bottom & Rolling
Soil 1st Rate

September 11th 1878

Town 28 N Range 30 W.

North bet. Sec's 8 and 9
Va 13°00 E

9.00 Lear Valley NW SE

40.00 Raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
1/4 Sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2 1/2 ft
high from pits 18 x 24 x 12
in deep. drove Stake
2 x 2 in and 2 ft in S.E. pit
for Cor. to Sec's
4.5.8. and 9
Land Rolling
Soil 2nd Rate.

Town 28 N. Range 30 W.

East on a random line
bet Sec's 4 and 9
Va 13°00 E
Enter Valley N. & So.
40.00 Set temporary 1/4 Sec. cor.
50.00 Spring 20 lks S. of line
Water sinks again in marsh
80.00 Intersected N and S. line
at. cor. to Sec's 3, 4, 9 and 10
from cor. I own
West on a true line
bet. Sec's 4 and 9.
Va 13°00 E.
40.00 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
1/4 Sec. cor.
80.00 Cor. to Sec's
4. 5. 8 and 9
Land Level & Rolling
Soil 1st Rate

Town 28 N. Range 30 W.

North bet. Secs 4 and 5
Va 13°00 E.
40.00 Raised mound of Earth
2½ ft. high from pits
18 x 24 x 12 in deep. for
1/4 Sec. cor
84.20 Intersect 4th Standard Parallel
North 12.40 Chains west of
1/4 Sec Cor South boundary
of Sec 34 Town 29 N Range
30 West and
Raised mound of earth 2½
ft high from pits 18 x 24 x
12 in deep above stake
marked C.C in east pit
for Closing for to Sec's
4 and 5 Town 28 N
Range 30 W.
Land Rolling
Soil 2d Rate

Town 28 N. Range 30 W

North bet. Sec's 31 and 32
Va 13°00 E

30.00 Enter Valley E & W.
40.00 Raised mound of Earth 2½ feet high from pits 18x24x12 in deep for ¼ sec cor
45.00 Road running N E & S W
55.00 Large River running S.E. 1 ch wide
65.00 Leave Valley & enter hills
80.00 Deposit Charcoal, drawn mound of Earth 2½ ft high from pits 18x24x12 in deep, drove Stake 2x2 in and 2 ft in S.E. pit for Cor. to Sec's 29, 30, 31 and 32.
Land level & Rolling
Soil 1st Rate

Town 28 N. Range 30 W.

East, on a random line bet. Sec's 29 and 32
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.
79.00 Intersected N and S. line 20 lks S. of Cor. to Sec's 28, 29, 32 and 33 from which cor. I run South 89°51' W. on a true line bet. Sec's 29 and 32
Va 13°00 E.
39.50 Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for ¼ Sec. cor.
79.00 Cor. to Sec's 29, 30, 31 and 32.
Land Rolling
Soil 2nd Rate

Town 28 N Range 30 W.

West on a random line
bet Sec's 30 & 31
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor
76.00 North Loup River bears
North East.

78.00 Intersect West Boundary of Township
at point for Cor. to Secs 30 & 31 being
150 lks South of Witness Cor. on West
Boundary. From which true
point for Corner in River bears
East on true line bet Secs. 30 & 31
Va. 13° East

2.00 North Bank of North Loup River
where I deposited charcoal, raised
mound of Earth 2½ ft high from
pits 18x24x12 in deep & drove stake
2x2 in & 2 ft in S.E pit. for
Witness Cor to Secs 30 & 31.

38.00 Raised Mound of Earth 2½ ft.
high from pits 18x24x12 in deep
for ¼ Sec. Cor

78.00 Corner to Secs. 29. 30. 31 & 32
Land Rolling Soil 1st rate

Town 28 N. Range 30 W.

North bet Sec's 29 & 30
Va 13°00 E

40.00 Raised Mound of Earth
2½ ft high from pits
18x24x12 in deep for
¼ Sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft
high from pits 18x24x12
in deep. drove stake
2x2 in and 2 ft in S.E pit
for Cor. to Sec's
19. 20. 29 & 30
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

East on a random line
bet. Sec's 20 and 29
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.

79.50 Intersected N and S line
30 lks S. of cor. to Sec's
20, 21, 28 and 29. from
which cor. S. run
South 89° 47' W. on a true
line bet. Secs 20 and 29
Va 13°00 E

39.75 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

79.50 Cor. to Sec's
19, 20, 29 and 30.
Land Rolling
Soil 2nd Rate

Town 28 N Range 30 W.

West on a random line
bet. Sec's 19 and 30
Va 13°00 E.

40.00 Set temporary ¼ Sec. cor.

77.50 Intersected W. boundary
of Township 30 lks S.
of Cor. to Sec's 19 and 30
from which cor.
S. run
South 89° 47' E. on a true
line bet Sec's 19 and 30
Va 13°00 E

37.50 Raised mound of Earth 2½
ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

77.50 Cor. to Sec's 19, 20, 29 and 30
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Sec's 19 and 20
Va 13° 00 E

40.00 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep. for
¼ Sec. cor.

80.00 Deposit charcoal, raised
mound of Earth 2½ ft
high from pits
18 x 24 x 12 in deep above
Stake 2 x 2 in and
2 ft in S. E pit for
cor. to Sec's
17. 18. 19 and 20
Land Rolling
Soil 1st Rate

Town 28 N. Range 30 W.

East on a random line
bet. Sec's 17 and 20
Va 13° 00 E.

40.00 Set temporary ¼ Sec cor

79.00 Intersected N and S. line
at. cor to Sec's
16. 17. 20 and 21 from
which cor. I run
West on a true line
bet Sec's 17 and 20
Va 13° 00 E.

39.50 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep. for
¼ Sec. cor.

79.00 Cor to Sec's 17. 18. 19 and 20
Land Rolling
Soil 2nd Rate

September 12th 1878

Town 28 N. Range 30 W.

West on a random line
bet. Sec 18 and 19
Va 13°00 E

40.00 Set temporary 1/4 Sec. cor.

79.00 Intersected W. boundary
of Township 30 lks N of
Cor. to Sec's 18 and 19
from which cor
I run
N 89°47' East on a true
line bet Sec's 18 and 19
Va 13°00 E.

39.00 Raised mound of earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

79.00 Cor. to Sec's 17.18.19 and 20
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Sec's 17 and 18
Enter Valley, Nov 30. Va 13°00 E.

40.00 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

80.00 Deposit Charcoal. raised
Mound of Earth 2½ ft
high from pits 18×24×12
in deep. Drove Stake
2×2 in and 2 ft in S.E.
pit for Cor. to Sec's
7.8.17 and 18

Land Rolling Valley
Soil 2nd Rate.

Town 28 N. Range 30 W

East on a random line
bet Sec's 8 and 17
Va 13°00 E.

40.00 Set temporary 1/4 Sec cor
79.00 Intersected Range S. line
at cor. to Sec's
8. 9. 16 and 17 from
which Cor I run
West on a true line
bet Sec's 8 and 17
Va 13°00 E.

39.50 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. Cor.

79.00 Cor to Sec's 7. 8. 17 and 18
Land Valley
Soil 2nd Rate

Town 28 N. Range 30 W.

West on a random line
bet Sec's 7 and 18
Va 13°00 E

40.00 Set temporary 1/4 Sec. cor.
79.00 Intersected W. boundary
of Township 30 lks N.
of Cor to Sec's 7 and 18
from which cor. I
run
W. 89°47' East on a true
line bet. Sec's 7 and 18
Va 13°00 E.

39.00 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep. for
1/4 Sec. cor.

79.00 Cor. to Sec's 7. 8. 17 and 18
Land Bottom
Soil 1st Rate

Town 28 N Range 30 W

North bet Sec's 7 and 8.
Va 13°00 E.

25.00 Loose Valley N & E.
40.00 Raised Mound of earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

74.00 Cattle Trail NE & SW
80.00 Deposit Charcoal raised
Mound of earth 2½ ft
high from pits
18 x 24 x 12 in deep
drove Stake 2 x 2
in and 2 ft in S.E.
pit for cor to Sec's
5. 6. 7 and 8.
Land Rolling Valley
Soil 2nd Rate

Town 28 N Range 30 W.

East on a random line
bet Sec's 5 and 8
Va 13°00 E

7.00 Cattle Trail NE. SW.
40.00 Set temporary ¼ Sec cor
80.00 Intersected N and S line
20 lks S. of cor to
Secs 4. 5. 8 and 9. from
which cor. I run
South 89°51' W. on a true
line bet. Sec's 5 and 8.
Va 13°00 E

40.~~53~~00 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
¼ Sec. cor.

80.~~67~~00 Cor. to Sec's 5. 6. 7 and 8
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

West on a random line
bet Sec's 6 and 7
Va 13°00 E

40.00 Set temporary 1/4 Sec cor
78.80 Intersected W. boundary
of Township. at cor to
Sec's 6 and 7 from
which cor. I run
East on a true line
bet Sec's 6 and 7
Va 13°00 E

38.80 Raised Mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec cor.

78.80 Cor. to Secs
5. 6. 7 and 8
Land Rolling
Soil 2nd Rate

Town 28 N. Range 30 W.

North bet Secs 5 and 6 line
bet. Secs 5 and 6
Va 13°00 E

40.00 Raised mound of Earth
2½ ft high from pits
18×24×12 in deep for
1/4 Sec. cor.

83.85 Intersect 7th Standard Parallel
North 11.90 Chs west of 1/4
Sec Cor South boundary of
Sec 33 Town 29 N Range 30 W.

Raised mound of Earth 2½ ft high
from pits 18×24×12 in deep
Drove stake 2×2 in × 2 ft in
East pit for closing Cor to
Secs 5 and 6 Town 28 N
Range 30 W.

Land Rolling
Soil 2d Rate.

September 13th 1878.

Town 28 N. Range 30 W

General Description

Some good valley land is found in this Township in the Centre & Eastern part. The North Loup River runs through the four western Sections 31. 2. 3 & 4 South boundary. A spring of good water is found near ¼ Sec Cor bet Sec 4 & 9. The Niobrara Cattle Trail runs across N Western Cor of Township the upland affords good pasture the entire Township being well covered with good grasses. No timber in the Township.

Town 28 N. Range 30 W

List of Names

A list of names of individuals Employed to assist in running Measuring & Marking the lines, and Corners described in the foregoing field Notes, and Showing the respective Capacities in which they acted

Wm Baer Chainman
F. J. Thurman do
Alanson S. Moon Moundman
Geo. W. Little Flagman

Town 28 N Range 30 W.

We do hereby certify that we assisted N. S. Scott ——— Deputy Surveyor in Surveying and subdividing Township No 28 North of base line of Range 30 West of the 6th Principle Meredian in Nebraska and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed and the boundary monument planted according to the instructions furnished by the Surveyor.

General of dimensions Character Construction and Marking and in the manner as specifically described

Town 28 N. Range 30 W

in foregoing field Notes
William Barr Chainman
F. J. Thurman Chainman
Clanson S Moon Moundman
Geo. W. Little Flagman

Subscribed and sworn to before me by the above named persons this 18th day of Sept 1878

J. L. Stephens
Notary Public
In and for Valley County State of Nebraska

I N. S. Scott
Deputy Surveyor do
solemnly swear that
in pursuance of a joint
contract wherein D.V. Stevens
S.C. McElroy and N.S. Scott
are joint contractors, with
J.R. Clark United States
Surveyor General for
the District of Neb and
Iowa. bearing Date
July 25th 1878. I have
will faithfully and
truly in my own proper
person and in strict
conformity with the in-
-structions furnished
by the Surveyor General,
the Surveying Manual
and laws of the United
States. Surveyed all those
parts or portions of Town
Ship No 28 North of base line
of Range No 30 West

Subscribed in my presence and sworn to
before me this 18th day of Sept. 1878
Geo. Stephens Notary Public
Valley County Neb

of the 6th principal Meri
dian in Neb as are repre
sented in the foregoing field
Notes, as having been surveyed
under my direction, and I
do further solemnly swear
that all the corners of said
surveys have been established
and perpetuated in strict
accordance with surveying
Manual printed instructions
and special instructions of
the Surveyor General of d
Dimensions Character con-
-struction & Marking & in the
manner as specifically
described in the foregoing
field Notes. And that the fore
going, are the true and original
field Notes of such survey
Nahum S Scott
Deputy Surveyor

Surveyor Generals Office
Plattsmouth Aug. 8th 1879

The foregoing field notes of the survey and subdivision of Township No 28 North of base line of Range No 30 West of the 6th P. M. executed by M. S. Scott Deputy Surveyor under joint contract No 108. Dated July 25th 1878, in the month of September 1878 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Geo. S. Smith
Surveyor General

General Land Office • Original Field Notes

Book Number

536

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.