General Land Office • Original Field Notes

Book Number

539

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index

Town 1 Range 31 W



Township 1 N Range 31 W

T. 1– 4 N.
R. 31 W.
64

Field Notes
of the Survey of the Subdivision
of
Township No 1 North of the Base Line
Range No 31 West of the 6th P.M.
in Nebraska.

Executed By Thomas J. Mabin
in pursuance of Contract with Henry
C. Reasons of June 26th 1872

Survey

Survey commenced Augs 24th 1872
Survey completed " 29th 1872

Names

Names of Assistants

Julius Heins
William Cunningham } Chainmen

J. H. Hansen
Samuel Wilson }

J. E. Reed
for } Chainmen

Township 1 S Range 31 W 6th P.M.

Corner	To determine the proper adjustment of Mag. Variation for Fractional Lots in this Township & connect the corner to Township & Corner the Base Line & Range 30 and 31 W 6th P.M. by means of North on a Blank Line along the East Boundary of Section 36 Via 13.30 East to the Quarter Section corner to Sections 25 & 36. Whose four Courses is the Adjustment
	Subdivisional Corners
	A
	Aug 24 1872.

Township 1 S Range 31 W 6th P.M.

	From the corner to Sections 25 and 36 on the South boundary of the Township & corner North between Sections 35 and 36. Via 13.30. East
2 Pos	same course E
4 Pos	Set Post deposited Mound Stone raised Mound of Earth with pit as per Instructions for this corner
8 Pos	Set Post deposited Mound Stone raised Mound of Earth with pits as per Instructions for corner to Sections 25 26. 35 and 36.
	Land rolling Prairie Soil 3d rate.

Township 1 N Range 30 W 6th P M

Chains	
	East on a random line between Sections 25 and 36 to the 13.30 East
21.00	Small mound Cross Ditch
37.00	Barrow Cross N.E.
40.00	Set Post for Quarter Sec Cor
56.10	Intersect East Boundary of Township 24 N Range 1 W 6th P M Section 25 and 36. 1894 now West Cor I run West on a True line between Sections 25 and 36 to the 13.30 East
40.00	Set Post deposite Charcoal Stake mound West of Earth with pits as per Instructions to Surveyor
80.10	The Corner to Sections 25, 26, 35 & 36 Found Rolling Pros Soil Deposite

Township 1 N Range 30 W 6th P M

Chains	
	North between Sections 25 and 26 to the 13.30 East
20.00	Barrow
40.00	Set Post deposite Charcoal Stake mound West of Earth with pits as per Instructions for Sec Corner
49.02	Barrow Cross NE
80.00	Set Post deposite Charcoal Stake mound West of Earth with pits as per Instructions for Corner to Sections 23, 24, 25 and 26. Found Broken Stone Soil Deposite

Township 7 North Range 34 E 6th P.M.

Chains	
	East on a random line between Sections 24 & 25 N 13° 30' East
14.00	Set Post for temporary grave
63.40	cross Dry Branch creek NE
79.90	Intersect East Boundary of Township
33	Half Post corner to Sections 24 and 25
	from which corner a Pine 18 in. diameter bears North 84° W 76 links distant
	Pine Blaze on N & W sides bears North 75° East 25 links distant
	N 13° 30' East
39.75	Set Post deposited Stone Stake mound Ditch 4 links East with pits as per Instructions for Quarter Sec corner
79.90	the corner to Sections 23 24 25 and 26
	Land Rolling & Broken
	Soil 3d rate

Township 7 N Range 34 W 6th P.M.

Chains	
	North Between Sections 25 & 24 N 13° 30' East
21.00	Cross dry branch creek NE
40.00	Set Post deposited stone mound Stake pencil Mound of Earth with pits as per Instructions for corner to Sections
64.40	prairie creek NE
73.74	prairie creek NE
80.00	Set Post deposited stone Stake pencil Mound of Earth with pits as per Instructions for corner to Sections 13, 14, 23 and 24
	Land Broken prairie
	Soil 3d rate

Township 1 N Range 31 W 6th PM

Chains	East on a parallel line between Sections 13 and 24 due 13° 30' East
40.00	Set Post for temporary gp Sec cor
41.80	cross road same course N E
79.97	Intersect East Boundary of Township
23 lks	N of Post deposited Chained Stake
	& Pile ~~N~~ cor to Sections
13 & 24	1/4 sec which com
	Sec. Post bears N 18° 67' W
	due to Corner between Sections 13 & 24
	due 13° 30' East
39.63	Set Post deposited Chained Stake
	with Mound of Earth with
	pits as per Instructions
	for gp Section Corner
19.97	the same to Sections 13 14 23 24
	Land Rocky prairie
	Set 3d nail

Township 1 N Range 31 W 6th PM

Chains	North Between Sections 13 and 14 due 13° 30' East
40.00	Set Post deposited Chained Stake
	raised Mound of Earth with pits
	as per Instructions for gp Sec cor
49.50	same course NE
80.00	Set Post deposited Chained Stake raised
	Mound of Earth with pits as
	per Instructions for corner to
	Sections 11 12. 13 and 14.
	Land Rocky Prairie
	Set 3d nail

Township 1 N Range 31 W 6th P.M.

Chains	
	East on a random line between Sections 12 and 13 to the 13 30 East
28.15	Cross Dry Creek with Scalloy timber course S W
40.00	Set Post for temporary quarter Section
65.09	Leave Scalloy timber.
80.12	Opposite East Bank of Tomichi
44.88	Post comes to Sections 12 and 13. Some White Cedar Bears West on a line between Sections 12 and 13. North 13 30 East
40.06	Set Post deposited Stones Stake raised Mound of Earth with pits as per Instructions for quarter Section corner
80.12	Also comes to Sections 11 12 13 and 14 Land Broke Bears Scott 3 links Cedar 6 inches Elm 9 inches Cottonwood

Township 1 North Range 31 W 6th P.M.

Chains	
	Due North between Sections 11 and 12 the 13 30 East
40.00	Set Post deposited Stones Stake raised Mound of Earth with pits as per Instructions for quarter Section
52.91	Cross Creek or dry Brand with Timber course N E
80.00	Set Post deposited Stones Stake raised Mound of Earth with pits as per Instructions for corner to Sections 1 2 11 and 12 Land Broke Soil 3 rd rate Cedar Elm & Cottonwood

Township 1 N Range 21 W 6th P.M.

Chains	East on a random line between Sections 1 and 12 and 13 30 East
13.00	cross corner common to
16.00	rocky ledge bearing
40.00	Set Post for temporary quarter Sec corner
42.80	corner common to
79.40	Intersect East Boundary of Township 64 links South of Post corner to Sections 1 and 12 from which Bear run West on a true line) S 89.30 W 80 links Between Sections 1 and 12 and 13 30 East
39.70	Set Post deposited charred Stake raised Mound of Earth with pits as per Instructions for qr Sec corner
79.40	~~Set Post deposited charred Stake raised Mound of Earth with pits as per~~ Corner to Sections 1-2-11 and 12 Land Broken
1.40	Set 3d rods

Township 1 N Range 21 W 6th P.M.

Chains	North on a random line between Sections 1 and 2 and 13 30 East
17.70	corner of dry creek course NW
40.00	Set Post for temporary quarter Sec corner
67.34	corner course NW Line thro rock
80.13	Intersect North Boundary of Township 16 East Post corner to Sections 1 and 2 from which corner Mound of Earth bears South on a true line between Sections 1 and 2 Variation 13 30 East
40.13	Set Post deposited charred Stakes raised mound of Earth with pits as per Instructions for qr Sections corner
80.13	the corner to Sections 1-2-11 and 12 Land Broken Bears Set 3d rods

Aug 24 1872

Township 1 N Range 31 W 6th PM

Chains	North between Sections 34 and 35 West 13.30 East
4.00	cross canal course N E
4.20	Set Post Corner Stones and Stake scribed Mound S E East with pits as per Instructions for Corner to Sections 26 27 34 and 35.
64.40	same course NW
8.20	Set Post Corner Stones and Stake scribed Mound S E East with pits as per Instructions for Corner to Sections 26 27 34 and 35.

Land broken Prairie Soil Sandy

Township 1 N Range 31 W 6th PM

Chains	East on a random line between Sections 26 and 35 West 13.30 East
18.30	same course N E
4.20	Set Temporary Corner
63.90	same course N E
79.64	Intersect the S bank of Canal 189.52 course to Sections 25 26 35 & 36
	from which a Pine tree bears N W 189.52 on a line between Sections 26 and 35 West 13.30 East
29.52	Set Post Corner Stones and Stake scribed Mound of Earth with pits as per Instructions for Corner to Sections 26 27 34 35
79.64	

Land Broken Prairie Soil Sandy

Township 7 N Range 3 W 6th PM

Chains	North between Sections 26 and 27
	Variation 13° 30' East
4.00	Set Post dep'd Stone and Stake
	raised Mound of Earth & Pits
	as per Instructions for qr
	Sec Cor
5.00	Same Cor
6.00	Same gone to W
9.00	Set Post dep'd Stone and Stake
	raised Mound of Earth
	with pits as per
	Instructions for
	cor to Sections
	22 23 26 and 27

Land Parties Bare

Soil Stake

Township 7 N Range 3 W 6th PM

	East on a random line
	between Sections 23 and 26
	Va 13° 30' East
4.00	Set Post for temporary qr Sec Cor
4.35	cross road — one 1E
6.42	Pass "
7.98	Intersect 1st W Bdy Sec 57 Lks Post
	cor to Sections 23 24 25 & 26
	Pass Stake and Pits
N 89.36	West on a line between Sections
	23 and 26
	Va 13° 30' East
39.99	Set Post dep'd Stone
	Stake raised Mound of Earth
	with pits as per Instructions
	for qr Sec Cor
40.08	the same Section 22 23 26 27

Land Party Bare

Soil Stake

Township 1 S. Range 3 W 6th P.M.

Lines	North & West Section 22 & 23
	On 13.20 East
40.00	Set Post & pasture Mound
	Stake Found Mark
	with pits for 4 Sec cor
80.00	Set Post & pasture Mound
	Stake Found Mound &
	Each with pits as
	per Instruction for cor
	to Sections 14, 15 on 22 & 23.
	Land rolling Poor
	Soil Sandy

Township 1 S. Range 3 W 6th P.M.

Lines	East on a random line
	between Sections 14 & 23.
	On 13.30 East
10.00	more exact [illegible]
40.00	Set Post for temporary 1/4 Sec
	cor
61.40	Set Post cross pos on line
80.10	Enlarged & 4 Pits Sec 24 Mc
	Found & post cor to Section
	13, 14, 23 & 24
	Some Witness cor
	Set on [illegible] at 87.30 West
	on a Bn Line
	between Sections 14 & 23
	On 13.30 East
1.05	Set Post Temporary Mound
	Stake marked Lone 1/4 Sec
	with pits as per Instruction
	for 1/4 Sec cor
81.10	the same to Section 14, 15,
	22 & 23
	Land Rocky
	Soil Sandy

Township 1 N Range 31 E 6th P.M.

Chains	
	North Between Sections 14 and 15
	Va 13° 30' East
4.22	Set Post deposited Mound Stake
	raised mound of Earth with
	pits as per Instructions
	for qr Sec cor
8.00	Set Post deposited Mound
	Stake raised Mound of
	Earth with pits as
	per Instructions
	for cor to Sections 10. 11. 14 & 15
	Land rolling bare
	Soil Dark
	Cr- pollens Juniper

Township 1 N Range 31 E 6th P.M.

Chains	
	East on a random line
	Between Sections 11 and 14.
	Va 13° 30' East
1.63	cross dam course NE
4.00	Set Post for temporary qr
	Sec cor
4.70	dam course NE
8.68	Pasture North and South bu 34
	S of Post Corr to Sections
	11. 12. 13. and 14
	from which Corr Bears
	S 37 45' West on a True line Between Sections
	11 and 14
	Variation 13° 30' East
4.34	Set Post deposited Mound Stake
	raised Mound of Earth with
	pits as per Instructions for
	qr Sec cor
8.68	The corr to Sections
	10. 11. 14 and 15
	Land rolling Bare
	Soil Dark

Township 1 S Range 31 W 6th P.M.

Chains	North Bdry Section 10 and 11
	Va 13°30' East
40.00	Set Post for temporary QS Sec cor
65.00	cross Dry Branch course
	N E mill timber
80.42	Intersect A and S line 15 lks Post
	corr to Section 12. 11. and 12
	from which corr bears
N 89 1/4 West	on a true line Bdry
	Sections 2 and 11.
	Va 13°30' East
40.21	Set Post deposited Stone
	Stake raised Mound of
	Earth. Mill pit as per
	Instructions for QS Sec cor
	corr to Section
	2.3.
8 6.42	The corr to Sections 2.3. 10 and 11
	Land Rolling Woods
	North 3 rods

Township 1 S Range 31 W 6th P.M.

Chains	North Bdry Section 10 and 11
	Va 13°30' East
40.00	Set Post deposited Stone
	Stake raised Mound of
	Earth mill pits as
	per Instructions for
	QS Sec cor
47.83	cross Dry Branch course
	N E mill timber
80.00	Set Post deposited Stone
	Stake raised Mound of
	Earth mill pits as
	per Instructions for
	cor to Section
2.3. 10 and 11	
	Land Rolling
Level 3 rods	
	Woods Elm & Cottonwood

Township 8 S Range 31 W 6th PM

Chains	North on a random line between Sections 2 and 3 Va 13° 30' East
37.10	cross Dry Branch with twenty cross S E
40.00	Set Post for temporary
71.00	Iron Bluff + 2 ins Cedar Pointers Cor Sec Cor
80.48	Intersect North Boundary of Township at Post Comm to Sections 2 and 3 from which comm Cor South on a true line between Sections 2 and 3 Va 13.30 East
40.48	Set Post dug mound stones Stake and Mound of Earth Mkd pts as per Instructions for Cor Sec Cor
80.48	The comm to Sections 23. 10 11 Said Bears Said 3d mile

Aug 26 1872

Township 7 S Range 31 W 6th PM

Chains	North Between Sections 33 and 34 Va 13 30 East
40.00	Set Post dug mound stones raised Mound of Earth Mkd pts as per Instructions for Cor Sec Cor
80.00	Set Post dug mound stones raised Mound of Earth Mkd pts as per Instructions for Comm to Sections 27. 28. 33 and 34. Land rolling prairie Soil 2d rate

Township 1 North Range 31 W 6th PM

Chains	
	East on a random line
	Between Sections 27 & 34
	Variation 13° 30' East
16.50	more or less North
4.00	Set Post for Temporary
	for gr Sec cor
63.70	cross canon course North
80.40	Intersect N bdy Sec 33 at Post
	corner to Sections 27 28 33 34
	from which Pine 18 links
	West on a true line Between
	Sections 27 & 34
	Va 13° 30 East
40.20	Set Post & posted Stone
	Stake raised Mound of
	Earth with pits as per
	Instructions for
	Qr Sec cor
80.40	the corner to Sections
	27. 28. 33 & 34
	Land Rolling Pine
	Soil 2d rate

Township 1 North Range 31 W 6th PM

Chains	
	North between Sections
	27 & 28
	Variation 13° 30' East
31.60	more or less NE
4.00	Set Post deposited Stone & Stake
	raised Mound of Earth
	with pits as per Instructions
	for qr Sec cor
80.00	Set Post deposited Stones
	Stake raised Mound of
	Earth with pits as per
	Instructions for corner to
	Sections 21 22 27 & 28
	Land rolling Pine
	Soil 2d rate

Township 1 N. Range 31 West 6th PM

Chains	
	East on a random line Between Sections 22 & 27. Va 13°30' East
40.00	Set Post for Quarter Sec Cor
67.30	cross creek
80.22	Intersect North and South line 19 links North of Post Comm Sections 22 27 26 27 Iron Mound Cor mk — West A 89°39' West mound Mile Line Between Sections 22 & 27
	Va 13°30 East
40.11	Set Post deposited Mound Stake raised Mound of Earth Mk pits as per Instructions per Dir Sec Cor
80.32	The Cor to Sections 21, 22, 27, & 28 Land Broken Prairie Soil 2nd rate

Township 1 N. Range 31 W 6th PM.

Chains	
	North between Sections 21 & 22. Va 13°30 East
40.00	Set Post deposited Mound Stake raised Mound of Earth Mk pits as per Instructions per Dir Sec Cor
53.50	cross rocky narrow Mile Creek Sandstone Basin containing Table 60 & 100 Links
53.79	a Huckberry tree 12 in dia on line
80.00	Set Post deposited Mound Stake raised Mound of Earth Mk pits as per Instructions per Dir Sec Cor to Sections 15, 16, 21 & 22 Land Broken Prairie Soil 3rd rate

Township 1 N Range 31 W 6th PM

Chains	East on a random line Between Sections 15 & 22 Va 13° 30' E
40.00	Set Post for Corner
~~47.00~~	~~Cross~~ on Section
47.00	Cross Barn bears S E
80.16	Intersect N & S line 40 Post 14/15.22/23 mi North comm to Sections from which comm S 89° 42' West on a true line Between Sections 15 & 22. Va 13° 30' East
40.08	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for 4 Sec Cors
80.16	The corner to Sections 15 16 21 & 22 Barn broken Bear Scribed 3 sides

Township 1 N Range 31 W 6th PM

Chains	North Between Sections 15 & 16. Va 13° 30' East
40.00	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for 4 Sec Cors
67.50	Cross Barn bears S E
80.00	Set post deposited Stone Stake raised Mound of Earth with pits as per Instructions for ~~4~~ Section Corner to Sections 9.10. 15 & 16 Land Broken Bear Scribed 3 sides

Township 1 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 11 & 15 — 13° 30' East
20.60	cross Dry Bend with bottom
40.00	Set Post for temporary gr Sec Cor
51.10	cross narrow course N & S
80.44	Inclined N & S line 72 links West of Post — corner to Sections 10. 11. 14 & 15 — from which Witness Corner S 82 1/2 W 29 links distant
	Run West on a true line between Sections 10 & 15 — Va 13.30 East —
40.00	Set Post deposited Stamped Stake raised Mound of earth with pits as per Instructions for gr Sec Cor
80.44	The corner to Sections 9. 10. 15 and 16. Sand Broken Bars Soil 2d rate

Township 1 N Range 31 W 6th PM

Chains	
	North Between Sections 9 and 10 — Variation 13.30 East
40.00	Set Post deposited Stamped Stake raised mound of Earth with pits as per Instructions for gr Sec corner
44.00	cross dry Bend course N & E
80.00	Set Post deposited Stamped Stake raised Mound of Earth with pits as per Instructions for Corner to Sections 3, 4, 9 & 10 — Land Broken Bars Soil 2d rate

Township 1 North Range 3 West 6th PM

Chains	
	East on a random line Between Sections 3 & 10 Va 13° 30' East
11.16	Cross dry Branch Wm B. Carter Inscribed
40.00	Set Post for Corner gr Sec Co
65.00	top of ridge
80.16	Intersect N and S line of Section Thence North 7.3.10 chs to Post Comr to Sections 3 & 10 Same Which Comr S 89.23 West a Mile Line Between Sections 3 & 10 Va 13.30 East
40.05	Set Post deposited Charcoal Stake raised Mound of Earth with Pits as per Instructions for gr Sec Co
80.16	The Comr to Sections 3 & 4 9 & 10 Land Broken Plain Soil 3d rate

Township 1 North Range 3 West 6th PM

Chains	
	North on a random line Between Sections 3 and 4 Va 13° 30' East
39.10	Cross dry Swamp Cross SE
40.00	Set Post for Corner gr Sec Co
70.00	Top of Bluffs
74.75	Cross Little Stone Creek Ledge
75.00	Ends Creek Bottom
80.19	Intersect North Boundary of Township 3 West at Post Comr to Sections 3 and 4 Same Which Comr Bears South 13° E a Fine Line Between Sections 3 and 4 Va 13° 30' East
40.19	Set Post deposited Charcoal Stake raised Mound of Earth with Pits as per Instructions for gr Sec Co
80.19	The Comr to Sections 3 & 4 9 & 10 Soil 3d rate

August 27 1872

Township 1 N Range 31 W 6th PM.

Chains	North Between Sections 32 and 33 West 13.30 East
40.00	Set Post dug round chained Stake raised Mound of Earth mkd pits as per Instructions for corr Sec corner
0.00	Set Post dug round chained Stake raised Mound of Earth mkd pits as per Instructions for corr to Sections 28 29 32 and 33 — Land rolling prairie Soil 3d rate

Township 1 N Range 31 W 6th PM.

Chains	East on a random line Between Sections 28 and 33 West 13.30 East
13.60	cross creek North
40.00	Set Post for temporary quarter Sec cor
49.10	cross creek South
79.68	Intersect N & Shore ~~of Lake~~ North of Post corner to Sections 28 29 33 and 34.
80.45	from which corner a tree bears Between Sections 28 and 33 West 13°30 East —
39.84	Set Post dug round chained Stake raised Mound of Earth mkd pits as per Instructions for quarter Sec cor
7.68	The corr to Sections 28 29 32 and 33. Land Broken Prairie Soil 3d rate

Township 1 North Range 31 West 6th Mer

Chains	
	North Between Sections 28 and 29
	Va 13°30' East
16.30	varn course N W
40.00	Set Post deposited Stone raised Mound of Earth with pits as per Instructions for Cor on the course
63.74	varn Course N W
80.00	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for corner to Sections 20, 21, 28 and 29.
	Land Broken Range Soil 3rd rate

Township 1 North Range 2 West 6th Mer

Chains	
	East on a random line Between Sections 21 and 28, Va 13°30' East
16.30	varn course North
40.00	Set Post deposited Stone Stake
80.34	Intersect N and S line 44 Links East Westerly to Section 21, 22, 27, and 28 from which corner N 89° 41' West on a true line Between Sections 21 and 28. Variation 13°30' East
46.77	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for Cor on the course
80.34	the corner to Sections 20, 21, 28, & 29
	Land Broken Range Soil 2nd rate

Township 1 N Range 2 West 6th PM

Chains	
	North Between Sections 20 and 21.
	Va 13 30 East
34.60	cross some cons N W
40 00	Set Post & pits & mound. Stake raised Mound of Earth with pits as per Instructions for gr Section cor
8.00	Set Post & pits & mound. Stake raised mound of Earth with pits as per Instructions for corner to Sections 16 17 20 and 21. Land Broken Base Set 8" Post

Township 1 N Range 3 W 6th PM

Chains	
	East on a random line Between Sections 16 and 21.
	Va 13 30 East
40 00	Set Post for Temporary gr Sec cor
40 00	cross some cons NE
80.00	Pt set on S line 74 lks W of post corner to Section 16 17 21 and 22 from which corner N. 89° 28 West on a true line Between Sections 16 and 21
	Va 13° 30 East
40.00	Set Post & pits & mound. Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
8.00	the corner to Sections 16, 17, 20 & 21. Land Rolling Base Set 2" Post

Township 1 N Range 31 W 6th P.M.

Chains	North Between Sections 16 and 17 Va 13° 30' East
34.00	varn course N W
46.00	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions pr Surveyor
80.00	Set Post deposited Stone Stake varn Mound of Earth with pits as per Instructions pr comr to Sections 8. 9. 16 & 17
	Land Broke Broken Prairie Soil 2nd rate

Township 1 N Range 31 W 6th P.M.

Chains	East on a random line Between Sections 9 & 16. Va 13° 30' East
40.00	~~Set Post deposited Stone Stake raised Mound of Earth with pits as per Instruction~~
40.00	Set Post pr temporary pr Surveyor
46.80	varn course N E
79.63	Arrived at the S line of Sec comn to Sections 9, 16, 15 & 16
	from which comn D. runs
N 89.33	West on the line Between Sections 9 & 16.
	Va 13° 30' East
39.81½	Set Post deposited Stone Stake raised Mound of Earth Pits as per Instructions pr Surveyor
79.63	the comn to Sections 8. 9. 16 & 17.
	Land Broke Prairie Soil 2nd rate

Township 1 N Range 31 W 6th PM

Chains	North Between Sections 8 and 9. Variation 13°30' East
33.80	Corner common to
Hard	Set Post, deposited Stones
	Stake mound Pits of
	North, Pits as per Instructions
	for Sec Cors
37.80	Cor to common Corner to
5.00	Set Stones 16 x 15 x 7 in
	for Corr to Sections
	4, 5, 8 and 9.
	Land Broken Plane
	Land Scale

Township 1 N Range 31 W 6th PM

Chains	East on a portion Line Between Sections 4 and 9. Va 13°30' East
9.55	Cross pave case in Mat
	Limestone rock
4.00	Set Post for temporary Quarter Cor
8.70	Northeast North and South Line
	34 lks Soft Post corr to Section
	34 4 and 33
	from which corner Bears
8 84.45	West on a True Line Between
	Sections 4 and 9
	Va 13°30' East
4.30	Set Post deposite Stones
	Stake mound Pits of East
	and West Pits as per Instructions
	for Qr Sec Cor
8.70	Va corr to Section 4 5 8 9
	Land Broken
	with deep rocky ravines

Township 1 S Range 31 W 6th PM

Chains	Notes
	North on a random line between Sections 4 and 5 — Va 13 30 East
7.00	Cross range Corner N — Ledge of limestone — Bottom of ravine
26.00	Sig Stone. Ledge E & pat — pat perpendicular Wall — Bears N W 4 lks ~~7 lks~~
41.00	Set Post for witness Q Stone —
59.00	Cross Ledge of limestone — E to Bottom
84.39	Intersect North Boundary of Township — 69 lks West of post, cor to Sections 4 and 5 — which is ~~on the~~ 5 chains 30 Minutes ~~West~~ on a line between Sections 4 and 5 — Va 13 30 East
40.39	Set Limestone 14 x 10 x 9 in pr — Stone cor
51.39	The corner to Sections 4 5 8 9. — Land Broke & descends — Soil 2nd rate

Aug 28 1872

Township 1 S Range 31 West 6th PM

Chains	Notes
	North Between Sections 31 and 32 — Va 13 30 East
40.00	Set Post Deposite Mound Stone — raised Mound of Earth with pits as per Instructions — pr cor Sections
48.00	same cross N —
80.00	Set post Deposite Mound — Stone raised Mound of Earth — with pits as per Instructions — pr corner to Sections — 29. 30. 31 and 32. — Land Broke Stony — Soil 2nd rate

Township 1 N Range 31 W 6th PM

Chains	
	~~A Easterly~~ East on a random line
	Between Sections 29 & 32
	Va 13° 30' East
10.60	varrie cross N W
40.00	Set Post for Temporary
	QC Sec corner
64.90	varie cross Fork
79.88	Intersect N on South line 56 lks
	S of post corner Sections
	28, 29, 32, and 33
	from which corner
S 84½ W	West on a line between
	Sections 29 and 32.
	Va 13° 30' East
32.94	Set Post deposited Stone
	Stake mound of
	Earth with pits and
	per Instructions for
	QC Secs
79.88	the corner to Sections 29, 30, 31, & 32
	Land Broken Pine Sill
	3 pits

Township 1 N Range 31 W 6th PM

Chains	
	West on a random line
	Between Sections 30 and 31.
	Va 13° 30' East
17.93	varie cross N E
40.00	Set Post for Temporary
	QC Sec corner
71.30	cross varie cross N E
81.03	Intersect West Boundary of Township
49 lks	S of post corner Sections 30 & 31
	from which corner
S 84 39'	East on a mine line between
	Sections 30 and 31.
	Va 13 30 East
41.03	Set Post deposited stone
	Stake mound of
	Earth with pits and per
	Instructions for QC Secs
81.03	the corner to Sections 29, 30, 31 & 32
	Land Broken Pine
	Sill 3 pits

Township 1 N Range 31 W 6th PM

Links	North Between Sections 29 & 30
	Va 13° 30' East
4.00	Set Post Separated Mound of Earth with pits as per Instructions for gr Sec Cor
14.30	Cross Dug Brass Bolt Tablet
80.00	Set Limestone 24 x 26 x 14 ins for Corner to Sections 19 & 20 29 & 30. Found Broken Stone Set 3 rods West of Trees
	Cottonwood

Township 1 N Range 31 W 6th PM

Links	East Between Sections 20 & 29.
	Va 13° 30' East
7.00	Top of divide in Creek Bluffs.
31.50	Cross stone mile Scaling Lines
40.00	Limestone for Temporary gr Sec Cor
73.10	Cross stone
80.14	Pinnacle N and S Lines 22 lks East of Post Corner to Sections 20, 21, 28 & 29 Stone which on S 65° W 4.51 ft on a line between Sections 20 & 29 Va 13° 30' East
40.7	Set Limestone 12 x 14 x 11 ins for gr Sec Cor
80.14	Stone Corner to Sections 19, 20, 29 & 30 Found Broken Stone Mile Hackberry & Elm

Township 1 N Range 3 West 6th PM

Chains	
	West on a random line between Sections 19 & 30 Va 13 3/4° East
1.35	Large White Elm tree 5 ft dia on line
2.10	cross dry Branch Mile Under cause Mile
16.00	top of Bluffs
21.50	Enter ravine cross NE
36.50	Same " " "
40.00	Set Post for quarter sec cor
80.96	Pursuit West Boundary of township 47.16 chs to Sections 19 & 30 — pass Where same bears S 89.4 E on a line between Sections 19 & 30 Va 13 3/4 East
40.96	Set Sandstone 16 x 12 x 4 in Sp. qr Sec Cor
80.96	The comm to Sections 19 & 30 Land Broke Pass to South 3d chs under and Elm & Ed Linwood

Township 1 N Range 3 W 6th PM

Chains	
	North Between Sections 19 & 30 Va 13 3/4 East
14.00	cross Dry Branch course NE
17.40	cross 2 1/2 Dry Branch " NW
40.00	Set Sandstone 12 x 16 x 9 in Sp qr Sec Cor
61.75	ravine course NW
78.78	an Elm 12 in dia on line
80.00	an Elm 15 inch dia White Painted Mile notches & Letters as per Instructions Sp Cors of Sections 17 18 19 & 20. pass White a Dead Elm 18 in Dia Bears N 87 1/2 W 133 Links distant Land good Farming & Grazing Lands — Cedar & Elm & Ed Linwood

Township 1 N Range 31 W 6th PM

Chains	
	East on a random line
	Between Sections 17 and 20
	Va 13.30 East
78.00	top of divide
4.00	Set Post for temporary
	QC Sec cor
7.00	opposite pine tree 33 W
7.72	Inclined North and South line 3.5 lks
	S off West corner Sections
	16. 17. 20 and 21.
	Iron Wheel corner
	S 89.45 W West on a line between Sections 17 and 20
	Va 13.30 East
3.00	Set Post deposited stones
	Stake mound of
	Earth with pits as
	per Instructions for
	QC Section corner
7.72	the corner to Sections
	17, 18, 19 and 20
	Land Broke Pine
	3 inches

Township 1 N Range 31 W 6th PM

Chains	
	West on a random line
	Between Sections 18 and 19
	Va 13.30 East
2.58	cross dry Creek Bank
	course North 4.4 links
1.50	pine tree 12
4.00	Set Post for temporary
	QC Sec cor
80.91	Inclined West Boundary of
	Township 16 North Range
	1 East on a Section line 18 and 19
	Iron Wheel corner
	North 89.53 East on a line
	Between Sections
	18 and 19
	Va 13.30 East
4.00	Set Post deposited stones
	Stake mound of Earth with pits
	for QC Sec cor
8.49	the corner to Sections 17 18 19 and 20
	Land Broke
	3 inches
	Marks ash Elm & Cottonwood

Township 1 N Range 31 W 6th P.M.

Chains	
	Cor to Secs 17 18 19 20
	Set Limestone 14 x 16 x 9 in ground
	Cor Sec 20
59.10	Right bank of Dry Branch
60.00	Cor to Secs 17 18 19 20
80.00	Set Limestone 18 x 24 x 16 in ground
	for Cor to Secs 17 18 19 20
	Land Broken
	Set 8 Pcs
	Line follows Dry Branch

Township 1 N Range 31 W 6th P.M.

Chains	
	Meanders on East Bank Section Line
	Va 13° 30' East
10.00	Some Cedar in mound
40.00	Set Post for Quarter Sec Cor
79.54	Enlarged to Cedar 8 Ins Diam Bears S. 24 Links of post Cor to Secs 8 9 16 17
	Va 13° 30' East
	from Wheel Cor to Sec 8 9 16 17 on a line between Meander Section
	Va 13° 30' East
39.77	Set Post Depression Stoned Stake raised Mound of Earth with pits as per Instructions for 9 Sections Corner
79.54	the Corner to Sections 8. 9. 16 & 17
	Land Broken Pits Dug

Township 1 S Range 3 W 6 P M

Chains	West on a random line Between Sections 7 & 18 Va 13.30 East
5.43	cross dry Branch
4.00	Set Post for Witness Pine bears N W
6.00	same course N W Distant 37 links from Bearing Tree
8.74	Cross Section 7 & 18 Same Wind course N E Abt 87 4/4 East on a random line Between Sections 7 & 18 Va 13.30 East
40.74	Set Post deposite Mound Stake raised Mound of Earth with pits as per Instruction for Quarter Sec Cor
2.074	No room to Section 7.8. 17 & 18. Land Broken Brush Set 2 pits

Township 1 S Range 3 W 6 P M

Chains	North Between Sections 7 & 8 Va 13.30 East
1.50	top of rocky Bluffs
2.30	cross dry Branch course E with Cedar Cottonwood Elm & red cedars
4.00	Set Limestone 14 x 12 x 4 in for Quarter Sec Cor
8.00	Set Post deposite Mound Stake raised Mound of Earth with pits as per Instruction for Quarter Sections. 5. 6. 7. & 8 Land Broken Land Side lines ash Elm Cottonwood & Cedars

Township 1 N Range 2 W 6th PM

Links		
	East on a random line between Sections 5 & 8. Va 13° 30' East	
33.20	cross Big Bend Creek at	
Hem	Set Limestone for Quarter	
	Sec cor	
73.10	Cross rocky point Creek W	
81.18	Intersect N & W Shore of	
	Limestone Creek in Section	
	4 & 5 & 8 & 9.	
	Run West on N Sec	
S 89° 29'	Meander a line down Creek between	
	Sections 5 and 8 -	
	Va 13° 30' East	
94.09	Set Limestone 16 x 12 x 9 in pr	
	on Sec cor	
80.19	the corn to Sections 5-6-7 and 8	
	Found Broken Stone	
	Set 3 Inch	

Township 1 N Range 2 W 6th PM

Links		
	Run random line West Between Sections 6 & 7. Va 13° 30' East	
5.15	Cross point creek N W	
17.74	Large Limestone Bluff	
	bears N W & S E	
Hem	Set Post for Quarter Sec cor	
57.20	Down creek N W Enter creek Bottom	
80.47	Intersect West Boundary of Township	
	3 & 4 B Section 6 & 7	
	Run West on Meander S 89° 45'	
	East Between Sections 6 & 7.	
	Va 13° 30' East	
40.47	~~The corn to Sections 5. 6. 7 and 8~~	
41.47	Set Post & Mound Stone	
	Pencil Mound & Earth with	
	Pits as per Instructions for	
	Quarter Sec cor	
80.47	The corn to Sections 5. 6. 7 and 8.	
	Found Broken Stone	
	Set 3 Inch	

Township 11 N Range 21 W 6th PM

Chain	North on a random line between Sections 5 & 6 Va 13° 30' East
10.00	Enter Bottom
21.30	cross driftwood creek course
31.90	" " " " NW
44.00	Set Post for temporary gr Sec cor
65.40	cross driftwood and creek course N E
80.69	Reach North Boundary of township at Bottom to Sections 5 and 6.
	From Which corner North on a random line between Sections 5 and 6 Va 13 30 Es.
41.67	Set Post dependent stamped SCR near mound of earth with pits as per description for gr Sec cor
80.69	The corner to Sections 5.6.7 and 8 Land Bottom land Sol Pole Willow and Elm cottonwood & Hackberry

Aug 30 1872 — 30th 1872

General Remarks

This township is very Broken with deep ravines Runs North & to the driftwood creek Limestone Bluffs or ledges is the north part in the Bluff of the driftwood creek Timber consisting Branches cottonwood ash Elm & Hackberry

List of Names

A list of the names of the individuals employed to assist in running Missing or Marking the lines and corners described in the foregoing field notes of Township No 4 South Range 31 W 6th P.M.

Showing the respective capacities in which they acted

Julius Sims
William Cunningham } Chainmen
Jasper Clauson
Ed D Bonds } Woodsmen

We hereby certify that I assisted
Thomas J Miller Deputy Surveyor
in Surveying and Subdividing
Township No 1 North of the Base line
of Range No 31 West of the 6th
Principal Meridian
and that the said Township has
been in all respects to the best
of our knowledge and Belief
well and faithfully Surveyed and
the Boundary Monuments planted
according to the Instructions furnished
by the Surveyor General—

Julius Haines
William Lamington
Thomas J. Miller
Jasper Clawson
Subscribed and Sworn to by the above
named persons before me a Notary
Public for and in Sarpy Co Nebraska
this 18th day of September 1872
A Marble Notary Public

I Thomas J Miller Deputy
Surveyor do Solemnly Swear
that in pursuance of a Joint
contract Wherein I J Miller and
Henry O Reamer are Joint contractors
with E E Cunningham United States
Surveyor General for Nebraska and
Iowa, bearing date the 26th Day
of June 1872,
I have well faithfully and
truly in my own proper person
and in Strict conformity with the
Instructions furnished by the Surveyor
General, the Surveying Manual and
the Laws of the United States
Surveyed all those parts of portions
of Township No 1 N of the Base line
of Range 31 West of the 6th P.M.
in Nebraska
and have Represented
in the foregoing Field Notes as
having been Surveyed under my
direction

And I do further Solemnly
Swear that all the corners
of Said Survey have been
Established and perpetuated
in Strict accordance with
the Surveys Manual and
printed Instructions for and
that the progress Field notes
on the line and Original Field
notes of Said Survey

Thomas J Miller
Dep Sur

Subscribed by said T J Miller
Deputy Surveyor and Sworn to before
me a Notary Public for and in
Saunders County in the State of
Nebraska this 18th day of September
1872.

A Marble
Notary Public

Surveyor Generals Office
Platte mouth March 10th 1873

The foregoing field Notes of the Survey
and Subdivision of Township No
1 North of Range No 31 West of the 6th
Principal Meridian executed by
Thomas J Miller Deputy Surveyor
under Joint Contract No 57 dated
the 26th day of June 1872 wherein
Thomas J Miller and Henry Latimer
are Joint Contractors in the month
of August 1872. having been Critically examined the necessary
corrections and explanations made
the said field Notes and the Survey
they describe are hereby approved

E. E. Cummings
Surveyor General

Index

Town 2 Range 31 West



Township 2 Range 31 W 6th PM

Index

Field Notes

The Survey of the Subdivision

of Township No 2 North of the Base

and

Range No 31 West of the Sixth PM

in Nebraska

Executed By Thomas J Tibbs

Deputy Surveyor in field employed

by Henry C Pearson

of June 26th 1872

Survey

Survey commenced Augs 20th 1872

" completed " 24th 1872

Notes

Names of Assistants

F M Parsons } Chain men

Nathaniel Miller }

Chas Barnett } Markers

C W King }

Township 2 North Range 3 West 6th PM

To determine the proper adjustments of the compass for Subdividing the Township.

I commenced at the com. to Townships 1 and 2 N of Base line Range 1 & 3 W & E of the 6th PM

North along the East Bndary of Section 36.

Va 13.30 East

Chains	
	North between Sections 36 & 36
1900	Varies Const W Variation 13 3/4 East
4000	Set Post deposit Charcoal State Raised Mound of Earth With Pits as per Instructions for Cor of Sec Cor Enlrg Bndtes
8000	Set Post deposit Charcoal State Raised Mound of Earth With Pits as per Instructions for Corner to Sections 25 - 26 - 35 & 36 Land Rolling Soil 2d Rate
40.16	the qr Sec cor
8.34	Cor to Section 25 Cor 36.

~~36 Cor 31.~~

Therefore May Compass is adjusted.

Subdivision Commenced Augt 20th 1872

Township 2 N Range 31 W 6th PM

Chains	
	Meanders of the line between Sections 25 & 36
	Variation 13 3/4° East
21.00	Leave North & East Bluffs
4.00	Set Rock for Company Gr Sec Cor
79.25	Intersect East Boundary of Township 33 links East of Corner to Sections 36 & 25
	Township Line N 89° 45' West on a true line between Sections 25 & 36
	Variation 13 3/4° East
39.96	Set Rock Deposit Charcoal & Stone Raised Mound of Earth Rock Pit as per Instructions for Gr Sec Cor
79.29	The Corners to Sections 25 - 26 - 35 & 36 Found Railway Spike & Date

Township 2 N Range 32 W 6th PM

Chains	
	Meanders of the line between Sections 25 & 26
	Variation 13 3/4° East
4.00	Set Rock Deposit Charcoal & Stone Raised Mound of Earth Rock Pit as per Instructions for Gr Sec Cor Leave South 20 links
64.00	Creek 20 links Wide N E
8.00	Set Rock Deposit Charcoal & Stone Raised Mound of Earth Rock Pit as per Instructions for Corners to Sections 23-24-25 & 26
	Found Railway Spike & Date

Township 2 N Range 31 West 6th Mer

Chains	East on a Random line between Sections 24 & 25
14.00	Reach ~~which is~~ Dug mound 33 ft East Corner S E
4.00	Set Post for temporary QP Sec Cor
67.00	Creek 25 Links Wide Course N E
79.86	Intersect East Boundary of Township 10 Links North of East Corner to Sections 24 & 25 From which Black Oak 8 Links North 8 deg E and 8 inches Diam between Sections 24 & 25 Varation 13 E East
39.93	Set Post deposit Charcoal 8 Stoke Raised Mound of Earth Pits as per Instructions for QP Sec Cor the Corners to Sections 23.24.25 & 26
79.86	

Township 2 N Range 31 W 6th Mer

Chains	North between Sections 23 & 24 Varation 13 E East
10.00	Ravine or Swale 1 Chain Wide Course S E
21.00	Edge Ravine Enters Bluffs
40.00	Set Post deposit Charcoal Stoke Raised Mound of Earth Pits as per Instructions for QP Sec Cor
80.00	Set Post Raised Mound of Earth Pits as per Instructions for Corners Sections 13-14-23 & 24 Lying Quartz Calling Bear Good 2d Rate

Township 2 S Range 3 W 6th P.M.

Chains	East on a Random line between Sections 13 & 24 Variation 13 3/4° East
40.00	Set Post for Company Cor Sec Cor
7.90	Intersect East Boundary of Township 7 links North of East Corner Section 13 & 24 Township Thick Trees N
89.57 N	Random line between Section 13 & 24 Variation 13 3/4° East
39.90	Set Post Adjacent Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Cor Sec Cor
7.90	the Corners to Sections 13 - 14 - 23 & 24 Land Level Both N Gradual Slope to the South & East Set Cor 2 Links

Township 2 S Range 3 W 6th P.M.

Chains	North on a Random between Sections 13 & 14
28.00	Variation 13 3/4° East Raising Mound Earth
1.00	Set Post Adjacent Adjacent Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Cor Sec Cor
8.00	Set Post Adjacent Adjacent Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Cor Sec Cor for Corners to Sections 11 - 12 - 13 & 14 Land Rising Set 2 Links

Township 2 N Range 31 W 6th P.M.

Chains	
	East and West Quadrum line between Sections 12 & 13
	Variation 13 3/4° East
4.00	Set Post for Company Q & Sec Cor
~~4.00~~	~~Gate Creek Bottom Timber~~
7.85	Intersect East Boundary of Township 1 S and North of Corner to Sections 12 & 13
	Township 1 North 89 3/4° West on line between Sections 12 & 13
	Variation 13 3/4° East
3.00 2½	Set Post Deposit Chard Stake Raised Mound of Earth Pits as per Instructions for Q & Sec Cor
7.85	the Corner to Sections 11-12-13 & 14
	Found Railing Iron Bolt 2d Rate

Township 2 N Range 31 W 6th P.M.

Chains	
	North between Sections 11 and 14
	Variation 13 3/4° East
4.00	Set Post Deposit Chard Stake Raised Mound of Earth Pits as per Instructions for Q & Sec Cor
8.00	Set Post Deposit Chard Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 1-2-11 & 12
	Found Railing Iron Bolt 2nd Rate

Township 2 N Range 3 W 6 Pm

Chains	
	East on y Random line between Sections 1 & 12
40..	Set Post for Comp'y & Sec Cr
7963	Deflect Right East Boundary of Township 21 links West of Corner to Sections 1 & 12 from Which 2 Pm North 89 51' West on a true line between Sections 1 & 12
	Variation 13 3/4° East
3981/2	Set Post Deflect Changed State Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
7963	the Corner to Sections 1-2-11 & 12
	Land Rolling
	Soil 2d Rate

Variation 13 3/4° East

Township 2 N Range 3 W 6 Pm

Chains	
	North between Sections 1 & 12
	North on y Random line between Sections 1 & 12
4000	Do Variation 13 3/4° East
4011	Set Post for Comp'y & Sec Cr
7969	Deflect North Boundary of Township 10 Links West of Corner to Sections 1 & 12 from Which 2 Pm North 6 Minutes West on a true line between Sections 1 & 12
	Variation 13 3/4° East
3969	Set Post Deflect Changed State Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Corner
7969	the Corner to Sections 1-2-11 & 12
	Land Rolling
	Soil 2 d Rate

August 20 1872

Township 2 N Range 31 West 6th P.M.

Chains	Notes between Sections 34 & 35 Variation 13 3/4° East
3.00	Iron Pipe Bolt & Mound Corner E
40.00	Set Post dep. Pit Charred Stake Raised Mound of Earth Pit Filled as per Instructions for Qr Sec Cor
80.00	Set Post dep. Pit Charred Stake Raised Mound of Earth Pit Filled as per Instructions for Corner to Sections 26-27 & 34 & 35 Land Rolling Soil 2d Rate

Township 2 N Range 31 W 6th P.M.

Chains	Eastern Boundary Line between Sections 26 & 35 Variation 13 30 East
40.00	Set Post for Company Qr Sec Cor
65.00	Iron Pipe 25 Links Stone Mound W.B.
79.78	Intersect North & South line 15 Links E of East Corner to Sections 25-26-35 & 36
	From which I Mile North 89 54' West Quarter Mile line between Sections 26 & 35 Variation 13 30 East
39.89	Set Post dep. Pit Charred Stake Raised Mound of Earth Pit Filled as per Instructions for Qr & Sec Cor
79.78	The Corner to Sections 34-35-26 & 27 Land Rolling Soil 2d Rate

Township 2 N Range 3 & W 6 Pm

Chains	
	North between Sections 26 & 27
	Exto parcels Variation 13 30 East
4.00	Set Post & Deposit Charcoal Stake Raised Mound of Earth With Pits as per Instructions for Cor Sec Cor
8.00	Set Post & Deposit Charcoal Stake With Pits as per Instructions for Corner to Sections 22-23-26 & 27 Land Lacking Set 2d Rate

Chains	
	East on a Random line between Sections 23 & 26 Variation 13 30 East
4.00	Set Post for Temporary Cor Sec Cor
7.88	Deposit North & South line 27 Spike North of Post Corner to Sections 23-24-25 & 26 From which I Ram West ~~on a Pine tree~~ North 89 48 West on a Random line between Sections 23 & 26 Variation 13 30 East
3.94	Set Post Deposit Charcoal Stake Raised Mound of Earth With Pit as per Instructions for Cor Sec Cor
79.88	The cor to Secs 22. 23. 26 & 27 Land ~~Lacking~~ Level Set 2d Rate

Township 2 N Range 31 W 6 Pm

Chains	Notes between Sections 22 & 23 Variation 13¾° East
	Set Post & Depasit Charred
4.00	Stake Raised Mound of
	Earth Pits & Pits as
	Instructions for Qr Sec Cr
14.00	Running Course S E
17.00	Leave Running S E
8.00	Set Post & depasit Charred
	Stake Raised Mound
	of Earth Pits & Pits as
	Instructions for Corner to
	Sections 14-15-22 & 23
	Land Level Slopes
	gradually both South
	Soil 2d Rate

Township 2 N Range 31 W 6 Pm

Chains	East and Random line between Sections 14 & 23 Variation 13¾° East
4.00	Set Post for Temporary Qr Sec Cr
5.00	Running Course S E
7.81	Intersect North & South line 19 links West of Post Corner to Sections 13-14-23 & 24
	Quinnithick River North 99° 52' West on Meander line between Sections 14 & 23
	Variation 13¾° East
39.91½	Set Post & depasit Charred Stake Raised Mound of Earth Pits as per Instructions for Qr Sec Corner
7.81	to the Corner to Sections 14-15-22 & 23 Land Level Soil 2d Rate

18.

Township 2 N Range 31 W 6th Pm

Chs	Chains	Notes between Sections 14 & 15 Township 2 N Range 31 W 6th Pm
	4.00	Set Post & depositd Chas & Stake Raised Mound of Earth Pits as per Instructions for Gr Sec Cor
	4.50	Cotton Pitch Cross S E
	4.50	Lava Rock Cross S E
	8.00	Set Post & deposit Chas & Stake Raised Mound of Earth Pits as per Instructions for Gr Sec Cor Four Corners to Sections 10-11-14 & 15 Land Ruling Surv 2d Rate

Township 2 N Range 31 W 6th Pm

Chains	Notes between Sections 11 & 14 Township 2 N Range 31 W 6th Pm
4.00	Set Post for Temporary Pr Sec Cor
7.98	Intersect North & South line 29 Links West of East Corner to Section 11-12-13 & 14 Iron Pipe 2 Feet North & 8 Links West on a Pine 6 Inches between Sections 11 & 14 Township 2 N Range 31 W 6th Pm
3.09 3/4	Set Post & deposit Chas & Stake Raised Mound of Earth Pits as per Instructions for Gr Sec Cor
7.98	the Corner to Sections 10-11-14 & 15 Land Ruling Surv 2d Rate

Township 2 N Range 21 W 6th Pm

Chains	Subdivisions Between Sections 10 & 11
	Variation 13 3/4 East
4.00	Set Post Depasit Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Gr Sec Co
5.00	Set Post Depasit Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Corner to Sections 2-3-10 & 11
	Land Rolling
	Soil 3rd Rate

Township 2 N Range 21 W 6th Pm

Chains	Subdivisions Between Sections 2 & 11
	Variation 13 3/4 East
4.00	Set Post for Temporary Gr Sec Co
19.45	Intersect North Bank Spirit Lair 13 Links West of East Corner to Sections 2-11-12
	From Which Black Cherry 8 Ins Diam Bears North 89 3/4 West and Distant between Sections 2 & 11
	Variation 13 3/4 East
39.23	Set Post Depasit Chained Stake Raised Mound of Earth Brick Pits as per Instructions for Gr Sec Co
40.45	to Corner to Sections 2-3-10 & 11
	Land Rolling
	Soil 3rd Rate

Township 2 North Range 3 West of the 6th P.M.

Chains	Northern Boundary line between Sections 2 & 3
40 00	Set Post for Temporary Qr Sec Cor
79 84	Intersect North Boundary of Township 1 North West of the Corner to Sections 2 & 3 from which a Bur Oak 10 inches diameter bears North 45 Degrees West 7 links distant
	Variation 13 30 East
79 84	Set Post for Temporary Qr Sec Cor
119 84	Intersect North Boundary of Township 1 North West of the Corner to Sections 2 & 3 from which a Bur Oak 10 inches diameter bears North 45 Degrees West 7 links distant
	Variation 13 30 East
159 84	Set Post for Temporary Qr Sec Cor Opposite Standard State Raised Mound of Earth Work Pits as per Instructions for Qr Sec Cor
1934	the Corner to Sections 2-3-10-11
	Surveyed Ranging East 3rd Rate
	August 21st 1872

Township 2 North Range 3 West of the 6th P.M.

Chains	Northern Boundary between Sections 3 & 4
	Variation 13 30 East
1 50	Set Post 2 Links West of Corner Common to Sections 2 3 3 & 4
80 00	Set Post for Temporary Qr Sec Cor Opposite Standard State Raised Mound of Earth Work Pits as per Instructions for Qr Sec Cor
41 00	Enter Bluff
80 00	Set Post for Temporary Qr Sec Cor Opposite Standard State Raised Mound of Earth Work Pits as per Instructions for Corner to Sections 27-28-33 & 34
	Land Slopes Gradually to the South
	Soil Good 2d Rate

Township 2 N Range 31 W 6th Pm

Chains	East between ma Random line between Sections 27 & 28 Variation 13½° East
4.00	Set Post Mound & Pits
7.91	Intersect North & South line between Sections 27 & 28
	Corner to Sections 26-27-34 & 35
	From which a Pine bears S 85° W 55 links
	Variation 13½° East
39.95	Set Post Mound & Pits as per Instructions for Cor to Secs
79.90	the Corner to Sections 27-28-33 & 34
	Land Slopes gently to the South
	Set Gord 2d Rate

Township 2 N Range 31 W 6th Pm

Chains	Meanders between Sections 27 & 28 Variation 13½° East
4.00	Set Post Mound & Pits
8.00	Set Post Mound & Pits as per Instructions for Cor to Sections 21-22-27 & 28
	Land gently Sloping to the South
	Set 2d Rate

Township 2 N Range 21 W 6th PM

Chains	
	Eastman Gunderson Line between Sections 22 & 27
	Variation 13° East
Hard	Set Post for temporary Gr Sec Co
7983	Iron Pipe Mound & Brass Cap Set
	15 Link Units West
	Corner to Sections 22-26-27-27
	from which a Red Cedar 8 Ins Diam bears South 89½° West 14 Links distant
	Line between Sections 22 & 27
39.91½	Variation 13° East
39.98½	Set Post Temporary Channel State Raised Mound of Earth with Pit as per Instructions for Gr Sec Co
7983	the Corner to Sections 21-22-27 & 28
	Land Slopes to the South
	Soil 2d Rate

Township 2 N Range 21 W 6th PM

Chains	
	North Between Sections 21 & 22
	Variation 13° East
Hard	Set Post Temporary Channel
	State Raised Mound of Earth with Pit as per Instructions for Gr Sec Co
8000	Set Post Temporary Channel State Raised Mound of Earth with Pit as per Instructions for Corner to Sections 15-16-21 & 22
	Land Slopes to the South
	Soil 2d Rate

Township 2 N Range 21 West

Chains	6th East and Land Lines between Sections 15 & 22 Varation 13 3/4 East
4000	Set Post Stone Chained Stake Raised Mound of Earth Pits as per Instructions for Gen Sur Co
7992	Subject North & South line of Lots North of East Corn to Sections 14-15-22 & 23 Township 2 North 89 57' West measured line between Sections 15 & 22 Varation 13 3/4 East
3996	Set Post Stone Chained Stake Raised Mound of Earth Pits as per Instructions for Gen Sur Co
7992	the Corner to Sections 15-16-21 & 22 Land Rolling Soil 2d Rate

Township 2 N Range 21 West

Chains	North between Section 15 & 16 Varation 13 3/4 East
4000	Set Post Stone Chained Stake Raised Mound of Earth Pits as per Instructions for Gen Sur Co
8000	Set Post Stone Chained Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 9-10-15 & 16 Land Rolling Soil 3rd Rate

Township 2 N Range 31 West

Chains	
	East on Random line between Sections 10 & 15 Township 3 N Range East
1100	Reno's Corner S E
4.00	Set Post for Company gr Sec Cor
7987	Intersect North & South line 12 links North of Post Com Sections 10-11-14-15 From which 2 Rm North 89° 15' West on Random line between Sections 10 & 15 Township 3 N Range East
3.00 3/2	Set Post Supposed Channel Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
7987	the Corner to Sections 15-10 9 & 16 Land Rolling Set 3 Rod Rule

Township 2 N Range 31 West

Chains	
	North between Sections 9 & 16
4.00	Set Post & Township 3 N East
4.00	Set Post deposit Channel Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
8.00	Set Post deposit Channel Stake Raised Mound of Earth with Pits as per Instructions for Corner to Sections 3-4-9 & 10 Land Hilly & Broken Set 3 Rod Rule

Township 2 North Range 31 West 6th Mer

Chains	
	East on a Random Line between Sections 3 & 10
	Variation 13 3/4 East
4.00	Set Post for Temporary Qr Sec Cr
79.78	Intersect North Boundary of Township 2 North, West of Corner to Sections 2-3, 10 & 11
	From Which a Pine 8 Links Diameter bears North 89 52' West and Pine 18 Links North of Post Corner
	Set Post Temporary Qr Sec Cr
	From Which a Pine 8 Links Diameter bears North 89 52' West and Pine 18 Links North of Post Corner
	Set Post Temporary Qr Sec Cr
39.89	Set Post Deposit Charcoal Stake Raised Mound of Earth Ditch Pits as per Instructions for Qr Sec Cr
79.78	the Corner to Sections 3-4-9-10
	Land Hilly
	Soil 3rd Rate

Township 2 North Range 31 West 6th Mer

Chains	
	North on a Random Line between Sections 3 & 4
	Variation 13 3/4 East
4.00	Set Post for Temporary Qr Sec Cr
79.58	Intersect North Boundary of Township 2 North, West of Corner to Sections 3 & 4
	From Which a Pine 9 Links Diameter bears North 9 Minutes West and Pine 18 Links North of Post Corner
	Variation 13 3/4 East
39.58	the Cr Set Post Deposit Charcoal Stake Raised Mound of Earth Ditch Pits as per Instructions for Qr Sec Cr
79.58	the Corner to Sections 3-4-9-10
	Land Hilly
	Soil 3rd Rate
	August 22nd 57

Township 2 N Range 31 W 6th PM

Chains	Work of Survey
	Sections 32 & 33
1500	Set Cor No 3 Variation 13 30 East
Hond	Set Post Approx Chained
	Stake Raised Mound
	of Earth Witness Pits as
	per Instructions for
	Gen Sec Cor S.
8000	Set Post Approx
	Chained Stake Raised
	Mound of Earth Witness
	Pits as per Instructions
	for Corners to Sections
	28-29-32 & 33
	Land Sloping gently to
	the South to the Creek
	lying the North.
	Soil Good 2d Rate
	Hor Bluffs on North
	Side Left creek
	rises gradually for creek

Township 2 N Range 31 W 6th PM

Chains	Work of Survey
	Sections 28 & 33
3300	Variation 13 30 East
Hond	Set Post for Temporary Gen Sec Cor
7984	Intersect North & South line
	as Past Corners Sections
	27-28-33 & 34
	From Which I Run West on
	a True line between Sections
	28 & 33
	Variation 13 30 East
3993	Set Post Approx Chained
	Stake Raised Mound of
	Earth Witness Pits as per
	Instructions for Gen Sec Cor
7984	the Corners to Sections
	28-29-32 & 33
	Land Sloping gently to the
	South
	Soil Good 2d Rate

Township 2 N Range 31 W 6th PM

Chains	Notes between Sections 28 & 29 Variation 13° East
Head	Set Post deposit Chained Stake Raised Mound of Earth Work Pits as per Instruction for gr Sec Cr
5000	Set Post deposit Chained Stake Raised Mound of Earth Work Pits as per Instructions for Corner of Sections 21-22-28 & 29 Found Stones to the South Set 2d Rate

Township 2 N Range 31 W 6th PM

Chains	Notes and Remarks between Sections 21 & 28 Variation 13° East
8.00	Range Corner N 8 & S E
Head	Set Post for Company qq Sec Cr
7.91	Contact Work & Earth Mound between at East Corner of Sections 21-22-27 & 28 Fence Wire & Range Fence Wire about line between Sections 21 & 28 Variation 13° East
39.95½	Set Post deposit Chained Stake Raised Mound of Earth Work Pits as per Instructions for gr Sec Cr
7.91	Two corner to Sections 20-21-28 & 29 Found Stones quality to the South Set 2d Rate

Township 2 N Range 21 W 6th PM

Chains	Remarks
	Meanders between Sections 20 & 21 Variation 13¾° East
900	Begin Corner S 20 & 21
4.50	Set Post for Temporary Qr Sec Cor
8000	Set Post Deposit Channel State Raised Mound of Earth Work Pits as per Instructions for Qr Sec Cor
8000	Set Post Deposit Channel State Raised Mound of Earth Work Pits as per Instructions for Corner to Sections 16 & 17 - 20 & 21 Land Slopes to the South East 2d Rate

Township 2 N Range 21 W 6th PM

Chains	Remarks
	Meanders East and West line between Sections 16 & 21 Variation 13¾° East
Hon	Set Post for Temporary Qr Sec Cor
796	Deposited North & South line 28 links North of Post Corner to Sections 15 - 16 - 21 & 22 From Which 2 Pine Knots 8 & 9 links West and One line between Sections 16 & 21 Variation 13¾° East
3982½	Set Post Deposit Channel State Raised Mound of Earth Work Pits as per Instructions for Qr Sec Cor
796	The Corner to Sections 16 - 17 - 20 & 21 Land Level 2d Rate

Township 2 N Range 31 W 6th PM

Chains	
	West between Sections 16 and 17 Vacation 133 rods East
40.00	Set Post Deposit Charged State Raised Mound of Earth Pits as per Instructions for Cor Sec Cor
80.00	Set Post Deposit Charged State Raised Mound of Earth Pits as per Instructions for Corner to Sections 8-9-16 & 17 Found Railway Iron 2 d Pits

Township 2 N Range 31 W 6th PM

Chains	
	East on a Random Line between Sections 9 & 16 Vacation 133 rods East
40.00	Set Post ~~Deposit Charged State~~ Raised ~~Mound of Earth~~ ~~Pits as per~~ for Temporary Cor Sec Corner
79.77	Intersect North Bank Snake River of Township 13 Link North of Post Corner to Sections 9-10-15 & 16 Timber Thick Down North 8.95 chs West on Random Line between Sections 9 & 16 Vacation 133 rods East
39.88½	Set Post Deposit Charged State Raised Mound of Earth Pits as per Instructions for Cor Sec Cor
79.77	the Corner to Sections 8-9-16 & 17 Found Iron 2 d Pits

Township 2 N Range 31 W 6th PM

Chains	Notes between Sections 8 & 9
	Variation 13 3/4° East
Down	Small Cairn Cross N & W
Hors	Set Post depositt Charred Stake Raised Mound of Earth Pits as per Instructions for Cor
4975	Set in Pile Cottonwood 12 inches in Diameter Which I Blazed on East Side as per Instructions
Down	Set Post depositt Charred Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 4-5-8 & 9
	Land Rolling
	Soil 3rd Rate

Township 2 N Range 31 W 6th PM

Chains	East on a Random line between Sections 4 & 9
	Variation 13 3/4° East
2000	Small Cairn Cross N & E
3950	" Range Cross N & S
Hors	Set Post for Company Cor Sec Cor
4980	Daylight Point on South line of Township at Post Corner to Sections 3-4-9 & 10
	~~Variation 13 3/4° East~~
	Meanders Hyco River West and Down Same between Sections 4 & 9
	Variation 13 3/4° East
3470	Set Post depositt Charred Stake Raised Mound of Earth Pits as per Instructions for Cor Sec Cor
4980	The Corner to Sections 4-5-8 & 9
	Land Rolling
	Soil 3rd Rate

45

Township 2 N Range 31 W 6th Pm

Chains	
	Meanders of Line between Sections 4 & 5
	Variation 13°
4.00	Set Post for Company's Sec Cor
6.00	Runs Course N W
79.80	Intersect North Bank of Big Thompson River
	27 links West of Corner to Sections 4 & 5
	Which bears South 12 Min W to Meander Line between Sections 4 & 5
	Variation 13° East
3.98	Set Rock Deposit Chamfered Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Cor
79.80	the Corner to Sections 4-5-8-9
	Land Rocky Soil Good Rate

Augst 23 1872

Township 2 N Range 31 W 6th Pm

Chains	
	North between Sections 31 & 32
	Variation 13° East
4.00	Set Post deposit Chamfered Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Cor
8.00	Set Rock deposit Chamfered Stake Raised Mound of Earth Work Pits as per Instructions for Corner to Sections 29-30-31 & 32
	Land Level Stones in the Soil Good 2d Rate

13

Township 2 N Range 31 W 4th PM

Chains	
	East on a Random line between Sections 29 & 32 Variation 13 3/4 Es
Hold 7990	Set Post for Temporary Cor of Sec Cor Intersect North & South line at East Corner of Section 28-29-32 & 33 From Which a Bing Birch on a line bears between Sections 29 & 32 Variation 13 3/4 Es
3995	Set Post Adjust Chained Slight Raised Mound of Earth With Pits as per Instructions for Cor Sec
7990	The Corner of Sections 29-30-31 & 32 Land Slopes Gently to the South Post Set 2 Ft Pits

Township 2 N Range 31 W 4th PM

North Bearing
Sections 29 & 32
Variation 13 3/4 Es

Hold 7990 Set Post Adjust Chained Slight Raised Mound of Earth

Township 2 N Range 31 West 6th Mer

Chains	
	West on a random line between Sections 30 & 31
	Variation 13 3/4° East
40.00	Set Post for Triplicate QC Sec Cor
50.25	Intersect West Boundary of Township 2 North Thence on Correct Sections 30 & 31
	from which Quarter Sec Cor North 89° 54'
	East on a true line between Sections 30 & 31
	Variation 13 3/4° East
40.25	Set Post Alternate Charred Stake Raised Mound of Earth Brick Pits as per Instructions for QC Sec Cor
80.25	The Corner to Sections 29-30-31 & 32
	Sandy Level
	Soil 2nd Rate

Township 2 N Range 31 W 6th Mer

Chains	
	North between Sections 29 & 30
	Variation 13 3/4° East
40.00	Set Post Alternate Charred Stake Raised Mound of Earth Brick Pits as per Instructions for QC Sec Cor
80.00	Set Post Alternate Charred Stake Raised Mound of Earth Brick Pits as per Instructions for Corner to Sections 19-20-29 & 30
	Sandy Level Slope to the South
	Soil 2nd Rate

Township 2 N Range 21 W 6th PM

Chains	
	East on Standard line between Sections 20 & 29
~~4000~~	~~Set Post for Temporary Qr Sec Cr~~
7985	Variation 13½° East
4000	Set Post ~~for~~ Witness Corner ~~Stake~~
	Stake for Temporary Qr Cr
7984	Intersect North & South line
80	~~East~~ Corner to Sections
	20-21-28 & 29 S 89° 54'
	Thence North 2 Rds West
	on Town line between
	Sections 20 & 29
	Variation 13½° East
3992	Set Post ~~for~~ Witness Corner
	Stake Raised Mound of
	Earth as ~~for~~ Witness for
	Sec Qr Sec Cr
7994	The Corners to Sections
	19-20-29 & 30
	Land Slopes to the South
	Soil 2d Rate

Township 2 N Range 21 W 6th PM

Chains	
	West on Standard line between Sections 19 & 30
	Variation 13½° East
3985	Range Mound S 80° W
4000	Set Post for Witness Qr Sec Cr
8015	Intersect West Boundary of Township 3 S Links North of Corners of Sections 19 & 30 Thence North 2 Rds West 80 45' East on Standard line between Sections 19 & 30
	Variation 13½° East
4015	Set Post Witness Corner Stake Raised Mound of Earth with Pits at Post for Sections for Qr Sec Cr
8015	Intersect North & South line
8015	The Corners to Sections 19-20-29 & 30 Land Rolling Soil 2d Rate

Township 2 N Range 31 W 6th Pm

Chains	Notes & Offsets
	Beckum 17 & 18
	Variation 13 3/4 East
2000	Ranin Cause S E
4000	Big Post Pine Chained
	Stake Raised Mound of Earth
	Post Rets as per Instruction
	for S W Sec Cor
4800	Cedar Ranin Cause S E
5900	Aspen Ranin " "
8000	Pine Post Pine Chained
	Stake Raised Mound of
	Earth Pits Rets as per
	Instructions for Cor on th
	Sections 7-8-17 & 18
	Land Rolling
	Soil Red Rock

Township 2 N Range 32 W 6th Pm

Chains	Notes & Offsets
	East and Random line between
	Sections 8 & 17
	Variation 13 3/4 East

Township 2 N Range 21 W 6th Pm

Chains	North between Sections 19 & 20 Variation 13 3/4 East
4000	Set Post depositd Charred Stake Raised Mound of Earth Pits as per Instructions for 1/4 Sec Cor
4000	Set Post depositd Charred Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 17-18-19 & 20 Land Rolling Soil 2d Rate

Township 2 N Range 21 W 6th Pm

Chains	East on Range line between Sections 17 & 20 Variation 13 3/4 East
3850	Cannon Corner SE & NW
4000	Set Post for Company 1/4 Sec Cor
5500	Small Knoll Cons South
7978	Depression North & South line 14 links North of Post Corner to Sections 16-17-20 & 21 Bears North 89 1/2 West Meridian line between Sections 17 & 20 Variation 13 3/4 East
3989	Set Post deposited Charred Stake Raised Mound of Earth Pits as per Instructions for 1/4 Sec Cor
7978	the Corner to Sections 17-18-19 & 20 Land Rolling Soil 2d Rate

Township 2 North Range 3 West Rio

Chains	
	West on the dividing line between Sections 18 & 19 Variation 13 3/4 East
40	Set Post for Temporary Sec Cor
80.13	Intersect West Boundary of Township 33 Link North of Corner Sections 18 & 19
	From which I Run North 89° 46' East on said line between Sections 18 & 19. Variation 13 3/4 East
40.13	Set Post & Deposit Charred Stake Raised Mound of Earth Pit 6 by 6 as per Instructions for Temp Sec Cor
80.13	Set Corner for Sections 17-18-19 & 20 Found Running Set 3rd Rate

Township 2 North Range 3 West Rio

Chains	
	North between Sections 17 & 18 Variation 13 3/4 East
2.00	Running Course S E
40.00	Set Post & Deposit Charred Stake Raised Mound of Earth Pit as per Instructions for Cor Sec Cor
48.00	Enter Running Course S E
59.00	Leave Running " "
80.00	Set Post & Deposit Charred Stake Raised Mound of Earth Pit as per Instructions for Corner to Sections 7-8-17 & 18 Found Broken Set 3rd Rate

Township 2 North Range 31 West 6th Pm

Chains	East on a Random line between Sections 8 & 17 Variation 13 3/4 East
4000	Set Post for Quarter Sec Cor
7940	Intersect North & South line between Sections 8-9-16 & 17
39	From this point North 59 1/2 West on said line between Sections 8 & 17 Variation 13 3/4 East
3995	Set Post Witness Corner State Raised Mound of Earth with Pits as per Instructions for Qr Sec Cor
4000	the Corner to Sections 7-8-17 & 18 Surveyed Bordered Said 2d Rate

Township 2 North Range 31 West 6th Pm

Chains	West on a Random line between Sections 7 & 18 Variation 13 3/4 East
4000	Set Post for Quarter Sec Cor
8027	Intersect West Boundary of Township 23 links North of Corner to Sections 17 & 7
	From this point North 59 1/2 East on said line between Sections 7 & 18 Variation 13 3/4 East
1027	Set Post Witness Corner State Raised Mound of Earth with Pits as per Instructions for Qr Sec Cor
8027	the Corner to Sections 7-8-17 & 18 Surveyed Bordered & Barbed Said 3rd Rate

Township 2 North Range 3 West 6th Prin

Chains	
	Meanders between
	Sections 7 & 8
	Variation 13 3/4 East
2.00	Corner common to
4.00	Sec 7 & 8 set Post & Mound of
	Stone & raised Mound of
	Earth & Rock Pits as per
	Instructions for gr Sec Cor
8.00	Sec 7 & 8 set Post & Mound of
	Stone & raised Mound of
	Earth & Rock Pits as per
	Instructions for Corner to
	Sections 5 - 6 - 7 & 8
	Land Broken
	Set 3rd Rate

Township 2 North Range 3 West 6th Prin

Chains	
	Meanders between
	Sections 5 & 8
	Variation 13 3/4 East
4.00	Set Post for Company gr Sec Cor
~~7.98~~	~~Inclos~~
5.20	Corner common to
7.98	Sections 4 - 5 - 8 & 9
	15 links North of Post Corner
	to Sections 4 - 5 - 8 & 9
	Township Mound 2 Links North 89 1/2 E
	Right on Meander between
	Sections 5 & 8
	Variation 13 3/4 East
3.00	Set Post Deposit Charred
	Stone Raised Mound of
	Earth Rock Pits as per
	Instructions for gr Sec Cor
7.80	the Corner to Sections
	5 - 6 - 7 & 8
	Land Broken
	Set 3rd Rate

Township 21 N Range 31 West

Chains	
	West on a Base Line between Sections 6 & 7 Variation 13 3/4° East
17.00	Corner Common N W
40.00	Set Post for Temporary Q & Sec Cor
80.34	Deflected West Boundary of Township 29 Links Left of Corner Sections 6 & 7 From Which Bears North 89 1/4 East and Stones Set between Sections 6 & 7 Variation 13 3/4° East
40.34	Set Post Deposit Charcoal & Stake Raised Mound of Earth with Pits as per Instructions for Q & Sec Cor
80.34	the Corners to Sections 5-6-7 & 8 Scribed Witness Trees Broke

Township 21 N Range 31 West

Chains	
	North on a Random Line between Sections 5 & 6 Variation 13 3/4° East
40.00	Set Post for Temporary Q & Sec Cor
80.03	Into
4.70	Corner Common to
80.03	Deflected North ~~South~~ Boundary of Township 29 Links West of Corner Sections 5 & 6 From Which Bears South 17 Minutes West on a Broken between Sections 5 & 6 Variation 13 3/4° East
40.03	Set Post Deposit Charcoal & Stake Raised Mound of Earth with Pits as per Instructions for Q & Sec Cor
80.03	the Corners to Sections 5-6-7 & 8 Found Broken Set Stone Rate August 24 1877

General Remarks

This township is
Watered By the Southwest
Creek a small Stream
not navigated but on Banks
Ash Elm Cottonwood & Buckeye
Creek man AE.

Lies the prairie in the
South Side of this creek
in Town 1 Range 21
Land South of
Creek
good farming Lands
and grazing) —
Soil Fine

List of Names

A list of Names of the ~~persons~~ Individuals employed to assist in running, measuring and marking the lines and lines described in the foregoing field notes of Township No 24 of the Base line of Ranges No 31 West of the 6th P.M.

Showing the respective capacities in which they acted

Frank M Parsons } Chainmen
Nathaniel Wilson }
Amos Burnett } Axemen
C W King }

We hereby certify that we assisted
Thomas J Miller Deputy Surveyor in
Surveying the Subdivisions
No 1 North of the Base line in
Range No 31 West of the Sixth PM
in Nebraska
We that said Township has been
in all respects to the best of our
Knowledge and belief well and faithfully
Surveyed and the Boundary Monuments
planted according to the Instructions
furnished By the
Surveyor General

F M Parsons his Mark
Nathan Milan his Mark
Wm J Burdette
C H Dana
Sworn to & subscribed before me this
18th day of September 1872

Thomas J Miller
Norman
Chainmen

Subscribed and
Sworn to before the above named persons before
me a Notary Public in and for the
County of Saunders State of Nebraska this
18th day of September 1872

A Marshall
Notary Public

Thomas J Miller Deputy
Surveyor do Solemnly Swear
that I am Associated in a Joint
Contract with Wm T Clarke the Head
Clerk are Joint Contractors
with E E Cunningham United States
Surveyor General for Nebraska
and Iowa Bearing date the 26th day
of June 1872

I Swear well faithfully and
truly in my own proper
person and in Strict Conformity
with the Instructions furnished
by the Surveyor General the
Surveying Manual & the Laws
of the United States Surveyed all
those parts & portions of
Township No 2 North of the Base
Line of Ranges No 31 West
of the Sixth PM in Nebraska
as are represented on
the foregoing field Notes
as having been Surveyed under my
directions

And I do further Solemnly
Swear that all the corners
of Said Survey have been
Established and perpetuated
in Strict accordance with
the Survey Manual and
Special Instructions and that the
foregoing are the true and
Original Field Notes
of Said Survey.

Thos J. Milner
Deputy Surveyor

Subscribed by Said Thos J. Milner
Deputy Surveyor and Sworn to before
me a Notary Public in and for
Sanders county State of
Montana this 15th Day of
September 1873

Albert C
Notary Public

Surveyor Generals Office
Plattsmouth Neb. March 2nd 1873

The foregoing Field Notes of
the Survey and Subdivision
of Township No 2 North of the
Baseline, of Range No 31 West
of the 6th Principal Meridian State of Neb
Executed by Thomas J. Milner
Deputy Surveyor under joint
Contract No 57 dated June 26th 1872
wherein Thos J. Milner and Henry C.
Reasner are joint Contractors
in the Month of August 1872
having been critically
Examined, the necessary
corrections & Explanations
made, the said Field Notes
& the Surveys thus described
are hereby approved

E. E. Cunningham
Surveyor General

Town 3. Range 31. W

6	5	4	3	2	1		
7	8	9	10	11	12		
18	17	16	15	14	13		
19	20	21	22	23	24		
30	29	28	27	26	25		
31	32	33	34	35	36		

Field Notes
of
Survey and Subdivision
of
Township No. 3 N of Base line
&
Range No. 31 W. 6th P.M.
in Nebraska

Executed by Thos. J. Miller
Deputy Surveyor - Wherein
Thos. J. Miller and H C Rasmussen
are joint contractors with
E E Cunningham Surveyor Gen-
-eral for Nebraska & Iowa
dated June 26th 1872

List of Names of Assistants
Frank M Parsons } Chainmen
Nathaniel Wilson }
Augs Burnett } Flagmen
C W King }
Survey Commenced Sept 25. 1872
" completed Oct 1st 1872

to determine the proper
adjustments of my compass
for Subdividing this
Township I commence at the
corner to Township 2 and 3 North
Range 30 and 31. W. 6th P.M.
and run
North along the East Boundary
of Sections 36.
Va 13;30 East
40.00 to a pmt. 5 lks. East of
the qr Sec cor.
80.04 to a point 11 lks East of
the corner to Sections
25 and 36.
to retrace this line or
run parallel thereto my
compass must be adjusted
to a variation of
Va: 13. 35' East

Subdivision commenced
Sept. 26th 1872

Township 3 N Range 31. W 6th P.M.

Chains From the corner to Sections
35 and 36. on the South Boundary
of the Township.
I run
North Between Sections 35 & 36
Va 13°35' East
40.00 Set post deposited charred
Stake raised mound of
Earth with pit as per
Instructions for Quarter
Sections corner.
80.00 Set post deposited charred
Stake raised mound of Earth
with pits as per Instructions
for corners to Sections
25. 26. 35 & 36.
Land rolling prairie
Soil 2d rate
Land descends Gradually to the
North

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 25 & 36. Va 13° 35' East.
13.64	cross ravine course N.
40.00	Set post for temporary qr Sec cor
80.10	Intersect East Boundary of Township 34 lks North of post corner to Sections 25 and 36
	from which corner I N 89° 45' West on a true line & Between Sections 25 & 36 Va 13° 35' East
40.05	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.10	The corner to sections 25. 24 35 and 36. Land rolling prairie Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 25 & 36 Va 13° 35' East
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 23. 24 25 and 26 Land Broken & Bluffy Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 24 & 25 Va 13° 35' East
40.00	Set post for temporary gr Sec Cor
68.00	Leave Bluffs and Enter river Bottom Course S.W.
72.00	Cross course S.E.
80.38	Intersect East boundary of Township 41. lks South of post corner to Sections 24 & 25 From which corner a Brs S 89° 42' West in a true line Between Sections 24 & 25 Va 13° 35' East
40.19	Set post deposited charred Stake, raised mound of Earth with pits as per Instructions for gr Sec cor
80.38	The corner to Sections 23, 24, 25 and 26

Land Bluffy & Broken
Soil 3d Rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 23 and 24 Va 13° 35' East
12.50	Leave Bluffs and Enter river Bottom Bears E & W.
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for gr Sec Cor
53.40	Slough 30 lks wide Bears N.W. and S.E. 3 feet deep
65.10	Slough 65 lks wide Bears E & W.
75.09	a cottonwood tree on line 6 inch dia"
80.00	Right Bank of Republican River Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Sec. & Meander cor to Fractional Sections 13.14.23.24

Land level Sandy Bottom
Soil 1st rate
good grazing lands

Township 3 N Range 31. W 6th PM

Chains	
	East on a random line Between Sections 13 & 24 Va 13°35' East- River Being Shallow I ascertain distance across By chaining
	North of river 17.91 lks.
17.91	to left-bank republican river Where Set post for temporary Meander corner
40.00	Set post for temporary Qr Sec cor
79.60	Intersect East boundary of Township 38 lks S. of post Comr to Section 13 & 24. From which comr Bears S 89° 47' W on a true line between Sections 13 & 24 Va 13°35' East
39.80	Set post deposited Stoned Stake raised mound of Earth with pits as per Instructions for Qr Sec Cor
61.69	to left Bank of republican river where Set post deposited stoned stake raised Mound of Earth with pits as per Instructions for Meander corner to fractional section 13 & 24
79.60	to Right bank of republican river & corner to frac Section

carried up 13. 14. 23 and 24.
Land Level Bottom.
Soil 2d rate

Township No 3 S Range 31 W 6th PM

Chains	North Between Sections 13 & 14 Va 13° 35' East
8.37	North and left Bank of Republican river When Set post deposited charred Stake raised mound of Earth with a pit as per Instructions for Meander corr & fractional Sections 13 & 14.
41.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions For qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 11. 12. 13 and 14

Land Level Bottom

Soil Sandy 2d rate
good grazing lands

Township 3 S Range 31 W 6th PM

Chains	East on a random line between Sections 12 and 13 Va 13° 35' East
40.00	Set post for Temporary qr Sec Cor
79.40	Intersect East Boundary of Township at post corner to Sections 12 & 13. From which corner I run West on a true line between Sections 12 and 13. Va 13° 35' East
39.70	Set post deposited charred Stake raised mound of Earth with pits as per Instructions For for qr sec cor
79.40	the corner to Sections 11. 12. 13 & 14

Land Bottom land
Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 11 & 12
	Va 13 35' East
4.50	Leave river Bottom & Ascend
	Bluffs. Trees E & W.
40.00	Set Post deposited charred
	Stake raised mound of Earth
	with pits as per Instructions
	for ~~qr~~ Sec Cor
80.00	
80.16	Set post deposited charred
	Stake raised mound of
	Earth with pits as per
	Instructions for
	corner to Sections 1. 2. 11 & 12

Land rolling Prare

Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line
	between Sections 1 and 12.
	Va 13 36' East.
40.00	Set post for Temporary
	qr Sec Cor
57.40	Ravine course S.
80.16	Intersect East Bondary of
	Township 26 lks. N. of last
	corner to Sections 1 and 12.
	from which corner N run
	N 89° 49' W. on a true line
	Between Sections 1 and 12.
	Va 13 35' East
40.08	Set post deposited stone stake
	raised mound of Earth with
	pits as per Instructions for
	qr Sec Cor
80.16	Thr corner to Sections 1. 11. 12.

Land rolling prarie

Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	North on a random line Between Sections 1 & 2. Va 13° 35' East
40.00	Set post for temporary qr Sec cor
79.94	Intersect North Boundary of Township 3 N Rs. West of post corner to Sections 1 & 2. From which corner I run S 15' W. on a true line Between Sections 1 & 2 Va 13° 35' East
39.94	Set post deposited chorred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.94	The corner to Sections 1. 2. 11 & 12

Land rolling prarie

Soil 3d rate

Sept 25 1872.

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 34 & 35 Va 13° 35' East
40.00	Set post deposited chorred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited chorred Stake raised mound of Earth with pits as per Instructions for Corner to Sections 26. 27. 34 and 35

Land rolling prarie

Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 26 and 35 — Va 13° 35' East
40.00	Set post for temporary gr Sec cor
79.64	Intersect N'th'ld S line 49. lks. S of post corner. to Sections 25 26. 35 & 36 from which corner I run S 89° 39' W. on a true line Between Sections 26 & 35 — Va 13° 35' East
39.82	Set post deposited chorrd Stake raised mound of Earth with pits as per Instructions for gr Sec cor
79.64	the corner to Sections 26 27. 34 and 35 —

Land rolling prairie

Soil 3d rate

Township 3 N Range 31. W 6th PM

Chains	
	North Between Sections 26 & 27 Va 13° 35' East
40.00	Set post deposited chorrd Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.00	Set post deposited chorrd Stake raised Mound of Earth with pits as per Instructions for corner to Sections 22. 23. 26. 27.

Land Broken Prairie
Soil 3d rate

Township 3 N Range 31 W 6th P M.

Chains	
	East on a random line Between Sections 23 & 26. Va 13 3/4° East
15.60	ravine course N—
30.45	ravine " N—
40.00	Set post for temporary qr Sec cor
64.00	ravine course N—
80.36	Intersect N and S line 73 lks E. of post corner to Sections 23 24. 25 & 26 From which corner a bear S 89° 29' W. on a true line Between Sections 23 & 26, Va 13 3/4° East
40.18.	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.36	The corner to Sections 22 23 26 & 27. Land Bluffy & Broken
	Soil 3d rate

Township 3 N Range 31 W 6th P M

Chains	
	North Between Sections 22 and 23 Va 13 3/4° East
18.50	Leave Bluffs. & Enter river Bottom Bears N 70° W. S 70° E.
40.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for corner to Sections 14. 15. 22 & 23.

Land in Bottom Level Bears

Soil good Second qrely Prairie Land

Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 14 & 23 Va 13° 35' East
4.00	Set post for temporary qr Sec cor
79.60	Intersect N and S line 47 lks. S of post corner to Sections 13. 14 23. & 24. from which corner A run S 89° 46' W on a true line Between Sections 14 & 23 Va 13° 35' East
39.80	Set post deposited charred Stake raised mound of Earth as per Instructions for qr Sec cor
79.60	The corner to Sections 14. 15. 22 & 23. Land Level Bottom Soil Sandy. 2d rate farming lands

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 14 & 15 Va 13° 35' East
9.04	Intersect S and Right Bank of Republican river Set post deposited charred Stake raised mound of Earth with pit as per Instructions for meander corner to fractional Sections 14 & 15 River being shallow & uncertain distance across by chaining 10.00
19.04	to Left Bank of Republican river Set post deposited charred Stake raised mound of Earth with a pit as per Instructions for meandr corner to fractional Sections 14 & 15
40.00	Set post deposited charred Stake raised mound of earth with pit as per Instructions for qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pit as per Instructions for corner to Sections 10. 11. 14 & 15 Land Level Bottom Soil 2d rate Good farming Lands

Township 3 N. Range 31 W 6th PM

Chains	
	East on a random line Between Sections 11 & 14 Va 13° 35' East
40.00	Set post deposited chmd Stake raised mound of
79.94	Intersect N. & S. mile line 40 lks. N. of post corner to Sections 11. 12. 13 & 14. from which corner I am N 89° 45' W on a true line Between Sections 11 & 14 Va 13° 35' East
39.97	Set post deposited chmd Stake raised mound of Earth with pits as per Instructions for Sec cor
79.94	The corner to Sections 10, 11, 14, & 15 - Land Level Bottom Soil 2d rate good farming lands

Township 3 N. Range 31 W 6th PM.

Chains	
	North Between Sections 10 & 11 Va 13° 35' East
16.31	ravine & drain course S. & Ent Bluffs
40.00	Set post deposited chmd Stake raised mound of Earth with pits as per Instructions for cor Sections on ravine course S. W.
57.00	
80.00	Set post deposited chmd Stake raised mound of Earth with pits as per Instructions for corner to Sections 2. 3. 10. & 11.

Land Rolling prairie
Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 2 & 11 Va 13° 35' East
40.00	Set post for temporary qr Sec cor
61.40	Range cross S W
80.18	Intersect N and S line 49 lks N. of post corner to Sections 1. 2. 11 & 12 from which corner A tree N 89° 30' W. on a true line Between Sections 2 & 11 Va 13° 30' East
40.09	Set post deposited mound Stake raised mound of Earth Mk pits as per Instructions for qr Sec cor
80.18	The corner to Sections 2. 3. 10 and 11.

Land Broken Prairie
Soil 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	North on a Random line Between Sections 2 & 3 Va 13° 35' East
27.40	Range cross S W.
40.00	Set post for temporary qr Sec cor
53.60	Range cross S W
80.47	Intersect North Boundary of Township 37. Ns. West of post corner to Sections 2 & 3. from which corner A tree South 16. West a true line Between Sections 2 & 3. Va 13° 30' East
40.47	Set post deposited mound of Earth Mk pits as per Instructions for qr Sec cor
80.47	The corner to Sections 2. 3. 10 & 11

Land Rolling Prairie
Soil 2nd rate

Sept 26. 1872

Township 3 N Range 31 W 6th P.M.

Chains	
	North Between Sections 33 & 34.
	Va 1335 East
40.00	Same course S.E.
40.00	Set post & mound chd. Stake raised Mound of Earth With pits as per Instructions for qr Sec cor
79.00	Same course S.E.
80.00	Set post & pits chd. Stake raised of Earth With pits as per Instructions for corner to Sections 27. 28. 33 and 34.

Loam Broken prairie
Soil 3 rate
unfit for cultivation

Township 3 N Range 31 W 6th P.M.

Chains	
	East on a random line Between Sections 27 & 34
	Va 1335 East
1.50	Same course S.E.
14.70	Same course ~~for~~ Temporary Qr Sec cor
40.00	Set post & pits chd ~~Stake~~
64.10	Same course N.W.
80.46	Intersect S. and S. line 31 lks ~~South~~ of post comr to Sections 26. 27. 34 and 35
	From which corner a true line S 89° 47' W on a true line Between Sections 27 and 34
	Va 1335 East
4.23	Set post & pits chd Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
80.46	The corner to Sections 27. 28. 33 & 34.

Loam rolling prairie
Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 27 & 28 Va 13° 35' East
40.00	Set post deposited chond Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
56.00	Prairie course N W
80.00	Set post deposited chond Stake raised Mound of Earth with pits as per Instructions for corner to Sections 21 22 27 and 28
	Land rolling prair Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 22 & 27. Va 13° 36' East
36.40	Prairie course N E
40.00	Set post for temporary gr Sec cor
60.40	Prairie course N E
80.74	Intersect N and S line 78 lks S. of post corr to Sections 22 23 26 & 27. from which corr I run S 89° 27' W. on a true line Between sections 22 & 27 Va 13 36' East
40.37	Set post deposited chond Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
80.74	the corner to Sections 21 22. 27 and 28. Land Broken & Bluffy Soil 2d rate

Township 3 N Range 31 West 6th P.M.

Chains	
	North Between Sections 21 & 22 Va 13 3/4° East
9.70	Leave Bluffs and enter River Bottom course E & W
40.00	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for comr to Sections 15. 16. 21 & 22.
	Land Level Bottom Soil Sandy good 2d quality

Township 3 N Range 31 W 6th P.M.

Chains	
	East on a random line Between Sections 15 & 22 Va 13 3/4° East
40.00	Set post ~~for temporary~~ ~~deposited~~ ~~charred~~ Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
79.80	Intersect ~~temporary~~ & S line 38 lks S. of post cor to Sections 14. 15 22 & 23 from which cor a tree bears S 89° 44' W. on a true line Between Sections 15 & 22 Va 13 3/4° East
39.90	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
79.80	The comr to Sections 15. 16. 21. and 22.
	Land Level Bottom Soil 2d qd Sandy

Township 3 N Range 31 W 6th PM

Chains	Notes Between Sections 15 and 16 Va 13° 35' East
29.33	Intersect right and S Bank of Republican river where Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for Meander corner to fractional Sections 15 & 16 River being Shallow I ascertained Distance across by chaining to Middle of river 5.24 chs
34.57	to Left Bank of river Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for Meander corner to fractional Sections 15 & 16.
40.00	Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for Quarter Section

Township 3 N Range 31 W 6th PM

Links	Notes
50.00	Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for corner to Sections 9. 10. 15 & 16.

Land Line Between

Soil Sandy good Grade

Township 3 N Range 31 W 6th PM

Chains	East on a random line Between Sections 10 & 15 Va 13° 35' East
31.10	Enter timber bears W & S W
32.70	cross Blackwood creek 20 lks. Wide bears S. E.
36.70	Leave timber bears W & E
37.40	Enter timber bears N E & S W
39.64	cross Blackwood Creek 12 lks. Wide cross N E. & leave Timber
46.00	Set post for temporary Cor Sec Cor
47.10	cross Blackwood creek & Enter timber cross S E
48.40	Leave timber cross S E
80.06	Intersect N & S line 44 lks S of post comm to Sections 10 11. 15 & 16. from which comm Iron S 89° 41' W on a true line between Sections 10 & 15 Va 13° 35' East
40.08	Set post deposited mound Stake raised mound of Earth mk as per Instructions for Sec Cor
80.16	the comm to Sections 9, 10, 15 & 16 Land rolling Prairie Soil 2d rate Timber oak &c

Township 3 N Range 31 W 6th PM

Chains	North Between Sections 9 & 10 Va 13° 35' East
35.40	Leave Brtw & Enter Bluffs Course E. & W.
40.00	Set post deposited mound Stake raised mound of Earth mk with pits as per Instructions for Cor Sec Cor
47.00	range cross N E
80.00	Set post deposited mound Stake raised mound of Earth mk with pits as per Instructions for comm to Sections 3, 4, 9 & 10
	Land Rolling Prairie Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	East on a random line Between Sections 3 & 10 Va 13 3/4° East
24.00	Leave Bluff.
39.10	Enter timber & cross Blackwood creek 23 lks wide runs S 45° E to an Elm tree 24 inch dia
39.71	
40.00	Set post for temporary qr Sec cor
41.30	leave timber & Enter Bluff
80.14	Intersect N & S line Between 39 lks. S. of post corn to Sections 23. 10 & 11.
	from which corn A run S 89° 45' W on a true line Between Sections 3 & 10 Va 13° 30' East
38.64	to Elm tree 10 inch dia
40.07	Set post depositing charred Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
80.14	The corn to Sections 3, 4, 9 & 10 Land Rolling prairie Soil 2d rate timber ash Elm & cottonwood

Township 3 N Range 31 W 6th PM

Chains	North on a random line Between Sections 3 & 4. Va 13 3/4° East
40.00	Set post for temporary qr Sec cor
58.00	Leave Bluff & Enter creek Bottom trees W W. & S E.
71.00	Enter Timber Bears E & W.
73.42	cross Blackwood creek. 30 lks wide runs E.
76.00	Leave timber bears E & W
80.97	Intersect N Boundary of Township 63 lks W. of post corn to Sections 3 & 4. from which corn A run S. 27' W on a true line between Sections 3 & 4. Va 13° 30' East
40.97	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.97	The corn to Sections 3, 4, 9 & 10. Land rolling prairie Soil 2d rate timber ash Elm & cottonwood Sept. 27th 1872

Township 3 N Range 31 W 6th PM.

Chains	North Between Sections 32 & 33 Va 13° 35' East
40.00	Set post deposited chaned Stake raised mound of Earth with pits as per Instructions for cor to Sections 28, 29, 32 & 33
51.46	ravine runs N E
80.00	Set post deposited chaned Stake raised mound of Earth with pits as per Instructions for cor to Sections 28, 29, 32 & 33

Land rolling prarie

Soil 2d rate

Township 3 N Range 31 W 6th PM.

Chains	~~North Between Sections 28 & 33~~ East on a Random line Between Sections 28 & 33 Va 13° 35' East
11.60	ravine runs N W
40.00	Set post deposited for temporary Qr Sec cor
43.70	ravine runs N E
80.90	Intersect N and S line 81 lks. South of post corr to Sections 27, 28, 33 and 34. from which corr I run S 89° 25' W on a true line Between Sections 28 & 33 Va 13° 35' East
40.45	Set post deposited chaned Stake raised mound of Earth with pits as per Instructions for Qr Sec cor
80.90	the corr to Sections 28, 29, 32 & 33

Land Broken & Hilly

Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 28 & 29
	Va 13° 35' East
40.00	Set post deposited Mound
	Stake raised mound of Earth
	Mk pits as per Instructions
	for gr Sec cor
59.44	Ravine runs N W
80.00	Set post deposited Mound
	Stake raised Mound
	of Earth Mk pits as
	per Instructions for Corner
	to Sections 20. 21. 28 & 29.
	Land Broken & Hilly
	& rolling prairie
	Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line
	Between Sections 21 & 28.
	Va 13° 35' East
7.60	Ravine Creek North ~~Between~~
	runs E & W
40.00	Set post for temporary
	gr Sec cor
59.90	ravine runs N W
80.60	Set post & Mound & Pits ~~Between~~
	4 lks S. of post Corner to Sections
	21. 22. 27 & 28.
	From which Corner A run
	S 89° 40' W. on a true line between
	Sections 21. and 28.
	V 13 35' East
40.30	Set post deposited Mound Stake
	raised mound of Earth Mk
	pits as per Instructions for
	gr Sec cor
80.60	the Corner to Sections 20. 21.
	28 & 29.
	Land Broken prairie
	Soil 3d rate

Township 31 N Range 31 W 6th PM

Chains	
	North Between Sections 20 & 21.
	Va 13° 35' East
4.70	Cross Bluffs & Ember River
	Bottom bears E & W
40.00	Set post deposited charred
	Stake raised mound of
	Earth with pits as per
	Instructions for
	qr Sec cor
68.90	Intersect South and Right
	Bank of Republican River
	Set post deposited charred
	Stake raised mound of Earth
	with pits as per Instructions
	for Meander corner to fractional
	Sections 20 and 21.
	river bears Shallow Chains Over.
80.00	Section corner Comes in river on
	dry Sandbar no bearing trees to
	be Obtained Set post for temporary
	corner to fractional Sections 16.
	17 20 & ~~21~~ 21.
	this corner cannot be permantly ~~located~~
	Established
	Land Level Bottom
	Soil 2d rate

Township 31 N Range 31 W 6th PM

Chains	
	East on a random line
	Between Sections 16 & 21.
	Va 13° 35' East
5.30	Set post for temporary Meander corner
	on Right Bank Republican river
40.00	Set post ~~Appx~~ temporary
	qr Sec cor
80.14	Intersect N and S line 37 lks.
	S of post corner to Sections
	16. 16. 21. and 22
	from which corner I run
	S 89° 44' West on a true
	line Between Sections 16. and 21.
	Va 13° 35' East
40.07	Set post deposited Charred Stake
	raised mound of Earth with pits
	as per Instructions for qr Sec cor
74.84	to Right Bank (East) Republican river
	Set post deposited Charred Stake
	Raised mound of Earth with pits
	as per Instructions for Meander corner
80.14	to fractional Sections 16 & 21.
	the temporary corner to Sections
	16. 17. 20 & 21.
	Land Level Bottom Soil 2d rate

Township 31 N Range 31 W 6th PM

Chains		
	North Between Sections 16 & 17 from the temporary corner to said fractional Sections as found bearing river Va 13.35 East	
	I run north	
12.85	to the left bank of the Republican River where Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 16 & 17 whole width of river 23.95 chs.	
360	to South and right-bank of the White Man's fork, of the Republican River Set post deposited charred Stake, raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 16 & 17 river being Shallow I chain over	
	Width of river 400 chs.	

40.00	To Left Bank of White Man's Fork. When Set post deposited Charred Stake raised Mound of Earth with pits as per Instructions for Meander corner to fractional Sections 16 & 17
80.00	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for corner to Sections 8. 9. 16 & 17.
	Land Level Bottom
	Soil 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 9 and 16 Va 13 3/4° East
40.00	Set post for Tmpsony qr Sec cor
80.42	Intersect N and S line 25 lks S. of post corner to Sections 9.10.15 & 16. from which corner I run S 89° 49' W on a true line between Sections 9 & 16. Va 13 3/4° East
4021.	Set post deposited charred Stake raised mound of Earth with pits as per Instructions pr qr Sec cor
80.42	The corner to Sections 8.9.16 & 17. Land rolling prairie Soil 3d rate

Township 3 N Range 31 W 6th PM

	North Between Sections 8 & 9. Va 13 3/4° East
3.90	Leave Bottom & enter Hilly prairie bears E & W
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions pr qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions pr corner to Sections 4. 5. 8 and 9. Land Gently rolling prairie Soil 2 rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 4 & 9. Va 13° 35' East
40.00	Set post for temporary qr Sec cor
80.06	Intersect N & S line 21 lks South of post corner to Sections 3. 4. 9 & 10. from which corner bears S. 89° 45' W on a true line Between Sections 4 & 9. Va 13° 36' East
40.03	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.06	the corner to Sections 4 5. 8 9.

Land level Broken
Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	North on a random line Between Sections 4 & 5 Va 13° 36' East
40.00	Set post for temporary qr Sec cor
80.79	Intersect N Boundary of Township 33 lks E. of post corner to Sections 4 & 5 from which corner bears S 14° E. on a true line. Between Sections 4 & 5 Va 13° 35' East
40.79	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.79	the corner to Sections 4. 5. 8 & 9.

Land rolling prairie
Soil 2d rate
Sept 28. 1872.

Township 3 N Range 31 W 6th PM

Chains	North Between Sections 31 and 32. Va 13° 35' E.
34 60	Rainy creek N W
40 00	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80 00	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions for comm to Sections 29, 30 31 & 32.

Land rolling prairie
Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	East Between Sections 29 & 32 Va 13° 35' East
18 00	Rainy creek N W
40 00	~~Set post deposited~~ for temporary gr Sec cor
80 36	Intersect N and S line 46 lks North of post comm to Sections 28, 29, 32, & 33, from which comm I run N 89° 40 W on a true line between Sections 29 & 32. Va 13° 35' East.
40 18	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions for ~~Gr~~ gr Sec cor
80 36	Va comm to Sections 29, 30 31 and 32.

Land rolling prairie
Soil 3d rate

Township 31 N Range 31 W 6th PM

Chain	
	West on a random line
	Between Sections 30 & 31.
	Va 13° 35' East
40.00	Set post for temporary
	QC cor
47.30	ravine crosses NE
79.04	Intersect West boundary of
	Township 34 bks North of
	post corr to Sections 30 & 31.
	from which Corr B mon
	N 89° 45' E on a true line
	Between Sections 30 & 31
	Va 1° 35' East
39.04	Set post deposited charcoal
	Stake raised mound of
	Earth with pits as per
	Instructions
	for qr Sec cor
79.04	the corr to Sections 29, 30 31.
	& 32.
	Land rolling prairie
	Soil 3d rate

Township 31 N Range 31 W 6th PM

Chain	
	North Between Sections 29 & 30
	Va 1° 35' East
10.00	Enter ravine course NW
20.00	leave " " NW
40.00	Set post deposited charcoal
	Stake raised mound of Earth
	with pits as per Instructions
	for qr Sec cor
	Leave Bluff & Enter Bottom
	bears W E & S W.
80.00	Set post deposited charcoal Stake
	raised mound of Earth with
	pits as per Instructions
	per corr to Sections
	19. 20. 29. & 30.
	Land rolling prairie
	Soil 3d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 20 & 29. Va 13° 35' East
40.00	Set post for temporary gp Sec Cor
57.00	Leave Bluffs & Ent Bottom bears N E & S W
63.30	Cross ranne cmnr N W
80.08	Intersect N and S line 63 lks North of post cmnr to Sections 20. 21. 28 and 29. from which cmnr bears N 89. 33' W on a true line Between Sections 20 & 29. Va 13° 35' East
40.04	Set post & pitted. chisled Stake raised mound of Earth with pits as per Instructions for gp Sec Cor
80.08	the cmnr to Sections 19. 20. 29 & 30. Land Level Bottom Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	West on a random line between Sections 19. & 30 Va 13° 36' East
2.70	cross Slough 30 lks wide cmnr N E & S W.
20.10	cross same Slough cmnr S E
40.00	Set post for temporary gp Sec Cor
56.64	Intersect Right & S Bank of Republican river where Set post for temporary Mc ascertain distance across by Chaining
78.44	Intersect Left Bank of Republican river 39 lks N of post cmnr to Sections 19 & 30 Said cmnr stands on North Edge of Sand bar on Bank of River which I use as a Meander cmnr & Mark as such from which cmnr bears N 89° 43' East on a true line Between Sections 19. & 30 Va 13° 35' East

Township 3 N Range 31 W 6th PM

Chains	
21.84	on South Bank of Republican river
	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 19 & 30.
38.44	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Qr Sec cor
78.44	The corner to Sections 19, 20 29 & 30.
	Land Level Bottom Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 19 & 20 Va 13° 35' East
15.80	Intersect South & Right Bank Republican river whence Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 19 & 20. river being shallow shore over
~~27.20~~	north of river 11.40 chs
27.20	Intersect north & left Bank of Republican river
	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 19 & 20
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 17, 18, 19 & 20
	Land Level Bottom Soil 2d rate

Township 3 N. Range 31 W 6th PM.

Chains	
	East on a random line Between Sections 17 & 20 Va 1° 35' East
40.00	Set post for Temporary QP Sec cor
68.36	Intersect Left Bank of Republican river Where set Temporary Meander corner river very shallow Chain across to corner
79.84	Intersect S. 79° E. line 30 lks. North of post Temporary corner to Sections 16. 17. 20 & 21. From which corner bears N 89° 47' W on a true line between Sections 17 & 20. Va 13 35' East
11.48	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 17 & 20
39.92	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for QP Sec cor
79.84	The corner to Sections 17. 18. 19 & 20 Land Level Bottom Soil Sandy 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	West on a random line between Sections 18 & 19. Va 13. 35' East
40.00	Set post for temporary QP Sec cor
78.64	Intersect West Boundary of Township 33 lks. North of post corner to Sections 18 & 19. From which corner bears N 89° 46' E. on a true line between Sections 18 & 19. Va 13.35 East
38.64	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for QP Sec cor
78.64	The corner to Sections 17. 18. 19 & 20.

Land Level Bottom
Soil Sandy 2nd rate

Township 3 N Range 31 W 6th P.M.

Chains	
	North Between Sections 17 & 18. Va 13° 35' East
32.38	Intersect right & Left Bank of the Whitemans Fork of Republican river Where set post dispatched chained Stake raised mound of Earth with pits as per Instructions for Meander corner to Sections 17 & 18.
	river being Shallow Main Over Width of river 550 Lks
38.78	to Left bank of Whitemans Fork of Republican river set post dispatched chained Stake raised mound of Earth with pits as per Instructions for M.C. to fractional Sections 17 & 18
40.00	Set post dispatched chained Stake raised mound of Earth with pits as per Instructions for Corner
80.00	Set post dispatched chained Stake raised mound of Earth with pits as per Instructions for corner to Sections 7, 8, 17 & 18. Land Level Rolling Soil Sandy. 2nd rate

Township 3 N Range 31 W 6th P.M.

Chains	
	East on a random line Between Sections 8 & 17. Va 13° 35' East
40.00	Set post ~~dispatched chained~~ corner on bank
79.82	Intersect & run S line at. post corner to Sections 8, 9, 16 & 17 from which corner witness an Ash 8 inches diameter bears North 25 links distant and an Ash 8 inches diameter bears West 25 links distant
	Va 13° 35' East
39.91	Set post dispatched chained Stake raised mound of Earth with pits as per Instructions for Meander corner
79.82	The corner to Sections 7, 8, 17 and 18.
	Land Gently rolling Bottom Land 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	West on a true line
	Between Sections 7 & 18
	Va 13° 33' East.
40.00	Set post deposited ~~stone~~ ~~Stake~~ ~~mound~~ ~~Mound~~ of Earth with pits as per ~~Instructions~~ for temporary
	or Meander
78.92	Intersect West Boundary of Township 37 No. Post post comr to Sections 7 & 18.
	from which comr I run
	N 89° 44' E on a true line
	Between Sections 7 & 18.
	Va 13° 33' East
38.92	Set post deposited Stone
	Stake raised Mound of
	Earth with pits as per Instructions
	for original meander
78.92	the comr to Sections 7. 8. 17 & 18
	Land Level Bottom
	Soil 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	North Between Sections 7 & 8.
	Va 13 3/4° East
4.50	Levee Bottom & ruby Bluffs & rolling Prairie E & W
40.00	Set post deposited Stone Stake raised Mound of Earth with pits as per Instructions for original meander
80.00	Set post deposited Stone Stake raised Mound of Earth with pits as per Instructions for ~~original meander~~
	Comr to Sections 5. 6. 7 & 8
	Land rolling Prairie Soil 3rd rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line between Sections 6 & 5. Va 13° 35' East
40.00	Set post for temporary QP Sec cor
80.16	Intersect N & S line 41 lks South of post corn to Sections 4. 5. 8 & 9. From which corn B bears S 89° 42' W on a true line between Sections 5 & 8 Va 13° 35' East.
40.08	Set post deposited charred stake raised mound of Earth mkd pits as per Instructions for QP Sec cor
80.16	The corn to Sections 5. 6. 7 & 8. Land Gently rolling prairie Soil 2nd rate

Township 3 N Range 31 W 6th PM

Chains	
	West on a true line between Sections 6 & 7 Va 13° 35' East
40.00	Set post for Temporary QP Sec cor
78.37	Intersect West Boundary of Township at post corn to Sections 6 & 7 from which corn B bears East on a true line between Sections 6 & 7. Va 13° 35' East
38.37	Set post deposite charred Stake raised mound of Earth mkd pits as per Instructions for QP Sec cor
78.37	The corn to Sections 5. 6. 7 & 8. Land rolling prairie Soil 2nd rate

64

Township 31 N Range 31 W 6th P.M.

Chains	
	North on a random line between Sections 5 & 6 Va 13.35 E
40.00	Set post for temporary QC Cor
79.91	Intersect S Boundary of Township 16 the same being Cor to Sections 5 & 6. from which an Iron Pin bears S 87 W on a true line between Sections 5 & 6. Va 13.35 East
~~39.91~~	~~the same to Sections 5 & 6. 798.~~ ~~Land Gently rolling~~
39.91	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for QC Cor
79.91	the same to Sections 5 & 6. 798. Land Gently rolling prairie land 3rd rate

General description
Land in this Township
Mostly Bottom Land the
Soil is good ~~Structure~~ 2d quality.
best adapted to grazing
the whole-many Park like
Republican river
Empties in to the republican
river in this Township
confluence in Sections 16.
Scarcely no timber along
the Streams.
Limestone Ledges in
Bluffs on South side
of River
but of Inferior quality.

Township 31 Range 31 W 6th PM

6

Meanders of the Right Bank of the republican river through the Township

Courses	Distances	
		Begin at the corn to fractional Sections 25 & 30 on the West Boundary of the Township & run thence downstream with the meanders of the right Bank of the river
N 56° E	27.00	to meander corn to fractional Sections 19 & 30.
		2
		at 11.00 chs corns in began Thence into Section 19.
N 47¼ E	10.00	
N 70 E	25.00	
East	26.30	to fractional Section 19 & 20
		3
		Thence into Section 20
N 75° E	16.00	
N 57 E	44.00	
N 50 E	37.30	corner to fractional Sections 20 & 21
		4
		Thence into Section 21
N 25 ¾ E	12.10	

Township 31 Range 31 W 6th PM

Meanders of the Right Bank of the Republican river through the Township (Continued)

Courses	Distances	
		5
		thence in Sec. 16
N 35° E	5.00	
N 45 E	24.00	
N 81 E	46.00	
N 86 ¼ E	10 30	to meander corn to fractional Sections 15 & 16. Thence into Section 15
		6
S 86° ½	8 28.00	
S 61. E	7.00	
S 70 E	11.00	
S 82 E	10.00	
S 66 E	14.60	
S 74 E	13.00	to corner to fractional Sections 14 & 15 Thence into Section 14
		7
S 78 ½ E	36.00	
N 84 ½ E	28.00	
S 77 E	28.00	to corner to fractional Sections 13. 14. 23 & 24 Thence into Section 24
		8
S 60° E	31.40 ~~30.00~~	
S 49. E	16.00	
S 35 E	14.00	
S 58 ½ E	11.00	
S 81.° E	24.60	to a point 32.45 ~~33.15~~ chs N of
		9

Continued down Stream

— of the comm to Sections 24 & 25-
Land along the
river to
Dark Sandy
no Timber Only Small cottonwood
Bonsall & Millon

Date Sept. 30 1872

Meanders of the Left Bank
of the Republican River
through the Township up
Stream

Course	distance Chains	
		Begin at the Meander comm
	10	to fractional Sections 19 & 24 thence
N 77° W	24.00	
N 40 W	16.40	
N 48. W	22.00	
N 55° W	14.80	to Meander comm to fractional
	11	Sections 18 & 24 Thence into
		Section 18
N 65° W	19.75	to comm to fractional
	12	Sections 13 & 14 Thence into
		Section 14.

Township 21 North Range 31 West 6th PM

Continued up Stream

Course	distance	
N 76 1/2 W	31.75	
N 85 1/2 W	22.00	
N 78 W	28.00	to comm to fractional Sections
	13	14 & 15 Thence into Section 15
N 70° W	20.60	
N 86 W	11.20	
N 71 W	20.60	
S 88 1/2 W	30.50	to comm to fractional Sections
	14	15 & 16.
		Thence into Section 16.
N 81° W	15.00	
S 89 W	30.75	to confluence of Whitemans
S 76 1/2 W	10.20	Fork mdl of river 10.20 chs
S 49 1/2 W	32.90	to meander comm to fractional
	15	Sections 16 & 17.
		Thence into Section 17
S 42 1/2 W	17.10	to the comm to fractional Sections
	16	17 & 20 Thence into Section 20
S 49 W	40.00	
S 64 W	38.30	
S 68 1/4 W	8.70	to comm to fractional Sections
	17	19 & 20 Thence into Section 19.
S 87 1/2 W	46.10	
S 69. W	12.70	

Township 3 N Range 31 W 6th P.M.
Continued up Stream

Course	Distance	
S 47 W	29.10	to the corner to ~~fractional~~
		Sections 19 & 30.
		on Township line
		Land along the North
		Bank of the Republican
		River in Sections 19 & 30
		Subject to inundation
		by regular Banks

Sept 30 1872

Township 3 N Range 31 W 6th P.M.
Right Bank

Courses of the Meanders of the
Fire Republican River along
the Township Lines

Course	Distance	Remarks
		On a Meander Line
		on the West of the
		Township N. 67.80
		West of and 6 Sections
		18 & 19
		and on East along the
		Right Bank of the
		Republican River
		and Sections 18 & 19
	19	
S 71 1/4 E	18.50	
S 40 E	29.70	
S 70 E	28.60	
S 86 E	23.00	Fractional Sections
S 70 E	20	to the corner to Sections 17 & 18 -
S 70 E	24.00	thence into Sect 17.
S 88 E	22.50	
N 88 E	16.75	
N 60 E	22.31	to the corner to fractional Sections
	21	16 & 17
		thence into Sections 16.

Survey of St Romp 3 / W 6th P.M.

Survey of the Williams Fork extension

Courses	Distances	
~~S 82° E~~	~~2478~~	
S 86° E	2480	

To the Intersection of
River to a Cottonwood Tree Dr
~~Land~~
Land along Stream
Sandy and Subject to
inundation

~~Oct 13th~~ 1872

List of Names

A list of Names of the Individuals employed to assist in running marking and marking the lines and corners of the Section in the progress field notes of Township No 3 N of the Base line of Range No 8 W of the 6th P.M.

Shewing the respective capacities in which they acted

Frank H Parsons } Chainmen
Nathaniel Wilson }
Angus Runstad } Flagmen
Chr King }

We hereby certify that we assisted
Thomas J. Nelson Deputy
Surveyor in Surveying the Subdivisions Township
No 3 N of Range No 31 W of the 6th
principal Meridian in Nebraska and that said Township
has been run in all respects to the best
of our Knowledge and belief
well and faithfully Surveyed
and the Boundary Quarter posts planted
according to the Instructions given
by the Surveyor General

Thomas J. Nelson Deputy
Surveyor
Subscribed and sworn to before me this 18th day of
September 1872

A Marble
Notary Public

I Thomas J. Nelson Deputy
Surveyor do Solemnly Swear
that in pursuance of a Contract
Dated March 9th 1872 and
Entered into by and between
myself and E. C. Cunningham Surveyor General
of the State of Nebraska
Dated at Omaha
the 26th day of June 1872
I have well faithfully and truly in my
own proper person and strict conformity
with the Instructions given by the Surveyor
General the Surveying Laws of the United States
of the United States Surveyed all those
portions of Township No 3 North of the base
line of Range No 31 West of the 6th
principal Meridian in Nebraska as are represented
on the foregoing field notes
as having been Surveyed
under my direction

And I do further Severally Swear that all the corners of said Survey have been Established & perpetuated in Strict accordance with the Surveying Manual & the printed Instructions & that the foregoing Field Note & the Plat and Original Field Note of said Survey.

Thomas J. Milner
Deputy Surveyor

Subscribed & Sworn to before me by said T. J. Milner Deputy Surveyor & Sworn to before me a Notary Public for and in Saunders County Nebraska this 18th day of September 1873.

A. Marble
Notary Public

Surveyor Genral's Office
Plattsmouth Mar. 10th 1873

The foregoing Field Notes of the Survey of the Subdivisional lines of Township No 3 North of the Base line of Range No 31 West of the 6th Principal Meridian in the State of Nebraska Executed by Thomas J. Milner Deputy Surveyor under joint Contract No 57 dated June 26th 1872 wherein Thomas J. Milner & Harry C. Reasner are joint Contractors in the Months of September & October 1872. having been Critically Examined the necessary Corrections & Explanations made, the said Field Notes & Surveys they describe are hereby approved.

E. E. Cunningham
Surveyor Genral

Index.

Town 4 Range 31 W

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	0	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Field Notes

of Survey of Subdivision

of Township No 4 N of the Base Line

Range 1 E of the Principal Meridian

in Nebraska

Executed by Thomas J Nelson

Deputy Surveyor in pursuance of Letter

of Instructions from Wm Clements Surveyor General

of Nebraska & Iowa dated at Omaha

Nebraska June 26th 1872

Survey Commenced Sept 20 1872

Survey Completed " 25 " "

Field Notes of Same by Assistants

Julius Hess
Wm Simon Cunningham } Chainmen

T J Nelson
Joseph Clarkson } Mudsmen

Township 4 S Range 31 W 6th PM

To determine the proper adjustment of Guy Courses for Subdividing this Township

Commence at the corner to Townships 3 & 4 S Ranges 30 & 31 W and run

North on a blank line along the East Boundary of Section 36.

N 1° 30' East

37.86 to the Intersection of Sec
29.74 to the corner to Sections 25 & 36.

Therefore Guy Courses
is to be adjusted

Subdivision commenced
Sept 1872

Subdivision commenced
September 20 1872

North between Sections
35 & 36.
N 1° 30' East

40.00 Set Post deposite stone N 45°
raise Mound of Earth 1 foot high
as per Instructions for
Quarter Sec cor

80.00 Set Post deposite stone West
raise Mound of Earth 1 foot high
as per Instructions for
corner to Sections 25 26. 35.
& 36.

Run West Gulley Creek
Still 2° West

Township 4 South Range 31 W 6th P.M.

Chains	
	East on a meander line between Sections 25 & 26 On 133 East
40.00	Set Post for Quarter Sec Corner
79.76	Thence East Bearing of Township line to be South 89 Post Corner to Sections 25 & 26. From Post Corner S 89 W North 87 1/4 W on a meander line between Sections 25 & 26. On 133 East
39.88	Set Post Mound Stone raised Mound of Earth with Pits as per Instructions for 1/4 Sec Corner
79.76	The Corner to Sections 25 & 26. 35 & 36. Fair Light Rolling Prairie Soil Good
	good Farming Land

Township 4 South Range 31 W 6th P.M.

Chains	
	North between Sections 25 & 26 On 133 East
40.00	Set Post Mound Stone raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
80.00	Set Post Mound Stone raised Mound of Earth with Pits as per Instructions for Corner to Sections 23 24 25 & 26 Fair Light Rolling Prairie Soil Good
	good Farming Land

Township 4 North Range 31 West 6th P.M.

Chains	
	East Between Sections 24 & 25
	Va 13° 30' East
40.00	Set Post for Corner go Sec Cor
79.72	Distant East Boundary of Township 31 the South & East corner to Sections 24 & 25:
	From which a Pine 8" Diam bears S 82° 45' W on a Pine Line Between Sections 24 & 25 Va 13° 30' East
29.86	Set Post Deposited Mound Stones around Mound of Earth Pits as per Instructions go Sec Cor
79.72	The corner to Sections 23 24 25 & 26

Land Valley Brave

Soil 2nd rate

Township 4 North Range 31 West 6th P.M.

Chains	
	North Between Sections 23 & 24 Va 13° 30' East
40.00	Set Post Deposited Stones Stake raised Mound of Earth Pits as per Instructions go Sec Cor
80.00	Set Post Deposited Stones Stake raised Mound of Earth Pits as per Instructions go Cor to Sections 23 24 25 & 26

Land Valley Brave

Soil 2nd rate

Township 4 N Range 21 W 6th PM

Links	
	East Between Sections 13 & 24
	On 13 30 East
11.00	Set Post for Quarter
19.80	Cross Mound E & Sections Cor
79.68	Intersect East Boundary of Township 26 Lks North of Post Com to Sections 13 24 ~~from which Cor of Sec bears West on a True Line between Sections 13 & 24 Bears West Links~~
	From which Cor Sec 1 & 12 bears N 89° W
	Between a True Line Between Sections 13 & 24
	On 13 30 East
39.84	Set Post dug and Mound Stake raised Mound of Earth with pits as per Instructions & Cor Sec Cor
79.68	The Cor to Sections 23 24 26

Land on Clay Brook

Sec 2 Ord

Township 4 N Range 21 W 6th PM

Links	
	North Between Sections 13 & 24
	On 13 30 East
11.00	Set Post dug and Mound Stake raised Mound of Earth with pits as per Instructions & Cor Sections Cross Mound E & Sections Cor
33.50	
50.00	Set Post dug and Mound Stake raised Mound of Earth with pits as per Instructions & Cor Sections
	11, 13, 13 & 14

Land on Clay Brook Sec 2 Ord

Township 4 N Range 31 W 6th PM

	E
	East a mound one link Between Sections 12 & 13. Va 13°30' East
40.00	Set Post Inscribed Corner for Sections 12 & 13 Stake painted Blue Mound 4 Links West of Post Set as per Instructions
80.38	Intersect East boundary of Township 27 links East corner to Sections 12 & 13. Pine 10 inches diam bears North 89.48 West on a line between Sections 12 & 13 Va 13°30' East
41.38	Set Post Inscribed Stone Stake marked Mound 4 Links West Set as per Instructions for Quarter Section Cor
80.38	to corner to Sections 11-12-13 & 14
	Low Water Bank Creek bears 25 Links

Township 4 N Range 31 W 6th PM

Chas	North 40 Chains to Quarter Section 12 & 13 Va 13°30' East
40.00	Set Post Inscribed Stone at Stake marked Mound 4 Links West Set as per Instructions for Quarter Section Cor
80.00	Set Post Inscribed Stone Stake marked Mound 4 Links West Set as per Instructions for Corner Sections 12 & 13 & 14 Low Water Mark Creek 25 Links

Township 4 N Range 31 W 6th M

East on random line
between Sections 7 & 18
Va 13° 30' East

40.10 Set Post for Temporary
Qr Sec Corner

41.50 Cross ravine course SE

81.48 Intersect East Boundary of Township
& the South of East corner to
Sections 7 and 18

From which Witness Corner
South 89° 30' West
a Pine 30 links Between Sections
18 & 13

Va 13° 30' East

41.98 Set Post Temporary Stone
mound Stake
raised Mound of Earth with Pits
as per Instructions for
Qr Sec Cor
Witness Corner Sections 12 13 7 18

Land nothing Timber

Soil Poor

Township 4 N Range 31 W 6th M

Thos. Standard Line
Between Sections 1 & 12.
Va 13° 30' East

40.00 Set Post Temporary Stone
mound Stake
raised Mound of Earth with Pits
as per Instructions for
Qr Sec Cor

82.10 Cross ravine course E

79.31 Intersect West Standard Parallel
37 lks East of Post Standard
corner to Townships 3 & 4 of
Ranges 30 & 31 W

Here set Post Temporary
Stone Stake raised Mound of Earth
dug & pits as per Instructions
for closing Cor to
Sections 1 & 12

Land Rocky Plain

Soil 3rd rate

Sept 20th 1872

Township 41 N Range 21 W 6th PM

	Start Between Sections 34 & 35 -
40.00	Commencing 1332 East Set Post Stone mound Stake and mound of Earth with pits as per Instructions for a Section Corner
80.00	Set Post Stone mound Stake and mound of Earth with pits as per Instructions for a Corner to Sections 26 27 34 & 35 - Land Valley Bears Set Stone Post

Township 41 N Range 21 W 6th PM

	East on a random line Between Sections 26 & 35 Va 1330 East
40.00	Set Post ~~Stone mound Stake~~
0.42	again cross Sept
80.42	Enclosed Fd Stone Iron Pipe Post & Post Corner to Sections 26 35 & 36. Iron Pipe Post Corner East 80.42 West on a line Between Sections 26 & 35 Va 1330 East
41.21	Set Post Stone Stake and mound of Earth with pits as per Instructions for a Sec Cor
80.42	the same to Sections 26 27 34 & 35 - Land Valley Bears Set Stone Post

Town Ship 41 N. Range 31 W. 6th P.M.

Chains	
	North ~~on a random line~~ Between Sections 26 & 27.
	Va 1330 East
41.05	Set Post depart Corner Stake
	Paved End of Eight Mile Post
	as per Instructions
	Gp Sec Co
85.20	Cross again Cross S E
86.00	Set Post depart Corner Stake
	Paved End of Eight Mile
	Post as per Instructions
	Gp ~~Corner~~ Corner to
	Section 22 23 26 & 27
	Land Very Hilly
	Brush & 2 Mile

Town Ship 41 N. Range 31 W. 6th P.M.

Chains	
	East on a random Line
	between Sections 23 & 26.
	Va 1330 East
17.41	Cross again S E.
41.00	Set Post for Temporary Gr Sec Co
61.30	again S W
84.47	Intersect N & S Line ~~Pt. No~~
	Left Post Corner to Sections
	23. 24. 25 & 26
	From which Corner
	I 89. 45 West on a Line between
	Sections 23 & 26
~~From which Corner~~	
	Va 1330 East
110 78½	Set Post Depart Corner Stake mark
	Wood I Feet with pits as per
	Instructions
	Gp Sec Co
80 47	Va Corner to Sections 22 23 26
	& 27
	Land very Hilly Brush
	Set 2 Mile

Township 11 S Range 21 W 6th P.M.

Chains	
	North Between Sections 22 & 23
	Var 13° 30' East
4000	Set Post deposit Stone & Stake
	raised Mound of Earth &
	mk Pits as per Instructions
	for yr Section corner
7145	cross ponds
8000	Set Post deposit Stone Stake
	raised Mound of Earth mk
	pits as per Instructions for
	corner to Sections
	14. 15. 22 and 23
	Land valley Stone
	mostly Broken S 60 E 8 links
	found Stone & Pits

Township 11 S Range 21 W 6th P.M.

Chains	
	Westerly a portion line
	Between Sections 14 & 23.
	Variation 13° 30' East
2000	Ends scrub
2940	Low ground
4000	Set Post for Temporary
	yr Sec Cor
5710	Cross ravine & road to
6064	Intersect East Boundary of
	Tract and Set Post 67
	No Pits & Post cross to
	Section 13 & 14 23 & 24.
	Stone Mound Pits South
	89.30 West on a line run
	Between Section 14 & 23
	Var 13° 30' East
4192	Set Post deposit Stone Stake
	raised Mound of Earth mk
	pits as per Instructs
	for yr Sec Corner
5064	Cross Section 14 15 22 & 23
	Land valley Broke Stone
	Pits found

Traverse left bank Kamp St No 6th 1880

Dists	
	North Latitude Departure
	14 W 15
	W 18 30 East
40.10	Set Post Departure Chained
	Stake passed Found A
	Ecott Built Post as per
	Instructions for ex
	ofrontier Section Corner
64.40	copper
50.00	Set Post departure Chained Stake
	passed Found A Ecott Built
	Post as per Instructions
	for Corner of Sections
	11 12. 14 14 W 18 -
	Land rolling Stone
	Soil Stone

Traverse left bank Kamp St No 6th 1880

Dists	
	East on a random line
	Between Sections 11 & 14
	Variation 13 30 East
31 60	copper
40 00	Set Post for Corner
	of Section
71 20	copper
80 44	Distant N 89 East 80 44
	North of Post some Distance
	11 12 13 14
	From Which corner Pine
	N 89 45 West 80 44 links
	Between Sections 11 & 14
	Variation 13 30 East
41 00	Set Post departure Chained Stake
	passed mound of Earth with Post
	for Corner of Sections
80 44	Pine corner to Sections 11 12 14 13 -
	Land rolling Stone
	Soil Dark
	good farming lands

Transcript of Survey

Chains	
	North Between Sections 10 & 11
	Var 13°30 East
4.00	Set Post, Asked Stone
	Stone raised Mound of Earth
	with pits for grade ⊙
66.40	Camp
80.00	Set Post & pointed Stone
	Stake raised Mound of
	Earth with pits ⊙
	for Section
	for 6 mile to Section
	2.3. 10 & 11
	Land on Stony Branch
	Set Post

Transcript of Survey

Chains	
	East on a gradual line
	Between Sections 2 & 11
	Variation 13°30 East
33.60	Come cross S.W.
4.00	Set Post for Corner
	for Sec ⊙
80.67½	Entered S. W. South Line 2
	South of Post and 6 Links
	2.11 & 12
	Stone Mark Come Down
	South 89.45 West on a line
	Between Sections
	2 & 11
	Var 13°30 East
40.32	Set Post & pointed Stone Stake
	raised Mound of Earth with
	pits ⊙ for Section
	for Sec Cor
50.64	16 Links to Station 2.3 & 10 & 11
	Land on Stony Branch
	Set Post

Township 4 N Range 31 W 6th P.M.

Chains	North on a true line. Between Sections 12 & 13 W. 1320 E.
4.00	Set Post deposite Stones Stake raised Mound of Earth pit 2 ft in Sandstone 1 ft Sec Cor
78.72	Intersect Spirit Standard pointed 21 Lks West of Mound pit & Witness Stand on edge of Swamp Standard Com to Sections 25 & 36 T5N R3W Where set Post deposited Stone Stake raised Mound with pits & for Instruction for Closing corner to Sections 2 & 3 Sandstone 1 ft above Surface

Sept 21/1872

Township 4 N Range 31 W 6th P.M.

	North between Sections 33 & 34 W. 1320 East
20.10	Iowa creek Bottom
40.00	Set Post deposite Mound Stone raised Mound of Earth with pits as per Instructions for quarter Section corner
51.10	Iowa creek Top
80.00	Set Post deposite Stone Stake raised Mound of Earth with pits as per Instructions for quarter Section Corner to Sections 27 28 33 & 34 Sandstone Stone Set 3 ft North

Township 4 N Range 31 W 6th PM

Chains	East on a random line between Sections 27 & 34 Va 13 30 East
40.00	Set Post for Quarter
80.18	Section Cor. of Sec 3 Sec 10 Sec 15 Sec 22 Sec 27 Sec 34 Sec 35
	Sec Cor. and Cor. Dec 5 Sec 32 West on a true line between Sections 27 & 34
40.00	Set Post Corner Common to Sec 27 & 28 Va 13 30 East
80.18	Sec Cor. and Cor. Sec 27 & 28 27 & 34
	Land Meas Chain Down

Township 4 N Range 31 W 6th PM

Chains	North between Sections 27 & 28 Va 13 30 East
40.00	Set Post Corner common to Sec 27 & 28 Stake and Mound 0.50 Link Pits on bearing Tree Cottonwood 12 Links Dia Blazed
80.00	Set Post Corner common to Sec 27 & 28 Stake and Mound 0.50 Link Pits on bearing Tree Cottonwood 12 Links Dia Blazed
	Land Meas Chain Down

Township 4 N Range 21 W 6th PM

Chs	
	East on a random line Between Sections 22 & 27 On 13°30' East
11.00	Set Post for Corner 4 Posts
61.70	Down
77.64	Ambient N & S Line at Post on Sections 22, 23 26 and 27 Iron Creek Bears West on a Random Line Between Sections 22 and 27 On 13°30' East
39.52	Set Post Deputed Planted Stake mound Pond of Earth with pits as per Instruction for Sections 22 & 27
79.44	Pike on Sections 22 27 and 28 Land rolling Timber Level Ground

Township 4 N Range 21 W 6th PM

Chs	
	Pike N Between Sections 22 & 23 On 13°30 East
40.00	Set Post Deputed planted Stake mound pond of Earth with pits as per Instructions for quarter Corner
61.00	Range
80.00	Set Post Deputed planted Stake mound pond of Earth with pits as per Instructions for Corner to Sections 15 16 21 & 22
	Land rolling Timber Level Ground

Township 44 N Range 21 W 6th P.M.

Chains	East on a random line between Sections 18 & 22 Va 13.30 East
11.40	range
11.00	Set Post for temporary gr Stone
7.00	range
80.44	Intersect S. line Sec. 18 Lg 16 Set Post from which Bears N 45° W 22 Iron Block from which Bears N 89° E 27 Post in a Pile Stones Between Sections 18 & 22 Va 13.30 East
11.22	Set Post Deposited Stone Stake raised Mound of Earth with pits as per Instructions gr Stone
80.44	Run from to Section 18 & 22

Land rolling Prairie
Soil Sandy

Township 44 N Range 21 W 6th P.M.

Chains	North Variation Station 18 & 22 Va 13.30 East
11.00	Set Post deposited stone Stake raised Mound of Earth with pits as per Instructions gr Stone
80.00	Set Post deposited stone Stake raised Mound of Earth with pits as per Instructions for Corner Sections 7, 12, 13 & 18 Land rolling Prairie Soil Sandy

Township 4 N Range 2 W of 6th PM

Chs	East on a random line to Meander Section 4 on the 15-Ln 13° 30' East
23.11	same course S E
4.00	Set Post for Quarter on Sec line
16.30	same course S E
31.62	Intersect the S Sec. 42 links E of Post on Section 10, 11 on the 15-Ln same course S E S 89° 45' West on a line on the Meander Section 10 on the Ln 13° 30' East
40.81	Set Post Corner to Sections 9 10 15 16 on the Land valley Mine Set 2 Pits
81.62	

Township 4 N Range 2 W of 6th PM

Chs	North Meander Section on the Ln 13° 30' East
4.00	Set Post for Corner to Sections 9 10 15 16 on the Land valley Mine Set 2 Pits
73.30	same course West
77.81	Set Post for Corner to Sections 9 10 15 16 on the Land valley Mine Set 2 Pits

Township 4 N. Range 3 W 6th PM

	East on a meander line Between Sections 3 & 10 Va 13.20 East
11.00	Set Post for Quarter Sec Cor
6.41.0	Ogan &c
80.34	Intrsct Left Bank Lime 4 8 Lks
	Set Post Corner Sections 2 3. 10 & 11
	from which Corner Pine 1 8.37 West 40 Lks Lime Between Sections 2 & 10 Va 13.30 East
11.07	Set Post Depth Stone Mound Ditch 4 pits as per Instructs Qr Sec Cor
8.03.4	Ck on Section Line 2 & 10
	Left Bank Lime Fold Drain

Township 4 N. Range 3 W 6th PM

Lime	North on a par. Line Between Sections 3 & 10
	Va 13.30 East
40.00	Set Post Depth Stone Mound Ditch 4 pits as per Instructions for Closing Corner to Sections 2 & 11 Left Bank Lime Fold Drain
79.11	Intrsct past Standard Comal 40 Lks West of Standard Corner to Sections 34 & 35 Va 13.30 East
is	is Stone Mound Depth Set Post Depth Stone Mound Ditch 4 pits as per Instructions for Closing Corner to Sections 2 & 11 Left Bank Lime Fold Drain

Sept 25 1872

Jan 5 N R 3 W 6th P.M. Colusa Co.

Township 4 S. Range 3 W 6th P.M.

	Left Bank Salmon Section 32 & 33
	Va 13.30 East
4.00	Set Post deposited Corner Stake
	raised Mound of Earth with
	pits & pos & Brushen
	for Quarter Section
	on Cattle Butte
47.10	cross Blackwood Dry Creek
	Course S E
69.44	cross Blackwood Dry Creek Course S W
74.94	cross Blackwood Dry Creek
	Course S E
80.00	Set Post deposited Corner
	Stake raised Mound of Earth
	with pits & pos & Section Lines
	for Quarter Section
	28 27 33 W 3
	~~Landowsky Bros~~
	East Butte Land
	Under each Cattlewood & Elm
	Tie 2 Poles
	good Spring Land

Township 4 S. Range 3 W 6th P.M.

	East on a random line Salmon
	Section 28 & 33
	Va 13.30 East
21.60	Lemm Creek Butte Cattle Stake
	Bears N W & S E
41.20	Set Post deposited Corner Stake
	raised Mound
47.10	some cross S W
80.20	Quarter Section 28 & 33
	Set corner to Section 27, 28, 33 & 34
	from which some Iron Pin
	N 89° 45' West a True Quarter Section 28. & 33
	Va 13.30 East
40.10	Set Post deposited Corner Stake
	raised Mound of Earth with
	pits & pos for Quarter Section
	Corner
80.20	for corner Section 28 27 33 & 34
	Landowsky Bros
	in East Quarter Pole & Pile
	Bears 20 Chains West Butte
	Tie 15 Links

Township 4 North Range 21 West 6th PM

Chains	
	North Between Sections 28 & 29
	On 12° 30' East-
22.70	Leave cork Bottom and Enter Bluffs
11.20	Set Post & Spoils about Stake-
	-rised Mound of Earth with pits
	as per Instructions for
	opposite cor-
80.20	Set Post & Spoils about Stake-
	-rised Mound of Earth with
	pits as per Instructions for
	corner to Sections 20 21 28,
	& 29.
	Land on Slough Bears
	west post South post be-
	-ing Bottom Set & Stake-

Township 4 North Range 21 West 6th PM

Chains	
	East on a random Line
	Between Sections 21 & 28.
	On 12° 30' East
34.95	Cross Bayou and S.W.
11.20	Set Post for Temporary
	Quarter Sec cor-
80.66	Set a Post & Spoils 27 Links
	N of Post cor to Sections
	21 22 27 & 28.
	from which Elm 18 Links
	Post as a Pivot Line between
	Sections 21 & 28
	On 12° 30' East
44.83	Set Post & Spoils about Stake-
	-rised Mound of Earth
	with Pits as per
	Instructions for
	opposite cor-
80.66	ner to Sections 21 22 27 & 28
	Land on Slough Bears
	Set & Spoils

Township 4 N Range 21 W 6th PM

North Between Sections 20 and 21.
Var 13.30 East

1000 Set Post Reposite Stone Stake
raised Mound of Earth mkd
pos as per Instructions
for 4th Sec Cor.

8000 Set Post Reposite Stone Stake
raised Mound of Earth
mkd pos as per Instructions
for Cor to Sections
16 17 20 21

Land Highly Valley Brave
Soil Dark

Township 4 N Range 21 W 6th PM

Chains East on a random line
Between Sections 16 and 21
Var 13.30 East

1000 Set Post for Temporary
4th Sec Cor

80.12 Retreat N on West Line on
49 Links West of Post on
to Sections 16 17 20 21
From which Corner Tree
N 89° 30' West 10 links
Between Sections 16 21
Var 13.30 East

1000 Set Post Reposite Stone Stake
raised Mound of Earth mkd post
as per Instructions for
4th Sec Cor

80.12 Where Corner to Sections 16 17 20 21
Land Highly Valley
Brave
Soil Dark
good farm land

Township 4 S Range 3 W 6th PM

Chains	North Between Sections 16 and 17
	Va 1330 East
17.50	Same Course S W
4.50	Set Post deposit stones
	Stake pound Mound of
	Earth with pits bearing
	Instruction Pt grade Cr
14.25	Same Course S W
8.10	Set Post deposit stones
	Stake pound Mound of Earth
	with pits bearing Instruction
	Pt Corner Sections
	E 16 Cor 17
	Land Rocky Knoll
	Soil & Coal

Township 4 S Range 3 W 6th PM

Chains	East on a meridian line
	Between Sections 9 & 16.
	Va 13.3 East
4.00	Set Post Pt Temporary
	Pt See Cor
63.40	Same Course S W.
80.60	Intersect S Bdy Sec 9 & 16
	S 1/4 Post Corner Sections
	9 & 16 and 16.
	Same Course & Dist
	S 89 45 West on a line
	Between Sections 9 and 16.
	Va 1.3 East
40.30	Set Post Deposit Stones & Pits
	Stake Mound of Earth with
	Pits bearing Instruction Pt
	1/4 Sec Cor
80.60	The Same Sections E 9 16 & 17
	Land rolling Knoll
	Soil & Coal

Township 4 N. Range 3 W 6th P.M.

Chains	North between Sections 5 & 9
	Va 13° 30' East
4.00	Set Post Corner Chained
	5 to it varied Mud &
	Earth mark pits on
	for Sections 5 & 9 Sec Cor
8.00	Set Post Corner Chained 5 to it
	varied Mud & Earth mark
	pits on for Quarter
	for Sections
	4.5. & 8

Land nothing Timber
Soil Good

Township 4 N. Range 3 W 6th P.M.

Chains	East on a random line
	between Sections 4 & 9
	Va 13° 30' East
38.00	Cross creek course S.W.
41.00	Set Post for Quarter
	Corner Sec Cor
61.10	regain course East
80.42	Enlarge 4 & 9 & Run 64 Lks
	N of Post corner to Sections 33. 34. 4 & 5
	from which Corner Bears
	West on a true line between Sections
	4 & 9
	Va 13° 30' East
4.21	Set Post Quarter Chained 5 to it varied
	Mud & Earth mark pits
	on for Section
	for Quarter Sec Cor
80.42	The corner to Sections 4. 5. 8 & 9

Land nothing Timber
Soil Good

Township 4 S Range 31 W 6th PM

Miles	North on a true line between Sections 4 and 5 - Va 13° 30' East
40.00	Set Post dep. stone mound Stake raised mound of Earth with pits as per Instructions for Gr. Sec. Cor.
75.27	Intersect ~~4th~~ for first Standard Parallel 1/2 bet West of last Standard Corner, Sections 33 and 34

Town 5 N. R. 31 West.

	Here Set Post dep. stone mound Stake raised mound of Earth with pits as per Instructions & crossing Commence to Sections 4 and 5 -
	and valley Chain Lk 2 Wide

Sept 24th 1872

Township 4 S Range 31 W 6th PM

Miles	North Between Sections 31 and 32 Va 13° 30' East
40.00	Set Post dep. stone mound Stake raised mound of Earth with pits as per Instructions for Gr. Sec. Cor.
80.00	Set Post dep. stone mound Stake raised mound of Earth with pits as per Instructions for Corner to Sections 31° and 32
	Land rolling Chain good farming land.
	Lk 4 Wide

Township 4 N Range 31 W 6th PM

Links	
	East on a random line between Sections 29 & 32 to 13°30' East
40.00	Set Post for temporary QC Sec Cor bears S to W
68.80	Enter timber
69.70	Cross Blackwood Ry Creek course SE
75.40	Leave timber
79.74	Ordinary N & W & S Line 33 Lks S of Post corner to Sections 28 29 32 & 33. from which bears N 89° 45' West on a true line between Sections 29 & 32 to 13°30 East
87.87	Set Post depositd charred Stake raised Mound of Earth mixed with pebbles as per Instructions for QC Sec corner
79.71	The corner to Sections 29 30 31 & 32 Land no Bldg Trees Said B Dale

Township 4 N Range 2 W 6th PM

Links	
	West on a random line between Sections 30 & 31. to 13°30' East
40.00	Set Post for temporary QC Sec corner
78.39	Ordinary West Boundary of Township 15 Links North of Post corner to Sections 30 & 31 from which bears ~~East~~ N 89° 45' East on a true line between Sections 30 & 31 to 13°30 East
38.89	Set Post depositd charred Stake raised Mound of Earth mixed with pebbles as per Instructions for QC Sec corner
75.39	The corner to Sections 29 30 31 & 32 Land no Bldg Trees Said B Dale

Township 4 N Range 21 W 6th PM

Chains	
	North Between Sections 29 and 30
	Va 13.30 East
41.10	Set Post deposite Stone Post
	passed Bank of Creek mkd
	pits as per Instructions for
	29 & Sec Cor
67.10	Pecan Corner SE
81.10	Set Post deposite Stone
	Stake passed Bank of Creek
	mkd pits as per Instruction
	for Corner to Sections
	19. 20. 29 and 30
	Land valley Thence
	Sail grad 2° sat from bank

Township 4 N Range 21 W 6th PM

Chains	
	East on a random line between
	Sections 20 and 29
	Va. 13°30' East
19.00	Pecan Creek Bottom
37.57	cross Bluff land by Creek Bank SE
41.10	Set Post deposite Company
	29 Sec Cor
68.10	Pecan Creek Bottom
79.80	Point at W Bank 41 lks pf
	post on b Sections 20 21 28 and 29
	from Which Pecan 8 lks 47
	Post on a line Between Sections
	20 and 29
	Va 13°30 East
37.90	Set Post deposite Stone Stake
	mkd Pits as per Instructions
	for 29 Sec Corner
79.80	the Corner to Sections 19. 20. 29 and 30
	Land valley Thence East
	7.00 chs
	Prod Pecan Bank
	Bluff and Elm 8 Cottonwood

Township 4 S Range 21 W 6th PM

Chains	
	West on a random line between Sections 19 & 20. Va 13° 30' East
19.40	Corner comm SE
4.00	Set Post & Mound for Corner gr Bk Oak
78.10	Intersect West Boundary of the Township 40 Links N of post comm to Section 19 & 30 from which Bear Tree comm bears N 89° 45' East on a line between Sections 19 & 30 Va 13° 30' East
38.00	Set Post & Mound Stake & pile of Earth with pits as per Instruction for gr Sec Corner
78.10	Set Corner to Sections 19, 20, 29 & 30 Lowland Bog Prairie Soil Sandy

Township 4 S Range 21 W 6th PM

Chains	
	North Between Sections 19 & 20 Va 13° 30' East
31.00	
1.60	Ent Creek Bottom
31.50	Cross Black Mud Dry Creek Course SE with Timber on Banks
33.50	Blackwood Dry Creek Course SE
41.00	to an Elm 10 inch Corner on North Side of Creek Set Corner SE What I mark as gr Sec Cor from which a Cottonwood 12 in Diam bears N 89° W 14 Links distant and Ash 20 in Diam Bears N 40 E 31 Links
47.50	Cross Blackwood Dry Creek course S W
59.00	Clear Bottom Cross ridge
68.40	Ent Same Creek Bottom
80.00	Set Post Deposit Mound Stake & pile of Earth with pits as per Instruction for Corner to Sections 17, 18, 19 & 20 Land Level Bottom Soil Rich Loam Corner ash Elm Cottonwood

Township 4 N Range 21 W 6th PM

Chains	
	East on a random line between Sections 17 and 20 Va 13° 30' East
6.30	cross Blackwood Dry Creek 30 links wide on Bank course S E
41.00	Set Post for Quarter Sec between
68.00	Sec Bottom on East Bluff.
71.00	course course S W
79.90	Intersect West Bdy of Sec 16 & S of Post on 6 Sections 16. 17. 20 and 21. from which an Iron S 89° 38' East on true line between Sections 17 and 20 Va 13° 30' East
39.95	Set Post & Stone charred Stake raised Mound of Earth with pits as per Instructions for Qr Sec corner
79.90	Cor common to Sections 17. 18. 19 & 20 Land Level Bottom Soil Sand with Elem & Cottonwood East Post Bottom on Bluff

Township 4 N Range 21 W 6th PM

Chains	
	West on a random line between Sections 18 and 19 Va 13° 30' East
7.40	Cross Bottom on Edge Bluff
41.00	Set Post for Quarter Sec corner
77.41	Intersect West Boundary of the Township 21 links North of Post on 6 Sections 18 and 19 from which an Iron ~~East~~ West at 89° 45' East on a true line between Sections 18 and 19 Va 13° 30' East
37.141 ~~77.141~~	Set Post Deposits charred Stake mound of Earth with pits as per Instructions for Qr Sec Cor
77.141	Cor common to Sections 17. 18. 19. 20 Land valley Share Soil Sand

Township 4 N Range 21 W 6th PM

Chains	North Between Sections 17 & 18
	Va 12° 30' East
11 40	Enter grassy Swail
28 60	Leave " " "
28 90	Cross Blackwood Creek 24 links
	on Banks Exc E
40 00	Set Post & pointed Stones
	Stake raised Mound of Earth
	with pits as per Instructions
	per 9th Sec Comm
67 10	Leave Creek Bottom & Enter Bluff
80 00	Set Post & pointed Stones Stake
	raised Mound of Earth with pits
	as per Instructions per Comm
	to Sections 7 & 17 & 18
	Cor
	Land Level Rather
	Soil 1st Rate
	Timber 1st Class & Cottonwood
	good Grassy Land

Township 4 N Range 21 W 6th PM

Chains	East on a random line
	between Sections 8 & 17
	Va 13° 30' East
40 00	Set Post for Quarter
	Sec Corner
47 40	Cross some cross Trails
80 00	Intersect N Bdy Sec 8 25 Links
	N of Post cor to Sections 8 & 17
	pits thereon Bears N 89° W
	West on a true line between
	Sections 8 & 17
	Va 13° 30' East
120 00	Set Post & pointed Stones
	raised Mound of Earth with pits
	as per Instructions for
	9th Sec Cor
8 144	Via corner to Sections 7 & 17 & 18
	Land rolling Prairie
	Soil 2nd Rate

Township 11 S. Range 21 W 6th P.M.

Chains	Notes
	West on a random line between Sections 7 & 18
	Va. 13°30' East
6.00	Enter creek Bottom N.W. & S.E.
11.40	cross Blackwood creek course S. E.
23.70	" " " " N.E.
41.00	Set Post for Quarter
	on Sec cor
41.75	cross Blackwood creek course S.E.
45.00	Enter Bluff
77.79	Intersect West Boundary of Township
	43 Links N of Post on b. to Sections
	7 and 18.
	from Which an Ash 18 in. dia. bears
	East a true line between Sections
	7 and 18.
	Va 13.30 East
37.79	Set Post Deposited stone Stake mound
	mound of Earth with pits &c
	on Sec cor
77.79	the cor to Sections 7 & 18. 17 & 18
	Land Rolling & Broken
	Soil 1st quality.
	and Timber Oak

Township 11 S. Range 21 W 6th P.M.

Chains	Notes
	North Between Sections 7 & 8
	Va 13°30' East
37.30	same course Va
41.00	Set Post Deposited stone
	Stake mound mound of Earth with
	pits as per Instructions for
	an Sec cor
64.40	same course Va
80.00	Set Post Deposited stone
	Stake mound mound of Earth with
	pits as per Instructions for
	a cor to Sections 6 & 7 and 8
	Land rolling Partly Broken
	Timber
	Soil 3d rate

Township 4 N Range 3 W 6th PM

	East on a random line between Sections 5 and 8 Va 13.30 East
31.15	same course S W
4.00	Set Post for Quarter Sec corner
7.47	same course S W
7.64	Intersect N and S lines of Lots South of Post common to Sections 4 5 8 and 9
	from which an Iron bears S 89.30 West on a true line between Sections 5 and 8. Va 13.30 East
2.52	Set Post Adopted Corner State owned Mound of Earth with pits as per Instructions for Quarter Sec cor
7.96	The same to Section 5 6 7 and 8 Land nothing Town
	Sail 2 Dec

Township 4 N Range 3 W 6th PM

	West on a random line between Sections 6 and 7 Va 13.30 East
4.00	Set Post for Quarter Sec Corner on Bear Bluff one Eighth Chain Bottom without timber
4.46	Cross Blackwood Creek course SE
63.90	Intersect West Boundary of Township 33 links South of post common to Sections 6 and 7
78.97	from which an Iron Pin bears S 89.46 East on a true line between Sections 6 and 7. Va 13.30 East
38.97	Set Post Adopted Corner State owned Mound of Earth with pits as per Instructions for Quarter Sec cor
78.97	The same to Sections 5 6 7 and 8 Land on East Fork Valley West Fork and Bottom Sail 2 and 2 dat

Township 4 N Range 31 W 6th PM

	Scott on a line between Sections 6 and 6. Va 1330. East
11.00	varn corner S W
varn	Set Post Planted a Round Stake and Mound of Earth pits pits as per Instructions pr Gs Surveyor
61.90	varn corner S W
77.61	Standard Post Standard parallel 147.45 West of Standard corner to Sections 32 & 33. Town 5 N. R. 31 West When Set Post Planted Stake and Mound of Earth pits as per Instructions pr Gloomy Corner to Sections 5 and 6.

Land Boundaries
Surveyed 3rd day
Sept 25th 1872

General Remarks this Township is hilly rolling Prairie Soil 2nd & 3rd rate on table land with creek Bottom 1st rate Prairie lands

Blackwood creek Enters this Township in Section 6 W Boundary & W Boundary in Section 33. South Boundary which is a dry creek Mill Creek as per up as South side Section 7.

Timber Ash Elm & Cottonwood

List of Names

A List of Names of the Individuals employed to Assist in Surveying measuring and marking the Lines and Corners described in the foregoing Field notes of Township No 4 North of the Base line of Ranges No 31 W 6th PM —

Showing the respective capacities in which they acted

Julius Dinas
Wm Cunningham } Chainmen
Fred E Reeds
Jasper Closson } Marker

We hereby certify that we
Caused Thomas J. Maher
Deputy Surveyor to Subdivide Township
14 North of the Base Line of
Kansas & 31 W 6th P.M. and that
said Township has been in
all respects to the best of our
Knowledge and belief faithfully
Surveyed and the Boundary Monuments
& Lines established according to the
Instructions furnished
by the Surveyor General

Julius Heines

William Cunningham

Subscribed & Sworn to before me this 15th day of September
1872

A Marble
Notary Public

I Thomas J. Maher Deputy Surveyor
do Solemnly Swear that in pursuance
of said contract & from Instructions
to Deputy Surveyors for said contract
with E E Cunningham Surveyor
General for Nebraska & Iowa
Dated June 26th 1872
I have well faithfully & truly
in my own proper person
& in Short exclusively with
the Instructions furnished by the
Surveyor General the Surveys
found on the lines of the United
States Surveys all those part
of Township No 14 N of the Base
of Kansas & 31 W 6th P.M.
on which to one responsible
in the progress of said Survey
I have as honey
ever Surveyed
under Oath
Assistant

I do hereby Solemnly Swear that all the corner of said Survey have been established and perpetuated in strict accordance with the Survey Manual and Instructions given that the foregoing are the true and Original field work of Said Survey

T. J. Milner
Deputy Surveyor

Subscribed by said Thomas J. Milner Deputy Surveyor and Sworn to before me a Notary Public for Sanders County Mont this 18th day of September 1872

A Marble
Notary Public

Surveyor Generals Office
Plattsmouth March 11th 1873

The foregoing Field Notes of the Survey & Subdivision of Township No 4 North of the Base line, of Range No 31 West of 6th Principal Meridian in the State of Nebraska Executed by Thomas J Milner Deputy Surveyor under Contract No 55 dated June 26th 1872 wherein Thomas J Milner & Henry C. Reasoner are joint Contractors in the Month of September 1872 having been Critically Examined the necessary Corrections & Explanations made, the said Field Notes & the Surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

539

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.