General Land Office • Original Field Notes

Book Number

542

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 13 N Range 81

6	61	5	45	4	34	3	23	2	11	1
60		59		44		33		22		10
7	58	8	43	9	32	10	21	11	9	12
57		56		42		31		20		8
18	55	17	41	16	30	15	19	14	7	13
54		53		40		29		18		6
19	52	20	39	21	28	22	17	23	5	24
51		50		38		27		16		4
30	49	29	37	28	26	27	15	26	3	25
48		47		36		25		14		2
31	46	32	35	33	24	34	13	35	1	36

Field Notes

Of the Survey and Subdivision of Township number 13, North of the Base line, of Range number 31 West of the 6th Principal Meridian executed by J. B. Park deputy Surveyor under ~~their~~ joint contract wherein J. B. Park and A. C. Campbell are joint contractors with S. W. Whitehouse Surveyor General of the States of Nebraska and Iowa.

T. 13 to 16
R. 31 W

List of Names
and duties of assistants

Leavitt Burnham	Chainman
Richard B. Keyes	Chainman
E. A. Beach	Axemen and
Luther Kuhlman	Moundmen

T. 13 N. R 31 W. 6th P. M.

chains

To determine the proper adjustment of my Compass for Subdividing this Township, I commence at the post on the 3rd Standard Parallel North the corner to Township 13 North Ranges 30 and 31 West, and run

North on a blank line along the East Boundary of Section 36.

Va 12° 45' E

79.98 To a point 8 links East of the 1/4 Sec. Cor.

80.11 To a point 4 lks East of the corner to Sec.s 25, 36, 30, 31

Therefore to run parallel to this line my Compass must be adjusted to a Variation of 12° 45' E

Subdivision commenced August 21st 1869
Completed 25th 1869

T. 13 N. R 31 W 6th P. M.

Chains	
	North between Secs 35 and 36 Va 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 25, ~~36, 30, 31~~ 26, 35 & 36
	Land very rolling. Soil 3rd rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	East on random line between Secs. 25 and 36 Va 12° 45' E
40,00	Set post for temporary 1/4 Sec. Cor.
79,82	Intersect East Boundary of Township 20 links North of the corner to Secs. 25, 36, 30, 31 from which corner I run N 89° 51' W on true line between Secs. 25 and 36 Va 12° 45' E
39,91	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,82	The corner to Secs. 25, ~~36~~ 26, 35 ~~35~~, 36 ~~36~~.
	Land very rolling. 3rd rate Soil.

T. 18 N. R. 31 W. 6th P. M.

Chains	
	North between Secs. 25 and 26
	Va 12° 45' E
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sec. Cor.
44,00	Ravine descends N.W.
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 23, 24, 25, 26
	Land very rolling.
	Soil 2nd rate.

T. 18 N. R. 31 W. 6th P. M.

Chains	
	East on meander line
	between Secs. 24 and 25
	Va 12° 45' E
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect East Boundary of Township ~~Chain Solid~~ at post
	the corner to Secs. 24, 25, 19, 30
	from which corner I run
	West on true line between
	Secs. 24 and 25
	Va 12° 45' E
40,08	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs. 23, 24, 25, 26
	Land rolling Soil 3rd rate

T 13 N R 31 W 6th P.M.

Chains	North between Secs 23 and 24 Var 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec.s 13, 14, 23, 24 Land rolling. Soil 3rd rate

T. 13 N. R 31 W. 6th P.M.

Chains	East on random line between Sec.s 13 and 24 Var 12° 45' E
35,00	Enter Platte Bottom bearing ~~N.85.W.~~ n.w. 4 d. E
40,00	Set temporary 1/4 Sec. Cor.
79.88	Intersect East Boundary of Township 18 links North of the corner to Sec.s 13, 24, 18, 19 from which corner I saw W 89° 52' W. on true line between Sec.s 13 and 24 Var 12° 45' E
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.88	The corner to Sec.s 13, 14, 23, 24 Land rolling. Up land 3rd rate; Bottom level 2nd rate

T 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 13 and 14
	Va 12° 45' E
40,00	Set post deposit charred
	stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
44.	
44,00	Leave upland enter bottom
	bearing East and West
80,00	Set post deposit charred
	stake raised mound of
	earth with pits as per
	instructions for a corner to
	Secs. 11, 12, 13, 14
	Land rolling Upland 3rd rate
	Bottom level 1st rate soil

T 13 N. R 31 W. 6th P. M.

Chains	
	East on random line between
	Secs. 12 and 13
	Va 12° 45' E
38,00	Slough 50 lks wide descending lks S.E.
40,00	Set temporary 1/4 Sec. Cor.
80,28	Intersect Bearing trees
	19 links South of the corner
	to Secs. 12, 13, 7 & 18 from
	which corner I run
	S 89° 52' W. on true line
	between Secs. 12 and 13
	Va 12° 45' E
40,14	Set post deposit charred
	stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
80,28	The corner to Secs. 11, 12, 13, 14
	Land slightly rolling
	Soil 2nd rate

T13N. R31W. 6th P.M.

Chains	
	North between Secs. 11 and 12
	Var 12° 45' E
8,50	Slough 50 lks wide runs N.E.
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a ¼ Sec. Cor.
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 1, 2, 11, 12
	Land level Soil 1st rate

T13N. R31W. 6th P.M.

Chains	
	East on time line between
	Secs. 1 and 12
	Var 12° 45' E
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a ¼ Sec. Cor.
50,00	Slough 50 lks wide runs ~~descends~~ S.E.
53,00	Same Slough 50 lks wide runs descends N.E.
55,70	Intersect South and right
	bank of South Platte River
	bears down Str S 60° E Up stream
	N. 70° W.
	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to fractional Secs. 1 and 12
	on South Side River
	Land level, Soil 1st rate
	August 27th 1869
	Tested and corrected
	Chain to Standard

T. 13 N. R 31 W. 6th P. M.

Ch Chains	North on random line between Secs. 1 and 2
	Va 12°45' E
4	
40,00	temporary ¼ Sec Cor.
44,90 90	Intersect South and right bank of South branch of
44	Platte river bears ~~down~~ stream
	S 45° E ~~the stre~~ N 70° W. Set
	temporary corner to fractional Secs. 1 and 2
84	Now ~~causing~~ causing flag to
	be ~~placed~~ left in the line on
	the opposite bank of river a
	base West 4 chains to a
	point from which the flag
	bears N 10° 5' E and from
	this data I find by calculation
	Viz. Nat Cot. 10° 5' = 5, 62344
	+ By Base $4
	the river to be 22,49376 ch
	wide and at
67,39	Set temporary corner to
	fractional Secs. 1 and 2
80,15	Intersect North Boundary
	of Township 3 links West
	of the corner to Secs.

T. 13 N. R 31 W. 6th P. M.

Chains	1, 2, 35, 36 from which corner
	I run
	S 1° W an true line between Secs.
	1 and 2
	Va 12°45' E
12,76	Set post deposit charred stake
	raised mound of earth with
	pits as per instructions for a
	corner to fractional Secs.
	1 and 2 on the left bank of river
35,25	Set post deposit charred stake
	raised mound of earth with
	pits as per instructions for a
	corner to fractional Secs. 1 and 2
	on the right bank of river.
40,15	Set post deposit charred
	stake raised mound of earth
	with pits as per instructions
	for a ¼ Sec. Cor.
80,15	The corner to Secs. 1, 2, 11, 12
	Land level, Soil 1st rate

T. 13 N. R. 31 W. 6th P. M.

Chains	
	North between Secs. 34 and 35 Va 12°45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ sec. cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35 Land hilly, Soil 3 mixte

T. 13 N. R. 31 W. 6th P. M.

	East on random line between Secs. 26 and 35 Va 12°45' E
40,00	Set temporary ¼ Sec. Cor
80,21	Intersect W and S, line 18 links North of the corner to Secs. 25, 26, 35, 36 from which corner I run N 89° 52' W. on true line between Secs. 26 and 35 Va 12° 45' E
40,10½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ sec. cor
80,21	The corner to Secs. 26, 27, 34, 35 Land Rolling, Soil 3 mixte,

T. 13 N. R. 31 W. 6th P. M.

Chains	
	North between Secs. 26 and 27
	Va 12° 45' E
40.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 sec. cor.
80.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 22, 23, 26, 27
	Land rolling.
	Soil 3rd rate

T. 13 N. R. 31 W. 6th P. M.

Chains	
	East on random line
	between Secs. 23 and 26
	Va 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
70.50	Ravine descends N. 70 W.
79.84	Intersect North & line 24
	links South of the corner to
	Secs. 23, 24, 25, 26 from which
	corner I run
	S. 89° 50' West true line
	between Secs. 23 and 26
	Va 12° 45' E
39.92	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a 1/4 Sec. Cor.
79.84	The corner to Secs. 22, 23, 26, 27
	Land rolling.
	Soil 3rd rate

T13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 22 and 23 on 12° 45' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23
	Land Rolling
	Soil Good rate

T. 13 N. R. 31 W. 6th P. M.

Chains	
	East on random line between Secs. 14 and 23 on 12° 45' E
14.00	Drain descends North
40.00	Set temporary 1/4 Sec. Cor.
44.00	Drain descends North
79.68	Intersect W. and S. line 26 links North of the corner to Secs. 13, 14, 23, 24 from which corner I run N 89° 49' W on true line between Secs. 14 and 23 on 12° 45' E
39.84	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.68	The corner to Secs. 14, 15, 22, 23
	Land rolling.
	Soil Good rate.

T. 13 N. R 31 W. 6th P.M.

Chains	
	North between Secs. 14 and 15
	Va 12° 48' E
40.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec.
80.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 10, 11, 14, 15
	Land Rolling
	Soil Good rate

T. 13 N. R 31 W. 6th P.M.

Chains	
	East on random line
	between Secs. 11 and 14
	Va 12° 48' E
26.00	Leave upland and enter
	bottom bearing N. W. & S. E.
40.00	Set temporary 1/4 Sec. Cor.
52.00	Land descends North
80.30	Intersect N and S. line
	19 links South of the corner to
	Secs. 11, 12, 13, 14 from which
	corner I run
	S 89° 52' W on true line between
	Secs. 11 and 14
	Va 12° 48' E
40.15	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a 1/4 Sec. Cor.
80.30	The corner to Secs. 10, 11, 14, 15
	Land, Upland rolling
	Soil Good rate,
	Bottom level, Soil 1st rate

T. 13 N. R 31 W. 6th P.M.

Chains	
	North between Secs. 10 and 11 Va. 12° 45' E
4.00	Leave up land and enter bottom bearing N 70° W and S 70°
16.50	Slough 50 links wide descends N. E.
32.00	Drain descends East
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land level, Soil 1st rate

T. 13 N. R 31 W. 6th P.M.

Chains	
	East on random line between Secs. 2 and 11 Va. 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
79.90	Intersect N. and S. line 22 links South of the corner to Secs. 1, 2, 11, 12 from which corner I run S 89° 51' W. on true line between Secs. 2 and 11 Va. 12° 45' E
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 2, 3, 10, 11
	Land level, Soil 1st rate.

T. 13 N. R 31 W. 6th P. M.

Chains	
	North on true line between Secs. 2 and 3. Va 12° 45' E
39.00	Slough 100 links wide descend East
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60.50	Intersect South and right bank South Platte River, bears ~~[illegible]~~ S 80½ E ~~[illegible]~~ West –
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 2 and 3 on South Side river
	Land level, soil 1st rate
	August 22nd 1869

T. 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 33 and 34 Va 12° 45' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28 33, 34.
	Land hilly Soil 3rd rate

T. 12 N. R. 31 W. 6th P. M.

Chains	
	East on random line between Secs. 27 and 34 Var 12° 45' E
40.00	Set temporary 1/4 Sec Cor
79.84	Intersect N. and S. line 26 lin Rs North of the corner to Secs 26, 27, 34, 35 from which corner I run N 89° 49' W on true line between Secs 27 and 34 Var 12° 45' E
81.92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.84	The corner to Secs 27, 28, 33, 34 Land hilly, Soil 3rd rate

T. 13 N. R. 31 W. 6th P. M.

Chains	
	North between Secs. 27 and 28 Var 12° 45' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28
	Land very rolling. Soil 3rd rate.

T13N R31W 6th P.M.

Chains	
	East between Secs. 22 and 27 On random line — Var 12°45' E
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersect Range & line 21 lin 18 South of the corners to Secs. 22, 23, 26 27 from which corner I run S89°51' West true line between Secs. 22 and 27 Var 12°46' E
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 21, 22, 27, 28 Land rolling, Soil Indifferent

T13N R31W 6th P.M.

Chains	
	North between Secs. 21 and 22 Var 12°45' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22 Land hilly, Soil Indifferent

T 12 N. R 21 W. 6th P. M.

Chains	
	East on random line between Secs. 15 and 22 Var 12° 45' E
25,00	Drain descends N. E.
40,00	Set temporary 1/4 Sec. Cor.
60,00	Drain descends N. E.
80,10	Intersect N and S. line 20 links North of the corner to Secs. 14, 15, 22, 23 from which corner I run N 87° 61' W. on true line between Secs. 15 and 22 Var 12° 45' E
40,05	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs. 15, 16 21, 22 Land rolling Soil Sandrate

T 12 N. R 21 W. 6th P. M.

Chains	
	North between Secs. 15 and 16 Var 12° 45' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land rolling Soil Sandrate

T.13 N. R 31 W. 6th P.M.

Chains	
	East between Secs. 10 and 15 on random line Var 12° 45' E
40,00	Set temporary 1/4 Sec. Cor.
80,17	Intersect Name's line 16 links North of the corner to Secs. 10, 11, 14, 15 from which corner I run N 89° 53' W on true line between Secs. 10 and 15 Var 12° 45' E
40,08½	Set post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
80,17	The corner to Secs. 9, 10, 15, 16 Land rolling. Soil 3rd rate

T.13 N. R 31 W. 6th P.M.

Chains	
	North between Secs. 9 and 10 Var 12° 45' E
24,00	Leave upland and enter bottom bearing N 70° W. and S 70° E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
50,00	Slough 75 lks wide descends S 70° E
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 3, 4, 9, 10 Land upland rolling, Soil 3rd rate bottom level Soil 1st rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	East on random line between Secs. 3 and 10 Var 12° 45' E
40,00	Set temporary 1/4 Sec Cor
80,48	Intersect North & South line 18 links South of the corner to Secs 2, 3, 10, 11 from which corner I run S, 89° 52' W on true line between Secs 3 and 10 Var 12° 45' E
40,24	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,48	The corner to Secs. 3, 4, 9, 10 Land level Soil 1st rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	North on random line between Secs. 3 and 4. Var 12° 45' E
40,00	Set temporary 1/4 Sec Cor.
52,00	Slough 100 links wide descends East.
80,40	Intersect North Boundary of Township 10 links East of the corner to Secs. 3, 4, 33, 34 from which corner I run S 4' E on true line between Secs. 3 and 4. Var 12° 45' E
40,40	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,40	The corner to Secs. 3, 4, 9, 10 Land level Soil 3rd rate

T.13 N. R 31 W. 6th P.M.

Chains	
	North between Secs 32 and 33
	Var 12° 45' E
40.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec Cor
80.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs 28, 29, 32, 33
	Land hilly & broken Soil 3rd rate

T.13 N. R 31 W. 6th P.M.

Chains	
	East on random line
	between Secs 28 and 33
	Var 12° 45' E
6.00	Drain descends N.W.
18.00	Drain descends N.W.
40.00	Set temporary 1/4 Sec Cor.
67.00	Canon descends N.W.
80.11	Intersect N and S line 14 links
	South of the corner to Secs 27, 28
	33, 34. from which corner
	I run
	S 89° 54' W on true line between
	Secs 28 and 33
	Var 12° 45' E
40.05½	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec Cor.
80.11	The corner to Secs 28, 29, 32, 33
	Land hilly and broken
	Soil 3rd rate
	Aug 23rd 1869
	Lester Chain found
	it correct

T. 13 N. R 31 W. 6th P.M.

Chains	
	North between Secs. 28 and 29 Va 12° 45' E
5,00	Drain descends N.W.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
45.00	Drain descend N.W.
57,00	Drain descends N.W.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land hilly and broken Soil 3rd rate

T. 13 N. R 31 W. 6th P.M.

Chains	
	East on random line between Secs. 21 and 28 Va 12° 45' E
6,00	Drain descend N.W.
39,00	Drain descends N.E.
40,00	Set temporary 1/4 Sec. Cor.
43,00	Drain descends N.W.
57,00	Ravine descends N.W.
80,26	Intersect N. and S. line 32 lin Rs North of the corner to Secs. 21, 22, 27, 28 from which corner I run N 89° 46' W on true line between Secs. 21 and 28 Va 12° 45' E
40,13	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,26	The corner to Secs. 20, 21, 28, 29 Land hilly and broken Soil 3rd rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 20 and 21
	Va 12° 45' E
40.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per instructions
	for a 1/4 Sec. Cor.
80.00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 16, 17, 20, 21
	Land hilly Soil Sandrate

T. 13 N. R 31 W. 6th P. M.

Chains	
	East on random line between
	Secs. 16 and 21
	Va 12° 45' E
40.00	Set post for temporary
	1/4 Sec. Cor.
47.00	Drain descend N.E.
80.16	Intersect N and S line
	12 links South of the corner
	to Secs. 15, 16, 21, 22 from
	which corner I found
	S 89° 55' W. on true line
	between Secs. 16 and 21
	Va 12° 45' E
40.08	Set post deposit charred
	Stake raised mound of earth
	with pits as per instructions
	for a 1/4 Sec. Cor.
80.16	The corner to Secs. 16, 17, 20, 21
	Land very rolling.
	Soil Sandrate

T. 18 N. R. 21 W. 6th P.M.

Chains	
	North between Secs. 16 and 17
	Var 12° 45' E
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17
	Land rolling
	Soil Immate.

T. 18 N. R. 21 W. 6th P.M.

Chains	
	East on township line between Secs. 9 and 16
	Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
79.87	Intersect N. and S. chain 22 links North of the corner to Secs. 9, 10, 15, 16 from which corner Down N 89° 51' W. on true line between Secs. 9 and 16
	Var 12° 45' E
39.93½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.87	The corner to Secs. 8, 9, 16, 17
	Land rolling Soil Immate

T 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 8 and 9 Va 12° 45' E
34.00	Leave upland and enter bottom bearing N 70° W and S 70° E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9
	Land Upland rolling 3rd rate Bottom level 1st rate Soil

T. 13 N. R 31 W. 6th P. M.

Chains	
	East on random line between Secs. 4 and 9 Va 12° 45' E
40.00	Set temporary 1/4 Sec Cor.
80.25	Intersect N. and S. line 18 links North of the corner to Secs. 3, 4, 9, 10 from which corner I run N 89° 52' W. on true line between Secs. 9 and ~~16~~ 4 Va 12° 45' E
40.12½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.25	The corner to Secs. 4, 5, 8, 9
	Land rolling Soil 3rd rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 4 and 5 on random line
38.80	Slough 75 lks wide descends W. 70°
	Bd 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.21	Intersect North Boundary of Township 15 links West of the corner to Secs. 4, 5, 32, 33, from which corner I run S. 6' W. on the line between Secs. 4 and 5
	Bd 12° 45' E
40.21	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.21	The corner to Secs. 4, 5, 8, 9
	Land level Soil 1st rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 31 and 32
	Bd 12° 48' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32
	Land hilly. Soil 3rd rate

T13N. R31W. 6th P.M.

Chains	
	East between Secs. 29 and 32 on random line Var 12°45' E
40.00	Set temporary 1/4 Sec. Cor.
79.80	Intersect N and S. line 16 links North of the corner to Secs. 28, 29, 32, 33 from which corner I run N89°52' W. on true line between Secs. 29 and 32 Var 12°45' E
39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. ~~28~~, 29, 30, 31 32, ~~33~~, Land hilly. Soil 3rd rate

T13N. R31W. 6th P.M.

Chains	
	West between Secs. 30 and 31 on random line Var 12°45' E
40.00	Set temporary 1/4 Sec. Cor
79.90	Intersect West Boundary of Township 18 links South of the corner to Secs. 30, 31, 25, 36, from which corner I run S89°52' E on true line between Secs. 30 and 31 Var 12°45' E
39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. ~~28~~, 29, 30, 31, 32, ~~33~~, Land hilly. Soil 3rd rate

T 13 N. R 21 W. 6th P. M.

Chains	
	North between Secs. 29 and 30
	Var 12° 45' E
40,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec Cor
80,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a
	corner to Secs. ~~28, 29, 32, 33~~ 19, 20, 29 & 30
	Land hilly Soil 3rd rate

T 13 N. R 21 W. 6th P. M.

Chains	
	East on random line
	between Secs. 20 and 29
	Var 12° 45' E
40,00	Set temporary 1/4 Sec Cor
79,78	Intersect N and S line 22
	links South of the corner to
	Secs. 20, 21, 28, 29 from
	which corner I run
	S 89° 51' W on true line
	between Secs. 20 and 29
	Var 12° 45' E
39,89	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec Cor
79,78	The corner to Secs. ~~28, 29, 32, 33~~ 19, 20, 29 & 30
	Land hilly Soil 3rd rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	West on random line between Secs. 19 and 30 Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
79.85	Intersect West Boundary of Township 20 links South of the corner to Secs. 19. 30 24. 25 from which corner I run S. 89° 51' W. on true line between Secs. 19 and 30 Var 12° 45' E
39.85	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.85	The corner to Secs 19. 20. 29. 30
~~79.85~~	~~The corner to Secs 19. 20. 29. 30~~
	Land hilly Soil 3rd rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	North between Secs. 19 and 20 Var 12° 45' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 17. 18. 19. 20.
	Land hilly Soil 3rd rate

August 24th 1869

T. 13 N. R 31 W. 6th P. M.

Chains	
0	East between Secs 17 and 20 on random line Var 12°45' E
40.00	Set temporary 1/4 Sec Cor,
80.18	Intersect N and S line 23 links North of the corner to Secs 16, 17, 20, 21 from which corner I run N 89° 50' W on true line between Secs 17 and 20 Var 12°45' E
40.09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80.18	The corner to Secs 17, 18, 19 20 Land hilly Soil white Sand & rate

T. 13 N. R 31 W. 6th P. M.

Chains	
	West on a random line between Secs 18 and 19 Var 12°45' E
40.00	Set temporary 1/4 Sec Cor,
79.78	Intersect West Boundary of Township 18 links North of the corner to Secs 18, 19 13, 24 from which corner I run N 89° 52' E, on true line between Secs 18 and 19 Var 12°45' E
39.78	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.78	The corner to Secs 17, 18, 19, 20 Land hilly Soil sand rate

T. 13 N. R 31 W. 6th P. M.

0 Chains	North between Secs. 17 and 18
	Var 12°48' E
4,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec Cor
8,00	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a corner
	to Secs. 7, 8, 17, 18
	Land rolling, Soil Black loam

T. 13 N. R 31 W. 6th P. M.

Chains	East on random line between
	Secs. 8 and 17
	Var 12°48' E
40,00	Set temporary 1/4 Sec Cor,
80,21	Intersect North & line
	27 links South of the corner
	to Secs. 8, 9, 16, 17 from
	which corner I run
	S 89°48' W on true line
	between Secs. 8 and 17
	Var 12°48' E
40,10½	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4
	Sec Cor
80,21	The corner to Secs. 7, 8, 17, 18
	Land very rolling. Soil
	Black loam -

Chains	
	West on random line between Secs. 7 and 18 Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.24	Intersect West Boundary of Township 21 links South of the corner to Secs. 7, 18, 12, 13 from which corner I run S 89° 51' E on true line between Secs. 7 and 18 Var 12° 45' E
40.24	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.24	The corner to Secs. 7, 8, 17, 18 Land rolling. Soil 3d rate

Chains	
	North between Secs. 7 and 8 Var 12° 45' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70.00	Leave upland and enter bottom bearing N 70° W and S 70° E
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8 Land Upland rolling 3d rate Bottom level 1st rate

T. 13 N. R 31 W. 6th P. M.

Chains	East on random line between Secs. 5 and 8 Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.22	Intersect N and S line 16 links North of the corner to Secs. 4, 5, 8, 9, from which corner I run N 89° 53' W on true line between Secs. 5 and 8 Var 12° 45' E
40.11	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.22	The corner to Secs. 5, 6, 7, 8 Land level, Soil 1st rate

T. 13 N. R 31 W. 6th P. M.

Chains	West on random line between Secs. 6 and 7 Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
80.38	Intersect West Boundary of Township 26 links North of the corner to Secs. 6, 7, 1, 12 from which corner I run N 89° 49' E on true line between Secs. 6 and 7 Var 12° 45' E
40.38	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.38	The corner to Secs. 5, 6, 7, 8 Land level, Soil 1st rate

T. 13 N. R. 31 W. 6th P. M.

Chains	North on random line between Secs. 5 and 6 Var 12° 45' E
40.00	Set temporary 1/4 Sec. Cor.
49.00	Slough 100 lks wide descends East
79.89	Intersect North Boundary of Township 21 links West of the corner to 5, 6, 31, 32 from which corner I run S. 9 Wan line line between Secs. 5 and 6 Var 12° 45' E
39.89	Set post deposit charred stake on side mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.89	The corner to Secs 5, 6, 7, 8. Land level Soil, st, ate

T. 13 N. R. 31 W. 6th P. M.

Meanders of South Platte river through the Township—

From the corner to fractional Secs. 7 and 12, in the East Boundary of the Township at 71.20 chains North of the corner to Secs 12, 13, 7, 18 I run up stream along the right bank of the river with the meander thereof in Sec. 12, as follows:

Courses	Chains	Remarks
N. 80° W.	13.30	
N. 60° W.	13.00	To corner to fractional Secs. 1 and 12
		Thence in Sec. 1.
N. 72° W.	21.80	at 6.00 chs mouth of Slough, 50 lks wide; at 15.00 head of same Slough, 50 lks wide
N. 40° W.	26.00	
N. 45° W.	26.00	To corner to fractional Secs. 1 and 2
		Thence in Sec. 2.
N. 78 W.	36.60	At 13.00 chs mouth of Slough, 100 lks wide
N. 79½ E.	45.00	To corner to fractional Secs. 2 and 8,
		Thence in Sec. 8.
West	17.50	
N. 6½° W.	27.00	
N. 72° W.	19.50	To corner to fractional Secs. 3 and 84 in North Boundary of Township at 20.00 chains East of

over

of the corner to Secs. 3, 4, 33, 34

From the corner to fractional Secs 2 and 35 in the North Boundary of Township at 35,00 chains West of the corner to Secs 1, 2, 35, 36, I run down Stream along the left bank of the river, with the meanders thereof in Sec. 2 as follows:

Courses	Chains	Remarks
6 S. 75° E.	37,00	To corner to fractional Secs 1 and 2.
		Thence in Sec. 2
5 S. 63° E.	36,00	
S. 40° E.	28,00	
S. 70° E.	32,00 8	To corner to fractional Secs 1 and 6. in the East Boundary of Township at 61,40 chains South of the corner to Townships 13 N. 14 Ranges 30 and 31 W.

August 28th 1869

Chains

General Description

This township is mostly hilly, Soil white dry sand ~~Sand~~ unfit for cultivation The Northeast part of it is in Platte river bottom and is level, Soil 1st rate, covered with large growth of fine grass - The South Platte runs through the N. E. corner of the Township - There is no timber in the township and no water on the high land

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field-notes of Township number 18 N. of the Base line of range number 31 W. of the 6th P. M., showing the respective capacities in which they acted

Leavitt Burnham Chainman
Richard B. Keyes Chainman
E. A. Beach Axemen and
Luther Kuhlman Roundmen

We hereby certify that we assisted J. B. Park deputy Surveyor in subdividing Township number 13 North of the Base line of range number 31 West of the 6th Principal Meridian, and that said Township has been in all respects to the bes of our Knowledge and belief well and faithfully Surveyed, and the Boundary monuments planted according to the instructions furnished by the Surveyor General.

Leavitt Burnham Chainman
Richard B. Keyes. Chainman
E. A. Beach } Axemen and
Luther Kuhlman } Roundmen

State of Nebraska }
Lincoln County } ss.

Subscribed in my presence and Sworn to before me a justice of the Peace in and for said County this 17th day of Sept A D 1869

R G Dorsey
Justice of the Peace

I, J. B. Park deputy Surveyor do Solemnly Swear that, in pursuance of a joint contract wherein L. B. Park and H. C. Campbell are joint contractors with S. W. Whitcherck Surveyor General for the States of Nebraska and Iowa, bearing date the 29th day of April A.D. 1869 I have well, faithfully and truly, in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying manual and the laws of the United States Surveyed and Subdivided all those parts or portions of Townships number 13 North of the Base line, of Range number 31 West of the 6th Principal Meridian, as are represented in the foregoing field-notes as having been Surveyed under my direction - And I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual and printed instructions and that the foregoing are the true and original field-notes of such Survey

L. B. Park
Deputy Surveyor

State of Nebraska }
Lincoln County } ss

Subscribed in my presence and Sworn to before me this 17th day of Sept A.D. 1869

Rle Dougherty
Justice of the Peace in and for Said County of Lincoln

Surveyor Generals Office
Plattsmouth Nebraska March 11. 1870.

The foregoing field notes of the survey of the Subdivision lines and meanders of Township 13 North of the Base Line of Range 31 West of the 6th Principal Meridian in the State of Nebraska executed by J. B. Park Deputy Surveyor under Joint contract number 18 dated April 29th 1869. wherein J. B. Park & H. C. Campbell are Joint contractors in the Month of August 1869. having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

Robt. R. Livingston
Surveyor General.

Field Notes

of the Survey and Subdivision of Township number fourteen North of the Base line, of Range number thirty one West of the Sixth principal Meridian in the State of Nebraska - by J. B. Park Deputy Surveyor, under his contract No 39 dated August 6th. 1870.

List of names and duties of assistants

Charles Rivers Chainman
Andrew Cooper Chainman
Edwd Lawrence Axemen or
Philip Ryan Mounder

T 14 N., R 31 W

6	65	5	49	4	37	3	23	2	13	1	
64		63		48				24		11	
7	62	8	47	9	36	10	22	11	9	12	
61		60		46		35		21		8	
18	59	17	45	16	33	15	20	14	7	13	
58		57		44		32		19		6	
19	56	20	43	21	31	22	18	23	5	24	
55		54		42		30		17		4	
30	53	29	41	28	29	27	16	26	3	25	
52		51		40		28		15		2	
31	50	32	39	33	26	34	14	35	1	36	

Township 14 N. Range 31 W. 6th P. M.

Chains	
	To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 13 and 14 North Ranges 30 and 31 West and run North on a blank line along the East Boundary of Sec 36.
	Variation 12° 45' E
40.02	To 1/4 Sec. Cor.
80.08	To corner to Secs 25, 36, 30, 31
	Therefore to retrace this line or run parallel thereto my Compass is in proper adjustment.
	Subdivision Commenced August ~~14~~ 15 1870
	Completed August ~~18~~ 22 1870

Township 14 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 35 and 36
	Va 12° 50' E
40.00	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 25, 26, 35, 36
	Land level, Soil good 2nd rate

Township 14 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 25 and 36 Va 12° 50' E
30,00	U.P.R.R. track bears N 75° W.
40,00	Set temporary ¼ Sec. Cor.
79,84	Intersect, East Boundary of Township 14 thinks a North of the corner to Secs. 25, 36, 30, 31 from which corner I run
40	N 89° 54' W on true line
80,	between Secs. 25 and 36, Va 12° 50' E
39,92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79,84	The corner to Secs 25, 26, 35, 36, Land level, Soil good 2nd rate

Township 14 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 25 and 26 Va 12° 50' E
5,15	U.P.R.R. track bears N.W. on a curve
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
76,00	Slough 100 links wide run East,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 23, 24, 25, 26 Land Slightly rolling Soil gravelly 2nd rate

Township 14 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 24 and 25 Var 12° 50' E
35,00	Slough 100 lks wide runs N. E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	Intersect East Boundary of Township 16 links South of the corner to Secs. 24, 25 19,30, from which corner I run S 89° 54' W. on the line between Secs 24 and 25 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs. 23, 24, 25, 26.
	Land Slightly rolling. Soil gravelly, 2nd rate

Township 14 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 23 and 24 Var 12° 50' E.
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor.
53,50	Slough 50 lks wide runs S. E.
80,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24
	Land Slightly rolling. Soil gravelly, 2nd rate.

Township 14 N. Range 3 W. 6th P.M.

Chains	
	East on random line between Secs. 13 and 24 Var. 12°50' E.
40,00	Set temporary 1/4 Sec. Cor.
53,00	Slough 40 lks wide runs S.E.
80,06	Intersect East Boundary of Township 14 links South of corner to Secs. 13, 24, 18, 19 from which corner I run S 89°54' W on true line between Secs. 13 and 24 Var. 12°50' E.
40,03	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Secs 13, 14, 23, 24
	Land level,
	Soil 2nd rate

Township 14 N. Range 3 W. 6th P.M.

Chains	
	North Between Secs. 13 and 14 Var. 12°50' E
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
43,50	Slough 50 links wide runs S.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12 13, 14
	Land level,
	Soil 2nd rate.

Township 14 N. Range 31 W. 6th P.M.

Chains	
	East on true line between Secs. 12 and 13 Va. 12°50' E.
14.00	Intersect right bank North Platte river, and Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fr Secs. 12 and 13
40.02	Land level,
80.08	Soil good 2nd rate,

Township 14 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 11 and 12 Va. 12°50' E.
9.00	Intersect right bank North Platte River. Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fr. Secs. 11 and 12
	I now measure across the river with the chain and find its width to be 54.55 chs and at
63.55	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to fr Secs. 11 and 12 on the North or left bank of river
80.00	Set post deposit charred stake raised mound of

over

Chains	
	earth with pits as per instructions for a corner to Sections 1, 2, 11, 12 Land level, Soil 1st rate,
Note	The 1/4 Sec. Cor. falling in the river cannot be established.

Chains	
	East on random line between Secs. 1 and 12 bad 12° 50' E
40.00	Set post for temporary 1/4 Sec. Cor.
80.16	Intersect East Boundary of Township 18 links North of the corner to 1, 12, 6, & 7 from which corner I run N. 89° 52' W. on true line between Secs. 1 and 12, bad 12° 50' E
40.08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
80.16	The corner to Secs. 1, 2, 11, 12 Land level, Soil 1st rate.

Township 14 N. Range 8 W. 6th P. M.

Chains	
	North on random line between Sec.ns 1 and 2, Azd 12° 50' E.
4,00	Set temporary 1/4 Sec Cor,
55.00	Enter ~~slough, bears~~ or marsh
79.92	Intersect North Boundary of Township 26 Ns West of the corner to Sec.ns 1, 2, 35, 36, from which corner I run S. 11' W. on true line between Sec.ns 1 and 2 Azd 12° 50' E.
39.72	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Sec.s 1, 2, 11, 12
	Land level, Soil, 1st rate, heavy growth of excellent grass
	August 15th 1870
	Measured and corrected chain

Township 14 N. R 31 W. 6th P. M.

Chains	
	From the corner, to Sec. 35 and 2, at 35.00 chs West of the corner to Secs. 35, 36, 1 & 2 on S. bound. of Town. I run North on an offset line 7.30 chs to a point, thence West 45.00 chs to the line between Secs. 34, and 35 Var. 12°50' E.
	Therefore, run the line on Sect. 34 & 35 - Var. 12°-50' E. - at
7.30	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec. 34 and 35, on the left bank of ~~North~~ South Platte river
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35 Land level Soil 1st rate.

Township 14 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 26 and 35 Var 12°50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.80	Intersect N. and S. line 12 links South of the corner to Secs. 25, 26, 35, 36, from which corner I run S. 89°55' W. on true line between Secs. 26, and 35 Var 12°50' E
39.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 26, 27 34, 35 Land Slightly rolling Soil 2nd rate -

Township 14 N. Range 81 W. 6th P.M.

Chains	
	North between Secs. 26 and 27 Var 12° 50' E
19.90	U.P.R.R. track bears N. 85½ W.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27 Land gently rolling Soil 2nd rate.

Township 14 N. Range 81 W. 6th P.M.

Chains	
	East on random line between Secs. 23 and 26 Var 12° 50' E
2.00	Slough 40 links wide runs S.E.
7.00	Same Slough 40 links wide runs S.E.
40.00	Set temp. orary ¼ Sec. Cor.
50.00	Same Slough 50 links wide runs S.E.
80.06	Intersect N and S line 21 links South of the corner to Secs. 23, 24, 25, 26, from which corner I run S. 89° 51' W on true line between Secs. 23 and 26 Var 12° 50' E
40.03	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80.06	The corner to Secs. 22, 23, 26, 27 Land rolling Soil gravelly, 2nd rate.

Township

Township 14 N. R 31 W. 6th P. M.

Chains	Chains	North between Secs. 22 and
		Var 12° 50' - E
19.90	2.00	Slough 40 lks wide
40.00		runs S. E.
	40.00	Set post deposit charred
		Stake raised mound
		of earth with pits as
		per instructions for a
80.00		1/4 Sec. Cor.
	80.00	Set post deposit charred
		Stake raised mound of
		earth with pits as per
		instructions for a corr
		to Secs. 14, 15, 22, 23.
		Land rolling Soil 2nd
		rate.

Township 14 N. R 31 W. 6th P. M.

Chains	East on random line
	between Secs. 14 and 23.
	Var 12° 50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.82	Intersect N. and S. line
	15 links North of the corner
	to Secs. 13, 14, 23, 24 from
	which corner I run
	N. 89° 54' W. on true line
	between Secs. 14 and 23
	Var 12° 50' E.
39.92	Set post deposit charred
	Stake raised mound of
	earth with pits as per
	instructions for a 1/4 Sec. Cor.
79.82	The corner to Secs. 14, 15
	22, 23
	Land Slightly rolling
	Soil 2nd rate -

Township 14 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 14 and 15 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised around of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15
	Land Slightly rolling Soil 2nd rate

Township 14 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 11 and 14 Var 12° 50' E
40,00	Set temporary 1/4 Sec Cor,
48,00	Slough 30 links wide runs S. E.
80,18	Intersect N. and S. line 16 links North of the Corner to Secs. 11, 12, 13, 14 from which corner I run N. 89° 53' W on true line between Secs. 11 and 14 Var 12° 50' E
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,18	The corner to Secs. 10, 11 14, 15
	Land Slightly rolling Soil 2nd rate.

Chains	Chains	
		North between Secs. 10 and 11 Var 12° 50' E
34.0	40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
40.0		
80,00	62,00	Intersect right bank of North Platte river.
84		Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to for Secs. 10 and 11
		I now proceed to measure with chain and at
	80,00	I arrive therefore the corner to Secs. 2, 3, 10 & 11 cannot be established
		Land level, Soil 1st rate.

(Write line of Sec. 2 & 11 next)

Chains	
	Norton random line between Secs. 2 and 3 Var 12° 50' E
	From the point in North Platte river the place for corner to Secs. 2, 3, 10 & 11
23,00	~~Intersect~~ left bank of river Set post for temporary corner to for Secs 2 and 3
41,00	Set temporary 1/4 Sec. Cor.
80,15	Intersect North Boundary of Township 22 links West of the corner to Secs. 2, 3, 34, 35, from which corner I am S. 9' W on true line between S 2 and 3 Var 12° 50' E
40.15	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
57.15	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to for Secs. 2 and 3 on left bank of river
80,00 15	In river Land level, Soil 1st rate, River shallow, Sandy bottom

Township 14 N. Range 31 W. 6th P.M.

chains	
	West on true line between Secs. 2 and 11 Var 12° 50' E
10,00	From the corner to Secs. 1, 2, 11, 12
23,30	I intersect left bank of North Platte river
	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 2 and 11,
80,00	Land level Soil rich grass heavy growth
	August ~~12~~ 16th 1870

Township 14 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 33 and 34, bad 12° 50 E
6,50	Intersect right bank South Platte river
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec. 33 and 34
	I now measure with the chain and find it to be 23,50 chs wide and at
20,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sections 33 and 34 on left bank of South Platte river
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit

Township 14 N. Range 31 W. 6th P. M.

Chains	
	charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28, 33, 34. Land level, Soil good 2 and rate

Township 14 N. Range 31 W. 6th P.M.

Chains	Chains	
		East on random line between Secs. 27 and 34 Vad 12°50' E.
40,00	40,00	Set post for temporary 1/4 Sec. Cor.
	80,15	Intersect N and S line 21 links North of the corner to Secs. 26, 27, 34, 35 from which corner Mon N. 89°51' W. on true line between Secs. 27, and 34 Vad 12°50' E
80,00	40,87½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,15	The corner to Secs. 27, 28 33, 34
		Land level, Soil 1st rate covered with heavy grass

Township 14 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 27 and 28 Vad 12°50' E
2,60,10	W.P. R.R. track bears N. 85½ W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 21 22, 27, 28,
	Land slightly rolling Soil 2nd rate -

Township 14 N. Range 31 W. 6th P.M.

chains	
	East on random line between Secs. 22 and 27 Va. 12° 50' E.
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect N and S line 18 links South of the corner to 22, 23, 26, 27 from which corner I run S. 89° 52' W. on true line between Secs. 22 and 27 Va. 12° 50' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs. 21, 22, 27, 28
	Land Slightly rolling. Soil 2nd rate

Township 14 N. R 31 West 6th P.M.

chains	
	North between Secs 21 and 22 Va. 12° 50' E.
27,00	Slough 50 lks wide runs East.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 15, 16, 21, 22
	Land Slightly rolling Soil gravelly, 2nd rate

Townsh

chains

40,00

80,00

Township 14 N. Range 31 W. 6th P.M.

chains East on random line between Secs. 15 and 22
Var 12° 50' E

40,00 Set post for temporary 1/4 Seeler

79,92 Intersect N. and S. line 15 links North of the corner to Secs. 14, 15, 22, 23 from which corner I run N. 89° 54' W on true line between Secs. 15 and 22
Var 12° 50' E

39,96 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Seeler

79,92 The corner to Secs. 15, 16, 21, 22
Land slightly rolling
Soil 2nd rate

Township 14 N. Range 31 W. 6th P.M.

chains North between Secs. 15 and 16
Var 12° 50' E

40,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Seeler.

80,00 Set post, deposit charred stake raised mound of earth pits as per instructions for a corner to Secs. 9, 10, 15, 16
Land slightly rolling
Soil gravelly, 2nd rate.

Township

Chains	
40,00	S
	Ch
	m
	pi
	fo
80,00	S
	St
	of
	wi
	to
	La
	La

Towns

Chain	
40,00	
79,9	
39,9	
79,92	

Township 14 N. Range 31 W. 6th P. Me.

Chains	
	East on random line between Sec.s 10 and 15 Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
80,16	Intersect N and S line 18 links South of the corner to Sec.s 10, 11, 14, 15 from which corner I run, S. 89° 52' W. on true line between Sec.s 10 and 15 Var 12° 50' E
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Sec.s 9, 10, 15, 16 Land Slightly rolling Soil 2nd rate -

Chains	
	North between Secs. 9 and 10 Var 12° 50' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
51,00	Intersect right bank North Platte River.
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to for Secs 9 and 10
	I now proceed to measure with the chain across the river and at
80,00	in river therefore the corner to Secs. 3, 4 9, 10 cannot be established
	Land level,
	Soil pt rate,
Note	The line between Secs. 3 and 10 is all in river and cannot be run.

Chains	
	North on random line between Secs. 3 and 4 Var 12° 50' E
	From the point in North Platte river the place for corner to Secs 3, 4, 9, 10
15,20	Intersect South bank of Island.
	Set post for temporary cor. to for Secs. 3 and 4.
29,00	North bank of Island Set post for temporary corner to for Secs 3 and 4 on north bank of Island
33,02	Intersect left bank of river
	Set post for temporary corner to for Secs 3 and 4
40,00	Set temporary 1/4 Sec. Cor.
79,82	Intersect North Boundary of Township 12 links East of the corner to Secs. 3, 4, 33, 34 from which

Chains	
	corner I mm S. 5' E on true line between Secs. 3 and 4. Var 12°50' E
39,82	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
46,80	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fr Secs 3 and 4 on left bank of N. Platte River
50,82	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fr Secs 3 and 4 on N. side of island
64,62	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fr Secs. 3 and 4, on S. side of island
79,82	The corner to Secs. 3, 4 9, 10 in river

Land level Soil 1st rate
August ~~13th~~ 17th 1870

Chains	
	North between Secs 32 and 33 Var. 12° 50' E
12,00	Intersect right bank South Platte River,
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fr Secs. 32, 33 I measure with the chain across the river and find it to be 26,00 chains wide and at
38,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a cor. to fr Secs. 32 and 33, on left bank of S. Platte R.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33

Land level, Soil 1st rate.
River Sandy bottom & shallow

Chains	
	East on random line between Secs. 28 and 33. Var 12° 50' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,18	Intersect N and S line 20 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run N. 89° 57' W. on true line between Secs. 28 and 33 Var 12° 50' E
40,09	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,18	The corner to Secs. 28, 29, 32, 33 Land level Soil 1st rate covered with heavy growth of fine grass.

Chains	
	North between Secs. 28 and 29 Var. 12° 50' E.
31,75	A. P. R. R. track bears N 85½ W
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land slightly rolling. Soil 2nd rate.

Township 14 N. Range 31 W. 5th P.M.

Chains	
	East on random line between Secs. 21 and 28 Var. 12°50' E.
40.00	Set temporary 1/4 Sec. Cor.
79.94	Intersect N and S line 11 links South of the corner to Secs. 21, 22, 27, 28, from which corner I run.
	S. 89°55' W. on true line between Secs. 21 and 28 Var. 12°50' E
39.97	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.94	The corner to Secs. 20, 21, 28, 29.
	Land Slightly rolling Soil Sandy 2nd rate

Township 14 N. Range 31 W. 5th P.M.

Chains	
	North between Secs. 20 and 21 Var. 12°50' E.
26.00	Slough 40 lks wide runs East
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21.
	Land Slightly rolling. Soil 2nd rate.

Township 14 N. R 31 W. 6th P. M.

	chains	East on random line between Secs. 16 and 21 Var 12° 50' E.
	40,00	Set temporary 1/4 Sec. Cor.
	80,17	I intersect N. and S line 24 links South of the corner to Secs. 15, 16, 21, 22 from which corner I run S. 89° 50' W. on true line between Secs. 16 and 21 Var 12° 50' E.
	40,08½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,17	The corner to Secs. 16, 17 20, 21. Land Slightly rolling, Soil gravelly, 2nd rate.

Township 14 North Range 31 W. 6th P. M.

chains	North between Secs. 16, and 17 Var 12° 50' E
40,00	Set post deposit charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17. Land Slightly rolling, Soil gravelly, 2nd rate

Chains	Chains	
		East on random line between Secs. 9 and 16 Var 12° 50' E
40.00	40.00	Set post for temporary 1/4 Sec. Cor.
79.9	79.90	Intersect N and S. line 18 links North of the corner to Secs. 9, 10, 15, 16, from which corner I run, N. 89° 52' W. on true line between Secs. 9 and 16, Var 12° 50' E
39.95		Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90		The corner to Secs. 8, 9, 16, 17
		Land level. Soil good 2nd rate.

Chains	
	North between Secs. 8 and 9 Var. 12° 50' E.
27.00	Intersect right bank of North Platte River. Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to for Secs. 8 and 9. I measure across the river with the chain and find it to be 36.00 chs wide and at
63.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to for Secs 8 and 9 on the left bank of North Platte River. The 1/4 Sec. Cor. falls in river therefore it cannot be established.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 4, 5, 8, 9.
	Land level. Soil 1st rate River from 1 to 2 ft deep

Township 14 N. R 31 W. 6th P.M.

Chains	Chains	
		East on true line between Secs. 4 and 9. Var 12° 50' E
40,00	40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,94		
	47,00	Intersect left bank of North Platte river
		Set post deposit charred stake raised mound of earth for corner to fr. Secs. 4 and 9
39,94		
		Land level Soil, 1st rate
79,94		

Township 14 N. Range 31 W. 6th P.M.

Chains	
	North on random line between Secs. 4 and 5 Var 12° 50' E
40,00	Set temporary 1/4 Sec. Cor.
54,00	Slough 2, chs wide runs East
80,18	Intersect North Boundary of Township 23 links West of the corner to Secs 4, 5, 32 33, from which corner I run S. 10 W on true line between Secs. 4 and 5 Var 12° 50' E
40,18	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 4, 5, 8, 9 Land level, Soil, 1st rate, heavy growth of fine grass
	August ~~15~~ 19 1870

Town Township 14 N. Range 31 W. 6th P.M.

Chain	Chains	
		North between Secs. 31 and 32 bd. 12° 50' E
	39.40	Intersect South or right bank South Platte river.
40.00		Set temporary 1/4 Sec. cor.
79.9		Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 31 and 32.
		Decov. follows in river to establish the
39.91		Measure across the river with the chain and find it to be 28.10 chs wide and at
	67.50	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 31 and 32 on left bank of river.
79.9		The 1/4 cor. just
	80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29 30 31 32.
		Land level, Soil 1st rate
		River gravelly bottom 1 to 2 ft deep

Township 14 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 29 and 32 bd. 12° 50' E.
40.00	Set temporary 1/4 Sec. cor.
80.15	Intersect N. and S. line 12 links South of the corner to Secs. 28, 29, 32, 33. from which corner I run S. 89° 55' W. on true line between Secs. 29 and 32 bd 12° 50' E.
40.07½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80.15	The corner to Secs. 29, 30, 31, 32
	Land level Soil 1st rate covered with fine grass

Township 14 N. Range 31 W. 6th P.M.

Chains	Chains	
		West on true line between Secs. 30 and 31. Var 12° 50' E
40,00	40,00	Set post deposit charred
79,94		Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	41,00	Intersect left bank of South Platte River,
		Set post deposit charred
39,97		Stake raised mound of earth with pits as per instructions for a corner to 4 Secs. 30 and 31
		Land level,
79,97		Soil 1st rate, covered with good grass,

Township 14 N. Range 31 W. 6th P.M.

Chains	
	North between Secs 29 and 30 Var. 12° 50' E.
36,90	U.P.R.R. track bears N 8 5½ W
40,00	Set post deposit charred
	Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred
	Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30
	Land level,
	Soil good 2nd rate.

Township 14 N. R 31 West 6th P. M.

Chains	Chains	East on random line between Secs. 20 and 29 Var 12° 50' E
40,00	40,00	Set temporary 1/4 Sec Cor.
79,94	79,95	Intersect Range line 17 links South of the corner to Secs. 20, 21, 28 29 from which corner run S. 89° 53' W. on true line between Secs. 20 and 29 Var 12° 50' E
39,97	39,97½	Set post deposit charred Stake raised mound of earth pits as per instructions for a 1/4 Sec Cor.
79,95	79,95	The corner to Secs 19, 20 30, 29 Land level, Soil gravelly, 2nd rate

Township 14 N. Range 31 W. 6th P. M.

Chains	West on random line between Secs. 19 and 30. Var 12° 50' E
40,00	Set temporary 1/4 Sec Cor.
80,75	Intersect West Boundary of Township 14 chains North of the corner to Secs. 19, 30 24, 25 from which corner run N. 89° 54' E. on true line between Secs. 19 and 30 Var. 12° 50' E.
40,75	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,75	The corner to Secs. 19, 20 29, 30 Land level, Soil good 2nd rate.

Chains

40,00
79,94

39,97

79,94

Chains

North between Secs. 19 and 20
Var. 12° 50' E.

80,00 Slough 40 lks wide
runs East.

40,00 Set post deposit
charred stake raised
mound of earth with
pits as per instructions
for a 1/4 Sec. cor.

80,00 Set post deposit
charred stake raised
mound of earth with
pits as per instructions
for a corner to Secs.
17, 18, 19, 20

Land slightly rolling.
Soil gravelly & rate.

Chains

East on random line
between Secs. 17 and 20.
Var 12° 50' E

40,00 Set temporary 1/4 Sec. cor.

80,20 Intersect N and S line
18 links South of the corner
to Secs. 16, 17, 20, 21 from
which corner I run
S. 89° 52' W. on true line
between Secs. 19 and 20
Var 12° 50' E

40,10 Set post deposit charred
stake raised mound of
earth with pits as per
instructions for a 1/4 Sec. cor.

80,20 The corner to Secs. 17, 18, 19, 20
Land gently rolling.
Soil gravelly, 2nd rate

Chains	Chains	
		West on random line between Secs. 18 and 19 Var 12° 50' E
40.00	40.00	Set temporary 1/4 Sec. Cor.
79.94	80.70	Intersect West Boundary of Township 20 links South of the corner to Secs. 18, 19 18.24 from which corner I run S. 89° 51' E. on true line between Secs. 18 and 19 Var 12° 50' E
39.97	40.70	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.94	80.70	The corner to Secs. 17, 18, 19, 20 Land slightly rolling Soil gravelly, 2nd rate

Chains	
	North between Secs 17 and 18 Var 12° 50' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land level, Soil 2nd rate,

Chains

40,00
79,94

29,97

79,94

Chains

East on random line between Secs. 8 and 17
Var 12° 50' E.

40,00 Set post for temporary 1/4 Sec. Cor.

80,16 Intersect N. and S. line 1.0 lks South of the corner to Secs. 8, 9, 16, 17, from which corner I run
S 89° 50' W on true line between Secs. 8 and 17
Var 12° 50' E

40,08 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,16 The corner to Secs. 7, 8, 17, 18
Land level,
Soil 1st rate.

Chains

West on random line between Secs. 7 and 18
Var 12° 50' E

40,00 Set post for temporary 1/4 Sec. Cor.

80,80 Intersect West Boundary of Township 23 links North of the corner to Secs. 7, 18, 12, 13 from which corner I run
N. 89° 50' E on true line between Secs. 7 and 18
Var 12° 50' E

40,80 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,80 The corner to Secs. 7, 8, 17, ~~18~~ 18
Land level,
Soil good, 2nd rate.

August ~~16~~ 20th 1870
Measured and corrected chain by the Standard

Chains	
	North between Secs. 7 and 8 Var 12° 50' E
16.90	Intersect right bank North Platte river,
40.00	Set post deposit charred
79.94	Stake raised mound of earth with pits as per instructions for a corner to for, Secs. 7 and 8,
	I now measure with chain and find the river to be 32.80
39.97	chs wide and at
49.70	Set post deposit charred
79.94	Stake raised mound of earth with pits as per instructions for a corner to for Secs. 7 and 8 on left bank of river
Note.	The 1/4 Sec Cor falling in river cannot be established
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8
	Land level, Soil 1st rate

Chains	
	East on random line between Secs. 5 and 8 Var 12° 50' E
40.00	Set post for temporary 1/4 Sec. Cor,
79.84	Intersect N and S. line 28 links South of the corner to Secs. 4, 5, 8, 9
	from which corner I run S. 89° 48' W on true line between Secs. 5 and 8 Var 12° 50' E
39.92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
79.84	The corner to Secs. 5, 6, 7, 8,
	Land level, Soil 1st rate.

Township 14 N. Range 31 W. 6th P.M.

Chains	Chains	
		West on random line between Secs. 6 and 7 Var 12° 50' E
40,00	40,00	Set temporary 1/4 Sec. Cor
79,94	80,70	Intersect West Boundary of township 18 links South of the corner to Secs. 6, 7, 18, 12 from which corner Down S. 89° 52' E. on true line between Secs. 6 and 7
39,97		Var 12° 50' E
	40,70	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,94		
	80,70	The corner to Secs. 5, 6, 7, 8
		Land level,
		Soil 1st rate

Township No. N. Range 31 W. 6th P.M.

Chains	Chains	
		North on random line between Secs. 5 and 6 Var 12° 50' E
40,00		Set temporary 1/4 Sec. Cor.
62,00		Slough 100 lks wide mus E.
80,25		Intersect North Boundary of Township 20 lks West of the corner to Secs 5, 6, 31, 32 from which cor. Down S. 9° W. on true line between Secs. 5 and 6 Var. 12° 50' E.
40,25		Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,25		The corner to Secs. 5, 6, 7, 8
		Land level,
		Soil 1st rate.

Towns

Chains

40,00

79.94

39.97

Township 14 N. Range 31 W. 6th P.M.

Meanders of South Platte River through the Township

Begin at the corner to fr Secs. 3 4 and 9 in the South side of the Township on the right bank of the river at 20,00 chains East of the corner to Secs. 33, 34, 3, 4, and run up Stream along the right bank with the meanders thereof in Sec. 34 as follows:

Courses	Chains	Remarks
N. 72° W.	21,00	To cor. to fr Secs. 33 and 34 Thence in Sec. 34.
N. 81 W.	30,00	
N. 82 W.	26,00	
S. 83 W.	24,50	To cor. to fr. Secs. 32 and 33 Thence in Section 32,
N. 76° W.	30,00	
N 68° W.	26,00	
N 70½ W.	29.00	To cor. to fr. Secs. 31 and 32 thence in Section 31
N 67 W	34,00	
N. 76 W.	23,00	
N 78½ W	27,00	To cor. to fr. Secs. 31 and 36

over

Chains	
	in West Boundary of Township at 63,80 chains North of the corner to Township 13 and 14 North
40,00	Ranges 31 and 32 West
79,94	
39,97	

Begin at the corner to fr. Secs. 35 and 2 in the South Boundary of the Township on the left bank of ~~the~~ South Platte River at 35,00 chains West of the corner to Secs 35, 36, 1, 2 and run up Stream along the left bank with the meanders thereof in Sec. 35, as follows:

Courses	Chains	Remarks
6 N. 77 W.	24,00	
N. 85 W.	21,50 7	To cor. to fr. Secs. 34 and 35 thence in Sec. 34
N. 70 W.	26,00	
N. 67 W.	22,00	
N. 82½ W.	35,90 8	To cor. to fr. Secs. 33 and 34 thence in Sec 33,
N. 76 W.	26,00	
N. 85 W.	27,00	
S. 88 W.	27,70 9	To cor. to fr. Secs. 32, 33 thence in Sec 32,
N. 73 W.	26,00	
N. 67 W.	29,00	
N. 72 W.	30,00 10	To cor. to fr. Secs. 31 and 32

over

Township 14 N. Range 31 W. 6th P.M.

Chains	Courses	Chs.	Thence in Sec 31
	N. 74 W.	27,00	
	N. 70 W.	15,00	To cor. to fr Secs. 30 and 31 Thence in Sec. 30
40,00	N. 70 W.	14,00	
79,94	N. 84 W.	27,00	To cor to fr Secs. 30, and 25 in West Boundary of Township at 71,00 chs. South of corner to Secs. 19, 30, 24, 25
39,97	August 17th. 1870		
79,94			

Township 14 N. Range 31 W. 6th P.M.

Meanders of North Platte river through the Township.

Begin at the corner to fr Secs. 13 and 18 in the East Boundary of the Township on the Right bank of the river at 50,20 chs North of the corner to Secs. 12, 13, 18, 19 & 24 & run up Stream along the right bank with the meanders thereof in Section 13 as follows:

Courses	Chains	Remarks
N. 70 W.	36,00	
N. 6½ W.	36 50	To cor. to fr Secs. 12, 13 Thence in Sec. 12
N. 57 W.	16,70	To cor. to fr Secs. 11 and 12 Thence in Sec 11
N. 52 W.	34,00	
N. 65 W.	28,00	
N. 54½ W.	33,80	To cor. to fr Secs. 10 and 11 Thence in Sec 10
N. 75 W.	27,00	
S. 85 W.	29,00	
S 57 W.	29,40	To cor. to fr. Secs. 9 and 10

Township 14 N. Range 31 W. 6th P. M.

Chains	Courses	Chains	
			Thence in Sec 9
	S. 77¼ W.	32,00	
40,00	S. 75 W.	26,00	
79.94	S. 71 W	26,10 18	To cor. to fr Secs. 8 and 9 Thence in Sec 8,
	S. 87¼ W.	29,00	
	S. 83 W.	28,00	
	S. 79 W.	23,70 19	To cor. to fr Sec. 7 and 8 thence in Sec 7
	S 88 W	30,00	
39.97	West	26,00	
	N. 58¼ W.	26,60 20	To cor. to fr Secs. 7 and 12 in West Boundary of Township at 25,90 chs North of the corner to Secs. 7, 18, 12, 13,
79.94			

Township 14 N. Range 31 W. 6th P. M.

Begin at corner to fr Secs. 7 and 12 in East Boundary of Township on the left bank of the North Platte River at 64,90 chs South of the corner to Secs. 1, 12, 6, 7. and run up Stream along the left ~~right~~ bank of the river with the meanders thereof in Sec 12 as follows:

Courses	Chains	Remarks
21 N. 78½ W.	33,70	
N. 60 W.	30,00	To the cor. to fr Secs. 11 and 12
N 38½ W.	33,00 22	thence in Sec 11.
N. 55 W.	28,70 23	To cor. to fr Secs. 2 and 11 thence in Sec 2.
N. 65 W.	29,00	
N. 70¾ W.	32,40 24	To cor. to fr Secs 2 and 3. thence in Section 3.
N. 65 W.	25,00	
N. 77 W.	29,00	
S. 7½ W.	29,70 25	To cor. to fr Secs. 3 and 4 Thence in Sec 4
S. 56 W	19,70	At 17, Mouth of Slough 200 lks wide over.

Towns

Township 140 N. Range 31 W. 6th P.M.

Chains	Course	Chains	Remarks
	S. 37 W.	28,00 26	To corner to fr. Secs 4 and 9 thence in Sec 9.
40,00	S. 61 W.	22,00	
79.94	S. 77 W.	29,10 27	To cor. to fr Secs. 8 and 9 thence in Sec 8
	S. 87 W.	40,00	
	S. ~~58½~~ 74½ W.	~~40,30~~ 20,00 28	To cor. to fr Secs. 7 and 8 thence in Sec. 7
	West	31,00	
	N. 85 W.	29,00	
39.97	N. ~~84½~~ 60½ W.	~~28,30~~ 4,00 29	to cor. to fr Secs. 7 and 12 in West Boundary of Township at 15 chs South of the corner to Sections 6, 7, 1, 12.
79.94			

Township 140 N. Range 31 W. 6th P.M.

Meanders of Small Island in Sections 3 and 4.

Begin at the corner to fr Secs 3 and 4 at 50,82 chs South of the corner to Secs. 3, 4, 33, 34 on the North bank of the Island and run thence in Sec 3. as follows

Courses	Chains	Remarks
30 N. 82 E	~~28~~ 27,00	
S 77 E	27,00	
S 55 E	23,00	To foot of island
N. 85 W.	27,00	
N. 88 W.	25,00	
S 86 W.	21,10 31	To cor to fr Secs. 3 and 4, on the South side of island thence in Sec 4
S. ~~82~~ 78 W.	18,00	To head of island
N. 44 E.	18,00	
N. 50½ E	7,00 30	To the place of beginning Land level, Soil 1st rate covered with good grass

August ~~18th~~ 22 1870

Towns

Chains

410,00

79.94

39.97

79.94

Township 14 N. Range 31 W. 6th P. M.

General Description

This Township lies wholly in the platte valley, and is traversed by the North and South Platte Rivers, The bottom lands near the rivers is a rich alluvial soil, producing vast quantities of excellent grass, About half way between the rivers is a slight elevation, of gravelly soil not very productive without irrigating, this may easily be done however from the South Platte River, and render all the land in the Township productive - Wheat, oats, corn, and most of the vegatables may be raised, but the Township is especially adapted to grazing -
The rivers are wide and shallow with sandy bottom banks 3 to 6 ft high, never overflow

42
Toms

Chains

410,00
79,94

39,97

List of Names
of assistants and their
duties
Charles Rivers Chainman
Andrew J Cooper Chainman
Edward Lawrence Axeman or
Phillip Ryan Moundmen

We do hereby certify that
we assisted J. B. Park
Deputy Surveyor in Surveying
and Subdividing Township
14 North of the Base line of
Range number 8 West
of the 6th Principal
Meridian and that said Such
Survey has been in
all respects to the best
of our Skill and ability
well faithfully executed
and the Boundary Monuments
planted according to
instructions Given by the
Surveyor General
Charles T. Rivers Chainman
Andrew J Cooper. Chainman
Philip Ryan Axeman or
Edward Lawrence Moundmen
Lincoln County
State of Nebraska } ss
Subscribed in my presence
and Sworn to before me this 23d
day of August 1879 W. McClure
Probate Judge
in and for said county.

Chain

410.0
79.90

39.97

I, J. B. Park Deputy Surveyor do Solemnly Swear that, in purzuance of a contract with Robert R Livingstone Surveyor General for the District of Nebraska and I do number 89 and bearing date the 6th day of August 1870 I have well faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying manual, and the laws of the United States, Surveyed and Subdivided all three parts or portions of Township number 14 North of the Base line Range number 31 West of the 6th Principal Meridian, as are represented in the foregoing field-Notes as having been Surveyed under my direction. And I do further Solemnly Swear, that all the corners of Said Survey have been established and perpetuated in strict accordance with the Surveying manual and printed instructions, and that the foregoing are the true and original field-Notes of Such Survey.

J. B. Park
Deputy Surveyor

State of Nebraska }
Lincoln County } ss

Subscribed in my presence and sworn to before me this 23 day of August 1870

W. H. Stone
Probate Judge
in and for said County

Surveyor General's Office
Plattsmouth Nebr. Oct. 26th 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No 14 North of the Base Line, Range No 31 West of the 6th Principal Meridian in the State of Nebraska Executed by J. B. Park, under his contract of the 6th day of August 1870, in the month of August 1870 having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Field Notes — of the Survey and Subdivision of Township 15 N. Range 31 W. of 6th Pr. Mer. Executed by J. B. Park deputy Surveyor under his contract Number 39 with Robt. R. Livingston Surveyor General for the District of Nebraska and Iowa, dated Aug. 6. 1870

T. 15 N., R 31 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

List of Names

A list of the names and duties of assistants employed to assist L. W. Park Deputy Surveyor in Subdividing Township 15 N. of the Base line, Range 31 West of the 6th Principal Meridian Showing the respective capacities in which they acted

E. A. Beach	Chainman
Philip Ryan	"
Thos. Kehler	Axemen &
Edwd. Lawrence	Mounduce

Township 15 N. Range 31 W. 6th P. M.

So determine the proper adjustment of my compass for Subdividing this Township I commenced at the corner to Township 14 and 15 N. Ranges 30 and 31 W. and run N. 88° on a blank line along the East Boundary of Sec. 36 W 12° 52' E

40.01	To the 1/4 Sec. cor.
80.03	To the corner to Secs. 25, 36, 30, 31

I therefore find my Compass to be in proper adjustment.

Survey Commenced ~~August~~ Sept. 19th 1870
Completed ~~August~~ Sept. 23. 1870

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 35 and 36 Vd. 12° 52' E.
20,00	Leave Slough or creek bearing E. & W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. at foot of hills
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 25, 26, 35, 36
	Land 20 chs wet Slough next 20 chs dry bottom Soil 1st rate, Ballance Sand hills 3rd rate.

Township 15 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 25 and 36 Vd. 12° 52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,17	Intersect East Boundary of Township 12 links South of the corner to Secs. 25, 36, 30-31 from which corner I run S. 89° 55' W. on true line between Secs. 25 and 36 Vd. 12° 52' E.
40,08½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. on high hill
80,17	The corner to Secs. 25, 26, 35, 36
	Land hilly. Soil Sand. 3rd rate

Township 15 N, Range 31 W, 6th P. M.

Chains	
	North between Secs. 25 and 26 Var. 12° 52' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26
	Land hilly, Soil & rate

Township 15 N, Range 31 W, 6th P. M.

Chains	
	East on random line between Secs. 24 and 25 Var. 12° 52' E.
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersect East Boundary of Township 22 links North of the corner to Secs. 24, 25 19.~~80~~ 83 from which corner run N. 89° 51' W. on true line between Secs. 24 and 25 Var. 12° 52' E.
39.96	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 23, 24, 25, 26.
	Land hilly, Soil Sand & rate.

Township 15 N, Range 31 W, 6th P. M.

Chains	
	North ~~true~~ ~~line~~ between Sect. 23 and 24, Va. 12° 52' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sect. 13, 14, 23, 24
	Land hilly, Soil Sand. 3rd rate

Township 15 N, Range 31 W, 6th P. M.

Chains	
	East on random line between Sect. 13 and 24 Va. 12° 52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,21	Intersect East boundary of Township 14 links North of the corner to Sect. 13, 24 18,69 from which corner I run N. 89° 54' W. on true line between Sect. 13 and 24 Va. 12° 52' E.
40,10½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,21	The corner to Sect. 13, 14, 23, 24 Land hilly Soil Sand 3rd rate.

Township 15 N. Range 3 ~~2~~ 1 W. 6th P. M.

Chains	North between Secs. 1 and 14 Va. 12°52' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12, 13, ~~&~~ 14
	Land hilly.
	Soil Sand 3rd rate.

Township 15 N. Range 3 1 W. 6th P. M.

Chains	East on random line between Secs. 12 and 13 Va. 12°52' E
40,00	Set temporary 1/4 Sec. Cor.
80,25	Intersect East Boundary of Township 18 links North of the corner to Secs. 12, 13, 7, 18 from which corner to run N. 89°52' W. on true line between Secs. 12 and 13 Va. 12°52' E.
40,12½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,25	The corner to Secs. 11, 12, 13, 14
	Land hilly.
	Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	North between Secs. 11 and 12 Va. 12°52' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12
	Land hilly,
	Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	East on random line between Secs. 1 and 12 Va. 12°52' E.
40.00	Set post for a 1/4 Sec. Cor.
79.88	Intersect East Boundary of Township 18 links South of the corner to Secs. 1, 12, 6, 7 from which corner I run.
	S. 89°52' W. on true line between Secs. 1 and 12 Va. 12°52' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.88	The corner to Secs. 1, 2, 11, 12
	Land hilly,
	Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P.M.

	Same North on random line between Secs. 1 and 2 Va. 12° 52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,24	Intersect North Boundary of Township 22 links West of the corner to Secs. 1, 2 35, 36, from which corner I run S. 9 - W. on true between Secs. 1 and 2 Va. 12° 52' E
40,24	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,24	The corner to Secs 1, 2 11, 12 Land hilly, Soil Sand, 3rd rate

Township 15 N. Range 31 W. 6th P.M.

	Same North Between Secs. 34, and 35 Va. 12° 52' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
42,00	Foot of Sand hills bears E and W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34 and 35

Land 1st 1/2 mile level ballance hilly
Soil 1st 1/2 mile 1st rate
ballance 3rd rate

~~August~~ Sept 19th 1870

Township 15 N. Range 81 W. 6th P. M.

	Chains	
		East on random line between 26 and 35 Va. 12° 52' E.
4	40,00	Set temporary 1/4 Sec. Cor.
8	80,19	Intersect N. and S. line 20 links South of the corner to Secs. 25, 26, 35, 36 from which corner I run S. 89° 57' W. on true line between Secs. 26 and 35 Va. 12° 52' E.
	40,09½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,19	The corner to Secs. 26, 27, 34 & 35, ~~36~~
		Land hilly. Soil Sand. Timber

Township 15 N. Range 81 W. 6th P. M.

	Chains	
		North between Secs. 26 and 27 Va. 12½° E.
	40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26 & 27.
		Land hilly. Soil Sand. Timber

Township 15 N. Range 31 W. 6th P. M.

	Chains	East on random line between Secs. 28 and 26 Va. 12°52' E.
	4,00,00	Set temporary 1/4 Sec. Cor.
	79.80	Intersect N. and S. line 18 links North of the corner to Secs. 23, 24, 25, 26 from which corner I run N. 89°52' W. on true line between Secs. 23 and 26 Va. 12°52' E.
	39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	79.80	The corner to 22, 23, 26, 27 Land hilly Soil Sand. 3rd rate

Township 15 N. Range 31 W. 6th P. M.

	Chains	North between Secs. 22 and 23. Va. 12°52' E.
	4,00,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	8,00,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23 Land hilly Soil Sand. 3rd rate.

Township 15 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs 14 and 23 Var. 12° 52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.86	Intersect North and South line 16 links North of the corner to Secs. 13, 14, 23, 24 from which corner I run N. 89° 53' W on true line between Secs. 14 and 23 Var. 12° 52' E.
39.93	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.86	The corner to Secs. 14, 15, 22, 23 Land hilly Soil Sand, Bad rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 14 and 15 Var. 12° 52' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land hilly Soil Sand, Bad rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 11 and 14 Var. 12° 52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,22	Intersect N. and S. line 2.5 links North of the corner to Secs. 11, 12, 13, 14 from which corner I am N. 89° 48' W. on true line between Secs. 11 and 14 Var. 12° 52' E.
40,11	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,22	The corner to Secs. 10, 11, 14, 15
	Land hilly.
	Soil Sand. Good rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 10 and 11 Var. 12° 52' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land hilly.
	Soil Sand. Good rate

Township 15 N. Range 31 W. 6th P. M.

chains	East on random line between Secs. 2 and 11 Va. 12°52' E.
40.00	Set temporary 1/4 Sec. Cor.
79.90	Intersect N and S line 24 links North of the corner to Secs. 1, 2, 11, 12 from which corner I run N. 89°50' W. on true line between Secs. 2 and 11 Va. 12°52' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 2, 3, 10, 11
	Land hilly
	Soil Sand Ind. rate

Township 15 N. Range 31 W. 6th P. M.

chains	North on random line between Secs. 2 and 3 Va. 12°52' E.
40.00	Set temporary 1/4 Sec. Cor.
79.87	Intersect North Boundary of Township 22 links East of the corner to Secs. 2, 3, 34, 35, from which corner I run S. 9 E. on true line between Secs. 2 and 3 Va. 12°52' E.
39.87	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.87	The corner to Secs. 2, 3, 10, 11
	Land hilly.
	Soil Sand, Ind. rate.

Township 15 N. Range 31 W. 6th P.M.

chains	
	North between Secs. 33 and 34
	Va. 12°52' E
25.00	Leave bottom & Enter Sand hills bearing E & W
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27 28, 33, 34,
	Land 1st 2 & chs level
	Soil 1st rate,
	Balance Sand hills
	Soil 3rd rate.

Township 15 N. Range 31 W. 6th P.M.

chains	
	East on random line between Secs. 27 and 34
	Va. 12°52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.28	Intersect N. and S. line 26 links South of the corner to Secs. 26, 27, 34, 35 from which corner I run S. 89°49' W. on true line between Secs. 27 and 34
	Va. 12°52' E
40.14	Set post deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.28	The corner to Secs. 27, 28 33, 34
	Land hilly
	Soil, Sand, 3rd rate -

Township 15 North Range 31 W. 6th P.M.

Chains	
	North between Sec.s 27 and 28 Va. 12°52' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sec.s 21, 22, 27, 28 Land very rolling. Soil Sand 3rd rate.

Township 15 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Sec.s 22 and 27 Va. 12°52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.24	Intersect N. and S. line 12 links South of the corner to Sec.s 22, 23, 26, 27 from which corner I run S. 89°55' W. on true line between Sec.s 22 and 27 Va. 12°52' E.
40.12	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.24	The corner to Sec.s 21, 22, 27, 28 Land hilly, Soil Sand 3rd rate. ~~August~~ Sept 20th 1870

Township 15 N, Range 31 W, 6th P.M.

Chains	
	North between Secs. 21, and 22 Va. 12° 52' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22. Land hilly. Soil Sand. 3rd rate

Township 15 N, Range 31 W, 6th P.M.

Chains	
	East on random line between Secs. 15 and 22 Va. 12° 52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.90	I intersect Nav. S. line 22 links North of the corner to Secs. 14, 15, 22, 23 from which corner I run N. 89° 51' W. on true line between Secs. 15 and 22 Va. 12° 52' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 15, 16, 21, 22 Land very rolling Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 15 and 16 Va. 12°52' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16
	Land very rolling. Soil Sand 8 in rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 10 and 15 Va. 12°52' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,23	Intersect N. and S. line 18 links South of the corner to Secs. 10, 11, 14, 15 from which corner I run S. 89°52' W. on true line between Secs. 10 and 15 Va. 12°52' E.
40,11½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,23	The corner to Secs. 9, 10, 15, 16
	Land very rolling. Soil 3 in rate

Township 15 N. Range 31 W. 6th P. M.

chains	North between Secs. 9 and 10 Va. 12°52' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 3, 4, 9, 10 Land hilly. Soil Sand. 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	East on random line between Secs. 3 and 10 Va. 12°52' E.
40.00	Set temporary 1/4 Sec. Cor.
80.10	Intersect N. and S. line 26 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run S. 89°49' W. on true line between Secs. 3 and 10 Va. 12°52' E
40.05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 3, 4, 9, 10 Land very hilly Soil Sand 3rd rate.

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North on random line between Secs. 3 and 4 Var. 12°52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,28	Intersect North Boundary of Township 24 links west of the corner to Secs. 3, 4, 33, 34 from which corner I run S. 10 W. on true line between Secs. 3 and 4 Var. 12°52' E.
40,~~74~~ 28	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,28	The corner to Secs. 3, 4, 9, 10
	Land hilly,
	Soil sand and rate, all sand

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 32 and 33 Var. 12°52' E.
36,00	Leave bottom & enter sand hills bar E & W
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33.
	Land hilly.
	Soil sand and rate

Township 15 N. Range 31 W. 6th P. M.

chains	
	East on random line between Secs. 28 and 33 Va. 12° 52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.89	Intersect N. and S. line 22 links South of the corner to Secs. 27, 28, 33, 34 from which corner I run S. 89° 51' W. on true line between Secs. 28 and 33 Va. 12° 52' E.
39.94½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.89	The corner to Secs. 28, 29 32, 33. Land hilly and some broken Soil sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	
	North between Secs. 28 and 29 Va. 12° 52' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29. Land hilly and broken Soil. Sand. 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	East on random line between Secs. 21 and 28 Var. 12°05' E.
40,00	Set temporary 1/4 Sec. Cor.
80,25	Intersect N. and S. line 12 links North of the corner to Secs. 21, 22, 27, 28 from which corner I run, N. 89°55' W. on true line between Secs. 21, and 28 Var. 12°05' E.
40,12½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,25	The corner to Secs. 20, 21, 28, 29
	Land hilly
	Soil Sand, 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	North between Secs. 20 and 21 Var. 12°05' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21
	Land hilly and Some broken
	Soil 3rd rate, all Sand.

Township 15 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 16 and 21 Va. 12°52' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,28	Intersect N. and S. line 18 links South of the corner to Secs. 15, 16, 21, 22 from which corner I run S. 89°52' W. on true line between Secs. 16 and 21 Va. 12°52' E.
40,14	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,28	The corner to Secs 16, 17, 20, 21
	Land hilly
	Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 16 and 17 Va. 12°52' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17
	Land hilly, Some broken
	Soil Sand 3rd rate.

~~August~~ Sept 21st 1871

Township 15 N, Range 31 W, 6th P. M.

Chains	
	East on random line between Secs. 9 and 16 Va, 12° 52' E,
40,00	Set post for temporary 1/4 Sec. Cor,
80,19	I intersect N and S, line 24 links N of the corner to Secs. 9, 10, 15, 16 from which corner I run N, 89° 50' W on true line between Secs. 9 and 16 Va, 12° 8' 2" E,
40,09½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,19	The corner to Secs. 8, 9 16, 17
	Land hilly
	Soil Sand, 3rd rate

Township 15 N, Range 31 W, 6th P. M.

Chains	
	North between Secs. 8 and 9 Va, 12° 52' E,
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9,
	Land hilly and some broken
	Soil Sand 3rd rate,

Township 15 N. Range 31 W. 6th P. M.

chains	
	East on random line between Secs. 4 and 9 Va. 12°52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.86	Intersect N. and S. line 22 links South of the corner to Secs. 3, 4, 9, 10 from which corner I run S. 89°51' W. on true line between Secs. 4 and 9 Va. 12°52' E.
89.93	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. corner ~~to Secs. 4, 5, 8, 9.~~
79.86	The cor. to Secs. 4, 5, 8, 9
	Land hilly
	Soil Sand, Some rate

Township 15 N. Range 31 W. 6th P. M.

chains	
	North on random line between Secs. 4 and 5 Va. 12°52' E
40.00	Set temporary 1/4 Sec. Cor.
80.21	I intersect North Boundary of Township 18 links West of the corner to Secs. 4, 5, 32, 33, from which corner I run S. 8' W. on true line between Secs. 4 and 5 Va. 12°52' E.
40.21	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.21	The corner to Secs. 4, 5, 8, 9.
	Land hilly, Some broken
	Soil Sand & rate

Township 15 N, Range 31 W, 6th P.M.,

Chains	North between Secs. 31 and 32 Va. 12°52' E.
3	
7,00	Leave bottom 4 Enter Sand hills bar E & W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
60,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32
	Land 1st half mile rolling soil 1st rate
	Balance hilly soil 3rd rate

Township 15 N Range 31 W, 6th P.M.,

Chains	East on random line between Secs. 29 and 32 Va. 12°52' E.
40,00	Set temporary 1/4 Sec. Cor.
80,17	Intersect Ward S. line 20 links South of the corner to Secs. 28, 29, 32, 33 from which corner I run S. 89°51' W. on true line between Secs. 29 and 32 Va. 12°52' E.
40,08½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,17	The corner to Secs. 29, 30, 31, 32
	Land hilly and broken soil sand 3rd rate

Township 15 N Range 31 W. 6th P.M.

chains	
	West on random line between Secs. 30 and 31 Va. 12°52' E,
4,00	Set post for temporary 1/4 Sec. Cor.
80,42	I intersect West Boundary of Township 18 links North of the corner to Secs. 30, 31, 25, 36 from which corner I run N. 89°52' E, on true line between Secs. 30 and 31 Va. 12°52' E,
40,42	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,42	The corner to Secs. 29, 30, 31, 32, Land hilly Soil, Sand 3rd rate.

Township 15 N. Range 31 W. 6th P.M.

chains	
	North between Secs. 29, and 30 Va. 12°52' E,
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30 Land hilly Some Brown Soil 3rd rate.

Township 15 N, Range 31 W, 6th P.M.

Chains	
	East on random line between Secs. 20 and 29 Va. 12°52' E
40.00	Set post for temporary 1/4 Sec. Cor.
79.80	Intersect N. and S. line 22 links South of the corner to 20, 21, 28, 29 from which corner I run S. 89°50' W on true line between Secs. 20 and 29 Va. 12°52' E.
39.90	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 19, 20, 29, 30 Land hilly, Soil Sand, 3rd rate

Township 15 N, Range 31 W, 6th P.M.

Chains	
	West on random between Secs. 19 and 30 Va. 12°52' E.
40.00	Set temporary 1/4 Sec. Cor.
80.51	Intersect West Boundary of Township 24 links South of the corner to Secs. 19, 30, 24, 25 from which corner I run S 89°50' E on true line between Secs. 19 and 30 Va. 12°52' E.
40.51	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.51	The corner to Secs. 19, 20, 29, 30 Land hilly, Some broken Soil Sand, 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	
	North between Secs. 19 and 20 Va. 12°52' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20 Land hilly and broken Soil Sand Gravel

Township 15 N. Range 31 W. 6th P. M.

chains	
	East on random line between Secs. 17 and 20 Va. 12°52' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,15	Intersect N. and S. line 20 links North of the corner to Secs. 16, 17, 20, 21 from which corner I run N. 89°51' W. on true line between Secs. 17 and 20 Va. 12°52' E.
40,07½	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sector.
80,15	The corner to Secs. 17, 18, 19, 20 Land hilly Soil Sand Gravel.

Township 15 N, Range 31 W, 6th P, M,

chains	
	West on random line between Secs. 18 and 19 Va, 12°52' E,
40,00	Set temporary 1/4 Sec, Cor,
80,38	Intersect West Boundary of Township 26 links North of the corner to Secs. 18 & 19, 13, 24, from which corner I run N, 89°41' E, on true line between Secs. 18 and 19 Va, 12°52' E,
40,38	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,38	The corner to Secs. 17, 18, 19, 20 Land hilly Soil Sand, 3rd rate,

Township 15 N, Range 31 W, 6th P, M,

chains	
	North between Secs. 17 and 18 Va, 12°52' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec, Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land hilly Some broken Soil 3rd rate, Said

~~August~~ Sept 22nd 1870

Township 15 N. Range 31 W. 6th P. M.

chains	
	East on random line between Secs. 8 and 17 Va. 12°52' E.
40.00	Set temporary 1/4 Sec. Cor.
79.64	Intersect N. and S. line 24 links North of the corner to Secs. 8, 9, 16 and 17 from which cor. I run N 89°50' W on true line between 8, 17 Va. 12°52' E
39.82	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.64	The corner to Secs. 7, 8, 17, 18
	Land hilly.
	Soil Sand 3rd rate

Township 15 N. Range 31 W. 6th P. M.

chains	
	West on random line between Secs. 7 and 18 Va. 12°52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.27	Intersect West Boundary of Township 14 lin. No. North of the corner to Secs. 7, 18, 12, 13 from which corner I run N. 89°54' E. on true line between Secs. 7 and 18 Va. 12°52' E.
40.27	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.27	The corner to Secs. 7, 8, 17, 18
	Land hilly.
	Soil 3rd rate.

Township 15 N, Range 31 W, 6th P.M.

	Chains	North between Secs. 7 and 8, Va. 12°52' E,
4 7	40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
3	80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8
7		Land hilly and rolling Soil Sand Timber

Township 15 N, Range 31 W, 6th P.M.

	Chains	East on random line between Secs. 5 and 8 Va. 12°52' E,
	40,00	Set temporary 1/4 Sec. Cor,
	80,11	Intersect N. line S. line 40 links North of the corner to Secs. 4, 5, 8, 9. from which corner I run N. 89°43' W. on true line between Secs. 5 and 8 Va. 12°52' E
	40,05½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor,
	80,11	The corner to Secs. 5, 6, 7, 8 Land hilly, Some broken Soil Timber. — Sand —

Township 15 N, Range 31 W, 6th P. M.

chains	
	West on random line between Secs. 6 and 7 Va. 12° 52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.17	Intersect West Boundary of Township 16 links South of the corner to Secs. 6, 7, 1, 12, from which corner I run S. 89° 53' E. on true line between Secs. 6 and 7. Va. 12° 52' E.
40.17	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.17	The corner to Secs. 5, 6, 7, 8 Land hilly Soil Sand. Good rate.

Township 15 N, Range 31 W, 6th P. M.

chains	
	North on random line between Secs. 5 and 6 Va. 12° 52' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.12	Intersect North Boundary of Township 23 links West of the corner to Secs. 5, 6, 31, 32 from which corner I run S. 10 W on true line between Secs. 5 and 6 Va. 12° 52' E.
40.12	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.12	The corner to Secs. 5, 6, 7, 8 Land hilly. Soil Sand. Good rate. ~~August~~ Sept. 23 M 18.70

Township 15 N, Range 31 W, 6th P.M.

Chains

General Description

This Township lies almost wholly in the Sand hills on the North Side of Platte River Valley, It is generally low Sand hills, Soil a whitish Sand, unproductive covered with a thin, wiry grass, There is no timber and no water except a Spring in a Slough in Section 36, It is not well adapted for Settlement and Cultivation, but may be used to a limited extent for grazing.

Township 15 N. Range 31 W. 6th P. M.

List of Names
and duties of assistants
E. A. Beach chainman
Philip Ryan chainman
Thos. Keihler axemen or
Edwd. Lawrence Monumenter

We hereby certify that we assisted J. B. Park deputy Surveyor in Subdividing Township 15, N. of the Base line of Range 31 W. of the 6th Prin. Mer, and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the Boundary Monuments planted according to the instructions ~~by~~ of the General Surveyor

E A Beach chainman
Philip Ryan chainman
Thomas Keihler Axemen or
Edward Lawrence Monumenter
his
X
mark

State of Nebraska }
Lincoln County } ss.

Subscribed to in my presence and sworn to before me this 27th day of September A.D. 1870

W. H. Stow
Probate Judge
in and for said County

I, J. B. Park deputy Surveyor do Solemnly Swear that, in pursuance of a ~~joint~~ contract with Rob. R. Livingston Surveyor General for the District of Nebraska and Iowa bearing date the 6th day of August A.D. 1870 I have well truly and faithfully ~~in~~ in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying manual, and the laws of the United States, Surveyed and Subdivided all those parts or portions of Township 18 N. of the base line of Range number 31 W. of the Sixth Prin. Mer, as are represented in the foregoing field-notes as having been Surveyed under my direction; and I do further Solemnly Swear that, all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying manual the printed instructions, and that the foregoing are the true and original field-notes of such Survey.

J. B. Park
Deputy Surveyor

State of Nebraska
Lincoln County } ss.
Subscribed in my presence and sworn to before me this 27th day of September A.D. 1870.

W. H. Stone
Probate Judge
in and for said County

Surveyor General's Office
Nebraska Neb. Dec. 3. 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 15 North of the Base Line of Range No. 37 West of the 6th Principal Meridian in the State of Nebraska, executed by J. B. Park, under contract No. 39. of the 6th day of August 1870, in the month of Sept. 1870, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

T 16. N., R 31. W.



Field Notes

Of the Survey and Subdivision of township 16 N. Range 31 West. Executed by J. B. Park deputy Surveyor, under ~~their~~ joint contract wherein J. B. Park and W. L. Campbell are joint contractors.

List of Names

and duties of assistants

Chas. F. Gillops } Chainmen
C. H. Harris
K. B. Reges } Markers
H. Ille Broon

Township 16 N. Range 31 W. 6th P.M.

Chains To determine the proper adjustment of my compass for Subdividing this township I commence at the corner to townships 15 and 16 N. Ranges 30 and 31 W. and run North along the East boundary of Secs. 36 Var. 13° 15' E.

39.99 To 1/4 Sec. cor.

79.98 To cor. to Secs. 25, 36, 30, 31

My Compass is therefore in proper adjustment

Subdivision commenced September 11th 1871
Completed Sept 18th 1871

Township 16 N. Range 31 W. 6th P M

Chains	North between Secs, 35 and 36
	Ba, 13° 15' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs, 25, 26 35, 36
	Surface ~~Land~~ Sand hills
	Soil Sand rate

Township 16 N. Range 31 W. 6th P M

Chains	East on parallel line between Secs. 25 and 36
	Ba. 13° 15' E.
10.00	Leave hills, enter valley bearing N.W. and S.E.
40.00	~~Set temporary 1/4 Sec. Cor.~~
52.00	Leave valley enter Sand hills bearing N.E.
79.92	Intersect East Boundary of Township 16 links South of the corner to Secs, 25, 36, ~~30, 31~~ from which corner I run,
	S. 89° 53' W. on true line between Secs. 25 and 36
	Ba 13° 15' E.
39.96	Set post deposit charred stake raised mound of earth with pits as per instructions ~~for~~ 1/4 Sec. Cor. 35 36
~~79.92~~	~~Land Slightly rolling~~
	~~Soil Sand rate~~
79.92	Corner to Secs. 25. 26. 35 and 36
	Surface gently rolling
	Soil Sandy 13" rate

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 25 and 26
	Va. 13° 15' E.
15,00	Leave hills: enter valley bears E. & W.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
50,00	Leave valley and enter hills bearing N.W. and S.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26
	~~Land~~ Surface hilly and slightly rolling
	Soil Sand 3rd rate

Sept 11th 1871

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 24 and 25
	Va. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
79,88	Intersect East Boundary of Township 18 links North of the Corner to Secs. 24 & 25 ~~19,80~~ from which corner bears N. 89° 52' W. on the line between Secs. 24 and 25
	Va. 13° 15' E.
39,94	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Secs 23, 24, 25, 26
	~~Land~~ Surface Sand hills
	Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains North between Secs
23 and 24
Va. 13° 15' E.

40.00 Set post deposit
charred Stake raised
mound of earth with pits
as per instructions for a
¼ Sec. Cor.

80.00 Set post deposit
charred Stake raised
mound of earth with
pits as per instructions
for a corner to Secs
13, 14, 23, 24

~~Land~~ Surface hilly
Soil Sand 3rd rate.

Township 16 North Range 31 W. 6th P.M.

Chains East on random line
between Secs. 13 and 14
Va. 13° 15' E.

40.00 Set temporary ¼ Sec. Cor.

79.86 Intersect East Boundary
of Township 16 links North
of the Corner to Secs. 13, 24,
~~18, 19~~ from which corner Azm
N. 89° 53' W. on true line
between Secs. 13 and 24
Va. 13° 15' E.

39.98 Set post deposit charred
Stake raised mound of
earth with pits as per
instructions ~~for a Corner~~
~~to Secs. 11, 12, 13, 14~~ for ¼ Sec. Cor.

79.86 Line Corner to Secs. 13, 14
23, 24

~~Land~~ Surface Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains North between Secs. 13 and 14
Va. 13° 15' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 11, 12, 13, 14

~~Land~~ Surface Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains East on random line between Secs. 12 and 13
Va. 13° 15' E.

40.00 Set temporary 1/4 Sec. Cor.

80.12 Intersect N. and S. line 20 links South of the corner to Secs. 12, 13, 18, 19 from which corner I run
S. 89° 51' W. on true line between Secs. 12 and 13
Va. 13° 15' E.

40.06 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.12 The corner to Secs. 11, 12, 13, 14

~~Land~~ Surface Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains North between Secs. 11 and 12
Va. 13° 15' E.

40.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.00 Set post deposit, charred stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12

~~Land~~ Surface Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains East on random line between Secs. 1 and 12
Va. 13° 15' E.

40.00 Set temporary 1/4 Sec. Cor.

80.06 Intersect East Boundary of Township 6 links North of corner to Secs 1 & 12 6.7 from which corner I run
N. 89° 58' W. on true line between Secs. 1 and 12
Va. 13° 15' E.

40.03 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.06 The corner to Secs. 1, 2, 11, 12

~~Land~~ Surface Sand hills.
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

chains North between Secs. 1 and 2
Var. 13° 15' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.

80.00 where Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 1 and 2 T. 16 N. R. 31 W. Intersect ~~on the~~ 4th Standard Parallel North at 3.45 chs West of the corner to Secs. 31 and 36, T. 17 N. R. 30 and 31 W.

Surface ~~Land~~ Land hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

chains North between Secs. 34 and 35
Var. 13° 15' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sect. 26, 27, 34, 35

Surface ~~Land~~ Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	East on ~~random~~ on line between Secs 26 and 35 Var. 18° 15' E.
40.00	Set temporary 1/4 Sec. Cor.
80.06	Intersect N. and S. line 12 links South of the corner to Secs. 25, 26, 35, 36 from which corner I run S. 89° 55' W. on true line between Secs. 26 and 35 Var. 18° 15' E.
40.08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.06	The corner to Secs. 26, 27, 34, 35 ~~Land~~ Surface Sand hills Soil Sandy.

Township 16 N. Range 31 W. 6th P.M.

Chains	North ~~on the~~ between Secs 26 and 27 Var. 18° 15' E.
30.00	Leave hills enter valley bears E and W.
40.00	~~Set post for temporary 1/4 Sec. Cor.~~ Set post deposit charred stake raise mound of earth with pits as per instructions for 1/4 Sec. Cor.
65.00	Leave valley and enter hills
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27. ~~Land~~ Surface hilly and slightly rolling Soil Sand & gravel

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 23 and 26 Va. 13° 15' E.
40.00	Set temporary 1/4 Sec. Cor.
80.10	Intersect N. and S. line 18 links North of the corner to Secs. 23, 24, 25, 26 from which corner a pine N. 89° 52' W. on true line between Secs. 23 and 26 Va. 13° 15' E.
40.05	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 22, 23, 26, 27 ~~Land~~ Surface Land hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 22 and 23 Va. 13° 15' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. ~~22 and 23~~ 13, 14, 22 and 23 ~~Land~~ Surface Land hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	East on random line between Secs. 14 and 23 Va. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	Intersect N. and S. line 14 links South of the Corner to Secs. 13, 14, 23, 24, from which corner I saw S. 89° 54' W. on true line between Secs. ~~13 and 14~~ 14 & 23 Va. 13° 15' E.
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
84,10	The corner to Secs. 14, 15, 22, 23.
	~~Land~~ Surface Sand hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

Chains	North between Secs. 14 and 15 Va. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions, for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. ~~14, 15, 22, 23~~ 10, 11, 14, 15 ~~Land~~ Surface Sand hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

chains East between Secs. 11 and 14 an random line
Var. 13° 15' E.

40.00 Set temporary 1/4 Sec. Cor.

79.90 Intersect N and S. line 10 links South of the corner to 11, 12, 13, 14 from which corner I run
S. 89° 56' W. on true line between Secs 11 and 14
Var. 13° 15' E

39.75 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.90 The corner to Secs 10, 11 13, 14

Surface ~~Land~~ Sand hills
Soil 3rd rate.

September 12th 1871

Township 16 N. Range 31 W. 6th P.M.

chains North between Sec. 10 and 11
Var. 13° 15' E.

40.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Sec. 2, 3, 10, 11

Surface ~~Land~~ Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	East on random line between Secs 2 and 11 Va. 13° 15' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,06	Intersect N and S line 18 lks North of the corner to Secs. 1, 2, 11, & 12 from which corner I run N. 89° 52' W. on true line between Secs 2 and 11 Va. 13° 15' E.
40,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Secs 2, 3, 10, 11 ~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	North between Secs 2 and 3. Va. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs 2 and 3. ~~On~~ Intersect the 4th Standard Parallel North at 3,35 chs West of the corner to Secs. 35 and 36 T. 17 N. Range 31 West ~~Land~~ Surface Sand hills Soil 3rd. rate.

Township 16 N. Range 31 W. 6th P. M.

chains	North between Secs, 33 and 34 Var. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. Enter valley bearing N. W. & N. E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to 27, 28, 33, 34 on top of round hill, ~~Land~~ Surface part hilly and ballance rolling Soil 3rd rate - Sand.

Township 16 N. Range 31 W. 6th P. M.

chains	East on random line between Secs. 27 and 34 Var. 13° 15' E.
10,00	Leave hill, Enter valley bears N. and S.
38,00	Leave valley enter hills bears S. W. and N. E.
40,00	Set temporary 1/4 Sec. Cor.
79,86	Intersect N. and S. line 16 links South of the corner to Secs. 26, 27 34, 35 from which corner bears S. 89° 53' W. on true line between Secs. 27 and 34 Var. 13° 15' E.
39,93	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Secs. 27, 28, 33, 34 ~~Land~~ Surface part hilly ballance level Soil Sand 3rd rate.

Township 16 N. Range 31 W. 6th P. M.

Chains	North between Secs. 27 and 28 Va. 13° 15' E.
8,00	Leave hill enter valley bears E. and W.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
50,00	Leave valley enter hills bearing E. and W.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28

~~Land~~ Surface part hilly, ballance level Soil 3rd rate.

Township 16 N. Range 31 W. 6th P. M.

Chains	East on random line between Secs. 22 and 27 Va. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,09	Intersect N. and S. line 18 links South of the corner to Secs. 22, 23, 26, 27, from which corner I run S. 89° 52' W. on true line between Secs. 22, and 27 Va. 13° 15' E.
40,04½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,09	The corner to Secs. 21, 22, 27, 28

~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 21 and 22 Var. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22
	~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 15 and 22 Var. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 12 links South of the corner to Secs. 14, 15, 22, 23 from which corner I run S. 89° 55' W. on true line between Secs. 15 and 22 Var. 13° 15' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 15, 16 21, 22.
	~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains North between Secs. 15 and 16
On 13° 15' E.

40.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16
~~Land~~ Surface Sand hills.
Soil Good rate.

Township 16 N. Range 31 W. 6th P.M.

Chains East on random line between Secs. 10 and 15
On 13° 15' E.

40.00 Set temporary 1/4 Sec. Cor.

79.90 Intersect N. and S. line 10 links North of the corner to Secs. 10, 11, 14, 15, from which corner I run N. 89° 56' W. on true line between Secs. 10 and 15
On 13° 15' E.

39.95 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.90 The corner to Secs. 9, 10, 15, 16
~~Land~~ Surface Sand hills
Soil Good rate

Township 16 N. Range 31 W. 6th P.M.

chains North between Secs. 9 and 10
Va. 13° 15' E.

40,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,00 Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 3, 4, 9, 10

~~Land~~ Surface Sand hills
Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

chains East on random line between Secs. 3 and 10
Va. 13° 15' E.

40,00 Set temporary 1/4 Sec. Cor.

80,04 Intersect N. and S. line 14 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run S. 89° 54' W. on true line between Secs. 3 and 10
Va. 13° 15' E.

40,02 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80,04 Set corner to Secs. 3, 4, 9, 10

~~Land~~ Surface Sand hills
Soil 3rd rate.

Sept. 18th 1871

Township 16 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 3 and 4. Var. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ~~closing~~ corner to Secs. 3 and 4 ~~on~~ the 4th Standard Parallel North at 3,38 chs West of the corner to Secs. 34 and 35 T. 17 N. Range 31 W.
	~~Land~~ Surface Land hills Soil 3rd rate.

Where

2

T. 17 N. R. 31 W.

Intersect

x/

3.

Township 16 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 32 and 33. Var. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33
	~~Land~~ Surface Land hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East between Secs. 28 and 33 on random line Var. 13° 15' E.
40.00	Set post for temporary 1/4 Sec Cor.
79.84	Intersect N. and S. line 10 links North of the Cor. to Secs. 27, 28, 33, 34 from which corner I run N. 89° 55' W. on true line between Secs. 28 and 33 Var. 13° 15' E.
39.92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.84	The corner to Secs. 28, 29 32, 33
	~~Land~~ Surface Sand hills Soil Sand - Dry rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs 28 and 29 Var. 13° 15' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
50.00	Leave hills enter valley bearing N.W. and S.E.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29
	~~Land~~ Surface hilly Soil Sand - Dry rate

Township 16 N. Range 31 W. 6th P. M.

Chains	
	East on randomline between Secs 21 and 28 Var. 13° 15' E.
10,00	Leave valley enter hills bearing N.W. and S.E.
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 16 links North of the cor. to Secs. 21, 22, 27, 28 from which corner I run N. 89° 53' W. on the line between Secs. 21 and 28 Var. 13° 15' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 20, 21 28, 29
	~~Land~~ surface Land hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 20 and 21 Var. 13° 15' E.
5,00	Leave valley, enter hills bearing N.W. and S.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21
	~~Land~~ surface Land hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

	Chains	East on varied one line between Secs. 16 and 21 Var. 13° 15' E.
	40,00	Set temporary 1/4 Sec. Cor.
	80,10	Intersect N and S. line 12 links North of the corner to Secs. 15, 16, 21, 22, from which corner Bears N. 89° 55' W. on true line between Secs. 16 and 21 Va. 13° 15' E.
	40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,10	The corner to Secs. 16, 17, 20, 21
		~~Land~~ Surface Sand hills Soil Sand rate.

Township 16 N. Range 31 W. 6th P.M.

	Chains	North between Secs. 16 and 17 Var. 13° 15' E.
	40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17
		~~Land~~ Surface Sand hills Soil Sand rate.

Township 16 N, Range 31 W, 6th P.M.

Chains	East on magnetic line between Secs. 9 and 16 Var. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
79,94	Intersect N and S. line 20 links South of the corner to Secs 9, 10, 15, 16 from which corner bears S. 89° 51' W. on true line between Secs. 9 and 16 Var. 13° 15' E.
39,97	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,94	The corner to Secs. 8, 9, 16, 17
	~~Land~~ Surface Land hills Soil 3rd rate.

Township 16 N, Range 31 W, 6th P.M.

Chains	North between Secs. 8 and 9 Var. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9.
	~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 4 and 9 Va. 13° 15' E.
40,00	Set temporary 1/4 Sec Cor
80,12	Intersect N. and S line 16 links North of the corner to Secs 3, 4, 9, 10 from which corner I run N. 89° 53' W. on true line between Secs. 4 and 9 Va 13° 15' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,12	The corner to Secs. 4, 5, 8, 9.
	Surface Land Sand hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 4 and 5 Va. 13° 15' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,08	Intersect of Standard Parallel North at 3,40 chs West of the corner to Secs. 33, 34 T. 17 N. R 31 W. where set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 4 and 5 T. 16 N. R 31 W.
	Surface Land Sand hills Soil 3rd rate

42
Tows

Chain

410,
79.9

39.9

79.9

Township 16 N. Range 31 W. 6th P. M.

0 chains	North between Secs. 31 and 32 Var. 13° 15' E.
4 40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
7 80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29, 30, 31, 32 ~~Land~~ Surface Sand hills. Soil 3rd rate.
	Sept. 14 1871

Township 16 N. Range 31 W. 6th P. M.

Chains	East on random line between Secs. 29 and 32 Var. 13° 15' E.
40,00	Set temporary 1/4 Sec Cor.
84,12	Intersect Range S. line 12 links North of the corner to Secs. 28, 29, 32, 33, from which corner I run N. 89° 54' W. on true line between Secs. 29 and 32 Var. 13° 15' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,12	The corner to Secs. 29, 30, 31 32 ~~Land~~ Surface Sand hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

Chains	
	West on random line between Secs. 30 and 31 Va. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
79,86	Intersect West Boundary of Township 18 links North of the corner to Secs. 30, 31, ~~25, 36~~ from which corner Bears N. 89° 52' E. on the line between Secs. 30 and 31 Va. 13° 15' E.
39,86	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,86	The corner to Sections 29, 30, 31, 32 ~~Land~~ Surface ~~Sand~~ hills Soil 3rd rate

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 29 and 30 Va. 13° 15' E.
40,00	~~Set post deposit charcoal~~ Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30 ~~Land~~ Surface ~~Sand~~ hills Soil 3rd rate.

42
Tows

Chains

40,00
79,94

39,97

Township 16 N. Range 31 W. 6th P. M.

Chains	
0	East on random line between Secs. 20 and 29 Var. 13° 15' E.
4 15,00	Leave sand hills bearing N.W. and S.E.,
40,00	Set post for temporary 1/4 Sec. Cor.
79,96	Intersect N. and S. line 14 links ~~South~~ of the corner to Secs. 20, ~~21~~ 28, 29 from which corner I run S. 89° 54' W. on true line between Secs. 20 and 29 Var. 13° 15' E.
39,98	~~Set~~ post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,96	The corner to Secs. 19, 20, 29, 30 ~~Land~~ Surface Sand hills and level Soil Good rate.

Township 16 N. Range 31 W. 6th P. M.

Chains	
	West on random line between Secs. 19 and 30 Var. 13° 15' E.
20,00	Top of high sand hill.
40,00	Set temporary 1/4 Sec. Cor.
79,08	Intersect West Boundary of Township 20 links South of the corner to Secs. 19, 30, ~~24, 25~~, from which corner I run S. 89° 54' E. on true line between Secs. 19 and 30, Var. 13° ~~20'~~ 15' E.
39,08	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,08	The corner to Secs. 19, 20 29, 30 ~~Land~~ Surface Sand hills Soil Good rate

42
Towns

Chains

40,00
79,94

39,97

79,94

Township 16 N. Range 31 W. 6th P.M.

Chains	North between Secs. 19 and 20 Var. 13° 15' E.
20,00	Leave hills, enter valley bears N.W. and S.E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
55,00	Leave valley, enter hills bearing N.W. and S.E.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20 ~~Land~~ Surface Some hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	East on random line between Secs. 17 and 20 Var. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	Enter Sect N. and S. line 12 lks South of the corner to Secs. 16, 17, 20, 21 ~~from~~ on which corner I run S. 89° 55' W. on true line between Secs. 17 and 20 Var. 13° 15' E.
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs. 17, 18, 19, 20 ~~Land~~ Surface Sand hills, Soil 3rd rate.

42
Tows

Chains

40,00
79,94

39,97

79,94

Township 16 N. Range 31 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19 Var. 13° 15' E
40,00	Set temporary 1/4 Sec. Cor.
38,80	Intersect West Boundary of Township 16 links North of the corner to Secs. 18, 19, ~~13, 24~~ from which corner Bears N. 89° 53' E on true line between Secs. 18 and 19 Var. 13° 15' E.
38,80	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,80	The corner to Secs. 17, 18 19, 20
	~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P. M.

Chains	
	North between Secs. 17 and 18 Var. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18
	~~Land~~ Surface Sand hills Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	East on random line between Secs. 8 and 17 bw. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 14 links South of the Corner to Secs. 8, 9, 16, 17 from which corner an S. 89° 54' W. on true line between Secs. 8 and 17 bw. 13° 15' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 7, 8 17, 18
	~~Land~~ Surface Sand hills Soil Sml rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	West on random line between Secs 7 and 18 bw. 13° 15' E
40,00	Set temporary 1/4 Sec. Cor.
78,65	Intersect West Boundary of Township 16 links North of the Corner to Secs. 7, 18 ~~12~~ 13, from which corner I run N. 89° 58' E. on true line between Secs. 7 and 18 bw. 13° 15' E.
38,65	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
78,65	The corner to Secs 7, 8, 17 18
	~~Land~~ Surface Sand hills Soil Sml rate.

Township 16 N. Range 31 W. 6th P. M.

Chains	
	North between Secs 7 and 8 bar. 13° 15' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instruction for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8 ~~Land~~ Surface Sand hills Soil and vate.

Township 16 N. Range 31 W. 6th P. M.

Chains	
	East on random line between Secs. 5 and 8 bar. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
80,02	Intersect W. and S. line 14 links South of the corner to Secs. 4, 5, 8, 9 from which corner I run S. 89° 54' W. on true line between Secs. 5 and 8 bar. 13° 15' E.
40,01	Set post deposit charred stake raised mound of earth with pits, as per instructions for a 1/4 Sec. Cor.
80,02	The corner to Secs. 5, 6 7, 8 ~~Land~~ Surface Sand hills Soil and vate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	West on random line between Secs. 6 and 7 Ca. 13° 15' E.
40,00	Set temporary 1/4 Sec. Cor.
78,50	Intersect West Boundary of Township 12 links North of the Corner to Secs. 1, 6, 7, ~~12~~ from which corner I run N. 89° 55' E. on true line between Secs. 6 and 7 Ca. 13° 15' E.
38,50	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,50	The corner to Secs. 5, 6, 7, 8

~~Land~~ Surface Sand hills
Soil 3rd rate.

Township 16 N. Range 31 W. 6th P.M.

Chains	
	North between Secs. 5 and 6 Ca. 13° 15' E.
40,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a Closing Corner to Secs. 5 and 6 T. 16 N. R. 31 W. on the 4th Standard Parallel North at 3, 46 chs West of the corner to Secs. 32 and 33, T. 17 N. R. 31 W. - Where - intersect

~~Land~~ Surface Sand hills
Soil 3rd rate

Sept 18th 1871

Township 16 N Range 31 W. 5th P.M.

General Description

This township is hilly and some broken, The Soil is very light Sand covered thinly with a tough grass, There is no water and no timeber in the Township. It would not do well for settlement and cultivation

List of Names

The following is a list of names of persons employed to assist D B Pack deputy Surveyor, in Surveying and Subdividing this township showing the respective capacities in which they ~~respectively~~ acted.

Chas H Billopp } Chainmen
C. Harris
R B Keyes } Mounteers
A E McNown

We hereby certify that we assisted
J. B. Park deputy Surveyor in
Surveying and Subdividing Township
16 North of the base line of Range
31 W. of the 6th Prin. Mer. and that
said Township has been to the best
of our knowledge and belief
well and faithfully Surveyed
and the boundary monuments
planted according to instructions
furnished by the Surveyor General
Chas. F. Bellapp Chainman
C. Harris Chainman
R. B. Keyes Axemen
H. M. Brown Axemen

State of Nebraska }
Lincoln County } ss.
Subscribed in my presence
and Sworn to before me this
21st day of Sept. 1871

Wm. S. Patterson J. P.

I, J. B. Park deputy Surveyor do Solemnly Swear that in pursuance of a joint contract wherein J. B. Park and H. Campbell are joint contractors with E. E. Cunningham Surveyor General for the District of Iowa and Nebraska bearing date June 16th 1871 I have well faithfully and truely in my own proper person, and in strict conformity to the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States Surveyed all the parts or portions of Township North of the base line of range 31 W. of the 6th Prin. Mer, as are represented in the foregoing field-notes as having been Surveyed under my direction; and I do further Solemnly Swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original field-notes of such Survey

J. B. Park
Deputy Surveyor

State of Nebraska }
Lincoln County } ss.

Subscribed in my presence and sworn to before me this 21st day of Sept 1871

Wm I Patterson J P.

Surveyor Generals Office
Plattsmouth. Dec. 8th. 1871

The foregoing field notes of the Survey and Subdivision of Township No 16 North of the Base line of Range No 31. West of the 6th P.M. in the State of Nebraska executed by J. B. Park, under Joint Contract wherein J. B. Park & Co. & Campbell are Jt Contractors No 47. bearing date June 16. 1871 in the month of Sept. 1871. having been critically examined, the necessary corrections and explanations made. the said field notes and the Surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

General Land Office • Original Field Notes

Book Number

542

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.