General Land Office • Original Field Notes

Book Number

548

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index

Town 1 N. Range 32 West

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21	10	
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19	8	
18	54	17	40	16	29	15	18	14	7	13	
	50		52		39		28		17	6	
19	51	20	38	21	27	22	16	23	5	24	
	52		49		37		26		15	4	
30	48	29	36	28	25	27	14	26	8	25	
	47		46		35		24		13	9	
31	45	32	34	33	23	34	12	35	1	36	

Field Notes
of
The Survey & Subdivision
of
Township No 1 North of the Base Line
of
Range No 32 West of the 6th P.M.
in Nebraska

Executed By Thomas J. Kilbourn
& Henry C. Pearson of Jan 26th 1872

Survey

Survey commenced August 29 1872
Survey completed Sept 30 1872

Contract No 87

Names of Assistants

F.H. Parsons } Chainmen
Richard Nelson }
Chas Barnett } Mounds men
C.M. King }

Township 1 North Range 32 West W.M.

		Chains	
	To determine the proper adjustments of the compass for Subdividing this Township Commence at the corner to Townships 1 North of the East two Ranges 31 and 32. and run North on a Blank line along the East Boundary of Section 36. Va 13.30 East		Ninth between Sections 26 & 36 Variation 13 3/4 East
40.10	to a point 17 links East of gr Sixteenth	40.00	Set Post adjusted Channel Stake Raised Mound of
80.18	to a Post 35 lks E. of Cor to Sections 25 & 36		East Quarter Post as per Instructions for gr Sec Cor
	& run thence West on a parallel the compass must be adjusted to a Va of 13.3/4 East	43.00	Range Course West.
		69.00	Range Course NW
	Subdivision commenced Augs 29th 1872	80.00	Set Post Adjusted Channel Stake Raised Mound of Earth West Post as per Instructions for Corner to Sections 25-26-35 & 36. Quarter Range Post 2 Links

Township 1 N Range 32 W 6th PM

Chains	
	Eastern & Random Line between Sections 25 & 36 Variation 13 1/2 E.
1500	Razing Course NW
4000	Set Post for Temporary QS Sec Cr
6300	Razing Course NW
8004	Intersect East Boundary of Township 34 Rs 5 W at Corner to Sections 25 & 36 from which a Line bears S 89 3/4 West a Tree Line between Sections 25 & 36 Variation 13 1/2 E East
4002	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QS Sec Cor
8002	the Corner to Sections 25 - 26 - 35 & 36 Legal Ruling Govt Dist Rate

Township 1 N Range 32 W 6th PM

	North between Ducking 25 & 26 Variation 13 1/2 East
700	Razing Course NW
4000	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QS Sec Cor
4500	Razing Course NW
8000	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for ~~QS Sec~~ Cor to Sections 23 - 24 - 25 & 26 Legal Ruling Govt Dist Rate

Township 1 N Range 32 W 6th PM

Chains	East on a random line between Sections 24 & 25 Variation 13 1/2 E
32.08	Rapin Corner N W
32.50	Rapin " N W
4.00	Set Post for Temporary Qr Sec Co
79.96	Intersect East Boundary of Township at Corner to Sections 24 & 25 on line 87 1/2°
	From which I Run West on a Random line between Sections 24 &
	Variation 13 1/2 E
39.98	Set Post Deposit Charred Stake Raised Mound of Earth with Pits as per Instructions for Qr Sec Co
79.96	the Corner to Sections 23-24-25 & 26 Found Railing Set 2 Rocks

Township 1 North Range 32 W 6th PM

	North between Sections 23 & 26 Variation 13 1/2 E
10.00	Rapin Corner N W
39.98	Rapin Corner N W
40.00	Set Post deposit Charred Stake Raised Mound of Earth with Pits as per Instructions for Qr Sec Co
80.00	Set Post Deposit Charred Stake Raised Mound of Earth with Pits as per Instructions for Corner to Sections 13-14-23 & 24 Found Railing Set 2 Rocks

Township 1 N Range 32 W 6th PM

Chains	East on a Random line between Sections 13 & 24 Variation 13 & 5 East
900 Hows 7992	Raise Corner No 6 Set Post for Temporary QC Sec Cr Intersect East Boundary of Township 31 N of Current Sections 13 & 24 whence Set Post S 89° 54' West on a true line between Sections 13 & 24 Variation 13 & 5 East
3996	Set Post Deposit Charred Stake Raised Mound of Earth Work Pits as per Instructions for QC Sec Cr
7992	Set Corner to Sections 13 - 14 - 23 & 24 Lmd Rolling Soil 2d Rate

Township 1 N Range 32 W 6th PM

	North between Sections 13 & 24 Variation 13 & 5 East
700 Hows	Raise Corner No 6
8000	Set Post Deposit Charred Stake Raised Mound of Earth Work Pits as per Instructions for Corner to Sections 11-12-13 & 14 Lmd Rolling & Brk Soil 2d Rate ~~Corner to Sec & Cor of Hoff~~

Township 1 North Range 32 West

Chains	
	East on a random line between Sections 12 & 13 Variation 13 45 East
40.00	Set Post for Temporary Gr Sec Cr
79.90	Intersect East Boundary of Township 1 North of Corner to Sections 12 & 13 from which a Pine 12 ins diam bears North 89 56' West distant 1 link
	Run West on a true line between Sections 12 & 13 Variation 13 45 East
39.90	Set Post Likewise Charred Stake Raised Mound of Earth With Pits as per Instructions for Gr Sec Cr
79.90	the Corner to Sections 11-12-13 & 14 Land Rolling Soil 2d Rate

Township 1 North Range 32 West

Chains	
	North between Sections 11 & 12 Variation 13 45 East
2.00	Creek 16 Links wide Course N E
4.00	Set Post likewise Charred Stake Raised Mound of Earth With Pits as per Instructions for Gr Sec Cr
80.00	Set Post likewise Charred Stake Raised Mound of Earth With Pits as per Instructions for Corner to Sections 1-2-11 & 12 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th Mer

Chains	East on a Random line between Sections 1 & 12
	Variation 13 1/4 East
40.00	Set Post for Temporary 1/4 Sec Cor
57.00	Range Course S E
79.86	Intersect East Boundary of Township 1 South North of Corner to Sections 1 & 12 From which a Pine bears North 89 53' West on True line between Sections 1 & 12 Variation 13 1/4 East
39.93	Set Post Intersect Chas and State Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
79.86	the Corner to Sections 1-2-11 & 12 Land Level Soil 2d Rate

Township 1 N Range 32 W 6th Mer

	North between on a Random line between Sections 1 & 2
	Variation 13 1/4 East
40.00	Set Post for Temporary 1/4 Sec Cor
43.00	Range Course S E
80.17	Intersect North Boundary of Township 37 Links West of Corner to Sections 1 & 2 From which a Pine bears South 24 Minutes West on a True line between Sections 1 & 2
	Variation 13 1/4 East
40.17	Set Post Intersect Chas and State Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
80.17	the Corner to Sections 1-2-11 & 12 Land Slopes to the South Soil 2d Rate

~~Aug 29th 1872~~

Aug 29th 1872

Township 1 N Range 32 W 6th PM

Chains	
	North between Sections 34 & 35 Vacation 132.5 East
4.00	Set Post Deposit Charred State Raised Mound of Earth With Pits as per Instruction for Cor of Sec Cor
8.00	Set Post Deposit Charred State Raised Mound of Earth With Pits as per Instructions for Corner to Sections 26-27-34 & 35 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th PM

Chains	
	East on a Random line between Sections 26 & 35 Vacation 132.5 East
7.00	Lapwai Crossing NW
40.00	Set Post for Temporary Qr Sec Cor
79.90	Intersect North & South line 41 Links
80.00	Post Corner to Sections 25-26-35 & 36 From which Witness 189.49 West on said line between Sections 26 & 35 Vacation 132.5 East
3.995	Set Post Deposit Charred State Raised Mound of Earth With Pits as per Instructions for Qr Sec Cor
7.990	the Corner to Sections 26-27-34 & 35 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th P.M.

Chains	North between Sections 26 & 27 Variation 13 45 East
40 00	Set Post Temporary Quarter Sec. Corner State Raised Mound of Earth Pits as per Instructions for Gr. Sec. Cor.
52 00	Dry Creek Course N W
80 00	Set Post Temporary Quarter Sec. Corner State Raised Mound of Earth Pits as per Instructions for Corners of Sections 22-23-26 & 27
	Land Rolling
	Soil 2d Rate

Township 1 North Range 32 W 6th P.M.

	East on a Random line between Sections 23 & 26 Variation 13 45 East
26 00	Rupin Creek N W
40 00	Set Post for Temporary Qr Sec Cor
79 96	Intersect North & South line 3 links
	West Post Corner Sections 23-24-25 & 26 Iron Stake Cor. Run West on a True line between Sections 23 & 26 Variation 13 45 East
39 98	Set Post Temporary Quarter Sec. Corner State Raised Mound of Earth Pits as per Instructions for Qr Sec. Cor
79 96	The Corners of Sections 22-23-26 & 27
	Land Rolling
	Soil 2d Rate

Township 1 N Range 32 West 6th Mer

Chains	
	East North between Sections 22 & 23 Variation 13 1/2 East
23.00	Runs Course NW
4.00	Set Post & Mound of Stone Raised Mound of Earth Pits as per Instructions for 1/4 Sec Cor
57.50	Runs Course NW
8.00	Set Post & Mound of Stone Raised Mound of Earth Pits as per Instructions for Corner to Sections 14-15-22 & 23 Land Rating Soil 2d Rate

Township 1 N Range 32 W 6th Mer

Chains	
	East on Random line between Sections 23 & 24 Variation 13 1/2 East
40.00	Set Post for Temporary 1/4 Sec Cor
79.86	Intersect North & South line 14 links North of East Corner to Sections 13-14-23 & 24 Land Rating Poor From which Cor Pine North 89 1/2 West and Pine bears Sections 23-24 Variation 13 1/2 East
39.93	Set Post & Mound of Stone Raised Mound of Earth Pits as per Instructions for 1/4 Sec Cor
79.86	the Corner to Sections 14-15-22 & 23 Land Rating Soil 2d Rate

Township 1 N Range 32 W 6th Mer

Chains	
	North between Sections 14 & 15 Variation 13° East
11.00	Set Post for Temporary Quarter Section Corner Raised Mound of Earth with Pits as per Instructions for Gr Sec Cor
45.75	Cross Canal NW
68.00	Cross Britton
76.00	Cross 2 Links Wide Canal NE
80.00	Set Chiseled Stone Raised Mound of Earth with Pits as per Instructions for Corner to Sections 10-11-14 & 15 Small Post Brick Bat Found Soil Good 2d Rate

Township 1 N Range 32 W 6th Mer

Chains	
	East on a Random line between Sections 11 & 14 Variation 13° East
11.30	Cross 20 Links Wide canal NE and SW
27.25	Cross 24 " " " " NE
33.70	Cross 33 " " " " NE
40.00	Set Post for Temporary Qr Sec Cor Cross 25 Links Wide canal NE
62.00	Cross 34 Foot Gravel Road
71.50	Cross 34 Foot Gravel Road NE
79.94	Intersect North & South line of Section 11-12-13 & 14 From which a Pine Bears S 9° E 42 links Distant Meander line between Sections 11 & 14 Variation 13° East
39.97	Set Post Chiseled Stone Raised Mound of Earth with Pits as per Instructions for Qr Sec Cor
79.94	the Corner to Sections 10-11-14 & 15 Small Boulder Soil 2d Rate

Township 1 N Range 32 W 6th P.M.

Chains	Notes between Sections 10 & 11 Variation 13¼° East
4000	Set Post Adjacent Channel
8000	~~Set Post Adjacent Char~~
	State Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
8000	Set Post Adjacent Channel State Raised Mound of Earth With Pits as per Instructions for Corner to Sections 2-3-10 & 11
	Land Level Soil good 2d Rate

Township 1 N Range 32 W 6th P.M.

	East on a Random line between Sections 2 & 11 Variation 13¼° East
1000	Pacific Corps S E
4000	Set Post for Temporary Qr Sec Cor
7980	Intersect North & South line 21 links West of Post Corner Sections 1-2-11 & 12 From which an Iron Mound bears West 895 links West on a due line between Sections 2 & 11 Variation 13¼° East
3990	Set Post Adjacent Channel State Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
7980	the Corner to Sections 2-3-10 & 11 Land Slope gently to the South Soil 2d Rate

Township 1 N Range 32 W 6th PM

Chains	
	North on a Random line between Sections 2 & 3 Variation 13 1/4° East
12.00	Ravine S.E.
40.00	Left Road for Temporary Gr. Sec. Cor.
80.52	Daylights North Boundary of Township 2 3 links West of Corner Sections 2 & 3 From which a Pine bears South 11° Minutes West on a Pine line between Sections 2 & 3 Variation 13 1/4° East
40.52	Left Road deposit Channel & Slate Raised Mound of Earth with Pits as per Instructions for Gr. Sec. Cor.
80.52	the Corner to Sections 2-3-10 & 11 Found Stone Mound South Set a Stake Aug 30th 1872

Township 1 N Range 32 W 6th PM

	North between Sections 3 & 34 Variation 13 1/4° East
40.00	Left Road deposit Channel Slate Raised Mound of Earth with Pits as per Instructions for Gr. Sec. Cor.
59.42	Cross Branch E & W 31 links wide
69.50	Cross E & W 31 links wide
80.00	Left Road deposit Channel Slate Raised Mound of Earth with Pits as per Instructions for Corner of Sections 3 & 34 2 & 27 & 28 Found Brass Cap Set a Stake

24

Township 1 North Range 33 West

Chs	Chain	East and West line between Sections 27 & 34 Variation 13 45 East
	1200	Creek 13 Links Wide Course N E
	2000	2 Bluffs
	4000	Set Post for Temporary qr Sec Co
	8013	Intersect North & South line 54 Lks
		North of Post Corner to Sections 26-27-34 & 35 Land Broken Soil 2d Rate
		From which Comr Post 189.37 Bears W
		Thence Line between Sections 27 & 34 Variation 13 45 East
	4006½	Set Post & deposit Charcoal Stake Raised Mound of Earth & Pits as per Instructions for qr Sec Co
8	8013	the Corner to Sections 27-28-33 & 34 Land Broken Soil 2d Rate

Township 1 N Range 33 West

	East between Sections 27 & 28 Variation 13 45 East
3200	Creek 20 Links Wide Course N W
3650	Creek " " " Course S E
4000	Set Post & deposit Charcoal Stake Raised Mound of Earth & Pits as per Instructions for qr Sec Co
8000	Set Post & deposit Charcoal Stake Raised Mound of Earth & Pits as per Instructions for Corner to Sections 21-22-27 & 28 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th PM

Chs	Chains	
	Chains	East on a Random line between Sections 22 & 27 Variation 13¼° East
	6.50	Cmk 20 link Wide Cross N &
	20.75	Cmk 20 " Notch
	38.00	Cmk Corner N &
	40.00	Left Post for Company gr Sec Cr
	40.00	Right Post for Company gr Sec Cr
	79.88	Intersect W 5th S Boundary Line
		15 links North of East Corner Sections 22-23-26 & 27
		From which Azimuth Line North 89° 54' West Meander Line between Sections 22 & 27
		Variation 13¾° East
	39.94	Left Post Depositt Channel Slate Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
	79.88	the Corner to Sections 21-22-27 & 28 Found Bones Set 2d Rate

Township 1 N Range 32 W 6th PM

	Ninth Guide Meridian Sections 21 & 22 Variation 13¼° East
32.00	Running North Course W & 10 links wide
40.00	Left Post Depositt Channel Slate Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
80.00	Right Post Deposit Channel Slate Raised Mound of Earth with Pits as per Instructions for Corner Sections 15-16-21 & 22 Land Level Soil good 2d Rate

98

Township 1 N Range 32 West

Ch	Chains	East on a Standard line between 15 & 22 Variation 13¼° East
	4000	Set Post for Temporary Qr Sec Cor
	4700	Crock 3x Limestone bears N.
	Corr	Large Bluff of Limestone
	5007	Intersect North & South line 32 links North of East Corner of Section 14-15-22 & 23 From which Corner Line North 89° 47' West on a Standard line between Sections 15 & 22 Variation 13¼° East
	4003½	Set Post deposit Charcoal Stake Raised Mound of Earth With Pits as per Instructions for Qr Sec Cor
	8007	the Corner to Sections 15-16-21 & 22 Land Broken Set 2d Rate

Township 1 N Range 33 West

Chains	North between Sections 15 & 16 Variation 13½° East
1000	Leave Bottom
4000	Set Post deposit Charcoal Stake Raised Mound of Earth With Pits as per Instructions for Qr Sec Cor
8000	Set Post deposit Charcoal Stake Raised Mound of Earth With Pits as per Instructions for Corner of Section 9-10-15 & 16 Land Timber Set 2d Rate

30

Township 1 N Range 32 West

Ch	Chains	East on Random line between Sections 10 & 15 Variation 13¼ East
	40.00	Set Post for Timber Pits & Sec Cor.
	57.00	Creek Course NE
	70.00	Creek " SE
	79.90	Intersect North & South line 18 links North of East Corner to Sections 10-11-14 & 15 From this Corner Run North 89½° West on true line between Sections 10 & 15 Variation 13¼ East
	39.95	Set Post & Mound Charred & Pits Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
	79.90	the Corner to Sections 9-10-15-16 Land Gently Rolling Soil 2d Rate

Township 1 N Range 32 West

Chains	North between Sections 9 & 16 Variation 13¼ East
31.00	Set Post Running Course SE
40.00	Set Post deposit Charred & Pits Raised Mound of Earth with Pits as per Instructions for 1/4 Sec Cor
80.00	Set Post deposit Charred & Pits Raised Mound of Earth with Pits as per Instructions for Corners to Sections 3-4-9 & 10 Land Rolling Soil 2d Rate

Township 1 N Range 3 W Boise

Chains	
	Eastern a Random line between 3 & 10 Variation 13 1/2 East
40.00	Set Post for Ten chains gr Sec Cor
79.82	Intersect North & South line 13 Links North of East Corner to Sections 2-3-10 & 11 From which a Pine 12 Ins Diam bears North 89° 54' West Magnetic line between Sections 3 & 10 Variation 13 1/2 East
39.91	Set Post Adjacent Charred Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
79.82	the Corner to Sections 3-4-9-10 Land Rolling Soil 2d Rate

Township 1 N Range 3 W Boise

Chains	
	Northern a Random line between Sections 3 & 4 Variation 13 1/2 East
40.00	Set Post for Temporary gr Sec Cor
80.23	Intersect North Boundary of Township 60 Links West of Corner to Sections 3 & 4 From which a Pine 2 Ins Diam bears South 26 Minutes West between Sections 3 & 4 Variation 13 1/2 East
40.23	Set Post adjacent Charred Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Cor
80.23	the Corner to Sections 3-4-9-10 Land Rolling Soil 2d Rate

Aug 31st 1872

34

Township 1 N Range 32 W Willa

Chains	
	North between Sections 32 & 33 Variation 13d E
Hood	Set Post & Pit & mark Chas Slope Raised Mound of Earth Pits as per Instructions for Cor & Sec Cor
1310	Ridge of Limestone
6350	Creek 20 links Wide Course NE
6500	Level Timber
8000	Set Post & Pit & mark Chas Slope Raised Mound of Earth Pits as per Instructions for Cor & Sections 28-29-32 & 33 Land Broken Set 2d Rate

Township 1 N Range 32 W Willa

Chains	
	East on N Boundary between Sections 28 & 33 Variation 13d E
3950	Creek Bottom
Hood	Set Post for Boundary Cor Sec Cor
5910	Creek 20 links Wide Course NE
6470	Creek 20 " " Course SE
8010	Intersect North & South lines of the
Post	Post & Pit Cor mark Sections 27-28-33 & 34 1837 From Which Elm 12 Links Diam bet Sections 28 & 33 Variation 13 1/2° East
4005	Set Post & Pit & mark Chas Slope Raised Mound of Earth as per Instructions for Cor & Sec Cor
8010	The Cor mark Sections 28-29-32 & 33 Land Broken Set 2d Rate

Township 1 N Range 32 W 4th PM

Chains	
	North boundary Sections 28 & 29 Variation 13¼° East
Hour	Set Post & Mound Chained Stake Raised Mound of Earth Pits as per Instruction for Qr Sec Cor
5.00	Set Post & Mound Chained Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 20-21-28 & 29 Found Broken Tile & Rock

Township 1 North Range 32 West

Chains	
	East on a Random Line between Sections 21 & 28 Variation 13¼° East
Hour 5.50 7.91	Set Post & Temporary Qr Sec Cor Pit on High Bank Spruce 40 links dist pits N&S Lodgepole 18 links dist pits E&W Set Post & Mound Stone Cor Station North of East Corner Sections 21-22-27 & 28
	Township Line 1885.86 West and Town Line between Sections 21 & 28 Variation 13¼° East
3.90	Set Post & Mound Chained Stake Raised Mound of Earth Pits as per Instructions for Qr Sec Cor
7.90	the Corner to Sections 20-21-28-& 29 Found Tile & Rock

Township 1 North Range 22 West

Chains	
	North between Sections 20 & 21 Variation 13¼° East
890	Reach The Big Piney Branch runs East
4000	Set Post & Mound Charged Stake Raised Mound of Earth & Rock Pits as per Instructions for Cor of Sec Cor
	Reach Creek S E
5000	Set Post & Mound Charged Stake Raised Mound of Earth & Rock Pits as per Instructions for Corner to Sections 16-17-20 & 21 Land Level Soil Good Rate

Township 1 North Range 22 West

Chains	
	East on Random line between Sections 16 & 21 Variation 13¼° East
4000	Set Post & Mound Charged Stake Raised Mound of Earth & Rock Pits as per Instructions for Cor of Sec
8017	Quincy Rock & Stone line 25 Link North of East Corner to Sections 15-16-21 & 22 From Which a Tree Blazed 8 9/10 West and Pine tree bears North 16 & 21 Variation 13¼° East
4005½	Set Post & Mound Charged Stake Raised Mound of Earth & Rock Pits as per Instructions for Cor of Sec
8017	the Corner to Sections 16-17-20 & 21 Land gently Rolling Soil Good Rate

Township 1 N Range 32 W 4th PM

Chains	Notes between Sections 16 & 17 Variation 13 1/4° East
4.00	Set Post for Reference Corner State Found Mound of Earth with Pits as per Instructions for Gr Sec Cr
8.00	Set Post Reference Corner State Found Mound of Earth with Pits as per Instructions for Corners to Sections 8 – 9 – 16 & 17 Land Gently Rolling Soil 2d Rate

Township 1 N Range 32 W 4th PM

Chains	East and West Meridian line between Sections 9 & 16 Variation 13 1/4° East
4.00	Set Post ~~Reference Corner~~ State Found Mound of Earth ~~with Pits~~ as Fr Cunningham's Gr Sec Cr
8.00	Intersect North & South line 2.6 links North of East Corner of Sections 9 – 10 – 15 & 16 from which a Low Elm 8 inches in diameter bears North 89° E Distance 1.00 link
4.02	Set Post Reference Corner State Found Mound of Earth with Pits as per Instructions for Gr Sec Cr
8.04	~~Intersect~~ the Corners to Sections 9 16 8 & 17 Land Gently Rolling Soil 2d Rate

Township 1 N Range 32 West 5th

Chains	
	North between Sections 8 & 9 Variation 13 45 East
4	Hub Set Post deposit Charred Stake Raised Mound of Earth Pits as per Instructions for Cor Sec Cor
8.00	Set Post deposit Charred Stake Raised Mound of Earth Pits as per Instructions for Corner to Sections 4-5-8 & 9 Land Partly Rolling Soil Rocky

Township 1 N Range 32 West 5th

Chains	
	East on a Random line between Sections 4 & 9 Variation 13 45 East
40.00	Recovered Set Post for Temporary Cor Sec Cor
42.00	Razor Creek E &
79.80	Intersect North & South line 12 Links West of East Corner to Section 3-4-9 & 10
	Course Which I Run North 89 55 East on a Gone line between Sections 4 & 9 Variation 13 45 East
34.90	Set Post deposit Charred Stake Raised Mound of Earth Pits as per Instructions for Cor Sec Cor
79.80	the Corner to Sections 4-5-8 & 9 Land Rolling Soil Rocky

Township 1 North Range 3 West

Chains	
	North on a London line between Sections 4 & 5 Variation 13 45 East
4.00	Set Post for Quarter on Sec Cor
52.00	Run a Course S E
80.42	Intersect North Boundary of Township 31 Meridional of Convert Sections 4 & 5 From Which I Run South 13 Minute West on a Mile line between Sections 4 & 5 Variation 13 45 East
4.42	Set Post Adjust Chained Stake Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
80.42	The Convert Sections 4 – 5 – 8 & 9 Land Sailing Set 2d Rate

Sept 2th 1872

Township 1 North Range 3 West

	North between Sections 31 & 32 Variation 13 45 East
5.00	Oak Course N E
40.00	Set Post Adjust Chained Stake Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
80.00	Set Post Adjust Chained Stake Raised Mound of Earth With Pits as per Instructions for Convert Sections 29-30-31 & 32 Land Sailing Set 2d Rate

Township 1 N Range 32 W 6th PM

Ch	Chains	Eastman Random line between Sections 29 & 32 Variation 13° 45' East
4	4000	Set Post for Temporary Qr Sec Cr
	6650	Enter Land of Water
	6875	Leave " " "
	8006	Intersect North & South line
8		S 89° East Corners Sections 28-29-32 & 33 S 89° 57' E
		From Which Bears West a Pine 29 links Dist
		Pine 32 links Dist
		Variation 13° 45' East
	4003	Set Post Temporary Chained & Stake Raised Mound of Earth Pit as per Instructions for Qr Sec Cr
	5006	the Corners of Sections 29-32-31 & 32 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th PM

Chains	Eastman Random line between Sections 30 & 31 Variation 13° 45' East
4000	Set Post for Temporary Qr Sec Cr
8006	Intersect West boundary of Township 29 links West of the 41 Mile Corner W.
	Corners Sections 30 & 31
	From Which Bears Scrub 89° 52'
	Eastman Line between Sections 30 & 31
	Variation 13° 45' East
4000	Set Post Temporary Chained & Stake Raised Mound of Earth Pit as per Instructions for Qr Sec Cr
5006	the Corners of Sections 29-30-31 & 32 Land Rolling Soil 2d Rate

Township 1 N Range 32 W 6th PM

Ch	Chains	North between Sections 29 & 30 Variation 13¼° East
4	4000	Set Post delineate Channel State Raised Mound of Earth Witness Pits as per Instructions for Cor of Sec Cor
8	8000	Set Post delineate Channel State Raised Mound of Earth Witness Pits as per Instructions for Corners Sections 19-20-29 & 30 Sand Ridge Soil Good Rate

Township 1 N Range 32 W 6th PM

	East on a Random line between Sections 20 & 29 Variation 13¼° East
600	Range Cor Spring Creek Comm S E 10 links
2200	Range " " Comm N E 9 links
4000	Set Post for Temporary Qr Sec Cor
8014	Intersect North & South line 39 links North of Post Corner & Sections 20-21-28 & 29 Supposed Chain North 84 48' West on a Dyke line between Sections 20 & 29 Variation 13¼° East
4004	Set Post for Temporary Qr Sec Cor
8014	~~the Corners Sections~~ the Delineate Channel State Raised Mound of Earth Witness Pits as per Instructions for Qr Sec Cor the Corners Sections 19-20-29 & 30 Sand Ridge Soil 2d Rate

Township 1 N Range 3 W Meridian

Chains	
	Westerly and Southerly lines between Sections 19 & 30
	Variation 13 1/2 East
11.00	Begin Corner A.C.
4.00	Set Post for Company Q. & Sec. C.
8.75	Intersect 4th Guide
	Meridian 28 links
	West of Corner Sections 19-30
	Northwesterly Run Plastic 84 50'
	East and Southerly lines between Sections
	19 & 30
	Variation 13 1/2 East
4.75	Set Post for Company Q. & Sec. C.
	Stake Raised Mound of
	Earth Post Pits as per Instructions
	for Corners Sections
0.75	the Corners to Sections
	19-20-29 & 30
	Land Rolling
	Soil 2d Rate

Township 1 N Range 3 W Meridian

Chains	
	Northerly and Easterly
	Sections 19 & 20
	Variation 13 1/2 East
7.20	Begin on Stone Creek Corner A.C.
2.00	Begin on dry Creek
2.50	Begin on dry Creek
4.00	Set Post for Company Q. & Sec. C.
	Stake Raised Mound of Earth
	Pits as per Instructions for Q. & Sec. Cr
5.30	Begin on Corner A.C.
8.00	Set Post for Company Q. & Sec. C.
	Stake Raised Mound of Earth Pits as per Instructions for Corners Sections 17-18-19 & 20
	Land Rolling
	Soil 2d Rate

Township 1 N Range 32 W 6th P.M.

Chains	Eastern Landmarks between Sections 17 & 20 Township 1 N Range 32 W 6th P.M.
39.00	Same course S E
4.00	Set Post for Corner on Sec Cor
79.64	Intersect N line S Sec 5 & 8 Post corner to Sections 16 17. 20 & 21 189.27 Same Intersect corner S line West on a line between Sections 17 & 20 Va 13.25 East
39.82	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for Cor Sec ors
17.64	Ste corner to Sections 17. 18. 19 & 20 Land rolling prairie Soil Good grd farming lands

Township 1 N Range 32 W 6th P.M.

Chains	West on a random line between Sections 18 and 19. Va 13 1/2° East
31.50	Cross same course S E
40.00	Set Post for Corner on Sec Cor 1/4 Quarter Miles W. of Township
80.74	Intersect West Boundary of 15 46 Set Post corner to Sections 18 & 19 Same West corner B mo S 89 3/4 East on a line between Sections 18 and 19 Va 13 3/4 East
40.74	Set Post deposited Stone Stake raised Mound of Earth with pits as per Instructions for Cor Sec ors
80.74	Ste corner to Sections 17. 18. 19 & 20 Land Broken Prairie Soil Good

Township 1 North Range 22 W 6th PM

Chains	
	North Between Sections 17 & 18
	Va 1° 7' East
	Set Post & pound stones & State
	pits & Mound of Earth mkd
	pits as per Instructions for
	9th Sec Cor
17.44	Cross Barrow Cor to Sec
8.00	Set Post & pound stones
	State pits & Mound of Earth
	mkd pits as per Instructions
	for Corner to Sections
	7 & 17 & 18.
	Land & Stone
	Land & Stone Land
	Soil & Stone
	Level Barrow

Township 1 North Range 22 W 6th PM

Chains	
	East on a parallel between
	Between Sections 8 & 17
	Va 1° 34' East
	Set Post & pound stones
	& Pits Cor
17.96	& Intersect N Cor of Sec 69 lks West
	of Post Cor to Sections
	8. 9. 16 & 17.
	489.30
	From Wheel Cor
	& run West on a line between
	Between Sections 8 & 17
	Va 1° 46' East
39.98	Set Post & pound stones & State
	pits & Mound of Earth
	mkd pits as per Instructions
	for & Pits Cor
1.96	Tie Cor to Sections 7 & 17 & 18
	Land & Stone Barrow
	Soil & Stone

Township 1 N Range 22 W 6th P.M.

Chs	Cms	West on a random line between Sections 7 and 18 a distance of 13.75 chains.
4	41.00	Set Post for corner of Sections 7 and 18
	78.75	Cross dam creek SE
	81.14	Enter West Boundary of Township (4 links East)
		Set Post for corner to Sections 7 and 18
	81.14	from which corner a pine 18 inches diameter bears East 13.75 links distant
	41.14	Set Post Temporarily Chained North 40 links to pine
	81.14	the corner to Sections 7 & 18
		Land level good farming land
		Said soil Sandy

Township 1 N Range 22 W 6th P.M.

Chs	Cms	North between Sections 7 and 8 a distance of 13.75 chains.
	41.00	Set Post for corner to Sections 7 and 8
		Land level
		good farming land
		Said soil Sandy

Township 1 S Range 32 W 6th PM

Chs	Links	
		East on a random line between Sections 5 and 8 Va 13° 45' East
4	4.00	Set Post for temporary QP Sec Cor
		~~Va Same Cor 5 8~~
	19.64	Intersect N and S line ~~55 lks West~~ of Cor to Sections 4 5 8 and 9 Pgs. 489.36 Intersect and run West on a line between Sections 5 and 8 Va 13 45' East
	39.52	Set Post Reported Stones Stake mound mound of Earth Pits as per Instructions for QP Sec Cor
7	1.04	Va Cor to Sections 5 6 7 8 Land land Gully scalby from Set 2 Pits

Township 1 S Range 32 W 6th PM

Chs	Links	
		West on a random line between Sections 6 and 7 Va 13 45' East
4	4.00	Set Post for temporary QP Sec Cor
	60.78	~~Same~~ Intersect North Bank Fresh Creek ~~Set Post~~ Cor to Sections 6 and 7 on the West Boundary of the Township from which a Tree 6 inches diameter bears S 84° 40' W 82 links distant Pgs. 484.40 Between Sections 6 and 7 Va 13 45' East
	41.78	Set Post Reported Stones Stake mound mound of Earth with Pits as per Instructions for QP Sec Cor Va Cor to Sections 5 6 7 and 8
		Land rolling from Set 2 Pits

Township 41 Range 32 W 6th P.M.

Chains	
	North on a random line between Sections 5 & 6 N 13¾° East
4.00	Set Post for Corner on Sec line
~~63.00~~	~~same course~~
80.63	Intersect North Boundary of Township 41 [illegible] Post corner to Sections 5 & 6
	Thence West on random line between Sections 5 & 6 N 13¾° East
40.63	Set Post Mound Stake raised Mound of Earth with Pits as per Instructions
80.63	Thence to Sections 5, 6, 7 & 8 Land getting Brass Cap & Pits

Sept 13th 1872

General Remarks

This township is hilly rolling prairie in the North & the driftwood creek - East - South it is Broken prairie suitable for cultivation the driftwood creek runs through the township affording good water for Stock also lots of good gravel

Some Slate quarries on the Bluffs South of creek

List of Names

A list of names of the Individuals Employed to assist in surveying meaning and marking the lines and corners described in the foregoing field notes of Township No 1 N. of the Base line of Range No 33 W 6th P.M.

Showing the respective capacities in which they acted

Frank H Parsons } Chainmen
Nathaniel Nelson }
Moses Burnett } Mondmen
C W King }

We hereby certify that
I was assisted Thomas J Kelsey
Deputy Surveyor in Surveying
the Subdivisional Township No 7 N
of the Sixth Principal Range No
32 W 6th P M in Nebraska
and that said Township has been run
with respect to the best of our
knowledge and belief in all cases
faithfully Surveyed and the Boundary
Lines marked Planted according to the
Instructions furnished by the
Surveyor General

T N Lawson
Witness
Thomas
Thomas J Kelsey
Deputy Surveyor

Subscribed and Sworn to by the above named
persons before me a Notary Public of Saunders
County Nebraska this 28th Day of September 1872

A Marble
Notary Public

I Thomas J Kelsey Deputy Surveyor
do Solemnly Swear that in pursuance
of a joint contract wherein
T J Kelsey and Henry C Wessin are
joint contractors for the
E E Cunningham United States
Surveyor General for Nebraska
and Iowa bearing date the 26th
day of June 1872
I have well faithfully
and truly in My own proper person
and in strict conformity with the
Instructions furnished by the Surveyor
General the Surveyors Manual
and the laws of the United
States Surveyed all those parts or
portions of Township No 7 North of
the Base Line of Range No 32
West of the 6th P M in Nebraska
as are represented in the Surveyed
field Note as herein
under my direction

And I do further Solemnly
Swear that all the corner
of said Survey have been Established
and perpetuated in Strict accordance
with the Surveying Laws and
printed Instructions and that
the foregoing are to be the
Original Field notes of Said Survey

Thos J Mahon
Deputy Surveyor

Subscribed by the said Thos J Mahon
Deputy Surveyor & Sworn to before
me a Notary Public for Sanders
County State of Nebraska
this 18th Day of Septr
1872

A Marble
Notary Public

Surveyor Generals Office
Plattsmouth March 10th 1873

The foregoing field notes of the Survey
and sub-division of Township No 1
North of Range No 32 West of 6th P M
executed by T J Mahon Deputy Surveyor
under joint contract No 57 dated Jan
24th 1872 wherein T J Mahon and
Henry Reamer are joint contractors
in the months of August and
September 1872 having been
critically examined the necessary
corrections and explanations made
the said field notes and the Survey
they describe are hereby approved

E E Cunningham
Surveyor General

Index

Town 2 N. Range 32 W

Township 2 Range 32 W 6th PM

Field Notes

of

The Survey of Subdivision

Township 2 North of the Base Line

Range No 32 West 6th P M

in Nebraska

Executed by Thomas J. Miller

Deputy Surveyor, Thomas J. Miller

for Henry C. Hansen Present

Contractor, Supt. Ed Cunningham

Surveyor General for Nebraska

Iowa of June 26th 1872

Contract No 57

Names of Assistants

Julius Hanks } Chainmen

William Cunningham }

Fred E. Keys } Mondamin

Joseph Howard }

Survey commenced Sept 5th 1872

Survey completed " 7th

Township 2 N Range 32 W 6th PM

To determine the Error of Adjustment of Dog compass for East Line of this Township

Commence at the comm to Townships No 2 W. & N. of Range No 31 & 32. W 6th PM

Thence North along a blazed line along the East Boundary of Section 36. Va 13.30. East

40.20 to a Point 14 lks East of the cor of Sec cor

80.26 to a Point 34 lks East of the comm to Sections 25 & 36. to obtain this line or run parallel to state this Comp. Compass must be adjusted to a Variation of 13°45 East

Subdivisional Examined Sept. 3d 1872

Township 2 N Range 32 W 6th PM

From the comm to Sections 35 & 36. on the South Boundary of the Township

I am North

North ~~on a blazed line~~ Between Sections 35 & 36 451 Va 13 30 East

40.00 Set Post directed thence Stake raised Mound of Earth with pit as per Instructions for 1/4 Sec cor

60.00 Set Post Raised Mound of Earth Pits &c per Instructions for Corner to Sections 25 & 26-35 & 36

Legal Limit Set 2 Posts

Township 2 N Rang 32 W 6th P.M.

Chains	East on a random line between Sections 25 & 36 Variation 13½ East
4.00	Set Post for Company's Cor
8.00	Intersect East Boundary of Township 1 North
	& Sections 25 & 36
	Thence West 189.74
	on a line between Sections 25 & 36
	Variation 13½ East
4.04	Set Post adjacent Thereto
	State Raised Mound of
	Earth 4 ft. Pits, agreeable
8.02	Instructions for Gr. Sec. Cor.
8.08	the Corner to Sections
	25-26-35 & 36
	Land Land
	Post 2d Rate

Township 2 N Range 32 W 6th P.M.

Chains	North between Sections 25 & 26 Variation 13½ East
4.00	Set Post adjacent Thereto
	State Raised Mound of
	Earth 4 ft. Pits, As per
	Instructions for Gr. Sec. Cor.
8.00	Set Post adjacent Thereto
	State Raised Mound of
	Earth 4 ft. Pits as per
	Instructions for Corner to
	Sections 25-26-23 & 24
	Land Lasting
	Post 2d Rate

Township 2 N Range 32 W 6th PM

Chains	
	East on Random line between Sections 24 & 25 Variation 13 1/2 East
4.00 80.12	Set Post for Temporary gr Sec Cor Set Witness East 1 Link Mound of Earth with Pit as per Instructions for gr Sec Cor Section 24 & 25 N. 89° 51' W From which a Pine bears N 41 W Pine bears Sections 24 & 25 Variation 13 1/2 East
4.06 4.00 80.2 80.12	Set Post Witness Mound of Earth with Pit as per Instructions for gr Sec Cor the Corner to Sections 23-24-25 & 26 Land Running Dist 2 Rods

Township 2 N Range 32 W 6th PM

Chains	
	North between Sections 23 & 24 Variation 13 1/2 East
4.00 80.00	Set Post Witness Mound of Earth with Pit as per Instructions for gr Sec Cor Set Post Witness Mound of Earth with Pit as per Instructions for Corner to Sections 13-14-23 & 24 Land Running Dist 2 Rods

Township 12 N Range 32 West

Chains		
	Eastern Boundary Line between Sections 13 & 24	3
	Variation 13½ East	
40.00	Set Post Set Pos for Quarter Sec Cor	
80.04	Set Post Eastern Boundary of Township ~~44 Links West~~ / East on Sections 13 & 24 / 89° 41'	
	Township Corner Post Run West on the line between Sections 13 & 24	
	Variation 13½ East	
80.32	40.02 Set Post deposit Charcoal State Raised Mound of Earth Pits as per Instructions for Qr Sec Corner	
	80.04 The Corner to Sections 13-14-23 & 24 / Land Railing Set 2 Rails	

Township 2 N Range 32 West

Chains		
	North between Sections 14 & 13	
	Variation 13½ East	
40.00	Set Post deposit Charcoal State Raised Mound of Earth Pits as per Instructions for Qr Sec Cor	
80.00	Set Post deposit Charcoal State Raised Mound of Earth Pits as per Instructions for Corner to Sections 11-12-13 & 14	
	Land Railing Set 2 Rails	

Township 2 N Range 35 W 6th Pm

	Chains	East on random line between Sections 12 & 13 Variation 13 1/2 East
	2 [illegible] 50	Magnetic Course N W
	4 [illegible] 00	Set Post for 1/4 sec Cor & Set Pit
	8 00 0	Intersect Creek & Bank dug 5 ft wide North of Corner to Sections 12 & 13 from which Cedar 12 Links North 8 1/2 W Witness Tree Cedar 12 Links North 8 1/2 W
		West on Mile line between Sections 12 & 13
4 0.		Variation 13 1/2 E.
80.2	4 00 5	Set Post & Pit Chamfered Stake Raised Mound of Earth Both Pits as per Instructions for 1/4 Sec Cor
	8 0 10	the Corner to Sections 11-12-13-14 Land Rolling Soil 2d Rate

Township 2 N Range 32 W 6th Pm

	North between Sections 11 & 12 Variation 13 1/2 East
13 0 0	Magnetic Course N W
4 0 0 0	Set Post & Pit Chamfered Stake Raised Mound of Earth Pits as per Instructions for 1/4 Sec Cor
4 0 5 0	Magnetic Course N W
5 7 0 0	Magnetic Course N W
7 8 0 0	Magnetic Course N W
8 0 0 0	Set Post & Pit Chamfered Stake Raised Mound of Earth With Pits as per Instructions for 1/4 Sec Corner to Sections 1-2-11 & 12 Land Broken Soil 2d Rate

Township 2 N Range 32 W 6th PM

Chain	
	East on a Random line between Sections 1 & 12 Variation 13 45 East
100	Runs Course N W
4000	Set Post for Temporary gr Sec Co
6200	Runs Course N W
8020	Intersect East Boundary of Township 2 S link North of Corner to Sections 1 & 12 from which Pick & Drill Mound bears S 89 30' West 0.81 links distant
49	
80.2	÷ 510 Set Post & deposit Charred Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Co
8032	the Corner to Sections 1-2-11 & 12 Land Broken Set 3rd Rate

Township 2 N Range 32

Chains	
	North on a Random line between Sections 1 & 2 Variation 13 45 East
150	Runs Course N W
4000	Set Post for Temporary gr Sec Co
4800	Runs Course N W
8048	Intersect North Boundary of Township 1 S link West of Corner to Sections 1 & 2 from which I Run South 8 Minutes West on a Random line between Sections 1 & 2 Variation 13 45 East
4048	Set Post & deposit Charred Stake Raised Mound of Earth with Pits as per Instructions for gr Sec Co
8048	the Corner of Sections 1-2-11 & 12 Land Broken Set 3rd Rate

Sep 3d 1879

Township 2 N Range 32 W 4th M

Chains	North between Sections 35 & 34 Variation 13¼° East
1000	Set Post & Depositd Charcoal Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Co
4000	Set Post & Deposited Charcoal Stake Raised Mound of Earth Work Pits & per Instructions for Corner to Sections 26-27-34 & 35 Land Found Soil Dark Rate
80	

Township 2 N Range 32 W 4th M

Chains	East on Range line between Sections 26 & 35 Variation 13¼° East
4000	Set Post & Deposited Charcoal Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Cor
5086	Barn Cor N & E
8012	Intersect North & South Line
North	Of Post Corner to Sections 25-26-35 & 36 Township Line bears N 89° 55' W Range line between Sections 26 & 35 Variation 13¼° East
4000	Set Post & Deposited Charcoal Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Cor
8012	Set Corner to Sections 26-27-34 & 35 Land Found Soil Dark Rate

Township 2 N Range 32 W 6th PM

Chains	North Latitude Sections 26 & 27 Variation 13 45 East
Four	Set Post Depositt Channel State Raised Mound of Earth with Pits as per Instructions for Gov Sec Cor
8 00	Set Post Depositt Channel State Raised Mound of Earth with Pits as per Instructions for Corners. Sections 22-23-26 & 27
4	Land Level
80	Set 2d Rate

Township 2 N Range 32 W 6th PM

	Eastern Random Line North Sections 23 & 26 Variation 13 45 East
3700	Ryan's Cross Roads
4000	Set Post for Company Gov Sec Cor
8016	Intersect North & South line
33 15	Half Post Corner to Sections 23-24-25 & 26 From the 4th Quarter Post West on a True Line between Sections 23 & 26 Variation 13 45 East
4005	Set Post Deposit Channel & State Raised Mound of Earth with Pits as per Instructions for Gov Sec Cor
8016	Ash Corner Sections 22-23-26 & 27 Swamp Valley Set 2d Rate

Township 5 N Range 32 West 6th PM

Chains	
	North between Sections 22 & 23 Variation 13½° East
4.00	Set Post for Witness Corner State Raised Mound of Earth with Pits as per Instructions for 9th Sec Cor
6.80	Karin Comes NW
8.00	Set Post for Witness Corner State Raised Mound of Earth with Pits as per Instructions for Corner to Sections 14-15-22 & 23
	Land Rolling Soil Good Rate

Township 5 N Range 32 West 6th PM

	East on a Random Line between Sections 23 & 24 Variation 13½° East
4.00	Set Post for Witness Corner 9th Sec Cor
8.14	Intersect North & South line 17 links South of Post Corner Sections 13-14-23 & 24 From which Quarter Corner South 59.53 West on a Random Line between Sections 23 & 24 Variation 13½° East
4.00	Set Post Witness Corner State Raised Mound of Earth with Pits as per Instructions for 9th Sec Cor
8.14	the Corner to Sections 14-15-22-23
	Land Rolling Soil Good Rate

Township 2 North Range 3 West

Chains	Notes between Sections 11 & 15 Variation 13 1/4 East
2100	Magnetic Course N W
4000	Set Post & Mound for Chas and State Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
5000	Set Post & Mound Chas and State Raised Mound of Earth, With Pits as per Instructions for Corners Sections 10-11-14 & 15 Land Rolling Good Soil & Rate

Township 2 North Range 3 West

Chains	Eastern Boundary Line between Sections 11 & 14 Variation 13 1/4 East
3000	Magnetic Course N
4000	Set Post for Mound Gr Sec Cor
5300	Magnetic Course N W
7400	Magnetic Course N W
8018	Intersect North & South Line 23 links North of Post Cor & Sections 11-12-13 & 14 From Which Quarter Cor Bears North 89 1/2 E Westerly Bdy Line between Sections 11 & 14 Variation 13 1/4 East
4069	Set Post & Mound Chas and State Raised Mound of Earth With Pits as per Instructions for Gr Sec Cor
5018	the Corners Sections 10-11-14 & 15 Land Broken Good Soil & Rate

Township 2 N Range 32 W 6th PM

Chains	
	North ~~on Baseline between~~ between Sections 10 & 11
	Vacation 1 3/4 rods East
4.00	Set Rock Deposit Chiseled "Q" Mound of Earth Witness Pits as per Instructions for Cor of Sec Cor
8.00	Set Rock Deposit Chiseled "Q" Mound of Earth Witness Pits as per Instructions for Corner to Sections 2-3-10-11
	Land Broken
	Set 3rd Rate

Township 2 N Range 32 W 6th PM

Chains	
	East on Random Line between Sections 2 & 11
1.25	Begin Course & Variation 13 1/2 East
4.00	Set Rock
1.00	Begin Course
4.00	Set Rock for Witness gr Sec Cor
65.00	Begin
7.00	Curve
80.25	Intersect North & South line 34 links North of East Corner to Sections 1-2-11 & 12
	From which Quarter Corner Bears North 89° 47' West and 34 links distant between Sections 2 & 11
	Variation 13 1/2 East
40 1/2	Set Rock Deposit Chiseled "Q" Mound of Earth Witness Pits as per Instructions for Cor of Sec Cor
80.50	The Corner to Sections 2-3-10-11
	Land Broken
	Set 3rd Rate

Township 2 N Range 32 West

Chains	
	North and East on line between Sections 2 & 3
	Variation 13½° East
4.00	Set Post & Mound Chained from Last Preceding Corner
	State Land Mound of Earth & Stone pits on line
6.30	Run Course N E
8.37	Intersect North Boundary of Township 41 Links West of Corner to Sections 2 & 3
	From which a Pine 8 Inches diameter bears South 45 Links Distant and Pine 6 Inches diameter bears East 50 Links Distant
	Variation 13½° East
4.37	Set Post & Mound Chained from Last Preceding Corner
	State Land Mound of Earth & Stone pits on line
8.37	Instructions for Gl Sur Co
	to Corner to Sections 2-3-10 & 11
	Land Broken
	Sept 4th 1872

Township 2 N Range 33 West

Chains	
	North between Sections 33 & 34
	Variation 13½° East
4.00	Set Post & Mound Chained from Last Preceding Corner
	State Land Mound of Earth & Stone Pits as per Instructions for Gl Sur Co
5.60	Run Course S W
8.00	Set Post & Mound Chained from Last Preceding Corner
	State Land Mound of Earth & Stone Pits as per Instructions for Corners to Sections 27-28-33 & 34
	Land Gently Rolling
	Soil 2d Rate

Township 2 N Range 32 W East

Chains	
	East and West Section line between Sections 27 & 34 Variation 13½° East
800	Reprin SW
4000	Set Post as per Instructions for Cor of Sec Cor
7994	Intersect North & South line 17½ S of East Corner of Section 26-27-34 & 35 From which Quarter Corner bears S 89.52 E
	From which Quarter Corner bears West on a true line between Sections 27 & 34
	Variation 13½° East
3997½	Set Post depositing Charred Stake Raised Mound of Earth With Pit as per Instructions for Cor of Sec Cor
7994	the Corner of Sections 27-28-33 & 34 Land Rolling Post & Rate

Township 2 N Range 32 W East

Chains	
	North between Sections 27 & 28 Variation 13½° East
4000	Set Post depositing Charred Stake Raised Mound of Earth With Pits as per Instructions for Cor of Sec Cor
7900	Reprin one rod NW
8000	Set Post depositing Charred Stake Raised Mound of Earth With Pits as per Instructions for Cor of Sections 21-22-27 & 28. Land Rolling Post & Rate

Township 2 North Range 3 East Willamette

Chains	Eastern A Randam line between Sections 22 & 27 Variation 13 45 East
400	Set Post for Quarter Sec Corner
4300	Land Rising Ground
8004	Intersect West & South Boundary of Right of Way of Rail Road Corner to Sections 22-23-26 & 27
	Magnetick Bearing N 89 W
	Westerly one mile line between Sections 22 & 27
	Variations 13 45 East
40.02	Set Rail Road Depositt Charred Stake Raised Mound of Earth Notch Rite as per Instructions for Gr Sec Cor
8004	At the Corner to Sections 21-22-27 & 28 Land Rolling Soil 2d Rate

Township 2 North Range 3 East Willamette

	North between Sections 21 & 22
	Variation 13 45 East
400	Set Rail Road Depositt Charred Stake Raised Mound of Earth Notch Rite as per Instructions for Gr Sec Cor
8000	Set Rail Road Depositt Charred Stake Raised Mound of Earth Notch Rite as per Instructions for Corner to Sections 15-16-21 & 22
	Land Rolling & Broken Soil 2d Rate

Township 27 N Range 32 W 6th PM

Chains	Eastings & Landmarks between Sections 22 & 15 Variation 13 45 East
2800	Right Bank [illegible]
4000	Left Bank [illegible]
4900	Bryant Ranch Cross NW
7308	Ranch Cross NW
7982	Intersect North & South line 37
	Set Post Corner to Sections 14-15-22 & 23
	Witness Pit 0.05 S 89° W 87
	From this point between Sections 22 & 15 Variation 13 45 East
3991	Left Bank Alphabet Channel Blake Raised Mound of Earth With Rite as per Instructions for Cor & Sec Co
7982	The Corner to Sections 15-16-22 & 21 Land Broken Soil 2 & Rate

Township 27 N Range 32 W 6th PM

Chains	North between Sections 15 & 16 Variation 13 45 East
2760	Ranch Cross NW
4000	Left Bank Alphabet Channel Stake Raised Mound of Earth with Rite as per Instructions for Cor & Sec Co
6200	Ranch Cross NW
6500	Ranch 10 W
8000	Left Bank Alphabet Channel Stake Raised Mound of Earth With Rite as per Instructions for Corner to Sections 9-10-15 & 16 Land Broken Soil 2 & Rate

Chains | Course and Distance

Chains	Course and Distance
	East on a random line between Sections 10 & 15 Variation 13 45' East
4000	Set Post & Mound
7990	Set Witness Corner North 5 links West of East Corner Sections 10-11-14 & 15 from which a Red Cedar 12 ins dia bears South 89 50' West 50 links between Sections 10 & 15 Variation 13 45 East
3995	Set Post & Mound State Raised Mound of Earth with Pits as per Instructions from Gen Land Office the Corners of Sections 9-10-15-16 Found Brass Caps & Mounds Set 3rd Rate

Chains | Course and Distance

Chains	Course and Distance
	North between Sections 9 & 10 Variation 13 45' East
4000	Set Post & Mound State Raised Mound of Earth with Pits as per Instructions from Gen Land Office
8000	Set Post & Mound State Raised Mound of Earth with Pits as per Instructions from Gen Land Office Sections 3-4-9-10 Found Rolling Dust 2nd Rate

Township 2 N Range 3 W 6th Pm

Chains	Eastern Standard Line between Sections 3 & 10 Variation 13 E East
3632	Cairn N
4000	Spt Post Witness Chiseled State Raised Mound of Earth for Turkey Gr Sec Cr
8006	Intersect North & South line 16 links North of East Corner Section 2-3-10 & 11 Thence West (corr) N 89 5' West on a Bone line between Sections 3 & 10 Variation 13 E East
Hours	Spt Post Witness Chiseled State Raised Mound of Earth Spt Pits on the Quarter for Qr Sec Cr
8006	the Corner to Sections 3-4-9 & 10 Land Rolling Soil Sandy 3rd Rate

Township 2 N Range 3 W 6th Pm

Chains	Western Standard Line between Sections 3 & 4 Variation 13 E East
4006	Set Post for Turkey Qr Sec Cr
6552 8017	Intersect North Boundary of Township 2 N Links West of East Corner Section 3 & 4 Thence North 2 Rods to Post Witness
4017	Spt Post witness Chiseled State Raised Mound of Earth Spt Pits on the Quarter for Qr Sec Cr
8017	the Corner to Sections 3-4-9 & 10 Land Rolling Soil Sandy 3rd Rate

Sept 5th 1877

Township 2 N Range 32 W 6th PM

North between Sections 32 & 33 Variation 13 1/4 East

4000 Set Post adjacent Channel State Raised Mound of Earth Work Pits as per Instructions for Cor Sec Cor

8000 Set Post adjacent Channel State Raised Mound of Earth Work Pits as per Instruction for Corners Sections 28-29-32 & 33 Sandy Soil Soil 2d Rate

Township 2 N Range 32 W 6th PM

East on Standard line between Sections 28 & 33 Variation 13 1/4 East

4000 Set Post for witness cor Sec Cor

8013 Intersect North & South line 1/4 Links South of East Corner of Section 27-28-33 & 34 Township 2 Range South 89° 54' West on said line between Sections 28 & 33 Variation 13 1/4 East

4006 1/2 Set Post adjacent Channel State Raised Mound of Earth Work Pits as per Instruction for Cor Sec Cor

8013 for Corners Sections 28-29-33 & 32 Sandy Soil Soil 2d Rate

Township 2 N Range 32 W 6th Pm

Chains	North between Sections 28 & 29 Variation 13 1/4 East
4.00	Subj. Past Schools Chained Stake Raised Mound of Earth Work Pits as per Instructions for Gr Sec Cr
8.00	Sub Past Schools Chained Stake Raised Mound of Earth Work Pits as per Instructions for Corners Sections 20-21-28 & 29 Sand Sand Post 2d Rate

Township 2 N Range 32 W 6th Pm

	East between Sections 21 & 28 Variation 13 1/4 East
~~2.50~~	~~Regain~~
2.50	Regain Course N 45
4.00	Sub Past Schools Chained Gr Sec Cr
7.99	Schools West & South line 12 links South of Post Corner Sections 21-22-27 & 28
39.98½	Township Cor Run North 89 55 Westerly about 40 rods between Sections 21 & 28 Variation 13 1/4 East Sub Past Schools Chained Mound of Earth Work Pits as per Instructions for Gr Sec Cr the Corners Sections
79.97	20-21-28 & 29 Sand Sand Post 2d Rate

Township 7 N Range 32 W 6th P.M.

Chains	Notes & Distances
	North Latitude
	Departure 2.00 21
	Temperature 132 5 East
4.00	Set Post & Mound of Chazit Chaun.
	State Raised Mound of
	Earth & Rock Pits as per
	Instructions for Gr Sec Cor
5.00	Set Post & Mound of Chazit Chaun
	id State Raised Mound
	of Earth & Rock Pits as per
	Instructions for Coment
	Declination 16 E 7 - 20 E 21
	Found Razing
	Post & Mound

Township 8 N Range 32 W 6th P.M.

Chains	Notes & Distances
	Each on a Random line
	between Declination 16 E 21
	Variation 13 45 East
18.50	Bearing Course N.W.
40.00	Set Post for Temporary Gr Sec Cor
80.17	Intersect North & South line
	11 Links North of Post Corner
	& Declination 15 E 16 - 21 E 22
	Magnetic Course North 89 45'
	West on said line between
	Declination 16 E 21
	Variation 13 45 East
40.08½	Set Rock Chazit Chaun
	State Raised Mound of
	Earth & Rock Pits as per
	Instructions for Gr Sec Cor
80.17	in Corner to Sections
	16 - 17 - 20 E 21
	Found Razing
	Post & Mound

Township 2 N Range 3 W 6th M

Chain	North of between Sections 16 & 17 Variation 13 1/2 East
3873	Begin Corner N W
Hold	Dip East Deposit Channel
	Slate Raised Mound of Earth With Pit as per
	Instructions for Corner
7300	Begin Corner N W
8000	Dip East Deposit Channel
	Slate Raised Mound
	of Earth With Pit as per
	Instructions for Corner
	between 8-9-16 & 17
	Land Falling
	Dirt and Rocks

Township 2 N Range 3 W 6th M

Chain	East on a Random line between Sections 9 & 16 Variation 13 1/2 East
Hold	Dip East for Quarter Corner
7986	Depth of North & South line
	8 Rocks South of East Corner
	of Sections 9-10-15 & 16
	From Which Bears South 89 57
	West a Pine Tree between
	Section 9 & 16
	Variation 13 1/2 East
3993	Dip East Deposit Channel
	Slate Raised Mound of
	Earth With Pit as per Instr
	uctions for Qr Sec Cor
~~7986~~	~~Dip East Deposit Channel~~
	~~Slate Raised~~
7986	the Corner to Sections
	8-9-16 & 17
	Land Falling
	Dirt and Rocks

Township 7 N Range 3 W 6th

Chains	
	North between Sections 8 & 9 Variation 13 1/2° East
4.00	Set Post & Mound & Pits & Dig Post & Mound of Earth & Write Pits & as per Instructions for Dec Cor
6.20	Range Cross, N & S
8.00	Set Post & Mound & Pits & Dig Post & Mound of Earth & Write Pits & as per Instructions for Corners to Sections 4-5-8 & 9 Sand Ridge Soil & Rate

Township 7 N Range 3 W 6th

Chains	
	East on a Random line between Sections 4 & 9 Variation 13 1/2° East
4.00	Set Post & Mound & Pits & Dig Dec Cor.
7.92	Intersect North & South line 27 links West of Post Corner to Sections 3-4-9 & 10 From which a Pine 4 ins Dia bears South 87 1/2 E 48 links
	West on a Random line between Sections 4 & 9 Variation 13 1/2° East
39.96	Set Post & Mound & Pits & Dig Pits & as per Instructions for 1/4 & Sec Cor
47.92	Also Corner to Sections 4-5-8 & 9 Sand Ridge Soil & Rate

Township 7 N Range 32 West

Chains	
	North on said Random line between Sections 4 & 5
2.00	Center Station Located 13.45 East
Hood	Set Post for Quarter Sec Cor
7968	Between North Boundary of Township 45 North West of Corner to Sections 4 & 5
	From this Corner Run South 19° Minutes West on said line between Sections 4 & 5
	Land Rolling
3968	Set Post deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for Quarter Sec Cor
7968	the Corner to Sections 4 - 5 - 8 & 9
	Land Rolling South East
	Set 3rd Rate
	Sept 6th 1872

Township 8 N Range 32 West 4th

Chains	
	North between Buckeye 31 & 32
	Navigation 13.45 East
Hood	Set Post deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for Quarter Sec Cor
8.00	Set Post deposit Charred Stake Raised Mound of Earth Note Pits as per Instructions for Corner to Sections 29-30-31 & 32
	Land Gently Rolling
	Set 2d Rate

Township 2 N Range 32 W 6th PM

Chains	Eastern N & S Section line between Sections 29 & 32 Township 3 N & 3 E East
4.00	Set Post for Temporary 1/4 Sec Cor
8.10	Intersect Right & South line 16 links North of Post Corner to Section 28-29-32-33 & 32
	From which a Pine 12 Ins Diam bears North 89 W 53 links distant
	West on a true line between Sections 29 & 32
	Variation 13 E East
4.00	Set Post Alpha Corner Post Raised Mound of Earth With Pits as per Instructions for 1/4 Sec Cor
5.10	Two Corner to Sections 29-30-31 & 32
	Land Level Soil & Rate

Township 2 N Range 32 W 6th PM

Chains	West on a N & S line between Sections 30 & 31 Variation 13 E East
4.00	Set Post for Temporary 1/4 Sec Cor
8.10	Intersect ~~West Boundary of Township~~ ~~32 links~~ Fence Guide Meridian 32 links North of Corner to Sections 30 & 31
	From which a Pine 12 Ins Diam bears North 89 E East
	East on a true line between Sections 30 & 31 Variation 13 E East
4.00	Set Post Alpha Corner ~~to Section~~ Stake Raised Mound of Earth With Pits as per Instructions for 1/4 Sec Cor
8.00	Two Corner to Sections 29-30-31 & 32
	Land Level Soil & Rate

Township 2 N Range 33 W 6th P M

Chains	Notes Between Section 29 & 30 Township 2 N Range 33 W 6th P M
Hom	Set Post Alphabet Charred Stake Raised Mound of Earth Pits & Pit as per Instructions for Cor of Sec Cor
8.00	Set Post Alphabet Charred Stake Raised Mound of Earth Pits & Pit as per Instructions for Corner to Sections 19-20-29 & 30 Land Leading East 2.00 Rate

Township 2 N Range 33 W 6th P M

1872

Chains	Notes Between Section 29 & 32 Township 2 N Range 33 W 6th P M
	Set on a Random Line between Sections 29 & 32
4.00	Set Post for Temporary Cor of Sec
7.92	Intersect North Bd of South Line of Lands Sold by U.S. Mark & Post Cor to Sections 20-21-28 & 29 From which Bm North 89.50 West a Bm Line between Sections 20 & 29
	Township 13 South Range 5 East
39.96	Set Post Alphabet Charred Stake Raised Mound of Earth Pits & Pit as per Instructions for Qr Sec Cor
47.92	Cor Common to Sections 20-21-28 & 29 Land Leading East 2.00 Rate

Township 2 N Range 3 W 6th PM

Chains	
	Western Boundary Line between Sections 19 & 30
	Variation 13 1/4° East
4.00	Set Post for Company Cor Sec Cor
8.78	Intersect North Side Mendocino 24 Link Ranch of Corner to Sections 19 & 30
	From which Corner 2 Rm North 89 45' East a Com line between Sections 19 & 30
	Variation 13 1/4° East
4.78	Set Post Alternate Charred Stake Raised Mound of Earth Pits as per Instruction for Cor Sec Cor
8.78	the Corner to Sections 19-20-29 & 30
	Land Falling
	Soil 2d Rate

Township 2 N Range 3 W 6th PM

Chains	
	North Between Sections 19 & 20
	Variation 13 1/4° East
4.00	Set Post Alternate Charred Stake Raised Mound of Earth Work Pits as per Instructions for Corner to Sections 19-18-19 & 20
	Light Falling
	Soil 2d Rate

Township 2 N Range 3 2 West 2nd

Chains	Eastern Boundaries between Sections 17 & 20 Variation 13 45 East
~~250~~	~~Range Corner North~~
1650	Range Corner N.
4000	Set Post for Temporary Qr Sec Cor
7750	Range Corner North
8014	Intersect North & South line 31 links North of Post Corner of Sections 16-17-20 & 21 from which Witness Corner Bears North 84 E.
	West mail Line between Sections 17 & 20 Variation 13 45 East
4007	Set Post for Quarter Chain Stake Raised Mound of Earth Work Pits as per Instruc tions for Qr Sec Cor
5074	the Corner to Section 17-18-19 & 20 Land Rolling Soil 2d Rate

Township 2 N Range 3 2 West 2nd

	Eastern Boundaries between Sections 18 & 19 Variation 13 45 East
2100	Range Corner N.
4000	Set Post for Temporary Qr Sec Cor
4511	Range Corner N E
8050	Opposite ~~North & South~~ Bearing Witness 44 links North of Corner to Sections 18 & 19 from which Witness Bears North 89 42' East mail line between Sections 18 & 19 Variation 13 45 East
4050	Set Post for Quarter Chain Stake Raised Mound of Earth Work Pits as per Instructions for Qr Sec Cor
8050	the Corner to Section 17-18-19 & 20 Land Rolling Soil 2d Rate

Township 2 N Range 32 West

Chains	
	North between Sections 17 & 18 Variation 13 1/4 East
4.00	Set Post & Mound for Chas N Corner State Raised Mound of Earth With Pits as per Instructions for Gov Sec Cor
5.00	Enters Creek N & E
8.00	Set Post & Mound for Chas N Corner State Raised Mound of Earth With Pits as per Instructions for Cor not in Sections 7-8-17 & 18 Land Rolling 1st & 2d Rate

Township 2 N Range 32 West

Chains	
	East on a Range line between Sections 8 & 17 Variation 13 1/4 East
34.42	Enters Creek N &
4.00	Set Post for Temporary Sec Cor
42.00	Enters Creek North
80.28	Intersect North & South line 18 Link North of East Corner of Sections 8-9-16 & 17 From which Bears Elm 8 inches Diam bears North 89 1/2 West Pine 8 inches Diam bears between Sections 8 & 17 Variation 13 1/4 East
4.00	Set Post & Mound Charged State Raised Mound of Earth With Pits as per Instructions for Gov Sec Cor
80.28	The Corner to Sections 7-8-17 & 18 Land Rolling 1st & 2d Rate

Township 2 N Range 3 W Wilson

Chains	Chains	Westerna Boundary Line between Sections 7 & 18 Variation 13 45 East
4.00	4.00	Set Post for Company QC Sec Cor
8.18	8.18	Intersect South Side Meridian 2.3 links North of Corner to Sections 7 & 18 from which Ch Pine bears North 8 50 East 8.50
		Eastern Boundary Line between Sections 7 & 18 Variation 13 45 East
4.00	4.18	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QC Sec Cor
5.00	8.18	the Corner to Sections 7-8-17 & 18 Signed Lund Surl 2d Rate

Township 2 N Range 3 W Wilson

	North between Sections 7 & 8 Variation 13 45 East
4.00	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QC Sec Cor
5.00	Set Post Deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for Corner to Sections 5-6-7 & 8 Lund Rolling Surl 2 d Rate

Township 2 N. Range 32 W. 6th M.

Chains	
	East on a random line between Sections 5 & 8
	Variation 13 45 East
3500	Run in Course North
4000	Set Post for Temporary QS Sec Cor
7990	Intersect North & South line 2.22 links North of East Corner to Sections 4-5-8 & 9
	From which a Pine bears North 89 1/2 West on Pine line between Sections 5 & 8
	Variation 13 45 East
3995	Set Post & deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QS Sec Cor
7990	the Corner to Sections 5-6-7 & 8
	Hilly Soil 3rd Rate

Township 2 N. Range 32 W. 6th M.

Chains	
	West on a random line between Sections 6 & 7
	Variation 13 45 East
4000	Set Post for Temporary QS Sec Cor
7990	Intersect South Guide Meridian, 29 links North of Corner to Sections 6 & 7
	From which a Pine bears North 89 1/2 East on a Pine line between Sections 6 & 7
	Variation 13 45 East
3995	Set Post & deposit Charred Stake Raised Mound of Earth With Pits as per Instructions for QS Sec Cor
7990	the Corner to Sections 5-6-7 & 8
	Sandy Hilly Soil 3rd Rate

Township 2 N Range 32 W 6th PM

Chains	Links	
		North on the Random line between Sections 5 & 6 Variation 13½ East
21	00	Leave Bluff & Cedar River Bottom
40	00	Set Post for Quarter Sec Cor
79	76	Intersect North Boundary of Township 5 Links West of Corner to Sections 5 & 6 From which Ash 6 inches Diameter bears South 21 Minutes West and Maple 6 inches Diameter bears between Sections 5 & 6 Variation 13½ East
39	76	Set Post Adjust Chained State Raised Mound of Earth Mark Pits as per Instruction for QV Sec Cor
79	76	The Corner to Sections 5-6-7-8 Land South East Hills North East Rise Broken Set 3 M Rate

Township 2 N Range 32 W 6th PM

Meanders of the Right Bank of the Winnebago River through the Township

Courses	Distances	
		Begin at the corner to Sections 5 & 6 in the West Boundary of the Township and in the Range Line 17 00 links North of the QV Sec Cor and run down Stream with the Meanders of the Right Bank of the Winnebago River in Sections 6 & 5 as follows
N 65-1/4 E	19.60	to Head of Island Bears N 15½ E
N 25¼ E	6.00	8.30 Cedar Bluff
N 27 E	2.13	to the corner to Fractional Sections 6 & 31.
	2	78. 30 links East of the Township corner to Townships 2 & 3 Ranges 32 & 33.

Township 2 North Range 22 West 6th P.M.

Courses	Distances	Remarks
		Meanders of the Left Bank of the Salt River Running the Boundary
		Begin at a point 1350 lks East of the Township Corner on the Meander of the Left Bank
3		Running Sixteen 6.
courses	distances	Angle Points
S 48° W	9.75	
S. 55¼ W	8.22	
		to a point 1140 lks South of the corner to said Township. Thence a Meander course (pursuing the old Meander Cor cannot be found

Sept 7th 1872

General Remarks

This Township is High valley land in Middle part is gravelly & Sloping to the S.E. on the Banks of the Salt River

S 2° W 3 gals
N & Tules

List of Names

A list of names of the Individuals Employed to assist in running and measuring and marking the lines as described in the foregoing field notes of Townships No 2 of the Base line of Range No 32 W of the 6th P.M.

Showing the respective capacities in which they acted

Julius Fries
William Cunningham } Chainmen
Fred B Rand
Joseph Clawson } Markmen

To Surveys Nebraska

Julius Hines of Washington Co and William Covington of Douglas Co in the Territory aforesaid being duly sworn depose and say that they are well acquainted with the character and reputation of Thomas Henderson Deputy Surveyor and that they believe him to be a man of good moral character and reputation and that they believe him competent to execute correctly and faithfully the duties of Deputy Surveyor

Julius Hines
William Covington

Subscribed & Sworn to before me this 18th day of September 1872

A Marble
Notary Public

To Surveyor Nebraska Deputy Surveyor

Whereas Thomas Henderson of Washington Co Nebraska Territory has been duly appointed a Deputy Surveyor of the United States for the Territory of Nebraska and has executed and filed his official bond and taken the oath of office as required by law

Now Know Ye that I Thomas J Major Surveyor General of Nebraska Territory aforesaid by virtue of the power in me vested by the Act of Congress entitled "An Act to provide for the Survey of the Public Lands of the United States and for other purposes" approved May 10th 1785 and the Instructions of the Commissioner of the General Land Office thereunder do hereby appoint the said Thomas Henderson Deputy Surveyor of the United States for the Territory of Nebraska to survey and mark the lines of the Public Lands in conformity with the Instructions issued by the Surveyor General of Nebraska Territory and the laws of the United States relating to the Public Surveys

Thomas J Major
Surveyor General

6

I do hereby certify that my assistant
Deputy Surveyor
in Surveying in Sections Township
North Range 22 West 6th P.M.
that said Deputy Surveyor
was employed by the last
Session Legislature
to Subdivide Sections Townships
and Ranges

Subscribed by said D. J. Wilson
Deputy Surveyor in my presence
a Notary Public for Saunders
County Nebraska
this 18th day of September 1872

A. Marsh
Notary Public

Index

Town 3 N. Range 32 W. West

6	62	5	46	4	34	3	22	2	11	1
61		60		45		33		21		10
7	59	8	44	9	32	10	20	11	9	12
68		67		43		31		19		8
18	65	17	42	16	30	15	18	14	7	13
66		64		41		29		17		6
19	63	20	40	21	28	22	16	23	6	24
62		61		39		27		15		4
30	60	29	38	28	26	27	14	26	3	25
49		48		37		24		18		2
31	49	32	36	33	25	34	12	35	1	36.

Field Notes
of
Survey and Subdivision
of
Township No 3 N of Base line
of
Range No 32 W. 6th P.M.
In Nebraska
Executed By Thomas J Mellen
Wherein Thomas J Mellen and
Henry C Reasner are joint
contractors with E S Cunningham
Surveyor General for Nebraska & Iowa
of June 26th 1872
(Contract No 57)
Survey commenced Sept 7th 1872
Survey completed " 14th 1872

Names
Names of Assistants

T M Parsons } Chainmen
Nathaniel Wilson }
Amos Burnett } Rodmen
C W King }

To determine the proper
Adjustments of the Compass
for Subdividing this
Township
Commence at the
corner to Townships No 2 & 3 N.
of Ranges No 31 & 33 W 6th PM
and run North
North on a blank line
Along the East Boundary
of Sections 36.
Va 13° 45' East

40.17	to a point 12 lks W. of the qr Sec cor
80.23	to a point 35 lks. W of the corner to Sections 25 & 36.

to retrace this line
or run parallel there to
My Compass must
be adjusted to a Variation
of 13° 30' East

Subdivision Commenced
Sept 7th 1872

Township 31 N Range 32 W 6th PM

Chains	
	From the corner to Sections 1. 2. 35 and 36. on the South Boundary of the Township N run North Between Sections 35 & 36 Va 13° 30' East
29.00	Leave Bluffs & Enter Bottom Land N.E. & S.W.
40.00	Set post depositd Mound of Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post depositd Mound Stake raised mound of Earth with pits as per Instructions for corner to Sections 25 36. 35 & 36.

Land level Bottom
Soil Sandy 2d rate

Township 3 N Range 32 W 6th P.M.

Chains	
	East on a random line between Sections 24 & 25 Va 1330 East
40.00	Set post for temporary cor Sec cor
~~79.46~~	~~Pursuit East Boundary of Township 33 lks N of post. Error in~~
53.00	Leave Bluffs Ente Bluffs. Course NE. & SW
80.09	Pursuit Est Boundary of Township 34 lks N of post. cor to Sections 25 & 36. pass Which Cor Bears S 89.45 W an a true line Between Sections 25 & 36, Va 1330 East
40.04½	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.09	the corr to Sections 25 & 26. 35 & 36. Land nir Bluffs Sandy. nir Bluffs. clay Soil 3d rate

Township 3 N Range 32 W 6th P.M.

3

Chains	
	North Between Sections 25 & 26 Va 1330 East
40.00	Set post deposited charred Stak raised mound of Earth with pits as per Instructions for Qr Sec cor
61.90	Pursuit Right Bank of the Republican river Mean set post deposited charred Stake raised mound of Earth with pits as per Instructions for Meander corner to fractional Sections 25 & 26 distance across by chaining 12.40 chs
74.30	to left Bank of river Where set post deposited charred Stake raised mound of Earth with pits as per Instructions for M C to fractional Sections 25 & 26.
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 23 24. 25 & 26. Land Level Bottom Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 24 & 25 Va 13 30' East
40.00	Set post for temporary qr Sec cor
79.68	Intersect East Boundary of Township 30 the N & set post - comm to Sections 24. & 25 - from which comm brs N 89° 47' W on a true line Between Sections 24 & 25 - Va 13 30' East
40 39.84	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80. 79.68	Thc cor to Sections 23, 24. 25 & 26. Land Level prairie Soil 2nd rate Scattering cottonwood timber along the river

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 23 & 24 Va 13 30' East
7.00	Leave Bottom & Ente Bluffs Bears N E & S W
40.00	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions for cor to Sections 13, 14, 23 & 24. Land Rolling prairie 3rd rate

Township 3 N Range 22 W 6th Pm

Chains		
		Township 3 N Range 22 W East on a random line between Sections 13 & 24 Va 13 30 East
40.00		Set post for temporary QP Sec cor
64.00		Leave Bluffs. & Ente Bottom
79.58		Intersect East Boundary of Township 18 lks N of post corr to Sections 13 & 24 from which corr I run N 89 52' W on a line Between Sections 13 & 24 Va 13 30' East
80.	39.79	Set post deposited charcoal Stake raised mound of Earth with pits as per Instructions for QP Sec cor
	79.68	the corr to Sections 13, 14 23 & 24 Land rolling prairie Soil 2d rate

Township 3 N Range 22 W 6th Pm

Chains	
	North Between Sections 13 & 14 Va 13 30 East
40.00	Set post deposited charcoal Stake raised mound of Earth with pits as per Instructions for QP Sec cor
47.00	Leave Bluffs & Ente river Bottom course N W & S E
80.00	Set post deposited charcoal Stake raised mound of Earth with pits as per Instructions for corr to Sections 11. 12. 13 & 14 Land rolling Prairie & level Bottom Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 12 & 13 Va 13° 30' East
40.00	Set post for Temporary QP Sec cor
65.25	Intersect West and right Bank of Whitemans Fork cmse SE. river 4.20 chs. wide on line
80.00	Intersect East Boundary of Township 21 lks N of post cmn to Sections 12 & 13. from which cmn I run N 89.54 W on a true line between Sections 12 & 13 Va 13 30 East
40.00	Set post deposited charred stake raised mound of Earth mkd pits as per Instructions for QP Sec cor
80.00	The cmn to Sections 11, 12, 13 & 14 Land Level Bottom Soil Sandy 2nd rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 11 & 12 Va 13° 30' East
15.00	Intersect S and right Bank of Whitemans Fork river 2.50 chains Wide cmse SE
40.00	Set post deposited charred Stake raised mound of Earth mkd pits as per Instructions for QP Sec cor
80.00	Set post deposited charred Stake raised mound of Earth mkd pits as per Instructions for cmn to Sections 1, 2, 11 & 12 Land Level Bottom Soil 2nd rate

Township 31 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 1 & 12. Va 13° 30' East
10.00	Leave Bottom & Enter Bluff. Course N W & S E.
40.00	Set post for temporary qr Sec cor
79.70	Intersect East Boundary of Township 43 lks. N of post Comr to Sections 1 & 12
	from which Comr Bears N 89° 45' W on a true line between Sections 1 & 12. Va 13° 30' East
40.	
80.	
39.85	Set post deposited charred Stake raised Mound of Earth with post as per Instructions for qr Sec cor
79.70	The comr to Sections 12. 11 & 12 Land Broken prairie Soil 3d rate

Township 31 N Range 32 W 6th PM

Chains	
	North on a random line between Sections 1 & 2. Va 13° 30' East
12.00	Leave Bottom & Enter Bluff. Course N W & S E
40.00	Set post for temporary qr Sec cor
79.14	Intersect North Boundary of Township at post Comr to Sections 1 & 2.
	from which Comr Bears South on a true line between Sections 1 & 2. Va 13° 30' East
39.14	Set post deposited charred Stake raised Mound of Earth with post as per Instructions for qr Sec cor
79.14	The comr to Sections 12. 11 & 12

Land Broken prairie
Soil 3d rate

Sept 7th 1872

Township 3 N Range 32 W 6th Mn.

Chains	
	North Between Sections 34 & 35 Va 13° 30' East
10.00	Enter river Bottom. Cross E & W
40.00	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for Cor to Sections 26 27 34 & 35.
80.00	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for Cor to Sections 26 27 34 & 35.
40.1	
80.2	Land Level Bottom Soil 2d rate Sandy

Township 3 N Range 32 W 6th Mn

Chains	
	East on a random line Between Sections 26 & 35. Va 13° 30' East
40.00	Set post for temporary Cor Sec Cor
80.90	Intersect N & S line 54 lks E of post Cor to Sections 25. 26. 35 & 36. from which Cor Bears N 89° 37' W on a true line Between Sections 26 & 35 Va 13° 30' East
40.10	Set post deposited charred Stake raised Mound of Earth with pits as per Instructions for Cor Sec Cor
80.20	Wit Cor to Sections 26 27. 34 & 35
	Land Level Bare Soil Sandy 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 26 & 27. Va 13 30 East.
37.50	Intersect Right Bank of the Republican river Where Set post deposited Chmd Stake raised Mound of Earth with pits as per Instructions for Meander Corr to fractional Sections 26 & 27. River being Shallow Chmd Cor
40.00	Qr Sec corr cannot be established North of river 7.10
40.1 44.10	to left Bank of Republican River Where set post deposited Chmd Stake raised Mound of Earth with pits as per Instructions for Meander corr to fractional sections 26 & 27
80.2 64.00	Leave Bottom & ent Bluffs. Bears E & W
80.20	Set post deposited Chmd Stake raised Mound of Earth with pits as per Instructions for Corr to Sections 22 23. 26 & 27. Land Level Bottom Soil Sandy 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 23 & 26. Va 13 30 East
40.00	Set post for Temporary Qr Sec cor
79.90	Intersect N & S line 23 Sec. N of post corr to Sections 23 24 25 & 26. from which corr Bears N 89° 51. W on a true line Between Sections 23 & 26 Va 13 30 East
39.95	Set post deposited Chmd Stake raised Mound of Earth with pits as per Instructions for Qr Sec cor
79.90	The corr to Sections 22 23 26 & 27 Land Broken Prairie Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 22 & 23 Va 13° 30' East
40.00	Set post deposited stones Stake raised mound of Earth mkd pits as per Instructions for QS Sec cor
80.00	Set post deposited stones Stake raised Mound of Earth mkd pits as per Instructions for Corr to Sections 14. 15. 22 & 23.
40.	
80.	

Land nothing prom
Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 14 & 23 Va 13° 30' East
40.00	Set post for temporary QS Sec cor
79.96	Intersect N & S line 41 lks. North of post Corr to Sections 13. 14. 23 & 24 from which corners bear N 89° 45' W on a true line between Sections 14 & 23. Va 13° 30' East
39.98	Set post deposited stones stake raised mound of Earth mkd pits as per Instructions for QS Sec cor
79.96	The corner to Sections 14. 15. 22 & 23

Land nothing prom
Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 14 & 15 Va 13° 30' East
40.00	Set post deposited thereon Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited thereon Stake raised mound of Earth with pits as per Instructions for corner to Sections 10. 11. 14 & 15
40	Land rolling prairie
80.	Soil 2d rate

Township 3 N Range 31 W 6th PM

Chains	
	East on a random line Between Sections 14 & 14 Va 13° 30' East
18.00	Leave Bluffs. & Enter Bottom cross S E & N W
40.00	Set post for temporary qr Sec cor
46.00	Enter Drain cross N E
49.00	Leave " " N E
80.10	Intersect N & S line 16 lks N of post corner to Sections 11 12. 13 & 14
	N 89° 53' from which corner Bears West on a true line Between Sections 11 & 14 Va 13° 30' East
40.05	Set post deposited thereon Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.10	The corner to Sections 10. 11. 14 & 15
	Land Broken prairie Soil 3d rate

Township 3 N Range 32 W 6th P M

Chains	
	North Between Sections 10 & 11 Va 13° 30' East
25.00	Leave Bluff Bo. & Ends Bottom Bears NE & SW
40.00	Set post deposited Mound Stake raised mound of Earth with pits as per Instructions for Cor
57.00	Grassy Swale 15 lks wide Cross East
80.00	Set post deposited Mound Stake raised mound of Earth with pits as per Instructions for Cor to Sections 2, 3, 10 & 11 Land Level Bottom Soil 2d rate Sandy

Township 3 N Range 32 W 6th P M

Chains	
	East on a random line Between Sections 2 & 11 Va 13° 30' East
19.50	Intersect right Bank Whitemans Fork river 6.00 chs wide on line Cross S 30° E
40.00	Set post for Temporary Cor
80.00	Intersect N & S line 13 lks. N of post Cor to Sections 1, 2, 11 & 12 from which Cor Bears N 89 54 E on a true line Between Sections 2 & 11 Va 13° 30' East
40.00	Set post deposited Mound Stake raised Mound of Earth with pits as per Instructions for Cor
80.00	The Cor to Sections 2, 3, 10 & 11 Land Level Bottom Soil 2d rate

Township 3 N Range 22 W 6th PM

Chains	
	North Bet a random Line Between Sections 27 & 33 Va 13 30' East
22.64	Intersect Right Bank White Mans Fork of the republican river 3.76 lks Mde cmor SE.
40.00	Set post for temporary qr Sec cor
79.54	Intersect North Boundary of Township 4 N. 7 W. of Post cmor to sections 27 & 33. from Which cmor Bears South 6° W. in the Line Between Sections 27 & 33. Va 13 30 East
39.54	Set post Temporary Stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.54	The cmor to Sections 2.3. 9 & 10 Land rolling prairie & Level Bottom Soil 3rd rate Sept 9th 1872

Township 3 N Range 22 W 6th PM

Chains	
	North Between Sections 33 & 34 Va 13 30' East
40.00	Set post Temporary Stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
44.40	Grassy Swail N E
53.50	Leave grassy Swal N E
57.50	Enter low grassy Swail N W
59.80	Leave " " " N W
80.00	Set post Temporary Stone Stake raised mound of Earth with pits as per Instructions for Cmor to Sections 27. 28. 33 & 34. Land Level Bottom Soil 2nd rate

Township 3 N Range 32 W 6th Mer

Chains	
	East on a random line Between Sections 27 & 34 Va 13.30 East
40.00	Set post for temporary qr Sec cor
80.36	Intersect S & S line 36 lks N of post comm to Sections 26, 27, 34 & 35 — from which comm Bear N 89° 45' W on a true line Between Sections 27 & 34 Va 13° 30' East
40.18	Set post deposited stone & stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.36	The comm to Sections 27 28. 33 & 34

Land Level Bottom

Soil 3d rate

Township 3 N Range 32 W 6th Mer

Chains	
	North Between Sections 27 & 28 Va 13 30 East
10.00	Enter Sealing cottonwood tree E & W.
19.80	Enter low Sandy Swail Subject to Inundation
25.30	Intersect right Bank of Republican River Where set post deposited stone & stake raised mound of Earth with pits as per Instructions for Meander Corr to fractional Sections 27 & 28
35.60	to Left Bank of the Republican river Set post deposited stone & stake raised mound of Earth with pits as per Instructions for Meander Corr to fractional Sections 27 & 28
40.00	Set post deposited stone & stake raised mound of Earth with pits as per Instructions for qr Sec cor

Township 3 N Range 32 W 6th PM

— Continued —

Chains	
45.00	Leave Timber trees E & W
48.90	Cross drain course S.
49.00	Leave Cottonwood & Ewin Bluff Brass NE & SW
80.00	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions for corner to Sections 21. 22. 27 & 28
	Land in Bottom Sandy 2d soil
	in Bluffs. Broken 3d soil
	timber cottonwood & Elm

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 22 & 27 Var 13°30' East
40.00	Set post for temporary ar Sec cor
75.09	ragno cross R.
79.48	Intersect N & S line 38 lks. N of post corner to Sections 22., 23., 26 & 27. from which corner N 89° 44' W on a true line between Sections 22 & 27 Var 13°30' East.
39.74	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions for ar Sec cor
79.48	the corner to Sections 21 22. 27 & 28
	Land Rolling prairie Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 21 & 22 Va. 13.30' East.
40.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for cor to Sections 15.16 21 & 22. ~~21 & 28~~
80.00	Land Rolling prairie Soil 3d rate
39.74	
79.48	

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 15 & 22. Va 13.30' East
40.00	Set post for Temporary qr Sec cor
5.9.30	Prairie creek South
7.9.48	Intersect N & S line 64 Lks N of post corr to Sections 14. 15. 22 & 23. from which corr is an A 89.33 W an a tree line Between Sections 15 & 22. Va 13.30' East
39.74	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.48	The corr to Sections 16.16.21 & 22 Land rolling prairie Soil clayey 2d rate

Tow

Chains	
Chains	
22.64	
40.00	
79.57	
39.5	
79.6	

Township 3 N Range 32 W 6th PM

Chains	
Chains	North Between Sections 15 & 16 Va 13° 30' East
40.00	Set post & deposited charred Stake, raised mound of Earth with pits as per Instructions for cor to Sections 9. 10. 15 & 16.
80.00	Set post & deposited charred Stake raised mound of Earth with pits as per Instructions for corr to Sections 9. 10. 15 & 16.
	Land land table land Lot 2 & 3 Good farming Lands

Township 3 N Range 32 W 6th PM

Chains	
Chains	East on a random line Between Sections 10 & 15 Va 13° 30' East
40.00	Set post & pr Temporary qr Sec cor
80.34	Intersect N & S line 41 lks North of post corr to Sections 10. 14 & 15 from which corr bears N 89. 42. West on a true line Between Sections 10 & 15 Va 13° 30' East
40.17	Set post & deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.34	The corr to Sections 9. 10. 15 & 16.
	Land land poor Lots 2 & 3

Township

Chains	
22.64	
40.00	
79.54	
39.54	
79.64	

Township 3 N Range 33 W 6th Pm

Chains	
	North Between Sections 9 & 10 Va 13° 30' East
40.00	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions from cor to Sec cor
80.00	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions from cor to Sections 3 & 4. 9 & 10
	Land level Prairie
	Soil 2nd rate

Township 3 N Range 33 W 6th Pm

Chains	
	East on a random line Between Sections 3 & 10 Va 13° 30' East
40.00	Set post & pits & mound for temporary cor from which Sec cor bears N 89° E 80 lks dist
47.00	Leave Bluffs. & Enter Bottom
53.00	cross Drain runs NE
79.68	Intersect N & S line 40 lks. N of post cor to Sections 2 3. 10 & 11 from which corner bears N 89° 30' W on a true line Between Sections 3 & 10 Va 13° 30' East
39.84	Set post & pits & mound Stake raised mound of Earth with pits as per Instructions from cor to Sec cor
79.68	the cor to Sections 3 4. 9 & 10
	Land partly Broken
	Soil 3rd rate

Township 3 N Range 32 W 6th PM

Chains	
	North on a random line between Sections 3 & 4 Va 13° 30' East
25 00	cross ravine course NE
40.00	Set post for temporary gr Sec cor
57.00	Leave Bluffs & Enter pine Bottom
80.54	Intersect North Boundary of Township 41 links East of post corner to Sections 3 & 4 from which corner I run South 18' E on a true line Between Sections 3 & 4 Va 13.30' East
41.54	Set post deposited stones & stake raised mound of Earth mixed pits as per Instructions for gr Sec cor
80.54	the corner to Sections 34, 3 & 10 Land Broken Sprace Soil 2 rods

Sept 18th 1872

Township 3. North Range 32 W 6th PM.

Chains	
	North Between Sections 33 & 33 Va 13° 30' East
40.00	Set post deposited stones & stake raised mound of Earth mixed pits as per Instructions for gr Sec cor
75.44	Intersect right Bank of Republican river Set post deposited stones & stake raised mound of Earth mixed pits as per Instructions for meander corner to Sections 32 & 33.
80.00	river being Shallow & channel crossed Sections corner comes in river on a sand bar I set temporary post from which a true 12 inch Dia bears North 63° East 10 links distant
	Said corner cannot be established Land Level Bottom Soil 2 rods

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 28 & 33. Va 13 30 East -
7.90	to right bank of the republican river where set temporary post for meander cor to Sections 28 & 33.
23.28	Leave low Bottom subject to Inundation bears NE & SW
40.00	Set post for temporary qr Sec cor
63.28	Leave grassy swale Course SE
66.00	leave grassy swale " NE
60.24	Enter low Grassy swale } Course NE
61.23	leave " " " }
80.26	Intersect N & S line 42 lks. N of post corr to Sections 27. 28. 33 & 34 from which corr I run N 89° 42' W 66 lks a tree Bears between Sections 28 & 33 Va 13 30' East

Township 3 N Range 32 W 6th PM

Chains	
	Continued —
40.13	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for qr Sec cor
72.36	to Right Bank of Republican river
	Set post deposited stones Stake raised Mound of Earth with pits as per Instructions for for meander corr to practical Sections 28 & 33
80.26	to Temporary post planted on Sand bar in river corr to practical Sections 28 & 29. 32 & 33 Sand Bar Bottom

Soil 2nd rate

Tow

chains

22.64

40 00

79.54

Township 3 N Range 33 W 6th Pm

Chains	
	North Between Sections 28 & 29 Va 13° 30 East
	from temporary post corner to Sections 28 29 32 & 33. which stands in river from North
4.10	to left Bank of Republican river where set post deposited charred stake raised mound of Earth with pits as per Instructions for meander & fractional Sections 28 & 29. Enter timber
76.40	Open timber & river bottom & Bluff
40.00	Set post deposited charred stake raised of Earth with pits as per Instructions for W Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 20. 21. 28 & 29. Land in Bottom 2 sides Evil in Bluff Broken on 2 sides Timber Cottonwood & Elm

Township 3 N Range 33 W 6th Pm

Chains	
	East on a random line between Sections 21 & 28. Va 13° 30 East
40.00	Set post for Temporary for Sec cor
58.60	Cross ravine course S E
78.40	" " " S W
80.64	Intersect N & S line of Sections between Sections 21. 22. 27. & 28. from which corner Bears S 89° 24' W on a true line between Sections 21 & 28 Va 13° 30' East
40.32	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for W Sec cor
80.64	The corner to Sections 20. 21. 28 & 29. Land rolling prairie Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 20 & 21. Va 13°30 East
40.00	Set post deposited mound of Stake raised mound of Earth with pits as per Instructions for corr to Sections.
49.37	range cross S. W.
80.00	Set post deposited mound Stake raised mound of Earth with pits as per Instructions for corr to Sections. 16. 17. 20 & 21. Land Broken prairie with deposits no-

Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 16 & 21. Va 13°30' East
40.00	Set post deposited mound Stake or pits as per Instructions for corr
49.36	range cross S
80.39	Intersect N & S line 39 lks. N of post corr to Sections 15 16. 21. and 22. from which corr Bears N 89°.45 West. on a true line Between Sections 16 & 21 Va 13°30 East
40.19½	Set post deposited mound Stake raised mound of Earth with pits as per Instructions for corr
80.39	The corr to Sections 16. 17. 20 & 21. Land nothing prairie

Soil 3d rate

Township 2 N Range 32 W 6th PM

North / Between Sections 16 & 17
Va 13 30' East

40.00 Set post & pits & mound of Stake raised mound of Earth with pits as per Instructions fr
gr Sec cor

80.00 Set post & pits & mound of Stake raised mound of Earth with pits as per Instructions fr
Com to Sections
8. 9. 16 & 17

Land Gently rolly
Tbl Land
Soil 2d rate

Township 3 N Range 32 W

Chains

East on a random line
Between Sections 9 & 16.
Va 13 30' East

40.00 Set post & pits & mound of Stake raised mound of Earth with pits as per Instructions fr
gr Sec cor

80.37 Intersect N & S line 51. lks. S. of post com to Sections 9. 10. 16 & 15
from which com a tree
S 87. 30' W on a line
Between Sections 9 & 16.
Va 13. 30' East

40.18½ Set post & pits & mound of Stake raised mound of Earth with pits as per Instructions fr
gr Sec cor

80.37 the com to Sections 8. 9. 16 & 17
Land high Gently rolly
some Soil 2d rate

Township 3 N Range 32 W 6th P M

Chains	
	North Between Sections 8 & 9
	Va 13° 30' East
40.00	Set post deposited stone
	Stake raised mound of
	Earth with pits as per
	Instructions for
	cor Sec cor
80.00	Set post deposited stone
	Stake raised mound of
	Earth with pits as per
	Instructions for
	cor to Sections 4. 5. 8 & 9
	Land level Broken
	2d rate

Township 3 N Range 32 W 6th P M

Chains	
	East on a random line
	Between Sections 4 & 9
	Va 13° 30' East
9.90	Cross ravine course N E
40.00	Set post for temporary quar. sec
	cor Sec cor in ravine
80.72	Intersect N & S line 39 lks
	N of post cor to sections 34. 3 & 10
	from which corner N 89° 43' W on a stone line
	Between Sections 4 & 9.
	Va 13° 30' East
41.36	Set post deposited stone stake
	raised mound of Earth with
	pits as per Instructions
	for cor Sec cor
80.72	The cor to Sections 4. 5. 8 & 9.
	Land Broken line
	follows Edge of ravine
	said 2d rate

Township 3 N Range 32 W 6th PM

Chains	North on a random line Between Sections 4 & 5 Va 13° 30' East
14.00	Enter ravine
17.90	Leave " cross NE
40.00	Set post for temporary quarter Cor
63.10	ravine cross NE
73.40	" " East
80.70	Intersect N Boundary of Township 69 the N of post on N sections 4 & 5. from which cross Iron 8 links N. mark tree between Sections 4 & 5. Va 13° 30' East
40.70	
40.70	Set post deposited stone stake raised mound of Earth with pits as per Instructions for quarter Cor
80.70	The cross to Sections 4 & 5 & 8 & 9 Land Bluffy Very Broken Soil 2d rate
	Sept 11th 1872

Township 3 N Range 33 W 6th PM

Chains	North Between Sections 31 and 32 Va 13.30 East
15.61	Intersect right Bank of Republican river where set post deposited stone stake raised mound of Earth with pits as per Instructions for quarter Cor. to Sections 31 & 32 river being shallow chains Cor
24.16	to left Bank republican river where set post deposited stone stake raised mound of Earth with pits as per Instructions for quarter cor to Sections 31 & 32.
33.46	to small pond ridge E & W
40.00	Set post deposited stone stake raised mound of Earth with pits as per Instructions for quarter Cor
41.10	Leave small ridge N. 37° E
80.00	Set post deposited stone stake raised mound of Earth with pits as per Instructions for cor to Sections 29, 30 & 31 & 32. Land Level Rolling Soil 2 rate
	no Timber or crossing

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 29 & 32 Va 13°30' East
17 00	Enter Cleared, Land Subject to Inundation from narrow & dry Branch which has no water course at this time Bluffs
37.50	Leave Sandy Bottom & Enter pine Bottom with good grass.
40 00	Set post for temporary qr. Sec. cor
73.97	Intersect West & left Bank of Republican river & chain down Set post for temporary N cor
80.24	Intersect N & S line 16 lks. E of post Temporary corn to Sections 28. 29. 32 & 33
	from which corn I run N 89. 53 W on a true line Between Sections 29. & 32. Va 13°30' East
6.77	to left Bank of Republican river Set post deposited chemd stake raised mound of Earth with pits as per Instructions for N & E fractional sections 29 & 32.
40 00	Set post deposited chemd stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.24	The corn to Sections 29 30 31 32 Land Land Bottom Soil 2d rate good Hay land

Township 3 N Range 32 W 6th PM

Chains	
	West on a random line Between Sections 30 & 31 Va 13°30' East
11.30	Leave Bottom & Enter Bluffs. Bears S 64° W 6.3° E
40.00	Set Post for Temporary qr Sec cor
63.10	regain course South
79.28	Intersect Fourth Guide Meridian and west Boundary of Township 32 lks North of post corn to Sections 30 & 31 from which corn I run N 89°46' E. on a true line Between Sections 30 & 31 Va 13°30' East
39.28	Set post deposited chemd stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.28	The corn to Sections 29. 30 31 & 32
	Land Broken prairie 2d rate in Bottom Good 2d rate

Township 3 N Range 32 W 6th Rl

Chains	
	North Between Sections 29 & 30 Va 13° 30' East
6.79	Leave river Bottom & Enter Bluffs. brass. Cr & Sh
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for gr Sec cor
43.70	cross ravine course S E
80.00	Set post deposited charred stake raised mound of Earth with pits as per Instructions for corr to Sections 19. 20. 29. & 30. Land Bluffy & Broken Soil 3d rate Scattered timber in ravine

Township 3 N Range 32 W 6th Rl

Chains	
	East on a random line Between Sections 20 & 29 Va 13° 30' East
9.00	Enter ravine course S E
40.00	Set post for Temporary gr Sec cor
80.49	Intersect N & S line 87. lks. South of post corr to Sections 20. 21, 28 & 29. from which corr Bears S 89° 23' W on a true line between Sections 20 & 29. Va 13° 30' East
40.24½	Set post deposited charred stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.49	The corr to Sections 19. 20. 29 & 30 Land Broken stony Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	West on a gronomon line Between Sections 19 & 30 Va 13° 30' East
40.00	Set post for Temporary QR Sec cor
6H 90B	Range No E Intersect North Guide Meridian
79.69	& West Boundary of Township 35 Ths South of post corr to Sections 18, & 19.
	from which corr a tree S 89° 45' East an a tree line Between Sections 19 & 30 Va 13° 30' East
39.69	Set post deposited Stones Stake raised Mound of Earth with pits as per Instructions for QR Sec cor
79.69	the corr to Sections 19 20. 29. & 30.
	Land rolling prairie
	Soil 2d rate

Township 3 N Range 32 W 6th PM

Chains	
	North Between Sections 19 & 20 Va 13° 30' East
40.00	Set post deposited Stones Stake raised Mound of Earth with pits as per Instructions for QR Sec cor
80.00	Set post deposited Stones Stake raised Mound of Earth with pits as per Instructions for corr to Sections 17, 18, 19 & 20
	Land rolling prairie
	Soil 2d rate

54

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 17 & 20 Va 13° 30' East
40.00	Set post for Temporary cor
79.84	Intersect S 89° 34' W line 60 lks. North of Post cor to Sections 16. 17. 20 & 21. from which cor a tree bears S 89° 34' W on a true line Between Sections 17 & 20 Va 13° 30' East
39.92	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for
6.	
79.84	the cor to Sections 17. 18. 19 & 20 Land Gently rolling
40	Prairie Soil
80.	Soil 2nd rate

55

Township 3 N Range 32 W 6th PM

Chains	
	West on a random line Between Sections 18 & 19 Va 13° 30' East
40.00	Set post for Temporary cor
79.81	Intersect Fourth Guide Meridian and West Boundary of Township 29 lks. South of post cor to Sections 18 & 19. from which cor a tree bears S 89° 48' East on a true line Between Sections 18 & 19. Va 13.30 East
39.81	Set post deposited charred Stake raised mound of Earth with post as per Instructions for
79.81	the cor to Sections 17 18. 19. & 20 Gently Land rolling prairie Gently rolling in west half Soil 2nd rate

Township 3 N Range 32 W 6th Mer

Chains	
	North Between Sections 17 & 18.
	Va 13° 30' East
40.00	Set post & deposited charcoal
	Stake raised mound of
	Earth with pits as per
	Instructions
	for qr sec cor
80.00	Set post & deposited charcoal
	Stake raised mound of
	Earth with pits as per
	Instructions for cor to Sections
	7, 8, 17 & 18.
	Land rolling prairie
	Soil 2d rate

Township 3 N Range 32 W 6th Mer

Chains	
	East on a random line
	Between Sections 8 & 17.
	Va 13° 30' East
31.60	ravine runs N & S.
40.00	Set post for temporary
	qr Sec cor
80.49	Intersect N & S line 36 lks.
	N of post cor to Sections
	8, 9, 16 & 17
	from which cor bears N 89. 45' W on true line bet'n Sections 8 & 17 Va 13 30 East
40.24½	Set post & deposited charcoal
	Stake raised mound of
	Earth with pits as per
	Instructions
	for qr sec cor
80.49	The cor to Sections 7, 8, 17 & 18.
	Land rolling prairie
	Soil 2d rate

Township 3 N Range 32 W 6th Pm

Chains	
	West on a random line between Sections 7 & 18. Va 13° 30' East
40.00	Set post for Temporary Qr Sec cor
44.90	S. Fraction & E. Inclusive of North Guide Meridian
80.34	and West Boundary of Township 43. lks. South of Post corr. to Sections 7 & 18 from which corr Bears S 89. 42. East on a true line between Sections 7 & 18. Va 13. 30 East
40.34	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.34	the corr to Sections 7. 8. 17 & 18
	Land rolling prairie
	Soil 2d rate

Township 3 N Range 32 W 6th Pm

Chains	
	North Between Sections 7 & 8 Va 13. 30' East
37.50	Bdry navn cross N E
40.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for corr to Sections 6. 7 & 8
	Land Rolling prairie
	Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 6 & 8. Va 13° 30' East
40 00	Set post for Temporary qr Sec cor
46 70	varn course N E
65 93	cross varn " N E
80 55	Intersect N & S Line 5 4 lks. S of post corr to Sections 4. 5. 8 & 9. From which corr B bears S 89° 37' W on a true line between Sections 5 & 8 Va 13° 30' East
40 27½	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80 55	The corr to sections 5. 6. 7 & 8. Land Broken prairie Soil good

Township 3 N Range 32 W 6th PM

	West on a random line Between Sections 6 & 7. Va 13° 30' East
24 30	varn course N W
40 00	Set post for Temporary qr Sections cor
63 70	varn course N E
80 79	Intersect west Boundary of Township 4 Guide Meridian 73 lks. South of post corner to Sections 6 & 7. From which corr B bears S 89° 29' East on a true line Between Sections 6 & 7. Va 13° 30' East
40 79	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80 79	The corr to Sections 5. 6. 7 & 8. Land rolling prairie Soil good

Township 3 N Range 32 W 6th PM

Chains	
	North on a random line Between Sections 5 & 6. Va 13 30' East.
27.60	Cross. ranno cross Ne
40.00	Set post for Temporary Qr Sec Cor
69.75	Small ranno cross W
81.19	Intersect N Boundary of Township 14 the West of- post Comm to Sections 5 & 6. from which Comm Ranno South 6 Links, West and a tree Line between Sections 5 & 6. Va 13 30' East
41.19	Set post deposited charcoal Stake raised Mound of Earth with pits as per Instructions for Qr Sec Cor
81.19	the Comm to Sections 5. 6. 7 & 8

Land Broken & Hilly

Surd B' rule

Sept. 12 1872

Meanders of the Right-Bank of the Republican river through the township

Viz

Begin at the comm to Fractional Sections 6. and 31. in the South Boundary of the Township and on the right-d South Bank of the republican river and run downstream with the Meanders of the right-Bank of said river to Fractional Sections as follows

Courses	Distances	
N 25° E	30.00	at 8.00 chs lower End of Island Bears N 84° W
N 56 1/2 E	10.00	Distant 4.81 chs.
due E	7.30	
S 43 1/2 E	11.50	
S 62. E	18.00	to the Comm to Fractional Sections 31 & 32. Thence sub Section 32
S 70 1/2 E	9.00	
N 78 E	10.00	
N 63 1/2 E	17.10	
N 41 E	42.50	at 10.40 cross Bayou 60 lks. Wide
N 43 1/2 E	28.20	to the Comm to Fractional Sections 32 & 33

Continued Meanders of the right Bank of the Republican river

Down Stream

Course		
	Thence into Section 33.	
N 60° E	9.14	— to the corr to fractional Sections 33 & 28.
4		
	Chs	Thence into Section 28.
N 70° E	11.00	
N 57 E	12.00	
N 79 E	11.10	
N 68. 1/4 E	26.04	
N 76 1/4 E	7.30	
due E.	10.9	— to the corr to fractional Sections 27 & 28
5		
	Thence into Section 27.	
S 81 1/2 E	10.96	
N 84 E	38.20	
N 73 1/2 E	20.00	
N 71 E	12.00	— to the corr to fractional Sections 26 & 27 Thence into Section 26.
6		
N 88° E	16.14	
N 53 E	10.50	
N 22 E	24.00	
N 72 E	10.00	
S 82 E	10.00	
S 77 E	22.73	— to the corr to fractional
7		

Meanders of the right Bank of the Republican River

Continued.

Down Stream

	Sections 25 & 26.
	Thence into Section 25
S 76° E	31.10
S 89 E	21.10
N 71 1/4 E	30,52 — to the corr to fractional Sections 25 & 30. on the range line and 64. 25 chs N of the corr to Sections 25. & 36.
8	
	30 & 31.

Land along Right Bank of the Republican river is level Sandy Soil Small part subject to Inundation Some Cottonwood Timber & Under Growth of Willow

Sept 13th 1872

Township 3 N Range 32 W 6th PM

Chains

as I cannot find a Meander corner on Left Bank of Republican river I Begin at the corner to Sections 24 & 25 which Stands on the Bank of a Channel of the republican river 25 lks distant from Edge of water (at Present) and Meander up Stream with the Meanders of the Left Bank of the river six fractional Sections 25 as follows

Course	Distance	
S 63° ½ W	15.00	
S 66 ¼ W	17.14	— to head of Island (chain over) 3.74 lks
S 88 W	8.00	
N 87 W	12.00	
N 75 ½ W	32.41	— to The corner to fractional Sections 25 and 26. Thence into Section 26.
S 87° ½ W	10.00	
N 81 ½ W	12.00	
N 79. W	10.00	
N 89° W	5.00	
S 75° W	10.02	
S 54 W	9.00	

Meanders of the left Bank of the Republican river through the Township

(Courses	Distance)	
S 20° W	14.00	
S 31 ½ W	10.00	
S 42 ½ W	5.00	
due W 11	11.60	— to the corner to fractional Sections 26 & 27 Thence into Section 27.
S 78° W	24.50	
S 82 ½ W	8.00	
S 81 W	34.10	
N 89. W	7.00	
N 67 W 12	8.20	— to The corner to fractional Sections 27 & 28. Thence into Section 28.
S 79 W	17.50	
S 69. W	28.75	
S 73 W	13.00	
S 62 ½ W 13	30 17	— to the corner to fractional Sections 28 & 29 thence into Section 29.
S 56 ½ W 14	7.69	— to the corner to fractional Sections 29 & 32 Thence into Section 32

Township 3 N Range 32 W 6th PM

Courses	Distances	Meanderings of the left Bank of the Republican river through the Township.
		— into Section 32
S 46° W	27.60	
S 37½ W	26.40	
S 46. W	15.00	
S 63 W	10.00	
S 78 W	10.50	
N 84 ½ W	10.00	— to the corner to fractional Sections 31 and 32.
	15	Thence into Section 31.
N 55¼ W	9.25	
N 50 W	15.50	
N 71 ½ W	8.00	
S 81 W	8.00	
S 57 ½ W	14.00	
S 28 ½ W	12.70	
S 34 ½ W	26.60	— 14.00 chains due East to
	16	Intersect
		4.31 cross Island

Note— Whitewater Fork of the Republican River not being 2.00 chains continuous right angle Meander is therefore not Meandered—

General Remarks.

This Township is well Watered By the Republican River in the South and The Whitewater Fork in the the North east part of the Township.

Scaling Timber along the Republican river on the North Bank

no Timber along the Whitewater Fork of the Republican River

Soil good 3d Quality. white in Bottoms Sandy 2d rate

68 N
Com

cause

S 46°
S 37½
S 46.
S 63
S 78
S 84

S
S
S
S
S
S
S
S
S
S
S
S
S
S
S

N 0
N 5
N 71
S 81
S 57
S 28
S 34

List of Names

A list of Names of the Individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No 31 of the Base line of Range No 33 W of the 6th PM

Showing the respective capacities in which they acted

Frank H Parsons } Chainmen
Nathaniel Wilson }
Amos Bennett } Markmen
E W King }

We hereby certify that We
Assist Thomas J. Miller Deputy Sur-
veyor and Subdivide my Township
No 3 N of the Base line of Kearney
No 22 N 6th P.M. in Nebraska
We that said Township has been all
respect to the best of Our Knowledge
and Belief well and faithfully Surveyed
and the boundary Meanders planted
according to the Instructions given
by the Surveyor General

Thomas J. Miller Deputy
Surveyor and Notary Public
for the purpose of a plat contain-
ing the Survey of Thomas J. Miller & Hay Masons
Contract Dated the 20th day of
June 1872

I do hereby Certify that I truly and
Carefully Surveyed in Strict con-
formity with the Instructions given
by the Surveyor General the Surveys
made and the Laws of the United States
Surveys all those portions of Township
No 3 N of the Base line of
Kearney to 22 N 6th P.M as
are represented in the foregoing
Plat Notes as being subdivided and
that any Corrections that I
have to make
And do Solemnly Swear
that all the corners of said
Surveys have been established
and perpetuated in Strict
accordance with the Surveys Made

Subscribed and Sworn to
before me a Notary Public
in and for Sanders County Nebraska
this 28th day of September 1872

Thomas J. Miller
Deputy Surveyor
Notary Public

Surveyor Generals Office
Plattsmouth Mch 10th 1873

The foregoing field notes of the survey
and subdivision of Township No 3
North of Base line Range No 32 West of
the 6th Principle Meridian in the State
of Nebraska Executed By Thomas
J. Miles under Joint contract
No 57 with Thomas J. Miles
and H. H. Reames on June 1872
is the month of June 1872
having been critically Examined the
Necessary Corrections and Explanations
made the said Field Note and the
Survey they describe are hereby
Approved

E. E. Cunningham
Surveyor General

I

Special Instructions

Heretofore the foregoing are to
be an Original field notes
of Such Survey.

Subscribed by Said T J Miles
& July Surveyor and Sworn to before
me a Notary Public in and for
Sanders county Nebraska
this 18 Day of September 1872.

A Marble
Notary Public

Index

Town 4 N Range 32 W

6	5 61	4 44	3 35	2 22	1 11	
61 7	58 8	42 9	31 10	20 11	9 12	
17 18	16 17 55	41 16	30 15 29	19 14 18	8 13 7	
64 19	63 32 20	21 38	28 22 37	17 23 16	24 5	
5 30	50 49 29	27 28	27 27 26	15 26 14	4 25 3	
48 31	46 45 32	35 34 33	24 34 23	13 35 12	2 1 36	

Township 4 N Range 32 W 6th PM

Field Notes

of

Survey and Subdivision

of

Township No 4 North of the Base Line

of

Range No 32 West of the 6th PM

in Nebraska

Executed by Thomas J Mitchell Deputy

Surveyor in pursuance of contract made

in H C Rasmus & T J Mitchell

in pursuance of instructions from E E

Cunningham Surveyor General for

Iowa & Nebraska

bearing date June 26th 1872

List of Names, & Assistants

F M Parsons
Nathaniel Wilson
Amos Burnett
A W King
} Chainmen

Survey Commenced Sept 14 1872

" completed " 20 1872

Township 4 N Range 32 W 6th PM

Chains

To determine the proper adjustments of My Compass for Subdividing this Township I Commence at the comm to Townships 3 & 4 N of Ranges 31 & 32 West of the 6th PM. and run North along the East Boundary of Sections 31. Va 13.35 East-

37.88 to gr Sec cor

79.74 to Sections comm to Sections 25. & 36.

Therefore My compass is in Adjustments

Subdivision Commenced

Commenced

Sept 14 1872

Township 4 N Range 32 W 6th PM

Chains

North between Sections 35 & 36 Va 13.35 East

40.00 Set post deposited stones Stake raised mound of Earth with pits as per Instructions for gr Sec cor

57.00 Cross range comm S.E.

80.00 Set post deposited stones Stake raised mound of Earth with pits as per Instructions for comm to Sections 25. 26. 35 & 36.

Land North part Bluffy

Land in Swpt rem Bottom

Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 25 & 36 Va 13° 35' East
40.00	Set post & pit for temporary qr Sec cor
80.10	Intersect East Boundary of Township 8 lks South of post corner to Sections 25 & 36 from which corner bears S 89° 57' W. on a true line between Sections 25 & 36 Va 13° 35' East-
40.05	Set post & pit deposited charcoal Stake raised mound of Earth with pit as per Instructions for qr Sec cor
80.10	The corner to Sections 25. 26. 35 & 36. Land Limit Soil 2d rate

Township 4 N Range 33 W 6th PM

Chains	
	North Between Sections 25 & 26 Va 13° 35' East
40.00	Set post & pit deposited charcoal Stake raised mound of Earth with pit as per Instructions for qr Sec cor
80.00	Set post & pit deposited charcoal Stake raised mound of Earth with pit as per Instructions for corner to Sections 23. 24. 25 & 26

Land level
Soil 2d rate

Township 4 S Range 33 W 6th PM

Chains	
	East on a random line between Sections 24 & 25 Va 13 30 East
40.00	Set post for temporary qr Section corner
79.94	Intersect East Boundary of Township 4 S. R 33 W of Post Comm to Sections 23 & 24 from which corner I run N 89° 54 W. on a true line between Sections 24 & 25. Va 13 30 East
39.97	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.94	The corner to Sections 23. 24. 25 & 26.

Land Level

Soil 3d rate

Township 3 S Range 33 W 6th PM

Chains	
	North Between Sections 23 & 24 Va 13 30 East
40.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for qr Sec cor
81.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for Corner to Sections 13. 14. 23 & 24

Land rolling prairie

Soil 2d rate

4

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 13 & 24 Va 13° 35' East
40.00	Set post ~~Deposited Stone~~ by temporary or Meander
80.16	Intersect East Boundary of Township 10 links North of post corner to Sections 13 & 24. From which corner Iron N 89° 66' W. on a true line between Sections 13 & 24 Va 13° 35' East
40.08	Set post deposited Stone Stake raised mound of Earth with pits as per Instructions for Gp Sec cor
80.16	the corner to Sections 13. 14. 23 & 24

Land Rolling prone
Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 13 & 14 Va 13° 35' East
40.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for Gp Sec cor
80.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for corner to Sections 11, 12, 13 & 14

Land Rolling
Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 12 & 13 va 13°35' East
40.00	Set post for temporary qr Sections cor
79.96	Intersect East Boundary of Township 15 lks. W of post corner to Sections 12 & 13 from which corner Bears N 89°54' W on a true line between Sections 12 & 13 Va 13°35' East
39.98	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.96	the corner to Sections 11. 12. 13 & 14

Land rolling
Soil 2nd rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 11 & 12. Va 13°35' East
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for corner to Sections 1. 2. 11 & 12.

Land Rolling prairie
Soil 2nd rate

Township 21 N. Range 32 W. 6th P.M.

Chains	
	East on a random line Between Sections 11. 12 Va 13° 30' East to temporary or meander
40.00	Set post ~~deposited stones~~
79.86	Intersect East Boundary of Township 13 lks. North of post comm to Sections 1 & 12 From which comr runs N 89° 54' W. on a true line between Sections 1 & 12 Va 13° 35' East
39.93	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for gr Sec Cor
79.86	The comr to Sections 1. 2. 11. & 12

Land Rolling prairie

Soil 3d rate

Township 4 N. Range 32 W. 6th P.M.

Chains	
	North on a true line Between Sections 1 & 2. Va 13° 35' East
40.00	Set post deposited stones Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
73.00	Dry Creek. runs S E
78.50	Intersect 1st Standard Parallel. 70 lks. West of post comrs Township 5 North Ranges. 31 & 32 West Whence set post deposited stones Stake raised Mound of Earth with pits as per Instructions for closing Comr to Sections 1 & 2. Town 5 N. R 32 West

Land Rolling prairie

Soil 3d rate

Sept 14 1872

Township 4 N Range 32 W 6th PM

Chains	North Between Sections 34 & 35 — Va 13 35' E
35.00	Top of Bluffs. Cross Sec & ir W
40.00	Set post depressed mound Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.00	Set post depressed mound Stake raised mound of Earth with pits as per Instructions for Meander & Sections 26 & 27 34 & 35 — Land Hilly Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	East on a random line Between Sections 35 & 26 Va 13 36' East
40.00	Set post for temporary gr Sec cor
80.12	Intersect N & S line 8 lks South of post corr to Sections 25 26, 35 & 36 from which corr Bears S 89° 57' West on a true line between Sections 26 & 35 — Va 13 35' East
40.06	Set post depressed Mound Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.12	The corr to Sections 26 27 34 & 35 — Land East in Level West part Hilly Soil 2d Rate

Township 4 N Range 32 W 6th PM

Chains	North Between Sections 26 & 27 Va 13 35' East
40.00	Set post deposited chmd Stake raised mnd of Earth mk pits as per Instructns for Gr Surv
80.00	Set post deposited chmd Stake raised mnd of Earth mk pits as per Instructns for corr to Sections 22, 23, 26 & 27
	Land Broken
	Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	East on a random line between Sections 26 & 23 Va 13° 35' East
40.00	Set post for Temporary Gr Sec Cor
79.98	Intersect N & S line 14 lks North of post corr to Sections 23 24 26 & 26. From which corr Pine N 89° 54' W. on a true line between Sections 23 & 26 Va 13 35 East
39.99	Set post deposited chmd Stake raised mnd of Earth mk pits as per Instructns for Gr Surv
79.98	the corr to Sections 22 23, 26 & 27 Land Hilly
	Soil 2d rate

Township 4 N Range 22 W 6th P.M.

Chains	
	North Between Sections 22 & 23 Va 13 3/5 - East
40.00	Set post deposited thereat Stake raised Mound of Earth with pits as per Instructions pr gr Sec Cr
80.00	Set post deposited thereat Stake raised Mound of Earth with pits as per Instructions pr comm to Sections 14. 15. 22 & 23. Land Hilly Soil 3d rate

Township 4 N Range 22 W 6th P.M.

Chains	
	East on a random line Between Sections 14 & 23 Va 13 35 - East
40.00	Set post ~~for temporary or permanent corner~~ ~~Stake raised Mound of~~
79.90	Intersect North Boundary of South line 18 lks N of post comm to sections 13 14. 23 & 24. from which comm Pine N 89. 52 W on a true line between sections 14 & 23 Va 13 35 - East
39.95	Set post deposited thereat Stake raised mound of Earth with pits as per Instructions pr gr Sec Cr
79.90	The comm to Sections 14. 15. 22 & 23. Land Rolling prairie Soil 3d rate

Township 4 N Range 32 W 6th PM

Chains	North Between Sections 14 & 15 Va 13°35' East
40.00	Set post deposited mound Stake raised mound of Earth with pits as per Instructions for qr sec cor
80.00	Set post deposited mound Stake raised mound of Earth with pits as per Instructions for corner to Sections 10. 11. 14 & 15

Land rolling
Soil 3d rate

Township 4 N Range 32 W 6th PM

Chains	East on a random line Between Sections 11 & 14 Va 13°35' East
40.00	Set post for Temporary qr sec cor
79.82	Intersect N & S line 14 chs West of post Corr to Sections 11 & 12, 13, & 14, From which corr Bears N 89°54' West on a true line between Sections 11 & 14 Va 13°35' East
39.91	Set post deposited mound Stake raised mound of Earth with pits as per Instructions for qr sec cor
79.82	The corr to Sections Sections 10. 11. 14 & 15 Land rolling Soil 3d rate

Township 4 S Range 32 W 6th PM

Chains	North Between Sections 10 & 11 Va 13° 35' East
40.00	Set post deposited chmrd Stake raised mound of Earth with pits as per Instructions pr qr Sec cor
80.00	Set post deposited chmrd Stake raised mound of Earth with pits as per Instructions pr cmr to Sections 2, 3, 10 & 11 Land rolling prairie Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	East on a random line between Sections 2 & 11 Va 13° 35' East
40.00	Set post for Temporary qr Sec cor
79.94	Intersect S & S line 20 lks. North of post cmr to Sections 1, 2, 11 & 12. from which cmr S cmr N 89° 35' W on a true line between Sections 2 & 11 Va 13° 35' East
39.97	Set post deposited chmrd Stake raised mound of Earth with pits as per Instructions pr qr Sec cor
79.94	The cmr to Sections 2, 3, 10 & 11. Land rolling Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	North on a True line between Sections 27 & 34 Va 13.30 East
40.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Cor to Sec 27
78.65	Intersect 1st Standard Parallel 75 lks West of post Standard corner to Sections 35 & 36 T. 5 N. R 32 W. when I set post deposited charred Stake raised mound of Earth with pits as per Instructions for Crossing corner to Sections 27 & 34 T 4 S. R. 32 W
	Land Rolling
	Soil 2d rate

Sept 16th 1872

Township 4 S Range 32 W 6th PM

Chains	
	North Between Sections 33 & 34 Va 13.35 East
36.05	Intersect South & Right Bank White Mans Fork Main Across. Width of river 6.26 chs to Sec cor Comm on river corner to be established
40.00	W Sec cor Comm on river corner to be established
42.31	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Witness to W or Sec cor to Sections 33 & 34 on left bank of River 2.31 chs S of point for W or Sec cor on river
77.75	Enter Bluffs W & Sc
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for Cor to Sections 27, 28, 33 & 34
	Land Bottom & Bluffs
	Soil 2d rate

Township 4 N Range 32 W 6th P M

Chains	
	East on a random line between Sections 34 & 27 Va 13° 35' East
40.00	Set post for mile pray qr Sec cor
80.10	Inlaid 4 pr S iron & Stone Mark & post corr to Sections 26. 27. 34 & 35 — from which corr bears North 89° 57' W mon line between Sections 34 & 27 — Va 13° 35' East
40.03 —	Set post depositid chomd Stake raised mound of Earth mk pits as per Instructions for qr Sec cor
80.10	The corr to Sections 27. 28. 33 & 34

Land Level.

Soil 2d rate

Township 4 N Range 32 W 6th P M

Chains	
	North between Sections 27 & 28 Va 13° 35' East
40.00	Set post depositid chomd Stake raised mound of Earth mk pits as per Instructions for qr Sec cor
80.00	Set post depositid chomd Stake raisid mound of Earth mk pits as per Instructions for corr to Sections 21. 22. 27 & 28

Land Level

Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	East on a correction line Between Sections 22 & 23 Va 13° 35' East
40.00	Set post for temporary qr Sec cor
80.16	Intersect S & S line 12. links North of post corner to Sections 22, 23, 26 & 27. From which corner Bears N 89° 55' West on a true line between Sections 22 & 27 Va 13° 35' East
40.08	Set post Deposited Stone Stake raised mound of Earth mk pits as per Instructions for qr Sec cor
80.16	The corner to Sections 21 22. 27 & 28

Land Rolling prairie

Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	North Between Sections 21 & 22 Va 13 35 East
23.00	Range Corner S W
27.60	Range " S W
40.00	Set post deposited stone Stake raised mound of Earth mk pits as per Instructions for qr Sec cor
63.00	Range Corner S W
74.00	" " S W
80.00	Set post deposited stone Stake raised mound of Earth mk pits as per Instructions for Corner to Sections 15. 16. 21 & 22

Land Broken

Soil 2d rate

Township 4 S Range 22 W. 6th P.M.

Chains	
	East on a random line between Sections 15 & 22 Va 13.35 East
7.66	Range corner S.W.
18.40	" " S.W.
40.00	Set post for temporary gr Sec cor
79.86	Intersect N. & S. line 22 lks. South of post corner to sections 14 15. 22. & 23. from which corner bears ~~South of post~~ S 89.51 W on a bearing ~~Line~~ 15 links ~~Corner~~ ~~Sections~~ 13 & 35
39.93	Set post Depression Mound Stake raised mound of Earth with pits as per Instructions for gr Sec cor
79.86	the corner to Sections 15. 16. 21922 Land Broken Soil 3d rate

Township 3 S Range 22 W. 6th P.M.

Chains	
	North between Sections 15 & 16 Va 13.35 East
40.00	Set post Depression Mound Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.00	Set post Depression Mound Stake raised mound of Earth with pits as per Instructions for corner to Sections 9. 10. 15 & 16. Land Broken Soil 3d rate

Township 4 N Range 32 W 6th P M

Chains	
	East on a random line between Sections 10 & 15 - Va 13° 35' East -
40.00	Set post for temporary gr Sec cor
79.90	Intersect N & S line 37 lks South of post Comr to Sections 10, 11, 14 & 15 - from which Comr bears S 89° 44' West on a true line between Sections 10 & 15 - Va 13° 35' East -
3995	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for gr Sec cor
79.90	The Comr to Sections 9, 10 & 15 & 16. Land Rolling prairie Soil 3d rate

Township 4 N Range 32 W 6th P M

Chains	
	North between Sections 9 & 10 Va 13 3/5 East -
40.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for gr Sec cor
80.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for Comr to Sections 3, 4, 9 & 10 Land Rolling prairie Soil 3d rate

Township 3 N Range 32 W 6th PM

Chains	
	East on a random line between Sections 3 & 10 Va 13° 35' East
40.00	Set post for temporary quarter corner
79.76	Instrument N & S Chain 34 lks West of post corn to Sections 2 3. 10 & 11 from which corn a tree bears S 89° 45' W on a true line between Sections 2 & 10 Va 13° 35' East
39.88	Set post deposited Charred Stake raised mound of Earth with pits as per Instructions for quarter corner
79.76	The corn to Sections 3 4. 9 & 10

Land Rolling prairie

Soil 2nd rate

Township 4 N Range 32 W 6th PM

Chains	
	North on a true line between Sections 3 & 4 Va 13° 35' East
40.00	Set post deposited Charred Stake raised mound of Earth with pits as per Instructions for quarter corner
78.45	Instrument 1st Standard Parallel N 50 lks West of Standard corn to Sections 3 & 4 & 33 & 34 Towns. & R Range 32 W 6th PM Where set post deposited Charred Stake raised Mound of Earth with pits as per Instructions for closing corner to Sections 3 & 4. T 4 N R 32 W

Land Line prairie

Soil 3rd rate

Sept 17th 1872

Township 4 N Range 32 W 6th PM.

Chains	North Between Sections 32 & 33. Va 13° 35' East
10.00	Calm River Bottom bears S E & NW
11.00	Set post & pile & mound of Stake raised mound of Earth with pits as per Instructions for Cor
71.50	Calm 2d Bottom bears E & W
80.00	Set post & pile & mound Stake raised mound of Earth with pits as per Instructions for Corner to Sections 28 29. 32 & 33 Land Level Bottom
	Soil Sandy & mute

Township 4 N Range 32 W 6th PM

Chains	East on a random line between Sections 28 & 33 Va 13° 35' East
19.80	Intersect N & Right Bank of Whitewater Fork River being shallow about across. Width of bed of river 4.90 chs on line
40.00	Set post & pile & mound for Temporary Quarter Cor
79.96	Intersect N & Slough 15 lks N of post corner to Sections 27 28 33 & 34 from which corner a Tree 6 ins in diameter bears N 89° 54' West on a true line between Sections 28 & 33 Va 13° 36' East
39.98	Set post & pile & mound Stake raised mound of Earth with pits as per Instructions for Quarter Sec Cor
79.96	The corner to Sections 28, 29, 32 & 33. Land Level Soil Sandy & mute

Township 4 N Range 32 W. P.M.

Chains	
	North Between Sections 28 & 29. Va 13° 35' East
22.75	Enlisure South & Right Bank White Mans Fork river being Shallow chain across.
	Width of bed of river 5.22 lks wide
27.97	North & left Bank of White Mans Fork
40.00	Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for gr sec cor
47.00	Enter Bluff Bears N W & S E
80.00	Set post deposited Mound Stake raised Mound of Earth with pits as per Instructions for corr to Sections 20, 21, 28 & 29 Land Level Level with post Bluff Soil 2d rate

Township 4 N Range 33 W. P.M.

Chains	
	East on a random line between Sections 21 & 28. Va 13° 35' East
16.00	Range Cross S.
33.50	" " S W
40.00	Set post for temporary qr Sec cor
45.50	Range Cross S W
59.00	" " S W
80.10	Enlisure N and S Line 12 lks North of post Corn to Sections 21, 22, 27 & 28.
	from which Corn A Pine N 89° 55' West on a true Line between Sections 21 & 28 Va 13° 35' East
40.05	Set post deposited Mound Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
80.10	The Corn to Sections 20, 21, 28 & 29 Land Broken Soil 3d rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 20 & 21. Va 13° 35' East
13.50	High rolling prairie
40.00	Set post & pit & mound & stake raised mound of Earth with pits as per Instructions for qr Sec cor
53.00	Enter Dry Dwail
89.00	Leave Dry Dwail
80.00	Set post & pit & mound & stake raised mound of Earth with pits as per Instructions for corner to Sections 16, 17, 20 & 21. Land High rolling Green Soil 3d rate

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 16 & 21 Va 13° 35' East
39.00	Ravine course S.
40.00	Set post for temporary qr Sec cor
79.90	Intersect N & S line 20 lks. W of post corr to Sections 15, 16 21 & 22. from which corr A pine N 89° 51' W on a true line between Sections 16 & 21. Va 13° 35'
3.95	Set post & pit & mound & stake raised mound of Earth with pits as per Instructions for qr Sec cor
7.90	the corr to Sections 16, 17, 20 & 21 Land Broken Soil 3d rate

Township 4 S Range 32 W 6th PM

Chains	
	North Between Sections 16 & 17
	Va 13° 35' East
40.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for
	cor sec
80.00	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for corner to Sections 8. 9. 16 & 17.

Land Rolling
Soil Gravel

Township 4 S Range 32 W 6th PM

Chains	
	East on a random line Between Sections 9 & 16.
	Va 13° 35' East
40.00	Set post for Temporary
	cor sec
80.16	Intersect S & S line 38 lks North of Post. corner to Sections 9. 10. 15 & 16. from which corner bears S 89° 44' W on a true line between Sections 9 & 16.
	Va 13° 35' East
40.08	Set post deposited stone Stake raised mound of Earth with pits as per Instructions for
	cor sec
80.16	The corner to Sections 8. 9. 16 & 17

Land Rolling
Soil Gravel

Township 4 N Range 32 W 6th PM

Chains	North Between Sections 8 & 9
	Va 13° 35' East
40.00	Set post & deposited thereon Stake raised mound of Earth with pits as per Instructions for Gr Surveyor
80.00	Set post & deposited thereon Stake raised mound of Earth with pits as per Instructions for Corner to Sections 4, 5, 8 & 9
	Land Lost
	Fell 2 chains

Township 4 N Range 32 W 6th PM

Chains	East on a random line Between Sections 4 & 9. Va 13° 35' East
40.00	Set post for Temporary Gr Surveyor
80.20	Intersect N & S line 60 lks. West of Post Corner to Sections 3, 4, 9 & 10. From which corner bears N 89° 39' W on a true line between Sections 4 & 9. Va 13° 35' East
40.10	Set post & deposited thereon Stake raised mound of Earth with pits as per
80.20	The corner to Sections 4, 5, 8 & 9 Found Rolling Fell 2 chains

Township 4 S Range 32 W 6th PM

Chains	
	North on a true line between Sections 4 & 5 Va 13 35 - East
40.00	Set post deposited charred Stake raised mound of Earth with pit as per Instructions for gr Sec cor
79.00	Intersect 1st Standard Parallel 40 lks West of Standard corner to Sections 33 & 34 T. 5 S. & R. 32 W. plant & set post deposited charred Stake raised Mound of Earth with pit as per Instuctions for closing corner to Section 4 & 5. T. 4 S. & R 32 W.
	Land Rolling prairie
	Soil 3d rate
	Sept 18th 1872

Township 4 S Range 32 W 6th PM

Chains	
	North between Sections 31 & 32 Va 13 35 - East
40.00	Set post deposited charred Stake raised mound of Earth with pit as per Instructions for gr Sec cor
69.70	to high Bottom bears S 2 & W
78.50	Enter Low Bottom S. E & W
80.00	Set post deposited charred Stake raised Mound of Earth with pit as per Instructions for corner to Sections 29. 30 31. & 32
	Land S of part Rolling & part Broken
	Soil Sandy 3d rate

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 29 & 32 Va 13° 30' East
13.00	Intersect South Right Bank of Whitemans Fork cross SE Main across. Width of river 10.30 Chs
23.30	Intersect South & Left Bank of Whitemans Fork. cross S 80° E
40.00	Set post for Temporary QP Sec cor
52.63	Intersect North & Left Bank of Whitemans Fork cross N 80° E river being Shallow & Main across Width of river bed 6.67 Links
59.30	Intersect South & Right Bank of the Whitemans Fork cross N 60° E
79.90	Intersect N & S line 10 lks North of post comm to Sections 28. 29. 32 & 33 from which comm a tree N 89° 56' W on a line

Township 4 N Range 32 W 6th PM

Chains	
	Line Between Sections 29 & 32. Va 13° 30' East
39.95	Set post deposited Stone Stake raised mound of Earth with pits as per Instructions for QP Sec cor
79.90	The cor to Sections 29. 30. 31. & 32.

Land Level Better

Soil Sandy & Gravelly

Township 4 N Range 32 W 6th PM

Chains	
	West on a random line between Sections 30 & 31 Va 13° 35' East
32.50	Enter Bluffs. N 80° W & SE
40.00	Set post for Temporary QP Sec cor
80.40	Intersect North Guide Meridian 15 Links West of Comm to Sections 30 & 31. From which comm I run S 89° 54' East on a true line Between Sections 30 & 31. Va 13° 35' East
40.40	Set post deposited Charred Stake raised Mound of Earth with pits as per Instructions for QP Sec cor
80.40	The comm to Sections 29.30 31 & 32 Land East part Broken West part Hilly Soil 3rd rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 29 & 30 Va 13° 35' East
39.00	Intersect S & Right Bank of Whitemans Fork a Cottonwood Stump 12. inch dia and 10. feet High whict I mark for witness comm to QP Sec cor Which falls in bed of river and cannot be Established One chain South of the point River being Shallow & clear across mdle of. River 4.00 chs
4.00	QP Sec cor in river cannot be Established witness comm 1 chs South & 43.00 West Left Bank of Whitemans Fork
80.00	Set post deposited charred Stake raised mound of Earth with pits as per Instructions for comm to Sections 19.20.29 & 30
	Land Level Between Soil 3rd rate

Township 4 S Range 32 W 6th PM

Chains	
	East on a random line Between Sections 20 & 29 Va 13° 30' East
20.00	High rolling prairie SE
40.00	Set post & pr temporary qr Sec cr
79.76	Intersect N & S line 32 links North of Post cor to Sections 20. 21 28 & 29 from which cor A bears N 89° 46' West on a true line between Sections 20 & 29 Va 13° 35' East
39.88	Set post deposited charred Stake raised mound of Earth mkd pits as per Instructions for qr Sec cor
79.76	The cor to Sections 19. 20. 29 & 30. Land High prairie Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	West on a random line Between Sections 19 & 30 Va 13° 25' East
3.00	Karst course S
40.00	Set post for temporary qr Sec cor
80.25	Intersect Fourth Guide Meridian 27 lks North of post cor to Sections 19 & 30 from which cor A bears N 89° 48' East on a true line Between Sections 19 & 30 Va 13° 35' East
40.25	Set post deposited charred Stake raised mound of Earth mkd pits as per Instructions for qr Sec cor
80.25	The cor to Sections 19. 20. 29 & 30 Land Rolling Soil 2d rate

Township 4 N Range 33 W 6th PM

Chains	
	North Between Sections 19 & 20 Va 13° 35' East
40.00	Set post deposited Mound of Stake raised Mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited Mound Stake raised mound of Earth with pits as per Instructions for corn to Sections 17. 18. 19 & 20
	Land Rolling prov Soil 2d rate

Township 4 N Range 33 W 6th PM

Chains	
	East on a random line Between Sections 17 & 20 Va 13° 35' East
35.50	Range corse South
40.00	Set post for temporary qr Sec cor
79.84	Intersect N & S line 38 lks North of post corn to Sections 16. 17. 20. & 21. from which corn Bears N 89° 45' West on a True line between Sections 17 & 20 Va 13° 35' East
39.92	Set post deposited Mound Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.84	The corn to Sections 17. 18. 19 & 20
	Land Rolling Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	West on a random line between Sections 18 & 19 to a 1335 Ent
40.00	Set post for temporary qr Sec cor
79.94	Intersect Forks Guide Meridian 25 links North of post comr to Sections 18, 19 from which comr bears N 89° 49' East on a true line between Sections 18 & 19 to a 1335 Ent
39.94	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for qr Sec cor
79.94	The comr to Sections 17 18 19 & 20 Land Rolling Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 17 & 18 to a 1335 Ent
40.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for qr Sec cor
80.00	Set post deposited stones Stake raised mound of Earth with pits as per Instructions for comr to Sections 7. 8. 17. & 18. Land Rolling Soil 2d rate

Township 24 N Range 32 W 6th PM

Chains	
	East on a Random line Between Sections 8 & 17 Va 13° 35' East
40.00	Set post for temporary qr Sec cor
79.80	Intersect N & S line 20 lks West of post Comr to Sections 8. 9. 16 & 17 from which comr S 89° 51' W on a True line Between Sections 8 & 17 Va 13° 35' East
39.90	Set post Supposed Chained Stake found Mound of Earth with pits as per Instructions for qr Sec cor
79.80	the comr to Sections 7. 8. 17 & 18 Land Rolling prairie Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	West on a random line Between Sections 7 & 18 Va 13° 35' East
40.00	Set post for temporary qr Sec cor
79.80	Intersect North Bank Cache Creek 35 links. West of post Comr to Sections 7 & 18. from which comr Ash tree 4 89° 45' East on a True line Between Sections 7 & 18 Va 13° 36' East
39.80	Set post Supposed Chained Stake raised mound of Earth with pits as per Instructions for qr Sec cor.
79.80	the comr to Sections 7. 8. 17 & 18 Land Rolling prairie Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	North Between Sections 7 and 8 Va 13° 35' East
40.00	Set post & depositd charcoal Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
8.00	Set post & deposited charcoal Stake raised Mound of Earth with pits as per Instructions for comr to Sections 5. 6. 7 & 8
	Land rolling prairie
	Soil 2d rate

Township 4 N Range 32 W 6th PM

Chains	
	East on a random line Between Sections 5 & 8 Va 13° 35' East
40.00	Set post for temporary gr Sec cor
79.90	Intersect N one S line 40 lks North of Post comr to Sections 4. 5. 8 & 9. from which comr Bears N 89° 43' W on a true line Between Sections 5 & 8 Va 13° 35 East
39.95	Set post deposited charcoal Stake raised Mound of Earth with pits as per Instructions for gr Sec cor
79.90	the comr to Sections 5. 6. 7 & 8
	Land Rolling prairie
	Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	West on a random line Between Sections 6 & 7. Va 13° 35' East
40.00	Set post for Temporary QR Sec Cor
79.65	Intersect 4" Cottonwood 30 lks. North of post Comr to Sections 6 & 7. from which Comr Arm No 89° 47' East on a true line Between Sections 6 & 7. Va 13° 35' East
39.65	Set post dipped & chamfered Stake raised mound of Earth with pits as per Instructions for QR Sec Cor
79.65	The Comr to Sections 6, 7, 1 & 8.

Land Rolling prairie

Soil 2d rate

Township 4 S Range 32 W 6th PM

Chains	
	North on a true line Between Sections 5 & 6 Va 13° 35' East
40.00	Set post dipped & chamfered Stake raised mound of Earth with pits as per Instructions for QR Sec Cor
79.50	Intersect 1st Standard Parallel 29 lks West of post Standard Comr to Sections 32 & 33 T 6 S R 32 W from which set post dipped & chamfered stake raised mound of Earth with pits as per Instructions for closing Comr to Sections 5 & 6 T 4 S R 32 W

Land Rolling prairie

Soil 2d rate

Sept 19 1872

General Description

This Township is nearly
½ E part high rolling
prare Soil 2d & 3d rate

South West part Broken
with Ravines as
Represented in field notes

Whitemans Fork of
Republicem River Enters
West Bounday of Township
in Section 30 & leaves
S Bnday in Section 34.

Timber on Whitemans
Fork Bottom Sandy
Soil 2d rate.

List of Names

A List of Names of the Individuals employed to assist in running naming marking the Lines and corners described in the foregoing field notes of Township No. 47 N Range 32 W 6th PM

Showing the respective capacities in which they Acted

Frank A Nason } Chainmen
Nathan Wilcox }
Agnus Burnett } Marker
Cor King }

Whereby certify that we
assisted Thomas J Milner de-
puty Surveyor in Surveying a Subdi-
vision of the Base line
& Range No 32 W 6th PM
in Nebraska
And that said Township has been
run in all respects to the best of
our Knowledge and Belief
We faithfully surveyed the
Boundary Monuments planted accord-
to the Instructions furnished by the
Surveyor General

Witness
Edward M Bowen his mark
F M Rogers
N B Boyer
Clerk

Subscribed by the above named persons
before me a Notary Public this
18th day of September 1872

A Marble
Notary Public

I Thomas J Milner Deputy
Surveyor do Solemnly Swear that
in pursuance of a Joint Contract
between D J Miller & C Reams
& Joint contractors with
E E Cummings Surveyor General
for Nebraska & Iowa
Bearing date the 25th day of June
1872
I have well & faithfully &
truly Surveyed in my own proper
person & in strict conformity with
the Instructions furnished by the
Surveyor General the Surveying Manual
& the laws of the United States
Surveyed all those portions of
Township No 4 North of the Base line
&
Range No 32 west of the 6th PM
in Nebraska
as are represented
in the foregoing field notes
& have been Surveyed under
my Instructions

I do further Solemnly Swear that all the corners of said Surveys have been established & perpetuated in that accordance with the Surveying Orders and printed Instructions and that the foregoing are the true & Original Field work of said Survey.

Thomas J Milburn
Deputy Surveyor

Subscribed by said T J Milburn Deputy Surveyor & Sworn to before me a Notary Public for and in Saunders County Nebraska this 18th Day of September 1877

A Marble
Notary Public

Surveyor Generals Office
Plattsmouth March 10th 1873

The foregoing field Notes of the Survey and subdivision of Township No 4 North of Range No 12 West of the 6th Principal Meridian executed by Thomas J Milburn Deputy Surveyor under joint contract No 57 dated June 26th 1872. wherein Thomas J Milburn and E C Pearson are joint contractors up the month of September 1872. having been critically examined the necessary corrections and explanations made the plat & field Notes and the Survey they describe are hereby approved

E. E. Cummings
Surveyor General

General Land Office • Original Field Notes

Book Number

548

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.