General Land Office • Original Field Notes

Book Number

559

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 9 N. Range 33 W.

6	54	5	42	4	32	3	22	2	11	1
53		52		41		32		21		10
7	51	8	44	9	31	10	20	11	9	12
50		49		40		30		19		8
18	49	17	39	16	29	15	18	14	7	13
48		47		38		28		17		6
19	47	20	37	21	27	22	16	23	5	24
46		45		36		26		15		4
30	45	29	35	28	25	27	14	26	3	25
44		43		34		24		13		2
31	43	32	33	33	23	34	12	35	1	36

Contract No 43

T. 9 to 12 N
R 33 W

Sub-Township
No 9 North of Range
No 33 West of the
6th Meridian
State of Nebraska
Commenced July 28th 1871
Finished August 2nd 1871
By
William A. Dougherty
Deputy Surveyor

Township No 9 North Range No 33 West 6th Meridian

Names of Assistants

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser
H J Hawkins } Flagmen & [illegible]

~~North between sections~~

To determine the ~~corner of the East boundary of the Township~~ Proper adjustment of my compass for subdividing this township I commence at the corner of Townships 9 North Range 32 and 33 and run thence North on a blank line

Variation 14° East

39 95 fill 45 links west of 1/4 sec cor
79 93 fill 90 link west of sec cor

Therefore to retrace this line or run parallel thereto my compass must be adjusted to a variation of 13° 47' East

Township No 9 North Range

North between Sections
35 and 36
Variation 13° 30' East

40,00 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec cor
80,00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
25 26 35 and 36
Surface hilly
Soil 3rd Rate

No 33 West 6th Meridian

East on random line between
Sections 25 and 36
Variation 13° 30' East

40,00 Set temporary 1/4 Sec corner
80,74 Intersect East Boundary of Township
25 links North of post corner to
Sections 25 & 36 from which corner I run
N 89° 49' W on a true line
between sections 25 and 36
Variation 13° 30' East
40,07 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec cor
80,74 The corner of sections
25 26 35 and 36
Surface hilly
Soil 3rd Rate

Township No 9 North Range

North between sections
25 and 26
Variation 13° 30' East

40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
23 24 25 and 26
Surface hilly
Soil 3° Rate

No 33 West - 6th Principal

East on random line between
sections 24 and 25 -
Variation 13° 30' East

9.00 Enter Creek bottom bears N W & S E
11.25 Creek 20 links wide runs S E
31.00 Leave creek bottom bears
N W and S E swampy and
unfit for cultivation
40.00 Set temporary 1/4 Sec corner
79.90 Intersect ~~Township line~~ East boundary of Township at post
corner to sections 24 and 25 from which corner I run
West on a true line between
Sections 24 and 25
Variation 13° 30' East
39.95 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79.90 The corner of sections
23 24 25 and 26
Surface gently rolling
Soil 2° Rate

Township No 9 North Range 23 West - 6th Meridian

North between sections
23 and 24
Variation 13° 30' East -

13 00 Enter Creek bottom bears N W & S E
39 00 Creek 20 links wide runs S E
40 00 Set chained post as per instructions for 1/4 Sec corner
61 00 Leave Creek bottom bears N W & S E
Swampy and unfit for cultivation
80 00 Set chained post in mound of
Earth with pits as per instructions
for corner to sections
13 14 23 and 24
Surface gently rolling
Soil 1st Rate -

East on random line between
Sections 13 and 24
Variation 13° 30' East -

40 00 Set temporary 1/4 Sec corner
79 82 Intersect ~~R~~ East Boundary of Township 9 links
North of post corner to sections 13 and
24 from which corner I run
N 89° 52' W on a true line
between sections 13 and 24
Variation 13° 30' East -
39 91 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79 82 The corner of sections
13 14 23 and 24
Surface Rolling
Soil 3rd Rate -

Township No 9 North Range

North between sections
13 and 14
Variation 13° 30' East
40,00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80,00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
11 12 13 and 14
Surface Soil 3rd Rate

No 33 West 6th Meridian

East on random line between
sections 12 and 13
Variation 13° 30' East
40,00 ~~Set chained post in mound of Earth~~ temporary 1/4 Sec corner
~~with pits as per instructions~~
~~for 1/4 section corner~~
80,00 Intersect ~~Range line~~ East boundary 15 links
North of post corner to sections 12 and
13 from which corner I run
N 89° 54' W on a true line
between sections 12 and 13
Variation 13° 30' East
40,00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,00 The corner of sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

Township No. 9 North Range

North between sections
11 and 12
Variation 13° 15' East

4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
1 2 11 and 12
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on random line between
sections 1 and 12
Variation 13° 20' East

4000 Set temporary 1/4 Sec corner
80 26 Intersect ~~Range~~ East boundary of Township 46 links
North of post corner to sections 1 and
12 from which corner I and
N. 89° 40' W. on a true line
between sections 1 and 12
Variation 13° 20' East

4013 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

8026 The corner of sections
1 2 11 and 12
Surface rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

North on Random line between
Sections 1 and 2
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.00 Intersect ~~township line~~ North boundary of Township 18 links
East of post corner to sections 1
and 12 from which corner I run
S 8' E on a true line between
Sections 1 and 12
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 The corner of sections
1, 2, 11 and 12
Surface rolling
Soil 3rd Rate
July 28th 1871

North between sections
34 and 35
Variation 13° 30' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
26, 27, 34 and 35
Surface rolling
Soil 3rd Rate

Township No 9 North Range

East on random line between
Sections 26 and 35
Variation 13° 30' East
4000 Set temporary 1/4 Sec corner
8010 Intersect North and South line 33 links North of post corner to sections 26 and 35 from which corner I run N 89° 46' W on a true line between Sections 26 and 35
Variation 13° 30' East
4005 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
8010 The corner of sections
26 27 34 and 35
Surface rolling soil 3rd Rate

No 33 West 6th Meridian

North between sections
26 and 27
Variation 13° 15' East
4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
8000 Set chared post in mound of Earth with pits as per instructions for corner to sections
22 23 26 and 27
Surface hilly
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

East on random line between
Sections 23 and 26
Variation 13° 20' East
4000 Set temporary 1/4 sec corner
8042 Intersect North and South line 14
links South of post corner to sections
23 24 and 25 26 from which corner I mud
S 89° 54' W on a true line between
Sections 23 and 26
Variation 13° 20' East
4021 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
8042 The corner of sections
22 23 24 & 27
Surface hilly
Soil 3rd Rate

North between sections
22 and 23
Variation 13° 15' East
4000 Set chared post in mound of Earth
with pits as per instructions for
1/4 sec corner
8000 Set chared post in mound of Earth
with pits as per instructions
for corner to sections
14 15 22 and 23
Surface rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

East on random line between
Sections 14 and 23
Variation 13° 30' ~~Ea~~ East

34.00 Enter creek bottom bears N W & S E
40.00 Set temporary 1/4 sec cor
50.00 Creek 20 links wide runs S E
62.00 Leave creek bottom bears N W & S E
Swampy and unfit for cultivation
80.16 Intersect North and South line 32
links South of post corner to sections
13 14 23 and 24 from which corner I run
S 89° 46' W on a true line
between sections 14 and 23
Variation 13° 30' East
40.08 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
80.16 The corner of sections
14 15 22 and 23
Surface hilly
Soil B Rate

North between sections
14 and 15
Variation 13° 30' East

34.00 Enter creek bottom bears N W & S E
40.00 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
55.00 Creek 20 links wide runs S E
64.50 Leave creek bottom bears
N W & S E
80.00 Set chared post in mound of Earth
with pits as per instructions
for corner to sections
10 11 14 and 15.
Surface gently rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

East on random line between Sections 11 and 14
Variation 13° 30' East

4000 Set temporary 1/4 sec cor
8010 Intersect North and South line 7 links North of post corner to sections 11 12 13 and 14 from which corner I mud N 89° 57 W on a true line between sections 11 and 14
Variation 13° 30' East

4005 Set chased post in mound of Earth with pits as per instructions for 1/4 sec cor
8010 The corner of sections 10 11 14 and 15
Surface rolling
Soil 2nd Rate

North between Sections 10 and 11
Variation 13° 20' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner
8000 Set chased post in mound of Earth with pits as per instructions for corner to sections 2 3 10 and 11
Surface rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

East on random line between
Sections 2 and 11
Variation 13° 20' East

40.00 Set temporary 1/4 Sec corner
79.96 Intersect North and South line
at the corner of sections 1 2 11
and 12 from which corner I run
West on a true line between
sections 2 and 11
Variation 13° 50' 20' East

39.98 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec cor
79.96 The corner of sections
2 3 10 & 11
Surface hilly
Soil 3rd Rate

North on random line Sections
2 and 3
Variation 13° 20' East

40.00 Set temporary 1/4 Sec corner
80.33 Intersect North and South line 33
links East of post corner to sections
2 and 3 from which corner I run
S 13° E on a true line between
sections 2 and 3
Variation 13° 25' East

40.33 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.33 The corner of sections
2 3 10 and 11
Surface hilly
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

North between sections
33 and 34
Variation 13° 15' East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner

8000 Set chared post in mound of Earth with pits as per instructions for corner to sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate

East on random line between
Sections 27 and 34
Variation 13° 30' East

4000 Set temporary 1/4 sec corner

7984 Intersect North and south line 36 links North of post corner to sections 26 27 34 and 35 from which corner I run N 89° 45' W on a true line between sections 27 and 34
Variation 13° 30' East

3992 Set chaw post in mound of Earth with pits as per instructions for 1/4 sec corner

7984 The corner of sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate
July 29th 1871

Township No 9 North - Range 33 West - 6th Meridian

North between sections
27 and 28
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sec 21 22 27 and 28

Surface rolling
Soil 3rd Rate

East on random line between
sections 22 and 27
Variation 13° 26' East

40.00 Set temporary 1/4 Sec corner

79.96 Intersected North and South line 28 links South of post corner to sections 22. 23. 26 and 27 from which corner run S 89° 48' W on a true line between sections 22 and 27
Variation 13° ~~30~~ 20' East

39.98 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec cor

79.96 The corner of sections 21 22 27 and 28
Surface rolling
Soil 3rd Rate

Township No 9 North - Range No 33 West 6th Meridian

North between sections
21 and 22
Variation 13° 15' ~~East~~ East

40,00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,00 Set chained post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22

Surface rolling
Soil 3rd Rate

East on random line between
sections 15 and 22
Variation 13° 30' East

40,00 Set temporary 1/4 Sec corner

80,16 Intersect North and South line 30 links N of post corner to sections 14 15 22 and 23 from which corner I run N 89° 47' W on a true line between sections 15 and 22
Variation 13° 30' East

40,08 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,16 The corner of sections ~~9 10~~ 15 16 21 & 22
Surface rolling
Soil 3rd Rate

Township No 3 North Range

North between sections
15 and 16
Variation 13° 30' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
~~79.00 Enter creek bottom bears NW & SE~~
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on random line between
sections 10 and 15
Variation 13° 20' East

10.50 Enter creek bottom bears N W & S E
40.00 Set temporary 1/4 Sec corner
~~Enter creek bottom bears N W & S E~~
54.25 Creek 20 links wide Runs S E
70.50 Leave creek bottom ~~bears N W & S E~~
swampy & empty for cultivation.
80.22 Intersect North & South line 35 links
North of post corner to sections 10 11 14
and 15 from which corner I run
N 89° 45' W on a true line between
sections 10 and 15
Variation 13° 20' East
40.11 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.22 The corner of sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

North between sections
9 and 10
Variation 13° 20 East

~~475 Creek 20 links wide~~ runs S E
~~2850 Leave Creek bottom beans~~ N W x S E
~~dry and good for hay~~
4000 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
4200 Enter Creek bottom beans N W S E
8000 Set chased post in mound of Earth
with pits as per instructions
for corner to sections
3 4 9 & 10
Surface rolling
Soil 2nd Rate

East on Random line between sections
3 and 10
Variation 13° 20' East
1800 Leave creek bottom beans N W x S E
1000 creek 20 links wide Runs S E
4000 Set temporary 1/4 Sec corner
8016 Intersect North & South line 14 links North of post
corner to Sec 2 3 10 & 11 from which corner I run
N 89° 54' W on a true line between Sec 3 & 10
Variation 13° 20' East
4000 Set chased post in mound of Earth with pits as
per instructions for 1/4 Sec corner
8016 The corner of sections 3 4 9 & 10
Surface rolling soil 3° Rate

North on Random line between sections 3 & 4
Variation 13° 20' East
475 Creek 20 links wide runs S E
4000 Set temporary 1/4 Sec corner
2830 Leave Creek bottom beans N W & S E
8014 Intersect North Boundary Township line 29 links west of post
Corner to sections 3 and 4 from which corner I run
S 12' W on a true line between
Sections 3 and 4
Variation 13° 20' East
4014 Set chased post in mound of Earth
with pits as per instructions for 1/4 Sec cor
8014 The corner of sections
3 4 9 & 10
Surface rolling soil 3° Rate

Township No 9 North Range

North between sections
32 and 33
Variation 13° 20' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 28
29 32 and 33
Surface rolling 2nd
Soil 2nd Rate

in 33 West 6th Meridian

East on random line between
Sections 28 and 33
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner

80.08 Intersect North and South line 37 links North of post corner to sec 27 28 33 and 34 from which corner I mark N 89° 38' W on a true line between sections 28 and 33
Variation 13° 30' East

40.04 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.08 The corner of sections
28 29 32 and 33
Surface rolling
Soil 3rd Rate

Township No 9 North Range

North between sections
28 and 29
Variation 13° 30' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions for
corner of sections
20 21 28 and 29
Surface rolling soil 3rd Rate

No 33 West 6th Meridian

East on random line between
Sections 21 and 28
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner

80.30 Intersect North and south line 43
links North of post corner to sections
21 22 27 and 28 from which corner I run
N 89° 42' W on a true line between
sections 21 and 28
Variation 13° 30' East

40.13 Set chained post in mound of Earth
with pits as per instructions
for 1/4 section corner

80.30 The corner of sections
20 21 28 and 29
Surface rolling
Soil 3rd Rate
July 31st 1871

Township No 9 North - Range No 33 West 6th Meridian

North between sections
20 and 21
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits - as per instructions for
1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits - as per instructions for
Corner to sections
16 17 20 and 21
Surface hilly soil 3rd Rate -

East on random line between
Sections 16 and 21
Variation 13° 10' East

40.00 Set Temporary 1/4 Sec corner

79.68 Intersect North and South line 36 links
South of post corner to sections 15 16
21 and 22 from which corner I run
S 89° 45' W on a true line between
Sections 16 and 21
Variation 13° 10' East

39.84 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

79.68 The corner of sections
16 17 20 and 21
Surface hilly
Soil 3rd Rate -

Township No 9 North - Range No 33 West 6th Meridian

North between sections
16 and 17
Variation 13° 13' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec cor
8.00 Set chained post in mound of
Earth with pits as per
instructions for corner of sections
8 9 16 and 17
Surface hilly
Soil 3rd Rate -

East on random line between
Sections 9 and 16
Variation 13° 25' East
40.00 Set temporary 1/4 sec corner
80.14 Intersect North and south line 10 links
North of post corner to sections 9 10
15 and 16 from which corner I run
N. 79° 54' W on a true line between
sections 9 and 16
Variation 13° 25' East
40.17 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.14 The corner of sections
8 9 16 and 17
Surface hilly
Soil 3rd Rate -

Township No 9 North Range No 33 West 6th Meridian

North between sections 8 & 9
Variation 13° 15' East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corn
80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 4 5 8 and 9
Surface hilly
Soil 3rd Rate

East random between sections 4 and 9
Variation 13° 30' East
40.00 Set temporary 1/4 sec corn
69.50 Enter Creek bottom bears N W 8.50
70.54 Intersect North and South line 49 links North of post come to Sections 3. 4. 9 and 10 from which cor Dm N 89° 39' W on a true line between sec 4 & 9
Variation 13° 30' East
40.02 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor
80.04 The corn of sections 4 5 8 and 9
Surface hilly soil 3rd Rate

North on random line between Sections 4 and 5
Variation 13° 15' East
40.00 Set temporary 1/4 sec cor ~~chained post in mound of Earth with pits as per instructions for 1/4 sec cor~~
79.47 Intersect ~~Township line~~ North boundary of Township 38 links West of post corner to sections 4 and 5 from which corner I run S 16' W on a true line between Sections 4 and 5
Variation 13° 15' East
39.67 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor
79.67 The corn of sections 4 5 8 and 9
Surface hilly
Soil 3rd Rate

Township No 9 North — Range No 23 West — 6th Meridian

North between sections 31 and 32
Variation 13° 30' East
40.00 Set chained post in mound of Earth with pits — as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth with pits — as per instructions for corner to sections 29 30 31 and 32
Surface rolling soil 2nd Rate

East on random line between sections 29 & 32
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
79.82 Intersect North and South line 17 links North of post corner to sec 28 29 32 and 33 from which corner I run N 89° 53' W on a true line between sections 29 and 32
Variation 13° 15' East
39.91 Set chained post in mound of Earth with pits — as per instructions for 1/4 sec cor
79.82 The corner of sections 29 30 31 and 32
Surface rolling soil 2nd Rate

West on random line between sections 30 & 31
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
80.17 Intersect ~~Range line~~ West boundary of township 34 links North of post corner to sections 30 and 31 from which corner I run N 89° 45' E on a true line between sections 30 and 31
Variation 13° 15' East
40.17 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.17 The corner of sections 29 30 31 and 32
Surface rolling
Soil 3rd Rate

Township No 9 North Range No 33 West 6th Meridian

North between sections 29 & 30
Variation 30° 13' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor

80.00 Set chained post in mound of Earth with pits as per instructions for corner of Sections 19 20 29 and 30
Surface rolling soil 2nd Rate

East on Meridian line between sections 20 & 29
Variation 13° 15' ~~E~~ East

40.00 Set temporary 1/4 Sec corner

80.12 Intersect North and South line 30 links South of post corner to sections 20 21 28 and 29 from which corner I run S 89° 47' E on a true line between Sections 20 and 29
Variation 13° 15' East

40.06 Set chained post in mound of Earth with pits as per instructions for 1/4 sec cor

80.12 The corner of sections 19 20 29 and 30
Surface rolling soil 3rd Rate
August 1st 1871

West on Meridian line between sections 19 and 30
Variation 13° 30' East

40.00 Set temporary 1/4 sec corner

79.59 Intersect North and south line 60 links North of post corner to sections 19 and 30 from which corner I run S 89° 34' E on a true line between sections 19 and 30
Variation 13° 30' East

39.59 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.59 The corner of sections 19 20 29 and 30
Surface rolling soil 2nd Rate

Township No 9 North Range No 33 West 6th Meridian

North between sections 19 & 20
Variation 13° 15' East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 17 18 19 and 20
Surface rolling soil 3rd Rate

East on meridian line between sections 17 and 20
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
79.86 Intersect North and south line 31 links North of post corner to sections 16 17 20 and 21 from which corner I run N 89° 47' W. on a true line between sections 17 and 20
Variation 13° 30' East
39.93 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.86 The corner of sections 17 18 19 & 20
Surface rolling soil 3rd Rate

West on meridian line between sections 18 and 19
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
79.12 Intersect Range line 18 links North of post corner to sections 18 and 19 from which corner I run N 89° 52' E on a true line between sections 18 and 19
Variation 13° 30' East
39.18 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.12 The corner of sections 17 18 19 & 20
Surface rolling
Soil 3rd Rate

Township No 9 North Range

North between sections 17 and 18
Variation 13° 20' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corn

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 7, 8, 17 and 18

Surface rolling
Soil 3rd Rate

East on random line between sections 8 & 17
Variation 13° 20' East

40.00 Set temporary 1/4 sec corner

80.00 Intersect North & South line of post 40 links North

Corner to sections 8 9 16 & 17 from which an I am S 89° 43' W on a true line between sections 8 and 17

Variation 13° 20' East

40.03 Set chaned post in mound of Earth with pits as per instructions for 1/4 sec corn

80.06 The corner of sections 7, 8, 17 & 18

Surface rolling soil 3rd Rate

No 33 West 6th Meridian

West on random line between sections 7 and 18
Variation 13° 30' East

40.00 Set ~~chaned post in mound of Earth with~~ temporary 1/4 sec corn

78.43 Intersect ~~Range line~~ West boundary of Township 14 links South of

Corner to sections 7 and 18 from which corner I am S 89° 54' E on a true line between sections 7 and 18

Variation 13° 30' East

38.43 Set chaned post in mound of Earth with pits as per instructions for 1/4 sec corn

78.43 The corner of sections 7 8 17 and 18

Surface rolling
Soil 3rd Rate

Township No 7 North Range

North between sections 7 and 8
Variation 13° 20 East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on meridian line between Sections
5 and 8
Variation 13° 10' East
40.00 Set ~~chained post in mound of Earth~~ temporary 1/4 sec cor
~~with pits as per instructions~~
~~for 1/4 Sec~~ corner
79.92 Intersect North and south line
8 links south of post corner to Sec
4 5 8 and 9 from which corner I run
S 89° 57' W on a true line
between sections 5 and 8
Variation 13° 10' East
39.96 Set chained post in mound of Earth
with pits as per instructions for
1/4 section corner
79.92 The corner of sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

Township No 9 North Range

West on random line between
Sections 6 and 7
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
78.84 intersect ~~Range line~~ West boundary 18 links
North of post corner to sections 6 and
7 from which corner I mark
N 89° 52' W on a true line between
sections 6 and 7
Variation 13° 15' East
38.84 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
78.84 The corner of sections
5 6 7 and 8
Surface rolling
Soil 2nd Rate

No 33 West 6th Meridian

on Random line
North between sections
5 and 6
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
78.82 intersect ~~Township line~~ North boundary of Township 58 links
West of post corner to sections 5
and 6 from which corner I mark
S 25' W on a true line between
Sections 5 and 6
Variation 13° 15' East
38.82 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
78.82 The corner of sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate
August 2nd 1871

This Township is gently rolling prairie, soil from 2d to 3d rate unfit for cultivation but well adapted for grazing purposes. the Creek Bottoms are narrow and in places marshy. the Creek affords good water for stock.

Township No 9 North Range 33 West 6th Meridian

List of Names

A list of names of the individuals employed in running measuring and marking the lines and corners described in the foregoing field notes of Township No 9 North of the base line of Range No 33 West of the 6th Principal Meridian State of Nebraska Showing the respective capacities in which they acted

Robert J Doone } Chainmen
Frank M Pike
Albert D Fraser
H. J. Hawkins } Mound builders

We hereby certify that we assisted William A Daugherty Deputy Surveyor in Surveying and Subdividing Township No 9 North of the base line of Range No 33 West of the 6th Meridian State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Robert J Doone } Chainmen
Frank M Pike
Albert D Fraser } Mound builders & axmen
H. J. Hawkins

Subscribed and sworn to before me at my office in the city of North Platte Nebraska this 5th day of Sept 1871 J B Park
Notary Public

T No 9 N R No 33 W 6th P M

I William A Daugherty — Deputy Surveyor do Solemnly Swear that in pursuance of a Contract with E E Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date the 25th day of May 1871 I did in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed and subdivided Township No 9 North of the base line of Range No 33 West of the 6th Principal Meridian State of Nebraska and I do further swear that the foregoing are the true and original field notes of such Survey

William A Daugherty
Deputy Surveyor

Subscribed and sworn before me by the said William A Daugherty this 5th day of Sept 1871

J B Park
Notary Public

Surveyor Generals Office
Plattsmouth Nov 11th 1871.

The foregoing field Notes of the Survey and Subdivision of Township No. 9 North of the Base Line of Range No. 33 West of the 6th P. M. in Nebraska. Executed by William A. Daugherty under his Contract No. 43. bearing date the 25th day of May. 1871. in the Months of July and August 1871. having been critically examined, the necessary corrections and explanations made, the said field Notes and the Survey they describe are hereby approved.

E. E. Cunningham
Surveyor General.

T 10 N., R 33 West



Contract No 43

Subdivision of Township No 10 North of Range No 33 West of 6th Meridian State of Nebraska

Commenced August 15th 1871

Finished August 19th 1871

By

William A Daugherty

Deputy Surveyor

Township No 10 North Range No 33 West 6th Meridian

Names of Assistants

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser
H J Hawkins } Mundbuilder
Axmen

To determine the proper adjustment of my compas for subdividing this ~~course of the East boundary~~ of Townships No 9 and 10 Ranges 32 and 33 and run thence North on a blank line

Variation 14° East

40.03 fell 30 links west of 1/4 sec corner
80.02 fell 55 links west of ~~sec~~ corner to secs 25 & 36

Therefore to reduce this line or run parallel thereto my compass must be adjusted to a variation of a 13° 36' E

From the corner of sections 1 2 35 and 36 on the south boundary of the Township I run

Township No 10 North - Range

North between sections
35 and 36
Variation 13° 30' East

40,00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,00 Set chaned post in mound of Earth with pits as per instructions for Corner to Sections
25 26 35 and 36
Surface rolling soil 3rd Rate

No 33 West - 6th Meridian

East on standard line between
Sections 25 and 36
Variation 13° 15' East

40,00 Set temporary 1/4 Sec corner

80,04 Intersect ~~Range~~ East boundary 22 links South of Corner to Sections 25 & 36 from which corner I stand

S 89° 46' W on a true line between
Sections 25 and 36
Variation 13° 15' East

40,03 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,06 The corner of sections
25 26 35 and 36
Surface rolling soil 3rd Rate

Township No 10 North - Range

North between
Sections 25 and 26
Variation 13° 15' East

4000 Set chared post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

8000 Set chared post in mound of
Earth with pits as per
instructions for corner to
sections 23 24
25 and 26
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on random line between
Sections 24 and 25
Variation 13° 20' East

4000 Set Temporary 1/4 Sec corner

8024 Intersect ~~Range line~~ East boundary 19 links North
of corner to sections 24 and 25 from
which corner I run

N 89° 52' W on a true line
between sections 24 and 25
Variation 13° 20' East

4012 Set chared post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

8024 The corner of sections
23 24 25 and 26
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

North between sections
23 and 24
Variation 13° 15' East
40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
13 14 23 and 24
Surface rolling
Soil 3rd Rate

No 33 West - 6th Meridian

East on line random between sections
13 and 24
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner.
79.82 Intersect ~~Range line~~ East boundary 5 links North
of Corner to Sections 13 and 24 from
which corner I run

N 89° 58' W on a true line between
Sections 13 and 24
Variation 13° 15' East
39.91 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner
79.82 The corner of sections
13 14 23 and 24
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North between sections
13 and 14
Variation 13° 15' East
40,00 Set chard post in mound of
Earth with pits as per
instructions for 1/4 sec corn
80,00 Set chard post in mound of Earth
with pits as per instructions
for corn to sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on standard line between
sections 12 and 13
Variation 13° 15 East
40,00 Set temporary 1/4 Sec corn
80 20 Intersect ~~Range line~~ East boundary 35 links
South of corn to sections 12 and 13 from which corn I run

S 89° 45' W on a true line between
sections 12 and 13
Variation 13° 15' East
40,10 Set chard post in mound of Earth with
pits as per instructions for
1/4 Sec corner
80 20 The corn of sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North between sections 11 & 12
Variation 13° 15' East
4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec cor
8000 Set chained post in mound of Earth with pits as per instructions for corner to Sections 1 2, 11 and 12
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East random between sections 1 and 12
Variation 13° 15' East
4000 Set temporary 1/4 Sec corner
7992 Intersect ~~Range line~~ East boundary 23 links
South corner to Sections 1 & 12 from which corner 8 ans
S 89° 50' W on a true line between sections 1 and 12
Variation 13° 15' East
3996 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
7992 The corner of sections 1, 2, 11 and 12
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North on Random line between
Sections 1 and 2
Variation 13° 15' East
40.00 Set Temporary 1/4 Sec corner
80.45 Intersect North boundary 27
links East corner to sections 1 & 2
burn which corner is mine
S 12' E on a true line between
Sections 1 and 2
Variation 13° 15' East
40.45 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.45 The corner to sections
1, 2, 11 and 12
Surface rolling
Soil 3rd Rate
August 15th 1871

No 33 West 6th Meridian

North between sections
34 and 35
Variation 13° 15' East
40.00 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chased post in mound of Earth
with pits as per instructions
~~with pits~~ for corner to sections
26 27 34 and 35
Surface rolling
Soil 3rd Rate

Township No 10 North Range

East on random line between
Sections 26 and 35
Variation 13° 15' East
4000 Set temporary 1/4 sec corner
7988 Intersect North and South line
42 links South of corner to Sections
25 26 35 and 36 from which corner I m...
S 89° 42' W. on a true line between
sections 26 and 35
Variation 13° 15' East
3994 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
7988 The corner of sections
26 27 34 & 35
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections
26 and 27
Variation 13° 15' East
4000 Set chared post in mound of
Earth with pits as per
instructions for 1/4 sec corner
8000 Set chared post in mound of
Earth with pits as per
instructions for corner to
Sections 22 23
26 and 27
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on random line between
Sections 23 and 26
Variation 13° 20' East
40.00 Set temporary 1/4 sec corner
80.18 Intersect North and South line 11 links
North of Sections 23 24 25 and 26 from which
corner I chose
N 89° 55' W on a true line between
Sections 23 and 26
Variation 13° 20' East
40.09 Set chased post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.18 The corner of sections
22 23 26 and 27
Surface rolling
Soil 3rd Rate

No 33 West - 6th Meridian

North between sections
22 and 23
Variation 13° 15' East
40.00 Set chased post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.00 Set chased post in mound of Earth
with pits as per instructions
for corner to sections 14 15
22 and 23
Surface rolling
Soil 3rd Rate

Township No 10 North Range

East on meridian line between
Sections 14 and 23
Variation 13° 15' East

40,00 Set temporary 1/4 Sec corn
80,32 Intersect North and South line
33 links South of the Corner to
Sections 13. 14. 23. and 24 from which corner I run
S 89°46' W on a true line
between sections 14 and 23
Variation 13° 15' East
40,16 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,32 The corner of sections
14. 15. 22 and 23
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections
14 and 15
Variation 13° 15' East
40,00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80,00 Set chaned post in mound of Earth
with pits as per instructions
for corner of sections
10 11 14 and 15
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on Randum line between
Sections 11 and 14
Variation 13° 20' East
40.00 Set temporary 1/4 Sec cenn
80.12 Intersect North and South line
13 links North of post corner to Sections
11. 12. 13. and 14 from which corner I run
N 89° 54' W on a true line
between sections 11 and 14
Deviation 13° 20' East
40.06 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec cenn
80.12 The cenn of Sections
10 11 14 and 15 -
Surface rolling
Soil 3rd Rate -

No 33 West 6th Meridian

North between sections
10 and 11
Variation 13° 20' East -
40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec cenn
80.00 Set chaned post in mound of
Earth with pits as per
instructions for cenn to sections
for cenn to sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on random line between
Sections 2 and 11
Variation 13° 20' East
40.00 Set temporary 1/4 Sec corner
80.28 Intersect North and South line
6 links North of the corner to sections 1. 2. 11 & 12 from which corner I run
N 89° 57' W on a true line
between sections 2 and 11
Variation 13° 20' East
40.14 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.28 The corner of sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

on Random line
North between sections 2 and 3
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.18 Intersect ~~S~~ North boundary ~~township line~~ 25 links
West of post corner to sections 2
and 3 from which corner I run
S 11' W on a true line between
Sections 2 and 3.
Variation 13° 15' East
40.18 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.18 The corner of sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

North between sections
33 and 34
Variation 13° 30' East
40,00 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,00 Set charred post in mound of Earth
with pits as per instructions
for corner to sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on random line between sections
27 and 34
Variation 13° 30' East
40,00 Set temporary 1/4 Sec corner
80,34 Intersect North and South line 38
links North of the corner to sections
26, 27, 34 and 35 from which corner I run
N 89° 44' W on a true line between
sections 27 and 34
Variation 13° 30' East
40,18 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,36 The corner of sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate
August 16th 1871

Township No 10 North Range

North between sections
27 and 28
Variation 13° 20' East
40,00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec cenn
80,00 Set chained post in mound of Earth
with pits as per instructions
for cenn to Sections
21 22 27 and 28
Surface rolling
Soil 3rd Rate -

No 33 West 6th Meridian

East on a random line between
sections 22 and 27
Variation 13° 20' East
40,00 Set temporary 1/4 Sec cenn
80,10 Intersect North and South line
13 links North of the corner to
Sections 22.23.26 & 27 from which corner I run
N 89° 54' W on a true line
between sections 22 and 27
Variation 13° 20' East
40,05 Set chained post in mound of
Earth with with pits as
per instructions for 1/4 sec cenn
80,10 The cenn of sections
21 22 27 and 28
Surface rolling
Soil 3rd Rate -

Township No 10 North - Range

North - between section
21 and 22
Variation 13° 15' East
4000 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec cenn
8000 Set chaned post in mound of
Earth with pits as per
instructions for cenn to - Sec. 15.16 21.22
~~Sections~~ 21 and 22
Surface rolling
Soil 3rd Rate -

No 33 West 6th Meridian

East on a random line between
Sections 15 and 22
Variation 13° 20' East
4000 Set temporary 1/4 sec cenn
80.00 Intersect North and South line
26 links North of the corner to sections 14.15.22 and 23 from which corner I run
N 89° 49' W on a true line
between sections 15 and 22
Variation 13° 20' East
4000 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec cenn
8000 The cenn of sections
15 16 21 and 22
Surface rolling
Soil 3rd Rate -

Township No 10 North Range

North between sections
15 and 16
Variation 13° 15' East
4000 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec cor
8000 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

East on a random line between sections
10 and 13
Variation 13° 15' East
4000 Set temporary 1/4 sec corner
79.92 Intersect North and South line 29
links South of post corner to sections 10.11.14 & 15 from which corner I run
S 89° 48' W on a true line
between sections 10 and 13
Variation 13° 15' East
39.94 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
79.92 The corner to sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North between sections 9 & 10
Variation 13° 15' East
40.00 Set chained post in mound of earth with pits as per instructions for 1/4 sec corner
80.00 Set chained post in mound of earth with pits as per instructions for corner to sections 3 4 9 and 10
Surface rolling
Soil 3rd Rate

Rw 33 West 6th Meridian

East and random line between sections 3 and 10
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
79.98 Intersect North and South line 56 links South of the corner to Sections 2. 3. 10 & 11 from which corner I run S 89° 36' W on a true line between sections 3 and 10
Variation 13° 15' East
39.99 Set chained post in mound of earth with pits as per instructions for 1/4 sec corner
79.98 The corner of sections 3 4 9 and 10
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North on a random line between sections 3 and 4
" Variation 13° 25' East

40.00 Set temporary 1/4 Sec cor
80.40 Intersect ~~Township line~~ North boundary 40 links West of post corner to sections 3 and 4 from which corner I run S 17' W on a true line between sections 3 and 4
Variation 13° 25' East
40.40 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.40 The corner of sections 3 4 9 and 10
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections
~~31 and~~ 32 and 33
Variation 13° 15' East
1400 Creek 20 links wide runs S E
1830 Creek 20 links wide runs S W
2100 Creek 20 links wide runs S E
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 28 29 32 and 33
Surface rolling
Soil on South 1/2 2nd Rate
on North 1/2 3rd Rate

Township No 10 North - Range No 33 West 6th Meridian

East on a random line between Sections
28 and 33
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.04 Intersect North and South line 24
links South of corner to Sections 27, 28,
33 & 34 from which corner I run
S 89° 50' W on a true line between
Sections 28 and 33
Variation 13° 15' East
40.02 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.07 The corner to Sections
28 29 32 and 33
Surface rolling
Soil 3rd Rate

North between Sections
28 and 29
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with north pits as per
instructions for corner to sections
20 21 28 and 29
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on a Random line between
Sections 21 and 28
Variation 13° 20' East
40.00 Set temporary 1/4 Sec corner
79.94 Intersect North and South line
6 links South of corner to sections
21. 22. 27. & 28 from which corner I run
S 89° 57' W on a true line
between sections 21 and 28
Variation 13° 20' East
39.97 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
79.94 The corner of sections
20, 21 28 and 29
Surface rolling
Soil 3rd Rate
August 17th 1871

No 33 West 6th Meridian

North between sections
20 and 21
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corners sections
16 17 20 and 21
Surface rolling
Soil 3rd Rate

Township No 10 North Range

East on a random line between
Sections 16 and 21
Variation 13° 25' East
40.00 Set temporary 1/4 Sec corner
80.28 Intersect North and South line 46
links South of the corner to section
15. 16. 21. & 22 from which corner I run.
S 89° 40' ~~Wa~~ a true line between
Sections 16 and 21
Variation 13° 25' East
40.14 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.28 The corner of sections
16 17 20 and 21
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections
16 and 17
Variation 13° 15' East
40.00 Set chased post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chased post in mound of Earth
with pits as per instructions for
corner to sections 8 9
16 and 17
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on a random line between
sections 9 and 16
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.30 Intersect North and South line
12 links North of the Corner to sections
9.10.15 & 16 from which corner I run
N 89° 55' W on a true line
between sections 9 and 16
Variation 13° 15' East
40.15 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.30 The corner of sections
8 9 16 and 17
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections 8 and 9
Variation 13° 10' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Township No 10 North Range

East on a random line between
Sections 4 and 9
Variation 13° 10' East
40.00 Set temporary 1/4 Sec corner
79.80 Intersect North and South line
25 links South of the corner to Sections 3. 4. 9. and 10 from which corner I run
S 89° 49' W on a true line
between sections 4 and 9
Variation 13° 10' East
39.90 ~~Intersect~~ Set chaned post in mound of
Earth with pits as per instructions
for 1/4 Sec corner
79.80 The corner of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North on a random line between
Sections 4 and 5
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.17 Intersect ~~Township~~ North boundary line 34 links East
of post corner to sections 4 &
5 from which corner I run
S 15' E on a true line between
Sections 4 and 5
Variation 13° 15' East
40.17 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.17 The corner of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Township No 10 North Range

North between sections
31 and 32
Variation 13° 16' East

4000 Set ~~temporary 1/4 sec corner~~ chared post in mound of Earth with pits as per instructions for 1/4 sec corner

8000 Set chared post in mound of Earth with pits as per instructions for corner to sections
29 30 31 and 32
Surface rolling soil 3 Rate

No 33 West 6th Meridian

East on a random line between sections
29 and 32
Variation 13° 15' East

4000 Set temporary 1/4 sec corner

6500 Creek 20 links with mus South

8000 Intersect North and South line 29 links South of post corner to sections 28. 29. 32. & 33. from which corner I run S89°48' W on a true line between sections 29 and 32
Variation 13° 15' East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner

8000 The corner of sections
29 30 31 and 32
Surface rolling
Soil 3 Rate

Township No 10 North Range

West on a Random line between
Sections 30 and 31
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
79.72 Intersect ~~Range line~~ West boundary 26 links
South of corner to sections 30 & 31
from which I run.
S 89° 49' E on a true line between
Sections 30 and 31
Variation 13° 15' East
39.72 Set chard post in mound of Earth
with pits as per instruction
for 1/4 Sec corner
79.72 The corner of sections
29 30 31 and 32
Surface rolling
Soil 3rd Rate
August 18th 1871

No 33 West 6th Meridian

North between Sections 29 and 30
Variation 13° 15' East
40.00 Set chard post in mound of Earth
with pits as per instructions for
1/4 Sec corner
53.40 Creek 15 links wide runs S E
80.00 ~~Creek~~ Set chard post in mound of
Earth with pits as per
instructions for Corner to sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

East on a random line between
sections 20 and 29
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner
80.16 Intersect North and South line 40
links North of the corner to sections
20. 21. 28 & 29. from which corner I run.
N 89° 43' W on a true line
between sections 20 and 29
Variation 13° 30' East
40.08 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.16 The corner of sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

West on a random line between
Sections 19 and 30
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner
44.50 Creek 15 links wide (Dry) runs SE
79.11 Intersect ~~Range line~~ West boundary 13 links North
of corner to sections 19 & 30
from which corner I run.
N 89° 54' E on a true line
between sections 19 and 30
Variation 13° 15' East
39.11 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79.11 The corner of sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

Township No 10 North - Range No 33 West 6th Meridian

North between sections
19 and 20
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
17 18 19 and 20

Surface rolling
Soil 3rd Rate

East on a random line between sections
17 and 20
Variation 13° 20' East

40.00 Set temporary 1/4 Sec corner

79.96 Intersect North and South line
at post corner of sections
16. 17. 20. & 21 from which corner I run
West on a true line between
sections 17 and 20
Variation 13° 20' East

39.98 Set chained post in mound of Earth
with pits as per instructions
for ~~corner to sections~~ 1/4 sec corner

79.96 The corner of sections
17 18 19 and ~~19~~ 20

Surface rolling
Soil 3rd Rate

Township No 10 North - Range

West on a random line between
Sections 18 and 19
Variation 13° 20' East

4000 Set temporary 1/4 Sec corn
6630 Crick 15 links wide (Dry) runs S.E.
7895 Intersect ~~Range line~~ West boundary 10 links
South of the corner of sections 18 & 19
from which I run
S 89° 56' E on a true line
between sections 18 and 19
Variation 13° 20' East
3895 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corn
7895 The corn of sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

No 33 West 6th Meridian

North between sections
17 and 8
Variation 13° 15' East
4000 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corn
8000 Set chaned post in mound of Earth
with pits as per instructions
for corn to sections
7 8 17 and 18
Surface rolling
Soil 3rd Rate

Township No 10 North Range

East on a random line between sections 8 and ~~17~~ 17

Variation 13° 20' East

40.00 Set temporary 1/4 sec corner

80.34 Intersect North and South line 36 links North of corner to sections 8.9.16 & 17 from which corner I run N 89° ~~43'~~ 45' W on a true line between sections 8 and 17

Variation 13° 20' East

40.17 ~~30.17~~ Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner

80.34 The corner of sections 7 8 17 and 18

Surface rolling

Soil 3° Rate

No 33 West 6th Meridian

West on a random line between sections 7 and 8

Variation 13° 15' East

40.00 Set temporary 1/4 sec corner

78.83 Intersect ~~Range line~~ Range west boundary 15 links South of post corner to sections 7 & 18 from which corner I run S 89° 54' E on a true line between sections 7 and 8

Variation 13° 15' East

38.83 Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner

78.83 The corner of sections 7 8 17 and 18

Surface rolling

Soil 3° Rate

Township No 10 North Range

North between sections
7 and 8
Variation 13° 15' East
40.00 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.00 ~~The corner of sections~~ Set chained
~~7 8 17 and 18~~ post in
~~Surface~~ mound of Earth with pits
as per instructions for corner
to sections 4, 5, 7 8 ~~17 & 18~~
Surface rolling
Soil 3rd Rate

33 West 6th Meridian

East and Landward line between sections
5 and 8
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
80.14 Intersect North and South line 23
links North of corner to sec-
tions 5-58 from which I run
N 89° 50' W on a true line
between sections 5 and 8
Variation 13° 30' East
40.07 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.14 The corner of sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

Township No 10 North - Range

West on a random line between
Sections 6 and 7
Variation 13° 15' East
40.00 Set temporary 1/4 Sec cornr
78.65 Intersect ~~Range~~ west boundary line 17 links
North of post corner to Sections
6 & 7 from which corner I run.
N 89° ~~54~~ 53' E on a true line
between sections 6 and 7
Variation 13° 15' East
38.65 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec cornr
78.65 The cornr of Sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

Range 33 West 6th Meridian

North on random line between
Sections 5 and 6
Variation 13° 15' East
40.00 Set temporary 1/4 Sec cornr
80.07 Intersect ~~Township~~ north boundary line 19 links
west of post-corner of Sections
5 & 6 from which I run
S 8' W on a true line between
Sections 5 and 6
Variation 13° 15' East
40.07 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec cornr
80.07 The cornr of sections
5. 6. 7 and 8
Surface rolling
Soil 3rd Rate
August 19th 1871

Township No 10 North - Range No 33 West 6th Meridian

General Description

This Township is worthless for either cultivation or grazing except a small portion in the S W part of the Township along the Red Willow Creek which is good grazing land the ballance of the Township is sandy and barren except of a little bunch grass

List of Names

A list of names of individuals Employed, as assists in running measuring and marking the lines and corners described in the foregoing field notes of Township No 10 North of the base line of Range No 33 West of the 6th Principal Meridian State of Nebraska Showing the respective capacities in which they acted

Robert J Doom	Chainmen
Frank M Pike	
Albert D Fraser	Mound builder & Axeman
H J Hawkins	

Township No 10 North Range No 33 West 6th Meridian

We hereby certify that we assisted William A Daugherty Deputy Surveyor in Surveying and Subdividing Township No 10 North of the base line of Range No 33 West of the 6th Principal Meridian in the State of Nebraska and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the ~~said~~ Surveyor General

Robert A Doane L Chainmen

Frank M Pike

Albert D Fraser L Mound builders

H J Hawkins

Subscribed and sworn to before me at my office in the city of North Platte State of Nebraska this 5th day of Sept 1871 J N B Park Notary Public

~~Affidavit~~

I William A Daugherty Deputy Surveyor do solemnly Swear that ~~the foregoing~~ in pursuance of a contract with E E Cunningham Surveyor of the public lands of the United States for the State of Nebraska bearing date the 25th day of May 1871 and in strict conformity to the laws of the United States and the instructions furnished by said Surveyor General I have regularly Surveyed and Subdivided Township No 10 North of the base line of Range No 33 West of the 6th Principal Meridian, in the State of Nebraska and I do further Swear that the foregoing are the true and original field notes of such Survey

William A Daugherty
Deputy Surveyor

Subscribed and sworn to ~~before me~~ by the said William A. Daugherty before me at my office in the City of North Platte State of Nebraska this 5th day of September 1871

L. Stark

Notary Public

LINCOLN COUNTY NEBRASKA NOTARIAL SEAL

Subscribed and sworn to before me at my office in the City of

Surveyor Generals Office

Plattsmouth Nov 11th, 1871

The foregoing field notes of the Survey and Subdivision of Township No. 10 North of the 1st Base Line of Range No. 33 West of the 6th P. M. in Nebraska, Executed by Wm. A. Daugherty, under his Contract No. 43, dated May 25th 1871 in the month of August 1871, having been critically examined, the necessary corrections and explanations made the said field notes and the Survey they describe are hereby approved

E. E. Cunningham

Surveyor General

T 11 N., R 33 W.



Contract No. 42

Subdivision of Township No 11 North of Range No 33 West of the 6th Meridian State of Nebraska

Commenced August 21st 1871

Finished August 25th 1871

By William ~~H~~ Daugherty

Deputy Surveyor

Township No 11 North - Range No 33 West of the 6th Principal Meridian Nebraska

Names of Assistants

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser
H J Hawkins } Flagmen
A Emen

To determine the proper adjustment of my compass for sub-dividing ~~I determine the East corner of~~ this Township, I commence at the corner of Township 10 and 11 North - Ranges 32 and 33 West and run thence North on a blank line along the East side of Sec. 36

Variation 13° 45' East

40.00 fell 28 links west of ¼ sec corner

80.01 fell 32 links west of sec corner

Therefore to retrace this line or run parallel thereto my compass must be adjusted to a

Variation 13° 28' East

Township No 11 North

North between Sections 35 and 36

Variation 13° 20' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 25 26 35 and 36

Surface rolling

Soil 3° Rate

Range No 33 West 6th Meridian

East on a Random line between Sections 25 and 36

Variation 13° 20' East

40.00 Set temporary 1/4 Sec corner

80.28 Intersect ~~Range line~~ East Boundary 18 links North of post corner to sections 25 & 36 from which corner I run N 89° 52' W on a true line between sections 25 and 36

Variation 13° 20' East

40.14 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.28 The corner of sections 25 26 35 and 36

Surface rolling

Soil 3° Rate

Township No 11 North

North between Sections 25 and 26

Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 23 24 25 and 26

Surface rolling

Soil 3rd Rate

Range No 33 West 6th Meridian

East on a Random line between Sections 24 and 25

Variation 13° 15' E

40.00 Set temporary 1/4 sec corner

79.92 Intersect ~~Range line~~ East Boundary 12 links South of post corner to sections 24 & 25 from which corner I run S 89° 55' W on a true line between sections 24 and 25

Variation 13° 15' East

39.96 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.92 The corner of sections 23 24 25 and 26

Surface rolling

Soil 3rd Rate

Township No 11 North

North between Sections 23 and 24

Variation 13° 20'

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chased post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24

Surface rolling

Soil 3rd Rate

Range No 33 West 6th Meridian

East on a Random line between Sections 13 and 24

Variation 13° 20' East

4000 Set temporary 1/4 Sec corner

80.10 Intersect ~~Range line~~ East Boundary 15 links North of post corner to sections 13 & 24 from which corner I run. N 89° 54' W on a true line between sections 13 and 24

Variation 13° 20' East

40.05 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.10 The corner of sections 13 14 23 and 24

Surface rolling

Soil 3rd Rate

Township No 11 North

North between Sections
13 and 14
Variation 13° 20' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East on a random line between
Sections 12 and 13
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

80.20 Intersect ~~Range line~~ East Boundary 39 links South of post corner to sections 12 & 13 from which corner I run S 89° ~~42'~~ 43' W on a true line between sections 12 and 13
Variation 13° 15' East

40.10 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.20 The corner of sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
11 and 12
Variation 13° 20' East

4,00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
8,00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
1 2 11 and 12
Surface rolling Soil 3rd Rate

Range No 33 West 6th Meridian

East and Random line between
Sections 1 and 12
Variation 13° 15' East

4,00 Set temporary 1/4 Sec corner
8,32 Intersect ~~Range line between sections~~ East Boundary
31 links South of post corner to
Sections 1 & 12 from which corner I run
S 89° 47' W on a true line
between sections 1 and 12
Variation 13° 15' East
40,16 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,32 The corner of sections
1 2 11 and 12
Surface rolling
Soil 3rd Rate

Township No 11 North

North along random line between
Sections 1 and 2
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner
80.13 Intersect ~~Township line~~ North Boundary 41 links
East of post corner to Sections 1 & 2
from which corner I run.
S 18' E on a true line between
Sections 1 and 2
Variation 13° 15' East
40.13 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.13 The corner of sections
1 2 11 and 12
Surface rolling
Soil 3d Rate

August 21st 1871

Range No 33 West 6th Meridian

North between Sections
34 and 35
Variation 13° 20' East
40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
26 27 34 and 35
Surface rolling
Soil 3d Rate

Township No 11 North

East on random line between
Sections 26 and 35 –
Variation 13° 20' East
4000 Set temporary 1/4 Sec corner
7998 Intersect North and South line 44
links North of post corner to Sections 25. 26. 35 & 36 from which corner Trees
N 89° 54' W on a true line
between sections 26 and 35 –
Variation 13° 20' East
39.99 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
7998 The corner of sections
26 27 34 and 35 –
Surface rolling
Soil 3rd Rate –

Range No 33 West 6th Meridian

North between Sections
26 and 27
Variation 13° 15' East
4000 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8000 Set chaned post in mound of Earth
with pits as per instructions
for Corner to sections
22 23 26 and 27
Surface rolling
Soil 3rd Rate –

Township No 11 North

East on Random line between
Sections 23 and 26
Variation 13° 10' East

40.00 Set temporary 1/4 Sec corn
80.16 Intersect North and South line 24 links South of post corner to sections 23. 24. 25 & 26 from which point I run
S 89° 50' W on a true line between sections 23 and 26
Variation 13° 10' East
40.08 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corn
80.16 The corn of sections
22 23 26 and 27
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
22 and 23
Variation 13° 15' East
40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 14. 15. 22 and 23
Surface rolling
Soil 3rd rate

Township No 11 North

East on a Random line between
Sections 14 and 23
Variation 13° 15' East

40.00 Set temporary 1/4 sec corner

80.06 Intersect North and South line 10 links North of corner to Sections 13. 14 and 23 2d from which corner I run N 89° 56' W on a true line between Sec 14 & 23
Variation 13° 15' East

40.03 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

80.06 The corner of sections 14 15 22 and 23
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
14 and 15
Variation 13° 15' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

80.00 Set chained post in mound of Earth with pits as per instructions cor to secs 10 11, 14 and 15
Surface rolling
Soil 3rd Rate

Township No 11 North Range No 33 West 6th Meridian

East on a Random line between
Sections 11 and 14
Variation 13° 15' East

4000 Set temporary 1/4 sec corner
7992 Intersect North and South line
25 links South of post corner
to Sections 11.12.13 & 14 from which corner I run.
S 89° 49' W on a true line between
Sections 11 and 14
Variation 13° 15' East

3996 Set chained post in mound of Earth
with pits as per instructions
for 1/4 sec corner
7992 The corner of sections
10 11 14 and 15
Surface rolling
Soil 3rd Rate

North between Sections
10 and 11
Variation 13° 20' East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 sec corner
8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 2 and 11
Variation 13° 20' East

40.00 Set temporary 1/4 sec corner
80.14 Intersect North and South line
17 links North of post corner to
Sections 1.2.11 & 17 from which corner I run
N 89° 43' W on a true line
between sections 2 and 11
Variation 13° 20' East

40.07 Set chared post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.14 The corner of sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North on a Random line between
Sections 2 and 3
Variation 13° 20' East

40.00 Set temporary 1/4 sec corner
80.36 Intersect ~~Township line~~ North Boundary 14 links
West of post corner to Sections
2 & 3 from which corner I run.
S 6' W on a true line between
Sections 2 and 3
Variation 13° 20' East

40.36 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
80.36 The corner of sections
2 3 10 and 11
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
33 and 34
Variation 13° 20' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corn
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East on a random line between
Sections 27 and 34
Variation 13° 20' East
40.00 Set Temporary 1/4 sec corner
80.12 Intersect North and South line 13
links South of post corner to Sections
26.27.34 & 35 from which corner I run
S 89° 54' W on a true line between
Sections 27 and 34
Variation 13° 20' East
40.06 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.12 The corner of sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate
August 22nd 1871

Township No 11 North

North between Sections
27 and 28
Variation 13° 15' East

40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.00 Set chaned post in mound of
Earth with pits as per
instructions for corner to
Sections 21 22 27 and 28
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East on random line between
Sections 22 and 27
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

79.98 Intersect North and South line 38
links South of west corner to
Sections 22.23.26 & 27 from which corner
S 89° 44' W on a true line
between sections 22 and 27
Variation 13° 15' East
~~Surface rolling~~

39.99 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

79.98 The corner of sections
21 22 27 and 28
Surface rolling
Soil 3rd Rate

North ~~Random~~ between
Sections 21 and 22
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
15 16 21 and 22
Surface rolling
Soil 3rd Rate

East and Random line between
Sections 15 and 22
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

80.22 Intersect North and South line 30
links South of post-corner to sections
14.15.22 & 23 from which corner I run
S 89° 47' W on a true line between
Sections 15 and 22
Variation 13° 15' East

40.11 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.22 The corner of sections
15 16 21 and 22
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
15 and 16
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to
Sections 9 10 15 and 16
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East long Random line between
Sections 10 and 15
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
80.16 Intersect North and South line 28
links North of post corner to Sections
10.11.14 & 15 - from which corner I run
N. 89° 48' W on a true line
between sections 10 and 15
Variation 13° 30' East
40.08 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.16 The corner of sections 9 10
15 and 16
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
9 and 10
Variation 13° 15' East
40,00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec cenr
80,00 Set chaned post in mound of
Earth with pits as per
instructions for cenr to sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East and Random line between
Sections 3 and 10
Variation 13° 15' East
40,00 Set temporary 1/4 Sec cenr
80,00 Intersect North and South line 41
links South of post corner to sections
2. 3. 10 & 11 from which corner I run
S 89° 42' W on a true line
between sections 3 and 10
Variation 13° 15' East
40,01 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec cenr
80,02 The cenr of sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Township No 11 North

North and Random line between
Sections 3 and 4
Variation 13° 15' East
4000 Set Temporary 1/4 sec corner
80.53 Intersect ~~Township line~~ North Boundary 61 links
East of post Cor to Sec 3 & 4 from which
corner I run
S 26' E on a true line between
sections 3 and 4
Variation 13° 15' East
40.53 Set chased post in mound of Earth
with pits as per instructions for
1/4 sec corner
80.53 The corner of sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
32 and 33
Variation 13° 20' East
4000 Set chased post in mound of Earth
with pits as per instructions
for 1/4 sec corner
8000 Set chased post in mound of Earth
with pits as per instructions
for corner to sections
28 29 32 and 33
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 28 and 33
Variation 13°15' East
40.00 Set temporary 1/4 sec corner
79.96 Intersect North and South line 33
links South of post corner to Sections
27.28.33 & 34 from which corner I run.
S 89°46' W on a true between
Sections 28 and 33
Variation 13° 15' East
39.98 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
79.96 The corner of sections
28 29 32 and 33
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
28 and 29
Variation 13° 15' East
40.00 Set chared post in mound of Earth
with pits as per instructions
for 1/4 sec corner
80.00 Set chared post in mound of
Earth with pits as per
instructions for corner to sections
20 21 28 and 29
Surface rolling
Soil 3rd Rate

Township No 11 North

East on random line between
Sections 21 and 28
Variation 13° 20' East
4000 Set temporary 1/4 Sec corner
80 12 Intersect North and South line
10 links South of pure corner to
Sections 21.22.27 & 28 from which corner I run
S 89°56' W on a true line
between sections 21 and 28
Variation 13° 20' East
4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80 12 The corner of sections
20 21 28 and 29
Surface rolling
Soil 3rd Rate
August 23rd 1871

Range No 33 West 6th Meridian

North between Sections
20 and 21
Variation 13° 15' East
4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8000 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
16 17 20 and 21
Surface rolling
Soil 3rd Rate

Township No 11 North

East on random line between
Sections 16 and 21
Variation 13° 15' East—
40.00 Set temporary 1/4 Sec corner
80.18 Intersect North and south line
35 links south of post corner to
Sections 15. 16. 21 & 22 from which I run
corner
S 89° 45' W on a true line between
Sections 16 and 21
Variation 13° 15' East
40.09 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.18 The corner of sections
8 9 16 and 17
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
16 and 17
Variation 13° 15' East
40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chaned post in mound of
Earth with pits as per
instructions for corner to sections
8 9 16 and 17
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a random line between
Sections 9 and 16
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.40 Intersect North and south line
31 links South of post corner
to Sections 9.10.15 & 16 from which corner I run
S 89° 47' W on a true line
between sections 9 and 16
Variation 13° 15' East
40.20 Set chaned post in mound of
Earth with pits as per
instructions 1/4 Sec corner
80.40 The corner of sections
8 9 16 and 17
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
8 and 9
Variation 13° 15' East
40.00 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a random line between
Sections 4 and 9
Variation 13° 15' East
40.00 Set temporary 1/4 sec corner
80.32 Intersect North and South line
20 links south of post corner to
Sections 3.4.9 & 10 from which corner I run
S 89° 51' W on a true line between
sections 4 and 9
Variation 13° 15' East
40.16 Set chained post in mound of earth
with pits as per instructions
for 1/4 sec corner
80.32 The corner of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North on a random line between
Sections 4 and 5
Variation ~~bar~~ 13° 15' East
40.00 Set temporary 1/4 sec corner
80.31 Intersect ~~Township line~~ North & South 33 links East
of post corner to Sections 4 & 5
from which corner I run.
S ~~21~~ 24' E on a true line between
sections 4 and 5
Variation 13° 15' East
40.31 Set chained post in mound of earth
with pits as per instructions
for 1/4 sec corner
80.31 The corner of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
31 and 32
Variation 13° 15' East
40.00 Set chared post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
70.00 Set chared post in mound of Earth
with pits as per instructions
for Corner to Sections
29 30, 31 and 32
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East and Random line between
Sections 29 and 32
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
79.86 Intersect North and South line 36
links South of post corner to
Sections 28.29.32 & 33 from which corner
I run
S 89° 45' W on a true line between
Sections 29 and 32
Variation 13° 15' East
39.93 Set chared post in mound of Earth
with pits as per instructions
for 1/4 Sec corn
79.86 The corner of sections
29 30 31 and 32
Surface hilly
Soil 3rd Rate

Township No 11 North

East on random line between
Sections 30 and 31
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
77.84 Intersect ~~Range line~~ West Boundary 32 links
North of post corner to Sections
30 & 31 from which corner I run
N 89° 46' ~~W~~ E on a true line
between sections 30 and 31
Variation 13° 15' East
37.84 Set chained post in mound of earth
with pits as per instructions
for 1/4 Sec corner
77.84 The corners of Sections
29, 30, 31 and 32
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
29 and 30
Variation 13° 15' East
40.00 Set chained post in mound of earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of earth
with pits as per instructions
for corner to sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 20 and 29
Variation 13° 30' East
4000 Set temporary 1/4 sec corn
79.78 Intersect North and South line 11
links North of post corner to Sections
20. 21. 28 & 29 from which corners
N 89° 55' W on a true line
between sections 20 and 29
Variation 13° 30 East
39.89 Set chained post in mound of earth
with pits as per instructions
for 1/4 sec corner
79.78 The corner of sections
19. 20. 29 and 30
Surface rolling
Soil 3rd Rate

August 24th 1871

Range No 33 East 6th Meridian

West on a Random line between
Sections 19 and 30
Variation 13° 20' East
4000 Set temporary 1/4 sec corner
77.30 Intersect ~~Range~~ West Boundary line 12 links
South of post corner to Sections
19 & 30 from which corners S 89° 55' E on a true line between
sections 19 and 30
Variation 13° 20' East
37.30 Set chained post in mound of earth
with pits as per instructions
for 1/4 sec corner
77.30 The corner of sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
19 and 20
Variation 13° 20' East
40.00 Set chained post in mound of earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East and Random line between
Sections 17 and 20
Variation 13° 20' East
40.00 Set temporary 1/4 Sec corner
80.08 Intersect North and South line 5
links South of post corner to Sections
16.17.20 & 21 from which corner I run
S 89° 58' W on a true line
between sections 17 and 20
Variation 13° 20' East
40.04 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.08 The corner of sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 18 and 19
Variation 13° 20' East
40.00 Set Temporary 1/4 Sec corner
77.10 Intersect Range line 40 links
South of post corner to Sections
18 & 19 from which corner I run
S 89° 43' E on a true line
between sections 18 and 19
Variation 13° 20' East
37.10 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
77.10 The corner of sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

North between Sections
17 and 18
Variation 13° 20' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner of sections
7 8 17 and 18
Surface hilly
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 8 and 17
Variation 13° 20' East
40.00 Set temporary 1/4 sec corner
80.16 Intersect North and South line
18 links South of post corner to
Sections 8.9.16 & 17 from which corner
S 89° 52' W on a true line
between sections 8 and 9
Variation 13° 20' East
40.08 Set chained post in mound of earth
with pits as per instructions
for 1/4 sec corner
80.16 The corner of sections
7 8 17 and 18
Surface hilly
Soil 3rd Rate

Range No 33 West 6th Meridian

West on a Random line between
Sections 7 and 18
Variation 13° 20' East
40.00 Set temporary 1/4 sec corner
76.68 Intersect ~~Range~~ West Boundary line 25 links
South of post corner to Sections
7 & 18 from which corner S 89° 49' E on a true line
between sections 7 and 18
Variation 13° 20' East
36.68 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
76.68 The corner of sections
7 8 17 and 18
Surface hilly
Soil 3rd Rate

Township No 11 North

North between Sections
7 and 8
Variation 13° 15' East
4 4000 Set chained post in mound of earth
8 with pits as per instructions
for 1/4 Sec corner
8000 Set chained post in mound of
Earth with pits as per
instructions for corner to Sections
~~4~~ 5 6 7 and 8
1/ Surface rolling
Soil 3rd Rate

Range No 33 West 6th Meridian

East and Random line between
Section 5 and 8.
Variation 13° 20' East
4000 Set temporary 1/4 Sec corner
8000 Intersect North and South line
16 links south of post corner to
Sections 5.6.7.8 from which corner bears
S 89° 53' W on a true line
between sections 5 and 8
Variation 13° 20' East
4000 Set chained post in mound of earth
with pits as per instructions
for 1/4 Sec corner
8000 The corner of sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

Township No 11 North Range No 33 West 6th Meridian

West on a Random line between
Sections 6 and 7
Variations 13° 15' East

4	40.00	Set temporary 1/4 sec corner
8	75.48	Intersect ~~Range line~~ West Boundary 32 links North of post corner to Sections 6 & 7 from which corner I run. N 89° 46' E on a true line between sections 6 and 7
		Variation 13° 15' East
4	35.48	Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner
8	75.48	The corner of sections 5 6 7 and 8 Surface rolling Soil 3rd Rate

North on a Random line between
Sections 5 and 6
Variation 13° 30' East

	40.00	Set temporary 1/4 sec corner
	80.19	Intersect ~~Township line~~ State Boundary 13 links East of post corner to Sections 5 & 6 from which corner I run. S 31' E on a true line between Sections 5 and 6
		Variation 13° 30' East
	40.19	Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner
	80.19	The corner of sections 5 6 7 and 8 Surface rolling Soil 3rd Rate

August 25th 1871

Township No 11 North Range No 33 West of 6th Meridian

General Description

The surface of this Township is rolling and hilly Soil 3 Rate being very Sandy and altogether worthless for agricultural purposes

List of Names

A list of names of individuals employed in running measuring and marking and ~~marking~~ the lines and cemes described in the foregoing field notes of Township No 11 North Range No 33 West of the 6th Principal Meridian in the State of Nebraska Showing the respective capacities in which they acted

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser } Mound men
H J Hawkins } Chainmen

We hereby certify that we assisted William A Daugherty Deputy Surveyor in surveying and Subdividing Township No 11 North Range No 33 West of the 6th Principal Meridian State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Robert Doan Chainmen
F M Pike
Albert J Fraser Mound men
A J Hawkins Axmen

Subscribed and sworn to at my office in North Platte Lincoln County Nebraska this 5th day of September 1871

J B Park
Notary Public

I William A Daugherty Deputy Surveyor do solemnly swear that pursuance of a contract with E E Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date the 25th day of May 1871 and in strict conformity to the laws of the United States and the instructions furnished by the Surveyor General I have ~~regularly~~ faithfully surveyed and subdivided into Sections Township No 11 North Range No 33 West of the 6th Principal Meridian State of Nebraska and I do further swear that the foregoing are the true and original field notes of such survey

William A Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in North Platte Lincoln County Nebraska this 5th day of Sept 1871

J B Park
Notary Public

Surveyor General's Office
Plattsmouth Nov 11th 1871

The foregoing field notes of the Survey and Subdivision of Township No. 11 North of the Base Line of Range No. 33 West of the 6th P. M. in the State of Nebraska, Executed by Wm. A. Daugherty Deputy surveyor under his Contract No. 45, dated May 25th 1871, having in the month of August 1871, having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

NEBRASKA STATE HISTORICAL SOCIETY

Field Notes of the Survey of the Sub divisions of Township 12 North of Range 33 West of the Sixth Principal Meridian in the State of Nebraska by William Hardin Deputy Surveyor under his Contract No. forty bearing date the 6th day of August 1870.

Sub division commenced Aug 7th 1870
Sub division completed ~~Aug 7th~~ Aug 12th 1870

List of names of Assistants and their several duties

Alexander Ray } Chainmen
David Meek }

Fritz Weibe } Mound Builders
Samuel Seger }

T 12 N., R 33 West

6	52	5	37	4	27	3	18	2	9	1	
51		50		36		26		18		8	
7	49	8	35	9	25	10	17	11	7	12	
49		48		34		25		16		6	
18	47	17	33	16	24	15	15	14	5	13	
47		46		32		23		14		4	
19	45	20	31	21	23	22	13	23	4	24	
45		44		31		22		12		3	
30	43	29	30	28	21	27	11	26	2	25	
42		41		29		20		10		2	
31	40	32	28	33	19	34	10	35	1	36	

T12 N R 33 W. 6th P.M.

To determine the proper adjustment of my instrument for subdividing this township I commence at the corner to Townships 11 and 12 North of Ranges 32 and 33 West on 4th Guide Mer. W. and run North on a black line along the east boundary of section 36

Va. 14° 18' E

40.08 To 51 West of ¼ sec cor

80.11 To 1/12 West of corner to sections 25 & 36

To retrace this line or run a parallel thereto my compass must be adjusted to a variation of 13° 36' E

Subdivision commenced Aug 7th 1870

[illegible] completed [illegible] 1870

T12 N R 33 W 6th P M

From the corner to sections
1.2.35 & 36 on the south
boundary of the township I
run South between sections
Chains 35 and 36
Va 13° 30' E

40.00 Set a post deposited a
charred stake and raised
a mound of earth with pits
as per instructions for 1/4 Sec
Cor

80.00 Set a post deposited a char
red stake and raised a
mound of earth with pits
as per instructions for corner
to sections 25 26 35 & 36

Land Hilly
Soil Sandy poor 2d rate

T12 N R 33 W 6th P M

Chs East on random line between
Sections 25 and 36
Va 13° 30' E

4 40.00 Set a post for temporary 1/4 Sec Cor
79.88 Intersected the east boundary of
the township or 4th Guide Mer. W. at a point 10 Chs
South of the corner to sections 25 & 26
From which corner I run S 89° 56'
West on a true line between sections
25 and 36
Va 13° 30' E

39.94 Set a post deposited a charred stake
and raised a mound of earth with
pits as per instructions for 1/4 Sec cor
79.88 The corner to sections 25 26 35. 36
Land Rolling Soil Sandy poor 2d rate

North between sections 25 and 26
Va 13° 35' E

40.00 Set a post deposited a charred stake and rais-
ed a mound of earth with pits as per instruc
tions for 1/4 Sec cor

80.00 Set post deposited a charred stake and raised a
mound of earth with pits as per instructions for
corner to sections 23 24 25 26
Land Broken Sand hills Soil poor 2d rate

T12 S R33 W 6th P.M.

Chs	
	East on random line between sections 24 and 25
	Va 13°40' E
40.00	Set a post for temporary 1/4 Sec Cor
80.11	Intersected the east boundary of the township (or 4th Guide Mer. W.) at a point 26 lks South of the Corner to sections 24 and 25 from which corner I run S 89°49' W on a true line between sections 24 and 25
	Va 13°40' E.
40.05½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.11	The corner to sections 23 24 25 & 26
	Land Sand hills
	Soil poor 2d rate

T12 S R33 W 6th P.M.

Chains	
	North between sections 23 and 24
	Va 13°40' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 13 14 23 & 24
	Land Sandy hills Soil poor 2d rate
	East on a random line between sections 13 & 24
	Va 13°40' E.
40.00	Set a post for temporary 1/4 Sec cor
80.45	Intersected the east boundary of township (or 4th Guide Mer. W.) at a point 60 lks south of the corner to sections 13 & 24 from which corner I run S 89°34' W on a true line between sections 13 and 24
	Va 13°40' E.
40.22½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.45	The corner to sections 13, 14, 23 and 24
	Land very hilly
	Soil pure sand ~~2~~ 3d rate

T12N R33W 6th P.M.

Chs	North between sections 13 and 14 Va 13°30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 11, 12 13 and 14 Land hilly Soil Sand 3d rate

T12N R33W 6th P.M.

Chs	East on random line between sections 12 and 13 Va 13°30' E
40.00	Set a post for temporary 1/4 sec cor
80.24	Intersected the east boundary of the township or 4th Guide Mer. W. at a point 36 lks south of the corner to sections 12 and 13 from which corner I run S89°45' W on a true line between sections 12 and 13 Va 13°30' E.
40.12	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.24	The corner to sections 11, 12, 13 & 14 Land sandy hills soil 3d rate

T 12 N R 33 W 6th P M

Chs	North between sections 11 and 12 Va 13°36' E
40.00	Set a post deposited a Charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a Charred stake and raised a mound of earth with pits as per instructions for corner to sections 1, 2, 11, 12
	Land Rolling Soil Sandy poor 2d rate

T 12 N R 33 W 6th P M

Chs	East on random line between sections 1 and 12 Va 13°30' E
40.00	Set post for temporary 1/4 Sec cor
63.00	Enter small valley laying mostly in Sec 1, bears N.
78.50	Leave valley bears N.
80.50	Intersected the East boundary of the township or 4th Guide Mer. W. at a point 45 lks South of the corner to sections 1 and 12 from which corner I run S 89 41' W on a true line between sections 1 and 12 Va 13°30' E.
40.25	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for ~~corner to sections to~~ 1/4 Sec cor
80.50	The corner to sections 1, 2, 11 and 12 Land Rolling Soil poor 2d rate

T 12 N R 33 W 6th P M

Ch	North on true line between Sections 1 & 2 Va 13° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
51.70	Top of Sand ridge bears E & W
80.76	Intersected the 3d standard parallel N at a point 7.93 lks East of the corner to ~~sections~~ Township 13 N Ranges 32 and 33 West where I set a post & deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to Sections 1 and 2 Land rolling Soil poor 2d Aug ~~Aug 27~~ 7th 1870

T 12 N R 33 W 6th P M

Chs	North between Sections 34 & 35 Va 13° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 26 27 34 35 Land Rolling Soil poor 2d rate

East on random line between Sec 26 & 35 Va 13° 30' E.

40.00	Set a post for temporary 1/4 sec cor
79.87	Intersected the N & S line at a point 11 lks South of the corner to sections 25 26 35 & 36 From which corner I run S 89° 55' W on a true line between sections 26 and 35. Va 13° 30' E
39.93½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79.87	The corner to sections 26. 27. 34. 35
--	Land hilly Soil sandy poor 2d rate

T12N R33W 6th P M

Chs	North between sections 26 and 27 Va 13°30'E
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 22 23 26 & 27
	Land high rolling Soil sandy poor 2d rate

T12N R33W 6th P M

Chs	East on random line between Sections 23 and 26 Va 13°30'E.
4000	Set a post for temporary 1/4 Sec Cor
7952	Intersected the N and S line at a point 13 lks south of the corner to sections 23 24 25 26 from which corner I run S 89°54' W on a true line between sections 23 & 26 Va 13°30'E
3976	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
7952	The corner to sections 22 23 26 27 Land rolling Soil poor 2d rate

T 12 S R 33 W 6th P.M.

Chs	
	North between sections 22 and 23 v a 13°21' E
1950	Leave hills & enter small valley lying most ly in Sec 23, bears S.E.
3175	Leave valley bearing E & W
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 14 15 22 & 23
	Land rolling
	Soil poor 2d rate

T 12 S R 33 W 6th P.M.

Chs	
	East on a random line between sections 14 and 23 v a 13°21' E
4000	Set a post for temporary 1/4 Sec Cor
7961	Intersected the N. and S. line at a point 37 chs south of the corner to sections 13 14 23 24 From which corner I run S 89° 44' W on a true line between sections 14 & 23 v a 13°21' E
3980½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Section Cor
7961	The corner to sections 14 15 22 23
	Land Hilly
	Soil Sand poor 2d rate

T 12 N R 33 W 6th P M

chs	North between sections 14 and 15 Va 13° 15' E
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
7920	Enter small valley & bearing E and W
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 10 11 14 and 15
	Land Broken Sand hills Soil 3d rate

T 12 N R 33 W 6th P M

chs	East on random line between sections 11 and 14 Va 13° 15' E
1950	Leave valley bears S.W.
4000	Set a post for temporary 1/4 Sec cor
5150	Top of high sand ridge bears N.W. & S.E.
7949	Intersected the N & S line at a point 20 lks South of the corner to sections 11 12 13 and 14 From which corner I run S 89° 51' W on a true line between sections 11 and 14 Va 13° 15' E
39.74½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for ~~corner to sections~~ 1/4 Sec cor
1949	The corner to sections 10.11.14.15
	Land Rolly Soil sand poor 2d rate

T 12 N R 33 W 6th P M

Chs	North between sections 10 and 11 Va 13 15' E.
14.00	Leave valley bears N.W. & N.E.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 2 3 .10 and 11
	Land high & rolling Soil Poor 2d rate

T 12 N R 33 W 6th P M

Chs	East on random line between sections 2 and 11 Va 13° 15' E
40.00	Set a post for temporary 1/4 sec cor
79.61	Intersected the N & S line at a point 29 lks South of the corner to sections 1, 2 11, 12 from which corner I run S 89° 48' W on true line between sections 2 and 11 Va 13° 15' E.
39.80½	Set a post deposited a charred stake & raised a mound of earth with pits as per instructions for 1/4 sec cor
79.61	The corner to sections 2.3 10 11 Land Rolling Soil Sandy poor 2d rate
	North on true line between sections 2 and 3 Va 13° 20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
81.06	Intersected the 3d standard parallel N. at a point 8.80 lks East of the corner to sections 35 and 36. T 13 N R 33 W
	Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 2 and 3 Land sand hills Soil poor 2d rate

1870 Aug 8th

T12 N R33 W 6th P M

Chs	North between Sections 33 & 34 va 13° 20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 27 28 33 & 34

Land hilly
Soil sandy poor 2d rate

T12 N R33 W 6th P M

Chs	East on random line between sections 27 and 34 va 13° 20' E
40.00	Set a post for temporary 1/4 Sec cor
79.69	Intersected the North & South line at a point 5 lks North of the corner to sections 26, 27, 34 35 from which corner I run N 89° 58' W. on a true line between Sections 27 and 34 va 13° 20' E
39.84½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.69	The corner to sections 27 28 33 & 34

Land Rolling
Soil poor 2d rate

T 12 S R 33 W 6th P M

Chs	
	North between sections 27 and 28 Va 13° 25' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 21 22 27 and 28
	Land rolling
	Soil Sandy poor 2d rate

T 12 S R 33 W 6th P M

Chs	
	East on random line between sections 22 and 27 Va 13° 25' E
40.00	Set a post for temporary 1/4 Sec Cor
8 80.01	Intersected the N and S line at a point 9 lks South of the corner to sections 22 23 26 and 27 From which corner I run S 89° 56' W on a true line between sections 22 and 27 Va 13° 25' E.
40.00½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.01	The corner to sections 21, 22 27 and 28
	Land rolling
	Soil Sandy poor 2d rate

T 12 S R 33 W 6th P M

Ch	
	North between sections 21 & 22
	Va 13° 25' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions
~~8000~~	for 1/4 Sec cor
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15 16 21, 22
	Land Sand hills soil poor 2d rate
	East on random line between sections 15 & 22
	Va 13° 25' E
40,00	Set a post for temporary 1/4 Sec Cor
80 41	Intersected the Grand S line 39 lks North of the corner to sections 14, 15, 22, 23
	From which corner I run N 89° 43' W on true line between sections 15 & 22
	Va 13° 25' E
4 40,20½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80 41	The corner to sections 15 16 21 22
	Land Rolling
	Soil Sand poor 2d rate

T 12 S R 33 W. 6th P M

	North between sections 15 & 16
	Va 13° 25' E
40 00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to sections 9 10 15 and 16
	Land Rolling
	Soil poor 2d rate

T12 N R33 W 6th P M

Chs	East on Random line between Sections 10 and 15
	V 13°25' E.
40.00	Set temporary post for 1/4 Sec cor
80.81	Intersected the N and S line at a point 61 lks North of the corner to sections 11, 10, 14 15 from which corner I run S 89° 34' W. on true line between sections 10 and 15
	Va 13°25' E
40 40½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.81	The corner to sections 9 10, 15, 16
	Land Rolling Soil sandy poor 2d rate

	North between sections 9 and 10
	Va 13°20' E.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 3, 4, 9, and 10
	Land Rolling,
	Soil Sandy poor 2d rate

T12 N R33 W 6th P M

Chs	East on random line between Sections 3 and 10
	Va 13°20' E.
40.00	Set a post for temporary 1/4 Sec Cor
80.30	Intersected the N and S line 10 lks north of the corner to sections 2, 3, 10, 11 from which corner I run S 89° 36' W on true line between sections 3 and 10
	Va 13°20' E.
40 15	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80 30	The corner to sections 3, 4, 9, 10.
	Land Rolling
	Soil Sandy poor 2d rate

T12 N R 33 W 6th P M

chs	North on true line between
400	sections 3 and 4
	Va 13'20" E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
6400	Enter valley bears E and W
7800	Leave valley bears E. and W.
80.61	Intersected the 3d standard parallel N at a point 8.18 chs East of the corner to sections 34 and 35 of T13 N R 33 W At which point I Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 3 and 4
	Land Rolling prairie
	Soil middling 2d rate
	Aug 9th 1870

T12 N R 33 W 6th P M

chs	North between sections 32 and 33
	Va 13'25" E
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
5950	Enter valley bearing E & W
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 28, 29, 32 and 33
	Land Rolling
	Soil poor 2d rate

T 12 S R 33 W 6th P M

chs	East on random line between sections 28 and 33 Va 13° 25' E
2150	Leave valley bears N. & S.
4000	Set a post for temporary 1/4 Sec cor
8007	Intersected the N and S line at a point 12 lks South of the corner to sections 27, 28 33 and 34. From which corner I run S 89° 55' W on a true line between sections 28 and 33 Va 13° 25' E
4003½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
8007	The corner to sections 28 29 33 and 33

Land Rolling
Soil poor 2d rate

T 12 S R 33 W 6th P M

chs	North between sections 28 and 29 Va 13° 28' E.
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
4300	Leave valley bears S.E. & S.W.
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 20, 21 28 and 29

Land Rolling
Soil poor 2d rate

T12 S R33 W 6th P.M.

Chs	
	East on random line between sections 21 and 28 Va 13° 28' E
40.00	Set a post for temporary 1/4 Sec cor
70.00	Drain descending South
79.83	Intersected the N. and S. line 5 lks S of the corner to sections 21, 22 27 28 From which corner I run S 89° 58' W on true line between sections 21 and 28 Va 13° 28' E
3991½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.83	The corner to sections 20, 21, 28, 29 Land Rolling Soil poor 2d rate

North between sections 20 and 21 Va 13° 18' E

40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 16 17 20 21 Land Broken Soil 3d rate

T12 S. R33 W 6th P.M.

Chs	
	East on random line between sections 16 & 21 Va. 13° 18' E
40.00	Set a post for temporary 1/4 Sec Cor
79.72	Intersected the N. and S. line 20 lks South of the corner to sections 15, 16, 21 and 22 From which corner I run S 89° 58' W on a true line between sections 16 and 21 Va 13° 18' E
3986	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.72	The corner to sections 16, 17, 20, 21. Land Hilly Soil poor 2d rate

T12S R33W 6th P.M.

0.00	North between sections 16 and 17 Va 13°15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 & 17 Land Hilly Soil poor 2d rate

T12S R33W 6th P.M.

0.00	East on random line between sections 9 and 16 Va 13°15' E
40.00	Set a post for temporary 1/4 Sec cor
79.88	Intersected the N and S. line at corner to sections 9, 10, 15 and 16 from which corner I run West on a true line between sections 9 and 16 Va 13°15' E
39.94	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor
79.88	The corner to sections 8, 9, 16 and 17 Land Hilly Soil poor 2d rate

T12 S R 33 W 6th P M

chs	North between sections 8 and 9 Va 13° 15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
41.00	Touch the East edge of valley extending west about 70.00 chs
~~80~~	
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5, 8, 9

Land Rolling
Soil Poor 2d rate

T12 S R 33 W 6th P M

chs	East on random line between sections 4 and 9 Va 13° 15' E
40.00	Set a post for temporary 1/4 sec cor
80.12	Intersected the S and G line ~~at~~ 18 lks North of the corner to sections 3, 4, 9 and 10 from which a corner I run S 89° 52' W on a true line between sections 4 and 9 Va 13° 15' E
40.06	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.12	The corner to sections 4, 5, 8, 9

Land Rolling
Soil Middling 2d rate

T12S R33W 6th P.M.

Chs	North on a true line between sections 4 and 5 Va 13° 20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.73	Intersected the 3d Stand- and Parallel N. at a point 8.36 chs East of the corner to sections 33 and 34 T13S R33W When I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 4 and 5

Land Rolling
Soil 2d rate
Aug. 10th 1870

T12S R33W 6th P.M.

Chs	North between sections 31 & 32 Va 13° 18' E
2.60	Enter valley, bears N.E. & S.W.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
56.00	Leave valley, bears N.E. & bears S.W.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 29, 30 31 32

Up Land hilly, poor 2d rate; bottom good 2d rate

X

	East ~~on~~ random line between sections 29 and 32 Va 13° 18' E.
40.00	Set post for temporary 1/4 Sec cor
50.20	Enter valley, bears S.W. & N.E.
70.43	Intersected N & S line 15 lks South of corner to sections 28 29 32 33

Section 32 is out of limits. Remeasured North boundary of Sec. 32 & retraced the west boundary of same and found no error. I then run East on South boundary

T. 12 N. Range 33 W. of 6th. P. M

Chains	of Sec 32, from the corner to Sections 5, 6 31 32
	Va 13°24' E.
30.05	To the 1/4 Sec cor on South boundary of Sec 32
70.04	Cor to Secs 32 & 33 The error ~~therefor~~ therefore lies in the survey of the South boundary of this
Section	~~Tp~~ I obliterated the old corner to Secs 31 and 32 and set a post deposited charred stake and raised a mound of earth with pits as per instructions for corner to Sections 31 & 32 at a point on the Township line 80.00 chs West of corner to Sections 4, 5, 3 32 & 33
	From the ~~reestablished~~ corrected corner to Secs 5, 6, 31 & 32 I run West on South boundary of Section 31
	Va 13°24' E.
3 30.03	To the old 1/4 Sec cor which I destroyed
40.00	Set a post deposited a charred stake and raised

Township 12 North, Range 33 West of 6th. Pr. Mer

Chains	a mound of earth with pits as per instructions for 1/4 Sec cor ~~& obliterate old corner~~
7 70.38	To corner to T 11 & 12 N. R 33 and 34 West of 6th P. M.
	From the corrected corner to sections 31 and 32 I run North between Sections 31 and 32
	Va 13°18' E.
40.00 4	Set a post deposited a charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set a post deposited charred stake and raised a mound of earth with pits as per instructions for corner to sections 29 30 31 32
	Land hilly
	Soil poor 2d rate

T 12 S R 33 W 6th P. M.

Chs	East on random line between Sections 29 & 32
	Va 13° 15' E.
40.00	Set post for temporary 1/4 Sec cor
60.30	Enter valley bear S E & S W
80.24	Intersected the N and S line 15 chs south of corner to sections 28 29 32 33 from which corner I run S 89° 54' W on true line between sections 29 and 32
	Va 13° 18' E
~~40.00~~ 40.12	Set a post deposited a charred stake and raised mound of earth with pits as per instructions for 1/4 Sec Cor
80.24	The corner to sections 29 30 31 32
	Land hilly poor 2d rate

T 12 S R 33 W 6th P. M.

Chs	West on random line between 30 and 31
	Va 13° 18' E
40.00	Set a post for temporary 1/4 Sec cor
71.17	Intersected the West boundary of township at 12 chs north of the corner to sections 30 and 31 from which corner I run S 89° 54' E on true line between Sections 30 and 31
	Va 13° 18' E
31.17	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
71.17	The corner to sections 29 30 31 32
	Land Rolling
	Soil Sandy poor 2d rate

T12 S R33 W 5th P M

chs	
	North between sections 29, 30
	Va 13° 15' E
20,00	Touch SE corner of valley in Sec 30
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 19 20 29 30
	Land hilly
	Soil poor 2d rate

T12 S R33 W 5th P M

chs	
	East on random line between sections 20 and 29
	Va 13° 15' E
40,00	Set a post for temporary 1/4 Sec cor
79,80	Intersected the S and G line ~~at a point~~ 8 lks south of the corner to sections 20 21 28 29
	From which corner I run S 89° 37' W on a true line between sections 20 & 29
	Va 13° 15' E
39,90	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79,80	The corner to sections 19 20 29 30
	Land rolling
	Soil sand poor 2d rate
	Aug 11th 1870

T12 S R33 W 6th P.M.

Chs	West on random line between Sects 19, 30
	Va 13° 18' E
40.00	Set post for temporary 1/4 Sec cor
72.13	Intersected West boundary of township 7 chs South of corner to sections 19 & 30 from which corner I run S 89° 57' East on true line between sections 19 and 30
	Va 13° 18' E
32.13	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
72.13	The corner to sections 19 20 29 30
	Land rolling poor 2d rate
	North between sections 19 and 20
	Va 13° 18' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 17, 18, 19 20
	Land hilly soil poor 2d rate

T12 R33 W 6th P.M.

Chs	East on random line between Sections 17 and 20
	Va 13° 18' E.
40.00	Set a post for temporary 1/4 Sec Cor
80.16	Intersected the S 25 B line 17 chs South of corner to sections 16, 17, 20 21 from which corner I run S 89° 53' W on a true line between sections 17 & 20
	Va 13° 18' E
40.08	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.16	The corner to sections 17 18 19 20
	Land Rolling
	Soil sandy middling 2d rate

T12 S R 33 W 6th P.M.

Chs	
	West on random line between sections 18 and 19
	Va 13°18' E
40.00	Set a post for temporary 1/4 sec cor
72.42	Intersected the West boundary of township 15 lks south of cor to sections 18, 19 from which corner I run S 89° 53' E on true line between sections 18 and 19
	Va 13°18' E
32.42	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
72.42	The corner to sections 17 18 19 20
	Land rolling Soil sandy pow 2d rate
	North between sections 17 and 18
	Va 13°15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7, 8 17 18
	Land rolling pow 2d rate

T12 S R 33 W 6th P.M.

Chs	
	East on random line between sections 8 and 17
	Va 13°15' E.
40.00	Set a post for temporary 1/4 sec cor
80.38	Intersected W and S line 55 lks South of corner to sections 8, 9, 16 and 17 from which corner I run S 89° 53' W on true line between sections 8 and 17
	Va 13°15' E
40.19	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.38	The corner to sections 7, 8 17 18
	Land hilly pow 2d rate

T12N R33W 6th P M

Chs	West on random line between Sections 7 and 18
	Va 13°15' E
3.00	Enter valley (circular)
21.00	Leave "
40.00	Set post for temporary 1/4 sec cor
72.46	Intersected the West boundary of township 31 lks south of corner to sections 7 and 18 from which corner I run S 89°26' E on true line between sections 7 and 18
	Va 13°15' E.
32.46	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
72.46	The corner to sections 7, 8, 17, 18
	Land rolling; poor 2d rate

North between sections 7 and 8

Va 13°15' E

40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 5, 6, 7 and 8
	Land rolling
	Soil sandy 2d rate

T12N R33W 6th P M

Chs	East on random line between Sections 5 and 8
	Va 13°15' E
23.00	Enter valley bearing N & S
30.00	Leave " " " "
40.00	Set a post for temporary 1/4 sec cor
80.24	Intersected the N and S line 22 lks South of corner to sections 4, 5, 8, 9 from which corner I run S 89°51' W on a true line between sections 5 and 8
	Va 13°15' E
40.12	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.24	The corner to sections 5, 6, 7, 8
	Land rolling
	Soil sandy poor 2d rate

T12 N R33 W 6th P. M.

Chs	West on random line between Sections 6 & 7
	Va 13° 15' E
4000	Set a post for temporary 1/4 Sec cor
4900	Valley bears N and S
6000	Leave Valley bears N & S.
7323.	I intersect the West boundary of township at a point 89 chs South of the corner to sections 6 and 7 from which corner I run S 89° ~~27~~ 18' E on true line between Sections 6 and 7
	Va 13° 15' E
33,23	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
73,23	The corner to 5 6 7 8
	Land Rolling poor 2d rate

T12 N R33 W 5th P. M.

Chs	North on true line between Sections 5 and 6
	Va 13° 24' E
40,00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
81,03	Intersected the 3d Standard
Paral. N.	~~line~~ at a point 7,53 chs East of the corner to Sections 32 and 33
	Where I set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for closing corner to sections 5 and 6
	Land Rolling
	Soil poor 2d rate
	Aug 12th 1870

See remark on next page

T12 N R 33 W 5th P M

General Description

This Township is Hilly & in Some places Broken; Soil nearly pure Sand Grass coarse & thin on the ground — A Great many little valleys or basins among the Sand hills; Soil generally poorest of 2d quality producing Several varieties of Cactus

Artesian wells are the only resort for water. The Surface of the land and nature of the soil will render irrigation difficult

The soil is adapted to the growth of anything that will grow on pure sand

---

Remark

The Deputy that run the exterior lines of this Township Established no closing corner to T12N Range 33 and 34 W. on the 3d Standard Parallel N.

A List of the names of the individuals employed to assist in measuring and marking the lines and corners described in the foregoing field notes of Township No 12 north of the base line of Range No 33 West of the 6th P M Showing the respective capacities in which they acted

Alexander Keys Chainman
David L Meek Chainman
Fred Weike mound builder
S J Seger mound builder

We hereby certify that we assisted William Hardin deputy surveyor in Surveying the Sub divisions of Township Number Twelve north of the base line of Range No 33 West of the 6th Principal Meridian in the state of Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Alexander Keys Chainman
David L Meek Chainman
Fred. Wieke. Mound builder
S. J. Seger Mound builder

Subscribed and sworn to ~~befor~~ by the above named persons before me a Clerk of the District Court for the County of Lincoln in the State of Nebraska this 29 day of September 1870

R C Dougherty
Clerk of the District Court within and for Lincoln County Nebraska

I William Hardin deputy surveyor do solemnly swear that in pursuance of a contract with R R Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the sub divisions of Township number twelve North of the base line of Range number thirty three West of the Sixth Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

William Hardin
Deputy Surveyor

Subscribed by said William Hardin deputy surveyor and sworn to before me a Notary Public in & for Saunders County State of Nebraska this 12 day of October 1870

A B Fuller
Notary Public

Surveyor General's Office.
Plattsmouth Neb. March 21. 1871.

The foregoing field notes of the survey of the subdivision lines of Township No. 12 North of the Base line of Range No. 33 West of the 6th. Principal Meridian in the State of Nebraska executed by William Hardin under his Contract of the 6th. day of August 1870. in the month of August 1870. having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Robt. R Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

559

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.