General Land Office • Original Field Notes

Book Number

568

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index to

Town. 9 N. Range 34 West



T. 9 to 12. N
R. 34 W

...hip

No 7 ... No 34

West of the 6th Principal

Meridian State of Nebraska

Commenced Aug 3rd 1871

Finished Aug 8th 1871

By William A Daugherty

Deputy Surveyor

Township No 9 North Range No 34 West of the 6th P M

Names of Assistants

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser
H J Hawkins } Mound men + axmen

To determine the proper adjustment of my compass for sub dividing this Township I begin at corner to Townships 9 North Ranges ~~34 West~~ 33 and 34 West and run thence North on a blank line along East Boundary of Sec 36.

Variation 13° 30' East

40.00 To a point 19 links west of 1/4 Sec corner
79.93 To a point 21 links west of Sec corner

Therefore, to retrace this line or run parallel thereto, my compass must be adjusted to a

Variation 13° 21' East

Township No 9 North

North between Sections
35 and 36
Variation 13° 30' E

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to Sections 25 26 35 & 36
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 25 and 36
Variation 13° 30' E

40.00 Set temporary 1/4 Sec corner

80.26 Intersect ~~Range line~~ Earth Boundary 6 links North of post corner to sections 25 & 36 from which corner I run
N 89° ~~58~~ 57' W on a true line between Sections 25 and 36
Variation 13° 30' East

40.13 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.26 The corner of sections
25 26 35 and 36
Surface gently
rolling Soil 2nd Rate

Township No 9 North

North between Sections
25 and 26
Variation 13° 25' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 23 24 25 & 26

Surface gently rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 24 and 25
Variation 13° 30' E

40.00 Set temporary 1/4 Sec corner

80.00 Intersect ~~Range line~~ East Boundary 24 lks North of post corner to Sections 24 & 25 from which corner I run N 89° 30' W on a true line between Sections 24 and 25
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for ~~Corner to~~ 1/4 Sec corner

80.00 The corner of sections 23 24 & 25 and 26
Surface rolling
Soil 3rd Rate

Township No 9 North

North between Sections
23 and 24
Variation 13° 28' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24

Surface gently rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East ~~area~~ Random line between
Sections 13 and 24
Variation 13° 30' E

40.00 Set temporary 1/4 Sec Corner

80.14 Intersect ~~Range line~~ East Boundary 33 links South of post corner to Sections 13 and 24 from which corner I run S 89° 45' West a true line between Sections 13 and 24
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.14 The corner of sections 13 14 23 and 24

Surface gently rolling
Soil 2nd Rate

Township No 9 North

North between Sections
13 and 14
Variation 13° 20' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 11 12 13 and 14

Surface gently rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East of Random line between
Sections 12 and 13
Variation 13° 20' E

40.00 Set temporary 1/4 Sec corner

79.80 Intersect ~~Range line~~ East Range line 52 links South of post corner to sections 12 & 13 from which corner I run S 89° 38' W on a true line between Sections 12 and 13
Variation 13° 20' East

39.90 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.80 The corner of sections 11 12 13 and 14
Surface rolling
Soil 3rd Rate

Township No 9 North

North between Sections
Sections 11 and 12
Variation 13° 30' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12
Surface gently rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 1 and 12
Variation 13° 30' E

40.00 Set temporary 1/4 Sec corner

79.66 Intersect ~~Range line~~ East Boundary 15 links North of post corner to Sections 1 & 12 from which corner I run.
N 89° 54' W on a true line between sections 1 and 12
Variation 13° 30' East

39.83 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.66 The corner of sections 1 2 11 and 12
Surface rolling
Soil 3rd Rate

Township No 9 North

North on a Random line between Sections 1 and 2

Variation 13° 30' E

40.00 Set temporary 1/4 Sec corner

79.78 Intersect ~~Township line~~ North Boundary 44 links East of post corner to Sections 1 & 2 from which corner I run. S 19 E on a true line between sections 1 and 2

Variation 13° 30' East

39.78 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.78 The corner of sections 1 2 11 & 12

Surface rolling

Soil 3rd Rate

Aug 3rd 1871

Range No 34 West 6th Meridian

North between Sections 34 and 35

Variation 13° 30' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth pits as per instructions for corner to sections 26 27 34 and 35

Surface rolling

Soil 2nd Rate

Township No 9 North

East Random between
Sections 26 and 35
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner
79.88 Intersect North and South line 18 links North of post corner to Sections 25. 26. 35 & 36 from which corner I run N 89° 52' W on a true line between Sections 26 and 35
Variation 13° 30' East
39.94 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.88 The corner of Sections 26 27 34 and 35
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
26 and 27
Variation 13° 30' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
22 23 26 and 27
Surface rolling
Soil 2nd Rate

Township No 4 North

East on a Random line between Sections 23 and 26
Variation 13°30

4000 Set temporary 1/4 Sec corner
8010 Intersect North and South line 10 links North of post corner to Sections 23.24.25 & 26 from which I run N 89°56' W on a true line between Sections 23 and 26
Variation 13° 30' East
40.05 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
8015 The corner of sections 22 23 26 & 27
Surface gently rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections 22 and 23
Variation 13°30' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 14 15 22 and 23
Surface gently rolling
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 14 and 23

Variation 13° 25' East

4	4000	Set temporary 1/4 Sec corner
8	7.9.82	Intersect North and South line 14 links North of post corner to Sections 13.14.23 & 24 from which corner I run N 89° 57' W between sections 14 and 23

Variation 13° 25 East

4	3991	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
8	7982	The corner of sections 14 15 22 and 23

Surface gently rolling

Soil 2nd Rate

Range No 34 East 6th Meridian

North between Sections 14 and 15

Variation 13° 20' E

	4000	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
	8000	Set chained post in mound of Earth with pits as per instructions for Corner to Sections 10 11 14 and 15

Surface gently rolling

Soil 2nd Rate

Township No 9 North

East on a Random line between Sections 11 and 14

Variation 13° 30'

4 40,00 Set temporary 1/4 Sec corner

8 80,08 Intersect North and South line 23 links North of post corner to Sections 11. 12. 13 & 14 from which corner S run N 89° 50' W on a true line between sections 11 and 14

Variation 13° 30' East

4 40,04 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80 08 The corner of sections 10 11 14 and 15

Surface rolling

Soil 3° Rate

Range No 34 West 6th Meridian

North between Sections 10 and 11

Variation 13° 30' East

40,00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80,00 Set chased post in mound of Earth with pits as per instructions for corner of sections 2 3 10 and 11

Surface rolling

Soil 3° Rate

Township No 9 North

East on a Random line between
Sections 2 and 11
Variation 13° 20' East

40.00 Set ~~chained post in mound of Earth~~ temporary ¼ Sec corner
~~with pits as per instructions~~ for
80.20 Intersect North and South line 13 links
North of post corner to Sections
1. 2. 11. & 12 from which corner I run.
N 89° 54' W on a true line between
Sections 2 and 11
Variation 13° 20' East
40.10 Set chained post in mound of Earth
with pits as per instructions
for ¼ Sec corner
80.20 The corner of sections
2 3 10 and 11
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North on a Random line between
Sections 2 and 3
Variation 13° 30' East
40.00 Set temporary ¼ Sec corner
80.13 Intersect North Boundary of Township line 11 links west
of post corner to Sections 2 & 3
from which corner I run.
S 5' W on a true line between
sections 2 and 3
Variation 13° 30' East
40.13 Set chained post in mound of Earth
with pits as per instructions
for ¼ Sec cor
80.15 The corner of sections
2 3 10 & 11.
Surface rolling soil 3rd Rate

Township No 9 North

North between Sections
33 and 34
Variation 13° 30' East

40,00 Set ~~temporary 1/4 Sec corner~~ chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80,00 Set chaned post in mound of Earth with pits as per instructions for corner to Sections 27 28 33 and 34
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on Random line between
Sections 27 and 34
Variation 13° 30' E

40,00 Set temporary 1/4 Sec corner

79,92 Intersect North and South and line 11 links North of post corner of Sections 26.27.34 & 35 from which I run N 89°35' W on a true line between Sections 27 and 34
Variation 13° 30' East

39,96 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

79,92 The corner of sections 27 28 33 and 34
Surface rolling
Soil 2nd Rate

Aug 4th 1871

Township No 9 North

North between Sections
27 and 28
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner

80.00 Set chained post in mound of Earth with pits as per instructions for Corner to sections 21 22 27 and 28

Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 22 and 27
Variation 13° 25' E

40.00 Set temporary 1/4 Sec corner

79.80 Intersected North and South line 16 links South of post corner to Sections 22.23.26 & 27 from which corner I run S 89° 53' W on a true line between sections 22 and 27
Variation 13° 25' East

39.90 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

79.80 The corner of sections 21 22 27 and 28
Surface rolling
Soil 2nd Rate

Township No 9 North

North between Sections 21 and 22

Variation 13° 30' E

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corn

8000 Set chained post in mound of Earth with pits as per instructions for instructions for Corner of Sections 15 16 21 and 22

Surface hilly

Soil 3rd Rate

Range No 34 West 6th Meridian

East and Random line between Sections 15 and 22

Variation 13° 25' E

4000 Set temporary 1/4 sec corner

80 10 Intersect North and south line ~~between sections~~ 14 links South of post corner to Sections 14. 15. 22 & 23 from which I run S 89° 54' W on a true line between sections 15 and 22

Variation 13° 25' East

4005 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corn

8010 The corn of sections 15 16 21 and 22

Surface rolling

Soil 2nd Rate

Township No 9 North

North between Sections
15 and 16
Variation 13° 30' East

4000 Set chained post in mound of Earth
8 with pits as per instructions
for 1/4 sec corner
8000 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

East on Random line between
Sections 10 and 15
Variation 13° 30' E

4000 Set temporary 1/4 sec corner
80 40 Intersect North and south line
45 links North of post corner to
Sections 10. 11. 14 & 15 from which I run corner
N 89° 41' W on a true line
between sections 10 and 15
Variation 13° 30' East
4020 Set chained post in mound of Earth
with pits as per instructions
for 1/4 sec corner
8040 The corner of sections
9 10 15 and 16
Surface rolling
Soil 3rd Rate

Township No 9 North

North between Sections 9 and 10

Variation 13° 15' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 3 4 9 and 10

Surface rolling

Soil 3rd Rate

Range No 34 West 6th Meridian

East on a Random line between Sections 3 and 10

Variation 13° 15' E

40.00 Set temporary 1/4 Sec corner

80.04 Intersect North and South line 12 links South of post corner to Sections 2, 3, 10 & 11. from which corner I run S 89° 55' W on a true line between sections 3 and 10

Variation 13° 15' East

40.02 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

8. 80.04 The corner of sections 3 4 9 & 10

Surface rolling soil 3rd Rate

Township No 9 North

North on a Random line between Sections 3 and 4
Variation 13° 30' East

4000 Set Temporary 1/4 Sec corner
78.88 Intersect North Boundary of Township 33 links west of 1/4 post corner to Sections 3 & 4 from which corner I run.
S 23' W on a true line between sections 3 & 4
Variation 13° 30' East
38.88 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner
78.88 The corner of sections 3 4 9 and 10
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections 32 and 33
Variation 13° 25

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner
8000 Set chased post in mound of Earth with pits as per instructions for corner to sections 28 29 32 and 33
Surface hilly
Soil 3rd Rate

Township No 9 North

East on a Random line between
Sections 28 and 33
Variation 13° 25' E

4000 Set temporary 1/4 sec corn
8010 Intersect North and South line
at post corner to Sections
27. 28. 33. & 34 from which corner I run
West on a true line between
sections 28 and 33
Variation 13° 25' East
4005 Set chard post in mound of
Earth with pits as per
instructions for 1/4 sec corn
8010 The corn of sections
28 29 32 and 33
Surface hills
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections
28 and 29
Variation 13° 25' E

4000 Set chard post in mound of Earth
with pits as per instructions
for 1/4 sec corn
8000 Set chard post in mound of Earth
with pits as per instructions
for corn to sections 20 21
28 and 29
Surface hilly
Soil 3rd Rate

Township No 9 North

East and Random line between Sections 21 and 28

Variation 13°25' E

40.00	Set temporary ¼ Sec corn
79.92	Intersect North and south line 14 links South of post corner to Sections 21. 22. 27 & 28 from which I run S. 89°54' W on a true line between Sections 21 and 28

Variation 13° 25' East

39.96	Set chained post in mound of Earth with pits as per instructions for ¼ Sec corn
79.92	The corn of sections 20 21 28 & 29

Surface hilly

Soil 3rd Rate

Aug 5th 1871

Range No 34 West 6th Meridian

North between Sections 20 and 21

Variation 13° 25' E

40.00	Set chained post in mound of Earth with pits as per instructions for ¼ Sec corn
80.00	Set chained post in mound of Earth with pits as per instructions for Corner to Sections 16 17 20 and 21

Surface hilly

Soil 3rd Rate

Township No 9 North

East on a Random line between Sections 16 and 21

Variation 13° 15' E

40.00 Set temporary 1/4 Sec corner

80.14 Intersect North and South line 7 links North of post corner to Sections 15.16.21 & 22 from which corner I run N 89° 57' W on a true line between Sections 16 and 21

Variation 13° 15' East

40.07 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.14 The corner of sections 16 17 20 and 21

Surface hilly

Soil B. Rate

Range No 34 West 6th Meridian

North between Sections 16 and 17

Variation 13° 15' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for Corner to sections 8 9 16 and 17

Surface hilly

Soil B. Rate

Township No 9 North

East on a Random line between Sections 9 and 16
Variation 13° 15' E

40.00 Set temporary 1/4 Sec Corner
79.78 Intersect North and South line 17 links South of post corner to Sections 9.10.15 & 16 from which corner I run S 89° 53' W on a true line between sections 9 and 16
Variation 13° 15' East
39.89 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner
79.78 The corner of sections 8 9 16 and 17
Surface hilly Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections 8 and 9
Variation 13° 15' E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner
80.00 Set chained post in mound of Earth with ~~post in mound of E~~ pits ~~pits~~ as per instructions for Corner to sections 4 5 8 and 9
Surface hilly
Soil 3rd Rate

Township No 9 North

East and Random line between Sections 4 and 9

Variation 13° 20' E

40.00 Set temporary 1/4 Sec corner

79.62 Intersect North and South line 27 links North of post corner to Sections 3.4.9 & 10 from which corner I run N 89° 48' W on a true line between sections 4 and 9

Variation 13° 20' East

39.81 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.62 The corner of sections 4 5 8 and 9

Surface hilly

Soil 3rd Rate

Range No 34 West 6th Meridian

North and Random line between Sections 4 and 5

Variation 13° 15' E

40.00 Set temporary 1/4 Sec corner

79.14 Intersect ~~Township line~~ North Boundary of Township 12 links East of post corner to Sections 4 & 5 from which corner I run S 5' E on a true line between sections 4 and 5

Variation 13° 15' East

39.14 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.14 The corner of sections 4 5 8 and 9

Surface hilly

Soil 3rd Rate

Township No 9 North

North between Sections
31 and 32
Variation 13°15' E

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec Corner

80.00 Set chaned post in mound of Earth with pits as per instructions for Corner to Sections
29 30 31 and 32
Surface hilly
Soil 3rd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 29 and 32
Variation 13°15' East

40.00 Set temporary 1/4 Sec corner

79.78 Intersect North and South line 21 links South of post corner to Sections 28.29.32 & 33. from which corner I run S 89°57' W on a true line between sections 29 and 32
Variation 13°15 East

39.89 ~~Date~~ Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.78 The corner of sections
29 30 31 and 32
Surface hilly
Soil 3rd Rate

Township No 9 North

West on a Random line between Sections 30 and 31

Variation 13° 15' E

40.00 Set temporary 1/4 Sec corner

79.88 Intersect ~~Range line~~ West Boundary 28 links South of post corner to Sections 30 & 31 from which corner I run S 89° 48' E on a true line between sections 30 & 31

Variation 13° 15' East

39.88 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.88 The corner of Sections 29 30 31 and 32

Surface hilly

Soil 3° Rate

Range No 34 West 6th Meridian

North between Sections 29 and 30

Variation 13° 15' E

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for Corner to sections 19 20 29 and 30

Surface rolling

Soil 3° Rate

Aug 7th 1871

Township No 9 North

East on a Random line between
Sections 20 and 29
Variation 13°30' E

40.00 Set Temporary 1/4 Sec corner
80.12 Intersect North and South line
63 links South of post corner to
Sections 20.21.28 & 29 from which corner I run
S 89° 33' W on a true line
between sections 20 and 29
Variation 13° 30' East
40.06 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.12 The corner of sections
19. 20 29 and 30
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

West on a Random line between
Sections 19 and 30 East
Variation 13°30' E

40.00 Set Temporary 1/4 Sec corner
79.80 Intersect ~~Range line~~ Fort Berthold 22 links
South of post corner of Sections
19 & 30 from which corner I run
S 89° 51' E on a true line
between sections 19 and 30
Variation 13° 30' East
39.80 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79.80 The corner of sections
19 20 29 and 30
Surface rolling soil 2nd Rate

Township No 9 North

North between Sections 19 and 20

Variation 13°15' East

40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 17 18 19 and 20
	Surface rolling
	Soil 2nd Rate

Range No 34 West 6th Meridian

East on a random line between Sections 17 and 20

Variation East 13°15'

40.00	Set temporary 1/4 Sec corner
80.06	Intersect North and South line 32 links South of post corner to Sections 16.17.20 & 21 from which corner Drum S 89°46' W on a true line between sections 17 and 20
	Variation 13° 15' East
40.03	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.06	The corner of sections 17 18. 19 and 20
	Surface rolling
	Soil 2nd Rate

Township No 9 North

East on a random line between
Sections 18 and 19 East
Variation 13°20'

40 00 Set temporary 1/4 sec corner
79 20 Intersect ~~North and South line~~ West Boundary 24
links South of post corner to sections
18 & 19 from which corner I run
S 89° 30' W on a true line between
Sections 18 and 19
Variation 13° 20' East
39 20 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79 20 The corner of sections
17 18 19 and 20
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
17 and 18
Variation 13° 15' East
40 00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80 00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
7 8 17 and 18
Surface rolling
Soil 2nd Rate

Township No 9 North

East and Random line between Sections 8 and 17 East
Variation 13° 30' E

4000 Set temporary 1/4 Sec corner
79.88 Intersect North and South line 38 links North of post corner to Sections 8.9.16 & 17 from which corner I run.
N 89° 44' W on a true line between sections 8 and 17
Variation 13° 30' East

39.94 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.88 The corner of sections 7 8 17 & 18
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

West and Random line between Sections 7 and 18 East
Variation 13° 30'

4000 Set temporary 1/4 Sec corner
77.93 Intersect ~~Range line~~ West Boundary 25 links South of post corner to Sections 7. & 18 from which corner I run.
S 89° 49' E on a true line between sections 7 and 18
Variation 13° 30' East

37.93 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner
77.93 The corner of sections 7 8 17 and 18
Surface rolling
Soil 2nd Rate

Township No 9 North

North between Sections
7 and 8
Variation 13° 15' East

4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec Corner

8000 Set chained post in mound of Earth
with pits as per instructions for
corner to sections 5 6
7 and 8

Surface rolling
Soil 2nd Rate -

Range No 34 West 6th Meridian

East on a random line between
Sections 5 and 8
Variation 13° 15' E

4000 Set temporary 1/4 Sec corner

79.62 Intersect North and South line
26 links South of post corner to
Sections 4.5.8 & 9 from which corner I run
S 89° 49' W on a true line between
Sections 5 and 8
Variation 13° 15' East

39.81 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

79.62 The corner of sections
5 6 7 and 8

Surface rolling
Soil 2nd Rate

West on a Random line between Sections 6 and 7
Variation 13°15'

40.00	40.00	Set temporary 1/4 Sec. corner
	78.32	Intersect ~~Range line~~ West Boundary 24 links North of West corner to Sections 6 & 7 from which corner I run
80.00		N 89°50' E on a true line between sections 6 and 7
		Variation 13° 15' East
	38.32	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
	78.32	The corner of sections 5, 6, 7 and 8
		Surface rolling
		Soil 2nd Rate

North on a Random line between Sections 5 and 6 East
Variation 13°15' E

	40.00	Set temporary 1/4 Sec corner
	78.91	Intersect ~~Township line~~ North Boundary of Township 18 links East of West corner to Sections 5 & 6 from which corner I run
		S 8' E on a true line between Sections 5 and 6
		Variation 13°15' East
	38.91	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
	78.91	The corner of sections 5, 6, 7 and 8
		Surface rolling
		Soil 2nd Rate

Aug 8th 1871

4000

8000

General Description

The surface of this Township rolling and Hilly ~~Soil sandy and very poor 3rd rate - entirely unfit for agricultural purposes~~ Soil in the southern and East portion of the Township 2nd Rate - and with irrigation would be fair agricultural lands

List of Names

A list of the names of the individuals employed in running measuring and marking the lines & corners described in the foregoing field notes of Township No 9 north of the base line of Range No 34 west of the 6th principal Meridian State of Nebraska showing the respective capacities in which they acted.

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser } Mound men
H J Hawkins } Axmen

We hereby certify that we assisted William A. Daugherty deputy Surveyor in surveying and Subdividing Township number Nine north of the base line of Range number Thirty four west of the sixth principal meridian State of Nebraska and that said Township has been in all respects to the best of our Knowledge & belief well and faithfully surveyed and the boundary monuments plant according to the instructions furnished by the Surveyor general

Frank M Pike
Robert Doom

Albert D Fraser
H J Hawkins

Subscribed and sworn to before me at my office in the city of North Platte Nebraska this 5th day of Sept 1871

J. P. Park Notary Public

I William A. Daugherty deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date the 25th day of May 1871 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor general I have faithfully surveyed & subdivided Township Number Nine North of Base line of Range number Thirty four west of the Sixth principal meridian State of Nebraska and I do further solemnly swear that that the foregoing are the true and original field notes of said survey

William A Daugherty
Deputy Surveyor

Subscribed and sworn to by the
said William A Daugherty
before me at my office in the
city of North Platte State
of Nebraska this 5th day of
September 1871

L. B. Park

Notary Public

Surveyor General's Office
Plattsmouth Neb Nov. 11th 1871

The foregoing field Notes of the
Survey of the Subdivision of
Township No 9 North of the
Base line Range No 34 West
of the 6th P.M. in the state of
Nebraska Executed by Wm A
Daugherty under his Contract
No 43. Dated May 25th A.D 1871
in the Month of August 1871
having been critically
Examined. the Necessary
Corrections & Explanations
Made the said field Notes
and the Surveys they describe
are hereby approved

E. E. Cunningham
Surveyor General

T 10 N., R 34 W

6 60	5 44	4 33	3 22	2 11	1
59	58	43	32	21	10
7 57	8 42	9 31	10 20	11 9	12
56	55	41	30	19	8
18 54	17 41	16 29	15 18	14 7	13
53	52	39	28	17	6
19 51	20 38	21 27	22 16	23 5	24
50	49	37	26	15	4
30 48	29 36	28 25	27 14	26 3	25
47	46	35	24	13	2
31 45	32 34	33 23	34 12	35 1	36

Subdivision of Township No 10 North of Range No 34 West of the 6th Meridian.

State of Nebraska

Commenced Aug 9th 1871

Finished Aug 14th 1871

By William A. Daugherty

Deputy Surveyor

Township No 10 North Range No 34 North Range West

Names of Assistants

Robert J Doom
Frank M Pike } Chainmen

Albert D Fraser
H J Hawkins } Flagmen

To determine the proper adjustment of my compass for sub-dividing this Township I begin at the cor. to Townships No 9 & 10 North of Ranges No 33 and 34 West of the 6th Principal Meridian and run thence North on a blank line along the East Boundary of Sec 36

Variation 13° 30' East

3998 fell 18 links East of 1/4 Sec corner
7998 fell 29 links East of Sec cor

Therefore to retrace this line or run parallel thereto my compass must be adjusted to a

Variation 13° 42' East

Township No 10 North

North between Sections
35 and 36
Variation 13° 15' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

68 6800 Dry creek 10 links wide runs East

8000 Set chased post in mound of Earth with pits as per instructions for Corner to Sections 25 26 35 and 36
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 25 and 36
Variation 13° 15' East

4000 Set temporary 1/4 Sec corner

7962 Intersect ~~North and South~~ East Boundary of town ~~line~~ 37 links south of post of corner to Sections 25 & 36 from which corner I run S 89° 44' W on a true line between sections 25 and 36
Variation 13° 15' East

3981 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

7962 The corner of sections 25 26 35 and 36
Surface rolling
Soil 2nd Rate

Township No 10 North

North between Sections
25 and 26
Variation 13° 30' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to Sections 23 24 25 and 26
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 24 and 25
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner

80.06 Intersect ~~North and South line~~ East Boundary 16 links North of post corner to Section 19. 24. 25 from which corner I run
N 89° ~~41~~ 53' W on a true line between Section 24 and 25
Variation 13° 30' East

40.03 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec Corner

80.06 The corner of sections
23 24 25 and 26
Surface rolling
Soil 2nd Rate

Township No 10 North

North between Sections
23 and 24
Variation 13° 25' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chased post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 13 and 24
Variation 13° 25' East

4000 Set Temporary 1/4 Sec cor
5200 Enter Creek bottom beans N W & S E
80.20 Intersect ~~Range line~~ East Boundary 11 links North of post corner to Sections 13 & 24 from which corner I run
N 89° 55' W on a true line between sections 13 and 24
Variation 13° 25' East

40.10 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

8020 The corner of sections 13. 14. 23 and 24
Surface rolling
Soil 2nd Rate

Township No 10 North

North between Sections
13 and 14
Variation 13° 20' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec cor
80.00 Set chained post in mound of
Earth with pits - as per
instructions for corner
to Sections
11, 12, 13 and 14
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 12 and 13
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
49.25 Creek 20 links wide runs S.E.
80.24 Intersect ~~Range line~~ East Boundary 20 links
South of post corner to Sections
12 & 13 from which corner I run
S 89° 51' W on a true line between
Sections 12 and 13
Variation 13° 15' East
40.13 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.26 The corner of Sections
11 12 13 and 14
Surface rolling Soil 2nd Rate

Township No 10 North

North between Sections
11 and 12
Variation 13° 15' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

63 or Dry creek 15 links with mus East

8000 Set chased post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 1 and 12
Variation 13° 15' East

4000 Set temporary 1/4 Sec corner

79.92 Intersect ~~Range line~~ East Boundary 13 links south of post corner to sections 1 & 12 from which corner I run
S 89° 54' W on a true line between sections 1 and 12
Variation 13° 15' East

39.96 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.92 The corner of sections
1 2 11 and 12
Surface rolling
Soil 3rd Rate

Township No 10 North

North on a Random line between
Sections 1 and 2
Variation 13° 20' East

4000 Set Temporary 1/4 Sec corner

80.35 Intersect N. Boundary of Township ~~line between at~~ corner of Sections 1 and 2 from which corner I am South on a true line between sec 1 and 2
Variation 13° 20' East

40.35 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80 35 ~~Set chared post in mound of~~ Earth ~~with~~ The corner of sections 1 2, 11 and 12
Surface rolling
Soil 3rd Rate

August 9th 1871

Range No 34 West 6th Meridian

North between Sections
34 and 35
Variation 13° 15' East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chared post in mound of Earth with pits as per instructions for Corner of Sections 26 27 34 and 35
Surface rolling
Soil 2nd Rate

Township No 10 North

East on a Random line between
Sections 26 and 35
Variation 13° 15' East
40,00 Set temporary 1/4 Sec corner
80,30 Intersect North and South line 28
links South of corner of Sections
25. 26. 35. & 36 from which corner run
S 89° 48' W on a true line between
Sections 26 and 35
Variation 13° 15' East
40,15 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80 30 The corner of Sections
26 27 34 and ~~34~~ 35
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
26 and 27
Variation 13° 15' East
40,00 Set chained post in mound of Earth
with pits as per instructions for
~~as per~~ 1/4 Sec corner
80,00 Set chained post in mound of Earth
with pits as per instructions for
corner of Sections
22 23 26 and 27
Surface rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 23 and 26
Variation 13° 20' East
40.00 Set temporary 1/4 Sec corner
80.04 Intersect North and South line 8
links North of post corners to Sections
23. 24. 25 & 26 from which corners I run.
N 89° 57' W on a true line
between sections 23 and 26
Variation 13° 20' East
40.02 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.04 The corner of sections
22 23 26 and 27
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
22 and 23
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections
14 15 22 and 23
Surface rolling
Soil 2nd Rate

Township No 10 North

East on Random line between
Sections 14 and 23
Variation 13° 15' East

40.	40.00	Set temporary ¼ Sec corner
80.	79.98	Intersect North and South line 21 links South of corner to Sections 13. 14. 23 & 24 from which corner I run S 89°51' W on a true line between Sections 14 and 23
		Variation 13° 15' East
40.0	39.99	Set chaned post in mound of Earth with pits as per instructions for ¼ Sec corner
80.02	79.98	The corner of sections 14 15 22 and 23
		Surface rolling
		Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
14 and 15
Variation 13° 15' East

40.00	Set chaned post in mound of Earth with pits as per instructions for ¼ Sec corner
80.00	Set chaned post in mound of Earth with pits as per instructions for Corner of Sections 10 11 14 and 15
	Surface rolling
	Soil 2nd Rate

Township No 10 North

East on a Random line between
Sections 11 and 14
Variation 13° 20' East

40.00 Set temporary 1/4 Sec cem
80.18 Intersect North and south line
10 links North of post corner to
Sections 11.12.13 & 14 from which corner I run
N 89° 56' W on a true line
between sections 11 and 14
Variation 13° 20' East

40.09 Set chared post in mound of
Earth with pits as per
instructions for 1/4 sec cem

80.18 The cem of sections
10 11 14 and 15
Surface rolling
Soil 3d Rate

Range No 34 West 6th Meridian

North between Sections
10 and 11
Variation 13° 15' East

40.00 Set chared post in mound of Earth
with pits as per instructions for
1/4 Sec cem
5
7.15 0 Dry creek 15 links with Runs East
80.00 Set chared post in mound of Earth
with pits as per instructions
for cem of sections
2 3 10 and 11
Surface rolling
Soil 3d Rate

Township No 10 North

East on a Random line between
Sections 2 and 11
Variation 13° 10' East

40.00 Set temporary 1/4 Sec corner
80.02 Intersect North and South line
17 links South of corner to Sections
1. 2. 11 & 12 from which corner I run
S 89° 53' W on a true line
between Sections 2 and 11
Variation 13° 10' East

40.02 Set charred post in mound of
Earth with pits as per
instructions for 1/4 Sec corner

80.02 The corner of Sections
2 3 10 & 11
Surface rolling
Soil 3rd Rate

Range No 3 East 6th Meridian

North on a Random line between
Sections 2 and 3
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner
80.44 Intersect Township ~~line~~ Within Boundary 32 links East
of corner to Sections 2 & 3 from
which corner I run
S 14' E on a true line between
Sections 2 and 3
Variation 13° 15' East

40.44 Set charred post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.44 The corner of Sections 2 3
10 and 11
Surface rolling
Soil 3rd Rate

Township No 10 North

North between Sections
33 and 34
Variation 13° 20' East

4000 Set chained post in mound of Earth
with pits as per instructions
for ¼ Sec corner

8000 Set chained post in mound of Earth
with pits as per instructions for
corner of Sections 27 28 33 & 34
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a random line between
Sections 27 and 34
Variation 13° 20' East

4000 Set Temporary ¼ Sec corner

80.16 Intersect North and South line 14 links
North of corner to Sections 26. 27. 34 &
35 from which corner I run.
N 89° 54' W on a true line between
Sections 27 and 34
Variation 13° 20' East

4008 Set chained post in mound of Earth
with pits as per instructions for
¼ Sec corner

80.16 The corner of Sections
27 28 33 and 34
Surface rolling
Soil 3rd Rate

August 10th 1871

Township No 10 North

North between Sections
27 and 28
Variation 13° 15' East

40.00 Set chained post in mound of earth
with pits as per instructions for
¼ Sec corner

80.00 Set chained post in mound of earth
with pits as per instructions for
corner of Sections
21 22 27 and 28

Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 22 and 27
Variation 13° 15' East

40.00 Set temporary ¼ Sec corner

80.00 Intersect North and South line
40 links South of corner to Sections 22.23.26 & 27 from which corner I run
S 89° 43' W on a true line between
Sections 22 and 27
Variation 13° 15' East

40.00 Set chained post in mound of earth
with pits as per instructions for
¼ Sec corner

80.00 ~~Set chained post in mound of earth with pits as per instructions~~
~~for~~ corner to Sections 21 22 27 & 28

Surface rolling
Soil 2nd Rate

Township No 10 North

	North between Sections 21 and 22
	Variation 13° 13' East
40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner
80.00	Set chained post in mound of Earth with pits as per instructions for Corner of Sections 15 16 21 and 22
	Surface rolling
	Soil 2nd Rate

Range No 34 West 6th Meridian

	East on a random line between Sections 15 and 22
	Variation 13° 13' East
40.00	Set temporary 1/4 Sec Corner
80.22	Intersect North and South line 29 links South of post corner to Sections 14.15.22 & 23 from which corner I run S 89° 48' W on a true line between Sections 15 and 22
	Variation 13° 13' East
40.11	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner
80.22	The Corner of Sections 15 16 21 and 22
	Surface rolling
	Soil 2nd Rate

Township No. 10 North

	North between Sections 15 and 16
	Variation 13° 15' East
40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner of sections 9 10 15 and 16
	Surface rolling
	Soil 2nd Rate

Range No 34 West 6th Meridian

	East on a random line between Sections 10 and 15
	Variation 13° 20' East
40.00	Set ~~ch~~ temporary 1/4 Sec corner
80.38	Intersect North and South line 23 links South of post corner to Sections 10.11.14 & 15 from which corner a true S 89° 49' W on a true line between Sections 10 and 15
	Variation 13° 20' East
40.19	Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
80.38	The corner of sections 9 10 15 and 16
	Surface gently rolling
	Soil 2nd Rate

Township No 10 North

North between Sections
9 and 10
Variation 13° 10' East

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner

72.73 Dry creek 15 links wide runs East

80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner of sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 3 and 10
Variation 13° 30' East

13.00 Dry Creek 15 links wide runs N E

40.00 Set Temporary 1/4 Sec corner

56.00 Dry creek 15 links wide runs S E

80.12 Intersect North and South line 87 links
North of corner to Sections 2. 3
10 & 11 from which corner I run
N 89° 44' W on a true line between
Sections 3 and 10
Variation 13° 30' East

40.06 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.12 The corner of sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Township No 10 North

North on random line between
Sections 3 and 4
Variation 13° 15' East
40,00 Set temporary 1/4 Sec Corner
81,14 Intersect North Boundary of Township 9 links
East of post corner to sections
3 & 4 from which I run.
S4' E on a true line between
Sections 3 and 4
Variation 13° 15' East
41 14 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec Corner
81 14 The corner of Sections
3 4 9 and 10
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections
32 and 33
Variation 13° 30' East
40,00 Set chained post in mound of Earth
pits as per instructions for 1/4
Sec Corner
80,00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
28 29 32 and 33
Surface rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 28 and 33
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
79.94 Intersect North and South line 39
links North of corners to Sections
27. 28. 33 & 34 from which corner I run.
N 89° 43' W on a true line
between Sections 28 and 33
Variation 13° 30' East
39.97 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79.94 The corner of sections
28 29. 32 and 33
Surface rolling
Soil 2nd Rate -

Range No 34 East 6th Meridian

North between Sections
28 and 29
Variation 13° 30' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to Sections
20 21 28 and 29
Surface rolling
Soil 2nd Rate -

Township No 10 North

East on a Random line between
Sections 21 and 28
Variation 13° 20' East
40.00 Set temporary ¼ Sec corner
80.22 Intersect North and South line 10 links
North of corner to Sections 21. 22
27. & 28 from which corner I run
N 89° 36' W on a true line
between sections 21 and 28
Variation 13° 20' East
40.11 Set chaned post in mound of
Earth with pits as per
instructions for ¼ Sec corner
80.22 The corner of sections
20 21 28 and 29
Surface rolling soil 2nd Rate

August 11th 1871

Range No 3 West 6th Meridian

North between Sections
20 and 21
Variation 13° 20' East
40.00 Set chaned post in mound of Earth
with pits as per instructions for
¼ Sec corner
80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
16 17 20 and 21
Surface rolling soil 2nd Rate

Township No 10 North

East and Random line between
Sections 16 and 21
Variation 13° 15' East
4000 Set Temporary 1/4 Sec corner
80 38 Intersect North and South line 60
links South of corner to Sections
15.16.21.&22 from which corner I run
S 89° 34' W on a true line between
Sections 16 and 21
Variation 13° 15' East
40 19 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80 38 The corner of sections
16 17 20 & 21
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
16 and 17
Variation 13° 30' East
40 00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80 00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
8 9 16 and 17
Surface rolling soil 2nd Rate

Township No 10 North

East on a random line between
Sections 9 and 16
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
80.42 Intersect North and South line
14 links South of corner to Sections
9.10.15 & 16 from which corner I run
S 89° 54' W on a true line
between sections 9 and 16
Variation 13° 30' East
40.21 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.42 The corner of sections
8 9 16 and 17
Surface rolling soil 2nd Rate

Range No 34 East 6th Meridian

North between Sections
8 and 9
Variation 13° 15' East
40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Sec corner
71.00 Dry creek 15 links wide runs East
80.00 Set chaned post in mound of Earth
with pits as per instructions for
corner of sections 4 5
8 and 9
Surface hilly
Soil on South 1/2 2nd Rate
on North 1/2 3rd Rate

Township No 10 North

East along Random line between
Sections 4 and 9
Variation 13° 15' East
9.50 Dry creek 15 links wide runs NE
4.00 Set temporary 1/4 Sec corner
30.00 Dry creek 15 links wide runs SE
80.24 Intersect North and South line 24 links
North of post corner to Sections
3.4.9 & 10 from which corner I run
N 89° 49' W on a true line between
Sections 4 and 9
Variation 13° 15' East
40.12 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.24 The center of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

North along Random line between
Sections 4 and 5
Variation 13° 15' East
4.00 Set temporary 1/4 Sec corner
80.69 Intersect North Boundary of Township 48 links West
of post corner to sections 4 and 5 from which
corner I run
S 21' W on a true line between
Sections 4 and 5
Variation 13° 15' East
40.69 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.69 The center of sections
4 5 8 and 9
Surface rolling
Soil 3rd Rate

Township No 10 North

North between Sections
31 and 32
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
29 30 31 and 32
Surface gently rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on Random line between
Sections 29 and 32
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

79.64 Intersect North and South line 42 links
South of post corner to Sections
28. 29. 32 & 33 from which corner I run
S 89° ~~43'~~ 42' W on a true line between
Sections 29 and 32
Variation 13° 15' East

39.82 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec. corner

79.64 The corner of Sections
29 30 31 and 32
Surface rolling
Soil 2nd Rate

Township No 10 North

West on a Random line between
Sections 30 and 31
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
79.28 Intersect West Boundary ~~Range line~~ 33 links
North of post corner to Sections 30 & 31 from which
corner I note
N 89° 45' E on a true line between
Sections 30 and 31
Variation 13° 15' East
39.28 ~~Intersect~~ Set chained post in mound of
Earth with pits as per instructions
for 1/4 Sec corner
79.28 The corner of sections
29 30 31 and 32
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

North between Sections
29 and 30
Variation 13° 30' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections
19 20 29 and 30
Surface rolling
Soil 2nd Rate

Township No 10 North

East of a Random line between
Sections 20 and 29
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
79.88 Intersect North and South line 27
links South of corner to Sections
20. 21. 28 & 29. from which corner I run
S 89° ~~49'~~ 48' W on a true line
between sections 20 and 29
Variation 13° 15' East
39.94 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
79.88 The corner of sections
19 20 29 and 30
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

West of a Random line between
Sections 19 and 30
Variation 13° 30' East
40.00 Set temporary 1/4 Sec corner
78.82 Intersect ~~Range line~~ Great Boundary 18 links south of
post corner to Sections
19 & 30 from which cor. I run
S 89° 52' E on a true line between
Sections 19 and 30
Variation 13° 30' East
38.82 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
78.82 The corner of sections
19 20 29 and 30
Surface rolling
Soil 2nd Rate

August 12th 1871

Township No 10 North

North ~~Random~~ between
Sections 19 and 20
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
17 18 19 and 20
Surface rolling
Soil 2nd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 17 and 20
Variation 13° 15' East
40.00 Set temporary 1/4 Sec corner
80.12 Intersect North and South line 23
links North of post corner to sections
16.17.20 & 21 from which corner I run
N 89° 50' W on a true line between
Sections 17 and 20
Variation 13° 15' East
40.06 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.12 The corner of sections
~~16~~ 17 18. 19 and 20
Surface rolling
Soil 2nd Rate

Township No 10 North

East and Random line between
Sections 18 and 19
Variation 13° 15' East
40.00 Set Temporary 1/4 Sec corner
78.39 Intersect ~~Range line~~ West Boundary 22 links
North of post corner to Sections
18 & 19 from which corner I run N 89° 31' E between Sec 18 & 19
variation 13° 15' East
38.39 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
78.39 The corner of sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections
17 and 18
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections 7 8 17 & 18
Surface rolling
Soil 3rd Rate

Township No 10 North

East found Random line between
Sections 8 and 17
Variation 13° 30' East

40.00 Set temporary 1/4 Sec corner
79.90 Intersect North and South line 45 links North of post corner to Sections 8.9.16 & 17 from which corner I run.
N 89°41' W on a true line between Sections 8 and 17
Variation 13° 30' East
39.95 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
79.90 The corner of sections
7 8 17 and 18
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

West found Random line between
Sections 7 and 18
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner
78.26 Intersect ~~Range line~~ West Boundary 46 links South of post corner to Sections 7 & 18.
S 89°53' ~~W~~ E on a true line between Sections 7 and 18 from which I run
Variation 13° 15' East
38.26 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
78.26 The corner of sections
7 8 17 and 18
Surface rolling
Soil 3rd Rate

Township No 10 North

North between Sections
7 and 8
Variation 13° 15' East
40,00 Set chared post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80,00 Set chared post in mound of Earth
with pits as per instructions
for corner to sections
5 6, 7 and 8
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 5 and 8
Variations 13° 15' East
40,00 Set temporary 1/4 Sec corner
79,86 Intersect North and South line 13 links
South of corner to sections 4, 5, 8 & 9
from which corner I run
S 89° 54' W on a true line between
Sections 5 and 8
Variation 13° 15' East
39,93 Set chared post in mound of Earth
with pits as per instructions for
1/4 Sec corner
79,86 The corner of sections
5, 6, 7 and 8
Surface rolling
Soil 3rd Rate

Township No 10 North

West ~~Range line~~ Random line between
Sections 6 and 7
Variation 13° 15' East

4000 Set temporary 1/4 Sec corner
78.11 Intersect ~~Range line~~ West Boundary of Town 31 links South
of post corner to Sections 6 & 7,
from which corner I run
S 89° 47' E on a true line
between sections 6 and 7
Variation 13° 15' East

38.11 Set chased post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
78.11 The corner of Sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

Range No 3 West 6th Meridian

North ~~Range line~~ Random line between
Sections 5 and 6
Variation 13° 15' East

4000 Set temporary 1/4 Sec corner
80.55 Intersect ~~Township line~~ North Boundary of 10 links East
corner to sections 5 and 6 from which
corner I run
S 4' E on a true line between
Sections 5 and 6
Variation 13° 15' East

40.55 Set chased post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.55 The corner of Sections
5 6 7 and 8
Surface rolling
Soil 3rd Rate

August 14th 1871

General Description

The Surface of this Township is generally rolling the Soil in the Southern portion of the Township is fair 2nd Rate the Northern portion is Sand hills and very poor 3rd Rate

List of Names

A list of names of the individuals employed to assist in running, measuring & marking the lines & corners described in the foregoing field notes of Township No 10 North of base line of Range No 34 west of the 6th principal Meridian showing the respective capacities in which they acted:

Robert J Doom	Chainmen
Frank M Pike	
Albert D Fraser	Mounidmen & Axmen
H J Hawkins	

Township No 10 North Range No 34 West of 6th P. M

We hereby certify that we assisted William A. Daugherty deputy Surveyor in Surveying & Subdividing Township number ten north of base line of Range number thirty four west of the Sixth principal meridian State of Nebraska & that said township has been in all respects to the best of our knowledge & belief well & faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Robert J. Doey Chainmen
Frank A. Pike
Albert D. Fraser Monumenter & axmen
H. J. Hawkins

Subscribed and sworn to before me at my office in the city of North Platte State of Nebraska this 5th day of Sept 1871
L B Park
Notary Public

I, William A. Daugherty deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date the 25th day of May 1871 and in strict conformity to the laws of the United States & the instructions furnished by the said Surveyor General I have faithfully surveyed & subdivided Township number ten north of the base line of Range number thirty four west of the Sixth principal Meridian State of Nebraska & I do further swear that the foregoing are the true & original field Notes of said Survey

William A Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office by the said William A. Daugherty at my office ~~this~~ in the city of Nebraska City State of Nebraska this 5th day of September 1871

L. B. Park
Notary Public

Surveyor General's Office
Nebraska City Nov 11th 1871.

The foregoing field Notes of the survey of the subdivision of Township 10 North of base line & Range 34. West 6th P. M. in the State of Nebraska Executed by Wm A. Daugherty Deputy Surveyor under his Contract No 43. Dated May 25th 1871. in the month of August 1871. having been critically Examined the necessary corrections and explanations made the said field Notes and survey they describe are hereby approved

E. E. Cunningham
Surveyor General

T 11 N., R 34 West

6	60	5	44	4	33	3	22	2	11	1	
59		58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12	
56		55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13	
53		52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24	
50		49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25	
47		46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36	

Subdivision of Township No 11 North of Range No 34 West of the 6th Meridian State of Nebraska

Commenced August 26th 1871

Finished August 31st 1871

By William A Daugherty

Deputy Surveyor

Names of Assistants

Robert J Doom
Frank M Rice } Chainmen

Albert D Fraser } Spoundmen
H J Hawkins } Flagmen

To determine the proper adjust-ment of my compass for subdividing this Township I commence at the corner of Townships No 10 and 11 Ranges 33 and 34 and run thence North on a blank line along East Boundary of Sec. 36

Variation 13° 13' East

40.06 fell 3 links west of 1/4 Sec corner
80.03 fell 9 links west of Sec corner

Therefore to retrace this line or run parallel thereto, my compass must be adjusted to a

Variation 13° 11' East

Township No 11 North

North between Sections
35 and 36
Variation 13° 15' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections
25 26 35 and 36
Surface hilly
Soil 3rd Rate

Range No 34 West 6th Meridian

East on a Random line between
Sections 25 and 36
Variation 13° 15' East

40.00 Set temporary 1/4 Sec corner

79.80 Intersect ~~Range line~~ East Boundary 23 links south of corner to sections 25 & 36 from which corner I run

S 89° 30' W on a true line between sections 25 and 36
Variation 13° 15' East

39.90 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec corner

79.80 The corner of sections
25 26 35 and 36
Surface hilly
Soil 3rd Rate

Township No 11 North

North between Sections
25 and 26
Variation 13° 15' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections
23 24 25 and 26
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

East and Random line between
Sections 24 and 25
Variation 13° 15' East

40.00 Set chased ~~post in mound of Earth with pits as per instructions for 1/4 sec corner~~ Temporary 1/4 sec corner

79.66 Intersect ~~Range line~~ East Boundary 42 links south of ~~post~~ corner to Sections 24 & 25 from which I run.
S 89° 42' W on a true line between sections 24 and 25
Variation 13° 15' East

39.83 Set chased post in mound of Earth with pits as per instructions for 1/4 sec corner

79.66 The corner of sections
23 24 25 and 26
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
23 and 24
Variation 13° 25' East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
13 14 23 and 24
Surface rolling
Soil 3rd Rate

Range No 31 West 6th Meridian

East on a random line between
Sections 13 and 24
Variations 13° 25' East
40.00 Set temporary 1/4 Sec corner
80.12 Intersect East Boundary of Twp North
of post corner to Sections 13 & 24
from which corner I run
N 89° 59' W on a true line between
sections 13 and 24
Variation 13° 25' East
40.06 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
80.12 The corner of sections
13 14 23 and 24
Surface hilly soil 3rd Rate

Township No 11 North Range No 34 West 6th Meridian

North between Sections
13 and 14
Variation 13° 20' East
40.00 Set chained post in mound of Earth with pits as per instructions for
¼ Sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
11 12 13 and 14
Surface hilly
Soil 3rd Rate

East on a Random line between
Sections 12 and 13
Variation 13° 20' East
1.00 Set temporary ¼ Sec corner
80.08 Intersect ~~Range line~~ East Boundary of lots
North of post corner of Sections
12 & 13 from which corner I run
N 89° 55' W on a true line between
Sections 12 and 13
Variation 13° 20' East
40.04 Set chained post in mound of
Earth with pits as per
instructions for ¼ Sec corner
80.08 The corner of sections
11 12 13 and 14
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
11 and 12
Variation 13° 15' East
4000 Set chard. post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8000 Set chard post in mound of
Earth with pits as per
instructions for corner to sections
1 2 11 and 12
Surface rolling
Soil 3rd Rate

Range No 34 East 6th Meridian

East on a random line between
Sections 1 and 12
Variation 13° 20' East
4000 Set temporary 1/4 Sec corner
79.94 Intersect ~~Range line~~ East Boundary 36 links
South of post corner to Sections
1 & 12 from which corner I run
S 89° 45' W on a true line
between sections 1 and 12
Variation 13° 20' East
39.97 Set chard post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
79.94 The corner of sections 1 2
11 and 12
Surface hilly
Soil 3rd Rate

Township No 11 North

North ~~and~~ Random line between
Sections 1 and 2
Variation 13° 30' East
4000 Set temporary 1/4 Sec cener
80 26 Intersect North Boundary of Township ~~line~~ 39 links
East of post cener to sections 1 and
2 from which cener I run
S 17' E on a true line between
Sections ~~13° 30' East~~ 1 and 2
Variation 13° 30' East
40 26 Set chared post in mound of
Earth with pits as per
instructions for 1/4 Sec cener
80 26 The cener of sections
1, 2, 11 and 12
Surface hilly
Soil 3rd Rate
Aug 26th 1871

Range No 34 West 6th Meridian

North ~~and~~ between Sections
34 and 35
Variation 13° 20' East
4000 Set chared post in mound of Earth
with pits as per instructions for
1/4 Sec cener
8000 Set chared post in mound of Earth
with pits as per instructions
for cener to sections
26 27 34 and 35
Surface hilly
Soil 3rd Rate

Township No 11 North

East and Random line between
Sections 26 and 35
variation 13° 20' East
4.00 Set temporary 1/4 Sec corn
80.14 Intersect North and South line 14
links North of corner to Sections
25.26.35 & 36 from which corner a
N 89° 54' W on a true line between
Sections 26 and 35
variation 13° 20' East
40.07 Set chained post in mound of
Earth with pits as per instructions
for 1/4 Sec corn
80.14 The corner of sections
26 27 34 and 35
Surface rolling
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections
26 and 27
Variation 13° 15' East
4.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
22 23 26 and 27
Surface rolling
Soil 3rd Rate

East and Random line between
Sections 23 and 26
Variation 13° 15' East

4000 Set temporary 1/4 Sec corner
80.12 Intersect North and South line
25 links North of corner to sections
23.24.25 & 26 from which corner I run
N 89° 49' W on a true line between
Sections 23 and 26
Variation 13° 15' East

40.04 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

80.02 The corner of sections
22 23 26 and 27
Surface rolling
Soil 3rd Rate

North between Sections
22 and 23
Variation 13° 15' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
14 15 22 and 23
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a random line between
Sections 14 and 23
Variation 13° 05' East
4000 Set temporary 1/4 Sec corner
80.36 Intersect North and South line
18 links South of corner to Sections
13. 14. 23 & 24 from which corner I run.
S 89° 52' W on a true line between
Sections 14 and 23
Variation 13° 5' East
40.18 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.36 The corner of sections
14 15 22 and 23
Surface rolling
Soil 3rd Rate

Range No 3 West 6th Meridian

North between Sections
14 and 15
Variation 13° 13' East
4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8000 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
10 11 14 and 15
Surface rolling
Soil 3rd Rate

		East along Random line between Sections 11 and 14
		Variation 13° 15' East
40	40.00	Set temporary 1/4 Sec corner
80	80.10	Intersect North and South line 26 links North of post corner to Sections 11.12.13 & 14 from which corner bears N 89° 49' W on a true line between sections 11 and 14
		~~Surface~~ Variation 13° 15' East
40	40.03	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80	80. 80.10	The corner of sections 10 11 14 and 15
		Surface rolling
		Soil 3rd Rate

	North between Sections 10 and 11
	Variation 13° 15' East
40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 2 3 10 and 11
	Surface hilly
	Soil 3rd Rate

		East on a Random line between Sections 2 and 11 Variation 13° 15' East
40	40.00	Set temporary 1/4 Sec corner
80	80.24	Intersect North and South line 43 links South of corner of Sections 1. 2. 11 & 12 from which corner I run. S 89° ~~48'~~ 41' W on a true line between sections 2 and 11 Variation 13° 15' East
40	40.12	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner
80	80.24	The corner of sections ~~1. 2. 3 & 10 11 and 12~~ 2 3 10 and 11
		Surface hilly Soil 3rd Rate

		North on a Random line between Sections 2 and 3 Variation 13° 30' East
40.00		Set temporary 1/4 Sec corner
80.86		Intersect North Boundary of Township ~~line~~ 58 links East of corner to Sections 2 & 3 from which corner I run. S 25' E on a true line between Sections 2 and 3 Variation 13° 30' East
40.86		Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.86		The corner of sections 2 3 10 and 11
		Surface hilly Soil 3rd Rate

North between Sections
33 and 34
Variation 13° 20' East
40 4000 Set chained post in mound of Earth
80 with pits as per instructions
for 1/4 Sec corner
8000 Set chained post in mound of Earth
with pits as per instructions
for corner to Sections
27 28 33 and 34
40 Surface rolling
Soil 3rd Rate
80

East and Random line between
Sections 27 and 34
Variation 13° 15' East
4000 Set Temporary 1/4 Sec corner
80.10 Intersect North and South line 27
links South of corner to Sections
26. 27. 34 & 35 from which corner I run
S 89° 48' W on a true line between
Sections 27 and 34
Variation 13° 15' East
40.03 Set chained post in mound of Earth
with pits as per instruction for
1/4 Sec corner
80.10 The corner of sections
27 28 33 and 34
Surface rolling Soil 3rd Rate
August 27th 1891

North between Sections
27 and 28
Variation 13° 15' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 21 22 27 and 28
Surface rolling
Soil 3 Rate

East on a Random line between Sections 22 and 27
Variation 13° 25' East

4000 Set Temporary 1/4 sec corner

79.92 Intersect North and South line 15 links North of corner to Sections 22.23.26 & 27 from which corner I run N 89° 54' W on a true line between Sections 22 and 27
Variation 13° 25' East

39.96 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

79.92 The corner of sections 21 22 27 and 28
Surface rolling
Soil 3 Rate

North between Sections
21 and 22
variation 13° 20' East

400	4000	Set chained post in mound of Earth
80		with pits as per instructions
		for 1/4 Sec corner
	8000	Set chained post in mound of Earth
		with pits as per instructions
		for corner to sections
		15 16 21 and 22
40		Surface rolling
		Soil 3rd Rate
80		

East and Random line between
Sections 15 and 22
variation 13° 15' East

4000	Set temporary 1/4 Sec corner
80.20	Intersect North and South line 34
	links south of post corner to Sections
	14.15.22 & 23 from which corner I run
	S 89° 45' W on a true line
	between sections 15 and 22
	Variation 13° 15' East
4010	Set chained post in mound of
	Earth with pits as per
	instructions for 1/4 Sec corner
80.20	The corner of sections 15.16.21 and 22
	Surface rolling
	Soil 3rd Rate

North between Sections 15 and 16
Variation 13° 20' East

40.00 Set chained post in mound of with pits as per instructions for 1/4 sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 9 10 15 and 16
Surface rolling
Soil 3rd Rate

East on a Random line between Sections 10 and 15
Variation 13° 25' East

40.00 Set post for temporary gr. sec cor.

80.04 Intersect North and South line 13 links North of post corner to sections 10.11.14 & 15 from which corner I run N 89° ~~46'~~ 54' W on a true line between sections 10 and 15
Variation 13° 25' East

40.02 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

80.04 The corner of sections 9 10 15 and 16
Surface rolling
Soil 3rd Rate

Township No 11 North

North between Sections
9 and 10
Variation 13° 20' East

4000 Set chained post in mound of Earth
80 3 with pits as per instructions for
1/4 Sec corner

8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
3, 4, 9 and 10
Surface hilly soil 3rd Rate

40

80

Range No 34 West 6th Meridian

East and Random line between
Sections 3 and 10
Variation 13° 20' East

4000 Set temporary 1/4 sec corner
80 38 Intersect North and South line 32
links South of post corner to Sect
ions 2.3.10 & 11 from which corner I run
S 89° 46' W on a true line
between sections 3 and 10
Variation 13° 20' East

4019 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

8038 The corner of sections
3 4 9 and 10
Surface hilly
Soil 3rd Rate

Township No 11 North Range No 34 West 6th Meridian

North on a Random line between Sections 3 and 4
Variation 13° 30' East

40.00 Set temporary 1/4 sec corner
80.43 Intersect North Boundary of Township ~~line~~ 35 links East of " post corner to Sections 3 and 4 from which corner I run S15' E on a true line between Sections 3 and 4
Variation 13° 30' East

40.43 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner
80.43 The corner of sections 3 4 9 and 10
Surface rolling
Soil 3rd Rate

North between Sections 32 and 33
Variation 13° 20' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections ~~28~~ 28 ~~29~~ 29, 32 and 33
Surface hilly
Soil 3rd Rate

Township No 11 North

East on a Random line between
Sections 28 and 33
Variation 13° 15' East

400	4000	Set temporary 1/4 Sec corner
80.3	79.82	Intersect North and South line 39 links South of west corner to Sections 27. 28. 33 & 34 from which I run S 89° 43' W on a true line between Sections 28 and 33
		Variation 13° 15' East
40	39.91	Set chaned post post in mound of Earth with pits as per instructions for 1/4 Sec corner
80	79.82	The corner of sections 28 29 32 and 33

Surface rolling
Soil 3rd Rate

Range No 34 East 6th Meridian

North between Sections
28 and 29
Variation 13° 20' East

4000	Set chaned post in mound of Earth with pits as per instructions for 1/4 Sec corner
8000	Set chaned post in mound of Earth with pits as per instructions for corner to sections 20 21 28 and 29

Surface rolling
Soil 3rd Rate

Township No 11 North

		East on a Random line between Sections 21 and 28
		Variation 13° 20' East
40	40.00	Set temporary 1/4 Sec corn
80	80.12	Intersect North and South line 11 links South of post corner to sections 21.22.27.28 from which corner I run S 89° 55' W on a true line between Sections 21 and 28
		Variation 13° 20' East
40	40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec cor
80	80.12	The corner of sections 20 21 28 and 29
		Surface rolling.
		Soil 3d Rate

August 28th 1871

Range 34 West 6th Meridian

	North between Sections 20 and 21
	Variation 13° 20' East
40.00	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 16 17 20 and 21
	Surface rolling
	Soil 3d Rate

			East on a Random line between Sections 16 and 21
			Variation 13° 20' East
4000	4	4000	Set temporary 1/4 Sec corner
80 3		80 24	Intersect North and South line 13 links North of west corner to sections 15. 16. 21. & 22 from which I runs N 89° 54' W on a true line between sections 16 and 21
			Variation 13° 20' East
40		40 12	Set chased post in mound of Earth with pits as per instructions for 1/4 Sec corner
80		80 24	The corner of sections 16 17 20 and 21
			Surface rolling
			Soil 3rd Rate

	North between Sections 16 and 17
	Variation 13° 20' East
4000	Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner
8000	Set chased post in mound of Earth with pits as per instructions for corner to sections 8 9 16 and 17
	Surface rolling
	Soil 3rd Rate

East on a random line between
Sections 9 and 16
Variation 13° 15' East

400	4	40.00	Set Temporary 1/4 Sec corner
80.3	8	79.98	Intersect North and South line 33 links South of post corner to Sections 9.10.15 & 16 from which I run S 89° 46' W on a true line between sections 9 and 16
			Variation 13° 15' East
40	1	39.95	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80		79.90	The corner of sections 8 9 16 and 17

Surface rolling
Soil 3rd Rate

North between Sections
8 and 9
Variation 13° 20' East

40.00	Set chained post in mound of Earth with pits as per instructions
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 4 5 8 and 9

Surface rolling
Soil 3rd Rate

Township No 11 North Range No 34 East 6th Meridian

East on a random line between
Sections 4 and 9
Variation 13° 30' East

400	4	40.00	Set temporary 1/4 Sec corner
80.3	8	80.20	Intersect North and South line 28 links North of post corner to Sections 3. 4. 9 & 10 from which corner I run N 89° ~~47~~ 48' W on a true line between sections 4 and 9
			Variation 13° 30' East
40	1	40.10	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80		80.20	The corner of sections 4 5 8 and 9
			Surface rolling
			Soil 3rd Rate

North on a random line between
Sections 4 and 5
Variation 13° 30' East

40.00	Set Temporary 1/4 Sec corner
80.10	Intersect North Boundary of Township ~~line~~ 40 links East of post corner to Sections 4 & 5 from which corner I run S 17' E on a true line between sections 4 and 5
	Variation 13° 30' East
40.10	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.10	The corner of sections 4. 5. 8 and 9
	Surface rolling
	Soil 3rd Rate

Township No 11 North Range No 34 West 6th Meridian

			North between Sections 31 and 32
			Variation 13° 20' East
4000	4	4000	Set chased post in mound of Earth
80.3	8		with pits as per instructions
			for 1/4 sec cener
		8000	Set chased post in mound of
			Earth with pits as per
			instructions for cener to sections
			29 30 31 and 32
40	4		Surface rolling
			Soil 3rd Rate
80			

	East on a Random line between
	Sections 29 and 32
	Variation 13° 20' East
4000	Set temporary 1/4 sec cener
79.68	Intersect North and South line 41
	links South of post corner to
	Sections 28. 29. 32 & 33. from which
	Drum. S 89° ~~4~~ 42' W on a true line
	between sections 29 and 32
	Variation 13° 20' East
39.84	Set chased post in mound of Earth
	with pits as per instructions
	for 1/4 sec cener
7968	The cener of sections
	29 30 31 and 32
	Surface rolling
	Soil 3rd Rate

Township No 11 North Range No 34 West 6th Meridian

West on a Random line between Sections 30 and 31
Variation 13° 20' East

4000 Set temporary 1/4 Sec cerner
77.32 Intersect ~~Range line~~ West Boundary 13 links South of post corner to sections 30 & 31 from which cor. I run S 89° 54' E on a true line between Sections 30 and 31
Variation 13° 20' East
37.32 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec cerner
77.32 The cerner of sections 29 30 31 and 32
Surface rolling
Soil 3rd Rate

North between Sections 29 and 30
Variation 13° 15' East
4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Sec cerner
8000 Set chared post in mound of Earth with pits as per instructions for cerner to sections 19 20 29 and 30
Surface rolling
Soil 3rd Rate
August 29th 1871

Township No 11 North Range No 34 West 6th Meridian

East on a Random line between
Sections 20 and 29
Variation 13° 25' East

4000 Set ~~chaud post in mound of Earth~~ Temporary 1/4 Sec corner
with pits as per instructions for
8016 Intersect North and South line 14
links South of ~~post~~ corner to
Sections 20.21.28 & 29 from which corner I run
S 89° 54' W on a true line between
sections 20 and 29
Variation 13° 25' East
4008 Set chaud post in mound of Earth
with pits as per instructions
for 1/4 Sec corner
8016 The corner of sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

West on a Random line between
Sections 19 and 30
Variation 13° 15' East
4000 Set Temporary 1/4 Sec corner
7805 Intersect ~~Range line~~ West Boundary 22 links
North of post corner of Sections
19 & 30 from which corner I run
N 89° 50' E on a true line between
sections 19 and 30
Variation 13° 15' East
3805 Set chaud post in mound of Earth
with pits as per instructions
for 1/4 sec corner
7805 The corner of sections
19 20 29 and 30
Surface rolling
Soil 3rd Rate

Township No 11 North Range No 34 West 6th Meridian

North between Sections
19 and 20
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

East on a Random line between
Sections 17 and 20
Variation 13° 30' East

40.00 Set Temporary 1/4 sec corner

79.80 Entered North and South line
17 links North of post corner
to 16.17.20 & 21 from which I run
N 89° 43' W on a true line between
Sections 17 and 20
Variation 13° 30' East

39.90 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec corner

79.80 The corner of sections
17 18 19 and 20
Surface rolling
Soil 3rd Rate

Township No 11 North

West on a Random line between Sections 18 and 19
Variation 13° 25' East

4000 Set temporary 1/4 sec corner

80.39 Intersect ~~Range~~ West Boundary ~~line~~ at post
Corner to Sections 18 & 19 from which corner I run.
East on a true line between sections 18 and 19
Variation 13° 25

4039 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

8039 The corner of sections 17 18 19 and 20
Surface hilly
Soil 3rd Rate

Range No 34 West 6th Meridian

North between Sections 17 and 18
Variation 13° 20' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 7 8 17 and 18
Surface rolling
Soil 3rd Rate

Township No 11 North

East on a random line between
Sections 8 and 17
Variation 13° 30' East
40.00 Set Temporary 1/4 sec corner
80.18 Intersect North and south line 34
links North of post corner to
Sections 8. 9. 16 & 17 from which I run
N 89°45' W on a true line
between sections 8 and 17
Variation 13° 30' East
40.09 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.18 The corner of sections
7 8 17 and 18
Surface hilly
Soil 3rd Rate

Range No 34 East 6th Meridian

West on a random line between
Sections 7 and 18
Variation 13° 25' East
40.00 Set Temporary 1/4 sec corner
81.92 Intersect ~~Range line~~ West Boundary 24 links
South of post corner to Sections
7 & 18 from which corner I run
S 89°38' E on a true line
between sections 7 and 18
Variation 13° 25' East
41.92 Set chained post in mound of Earth
with pits as per instructions
for 1/4 sec corner
81.92 The corner of sections
7 8 17 and 18
Surface hilly
Soil 3rd Rate

Township No 11 North

North between Sections 7 and 8

Variation 13° 20' East

40.00	Set ~~temporary 1/4 Sec corner~~ chained
80.3	post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.00	Set chained post in mound of Earth with pits as per instructions for corner to sections 5 6 7 and 8
40.1	Surface hilly
80.8	Soil 3d Rate

Range No 34 West 6th Meridian

East and Random line between Sections 5 and 8

Variation 13° 20' East

40.00	Set temporary 1/4 sec corner
80.30	Intersect North and South line 21 links North of post corner to Sections 4. 5. 8 and 9 ~~4.5.7.8~~ from which corner I run N 89° 31' W on a true line between Sections 5 and 8

Variation 13° 20' East

40.13	Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner
80.30	The corner of sections 5 6. 7 and 8

Surface rolling

Soil 3d Rate

Township No 11 North Range No 34 West 6th Meridian

West on a Random line between
Sections 6 and 7
Variation 13° 20' East
4000 Set temporary 1/4 sec corner
83.43 Intersect ~~Range line~~ West Boundary 56 links
North of post corner to Sections
6 & 7 from which corner I run
N 89° 36' E on a true line
between sections 6 and 7
Variation 13° 20' East
43.43 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
83.43 The corner of sections
5, 6, 7 and 8
Surface hilly
Soil 3rd Rate

North on a Random line between
Sections 5 and 6
Variations 13° 25' East
4000 Set temporary 1/4 sec corner
79.64 Intersect North Boundary of Township ~~line~~ 16 links
West of post corner to Sections
5 & 6 from which corner I run
S 7' W on a true line between
Sections 5 and 6
Variation 13° 25' East
39.64 Set chained post in mound of Earth
with pits as per instructions
for 1/4 sec corner
79.64 The corner of sections
5 6 7 and 8
Surface hilly
Soil 3rd Rate
August 31st 1871

Township No 11 North Range No 34 West of the 6th Principal Meridian

General Description

The Surface of this Township is rolling and Hilly Soil principally Sandy and 3rd rate

17

List of Names

A list of names of the individuals employed in runing, measuring and marking the lines and corners described in the foregoing field notes of Township No 11 North of base line of Range No 34 west of the 6th Principle Meridian State of Nebraska showing the respective capities in which they acted.

Robert J Doom
Frank Pike } Chainman

Albert D Fraser
H J Hawkins } Moundbuilder + Axmen

Subscribed and sworn to before me at my office in the city of North Platte Nebraska this 5th day of September 1871 D B Park Notary Public

We hereby certify that we assisted William Daugherty Deputy Surveyor in Surveying and Subdividing Township No 11 North of the base line of Range No 34 west of the 6th Meridian State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the ~~on the~~ boundary monuments planted according to the instructions furnished by the Surveyor General

Frank M Pike
Robert J Doom } Chainman

Albert D Fraser } Moundbuilders
H J Hawkins

I William A Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor of the public lands of the United States in the State of Nebraska bearing date the 25th day of Mar 1871 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed and subdivided Township No 11 North of the base Range No 34 West of the 6th Principal Merid State of Nebraska and I do furth swear that the foregoing are the true and original field Notes of said Survey.

Solemnly

William A Daugherty
Deputy Surveyor

Subscribed and sworn to by the said William A Daugherty before me at my office in the City of North Platte State of Nebraska this 5th day of September 1871

J. B. Park
Notary Public

17

Surveyor Generals Office
Plattsmouth Nov. 11th 1871

The foregoing field Notes of the Survey and Subdivision of Township No. 11 North of the Base line of Range No 34, West of the 6th Principal Meridian in Nebraska, Executed by Wm. A. Daugherty under his Contract No. 43, dated May 25th 1871. in the month of August 1871. having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes of the Survey of the Sub-divisions of township No 12 North of Range 34 West of the 6th Principal Meridian in the State of Nebraska by William Hardin Deputy Surveyor under his contract No 40 bearing date the 6th day of August 1870

Sub division commenced August 12th 1870

Sub division completed August 17th 1870

A List of the names of

assistants and their
several duties

David Meek } Chain carrier
Charles Hardin }

Fritz Weiho } Mound
Samuel J Seger } Builders

T 12 N., R 34 West.

6	53	5	39	4	32	3	20	2	11	1	
52		51		38		31		19		10	
7	50	8	38	9	30	10	18	11	9	12	
49		48		37		29		17		8	
18	47	17	36	16	29	15	16	14	8	13	
46		45		35		28		15		7	
19	44	20	35	21	27	22	14	23	7	24	
43		42		34		26		14		6	
30	42	29	34	28	26	27	13	26	5	25	
41		40		33		25		12		5	
31	40	32	33	33	24	34	12	35	4	36	

T 12 N of R 34 W of 6th P M

To determine the proper adjustment of my instrument for subdividing this township I commence at the corner to Townships 11 and 12 North Ranges 33 and 34 West and run North on a blank line along the east boundary of Section 36

Va 13° 00'

40,08 To point 11 lks East of 1/4

80,13 To point 21 " " Cor to 25 & 36

To retrace this line or run a parallel thereto my compass must be adjusted to a variation of 13° 9' E

Sub d[illegible] commenced Aug Aug 12th 1870

~~Sub d[illegible] completed Aug 17th 1870~~

T 12 N of R 34 W of 6th P.M.

Chs	~~North between sections 35 & 36~~ From the established corner to sections 1, 2, 35 36 on the South boundary of the Township I run North between sections 35 and 36
	Va 13° 9' E
40,00	Set a post deposited a charred Stake ~~and deposited a charred Stake~~ and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to sections 25 26 35 and 36
	Land rolling 2d rate

T 12 N of R 34 W of 6th P.M.

Chs	East on random line between sections 25 and 36
	Va 13° 9' E
40,00	Set a post for temporary 1/4 Sec cor
80,46	Intersected the East boundary of the township at a point 16 lks North of the corner to sections 25 and 36 from which corner I run N 89° 53' W on a true line between sections 25 and 36
	Va 13° 9' E
40 23	Set a post, deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80 46	The corner to sections 25 26 35 36
	Land rolling soil poor 2d rate

North between sections 25 and 26

Va 13° 9' E

40 00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 section corner
80 00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 23, 24 25 26
	Land Rolling soil poor 2d rate

17

T 12 N of R 34 W of 6th P. M.

	Chs East on a random line between sections 24 and 25 Va 13° 9' E
	2,00 Enter valley bearing ds and S
4000	31,00 Leave valley " " " "
80,3	4000 Set a post for temporary 1/4 Sec Cor
	80,20 Intersected the East boundary of the township 5 lks South of the corner to sections 24 and 25 From which corner I run S 89° 58' W, on true line between sections 24 and 25 ~~From which corner I run~~ Va 13° 9' E
	4010 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
	80 20 The corner to sections 23 24 25 26 Land rolling Soil poor 2d rate

Aug 12th 1870.

T 12 N of R 34 W of 6th P. M.

	Chs North between sections 23 and 24 Va 13° 15' E
	4000 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
	8000 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 13 14 23 24 Land Rolling poor 2d rate
	East on random line between sections 13 & 24 Va 13° 15' E
	4000 Set a post for temporary 1/4 sec cor
	80 89 Intersected the east boundary of the township 69 lks South of cor to sections 13, 24, from which corner I run S 89° 32' W on a true line between sections 13 and 24 Va 13° 15' E
	40 44 1/2 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
	80,89 The corner to sections 13 14 23 24. Land Rolling Soil sandy poor 2d rate

T2 N of R 34 W of 6th P M

chs	North between sections 13 and 14
	Va 13° 00' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 11, 12, 13, 14
	Land Rolling Soil poor 2d rate
	East on random line between sections 12 and 13
	Va 13° E
40.00	Set post for temporary 1/4 sec cor
80.17	Intersected the East boundary of the township 84 lks South of the corner to sections 12 & 13 from which corner I run S 89° 25' W on true line between sections 12 and 13
	Va 13° E
40.08 1/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Section corner
80.17	The corner to sections 11 12 13 14
	Land rolling
	Soil muddy 2d rate

T2 N of R 34 W of 6th P M

	North between sections 11 and 12
	Va 13° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 1, 2, 11 and 12
	Land Rolling
	Soil Sandy poor 2d rate

T 12 N of R 34 W of 6th P M

Chains	East on a random line between sections 1 and 12
	Va 13° E
40.00	Set a post for temporary 1/4 Sec cor
80.12	Intersected the East boundary of the Township 68 lks south of corner to sections 1 and 12 from which corner I run S 89° 31' W on a true line between sections 1 and 12,
	Va 13° E
40.06	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.12	The corner to sections 1, 2, 11, 12 Land Undulating Soil middling 2d rate

Note

From the corner to sections 1 and 12 on the East boundary of Sec 1. to the 1/4 Sec cor North the variation by trial is 13° 12' E

T 12 N of R 34 W of 6th P M

Chs	North on a true line between sections 1 and 2
	Va 13° 12' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.41	Intersected the 3d standard parallel N at a point 14.68 chs East of the corner to T 13 N Ranges 33 and 34 West * at which point I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 1 and 2 2 Land Undulating Soil middling 2d rate

* This closing does not correspond to the closing of corner to the Township 13 N Ranges 33 and 34 W.

For the resurvey and true field notes of E boundary of Sec No 1 See page 55

T 12 N of R 34 West of 6th P.M.

Chs	
	North between sections 34 & 35
	Va 13° 12' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 26 27 34 and 35
	Land. Sandy hills poor 2d rate

	Easton random line between sections 26 & 35
	Va 13° 12' E
40,00	Set a post for temporary 1/4 sec cor
80,00	Intersected the N and S line 28 links South of the corner to sections 25, 26 35 34
	From which corner I run S 89° 48' W. on true line between sections 26 & 35
	Va 13° 12' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	The corner to sections 26 27 34 35
	Land Sandy hills
	Soil poor 2d rate

T 12 N of R 34 W of 6th P.M.

Chs	
	North between sections 26 and 27
	Va 13° 12' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 22 23 26 27
	Land hilly Soil Sandy poor 2d rate

T 12 N of R 34 W of 6th P M

chs	East on random line between sections 23 and 26 Va 13° 12' E
40.00	Set a post for temporary 1/4 sec cor
79.76	Intersected the N and S line 37 lks South of corner to sections 23 24 25 26 from which corner I run S 89° 44' W on a true line between sections 23 and 26 Va 13° 12' E
39.88	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79.76	The corner to sections 22 23 26 27 Land hilly Soil poor 2d rate

North between sections 22 and 23 Va 15° 15' E

40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 14, 15 22, 23 Land Hilly Soil sandy poor 2d rate

Aug 13th 1870

T 12 N of R 34 W of 6th P M

chs	East on a random line between sections 14 and 23 Va 13° 15' E
40.00	Set a post for temporary 1/4 sec cor
79.40	Intersected the N and S line 10 lks south of corner to sections 13, 14 23 24 from which corner I run S 89° 56' W on a true line between sections 14 and 23 Va 13° 15' E
39.70	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79.40	The corner to sections 14 15 22 and 23 Land Hilly poor 2d rate

T 12 S of R 34 W of 6th P M

Chs	North between sections 14 and 15 Va 13° 15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Section Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 10 11 14 and 15
	Land hilly Soil poor 2d rate

T 12 S of R 34 W of 6th P M

Chs	East on a random line between sections 11 and 14 Va 13° 15' E
4.00	Set a post for temporary 1/4 Sec Cor
7.41	Intersected the N and S line 31 lks South of the corner to sections 11 12 13 and 14 from which corner I run S 89° 47' W on a true line between sections 11 and 14 Va 13° 15' E
39.70	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.41	The corner to sections 10 11 14 15
	Land Rolling Soil sandy poor 2d rate

T 12 N of R 34 W of 6th P M

Chs	
	North between sections 10 and 11
	Va 13° 12' E
22.00	~~valley~~ Circular valley
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
59.00	Leave valley or basin
80.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 2, 3, 10 11
	Land rolling
	Soil 2d rate

T 12 N of R 34 W of 6th P M

Chs	
	East on random line between sections 2 and 11
	Va 13° 12'
40.00	Set a post for temporary 1/4 Sec Cor
79.80	Intersected the N & S line 10 links south of the corner to sections 1, 2, 11 12
	From which corner I run S 89° 56' W. on a true line between sections 2 and 11
	Va 13° 12' E
39.90	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.80	The corner to sections 2, 3, 10, 11
	Land Rolling
	Soil 2d rate

T 12 N of R 34 W. of 6th P M

Chs	
	North on true line between Sections 2 and 3
	Va 13°12' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
81,07	Intersected the 3d standard parallel N. at a point 15,37 chs East of the corner to sections 35 and 36 T 13 N R 34 W
	Where I set a post deposited ~~Land rolling~~ ~~soil sandy middling 2d rate~~ a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 2 and 3
	Land rolling
	Soil sandy middling 2d rate

T 12 N of R 34 W of 6th P. M.

Chs	
	North between sections 33 and 34
	Va 13°10' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,00	Set a post ~~deposited~~ deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 27 28 33 34
	East on random line between sections 27 and 34
	Va 13°10' E
40,00	Set a post for temporary 1/4 sec cor
85 30	Intersected N & S line 15 links South of the corner to sections 26, 27, 34, 35 Section 34 is therefore out of limits I retrace & remeasure the North & West boundary of 34 & find no error ~~I run~~ & From the corner to sections 33 and 34 I run East on the South boundary of sec 34 Va 13°30' East
35.29	To 1/4 sec cor
85,69	To corner to sections 34 and 35

T 12 N R 34 W of 6th P M

Chs	
Chs	From the established corner to sections 34 and 35 on South boundary of the Township I run West on true line between sections 3 and 34
	Va 13°30'
40,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor
50,40	The old 1/4 sec cor (obliterated it)
80,00	Set post deposited charred stake and raised a mound of earth with pits as per instructions for true corner to sections 3, 4 33, 34
	West on true line between sections 4 and 33
	Va 13°30'
5 69.	To old corner to 3, 4, 33, 34 destroyed it
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
46,14	The old 1/4 sec cor (destroyed it
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5 32 33

T 12 N of R 34 W of 6th P M

Chs	
Chs	West on true between sections 5 & 32
	Va 13°20' E
6,54	The old Section corner (obliterated it)
4000	Set a post deposited a charred stake & raised a mound of earth with pits as per instructions for 1/4 sec cor
47,00	The old 1/4 sec cor (obliterated it
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 5, 6 31 and 32
	West on true line between sections 6 and 31
	Va 13°15' E
7,50	The old corner to sections 5, 6, 31 32 (destroyed it)
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
4810	The old 1/4 sec cor (Destroyed it)
8603	The corner to Townships 11 and 12 N. Rs 34 and 35 W.

T 12 N of R 34 W of 5th P. M.

Chs	Chs	
		From the corrected corner to Sections 33 and 34 I run North between Sections 33 and 34
220		Va 13° 10' E
40,00	40,00	Set a post deposited a charred Stake and raised a mound of Earth with pits as per instruction for 1/4 Sec cor & obliterated
59,00		the 1/4 Sec cor 5 + chs West
80,00	80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 27 28 33 34 and destroyed Corner 5 chs West of it
		Land hilly
		Soil sandy poor 2d rate
		Aug 14th 1870

T 12 N of R 34 W of 5th P. M.

Chs	
	East on random line between Sections 27 and 34
	Va 13° 10' E
40,00	Set a post for temporary 1/4 Sec cor
80,70	Intersected the N and S line 31 lks South of the corner to sections 26 27 34 and 35 from which corner I run S 89° 47' W on a true line between section 27 and 34
	Va 13° 10' E
40,35	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,70	The corner to sections 27 28 33 and 34
	Land Rolling
	Soil sandy poor 2d rate

T12 N of R 34 W of 6th P M

Chs	Chains	
		North between sections 27 and 28 Va 13°00' E
220	40.00	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
40.00	80.00	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 21 22 27 and 28 Land Rolling Soil poor 2d rate
		East on random line between Sections 22 & 27 Va 13° E
	40.00	Set a post for temporary 1/4 Sec cor
	50.00	Intersected the N and S line 23 lks South of the corner to sections 22, 23, 26, 27 from which corner I run S 89° 50' W on true line between sections 22 and 27 Va 13° E
	40.03	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
	80.06	The corner to sections 21, 22 27 28 Land Rolling Soil poor 2d rate

T12 N of R 34 W of 6th P M

Chs	
	North between sections 21 and 22 Va 13°15' E
	40.00 Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
	80.00 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15 16 21 and 22 Land rolling Soil Deady poor 2d rate

T12 S R34 W of 6th P.M.

Chs	Chd.	
		East on a random line between Sections 15 and 22
		Va 13° 15' E
22.00		
40.00	32.50	Top of a high pile of sand hills
	40.00	Set a post for temporary 1/4 Sec Cor
	80.03	Intersected the N and S line 15 lks South of the corner to Sections 14 15 22 23 from which corner I run S 89° 34' W on a true line between Sections 15 and 22
		Va 13° 15' E
	40.01½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
	80.03	The corner to Sections 15, 16 21 and 22
		Land Hilly
		Soil poor 2d rate

T12 S R34 W of 6th P.M.

Chs	
	North between Sections 15 and 16
	Va 13° 15'
40.00	Set a post, deposited a charred stake, and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 9, 10, 15, 16
	Land Rolling Soil sandy poor 2d rate
	East on random line between Sections 10 and 15
	Va 13° 15' E
40.00	Set a post for temporary 1/4 Sec Cor
49.50	Top of high sand ridge bearing N and S
80.78	Intersected the N and S line 48 lks south of the corner to Sections 10, 11 14 15 from which corner I run S 89° 39' W on a true line between Sections 10 and 15
	Va 13° 15' E
40.39	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.78	The corner to Sections 9, 10, 15, 16
	Land Rolling Soil poor 2d rate

T 12 S R 34 W of 6th P M

Chs	Chs	North between Sections 9 and 10 Va 13° 10' E
2200	40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
4000		
5900	80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 3, 4, 9 and 10
8000		Land undulating
		Soil 2d rate

T 12 S R 34 W of 6th P M

Chs	East on a random line between Sections 3 and 10 Va 13° 10' E
50	Dry lake, bears N & S.
700	Leave dry lake bears N & S.
4000	Set a post for temporary 1/4 Sec cor
7981	Intersected the S and T line at a point 90 lks South of the corner to Sections 2, 3, 10 and 11 from which corner I run S 89° ~~14'~~ 21' W on a true line between Sections 3 and 10 Va 13° 10' E
3990 R	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
7981	The corner to Sections 3, 4, 9, 10
	Land undulating
	Soil 2d rate

T12 S R 34 W of 6th P M

Chs	
	North on true line between sections 3 and 4
	Va 13°12' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
82.11	Intersected the 3d Standard parallel N. 15.55 chs East of the corner to sections 34 and 35 of T13 S R 34 W.
	When I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 3 and 4
	Land Rolling
	Soil 2d rate

T12 S of R 34 W of 6th P M

Chs	
	North between sections 32 and 33
	Va 13°15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 28 29 32 and 33
	Land Rolling Soil 2d rate
	East on random line between sections 28 & 33
	Va 13°15' E
40.00	Set a post ~~deposited a charred sta~~ for temporary 1/4 Sec Cor
80.73	Intersected the S and S line 6 lks South of the corner to sections 27, 28, 33, 34
	From which corner I run S 89°57' W on true line between sections 28 and 33
	Va 13°15' E
40.36½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.73	The corner to sections 28, 29, 32, 33
	Land rolling Soil 2d rate

T 12 S R 34 W of 6th P M

Chs	Chs	North between sections 28 and 29
		On 13° 00 E
220	40.00	Set a post deposited a charred stake and
40.0		raised a mound of earth with pits as
		per instructions for 1/4 Sec Cor
	80.00	Set a post deposited a charred stake
	8	and raised a mound of earth with pits as
		per instructions for corner to sections
		20 21 28 29
		Land Rolling poor 2d rate Aug 15th 1870

	East on random line between sections 21 & 28
	On 13° E
40.00	Set a post for temporary 1/4 Sec cor
79.94	Intersected the N and S line 38 lks
	South of the corner to sections 21.22.27.28
	from which corner I run S 89° 41' W
	on true line between sections 21 & 28
	On 13° E
399.7	Set a post deposited a charred stake and raised
	a mound of earth with pits as per
	instructions for 1/4 Sec cor
79.94	The corner to sections 20.21.28.29
	Land Rolling Soil 2d rate

T 12 S R 34 W of 6th P M

	North between sections 20 and 21
	On 13° 15' E
40.00	Set a post deposited a charred stake &
	raised a mound of earth with pits as
	per instructions for 1/4 Sec cor
80.00	Set a post, deposited a charred stake
	and raised a mound of earth with pits as
	per instructions for corner to sections
	16.17.20.21
	Land Rolling Soil 2d rate

	East on random line between sections 16 and 21
	On 13° 15' E
40.00	Set a post for temporary 1/4 Sec cor
79.90	Intersected the N and S line 48 lks
	south of the corner to sections
	15.16.21.22 from which corner
	I run S 89° 39' W on true line
	between sections 16 and 21
	On 13° 15' E
399.5	Set a post deposited a charred stake and
	raised a mound of earth with pits as per
	instructions for 1/4 Sec cor
79.90	The corner to sections 16.17.20.21
	Land Rolling Soil 3d rate

T 12 S R 34 W of 6th P M

Chs	
	North between sections 16 and 17
	On a 13° 15' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 and 17
	Land rolling
	Soil poor 2d rate

T 12 S R 34 W of 6th P M

Chs	
	East on random line between sections 9 and 16
	On a 13° 15' E
3,50	Touch the south end of a valley ~~trending~~ branching North and West
40,00	Set a post for temporary 1/4 sec cor
80,21	Intersected the S and T line 30 lks south of the corner to sections 9, 10, 15, 16 From which corner I run S 89° 47' W on true line between sections 9 and 16
	On a 13° 15' E
40,10½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,21	The corner to sections 8, 9 16 and 17
	Land rolling Soil poor 2d rate

T 12 S R 34 W of 6th P M

	North between sections 8 and 9
Chs	Va 13° 12' E
7.00	Enter valley, bears N. W.
18.00	Leave valley, bears N. W.
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5, 8 and 9
	Land S½ sandhills N½ undulating

	East on random line between sections 4 and 9
	Va 13° 12' E
40,00	Set a post for temporary 1/4 sec cor
80.13	Intersected the N and S line 43 lks South of the corner to section 3, 4, 9, 10 From which corner I run S 89° ~~24~~ 42' W on a true line between sections 4 and 9
	Va 13° 12' E
40,06½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.13	The corner to Sect. 4, 5, 8 & 9.
	Land rolling Soil 2d rate

T 12 N R 34 W of 6th P M

Chs	North on true line between sections 4 and 5
	Va 13° 15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
82.53	Intersected the 3d standard
Par. N.	~~line~~ at a point 15.74 chs East of the corner to sections 33 and 34 of T 13 S R 34 W When I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 4 and 5
	Land rolling
	Soil 2d rate

T12 S R34 W of 6th P M

Chs	
	North between sections 31 and 32
	Va 13°15' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 29.30.31.32
	Land Hilly soil Sandy 3d rate

East on a random line between sections 29 and 32

Va 13°15' E

40.00	Set a post for temporary 1/4 sec cor
79.82	Intersected the N and S line at a point 22 lks south of the corner to sections 28, 29, 32, 33 from which corner I run S 89°51' W on true line between sections 29 and 32.
	Va 13°15' E
39.91	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for ~~corner to sections~~ 1/4 sec cor.
79.82	The corner to sections 29.30.31.32 Land Hilly, Sandy, 3d rate

T12 S R34 W of 6th P M

Chs	
	West on Random line between sections 30 & 31
	Va 13°15' E
40.00	Set a post for temporary 1/4 sec cor
86.26	Intersected the west boundary of the township at a point 34 lks south of the corner to sections 30 and 31 from which corner I run S 89°46' E on true line between sections 30 and 31
	Va 13°15' E
46.26	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
86.26	The corner to sections 29. 30. 31. and 32

Land Hilly
Soil Sandy 3d rate

T 12 S R 34 W of 6th P M

Chs	
	North between sections 29 and 30
	Va 13° 10' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 19.20.29.30
	Land hilly Soil sandy poor 2d rate
	Aug 16th 1870.
	East on random line between sections 20 and 29
	Va 13° 10' E
40.00	Set a post for temporary 1/4 Sec cor
80.51	Intersected the S and S line 5 lks north of the corner to sections 20, 21, 28, 29
	From which corner I run N 89° 58' W on true line between sections 20 and 29
	Va 13° 10' E
40.25½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.51	The corner to sections 19, 20, 29, 30
	Land hilly poor 2d rate

T 12 S R 34 W of 6th P M

Chs	
	West on random line between sections 19 and 30
	Va 13° 10' E
40.00	Set a post for temporary 1/4 Sec Cor
53.00	Top of high hill, bears N & S.
88.77	Intersected the West boundary of the township at a point 60 lks South of the corner to sections 19 and 30 from which corner I run S 89° 37' E on true line between sections 19 and 30
	Va 13° 10' E
48.77	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
88.77	The corner to sections 19, 20, 29, 30
	Land Hilly
	Soil Poor 2d rate

T 12 S R 34 W of 6th P M

Chs	North between sections 19 and 20 Va 13° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 17. 18. 19. 20
	Land hilly
	Soil sandy poor 2d

T 12 S R 34 W of 6th P M

Chs	East on a random line between sections 17 and ~~19~~ 20 Va 13°00' E
40.00	Set a post for temporary 1/4 sec Cor
80.32	Intersected the S and S line 21 lks North of the corner to sections 16, 17, 20 21 From which corner I run S 89°51' W on a true line between sections 17 and ~~18~~ 20 Va 13° E
40.16	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.32	The corner to sections 17, 18, 19 20
	Land hilly
	Soil poor 2d sat

T 12 S R 34 W of 6th P. M.

Chs	West on a random line between sections 18 and 19
	Va 13° E.
40.00	Set a post for temporary 1/4 Sec cor
90.02	Intersected the West boundary of the township 70 lks South of the corner to sections 18 and 19
	From which corner I run S 89° 3' E on true line between sections 18 and 19
	Va 13° E
50.02	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
90.02	The corner to sections 17, 18, 19, 20
	Land hilly
	Soil poor 2d rate

T 12 S R 34 W of 6th P. M.

Chs	North between sections 17 and 18
	Va 13° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7 8 17 and 18
	Land hilly
	Soil poor 2d rate

T12 S R 34 W of 6th P.M.

Chs	
	East on random line between sections 8 and 17 Va 13° E
40.00	Set a post for temporary 1/4 Sec Cor
80.05	Intersected Chs 8 and 9 line 40 links South of the Corner to sections 8, 9 16 and 17 From which Corner I run S 89° 43' W on a true line between sections 8 and 17 Va 13° E
40.02½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.05	The corner to sections 7, 8, 17 and 18

Land Hilly
Soil poor 2d rate

T12 S R 34 W of 6th P.M.

Chs	
	West on a random line between sections 7 and 18 Va 13° E
40.00	Set a post for temporary 1/4 Sec cor
90.78	Intersected the West boundary of the township 12 lks South of the corner to sections 7 and 18 From which corner I run S 89° 56' East on true line between sections 7 and 18 Va 13° E
50.78	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
90.78	The corner to sections 7, 8, 17, 18

Land rolling
Soil poor 2d rate

T12 S R 34 W of 6th P M

Chs	
	North between sections 7 and 8 Va 13° E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to sections 5, 6 7 8, Land, rolling poor 2d rate

T12 S R 34 W of 6th P M

Chs	
	East on a random line between sections 5 and 8 Va 13° E
40,00	Set a post for temporary 1/4 sec Cor
79,91	Intersected the N and S line 14 lks South of the Corner to sections 4, 5 8, 9 From which corner I run S 89°54' W on a true line between sections 5 and 8 Va 13° E
89,95	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79,91	The corner to sections 5, 6, 7, 8 Land rolling Soil poor 2d rate

T12 N R 34 W of 6th P. M.

Chs	
	West on a random line between sections 6 and 7 Va 13° E
40.00	Set a post for temporary 1/4 Sec Cor
90.39	Intersected the West boundary of the township 63 lks South of the corner to sections 6 and 7 from which corner I run S 89° 38' E on true line between sections 6 and 7 Va 13° E
50.39	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
90.39	The corner to sections 5, 6, 7, 8 Land undulating Soil 2d rate

T12 N R 34 W of 6th P. M.

Chs	
	North on a true line between sections 5 and 6 Va 13° 15' E
40.00	Set a post ~~for temporary 1/4 Sec~~ deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
81.26	Intersected the Third Standard ~~line~~ 14.95 chains East of the corner to sections 32 and 33 of T13 N R 34 W
Part N.	Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 5 and 6
	Land undulating Soil poor 2d rate Aug 17th 1870 17

Re-survey page 55.

T12 S R 34 W of 6th P.M.

General Description

This Township is nearly all poor 2d rate and Sandy in the South & East part Surface varying from hilly to rolling; S W part more level

Would probably raise wheat or oats if sufficient moisture could be had Difficult to irrigate because of the face of the land being hilly & so small a surface to each plane or level

Wells are the only means of ~~water~~ irrigation so wood

The grasses are Sand grass & Buffalo grass Cactus in abundance

This Township is not suitable to settlement

Field notes of Resurvey of the Range line between Sections 1 and 6 Township 12 S, Ranges 33 and 34 W

There being a material difference in the closing distance on the 3rd Standard ~~line~~ parallel as shown on Plat furnished me of the Corner to T12 S Ranges 33 and 34 W and that of Sections 1 and 2 of T. 12 S of R 34 West, I begin at the established corner to Sections 6, 7, 1, and 12 on Range line between Ranges 33 and 34 W T12 S and run North on a true line between Sections 1 and 6

Va 13° 12' E

40.28 To the established 1/4 Sec cor
79.63 Intersected the 3d Standard Parallel N 14.57 chs East of the Corner to Sections 31 and 32 of T13 S R 33 W Where I set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for closing corner to T12 S Ranges 33 and 34 West, No closing corner being found on said Standard line between the corner thereof to said Sections 31 and 32 and the 1/4 Sec cor East

List of the names of individuals employed to assist in marking and measuring the lines and corners described in the foregoing field notes of T 12 N of R 34 W of the 6th Principal Meridian showing the respective capacities in which they acted

David Meek chainman
Charles Hardin chainman
Fred Weihe mound builder
S J Seger mound builder

We hereby certify that we assisted William Hardin deputy Surveyor in Sub dividing Township No 12 North of the base line & Range No 34 West of the Sixth Principal Meridian in the State of Nebraska and recovering the South boundary of Township and East boundary of Section one &c that said Township has been in all aspects to the best of our knowledge and belief well and truly Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

David C Meek Chainman
Charles Gardner Chainman
Fred. Wiehe Mound builder
S G Seyer Mound builder

Subscribed and sworn to by the above named persons before me a Clerk of the Dist Court within & for the County of Lincoln in the State of Nebraska this 29th day of September 1870

R C Dougherty
Clerk of the Dist Court within and for Lincoln County Nebraska

~~We hereby~~ I William Hardin Deputy Surveyor do Solemnly Swear that in pursuance of a contract with R R Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by said Surveyor General I have faithfully surveyed the Sub dividing of Township No 12 N of the base line of Range No 34 West of the 6th Principal Meridian in the State aforesaid and those portions of the exterior boundaries as are herein shown and do further Solemnly Swear that the ~~pretty~~ true and original foregoing field notes of such Survey

William Hardin Dep. Surveyor

Subscribed by said William Hardin deputy surveyor and sworn to before me a Notary Public for Saunders County Nebraska this 12 day of October 1870

A B Fuller
Notary Public

Surveyor General's Office
Plattsmouth Neb. Mch 21. 1871.

The foregoing field notes of the survey of the subdivision lines of Township No. 12 North of the Base Line, of Range No 34 West of the 6th Principal Meridian in the State of Nebraska, and the reserves of the South Boundary of Township, and East Boundary of Section One, executed by William Hardin, under his contract of the 6th. day of August 1870. in the month of August 1870. having been critically examined, the necessary corrections and explanations made the said field notes, and the surveys they describe, are hereby approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

568

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.