General Land Office • Original Field Notes

Book Number

570

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field notes of the Subdivision into Fractional Sections 17 & 18 of the Boise Basin Range 36 E. West of the Boise Principal Meridian in Idaho Territory Surveyed by John K. Miller Dep. Surv. Surveyor ~~Contract Commenced July 15th 1875 and completed July 1875~~ under Contract N° 95 dated July 24 1875

Survey
Commenced Aug. 13th 1875
Completed Aug. 15th 1875

Index to
Town 17 N Range 34 West

6	60	5	44	4	2	3	22	2	11	1	
	57		86		48		37		21		11
7	67	8	42	9	3	10	20	11	9	12	
	57		55		41		31		19		6
18	52	17	40	16	29	15	14	14	7	13	
	53		52		37		28		17		6
19	67	20	54	21	27	22	14	23	5	24	
	52		49		37		26		15		4
30	48	29	36	28	24	27	14	26	13	25	
	44		46		36		24		13		2
31	45	32	34	33	33	34	12	35	1	36	

List of
Names and Duties
Assistants employed
in Subdividing Township
No 17 North of the base line
Range No 34 West of the
6 Principal Meridian
in Nebraska

Harris Hudson Chief Chainman
Cyrus E Smith Chainman
George Holden Mounduman
James M. Carroll Flagman

Township 17 North Range 3 E

West of the 6th Principal Meridian

To determine the proper
Assignment of any Compass
for subdividing this
Township I Commence on
the Standard Parallel
at the Corner to Townships
17 North Ranges 2 & 3 East
West and run South
on a blank line along
the East boundary of the
3 E.

on 14° 15' East

4002 To a point 3 lks E of the
1/4 Sec Cor

8002 To a point 7 lks E
of the Cor to Secs 25 T2 E

To release this line as
run parallel thereto my
Compass must be
Adjusted to a variation
of 14° 15 East

North between Secs 35 T2 E
on 14° 15' East

4002 Ranges mound of earth
3 ft high from pits 18 24
Mi and 1/2 mi dep for
1/4 Sec Cor

8002 Range mound of earth
3 ft high from pits 18 24
Mi and 1/2 mi dep for
Cor to Secs 25 T2 & 25
and 30 E

Land high rolling
Land Hills & Mts

Township 17 North Range 24

East on a random
line between Secs 26 & 35
on 14° 15' East

4 ors Marked point for Corner
bears W & S Cor
7992 Links to the East boundary
of the Township 5 chs
South of Mound Cor
to Secs 25 and 36 from
which Cor
I run South 89 58 West
on a line between
Secs 25 and 36
on 14° 15' East
3965 Raised mound of earth
3 ft high from pits 18 ft
in diam & mi deep for
1/4 & S Cor
7992 the Corner Secs 25 & 26
35 and 36

Land and hills 3
miles

West of the 6th Principal
Meridian

North between Secs 25
and 26
on 14° 15' East
1000 Raised mound of
earth 3 ft high from
pits 20 x 24 in diam &
mi deep for 1/4 & Cor
8 ors Raised mound of
earth 3 ft high from
pits 20 x 24 in diam &
mi deep for 6 or 8 ors
23 & 24 25 26

Land same hills
3 miles

Township 17 South Range

East on a random
line between secs
22 and 23
and 14° 15' East
4 rods Marked post for temp-
rary H & C Cor

79.48 Links at the East bound
of the Township S the
South of plat Cor to
sec 24 and 25 from
which Corner
bears South 89° 49' West
on a true line between
secs 24 and 25
N 14° 15' East
39.74 Raised mound of earth
3 ft high from pits 1 ft
in diam in diag for
H & C Cor
39.48 the Cor to secs 23 24
25 & 26

Land and hills &
rocks

24 West of the 6th Principal
Meridian

South between secs ~~24 & 25~~ 23 & 24
and 14° 15' East
4 rods Raised mound of earth
3 ft high from pits 1 ft
in diam 2 in diag
for H & C Cor

6 rods Raised mound of
earth 3 ft high from pits
1 ft in diam 2 in diag
for Cor to secs 13 & 14
23 and 24

Land sand hills &
rocks

Township 14 South Range 24 West of the 6th Principal Meridian

East on a random line between sec 13 & 14 on 14° 15' East

4000 Marked point for intersection of sec 13 & 14

7984 Turned the East boundary of the Township at post at sec 13 & 24 from which Comanche on a tree bears N 13° 15' East

3992 Raised mound of earth 2 ft high from pits 15 & 24 in and 12 mi dup for 14 sec cor

7984 The Arboles 13, 14, 23 and 24

Sand Valley & sand hills 3 miles

South between sec 13 & 14 on 14° 15' East

4000 Raised mound of earth 3 ft high from pits 15 & 24 in and 12 mi dup for 14 sec cor

8000 Raised mound of earth 3 ft high from pits 15 & 24 in and 12 mi dup for Comanche sec 1 12 13 and 14

Sand and hills 3 miles

8

Township 17 South Range 3 East of the 6th Principal Meridian

9

East on a random
line between secs 12
and 13
N 14° 15' East
Hans Mankel pomb fr temp mon
1/4 sec Cor
4 9/16 Links at the East boun
of the Township 4 Links
South of mound Cor to secs
12 and 13 from which Ca
pine South 89 1/2 West on
a true line between secs
12 and 13
N 14° 15' East
3968 Round mound of earth
3 ft high from pits 18 x 24
ft Alder 12 in dia
sec Cor
7 9/16 The Cor to secs 11, 12, 13
and 14

Land land hills &
vale

August 13th 1875

North between secs 11 and
12
N 14° 15' East
Hans Range mound of earth
8 ft high from pits 18 x 24
ft Alder 12 in dia dug fr
1/4 sec Cor
8 ft Round mound of earth
3 ft high from pits 20 x 30
ft Alder 12 in dia dug fr
Corner to secs 1, 2 11 12

Land land hills & vale

Township 17 South Range 3 West

East on a random line between Sec 1 and Sec 12
Az 14° 15' East

36.00 To swamp bears S 11° E
39.00 Birdwood Creek 3 chs wide
Current runs S. E
39.00 Leave swamp bears S 11° E
4.00 Marked point for temporary
Az as
Cor
6.00 Enter swamp bears S 6° E 2 lks
6.00 Birdwood Creek 30 lks wide
Current runs S. E
7.00 Birdwood Creek Current South 2.00
Links S. E
79.72 Intersect the East boundary of
the Township 23 lks South of point in
swamp for Cor to Secs 1, 12 and 13
from which and can South 89° 30' East
on a line between Secs 12 & 13
Az 14° 15' East
3986 Raised mound of earth 3 ft high
79.72 from pits 15 & 24 ft 2 in dup pits also Cor
The Corner to Secs 1, 12 & 13 and 12
Land broken hills & slight swamp all 3 sides

of the 6th Principal Meridian

South on a random line
between Secs 1 & 12
Az 14° 15' East

14.00 Enter swamp bears E 11° E
4.00 Birdwood Creek current runs S. E
24.00 Leave swamp and begin to ascend
steep bluff
26.50 To top of bluff 60 feet high bears E 11° E
2.00 Marked point for temporary
Az as
79.72 Intersect the North boundary of
the Township 60 lks East of
Mound Cor to Secs 1 and 12 from
which Corner I can South
27° East on a line between
Secs 1 & 12
Az 14° 15' East
3972 Raised mound of earth 3 ft
high from pits 18 & 24 ft in
diameter 2 in dup pits
Cor
The Cor to Secs 1, 2 & 11 & 12
Land very broken & steep
swamp all 3 sides

Township 17 South Range 24

South between Cors 24 25
on 14° 15' East

40.00 Raised mound of earth
3ft high from pits 25 & 26
mi and 12 mi dup fr 14
Cor Cor

80.00 Raised mound of earth 3ft
high from pits 26 & 27 mi
and 12 mi dup fr Cor
to Cors 26 27 24 25

Land high and rolling
and dry soil

West of the 6th Principal Meridian

East on a random
line between 24 25
on 14° 15' East

40.00 Marked point for temporary
14 Cor Cor

[illegible] Between the N & W line of 1/4
Section of mound Cor to
Cors 25 26 35 36 from
which Cor
I ran South 59 57 West on
a true line between
Cors 26 and 35
on 14° 15' East.

78.18½ Raised mound of earth
3ft high from pits 25 & 26 mi
and 12 mi dup fr 14 Cor
Cor

[illegible] The Cors Cors 26 24 24 25

Land high rolling dry
soil

Township 17 South Range 34

North between Cors 76 37
On 14° 15' East

40.00 Raised mound of earth
3ft high from pits 1824
in. and ½ in dup for 14
Cor & Cor

80.00 Raised mound of earth
3ft high from pits 1824
in. and ½ in dup for
Corner to Cors 22 23 26
B 7

Land high rolling rand
hills 3 Cots

West of the 6th Principal Meridian

East on a random
line between Cors 23 26
On 14° 15' East

40.00 Marked point for Temporary
14 Cor On

50.29 Intersect the N 8 Line of
Mound Cor to Cors 23 24
25 and 26 from which
Cypress
Sam Wet on a true
line between Cors 23 26
On 14° 15' East

1022½ Raised mound of earth
3ft high from pits 2033
in. and ½ in dup for 14
Cor & Cor

80.29 The Cor to Cors 22 23 B 7
26

Land rolling rand hills
South

Township 17 South Range 24

South between Secs 22 & 23
On 14° 15' East

40.00 Raised mound of earth
3ft high from pits 18 & 24
mi. And 12 mi dup for 1/4
Sec Cor

80.00 Set post 4 x 4 mi. And 4 ft below
1/2 mi dup deposit Charcoal
Make raised mound of
earth 3ft high from pits
18 & 24 mi. And 12 mi dup
for 6 mm trees Secs 14, 15
22 and 23, Land high
& hilly and hills 3 mi to

West of the 6th Principal Meridian

East on a random line
between Secs 14 And 23
On 14° 15' East

40.00 Marked point for temporary
1/4 Sec Cor

80.24 Intersect the N & S line 10 lks
North of mound Cor to Secs
13 14 23 And 24 from which
Comr
Iron N 89° 45' E 1.41 on
a line between Secs
14 And 23
On 14° 15' East

40.02 Raised mound of earth
3ft high from pits 18 & 24
mi. And 12 mi dup for 1/4
Sec Cor

80.14 The Cor to Secs 14 15 22
And 23

Township 17 North Range 24

North between Cors 1 & 75 on 14° 15' East

4 pos Raised mound of earth 3 ft high from pits 1824 mi Cedar mi Rup from Cor

5 pos Raised mound of earth 3 ft high from pits 1824 mi Cedar 12 mi Rup from Corner to Cors 10, 11, 14 and 15

Land rolling mound hills 3 cuts

West of the 6th Principal Meridian

East on a random line between Cors 1 & 7 on 14° 15' East

4 pos Marked pond for temporary Cor

7976 Intersect the N bank mi 35 lks South of mound Cor to Secs 11, 12, 13 and 14 from which

Pine North 8 25 links and a line between Cors 1 & 4 on 12° 15' East

3988 Raised mound of earth 3 ft high from pits 1824 mi Cedar 2 mi Rup from Cor

7976 The Cor to Secs 10 11 14 & 15

Land rolling mound hills 3 cuts

August 14th 1875

Township 17 North Range 3 West of the 6th Principal Meridian

North between Cor 10 & 11 on 14 15 East

440 links Pivot mound of earth 3 ft high from pits 18 24 links and 12 links dup for Cor

840 links Pivot mound of earth 3 ft high from pits 18 24 links and 12 links dup for Cor to Cors 2 3 10 and 11

Land broken sand hills 3 miles

Bearing variation line between Cors 2 and 11 Jan 14° 15' East

2400 Land hills & entire swamp trees N, W, S, E

3450 Creek 25 lks wide Current runs S, E

3600 Land swamp N W & S E

4000 Marked post for temporary Cor Cors

5200 Entire swamp trees N, E, S, W

5300 Creek 32 lks wide Current runs N & E

6000 Land swamp trees N, E, W

7974 Intersect this A S line 12 lks North of mound Cors 1, 2 11 and 12 from which Cor I can North 89° 55' West on the line between Cors 2 and 11 Jan 14° 15' East

3980 Pivot mound of earth 3 ft high from pits 18 22 links and 12 links dup for 11 & 12 Cor

7974 The Corner to Cors 2 3 10 & 11 Land broken hills except swamp all S easterly

Township 1 S. North Range 2 E. Ute

North on a random line between secs 2 and 3 on 14° 15' East

3 Pts on Bridwood Creek 20 lks wide current runs SE

Hon marked birch fm trees pray W & sec cor

1970 Cutting of the North boundary of this Township at mound 80 lks to sec 2 and 3 from which cor

I run South on a true line between secs 2 and 3 on 14° 15' East

3970 Found mound of earth 3 ft high from pits 18 24 in diameter mi dup fm 1/4 & sec cor

7970 The Quarter secs 2, 3, 10, 11

Land very broken 5 acres

of the 6th Principal Meridian

North between secs 33 Bx on 14° 15' East

4 Pts Found mound of earth 3 ft high from pits 18 24 in diameter mi dup fm 1/4 sec cor

8 Pts Found mound of earth 3 ft high from pits 20 24 in diameter mi dup fm 1/4 secs 27, 28 33 and 34

Land rolling sandy & rocky

Ridge at about 15 chains N. W. from this cor to secs 33 and 34 on this standard. mi sec 33 This is a large spring of good water which rises in the head of a dup gulch and flows S. E.

Township 17 South Range 3 East of the 6th Principal Meridian

East on a random
line between secs
27 and 34
on 12° 15' East
Hon Marked point for temporary
1/4 sec Cor
7988 Intended the S 1/4 bet at
mound Cor to secs 26 27
34 and 35 from which
Cor
Iron Post on a dist
line between secs 27 34
on 14 15 East
39 1/2 Pgnd mound of earth 3ft
high from pits 18 24 in
diam 12 in dup for 1/4
sec Cor
7988 The Cor to secs 27 28
33 and 34

Land low sand hills
Sandy

South between secs 27 & 28
on 14° 15' East
Hon Pgnd mound of earth 3ft
high from pits 20 + 24 in
diam 12 in dup for 1/4
sec Cor

Cor Pgnd mound of earth
3ft high from pits 18 + 24
in diam 12 in dup for Cor
to secs 21, 22, 27 & 28

Land valley hills sandy
Sandy

Township 17 South Range 3 East

East on a random line between secs 22 and 27
On 14° 15' East
4.00 Marked point for tree
bears N 45° W 1.00
7993 Witness tree N 45° W
3.1 lks North of mound
Cor to secs 22, 23, 26
& 27 from which Cor
I ran South 89 47 West
on a true line between
secs 22 and 27
On 14° 15' East
3996.2 Rand. mound of earth
3 ft high from pits 1824
in. diam. & 12 in deep filled
C & C Ash
7993 The Corner to secs 21 22
27 and 28

Land rolling hills & mts

West of the 6th Principal Meridian

South between secs 22 & 27
On 14° 15' East
4.00 Rand. mound of earth
3 ft high from pits 1824
in. diam. & 12 in deep filled
C & C Ash

4.00 Set post 4 x 4 x 48 in. 4 ft. 12 in.
Resp depression Marked Cor
Rand mound of earth 3 ft
high from pits 1824 in.
diam. & 12 in deep filled
to secs 15 16 21 & 22

Land rolling hills & mts

Township 17 South Range 34

East on a random
line between ranges 15 & 16
on 14° 15' East

4 rods Granted point for corner
1/4 sec Cor

80 rds Intersect the N & S line
35 links South of post Corner
on 1/4 15 22 and 28
from which Corner
I can South 60 45
West on a true line
between ranges 15 & 16
on 14° 15' East

4 rods Raised mound of earth
2 ft high from pits 18
24 in and 12 in deep
for 1/4 sec Cor

80 rds The Cor to ranges 15, 16
21 and 22

Land rolling hills sandy
& rocky

West of the 6th Principal Meridian

South between ranges 15 & 16
on 14° 15' East

2 rods Raised mound of earth
2 ft high from pits 18 & 24
in and 12 in deep for
1/4 sec Cor

East Raised mound of earth
2 ft high from pits 18 & 24
in and 12 in deep for
Corner to secs 9, 10, 15
and 16

Land rolling and
hills & rocky

Township 17 South Range

East on a random line
between Secs 10 and 15
N 14° 15' East
40.00 Normal point for Mitpoint
1/4 Sec Cor
S 0°32' Intersection the S rd Line
of the State of Kansas
to Secs 10, 11, 14, 15 From
which Cor
Bears South 89 47 West
on a true line between
Secs 10 and 15
N 14 15 East
40.18 Raised mound of earth
3 ft high from pits 18
2 ft wide and 12 in deep
for 1/4 Sec Cor
S 0°32' The Corner to Secs 9. 10. 15. 16
Land level hills
Timber

August 15th 1915

6th Principal Meridian

South between Secs 9 & 10
N 14° 15 East
40.00 Raised mound of earth
3 ft high from pits 18 ft wide
12 in deep for 1/4
Sec Cor
8.00 Raised mound of earth
3 ft high from pits 18 ft wide
12 in deep for
Corner to Secs 2, 11 & 10

Land rolling hills and
some timber

Township 17 South Range 24

East on a random line
between secs 3 and 10
on 14° 15' East
from Marked point for temporary
N 4 cor Cor
8028 Set mound of stones
49 lks South of post Cor
to secs 2 3 10 and 11 from
which Cypress
6 ins South 87° 30' West
on a line line between
secs 3 and 10
N 14° 15' East
1014 Raised mound of earth 3ft
high from pits 18x24 ins
and 12 ins deep for N 4
sec Cor
8028 The Cor to secs 3 4 9 10
Land land hills &
flats

West of the Principal Meridian

South on a random line
between secs 3 and 4
on 14° 15' East
from Marked point for temporary
N 4 sec Cor

7965 Set mound of stones
of the Township South
West of Mound Cor to secs
3 and 4 from which
Cypress
3 ins South 21° West on
a line line between
secs 3 and 4
on 14° 15' East
3965 Raised mound of earth
3ft high from pits 18x24
ins and 12 ins deep
for N 4 sec Cor
7965 The Cor to secs 3 4 9 10
Land land hills &
flats

Township 17 South Range 3 East of the 6th Principal Meridian

North between Cors 32 and 33

N 14° 15' East

Hon. Rock mound South 3 ft high from pits 1 & 2 bi Alder & Cedar Brs

1/4 Cor

Hon. Rock mound South 3 ft high from pits 1 & 2 bi Alder & Cedar Brs

Cor to Secs 28 & 29 33 and 32

Land sandy rolling Timber

3d West of the 6th Principal Meridian

East on a random line between Cors 28 and 33

N 14° 15' East

Hon. Market point for Temporary 1/4 Sec Cor

7905 Ledge at the S & W side 17 lks South of Quartz Cor to Secs 27 28 33 34 from which Quartz Cor I run South 89.38 West on a true line between Secs 28 and 33

N 14° 15' East

3979 Hon. Rock mound South 3 ft high from pits 1 & 2 bi and 12 bi Alder & Cedar Brs

7959 The Cor to Secs 28 29 32 33

Land sand hills & Butte

Township 17 North. Range

North between secs 28
and 29
N 14° 15' East

4 rods Raised mound of
earth 2ft high from
pits 20 & 24 links and
1/2 mi dup for 1/4 sec Cor

8 rods Raised mound of
earth 2ft high from
pits 18 & 24 links and
1/2 mi dup for Cor
to secs 21, 22, 28 & 29

Land rolling hills
with

3rd West of the 5th Principal Meridian.

East on a random
line between secs 21
and 28
N 14° 15' East

4 rods Marked pointing to Tamarack
1/4 sec Cor.

7 links Inland from the N & S line 3
lks South of mound Cor
to secs 21, 22, 27 and 28
from which Cor
a pine South 87° E 24 links
on a true line between
secs 21 and 28
N 14° 15' East

3 rods Raised mound of earth
2ft high from pits 18 & 24
links and 1/2 mi dup for
1/4 sec Cor

7 links The Cor to secs 20, 21,
28 and 29

Land rolling land
hills 3 with

Township 1 of South Range 3 West of the 6th Principal Meridian

North between Secs 20 & 21
on 14° 15' East
40 rds Raised mound of earth
3 ft high from pits 18 & 20
mi Ander mi dup for
¼ Cor
8 ors Set pit 3×3 mi ft. bow
½ mi dup depart
Normal Stake
mound of earth 3 ft high
from pits 18 & 24 mi and
½ mi dup for Cor to
Secs 16 17 20 and 21

Land undulating poor
2 cents

East on a random line
between Secs 16 and 21
on 14° 15' East
40 rds Marked point for temporary
¼ Sec Cor
50 ft Sight at the NW brick Chy South
South of pit Access to Sec
16 & 21 and 20 from
which Cross
I ron South 89° 56' West
on a true line between
Secs 16 and 21
on 14° 15' East
40 rds Raised mound of earth
3 ft high from pits 18 & 24
mi And ½ mi dup for
¼ Sec Cor
80 rds The Corner to Secs 16 17
20 and 21

Land land hilly &
cents

Township 7 South Range

North between Secs 15 & 16
on 14° 15' East

400 Rand mound of earth
3 ft high from pits 182
½ mi dist for 14 sec
Cor

800 Rand mound of earth
3 ft high from pits 182
mi dist ½ mi dist
for Corner to Secs 8, 9
16 and 17

Land rolling hills
sandy & clay

August 16th 1875

3rd West of the 6th Principal Meridian

East on a random line
between Secs 9 and 16
on 14° 15' East

400 Marked points for temporary
14 sec Cor

1976 Salmon at the 1st South-
line 21 lks South of
mound on town Sec
15 and 16 from which
Corner.
I ran South 89° 47' West
on a true line between
Secs 9 and 16
on 14° 15' East

3986 Rand mound of
earth 3 ft high from
pits 182 24 mi and
½ mi dist for Corner
Cor

1976 Pine to Secs 8 9 16
and 17

Land sand hills &
rocks

Township 17 North Range 3 West of the 6th Principal Meridian

North between Sec & and D
Calx 14' 15" East
40.00 Ranel mound of earth 3ft high from pits 18 24 ft dia and 1/2 mi dist from 1/4 Sec Cor

80.00 Ranel mound of earth 3ft high from pits 18 24 ft dia and 1/2 mi dist from Cor to Secs 4 5 8 9

Land and hills 3 cats

East on a random line between Secs 4 and 9
Calx 14° 15" East
40.00 N natural bound for Chapman Tree Cor
79.74 Intersect the N & S line 28 lks South of corner Cor to Secs 3 4 9 10 from which Corner bears South 89 45 West on a true line between Secs 4 and 9
Calx 14° 15" East
318.7 Ranel mound of earth 3ft high from pits 18 24 ft dia and 1/2 mi dist from 1/4 Sec Cor
Cor
799.4 The Cor to Secs 4 5 8 and 9

Land hilly broken and hills 3 cats

Township 17 South Range 31 West of the 6th Principal Meridian

North on a random line between secs 4 & 5 N 14° 15 East

2 rods Marked post for bpsp bears N 14 E Cor

2 9 25 Set limestone the North boundary of this Township & Marked B Corner to secs 4 & 5 and 8 from which Corner again South one link between secs 4 and 5 Cor N 14° 15 East

29 25 Raised mound of earth 3 ft high from pits 1 & 2 4 mi East 1/2 mi dist for N 14 E Cor

19 25 The Cor to secs 4 5 8 and 9

Land Sandy hills & ante

North between secs 32 & 33 N 14 15 East

Raised mound of earth 3 ft high from pits 1 & 2 4 mi East 1/2 mi dist for N 14 E Cor

Raised mound of earth 3 ft high from pits 1 & 2 4 mi East 1/2 mi dist for Corner to secs 29 30 31 and 32

Land high rolling sand hills & valleys

Township 1 7 South Range

East on a random
line between cors
29 and 32

var 14° 15' East

2700 Marked point for temporary
W & C Cor

5028 Witness or Witness
5 lks North of mound
Cor to secs 28, 29, 32
and 33 from which
Comer
Iron Stake 6 links West
on a line between
secs 29 and 32

var 14° 15' East

4024½ Rimd mound of
earth 2ft high from
pits 18 24 inches
½ mi dist from
W & C Cor

8078 The Corner to secs
30 31 and 32

Land high rolling and
hills & cuts

3N West of the 6th Principal Meridian

West on a random
line between cors
30 and 31

var 14° 15' East

2700 Marked point for temporary
W & C Cor

7998 Witness the West
boundary of the Township
6 lks South of mound
Cor to secs 30 and 31
from which Corner
Iron Stake 7 links East
on a line between
secs 30 and 31

var 14° 15' East

2998 Rimd mound of earth
3ft high from pits 18 24
and ½ mi dist from
W & C Cor

7998 The Corner to secs 29 30
31 and 32

Land high rolling and
hills from 2 miles

Township 1 S of South Range

South between
Secs 29 and 30
and 2.15 East

Hon Range crossed at
south 3 ft. high from
pits 1 & 24 and in
mi dup for 14 Sec
Cor

Set post 4 x 4 with
Lengths mi dup.
depth Channel Lake
Range crossing at
south 3 ft high from
pits 1 & 24 mi and in
mi dup for Cor to
Secs 19 & 20 & 29 & 30

Land rolling Sandy
from 2 chs to Cor

3rd West of the 6th Principal Meridian

East on a random
line between Secs 20
and 29
and 14° 15' East

Hon Marked point for bumpers
and 12 Secs Cor

Bdry Bdry on the South
to the South of mound
Cor to Secs 20 21 28 29
from which Cor
I run South 89° 56' West
on a true line between
Secs 20 and 29
and 14° 15' East

Range crossing of south 3 ft
high from pits 1 & 24 mi
and 1/2 mi dup for 1/4
Sec Cor

Bdry Bdry to Secs 19 20
29 and 30

Land rolling Sand hills
3 chs

Township 17 North Range

West on a random line between sec 19 and 30
On 14° 15' East
40.05 From Marked point for 1/4 sec Cor
80.10 Set Stone for the West boundary of the Township at ordinary Low water sec 19 and 30 from which Cor
1 pan. East on a line bet sec 19 and 30
On 14° 15' East
40.05 Raised mound of earth 3ft high from pits 18x24 in Width and dug for 1/4 sec Cor
80.10 The Cor to sec 19 in 24 and 30

Land hilly with some hills

Scale August 17th 1916

3rd Meridian

North between sec 19 and 30
On 14° 15' East
40.05 From Raised mound of earth 3ft high from pits 18x24 in Width and dug for 1/4 sec Cor
60.00 Set post 3x4 inches 4ft above Ground Lake raised mound of earth 3ft high from pits 18x24 in Width and dug for Corner sec 17, 18 19 and 20

Land rolling some hills

Scale

Township 17 South Range

East on a random line between Secs 17 and 20
run 24.15 East
from Witness Post for Corner
Set Planted Post for Corner
from which a Witness Tree
Bears South 89 58 West
on a line between
Secs 17 and 20
Run 15 East
Raised mound of earth
2ft high from pits 18x24
by Run in middle
from Corner
The Quarter Secs 17, 18
and 20

Land hilly timber
Scrub

3d West of the Principal Meridian.

West on a random line
between the 18 and 19
run 14.15 East
from Witness Post for Corner
Set Planted Post for Corner
from which a Witness Tree
Bears South 89 58 East
on a line between
Secs 18 and 19
run 15 East
Raised mound of earth
3ft high from pits 18x
24 in and in middle
from Corner
The Quarters Secs 17, 18, 19
and 20

Land hilly timber
Scrub

Township 17 South Range 24

South between Cors
1 & 2 and 3 &
on 14° 15' East
Hon Raised mound of earth
3 ft high from pits 18 x 24
in diam & 1 ft deep for
¼ Sec Cor

8 055 Set post 2 x 3 on top 4 ft
1/2 in dia deposit
Stamped Wake Island
mound of earth 3 ft
high from pits 18 x 24
ft diam 1 1/2 ft deep
for Corner to Secs
7, 8 17 and 18

Land rolling hills
sandy soil Pasture Pasture
Cord

West of the 6th Principal Meridian

East on a random
line between Secs 8 & 17
on 14° 15' East
Hon Witness point for temporary
angle Sec Cor
8028 Witness Tree Stake
14 ft No North from mound
Cor to Secs 8, 9, 16 & 17
from which Corner
I own North 89 3/4 West
on a true line between
Secs 8 and 17
on 14° 15' East
Hon Raised mound of earth
3 ft high from pits 18 x 24
in diam & 1 ft deep for 1/4
Sec Cor
8028 The Cor to Secs 7, 8, 17
and 18

Land rolling hills
sandy soil Pasture Pasture
Cord

Township 17 North Range 3E West of the 6th Principal Meridian

West on a random
line between secs
7 and 18
On 14° 15' East
40.00 Marked point for temporary
witness Cor
80.12 Iron pipe at the West
boundary of the Township
1.46 chs West of mound
Acc to secs 7 and 18
from which Comer
Bears North 5.39 East
on a true line between
secs 7 and 18
On 14° 15' East
40.00 Raised mound of earth
2 ft high from pits 30x
24 mi and 12 mi deep
for witness Cor
80.12 The Auto secs 7, 8, 17
and 18

Land rolling hills range
3 mi

North between secs
7 and 8
On 14° 15' East
40.00 Raised mound of earth
2 ft high from pits 18x24
mi and 12 mi deep for
witness Cor

Four Raised mound of
earth 2 ft high from
pits 18x24 mi and
mi deep for Corner
to secs 5, 6, 7, and 8

Land rolling hills
pass 2 rods sandy
soil

Township 17 South Range

East on a random
line between Secs 5
and 8
Var 14° 15' East
4000 Marked point for
temporary 1/4 Sec Cor
8004 Witness tree 12 ins
27 lks South of mound
Cor to Sec 4 5 & 8 and 9
from which Ash
Bears South 85 1/2 West
on a true line between
Secs 5 and 8
Var 14° 15' East
4002 Round mound of earth
3 ft high from pits 8 ft
in diam in no dup ft
1/4 Sec Cor
8002 The Cor to Secs 4, 5
8 and 9

Land rolling hills pon
2 cubic feet

6th Prin Principal
West of the Meridian

West on a random
line between Secs 6 & 7
Var 14° 15' East
4000 Marked point for temporary
1/4 Sec Cor
7990 Witness the West boundary
of the Township 42 S Rge 5 W
of mound Cor to Sec 6 7
from which Cor
Bears South 85 1/2 East
on a true line between
Secs 6 and 7
Var 14° 15' East
3990 Round mound of earth
3 ft high from pits 18 ft
in diam in no dup ft
1/4 Sec Cor
7990 The Cor to Secs 5, 6, 7 & 8

Land rolling hills pon
3 cubic feet

Township 17 South Range 32 West of the 6th Principal Meridian

North on a random line between 2nd and 3rd Guide

3919 Mound Point Station = Corner 1/4 Cor on the North boundary of the Township 25 Chs East of Mound Act to Rec'd Land 5 from which Cor

Iron South 1/2 East on a line between Rec'd 3rd Guide

Cor 1/4 S 25 East

3919 Round mound of earth 3ft high from pits 18+24 ins diameter mi dist for 1/4 Rec'd Cor

3919 The Arts Rec'd 5,6,7 and 8

Land Sandhills Barren August 16 1915

General Description

This Township is all poor 2nd or 3rd rate land not adapted for farming the surface is high undulating hills or ridges which run East and W. there is quite a few trees in the Township, it is covered with a poor growth of grass and is well adapted for grazing Big Beaver Creek flows through the North East part, this is a beautiful stream of pure soft running water there is a range along it banks

In subdividing this Township I have not set posts or stone at most of the corners for the reason that the country neither affords timber or stone

A List of the names of the individuals employed to assist John X Miller Deputy Surveyor in running measuring and marking the lines and corners described in the foregoing field notes of Township No 17 North of the base line Range No 32 West of the 6th Principal Meridian in Nebraska showing the respective Capacities in which they acted

Harry Middlekauff Chainman
Lyell E. Smith Chainman

George Holden Woodsman
James W. Carrell Flagman

I hereby Certify that we assisted John X Miller Deputy Surveyor in Surveying the Subdivision lines of Township No 17 North of the base line Range No 32 West of the 6th Principal Meridian in Nebraska and that said Township has been run in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the Corners monuments placed according to the instructions of the Surveyor General

Harry Middlekauff Chainman
Lyell E. Smith Chainman

his
Geo Holden
mark
Woodsman
James W Carrell Flagman

Subscribed and sworn to by the above named persons before me a Notary Public for Dodge

County in the State of
Nebraska this 8th day of
September 1875

Geo. H. Briggs
Notary Public

I John H Miller Deputy
Surveyor do solemnly
Swear in pursuance of a joint
Contract wherein John H Keyser
Dan'l Pomeroy and John H Miller
are Joint Contractors with
E. E. Cunningham United
States Surveyor General for
the district of Nebraska
and Iowa Dated
the 2 day of July 1875
I have well faithfully and
legally in my own proper
person and in Strict
Conformity with the instructions
furnished by the Surveyor
General, and the Laws of
the United States, Surveyed
all those parts of Fractions
of Township No 19 North of the
base line, Range No 3 East
of the 6th Principal Meridian
in Nebraska as are represented
on this foregoing Field notes
as having been Surveyed

under my Instructions,
and I do further solemnly
swear that all the Corners
of said Survey have been
established and perpetuated
in strict accordance
with the Surveying
Manual and Instructions
and that the foregoing
field notes and the
Line and original field
notes of said Survey

John H. Miller
Deputy Surveyor

Subscribed by the said John H.
Miller Deputy Surveyor and
sworn to before me a Notary
Public in and for Dodge County
in the State of Nebraska
this 8th day of September
1875

George H. Briggs
Notary Public

Surveyor Generals Office
Plattsmouth Neb. Dec. 21st 1875

The foregoing field notes of the survey
of the subdivision lines of Township No.
17 North of the Base Line of Range No. 34
West of the 6th Principal Meridian in
the State of Nebraska executed by
John H. Miller Deputy surveyor
under joint contract No. 95 dated
July 2nd 1875 in the month of July
1875 having been critically examined
the necessary corrections and explana-
tions made the said field notes
and the surveys they describe
are hereby approved

John C. Clark
Surveyor General.



Field Notes of the Subdivision lines on Township No 18 South of the 2nd Guide Range No 34 West of the 6th Principal Meridian in Nebraska Surveyed by John A. Miller Deputy Surveyor Commenced ~~August 7th 1875 & Completed August 12th 1875~~ under joint Contract No 95 dated July 2nd 1875

Survey
Commenced Aug. 7th 1875
Completed Aug. 12th 1875

Township 18 South Range 24 West of the 6th Principal Meridian

List of
Names and duties of
Assistants employed
in subdividing Town-
ship 18 South of the
Base Line Range 24
West of the 6th Principal
Meridian in Arkansas.

Harris Middlekauff Chainman
Cyrus E. Smith Chainman

Geo. Holder Rodsman
John Arnold Flagman

To determine the proper
adjustment of my Compass
for subdividing this
Township I Commenced at the
Corner to Township 17 S R
24 to Range 23 and 24
West and run North on
a blank line along the
East Boundary of Sec 36
on 14° 15' East
Dec 7th To a point on the North of Sec
20 on a Curve
Dec 8th To a point 3° West of
the Curve on 25.56

To obtain this Course run
parallel North my Compass
must be adjusted to a
Variation of 14° 15' East

Township 18 South Range 34 West of the 6th Principal Meridian

South between Secs 25 & 26
on the 1/8 East
from Round mound of earth
3 ft high from pits 18 ft
in diam 1/2 mi dist to
1/4 Sec Cor
8 Oct Round mound of earth
2 ft high from pits 18 ft
in diam 1/2 mi dist to
~~1/4 Sec Cor~~ to Sec Cor 23-24-25-26
Land rolling round hill
5 cult

East on a random line
between Secs 24 & 25
on the 1/4 & 1/8 East
from Small pond for livestock
1/4 Sec Cor
79 Set Indian Mound East from
22 chs South of post Corner Secs
24, 25 from which an
Iron Stake S 89 E West on
a line between Secs
24 and 25
on the 1/4 & 1/8 East
3992 Round mound of earth
3 ft high from pits 18 ft
in diam 1/2 mi dist to
1/4 Sec Cor
7984 The Cor to Secs 23 24
25 and 26

Land rolling round hills
3 cult

Township 15 South Range 3 E

North between secs 22 & 27
on 1/4 sec E East

4 ors Raised mound 4 each
3 ft high from pits 6 x 24
in and 1/2 as dug for
1/4 sec Cor

8 ors Set post 3 x 3 mix 4 ft 1/2
in deep raised mound
4 each 3 ft high from pits
6 x 24 in and 1/2 as
dug for Cor to secs
13 & 24 & 23 and 24

Land high and hilly &
rocky

West of 6th Principal Meridian

East on a meander
between secs 13 & 24
on 1/4 sec E East

4 ors Marked point for temporary
1/4 sec Cor

78.50 Set on the East boundary
of the Township at post &
mds secs 13 & 24 & 25 from
which Cor
Iron Pipe bears West on a line
Mag bearing secs 13 Pty
on 1/4 sec E East

399 4/100 Raised mound of earth
3 ft high from pits 6 x 24
in and 1/2 as dug for 1/4
sec Cor

798 Set Cor to secs 3, 14, 23
and 24

Land rolling & some hills &
rocky

Township 6 South Range 3 West of the 6th Principal Meridian

South between secs 1874
on 1/4 & 13 E on

4000 Ranel composed of
sand 3ft high from pits
1874 pit dug 1/2 mi
dug for 1/4 sec on

8000 Ranel composed of sand
3ft high from pits 1874
mi dug 1/2 mi dug
for Connects secs
11 12 13 and 14

Land rolling & sandy pon
E and dune

East on a meadow line
between secs 12 & 78
on 1/4 & 13 E on

4000 marked point for temporary
1/4 sec on

7974 Section line. East boundary
of the Township 4 West
by first on to secs 12 & 78 from
which an
Iron Post 6 & 54 links
on a line bears between
secs 12 and 13
on 1/4 & 13 E on

3982 Ranel composed of sand
3ft high from pits 1874
mi and 1/2 mi dug for
1/4 sec on

7974 The on to secs 11 12 13 & 14

Land rolling hills & sand

Township 16 South Range 34

North between Cor 11 & 12
on W 13 East

400 Raised mound of earth
3 ft high from pits 16 x 24
in and 12 in deep for
1/4 Sec Cor

800 Raised mound of earth
3 ft high from pits 18 x 24
in and 12 in deep for
Corner to Secs 1 2 11 & 12

Land rolling sandy & some
soil

West of the 6th Principal Meridian

East on a random
line between Secs 1 & 12
on W 13 East

400 Marked pond for bearing
tree Cor

1794 Indians on the East boun-
dary of the Township 2 6
links South of pits for
Secs 1 and 12 from
which Cor
Some South 89 1/2 E 8 links
on a line between Secs
1 and 12

N. 14° 13' E.

Land same hills
Same

August 7th 1845

3987 Raised mound of earth 3 ft. high
from pits 18 x 24 x 12 in. deep
for 1/4 Sec. Cor.

7974 Cor. to Secs 1, 2, 11 and 12

Township 18 North Range 34

North on a random line
between 11 and 12
on 14° E Chs

40 Marked point for temporary
45.00 Cor

8015 Set iron the North bound
of the Township 18 No
East of post Cor to Secs
11 and 12 from Cor
I run South E. East on
a true line between Secs
11 and 12
on 14° E Chs

4015 Raised mound of earth
3 ft high from pits 8×2
in and 12 in dup for
45.00 Cor

8015 Tie Cor to Secs 12 11 T12

Land broken sand
hills & cuts

West of the 6th Principal Meridian

North between Secs 34 & 35
on 14° E Chs

4015 Raised mound of earth
3 ft high from pits 8×2
in and 12 in dup for
45.00 Cor

8015 Range mound of earth
3 ft high from pits 8×24
and 12 in dup for Cor to
Secs 26 27 34 35

Land broken sand hills
& cuts

Township 18 North Range 34

East on a random
line between Secs 26
and 35
Cor 14 15 Bears
S 50 W 1 mile from which
7979 Indian Wit Ash bears
N 80 East 8 links dist Cor to
Secs 25 26 35 and 36
from which Corner
I rear South 89 56
West on a line line
between Secs 26 and
35
Cor 14 15 Bears
3989½ Raised mound of
earth 3 ft high from
pits 18 x 24 ft in and
½ mi dep for 14
Sec Cor
7979 Ilex Ant to Secs 26
27 34 and 35
Land Broken rocky hills
Scrub

West of the 6th Principal Meridian

South between Secs 35 By
Cor 14 15 Bears
S 50 W Raised mound of earth
3 ft high from pits 8 ft
in and ½ mi dep for
14 Sec Cor
S 50 W Raised mound of earth
3 ft high from pits 8 x 4
ft in and ½ mi dep for
Corner to Secs 2 + 26
2 and 27
Land Broken rocky hills
Scrub

Township 18 North Range 34

East on a random
line between secs 28 & 29
on 4° 15' East
4 60 Marked point for temporary
Angle Pt Sec Cor

4 99 99 Bearing N 87° 30' E
17 lks to a point
in sec 28 & 29 & 33 Bears
from which Cor
Common to Secs 28 & 29 & 32 N 89° 30' W
on a true line between
Secs 28 and 29
on 4° 15' East

399 80 Ranch house 1/2 mi South
3 ft high from pits 1/8 mi
and 1/2 mi Dep for
14 Sec Cor

4 99 99 Run on to sec 22, 23
Boundary

Land broken and hills
& rocks

North between secs 22 & 23
on 4° 15' East

4 00 Ranch mound of earth 3 ft
high from pits 1/8 & 1/2 mi
and 1/2 mi dep for 1/4 Sec
Cor

8 00 Set post 3 ft in and 4 ft out
1/2 mi dep deposit Bottle
State edge mound of
earth 3 ft high from pits
1/8 & 1/2 mi and 1/2 mi
dep for ~~10 Corners Secs~~
~~13 14 22 & 23 and 26 & 27~~
14. 15. 22 & 23.

Land and hills & rocks

Township 18 North Range 34

East on a random
line between Secs 14
and 23
Cor 14 15 Esan
4000 Witness point for
Incr pass 1/4 sec
7998 Witness the S South Sec
1/4 Mo North of Sec Cor to
Secs 13 14, 23 and 24
from which
Cor.
Iron Stone 8 links
on a true line between
Secs 14 and 23
N 14° 15' E an
3999 Raised mound of earth
3 ft high from pit 16 x 24
in and 1/2 in deep for
1/4 Sec Cor
7998 The Cor to Secs 14, 15, 22, 23

Land level hill 3 cult

West of the 6th Principal Meridian

South between Secs 14 15
N 14° 15' E an
4000 Raised mound of earth 3 ft
high from pits 18 x 24 in and
1/2 in deep for 1/4 Sec Cor

8000 Raised mound of earth 3 ft
high from pits 18 x 24 in
and 1/2 in deep for Cor to
Secs 10 11 14 and 15

Land level hill 3 cult

Township 18 North Range 34

East on a random line
between secs 11 & 14
and 14° 15' East

500 Leave hills & enter valley
bears N, W, & E

400 Marked point for temporary
W¼ sec Cor

500 Leave valley & enter small
hills bears N & E

600 Intersect spur S & crs 15
chs South of post on
secs 11 & 12 & about 14 pass
which Cor
Azm North 89° 54' West
on a random between
secs 11 and 14
on 14° 15' East

2000 Ranch crossed South
3 ft high from pits 18
24 in and 12 in
deep for ¼ sec Cor

800 The Cor to secs 10 11 14
and 15
Land on hill, valley & hills alternately 2 mi
Land on valley 3 mi

North between secs 10 11
and 14 15 East

1500 Leave small hills & enter
valley bears N, W, & E

4000 Ranch crossed South 3 ft
high from pits 18 24
in and 12 in deep for
¼ sec Cor

800 Set post 6 x 6 in 4 ft in
deep Detroit Channel State
Road crossed South
3 ft high from pits 18 24
in and 12 in deep for
Cor to secs 2, 3, 10, and 11

South 15 chains Land hills
balance undulating Prairie land

August 8th 1875

Township 18 North Range 34

East on a random
line between Cors 7 & 8
on N 45° E Chs
3900 Leave valley and enter hilly brushy lands
For Marked pond for temporary
N 4 Cors On
7996 Intersect the North line
of the South of section
On to Cor 12 11 Chs N
from which Cor
I run South 89 30 West
on a true line between
Cors 2 and 11
on N 45° E Chs
3998 Raise mound of earth
3ft high from pits 8 ft
in dia 1 ft in depth
N 4 Cors On
7996 The Cor & Cors 2 & 10
and 11

Land on valley undulating
gravelly with bunch
grass hills & pits

West of the 6th Principal Meridian

North on a random
line between Cors 2 &
on N 45° E Chs
7950 Leave valley and enter
sand hills brush & pits
For Marked point for temporary
N 4 Cors On
8000 Intersect the North boundary
of the Township & the E &
first on to Cors 2 and 3 from
which Cor
I run South 45° E Chs
on a true line between Cors
2 and 3
on N 45° E Chs
4022 Raise Mound of earth 3ft
high from pits 8 ft dia
and 1 ft in dep for N 4 Cors
On
8022 The Corner to Cors 2 & 3
and 1

Land south 25 Chains gently
rolling & hilly sandy hills with
scrub

Township 18 North Range 34 West of the 6th Principal Meridian

North Line on a random line between Secs 27 and 34 on 4° 15' East

1+50 Record point for Temporary Witness Cor

8+33 Witness Cor Set 0.5 ft West of and 0.5 ft North of point on the Sec Line between Secs 27 and 34 85 feet from which Cor bears South 89° 57' West on a line between Secs 27 and 34. Mound of earth 3 ft high from pit 0 to 8 + 24 mi Bearing trees for Cor Sec 27 and 26 and Sec 34 and 35 all broken

1+50 Begin to run down Bluff

4+10 To foot of Bluff and Creek

1+2 Mo North Current Direction South East

4+50 To Pole of opposite Bluff

5+00 Set post 8 x 8 mi 4 ft in mi Dep Mound mound of earth 3 ft high from pits 0 to 8 + 24 mi Bearing trees for Cor Sec 27 and 26 and Sec 34 and 35 all broken

2+16.2 Record mound of earth 3 ft high from pits 8 + 24 mi Bearing trees for Cor

2+55 Pile on Sec Line Secs 27 and 34

Land broken Land Level

Township 18 North Range 34

North between sec 24 and 25 N 14° E Chain

40.00 Raised mound of earth 3ft high from pit 18x24 in and 1½ in deep for Corner to sec 21 22 27 28

80.00 Raised mound of earth 3ft high from pit 18x24 in and 1½ in deep for Corner to sec 21 22 27 28

Land Broken and hills 3 chs

West of the 6th Principal Meridian

East on a random line between sec 22 and 27 N 14 E Chain

40.00 Station point for temporary Mound Cor

50.00 Intersect the 3rd mile line North of post Corners 22 23 26 and 27 from which

Azimuth South 89° E Witness a line tree between sec 22 and 27 N 14° E Chain

40.00 Raised mound of earth 3ft high from pits 18x24 in and 1½ in deep for 24 sec Cor

80.00 Sec Cor to sec 21 22 27 and 28

Land broken and hills 3 chs

Township 18 North Range 24 West of the 6th Principal Meridian

North between secs 21 and 22
Var 14° 15' East

Iron Raising mound of earth 3ft high from pits 18 24 in and 12 in deep

Iron Set post 6x6 six ft 12 in deep deposit Charcoal Mark raising mound of earth 3ft high from pits 18 24 in and 12 in deep for Corner secs 15 16 21 22

Sand sand hills 3 chs

East on a random line between secs 15 and 22
Var 14° 15' East

Iron Standard post for temporary Hdqrs Cor

8028 Latitude this Std line 7 lks North of parallel secs 14 15 21 22 from which an Iron Post 6x6 set 57 links on a bearing between secs 15 and 22
Var 14° 15' East

1014 Raised mound of earth 3ft high from pits 18 24 in and 12 in deep for Hdqrs Cor

8028 The on to secs 15 16 21 22

Sand sand hills 3 chs

Township 18 North Range 34

South between Secs 15 & 16 on 1/4 & 15 East

4000 Raised mound of earth 3 ft high from pits 8 ft = in diam & in dist from 1/4 Sec Cor.

8000 Raised mound of earth 3 ft high from pits 8 ft in diam & in dist from Corner to Secs 9, 10, 15 and 16

Land land hills & cuts

West of the 6th Principal Meridian

East on a random line between Secs 10 and 15 on 1/4 & 15 East

4000 Marked pond for trees on ang 1/4 Sec Cor

8014 Entered the N&S line 22 chs North of post Cor to Secs 10 11 14 and 15 from which Cor a pine N 89 E 7 links on a line between Secs 1875 on 1/4 & 15 East

4007 Raised mound of earth 3 ft high from pits 8 ft 2 in diam 1/2 in dist from 1/4 & 1/4 Sec Cor

8014 The Cor to Secs 9, 10, 15 and 16

Land land hills & cuts

August 9th 1875

Township 18 North Range 3 West of the 6th Principal Meridian

Chains North between Secs 9 & 10
on W 13 East.

3/4 40 Rod Ravine surround of earth
3 ft high from pits 15 x
24 ft & 1/2 mi dup for
1/4 sec Cor

80 Set post 3 x 3 mix 4 ft 12
mi dup, Ravine around
of earth 3 ft high from
pits 16 x 24 ft & 1/2
mi dup for Cor to
Secs 3, 4, 9, and 10

Land rolling hills
2 cult

East on a random
line between Secs 3 and
10

on 14 15 East

40 Marked bound for Limpany
1/4 sec Cor

60 60 Lean sand hills & water
valley trans N.W. & S.E.

80 Section line S & N line to
the North of post Cor to
Secs 2 & 10 and 1 from
which Cor
I run North 69° 30' West
on a line line between
Secs 3 and 10
on 14° 15' East

40 Ravine surround of earth
3 ft high from pits 18 x 24
ft & 1/2 mi dup for
1/4 sec Cor

80 The Cor to Secs 3, 4, 9 & 10
Land West 65 Chs sand hills &
mi bad and land 2 cult

Township 18 North Range 34

North on a random
line between Secs 3
and 4
Var 14° 15' East

40 lks Planted posts for temporary
Y4 Sec Cor

5066 Intersection of the North Boundary
of the Township 18 lks
West of post Cor to Secs
3 and 4 from which
Cor
I run South & East on
a true line between
Secs 3 and 4
Var 14° 15' East

2 33 Raised mound of earth
3 ft high from pits 18
24 in and 12 in deep
for Y4 Sec Cor

8066 The Cor to Secs 3 4 9 10

Land land hills &
rocks

West of the 6th Principal Meridian

North between Secs 3 2 33
Var 14° 15' East

40 lks Raised mound of earth
3 ft high from pits 18 24
in and 12 in deep for
Y4 Sec Cor

70 lks Begin to descend into deep
Gulch

760 lks To Bottom of Gulch and Creek
30 lks wide. Set stone
from 12 to 18 in Diameter
& few feet below when the line
crosses Creek

795 lks To top of Bluff on North East side
of Creek Bears N. W. & E.

800 lks Set post 3 x 4 on x 2 ft 12 in deep
depressed channel Flake raised
mound of earth 3 ft high from
pits 18 x 24 in and 12 in deep
for Corners Secs 28, 29, 32, 33
Land very broken & rocky

Note The Creek runs on this line heads
in a number of large Springs at
about 20 chains S. W. from Cor
to Secs 28, 29, 32, 33 in Sec 32

Township 18 North Range 34

East on a random line between Secs 28 & 29 N 14° 15' East

40.00 Basket point for Temporary Witness Corner

7780 Intersect the S.B. line of Pt. post Corners to Secs 27, 28 & 33 and 34 from which an Iron Post on a true line between Secs 28 and 33 N 14° 15' East

3990 Raised mound of earth 3ft high from pits 8x24 in and 12 in deep for 4 Bearing Trees

7785 The Corners to Secs 28 29 32 and 33

Land broken rough hills & cuts

Township 18 North Range 34 West of the 6th Principal Meridian

North between Secs 28 29 N 14° 15' East

4000 Raised mound of earth 3ft high from pits 8x24 in and 12 in deep for Corner

8000 At post 3x3 in x 4 ft 12 in deep deposit Charcoal and Stone Raised mound of earth 3ft high from pits 8x24 inches 12 in deep for Corners Secs 20 21 28 & 29

Land broken rough hills & cuts

Township 18 North Range 34

East on a random line
between sec 2 and 28
va 14° 14' East

39 Hoss Marked point for Timpman
1/4 sec Cor

79 *1955 Intersect West B.L. sec 2 &
North of Commd Cor to sec
21 22 27 and 28 from
which Corner
Mean North 89 51 West on
a line between sec
21 and 28
va 14° 14' East

39 3977½ Raised mound of earth
3 ft high from pits 2 ft
in and 1/2 in dup for
1/4 sec Cor

79 *1955 The Corner to sec 21 22
28 and 27

Land comm hills & mts

West of the 6th Principal Meridian

North between sec 21 22
va 14° 14' East

Hoss Set post 8 x 8 cm x 4 ft 1 in deep
Depression Around Above point
mound of earth 3 ft high from
pits 1 ft 2 in and 1 in
deep for 1/4 sec Cor

Hoss Set post 8 x 8 cm x 4 ft 1 in deep
Depression Around above point
mound of earth 3 ft high
from pits 1 ft 2 in and
1/2 in deep for Corner
to sec 16 by 20 and 21

Land broken and hills
3 cm

Township 18. North Range 34 West of the 6th Principal Meridian

East on a random line between secs 5 and 32 on 12° E Chain

39 Lost Meander Corner for temp= rary 1/4 sec Cor

7958 Intersect the N bdy of sec 5 at 30.46 St of post Cor for secs 5. 8, 32 & 33 from which Ash Corner bears South 82° E 5 links on a bearing between secs 16 & 21.

Cor 1/4 18° East

39 3979 Raise mound of earth 3 ft high from pits 8 & 24 mi and 1/2 mi dist for 1/4 sec Cor

7958 Intersect the N bdy of sec 5 at 16.17.20 and 21

Land rolling & rocky

North between secs 4 & 5 on 1/4 18° East

4000 Set post 8 x 8 mi + 4 ft 12 mi dist depart Chain Lake raise mound of earth 8 ft high from pits 8 & 24 mi and 1/2 mi dist for 1/4 sec Cor

8000 Set post 8 x 4 mi + 4 ft 12 mi dist depart Chain Lake raise mound of earth 3 ft high from pits 8 & 24 mi and 1/2 mi dist for Corner to secs 5 & 8 & 6 & 7

Land rolling rocky & hilly

August 10th 1875

Township 18 North Range 34

East on a random
line between secs 9
and 16
Cap 1/2 E East
Iron Marked bound for Sec
pears N 88 E Dis
7988 Links the N 1/4 Sec
N. W. Cor of Sec 16
to sec 9 & 16 5576 from
which Acorn
I am North 89 30' West
on a random between
secs 9 and 16
varn 1/2 E East
39 39 14 Ravine mouth of south
3 ft high from pits. 6 12
lin and 12 on disp for
N 21 E Cor
7988 The Arm at sec 8, 9
16 and 17

Land rolling hills sandy
2 cuts clear

Township 18 North Range 34 West of the 6th Principal Meridian

North between secs 8 and
on 16 1/2 E East
Iron set post 6 x 6 in 4 ft 12
in dup depart Chained
Mark carved mound
South 3 ft high from
pits 18 24 in and 12
in dup for N 44 E Cor
Iron set post 6 x 6 in 4 ft 12 in
dup depart Chained 2 Elm
mound mound of earth 3 ft
high from pits 18 24 in am
12 in dup for Corner
secs 4, 3, 6, and 9

Land sand hills 3 cuts

Township 18 North Range 18

East on a random
line between secs 4 & 9
N 41° 15' East
2.00 Planted post for Quar-
ter corner
7990 Chains at the North line
½ chs North of Quar Cor
5 secs S. 4. 9 & 10 from
which Cor
I ran North 89° 55' West
on a true line between
secs 4 and 9
N 41° 15' East
3995 Raised mound of earth
3 ft high from pits 8 ft
in diam 1½ in deep for
1/4 Sec Cor
7990 Thence to secs 4. 5, 8 & 9

Land and hills Broken

West of the 6th Principal Meridian

North on a random line
between secs 4 and 5
N 41° 15' East
2.00 Planted post for temporary
1/4 sec Cor
8070 Intersect the North boundary
of the Township 8 chs West
of post Cor to secs 3 and 4
from which Corner
I ran South 89° 55' West on
a true line between
secs 4 and 5 Ut. H. & C.
4070 Raised mound of earth
3 ft high from pits 8 ft
in diam 1½ in deep for 1/4
Sec Cor
8070 The Corner to secs 4 5 8 and 9

Township 18 North Range 34 West of the 6th Principal Meridian

North between Secs 5 & 32
on a 14" B=E Can
39 Rock mound 4 feet
3 ft high from pits 8 to
12 inches in diameter
for 14 sec Cor
8 Rock mound 4 feet
3 ft high from pits 8 to
12 inches in diameter for
Corner to secs 29 30
31 and 32

Land and hills S
South

East on a random
line between secs 29 & 32
on 14" B=E Can
Marked point for temp=
rary Witness Cor
8 Iron Post 18 inches
2 links South of Fence to
secs 28 29 32 & 33 from
which Cor
Spruce 8 inches diameter
bears South 87 E 1 Vara
on a line between secs
29 and 32
on 14" B=E Can
1 Rock mound 4 feet
3 ft high from pits 18 to
24 inches in diameter for
14 sec Cor
Tree Cor to secs 29 32 33
and 32

Land broken and hilly
South

Township 18 North Range 34 West of the 6th Principal Meridian

West on a random line between secs 30 and 31

N 41° 15' East

40.00 North bank Point for bunpsey W/ Sec a.

8555 Latitude at the West boundary of the Township 15.46 chains North of post Cor to secs 31 and 36 / 1 from which Corner

Same North 89° 54' East on a line between secs 30 and 31

N 41° 15' East

4053 Raise mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for witness Cor

5053 the Cor to secs 29 30 31 and 32

Land broken and hills 3 cuts

North between secs 29 and 30

N 41° 15' East

4000 Raise mound of earth 3 ft high from pits 18 x 24 in 12 in deep for witness Cor

5000 Raise mound of earth 3 ft high from pits 18 x 24 in deep 12 in deep for Corner to secs 29 30 31 and 32

Land broken hills 3 cuts

Township 18 North Range 3 West of the 6th Principal Meridian

East on a random line between secs 20 & 29
at 11° 15' East
39 2506 Hor Wanted point for lump
pany 4 secs Cor
79 80 22 Inland the NW limits
the South of part on
to secs 20 21 28 29
from which Corner
Spruce North 84° 30' West
on a true line between
secs 20 and 29
at 11° 15' East
39 2506 Rainie evenness of ground
3 ft high from pits 18 x 24
in and 1/2 in deep for 4
secs Cor
79 81 1/2 Tim on th secs 19, 20, 29
and 30

Land sand hills 3 mile

West on a random line
between secs 19 and 30
at 11° 15' East
40 80 22 Wanted point for lump
pany 4 secs Cor
80 22 Inland the Northern boundary
of the Township 18 No North
of part on th secs 19 & 30
from which Cor
Spruce North 84° 56' ~~West~~ East
on a true line between
secs 19 & 30
at 11° 15' East
40 80 22 Rainie evenness of ground
3 ft high from pits 18 x 24
in and 1/2 in deep for
4 secs Cor
80 22 Tim on th secs 19, 20
29 & 30

Land broken 3 miles
August 11th 1875

Township 18 North Range 3 West of the 6th Principal Meridian

North between secs
19 and 20
Var 14° 15 East-
Iron Rail mound of earth
3 ft high from pit 8 ft
in and 2 in dep from
W 4 cor sec 20
South pit 3 ft 8 in 4 p
1/2 in dep depositt
Planed date pointing
mound of earth 3 ft
high from pits 8 ft 2 in
in and 1/2 in dep from
Corner to secs 17 18
19 and 20

Land south part round
hills 3 mile North part
rolling 2 mile

East on a random
line between secs
19 and 20
Var 14° 15 East
Iron Planed point for
accessory to sec on
bank about the N 5 links
29 lks North of post
to secs 16 17 20 and 21
from which Corner
Alder North 82 1/2 E 8 lks
on a blue line between
secs 17 and 20
Var 14° 15 East
Iron Rail mound of earth
3 ft high from pits 8 ft 2 in
in and 1/2 in dep from
W 4 cor sec 20
Iron Stone to secs 17 18 19 20

Land low rolling round
hills 3 mile

Township 18 North Range 34 West of the 6th Principal Meridian

West on a random
line between secs 17 & 18
varies 15° East

4 00 Meander post for temp
Corner sec 17 sec 18

7978 Between the West bound
of the Township & 5 chs
S. of post on line 17 & 18
from which an Ocnr.
Sam Inch Dia 39 East on
a line bet secs 17 & 18

39 39 78 Range mound of
earth 3 ft high from
pits 18 & 24 links and
1/2 link dup for 17
sec Cor

79 78 The Cor to secs 17, 18
19 and 20

Land not hilly nor
hilly & rocky

North between secs 17
and 8
(Var 14° 15' East

4 00 Range mound of
earth 3 ft high from pits
18 & 24 links and 1/2 link
dup for 17 sec Cor

2 00 Set post 3 x 3 inches
in mound Opposite Range
mound of earth 3 ft high from
pits 18 & 24 links and 1/2
link dup for Corner to
secs 7, 8 17 and 18

Land rocky hilly & rocky

Township 18 North Range 3 West of the 6th Principal Meridian

Miles

East on a random line between Secs 8 & 9 and 4 & 5 East

40 Marked point for temporary mile Cor

7980 Between this & last mile post Cor to secs 8, 9, 16 and 17 from which Cor

Ironwood 10 in dia bears South 85 E 25 links distant

3990 Ranid mound of earth 3 ft high from pits 8 ft in diameter 12 in deep

for 1/4 sec Cor

7950 Mile Cor to secs 7, 8, 17, 18

Land broken rocky hilly & mountainous

West on a random line between Secs 7 and 8 and 4 & 5 East

40 Marked point for temporary 1/4 sec Cor

8020 Between this & last mile post Cor to secs 7 and 8 from which

Cor

Ironwood 10 in dia bears South 85 E ~~East~~ distant 25 links

4020 Ranid mound of earth 3 ft high from pits 8 ft in diameter 12 in deep

1/4 sec Cor

8070 Mile Cor to secs 7, 8, 17 & 18

Land broken rocky hilly & mountainous

57

58

Township 18 North Range 3 West of the 6th Principal Meridian

North between Secs 7 & 8
On 1/4 & 15 East

Ranie mound S
cont 8 ft high from pits
8 x 24 ni and 2 ni
dup pn W line on
set pit 5 x 3 ni x 4 ft
2 ni dup deposit Ammi
Mata ranie mound S
cont 8 ft high from pits
8 x 24 ni and 2 ni
dup pn Comm to Cor
3 & 4 and 8

Sand sand hill S
cont

East on a random
between Secs 5 and
8
On 1/4 & 15 East
Marked pointe pn tumpn
Ayuus Lic Cr
Sandy hills S cont
Lwl bottom & runs N W
S E
Enter dry lake bed from
N W & S E
Leave dry lake bed enter hills
& runs N E & S W
Intersect the N & S line 27
chs North of post On Sec
4 5 8 and 9 from this
Ord runs N 89 45 West on
a random between Secs 5 & 8
On 1/4 & 15 E 25?
Rand mound of cont 8 ft high
from pit 8 x 24 ni and 2 ni
dup pn W Line Cr
The On S Lines S E 7 & 8

Sand Hill pond, Hills East, land mostly level all Sage - The dry Lake Bed plus on this line contains about 30 acres. Hay mostly in Sec 8. Good water to be found by digging in a draw S W of the Lake Bed in a distance of 1/4 mile

Township 18 North Range 3W West of the 6th Principal Meridian

Meas on a random
Line between secs 6 & 7
Az 14° 15' E 65.1
Hon marked point for temp
angle in sec Cor
8006 Witness the West corn
ner of the Township 7 Mls
South & post on top
6 and 7 from which
Pine
Mound South 89° 57' East
on a true line between
secs 6 and 7
Dist 41.4 East
2008 Pine mound of
earth 2ft high from
pits 18 x 22 in and
1/2 mi dup for 1/4
sec Cor
8008 The Cor to secs 5, 6, 7 & 8
Faint ashes & pits

Section on a random line
between secs 5 and 6
Az 14° 15' East
2010 Leave valley hills & enter
bottom trees N, W, N, E
Hon marked point for tempor
ary 1/4 sec Cor
6515 Leave bottom & enter valley
hills trees N, W, N, E
8015 Intersect the North boundary
of the Township 22.46 East
of post on top secs 5 & 6 from
which Cor
Pine South 9 East on
a true line between
secs 5 and 6
Dist 14.1 East
2015 Pine mound of earth
2ft high from pits 18 x 22
in diam 1/2 mi dup for
1/4 sec Cor
8015 The Cor to secs 5, 6, 7
and 8.
Found on the bottom post a
dale Corner with a Crimmon
growth of grass. Elevation 3,[illegible]

Township 18 North Range 3 West of the 6th Principal Meridian

The Surveyor's Subdivision lines in Township 18 N & South of the Base Line Range 3 W 4 West of the 6th Principal Meridian. I have not observed or found at present of the Corners for the reason that this region of Country neither affords Timber or Stone

General Description
The Quality of land in this Township is poor & one small portion of it adapted for Cultivation It is all Prairie and Covered with a fair growth of grass, and will adapt it for grazing. Water can be obtained by digging at from 4 to 10 feet in low places in the South part of the Township. There is a Creek which heads in & runs 32 Chains S.E. leaving the Township on South Boundary of Sec 34

Township 18 North Range 3 West of the 6th Principal Meridian.

A List of Names

A list of the names of the individuals employed to assist in measuring ~~&c &c &c~~ or marking the lines and corners distributed on the foregoing field notes of Township 18 North of the Baseline Range 3 West of the 6th Principal Meridian in Nebraska. Surveyed in the Spring & Summer of 1874

Hans Rudolph Chainman
Lyman E Smith Chainman

Geo L Holan Mountsman
James W Carroll Flagman

We hereby Certify that
we Assisted John D. Mellen
Deputy Surveyor in Surveying
the Subdivision Lines &c
Township No 8 North of the
base line Range No 3 West
of the 6th Principal Meridian
in Nebraska and that said
Township has been in all
respects to the best of our
Knowledge and belief
well and faithfully
surveyed and the
boundary monuments
planted according to
the instructions furnished
by the Surveyor General

Harry Middlekauff Examiner
Cyrus E. Smith Examiner

his
Benjamin X Hyler Monumenter
mark
James W. Cassell, Flagman

Subscribed and sworn to by

The above named person
before me a Notary Public
for the County of Dodge
in the State of Nebraska
this 8th day of September
1875

George H. Briggs
Notary Public

I John H Miller Deputy Surveyor
do solemnly swear that in
pursuance of a joint Contract
No 95 between John H Dempsey
Surveyor General John H
Miller and Joint and
Joint Contracts with
E. E. Cunningham United
States Surveyor General
for the District of Nebraska
and Iowa bearing date
the 2nd day of July 1875
I have well faithfully and
truly in my own proper
person and without a Deputy
Surveyor the Surveying
Manual and the Laws of
the United States governing
all those parts of Townships No 4 North
of the base line Range No
34 West of the 6th Principal
Meridian in Nebraska

as are represented on the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the Corners of said Survey have been established and perpetuated in strict accordance with the Instructions issued and limited rights Orders, and that the foregoing are the true and original field notes of such Survey

John H. Miller
Deputy Surveyor

Subscribed by the said John H. Miller and sworn to before me a Notary Public for Dodge County in the State of Nebraska this 6th day of September 1875
George H. Biggs Notary Public

Surveyor Generals Office
Plattsmouth Nebr. Dec. 21st 75

The foregoing field notes of the Survey of the Subdivision Lines of Township No. 18 North of the Base Line of Range No 3 West 6th Principal Meridian in the State of Nebraska Executed by John H. Miller Deputy Surveyor under joint contract No. 95 dated July 2nd 1875 in the month of August 1875 having been critically examined the necessary corrections & explinations made the said field notes and the Surveys they describe are here by approved

Jno. L. Clark
Surveyor Genl.

Field Notes of the Subdivision lines on Township No 19 North of the 6th line Range 24 West of the 6th Principal Meridian in Nebraska Surveyed by John H Stephens Deputy Surveyor ~~Commenced August 16th 1875 and Completed August 21st 1875~~ under joint contract No 95, dated July 21 1875

Survey

Commenced Aug. 16th. 1875

Completed Aug. 21st 1875

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Showing how the Eastern lines of this Township are to be run in proper adjustment for subdividing it.

List of
Names and duties
of Assistants employed
on Subdivision of Township
No 19 North of the Base Line
Range No 24 West of the 6th Principal
Meridian in Nebraska

Edward Davis Chainman
Charles Bowlin Chainman

Joseph Hayes Mounduan
Robert Gaines Flagman

To determine the proper adjustment
of my Compass for Subdividing
this Township I commence at
Cor ~~Twns~~ Secs 18 and 19 North Ranges
30 and 31 West and run North on a
blank line along E Bdry sec 36

40.00 To qr sec cor
80.00 To Cor to Secs 25 and 36
Va 14° 12' E.

Township 8 to 9 South Range 34

North between sec 35 & 36
meadow &
Sponge impressed Solar
Compass 14°12" East

Iron Rail mound of earth
3 ft high from pits 8 ft
in diam 1½ in deep for
14 & 2 Chs

Rand mound of earth
3 ft high from pits 18 ft
in diam 1½ in deep for
Corner to secs 25, 26
35 and 36

Land and hills E. with

West of the 6th Principal Meridian

East on a random
line between secs 25 & 36
at 14 12 East

600 Lone hills & water only
signs N W & E

7300 Lone valley & under hills
signs N W & E

Iron Marked point for line pass
14 & 2 Chs

7996 Intersect the East boundary
of the Township 11 chs South
of mound Chs & Lks 25 Bks
from which Chs
Iron N 12 chs 89° 55' West on
a line between secs
25 and 36
at 14° 12" East

3978 Rand mound of earth 3 ft
high from pits 18 ft 4 in
diam 1½ in deep for 14 & 2 Chs
Ore

7996 The Chs to secs 25, 26, 35
and 36
Land on only 2 sides balance E. & W.

Township 19 South Range 24

North between Secs 25 and 26

Course North 14° 12' East

1300 Lava hills Tenderfoot Valley Trans S.W. to S.E.

2350 Lava valley trans S.W. to S.E. and Tenderfoot hills

4000 Ranch mound of earth 3 ft high from pits 8+24 in and 12 in deep for 1/4 Sec Cor

5400 Lava hills Tenderfoot and Trans E to W

8000 Ranch mound of earth 3 ft high from pits 8+24 in and 12 in deep for Corners Secs 23 24 25 and 26

Land hilly part (3) rest balance undulating to rolling

West of the 6th Principal Meridian

East on a random line between Secs 24 & 25

Course North 14° 12' East

2600 Lava Tenderfoot hills trans S to

4800 Marked post for temporary 1/4 Sec Cor

8523 Intersect the East boundary of the Township 16 No North of part Corner Secs 24 & 25 from which Cor I chain North 89° 52' West on a line between Secs 24 and 25

Course North 14° 12' East

8701½ Ranch mound of earth 3 ft high from pits 8+24 in and 12 in deep for 1/4 Sec Cor

8823 The Cor to Secs 23 24 25 and 26

Land West 26 chains undulating to rolling balance Tenderfoot hills & mts

Township No. 4 North Range 34

North between Secs 23 and 24
N 14° 12' East

Chains
2 00 Expose Sand Stone in small hills Bears S. W. N. E
4 50 Raised mound of earth 3 ft high from pits 6 ft in diameter on East side of the road
Cor Raised mound of earth 3 ft high from pits 18 x 22 in diameter for Quarter Sec Cor 13 14 23 and 24

Land South & of Marsh undulating 2 miles Indian Land hills 3 miles

August 16th 1875

West of the 6th Meridian

East on a random line between Secs 13 & 24
Va 14° 12' East

Chains
2 00 Marked stone for Quarter Sec Cor
3 50 Sand hills & small valley Bears S. W. N. E
8 00 Intersection of the East boundary of the Township at mound Corner Secs 13 24 from which Cor Quarter Post on a line between Sections Secs 13 24
N 14° 12' East
12 00 Raised mound of earth 3 ft high from pits 18 x 22 in diameter 12 in deep for Witness Cor
8 00 Pine Quarter Secs 13 14 23 and 24

Land on the valley undulating 2 miles hilly post Land 3 miles

Township 19 North Range 34

Chains	
	North between Secs 13 & 14 Va 14° 12' East
6.00	Lava hills & rolling valley Lava & Sand Pt
36.00	Lava valley & rolling hills Lava & Pt
40.00	Raised mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for 14 gge Cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for Corner to secs 11 12 13 & 14
	Sand & pit on valley land 2 mile to Lava on land hills 3 mile

West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 12 and 13 Va 14° 12' East
55.	Lava hills & rolling valley Lava & Pt
360.00	Lava valley & rolling hills Lava & Pt & Pt
400.00	Marked point for temporary 1/4 sec Cor
550.00	Lava hills & rolling Lava & Pt
804.8	Intersection East boundary of the Township 28 chs South of post Cor to secs 12 and 13 from which Bear South 89° 45' West on a true line between secs 12 and 13 Va 14° 12' East
820.00	Raised mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for 1/4 sec Cor
804.8	The Cor to secs 11 12 13 and 14 Sand valley land & pits Lava hills & valley 3 mile

9

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	North between Secs 11 and 12 Va 14° 9' East
5.00	Loam hills Timber valley Trans S. W. & E.
400	Ranid mound of earth 3ft high from pits 8 & 24 mi and 12 mi dup for Cur to Lec 1, 2 11 T 12
600	Loam valley Timber hills Trans E & W
800	Ranid mound of earth 3ft high from pits 18 & 24 mi and 12 mi dup for Cur to Lec 1, 2 11 T 12

Land on this valley drive to east. Balance broken sand hills & mts.

10

Chains	East on a random line between Secs 1 and 12 Va 14° 9' East
1500	Loam hills Timber valley Trans N & S
4000	Marked point for temporary Witness Cor
8040	Station at the East boundary of the Township 2 chs South of mound Cor to Lec 1 T 2 from which Cor bears South 8.95 West Cor a brass bolt between Secs 1 and 12 Va 14° 9' East
2000	Ranid mound of earth 3ft high from pits 8 & 24 mi and 12 mi dup for Witness Cor
8040	The Cor to Lec 1, 2, 11, T 2

West 15 chs sand hills & salt balance undulating sand & salt land

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	North on a random line between Secs 1 & 2 Va 14° 0' East
2.50	Leave hills & enter valley Brs N.W. & S.E
4.00	Mouth of point for Tupelo Gum & Ash
14.00	Leave valley Brs N.W. and S.E
8.02½	Julius on the North boundary of this Township 30 chs East of mound Corner to Secs 1 and 2 from which Corner I run South 13° East on a true line between Secs 1 and 2 and 49° East
4.02½	Ranid mound 3 ft high 5 mounds 8 links & 12 mi ang 12 mi dup for Tupelo Gum
8.02½	Tupelo Gum to Secs 1, 2, 11, 12 Land on the valley line 2 mi distance land hill 3 mi to

Chains	North between Secs 34 & 35 Va 14° 0' East
12.00	Leave hills and enter valley Brs N.W. & S.E
4.00	Ranid mound 3 ft high 5 mounds 8 links & 12 mi dup for Tupelo Gum
8.00	Ranid mound 3 ft high 5 mounds 8 links & 12 mi dup for Corner to Secs 26, 27 34 and 35
	Land South 12 chs and hills 3 mi Balance gently rolling prairie

13

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 26 and 35 Va 14° 10' East
12.00	Leave valley Trees hill Brass Stand
4.00	Marked point for Temporary Witness Cor
8.14	Intersect West B.L. line at witness Cor to Secs 26 35 and 36 from which Witness Cor bears West on a true line between Secs 26 and 35 bears N 14° 10' East
40.00	Planted permanent of earth 3ft high from pits 18 x 24 in and 12 in deep for 1/4 Sec Cor
80.14	The Cor to Secs 26 27 34 and 35

Land Wet 12 chs Level valley Timber Brush and Hazel into

14

North between Secs 26 & 27 Va 14° 10' East

Chains	
4.00	Planted permanent of earth 3ft high from pits 18x24 in Circles in deep for 1/4 Sec Cor
43.00	Leave valley Trees & Tr Land & Ledge and enter Hazel hills
80.00	Planted permanent of earth 3ft high from pit 18x24 in by Rock 2 in deep for Corner to Secs 22 23 26 and 27

Land South 2.00 chs undulating Land Balance rocky hills

Cut

15

Township 19 North Range 34 West of the 6th Principal Meridian

East on a random line between Secs 23 & 26 Va 14" 12' East

Chains

Hon Marked point for temporary Witness Cor

7 50 Peak hills & Undulating Brand H K

8028 Intended Mp S. & Cor Elks South & mound Cor to Secs 23, 24, 25 and 26 from which Cor

A pine South 8.25 links West on a line between Secs 23 and 26. Va 12° 12' East

20 14 Round mound of earth 3 ft high from pits 8 & 24 mi and 1/2 mi dep for Witness Cor

8028 Elk Cor to Secs 22 23 26 and 27

Land partly high and hills Sandy

16

North between Secs 22 and 23 Va 14 1/4 East

Chains

1000 Round mound of earth 3 ft high from pits 18 x 24 mi and 1/2 mi dep for Witness Cor

8000 Round mound of earth 3 ft high from pits 18 x 24 mi and 1/2 mi dep for Corner to Secs 14 15 22 and 23

Land high round hills Sandy

Township 19 North Range 34 West of the 6th Principal Meridian

East on a random line between Secs 14 & 23 Va 14° 14' East

Chains
40.00 Marked point for temporary W 1/4 Cor
80.00 Intersected the St. R. Line 38 lks South of monument
On to Secs 13, 14, 23, and 24 from which
Bears
Spruce South 89 24 West
Pine 16 links between Secs 14 & 23 Va 14° 14' East
Ash 14° 14' East
120.00 Raised mound of earth 3 ft. high from pits 5 & 24 ft. W. and 12 ft. W. dup for W 1/4 Sec Cor
160.00 The Corner to Secs 14, 13, 23, and 24

Land Level hills 3 links

August 17th 1895

North between Secs 14 & 15

Chains
Va 14° 14' East
20.00 Low hills & water valley land E & W
40.00 Raised mound of earth 3 ft. high from pits 15 & 24 ft. S. and 12 ft. dup for W 1/4 Sec Cor
60.00 Low valley and under low level hills from 1/4, 14, 15, & 23
80.00 Raised mound of earth 3 ft high from pits 8 & 24 ft. N. and 12 ft. dup for Corner to Secs 14, 15, 14 & 23

Land on this valley and the 2 adj. level and hills 3 links

Township 19 North Range 34 West of the 6th Principal Meridian

East on a random line between Secs 11 & 14 Va 14° ½ East

Chains

+ 00 Marked point for temporary 1/4 Cor on S bank of unnamed Cr ± Va 11 & 13 and 12 from which Corner S 89° 55' West on a bearing between Secs 11 and 14

+ 024 Va 14° ½ East Raised mound of earth 3ft high from pits 8+24 in dia 12 in dep for 1/4 Cor

8 + 42 Intersect the N & S line 12 lks S North of mound Cor ± Va 11 & 13 and 42 from which Corner S 89° 55' West on a bearing between Secs 11 and 14

+ 024 Va 14° ½ East Raised mound of earth 3ft high from pits 8+24 in dia 12 in dep for 1/4 Cor

8 + 42 The Cor to Secs 10, 11 Va Creek 15

Land some hills & rocks

North between Secs 10 and 11 Va 14° ½ East

Chains

+ 00 Raised mound of earth 3ft high from pits 8+24 in dia 12 in dep for 1/4 Cor

8 00 Raised mound of earth 3ft high from pits 8+24 in dia 12 in dep for Corner to Secs 2 & 10 and 11

Land high broken and hills & rocks

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	East on a random line between Secs 2 & 11 Va 14° 14' East
40.00	Marked point for Lompoc Land Co Bearing N 25° E & this & the South of mound Ore to Sec 2, 11.82 from which Ore Bears South 60° 55' West Ore a line line between Secs 2 and 11 Va 14° 14' East
40.24½	Raised mound of earth 8 ft high from pits 15 x 24 ins and ½ in deep for 4 Sec Ore
80.29	The Ore to Sec 2, 3, 10 and 11
	Land broken and hills 3 cuts

Chains	North on a random line between Secs 2 and 3 Va 14° 14' East
40.00	Marked point for Lompoc Land Co Bearing N 25° E & this & the South of mound Ore to Sec 2, 11.82 from which Ore Bears South 60° 55' West Ore a line line between Secs 2 and 3 Va 14° 14' East
40.27	Raised mound of earth 8 ft high from pits 18 ft and ½ in deep for 4 Sec Ore
80.22	The Ore to Sec 2, 3, 10 and 11
	Land broken and hills 3 cuts

Township 19 North Range 34 West of the 6th Principal Meridian

North between Secs 33 and 34 Va 14° 4' East

Chains

Hon Ranie mound of earth 3 ft high from pits 18 24 in and 1/2 in deep for 1/4 Sec Cor

Hon Land hills Rocks valley trees & W

Hon Ranie mound of earth 3 ft high from pits 18 24 in and 1/2 in deep for Cor to Secs 27 28 33 and 34

Land gently rolling hills & Cacti

East on a random line between Secs 27 and 34 Va 14° 4' East

Chains

Hon Marked Trees for temporary 1/4 Sec Cor

8028 Witness Cor to N&S line 7 lks South of mound Cor to Secs 26 27 33 34 B0 from which Cor Cedar South 8 25 links and a line tree between Secs 27 and 34 Cor 14° East

Hon Ranie mound of earth 3 ft high from pits 18 24 in and 1/2 in deep for 1/4 Sec Cor

8028 Two Cor to Secs 27 28 33 and 34

Land rolling valley & cacti

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	North between Secs 27 & 28 W 14 1/2 East 1
Los	Raised mound of earth 3 ft high from pits 8 & 26 links dia and 2 links deep for W 14 1/2 Cor
8 Los	Raised mound of earth 3 ft high from pits 8 & 24 links dia and 1/2 link deep for Corners Secs 21, 22, 27 and 28
	Land nearly level & open

Chains	East on a random line between Secs 22 & 27 W 14 1/2 East
40 Los	Marked point for temporary W 1/4 Cor Cedar valley & Indian hills Trans I R
8029	Intersect the N&S line 8 chs South of mound on Secs 22 27 26 & 23 from which Cor I own South 89° 57' West on a true line between Secs 22 and 27 East 4 1/2 East
40 14 1/2	Raised mound of earth 3 ft high from pits 8 & 24 links dia and 1/2 link deep for W 1/4 Sec Cor
8029	The Cor to Secs 21, 22, 27 and 28
	Land East 15 chs rocky hills 3 miles but an open rolling valley 2 miles

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	North between secs 21 & 22 Va 14° 12' East
4.00	Rand mound of earth 3 ft high from pits 18 & 24 an and 12 an dug for N 14 acc Cor
8.00	Rand mound of earth 3 ft high from pits 18 & 24 an and 12 an dug for Cor to secs 15 16 21 and 22
	Land undulating & hilly
30.00	At about 15 chs N.E from Cor to secs 15 16 21 and 22. I dug a well and obtained good water at a depth of 8 feet

Chains	
	East on a random line between secs 15 and 22 Va 14° 12' East
4.00	Mound of earth 3 ft high from pits 18 & 24 an and 12 an dug for N 14 acc Cor
6.50	Low rolling hard ft of
8.20	Intersects the N 14 line at mound Cor to secs 15 22 and 27 from which Cor
	Span Tree on a line between Range and 14° 12' East
48.10	Rand mound of earth 3 ft high from pits 18 & 24 an and 12 an dug for N 14 acc Cor
80.20	Tree on S line secs 15 16 21 & 22
	West 65 chs mountainous and land broken and hilly 5 miles

August 18th 1916

Township 19 North Range 34

Chains	North between Secs 15 and 16 Va 14" ½ East
5 00	Lone valley and cedar hills bears N E 1/4 W
4 00	Ranch mound of earth 3 ft high from pits 8 & 24 mi and ½ mi dup for 4 & cc on
8 00	Ranch mound of earth 3 ft high from pits 8 & 24 mi and ½ mi dup for 4 & cc to cc 9 10 15 & 16
	Land mostly high broken and hilly & [illegible]

West of the 6th Principal Meridian

Chains	East on a random line between Secs 10 & 15 Va 14" ½ East
1 00	Lone Lone hills and valley bears N W, N, E
4 00	Marked post for temporary 1/4 Sec
7 00	Lone valley and cedar hills bears N W, N, E
8 27	Intersects the 1/4 S line 15 chs north of mound on to cc 10 11 15 and 15 from which an Iron bolt 5 ft long bears South 89° 5' West on a true line between Secs 10 and 15 on 14° ½ East
4 01 3/4	Ranch mound of earth 3 ft high from pits 8 & 24 mi and ½ mi dup for 1/4 Sec on
8 27	The cor to cc 9, 10, 15 & 16 Land on the valley undulating Cedar between & cedar

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	North between Secs 9 & 10 Va 14½° East
15 00	Leave hills & run West and S & cross center valley
40 00	Raise mound of earth 8 ft high from pits 18 & 24 in diam 1½ in deep for Corner to Secs 34 & 3 and 10
	South 15 00 Land hills & cross land & cross & ground along valley 2 times

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 3 and 10 Va 14° 7½° East
30 00	Leave valley and cross land hills & run
40 00	Mark mound for temporary Corner of Secs
80 00	Pass at the 4 th chain 84 links North of mound Cor to Secs 2 3 10 and 11 from which Cor I run North 89 5/8 West on a line between Secs 3 and 10 Cor 12 East
40 11	Raise mound of earth 8 ft high from pits 18 & 24 in diam 1½ in deep for ¼ Sec Cor
81 22	The Cor to Secs 3 4 and 10 Land West 20 chains undulating 2 times & cross valley & ridge 3 times

33

Township 19 North Range 34

Chains | North on a random between Lees 3 & 4 Va 14° ½ East

4.00 Marked point for temporary witness on

79.56 Section line North boundary of the Township 15 links East of mound on the Lees Band & from which Spanish Fork South 6 East on a line run between Lees 3 and 4 On 14° ½ East

3.56 Round mound of earth 3 ft high from pits 3 & 24 in Canal 2 in dia pits 124 Lee On

79.56 The Corner Lees 3 & 4 78.10

Land undulating valley 2 pits

34

West of the 6th Principal Meridian

Chains | North between Lees 32 & 33 Va 14° ½ East

4.00 Round mound of earth 3 ft high from pits 31 & 24 in Canal 2 in dia pits on Lee On

8.00 Round mound of earth 3 ft high from pits 1 & 24 in Canal 2 in dia pits On to Lees 28 & 29 & 32 Canal 3 B

Land and hills 3 pits

Township 19 North Range 34

Chains	
	East on a random line between Secs 28 & 33 Va 14½° East
36 00	Leave hills & enter valley bears N.W. N. E.
40 00	Mouth [illegible] for Timber pine & Fir trees
79 75	Intersect West B/L Sec 28 the South of mound on to Secs 27 28 33 & 34 from which Cor I can Lenth 69 57 West on a line run between Secs 28 & Sec 33 Va 14½° East
3996	Rainil mound of earth 3 ft high from pits 16 x 24 in & 12 in deep for Witness Cor
7993	the Cor to Secs 28 29 32 33
	Land First Rate hills & mts broken land 2 mts

West of the 6th Principal Meridian

Chains	
	North between Secs 28 and 29 Va 14½° East
40 00	Rainil mound of earth 3 ft high from pits 16 x 24 in & 12 in deep for Witness Cor
80 00	Rainil mound of earth 3 ft high from pits 16 x 24 in & 12 in deep for Cor to Secs 20 21 28 & 29
	Land broken & hills & mts

Township 19 North Range 34

Chains	
	East on a random line between Secs 21 & 28 Va 14° 1/2 East
4.00	Market point for temporary Witness Cor
6.50	Lone hills & rocks
8.11	Intersect the N & S line 2 2 lks South of post Cor to Secs 21, 22, 27 and 28 from which an Iron bolt S 89 E 1 link Witness Cor bears East 2 lks
4.00	Set Witness Cor 1 1/2 in diam 24 in deep 3 in above ground Mound of earth 3 ft high
8.11	Intersect the E & W line between Secs 21 & 28 and 27 and 28 Land mostly timbered & rocky

West of the 6 Principal Meridian

Chains	
	North between Secs 20 & 21 Va 14° 1/2 East
4.00	Raised mound of earth 3 ft high from pits 18 x 24 in and 1/2 in deep for W Cor
8.00	Raised mound of earth 3 ft high from pits 18 x 24 in and 1/2 in deep for Cor to Secs 16 by 20 and 21
	Land South part hilly & rocky South part rolling & Iron

August 19th 1875

Township 19 North Range 34

Chains | East on a random line between Secs 16 and 21 Va 14½° East

40 Hor | Walked ahead for Compass sights on

630 | Lone hills & Butte ridge & Drainage Ltd

802 | Sights on the S & W to the South of ahead

On to Secs 15, 16, 21 and 22 from which

Ag

I gun South 80.07 Pits on a knoll between Secs 16 & 21

Va 14½ East

402 | Ranch mound & South 3 ft high from pits 18 x 24 in and 12 in deep for Secs Cor

802 | Thence on to Secs 16, 17 20 and 21

Land Hart 63 No. Land hills & Badlands & Cultivated land & cuts

Township 19 North Range 34 West of the 6th Principal Meridian

Chains | North between Secs 16 & 17 Va 14½° East

3 | Low hills & cuts & Cultivated land

Hor | Ranch mound South 3 ft high from pits 18 x 24 in and 12 in deep for Secs Cor

802 | Ranch mound South 3 ft high from pits 18 x 24 in and 12 in deep for Corner to Secs 9, 16 and 17

Land on rolling good & sub-hilly Plains & cuts

Township 19 North Range 34 West of the 6th Principal Meridian

Chains | East on a random line between secs 9 & 16 Va 14° 1/2' East

25 00 Low valley and ditch hills to and W. E. S. W.

40 00 Marked point for temp= rary W 1/4 sec Cor

80 28 Indian Mound 1 ft high 1 ft lino 12 lks South of mound Ants sec 9, 10, 15, & 16 from which Cor & ran South 89° 55' West on a true line between secs 9 and 16 on 14° 1/2' East

40 14 Round mound of earth 3 ft high from pits 16 x 24 ft and 1 1/2 ft deep for 1/4 sec Cor

80 28 The Cor to sec 8, 9, 16 and 17

Land on valley gently rolling good 1st ants Indian Mound Creek Butt

Chains | North between secs 8 & 9 Va 14° 15' East

40 00 Round mound of earth 3 ft high from pits 18 x 24 ft and 1 1/2 ft deep for sec Corner to sec Cor 4, 5, 8, and 9

Land gently rolling 2d ants

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	East on a random line between Secs 4 and 9 Va 14° 15' East.
4.00	Meander point for temporary witness Cor
80.28	Intersect the West line 14 chs South of corner Cor to Secs 3 4 9 and 10 from which Cor a pine South 89 52 West 0.25 chs a bass tree between Secs 4 and 9 Va 14° 15' East
4.01	Reset mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for witness Cor
80.28	The Cor to Secs 4, 5 8 and 9

Chains	North on a random line between Secs 4 and 5 Va 14° 15' East
4.00	Meander point for Temporary witness Cor
80.12	Intersect the North boundary of the Township 5 chs East of corner Cor to Secs 4 5 from which Cor a pine South 2 East 0.25 chs a bass tree between Secs 4 and 5 Va 14° 15' East.
4.01.2	Reset mound of earth 3 ft high from pits 18 x 24 in and 12 in deep for witness Cor
80.12	The Cor to Secs 4, 5, 8 and 9

Land gently rolling
Exult

Township 19 North Range 34

Chains	
	North between Secs 31 & 32 Va 14° 15' East
40.00	Raised mound of earth 3 ft high from pits 18 x 24 ft and 1/2 mi dup fr W Cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 ft and 1/2 mi dup fr Cor to Secs 29 30 31 and 32
	Land Level hills & cuts

West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 29 and 32 Va 14° 15' East
40.00	Witness point for Temporary W Cor
80.32	Intersect the S.B. line of mound on S Cor 29 32 and 33 from which Cor 2 pine Witness on a bearing between Secs 29 32 Va 14° 15' East
240.16	Raised mound of earth 3 ft high from pits 18 x 24 ft and 1/2 mi dup fr W 14 Sec Cor
320.32	The Cor to Secs 29 32 33 and 32
	Land Level hills & cuts

Township 19 North Range 34

Chains	
	West on a random line between Secs 30 & 31 Va 14° E
4.00	Marked pine for Temporary 4th Cor
7.95	Intersect the West boundary of the Township at meander Cor to Secs 30 and 31 from which Cor
	East on a true line between Secs 30 & 31 Va 14° 15' East
2.95	Ranie mound of earth 3 ft high from pits 18 x 24 in and ½ in dep for Hickory 12 ins Dia
7.95	The Cor to Secs 29, 30 31 and 32
	Land and hills & cuts

West of the 6th Principal Meridian

Chains	
	North between Secs 29 & 30 Va 14° E
4.00	Ranie mound of earth 3 ft high from pits 18 x 24 in and ½ in dep for Hickory 12 ins Dia
8.00	Ranie mound of earth 3 ft high from pits 18 x 24 in and ½ in dep for Quarter Cor to Secs 19, 20, 29 and 30
	Land and hills & cuts

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 20 & 29. Va 14" 15' East
4.00	Quartz post for temporary Q.C.
8.00	Enters Sec 29 at 8.00 chs 16 lks South of corner to Secs 20, 21, 28 and 29 from which Qr
	I span South 89° 52' West on a line line between Secs 21 and 29
	Va 14° 15' East
20.16	Raised mound of earth 3 ft high from pits 15 x 24 ft and 1/2 mi dup for 4 Secs Cor
80.30	Elm Qr to Secs 19 20 29 and 30
	Sand Sand hills & Lots

Chains	
	West on a random line between Secs 19 and 30 Va 14° 15' East
36.00	Enters hills and enters valley trees N 11 and S E
47.00	Quartz post for temporary Q.C.
73.00	Enters valley and enters hilly land trees N. N and S. E
79.32	Enters the West boundary of the Township 7 Mile Lots. 7 and 8 from which Corner
	I span South 89° 57' East on a line line between Secs 19 and 30
	Va 14° 15' East
39.52	Raised mound of earth 3 ft high from pits 15 x 24 ft and 1/2 mi dup for 4 Secs Cor
79.32	Enters Sec 19, 20, 29 and 30. Sand Sand hills & Lots

August 20th 1915

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	
	North between Secs 19 and 20 Va 14° 15' East
4.00	Raised mound of earth 3ft high from pits (5x2+ on and 1/2 on dup for this Sec
8.00	Set post with Bearing trees ~~+ mound~~ Raised mound of earth 3ft high from pits (5x2+ on and 1/2 on dup for Cor Secs 19, 18, 29 and 20
	Land mound hills E Cor

Chains	
	East on a random line between Secs 17 and 20 Va 14° 15' East
4.00	Marked post for suspension Cor Scribed Bears N & S Lines
8.26	At mound on to Secs 16, 17, 20 and 21 from which
	Iron Mon on a two link between Secs 17 and 20
	Va 14° 15' East
4.13	Raised mound of earth 3ft high from pits (5x2+ on and 1/2 on dup for this Cor
8.26	The Cor to Secs 17, 18, 19 & 20

Township 19 North Range 34

Chains	
	West on a random line between Secs 18 & 19 Va 14° 15' East
~~30 00~~	~~Land hills & water valley~~ ~~brown St & sand & H~~
2000	Marked point for trn. pnts W. & cor
73 51	~~Land valley water hills~~ ~~Land~~ ~~H, H, & S~~
7940	Leaving the Range sec to East West boundry of the Township 5 the North & mound Ante Cor 1879 from which Ore Iron South 59° E. East on a line between Secs 1879 Va 14° 15' East
3940	Raised mound of earth 3ft high from pits 8&24 ins and 12 ins dup for W. Cor
7940	The Ante Secs 17, 18, 19, & 20 Land on this valley land & mt balance broken sand hills & mts

West of the 6th Principal Meridian

Chains	
	North between Secs 17 & 18 Va 14° 15' East
4000	Raised mound of earth 3ft high from pits 8&24 ins and 12 ins dup for W. Cor
4300	Land hills and valley brown & S.E and S.W
8000	Raised mound of earth 3ft high from pits 8&24 ins and 12 ins dup for Ante Secs 5, 8, 17 & 20
	South 20 chains rising hills & land pine & cedar broken balance gently rolling land & mts

Township 19 North Range 34 West of the 6th Principal Meridian

Chains	East on a random between secs 8 and 17 Va 14° 15' East
150	Lone bunni and cotton hills bears N.W. & E.
400	Marked point for turkey Va ne Cor
500	Lone hill & bunni bears N. & S.
8032	Inland at the N. & S. line 3 chs South of mound Cor to secs 8, 9, 16, & 17 from which Corner I am South 89° 59' West on a true line between secs 8 and 17 Va 14° 15' East
4016	Rand mound of earth 3 ft high from pits 6 x 24 in and 12 in deep for Va ne Cor
8032	Tile Cor to secs 7, 8, 17 and 18

Land on hilly gently rolling & undulating part Shrubs

Chains	West on a random line between secs 7 and 18 Va 14 15' East
3450	Lone bunni & cotton hills bears N. & S.
4000	Marked point for turkey Va ne Cor
7920	Inland at the N. & S. line West bounding of the Township 19 N. North of mound Cor to secs 7 and 18 from which Corner I am North 89 58' East on a true line between secs 7 & 18 Va 14° 15' East
3920	Rand mound of earth 3 ft high from pits 6 x 24 in and 12 in deep for Va ne Cor
7920	Tile Cor to secs 7, 8, 17 & 18

Land East 3/4 ths level & undulating balance Shrubs & cotton hills

Township 14 North Range 34 West of the 6th Principal Meridian

Chains	
	North between Secs 7 & 8 Va 14° 15' East
20.00	Leave bunn'd trees hills trend N.W. & S.E
40.00	Raised mound of earth 3ft high from pits 18 x 24 links and 12 li deep for W.C. on
80.00	Raised mound of earth 3ft high from pits 18 x 24 li and 12 li deep for W.C. on to Cor 56 & 57 and 8
	Land mostly rolling & some hills & cuts

Chains	
	East on a random line between Secs 5 and 8 Va 14" 15' East
30.00	Leave hills & enter valley trend N &
40.00	Marked point for temporary W.C. on
80.00	Intersect the N & S line 23 lks south of mound Cor to Secs 4, 5, 8, & 9 from which Cor I run South 69° 50' West on a line between Secs 5 and 8 Ca 14° 15' East
40.00	Raised mound of earth 3ft high from pits 18 x 24 li and 12 li deep for W.C. on
80.00	the Cor to Secs 5, 6, 7 & 8
	Land 30 chs chiefly hills & cuts balance level & cuts

Township 19 North Range 34 West of the 6th Principal Meridian

Chains West on a random line between Secs 6 and 7 Va 14° 15' East

4.00 Marked point for Temporary Witness Cor

79.00 Intersect the West boundary of the Township 14 Mls South of mound Cor to Secs 6 and 7 from which Cor I own South 89 54' East on a line between Secs 6 and 7 Va 14° 15' East

39.00 Raised mound of earth 3 ft high from pits 18 x 24 ins and 1½ ins deep filled Witness Cor

79.00 The Cor to Secs 5, 6 7 and 8

Land high rolling hills & dells

Chains North on a random line between Secs 5 and 6 Va 14° 15' East

2.00 Marked point for Temporary Witness Cor

79.85 Intersect the North boundary of the Township 2 Mls East of mound Cor to Secs 5 and 6 from which Cor I own South 15' East on a line between Secs 5 and 6 Va 14° 15' East

39.85 Raised mound of earth 3 ft high from pits 18 x 24 ins and 1½ ins deep for Witness Cor

79.85 The Cor to Secs 5, 6, 7, 8

Land South 50 chains high rolling hills broken & nothing else to note

August 21st 1875

Township 7 South Range 3 West of the 6th Principal Meridian

In surveying the subdivision lines in this Township I have met with first or stone at the corners for the reason that the country within affords timber for stone

General Description

There is a fair proportion of good & poor valley land in this Township it is undulating, covered with a good growth of grass and well adapted for hay or cultivation. The hilly part is covered with a fair growth of grass and well adapted for grazing and can be obtained by digging in the valleys at a depth of from 4 to 12 feet. There is within & near the Township

List of Names

A list of the names of the individuals employed to assist in running necessary & marking the lines & corners described in the foregoing field notes of Townships No 19 South of the base line Range No 3 West of the 6th Principal Meridian in Arkansas showing the respective capacities in which they acted

Edward Davis Chainman
Charles Dowling Chainman
Joseph Meyers Woodsman
Herbert Woods Flagman

We hereby Certify that we
Assisted Robert H. Daugherty
Deputy Surveyor in Surveying
the Exterior lines of
Township No 19 South of the
base line & Range No 34 West
of the 6th Principal Meridian
and that said Township
has been run and corrected
to the best of our knowledge
and belief well and
faithfully Surveyed and
the Corners monuments
planted & ascertained
by Instructions Furnished
by the Surveyor General

Edward Davis Chainman
Charles Dowling Chainman

Joseph Myers Flagman
Herbert Gould Flagman

Subscribed and sworn to by

The above named persons
before me a Notary Public
For Dodge County Nebraska
this 8th day of September
1875

George H Biggs
Notary Public

I John H Daugherty Deputy
Surveyor do Solemnly Sworn
that in pursuance of a Joint
Contract bond in John H Daugherty
Dan S Pomeroy and John H
Miller on Joint Contractors
with E. E Cunningham
United States Surveyor
General for the District
of Nebraska and bearing
date the 2nd day of July 1875
I have well faithfully and
truly in every first proper
person and in their
Deputy with the
instructions furnished
by the Surveyor General
Surveying Manual and the
Laws of the United States
surveyed all those parts
or portions of Township
No 19 North of the base line
Range No 3 East of the
6th Principal Meridian

in Nebraska. As an
Deputy and in the
foregoing field notes
as therein been executed
under my direction
and I do further solemnly
swear that all the Courses
& Lines have been
established and perpetuated
in strict accordance
with the Surveying
Manual and printed
instructions and that
the facts found are therein
and on original field
notes of such Survey.

John W Daugherty
Deputy Surveyor

Subscribed by the said John W Daugherty
and sworn to before me
a Notary Public in Dodge
County, Nebraska this 8
day of September 1875

Geo. H. Briggs
Notary Public

Surveyor Generals Office
Plattsmouth Neb. Dec 21st 1875

The foregoing field notes of the
Survey and Subdivision of
Town 19 N of Base Line
of Range 24 W of 6th P. M.
in Nebraska. Executed
by John W Daugherty under
Joint Contract No. 25 dated
July 10th 1875. in the month
of August 1875. having
been critically examined
the necessary corrections
and explanations made. the
said field notes with the
Surveys thus describe are
hereby approved -

Jno. C. Clark
Surveyor General

Field Notes of the Subdivision
lines on Township No 20 North
of the Bay Line Range No 3 East
West of the 6th Principal
Meridian as Surveyed
Surveyed by John W Dauphinee
~~Deputy Surveyor and Subagent~~
~~27th~~ 1875 and Completed
August 27th 1875

Deputy Surveyor under Contract
No 95 dated July 20th
1875

Survey
Commenced Aug. 22nd 1875
Completed Aug. 27th 1875



List of

Names and Duties of Assistants employed in Subdividing Township No 20 North of the Basepoint Range No 10 West of the 6th Principal Meridian in Nebraska

Edmund Davis Chainman
Charles Dowling Chainman
Joseph Meyers Monumenter
Herbert Bovell Flagman

Having Surveyed the Exterior boundary lines of this Township my contract is in proper adjustment for Subdividing it

Township 20 North Range 34

Chains	North between Secs 35 & 36 Va 14½ East - by Gauge suspended Transit Operation
4000	Raised mound of earth 3ft high from pits 18 & 20 chs and ½ ch ditch for 1/4 Sec Cor
8 on	Raised mound of earth 3ft high from pits 18 & 20 chs and ½ ch ditch for Cor to Secs 25, 26, 35 & 36
	Land broken some hills 5 chs

West of the 6th Principal Meridian

Chains	East on a random line between Secs 25 and 36 Va 11½ East
4 on	Marked point for Temporary 1/4 Sec Cor
7 on	Some hills and valleys from 4 to 5
5.42	Station on the East boundary of the Township 6 chs South of mound Cor to Secs 25 & 36 from which Azimuth Sun South 89½ West a true line between Secs 25 and 36
	Var 14½ East
4021	Raised mound of earth 3ft high from pits 18 & 20 chs and ½ ch ditch for 1/4 Sec Cor
	The Cor to Secs 25, 26, 35 and 36
	Land mostly some hills 5 chs

Township 20 North Range 34

Chains North between secs 25 And 26

Va 14 ½° East

400 Rains around of with 3ft high from pits 8x24 ins And 2 ins deep for 1/4 sec Cor

600 Rains around South 3ft high from pits 18x24 ins And 12 ins deep for Quarter secs 23, 24, 25 And 26

Land Land hills 3 And

West of the 6th Principal Meridian

Chains East an a random line between secs 24 and 25

Va 14° 15' East

400 Marked pine for Temporary 1/4 sec Cor

80.43 Land hills random Valley brush and

Land Corner of the Township South of Pleasant Cr to secs 24 and 25 from which a Cor bears South 80° East a Line tree Scribed secs 24 and 25

Va 14° 15' East

402½ Rains around of South 3ft high from pits 18x24 ins And 2 ins deep for 1/4 sec Cor

80.43 Cor. to Secs 23, 24, 25 and 26

Land Corner hills from 2 And

Township 25 North Range 34 west of the 6th Principal Meridian

Chains North between Secs 23 and 24
Va 14° 15' East
0.00 Ranic mound of earth 3 ft high from pits 18 x 24 ni and ½ ni dup for Cor to Secs 13 & 18 & 23 & 24

Chains East on a random line between Secs 13 and 24
Va 14° 15' East
0.00 Witness point for temporary Cor
Intend Mr East boundary of the Township 60 chs South of mound on the Secs 13 and 24 from which Cor
A pine South 69 3/4 links on a line between Secs 13 and 24
Va 14° 15' East
40.34 Ranic mound of earth 3 ft high from pits 18 x 24 ni and ½ ni dup for 1/4 Sec Cor
80.68 The Cor to Secs 13. 14. 23 and 24

Land rolling from here East

Land very broken to date Aug 22 1915

Township 20 North Range 34

Chains	
	North between Secs 13 and 14 Va 111°5' East
2.00	Rained pocound of South 8 ft high from pits 18 + 24 mi and ½ mi dup for Mile Cor
6.00	Rained pocound of South 8 ft high from pits 18 + 24 mi and ½ mi dup for Cors 11, 12, 14 and 15
	Land very broken & rocky

West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 13 and 13 Va 111°5' East
40.00	Marked point for temporary Mile Cor
80.75	Pulled the East boundy of the Township 35 links South of mound Cor 12 and 13 from which Cor a pine bears South 85° East 50 links
	Cor a line tree between Cors 12 and 13 Va 14°15' East
41.35	Rained pocound of South 8 ft high from pits 18 + 24 mi and ½ mi dup for Mile Cor
81.75	Pulled to Cors 11, 12, 13 and 14
	Land very broken and hilly & rocky

Township 20 North Range 34 West of the 6th Principal Meridian

Chains North between secs 11 and 12
Va 14 ¾ East
Hon Raised mound of earth 3 ft high from pits 18 ft N & S and 12 ft dup for 1/4 sec Cor
Eon Raised mound of earth 3 ft high from pits 18 ft N & S and 12 ft dup for Corner to secs 1, 2, 11, & 12

Land hilly & rocky hills & ravines

Chains East on a random line between secs 1 and 12
Va 14 ¾ East
Hon Marked pine for temporary 1/4 sec Cor
Notes Situated on the East boundary of the Township 2 chs South of pit on sec 1 and 12 from which Bear Creek bears S 9° E West on a true line between secs 1 and 12
Va 15 ¾ East
4x30 Raised mound of earth 3 ft high from pits 18 ft N & S and 12 ft dup for 1/4 sec Cor
8060 Thence to secs 1, 12, 11 and 12

Land high broken rocky hills & ravines

Township 20 North Range 34 West of the 6th Principal Meridian

Chains	
	North on a true line between Secs 1 & 2 Va 14" 15' East
11 00	Leave hills & bulls valley & cross Creek
40 00	Range mound of trees 3 ft high from pits 8 x 24 in and 12 in deep for W & C Sec Cor
62 00	Leave valley & cross hills & Creek
80 00	Intersect the South boundary of the Township & Meander same to the West of corner to Township 21 North Range 33 and 34 West whence I set a post 3 x 5 in 4 ft 12 in deep different from mound of earth 3 ft high from pits 8 x 24 in and 12 in deep for Meander Corner 1/4 Sec 1 and 12 on the S Standard Parallel
	Leave on the valley & cultivated bottom same hills 3 chs

Chains	
	North between Secs 34 and 35 Va 14" E East
40 00	Range mound of trees 3 ft high from pits 8 x 24 in and 12 in deep for W & C Sec Cor
80 00	Range mound of earth 3 ft high from pits 8 x 24 in and 12 in deep for Quarter Secs 26 27 34 and 35
	Land broken cross hills 3 chs

Township 2 North Range 34 West of the 6th Principal Meridian

Chains		
	East on a random line between Secs 26 and 35 Va 14° 15' East	
2.00	Planted post for true	
	pt on line	
80.68	Intersects the North and South line of the North of Section No 26 35 35 36 from which	
	A pine South 89° 45' East 18 lks	
	A pine South 89° 45' West 25 lks and 35	
	Va 14° 15' East	
4.02	Raised mound of earth 2 ft high from pits 18 x 24 ins and 12 ins deep for Witness	
8.58	Thence to Secs 26 27 34 and 35	
	Land broken and hills	

Chains		
	North between Secs 26 and 27 Va 14° 30' East	
4.00	Raised mound of earth 2 ft high from pits 18 x 24 ins and 12 ins deep for Witness	
8.00	Raised mound of earth 2 ft high from ~~pits for~~ pits 18 x 24 ins and 12 ins deep for Corner to Secs 22 23 26 and 27	
	Land high rolling and hills & pits	

Township 20 North Range 34 West of the 6th Principal Meridian

Chains East on a random line between secs 23 and 26 Va 14½° East

40.00 Mound set for temporary W.C. Cor

50.63 Intersect the St Line W. bet. secs of mound on to W.C. Sec 26 & 25 and 24 from which Cor Bears North 69 53 West on a random line between secs 26 and 25 Va 14½° East

403.12½ Reach mound of earth 3 ft high from pits 8 & 24 links N. and ½ link dist from W.C. Cor to Cor

50.63 the Cor to secs 23, 26 & 25 and 24

Land rolling sandy & rocky

Chains North between secs 23 & 24 Va 14½° East

40.00 Reach mound of earth 3 ft high from pits 8 & 24 links N. and ½ link dist from W.C. Cor to Cor

80.00 Set cor 3 links W. & 2 ft ½ link deep dug pit Reach mound of earth 3 ft high from pits 18 & 24 links N. and ½ link dist from Cor to secs 13 & 24 and 24

Land mostly broken hills & rocks

Township 20 North Range 34

Chains	East on a random line between Secs 14 and 23 Va 14° 15' East
2.00	Witness point for temporary Stone Cor
8.25	Enters the Ft Niobrara reservation at corner to Secs 18 & 23 & 24 from which Cor Sioux Trust Quarter Section Cor bears North 15 E
4.22½	Ranch mostly South 3ft high from pits 1.85 24 mi and ½ mi dup for Stone Cor
8.25	The Cor to Secs 14 15 22 and 23

Land Rolling hills & mts

Aug 23 1915

West of the 6th Principal Meridian

Chains	North between Secs 14 and 15 Va 14° 15' East
2.00	Ranch mound of earth 3ft high from pits 1.85 24 mi and ½ mi dup for Stone Cor
8.25	Ranch mound of earth 3ft high from pits 1.85 24 mi and ½ mi dup for Cor to Secs 10, 11, 14 and 15

Land Rolling hills & mts

Township 20 North Range 34

Chains	
	East on a random line between 11 and 14 Va 14° 15' East
400	Marked post for Compass Pace Cor
800	Intersect the S. Blanco and run said Cor to Secs 11 12 13 and 14 from which Cor
	Pace West on a true line between Secs 11 14 Va 14° 15' East
820	Rained [illegible] South 3 ft high from pits 8 x 24 in and 1/2 mi dep for 14 Sec Cor
870	Run to Secs 11. 12. 13 and 14
	Land land hills & culs

West of the 6th Principal Meridian

Chains	
	North between Secs 10 & 11 Va 14 1/2° East
400	Rained [illegible] South 3 ft high from pits 8 x 24 in and 1/2 mi dep for Sec Cor
470	Land land hills & culs & [illegible]
800	Rained [illegible] South 3 ft high from pits 8 x 24 in and 1/2 mi dep for Cor to Secs 2, 3 10 & 11
	Land southerly Pas land hills balance land & cuts

Township 20 North Range 34 West of the 6th Principal Meridian

Chains		Chains	
	East on a random line between Secs 2 and 11 Va 14' 6" East		North on a true line between Secs 2 and 3 Va 14' 6" East
2.50	Set Witness Corner for Sec Cors 2 & 11	3.00	Leave valley and enter hills Brush & Timber
4.50	Raised mound of earth 3ft high from pits 6 ft sq mi dist & mi dist for Sec Cor	4.00	Raised mound of earth 3ft high from pits 6 ft sq mi dist & mi dist for Sec Cor
8.38	Set Cor & Cor to 2 & 11	8.00	Set Corner the North boundary of the Township Brush Cor to Secs 2 & 3 and 34 & 35 Township 21 North Range 3 West whence a pine 8 ins dia bears N 45 E 36 links dist & a pine 36 ins dia bears S 45 W 1/2 mi dist, mound of earth 3ft high from pits 6 x 24 ins dist 1/2 mi dist for Closing Corner to Secs 2 and 3 on West 3rd Standard Parallel
40.19	Raised mound of earth 3ft high from pits 6 ft sq mi dist & mi dist for Sec Cor		
8.38	Set Cor & Cor to 23 11		
	Land mostly rolling and hilly Brush		North 30 chs land poor 2 mi heavy timber Cedar Brush 3 rods

Township 20 North Range 34

Chains North between Secs
33 And 34
Va 14' 0" East
4.50 Found iron mound of
earth 3ft. high from pits
18 x 24 in. and 1/2 in.
dep for W.C. Cor
5.00 Found iron mound of
earth 3ft. high from
pits 18 x 24 in. and
1/2 in. dep for Cor.
Secs 27 28 33 and
34

Land undulating &
rocky

West of the 6th Principal Meridian

Chains East on a random line.
between Secs 27 and 34
Va 14' 0" East
1.50 Meander point for turn
[illegible]
3.50 Land rolling Timber hills
& grass & S.
8.27 Intersect the S. B. line
2 lks South of mound
On to Cor Secs 27, 28, 33 &
34 from which Cor
I pine bears S. 89 0' E. 1 lk
on a line between
Secs 27 and 34.
Va 14' 0" East
4.02 Found iron mound with
3ft. high from pits 18 x 24
in. and 1/2 in. dep
for W.C. Cor
8.04 Found Cor Secs 27, 28
33 and 34

Land undulating &
rocky between hills &
[illegible]

Township 20 North Range 3W

Chains North between Secs 27 & 28
Va 14" 6' East
Set Legal valley and witness
hills Bears E and West
4.00 Raised mound of
earth 3ft high from
pits 8 ± 24 ft wide and
1/2 mi dup for 14
Lks & Cr
8.00 Raised mound of
earth 3ft high from
pits 8 ± 24 ft wide and
1/2 mi dup for Cr
to Secs 21 22 27 & 28

Land South 16 Chs land
Level Bulance Water
Ground like Prairie

West of the 6th Principal Meridian

Chains East on a random line
between Secs 22 and 27
Va 14° 16' East
4.00 Witness post for Corner
14 Lks & Cr
50.25 Intersect the North and South
line 3 Chs South of corner
on to Secs 22 26 26 and
27 from which Cr
I Corn South 89° 59' West
on a true line between
Secs 22 and 27
Va 14° 16' East
47.24 Raised mound of earth
3ft high from pits 8 ± 24
wide and 1/2 mi dup for
14 Lks & Cr
80.48 Tree on to Secs 21, 22, 27
and 28

Township 20 North Range 34

Chains North between Secs 21 & 22
Va 11° 1/2 East

4 00 Raised mound of earth
2 ft high from pits
18 x 24 ins and 2 ins
deep for 11 H C & Cor

8 00 Raised mound of earth
2 ft high from pits 18 x
24 ins and 2 ins deep
for Cor to sec 15 & 16
21 and 22

Found broken sec & 1/4 bks
3 pits

Township 20 North Range 34 West of the 6th Principal Meridian

Chains East on a random line
between Secs 15 and 22
Va 11° 1/2 East

8 00 Loam hills timber valley
bears N W, N E

4 00 Witness point for Temp
mag 11 H C & Cor

7 60 Scrub willow and alder
hills bears N W

8 60 Intersect the N and South
limit of the Centre of pass
Cor to sec 14, 15, 22 & 23
from which Cor
a pine 12 ins diam bears
a tamarack bears
Sec 15 and 22
Va 4 1/2° East

4 30 Raised mound of earth
2 ft high from pits 8 x 4
ins and 2 ins deep for
11 H C & Cor

8 60 Re Cor to sec 15, 16, 21 & 22
11 & 38 dks sand hills 3 ans
balance land generally

Township 20 North Range 34

Chains	North between Secs 15 and 16 Va 14½° East
400	Ranch mound of earth 3 ft high from pits 8 & 24 mi East 1/2 mi dup pr Chs to Secs 9, 10, 15 and 16
7400	Lone hills Twin valley bears N E and S W
800	Ranch mound of earth 3 ft high from pits 8 & 24 mi East 1/2 mi dup pr Chs to Secs 9, 10, 15 and 16

Santos 7th Ore collected bill 5 mule-load balance due Dan-

August 24th 1915

West of the 6th Principal Meridian

Chains	East on a random line between Secs 10 and 15 Va 14½° East
3000	Lone valley and enter hills bears N and Santos
4000	Rancher point for temporary Stake on
8057	Intersect the N and S Line 7.40 South of mound on to Secs 10, 11, 14, 15 From which an Azimuth Santos 81° 57' West on a hill Line on Secs 9 and 15
	On 14½° East
4826	Ranch mound of earth 3 ft high from pits 8 & 24 mi East 1/2 mi dup pr Stake on
8052	The corners Secs 9, 10, 15 and 16

Work 30 Chains in dwelling 5 pole balance hilly 3 pole-

Township 20 North Range 34 West of the 6th Principal Meridian

Chains North between Secs 9 & 10
Va 111 76 East
400 Raised mound 3 ft
high 5 ft base
pits 18 & 24 in diam
1½ in deep from
Ore
7400 Low valley bears
E and W, hills
& mound hills
800 Raised mound 3 ft
high 5 ft base pits 18 &
24 in diam 2 in deep
Course to Cor 34 & 35

Land mostly undulating
& rocky

Chains East on a random line
between Secs 3 and 10
T 21 N R 4 E 6th P.M. East
1200 Low valley and sub-
hills bear N.E. and N.W.
1400 Marked posts for two
pits on W.L. & Cor
8050 Intersect the N. bdry
of mound on Secs
2, 3, 10 and 11 from
which a Cross
Pine Tree on a
hill line between
Secs 3 and 10
T 21 N R 4 E 6th P.M. East
11175 Raised mound of
earth 3 ft high 5 ft base
pits 18 & 24 in diam 1½
in deep from W.L. Cor
8050 Tree Course to Cor 34 & 35

Land mostly wood
hills & rocky

33

Township 20 North Range 34

Chains North on a true line between Secs 3 and 4 Va 14° 16' East

4.00 Raised mound of earth 3 ft high from pits 18 x 24 ins and 12 ins deep for 1/4 Sec Cor

8.00 Intersect the North boundary of the Township 7 links and 25 links West of the Corner to Secs 3 4 and 33 Township 21 North Range 34 West whence I set a Post 3 x 6 ins 4 ft long in mound raised mound of earth 3 ft high from pit 18 x 24 ins and 12 ins deep for Missing Corner to Secs 3 and 4 on the 5th Standard Parallel

Land broken and hilly & rocky

34

West of the 6th Principal Meridian

Chains North between Secs 32 and 33 Va 14° 16' East

2.00 Raised mound of earth 3 ft high from pits 18 x 24 ins and 12 ins deep for 1/4 Sec Cor

8.00 Raised mound of earth 3 ft high from pits 18 x 24 ins and 12 ins deep for Corner to Secs 2 x 29 32 and 33

Land rolling valley & rocky

Township 20 North Range 34 West of the 6th Principal Meridian

Chains	
	Eastern random line between Secs 28 and 33 Va 1/4" East
4.00	Meander corner for [illegible] Bank of Creek
50.75	Intersect the North bank of unnamed Creek 2 links wide from which a Cedar 8 in diameter bears North 89° 58' West 25 links distant Cor to Secs 28, 33, 32 and 29 bears North 14° East
400.00	Range mound with 3 ft. high stone pits 8 x 24 in. and 12 in. deep for 1/4 sec. Cor
803.00	The Cor to Secs 28, 29 32 and 33
	Land rolling valley & hilly

Chains	
	North between Secs 28 & 29 Va 1/4" East
1.15	Lone valley and hills brush & cane
400.00	Range mound of earth 3 ft. high stone pits 8 x 24 in. and 12 in. deep for 1/4 sec. Cor
803.00	Range mound of earth 3 ft. high stone pits 8 x 24 in. and 12 in. deep for Cor to Secs 20, 21, 28 and 29
	Land South of this line liable to overflow in wet seasons. Bank and creek hills all 3 pts

Township 20 North Range 34 West of the 6th Principal Meridian

Chains East on a random line between Secs 21 and 28 Va 14" 1/4 East

Posts Planted posts for Temporary 1/4 sec Cor

8038 Extended the North and South line to the N.E. corner on to sec 21 22 27 and 28 from which Acorn 8 Chains North 87 1/2 West a bur tree bears sec 21 and 28

Ca 14' 14 East

2029 Raised mound of earth 3 ft high from pits 18 24 in diam 12 in deep for 1/4 sec Cor

8054 Thence to sec 20 21 28 29

Land broken and hills 3 miles

Chains North between Secs 20 and 21 Va 14 1/4 East

Posts Raised mound of earth 3 ft high from pits 18 24 in diam 12 in deep for 1/4 sec Cor

8081 Raised mound of earth 3 ft high from pits 18 24 in diam 12 in deep for Bear Tree sec 16 17 20 and 21

Land South 2 miles broken and hills 3 miles Balance rolling 2 miles

Township 20 North Range 34 West of the 6th Principal Meridian

Chains	
	East on a random line between Secs 16 and 21 Va 14° 1/2 East
4.00	Witness point for temporary NE cor
8.72	Witness to the NE cor S 1/2 to Sects 15-16 2 1/2 and 2 1/2 from which a pine 8 ins Diam South 81 58 West 25 links distant a bearing tree bears North 1/2 East 25 links distant
40.20	Ranid mounted of earth 3 ft high from pits 18 to 24 ins wide and 12 ins deep for 14 chs on
80.20	The cor to Secs 16 17 20 and 21
	Land land hills & cuts

Chains	
	North between Secs 16 and 17 Va 14° 1/4 East
40.00	Ranid mounted of earth 3 ft high from pits 18 to 24 ins wide and 12 ins deep for 14 chs on
45.00	Low hills & river valley from NW and E.
80.00	Ranid mounted of earth 3 ft high from pits 18 to 24 ins wide and 12 ins deep for Cor to Secs 8, 9, 16 and 17
	Land in valley negotiating 2 cuts 6 chains long 3 cuts

August 20th 1915

Township 20 North Range 34 West of the 6th Principal Meridian

Chains Easton random line between Secs 9 and 16 Va 14"/6 East

40 00 Planted mound of earth 3ft high from pits 18+24 in. and 12 in. deep for 1/4 cor Cor.

5 33 Intersect the N line 2 lks South of mound on the cor 9, 10, 15 and 16 from which Cor I can South 84 5' W on a line between Secs 9 and 16

Va 14"/6 East

40 78 Planted mound of earth 3ft high from pits 18+24 in. and 12 in. deep for 1/4 cor on

50 36 the Cor to Secs 8 9, 16, 17

Land undulating poor 2 cut

Chains North between Secs 8 + 9 Va 14"/6 East

40 00 Planted mound of earth 3ft high from pits 18+24 in. and 12 in. deep for 1/4 cor Cor

52 00 Clear valley and cedar hills below Easton

80 00 Planted mound of earth 3ft high from pits 18+24 in. and 12 in. deep for Cor to Secs 4, 5, 8 and 9

Land on the valleys good tall grass 2 cuts & balance good hills 3 cuts

Township 2 North Range 34

Chains East on a random line
between Secs 4 and 9
Va 14° 1/4 East
400 Marked point for
Corner and 1/4 Sec Cor
800 Set Iron Pin & Cap South
link 35 lks South from
Cor to Secs 3 4 9 10
from which an
Oak 6 ins Diam bears
Sec 4 and 9
Va 1/4 & E dist
1025 Raised mound of earth
3 ft high from pits 8 ft
sq and 1/2 sq deep for
1/4 Sec Cor
1050 Pile on to Secs 4 5 8 and
9 Land & mud bills E with

West of the 6th Principal Meridian

Chains North on a true line
between Secs 4 and 5
Va 14 1/4 East
400 Raised mound of earth
3 ft high from pits 8 ft sq
and 1/2 sq deep for
1/4 Sec Cor
837 Set Iron Pin on South boundary
of the Township 6 chains
and 84 lks West of the
Cor to Secs 32 and 33 of
Township 2 North Range
3 West whence 4 Inch pine
3 links 4 ft long 1/2 inch dia
Spruce Pine and Hickory
Pine mound scribed South
3 ft high from pits 18 ft sq
and 1/2 sq deep for
Witness Corner to Sec 4 55
on the 5 Standard Parallel
North
Land high broken & mud bills
E with

Township 20 North Range 34

Chains North between Secs 31 & 32
Va 11° 45' East

40 00 Raised mound of earth
3 feet high from pits 18 links
in diameter & mi deep for
1/4 sec Cor

57 00 Came hills and enter
valley bears N 45° E

80 00 Raised mound of earth 3 feet high
from pits 8 x 24 links in diameter
1/2 mi deep for Cor to
Secs 29 30 31 and 36

South 57 chains passes
hills & enters level bottom
land 2 chains

West of the 6th Principal Meridian

Chains East on a random line
between Secs 29 & 32
Va 14° 45' East

40 00 Came valley bears N 45° E
hills

47 00 Counted point for temporary
1/4 sec Cor

77 50 Came hills & enter valley
bears N 45° E

80 30 Intersected the State
South line 21 links South
of mound on line to Secs
28 & 29 36 chains and 33
links from which Corner
I ran South 89° 30' West
on a true line between secs
29 and 32

Va 14° 45' East

40 15 Raised mound of earth 3 feet
high from pits 18 x 24 inches
1/2 mi deep for 1/4 sec Cor

80 30 The Cor to Secs 29 30 31 & 32
stood East and West post fully mile
& chains mound post fully 2 chains

Township 20 North Range 34

Chains Meas[ured] on random line
between Secs 30 and 31.
Va 11 1/2° East

Iron Bolt[ed] post for temporary
NE cor
7.86 Set iron on the West
bounding & the North
of mound on Secs 30
and 31 from which
Ore
I pine North 8 links East
on a bearing tree between
Secs 30 and 31
Va 14 3/4° East
3.86 Raised mound of earth
2ft high from pits 8x2
mi and 12 mi dup for
NE cor
7.86 The Cor to Secs 29 &
31 and 32

Land hilly rolling
valley & mt

West of the 6th Principal Meridian

Chains North between Secs 29 and 30
Va 14 1/2° East

1.00 Same valley pine & cotton
2.00 Raised mound of earth
2ft high from pits 8x2
mi and 12 mi dup for
NE cor
5.00 Raised mound of earth
2ft high from pits 18x2
mi and 12 mi dup for
Cor to Secs 19 & 20 29 & 30

Land south 18 chs rolling
& hilly balance same kind
& cult

49

Township 20 North Range 34 West of the 6th Principal Meridian

Chains	East on a random line between Secs 20 and 29 Va 14°15' East
4.00	Witness point for Temporary NE cor
50.00	Intersect the State South limit of No 1 North of mound on to sec 20, 21, 28 and 29 from which an Iron Post 6" x 6" Wit on a line between secs 20 and 29. Va 14°15' East
40.15	Raise mound of earth 3 ft high from pits 18" in diameter mid dep for NE cor
60.00	Run on to secs 19, 20, 29 and 30
	Land and hills & mts

50

Chains	West on a random line between Secs 19 and 30 Va 14°14' East
4.00	Witness point for Temporary NE cor
76.25	Intersect the West boundary of the Township 11 Chs South of mound on to secs 19 30 from which an Iron Post 6" x 6" East & Chs Lenth 89°56' Wit on a line between secs 19 and 30 Va 14°14' East
38.06	Raise mound of earth 3 ft high from pits 18" in diameter mid dep for NE cor
78.06	Run on to secs 19, 20 29 and 30
	Land and hills & mts

Township 20 North Range 34

Chains North between Secs 19 and 20
va 14¾ East
40 lks Ranid mound of earth
2 ft high from pits 8x24
in and 12 in dup for
W 4 cor on
60 lks Ranid mound of earth
2 ft high from pits 8x24
in and 12 in dup for
Cor to Secs 17, 18, 19 & 20

Land broken and hilly
5 rods

West of the 6th Principal Meridian

Chains East on a random line
between Secs 17 and 20
va 14¾ East
40 lks Marked point for tree
brs N 14¼ E 6 lks
80 lks Scribed thro 2 ft N side
of mound
on to Cor to Secs 17 & 20 BT
from which
brs North 89 5/4 West on
a line between
Secs 17 and 20
Cal 14° 15' East
40 lks Ranid mound of earth
2 ft high from pits 8x24
in and 12 in dup
for W 4 cor on
80 lks Pile on to Secs 17, 18
19 and 20

Land and hills 5 rods

August 26th 1915

Township 20 North Range 34

Chains	
	West on a random line between Secs 18 and 19 Va 14½° East
400	to a stake point for temporary true cor
7840	Entered the West boundary of the Township at mound on to Secs 18 19 from which a pine East on a line tree between Secs 18 & and 19 on 14½° East
3840	Raised mound of earth 3ft high from pits 1 & 2 4 in and 1 2 in dup for ½ sec cor
7840	Std Cor to Secs 17, 18 19 and 20

Land rolling rocky hills & cuts

West of the 6th Principal Meridian

Chains	
	North between Secs 17 & 18 Va 14½° East
400	Raised mound of earth 3ft high from pits 1 & 2 4 in and 1 2 in dup for ½ sec cor
800	Raised mound of earth 3ft high from pits 1 & 2 4 in and 1 2 in dup for Corner to Secs 7, 8 17 and 18

Land rocky hills & cuts

Township 20 North Range 34 West of the 6th Principal Meridian

Chains East on a random line between Secs 8 and 17
Va 14 ¼° East

400 Marked point for Temporary Witness Cor

630 Low hills and center of valley bears N 75 E

505 Enters a thin Cottonwood timber 3 links S of general Course to NW Cor Secs 8, 9, 16, and 17 from which Cor
I am North 89 3/4 W distant 2 links on a true line between Secs 8 and 17
Va 14° 14' East

1007½ Ranch around 4 ft south 3 ft high from pits 18 x 24 in and ½ in deep for witness Cor

1075 The Corner to Secs 7, 8, 17 and 18

Chains West on a random line between Secs 7 and 18
Va 14 ¼° East

400 Marked point for Temporary Witness Cor

732 Entered the West boundary of the Township of Ranch 18 from which Cor
I am North 89 3/4 W East on a true line between Secs 7 and 18
Va 14° 14' East

882 Ranch around 4 south 3 ft high from pits 18 x 24 in and ½ in deep for witness Cor

1632 The Cor to Secs 7, 8, 17 and 18

Land broken and hilly 3 miles

57

Township 20 North Range 34 West of the 6th Principal Meridian

Chains	
	North between Lees 7 and 8 Va 14 1/4 East
400	Raised mound of earth 3 ft high from pits 18 + 24 mi and 1/2 mi dup for Cor to sec 5, 6, 7, and 8
	Land broken some hills 5 mile

58

Chains	
	East on a random line between Lees 5 and 8 Va 14 1/4 East
400	Marked point for temporary 1/4 sec Cor
7996	Intersection this with and South line of the North 1/2 mound Cor to secs 5, 8 and 7 from which Cor I run South 59 1/2 E thus on a true line between secs 5 and 8 Va 14 1/4 East
3998	Raised mound of earth 2 ft high from pits 18 + 24 mi and 1/2 mi dup for 1/4 sec Cor
7996	The Cor to secs 5, 7, 8
	Land very broken some hills 3 mile

Township 20 North Range 34 West of the 6th Principal Meridian

Chains Westerly a random line between Secs 6 & 7 Va 14° 1/4 East

4000 Witness corner for temporary 1/4 sec cor

78 21 Set iron on the West boundary of the Township 9.60 South of corner and to use & run East from which an Ash 6 inches diam bears South 89° 30' East distant 18 links between Secs 6 and 7

Va 14° 1/4 East

84 21 Raised mound of earth 3 ft high from pits 18 x 24 ft and 12 in deep for 1/4 sec cor

7621 Trees to blaze Secs 5, 6, 7, 8

Land very broken & rocky

Chains North on a true line between Secs 5 and 6

Va 14° 1/4 East

4000 Raised mound of earth 3 ft high from pits 18 x 24 ft and 12 in deep for 1/4 sec cor

8332 Intersect south boundary of the Township 7 Chains West of the Cor to Secs 32 33 Township 21 North Range 3 West whence I set pits 18 x 24 ft and 12 in deep deposit Charcoal Stake easterly mound of earth 3 ft high from pits 18 x 24 ft and 12 in deep for bearing tree Secs 5 and 6 on the 5 Standard Parallel

Land very broken & rocky

August 29th 1895

Township 20 North Range 34 West of the 6th Principal Meridian

In surveying the subdivision lines in this Township I have not set posts or stones at any of the corners, for the reason that this region of country affords neither Timber or Stone

General Description

The quality of the land in this Township is poor, but a small proportion of it is adapted for cultivation it is mostly sandhills covered with a fair growth of grass and will adapt it for grazing, water can be obtained by digging anywhere in the South West part of the Township at a depth of from 5 to 10 feet

A List of Names

A list of the names of the Individuals employed to assist in running Measuring or Marking the lines and Corners discribed in the foregoing field notes of Township No 20 North of the Base line Range No 34 West of the 6 Principal Meridian in Nebraska showing the respective capacities in which they acted

Edward Davis Chainman
Charles Dowling Chainman
Joseph Meyers Mounduman
Herbert Gould Flagman

We hereby Certify that we
assisted Abbott Daufant
Deputy Surveyor in Surveying
the subdivision lines in Township
No 20 North of the Cumberland Range
No 34 West of the 6th Principal
Meridian in Nebraska and
that said Township has been
run in all respects to the best of
our knowledge and belief well
and faithfully surveyed and
the boundary monuments
planted according to the
instructions furnished by
the Surveyor General

Edward Davis Chainman
Charles Daubig Chainman

Joseph Myers Monumentman
Flagman
Herbert Gould

Subscribed and sworn to by the above
named persons before me this Friday

Public for Dodge County Nebraska
this 8th day of September 1875

George H. Biggs
Notary Public

No 95

John H Dempsey Deputy
Surveyor of Colorado Terri-
tory for performance of a joint
Contract, wherein John H Dempsey
was Principal & Samuel Rutherford
was joint Contractor with
E. E. Cunningham Surveyor
Gen'l of Colorado Territory
for the District of Nebraska and
Iowa Having date the 2nd day
of July 1874 I was with
Faithfully and truly on my
own Responsibility and
not in Conformity with
the Instructions furnished
by the Surveyor General the
Surveying Manual and
the Laws of the United States
Surveyed all those parts of
Sections of Township No 20
North of Range Number Range
No 3 West of the 6th Principal
Meridian in Nebraska as
are represented on the Original
Field notes as known & bein

Surveyed, under my direction
and I do, further, Certify
that all the Corners
of said Survey have been
established and perpetuated
as Legal Corners
with Courses and Distances
and further, that the foregoing
the true and correct field
notes of such Survey

John W Daugherty
Deputy Surveyor

Subscribed by the said
John W Daugherty Deputy Surveyor
and sworn to before me a
Notary Public for Cass County
Nebraska this 8th day of
September 1875

Geo. A. Briggs
Notary Public

Surveyor Generals Office
Plattsmouth Neb Dec 21st 75

The foregoing field notes of the survey
of the subdivision lines of Township
No 20 North of the Base Line of Range
No 34 West of the 6th Principal Meridian
in the State of Nebraska executed
by John W. Daugherty Deputy Surveyor
under joint Contract No 95 dated
July 10th 1875 in the Month of
August 1875 having been critically
examined the necessary corrections and
explanations made the said field
notes and the surveys they describe
are hereby approved

Wm. D. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

570

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.