General Land Office • Original Field Notes

Book Number

592

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

~~36~~ T. 33-35 N.
36 R. 36. W.

36.

(A)

Field Notes

of the

Subdivision lines in Township Thirty three North of the Base line of range number thirty six West of the 6th Principal Meridian Nebraska, Surveyed by Frank M. Cromell, deputy Surveyor, under joint Contract No. 107 bearing date July 30th 1877 wherein Nicholas J. Paul and Frank M. Cromell are joint Contractors with John R Clarke United States Surveyor General for the District of Nebraska and Iowa

Survey Commenced October 28th 1877

Survey Completed October 31st 1877

(B)

T. 33 N R 36 W 6th P M

Names and duties of Assistants

George Haden Chainman
W. S. Orr Chainman
J. R. Monahan Cornerman
Wm. J. Thompson Cornerman
W. R. Bacon Flagman

To determine the proper adjustment of my Compass for subdividing this Township I begin at the Standard Corner to Townships 33 N Ranges 35 and 36 W. and run North on a blank line along the East boundary of said 36

Va 14° 30' E

4004 To a point 7 chs W. of the 1/4 sec cor

8007 To a point 12 chs W. of the corner to secs 25 and 36

To retrace this line or run parallels thereto my Compass must be adjusted to a variation of 14° 25' E.

Subdivision Commenced October 28th 1877

Township 33 N. Range 36 West

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

T. 33 N R 36 W

From the Standard Corner to secs. 35 and 36 on the South boundary of the Township N. line North between secs. 35 & 36 Va 14° 25' E

4000 Set a charred Red Cedar post 3×3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft high from pit 8×24×12 in deep for 1/4 sec cor.

8000 Set a charred Red Cedar post 4×4 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for corner to secs 25, 26, 35 and 36. Land gently rolling Soil secondrate

T. 33 N R 36 W.

East on random line between secs 25 and 36 Va 14° 25' E

40.00 Set temporary 1/4 sec cor.

79.96 Intersect East Boundary 18 Lks South of corner to secs 25 and 36 from which corner a pine S 89° 57' West on true line between secs. 25 and 36 Va 14° 25' E.

3998 Set a charred Red Cedar post 3×3 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18×24×12 in. deep for 1/4 sec cor.

1996 The corner to secs. 25, 26, 35 and 36 Land gently Rolling Soil Secondrate

T 33 N. R. 36 W

North Between secs 25 and 26
Va 14° 25' E.

4000 Set a chained Red Cedar post 3x3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec. cor.

79.00 Leave N pound and enter Vale Begins N E cor Pt.

8000 Set a chained Red Cedar post 4x4 in 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for corner to secs 23, 24 25 and 26

Land gently Rolling
Soil Second rate

T. 33 N. R 36 West

East on random line between secs. 24 & 25
Va 14° 25' E

1.00 Leave valley and enter Upland bears NE & SW

4000 Set temporary 1/4 sec cor

79.76 Intersect East Boundary 25 lks South of corner to secs 24 and 25 from which Corner Pine bears S 89° 49' West on true line between secs 24 & 25
Va 14° 25' E

3988 Set a chained Red Cedar post 3x3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep for 1/4 sec. cor.

79.76 The corner to secs 23, 24, 25 and 26.

Land gently Rolling
Soil Second rate

T. 33 N. R 36 W.

North between secs 23 and 24
Va 14° 25' E.

40.00 Set a chained Red Cedar post 3x3 in 4 ft. 1 ft. dep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for 1/4 sec cor,

80.00 Set a chained Red Cedar post 4x4 in. 4 ft. 1 ft. dep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for 1/4 Corner to secs. 13, 14, 23 and 24
Land undulating
Soil Sirstrate

T 33. N. R 36. W.

East on random line between secs. 18 & 24
Va 14° 25' E.

40.00 Set temporary 1/4 sec cor,
79.80 Intersect East Boundary 11.16 chs South of corner to secs. 13 and 24 from which corner bears
S 89° 55' West on true line between secs 13 & 24
Va 14° 25' E

39.90 Set a chained Red Cedar post 3x3 in. 4 ft. 1 ft. dep raised mound of earth 2 1/2 ft. high from pits 18 x 24 x 12 in dep for 1/4 sec cor,

79.80 The Corner to secs. 13, 14 23 and 24
Land undulating
Soil good secondrate

T. 33 N. R 36 W

North between secs 13 and 14
Va 14° 25' E,

100 Leave route and enter
Aspend bears NE & SW
4000 Set a chained Red Cedar
post 3x3 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits
18 x 3 x 12 in deep for
1/4 sec cor.
5730 Gordons Trail bears NW & SE
8000 Set a chained Red Cedar
post 4x4 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft. high from pits
18 x 3 x 12 in deep for
Corner to secs 11, 12, 13
and 14
Land gently Rolling
Soil second rate

T 33 N. R 36 West

East on random line
between secs 12 & 13
Va 14° 25' E,

40,00 Set temporary 1/4 sec. Cor.
79.92 Intersect East boundary 40 lks
South of corner to secs 12 and
13 from which corner I run
S 89° 58' West on true line
between secs 12 and 13
Va 14° 25' E
39,96 Set a chained Red Cedar post
3x3 in, 4 ft, 1 ft, deep, raised
mound of earth 2½ ft,
high from pits 18 x 3 x
12 in. deep for 1/4 sec cor,
79.92 The corner to secs. 11, 12
13 and 14
Land Rolling
Soil second rate

T 33 N R. 36 W

North between secs. 1 and 12
Va 14° 25' E.

20.00 Enter Breaks from River bears E. and West.

32.75 Niobrara River 6.75 chains wide runs N E

40.00 Set a chained Red Cedar post 3x3 in 4 ft, 1 ft. dug raised mound of Earth 2 1/2 ft. high Pits 18 x 24 x 12 in deep for 1/4 sec cor.

68.50 Leave low bottom and Enter breaks bears E & N.

80.00 Set a chained Red Cedar post 2x4 in, 4 ft. 1 ft. deep, raised mound of Earth 2 1/2 ft high Pits pits 18 x 24 x 12 in deep for corner to secs, 1, 2, 11 and 12
Lot to Bottom Gin strate
The balance Flint rate

T 33 N 36 W

East on random line
between secs 1 and 12
Va 14° 25' E.

40.00 Set temporary 1/4 sec cor

44.00 Enter Niobrara River bears NW and East

80.10 Intersect East Boundary 110 lks South of witness Corner to secs 1 and 12 which is at the true point for corner to Secs 1 and 12 from which point I run Weston true line
between secs 1 and 12
Va 14° 25' E.

40.05 Set a chained Red Cedar post 3x3 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft high Pits pits 18 x 24 x 12 in deep for 1/4 sec cor

80.10 The corner to secs 1, 2, 11 and 12
West 44.00 chains rough Secondrate. Balance of line in River

T 33 N. R 36 W

North between secs 1 and 2
Va 14° 25' E,

19.50 Leave Breaks for high level bottom bears E & W.

4000 Set temporary 1/4 sec cor

8020 Intersect North Boundary 27 lks West of corner to secs 1 and 2 from which corner I run South 17' W. on true line between secs 1 and 2
Va 14° 25' E,

4020 Set a chamfered Red Cedar post 3x3 ins 4 ft, 1 ft, deep, raised mound of Earth 2 1/2 ft high Pum pits 18 x 24 x 12 ins deep for 1/4 sec cor

8020 The corners to secs 1, 2, 11 and 12
High level Bottom
Soil Pinetucky
Brush Third rate

T 33 N. R 36 W

North between secs 34 & 35
Va 14° 25' E,

4000 Set a chamfered Red Cedar post 3x3 ins 4 ft, 1 ft, deep, raised mound of Earth 2 1/2 ft high pum pits 18 x 24 x 12 ins deep for 1/4 sec cor.

8000 Set a chamfered Red Cedar post 4x4 ins, 4 ft, 1 ft, deep, raised mound of Earth 2 1/2 ft. high pum pits 18 x 24 x 12 ins. deep for Corner to secs 26, 27, 34 and 35.

Land gently Rolling
Soil Second rate

T 30 N. R 36 W.

East on random line
between secs 2 6 and 35
Va 14° 30' E,

14000 Set temprary 1/4 sec cor,
7964 Intersect N and S. line 1/4 Mls.
South of corner to secs 25,
26, 35 and 36 from which
corner a pine
S 89° 54' West on True line
between secs. 26 and 35
Va 14° 30' E,

39.82 Set a chamfered Red Cedar
post 3 X 3 in, 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits 18 x
2 1/2 x 12 in deep in deep
raised mound of Earth
2 1/2 ft. high from pits
18 x 2 1/2 x 12 in deep for
1/4 sec cor

7964 The corner to secs. 26. 27.
34 and 35
Land gently Rolling
Soil Second rate

T 33 N. R 36 W.

North between secs 26 and 27
Va 14° 30' E,

10.00 Leave upland and enter
undulating Bottom lands
N E and S W.

40.00 Set a chamfered Red Cedar
post 3 x 3 in, 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits
18 x 2 1/2 x 12 in. deep
for 1/4 sec cor,

80.00 Set a chamfered Red Cedar
post 4 x 4 in, 4 ft, 1 ft, deep
raised mound of earth
2 1/2 ft. high from pits
18 x 2 1/2 x 12 in. deep
for corner to secs. 22,
23, 26 and 27
First 10 chs. Rolling 2nd rate
Balance undulating
valley, soil first rate

T 33 N R 36 W

East on random line
between Secs. 23 & 26
Va 14° 30' E,

4 4000 Set temporary 1/4 sec Cor,
7 79.80 Intersect N & S line 4 chs
South of corner to secs,
23, 24, 25 and 26 from which
Corner bears
S 89° 58' West on true line
between Secs 23 & 26
Va 14° 30' E,
39 39.90 Set a chan and Red Cedar
post 3 x 3 in. 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits
8 x 24 x 4 in deep
for 1/4 Sec cor
79.80 The corner to Secs. 22
23, 26 and 27
Undulating Bottom
Soil Silstrate
October 28 — 1877

T 33 N. R. 36 W.

North between Secs 22 & 23
Va 14° 30' E.

2000 Leave valley and enter
Upland bears N E & S W
4000 Set a chan and Red Cedar
post 8 x 3 in, 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
1/4 Sec cor.
8000 Set a chan and Red Cedar
post 4 x 4 in, 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits 18
x 24 x 12 in deep for
Corner to Secs. 14, 15
22, and 23
South 20.00 chs Silstrate
Balance Secondrate

T. 33 N. R 36 W

East on random line
between sec 14 & 23
Va 14° 30' E,

4 4000 Set temp pray 1/4 sec cor,
7 79.96 Intersect W. line
14 lks North of corner
to secs 13, 14, 23 and 24
from which corner a pine
N 89° 45' West on true
line between secs 14 & 23
Va 14° 30' E.

3 39.98 Set a chand Red Cedar
post 3 x 3 in. 4 ft. 1 ft. dup
raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
1/4 sec cor.

7996 The corner to secs 14, 15
22 and 23
Land gently Rolling
Soil Reconnoitre

7

T. 33 N. R 36 W

North between secs 14 & 15
Va 14° 30' E,

4000 Set a chand Red Cedar post
3 x 3 in. 4 ft. 1 ft. dup raised
mound of earth 2 1/2 ft high
from pits 18 x 24 x 12 in
deep for 1/4 sec cor.
5200
6400 Leave Upland and enter
high bottom bears NE & SW.
7815 Gordon's Trail bears NE & SW.
8000 Set a chand Red Cedar post
4 x 4 in 4 ft. 1 ft. dup raised
mound of Earth 2 1/2 ft. high
from pits 18 x 24 x 12 in
deep for corners to secs
10, 11, 14 and 15
Pt 67 chains. Meondrate
Balance Traistrate

T 33 N R 36 W

East on random line between secs. 11 & 14 W'ly 14° 30' E.

550 Gordon's trail bears NE & SW

3800 Gordon's trail bears NW & SE

4000 Set temporary 1/4 sec cor.

4300 Leave high bottom for Upland bears NE & SW.

8000 Intersect N and S line 10 Ch North of corner to secs 11, 12, 13 and 14 from which corner 8 pine N 89° 56 West on true line between secs 11 and 14 W'ly 14° 30' E.

8000 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

8000 The corners to secs 11, 12, 13 and 14 First 43 chs first rate Balance Second rate

T 33 N R 36 W

North between secs 10 and 11 W'ly 14° 30' E.

16.00 Leave Upland and enter branches from Niobrara River bear East and West

2500 Leave branches and enter low Bottom bears E and W.

4000 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

58.20 Niobrara River 120 chs wide runs East. high Bluff on North bank of River

68.00 Top of Bluff and enter high Bottom bears E & W

8000 Set a chained Red Cedar post 4 x 4 in 4 ft. 1 ft. deep, raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 deep for corner to secs 23 & 10 & 11 Bottom First rate Balance Third rate

T 33 N R 36 W

East on random line
between secs 2 and 11
Va 14°30' E.

40.00 Set temporary 1/4 sec. cor.
53.00 Leave high bottom
for brush bears NE & SW.
80.38 Intersect N. & S. line 20 lks
North of corner to secs 2
11 and 12 from which
Corner d bears
N 89° 51' West on true line
between secs 2 and 11
Va 14°30' E,
143.15 Set a chained Red Cedar
post 3 X 3 ins, 4 ft, 1 ft dep
raised mound of earth
2 1/2 ft high from
pits 18 x 24 x 12 ins
deep for 1/4 sec cor,
80.30 The corner to secs 2, 3
10 and 11
West 53 chs high level
Bottom soil first rate
Balance Broken Third rate

T 33 N R 36 W

North on random line
between secs 2 & 3
Va 14°30' E

40.00 Set temporary 1/4 sec cor,
52.00 Leave high bottom for
Rolling upland bears NE & SW
80.28 Intersect North boundary
28 lks West of corner to
secs. 2 and 3 from which
corner d bears
South 12' W. on true line
between secs, 2 and 3
Va 14°30' E,
40.28 Set a chained Red Cedar
post 3 X 3 ins. 4 ft, 1 ft dep
raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 ins deep for 1/4
sec cor,
80.28 The corner to secs 2, 3, 10
and 11
South, 52 chs, high level
Bottom first rate
Balance Third rate

T. 33 N. R. 36 W.

North Between Secs 33 & 34
Va 14° 25' E.

4000 Set a chained Red Cedar post 3X3 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 X 24 X 12 in. deep for 1/4 sec cor.

4100 Leave Upland and enter Valley bears NE & SE

6200 Leave Valley bears NE and on said enter Upland

8088 Set a chained Red Cedar post 4X4 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft high from pits 18 X 24 X 12 in deep for Corner to Secs 27, 28, 33 and 34
Upland Second rate
Valley First rate

T 33 N. R 36 W.

East on random line between Secs 27 & 34
Va 14° 30' E.

1600 Leave Upland enter Valley bears N E and S W.

4000 Set temporary 1/4 Sec Cor.

5400 Leave Valley and enter Upland bears N E & S W.

7988 Intersect N & S line 4 chs North of corner to Secs 26 27, 34 and 35 from which Corner I run
N. 89° 58' West on true line between Secs 27 and 34
Va 14° 30' E.

3994 Set a chained Red Cedar post 3X3 in 4 ft, 1 ft, deep, raised mound of Earth 2 1/2 ft high from pits 18 X 24 X 12 in deep for 1/4 Sec cor.

7988 The corner to Secs 27, 28, 33 and 34
Valley First rate
Upland Second rate

T 33 N R 36 W

North between secs 27 & 28
Va 114° 30' E,

40,00 Set a chained Red Cedar post 3x3 in, 4 ft, 1 ft deep, raised mound of Earth 2 1/2 ft high from pits 8 x 8 x 12 in deep for 1/4 sec cor

80,00 Set a chained Red Cedar post 4 x 4 in 4 ft, 1 ft deep raised Mound of Earth 2 1/2 ft high from pit 18 x 8 x 12 in deep for Corner to secs. 21, 22 27 and 28

Land gently Rolling
Soil Secondrate

T 33 1/2 N R 36 W

East on random line between secs. 22 & 27
Va 114° 30' E,

40,00 Set temprary 1/4 sec cor,
50,00 Leave deposited and enter Valley bears NE & SW,
79,90 Intersect N & S line at the corner to secs. 22, 23, 26 and 27 from which corner bears West on true line between secs 22 & 27
Va 114° 30' E,
39,95 Set a chained Red Cedar post 3 x 3 in, 4 ft, 1 ft, deep raised mound of Earth 2 1/2 ft high from pits 18 x 8 x 12 in. deep for 1/4 sec cor
79,90 The corner to secs 21, 22, 27 and 28
By plain Secondrate
Valley fine strata

T 33 N. R 36 W

North between secs 21 & 22
Va 14° 30' E,

4000 Set a chained Red Cedar post 3x3 in 4 ft 1 ft. deep raised mound of earth 2½ ft high pits 18x24x12 in deep for 1/4 sec cor

80.00 Set a chained Red Cedar post 4x4 in 4 ft 1 ft deep raised mound of Earth 2½ ft. high pits 18x24x12 in deep for corner to secs 15, 16, 21 and 22

Land gently rolling
Soil second rate

T. 33 N R 36 W

East on random line
between secs. 15 and 22
Va 14° 30' E

4000 Set temporary 1/4 sec cor

7986 Intersect N & S line 10 lks North of corner to secs. 14 15, 22 and 23 from which corner B run N 89° 56' West on true line between secs. 15 and 22
Va 14° 30' E

3993 Set a chained Red Cedar post 3x3 in 4 ft, 1 ft. deep raised mound of earth 2½ ft high pits 18x24 x12 in deep for 1/4 sec cor

7986 The corner to secs. 15, 16, 21 and 22

Land gently rolling
Soil second rate

T 33 N R 34 W

North between secs. 15 & 16
Va 14° 35' E,

10.00 Leave upland and enter high bottom bears NE & SW

37.10 Gordons Trail bears E & W,

40.00 Set a chained Red Cedar post 3×3 in. 4 ft. 1 ft deep raised mound of Earth 2 1/2 ft. high from pits 18×24×12 in deep for 1/4 Sec cor.

80.00 Set a chained Red Cedar post 4×4 in 4 ft 1 ft deep raised mound of Earth 2 1/2 ft high from pits 18×24×12 in deep for corner to secs. 9, 10, 15 and 16 Undulating High bottom Soil Firstrate

T 33 N R 34 W

East on random line between Secs. 10 & 15
Va 14° 30' E,

19.50 Enter Breaks from River bears NW & E,

40.00 Set temporary 1/4 sec cor,

62.00 Leave breaks for ~~bluffs~~ high bottom bears NE & SW

80.16 Entered N & S, line 28 lks North of corner to Secs 10, 11, 14 and 15 from which corner a pine N 89° 48' W 8 links on the line between Secs 10 & 15
Va 14° 30' E,

40.08 Set a chained Red Cedar post 3×3 in 4 ft, 1 ft, deep raised mound of Earth 2 1/2 ft high from pits 18×24×12 in deep for 1/4 Sec cor

80.16 The corner to secs 9, 10, 15 and 16
High Bottom firstrate Breaks Thirdrate

October 29th 1877

T 33 N. R 36 W

North between secs 9 & 10
Va 14° 30' E,

400	Breaks from river bear E & W.
14,00	Low Bottom bears E & W,
29,50	Niobrara River 5 chs. wide runs N E —
40,00	Set a charred Red Cedar post 3X3 in 4 ft. 1 ft. deep raised Mound of earth 2 1/2 ft. high 4 pits 18 X 2 1/4 X 12 in deep for 1/4 sec cor,
4600	Leave low bottom for breaks bears E and W,
6300	Leave Breaks for high bottom bears E & W.
8000	Set a charred Red Cedar post 4 X 4 in, 4 ft. 1 ft. deep raised mound of earth 2 1/2 ft. high, 4 pits 18 X 2 1/4 X 12 in deep for Corner to secs, 3, 4, 9 & 10 Bottom first rate Breaks third rate.

T 33 N R 36 W

East on random line between secs, 3 and 10
Va 14° 30' E.

40,00	Set temprary 1/4 sec cor.
7992	Intersect N & S line 7 Chs. South of corner to secs. 2, 3, 10 and 11 from which corner I run S 89° 57' West on true line between secs, 3 and 10 Va 14° 30' E
39.96	Set a charred Red Cedar post 3 X 3 in, 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high 4 pits 18 X 2 1/4 X 12 in, deep for 1/4 sec, cor,
7992	The Corner to secs 3, 4, 9 and 10 High level Bottom Soil first rate

T 33 N R 36 W

North on random line
between secs 3 & 4
Va 14° 30' E

1900 Leave high bottom Bur
Rallicy Upland brs E & W

4000 Set temporary 1/4 sec cor

8020 Intersect North boundary
36 Ch West of corner to secs
3 and 4 from which
corner B bears
South 15' W. on true line
between secs. 3 and 4
Va 14° 30' E.

4020 Set a chamfered Red Cedar
post 3x3 in. 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft. high 3 mm pits
8x24x12 in deep for
1/4 sec cor

8020 Pile Corner to secs 3 & 4, 9
and 10
Upland secondary
High Bottom Instrute

T 33 N. R 36 W

North between secs 32 & 33
Va 14° 30' E

4000 Set a chamfered Red Cedar
post 3x3 in 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft. high 3 mm pits
18x24x12 in deep for
1/4 sec cor

70.00 Leave upland and enter
high Bottom bears N E & S W

8000 Set a chamfered Red Cedar
post 4x4 in 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft high Corner
pits 18x24x12 in
deep for Corner to secs
28, 29, 32 and 33
Land undulating
Soil Gristrute

T 33 N. R 36 W

East on random line
between secs 28 & 33
Va 14° 25' E,

2000 Scant level bottom for
undulating upland bore NE of 28

4000 Set cedpost mkd 1/4 sec cor

7960 Intersect N & S line 27
chs North of corner to
secs. 27, 28, 33 and 34
from which corner bears
N 89° 48' West on true line
between secs. 28 & 33
Va 14° 25' E

4 39.70 Set a chamfered Red Cedar
post 3x3 in 4 ft, 1 ft deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
1/4 sec cor,

8 79.60 The corner to secs. 28,
29, 33 and 33
Undulating surface
Soil Gristrate

T 33 N R 36 W

North between secs 28 & 29
Va 14° 30' E,

4000 Set a chamfered Red Cedar
post 3x3 in 4 ft, 1 ft deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
1/4 sec cor

8000 Set a chamfered Red Cedar
post 4x4 in, 4 ft, 1 ft. deep
raised mound of 2 1/2
ft high from pits 18
x 24 x 12 in deep
for corner to secs
20, 21, 28 and 29
High level Bottom
Soil Gristrate

T. 33 N. R 36 W

East on random line
between secs 21 & 28
Va 14° 30' E,

4000 Leave level and enter undulating bears N & S

4000 Set temporary 1/4 sec Cor.

79.78 Intersect W. & line 20 Chs North of corner to secs 21, 22, 27 and 28 from which

Corner I pine
N 89° 5' W
West on true line
between secs 21 & 28
Va 14° 30' E,

39.89 Set a chaned Red Cedar post 3 x 3 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec Cor

79.78 The corner to secs 20, 21, 28 and 29
Bottom limestone
Balance sandstone

T 33 N. R 36 W

North between secs 20 & 21
Va 14° 30' E

4000 Set a chaned Red Cedar post 3 x 3 in, 4 ft, 1 ft. deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec Cor.

5610 Gordons trail bears N E & S W

80.00 Set a chaned Red Cedar post 4 x 4 in, 4 ft, 1 ft. deep raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for corner to secs 5, 16, 17, 20 and 21
Surface undulating
Soil ~~Sec~~ Limestone

T 33 N. R 36 W

East between secs. 16 & 21
Va 16° 30' E

4000 Set temporary 1/4 sec cor.
4010 Gordon's trail bears NE & SW.
6000 Leave Bottom for Upland bears N E and S W.
79.86 Intersect N & S line 14 lks South of corner to secs. 15, 16, 21 and 22 from which corner I run S 89° 45' West on true line between secs. 16 & 21 Va 14° 30' E.
39.93 Set a chained Red Cedar post 3 x 3 ins, 4 ft, 1 ft, deep raised mound of earth 2 1/2 ft. high pits 18 x 24 x 12 ins deep for 1/4 sec cor.
79.86 The Corner to secs 16, 17, 20 and 21
High Bottom Grass
Upland Second Rate

T 33 N. R 36 W

North between secs. 16 and 17
Va 14° 30' E.

4000 Set a chained Red Cedar post 3 x 3 ins 4 ft, 1 ft, deep raised mounds of earth 2 1/2 ft high pits 18 x 24 x 12 ins deep for 1/4 sec cor
4560 Breaks from river bear N E and S W
57.35 Niobrara River 610 lks wide runs North East
Enter low bottom at North Bank
8000 Set a chained Red Cedar post 4 x 4 ins, 4 ft, 1 ft, deep raised mound of earth 2 1/2 ft high pits 18 x 24 x 12 ins deep for corner to secs. 8, 9, 16 and 17
Bottom Grass & Brush
Breaks Third rate
Bottom on North side of River good hayland

T 33 N. R 36 W

East on random line
between secs 9 & 16
Va 14° 30' E.

25.60 Niobrara River 280 lks
wide Lewis N E
28.40 Lodge River Enters Brackish E. & S W.
40.00 Set temporary 1/4 Sec Cor.
75.00 Leave Banks for high
bottom bears N E & S W.
80.32 Intersect N & S line 28 lks
South of corner to secs
9, 10, 15 and 16 from which
corner I run
S 89° 48' West on true line
between secs 9 and 16
Va 14° 30' E.
40.16 Set ash and Red Cedar
post 3 x 3 in 4 ft. 1 ft. deep
raised mound of earth 2 1/2
ft high from pits 18 x 24
x 12 in. deep for 1/4
Sec cor.
80.32 The corner to secs 8, 9, 16
and 17
Bottom first rate
Banks Thirdrate

T 33 N. R 36 W.

North between secs 8 and 9
Va 14° 30' E

37.00 Spring branch 15 lks wide
runs S. E.
40.00 Set ash and Red Cedar post 3 x
3 in 4 ft, 1 ft. deep raised
mound of earth 2 1/2 ft
high from pits 18 x 24
x 12 in deep for 1/4 sec
cor. from which An
Ash 8 in. diam. bears S 50° E
150 lks distant
An Ash 24 in. diam. bears
N 45° W 120 lks. distant
43.00 Leave Bottom for upland
bears E and N
80.00 Set ash and Red Cedar post 3 x 3
in. 4 ft. 1 ft. deep, raised mound
of Earth 2 1/2 ft. high from
pits 18 x 24 x 12 in deep
for Corner to secs 4,
5, 8 and 9
Bottom good first rate
Upland Second rate

T 33 N R 36 W

East on random line
between Secs. 4 and 9
Va 14° 30' E

40.00 Set temporary 1/4 sec cor
41.00 Leave N Island and enter
high bottom bears
N E & S W
80.16 Intersect North B.L. line 11 Chs
South of corner to Secs
3, 4, 9 and 10 From which
corner I bears
S 89° 55' West on True line
between Secs 4 & 9
Va 14° 30' E,
40.08 Set a chained Red Cedar
post 3 X 3 in. 4 ft. 1 ft. dug
raised mound of earth
2 1/2 ft. high from pits
18 X 24 X 12 in deep
for 1/4 Sec cor
80.16 The corner 4, 5, 8 and 9
Bottom Pits trate
Upland Secondrate

T 33 N R 36 W

North, between Secs 4 & 5
Va 14° 30' E
40.00 Set temporary 1/4 Sec Cor,
80.36 Intersect North Boundary
16 Chs West of corner to Secs
4 and 5 from which corner
I bears
South 7' W. on true line
between Secs 4 and 5
Va 14° 30' E
40.36 Set a chained Red Cedar
post 3 X 3 in. 4 ft, 1 ft. dug
raised ground of earth
2 1/2 ft. high from pits
18 X 24 X 12 in deep
for 1/4 Sec cor.
80.36 The corner to Secs 4, 5, 8 and
9
High Bottom pits trate
Balance Secondrate
October 30th 1877

T 33 N. R 34 W.

North between secs. 31 and 32
Va. 14° 25' E.

4000 Set a chained Red Cedar post 3×3 in. 4 ft. 1 ft. dep. raised Mound of Earth 2½ ft. high from pits 18×24×12 in. dep for 1/4 sec cor.

7800 Glade Upland and cuts high bottoms bears E & W.

8000 Set a chained Red Cedar post 4×4 in. 4 ft. 1 ft. dep raised Mound of Earth 2½ ft. high from pits 18×24×12 in. dep for Corner to Secs. 29, 30, 31 and 32
Upland Rolling
Soil second rate
Last 2 chs flinty

T 33 N R 34 W

East on random line between secs 29 & 32
Va 14° 25' E

4000 Set temporary 1/4 sec cor.

7976 Intersect N & S. line 21 lks South of corner to secs 28, 29, 32 and 33 from which corner I run S 89° 51' West on true line between secs 29 & 32
Va 14° 25' E

3988 Set a chained Red Cedar post 3×3 in. 4 ft. 1 ft. dep, raised Mound of Earth 2½ ft high from pits 18×24×12 in dep for 1/4 sec cor

7976 Tie corner to secs. 29, 30 31 and 32
High undulating Bottom
Soil flinty

T. 33 N. R. 34 W.

West on random line
between secs. 30 & 31
Va 14° 25' E.

25.00 Same high bottoms for
upland bears NE & SE

4.00 Set temporary 1/4 sec. cor.

79.76 Intrsc. at West Boundary 11
lks. South of corner to Secs
30 and 31 from which
Corner I bear
S 89° 55' East on true line
between secs 30 & 31
Va 14° 25' E

39.76 Set a chained Red Cedar
post 3 x 3 in. 4 ft, 1 ft. dep
raised mound of Earth 2 1/2
ft. high from pits 18 x
24 & 12 in deep for 1/4
sec cor,

79.76 The corner to secs. 29,
30, 31 and 32
Valley pristnte
Balance Secondrate

T. 33 N. R. 34 W.

North between secs. 29 & 30
Va 14° 25' E

40.00 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft dep
raised mound of Earth
2 1/2 ft. high from pits 18
x 24 x 12 in. deep for
1/4 sec. cor.

80.00 Set a chained Red Cedar
post 4 x 4 in 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft. high from pits
18 x 24 & 12 in. deep
for corner to secs.
19, 20, 29 and 30
Undulating Bottom
Soil first rate

T. 33 N. R. 31 W.

East on random line
between secs. 20 & 29
Va 14° 25' E.

4000 Set temporary 1/4 sec. cor.
79.88 Intersect W. bdy. of Sec.
at the S. 4 corner
to secs. 20, 21, 28 and 29 from
which corner 4 mrs.
West on true line
between secs. 20 & 29
Va 14° 25' E.

3994 Set a charred Red Cedar
post 3x3 in. 4 ft. 1 ft. dug
raised mound of earth
2 1/2 ft. high 3 mrs. pits
18 x 24 x 12 in. deep
for 1/4 sec. cor.
79.88 The corner to secs. 19,
20, 29 and 30.
Land undulating
Soil gravelly

T. 33 N. R. 30 W.

West on random line
between secs. 19 & 30
Va 14° 30' E.

4000 Set temporary 1/4 sec. cor.
79.10 Gordons Trail bears N. E. & W.
79.50 Intersect West Boundary 16 lks
South of corner to secs. 19 & 24,
30 from which corner 3 mrs.
S. 89° 53' East on true line
between secs. 19 & 30
Va 14° 30' E.

3950 Set a charred Red Cedar post
3x3 in. 4 ft. 1 ft. dug, raised
mound of Earth 2 1/2 ft. high
3 mrs. pits 18 x 24 x 12 in.
deep for 1/4 sec. cor.
7950 The corner to secs. 19, 20
29 and 30
Surface Undulating
Soil Gravelly

T. 33 N. R. 36 W.

North between sec. 19 & 20
Va 1 1/4° 30' E.

2550 Gordon's trail bears N 18° W 16.

4000 Set a charred Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft high 3 mm pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

8000 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft. high 3 mm pits 18 x 24 x 12 in. deep for corner to secs. 17, 18, 19 and 20

Surface undulating
Soil fine textured

T. 33 N. R. 36 W.

East on random line between secs 17 & 20
Va 1 1/4° 25' E.

4000 Set temporary 1/4 sec cor.

80.10 Intersect N. & S. line 7 lks South of corner to secs. 16, 17, 20 and 21 from which Juniper bears 8 links

S 89° 57' West on true line between secs 17 and 20
Va 1 1/4° 25' E.

40.05 Set a charred Red Cedar post, 3 x 3 in. 4 ft. 1 ft. dep raised mound of Earth 2 1/2 ft. high 3 mm pits 18 x 24 x 12 in. deep for 1/4 sec cor.

80.10 The corner to secs. 17, 18, 19 and 20

Surface Undulating
Soil fine textured

T 33 N. R 36 W

West on random line
between Secs 18 & 19
Va 14° 25' E

4000 Set temporary 1/4 sec Cor.
79.30 Intersect West boundary
2 lks South of corner
to Secs 18 and 19 from
which corner I run
S 89° 51' East on true
line between Secs 18 & 19
Va 14° 25' E,
39.30 Set a chained Red Cedar
post 3 x 3 in. 4 ft, 1 ft. dug
raised mound of earth
2 1/2 ft. high from pits
18 x 24 x 12 in deep
for 1/4 sec Cor.
79.30 The corner to Secs 17,
18, 19 and 20
Undulating Bottom
Soil Sirstrate

T 33 N Range 36 W

North between Secs 17 & 18
Va 14° 25' E,
28.50 Breaks from river bear E & W.
39.35 Leave Breaks for low Bottom
bears E and W.
4000 Mark an Ash tree 4 in
diam for 1/4 sec Cor. from
which an Ash, 5 in. diam
bears N 45° E. 20 lks. dist.
A Willow 8 in. diam bears
N. 70° W. 18 lks. dist.
49.75 Niobrara River 1 chain
wide runs East
55.00 Leave Bottom for Breaks bear
East and West
8000 Set a chained Red Cedar post
3 x 3 in, 4 ft, 1 ft. dug, raised
mound of earth 2 1/2 ft high
from pits 18 x 24 x 12 in
deep for corner to Secs
7, 8, 17 and 18
Bottom Sirstrate
Breaks Thirdrate
Scattering trees in Breaks
on South side of River

T. 33 N. R. 36 W.

East on random line
between secs 8 and 17
Va 14° 30' E,

40 00 Set temporary 1/4 sec cor
50.00 Leave Breaks and enter
low Bottom bears N & S.
80 34 Intersect N & S line 20 lks
South of corner to secs
8, 9, 16 and 17 from which
corner I run
S 89° 55' W on true line
between secs 8 & 17
Va 14° 30' E,
40 17 Set a hand Red Cedar post
3 x 3 in, 4 ft, 1 ft, deep, raised
mound of earth 2½ ft. high
from pits 18 x 24 x 12 in
deep for 1/4 sec corner to
80 34 corr Secs 7, 8, 17 and 18
Bottom Bistrate
Breaks Third rate

80

T. 33 N. R. 36 W.

West, between secs 7 & 18
on random line
Va 14° 30' E,

8 00 Leave Breaks for gently
rolling Upland bears NE & SW,
40 00 Set temporary 1/4 sec. cor.
79.00 Intersect West boundary 12
lks North of corner to secs
7 and 18 from which corner
I run
N 89° 55' East on ~~true~~ line
between secs 7 and 18
Va 14° 30' E
39 00 Set a hand Red Cedar post
3 x 3 in. 4 ft, 1 ft, deep raised
mound of earth 2½ ft.
high from pits 18 x 24 x
12 in. deep for 1/4 sec. cor,
79 00 The corner to secs. 7, 8
17 and 18
Upland Second rate
Breaks Third rate

T. 33 N. R 36 W.

North between secs 7 & 8
Va 14° 30' E.

2,00 Leave Brush for rolling
Upland bears E & W.

4,00 Set a chained Red Cedar
post 3×3 in 4 ft, 1 ft, deep
raised Mound of Earth
2½ ft. high 3 mm pits
18×24×12 in deep for
1/4 sec cor.

6800 Canon bears S & W.

70,00 Spring branch 15 lks
wide runs East

8,00 Set a chained Red Cedar
post 4×4 in, 4 ft, 1 ft, deep
raised mound of earth
2½ ft. high 3 mm pits
18×24×12 in deep
for Corner to secs.
5, 6, 7 and 8.
Surface Rolling
Soil Third rate

T 33 N. R. 36 W

East on random line
between secs 5 and 8
Va 14° 30' E.

40,00 Set temporary 1/4 sec. Cor.

50,00 Leave Cañon for rolling
Upland bears S & E and West

80,40 Intersect N & S line 72 lks
South of the corner to secs 4, 5
8 and 9 from which corner
a mound

S 89° 51' West on true line
between secs 5 and 8
Va 14° 30' E.

40,20 Set a chained Red Cedar post
3×3 in, 4 ft, 1 ft, deep, raised
mound of earth 2½ ft
high 3 mm pits 18×24
×12 in deep for 1/4
Sec cor.

80,40 The corner to secs 5, 6, 7 and
8

Surface Uneven
Soil Second rate
Some Pine and Cedar
along Canon

T 33 N R 36 W

West on random line
between secs 6 and 7
Va 14°30' E,

3.00 Leave Canon and enter
Upland bears NE & SW,
40.00 Set temporary 1/4 sec Cor,
79.24 Intersect West boundary
10 lks South of corner to secs
6 and 7 from which
corner bears
S 89°56' E, ast on true line
between secs 6 and 7
Va 14°30' E,
39.24 Set a chained Red Cedar
pr 3"x3" in 4 ft. 18 in. deep
raised mound of Earth
2 1/2 ft. high pits
18"x24"x18" in deep for
1/4 sec cor
79.24 The corner to secs 5. 6
7 and 8
Surface Rolling
Soil Flint Slate

T 33 N. R 36 W

North on random line
between secs 5 & 6
Va 14°30' E,

3.00 Leave Canon for Rolling
Upland bears E & W,
40.00 Set temporary 1/4 sec cor,
80.46 Intersect North boundary
35 lks West of the corner
to secs 5 and 6 from which
corner bears
South 15 lks. on true line
between secs 5 & 6
Va 14°30' E —
40.46 Set a chained Red Cedar
pr 3"x3" in, 4 ft, 18 in, deep
raised mound of Earth
2 1/2 ft high pits
18"x24"x12 in deep
for 1/4 sec cor
80.46 The corner to secs
5, 6, 7 and 8,
Surface Rolling
Soil Sandy Third rate
October 31st 1877

S. 33 N R 36 W

General Description

The Niobrara River runs Eastward through the Northern part of this Township, affording Excellent Water power. There is a large amount of good rich land in the Township adapted to Agriculture or grazing and will produce all grains common to the Climate. There is considerable Pine and Cedar timber in the gulches and pockets adjacent to the River. The poorer portions of the land are somewhat sandy The better are

composed of a dark rich sand and clay loam well adapted to the production of grain and Vegetables

This Township will accommodate a large Settlement

We, hereby certify that we assisted Frank M. Crowell Deputy Surveyor in surveying and subdividing Township number thirty three North of the base line of range number thirty — six West of the Sixth Principal Meridian Nebraska, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General; of demeanors / character

Chas Hadsall — Chainman
W. S. Bro — Chainman
D. V. Snowden — Cornerman
Wm J. Thompson — Cornerman
H. R. Bacon — Flagman

Signed in my presence

acknowledged before me
This 15th day of Nov. 1879
A. P. Kendall
Clerk Dist Court
Howard Co Nebr

{ Construction & Marking, and in the manner as specifically described in the foregoing field notes }

I Frank M. Crowell Deputy Surveyor do Solemnly Swear that in pursuance of a joint Contract wherein Nicholas J. Paul & Frank M. Crowell are joint Contractors with John R. Clark United States Surveyor General for the District of Nebraska and Iowa, bearing date July 30th 1877. I have well faithfully & truly in my own proper person & in Strict Conformity with the instructions furnished by the Surveyor General, the Surveying Manual & the laws of the United States, Surveyed all those parts or portions of Township 21° 33 North of Base line, of Range 21° 36 West of the 6th Principal Meridian in Nebraska, as are represented in the foregoing field Notes as having been Surveyed under my direction & I do further Solemnly Swear that all the Corners of said Surveys have been Established and perpetuated in Strict accordance with the Surveying Manual prescribed

instructions & special instructions of the Surveyor General, of dimensions character, construction & mode of working and in the manner as specifically described in the foregoing field notes; and that the foregoing are the true & original field notes of such survey.

Frank M Crowell

Signed in my presence and sworn before me this third day of Dec. AD 1877

A J. Kendall
Clerk Dist Ct

Surveyor Generals Office
Nebraska City Neb Mar 29/78

The foregoing field notes of the Survey & Subdivision of Township No 33 North of the Base Line, of Range No 36 West of the 6th P.M. in Nebraska. Executed by Frank M. Crowell deputy surveyor under Contract No 107 dated July 30th 1877; in the Month of October 1877. having been critically Examined the necessary corrections & explanations made, the said field notes & the surveys they describe are hereby approved

J. W. Pleasants
Surveyor Genal

(A.)

Field Notes

of the

Subdivision lines in Townships No. Thirty four North of the Base line of range number Thirty six West of the 6th Principal Meridian Nebraska, Surveyed by Frank M. Crandell, Deputy Surveyor under joint Contract No. 107 bearing date July 30th 1877 wherein Nicholas J. Paul and Frank M. Crandell are joint Contractors with John R. Clarke United States Surveyor General for the District of Nebraska and Iowa

Survey Commenced November 1st 1877

Survey Completed November 4th 1877

(B)

Names and duties of Assistants

George Haden, Chainman
W. S. Ort Chainman
J. F. Monahan Cornerman
Wm J. Thompson Cornerman
W. R. Bacon Flagman

Township 34 N. R 36 W

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
54		55		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

T. 34 N R 36 W 6th P. M.

To determine the proper adjustment of my Compass for subdividing this Township I begin at the corner to Townships 33 and 34 N Ranges 35 and 36 W, and run North on a blank line along the East boundary of sec. 36 Va 14° 30' E

40 01 To a point 5 lks West of the 1/4 sec. Cor.

8003 To a point 12 lks West of the Corner to secs 25 and 36 To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 14° 25' E.

Subdivision Commenced November 1st 1877

T. 34 N R 36 W

From the corner to secs 1, 2, 35 and 36 on the South boundary of the Township I run
North between secs 35 and 36
Va 14° 25' E,

H000 Set a charred Red Cedar post 3X3 in. 4 ft, 1 ft, dup, raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec cor

59,00 Leave high bottom and enter gently rolling upland bears E-W.

8000 Set a charred Red Cedar post 4X4 in. 4 ft, 1 ft dup raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in dup for corner to secs 25, 26, 35 and 36
Bottom first rate
Balance second rate

T 34 N R 36 W 6th P.M.

East on random line between secs 26 and 36
Va 14° 25' E,

H000 Set temporary 1/4 sec cor
7980 Intersect East Boundary 12 chs North of corner to secs 25 and 36 from which corner
I run
N 89° 55' West on true line between secs. 25 and 36
Va 14° 25' E,

3990 Set a charred Red Cedar post 3X3 in. 4 ft. deep, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

79,80 The corners to secs. 25, 26 35 and 36
Surface gently rolling
West half Second rate
East half First rate

T 34 N R 36 W. 6th P M.

North between secs 25 & 26
Va 114° 25' E,

4000 Set a chained Red cedar post 3×3 in. 4 ft, 1 ft. deep raised mound of Earth 2½ ft high from pits 18×24×12 in. deep for 1/4 Sec cor

8000 Set a chained Red cedar post 4×4 in 4 ft, 1 ft. deep raised mound of earth 2½ ft high from pits 18×24×12 in deep for cor to secs 23, 24 25 and 26
Land gently rolling
Soil Reconnoitered

T 34 N R 36 W. 6th P M.

East on random line between secs 24 and 25
Va 114° 25' E,

4000 Set temporary 1/4 sec cor,

4150 Bear Creek 15 lks. wide runs SE

7992 Intersect East boundary 20 lks South of corner to secs 23 24 and 25 from which corner bears S 89° 57' West on true line between secs 24 & 25
Va 114° 25' E

3996 Set a chained Red Cedar post 3×3 in, 4 ft, 1 ft deep raised mound of earth 2½ ft high from pits 18×24×12 in deep for 1/4 sec cor

7992 The corner to secs 23, 24 25 and 26
Surface Rolling
Soil pistrute

T 34 N. R 36 W 6th P.M.

North between secs 23 and 24

2700 Bearing N 89° 45' E 27 links E.
4000 Set a chained Red Cedar post
3X3 in. 4 ft, 1 ft. deep, raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in.
deep for 1/4 sec. cor.

8000 Set a chained Red Cedar
post 4 x 4 in. 4 ft, 1 ft. deep
raised mound of Earth
2½ ft. high from pits
18 x 24 x 12 in deep for
Corner to ~~sec~~ sections 13
14, 23 and 24
N½ Land gently Rolling
Soil Second rate
South undulating
Soil Just rate

T. 34 N. R 36 W 6th P.M.

East on random line
between Secs. 13 and 24
Va 14° 25' E,

4000 Set temporary 1/4 sec cor
8010 Intersect East Boundary
10 Lks South of corner to secs
13 and 24 from which corner
A ram
S 89° 56' West on true line
between Secs 13 and 24
Va 14° 25' E

4005 Set a chained Red cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of Earth
2½ ft high from pits 18
x 24 x 12 in deep for 1/4
Sec cor

8010 The corners to Secs. 13, 14
23 and 24
Land gently Rolling
Soil Second rate

T 34 N. R 36 W. 6th P.M.

North between secs 13 & 14
Va 14° 25' E

4000 Set a chained Red Cedar post 3x3 in. 4 ft, 1 ft, deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.

8000 Set a chained Red Cedar post 4x4 in. 4 ft, 1 ft. deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for corner to secs 11, 12, 13, and 14
Land gently rolling
Soil Secondrate

T 34 N. R 36 W. 6th P. M.

East on random line between secs 12 & 13
Va 14° 25' E,

4000 Set temporary 1/4 sec cor.
8000 Intersect East Boundary 21 Lks South of corner to secs. 12 and 13 from which corner bears
S 89° 51' West on true line between secs 12 & 13
Va 14° 26' E,

4000 Set a chained Red Cedar post 3x3 in 4 ft, 1 ft deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor,

8000 Thence to secs 11, 12 13 and 14
Land gently rolling
Soil Secondrate

T. 34 N. R 36 W

North between sec. 11 & 12
Va 14° 25' E.

4000 Set a chained Red Cedar
post 3 x 3 in 4 ft. 1 ft. deep
raised mound of Earth
2½ ft high pits
18 x 24 x 12 in deep
for 11 4 sec Cor

8000 Set a chained Red Cedar
post 4 x 4 in 4 ft. 1 ft. deep
raised Mound of Earth
2½ ft high pits
18 x 24 x 12 in deep
for corner to secs
1, 2, 11 and 12
Landgunitty rolling.
Soil Secondrate

T. 34 N. R 36 W. 6th P.M.

East on random line
between sec 1 & 12
Va 14° 25' E

4000 Set temporary 1/4 sec Cor
8016 Intersect East Boundary
at the corner to secs 1 and 12
from which comes down
West on true line
between sec 1 and 12
Va 14° 25' E.

4008 Set a chained Red Cedar
post 3 x 3 in, 4 ft, 1 ft, deep
raised Mound of Earth
2½ ft. high pits
18 x 24 x 12 in deep for
1/4 sec cor.

8016 The corner to secs
1, 2, 11 and 12.
Landgunitty rolling
Soil Secondrate

T 34 N R 36 W 6th P.M.

North on random line
between Secs 10 &
Va 14° 25' E

17.00 Set Temporary 1/4 Sec. Cor.
80.42 Intersect North Boundary
14 Lks West of Corner to
Secs. 1 and 2 from which
Corner Bears
South 6' W. on true line
between Secs 1 and 2
Va 14° 25' E

40.42 Set a chamfered Red Cedar
post 3 x 3 in 4 ft, 1 ft. deep
raised mound of
Earth 2 1/2 ft high
from pits 18 x 24 x
12 in deep for 1/4 Sec
Cor.

80.42 The corner to Secs 1, 2
11 and 12
Land gently rolling
Soil Cenbrate

T 34 N R 36 W 6th P.M.

North between Secs 34 & 35
Va 14° 25' E

3.00 Leave Cropland and enter valley
and bears E and N.

40.00 Set a chamfered Red Cedar post
3 x 3 in 4 ft, 1 ft. deep raised
mound of Earth 2 1/2 ft. high
from pits 18 x 24 x 12 in deep
for 1/4 Sec Cor.

45.00 Leave Valley and enter
Upland bears E & N.

80.00 Set a chamfered Red Cedar
post 4 x 4 in. 4 ft. 1 ft. deep
for corner to Secs
26, 27, 34 and 35
Valley fine sandy
Upland Secondary

T 34 N R 36 W. 6th P.M.

East on random line
between Secs 26 & 35
Va 14° 30' E

1/8 4000 Set temporary 1/4 sec cor
7986 Intersect N & S line 17 lks
North of corner to Secs 25
26, 35 and 36 from
which corner a pine
N 89° 53' West on true line
between Secs 26 & 35
Va 14° 30' E.

4 3993 Set a charred Red Cedar
post 3 x 3 in 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
1/4 sec. cor.

8 7986 The corner to Secs
26, 27, 34 and 35
Land gently rolling
Soil Secondate

T 34 N. R 36 W 6th P.M.

North between Secs. 26 & 27
Va 14° 30' E

4000 Set a charred Red Cedar
post 3 x 3 in 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for 1/4
sec cor

8000 Set a charred Red Cedar
post 4 x 4 in 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
corner to Secs 22, 23,
26 and 27
South half gently rolling
Soil Secondate
North half nearly level
Soil Tirodate

T 34 N R 36 W. 6th P.M.

East on random line
between Secs 23 & 26
Va 14° 30' E

11/8 40.00 Set temporary 1/4 sec Cor.
7.90 Intersect No 6 line 7 lks.
North of the corner to Secs
23, 24, 25 and 26 from which
corner a pine
N 89° 57' West on true line
between Secs. 23 & 26
Va 14° 30' E.

4 39.95 Set a chained Red Cedar
post 3 x 3 ins 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 18 ins deep for
1/4 Sec Cor

8 79.90 The corner to Secs 22, 23
26 and 27
Land gently rolling
Soil Secondrate

T 34 N. R 34 W. 6 th P.M.

North between Secs 22 & 23
Va 14° 30' E

40.00 Set a chained Red Cedar
post 3 x 3 ins 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits
18 x 24 x 18 ins deep for
1/4 Sec Cor

72.00 Leave upland and enter
Bottom bears N 10° E
80.00 Set a chained Red Cedar post
4 x 4 ins. 4 ft. 1 ft. deep, raised
mound of Earth 2 1/2 ft.
high from pits 8 x 24
x 24 ins deep for corner
to Secs 15, 14, 15, 22 and 23
Set 72.00 ch's undulating
last 8.00 level Bottom
Soil, alluvial first rate
November 1st 1877

T 34 N R 36 W. 6th P.M.

East on random line
between Secs. 14 & 23
Va 14° 30' E.

1.10 Bear creek 15 Lks wide runs S. E.

13.00 Leave bottom for gently rolling upland bears N. & E.

40.00 Set temporary 1/4 Sec cor

79.92 Intersect N. & S. line 4 Lks North of corner to Secs 13, 14, 23 and 24 from which corner I run
N 89° 58' West on true line
between Secs 14 & 23
Va 14° 30' E.

39.96 Set a charred Red Cedar post 3 x 3 in. 4 ft. 1 ft. dug raised mound of Earth 2½ ft. high pits 18 x 24 x 12 in. deep for 1/4 Sec cor

79.92 The corner to Secs. 14, 15, 22 and 23
Ballow Geo Stub
Balance recorded

T 34 N R 36 W. 6th P.M.

North between Secs. 14 & 15
Va 14° 30' E.

8.60 Bear creek 10 Lks wide runs S. E.

9.40 Bear creek 10 Lks wide runs S. W.

40.00 Set a charred Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high pits 18 x 24 x 12 in. deep for 1/4 Sec cor

57.10 Bear creek 10 Lks wide runs S. E.

8.00 Upon Bottom on upland bears N. & E.

80.00 Set a charred Red Cedar post 4 x 4 in. 4 ft. 1 ft. dug raised mound of Earth 2½ ft. high pits 18 x 24 x 12 in. deep for corner to Secs. 10, 11, 14 and 15
Ballow good for stub
Upland Recorded

T 34 N R 36 W 6th P.M.

East on random line
between Secs 11 & 14
Va 14° 30' E,

4000 Set temporary 1/4 Sec Cor
8008 Intersect N & S line 4
Chs South of cor to
secs 11, 12, 13 and 14 from
which Corner I Juni
S 89° 58' West true line
between secs 11 & 14
Va 14° 30' E,

4004 Set a charred Red Cedar
post 3 x 3 in 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high pm pits 18
x 24 x 12 in deep for
1/4 Sec Cor

8008 The corner to Secs 10, 11, 14
and 15
Land gently rolling
Soil Reconnoitered

T 34 N R 36 W 6th P.M.

North between secs 10 & 11
Va 14° 30' E,

4000 Set a charred Red Cedar
post 3 x 3 in 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high pm pits
18 x 24 x 12 in deep for
1/4 Sec Cor

8000 Set a charred Red Cedar
post 4 x 4 in 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high pm pits
18 x 24 x 12 in deep
for corner to Secs 2, 3
10 and 11
Land Rolling
Soil Reconnoitered

T 34 N R 36 W.

East on random line
between Secs. 2 & 11
Va 114° 30' E.

4000 Set temporary Witness Cor
8012 Intersect N & S line 18
lks. South of corner to Secs
1, 2, 11 and 12 from which
corner I run
S 89° 52' West on true line
between Secs 2 and 11
Va 114° 30' E.

4006 Set a stake and Red Cedar
post 3 x 3 in 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits 18
x 12 x 12 lks deep for
114 sec cor

8012 The corner to Secs 2, 3
10 and 11
Land gently rolling
Soil Second rate

T 34 N R 36 W. 6th P.M.

North on random line
between Secs. 2 & 3
Va 114° 30' E.

4000 Set a temporary Witness Cor.
8036 Intersect North Boundary
32 lks West of corner to
Secs. 2 & 3 from which Corner
I run
South 1/4 W. on true line
between Secs. 2 & 3
Va 114° 30' E.

4036 Set a stake and Red Cedar
post 3 x 3 in 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits
18 x 12 x 12 lks deep for
1/4 Sec cor

8036 The corner to Secs. 2, 3,
10 and 11
Land gently rolling
Soil Second rate

T 34 N. R 36 W

North between Secs. 33 & 34
Va 14° 30' E.

7.00 Leave N plain and enter valley
bears N & E

4000 Set a chained Red Cedar
post 3x3 in 4 ft, 1 ft dep
raised mound of earth
2½ ft. high from pits 18
x 24 x 12 in dep for 1/4
Sec cor.

7800 Leave valley and enter
Uplands Bears S & W.

8000 Set a chained Red Cedar
post 4x4 in 4 ft, 1 ft dep
raised Mound of earth
2½ ft high from pits 18x
24 x 12 in Dep for corner
to secs. 27, 28, 33 and 34
Valley first rate
Upland second rate

T 34 N. R 36 W

East on random line
between Secs. 27 & 34
Va 14° 30' E.

4000 Set temporary 1/4 Sec cor

8006 Intersect N & S line 11.16 chs
South of corner to Secs 26,
27, 34 and 35 from which
corner I run
S 89° 55' West on True line
between Secs 27 & 34
Va 14° 30' E.

40.03 Set a chained Red Cedar
post 3x3 in 4 ft, 1 ft. dep
raised mound of earth 2½
ft high from pits 18 x 24
x 12 in dep for 1/4 Sec cor.

8006 The corner to Secs. 27
28, 33 and 34
Land gently rolling
Soil second rate

T 34 N R 36 W

North between secs 27 & 28
Va = 14° 30' E.

40.00 Set a chained Red Cedar post 3×3 in 4 ft, 1 ft. dep raised mound of Earth 2½ ft high Pour pits 18×24×12 in. dep for 1/4 sec cor.

67.00 Leave Upland and enter Valley bears E & W.

80.00 Set a chained Red Cedar post 4×4 in, 4 ft, 1 ft. dep raised mound of earth 2½ ft high Pour pits 18×24×12 in. dep for corner to secs 21, 22, 27 and 28
Valley first rate
Upland second rate

T 34 N R 36 W.

East on random line between secs. 22 & 27
Va = 14° 30' E.

40.00 ~~Set a chained Red Cedar post 3×3 in 4 ft, 1 ft. dep raised mound of Earth 2½ ft. high Pour pits 18×24×12 in. dep for 1/4 sec cor.~~ Temporary 1/4 sec cor

70.00 Leave valley and enter Upland bears N & W

80.12 Instruct No. line 18 Ks South of corner to secs 22, 23, 26 and 27 from which corner I run
S 89° 52' West on true line between secs 22 & 27
Va = 14° 30' E.

40.06 Set a chained Red Cedar post 3×3 in 4 ft, 1 ft. dep, raised Mound of Earth 2½ ft high Pour pits 18×24×12 in dep for 1/4 sec cor

80.12 The cor to secs. 21, 22, 27 & 28
Valley 1st, Upland 2nd rate

T 34 N. R 36 W

North Between secs 21 and 22
Va = 14°30' E.

4 0 0 Leave valley and enter
upland bears N E & SW.
4 0 0 0 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft, dep
raised mound of earth
2½ ft high from pits 18
+ 24 x 8 in deep for 1/4
sec cor,
8 0 0 0 Set a chained Red Cedar
post 4 x 4 in 4 ft, 1 ft. dep
raised mound of Earth
2½ ft. high from pits
18 + 24 x 12 ins deep for
corner to secs. 15, 16,
21 and 22
Valley first rate
Upland second rate

T 34 N. R 36 W

East on random line
between Secs, 15 & 22
Va = 14°30' E.

2 8 0 0 Leave upland and enter
valley bears NW & SE.
4 0 0 0 Set a temporary 1/4 sec. cor,
5 2 0 0 Leave valley for upland bears NW & SE
7 7 0 0 Leave upland for bottom bears NW & SE
8 0 2 0 Intersect N & S line 1/4 Ks
North of corner to secs, 14, 15
22 and 23 from which
corner bears
N 89° 54' West on true line
between Secs, 15 & 22
Va = 14°30' E
4 0 1 0 Set a chained Red Cedar post
3 x 3 in, 4 ft, 1 ft, dep raised
Mound of earth 2½ ft
high from pits 18 x 24
x 12 in deep for 1/4 sec cor,
8 0 2 0 The corner to Secs 15, 16
21 and 22
Valley first rate
Upland second rate

T. 34 N. R 36 W

North between secs 15 & 16
Va 14° 30' E.

17,00 Leave Uplund and enter Valley bears W. and SE

4000 Set a chained Red Cedar post 3 x 3 in 4 ft, 1 ft, dep raised Mound of Earth 2½ ft high from pits 18 x 24 x 9 in deep for 1/4 Sec cor,

5600 Leave Valley and enter Uplund bears S E and NE,

8000 Set a chained Red Cedar post 4 x 4 in 4 ft, 1 ft, dep raised mound of Earth 2½ ft high from pits 18 x 24 x 9 in deep for Corner to secs. 9, 10, 15 and 16 Valley Pro strate Uplund Secondrate

T 34 N. R 36 W. 6th P. M.

East on random line between Secs, 10 & 15
Va 14° 30' E

900 Leave Uplund and enter Valley bears NW and SE,

4000 Set temprary 1/4 Sec cor,

5300 Ford creek 10 Ks wide runs SE,

7200 Leave bottom for Uplund bears NE or SE

8010 Intersect N & S line 4 Ks South of corner to secs, 10, 11, 14 and 15 from which Corner I mon
38° 58' West on true line between secs 10 & 15
Va 14° 30' E,

4005 Set a chained Red Cedar post 3 x 3 in 4 ft 1 ft dep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 9 in deep for 1/4 Sec cor

8010 The corner to secs 9, 10 15 and 16 Ballon Pro strate Uplund Secondrate

T 34 N. R 36 W 6th P.M.

	North between secs 9 & 10 Va 14°30' E.
27.00	Leave upland and enter valley bears N & S E
35.10	Bear creek 15 Links wide runs S E.
40.00	Set a chained Red Cedar post 3×3 in. 4 ft, 1 ft, dep raised mound of Earth 2½ ft high from pits 18 × 24 × 12 in deep for 1/4 Sec cor
80.00	Set a chained Red Cedar post 4×4 in, 4 ft, 1 ft, dep raised mound of Earth 2½ ft high from pits 18 × 24 × 12 in. dep for corner to secs 3, 4, 9 & 10 Upland Secondrate Bottom first rate November 2nd 1877

T 34 N. R 36 W. 6th P.M.

	East on random line between Secs. 3 and 10 Va 14°30' E
30.00	Leave bottom for upland bears N E and S E
40.00	Set temporary 1/4 Sec. cor.
79.90	Intersect N & S line 10 Lks North of corner to secs 2, 3, 10 and 11 from which corner B T runs N 89°56' West on true line between secs 3 and 10 Va 14°30' E.
39.95	Set a chained Red Cedar post 3×3 in, 4 ft, 1 ft, dep raised mound of Earth 2½ ft. high from pits 18 × 24 × 12 in. dep for 1/4 Sec cor
79.90	The corner to secs. 3, 4 9 and 10 Upland Rolling Secondrate Bottom dark Loam Soil first rate

L 34 N. R 36 W 6th P.M.

North on random line
between secs 3 and 4
Va 114°30' E.

40 00 Set temporary 1/4 sec Cor.
80 26 Intersect North Boundary
14 lks West of corner to secs
3 and 4 from which corner
I recy
South 6' W. on true line
between secs. 3 & 4
Va 114°30' E.
40 26 Set a chained Red Cedar
post 3 x 3 in. 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft. high from pits 18
x 24 x 12 in. dep for 1/4
sec Cor
80 26 The Corner to secs 3, 4
9 and 10
Undulating valley -
Marshy in places
Aged Underlaid with
Peat of good quality
Soil first rate loam

E 34 N. R 36 W. 6th P.M.

North between secs. 32 & 33
Va 114°30' E.

40 00 Set a chained Red Cedar post
3 x 3 in. 4 ft, 1 ft. dep, raised
mound of Earth 2 1/2 ft high
from pits 18 x 24 x 12 in dep
for 1/4 sec Cor.
80 00 Set a chained Red Cedar
post 4 x 4 in 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft. high from pits
18 x 24 x 12 in dep for
Corner to secs. 28, 29,
32 and 33.
Land gently rolling
Soil Second rate

T 34 N. R 34 W 6th P.M.

East on random line
between Secs. 28 & 33
Va = 14° 30' E.

40.00 Set temporary 1/4 sec Cor.

79.90 Intersect N & S line 21.46
South of the corner to secs
27, 28, 33 and 34 from which
corner I run
S 89° 51' West on true line
between secs 28 & 33
Va = 14° 30' E.

39.95 Set a chand Red Cedar
post 3 x 3 in 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 & 12 in deep for
1/4 sec cor

79.90 The corners to secs
28, 29, 32 and 33
Land gently rolling
Soil Descriptive
Sandy loam

T 34 N R 34 W 6th P.M.

North between secs. 28 & 29
Va = 14° 30' E.

40.00 Set a chamd Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep, raised
mound of Earth 2 1/2 ft high
from pits 18 x 24 x 12 in
deep for 1/4 sec cor

80.00 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft. dep, raised
Mound of Earth 2 1/2 ft
high from pits 18 x 24 x
12 in deep for corner
to secs. 20, 21, 28 and 29
Land gently Rolling
Soil Secondrate

T. 34 N R 36 W 6th P.M.

East on random line
between secs 21 & 28
Va 14° 30' E.

9.00 Leave undulating Valley
bears N E & S E

4000 Set temporary 1/4 sec cor

7984 Intersect N & S line 26
lks South of corner to secs
21, 22, 27 & 28 from which
Corner I Run
S 89° 24' West on true line
between secs 21 & 28
Va 14° 30' E.

3992 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep, raised
mound of Earth 2 1/2 ft
high from pits 18 x 24 x
12 in. deep for 1/4 sec
corner

7984 The corner to secs. 20, 21
28 and 29.
Valley first rate
upland second rate
All Sandy loam

T. 34 N R 36 W 6th P.M.

North between secs 20 & 21
Va 14° 30' E—

4000 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep raised
mound of Earth 2 1/2 ft.
high from pits 18 x 24 x
12 in. deep for 1/4 sec cor

8000 Set a charred Red Cedar
post 4 x 4 in. 4 ft. 1 ft. dep
raised mound of Earth
2 1/2 ft. high from pits
18 x 24 x 12 in deep for
Corner to secs. 16, 17,
20 and 21
Land gently rolling
Soil, Sandy loam
Second rate

T. 34 N. R 36 W 6th P.M.

East on random line
between secs 16 & 21
Va 14° 30' E.

40.00 Set temporary 1/4 sec cor
80.06 Intersect 91° C. line 10 lk.
North of corner to secs 15
16, 21 and 22 from which
Corner I bear
N 89° 56' West on true line
between secs. 16 and 21
Va 14° 30' E.

40.03 Set a chan'd Red Cedar
post 3 x 3 in 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in dep
for ~~corner to secs~~
1/4 sec cor

80.06 The corner to secs 16, 17
20 and 21
Land gently rolling
Soil Second rate

T. 34 N. R 36 W 6th P.M.

North between secs. 16 & 17
Va 14° 30' E

17.00 Leave Upland and enter
Valley bears E and S
40.00 Set a chan'd Red Cedar
post 3 x 3 in. 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in. dep for 1/4
sec cor

69.00 Leave Valley and Enter
Upland bears E & W
80.03 Set a chan'd Red Cedar
post 4 x 4 in. 4 ft, 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in dep
for Corner to secs 8
9, 16 and 17
Valley Dark Sandy loam
Soil Pine trees
Upland second rate

T 34 N. R 36 W

East on random line
between secs. 9 & 16
Va 1 1/4 0 30' E.

40.00 Set temporary 1/4 sec Cor.
79.96 Intersect N & S line at
corner to secs 9, 10, 15 & 16 pass
which corner T run
West on true line
between secs 9 and 16
Va 14' 30' E.

39.98 Set a charred Red Cedar
post 3x3 in. 4 ft. 1 ft. dug
raised mound of Earth
2 1/2 ft high four pits
18 x 24 x 12 in deep for
1/4 sec cor.

79.96 The corner to secs 8, 9
16 and 17
Upland Rolling Sandy
ridge Soil 2nd Rate

T. 34 N R 34 W 6th PM

North between secs. 8 and 9
Va 1 1/4 0 30' E.

40.00 Set a charred Red Cedar post
3x3 in. 4 ft 1 ft. deep raised
mound of Earth 2 1/2 ft
high four pits 18 x 24
x 12 in deep for 1/4 sec
Cor

48.00 Leave ~~Bottom~~ Upland and enter
Bottom bears E & W

52.00 Beg. creek 5 Ek wide runs S E.

75.00 Leave Bottom and enter
Upland bears E & W.

80.00 Set a charred Red Cedar
post 4x4 in. 4 ft. 1 ft. dug
raised mound of Earth
2 1/2 ft high four pits
18 x 24 x 12 in deep for
corner to secs. 4, 5, 8
and 9
Upland Rolling Soil
Sandy loam Secondate
Bottom Rich dark
loame Soil 1st rate

T. 34 N. R 36 W 6th P.M.

East on random line
between secs 4 and 9
Va 14° 30' E.

32.00 Leave upland and enter Valley
bears N E & S W
4000 Set temporary 1/4 sec cor.
8012 Intersect N & S line 20 lks.
South of corner to secs.
3, 4, said 10 from which
corner I ring
S 89° 51' West on true line
between secs 4 and 9
Va 14° 30' E.
4006 Set a charred Red Cedar
post 3 x 3 in 4 ft, 1 ft deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
1/4 sec cor.
8012 The corners to secs 4
5, 8 and 9
Valley first rate dark
sandy loam
Upland second rate

T. 34 N. R 36 W 6th P.M.

North on random line
between secs 4 & 5
Va 14° 30' E.

4000 Set temporary 1/4 sec cor
77.00 Enter Ded Slough bed of Lake
bears N E & N W
8016 Intersect North boundary
10 lks West of corner to secs
4 and 5 from which corner
I ring
South 4' W. on true line
between secs 4 & 5
Va 14° 30' E.
4016 Set a charred Red Cedar
post 3 x 3 in, 4 ft, 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
1/4 sec cor
8016 The corners to secs. 4, 5, 8 & 9
Land gently rolling
Soil Second rate, light
Sandy loam
November 3d 1877

T. 34 N R 36 W 6th P.M.

North between Secs 31 & 32
Va = 14° 30' E.

4000 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep raised
mound of earth 2½ ft high
from pits 18 x 24 x 12 in
deep for 1/4 sec cor.

8000 Set a charred Red Cedar post
4 x 4 in. 4 ft. 1 ft dep raised
mound of Earth 2½ ft
high from pits 18 x 24 x 12
in dep for corner to
Secs 29, 30, 31 & 32

Land gently rolling
Soil Second rate
Sandy loam

T. 34 N R 36 W 6th P.M.

East on random line
between Secs 29 & 32
Va = 14° 30' E.

4000 Set a ~~charred Red Cedar~~
~~post 3 x 3 in. 4 ft. 1 ft. dep~~
~~raised mound of earth~~
~~2½ ft. high from pits~~
~~18 x 24 x 12 in. deep~~
temporary 1/4 sec. cor.

8074 Intersect N & S line 14 Chs
North of corner to Secs 28,
29, 32 and 33 from which
corner I run
N 89° 54' West on true line
between Secs 29 and 32
Va = 14° 30' E.

4012 Set a charred Red Cedar post
3 x 3 in. 4 ft. 1 ft. dep raised
mound of Earth 2½ ft. high
from pits 18 x 24 x 12 in
deep for 1/4 sec cor

8024 The corner to Secs 29, 30
31 and 32
Land gently rolling
Soil Sandy Second rate

T 34 N. R 36 W. 6th P.M.

Weston random line
between Secs 30 & 31
Va 14° 30' E.

4000 At temporary 1/4 sec. Cor.
78.88 Intersect West boundary 17
Lks. South of corner to Secs.
30 and 31 from which corner
8 Dun
S 89° 53' East on true line
between secs. 30 & 31
Va 14° 30' E.
38.88 Set a chained Red Cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits 18 x
2 ft x 12 in deep for 1/4
sec cor
78.88 The corner to Secs 29, 30
31 and 32
Surface Undulating
Soil rich Sandy loam
Pinnate

Z 34 N. R 36 W. 6th P.M.

North between Secs. 29 & 30
Va 14° 30' E.

4000 Set a chained Red Cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits 18
x 2 ft x 12 in. deep for 1/4
Sec cor.
8000 Set a chained Red Cedar
post 4 x 4 in. 4 ft 1 ft. deep
raised mound of earth
2 1/2 ft high from pits 18 x
2 ft x 12 in deep for corner
to Secs. 19, 20, 29 and 30
Surface gently rolling
Soil Reconnaissance
Sandy loam

T 34 N R 36 W 6th P.M.

East on random line
between secs. 20 & 29
Va 14° 30' E.

4000 Set temprary 1/4 sec cor.
8018 Intersect N & S. line 10 lks
North of corner to secs 20,
21, 28 and 29 from which
corner B bears
N 89° 56' West on true line
between secs 20 & 29
Va 14° 30' E.
4009 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft, dep
raised mound of Earth
2 1/2 ft, high from pits
18 x 24 x 12 in dep for
1/4 sec cor
8018 The corner to secs. 19, 20
29 and 30
Land gently Rolling
Soil good Sandy
Loam Secondrate

T 34 N. R 36 W. 6th P.M.

West on random line
between secs. 19 & 30
Va 14° 30' E.

4000 Set temporary 1/4 sec cor.
79.22 Intersect West boundary
14 lks South of corner to
secs. 19 and 30 from which
Corner B bears
S 89° 54' East on true line
between secs 19 & 30
Va 14° 30' E.
39.22 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft, dep
raised mound of Earth
2 1/2 ft, high from pits 18
x 24 x 12 in dep for 1/4
sec cor.
79.22 The Corner to secs. 19, 20
29 and 30
Land Rolling
Soil Secondrate

T 34 S R 36 W. 6th P.M.

North between Secs. 19 & 20
Va 14° 30' E,

40.00 Set a charred Red Cedar post 3x3 in x 4 ft. 1 ft deep raised mound of Earth 2½ ft high 3 pits 18 x 2 ft x 12 in deep for 1/4 Sec cor.

67.00 Leave Upland and enter Valley Runs N E & S W.

80.00 Set a charred Red Cedar post 4x4 in x 4 ft. 1 ft. deep raised mound of Earth 2½ ft high 3 pits 18 x 2 ft x 12 in deep for corner to Secs. 17, 18, 19 and 20

Valley Finestrate
Dark Sandy loam
Upland Leon drate
Sandy loam

T 34 S R 36 W. 6th P.M.

East on random line
between Secs. 17 & 20
Va 14° 30' E.

8.00 Leave valley and enter Upland bears NE & SW

40.00 Set temporary 1/4 Sec cor.

79.86 Intersect W & S line 21 Lks North of corner to Secs. 16 17, 20 and 21 from which Corner B Iron N 89° 57' W Set on true line between Secs. 17 & 20 Va 14° 30' E.

39.93 Set a charred Red Cedar post 3x3 in x 4 ft. 1 ft. deep raised mound of Earth 2½ ft high 3 pits 18 x 2 ft x 12 in deep for 1/4 Sec cor

79.86 The corner to Secs. 17, 18 19 and 20

Valley Finestrate
Upland Leon drate
Sandy loam

T 34 N R 36 W 6th P.M.

West on random line
between secs 18 & 19
Va 14° 30' E,

4 3450 Leave valley and enter
8 Upland bears N & S.

40 00 Set temporary 1/4 sec cor.

79.50 Intersect W&S Boundary
4 lks. South of corner to
secs. 18 and 19 from which
Corner B. Elm
S 89° 58' East one link

Return secs 18 & 19
Va 14° 30' E.

4 39.50 Set a charred Red Cedar
post 3 x 3 in. 4 ft. 1 ft. dep
raised mound of Earth
2 1/2 ft. high from pits 18
x 24 x 12 in. deep for 1/4
Sec cor

80 79.50 The corner to secs 17,
18, 19 and 20
Valley finishes
Upland Secondrate
Sandy loam

T 34 N R 36 W 6th P.M.

North between secs. 17 & 18
Va 14° 30' E

40 00 Set a charred Red Cedar
post 3 x 3 in 4 ft. 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in. deep for 1/4
Sec cor

41.00 Leave valley for Upland
bears N E & S W

80 00 Set a charred Red Cedar
post 4 x 4 in. 4 ft. 1 ft. dep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
corner to secs. 7, 8, 17
and 18

Valley dark sandy
loam, soil finishes
Upland Secondrate

T. 34 N. R. 36 W. 6th P.M.

East on random line
between secs. 8 & 17
Va 14° 30' E.

4000 Set temporary 1/4 sec cor.

8020 Intersect N. & S. line 18 chs. South of corner to secs 8, 9, 16 and 17 from which corner I azm S 89° 52' West on true line between secs 8 and 17 Va 14° 30' E.

4 4010 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. dup raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.

8 8020 The corners to secs 7, 8, 17 and 18
Surface rolling
Soil Sandy Thirdrate

T. 34 N. R. 36 W.

West on random line
between secs. 7 and 18
Va 14° 30' E.

4000 Set temporary 1/4 sec Cor.

79.90 Intersect West Boundary 40 lks. South of corner to secs 7 and 18 from which corner I azm S 89° 43' East on true line between secs 7 & 18 Va 14° 30' E.

39.90 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. dup raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.

79.90 The corners to secs 7, 8, 17 and 18
Land gently Rolling
Soil Second rate

T. 34 N. R. 36 W.

North between Secs. 7 & 8
Va 14°30' E.

40.00 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18 x 2½ x 12 in deep for 1/4 sec. cor.

48.00 Leave upland and enter valley Bears E and W.

55.50 Bear creek 12 lks wide runs East.

67.00 Leave valley and enter upland bears E & W.

80.00 Set a chained Red Cedar post 4 x 4 in 4 ft 1 ft. deep raised mound of Earth 2½ ft. high from pits 18 x 2½ x 12 in deep for corner to secs 5, 6, 7 & 8
Valley first rate
Upland second rate

T. 34 N. R. 36 W.

East on random line between Secs 5 & 8
Va 14°30' E

40.00 Set temporary 1/4 sec cor.

80.12 Intersect N. & S. line 4 lks. South of corner to secs 4, 5, 8 and 9 from which Corner I bear S 89°58' West on true line between secs 5 and 8
Va 14°30' E

40.06 Set a chained Red Cedar post 3 x 3 in. 4 ft. 1 ft. deep raised mound of earth 2½ ft high from pits 18 x 2½ x 12 in. deep for 1/4 sec cor

80.12 The corner to secs. 5, 6, 7 and 8
Land gently rolling
Soil second rate

T 34 N. R 36 W

West on random line
between Secs 6 & 7
Va 14° 30' E.

40.00 Set Temporary 1/4 sec cor.
80.40 Intersect W. St Boundary
12 lks North of corner to
secs 6 and 7 from which
corner a Pine
N 89° 55' East on true line
between secs 6 & 7
Va 14° 30' E

40.40 Set a chamfered Red Cedar
post 3 x 3 in 4 ft. 1 ft. dug
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for 1/4
sec cor

80.40 The corners to secs
5, 6, 7 and 8
Land gently rolling
Soil Sandy loam
Second rate

T 34 N. R 36 W. 6th P.M.

North on random line
between secs 5 & 6
Va 14° 30' E.

35.00 Leave Upland and enter
valley bears N E & S W
40.00 Set Temporary 1/4 sec cor.
62.00 Leave Valley and enter
Upland bears N E & West
80.28 Intersect North boundary
14 lks East of corner to
secs 5 & 6 from which
corner a Pine
South 6' E, on true line
between secs 5 & 6
Va 14° 30' E

40.28 Set a chamfered Red Cedar
post 8 x 3 in 4 ft. 1 ft. dug
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep for
1/4 sec cor

80.28 The corners to secs. 5, 6, 7 & 8
Valley First rate
Upland Second rate
November 4th 1877

See General Description

We hereby certify that we assisted Frank M. Crowell Deputy Surveyor in Surveying and subdividing Township number thirty four North of the base line of range number thirty six West of the Sixth Principal Meridian Nebraska and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General; of Dimensions, Character, Construction and Marking & in the manner as specifically described in the foregoing field notes

George Hadden Chainman
W. J. Orr Chainman
D. F. Monahon Cornerman
Wm. J. Thompson Cornerman
H. R. Bacon Flagman

Signed in my presence and sworn to before me this 15th day of Nov 1877

A. H. Kendall
Clerk Dist Ct
Howard Co Nebr

I Frank M. Crowell Deputy Surveyor do Solemnly Swear that in pursuance of a print Contract wherein Nicholas J. Paul & Frank M. Crowell are joint Contractors with John R. Clark United States Surveyor General for the District of Nebraska & Iowa. bearing date July 30th 1877 I have well, faithfully & truly, in my own proper person & in Strict Conformity with the instructions furnished by the Surveyor General, the Surveying Manual & the laws of the United States, Surveyed all those parts or portions of Township No 34 North of the Base line, of Range No 36 West of the 6th Principal Meridian in Nebraska, as represented in the foregoing field notes as having been Surveyed under my direction, & do further Solemnly Swear that all the Corners of said Surveys have been Established & perpetuated in strict accordance with the Surveying

Manual printed instructions & special instructions of the Surveyor General, of dimensions, character, Construction & Marking & in the manner as specifically described in the foregoing field Notes & that the foregoing are the true & original field Notes of such Survey.

Frank M Crowell

Signed in my presence and sworn before me this 3rd day of Dec. AD 1877

Aly Kendall
Clerk Dist Court

Surveyor Genal's Office
Plattsmouth Neb. Mar 29th/78

The foregoing field Notes of the Survey and Subdivision of Township No 34 North of Base Line, of Range No 36 West of the 6th P.M. in Nebraska Executed by Frank M. Crowell Deputy Surveyor under joint Contract No 107 dated July 30th 1877, in the Months of November 1877, having been Critically Examined, the necessary corrections & Explanations made, the said field Notes and the Surveys they describe are hereby approved.

Jno. C. Clark
Surveyor Genal

T. 34 N R 36 W

General Discription

This Township is composed of alternate ridges or valleys and plateaus of gently rolling upland. The valleys and Bottom lands are composed of a dark rich sandy loam well adapted to grain culture and almost all productions adapted to the latitude of the place. The uplands are generally a lighter sandy soil with places containing a clayey subsoil producing a good growth of nutritious grasses suitable for grazing purposes

Field Notes

of the

subdivision lines in fractional Township Number thirty-five North of the Base line & range number thirty-six West of the 6th Principal Meridian Nebraska, surveyed by Frank M. Cromwell, deputy Surveyor under joint Contract No. 107, Commencing date July 30th 1877 wherein Nicholas J. Paul and Frank M. Cromwell are joint Contractors with John R. Clarke United States Surveyor General for the District of Nebraska and Iowa

Survey Commenced November 5th 1877

Survey Completed November 6th 1877

(B)

Names and duties of Assistants

George Haden Chainman
W. S. Orr Chainman
J. F. Monahan Cornerman
Wm. Thompson Cornerman
W. R. Bacon Flagman

T. 35 N. R 36 W. 6th P. M.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19 30	20 29	21 28	22 27	23 26	24 25
30 27	29 31	28 32	27 33	26 34	25 35
31 24	32 19	33 14	34 9	35 4	36

T. 35 N R 36 W 6th P M

To determine the proper adjustment of my Compass for subdividing this Township I begin at the Corner to Township 34 and 35 N Ranges 35 and 36 West and run North on a blank line along the East boundary of sec. 36

W 14° 30' 6

39.96 To a point 4 lks West of the 1/4 sec cor

79.95 To a point 7 lks West of the Corner to Secs. 25 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 14½ 30' E

Subdivision Commenced November 5th 1877

T. 35 N R 36 W 6th P.M.

From the corner to Secs 12, 35 and 36 on the South boundary of the Township I run North between Secs. 35 and 36 Va 14° 30' E,

14000	Set a chained Red Cedar pst 3X3 in 4 ft, 1 ft deep raised mound of Earth 2½ ft. high 3 pits 18x 3 1/4 x 12 in deep for 1/4 Sec Cor
8000	Set a chained Red Cedar pst 4X4 in. 4 ft, 1 ft, deep raised mound of Earth 2½ ft high 3 pits 18 x 3 1/4 x 12 in deep for Corner to Secs 25, 26 35 and 36 Surface Rolling Soil Secondrate

T 35 N. R 36 W 6th P.M.

East on random line between Secs. 25 and 36 Va 14° 30' E,

4000	Set temporary Witness Cor,
4200	Leave Upland and enter Valley Bears N & E,
6900	Leave valley and enter Upland bears NW & E,
7988	Intersect 14 Lks North of Corner to Secs 25 and 36 from which Corner I run N 89½ E West on true line between Secs 25 & 36 Va 14° 30' E,
39924	Set a chained Red Cedar post 3X3 in, 4 ft, 1 ft deep raised mound of Earth 2½ ft high 3 pits 18 x 3 1/4 x 12 in deep for 1/4 Sec Cor.
7988	The corner to Secs. 25, 26, 35 and 36 Upland Secondrate Valley Firstrate

T 35 N. R 36 W 6th PM

North between secs 25 & 26
Va 114° 30' E

4000 Set a chained Red Cedar post 3x3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in. deep for 1/4 sec cor.

8000 Set a chained Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for corner to secs 23, 24, 25 and 26.
Land Rolling
Soil Secondrate

T 35 N. R 36 W 6th PM

East on random line between secs 24 & 25
Va 114° 30' E.

4000 Set temporary 1/4 sec cor

8008 Intersect East boundary 11 chs. South of corner to secs. 24 and 25 from which corner I run S 89° 56' West on true line between secs 24 and 25
Va 114° 30' E

4004 Set a chained Red Cedar post 3x3 in. 4 ft. 1 ft. deep raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

8008 The corner to secs 23, 24, 25 and 26
Land gently rolling
Soil Secondrate

T 35 N. R 36 W 6th P.M.

North between Secs 23 & 24
Var 14° 30' E,

4000 Set a chained Red Cedar
post 3×3 in 4 ft 1 ft dep
raised mound of Earth
2½ ft high from pits
18 × 24 × 12 in deep for
1/4 Sec Cor

5548 Intersect North Boundary
of Nebraska 14.96 chains
East of the 95 Mile post and
Set a chained Red Cedar post
4×4 in, 4 ft, 1 ft, dep raised
mound of Earth 2½ ft
high from pits 18 × 24
× 12 in, deep for Closing
Corner to Fractional
Secs. 23 and 24
Land Rolling
Soil Second rate

T 35 N R 36 W. 6th P.M.

North between Secs 34 & 35
Var 14° 30' E,

4000 Set a chained Red Cedar
post 3×3 in, 4 ft 1 ft dep
raised mound of Earth
2½ ft high from pits
18 × 24 × 12 in deep for
1/4 Sec, Cor,

8000 Set a chained Red Cedar
post 4×4 in, 4 ft. 1 ft. dep
raised mound of Earth
2½ ft, high from pits
18 × 24 × 12 in deep
for ~~Closing~~ to Secs
26, 27, 34 and 35
Land Rolling
Soil Second rate

T 35 N. R 36 W 6th P.M.

East on random line
between secs 26 & 35
Va = 14° 30' E.

2700 Dry bed of Lake 7 chs wide bears N & S
Enter valley at Lake

4000 Set temporary 1/4 sec cor.

4300 Leave valley and enter Upland bears N & S

8038 Intersect N & S line 7.4 lks. North of corner to secs 25, 26, 35 and 36 from which corner I run N 89° 50' West on true line between secs 26 & 35
Va = 14° 30' E.

4019 Set a chained Red Cedar post 3 x 3 in 4 ft, 1 ft. deep raised mound of Earth 2 1/2 ft. high 3 pits 18 x 2.4 x 12 in deep for 1/4 sec cor

8038 The corners to Secs. 26, 27, 34 and 35
Bottom first rate
Upland second rate

T 35 N R 36 W 6th P M

North between secs 26 & 27
Va 14° 30' E,

3800 Leave Upland and enter valley bears N & W & S E.

4000 Set a chained Red Cedar post 3 x 3 in 4 ft 1 ft deep raised mound of Earth 2 1/2 ft. high 3 pits 18 x 2.4 x 12 in deep for 1/4 sec cor

4200 Dry bed of Lake 4 chs wide bears N E and S W

8000 Set a chained Red Cedar post 4 x 4 in 4 ft, 1 ft. deep raised mound of Earth 2 1/2 ft. high 3 pits 18 x 2.4 x 12 in deep for Corner to Secs 22, 23, 26 and 27
Surface undulating
Soil Second rate

T 35 N. R 36 W 6th P M

East on random line
between secs 23 & 26
Va 14° 30' E.

1100 Leave Uplands and enter
Valley Bears N 45° E 11

3200 Leave valley and enter
Uplands bears N 45° E

Post Set temporary 1/4 sec Cor.

80.12 On line set No 6. Line 17
Lks. South of corner to
secs. 23, 24, 25 and 26 from
which corner I run
S 89° 53' West on true line
between secs 23 & 26
Va 14° 30' E,

40.06 Set a chained Red Cedar post
3 x 3 in. 4 ft. 1 ft. dug, raised
mound of earth 2 1/2 ft
high from pits 18 x 24
x 12 in deep for 1/4 sec Cor

80.12 The corner to secs. 22, 23
26 and 27
Valley Pine tree
Uplands Cedar 12 in dia

T 35 N R 36 W. 6th P. M.

North between secs 22 & 23
Va 14° 30' E

Post Set a chained Red Cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
Witness Cor

55.52 On true set North Line
of Nebraska 114.84 Chs.
East of 96th Mile Post and
Set a chained Red Cedar
post 4 x 4 in. 4 ft. 1 ft. deep
raised mound of earth
2 1/2 ft. high from pits
18 x 24 x 12 in deep for
Closing Corner to
fractional secs 22 & 23
Land gently Rolling
Soil Second rate

T 35 N R 36 W

North between secs 33 & 34
Va 14° 30' E.

4000 Set a chained Red Cedar post
3x3 in. 4 ft. 1 ft. deep, raised
mound of earth 2½ ft high
pour pits 18x24x12 in
deep for 1/4 sec cor.

57.00 Lean upland and entered dry
Marsh bears N E & SW

8000 Set a chained Red Cedar
post 4x4 in. 4 ft. 1 ft. deep
raised mound of Earth
2½ ft high pour pits 18
x24x12 in deep for
Corner to secs 27, 28
33 and 34
Upland secondrate
Dry gravelly underlaid
with Peat of good
quality

T 35 N. R 36 W 6th P.M.

East on random line
between secs 27 & 34
Va 1° 30' E.

3000 Leave dry marsh for
undulating upland
bears N & SW.

4000 Set temporary 1/4 sec cor

7988 Intersect N & line 42 lks
North of corner to secs 26,
27, 34 and 35 from which
Corner bears
N 89° 42' West on true line
between secs 27 and 34
Va 1° 30' E.

3994 Set a chained Red cedar
post 3x3 in. 4 ft. 1 ft. deep
raised mound of Earth
2½ ft high pour pits
18x24x12 in deep
for 1/4 sec cor.

7988 Hx corner to secs 27, 28
33 and 34
Surface Nearly level
Soil fine sandy
Marsh underlaid with Peat

T. 35 N. R 36 W. 6th P.M.

North between secs 27 & 28
Va 14° 30' E

2000 Laundry marsh for Upland
beans N W & S E

4000 Set a charred Red Cedar
post 3 x 3 in 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high 3 mm pits 18
x 24 x 12 in deep for
1/4 Sec cor.

6800 Leave Upland and enter
Valley bears N W & S E

8000 Set a charred Red Cedar
post 4 x 4 in, 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high 3 mm pits
18 x 24 x 12 in deep for
corner to secs. 21, 22,
27 and 28
Marsh underlaid
with good Peat
Upland Secondary

T 35 N. R 36 W 6th P.M.

East on random line
between secs 22 & 27
Va 14° 30' E,

4000 Set temporary 1/4 Sec cor

4500 Leave valley and enter
Upland bears N W & S E

8006 Intersect N & S line 17 chs
South of corner to secs
22, 23, 26 and 27 from which
Corner I mm
S 89° 53' W Astron true line
between secs 22 & 27
Va 14° 30' E

4003 Set a charred Red Cedar
post 3 x 3 in 4 ft. 1 ft deep
raised mound of Earth
2 1/2 ft high 3 mm pits
18 x 24 x 12 in deep
for 1/4 sec cor

8006 The corner to secs. 21, 22
27 and 28.
Valley Just rate,
Upland gently rolling
Soil Secondary

T 35 N. R 36 W. 6th P.M.

North between secs 21 & 22
Va 14° 30' E.

3,50 Leave valley and enter Upland bears E and W.

4000 Set a chamfered Red Cedar post 3x3 in 4 ft, 1 ft deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 11 H 22 cc cor

5554 Enter on North boundary of Nebraska 24.72 chains East of 97th Mile Post and Set a chamfered Red Cedar post 4x4 in. 4 ft. 1 ft. deep raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for Closing Corner to ~~sec~~ fractional secs. 21 & 22
Valley 1st rate.
Balance rolling
Soil, Sandy Clay loam
November 5th 1877

T 34 N. R 36 W 6th P.M.

North between secs 32 & 33
Va 14° 30' E

1350 Leave Old Lake bed bears SE and SW

2000 Leave valley and enter Upland bears NW & SE.

4000 Set a chamfered Red Cedar post 3x3 in 4 ft, 1 ft, deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 11 H 22 cc cor.

7800 Bed of dry Lake bears E & W

8000 Set a chamfered Red Cedar post 4x4 in 4 ft. 1 ft. deep raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for Corner to secs 28, 29 32 and 33
Valley Quaternate
Upland Secondrate

T 35 N. R 36 W 6th P.M.

East on random line
between Secs 28 & 33
Va 14° 30' E,

12,00 Leave Dry Lake bed and
enter upland bears N & W,
4600 Set Temporary 1/4 sec cor
8054.99 Found Spike & Tag Mag Nail & Washer
8016 Witness N & E, Line 2
Lks South of corner to Secs
27, 28, 33 and 34 from which
corner I run
S. 89° 48' West on true line
between Secs 28 & 33
Va 14° 30' E
4008 Set a chained Red Cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft. high from pits
18 x 24 x 12 in. deep for
1/4 sec cor
8016 The corner to Secs 28
29, 32 and 33
Surface nearly level
Soil Secondrate

T 35 N. R 36 W 6th P.M.

North between Secs 28 and 29
Va 14° 30' E,
2800 Leave dry bed of lake and
enter upland bears NW & E
4000 Set a chained Red Cedar
post 3 x 3 in. 4 ft. 1 ft. deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in. deep for 1/4
sec cor,
7300 Leave Valley and enter upland
bears N E and S W.
8001 Set a chained Red Cedar
post 4 x 4 in. 4 ft. 1 ft deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep
for corner to Secs. 20,
21, 28 and 29
Valley Firstrate
Upland Secondrate

T 35 N. R 36 W. 6th P. M.

East on random line
between secs 21 and 28
Va 14° 30' E,

20,00 Leave Upland and enter
Valley bears NW & SE

40,01 Set Temporary 1/4 sec cor.

80,16 Intersect N. & S. line 1/4 mile
South of corner to secs.
21, 22, 27 and 28 from which
corner I run
S 89° 54' West on true line
between secs 21 and 28
Va 14° 30' E,

40,08 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high from pits
18 x 24 x 12 in deep
for 1/4 sec cor

80,16 The corner to secs 20,
21, 28 and 29
Valley Pinstrate
Upland Secondrate

T 35 N. R 36 W. 6th P. M.

North between secs. 20 & 21
Va 14° 30' E,

23,00 Leave Upland and enter
Valley bears E and W

40,00 Set a chained Red Cedar
post 3 x 3 in 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in deep for
1/4 sec cor

55,77 Intersect North Boundary
of Nebraska 1460 chains
East of 98th Mile Post
Set a chained Red Cedar
post 4 x 4 in, 4 ft, 1 ft, deep
raised mound of Earth
2 1/2 ft high from pits 18
x 24 x 12 in. deep for
Closing Corner to Prac
tional secs 20 & 21
Valley Pinstrate
Upland Secondrate

T 35 S R 36 W 6th P.M.

North between Secs 31 & 32
Va = 14° 30' E,

2400 Leave upland and enter dry marsh and Peat bed bears E + W

4000 Set a chained Red Cedar post 3 x 3 in 4 ft. 1 ft. deep raised mound of earth 2½ ft. high 3 pits 18 x 24 x 12 in deep for 1/4 sec Cor.

680 Leave Marsh for rolling upland bears E and S.

8000 Set a chained Red Cedar post 4 x 4 in 4 ft. 1 ft. deep for Corner to Secs 29 30, 31 and 32
Upland second rate
Marsh underlaid with Good Peat
Vegetable mould and Good soil on surface

T. 35 S R 36 W 6th P.M.

East, between Secs 29 & 32
Va = 14° 30' E,

2700 Leave upland and enter Valley bears N 45° E

4000 Set Temporary 1/4 sec Cor.

7000 Leave valley and enter bed of dry Lake bears N + S,

8022 Intersect N + S line 21.46 chs South of corner to Secs 28, 29 32 and 33 from which corner bears
S 89° 51' West on true line between Secs 29 & 32
(Va = 14° 30' E,

4011 Set a chained Red Cedar post 3 x 3 in, 4 ft. 1 ft. deep raised mound of Earth 2½ ft high 3 pits 18 x 24 x 12 in deep for 1/4 sec Cor.

8022 The corner to Secs 29, 30 31 and 32
Valley first rate
Upland second rate

T. 35 N. R 36 W 6th P.M.

West on random line
between Secs 30 & 31
Va 14°30' E

2400

4000 Set temporary 1/4 Sec cor,

8154 Intersect W&E Boundary 14
Chs South of corner to Secs
30 and 31 from which corner
I run
S 89 54' East on true line
between secs 30 & 31
Va 14°30' E,

6800 4154 Set a chained Red Cedar
post 8x3 in 4 ft, 1 ft. deep
80,00 raised mound of earth
2½ ft high from pits 18
x 24 x 12 in. deep for
1/4 sec cor,

8154 The corners to secs 29,
30, 31 and 32
Land gently rolling
Soil Secondrate

T. 35 N. R 36 W. 6th P.M.

North between secs 29 & 30
Va 14°30' E,

2500 Leave Upland and enter
Valley Creek E & W

4000 Set a chained Red Cedar
post 3x3 in. 4 ft. 1 ft. deep
raised Mound of Earth
2½ ft high from pits 18
x 24 x 12 in. deep for
1/4 sec cor,

8001 Set a charred Red Cedar
post 4x4 in. 4 ft. 1 ft. deep
raised mound of earth
2½ ft high from pits 18
x 24 x 12 in. deep for
Corner to Secs 19, 20
29 and 30
Valley Fir strate
Upland Secondrate

T 35 N. R 34 W 6th P.M.

East on random line
between Secs 20 & 29
Va = 14°30' E

2400

300 Leave valley and enter
Upland bears N E & E,

400 4001 Set Temporary 1/4 sec cor,
80.16 Intersect N & S line at the
corner to Secs 20, 21, 28 and 29
from which corner I run
West on true line
between secs 20 & 29
6807 Va = 14°30' E.

4008 Set a chan'd Red Cedar
8000 post 3 x 3 in 4 ft, 1 ft deep
raised mound of Earth
2 1/2 ft high 4 pits
18 x 24 x 12 in deep
for 1/4 Sec, cor,

8016 The corner to Secs
19, 20, 29 and 30
Upland Secondrate
Valley pistrate

T 35 N. R 34 W 6th P.M.

Weston random line
between secs 19 & 30
Va = 14°30' E

4800 Set temporary 1/4 sec cor,
4700 Leave valley and enter
Upland bears N & E.

8146 Intersect West Boundary 10
Lks North of corner to Secs
19 and 30 from which
corner I run
N 89°56' East on true line
between secs 19 & 30
Va = 14°30' E

41446 Set a chan'd Red ~~Chan'd~~
Cedar post 3 x 3 in 4 ft, 1 ft
deep raised mound
of Earth 2 1/2 ft high 4 pits
pits 18 x 24 x 12 in deep
for 1/4 sec cor,

81446 The corner to Secs
19, 20, 29 and 30
Valley pistrate
Upland Secondrate

24

30

T 35 N. R 36 W. 6th P.M.

North between secs 19 & 30
Va 14° 30' E

2400 400 Leave valley and enter upland bears N 10° E

4000 400 Set a ~~boundary~~ Chamfered cedar post 3 x 3 in 4 ft deep raised mound of earth 2½ ft high pits 18 x 2 x 4 x 12 in deep for 1/4 Sec Cor,

6800 5570 Intersect North boundary of Nebraska 14.63 Chs East of 99th Mile Post and Set a chamfered Red Cedar post 4 x 4 in 4 ft 1 ft deep raised mound of earth 2½ ft high pits to 18 x 2 x 4 x 12 in deep for Closing Corner to ~~Secs~~ fractional secs 19 and 20.

8000 Surface gently rolling Soil Siltrate

November 6th 1877

31

T. 35 N R 36 W

General Description

Generally undulating upland and level tables or valleys. The lower or valley lands are generally a good rich sandy loam well adapted to the production of all grains and vegetables common to the Climate. Thereon several beds of gray Peat of good quality in the dry marshes throughout the Township

We, hereby certify that we assisted Frank M. Crowell deputy Surveyor, in Surveying and Subdividing Fractional Township number thirty five North of the base line of range number thirty six West of the Sixth Principal Meridian Nebraska, and that said Township has been in all respects to the best of our knowledge well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General; of dimensions, character & construction & Marking in the manner as specifically described in the foregoing field notes.

Chainman

Chainman

Corner man

Corner man

Flagman

Signed in my presence

and sworn to before me this 15th day of November 1877

A. J. Kendall

Clerk Dist Court

Dawson Co Nebr

34

2400

4008

6807

8000

I Frank M. Oswell Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein Nicholas J. Paul & Frank M. Oswell are joint Contractors with John R. Clark United States Surveyor General for the District of Nebraska & Iowa bearing date July 30th 1877 I have well, faithfully & truly, in my own proper person & in strict Conformity with the instructions furnished by the Surveyor General, the Surveying Manual & the laws of the United States, Surveyed all those parts or portions of fractional Township No 35 North of the Base line of Range No 36 West of the 6th Principal Meridian in Nebraska & represented in the foregoing field Notes as having been Surveyed under my direction & do further solemnly Swear that all the Corners of said Survey have been Established & perpetuated in strict accordance with the

24

3400

4000

Surveying manual printed instructions & special instructions of the surveyor General, of dimensions character, construction & Marking & in the manner as specifically described in the foregoing field notes & that the foregoing are the true & original field notes of such survey.

Frank M Crowell

Signed in my presence and sworn & subscribed to this 3d day of Dec. AD 1877

A. J. Kendall
Clerk District

Surveyor General's Office
Plattsmouth Neb March 29 1878

The foregoing field Notes of the Survey & Subdivision of Tract Township No 35 North of Base line, of Range No 36 West of the 6th P.M. in Nebraska Executed by Frank M. Crowell Deputy Surveyor under Joint Contract No 107 dated July 30 A.D. 1877 in the months of November 1877. having been critically Examined the necessary Corrections and Explanations made the said field notes & the Surveys they describe are hereby approved.

Jno. C. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

592

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.