General Land Office • Original Field Notes

Book Number

595

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town 9 Range 37 W

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Subdivision of Township
No 9 North of Range
No. 37 West of the
6th Meridian
State of Nebraska

Commenced July 31st 1871

Finished Aug 4th 1871

By William E. Daugherty
Deputy Surveyor

Names of Assistants

Henry Heisel
Frank M Daugherty } Chainmen

Elijah Bennett } Moundmen
Henry Lear } Flagmen

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of Township 9 North Ranges No 36 and 37 on the 2nd Standard parallell North and run North along the East boundary of section 36
Variation 13' East

3992 To a point 18 links East of 1/4 Section corner

7996 To a point 31 links East of Section corner

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13' 13' East
Subdivisions Commenced July 31st 1871

From the corner of sections 1 2 35 and 36 on the South boundary of the Township I run

Township No 9 North

North between Sections
35 & 36
Variation 13° 10' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 section corner

8000 Set chaud post in mound of Earth with pits as per instructions for corner to sections 25 26 35 and 36

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 25 & 36
Variation 12° 10' East

4000 Set a post for temporary 1/4 section corner

8054 Intersect East boundary of Township 33 links North of corner to sections 25 and 36 from which corner I run N 89° 46' W on a true line between sections 25 and 36
Variation 12° 10' East

4027 Set chaud post in mound of Earth with pits as per instructions for 1/4 sections corner

8054 The corner of sections 25 26 35 and 36

Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections
25 & 26
Variation 12° 40' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 sec corner

80.00 Set chain post in mound of Earth with pits - as per instructions for corner to sections 23 24 25 - and 26

Land rolling
Soil 2nd Rate -

Range No 37 West 6th Meridian

East on a Random line between Sections 24 & 25
Variation 12° 30' East

40.00 Set a post for temporary 1/4 sec corner

80.12 Intersect East boundary of Township 38 bears North of corner of sections 24 and 25 from which corner I run N 89° 44' W on a true line between Sections 24 and 25
Variation 12° 30' East

40.04 Set chain post in mound of Earth with pits - as per instructions for 1/4 Section corner

80.12 The corner of sections 23 24 25 - and 26

Land rolling
Soil 2nd Rate

Township No. 9 North

North between Sections
23 & 24
Variation 13° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Sec corn
80.00 Set chain post in mound of Earth with pits as per instructions for Corner to sections 13 14 23 & 24
Land rolling
Soil 2nd Rate –

Range No. 37 West 6th Meridian

East on a Random line between Sections 13 & 24
Variation 12° 30' East

40.00 Set a post for temporary 1/4 Sec corner
80.28 Intersect East boundary of this Township 17 links South of corner to sections 13 & 24 from which corner I run S 89° 53' W on a true line between sections 13 & 24
Variation 12° 30' East
40.14 Set chain post in mound of Earth with pits as per instructions for 1/4 section corner
80.28 The corner of sections 13 14 23 & 24
Land rolling
Soil 2nd Rate –

Township No 9 North

North between Sections
13 & 14
Variation 13° East

4000 Set chained post in mound of earth with pits as per instructions for 1/4 Sections corner

8000 Set chained post in mound of earth with pits as per instructions for corner 4 sections 11 12 13 and 14

Land rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

East on a Random line between Sections 12 & 13
Variation 12° 30' East

4000 Set a post for temporary 1/4 sec corner

8000 Intersect East boundary of Township 22 links South of corner 4 sections 12 and 13 from which corner I saw S 89° 57' W on a true line between sections 12 and 13
Variation 12° 30' East

4000 Set chained post in mound of earth with pits as per instructions for 1/4 section corner

8000 The corner of sections 11 12 13 and 14

Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections
11 & 12
Variation 13° 20' East

4000 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chaned post in mound of Earth with pits as per instructions for corners to sections 1 2 11 and 12 Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 1 & 12
Variation 13° 30' East

4000 Set a post for temporary 1/4 Sec corner

8026 Intersect East boundary of Township 31 links North of corner to sections 1 and 12 from which corner I run
N 89° 47' W on a true line between sections 1 and 12
Variation 13° 30' East

4013 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

8024 The corner of sections
1 2 11 and 12
Land rolling
~~Soil in South 1/2 2nd Rate~~
~~in North 1/2 3rd rate (Sandy)~~
Soil 3rd Rate

Township No 9 North

North on a Random line between Sections 1 & 2

Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn

80.11 Intersect North boundary of Township 39 links west of corner to sections 1 and 12 from which corn I find S 17° W on a true line between sections 1 and 12

Variation 13° 30' East –

40.11 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.11 The corner of sections 1 2 11 and 12

Land rolling Soil on South 1/2 of line 2nd Rate on North 1/2 3rd Rate

July 31st 1871

Range No 32 West 6th Meridian

North between Sections 34 & 35

Variation 13° 12' 15" East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 26 27 34 and 35

Land rolling soil 3rd Rate –

Township No 9 North

East on a Random line
between Sections 26 & 35
Variation 12' 10 East

4000 Set a post for temporary 1/4 sec corner

79.82 Intersected North and South line 31
links North of corner to sections 25
26 35 & 36 from which corner I saw
N 89° 51' W on a true line between
sections 26 and 35
Variation 12' 10' East

3991 Set chained post in mound of Earth with
pits as per instructions for 1/4
Section corner

7982 The corner of sections 26 27
34 and 35
Land hilly soil on East 1/2
of line 2nd Rate on West 1/2
3rd Rate

Range No 3 East 6th Meridian

North between Sections
26 & 27
Variation 12 40' East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

8000 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections 22 23 26
and 27 Land hilly
Soil 3rd Rate

Township No 9 North

East on a Random line between Sections 23 & 26

Variation 12° 30' East

4000 Set a post for temporary 1/4 Sec cor

80 36 Intersect North and South line 55 links South of corner to sections 23 24 25 and 26 from which corner I now S 89° 36' W on a true line between Sections 23 and 26

Variation 12° 30' East

40 18 Set chaud post in mound of Earth with with pits as per instructions for 1/4 Section corner

80 36 The corner of sections 22 23 26 and 27

Land hilly

Soil 3rd Rate

Range No 37 West 6th Meridian

North between Sections 22 & 23

Variation 13° East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section Corner

8000 Set chaud post in mound of Earth with pits as per instructions for Corner to Sections 14 15 22 and 23

Land ~~rolling~~ hilly Soil 3rd Rate

Township No 9 North

East on a Random line
between Sections 14 & 23
Variation 13° East

4000 Set a post for temporary 1/4 sec corn
80.10 Intersect North and South line 16
links North of post corn to sections
13 14 23 and 24 from which
corner I and N 89° 53' West
between sections 14 and 23
Variation 13° East
4005 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.10 The corn of sections
14 15 & 22 and 23
Land hilly
Soil 3rd Rate

Range No. 32 West 6th Meridian

North between Sections
14 & 15
Variation 13° East
4000 Set chain post in mound of Earth
with pits as per instructions for 1/4
Section corner
8000 Set chain post in mound of Earth
with pits as per instructions for
corner to sections 10 11 14
and 15
Land hilly
Soil 2nd Rate

Township No 9 North

East on a Random line between Sections 11 & 14
Variation 12° 50' East

4000 Set a post for temporary 1/4 sec corner
80 28 Intersect North and South line 10 links South of corner to sections 11 12 13 and 14 from which corner I run S 89° 56' W on a true line between Sections 11 and 14
Variation 12° 50' East

40 14 Set chaud post in mound of Earth with pits as per instructions for 1/4 sec corner
80 28 The corner of sections 10 11 14 and 15
Land gently rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections 10 & 11
Variation 12° 50' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chaud post in mound of Earth with pits as per instructions for corner to sections 2 3 10 and 11 ~~from which corner I run~~
Land gently rolling
Soil 2nd Rate

Township No. 9 North

East on a Random line
between Sections 2 & 11
Variation 12° 50' East

40.00 Set a post for temporary 1/4 Sec corner
80.16 Intersect North and South line 18
links South of post corner to sections
1 2 11 and 12 from which corner
ans S 89° 52' W on a true line between
Sections 2 and 11
Variation 12° 50' East
40.08 ~~Intersect~~ Set chaus post in mound of
Earth with pits as per instructions
for 1/4 Section corner
80.16 The corner of Sections 2 3 10
and 11
Land rolling
Sol 2d Rate

Range No 32 West 6th Meridian

North ~~on a Random line~~
between Sections 2 & 3
Variation 12° 50' East

40.00 Set a post for temporary 1/4 Sec corner
79.82 Intersect North boundary of Township
12 links East of corner to Sections
2 and 3 from which corner ans
S 5' E on a true line between sections
2 and 3
Variation 12° 50' East
39.82 Set chaus post in mound of
Earth with pits as per instructions
for 1/4 Section corner
79.82 The corner of sections 2 3
10 and 11
Land rolling
Sol South 3/4 of line 2d Rate
ballance 3d Rate

Township No 9 North

North between Sections
33 & 34
Variation 12° 15' East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to Sections 27 28 33 and 34

Land hilly

Sol 3rd Rate

Range No 3 East 6th Meridian

East on a Random line between Sections 27 & 34
Variation 12° 30' East

4000 Set a post for temporary 1/4 Sec corner

8038 intersect North and South line 15 links South of corner to Sections 26 27 34 and 35 from which corner I am S 89° 54' W on a true line between Sections 27 and 34
Variation 12° 30' East

~~4034~~ 4019 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8038 The corner of Sections 27 28 33 and 34

Land hilly

Sol 3rd Rate

August 1st 1871

Township No. 9 North

North between Sections
27 & 28
Variation 12° 40' East

40.00 Set a chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 21 22 27 and 28

Land hilly

Surl 3rd Rate

Range No. 32 West 6th Meridian

East on a Random line between Sections 22 & 27
Variation 12° 35' East

40.00 Set a post for temporary 1/4 Sec corner

80.14 Intersect North and South line 42 links South of post corner to sections 22 23 26 and 27 from which corner I run S 89° 38' W on a line between sections 22 and 27
Variation 12° 35' East

40.07 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.14 The corner of sections 21 22 27 and 28

Land hilly

Surl 3rd Rate

Township No. 9 North

North between Sections
21 & 22
Variation 12° 45' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chaud post in mound of Earth with pits as per instructions for corner to Sections 15 16 21 and 22
Land hilly soil 3° Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 15 & 22
Variation 12° 50' East

4000 Set a post for temporary 1/4 Sec corner

~~8000 Set chaud post in mound of Earth with pits as per instructions for corner to sections 15 16~~

8000 Intersect ~~North~~ and South line 21 links South of post corner to sections ~~10~~ ~~11~~ ~~14~~ 14.15.22+23 and ~~15~~ from which corner I run S 89° 51' W on a true line between Sections
15 and 22
Variation 12° 50' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 ~~Set~~ The corner of sections 15 16 21 and 22
Land hilly soil 3° Rate

Township No 9 North

North between Sections
15 & 16
Variation 13° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to Sections 9 10 15 and 16
Land, rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 10 & 15
Variation 13° East

40.00 Set a post for temporary 1/4 Sec corner

80.26 Intersect North and South line 8 links North of post corner to Sections 10 11 14 and 15 from which corner I run N 89° 57' W on a true line between Sections 10 and 15
Variation 13° East

40.13 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.26 The corner of sections 9 10 15 and 16
Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections
9 & 10
Variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 3 4 9 and 10

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 3 & 10
Variation 13° East

4000 Set a post for temporary 1/4 Sec corner

80.12 Intersect North and South line 20 links South of corner to Sections 2 3 10 and 11 from which corner I saw S 89° 57' W on a true line between Sections 3 and 10
Variation 13° East

4006 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8012 The corner of sections 2 3 4 9 and 10

Land rolling
Soil 2nd Rate

Township No 9 North

North on a Random line
between Sections 3 & 4
Variation 13° East
~~4000 Set chain post in mound of Earth~~
~~with pits as per instructions for~~
~~1/4 Section corner~~
4000 Set a post for Temporary 1/4 Sec corner
80.45 Intersect North boundary of Township
24 links East of corner to Sections 3 and
4 from which corner a cor
S 10° E on a true line between
Sections 3 and 4
Variation 13° East
4045 Set chain post in mound of
Earth with pits as per instruction
for 1/4 Section corner
8045 The corner of Sections
3 4, 9 and 10
Land rolling
Sal 2nd Rate

Range No 37 West 6th Meridian

North between Sections
32 & 33
Variation 12° East
4000 Set chain post in mound of Earth with
pits as per instructions for 1/4 Sec corner
8000 Set chain post in mound of Earth
with pits as per instructions for corner
to Sections 28 29 32 and
33
Land hilly
Sal 3rd Rate

Township No 9 North

East on a random line between Sections 28 & 33

Variation 12° East

4000 Set a post for temporary 1/4 sec cem

7966 Intersect North and South line 65 links South of cemer to sections 27 28 33 and 34 from which cemer I. mr 89° 32' W on a true line between sections 28 and 33

Variation 12° East

3983 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section cem

7966 The cem of sections 28 29 32 and 33

Land hilly

Soil 3rd Rate

Range No 37 West 6th Meridian

North between Sections 28 & 29

Variation 12° 50' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section cem

8000 Set chaud post in mound of Earth with pits as per instructions for cemer to sections 20 21 28 and 29

Land hilly

Soil 3rd Rate

Township No 9 North

East on a random line between
Sections 21 & 28
Variation 12° 12' 30" East
4.00 Set a post for temporary 1/4 Sec corner
80.08 Intersect North and South line 15 links
South of corner to sections 21 22 27
and 28 from which corner I run
S 89° 54' W on a true line
between sections 21 and 28.
Variation 12° 30' East
40.04 Set chaus post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.08 The corner of sections
20, 21, 28 and 29
Land hilly soil 3rd Rate

August 2nd 1871

Range No 37 East 6th Meridian

North between Sections
20 & 21
Variation 12° 45' East
4.00 Set chaus post in mound of Earth
with pits as per instructions for
1/4 Section corner
8.00 Set chaus post in mound of
Earth with pits as per instructions
for corner to sections
16, 17, 20 and 21
Land rolling
Soil 3rd Rate

Township No 9 North

East on a Random line between Sections 16 & 21

Variation 12° 45' East

4000 Set a post for temporary 1/4 Sec cor

80.16 Intersect North and South line 11 links North of post cor to sections 15 14 21 and 22 from which corner I now N 89° ~~56~~ 55' W on a true line between Sections 16 and 21

Variation 12° 45' East

40.08 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8016 The corner of sections 16 17 20 and 21

Land rolling

Soil 2° Rate

Range No 37 West 6th Meridian

North between Sections 16 & 17

Variation 13° East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to section 8 9 16 and 17

Land rolling

Soil 2° Rate

Township No 9 North

East on a Random line between Sections 9 & 16

Variation 13° East

40,00 Set a post for temporary 1/4 sec cemer

80,04 Intersect North and south line 2 links South of cemer to sections 9 10 15 and 16 from which cemer I run S 89° 37' W on a true line between sections 9 and 16

Variation 13° East

40,02 Set chaud post in mound of Earth with pits as per instructions for 1/4 section cemer

80,04 The cemer of sections 8 9 16 and 17

Land gently rolling

Soil 2° Rate

Range No 37 West 6th Meridian

North between Sections 8 & 9

Variation 13° 10' East

40,00 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section cemer

80,00 Set chaud post in mound of Earth with pits as per instructions for cemer to sections 4 5 8 and 9

Land gently rolling

Soil 2° Rate

Township No 9 North

East on a Random line between
Sections 4 & 9
Variation 13° 10' East
40.00 Set a post for temporary 1/4 Sec corner
80.12 Intersected North and South line 23
links South of corner to sections 3 4
9 and 10 from which corner I saw
S 89° 50' W on a true line between
sections 4 and 9
Variation 13° 10' East
40.04 Set chained post in mound of earth
with pits as per instructions for
1/4 section corner
80.12 The corner of sections 4 5
8 and 9
Land rolling
Sol 2nd Rate

Range No 37 East 6th Meridian

North on a Random line between
Sections 4 and 5
Variation 13° 15' East
40.00 Set a post for temporary 1/4 section
corner
80.10 Intersect North boundary of Township
12 links West of corner to sections
4 and 3 from which corner I saw
S 5' W on a true line between sections
4 and 3
Variation 13° 15' East
40.10 Set chained post in mound of earth
with pits as per instructions
for 1/4 section corner
80.10 The corner of sections 4 5 8
and 9
Land rolling
Sol 2nd Rate

Township No 9 North

North between Sections
31 & 32
Variation 13° East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for Corner to sections 29 30 31 and 32

Land hilly
Soil 3rd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 29 & 32
Variation 12° 30' East

40.00 Set a post for temporary 1/4 Sec corner

80.30 Intersect North and South line 35 links South of post corner to sections 28 29 32 and 33 from which Corner I run S 89° 45' W on a true line between sections 29 and 32
Variation 12° 30' East

40.15 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.30 The corner of sections 29 30 31 and 32

Land hilly
Soil 3rd Rate

Township No 9 North

West on random line between
Sections 30 & 31
Variation 13° East

4000 Set a post for temporary 1/4 Sec corner
79.72 Intersect West boundary of Township,
24 links North of post corner to sections
30 and 31 from which corner I mer
N 89° 50' E on a true line between
Sections 30 and 31
Variation 13° East

39.~~86~~ 72 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner
79.72 The corner of sections
29 30 31 and 32
Land rolling
Soil 3° Rate

Range No 37 West 6th Meridian

North between Sections
29 & 30
Variation 13° East

4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Sec line corner
8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections 19 20
29 and 30
Land rolling
Soil 3° Rate

Township No 9 North

East on a Random line between
Sections 20 & 29
Variation 13° East

4000 Set a post for temporary 1/4 Sec corner
7998 Intersect North and South line 67
links South of corner to sections
20 21 28 and 29 from which
corner I run S 89° 31' W on a true
line between sections 20 and 29
Variation 13° East

3999 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

7998 The corner of sections
19 20 29 and 30
Found nothing
Set 3rd Rate

August 3rd 1871

Range No. 37 West 6th Meridian

West on a random line
between Sections 19 & 30
Variation 13° 15' East

4000 Set a post for temporary 1/4 Sec corner
8044 Intersect West boundary of Township
12 links South of corner to sections
19 and 30 from which corner I run
S 89° 32' E on a true line between
Sections 19 and 30
Variation 13° 15' East

4044 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

8044 The corner of sections 19 20
29 and 30
Found nothing
Set 3rd Rate

Township No 9 North

North between Sections
19 & 20
Variation 13° 15' East

40,00 Set chain post in mound of Earth with pits as per instructions for ~~cor~~ ~~to Sections~~ 1/4 Section Corn

80,00 Set chain post in mound of Earth with pits as per instructions for corn to sections 17 18 19 and 20

Land gently rolling
Soil 2d Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 17 & 20
Variation 13° 15' East

40,00 Set a post for temporary 1/4 Sec corn

80,14 Intersect North and South line 25 links South of post corn to sections 16 17 20 and 21 from which corn I run S 89° 49' W on a line line between sections 17 and 20
Variation 13° 15' East.

40,07 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corn

80,14 The corn of sections 17 18 19 and 20
Land rolling
Soil 2d Rate

Township No 9 North

East on a random line between
Sections 18 & 19
Variation 13° 15' East

4000 Set a post for temporary 1/4 Sec corn
8089 Intersect West boundary of Township
34 links North of corn to sections
18 and 19 from which corn a pine
N89°45' E on a true line between
Sections 18 and 19
Variation 13° 15' East

4069 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner
8069 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

North between Sections
17 & 18
Variation 13° 30 East

4000 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section corner
8000 Set chaned post in mound of Earth
with pits as per instructions for
corner to sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line between
Sections 8 & 17
Variation 13° 30' East

4000 Set a post for temporary 1/4 section corner
80.48 Intersect North and South line 29
links North of corner to sections
8 9 16 and 17 from which corner
I now ~~S~~ N 89° 48' W on a true
line between sections 8 and 17
Variation 13° 30 East

40.24 Set charred post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.48 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

West on a random line between
Sections 7 & 18
Variation 13° 30' East

4000 Set a post for temporary 1/4 Sec corner
80.18 Intersect West boundary of Township
32 links South of corner to Sections
7 and 18 from which corner I now
S 89° 46' E on a true line between
Sections 7 and 18
Variation 13° 30' East

40.18 Set charred post in mound of Earth with
pits as per instructions for 1/4
Section corner
80.18 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections
7 & 8
Variation 13° 30 East

40,00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80,00 Set chain post in mound of Earth
with pits as per instructions for
corner to sections 5, 6, 7 and 8
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between
Sections 5 & 8
Variation 13° 30 East

40,00 Set a post for temporary 1/4 Sec corner

80,10 Intersect North and South line 15
links South of corner to sections 4 5
8 and 9 from which corner I erect
S 89 37' W on a true line between
Sections 5 and 8
Variation 13° 30' East

40,05 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80,10 The corner of sections 5 6
7 and 8
Land rolling
Soil 2nd Rate

Township No 9 North

West on a random line
between Sections 6 & 7
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corn
80.47 Intersect West boundary of Township
28 links North of corn to Sections
6 and 7 from which corn I saw
N 89° 48' E on a true line between
Sections 6 and 7
Variation 13° 30' East

40.47 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corn
80.47 The corn of Sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North on a random line
between Sections 5 & 6
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corn
80.67 Intersect North boundary of Township
13 links East of corn to Sections
5 and 6 from which corn I
saw S 6' E on a true line between
Sections 5 and 6
Variation 13° 30' East

40.67 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corn
80.67 The corn of Sections
5 6 7 and 8
Land rolling
Soil 2nd Rate
August 4th 1871

Township No 9 North Range No 37 East 6th Meridian

General Description.

The southern portion of this Township is hilly, The soil is sandy and consequently 3d rate, also a portion of the Township in Sections 1. 2. 3. and 4 is Sandy and soil 3d rate. The remainder of the Township is rolling, the soil of which is a fair quality - generally 2d rate.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines & corners described in the foregoing field notes of Township No 9 North of the base line of Range No 37 west of the 6th principal Meridian showing the respective capacities in which they acted.

Henry Heisel Frank M Daugherty
Chainmen

Elijah Bennett Henry Lear
Monumenters

We hereby certify that we assisted William E. Daugherty Deputy Surveyor in surveying and subdividing Township number Nine (9) north of base line of Range number thirty Seven (37) west of the Sixth principal meridian and that said township has been in all respects to the best of our knowledge & belief well & faithfully surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General

Henry Heisel Chainman
Frank M Daugherty
Elijah Bennett Monumenter
Henry Lear

Subscribed and Sworn to before me at my office in North Platte Nebraska this 5th day of September 1871

L. B. Polk
Notary Public

I, William E. Daugherty deputy Surveyor do solemnly swear that in pursuance of a contract with E. E. Cunningham Surveyor of the public lands of the United States in the state of Nebraska bearing date the day of 1871, and in strict conformity to the laws of the United States and the instructions furnished by the said surveyor general I have faithfully surveyed & subdivided township number Nine (9) North of base line of Range number thirty Seven west of Sixth principal Meridian in the state aforesaid and do further solemnly

~~swear that the foregoing~~ are the

~~true & original field notes of~~

~~such survey~~

I William E. Daugherty Deputy Surveyor do solemnly swear ~~that in pursuance of a joint~~ contract wherein William E. Daugherty and Martin B. Cutler are joint contractors with E. E. Cunningham United States Surveyor General ~~of Nebraska~~ for the State of Nebraska bearing date the 26th day of May 1871 I have well and faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States Surveyed Township No 9 North Range No 37 West of the 6th Principal Meridian as an represented in the foregoing field notes as having been surveyed under my directions and I do further swear that all the corners of said surveys have been established & perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field notes of such survey

William E. Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the City of Plattsmouth Nebraska this 11th day of September 1871

A. L. Chase Probate Judge

Surveyor General's Office.
Plattsmouth, Nov. 26th 1871.

The foregoing field notes of the survey and subdivisions of Township No 9 North of the Base Line of Range No 37 West of the 6th P. M. in Nebraska, Executed by Wm E. Daugherty, under joint Contract No 47 wherein Wm E. Daugherty and Martin B. Cutler, are joint Contractors, bearing date the 26th day of May 1871, in the months of July and August 1871 having been initially examined the necessary corrections and explanations made the said field notes, and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

T 10 N., R 37 West



Subdivision of Township
No 10 North of Range
No. 37 West of the
6th Meridian
State of Nebraska

Commenced August 5th 1871

Finished August 9th 1871

By William E. Daugherty
Deputy Surveyor

Names of Assistants

Henry Heisel
Frank M Daugherty } Chainmen

Elijah Bennett
Henry Lear } Flagmen
Moundmen

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of 9 and 10 Ranges 36 and 37 west and Run North on a blank line along the East boundary of Section 36
Variation 12°45' East

3998 To a point 11 links East of quarter Section corner

7999 To a point 33 links East of corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 12°59' East

Subdivision commenced August 5th 1871

From the corner of Sections 1 2 35 and 36 on the South boundary of the Township I run

Township No 10 North

North between Sections
35 & 36
Variation 13° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 25 26 35 and 36

Land rolling soil on south 1/2 3rd Rate on North 1/2 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 25 & 36
Variation 13° East

40.00 Set a post for temporary 1/4 Section corner

79.82 Intersect East boundary of Township 26 bears South of corner to sections 25 and 36 from which corner I saw S 89° 49' W on a true line between sections 25 and 36
Variation 13° East

39.91 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

79.82 The corner of sections 25 26 35 and 36

Land rolling soil 2nd Rate

Township No 10 North

North between Sections
25 and 26
Variation 13' East

4000 Set chains post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chains post in mound of Earth with pits as per instructions for corner to sections 23 24 25 & 26

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 24 & 25
Variation 13' 10' East

4000 Set a post for Temporary 1/4 Sec corner

80.10 Intersect East boundary of Township 18 links North of corner to sections 24 and 25 from which corner I use N 89° 52' W on a true line between sections 24 and 25
Variation 13' 10' East

4003 Set chains post in mound of Earth with pits as per instructions for 1/4 Section corner

8010 The corner of sections 23 24 25 and 24

Land rolling
Soil 2nd Rate

Township No. 10 North

North between Sections
23 and 24
Variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24

Land rolling

Soil 2nd Rate

Range No 37 East 6th Meridian

East on a Random line
between Sections 13 & 24
Variation 13° East

4000 Set a post for temporary 1/4 section corner

8024 Intersect East boundary of Township 12 links South of corner to sections ~~13 14 23 & 24~~ 13 and 24 from which corner I run S 89° 55' W on a true line between sections 13 and 24
Variation 13° East

4012 Set chain post in mound of Earth with pits as per instructions for 1/4 section corner

8024 The corner of sections 13 14 23 and 24

Land rolling

Soil 2nd Rate

Township No 10 North

North between Sections
13 & 14
Variation 12°45' East

4.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 11 12 13 and 14
Land rolling
Sol 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 12 & 13
Variation 12° 30' East

4.00 Set a post for temporary 1/4 Sec corner

80.04 Intersect East boundary of Township 11 links South of corner to sections 11 12 & 13 ~~and 14~~ from which corner I run S 89° 55' W on a true line between sections 12 and 13
Variation 12° 30' East

40.02 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corner

80.04 The corner of sections 11 12 13 and 14
Land rolling
Sol 2nd Rate

Township No 10 North

North between Sections
11 and 12
Variation 12° 30' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12
Land nothing
Sol 3rd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 1 & 12
Variation 13° East

4000 Set a post for temporary 1/4 sec corner

80.26 Intersect East boundary of Township 17 links North of corner to sections 1 and 12 from which corner I run N 89° 53' W on a true line between Sections 1 and 12
Variation 13° East

40.13 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8026 The corner of sections 1 2 11 and 12
Land nothing
Sol 3rd Rate

Township No 10 North

North on a Random line between Sections 1. & 2
Variation 12° 50' East

4000 Set a post for temporary 1/4 sec corner
79.88 Intersect North boundary of Township 39 links west of corner to sections 1 and 2 from which corner I mer S 17' W on a line line between sections 1 and 2
Variation 12° 50' East
39 88 Set chand post in mound of Earth with pits as per instructions for 1/4 sec corner
79 88 The corner of sections 1. 2. 11 and 12
Land rolling
Soil 3rd Rate

August 5th 1871

Range No 37 West 6th Meridian

North between Sections 34 & 35
Variation 13° East

4000 Set chand post in mound of Earth with pits as per instructions for 1/4 Section corner
8000 Set chand post in mound of Earth with pits as per instructions for corner to sections 26 27 34 and 35
Land rolling
Soil on South 1/2 3rd rate on North 1/2 2nd Rate

Township No 10 North

East on a Random line
between Sections 26 & 35
Variation 13° East

40.00 Set a post for temporary 1/4 Sec corner
80.12 Intersect North and South line 20
links South of corner to Sections 25-
26 35 and 36 from which corner mis
S 89°51' W on a true line between
Sections 26 and 35
Variation 13° East

40.06 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section corner
80.12 The corner of Sections 26 27
34 and 35
Land nothing
Soil 2nd Rate

Range No. 37 West 6th Meridian

North between Sections
26 & 27
Variation 13° East

40.00 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions 22
23 26 and 27
Land nothing
Soil 2nd Rate

Township No 10 North

East on a Random line between Sections 23 & 26
Variation 13' East

4000 Set a post for temporary 1/4 sec corner
8036 Intersect North and South line 27 links North of corner to sections 23 24 25 and 26 from which corner I now N 89° ~~49~~ 48' W on a true line between sections 23 and 26
Variation 13' East

4018 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner
8036 The corner of sections 22 23 26 and 27
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections 22 & 23
Variation 13' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner
8000 Set chaud post in mound of Earth with pits as per instructions for corner to sections 14 15 22 and 23
Land rolling
Soil 2nd Rate

Township No 10 North

East on a Random line
between Sections 14 & 23
Variation 13° East

40.00 Set a post for temporary 1/4 Sec Corn
80.14 Intersect North and South line 38 links
North of corner to Sections 13 14 23
and 24 from which corner I run
N 89° 44' W on a true line between
sections 14 and 23
Variation 13° East
40.07 Set chaned post in mound of Earth
with pits as per instructions for 1/4
Section Corn
80.14 The corn of sections 14 15
22 and 23
Land rolling
Soil 2nd Rate

Range No 37 West, 6th Meridian

North between Sections
14 & 15
Variation 13° East
40.00 Set chaned post in mound of Earth with
pits as per instructions for 1/4 Section
Corner
80.00 Set chaned post in mound of Earth
with pits as per instructions for
Corner to Sections 10 11 14
and 15
Land rolling soil 2nd Rate

Township No. 10 North

East on a Random line
between Sections 11 & 14
Variation 12° 45' East

4000 Set a post for Temporary 1/4 Sec corn
80.28 intersect North and South line 3 chs 13
South of corner to Sections 11 12 13
and 14 from which corner I run
S 89° 38' W on a true line between
sections 11 and 14
Variation 12° 45' East

4014 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corn

80.28 The corner of sections
10 11 14 and 13
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections
10 & 11
Variation 12° 50' East

4000 Set chaned post in mound of Earth
with pits as per instructions for 1/4
Section corner

8000 Set chaned post in mound of Earth
with pits as per instructions for
corner to sections 2 3 10
and 11
Land rolling
Soil 2nd Rate

Township No 10 North

East on a Random line
between Sections 2 & 11
Variation 12° 50' East

40.00 Set a post for temporary 1/4 Sec corn
80.04 Intersect North and South line 14
links South of post corner to sections
1 2 11 and 12 from which corner I saw
S 89° 54' W on a true line between
Sections 2 and 1
Variation 12° 50' East

40.03 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.04 The corner of sections
2 3 10 and 11
Land white
Sol 2nd Rate

Range No 37 West 6th Meridian

North on Random line between Sections
2 & 3
Variation 12° 50

40.00 Set a post for temporary 1/4 Sec corn
80.19 Intersect North boundary of Township
9 links West of corner to sections
2 and 3 from which corner I saw
S 7' W on a true line between
Sections 2 and 3
Variation 12° 50' East

40.19 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.19 The corner of sections
2 3 10 and 11
Land white
Soil 2nd Rate

Township No 10 North

North between Sections
33 & 34
Variation 12° 40' East

40.00 ~~Intersect~~ Set chaus post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaus post in mound of Earth with pits as per instructions for corner to Sections 27 28 33 and 34 ~~from which I saw~~

Land rolling
Sol 2nd Rate

Range No 37 East 6th Meridian

East on a Random line between Sections 27 & 34
Variation 13° East

40.00 Set ~~chaus post in~~ a post for temporary 1/4 Section corner

80.00 ~~Set chaus~~ for Intersect North & South line 40 links South of post corner to Sections 26 27 34 and 35 from which corner I saw S 89° 43' W on a true line between sections 27 and 34
Variation 13° East

40.00 Set chaus post in mound of Earth with pits as per instructions for 1/4 Sec corner

~~80.00 Set chaus post in mound of Earth with pits as per instructions for corner to~~

80.00 Sections The corner of Sections 27.28.33 & ~~27 28 33 & 34 and 3~~
34

Land rolling
Sol 2d Rate
August 6th 1871

Township No 10 North

North between Sections
27 & 28
Variation 13° 5' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec Corn

80.00 Set chained post in mound of Earth with pits as per instructions for Corn to Sections 21 22 27 and 28

Land rolling

Surl 2nd Rate

Range No 37 West 6th Meridian

East on a Random line
between Sections 22 & 27
Variation 13° 5' East

40.00 Set a post for temporary 1/4 Sec corn

80.16 Intersect North and South line 21 links North of post corn to Sections 22 23 26 and 27 from which corn I saw N 89° 51' W on a true line between Sections 22 and 27

Variation 13° 5' East

40.08 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corn

80.16 The corn of sections 21 22 27 and 28

Land rolling

Surl 2nd Rate

Township No 10 North

North between Sections
21 & 22
Variation 13° 5' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 15 & 22
Variation 13° 5' East

40.00 Set a post for temporary 1/4 Sec corner

80.10 Intersect North and South line 24 links South of post corner to sections 14 15 22 and 23 from which corner I run S 89° 50' W on a true line between sections 15 and 22
Variation 13° 5' East

40.05 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections 15 16 21 and 22
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
15 & 16
Variation 13° East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chained post in mound of Earth with pits as per instructions for Corner to Sections 9 10 15 and 16

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line
between Sections 10 & 15
Variation 13° 15' East

4000 Set a post for temporary 1/4 sec cor ~~chained post in mound of Earth~~

8000 ~~Intersect~~ North and South line 52 links North of post corner to Sections 10 11 14 and 15 from which corner I run N 89° 38' W on a true line between Sections 10 and 15
Variation 13° 15' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 The corner of Sections 9 10 15 and 16

Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
9 & 10
Variation 13° 10' East

40.00 Set a chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for Corner to sections 3 4 9 and 10
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between Sections 3 & 10
Variation 13' East

40.00 Set a post for temporary 1/4 Sec corner

80.14 Intersect North and South line 14 links South of corner to sections 2 3 10 and 11 from which corner I run S 89° 53' W on a true line between Sections 3 and 10
Variation 13' East

40.07 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.14 The corner of sections 3 4 9 and 10
Land rolling
Soil 2nd Rate

Township No 10 North

North on a Random line
between Sections 3 & 4
Variation 13° 10' East

40.00 Set a post for temporary 1/4 Sec corner
80.59 Intersect North and South line 13 links
West of corner of sections 3 and 4
from which corner bears S 6' W
on a true line between sections
3 and 4
Variation 13° 10' East
40.59 Set chained post in mound of Earth with
pits as per instructions for 1/4 Sec
corner
80.59 The corner of sections
3 4 9 and 10
Lewis Willing
Sol 2nd Rate

Range No 37 West 6th Meridian

North between Sections
32 & 33
Variation 13° 10' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections 28 29 32
and 33
Lewis Willing
Sol 2nd Rate

Township No 10 North

East on a Random line
between Sections 28 & 33
Variation 13° East

40 00 Set a post for temporary 1/4 Sec Corner
60, 20 Intersect North and South line 37
links South of corner to sections 27 28
33 & 34 from which corner I saw
S 89° 44' W on a true line between
Sections 28 & 33
Deviation 13° East
40 10 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80 20 The corner of sections
28 29 32 & 33
Found nothing
Sol 2nd Rate

Range No 37 East 6th Meridian

North between Sections
28 & 29
Variation 13° 15' East
40 00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80 00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
20 21 28 & 29
Found nothing
Sol 2nd Rate

Township No 10 North

East on a Random line between Sections 21 & 28
Variation 13' 15' East

40.00 Set a post for temporary 1/4 Sec corner
80.42 Intersect North and South line 29 links North of post corner to Sections 21 22 27 and 28 from which corner I run N 89° 48' W on a true line between Sections 21 and 28
Variation 13' 15' East

40.21 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
80.42 The corner of Sections 20 21 28 and 29
Land rolling
Soil 2nd Rate
August 7th 1871

Range No 37 West 6th Meridian

North between Sections 20 & 21
Variation 13' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set chained post in mound of Earth with pits as per instructions for corner to Sections 16 17 20 and 21
Land rolling
Soil 2nd Rate

Township No 10 North

East on a Random line between Sections 16 & 21

Variation 13' East

40.00 Set a post for temporary 1/4 Sec cor

80.14 Intersect North and South line 11 links South of post cor to sections 15 16 21 and 22 from which cor and run S89°55' W on a true line between Sections 16 and 21

Variation 13' East

40.07 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.14 The corner of sections 16. 17. 20 & 21 ~~8 9 16 and 17~~

Land rolling

Soil 2nd Rate

Range No. 37 West 6th Meridian

North between Sections 16 & 17

Variation 13' 10 East

40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chard post in mound of Earth with pits as per instructions for corner to sections 8 9 16 & 17

Land rolling

Soil 2nd Rate

Township No 10 North

East on a Random line
between Sections 9 & 16
Variation 13° East

40.00 Set a post for Temporary 1/4 Sec corn
80.02 Intersect North and South line 23 links
South of corner to sections 9 10
15 and 16 from which corner bears
S 89° 30' W on a true line between
Sections 9 and 16
Variation 13° East

40.01 Set charred post in mound of Earth
with pits as per instructions for
1/4 Section corn
80.02 The corns of sections
8 9 16 and 17
Land rolling Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections
8 and 9
Variation 13° East

40.00 Set charred post in mound of Earth
with pits as per instructions for 1/4
Sec corn
80.00 Set charred post in mound of Earth
with pits as per instructions
for corner to Sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 10 North

East on a Random line
between Sections 4 & 9
Variation 12° 50' East

4000 Set a post for temporary 1/4 Sec cem
80.32 Intersect North and South line 29
links South of cemer to sections
3 4 9 and 10 from which
cemer I run S 89° 48' W on a true
line between sections 4 and 9
Variation 12° 50' East

40.16 Set chand post in mound of Earth
with pits as per instructions for
1/4 Section cem

80.32 The cem of sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North on a Random line
between Sections 4 and 5
Variation 13° 10' East

4000 Set a post for temporary 1/4 Sec cem
80.25 Intersect North boundary of Township
37 links west of cemer to sections 4 and 5
from which cemer I run S 16' W on a true
line between sections 4 and 5
Variation 13° 10' East

40.25 Set a chand post in mound of Earth
with pits as per instructions for 1/4
Section cem

80.25 The cem of sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 10 North

North between sections 31 and 32
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 29 30 31 and 32
Land rolling Soil 2nd Rate

East on a random line between sections 29 and 32
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corner

20.62 Intersect North and South line 26 links South of post corner to sections 28 29 32 and 33 from which corner I run S 89° 48' W on a true line between sections 29 and 32
Variation 13° 30' East

40.31 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.62 The corner of sections 29 30 31 and 32
Land rolling Soil 2nd Rate

Range No 37 East 6th Meridian

West on a random line between sections 30 and 31
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Section corner

80.15 Intersect West boundary 27 links South of corner to sections 30 and 31 from which corner I run S 89° 48' E on a true line between sections 30 and 31
Variation 13° 30' East

40.15 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.15 The corner of sections 29 30 31 and 32
Land rolling Soil 2nd Rate

North between sections 29 and 30
Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 19 20 29 and 30
Land rolling Soil 2nd Rate

Township No 10 North

East on a random line between sections 20 and 29

Variation 13° 20' East

40.00 Set a post for temporary 1/4 section corner

80.18 Intersect North and South line 8 links North of corner to sections 20 21 28 and 29 from which corner I note N 89° 57' W on a true line between sections 20 and 29

Variation 13° 20' East

40.09 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.18 The corner of sections 19 20 29 & 30 Land selling Soil 2nd Rate

West on a random line between Sections 19 and 30

Variation 13° 20' East

40.00 Set a post for temporary 1/4 sec corner

80.40 Intersect West boundary of Township 10 links South of corner to sections 19 and 30 from which corner I note

Range No 37 West 6th Meridian

S 89° 56' E on a true line between sections 19 and 30

Variation 13° 20' East

40.40 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

80.40 The corner of sections 19 20 29 & 30 Land selling Soil 2nd Rate

North between sections 19 and 20

Variation 13° 30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 sec corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 17 18 19 and 20 Land selling soil 2nd Rate

August 8th 1871

Township No 10 North

East on a random line between
Sections 17 and 20
Variation 13° 20' East

40.00 Set a post for temporary 1/4 section corner
80.20 Intersect North and South line 32 links
North of post corner to sections 16 17
20 and 21 from which corner I saw
N 89° 46' W on a true line between
Sections 17 and 20
Variation 13° 20' East

40.10 Set chained post in mound of Earth with
pits as per instructions for 1/4 Sec corner
80.20 The corner of sections 17 18 19 and 20
Land rolling Soil 2nd Rate

West on a random line between
Sections 18 and 19
Variation 13° 15' East

40.00 Set a post for temporary 1/4 Section corner
80.49 Intersect West boundary of Township
15 links North of corner to Sections
18 and 19 from which corner I saw
N 89° 54' E on a true line between

Range No 37 West 6th Meridian

Sections 18 and 19
Variation 13° 15' East

40.49 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section corner
80.49 The corner of sections
17 18 19 and 20
Land rolling Soil 2nd Rate

North between sections 17 and 18
Variation 13° 20' East

40.00 Set chained post in mound of Earth with
pits as per instructions for 1/4 Sec corner
80.00 Set chained post in mound of Earth
with pits as per instructions for corner
to sections 7 8 17 and 18
Land rolling Soil 2nd Rate

East on a random line between
Sections 8 and 17
Variation 13° 15' East

40.00 Set a post for temporary 1/4 sec corner ~~chained post in mound of Earth~~
80.08 Intersect North and South line 30 links

Township No 10 North

North of cemes to sections 8 9 16 and 17 from which cemes I mus N 89° 47' W on a true line between sections 8 and 17

Variation 13° 15' East

40.04 Set chased post in mound of Earth with pits as per instructions for 1/4 section cemes

80.08 The cemes of sections 7 8 17 & 18 Land rolling Soil 2nd Rate

West on a random line between sections 7 and 18

Variation 13° 15' East

4000 Set a post for temporary 1/4 sec cemes

8~~8~~0.09 Intersect West boundary of Township 41 links North of cemes to sections 7 and 18 from which cemes I mus N 89° 42' ~~W~~ E on a true line between sections 7 and 18

Variation 13° 15' East

40.09 Set chased post in mound of Earth with pits as per instructions for 1/4 sec cemes

Range No 37 West 6th Meridian

80.09 The cemes of sections 7 8 17 & 18 Land rolling Soil 2nd Rate

North between sections 7 and 8

Variation 13° 20' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 section cemes

8000 Set chased post in mound of Earth with pits as per instructions for cemes to sections 5 6 7 and 8 Land rolling Soil 2nd Rate

Township No 10 North

East random between sections 5 and 8
Variation 13° 15' East
40.00 Set a post for temporary 1/4 section corner
80.16 Intersect North and South line 11 links
South of corner to sections 4 5 8 and 9
from which corner I run S 89° 55' East
between sections 5 and 8
Variation 13° 15' East
40.08 ~~The corner of sections~~ Set chained post in
mound of Earth with pits as per
instructions for 1/4 section corner
80.16 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

West on a random line between sections
6 and 7
Variation 13° 30 East
40.00 Set a post for temporary 1/4 sec corner
79.80 Intersect West boundary of Township
43 links south of corner to sections 6
and 7 from which corner I run

Range No 37 West 6th Meridian

S 89° ~~43'~~ 42' E on a true line between sections
6 and 7 Variation 13° 30' East
39.80 Set chained post in mound of Earth with
pits as per instructions for 1/4 sec corner
79.80 The corner of sections 5 6 7 and 8
Land rolling Soil 2nd Rate

North random between sections 5 & 6
Variation 13° 30' East
40.00 Set a post for temporary 1/4 sec corner
80.31 Intersect North boundary of Township
35 links west of corner to sections 5
and 6 from which corner I run S 15' W
on a true line between sections 5 & 6
Variation 13° 30' East
40.31 Set chained post in mound of Earth with
pits as per instructions for 1/4 sec corner
80.31 The corner of sections 5 6 7 & 8
Land rolling Soil 2nd Rate
August 9th 1871
General Description
The Surface of the Township is
rolling Soil good 2nd Rate in
quality

List of Names

A list of names of the individu
employed to assist in running measu
or marking the lines & corners describ
in the field Notes of Township No 10 nor
of base line of Range No 37 west of 6
principal meridian showing the resp
ive capacities in which they acted:

Henry Heisel & Frank M Daugherty
Chainmen

Elijah Bennett Henry Lear
Mondmen

We hereby certify that we assisted
William E. Daugherty deputy survey
in surveying & subdividing Townsh
number Ten (10) North of the base li
of Range number thirty seven (37) w
of Sixth principal meridian and tha
said township has been in all resp
to the best of our knowledge & belief
& faithfully surveyed & the bounda
monuments planted according to th
instructions furnished by the Surv
General

Henry Heisel & Chainmen
Frank M Daugherty
Elijah Bennett & Mondmen
Henry Lear

Subscribed and sworn to
before me at my office in North Platte
State of Nebraska this 5th day of September 1871
L. P. Dark Notary Public

I, William E. Daugherty deputy Surveyor
do solemnly swear that in pursuance of
a contract with E. E. Cunningham Surveyor
of the public lands of the United States
in the State of Nebraska bearing date the
25th day of May 1871 & in strict conformity
ity to the laws of the United States
& the instructions furnished by the
said Surveyor general I have faith
fully surveyed & subdivided township
number ten (10) north of base line
of Range number thirty seven (37)
west of the Sixth principal Meridian
in the state aforesaid & do further sol-
emnly swear that the foregoing are the
true & original field Notes of said
survey

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E Daugherty and Martin B Cutler are joint contractors with E E Cunningham Surveyor General of the Public lands for the State of Nebraska bearing date the 26th day of May 1871 I have well and faithfully and truly in my own proper person and in strict conformity to the instructions furnished by the Surveyor General the surveying Manual and the laws of the laws of the United States Surveyed Township No 13 North Range No 37 West of the 6th Principal Meridian as represented in the foregoing field notes as having been surveyed under my direction and I do further swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying Manual and printed instructions and that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Neb this 11th day of Sept 1871

A S Chiles Pro Secretary Judge

Surveyor Generals Office
Plattsmouth, Nov 25th 1871.

The foregoing field Notes of the survey of the Subdivision of Township No 10 North of base line Range 37 West 6th P.M. in the State of Nebraska Executed by Wm E. Daugherty Deputy Surveyor under Joint Contract No 44. bearing date 26th May 1871. wherein Wm E. Daugherty and Martin B. Cutler are Joint Contractors in the Month of August 1871

having been critically Examined the necessary corrections and explanations made. the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

T 11 N., R 37 West



Subdivision of Township
No 11 North Range No 37
West of the 6th Principal
Meridian
State of Nebraska
Commenced August 10th 1871
Finished August 14th 1871
By
William E Daugherty
Deputy Surveyor

Township No 11 North Range No 37 West of the 6th P M

Names of Assistants

Henry Heisel
Frank M Daugherty } Chainmen

Elijah Bennett } Monumenter and
Henry Lear } Flagmen

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of Townships 10 and 11 North Ranges 36 and 37 West of the 6th Principal Meridian and Run North on a blank line
Variation 12° 40' East

40.07 To a point 23 links East of quarter Section corner

80.10 To a point 48 links East of corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13° 1' East

Subdivisions Commenced August 10th 1871

From the corner of Sections 1 2 35 and 36 on South boundary of the Township I run

Township No 11 North

North between Sections
35 & 36
Variation 13° East

40,00 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80,00 Set chain post in mound of
Earth with pits as per instruction for corner to sections
25 26 35 and 36
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a Random line between
Sections 25 & 36
Variation 12° 40 East

40,00 Set a post for temporary 1/4 sec corner

80,20 Intersect East boundary of Township
36 links south of corner to sections
25 and 36 from which corner I saw
a S 89° 45' W on a true line between
Sections 25 and 36
variation 12° 40' East

40,10 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80,20 The corner of sections
25 26 35 and 36
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
25 & 26
Variation 13° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 23 24 25 and 26

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 24 & 25
Variation 13° East

40.00 Set a post for a temporary 1/4 sec corner

80.04 Intersected East boundary of Township 31 links North of corner to sections 24 and 25 from which corner I run N 89° 47' W on a true line between sections 24 and 25
Variation 13° East

40.03 Set a chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.04 The corner of sections
23 24 25 and 26

Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
23 & 24
Variation 13° 5' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 13 & 24
Variation 13° East

4000 Set a post for temporary 1/4 sec corner

80.28 Intersect East boundary of Township 16 links North of corner to sections 13 and 24 from which corner I run. N 89° 53' W on a true line between sections 13 and 24
Variation 13° East

40.14 Set a chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80 28 The corner of sections 13 14 23 and 24
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
13 & 14
Variation 12° 50' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 11 12 13 and 14

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 12 & 13
Variation 12° 50' East

40.00 Set a post for temporary 1/4 sec corner

80.00 Intersect East boundary of Township 24 links South of corner to sections 12 and 13 from which corner I run S 89° 50' W on a true line between Sections 12 and 13
Variation 12° 50' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 The corner of sections 11 12 13 and 14

Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
11 & 12
variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12

Land rolling
Sol 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 1 & 12
variation 13° East

4000 Set a post for temporary 1/4 sec corner

80.22 Intersected East boundary of Township 14 links South of corner to Sections 1 and 12 from which corner I saw S 89° 54' W on a true line between Sections 1 and 12
variation 13° East

4011 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8022 The corner of sections 1 2 11 and 12

Land rolling
Sol 2nd Rate

Township No 11 North

North on a Random line between Sections 1 & 2

Variation 13° East

4000 Set ~~ch~~ a post for temporary 1/4 Sec corner

80.64 Intersect North boundary of Township 39 links East of corner to sections 1 and 2 from which corner I now S 17' E on a true line between sections 1 and 2

Variation 13° East

40.64 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.64 The corn of sections 1 2 11 and 12

Land rolling

Soil 2° Rate

August 10th 1871

Range No 37 West 6th Meridian

North between Sections 34 & 35

Variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 26 27 34 ~~and 35 from which corner I now~~

Land rolling soil 2° Rate

Township No 11 North

East on a random line
between Sections 26 & 35
Variation 13° East

40.00 Set a post for temporary 1/4 Sec corn
80.26 Intersected North and South line 42
links North of corner to sections 25 26
35 and 36 from which corner bears
N 89° 44' W on a true line between
sections 26 and 35
Variation 13° East

40.13 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.26 The corner of sections
26 25 34 and 35
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections
26 & 27
Variation 13° East

40.00 Set a chained post in mound of
Earth with pits as per instructions
for 1/4 Section corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections 22 23
26 and 27
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 23 & 26
Variation 12°50' East

40.00 Set a post for temporary 1/4 Sec Corn
80.32 Intersect ~~East~~ North and South line
10 links North of corner to sections
23 24 25 and 26 from which
corner I mark N 89°56' W on a true
line between sections 23 and 26
Variation 12°50' East

40.16 Set chained post in mound of Earth with
pits as per instructions for 1/4 Sec corn
80.32 The corner of sections 22 23 26
and 27
Land rolling
Sol 2nd Rate

Range No 37 West 6th Meridian

North between Sections
22 & 23.
Variation 12°50' E

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections 14 15 22
and 23.
Land rolling
Sol 2nd Rate.

Township No 11 North

East on a Random line
between Sections 14 & 23
Variation 12° 45' East

4000 Set a post for temporary 1/4 Sec corn
80.04 Intersected North and South line 31
links South of corner to sections
13 14 23 and 24 from which
corner I and S 89° 47' W on a true
line between sections 14 and 23
Variation 12° 45' East

4000 Set a chained post in mound of
80.04 Earth with pits as per instructions
for 1/4 Section corner
The corner of sections
14 15 22 and 23
Land yielding
Soil 2d Rate

Range No 37 West 6th Meridian

North between Sections
14 & 15
Variation 13° East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
8000 Set chained post in mound of
Earth with pits as per instructions
for corner to sections
10 11 14 and 15
Land yielding
Soil 3d Rate

Township No 11 North

East on a Random line between Sections 11 & 14

Variation 13' East

4000 Set a post for temporary 1/4 Sec corner

80.18 Intersect North and South line 6 links North of corner to sections 11 12 13 and 14 from which corner I run N 89° 58' W on a true line between Sections 11 and 14

Variation 13' East

40.09 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.18 The corner of sections 10 11 14 and 15

Land rolling

Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections 10 & 11

Variation 13' East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for Corner to sections 2 3 10 and 11

Land rolling

Soil 2nd Rate

Township No 11 North

East on a random line between Sections 2 & 11

Variation 13° East

40.00 Set a post for ~~cemer to sections~~ temporary 1/4 sec cemer

80.08 Intersect North and South line 18 links North of cemer to sections 1 2 11 and 12 from which cemer I mur N 89° 52' W on a true line between sections 2 and 11

Variation 13° East

40.04 Set chand post in mound of Earth with pits as per instructions for 1/4 Section cemer

80.08 The cemer of section 2 3 10 and 11

Land rolling

Soil 2° Rate

Range No 37 West 6th Meridian

North on a Random line between Sections 2 & 3

Variation 13° East

40.00 Set chand post in mound of Earth with pits as per instructions for 1/4 Section cemer

80.00 Set chand post in mound of Earth with pits as per instructions for cemer to sections

40.00 Set a post for temporary 1/4 sec cemer

80.23 Intersect North boundary of Township 40 links west of cemer to sections 2 and 3 from which cemer I mur S 17' W on a true line between sections 2 and 3

Variation 13° East

40.23 Set chand post in mound of Earth with pits as per instructions for 1/4 Section cemer

80.23 The cemer of sections 2 3 10 and 11

Land rolling

Soil 2° Rate

Township No 11 North

North between Sections
33 & 34
Variation 13' East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Sec corner

8000 Set chaud post in mound of Earth with pits as per instructions for corner to Sections 27 28 33 and 34
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 27 & 34
Variation 13' East

4000 Set a post for temporary 1/4 Sec corner

79.88 Intersect North and South line 29 links South of corner to sections 26 27 34 and 35 from which corner I now S 89° 48' W on a true line between Sections 27 and 34
Variation 13' East

39.94 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

~~80~~ 79.88 The corner of sections 27 28 33 and 34
Land rolling
Soil 2nd Rate
August 11th 1871

Township No 11 North

North between Sections
27 & 28
Variation 13°10' East

40.00 Set a chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
21 22 27 and 28
Land rolling
Soil 2nd Rate

Range No. 37 West 6th Meridian

East on a Random line between Sections 22 & 27
Variation 13°10' East

40.00 Set a post for temporary 1/4 Sec corner

80.14 Intersect North and South line 25 links North of post corner to sections 22 23 26 and 27 from which corner I run N 89°49' W on a true line between Sections 22 and 27
Variation 13°10' East

40.07 Set chained post in mound of Earth with pits as per instructions for ~~corner to sections~~ 1/4 Section corner

80.14 The corner of sections
21 22 27 and 28
Land rolling
Soil 2nd Rate

North between Sections
21 & 22
Variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22

Land rolling
Soil 2nd Rate

East on a random line between Sections 15 & 22
Variation 13° East

4000 Set a post for temporary 1/4 Sec corner

8000 Intersect North and South line 34 links North of corner to sections 14 15 22 and 23 from which corner I saw N 89 45' W on a true line between Sections 15 and 22
Variation 13° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 The corner of sections 15 16 21 and 22

Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
15 & 16
Variation 13° East

40.00 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaud post in mound of Earth with pits as per instructions for corner to sections
9 10 15 and 16
Land rolling
Soil ~~2nd Rate~~ 3rd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 10 & 15
Variation 12° 50' East

40.00 Set a post for temporary 1/4 Sec corner

80.36 Intersect North and South line 14 links South of corner to sections 10 11 14 and 15 from which corner I run S 89° 54' W on a true line between sections 10 and 15
Variation 12° 50' East

40.18 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.36 The corner of sections
9 10 15 and 16
Land rolling
Soil 3rd Rate

Township No 11 North

North between Sections
9 & 10
Variation 13° East

40.00 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaud post in mound of Earth with pits as per instructions for corner of sections
3 4 9 and 10
Land rolling Soil on South 1/2 of line 3rd Rate on North 1/2 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 3 & 10
Variation 13° East

40.00 Set a post for temporary 1/4 sec corner

80.12 Intersect North and South line 10 links North of corner to sections 2 3 10 and 11 from which corner I run N 89° 56' W on a true line between sections 3 and 10
Variation 13° East

40.06 Set a chaud post in mound of Earth with pits as per instructions for 1/4 sec corner

80.12 The corner of sections
3 4 9 and 10
Land rolling
Soil 3rd Rate

Township No 11 North

North on a random line between
Sections 3 & 4
Variation 13° East
40.00 Set a post for temporary 1/4 Sec corn
80.42 Intersect North boundary of Township
53 links West of corn to Sections 3
and 4 from which corn 8 cns
S 22½° W on a true line between Sections
3 and 4
Variation 13° East
40.42 Set chaned post w mound of Earth
with pits as per instructions for
1/4 Section corner
80.42 The corn of sections
3 4 9 and 10
Level rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

North between Sections
32 & 33
Variation 13° East
40.00 Set a chaned post w mound of Earth
with pits as per instructions for 1/4
Section corn
80.00 Set chaned post w mound of Earth
with pits as per instructions for
corn to Sections
28 29 32 and 33
Level rolling
Soil 2nd Rate

Township No 11 North

East on a random line between Sections 28 & 33.

Variation 13° East

40.00 Set a post for temporary 1/4 Sec corner

80.24 Intersect North and South line 30 links North of corner of Sections 27 28 33 and 34 from which corner I run N 89°47' W on a true line between Sections 28 and 33

Variation 13° East

40.12 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.24 The corner of sections 28 29 32 and 33

Land rolling

Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections 28 & 29

Variation 12° 50' East

40.00 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaud post in mound of Earth with pits as per instructions for corner to sections 20 21 28 and 29

Land rolling

Soil 2nd Rate

Township No. 11 North

East on a random line between
Sections 21 & 28
Variation 12° 40' East
40.00 Set a post for temporary 1/4 Sec cor
80.10 Intersect North and South line
32 links South of post cor to
Sections 21 22 27 and 28
from which corner and
S 89° 46' W on a true line
between sections 21 and 28
Variation 12° 40' East
40.05 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.10 The cor of sections
20 21 28 and 29
Land rolling
Soil 2nd Rate
August 12th 1871

Range No. 37 East 6th Meridian

North between Sections
20 & 21
Variation 13° East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections 16 17 20 and
21
Land rolling
Soil 2nd Rate on South 3/4
of line ballance 3rd Rate

Township No 11 North

East on a random line between
Sections 16 & 21
Variation 13° East

4000 Set a post for temporary 1/4 Sec corn
80.24 Intersect North and South line 15
links North of corn to sections
15 16 21 and 22 from which
corn bears N 89° 54' W on a
true line between sections
16 and 21
Variation 13° East

40.13 Set chains post in mound of Earth
with pits as per instructions
for 1/4 Section corn

80 24 The corner of sections
16 17 20 and 21
Land, rolling
Soil 3° Rate

Range No 37 East 6th Meridian

North between Sections
16 & 17
Variations 13° East

40.00 Set chains post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chains post in mound of Earth
with pits as per instructions
for corn to sections
8 9 16 and 17
Land rolling
Soil 2° Rate

Township No 11 North

East on a random line between
Sections 9 & 16
Variation 13° East

40.00 Set a post for temporary 1/4 sec corn
80 30 Intersect North and South line 60
links South of corn to Sections 9 10
15 and 16 from which corn I run
S 89° 34' W on a true line betwn
Sections 9 and 16
Variation 13° East

40.15 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corn
80 30 The corn of sections
8 & 9, 16 and 17
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections
8 & 9
Variation 13° East

40.00 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section corn
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to Sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 4 & 9
Variation 13° 20' East

40.00 Set a post for temporary 1/4 Sec Corn.

80.14 Intersect North and South line 24
links North of corner to sections
3 4 9 and 10 from which
corner I run N 89° 50' W on a true
line between sections 4 and 9
Variation 13° 20' East

40.07 Set chained post in mound of earth
with pits as per instructions
for 1/4 Section corner

80.14 The corner of sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

North on a random line between
Sections 4 & 5
Variation 13° East

40.00 Set a post for temporary 1/4 Sec corner

79.90 Intersect North boundary of Township
11 links East of corner to sections
4 and 5 from which corner I run
S 5' E on a true line between sections
4 and 5
Variation 13° East

39.90 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner

79.90 The corner of sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
31 & 32
Variation 13° 15' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corn

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No. 37 East 6th Meridian

East on a random line between Sections 29 & 32
Variation 13° 15' East

40.00 Set a post for temporary 1/4 sec corn

80.00 Intersect North and South line 45 links North of corner to sections 28 29 32 and 33 from which corn I saw N 89° 44' W on a true line between Sections 29 and 32
Variation 13° 15' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corn

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to Sections 29 30 31 and 32
Land rolling
Soil 2nd Rate

Township No 11 North

East on a Random line
between Sections 30 & 31
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec cor
79.86 Intersect west boundary of Township
23 links South of corner to sections
30 and 31 from which cor I min
S 89° 50' W on a true line between
Sections 30 and 31
Variation 13° 30' East

39.86 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner

79.86 The corner of sections
29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

North between Sections
29 & 30
Variation 13° 13' E

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chaned post in mound of
Earth with pits as per
instructions for corner to sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

August 13th 1871

Township No 11 North

East on a random line between
Sections 20 & 29
Variation 13° East

4000 Set a post for temporary 1/4 sec cor
80.16 Intersect North and South line 12
links South of corn of sections 20 21
28 and 29 from which corn I run
S 89°55' W on a true line between
Sections 20 and 29
Variation 13° East

40.08 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corn

80.16 The corn of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

West on a random line
between Sections 19 & 30
Variation 13° 20' East

4000 Set a post for temporary 1/4 sec corn
79.92 Intersect west boundary of Township
17 links South of corn of sections
19 and 30 from which corner I run
S 89°59' E on a true line between
Sections 19 and 30
Variation 13° 20' East

39.92 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corn

79.92 The corn of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
19 & 20
Variation 13°15' East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section Corn

8000 Set chain post in mound of Earth with pits as per instructions for Corner to Sections 17 18 19 and 20

Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

East on a random line between Sections 17 & 20
Variation 13° 15' East

4000 on a line for temporary 1/4 sec cor

79.94 Intersect North and South line 31 links North of corner to Sections 16 17 20 and 21 from which corner I run N 89°47' W on a true line between Sections
17 and 20
Variation 13° 15' East

39.97 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corn

79.94 The corn of Sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Township No. 11 North

West on a random line between
Sections 18 & 19
Variation 13° East

40.00 Set a post for temporary 1/4 sec cor.

80.75 Intersect West boundary of Township
49 links North of corner to sections
18 and 19 from which corner to sec
N 89° 39' E on a true line between
Sections 18 and 19
Variation 13° East

40.75 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.75 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North between Sections
17 & 18
Variation 13° 15' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No. 11 North

East on a random line between
Sections 8 & 17
Variation 13° East

4000 Set a post for temporary 1/4 sec cor
80.12 Intersect north and south line 27 links
South of corner to sections 8 9 16 and
17 from which corner I saw
S 89° 49' W on a true line between
sections 8 and 17
Variation 13° East

40.06 Set chained post in mound of earth
with pits as per instructions for 1/4
Section corner

80.12 The corner of sections
7 8 17 and 18
Land yielding
Sol 2nd Rate

Range No. 37 West 6th Meridian

West on a random line between
Sections 7 & 18
Variation 13° 20' East

4000 Set a post for temporary 1/4 Sec cor
81.29 Intersect west boundary of Township
40 links North of corner to sections
7 and 18 from which corner I saw
N 89° 43' E on a true line
between sections 7 and 18
Variation 13° 20' East

41.29 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner

81.29 The corner of sections
7 8 17 and 18
Land yielding
Sol 2nd Rate

Township No 11 North

North between Sections
7 & 8
Variation 13° 20' East

4000 Set chain post in mound of
Earth with pits as per
instructions for 1/4 section corn
8000 Set chain post in mound of
Earth with pits as per
instructions for corn in
Sections 5 6 7 and 8
Land rolling
Soil 2nd Rate

Range No 37 East 6th Meridian

East on a random line between
Sections 5 & 8
Variation 13° 15' East

4000 Set a post for temporary 1/4 sec corn
80.22 Intersect North and South line 28
links south of corn in section
4 5 8 and my from which corn
I run S 89° ~~49'~~ W on a true line
between sections 5 and 8
Variation 13° 15' East
4011 Set chain post in mound of Earth
with pits as per instructions for
1/4 section corn
8022 The corn of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 6 & 7
Variation 13° 30' East
4000 Set a post for temporary 1/4 sec cor
81.70 Intersect West boundary of Township
56 links South of corner to sections
6 and 7 from which corner I saw
S 89° 36' W on a true line between
Sections 6 and 7
Variation 13° 30' East
4170 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
8170 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Range No 37 West 6th Meridian

North on a random line between
Sections 5 & 6
Variation 13° East
4000 Set a post for temporary 1/4 sec cor
80.35 Intersect North boundary of Township
20 links East of corner to sections
5 and 6 from which corner I saw
S 9' E on a true line between
Sections 5 and 6
Variation 13° East
40.35 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.35 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

August 14th 1871

Township No 11 North Range No 37 West of the 6th Principal Meridian

General Description

This Township is rolling
Soil mostly ~~[illegible]~~ 2nd
rate good for grazing
but too dry for agricultural
purposes without irrigation

List of Names

A list of Names of the individuals employed in running measuring and marking the lines and corners described in the foregoing field notes of Township No 11 North Range No 37 West of the 6th Principal Meridian State of Nebraska showing the respective capacities in which they acted

Henry Heisel — Chainmen
Frank M Daugherty
Elijah Bennett — Rodmen & Flagmen
Henry Lear

COUNTY SURVEYOR NOTARIAL SEAL

Township No 11 North Range No 37 West of the 6th Principal Meridian

We hereby certify that we assist William E Daugherty Deputy Surveyor in surveying and sub-dividing Township No 11 North Range No 37 West of the 6th Principal Meridian State of Nebraska and that said Township has been in all respects to the best of our ~~ability~~ knowledge and belief well and faithfully surveyed and and the boundary monuments planted according to the instructions furnished by the surveyor

General
Henry Heisel } Chainmen
Frank M Daugherty
Elijah Bennett Mound men
Henry Leary

Subscribed and sworn to before me at my office in North Platte Lincoln County Nebraska this 5th day of September 1871

J B Park Notary Public

I William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a contract with E E Cunningham Surveyor of the public lands of the United States for the State of Nebraska bearing date the 25th day of May 1871 and in strict conformity to the laws of the United States and the instructions furnished by the surveyor General I have faithfully surveyed and subdivided into Sections Township No 11 North Range No 37 West of the 6th Principal Meridian State of Nebraska and I do further swear that the foregoing are the true and original field notes of such survey

William E Daugherty
Deputy Surveyor

I William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin B. Cutter are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 25th of May 1871 I have well faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual & the laws of the United States, surveyed Township No. 10 north of the line of Range No 3 west of the 6th principal Meridian as represented in the foregoing field Notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established & perpetuated in strict accordance with the Surveying Manual & the printed instructions and that the foregoing are the true & original field Notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Platte Nebraska this 12th day of September 1871

A S Chilcote Probate Judge

Surveyor General's Office
Plattsmouth, Nov 25th 1871

The foregoing field notes of the Survey and Sub-dividing of Township No 11 North of the Base Line of Range No. 37 West of the 6th P.M. in Nebraska, Executed by Wm E. Daugherty, under Joint Contract No 144, wherein Wm E. Daugherty and Martin B. Cutler are Joint Contractors, bearing date the 26th day of May 1871, in the month of Aug. having been critically examined the necessary corrections and explanations made the said field notes, and the surveys they describe, are hereby approved.

E. E. Cunningham
Surveyor General.

Diagram of

T 12 N., R 37 West

6 56	5 42	4 33	3 22	2 13	1
55	54	41	32	21	12
7 53	8 40	9 31	10 21	11 11	12
52	51	39	30	20	10
18 50	17 38	16 29	15 19	14 9	13
49	48	37	28	18	8
19 47	20 36	21 27	22 17	23 8	24
46	45	35	26	16	7
30 45	29 35	28 25	27 16	26 6	25
44	43	34	24	15	5
31 43	32 34	33 23	34 14	35 4	36

Field notes of the Survey of the Sub division of Township No 12 South of the base line of Range No 37 West of the 6th Principal Meridian in the State of Nebraska by William Hardin deputy Surveyor under his contract No 40 bearing date the 6th day of August 1870

Sub division commenced Aug 29th 1870

Sub division completed Sept 3d 1870

Names and duties of

assistants and the respective capacities in which they acted

John Glenn Chairman
Charles Hardin Chairman
Fred Weihe Mound-builder
S. J. Leger Mound builder

T 12 N. R. 37 W. of the 6th P. M.

To determine the proper adjustment of my compass for sub-dividing this township, I commenced at the corner to ~~sections~~ townships 11 and 12 North of Ranges 36 and 37 West and run North on a blank line along the east boundary of section 36

Va 13°46' E.

1 A point ~~73~~ 13 lks ~~West~~ ~~East~~ of the 1/4 sec cor
8013 a point 33 lks West of the corner to Sec. 25, 30, 31 & 36

To retrace this line or run a parallel there to my compass must be adjusted to a variation of 13°26' E

Sub division began Aug. 29th
~~Sub division completed~~

T12 S R37W. 5th P.M.

Chains	
	From the corner to sections 1, 2, 35 and 36 on the south boundary of the Township I run North between sections 35 and 36
	on a 13'26" E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 25, 26 35 and 36
	Land rolling Soil poor 2d rate

T12 S, R37W. 5th P. M.

Chs	
	East on a random line between sections 25 and 36
	on a 13'26" E.
40.00	Set a post for temporary 1/4 Sec Cor
80.09	Intersected the East boundary of the township at a point 29 lks South of the corner to sections 25 and 36 from which corner I run S 89° 47' W on a true line between sections 25 and 36
	on a 13'26" E
40.05 1/2	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor
80.09	The corner to sections 25, 26 35 and 36
	Land rolling Soil poor 2d rate

T 12 N. R 37 W 6th P.M.

Ch.s North between sections 25 and 26 va 13° 30' E

40.00 Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 23 24 25 and 26 Land rolling Soil 2d rate

T 12 N R 37 W. 6th P.M

Ch.s East on a random line between sections 24 and 25 va 13° 30' E

40.00 Set a post for temporary 1/4 Sec - cor -

80.00 Intersected the east boundary of the township 20 lks South of the corner to sections 24 and 25 from which corner I run S 89° 51' W on a true line between sections 24 and 25 va 13° 30' E

40.00 Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. cor -

80.00 The corner to sections 23 24 25 and 26 Land rolling Soil 2d rate

T128 R37W 6th P.M.

Chs	
	North between sections 23 and 24
	Va 13°40' E
40,00	Set a post deposited a charred stake and raised a mound of earth as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 13, 14, 23 and 24
	Land rolling Soil 2d rate
	East on a random line between sections 13 and 24
	Va 13°40' E
40,00	Set a post for temporary 1/4 Sec Cor
79,96	Intersected the East boundary of the township 66 lks South of the corner to sections 13 and 24 From which corner I run S 89°32' W on true line between sections 13 and 24
	Va 13°40' E
39,98	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79,96	The corner to sections 13, 14, 23 & 24
	Land ~~rolling~~ Undulating Soil 2d rate

T128 R37W. 6th P.M.

Chs	
	North between sections 13 and 14
	Va 13°36'
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 11, 12, 13 & 14
	Land rolling
	Soil sandy poor 2d rate
	Aug 29th 1870

T12S R37W of 6th PM

Chs	East on a random line between sections 12 and 13 va 13°36' E.
19.50	North end of dry basin bears S84°W.
40.00	Set a post for temporary 1/4 Sec Cor
79.70	Intersected the east boundary of the Township 46 lks south of the corner to sections 12 and 13 from which corner I run S89°46' W on a true line between sections 12 and 13 va 13°36' E.
39.85	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.70	The corner to sections 11, 12, 13 and 14 Land rolling Soil poor 2nd rate

T12S R37W 6th PM

Chs	North between sections 11 and 12 va 13°26' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 1, 2, 11 and 12
	Land rolling Soil 2nd rate

T12S R37W 6th P.M.

chs	
	East on random line between sections 1 and 12 Va 13°26' E
40.00	Set a post for temporary 1/4 Sec cor
79.96	Intersected the East boundary of the township 24 chs South of the corner to sections 1 and 12 from which corner I run S 89°50' W on a true line between sections 1 and 12 Va 13°26' E
39.98	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.96	The corner to sections 1, 2, 11 and 12 Land rolling Soil 2d rate

T12S R37W 6th P.M.

chs	
	North on a true line between sections 1 and 2 Va 13°26' E.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
84.08	Intersected the 3d standard parallel N at a point 7.78 chs East of the corner to Township 13 S Ranges 36 and 37 W At which point I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 1 and 2 Land undulating Soil 2d rate

T 12 S. R 37 W. 6th P.M.

Chs	
	North between sections 34 and 35 Va 13°25' E
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 26 27 34, 35
	Land slightly rolling Soil 2a rate

T 12 S R 37 W 6th P.M.

Chs	
	East on a random line between sections 26 and 35 Va 13°25' E.
4000	Set a post for temporary 1/4 Sec Cor
7962	Intersected the S and N 1/4 line 30 lks South of the corner to sections 25, 26 ~~and~~ 35, 36 from which corner I run S 89°47' W on a true line between sections 26 and 35 Va 13°25' E
3981	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
7962	The corner to sections 26, 27, 34 and 35
	Land undulating Soil 2a rate

T 12 S R 37 W of 6th P.M.

Chs	North between sections 26 and 27 va 13°25' E.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 22 23 26 and 27 Land undulating Soil 2nd rate

---

	Easton random line between Sections 23 & 26
~~40.00~~	va 13°25' E
40.00	Set a post for temporary 1/4 Sec Cor.
79.49	Intersected the N and S line 48 lks South of the corner to sections 23 26 25 and 26 from which corner I run S 89°39' W on a true line between sections 23 and 26 va 13°25' E
39.74½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.49	The corner to sections 22 23 26 and 27 Land rolling soil 2nd rate

T 12 S R 37 W 6th P.M.

Chs	North between sections 22 and 23 va 13°40' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 14, 15, 22, and 23 Land rolling soil 2nd rate

T 12 S R 37 W 6th P.M.

Chs	East on a random line between sections 14 and 23 Var 13°40' E
4.40	Drain descending S.W.
40.00	Set a post for temporary 1/4 Sec Cor
79.89	Intersected the S and B line 40 lks South of the corner to sections 13, 14, 23 and 24 from which corner I run S 89°48' W on a true line between sections 14 and 23 Var 13°46' E.
39.94	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.89	The corner to sections 14, 15, 22 and 23 Land Undulating Soil 2d rate

T 12 S R 37 W 6th P.M.

Chs	North between sections 14 and 15 Var 13°46' E
12.50 / 40.00	Draw runs S W Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
63.00	Draw runs S W
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 10, 11, 14 and 15 Land level Soil 2d rate

Addenda { At 27.00 chs draw runs S W

T12S R37W 6th P.M.

Chs	
	East on a random line between sections 11 and 14 Va 13°45' E
40.00	Set a post for temporary 1/4 Sec Cor
79.70	Intersected the N and S line 30 lks South of the corner to sections 11, 12, 13 and 14 from which corner I run S 89°47' W on a true line between sections 11 and 14 Va 13°45' E
39.85	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.70	The corner to sections 10, 11, 14 and 15 Land rolling Soil 2d rate

T12S R37W 6th P.M.

Chs	
	North between sections 10 and 11 Va 13°45'
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 2, 3, 10 and 11 Land rolling soil 2d rate Aug. 30th 1870

	East on a random line between sections 2 and 11 Va 13°45' E
40.00	Set a post for temporary 1/4 Sec Cor
80.23	Intersected the N and S. line 48 lks South of the corner to sections 1, 2 and 11 from which corner I run S 89°39' W on a true line between sections 2 and 11 Va 13°45' E
40.11½	Set a post deposited a charred stake and raised a mound of earth as per instructions for 1/4 Sec cor
80.23	The corner to sections 2, 3, 10 and 11 Land rolling Soil 2d rate

T 12 N R 37 W 6th P.M.

Chs	
	North on a true line between sections 2 and 3.
	Va 13°30' E
32,00	Enter dry lake bears N E & N.W
39,00	Leave " " " S E & S.W.
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
84,46	Intersected the 3d standard parallel N at a point 8,04 chs east of the corner to sections 35 and 36 of T 13 N of R 37 W at which point I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 2 and 3
	Land gently rolling Soil 2d rate

T 12 N° R 37 W. 6th P.M.

Chs	
	North between sections 33 and 34
	Va 13°30' E.
40,00	Set a post deposited a charred stake and raised mound of of earth with pits as per instructions for 1/4 sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 27, 28, 33 and 34
	Land rolling soil 2d rate

T12S R37W 6th PM

Chs	
	East on a random line between sections 27 and 34 Va 13°30'E
4,00	Set a post for temporary 1/4 sec-cor-
80,40	Intersected the N and S line 26 lks South of the Corner to sections 26, 27 34 and 35 from which corner I run S89°49'W on a true line between sections 27 and 34 Va 13°30'E
40,20	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,40	The corner to sections 27, 28, 33, and 34
	Land level Soil 2d rate

T12S R37W 6th PM

Chs	
	North between sections 27 and 28 Va 13°30'E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 21, 22, 27 and 28
	Land level Soil 2d rate

T12N R 37 W. 6th P.M.

Chs	
	East on a random line between sections 22 and 27 Va 13°20'E
22.50	Draw or Drain runs N W
40.00	Set a post for temporary 1/4 Sec Cor
80.12	Intersected the N and S line 64 lks South of the corner to sections 22 23 26 and 27 from which corner I run S 89° 33' W on a true line between sections 22 and 27 Va 13° 20' E
40.06	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.12	The corner to sections 21, 22, 27 and 28 Land level Soil 2d rate

T12N R 37 W. 6th P.M.

Chs	
	North between sections 21 and 32 22 Va 13°26
16.00	Drain runs N W
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15, 16, 21 and 22
	Land nearly level Soil 2d rate

T12 N R 37 W 6th P M

Chs	
	East on a random line between sections 15 and 22 Va 13° 26' E
19.40	Drain N W
40.00	Set a post for temporary 1/4 Sec Cor
53.20	Drain runs N W
80.50	Intersected the N and S line 70 lks South of the corner to sections 14, 15, 22 and 23 from which corner I run S 89° 36' W on a true line between sections 15 and 22 Va 13° 26' E
40.25	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.30	The corner to sections 15, 16, 21 and 22

Land gutty rolling soil 2d rate

T12 N R 37 W. 6th P M

Chs	
	North between sections 15 and 16 Va 13° 36' E
19.50	Drain running N W
29.20	Ravine Runs N W. Rotten or crumbling limestone croping out of banks
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to sections 9, 10, 15 and 16

Land rolling soil 2d rate

T 12 N R 37 W. 6th P M

Chs	
	East on a random line between sections 10 and 15 Va 13°30'
40.00	Set a post for temporary 1/4 Sec cor
48.20	Ravine running N W
80.19	Intersected the N and S line 31 lks South of the corner to sections 10, 11, 14 and 15 from which corner I run S 89°47' W on a true line between sections 10 and 15 Va 13°30' E
400 9½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.19	The corner to sections 9 10 15 and 16 Land rolling Soil Sandy poor 2d rate

T 12 N R 37 W. 6th P M

Chs	
	North between Sections 9 and 10 Va 13°45' E
37.00	Ravine runs N W and looses or disperses valley in the
40.00	Set a post - deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
41.00	Enter sand hills, bearing N W & S E
77.50	Leave sand hills " " "
80.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to Sections 3, 4, 9 and 10 Land S 1/2 rolling N 1/2 Sand hills Soil poor 2d rate

T12 N R 37 W. 6th P.M.

Chs	
	East on a random line between sections 3 and 10 Va 13°45' E
3800	Drain runs N W
4000	Set a post for temporary 1/4 Sec Cor
6260	Ravine runs N W
7973	Intersected the N and S line 49 lks South of the corner to sections 2, 3, 10 and 11 from which corner I run S 89° 39' W on a true line between sections 3 and 10 Va 13°45' E
3984	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
7973	The corner to sections 3, 4, 9, 10 Land Rolling Soil 2d rate

T12 N R 37 W. 6th P.M.

Chs	
	North on true line between Sections 3 and 4 Va 14° E
4000	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
4600	Large ~~Drain~~ Ravine runs N W.
7910	Ravine descends N W.
8576	Intersected the 3d standard parallel N. 8.87 Chs east of the corner to sections 34 and 35 of T 13 N. R 37 W. where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 3 and 4 Land rolling Soil 2d rate Aug 31st 1870

T12 N R 37 W 5th P M

Chs	North between sections 32 and 33
	Va 13°30' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 28, 29, 32 and 33
	Land rolling Soil 2d rate
	East on random line between sections 28 and 33
	Va 13°30' E.
40,00	Set a post for temporary 1/4 Sec Cor
80,56	Intersected the N and S line 38 lks South of the corner to sections 27, 28, 33 and 34 from which corner I run S 89°44' W on a true line between sections 28 and 33
	Va 13°30' E
40,28	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,56	The corner to sections 28, 29, 32 and 33
	Land rolling Soil 2 d rate

T12 N R 37 W 5th P M

Chs	North between sections 28 and 29
	Va 13°10' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 20, 21, 28, 29
	Land rolling Soil 2d rate
	East on a random line between sections 21 and 28
	Va 13°10' E
40,00	Set a post for temporary 1/4 Sec cor
80,18	Intersected the N and S line 70 lks South of the corner to sections 21, 22, 27 and 28 from which corner I run S 89°36' W on a true line between sections 21 and 28
	Va 13°10' E
40,24	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,48	The corner to sections 20, 21, 28 & 29
	Land level Soil 2d rate

T 12 N R 37 W. 6th P.M.

Chs	
	North between sections 20 and 21
	Va 13°10' E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
60.00	Drain running N of E
80.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to Sections 16 17 20 and 21
	Land rolling
	Soil poor 2d rate

T 12 N R 37 W of the 6th P.M.

Chs	
	East on a random line between sections 16 and 21
	Va 13°10' E
40.00	Set a post for temporary 1/4 Sec cor
46.76	Ravine running North
80.36	Intersected the N and S line 35 lks South of the corner to sections 15 16 21 and 22 from which corner I run S 89°36' W on a true line between Sections 16 and 21.
	Va 13°10' E
40.18	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.36	The corner to sections 16 17 20 and 21
	Land rolling soil poor 2d rate

T 12 S R 37 W. 6th P.M.

Chs	
	North between sections 16 and 17 Va 13°25' E.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 and 17 Land Sloping to the East Soil 2d rate

T 12 S R 37 W 6th P.M.

Chs	
	East on a random line between sections 9 and 16 Va 13°25' E
32.00	Drain runs North
40.00	Set a post for temporary 1/4 Sec Cor
44.00	Drain runs South-West
57.42	Same drain North-West
79.90	Intersected the N and S line 25 lks South of the corner to sections 9 10 15 and 16, from which corner I run S 89° 49' W on a true line between sections 9 and 16 Va 13°25' E.
39.95	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.90	The corner to sections 8, 9, 16 and 17 Land Rolling Soil per 2d

T 12 N R 37 W. 6th P.M.

chs	
	North between sections 8 and 9
	Va 13.40 E
2510	Drain running ~~North~~ East
4000	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8000	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5, 8 and 9
	Land nearly level
	Soil 2d rate

T 12 N R 37 W. 6th P.M.

chs	
	East on a random line between sections 4 and 9
	Va 13°40' E.
1150	Drain running North
1900	Ravine (main) running North
4000	Set a post ~~in South edge of valley~~ for temporary 1/4 Sec cor
7000	Enter sandy hills, bearing N & S E.
80.36	Intersected the N and S line 5 lks North of the corner to sections 3, 4, 9 and 10 from which corner I run N 89°58' W on a true line between sections 4 and 9
	Va 13°40' E.
40.18 ~~40.18~~	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
8036	The corner to sections 4, 5, 8 and 9
	Land Rolling
	Soil poor 2d rate

T 12 N R 37 W. 6th P M

Chs	
	North on a true line between sections 4 and 5
	Va 14°00' E
32.00	ravine running East
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec Cor
85.92	Intersected the 3d standard parallel N at a point 8.16 ch East of the corner to sections 33 and 34 of T 13 N R 37 W when I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 4 and 5
	Land rolling soil poor 2d rate
	Sept 1st 1870

T 12 N R 37 W. 6th P M

Chs	
	North between sections 31 and 32.
	Va 13°25' E
40.00	Set a post, deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 29 30 31 and 32.
	Land gently rolling soil 2d rate
	East on a random line between sections 29 & 32
	Va 13°25' E
40.00	Set a post for temporary 1/4 sec cor
79.27	Intersected the N and S line 68 lks South of the corner to sections 28 29, 32, and 32 from which corner I run S 89°31' W on a true line between sections 29 and 32
	va 13°25' E.
39.63½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79.27	The corner to sections 29 30 31 and 32
	Land slightly rolling soil 2d rate

T 128 R 37 W. 5th P.M.

Chs	
	West on a random line between sections 30 and 31 Va 13°25' E
35.00	Enter dry lake or basin, bears N.W. & S.
40.00	Set a post for temporary 1/4 Sec Cor
60.00	Leave dry lake, bears N.E. & S.E.
80.34	Intersected the ~~A and I line~~ West boundary of the township 9 lks North of the corner to Sections 30 and 31 from which corner I run S 89°35' E East on a true line between sections 30 and 31 Va 13°25' E
40.34	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.34	The corner to sections 29 30 31 and 32 Land level Soil good 2d rate

T 128 R 37 W. 5th P.M.

Chs	
	North between sections 29 and 30 Va 13°35' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post, deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 19, 20, 29 and 30 Land level Soil good 2d rate
	East on a random line between sections 20 & 29 Va 13°35' E
40.00	Set a post for temporary 1/4 Sec. Cor.
79.62	Intersected the A and I line 78 lks South of the corner to sections 20, 21 28 and 29 from which corner I run S 89°27' W on a true line between sections 20 and 29 Va 13°35' E
39.81	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.62	The corner to sections 19 20 29 and 30 Land level ~~Soil~~ good 2d rate

T 12 S. R 37 W. of the 6th P.M.

Chains	
	West on a random line between Sections 19 and 30 Va 13°35' E
4,00	Set a post for Temporary 1/4 Sec Cor
80,12	Intersected the West boundary of the Township 26 lks north of the Corner to Sections 19 and 30 From which corner I run N 89°49' E on a true line between Sections 19 and 30 Va 13°35' E
40,12	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,12	The corner to sections 19, 20, 29 and 30 Land level soil 2d rate

T 12 S. R 37 W. of 6th P.M.

Chs	
	North between Sections 19 and 20 Va 13°45' E
4,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
64,00	Ravine running east
80,00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to Sections 17 18 19 and 20 Land rolling soil 2d rate

T12 N. R37W. of 6th P.M.

Chs	East on a random line between Sections 17 and 20
	Va 13°45' E
40.00	Set a post for temporary 1/4 Sec Cor
80.10	Intersected the N and S line 63 lks South of the corner to Sections 16, 17, 20 and 21 From which corner I run S 89°33' W on a true line between Sections 17 and 20
	Va 13°45' E
40.05	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.10	The corner to Sections 17, 18, 19 and 20 Land Rolling Soil 2nd rate

T12 N. R 37W of 6th P.M.

Chs	West on a random line between sections 18 and 19
	Va 13°45' E
40.00	Set a post for temporary 1/4 Sec Cor
79.10	Intersected the West boundary of the township 8 lks South of the corner to Sections 18 and 19 From which corner I run S 89°54' E on a true line between sections 18 and 19
	Va 13°45' E.
39.10	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.10	The corner to sections 17, 18, 19 and 20 Land gently rolling Soil 2nd rate

T 12 N of R 37 W of the 6th P.M.

Chs	
	North between sections 17 and 18 Va 13°50' E
39.60	Drain runs N of E
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7, 8, 17 and 18
	Land slightly rolling Soil 2d rate

T 12 N R 37 W 6th P. M.

Chs	
	East on a random line between sections 8 and 17 Va 13°50' E
40.00	Set a post for temporary 1/4 Sec. Cor.
80.25	Intersected the N and S line 40 lks South of the corner to sections 8, 9, 16 and 17 from which corner I run S 89°43' W on a true line between sections 8 and 17 Va 13°50' E
40.12½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor
80.25	The corner to sections 7, 8, 17, 18 Land hilly Soil poor 2d rate

T12 S of R 37 W of 6th P.M.

Chs	
	Run on a random line between sections 7 and 18
	Va 13° 50' E
4.00	Set a post for temporary 1/4 Sec Cor
4.85	Drain running SE
7.88	Intersected the west boundary of the township 8 chs 25 links South of the corner to sections 7 and 18 from which corner I run S 89° 54' East on a true line between sections 7 and 18
	Va 13° 50' E
38.88	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-Cor
78.88	The corner to sections 7, 8, 17 and 18
	Land undulating
	Soil 2d rate

T12 S R 37 W 6th P.M.

Chs	
	North between sections 7 and 8
	Va 14° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-Cor
72.50	Drain running East
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 5, 6, 7 and 8
	Land rolling
	Soil 2d rate
	Sept 9th 1870

T 12 S of R 37 W of 6th P M

Chs	East on a random line between Sections 5 and 8 Va 14° E.
40,00	Set a post for temporary 1/4 Sec cor
42,60	Enter a kind of bottom, bear N.E.
80,18	Intersected the N and S line 45 lks South of the corner to Sections 4, 5, 8, 9 from which corner I run S 89 41 W on a true line between Sections 5 and 8 Va 14° E
40,19	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,18	The corner to Sections 5, 6, 7 and 8 Land rolling Soil poor 2d rate

T 12 S R 37 W. 6th P M

Chs	West on a random line between sections 6 and 7 Va 14° E
40,00	Set a post for temporary 1/4 Sec-Cor-
78,06	Intersected the West boundary of the township 12 lks South of the corner to Sections 6 and 7 from which corner I run S 89 55 E on a true line between Sections 6 and 7 Va 14° E
39,06	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
78,06	The corner to sections 5, 6, 7 and 8 Land rolling Soil 2d rate

T12N R37W 6th P.M.

Chs	North on a true line between sections 5 and 6 Va 14°10' E
36,60	Ravin runs east
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
86,18	Intersected the 3d standard parallel at a point 8,62 lks East of the corner to sections 32 and 33. of T13N of R37W Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to Sections 5 and 6
	Land rolling soil 2d rate

Sept 3d 1870.

T12N R37W 6th P.M.

General Description

This is a beautiful township The Surface varying from nearly level to rolling

The Soil is a black sandy loam with subsoil of a mixture of clay and sand

The grass is mostly buffalo

Would make a good grazing region, Water for all purposes would have to be supplied by wells

The soil by irrigating would produce any crop common to Nebraska

Irrigation would have to be done by Artesian wells & could be done very easily by reason of the face of the country being very favorable for conveying water in canals or ditches.

A List of the names of individuals employed to assist in measuring and marking the lines and corners described in the foregoing field notes of Township No 12 North of the base line of Range No 37 West of the 6th Principal Meridian Showing the respective capacity in which they acted

John Glenn Chainman
Charles Hardin Chainman
S J Seger Mound builder
Fred Weihe Mound builder

We hereby certify that we assisted William Hardin deputy surveyor in Subdividing Township No 12 North of the base line of Range number thirty seven west of the Sixth principal Meridian in the state of Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

John Glenn chainman
Charles Hardin chainman
Fred. Weihe. Mound builder
S J Seger mound builder

Subscribed and sworn to by the above named persons before me a Clerk of the District Court within and for the County of Lincoln in the state of Nebraska this 29th day of September 1870

R C Dougherty
Clerk of the District Court within and for Lincoln County Nebraska

I William Hardin deputy Surveyor do solemnly swear that in pursuance of a contract with R. R. Livingston Surveyor of the Public lands of the United states in the state of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the Subdivision lines of Township number Twelve North of the base line of Range number Thirty Seven West of the Sixth principal meridian in the State aforesaid and do further solemnly swear that the foregoing ~~field notes~~ are the true and original field notes of such survey

William Hardin
Deputy Surveyor

Subscribed by the said William Hardin deputy surveyor, and sworn to before me a Notary Public for Saunders County in the state of Nebraska this 12 day of Oct 1870

A B Fuller
Notary Public

Surveyor General's Office
Plattsmouth Nebr. Mch. 21. 1871

The foregoing field notes of the survey of the subdivision lines of Township No. 12 North of the Base Line, of Range No. 37 West of the 6th Principal Meridian in the State of Nebraska. Executed by William Hardin under his contract of the 6th day of August 1870. in the months of August and September 1870. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

595

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.