General Land Office • Original Field Notes

Book Number

599

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T. 25 N. — R. 37 E.

6	61	5	45	4	34	3	23	2	12	1									
60		59		44		33		27		1									
7	58	8	43	9	32	10	21	11	10	12									
57		56		42		31		20		9									
18	55	17	41	16	30	15	19	14	5	13									
54		53		40		29		8		7									
19	52	20	37	21	28	22	17	23	6	24									
51		50		38		27		16		5									
30	49	29	97	28	26	27		26	4	25									
48		47		36		25		14		3									
31	46	32	35	33	24	34	13	35	2	36									

Field Notes of the

Survey and Subdivision

of Township No 25 North of the Base Line of Range No 37 East of the 6th P. M. in the State of Nebraska.

Executed by D. D. Stephenson Deputy Surveyor under Contract No 1108 dated July 25th 1878.

Survey

Commenced May 21st 1879.
Completed May 25th 1879.

List of Names.

Aaron Brownewell	Chainman.
Albert E. Sharp	Chainman.
H. B. McNulty	Woodsman.
A. D. Scott	Flagman.

To find the proper adjustment of my Compass for the subdivision of said Township, I began at the South East corner of Township No 25 North of Range No 35 West of the 6th Principal Meridian and run North on a blank line on the East Boundary of Sec 36.

Dec 14° 20' East.

40.00 To a point 48 Links West of 1/4 Sec cor
80.00 To a point 96 Links West of the cor to Sections 25 and 36.

To obtain this line or run parallel thereto my Compass must be adjusted to a Declination of 13° 39' East

Town 25 N. Range 37. W.

From a Post and Mound the corner to Sec's 35 and 36 on the South Boundary of Township I run North bet Sec's 35 and 36.

Va 13° ~~37'~~ 39' E.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 × 24 × 12 in deep, for 1/4 sec cor.

50.00 Ent Valley bears E and W.

80.00 Deposit Charcoal raised Mound of Earth 2 1/2 ft high from pits 18 × 24 × 12 in deep, drove Cedar Stake 2 × 2 in and 2 ft in S.E. pit for Cor to Secs 25. 26. 35 and 36

Land gently Rolling and Level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Sec's 25 and 36.

Upland Va 13° 39' E.

7.00 Ent ~~Valley~~ bears S.E. and W.

38.00 Intersect Dragon Road bears N and S.

40.00 Set temporary 1/4 sec cor.

80.08 Intersect East Boundary of Township 21 Lks South of cor of Post and Mound to Sec's 25 and 36. from which, I run

South 89° 51' W. on true line bet Sec's 25 and 36.

Va 13° 39' E.

40.04 Raised Mound of Earth 2 1/2 ft high from pits 18 × 24 × 12 in deep, for 1/4 Sec cor.

80.08 Cor to Sec's 25. 26. 35 and 36

Land Rolling

Soil good 2nd rate

Town 25 N. Range 37 W.

North bet Secs 25 and 26.
Dec 13° 39' E.

4.00 East upland bears S.E. and W.
38.00 East Valley bears E and W.
40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 + 24 + 12 in deep, for 1/4 sec cor.
80.00 Depth Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 + 24 + 12 in deep, drove Cedar Stake 2 + 2 in and 2 ft in S.E. pit for cor to Secs 23. 24. 25 and 26.

Land Rolling and Level
Soil good 2nd rate

Town 25 N. Range 36 W.

East on a random line bet Secs 24 and 25
Dec 13° 39' E.

3.00 East Ridge bears N W. and S E.
20.00 Intersect Dragon Road bears N and S
40.00 Set temporary 1/4 sec cor.
80.00 Intersect East Boundary of Township 5 Links South of Post Rail Mound the Cor to Secs 24 and 25. from which I run

South 89° 58' W. on true line bet Secs 24 and 25
Dec 13° 39' E.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 + 24 + 12 in deep, for 1/4 sec cor.
80.00 Cor to Secs 23. 24. 25 and 26

Land Rolling
Soil 2nd rate

Town 25 N. Range 37 W.

North bet Sec's 23 and 24.
Va 13° 39' E.

5.00 East Upland bears S.E. and S.W.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, for 1/4 sec cor.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Sec's 13. 14. 23 and 24.

Land Rolling
Soil 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Sec's 13 and 24
Va 13° 39' E.

28.00 Intersect Wagon road bears N and S.

40.00 Set temporary 1/4 Sec Cor.

80.10 Intersect East Boundary of Township 20 Lks South of Post and Mound the Cor to Sec's 13 and 24 from which I run

South 89° 51' W on true line bet Sec's 13 and 24.
Va 13° 39' E.

40.05 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, for 1/4 sec cor.

80.10 Cor to Sec's 13. 14. 23 and 24.

Land Rolling
Soil 2nd rate

North bet Sec's 13 and 14
Va 13° 39' E.

40.00 Raised Mound of Earth 2 1/2 ft high, from pits 18 + 24 × 12 in deep for 1/4 sec cor.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 + 24 + 12 in deep, drove Cedar Stake 2 × 2 in and 2 ft in S.E. pit for cor to Sec's 11. 12. 13 and 14.

Land Rolling
Soil 2nd rate

East on a random line bet Sec's 12 and 13.
Va 13° 39' E.

33.00 Intersect Dragon road bears N & S.
40.00 Set temporary 1/4 sec cor.
52.00 Valley or Drain S.E.
80.03 Intersect East Boundary of Township 7 Lks South of Post and Mound the Cor to Sec's 12 and 13. from which I run

South 89° 57' W on true line bet Sec's 12 and 13.
Va 13° 39' E.

40.01 Raised Mound of Earth 2 1/2 ft high from pits 18 × 24 - 12 in deep, for 1/4 sec cor.

80.03 Cor to Sec's 11 × 12. 13 and 14.

Land Gently Rolling
Soil good 2nd rate

Town 25 N. Range 37 E.

North bet Secs 11 and 12
Va 13° 39' E.

3.00 East Valley bears E and W.
7.07 East Ridge bears E and W.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, for 1/4 sec cor
8.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, Cross Cedar Stake 2 x 2 in and 2 ft in S.E. pits for cor to Secs 1. 2. 11 and 12

Soil Rolling and Level
Soil 2nd rate

Town 25 N. Range 37 E.

East on a random line bet Secs 1 and 12
Va 13° 39' E.

37.00 Intersect Dragon Road bears N 8 E.
40.00 Set temporary 1/4 sec cor.
80.13 Intersect East Boundary of Township 9 Lks South of Post and Mound the Cor to Secs 1 and 12 from which I run

South 89° 56' W on true line bet Secs 1 and 12.
Va 13° 39' E

40.06 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.
80.13 Cor to Secs 1. 2. 11 and 12.

Land Rolling Soil 2nd rate

Town 25 N. Range 37 E.

North on a random line bet Secs 1 and 2.

Dª 13° 39' E.

40.00 Set temporary 1/4 Sec cor

80.59 Subsequent North Boundary of Township 12 Lks West of Post and Mound the Cor to Secs 1 and 12 from which I run

South 0° 5' W on true line bet Secs 1 and 2.

Dª 13° 39' E.

40.59 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

80.59 Cor to Secs 1. 2. 11 and 12

Land Rolling Soil 2nd rate

May 21st 1879.

Town 25 N. Range 37 E.

X From a Post and Mound the Cor to Secs 34 and 35 on the South Boundary of Township I run North bet Secs 34 and 35.

Dª 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

50.00 East Valley bears E and W.

70.00 East Ridge bears E and W.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Secs 26. 27. 34 and 35.

Land Rolling and Level Soil 1st good 2nd "rate

Town 25 N. Range 67 W.

East on a random line bet Secs 26 and 35

Va 13° 39' E.

35.00 Ent Valley bears E & S.W.
40.00 Set temporary 1/4 sec cor.
80.00 Intersect N. and S. line 18 Links South of Cor to Secs 25. 26. 35 and 36. from which I run

South 89° 52' W on true line bet Secs 26 and 35.

Va 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 + 24 + 12 in deep for 1/4 sec cor.
80.00 Cor to Secs 26. 27. 34 and 35

Land Rolling to Level

Soil good 2nd rate

Town 25 N. Range 67 W.

North bet Secs 26 and 27

Va 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 + 24 + 12 in deep, for 1/4 sec cor
42.00 Ent Valley bears SE and S.W.
74.00 Ent Ridge bears E and N.,
80.00 Deposited Charcoal, raised Mound of Earth 2½ ft high from pits 18 + 24 × 12 in deep, drove Cedar Stake 2×2 in and 2 ft in S.E. pits for cor to Secs 22. 23. 26. and 27.

Land Rolling and Level

Soil good 2nd rate

East on a random line bet Secs 23 and 26.

Va 13° 39' E.

40.00 Set temporary 1/4 sec cor.
74.00 Ent Valley bears NE and 3 W.
79.94 Intersect N and S line 16 Lks North of Cor to Secs 23. 24. 25 and 26 from which I run

North 89° 53' W on true line bet Secs 23 and 26

Va 13° 39' E.

39.97 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.
79.94 Cor to Secs 22. 23. 26 and 27

Land Rolling and partly Level

Soil 2nd rate

North on a line bet Sec 22 and 23.

Va 13° 39' E.

30.00 Ent Valley bears E and W.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
55.00 Ent Ridge bears E and W.
80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Secs 14. 15. 22 and 23

Land gently rolling to Level

Soil Good 2nd rate

Town 25 N. Range 37 E.

East on a random line bet Secs 14 and 23

Va 13° 39' E

40.00 Set temporary 1/4 sec cor.

79.96 Intersect N and S. line 14 Chs South of Cor to Secs 13. 14. 23 and 24 from which I run

South 89° 54' W on true line bet Secs 14 and 23.

Va 13° 39' E.

39.98 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

79.96 Cor to Secs 14. 15. 22 and 23

Land Rolling

Soil 2nd rate

Town 25 N. Range 37 E.

North bet Secs 14 and 15.

Va 13° 39' E.

40.00 Raised Mounds of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

50.00 East Valley bears N.E. & S.W.

80.00 Deposit Charcoal, raised Mounds of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Secs 10-11-14 and 15

Rolling and Level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 11 and 14

Va 13° 39' E.

35.00 East Ridge bears NE & SW.

40.00 Set temporary 1/4 sec cor

80.02 Intersect W.B. line 9 Chs North of Cor to Secs 11. 12. 13 and 14 from which I run

North 89° 56' W on true line bet Secs 11 and 14

Va 13° 39' E.

40.01 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

80.02 Cor to Secs 10. 11. 14 & 15

Land gently rolling to level

Soil good 2nd rate

Town 25 N. Range 37 W.

North bet Secs 10 and 11

Va 13° 39' E.

7.00 East Ridge bears NE and SW.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pits for cor to Secs 2. 3. 10 and 11

Land Rolling

Soil 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 2 and 11

Va 13° 39' E.

40.00 Set temporary 1/4 sec cor

79.97 Intersect West B line 7 Lks North of Cor to Secs 1. 2. 11 and 12 from which I run

North 89° 57' W on true line bet Secs 2 and 11

Va 13° 39' E.

39.98 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

79.97 Cor to Secs 2. 3. 10 and 11.

Land Rolling

Soil 2nd rate

Town 25 N. Range 37 W.

North on a random line bet Secs 2 and 3

Va 13° 39' E.

63.00 Cut Valley bears E and W.

40.00 Set temporary 1/4 sec cor

73.00 Cut Ridge bears E and W.

80.30 Intersect North Boundary of Township 14 Links West of Post and Mound the Cor to Secs 2 and 3. from which I run

North 0° 6' W on true line bet Secs 2 and 3.

Va 13° 39' E.

40.30 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

80.30 Cor to Sec 2. 3. 10 and 11

Land Rolling and Level

Soil good 2nd rate

May 22nd 1879.

Town 25 N. Range 37 W.

From a post and Mound the cor to Secs 33 and 34. on the South Boundary of Township I run North bet Secs 33 and 34

Da 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor

44.00 Ent Valley bears E and S W.

70.00 Ent Ridge bears NE and S W.

80.00 Set Iron Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for cor to Secs 27. 28. 33 and 34.

Land Rolling to Level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 27 and 34.

Da 13° 39' E.

40.00 Set temporary ¼ Sec cor

80.78 Intersect N and S. line 7 Lks West of cor to Secs 26. 27. 34 and 35 from which I run

North 89° 57' W on true line bet Secs 27 and 34.

Da 13° 39' E.

40.39 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor.

80.78 Cor to Secs 27. 28. 33 and 34.

Land Rolling

Soil 2nd rate

Town 25 N. Range 37 E.

North bet Secs 27 and 28.
Va 13° 39' E.

30.00 East Valley bears NE & SW.

4.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor.

76.00 East Ridge bears E and SW.

80.00 Depsid Charcoal, raised Mound of Earth 2½ ft high from pits 18x24x12 in deep, drove Cedar Stake 2x2 in and 2 ft in S.E. pit for cor to Secs 21. 22. 27 and 28

Land Rolling and Level
Soil good 2nd rate,

Town 25 N. Range 37 E.

East on a random bet Secs 22 and 27
Va 13° 39' E.

40.00 Set temporary ¼ Sec Cor.

80.09 Intersect Grand R. line 16 Lks North of Cor to Secs 22. 23. 26 and 27 from which I run

North 89° 53' W. on true line bet Secs 22 and 27.
Va 13° 39' E.

4.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dep for ¼ sec cor

80.09 Cor to Secs 21. 22. 27 and 28

Land Rolling
Soil 2nd rate

North bet Secs 21 and 22
Dª 13° 39' E.

35.00 East Valley bears E and 3 E.

40.00 Raised Mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep for
1/4 SEC cor

67.00 East Ridge bears E and W.

80.00 Deposit Charcoal, raised Mound of
Earth 2½ ft high from pits 18 x 24 x 12
in deep, Stone Cedar Stake 2 x 2 in
and 2 ft in S.E. pit for cor
to Secs 15. 16. 21 and 22

Land Rolling and Level

Soil good 2nd rate

East on a random line bet Secs
15 and 22.
Dª 13° 39' E

40.00 Set temporary 1/4 SEC cor.

80.12 Intersect N and S. Line 16 Lks
North of Cor to Secs 14. 15. 22 and 23
from which I run

North 89° 53' West true line bet
Secs 15 and 22.
Dª 13° 39' E.

40.06 Raised Mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep for
1/4 SEC cor.

80.12 Cor to Secs 15. 16. 21 and 22

Land Rolling
Soil 2nd rate

Town 25 N. Range 37 W.

North bet Sec's 15 and 16.
Da 13° 39' E.

35.00 Ent Valley bears SE and SW.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in SE. pit for corner to Sec's 9. 10. 15 and 16

Land gently rolling to level

Soil good 2nd rate,

Town 25 N. Range 37 W.

East on a random line bet Sec's 10 and 15
Da 13° 39' E.

3.00 Ent Ridge bears N and S.

40.00 Set temporary 1/4 sec cor

63.00 Ent Valley bears NE and SW.

80.17 Intersect N and S. line 14 Lks North of Cor to Sec's 10. 11. 14 and 15 from which I run

North 89° 54' W on true line bet Sec's 10 and 15.
Da 13° 39' E.

40.08. Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, for 1/4 sec cor.

80.17 Cor to Sec's 9. 10. 15 and 16.

Land Rolling and Level

Soil 2nd rate,

Town 25 N. Range 37 W.

North bet Secs 9 and 10

9.00 East Ridge bears Da N. 43° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, for ¼ sec cor

55.00 East Valley bears E and W.

~~69.00 East Ridge bears E and W.~~

80.00 Despain Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for cor to Secs 3. 4. 9 and 10

Land Rolling and Level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 3 and 10

Da 13° 39' E.

40.00 Set temporary ¼ sec cor

46.00 East Ridge bears N and S.

80.04 Intersect N and S. line 9 Lks West of Cor to Secs 2 x 3-10 and 11 from which I run

North 89° 56' W on true line bet Secs 3 and 10.

Da 13° 39' E.

~~40~~02. Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ sec cor

80.04 Cor to Secs 3. 4. 9 and 10

Land Level and Rolling

Soil "Valley Marshy"
" Ridge Rolling",

Town 25 N. Range 37 W.

North on a random line bet Secs 3 and 4.

Va 13° 39' E.

1000 Ent Ridge bears NE and SW.

4000 Set temporary 1/4 sec cor

8022 Intersect North Boundary of Township 9 Lks West of Post and Mound the Corner to Secs 3 and 4 from which I run

South 0° 4' W on true line bet Secs 3 and 4

Va 13° 39' E.

40.22 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

8022 Cor to Secs 3. 4. 9 and 10

Land Level and Rolling

Soil 2nd rate

May 23rd 1879.

Town 25 N. Range 37 W.

From a Post and Mound the Cor to Secs 32 and 33 on the South Boundary of the Township I run North bet Secs 32 and 33 Va 13° 39' E

3500 Ent Dalley bears E and W.

4000 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

5500 Ent Ridge bears E and W.

7200 Ent Dalley bears NE and SW.

8000 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in SE. pit for Cor to Secs 28. 29. 32 and 33.

Land gently rolling and level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Sec's 28 and 33

Da 13° 39' E

3500 Ent Ridge bears NE and SW.

4000 Set temporary 1/4 sec cor

80.00 Intersect N and S line 10 Lks South of Cor to Sec's 27. 28. 33 and 34 from which I run

South 89° 56' W on true line bet Sec's 28 and 33.

Da 13° 39' E

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

8000 Cor to Sec's 28. 29. 32 and 33

Land Level and gently rolling

Soil good 2nd rate

Town 25 N. Range 37 W.

North bet Sec's 28 and 29.

Da 13° 39' E.

4000 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

4200 Ent Ridge bears NE and SW.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in SE pit for Cor to Sec's 28. 29. 20 and 21

Land Level and Rolling

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 21 and 28.
Va 13° 30' E.

40.00 Set temporary 1/4 sec cor

80.12 Intersect N and S. line at 38 Lks North of corner to Secs 21. 22. 27 and 28 from which I run

North 89° 45' W on true line bet Secs 21 and 28
Va 13° 30' E.

40.06 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

80.12 Cor to Secs 20. 21. 28 and 29.

Land Rolling
Soil 2nd rate

Town 25 N. Range 37 W.

North bet Secs 20 and 21
Va 13° 30' E.

4.00 East Valley bears NE and SW.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

68.00 East Ridge bears NE and SW.

80.00 Deposit Charcoal, raised Mound of Earth from pits 18 x 24 x 12 in deep, door Cedar Stake 2 x 2 in and 2 ft in SE. pits for cor to Secs 16 17. 20 and 21

Land Level and gently rolling
Soil 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Sec's 16 and 21.

Va 13° 39' E.

4000 Set temporary 1/4 sec cor

8008 Intersect N and S. line 20 Lks North of Cor to Sec's 15. 16. 21 and 22 from which I run

North 89° 51' W on true line bet Sec's 16 and 21

Va 13° 39' E.

40.04 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

80.08 Cor to Sec's 16. 17. 20 and 21

Land Rolling

Soil 2nd rate.

Town 25 N. Range 37 W.

North bet Sec's 16 and 17

Va 13° 39' E.

36.00 Ent Dalley bears E & W.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

41.00 Ent Ridge bears E and W.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Sec's 8. 9. 16 and 17.

Land Rolling and Level

Soil 2nd rate.

Town 25 N. Range 67 W.

East on a random bet Secs 9 and 16

Va 13° 39' E.

40.00 Set temporary 1/4 sec cor

63.00 East Valley bears NE and SW

80.05 Intersect N and S. line 16 Lks North of cor to Secs 9. 10. 15 and 16 from which I run

North 89° 53' W on town line bet Secs 9 and 16.

Va 13° 39' E.

40.02 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

80.05 Cor to Secs 8. 9. 16 and 17

Land Rolling and Level

Soil good 2nd rate

Town 25 N. Range 67 W.

North bet Secs 8 and 9

Va 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

55.00 East Valley bears E and W.

69.00 East Ridge bears E and W.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18x24 x 12 in deep, drove Cedar Stake 2x2 in and 2 ft in S.E. pit for Cor to Secs 4. 5. 8 and 9.

Land rolling and Level

Soil 2nd rate

Town 25 N. Range 67 W.

East on a random line bet Secs 4 and 9
Va 13° 39' E.

4000 Set temporary 1/4 sec cor

4700 East Valley bears NE. and SW.

8009 Intersect West bdy Sec line 15 Lks West of Cor to Secs 3. 4. 9 and 10 from which I ran

North 89° 54' W on true line bet Secs 4 and 9.
Va 13° 39' E.

40.04 Raised Mound of Earth 2½ ft high from which 18 x 24 x 12 in deep for 1/4 sec cor

80.09 Cor to Secs 4. 5. 8 and 9

Land Rolling and Level
Soil good 2nd rate

Town 25 N. Range 67 W.

North on a random line bet Secs 4 and 5.
Va 13° 39' E.

4000 Set temporary 1/4 sec cor

8019 Intersect West Boundary of Township 14 Lks West of Post and Mound the corner to Secs 4 and 5 from which I ran.

South 0° 6' W on true line bet Secs 4 and 5.
Va 13° 39' E.

4019 Raised Mound of Earth 2½ ft high from which 18 x 24 x 12 in deep for 1/4 sec cor.

80.19 Cor to Secs 4. 5. 8 and 9.

Land Rolling
Soil 2nd rate

May 24th 1879.

Town 25 N. Range 37 W.

From a Post and Mound the Cor to Sec's 31 and 32 on the South Boundary of the Township I run North bet Sec's 31 and 32.

Da 13° 39' E

30.00 Ent Valley bears E and SW.

40.00 Raised Mound of Earth. 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

63.00 Ent Ridge bears E and SW.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, drove cedar Stake 2 x 2 in and 2 ft in S.E. pit for Cor to Sec's 29. 30. 31 and 32.

Land Rolling and Level

Soil good 2nd rate,

Town 25 N. Range 37. W.

East on a random line bet Sec's 29 and 32

Da 13° 39' E.

40.00 Set temporary 1/4 sec cor.

70.00 Ent Valley bears SE and NW.

80.10 Intersect N and S. line 12 Lks North of Cor to Sec's 28. 29. 32 & 33 from which I run

North 89° 55' W. on true line bet Sec's 29 and 32.

Da 13° 39' E.

40.05 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.

80.10 Cor to Sec's 29. 30. 31 and 32

Land Rolling

Soil 2nd rate,

Town 25 N. Range 37 W.

West on a random line bet Secs 30 and 31.

Dg 13° 39' E.

10.00 East Valley bears NE and SW.

40.00 Set temporary 1/4 sec cor

50.00 East Ridge bears NE and SW.

20.40 Intersect West Boundary of Township & Geo Govt of Post and Mound the Cor to Secs 30 and 31 from which I run

South 89° 57' E on true line bet Secs 30 and 31

Dg 13° 39' E.

40.40 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

80.40 Cor to Secs 29. 30. 31 and 32

Land Rolling and Level

Soil good 2nd rate

Town 25 N. Range 37 W.

North bet Secs 29 and 30.

Dg 13° 39' E.

5.00 East Valley bears E and SW.

38.00 East Ridge bears NE and SW.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, for 1/4 sec cor

64.00 East Valley bears NE and NW

80.00 Deposit Charcoal, mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, brook Cedar Stake 2 x 2 in and 2 ft in pits for Cor to Secs 19. 20. 29 and 30.

Land gently rolling and level

Soil good 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 20 and 29.

Va 13° 39' E.

40.00 Set temporary 1/4 Sec cor
70.00 Ridge N.E. S.W.
79.90 Intersect N and S. line 15 Lks South of Cor to Secs 20. 21. 28 and 29 from which I run

South 89° 54' W on true line bet Secs 20 and 29.

Va 13° 39' E.

39.95 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.
79.90 Cor to Secs 19. 20. 29 and 30

Land Level
Soil choice 2nd rate,

Town 25 N. Range 37 W.

West on a random line bet Secs 19 and 30.

Va 13° 39' E.

30.00 Ent Ridge bears SE and NW
40.00 Set temporary 1/4 sec cor
70.00 Ent Valley bears N and S W.
80.27 Intersect West Boundary of Township 40 Lks South of Post and Mound the Cor to Secs 19 and 30 from which I run

South 89° 43' E on true line bet Secs 19 and 30

Va 13° 39' E.

40.27 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor.
80.27 Cor to Secs 19. 20. 29 and 30

Land, Rolling and Level
Soil, good 2nd rate,

Town 25 N. Range 37 W.

North bet Decs 19 and 20

20.00 East Ridge bears NE and W 3° 39' E

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in depth for 1/4 sec cor.

80.00 Drift-Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in depth, drove Cedar Stake 2 x 2 in and 2 ft in S.E. pits for cor to Decs 17. 18. 19 and 20.

Land Level and Rolling

Soil good 2nds rate,

Town 25 N. Range 37 W.

East on a random line bet Decs 17 and 20

Va 13° 39' E.

40.00 Set temporary 1/4 sec cor

80.13 Intersect West B. line 12 Lks North of Cor to Decs 16-17-20 and 21 from which I run

North 89° 55' W on true line bet Decs 17 and 20

Va 13° 39' E.

40.06 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in depth for 1/4 sec cor.

80.13 Cor to Decs 17. 18. 19 and 20.

Land Rolling

Soil 2nds rate,

Town 25 N. Range 37 W.

West on a random line bet Sec's 18 and 19

Va 13° 39' E.

27.00 East Valley bears NE and SW.

40.00 Set temporary 1/4 sec cor

80.23 Intersect N and S. line 18 Lks South of Post and Mound the Cor to Sections 18 and 19 from which I run

South 89° 52' E. on true line bet Sec's 18 and 19.

Va 13° 39' E.

40.23 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

80.23 Cor to Sec's 17. 18. 19 and 20

Land gently rolling to Level

Soil choice 2nd rate

Town 25 N. Range 37 W.

North bet Sec's 17 and 18

Va 13° 39' E.

40.00 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor

57.00 East Valley bears SE and SW.

80.00 Deposit Charcoal, raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep, Arrow Cedar Stake 2 x 2 in and 2 ft in SE pit for Cor to Sec's 7. 8. 17 and 18

Land Rolling and Level

Soil good 2nd rate

Town 25 N. Range 17 W.

East on a random line bet Secs 8 and 17.

Var 13° 39' E.

8.00 East Ridge bears N and S E.

+0.00 Set temporary 1/4 sec cor

80.07 Intersect W'ly bdy Sec. line 10 Lks North of cor to Secs 8. 9. 16 and 17 from which I run

North 89° 56' W. on true line bet Secs 8 and 17.

Var 13° 39' E.

+0.03 Raised Mound of Earth 2½ ft high from pits 18 x 24 + 12 in dep, for 1/4 sec cor.

80.07 Cor to Secs 7. 8. 17 and 18.

Land Level and Rolling

Soil 2nd rate,

Town 25 N. Range 17 W.

West on a random line bet Secs 7 and 18

Var 13° 39' E.

+0.00 Set temporary 1/4 sec cor

80.19 Intersect West Boundary of Township 16 Lks South of Post and Mound the Corner to Secs 7 and 18. from which I run

South 89° 53' E. on true line bet Secs 7 and 18.

Var 13° 39' E.

+0.19 Raised Mound of Earth 2½ ft high from pits 18 x 24 + 12 in dep, for 1/4 sec cor

80.19 Cor to Secs 7. 8. 17 and 18

Land Level and gently rolling

Soil clear 2nd rate

Town 25 N. Range 37 W.

North bet Secs 7 and 8.
Va 13° 39' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

42.00 East Ridge trees NE and SW.

80.00 Depression Charcoal, raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep, stone Cedar Stake 2 x 2 in and 2 ft in SE. pits for cor to secs 5. 6. 7 and 8

Land Level and rolling

Soil choice 2nd rate

Town 25 N. Range 37 W.

East on a random line bet Secs 5 and 8.
Va 13° 39' E.

40.00 Set temporary 1/4 Sec cor

80.17 Intersect W and E line 15 Lks North of Cor to Secs 4. 5. 8 and 9. from which I run

North 89° 54' West on true line bet Secs 5. 6. 7 and 8
Va 13° 39' E.

40.08 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.

80.17 Cor to Secs 5. 6. 7 and 8

Land Rolling

Soil good 2nd rate

Town 25 N. Range 6 W.

West on a random line bet Secs 6 and 7.

Var 13° 39' E.

40.00 Set temporary 1/4 sec cor
80.28 Intersect West Boundary of Township 31 Lks South of Post and Mound the Cor to Secs 6 and 7 from which I own

South 89° 47' E on true line bet Secs 6 and 7.

Var 13° 39' E.

40.28 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dep for 1/4 sec cor
80.28 Cor to Secs 5. 6. 7 and 8

Land Rolling good 2nd rate

Town 25 N. Range 6 W.

North on a random line bet Secs 5 and 6.

Var 13° 39' E.

40.00 Set temporary 1/4 sec cor.
80.24 Intersect North Boundary of Township 12 Lks West of Post and Mound the Corner to Secs 5 and 6 from which I own

South 0° 5' W on true line bet Secs 5 and 6.

Var 13° 39' E.

40.24 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dep, for 1/4 sec cor
80.24 Cor to Secs 5. 6. 7 and 8.

Land Rolling Bad 2nd rate

May 25th 1879.

Town 25 N. Range 67 W.

General Description

The quality of the land in this township is above the common average. There is a large proportion of rich bottom or Valley land, situated in almost all parts of Sections and running chiefly from the East to the West thus are well adapted for grazing purposes, Hay fields, or good second rated farming lands.

The uplands or ridges are generally rolling, fair & well watered and thus adapted for cultivation.

The Township is fairly watered by small Lakes and Marshes being supplied by Springs with pure clear water.

In the first tier of townships on the East Boundary we discover an old waggon road having North and South

Town 25 N. Range 67 W.

List of Names.

A list of names of the individuals employed to assist in running, Measuring, or marking the lines and corners described in the foregoing field notes of Township No 25 North of the Base Line of Range No 37 West of the 6th Principal Meridian, showing the respective capacities in which they acted;

Aaron Brownewell, Chainman
Albert E. Sharp, Chainman
H. B. Mc Nulty, Monumentman
A. B. Scott, Flagman.

We hereby certify that we assisted David D. Stimson Deputy Surveyor in Surveying and Subdividing Township No 25 North of the Base Line of Range No 37 West of the 6th Principal Meridian in Nebraska, and that said Township has been surveyed in all respects to the best of our Knowledge and belief Duly and faithfully surveyed and the Boundary Monuments planted according to the instructions furnished by the Surveyor General, of dimensions Character, Construction and marking and in the manner as specially described in the foregoing field notes.

Aaron Brownewell Chainman
Albert E. Sharp Chainman
H. B. Mc Nulty Monumentman
A. B. Scott Flagman

Subscribed and sworn to by the above named persons, before me a Notary Public for the County of Lincoln in the State of Nebraska this 14th day of June 1879.

W. M. Stimson
Notary Public

Certificate of Deputy Surveyor.

I David V. Stephenson Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein D. V. Stephenson, S. C. McElroy and H. S. Scott are joint contractors with Jno R. Clark United States Surveyor General for the District of Nebraska and Iowa, bearing date July 25th 1878. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States, Surveyed all those parts or portions of Township No 25 North of the Base line of Range No 37 West of the 6th P. M. in Nebraska, as are represented in the foregoing field notes as having been surveyed under my direction, and I do further solemnly swear that all the Corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions and special instructions of the Surveyor General, of dimensions, Character, Construction and marking and in the manner as specially described in the foregoing field notes and that the foregoing are the true and original field notes of such survey.

David V Stephenson
Deputy Surveyor

Subscribed by said David V. Stephenson Deputy Surveyor, and sworn to before me, a Notary Public for the County of Lincoln, in the State of Nebraska, this 14th day of June 1879.

W. M. Hinman
Notary Public.

W. M. HINMAN NOTARIAL SEAL LINCOLN COUNTY

Surveyor Generals Office
Calamus Neb Aug 8th 1879

The foregoing field notes of the survey & subdivision of Tp. No. 25 North of Range No. 37 West of the 6th P M in Nebraska Executed by David V. Stephenson under Joint Contract No. 105 dated July 25 1878. in the month of May 1879 having been critically examined. the necessary corrections & explanations made the said field Notes and the Surveys they describe are hereby approved

Geo. S. Smith
Surveyor General.

Town No 26 Range No 37

6	61	5	45	4	24	3	23	2	12	1
60		54		44		33		22		11
7	55	8	43	9	32	10	21	11	10	12
59		56		42		31		20		9
18	53	17	41	16	30	15	19	14	8	13
57		58		40		29		18		7
19	52	20	39	21	28	22	17	23	6	24
57		50		38		27		16		5
30	49	29	37	28	26	27	15	26	4	25
48		47		36		25		14		3
31	46	32	35	33	24	34	13	35	2	36

Town 26 N. Range 37 West.

Field Notes of Survey and Subdivision of Township No 26 North of the base line of Range No 37 West of the 6th P.M. in Nebraska.

Executed by Davis D. Stephenson deputy surveyor under joint contract No 110 dated April 23rd 1879

Survey commenced July 4th 1879
Survey completed July 7th 1879

List of Names

Albert Sharp	Chainman
W. C. Miller	do
F. L. Berlando	Woodsman
Allen E. Sharp	Flagman

Town 26 N. Range 37 E.

To find the proper adjustment of my compass for the subdivision of this Township, I begin at the S.E. Corner of Township No 26 North of the base line of Range No 37 East of the 6th P.M. in Nebraska, and run North on a blank line on the East boundary of Sec 36.

Va. 15° 00' East

40.03 To a point 27 Lks East of 1/4 sec cor.

80.05 To a point 54 Lks East of Cor to Secs 25 and 36.

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 14° 37' East.

Town 26 N. Range 37 West

From center of Mound the Cor to Sec's 35 and 36. on the South Boundary of Township ~~line~~ I run North bet Sec's 35 and 36.

Va 14° 37' East

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposit charcoal Raise mound of Earth 18 X 24 X 12 in deep - Drove cedar stake 2 X 2 in X 2 ft in S.E. Pit for Cor to Secs. 25. 26. 35 and 36.

Land Rolling, Soil 2nd Rate

Town 26 N. Range 37 West.

East on a random line bet Sec's 25 and 36.

Va 14° 37' East

17.00 Enter valley N. W. & S. E.

25.00 Wagon Road N. W & S. E.

38.00 Leave valley - Enter Upland - N. W. & S. E.

40.00 Set temporary ¼ Sec. Cor

80.00 Intersect East boundary of Township 11 links South of mound with pits Cor to Secs. 25 and 36 from which Cor, I run

S. 89° 55' West on true line between Secs. 25 and 36

Va. 14° 37' E.

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.

80.00 Cor. to Secs. 25. 26. 35 and 36

Land Valley & Rolling
Soil 1st & 2nd Rate

Town 26 N. Range 37 E.

York bet Secs 25 and 26.
Dª 14° 37' East

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

76.00 Enter Valley, E & W.

80.00 Deposit Charcoal, raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep Stone Cairn Stake 2 X 2 in X 2 ft in S.E. Pit for Cor. to Secs. 23. 24. 26. & 25

Land Rolling
Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet
Secs 24 and 25.
Dª 14° 37' E

20.00 Wagon Road. N.W. and S.

31.00 Leave Valley Enter Upland N.W. & S.E.

40.00 Set temporary ¼ Sec Cor.

79.95 Intersect East boundary of Township 9 links South of mound and pits Cor to Secs. 24 and 25 from which Cor I run S. 89° 56' West on true line bet Secs. 24 and 25 Va 14° 37' E.

39.97½ Raised Mound of earth 2½ ft high from pits 18 X 20 X 12 in deep for ¼ Sec. Cor.

79.95 Cor. to Secs. 23. 24. 25 & 26.

Land Valley & Rolling
Soil 1st & 2nd Rate

Town 26 N. Range 37 W.

North bet Secs 23 and 24.
Va 14° 37' E.

10.00 Wagon Road - N.W. & S.E.
37.00 Leave Valley - Enter upland W & S.E.
40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.
80.00 Deposit Charcoal, raised mound of Earth 2½ ft. high from pits 18 X 24 X 12 in deep
Drove Cedar Stake 2 X 2 X 24 in in S.E. Pit for Cor to Secs. 13, 14, 23 and 24,

Land Valley & Rolling
Soil 1st & 2nd Rate

Town 26 N. Range 37 West

East on a random line bet Secs 13 and 24.
Va 14° 37' E.

40.00 Set temporary ¼ Sec. Cor.
80.27 Intersect East boundary of Township 13 links North of mound with pits the Cor to Secs 13 and 24 from which Cor. I run
N. 89° 54' West on true line between Secs. 13 and 24
Va 14° 37' E.
40.13½ Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec Cor
80.27 Cor. to Secs 13, 14, 23 and 24

Land Rolling
Soil 2nd Rate

Town 26 N. Range 37 W.

North bet Secs 13 and 14.
Va 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft. high from pits 18 X 24 X 12 in Deep — Drove Cedar Stake 2 X 2 X 24 in in S. E. Pit. for Cor to Secs. 11, 12, 13 and 14

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 W.

East on a random line bet Secs 12 and 13.
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

80.13 Intersect East boundary of Township 21 links North of the Cor. to Secs. 12 and 13 - mound with pits from which Cor. I run, N. 89° 51' West on true line between Secs 12 and 13
Va. 14° 37' E.

40.06½ Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.13 Cor. to Secs. 11, 12, 13 and 14

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 East

York bet Secs 11 and 12.
Va 14° 37' East

40.00 Raised Mound of Earth 2½ ft high from Pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposit Charcoal - Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in S. E. Pit for Cor. to Secs. 1, 2, 11 and 12.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 East

East on a random line bet Secs 1 and 12.
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

80.00 Intersect East boundary of Township at the Cor. to Secs. 1 and 12 from which Cor. I run West on true line between Secs. 1 and 12
Va 14° 37' E.

40.00 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Corner to Secs. 1, 2, 11 & 12.

Land Rolling - Soil 2nd Rate

Town 26 North Range 37 W.

North on a random line, bet Secs 1 and 2.

Va 14° 37' East

25.50 Enter Valley - bears E & W.
40.00 Set temporary 1/4 Sec. Cor
67.00 Leave Valley - Enter Upland E & W.
80.49 Intersected North boundary of Township 27 links West of mound with pits Corner to Secs. 1 and 2, from which Corner I run.
South, 12' W, on a true line between Secs. 1 and 2

Va 14° 37' E.

40.49 Raised Mound of Earth 2 1/2 ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.
80.49 The Cor. to Secs. 1, 2, 11 and 12

Land Valley & Rolling
Soil 1st & 2nd Rate

Town 26 North. Range 37 W.

From Center of Mound the Cor to Secs 34 and 35 on the South Boundary of Township [illegible] I run North bet Secs 34 and 35.

Va 14° 37' East

40.00 Raised Mound of Earth 2 1/2 ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec. Corner,
80.00 Deposited charcoal, raised mound of Earth 2 1/2 ft high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 26, 27, 34 and 35

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 W.

East on a random line bet Sec's 26 and 35.

Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.

79.91 Intersect the N. & S. line 20 links North of the Cor. to Secs. 25.26.35 & 36 from which Corner I run N 89° 51' West on a true line between Secs. 26 and 35.

Va 14° 37' East

39.95½ Raised Mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

79.91 ~~Deposited Charcoal raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep - Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for~~ Cor to Secs. 26. 27. 34 and 35

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 West.

North bet Sec's 26 and 27.

Va 14° 37' East

40.00 Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in. deep for 1/4 Sec. Cor.

80.00 Deposited Charcoal raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep - Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for Cor to Secs. 22. 23. 26 and 27.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 W.

East on a random line bet Secs 23 and 26.

Va 14° 37' East

40.00 Set temporary 1/4 Sec Cor.
72.00 Enter valley - N. W. + S.
80.05 Intersected N + S. line 10 links South of the Cor. to Secs. 23. 24. 25 and 26 from which Cor. I run S. 89° 56' West on true line between Secs. 23 and 26

Va 14° 37' E

40.02½ Raised Mound of earth 2½ ft high from Pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
80.05 Cor to. Secs. 22, 23, 26 and 27

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 W.

North bet Secs 22 and 23

Va 14° 37' East

30.00 Enter valley E. + W.
40.00 Raised Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
62.00 Leave valley + Enter upland S.E. + W.
80.00 Deposit'd Charcoal raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep - Drove Cedar Stake 2 x 2 x 24 in S.E. Pit for Corner to Secs. 14, 15, 22 and 23

Land Valley 1st Rate
Upland 2nd Rate

July 4th 1879

Town 26 N. Range 37 E.

East on a random line bet Secs 14 and 23.
Va 14° 37' East

40.00	Set temporary 1/4 Sec. Cor.
79.96	Intersected N. & S. line 12 links North of the Cor. to Secs. 14, 15, 22 and 23 from which Corner I runs, N. 89° 05' West on true line between Secs. 14 and 23 Va. 14° 37' E.
39.98	Raised Mound of earth 2½ ft high 18 X 20 X 12 in deep for 1/4 Sec. Cor
79.96	Cor to Secs. 14, 15, 22 and 23

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 14 and 15.
Va 14° 37' East

40.00	Raised Mound of earth 2½ ft high from pit 18 X 24 X 12 in deep for 1/4 Sec. Cor.
80.00	Deposited Charcoal, raised mound of earth 18 X 4 X 12 in deep - Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 10, 11, 14 and 15

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet
Secs 11 and 14
Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
79.84 Intersected N. & S. line 6 links
North of the Cor. to Secs. 11, 12
13 and 14, from which Cor. I run
N. 89° 57' West on true line
between Secs. 11 and 14
Va 14' 37' E.
39.92 Raised mound of earth 2½ ft
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
79.84 The Cor. to Secs.
10, 11, 14 and 15

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 10 and 11.
Va 14° 37' East

40.00 Raised Mound of earth 2½ ft
high from pits 18 X 24 X 12 in
deep for 1/4 Sec Cor.
80.00 Deposited Charcoal raised
Mound of earth 18 X 24 X 12 in
deep. Drove cedar stake
2 X 2 X 24 in. in S. E. Pit
for Cor. to Secs.
2, 3, 10 and 11

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet
Secs 2 and 11.
Va. 14° 37' East

40.00 Set temporary ¼ Sec. Cor.
79.92 Intersected N. & S. line 7 links
South of the Corner to Secs. 1, 2
11 and 12. From which Cor. I run
S. 89° 57' West on true line bet.
Secs 2 and 11
Va. 14° 37' E.
39.96 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in
deep for ¼ Sec. Cor.
79.92 The Cor. to Secs 2, 3, 10 and 11

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North on a random line bet
Secs 2 and 3.
Va. 14° 37' East

40.00 Set temporary ¼ Sec. Cor.
80.29 Intersect North boundary of
Township 6 links West of the
mound with bearing tree
Cor. to Secs 2 and 3 from which
Cor. I run.
South 7' West on true line
between Secs. 2 and 3.
Va. 14° 37' E.
40.29 Raised mound of earth 2½ ft.
high from Pits 18 X 24 X 12 in
deep for ¼ Sec. Cor.
80.29 The Corner to Secs.
2, 3, 10 and 11
Land Rolling Soil 2nd Rate

From Center of Mound the Cor to Secs 33 and 34 on the South Boundary of Township line I run North bet Secs 33 and 34
Va 14° 37' East

40.00 Raised Mound of Earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec Cor,

80.00 Deposited Charred raised Mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep Drove Cedar Stake 2 X 2 X 24 in. in S.E. Pit for Cor to Secs 27, 28, 33 and 34

Land Rolling Soil 2nd Rate

East on a random line bet Secs 27 and 34
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor

80.08 Intersected the N & S line 10 links South of the Cor. to Secs. 26, 27, 34 and 35 from which Corner I run S. 89° 56' West on town line between Secs. 27 and 34
Va, 14° 37' E

40.04 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.08 The Cor to Secs. 27, 28, 33 and 34

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 27 and 28.
Va 14° 37' East

40.00 Raised Mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.01 Deposited charcoal raised mound of earth 18 X 24 X 12 in deep — Bronze Cedar Stake 2 X 2 X 24 in. S. E. Pit for Cor to Secs. 21, 22, 27 and 28.

Land Rolling — Soil 2nd Rate.

Town 26 N. Range 37 E.

East on a random line bet Secs 22 and 27
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

80.06 Intersected N. & S. line 12 links South of the Cor. to Secs. 22, 23 26 and 27 from which Cor. I run S. 89° 56' West on true line bet. Secs. 22 and 27
Va. 14° 37' E.

40.03 Raised Mound of earth 2½ ft high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

80.06 The Cor. to Secs. 21, 22, 27 and 28

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 21 and 22
Va 14° 37' East

30.00 Enter Valley, E. and W.

40.00 Raised Mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

70.00 Leave Valley - Enter Upland. E. & W.

80.00 Deposit Charcoal, raise mound 2½ ft high from pits of Earth 18 X 24 X 12 in deep - Drive Cedar Stake 2 X 2 X 24 in. deep for Cor. to Secs. 15, 16, 21 and 22

Land Valley & Rolling Soil 1st and 2nd Rate

Town 26 N. Range 37 E.

East on an random line bet Secs 15 and 22
Va, 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

79.87 Intersected N. & S. line 11 Links South of the Cor to Secs. 14, 15, 22 and 23 from which Cor. I run; S. 89° 00' West on true line between Secs. 15 and 22, Va. 14° 37' E.

39.93½ Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

79.87 The Cor. to Secs. 15, 16, 21 and 22,

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 15 and 16.
Va 12° 37' East

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

80.00 Deposit Charcoal Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep Bonze Cedar Stake 2 X 2 in X 2 ft in S.E. Pit for Cor to Secs. 9, 10, 15 and 16.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 10 and 15.
Va 12° 37' East

40.00 Set temporary ¼ Sec. Cor.

79.94 Intersected the N. & S. line 5 links North of the Cor. to Secs. 10, 11, 14 and 15 from which Cedar 8 inch N. 89° 58' West on true line between Secs. 10 and 15 Va, 40 37' E.

39.97 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

79.94 The Corner to Secs. 9, 10, 15 and 16

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 9 and 10.
Va 14° 37' East

40.00 Raised mound of earth 2½ ft high from pit 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 18 X 24 X 12 in deep - Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit. for Cor. to Secs.
3, 4, 9 and 10.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 3 and 10.
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

79.84 Intersected the N. & S. line 13 links South of the Cor. to Secs. 2, 3, 10 and 11 from which Corner 3 runs
S. 89° 54' West on true line between Secs. 3 and 10.
Va 14° 37' E.

39.92 Raised mound of earth 2½ ft high from 18 X 24 X 12 in deep for ¼ Sec. Cor.

79.84 The Cor. to Secs.
3, 4, 9 and 10.

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 W.

North on a random line bet Secs 3 and 4.

Va 14° 37' East

40.00 Set temporary 1/4 Sec Cor.

80.44 Intersected the North boundary of Township 22 links West of mound with pits the Cor. to Secs. 3 and 4 from which Corner I run S. 09' W. on true line between Secs. 3 and 4

Va. 14° 37' E.

110.44 Raised mound of earth 2 1/2 ft high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.

80.44 The corner to Secs. 3. 4. 9 and 10

Land Rolling Soil 2" Rate

July 5th 1879

Town 26 N. Range 37 W.

From Center of Mound the Cor to Secs 32 and 33 on the South Boundary of Township I run North bet Secs 32 and 33

Va 14° 37' East

40.00 Raised Mound of earth 2 1/2 ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.00 Deposited Charcoal raised mound of earth 2 1/2 ft. high from pits 18 X 24 X 12 in deep. Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 28. 29. 32 and 33

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a bearing line bet Secs 28 and 33 Va, 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.

80.05 Intersected the N. & S. line 5 links North of the the corner to Secs. ~~27 28 33 34~~, from which Cor. I run N. 89° 54' West on true line between Secs 28 and 33 Va, 14° 37' E.

40.02½ Raised Mound of Earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor

80.00 The Cor. to Secs, 28, 29, 32 and 33

Land Rolling – Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 28 and 29 Va 14° 37' East

40.00 Raised Mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

52.00 Enter Valley – E. & W.

80.00 Deposited Charcoal raised Mound of earth 2½ feet high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for cor to Secs. 20, 21, 28 and 29

Land Upland 2nd Rate
Valley 1st Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 21 and 28.
Va 14° 37' East

10.00	Leave Valley Enter Upland N. & S. W.
36.00	Leave Upland Enter Valley N. & S.
40.00	Set temporary ¼ Sec. Cor.
61.00	Leave Valley - Enter Upland N. & S.
80.00	Intersect the N. & S. line at the Corner to Secs. 21, 22, 27 and 28 from which Cor. I run West on town line between Secs. 21 and 28
	Va. 14° 37' E.
40.00	Raised Mound of earth 2½ ft high 3 pits 18 x 24 x 12 in deep for ¼ Sec. Cor.
80.00	Set Cor. to Secs. 20, 21, 28 and 29.

Land Valley and Rolling Soil 1st and 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 20 and 21.
Va 14° 37' East

5.00	Leave Valley - Enter Upland E. & W.
40.00	Raise Mound of earth 2½ feet high 3 pits 18 x 24 x 12 in deep for ¼ Sec. Cor.
80.00	Deposited Charcoal, raised mound of earth 2½ feet high 3 pits 18 x 24 x 12 in deep; Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for Cor. to Secs. 16, 17, 20 and 21.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 16 and 21
Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor
80.19 Intersected N. & S. line at the Corner to Secs. 15, 16, 21 and 22 from which Cor. I run,
West on true line between Secs 16 and 21
Va 14° 37' E-
40.09½ Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.
80.19 The Cor. to Secs, 16, 17, 20 and 21

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 East.

North bet Secs 16 and 17
Va 14° 37' East

40.00 Raised Mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.
80.00 Deposited Charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep
Drove cedar stake 2 X 2 X 24 in. in S. E. Pit. for Cor to Secs. 8, 9, 16 and 17

Land Rolling – Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 9 and 16.
9a, 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.07 Intersected the N. & S. line 6 links North of the Cor. to Secs. 9, 10, 15 and 16 from which Cor. I run North 89° 57' West on true line between Secs. 9 and 16
9a, 14° 37' E.
40.03 Raised mound of earth 2½ Ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.
80.07 The Cor. to Secs. 8, 9, 16 and 17

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 8 and 9
9a, 14° 37' East

40.00 Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.
80.00 Deposited charcoal & raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 4, 5, 8 and 9.

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 4 and 9.

Va. 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.13 Intersected N. & S. line 12 links North of the Corner to Secs. 3, 4 9 and 10 from which Cor. I run N. 89° 55' West on true line between Secs 4 and 9
Va. 14° 37' E
40.06½ Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
80.13 The Corner to Secs. 4, 5, 8 and 9

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North on a random line bet Secs 4 and 5.

Va. 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.22 Intersected North boundary of Township 14 links West of the Cor. to Secs. 4 and 5. from which Corner I run South .06' W. on true line between Secs 4 and 5.
Va. 14° 37' E.
40.22 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in. deep for 1/4 Sec. Cor.
80.22 The Corner to Secs. 4, 5, 8 and 9.

Land Rolling. Soil 2nd Rate

Town 26 N. Range 37 W

From center of Mound the Cor to Secs 31 and 32 on the South Boundary of Township [illegible] from North bet Secs 31 and 32.

Va 14° 37' East

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposited Charcoal, Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for Cor to Secs.

29. 30. 31 and 32.

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 W

East on a random line bet Secs 29 and 32.

Va 14° 37' East

40.00 Set temporary ¼ Sec. Cor.

80.09 Intersected N & S line 15 links North of the Cor. to Secs. 28. 29. 32 and 33. from which Cor. I run. North 89° 54' West on true line between Secs. 29 and 32

Va 14° 37' E.

40.04½ Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.09 The Cor. to Secs.

29. 30. 31 and 32

Land Rolling. Soil 2nd Rate

Town 26 N. Range 37 W.

West on a random line bet Secs 30 and 31.

Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.

80.45 Intersected West boundary of Township 70 links South of mound with pits the Corner to Secs. 30 and 31 from which Corner I run S. 89° 30' East on true line between Secs. 30 and 31.

Va 14° 37' E.

40.45 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.45 The Cor to Secs. 29, 30, 31, and 32.

Land Rolling Soil 2" Rate

July 6th 1879

Town 26 N. Range 37 W.

North bet Secs 29 and 30.

Va 14° 37' East

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 19, 20, 29 and 30.

Land Rolling - Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet
Secs 20 and 29.
Va 14° 37' East

28.00 Enter Valley at W.T.B.
40.00 Set temporary 1/4 Sec. Cor.
79.94 Intersect N.T.B. Line at the
Corner to Secs. 20, 21, 28 and 29
from which Corner I run
West on true line between
Secs 20 and 29
Va 14° 37' E.
39.97 Raised mound of earth 2 ft feet
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
79.94 The Corner to Secs.
19, 20, 29 and 30.

Land Rolling Soil 2nd Rate
" Valley " 1st Rate

Town 26 N. Range 37 E.

West on a random line bet
Secs 19 and 30.
Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.66 Intersected the West boundary
of the Township 65 links South
of the Corner to Secs. 19 and 30
from which Cor. I run
S. 89° 32' East on true line
between Secs 19 and 30
Va 14° 37' E.
40.56 Raised mound of earth 2 ft feet
high from pits 18 X 24 X 12 in deep
for 1/4 Sec. Cor.
80.66 The Cor to Secs.
19, 20, 29 and 30.

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 W.

North bet Secs 19 and 20.
Da 14° 37' East.

30.00 Enter Valley - E. + W.
40.00 Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.
54.00 Leave Valley - E + W. Enter Upland.
80.00 Deposit Charcoal raise mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor to Secs. 17, 18, 19 and 20

Land Valley and Rolling
Soil 1st and 2nd Rate

Town 26 N. Range 37 W.

East on a random line bet Secs 17 and 20.
Da 14° 37' East

40.00 Set temporary 1/4 Sec Cor
79.98 Intersected N. + S. line 12 links north of the Corner to Secs. 16, 17 20 and 21. from which corner I run
N. 89° 55' West on true line between Secs. 17 and 20
Va. 14° 37' E.
39.99 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.
79.98 The Corner to Secs. 17, 18, 19 and 20.

Land Rolling - Soil 2nd Rate

54

Town 26 N. Range 37 E.

West on a random line bet Secs 18 and 19
Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.29 Intersected West boundary of Township 29 links South of the Cor. to Secs. 18 and 19. from which Cor I run
S. 89. 48' East on a true line between Secs. 18 and 19
Va. 14° 37' E.
40.29 Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.
80.29 The Corner to Secs. 17. 18. 19 and 20

Land Rolling Soil 2nd Rate

55

Town 26 N. Range 37 E.

North bet Secs 17 and 18.
Va 14° 37' East

40.00 Raised Mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec Cor
80.00 Deposited Charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep & Bore Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs
7. 8. 17 and 18

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet
Secs 8 and 17.
Va 14° 37' East

40.00 Set temporary 1/4 Sec Cor
80.07 Intersected N. & S. line 6 links
South of Corner to Secs. 8, 9, 16 & 17
from which Corner I run
South 89° 57' West on true line
between Secs 8 and 17.
Va 14° 37' E

40.03 1/2 Raised mound of earth 2 1/2 feet
high from pits 18 X 24 X 12 in deep
for 1/4 Sec. Cor.
80.07 The Cr to Secs.
7, 8, 17 and 18

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

West on a random line bet
Secs 7 and 18.
Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.42 Intersected West boundary of
Township 42 links South of
the Corner to Secs. 7 & 18 from
which Corner I run
S. 89° 42' East on true line
between Secs 7 and 18
Va 14° 37' East
40.42 Raised mound of earth 2 1/2 feet
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.
80.42 The Cr. to Secs.
7, 8, 17 and 18

Land Rolling. Soil 2nd Rate

Town 26 N. Range 37 E.

North bet Secs 7 and 8.
Va, 14° 37' East

34.00 Enter Valley E. & W.
40.00 Raised mound of earth 2½ feet from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.
68.00 Leave Valley E. & W. Enter Upland
80.00 Deposited Charcoal Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep - Dove Cedar Stake 2 X 2 X 24 in in S. E. Pits. for Cor. to Secs. 5, 6, 7 and 8.

Land Valley and Rolling Soil 1st and 2nd Rate

Town 26 N. Range 37 E.

East on a random line bet Secs 5 and 8.
Va, 14° 37' East

40.00 Set temporary ¼ Sec. Cor.
79.96 Intersected the N. & S. line at the Corner to Secs. 4, 5 8 and 9. From which Cor. I run West on true line between Secs 5 and 8
Va 14° 37' East
39.98 Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.
79.96 The Cor to Secs. 5, 6, 7 and 8

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

West on a random line bet Secs 6 and 7.

Va 14° 37' East

40.00 Set temporary 1/4 Sec. Cor.
80.34 Intersected West boundary of Township 61 links South of the Corner to Secs. 6 and 7, from which Corner I run S. 89° 34' East on true line between Secs 6 and 7

Va. 14° 37' E.

40.34 Raised mound of Earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.
80.34 The Cor. to Secs. 5. 6. 7 and 8

Land Rolling Soil 2nd Rate

Town 26 N. Range 37 E.

North on a random line bet Secs 5 and 6.

Va 14° 37' East.

40.00 Set temporary 1/4 Sec. Cor.
80.31 Intersected North boundary of Township at the Cor. to Secs 5 and 6 from which Cor I run South on true line between Secs 5 and 6.

Va 14° 37' E.

40.31 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec Cor.
80.31 The Cor to Secs. 5, 6, 7 and 8

Land Rolling Soil 2nd Rate

July 7th 1879

Town 26 N. Range 67 W.

General Description

This Township is mostly rolling prairie land. The valleys are are rich soil and the entire township well adapted to agricultural purposes. The entire surface is covered with rich grasses. Water can be had by digging from 8 to 12 feet in the valley

Town 26 N. Range 37 W.

List of Names.

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the following field notes of Township No 26 North of the base line of Range No 37 West of the 6th P. M. in Nebraska, showing the respective capacities in which they acted: Wm. C. Miller, Chainman;
F. L. Borland, Woodsman
Albert Sharp Chainman
Allen E. Sharp Flagman

We hereby certify that we assisted Daniel D. Stephenson deputy surveyor in surveying and subdividing Township No 26 North of the base line of Range No 37 West of the 6th P. M. in Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by Surveyor Genl, of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes.

Albert Sharp Chainman
W. C. Miller do
F. L. Borland Woodsman
Allen E Sharp Flagman.

Sworn and subscribed to by the above named persons before me a Notary Public for the County of Lancaster in the State of Nebraska, this 24th day of August 1879.

W. Bierbower
Notary Public

Town 26 N. Range 37 W.

I David V. Stephenson deputy surveyor do solemnly swear that in pursuance of a joint contract wherein Sam M. Chapman David V. Stephenson & S. C. McElroy are joint contractors with Jno. R. Clark U. S. Surveyor General for the district of Nebraska and Iowa bearing date Apr 23" 1879. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the surveyor general, the surveying manual, and the laws of the U. S. surveyed all the parts or portions of Township No 26 North of the base line of Range No 37 West of the 6th P. M. in Nebraska, as are represented in the foregoing field notes as having been surveyed under my direction, and I do further solemnly swear that all the Corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions and special instructions of the Surveyor General, of dimensions, character, construction and marking in the manner as specifically described in the foregoing field notes, and that the foregoing are the true and original field notes of such survey.

D V Stephenson
Deputy Surveyor

Subscribed and sworn to by said David V. Stephenson deputy surveyor before me a Clerk Dist Court for the County of Richardson in the State of Nebraska this 1st day of September 1879.

T. C. Cunningham, Clerk District Court for said County

Surveyor General's Office
Nebraska City Neb. Nov. 10th 1879

The foregoing field notes of the Survey & Subdivision of Township No 26 North of the Base Line of Range No 37 West of the 6th Principal Meridian in Nebraska. Executed by D. T. Stephenson Deputy Surveyor under joint Contract No 110 dated April 23rd 1874, in the months of July 1879, having been Critically Examined, the necessary Corrections and Explanations made, the said field notes and the Surveys they describe are hereby approved

Geo. L. Collier
Surveyor General

T. 27 N. — R. 37 E.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	44	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Field Notes of Survey and subdivision of Township No 27 North of the Base line of Range No 37 West of the 6th P.M. In the State of Nebraska

Executed by D. J. Stephenson Deputy Surveyor.

under Joint Contract No 116 dated April 23rd 1879.

Survey commenced June 24th 1879 completed June 28th 1879

List of Names

Albert Sharp Chainman
W. L. Miller Chainman
F. L. Borland Monumentman
Allen E. Sharp Flagman

To find the proper adjustment of my compass by the subdivision of this Township I began at the South East cor of the Township and run North on a blank line along the East boundary of Sec 36

Ver 14° 37' E

40.08 To the 1/4 Sec cor

80.11 To the Sec cor

Therefore my Compass is in proper adjustment

Town 27 North Range 37 W

From the ~~Post~~ Centre of Mound the cor. to sec 35 & 36 on the South Boundary of Township line I ran North bet. sec 35 & 36

Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from Pits 18 & 24 & 18 in deep for ¼ sec. cor.

61.00 Valley East & West soil 1st rate

76.00 Leave Valley E & W.

80.00 Deposited Charred Stake raised mound of Earth 2½ ft. high from pits 18 & 24 & 12 in and drove Cedar Stake 2 in & 2 in and 2 ft. in S.E. pit for cor. to sec 25. 26. 35 & 36.

Land Rolling & Level
Soil 1st & 2d rate

Town 27 N. Range 37 W.

East on a Random line bet. sec. 25 & 36

Var 14° 37' E

40.00 Set temp. ¼ post

80.15 Intersected East Boundary of Township 60 lks South of ~~Post~~ Mound with pits the cor. to sec 25 & 36, from which I ran South 89° 34' West on true line bet. sec. 25 & 36

Var 14° 37' E

40.07½ Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec. cor

80.15 cor. to sec. 25. 26. 35. 36.

Land Rolling
Soil 2nd rate

North bet. sec 25 & 26
Var 14° 37' E

40.00 Raised mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor.

80.00 Deposited charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep brove Cedar Stake 2.2 in and 2 ft. in S.E. pit for cor. to sec 23.24. 25 & 26

Land Rolling
Soil 2nd rate

East on Random line bet. sec 24 & 25
Var. 14° 37' E

40.00 Set temp ¼ sec. cor

80.17 Intersected East Boundary of Township 26 lks. North of ~~Post~~ Center of Mound the cor to sec's 24 & 25 from which I ran

North 89° 49' W on true line bet. sec 24 & 25
Var. 14° 37' E

40.08½ Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

80.17 Cor to sec's 23.24. 25 & 26

Land Rolling
Soil 2nd rate

North bet. sec 23 & 24
Var. 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 12 in deep for ¼ sec cor

46.00 Valley East & West soil 1st rate

72.00 Leave Valley E & W.

80.00 Repoited Charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft. in S.E. pit for cor. to sec's 13.14. 23 & 24.

Land Rolling
Soil 2nd rate.

East on Random line bet. sec's 13 & 24.
Var. 14° 37' E

4.00 Enter Valley E & W.

40.00 Set temp ¼ sec. cor

79.78 Intersected East Boundary of Township 43 lks North of ~~Post and~~ Centre of Mound the cor. to sec 13 & 24. from which I ran

North 89° 42' W. on true line bet. sec's 13 & 24.
Var. 14° 37' E

39.89 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

79.~~89~~ 78 cor. to sec 13.14. 23 & 24.

Land Level.
Soil 1st rate.

North bet sec 13 & 14
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec. cor

73.00 Enter Valley E & W. soil 1st rate

80.00 Deposited charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Cedar stake 2 & 2 in and 2 ft. in S.E. pit for cor to sec 11. 12. 13 & 14

Land Rolling & Level
Soil 1st & 2nd rate

East on Random line bet secs 12 & 13
Var 14° 37' E

40.00 Set temp ¼ sec cor

79.83 Intersected East Boundary of Township 14 lks North of ~~Post~~ Mound with pits the cor to Secs 12 & 13. from which I ran

North 89° 54' W. on true line bet sec 12 & 13.
Var. 14° 37' E

39.91½ Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor.

79.83 Cor. to sec 11. 12. 13 & 14

Land Rolling
Soil 2nd rate

North bet. sec 11 & 12
Var 14° 37' E

21.00 Leave Valley E & W. Soil 1st rate

40.00 Raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep for ¼ sec cor

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft in S.E. pit for cor to sec's 1.2.11 & 12

Land Rolling
Soil 2nd rate.

East on Random line bet. sec 1 & 12.
Var 14° 37' E

40.00 Set temp ¼ sec cor

79.94 Intersected East Boundary of Township 7 lks South of ~~Lost~~ Centre Mound the cor to sec's 1 & 12 from which I run
South 89° 57' W on true line bet. sec 1 & 12
Var 14° 37' E

39.97 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

79.94 Cor to sec 1.2. 11 & 12

Land Rolling
Soil 2nd rate

North on Random line bet. sec 1 & 2.
Var 14° 37' E

6.00 Valley E & W soil 1st rate
30.00 Leave Valley E & W
40.00 Set temp 1/4 sec cor

80.32 Intersected North Boundary of Township 2.3 lks East of ~~Post~~ Centre of Mound the cor to sec's 1 and 2 from which I ran
South 0.10' East on true line bet. sec 1 & 2
Var 14° 37' E

40.32 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor
80.32 Cor to sec 1. 2. 11 & 12.

Land Rolling & Level
Soil 1st & 2nd rate

From ~~a post and~~ Centre of Mound the cor to sec's 34 & 35 on the South Boundary of Township where I ran North bet. sec secs 34 & 35
Var 14° 37' E

40.00 Raised mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor
65.00 Enter Valley E & W soil 1st rate

78.00 Leave Valley E & N.E

80.00 Deposited charcoal raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in 2 ft. in S.E pit for cor to sec's 26. 27. 34 & 35

Land Rolling & Level
Soil 1st & 2nd rate

Town 27. N. Range 37. W.

East on Random line
bet. sec 26 & 35
Var 14° 37' E

5.00 Valley S. W. & N. E.

40.00 Set temp ¼ sec cor

70.00 Leave Valley N. W. and S. E.

80.10 Intersected N and S. line
30 lks North of cor. to
sec 25. 26. 35 & 36. from which
cor I took
North 89° 47' West
on true lines bet. sec
26 & 35.

Var 14° 37' E

40.05 Raised Mound of Earth
2½ ft. high from pits
18 & 24 & 12 in. deep for ¼
sec cor

80.10 cor to sec 26. 27. 34 & 35.

Land Level & Rolling
Soil 1st rate

Town 27. N. Range 37. W.

North bet. sec 26 & 27.
Var 14° 37' E

40.00 Raised Mound of Earth
2½ ft. high from pits
18 & 24 & 12 in. deep for ¼
sec cor

80.00 Deposited Charcoal mixed
Mound of Earth 2½ ft. high
from pits 18 & 24 & 12 in. deep
drove Cedar Stake 2" in.
and 2 ft. in N. E. pit
for cor to sec 22. 23. 26 & 27

Land Rolling
Soil 2nd rate

East on Random line
bet. sec 23 & 26.
Var 14° 37' E

40.00 Set temp 1/4 sec cor

80.07 Intersected N & S line
28 lks North of cor. to
sec's 23. 24. 25 & 26 from
which I ran
North 89° & 48 W.
on true line bet. sec's
23 & 26
Var 14° 37' E

40.03½ Raised Mound of Earth 2½
ft high from pits 18 & 24
& 12 in deep for 1/4 sec. cor

80.07 cor to sec's ~~23. 24. 25 & 26.~~ 22. 23. 26 & 27

Land Rolling
soil 2nd rate

Town 27. N. Range 37 W.

North bet. sec 22 & 23.
Var. 14° 37' E

40.00 Raised Mound of Earth
2½ ft. high from pits 18 & 24
& 12 in deep for 1/4 sec cor

50.00 Valley E & W.

68.00 Leave Valley bears E & W

80.00 Deposited Charcoal raised
mound of Earth 2½ ft. high
from pits 18 & 24 & 12 in
deep drove Cedar Stake
2 & 2 in and 2 ft. in S.E.
pits for cor to sec's
14. 15. 22 & 23.

Land Rolling & Level
Soil 1st & 2nd rate

June 25th 1879

East on Random line
bet. secs 14 & 23.
Var 14° 37' E

40.00 Set limestone 1/4 sec cor

80.21 Intersected N. & S. line
18 lks South of cor to
secs 13. 14. 23 & 24. from which
I ran
South 89° 52' W. on
true line bet secs 14 & 23.
Var 14° 37' E

40.10½ Raised Mound of Earth
2½ ft. high from pits
18 lks & ½ in diam for
¼ sec cor

80.21 Cor. to secs 14. 15. 22 & 23.

Land Rolling
Soil 2nd rate

North bet. secs 14 & 15.
Var 14° 37' E.

40.00 Raised Mound of Earth 2½
ft. high from pits 18 & 24 & ½
in diam for ¼ sec cor

54.00 Valley E & W.

73.00 Leave Valley bears S & W

80.00 Deposited Charcoal raised
Mound of Earth 2½ ft high
from pits 18 & 24 & ½ in diam
Drove Cedar Stake 2 ½ in d
2 ft in S. E. pit for cor
to secs 10. 11. 14 & 15

Land Rolling & Level
Soil 2nd rate

Town 27 N. Range 37 W.

East on Random line bet. sec 11 & 14.
Var 14° 37' E

40.00 Set limb 1/4 sec cor
44.00 Valley N & S.

80.09 Intersected N & S. line 9 lks South of cor to sec 11. 12. 13 & 14 from which I ran
South 89° 56' W. on tree line bet. sec 11 & 14
Var 14° 37' E
40.04 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deck for 1/4 sec. cor
80.09 Cor to sec. 10. 11. 14 & 15

Land Rolling & Level
soil 1st & 2nd rate

Town 27 N. Range 37 W.

North bet. sec 10 & 11.
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deck for 1/4 sec. cor
76.00 Valley East & West.
80.00 Deposited Charcoal mixed Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deck drove Cedars stake 2 & 2 in and 2 ft. in. N. & S. pit for cor to secs 2. 3. 10 & 11.

Land Rolling
Soil 2nd rate

Town 27. N. Range 37 W.

East Random bet. sec 2 & 11.

Var 14° 37' E

11.00 Leave Valley N & S

40.00 Set temp 1/4 sec cor

80.16 Intersected N & S. line 12 lks North of cor. to sec 1. 2. 11 & 12. from which I ran

North 89° 55' W. on true line bet. sec 2 & 11

Var 14° 37' E

40.08 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor.

80.16. Cor. to sec 2. 3. 10 & 11.

Land Rolling
soil 2nd rate

Town 27. N. Range 37 W.

North on Random line bet. sec 2 & 3.

Var 14° 37' E

29.00 Leave Valley E & W.

40.00 Set temp 1/4 sec cor

80.17 Intersected North Boundary of Township 16 lks East of ~~Post and~~ Mound with pits the cor to sec 2 & 3. from which cor I ran

S. 0° 7' E. on true line bet. sec 2 & 3.

Var 14° 37' E

40.17 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor.

80.17 Cor. to sec 2. 3. 10 & 11.

Land Rolling & Level
Soil 1st & 2nd rate

Town 27 N. Range 37 W.

	From a ~~Cor.~~ Centre Mound the cor to sec 33 T 34 on the South Boundary of Township I ran North bet. sec 33 T 34.
	Var 14° 37' E.
40.00	Raised mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deep for ¼ sec. cor.
58.00	Valley E & W.
78.00	Leave Valley E & W.
80.00	Deposited charcoal raised mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deep drove Cedar Stake 2 L 2 in 2 ft. in S. E. pit for cor to secs 27. 28. 33 T 34
	Land Rolling & Level soil 1st & 2nd rate

Town 27 N. Range 37 W.

	East on Random line bet. sec. 27 T 34.
	Var 14° 37' E
40.00	Set temps ¼ sec cor
79.42	Intersected N & S line 19 lks North of cor to sec. 26. 27. 34 & 35 from which I ran
	North 89° 52' W. on true line bet. sec 27 T 34
	Var 14° 37' E
39.96	Raised Mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deep for ¼ sec. cor
79.92	Cor. to sec 27 28 33 T 34
	Land Rolling Soil 2nd rate

Town 27 N. R. 37 W.

North on line bet secs 27 & 28
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec. cor.

80.00 Deposited charcoal raised mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Edge Stake 2 & 2 in 2 ft. in S. E. pit for cor. to sec 21 & 22, 27 & 28

Land Rolling
Soil 2nd rate.

Town 27 N. Range 37 W.

East on Random line bet. sec. 22 & 27.
Var 14° 37' E

40.00 Set temp ¼ sec. cor
79.86 Intersected N. & S. line 11 lks. North of cor to sec 22. 23. 26 & 27 from which cor. I ran
North 84° 55' W on line line bet. sec 22 & 27.
Var 14° 37' E

39.93 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

79.86 cor. to sec ~~21. 22. 27 & 28~~ 22. 23. 26 & 27.

Land Rolling
Soil 2nd rate

Town 27 N. Range 37 W.

North bet. sec. 21 & 22.
Var. 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec. cor.
4
8 44.00 Valley E & W.
68.00 Leave Valley bears E & W
80.00 Deposited charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep Grove Cedar Stake 2 & 2 in 2 ft. in S.E. pit for cor to sec 15. 16. 21 & 22.

Land Rolling
soil 2nd rate

Town 26 N. Range 37 W.

East Random bet. sec 15 & 22.
Var 14° 37' E

40.00 Set temp. ¼ sec cor.

80.13 Intersected N & S line 9 lks North of cor. to sec 14. 15. 22. & 23 from which I run
North 89° 56' W. on true line bet. sec 15 & 22
Var 14° 37' E
40.06½ Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor
80.13 cor to sec 15. 16. 21 & 22.

Land Rolling
soil 2nd rate.

Town 27 N. Range 37 W.

	North bet. sec. 15 & 16 Var 14° 37' E	
38.00	Valley S. W. & N. E.	
40.00	Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cors	40.00
		79.94
62.00	Lava Valley E. & W.	
80.00	Deposited Charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft. in S. E pit for cor. to sec 9. 10. 15 & 16.	39.97
	Land Rolling soil Loud rate	79.94

Town 27 N. Range 37 E.

	East Random line bet. sec. 10 & 15 Var 14° 37' E
40.00	Set limb ¼ sec. cor
79.94	Intersected N. & S. line 2 links East of cor to sec 10. 11. 14 & 15 from which cor I ran North 89° 57' W. on true line bet sec 10 & 15
	Var 14° 37' E
39.97	Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor 9. 10. 15 & 16
79.94	Cor. to sec ~~9. 11. 14 & 15~~
	Land Rolling soil Loud rate

Town 27. N. Range 37. W.

North bet. sec. 9 & 10
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 in. in dep. for ¼ sec. cor.

70.00 Enter Valley S. & W.

80.00 Deposited charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 in. in dep. drove cedar Stake 2 & 2 in. and 2 ft. in S.E. pit. for cor. to sec. 3. 4 & 9 & 10.

Land Rolling & Level.
soil 1st & 2nd rate

Town 27. N. Range 37. W.

East Random bet. sec 3 & 10.
Var 14° 37' E

22.00 Leave Valley N. & S.

40.00 Set temp ¼ sec. cor.

74.00 Enter Valley N. W. & S. E.

77.82 Intersected N. & S. line at cor. to sec 2. 3. 10 & 11. from which cor. I ran West on true line bet. sec. 3 & 10.
Var. 14° 37' E

39.41 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in. in dep. for ¼ sec. cor.

79.82 Cor. to sec. 3. 4. 9 & 10.

Land Rolling & Level
soil 1st & 2nd rate

North on Random line bet. sec. 3 & 4

Var. 14° 37' E

16.00 Leave Valley E & W.

40.00 Set temp 1/4 sec. cor

80.24 Intersected North Boundary of Township at ~~Post~~ Centre of Mound the cor to sec. 3 & 4. from which cor I ran South on true line bet. sec. 3 & 4.

Var. 14° 37' E

40.24 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec. cor.

80.24 Cor. to sec. 3. 4. 9 & 10.

Land Rolling & Level soil 1st 2nd rate.

June 26th 1879

X From a ~~Post &~~ Centre of Mound the cor to sec 32 & 33. on the South Boundary of Township I ran North bet. sec. 32 & 33.

Var. 14° 37' E

40.00 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec. cor

80.00 Deposited Charcoal raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft. in S. E. pit for cor to sec. 28. 29. 32 & 33.

Land Rolling soil 2nd rate

Town 27 N. Range 37 W.

	East Random bet. sec. 28 & 33. Var 14° 37' E
40.00	Set limb 1/4 sec cor.
63.00	Enter Valley N & S.
75.00	Leave Valley N & S.
79.88	Intersected N & S. line 18 lks North of cor. to sec 27. 28. 33. & 34. from which I ran North 89° 52' W. on true line bet. sec. 28 & 33. Var 14° 37' E
39.94	Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in. deep for 1/4 sec. cor.
79.88	Cor. to sec. 28. 29. 33. & 32.
	Land Rolling & Level soil 2nd rate

Town 27. North Range 37 W.

	North bet. sec 28 & 29. Var 14° 37' E
8.00	Valley E & W.
32.00	Leave Valley E & W.
40.00	Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in. deep for 1/4 sec cor.
50.00	Enter Valley S. & W. & N. &
80.00	Deposited Charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in. deep drove Cedar Stake 12 & 2 in. and 2 ft. in each E. pit. for cor. to sec 20. 21. 28. & 29.
	Land Rolling & Level soil 1st & 2nd rate

East Random Set rec 21 T28
Var 14° 37' E

20.00 Leave Valley N & S.
40.00 Set temp ¼ rec cor.

79.97 Intersected N & S line 2 links North of cor. to rec 21. 22. 27 & 28. from which cor I ran
North 89° 57' W. on true line Set rec 21 T28
Var 14° 37' E.

39.98½ Raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for ¼ rec cor.
79.97 Cor to sec 20. 21. 28 & 29.

Land Rolling
soil 2nd rate

North Set rec. cor. 20 T21.
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for ¼ sec cor
60.00 Leave Valley E & W.

80.00 Deposited charcoal raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep drove Cedar Stake ½ x ½ in and 2 ft. in S. E. pit for cor. to sec 16. 17. 20 & 21.

Land Rolling & Level
soil 1st & 2nd rate

Town 27 N. Range 37 E.

East Random bet. sec 16 & 21.
Var 14° 37' E

40.00 Set limb ¼ sec cor

80.00 Intersected N. & S. line at cor to sec 15. 16. 21 & 22 from which cor I ran West on true line bet. sec 16 & 21.
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deck for ¼ sec cor.

80.00 Cor to sec 16. 17. 20. & 21.

Land Rolling
soil 2nd rate.

Town 27 N. Range 37 E.

North bet. sec 16 & 17.
Var 14° 37' E

26.00 Valley E & W.

40.00 Raised Mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deck for ¼ sec cor.

44.00 Leave Valley E & W.

80.00 Deposited 8 charcoal raised Mound of Earth 2½ ft. high from pits 18 L 24 L 12 in deck drove Cedar Stake 2 L 2 in and 2 ft. in S. E. pit for cor to sec 8. 9 16 & 17

Land Rolling & Level
soil 1st & 2nd rate

Town 27 N. Range 37 W.

	East on Random line bet sec 9 & 16. Var 14° 37' E
40.00	Set limb ¼ sec cor
79.87	Intersected N & S line 11 lks North of cor to sec 9. 10. 15 & 16. from which cor I ran North 89° 55' W on true line bet sec 9 & 16 Var 14° 37' E
39.93½	Raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep for ¼ sec cor
79.87.	Cor to sec 8. 9. 16 & 17.

Land Rolling
soil 2nd rate

Town 27 N. Range 37 W.

	North bet sec 8 & 9. Var 14° 37' E
40.00	Raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep for ¼ sec cor
62.00	Valley E & W.
80.00	Deposited charcoal raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep Grove Cedar Stake 20 2 in and 2 ft in S.E. pit for cor to sec 4. 5. 8 & 9.

Land Rolling & Level
soil 1st & 2nd rate

East Random bet. sec. 4 & 9
Var 14° 37' E

40.00 Set temp. 1/4 sec cor

79.96 Intersected N & S. line 7 lks South of cor. to sec 3. 4. 9 & 10. from which cor I ran
South 89° 57' W. on true line bet. sec. 4 & 9.
Var 14° 37' E

39.98 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor

79.96. Cor to sec 4. 5. 8 & 9.

Land Level Valley
soil 1st rate

North on Random line bet. sec 4 & 5 Var 14° 37' E

13.50 Leave Valley E & W.

40.00 Set temp. 1/4 sec cor

80.19. Intersected North Boundary of Township 13 lks East of ~~Cor.~~ Mound the cor to sec 4 & 5 from which I ran
S. 0° 6' E on true line bet. sec 4 & 5
Var 14° 37' E

40.19. Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor

80.19. Cor to sec 4. 5. 8 & 9

Land Rolling & Level
soil 1 & 2nd rate

From a ~~Post~~ Centre of Mound the cor to sec 31 & 32 on the South Boundary of Township I ran North bet sec 31 & 32

Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep for ¼ sec. cor

80.00 Deposited charcoal raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft in S.E. pit for cor to sec 29. 30. 31. & 32.

Land Rolling
soil 2nd rate

East on Random line bet sec 29 & 32.

Var 14° 37' E

28.00 Enter Valley N.W. & S.E.
40.00 Set temp ¼ sec cor
66.00 Leave Valley N & S.

80.06 Intersected N & S. line 11 lks North of cor to sec 28 & 29. 32 & 33. from which I ran North 89° 55' W. on true line bet sec 29 & 32

Var 14° 37' E

40.03 Raised Mound of Earth 2½ ft high from pits 18 & 24 & 12 in deep for ¼ sec cor
80.06 Cor to sec 29. 30. 31. & 32.

Land Rolling & Level
soil 1 & 2nd rate

June 27th 1879

West on Random line
bet. sec 30 & 31.
Var 14° 37' E

40.00 Set temp 1/4 sec cor

79.70 Intersected West Boundary of Township 35 lks North of ~~a Post~~ Centre of Mt Mound the cor. to sec 30 & 31. from which cor I ran
North 89. 45' E on true line bet. sec 30 & 31.
Var 14° 37' E

39.70 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec. cor.

79.70 cor. to sec 29. 30. 31 & 32.

Land Rolling
soil 2nd rate.

North on line bet. sec 29 & 30
Var 14° 37' E

40.00 Raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep for 1/4 sec cor

80.00 Reposited Charcoal raised Mound of Earth 2 1/2 ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft. in S.E. pit for cor. to sec 19. 20. 29 & 30

Land Rolling
soil 2nd rate

East on Random line
bet. sec. 20 & 29.
Var 14° 37' E

40.00 Set temp. 1/4 sec. cor.
64.00 Valley N & S.

80.10 Intersected N & S. line
20 lks. South of cor. to
sec. 20. 21. 28 & 29. from
which cor. I ran
South 89° 51' W. on
true line bet. sec. 20 & 29
Var 14° 37' E

40.05 Raised Mound of Earth
2 1/2 ft. high from pits 18 & 24
& 12 in deep for 1/4 sec. cor.

80.10 Cor. to sec. 19. 20. 29 & 30.

Land Rolling
soil 2nd rate

West on Random line
bet. sec. 19 & 30.
Var 14° 37' E

40.00 Set temp. 1/4 sec. cor.

79.95 Intersected West Boundary
of Township 40 lks. North
of a ~~Post and~~ centre Mound
the cor. to sec. 19 & 30.
from which cor. I ran
North 89° 43' O on
true line bet. sec. 19 & 30
Var 14° 37' E

39.95 Raised Mound of Earth
2 1/2 ft. high from pits 18
& 24 & 12 in deep for 1/4 sec. cor.

79.95 Cor. to sec. 19. 20. 29 & 30

Land Rolling
soil 2nd rate

Town 27 N. Range 37 W.

North bet. sec 17 & 20
Var 14° 37' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Cedar stake 2 & 2 in and 2 ft. in S. E. pit for cor to sec 17. 18. 19 & 20.

Land Rolling
soil 2nd rate

Town 27 N. Range 37 W.

East on Random line bet sec 17 & 20
Var 14° 37' E

40.00 Set temp. ¼ sec cor

80.04 Intersected N. & S. line at cor to sec 16. 17. 20. & 21 from which cor I ran West on line line bet sec 17 & 20
Var 14° 37' E

40.02 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

80.04 Cor to sec 17. 18. 19 & 20.

Land Rolling
soil 2nd rate

West on Random line
bet. sec. 18 & 19
Var 14° 37' E

40.00 Set temp 1/4 sec. cor.

80.34 Intersected West Boundary
of Township 24 lks
North of ~~Lost~~ Centre of Mound
the cor to sec. 18 & 19
from which cor I ran
North 89° 50' E on
true line bet sec. 18 & 19
Var 14° 37' E

40.34 Raised Mound of Earth
2 1/2 ft. high from pits 18.
24 & 12 in deep for 1/4 sec. cor

80.34 Cor. to sec. 17. 18. 19 & 20

Land Rolling
soil 2nd rate

North bet. sec. 17 & 18.
Var 14° 37' E

14.00 Valley E & W.

40.00 Raised Mound of Earth
2 1/2 ft. high from pits
18 & 24 & 12 in deep for 1/4
sec. cor.

65.00 Leave Valley E & W.

80.00 Deposited charcoal raised
Mound of Earth 2 1/2 ft.
high from pits 18 & 24 & 12
in deep drove Cedar Stake
2 & 2 in and 2 ft. in S. E.
pit for cor. to sec. 7. 8. 17 & 18.

Land Rolling and Level
soil 1st & 2nd rate

Town 27 N. Range 37 W.

East Random bet sec 8 & 17.

Var 14° 37' E

40.00 Set temp. ¼ sec. cor.

79.73 Intersected N. & S. line 15 lks South of cor. to sec 8. 9. 16 & 17 from which I ran

North 89° 54' W. on true line bet. sec 8 & 17

Var 14° 37' E

39.86½ Raised Mound of Earth 2½ ft. high from pits 18 x 24 & 12 in deep for ¼ sec. cor.

79.73 Cor. to sec. 7. 8. 17 & 18.

Land Rolling

soil 2nd rate

Town 27 N. Range 37 W.

West Random bet sec. 7 & 18.

Var 14° 37' E

40.00 Set temp. ¼ sec. cor.

80.09 Intersected West Boundary of Township at Mound for cor. to sec 7 & 18. from which cor. I ran

East on true line bet. sec 7 & 18.

Var 14° 37' E

40.09 Raised Mound of Earth 2½ ft. high from pits 18 x 24 & 12 in deep for ¼ sec cor.

80.09 Cor. to sec 7. 8. 17 & 18.

Land Rolling soil 2nd rate

Town. 27. N. Range 37. W.

North bet. secs. 7 & 8
Var 14° 97' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec. cor.

64.00 Valley E & W.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep drove Cedar Stake 2 & 2 in and 2 ft. in S. E. pit for cor. to secs 5. 6. 7 & 8.

Land Rolling & Level

Soil 1st. & 2nd rate

Town 27. N. Range 37 W.

East on Random line bet. secs 5 & 8.
Var 14° 97' E

40.00 Set temp ¼ sec cor

79.91 Intersected N. & S. line 31 lks North of cor to secs 4. 5. 8 & 9. from which cors I ran
North 89° 47' W on true line bet. secs 5 & 8.
Var 14° 97' E

39.95½ Raised Mound of Earth 2½ ft. high from pits 18 & 24 & 12 in deep for ¼ sec cor

79.91 Cor. to secs. 5. 6. 7 & 8.

Land Level Valley.

Rock 1st. rate

Town 27 North Range 37 W.

West on Random line
bet. sec 6 & 7.
Var 14° 97' E

40.00 Set temp. ¼ sec cor

80.23 Intersected West Boundary
of Township 4 miles
South of ~~Centre~~ Mound
the cor to sec 6 & 7 from
which cor I run
South 89° 42' E. on
true line bet. sec. 6 & 7
Var 14° 97' E

40.23 Raised Mound of Earth
2½ ft. high from pits
18 x 24 & 12 in deep for ¼
sec cor

80.23 Cor to sec. 6. 7 & 18.

Land Valley
soil 1st rate

Town 27 N. Range 37 W.

North Random bet. sec.
6 & 7
Var. 14° 97' E

7.60 Leave Valley E & W.

40.00 Set temp ¼ sec cor
69.00 Valley E & W.
80.48 Intersected North Boun
dary of ~~Township 4 miles~~
East of ~~Centre~~ Mound
for cor to sec 6 & 7. from
which cor I run
South 89° E on
true line bet sec 6 & 7
Var 14° 97' E

40.48 Raised Mound of Earth
2½ ft high from pits
18 x 24 & 12 in deep for ¼
sec cor.

80.48 Cor to sec 6. 7 & 18.

Land Rolling & Timbered
soil 1st & 2nd rate

June 28th 1879

Town 26 S. Range 37 W.

General Description

This Township consists of high Ridges and rich Valleys the soil in the valleys is good 1st Rate and on the Ridges 2nd Rate there is no running water but plenty to be had by digging a few feet
The Township is covered with good grass no timber

List of Names.

A list of the names of the individuals employed to assist in running measuring marking the lines and corners described in the foregoing Field Notes of Township No 28 North of the Base line of Range No 40 West of the 6th P.M. in Nebraska showing the respective capacities in which they acted

W. C. Miller Chainman
Albert Sharp Chainman
F. L. Borland Mounderman
Allen E. Sharp Flagman.

We hereby certify that we assisted D.S. Stephenson Deputy Surveyor in surveying and subdividing Township No 27 North of the Base line of Range No 37 West of the 6th P.M. in Nebraska and that said Township has been in all respectes to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor Genll. of dimensions character, construction and marking and in the manner as specifically described in the foregoing Field Notes

Albert Sharp Chainman
W C Miller Chainman
F L Borland Mounderman
Allen E Sharp Flagman

Subscribed & sworn to by the above named persons before me a Notary Public for the County of Lincoln in the State of Nebraska this 25th day of August 1879.

W. Bierbower
Notary Public

I D. V. Stephenson Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein S. M. Chapman, D. V. Stephenson and Stephen C. Mc Elroy are Joint Contractors with John R. Clark United States Surveyor General for the District of Nebraska and Iowa bearing date April 23 1879 I have well and faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States surveyed all the parts or portions of Township No 27 North of the Base line of Range No 37 East of the 6th P. M. in Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying Manual printed and special instructions of the Surveyor General of a permanent character and constructions and marking in the manner as specially described in the foregoing field notes and that the foregoing are the true and original Field Notes of such survey

D V Stephenson
Deputy Surveyor

Subscribed by said

Deputy Surveyor and sworn to before me a Clerk District Court for the County of Richardson in the State of Nebraska this 1st day of September 1879.

T. C. Cunningham Clerk District Court for said County.

Surveyor Generals Office
Plattsmouth Neb. Nov 10th 1879

The foregoing field Notes of the Survey & subdivision of Township No 27 North of the Base Line, of Range No 37 West of the 6th Principal Meridian in Nebraska. Executed by D. C. Stephenson as Deputy Surveyor under joint Contract No 110 dated April 23d 1879, in the Months of June 1879 having been Critically Examined, the necessary Corrections & Explanations made, the said field Notes & the Survey they describe are hereby approved.

Geo S Smith
Surveyor General

G. E. Kentner, Deputy Surveyor.

T. 28 North R. 37 West.

6th Principal Meridian.

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 28 North Range 37 West

6th Principal Meridian.

BY

G. E. Kentner, Deputy Surveyor.

Under his Contract of July 5, 1882

Survey Commenced Sept. 20, 1882.

Survey Completed Sept. 22, 1882.

Platted,
Copied for Washington,
Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Township..... Range.....

.....6th Principal Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Edward Denny & ... Printers, S. F., Cal.
...ed,
Entered according to Act of Congr... ...ffice of the Librarian of Congress
at Wa... ...year 1880.

Township..... North..... Range..... West

.....6th Principal Meridian.

Township ..... North ..... Range ..... West

6th Principal Meridian.

Township ..... North ..... Range ..... West

6th Principal Meridian.

Survey made with Burt's Patent Improved Solar Compass, nearly new, and in first rate order. **Made** by W. & L. E. Gurley of Troy New York in 1881.

Township 28 North Range 37 West
(See previous page.) 6th Principal Meridian.

Chains	
	From the corner to Sections 35, 36, 1 and 2 on the South boundary; I run North, between Sections 35 and 36. Variation 14° 25 East.
	Descend.
22.00	Enter Flat bears N.E. and S.W.
25.00	Leave Flat bears N.E. and S.W. and ascend.
40.00	Set a Sand stone 11 x 9 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
47.00	Top of Ridge, bears E. & W. and descend.
70.00	Enter Flat bears E. and W.
77.00	Leave Flat bears E. and W. and ascend.
80.00	Set a Sand stone 16 x 11 x 8 ins. 11 ins. in the ground for Cor. to Secs. 25-26-35-36 marked with 1 notch on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land hilly & level.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 25 and 36. Variation 14° 30' East.
	Descend.
12.00	Enter Flat bears N.E. and S.W.
17.00	Enter Marsh.
25.00	Leave Sage.
34.00	Leave Flat bears N.E. & S.W. and ascend.
40.00	Set temporary ¼ Sec. Cor.
79.68	Intersect E. B. of Tp. 23 lks. S, of cor. to secs. 25-36-31-36 from which corner, I run S. 89° 50' W on a true line, between sections, 25-36. Variation 14° 40 East.
39.84	Set a Sand stone 16 x 11 x 3 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.68	The corner to sections 25-26-35-36.
	Land level. & hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains

North, between Sections 25 and 26.

Variation 14°30' East.

Ascend.

18.00 *Top of Hill bears* E. and W. *and descend.*

40.00 *Set a* Sand *stone* 11 x 8 x 6 *ins.,* 7 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* W *face, dug pits 18 x 18 x 12 ins.,* E *and* W. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*

41.00 *Enter Flat bears* E. and W.

50.00 *Leave Flat bears* E. and W. *and ascend.*

80.00 *Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 23-24-25-26, *marked T,* 28 N. S, 24, *on N, E, R,* 37 W, S. 25 *on S, E, S,* 26 *on S, W, and S,* 23 *on N, W, face, with* 2 *notches on S, and* 1 *notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*

Land hilly & level.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation 14°40' East.

Ascend.

40.00 *Set temporary* ¼ *Sec. Cor.*

79.86 *Intersect E. B. of Tp.* 9 *lks. S. of cor. to secs.* 19-24-25-30 *from which corner, I run* S. 89°56' W. *on a true line, between sections* 24-25

Variation 14°40' *East.*

39.93 *Set a* Sand *stone* 11 x 9 x 6 *ins.,* 7 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* N *face, dug pits 18 x 18 x 12 ins.,* N *and* S. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*

79.86 *The corner to sections* 23-24-25-26.

Land rolling.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

North, between Sections 23 and 24.

Variation 14° 40' East.

Descend.

Chains	
24.00	Enter Flat bears N.E. and S.W.
29.00	A Lake, covering about 10 acres bears East, 15 chs East of line
40.00	Set a Sand stone 9 x 8 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
45.00	Leave Flat bears E. and W. and ascend.
64.00	Top of Hill bears E. and W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 13-14-23-24, marked T 28 N. S, 13, on N, E, R, 37 W, S. 24 on S, E, S, 23 on S, W, and S, 14 on N, W, face, with 3 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.

Land level. & hilly
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

East, on a random line between Sections 13 and 24.

Variation 14° 40' East.

Ascend.

Chains	
33.00	Top of Ridge, bears N.E. & S.W. and descend.
40.00	Set temporary ¼ Sec. Cor.
43.00	Enter Flat bears N.E. and S.W.
57.00	Leave Flat bears N.E. & S.W. and ascend.
79.93	Intersect E. B. of Tp. 16 lks. N. of cor. to secs. 13-18-19-24 from which corner, I run N 89° 53' W. on a true line, between sections 13-24, Variation 14° 30' East.
39.97	Set a Sand stone 12 x 9 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face. dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.93	The corner to sections 13-14-23-24, 14.00 chs 65.93 lks.

Land level. & mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains — North, between Sections 13 and 14.

Variation 14° 40 East.

Descend.

6.00 *Enter Flat bears* E. and W.
9.00 *Enter dry Lake.*
24.00 *Leave Same.*
30.00 *Ascend.*
40.00 *Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
60.00 *Top of Ridge, bears E. & W.* *and descend.*
72.00 *Cross Wash, 200 lks. wide, Course W.* *and ascend.*
80.00 *Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 11-12-13-14, marked T. 28 N. S. 12, on N, E, R, 37 W, S. 13 on S, E, S, 14 on S, W, and S, 11 on N, W, face, with 4 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*

Land, level. 24.00 chs & 56.00 chains mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains — East, on a random line between Sections 12 and 13.

Variation 14° 30' East.

Ascend.

7.00 *Top of Hill bears S. and N.* *and descend.*
34.00 *Enter Flat bears S. and N.*
40.00 *Set temporary ¼ Sec. Cor.*
50.00 *Ascend.*
79.54 *Intersect E. B. of Tp. 26 lks. N. of cor. to secs. 7-12-13-18, from which corner, I run N. 89° 49' W. on a true line, between sections 12-13*

Variation 14° 30' East.

39.77 *Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.54 *The corner to sections 11-12-13-14.*

Land level. & hilly
Soil 3rd rate
Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	North, between Sections 11 and 12.
	Variation 14°30' East.
	Ascend.
40.00	*Set a* Sana *stone* 11 x 9 x 6 *ins.*, 7 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* W *face, dug pits 18 x 18 x 12 ins.,* E *and* W. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
59.00	*Top of Ridge, bears* E. ¼ N. *and descend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 1-2-11-12, *marked T,* 28 N. S, 1, *on N, E, R,* 37 W, S. 12 *on S, E, S,* 11 *on S, W, and S,* 2 *on N, W, face, with* 5 *notches on S, and* 1 *notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*
	Land mountainous.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 38 North Range 37 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 1 and 12.
	Variation 14°30' East.
	Ascend.
40.00	*Set temporary* ¼ *Sec. Cor.*
79.69	*Intersect* E. *B. of Tp.* 18 *lks.* S, *of cor. to secs.* 1-6-7-12 *from which corner, I run* S. 89°52' W *on a true line, between sections* 1-12
	Variation 14°30' *East.*
39.85	*Set a* Sana *stone* 16 x 11 x 8 *ins.*, 11 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* N *face, dug pits 18 x 18 x 12 ins.,* N *and* S. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
79.69	*The corner to sections* 1-2-11-12,
	Land rolling.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	North, on a ~~random~~ true line between Sections 1 and 2.
	Variation 14°30' East.
	Descend.
10.00	*Enter Flat bears* E. and N.
17.00	*Enter Marsh.*
19.00	*Leave same.*
25.00	*Leave Flat bears* E. and N. *and ascend.*
37.00	*Top of Ridge, bears* E. & W., *and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
78.00	*Intersect the 7th Standard Parallel N., at a point 7.51 chs. West of the Standard Cor. on S. B. of Sec. 31 T. 29N. R. 36W., at which point I Set a* Sand *stone 11 x 9 x 6 ins. 7 ins. in the ground for Closing Cor. to Secs. 1 and 2 marked C. C. with 1 notch on E. and 5 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.*
	15.00 chs. 63.00 chs.
	Land ^ level. & mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass

J. C. Kentner, Sept. 20, 1882.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	North, between Sections 34 and 35.
	Variation 14°20' East.
	Descend.
18.00	*Cross Wash, 200 lks. wide, Course W., and ascend.*
38.00	*Top of Spur, bears* E. and W. *and descend.*
40.00	*Set a* Sand *stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
48.00	*Enter Flat bears* N.E. and S.W.
62.00	*Leave Flat bears* N.E. and S.W. *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 26-27-34-35, *marked T. 28N. S. 26, on N. E. R. 37W. S. 35 on S. E. S. 34 on S. W. and S. 27 on N. W. face, with 1 notch on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	66.00 chs. 14.00 chs.
	Land ^ mountainous. & ^ level.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 26 and 35. Variation 14° 25 East.
	Descend.
28.00	Enter Flat bears N.E. and S.W.
40.00	Set temporary ¼ Sec. Cor.
60.00	Ascend.
70.00	Top of Hill bears N.W. & S.E. and descend.
79.86	Intersect N. & S. line, 26 lks. N. of cor. to secs. 25-26-35-36 from which corner, I run N. 89° 49' W. on a true line between sections 26 - 35 - Variation 14° ~~30'~~ 35' East
39.93	Set a Sand stone 9 x 8 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.86	The corner to sections 26-27-34-35, Land level. & hilly Soil 3rd rate Vegetation, Bluegrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 26 and 27. Variation 14° 25' East.
	Ascend.
10.00	Top of Hill bears E. and W. and descend.
25.00	Enter Flat bears E. and W.
28.00	A Marsh,
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
49.00	~~Ascend~~ Leave Marsh and ascend.
76.00	Top of Hill bears E. and W. and descend.
80.00	Set a Sand stone 16 x 11 x 8 ins. 11 ins. in the ground for Cor. to Secs. 22-23-26-27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land level. & hilly Soil 3rd rate Vegetation, Bluegrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 23 and 26. Variation 14° 15' East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
79.71	Intersect N. & S. line, 62 lks. N. of cor. to secs. 23-24-25-26 from which corner, I run N. 89° 33' W. on a true line between sections 23-26 Variation 14° ~~40'~~ 15' East
39.86	Set a Sana stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.71	The corner to sections 22-23-26-27.

Land level.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 22 and 23. Variation 14° 15' East.
	Descend.
19.00	Enter Flat bears E. ana W.
35.00	Leave Flat bears E. ana W. and ascend.
40.00	Set a Sana stone 11 x 9 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., S and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
68.00	Top of Hill bears E. ana N. and descend.
80.00	Set a Sana stone 16 x 9 x 8 ins. 11 ins. in the ground for Cor. to Secs. 14-15-22-23 marked with 3 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land level & hilly
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 3Y West
6th Principal Meridian.

Chains	East, on a random line between Sections 14 and 23. Variation 14° 30 East.
	Ascend.
20.00	*Top of Hill bears* N. and S. *and descend.*
40.00	*Set temporary ¼ Sec. Cor.*
62.00	*Cross Wash, 200 lks. wide, Course* N.W. *and ascend.*
79.69	*Intersect N. & S. line, 19 lks.* N. *of cor. to secs. 13-14-23-24 from which corner, I run* N.89°52' W. *on a true line between sections 14-23.* Variation 14° 30' East
39.85	*Set a* Sand *stone 16 x 9 x 8 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N *face, dug pits 18 x 18 x 12 ins.,* N *and* S *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
7969	*The corner to sections 14-15=22-23, Land rolling & hilly Soil 3rd rate Vegetation,* Bunchgrass.

Township 28 North Range 3Y West
6th Principal Meridian.

Chains	North, between Sections 14 and 15. Variation 14° 30' East.
	Descend.
10.00	*Enter Flat bears* E. and W.
13.00	*Enter Marsh.*
23.00	*Leave Same.*
29.00	*Leave Flat bears* E and W. *and ascend.*
40.00	*Set a* Sand *stone 11 x 9 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins.,* E *and* W *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
56.00	*Top of Hill bears* E. and W. *and descend.*
74.00	*Enter Flat bears* E. and W.
80.00	*Set a* Sand *stone 11 x 9 x 6 ins. 7 ins. in the ground for Cor. to Secs. 10-11-14-15 marked with 4 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*

Land level & hilly
Soil 3rd rate
Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 11 and 14. Variation 14°30 East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
68.00	Ascend.
79.85	Intersect N. & S. line, 28 lks. S, of cor. to secs. 11-12-13-14 from which corner, I run S.89°48' W. on a true line between sections 11-14 Variation 14°30 East
39.93	Set a Sand stone 16x11x9 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.85	The corner to sections 10-11-14-15,

Land level & rolling.
Soil 3rd rate.
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 10 and 11. Variation 14°30' East.
2.00	Leave Flat bears E. and W. and ascend.
24.00	Top of Spur, bears E. and W. and descend.
40.00	Set a Sand stone 12x9x8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
44.00	Cedar Marsh, bears E & W.
54.00	Dear Range, and ascend
66.00	Top of Ridge, bears E. and W. and descend.
80.00	Set a Sand stone 16x11x8 ins. 11 ins. in the ground for Cor. to Secs. 2-3-10-11 marked with 5 notches on S. and 2 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

12.00 chs & 68.00 chains
Land level. & mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 2 and 11.
	Variation 14° 20 East.
	Over rolling land.
40.00	*Set temporary ¼ Sec. Cor.*
68.00	*Ascend.*
79.74	*Intersect N. & S. line, 10 lks. S., of cor. to secs. 1-2-11-12 from which corner, I run*
	S. 89° 56' W. on a true line between sections 2-11
	Variation 14° 20' East
39.87	*Set a* Sand *stone 14 x 9 x 6 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.74	*The corner to sections* 2-3-10-11
	Land rolling.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian

Chains	
	North, on a ~~random~~ true line between Sections 2 and 3.
	Variation 14° 20 East.
	Descend.
12.00	*Enter Flat bears* E. and W.
24.00	*Leave Flat bears* E. and W. *and ascend.*
40.00	*Set a* Sand *stone 11 x 9 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
60.00	*Top of Hill bears* E. and W., *and descend.*
78.16	*Intersect the* 7th *Standard Parallel N. at a point* 7.67 *chs.* West *of the Standard ¼ Sec. Cor. on S. B. of Sec. 36, T. 29 N. R. 37 W. at which point I*
	Set a Sand *stone 12 x 11 x 6 ins. 8 ins. in the ground for Closing Cor. to Secs.* 2 *and* 3 *marked C. C. with* 2 notches *on E. and* 4 notches *on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land level. & hilly
	Soil 3rd *rate*
	Vegetation, Bunchgrass.
	John B. Brady, Compassman, Sept. 20, 1882.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	North, between Sections 33 and 34.
	Variation 14°30' East.
9.00	Enter Flat bears E. and W.
34.00	Leave Flat bears E. and W. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
58.00	Top of Ridge, bears E. and W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 27-28-33-34 marked T, 28 N. S, 27, on N, E, R, 37 W, S. 34 on S, E, S, 33 on S, W, and S, 28 on N, W, face, with 1 notch on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.

Land 25.00 lks. level. 55.00 lks. mountainous.

Soil 3rd rate

Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	East, on a random line between Sections 27 and 34.
	Variation 14°30' East.
	Over rolling land.
40.00	Set temporary ¼ Sec. Cor.
80.49	Intersect N. & S. line, 31 lks. N. of cor. to secs. 26-27-34-35 from which corner, I run N 89°47' W. on a true line between sections 27—34
	Variation 14° ~~25'~~ 30' East
40.25	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.49	The corner to sections 27-28-33-34,

Land rolling.

Soil 3rd rate

Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 27 and 28. Variation 14°30' East.
	Descend.
20.00	Enter Flat bears E and W.
27.00	Leave Flat bears E. and W. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
47.00	Top of Ridge, bears E and W. and descend.
76.00	Enter Flat bears E. and W.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 21-22-27-28, marked T. 28 N, S. 22, on N, E, R, 37 W, S. 27 on S, E, S, 28 on S, W, and S, 21 on N, W, face, with 2 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.
	11.00 lks & 69.00 lks.
	Land level & mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East on a random line between Sections 22 and 27. Variation 14°70 East.
	Over level land
7.00	Leave Flat bears N.E. & S.W. and ascend.
35.00	Top of Hill bears N.E & S.W. and descend.
40.00	Set temporary ¼ Sec. Cor.
80.22	Intersect N. & S. line, 5 lks. N. of cor. to secs. 22-23-26-27 from which corner, I run N.89°58' W. on a true line between sections 22-27
	Variation 14°~~45~~' East
40.11	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.22	The corner to sections 21-22-27-28.
	Land level & hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 21 and 22. Variation 14°10 East.
	Over level land
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
58.00	Leave Flat bears E. and W. and ascend.
67.00	Top of Ridge, bears E. and W. and descend.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 15-16-21-22 marked T, 28 N. S, 15, on N, E, R, 3 W, S. 22 on S, E, S, 21 on S, W, and S, 16 on N, W, face, with 3 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.
	58.00 lks. & 22.00 lks.
	Land, level. & mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 15 and 22. Variation 14°20' East.
	Ascend.
28.00	Top of Hill bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
63.00	Cross Wash, lks. wide, Course N.W. and ascend.
79.97	Intersect N. & S. line, 23 lks. S, of cor. to secs. 14-15-22-23 from which corner, I run S. 89°50' W. on a true line between sections 15-22
	Variation 14°~~30~~ 20' East
39.99	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
79.97	The corner to sections 15-16-21-22,
	Land hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	North, between Sections 15 and 16. Variation 14° 20' East.
	Descend.
2.00	Enter Flat bears E. and W.
10.00	A Spring, bears West, 100 lks. dist.
17.00	Leave Flat bears E. and W. and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
44.00	Top of Ridge, bears E. and W. and descend.
72.00	Enter Flat bears E. and W.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 9-10-15-16, marked T, 28 N. S, 10, on N, E, R, 37 W, S. 15 on S, E, S, 16 on S, W, and S, 9 on N, W, face, with 4 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post. 23.00 lks. 57.00 lks. Land ^ level. ^ mountainous. Soil 3rd rate Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	East, on a random line between Sections 10 and 15. Variation 14° 25' East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
80.20	Intersect N. & S. line, 26 lks. N, of cor. to secs. 10-11-14-15 from which corner, I run N 89° 49' W. on a true line between sections 10-15 Variation 14° 30' 35" East
40.10	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.20	The corner to sections 9-10-15-16. Land level. Soil 3rd rate Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 9 and 10. Variation 14° 25' East.
	Descend.
14.00	*Leave Flat bears* E. and W. *and ascend.*
37.00	*Top of Ridge, bears* E. and W. *and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
76.00	*Enter Flat bears* E and W,
77.00	*Leave Flat bears* E and W, *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 3—4—9—10 *marked T,* 28 N. S, 3 , *on N, E, R,* 37 W, S. 10 *on S, E, S,* 9 *on S, W, and S,* 4 *on N, W, face, with* 5 *notches on S, and* 3 *notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.* 15.00 chs 65.00 chains
	Land level. mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East on a random line between Sections 3 and 10. Variation 14° 35' East.
	Descend.
9.00	*Enter Flat bears* N.E. and S.W.
34.00	*Leave Flat bears* N.E. and S.W. *and ascend.*
40.00	*Set temporary* ¼ *Sec. Cor.*
63.00	*Top of Hill bears* N.W. & S.E. *and descend.*
80.26	*Intersect N. & S. line,* 35 *lks.* N, *of cor. to secs.* 2-3-10-11 *from which corner, I run* N. 89° 45' W. *on a true line between sections* 3—10 *Variation* 14° 20' *East*
40.13	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
80.26	*The corner to sections* 3—4—9—10.
	Land level. & hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains

North, on a ~~random~~ true line between Sections 3 and 4.

Variation 14°35 East.

Ascend.

15.00 Top of Ridge, bears E. and W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

50.00 Enter Flat bears E. and W.

67.00 Leave Flat bears E. and W. and ascend.

77.96 Intersect the 7th Standard Parallel N. at a point 8.29 chs. West of the Standard ¼ Sec. Cor. on S. B. of Sec. 35 T. 29 N., R. 37 W., at which point I

Set a Sand stone 12 x 9 x 8 ins. 8 ins. in the ground for Closing Cor. to Secs. 3 and 4 marked C. C. with 3 notches on E. and 3 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.

Land level. & ~~mountainous.~~ Rolling

Soil 3rd rate

Vegetation Bunchgrass,

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

G. C. Reutner, Sept. 21, 1882.

Township 28 North Range 37 West

6th Principal Meridian.

Chains

North, between Sections 32 and 33.

Variation 14°25 East.

Descend.

10.00 Enter dry Lake, bears E. & W.

22.00 Leave same, bears same.

Ascend.

40.00 Set a Sand stone 11 x 8 x 4 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

60.00 Top of Hill bears E. and W. and descend.

80.00 Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 28-29-32-33, marked T, 28 N. S, 28, on N, E, R, 37 W, S. 33 on S, E, S, 32 on S, W, and S, 29 on N, W, face, with 1 notch on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4½ ft, base around post.

Land hilly

Soil 3rd rate

Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	East, on a random line between Sections 28 and 33.
	Variation 14°40 East.
	Ascend.
40.00	*Set temporary ¼ Sec. Cor.*
60.00	*Top of Hill bears* N. and S. *and descend.*
80.18	*Intersect N. & S. line,* 18 *lks.* N, *of cor. to secs.* 27-28-33-34 *from which corner, I run* N. 89°52' *W. on a true line between sections* 28-33,
	Variation 14° ~~30~~ 40' *East*
40.09	*Set a* Sand *stone* 12 x 8 x 4 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N *face, dug pits 18 x 18 x 12 ins.,* N *and* S *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.18	*The corner to sections* 28-29-32-33
	Land hilly
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian

Chains	North, between Sections 28 and 29.
	Variation 14°40' East.
	Descend.
10.00	*Enter Flat bears* E. and W.
13.00	Enter Marsh, bears E. and W.
20.00	Leave same, bears same.
33.00	*Ascend.*
40.00	*Set a* Sand *stone* 9 x 6 x 4 *ins.,* 6 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W *face, dug pits 18 x 18 x 12 ins.,* E *and* W *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 20-21-28-29, *marked T,* 28 N. *S,* 21 *, on N, E, R,* 37 W. *S.* 28 *on S, E, S,* 29 *on S, W, and S,* 20 *on N, W, face, with* 2 *notches on S, and* 4 *notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*
	Land level. & *rolling.*
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Chains

East, on a random line between Sections 21 and 28.

Variation 14° 40' East.

Over rolling land.

40.00 *Set temporary ¼ Sec. Cor.*

63.00 *Over level land*

79.96 *Intersect N. & S. line, 32 lks. N. of cor. to secs. 21-22-27-28 from which corner, I run N. 89° 46' W. on a true line between sections 21 — 28.*

Variation 14° 40' East

39.98 *Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*

79.96 *The corner to sections 20-21-28-29.*

Land level & rolling.

Soil 3rd rate

Vegetation, Bunchgrass.

Chains

North, between Sections 20 and 21.

Variation 14° 40' East.

Ascend.

10.00 *Top of Ridge, bears E. and W. and descend.*

20.00 *Cross Wash, 200 lks. wide, Course W. and ascend.*

40.00 *Set a Sand stone 12 x 8 x 4 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base. on South slope of Hill.*

80.00 *Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 16-17-20-21 marked T, 28 N. S, 16, on N, E, R, 37 W, S. 21 on S, E, S, 20 on S, W, and S, 17 on N, W, face with 3 notches on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*

Land mountainous.

Soil 3rd rate

Vegetation, Bunchgrass.

Township 28 North Range 3W West

6th Principal Meridian.

Chains	East, on a random line between Sections 16 and 21.
	Variation 14°30' East.
	Mony Top of Hill bears N. and S.
40.00	Set temporary ¼ Sec. Cor.
46.00	Descend.
48.00	Cross low Say and ascend.
79.83	Intersect N. & S. line, 62 lks. N, of cor. to secs. 15-16-21-22 from which corner, I run N 89°33' W. on a true line between sections 16 - 21,
	Variation 14°~~20~~ 30' East
39.92	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
79.83	The corner to sections 16-17-20-21,
	Land hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 3W West

6th Principal Meridian.

Chains	North, between Sections 16 and 17.
	Variation 14°30' East.
	Descend.
28.00	Cross Wash, 200 lks. wide, Course W, and ascend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
70.00	Enter Flat bears E. and W.
76.00	Enter Marsh,
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 8-9-16-17, marked T, 28 N. S, 9, on N, E, R, 3W, S. 16 on S, E, S, 17 on S, W, and S, 8 on N, W, face, with 4 notches on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.
	Land level & rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 9 and 16. Variation 14° 30' East.
23.00	Over level land Leave Marsh.
40.00	Set temporary ¼ Sec. Cor.
80.29	Intersect N. & S. line, 16 lks. N. of cor. to secs. 9-10-15=16 from which corner, I run N 89° 53' W. on a true line between sections 9-16 Variation 14° ~~25~~ 30' East
40.15	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.29	The corner to sections 8-9-16-17, Land level. Soil 3rd rate Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 8 and 9. Variation 14° 30' East.
	Over level land
10.00	Leave Marsh, bears E. & W.
13.00	Leave Flat bears East N. and ascend.
37.00	Top of Hill bears East N. and descend.
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
76.00	Cross Wash, 200 lks. wide, Course W. and ascend.
80.00	Set a Sand stone 11 x 9 x 6 ins. 7 ins. in the ground for Cor. to Secs. 4-5-8-9 marked with 5 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land level & hilly Soil 3rd rate Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	East, on a random line between Sections 4 and 9. Variation 14°40 East.
	Descend.
30.00	*Enter Flat bears* N.W. and S.E.
40.00	*Set temporary ¼ Sec. Cor.*
45.00	*Leave Flat bears* N.E. and S.W. *and ascend.*
67.00	*Top of Hill bears* N.W. & S.E. *and descend.*
80.46	*Intersect N. & S. line,* 19 *lks.* S. *of cor. to secs.* 3-4-9-10 *from which corner, I run* S. 89°52′ W. *on a true line between sections* 4–9. *Variation* 14°~~35~~ 40′ *East*
40.23	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
80.46	*The corner to sections* 4–5–8–9. *Land level & hilly Soil* 3rd *rate Vegetation,* Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	North, on a ~~random~~ true line between Sections 4 and 5. Variation 14°40′ East.
	Ascend.
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
60.00	*Top of Hill bears* E. and W. *and descend.*
78.41	*Intersect the* 7th *Standard Parallel* N. *at a point* 9.41 *chs.* West *of the Standard ¼ Sec. Cor. on S.B. of Sec.* 34 *T.* 29 N. *R.* 37 W. *at which point I*
	Set a post, 4 ft. long, 4 ins. square, 12 ins. in the ground, for Closing *Cor. to Secs.* 4 *and* 5 *marked C. C., T.* 28 N., *R.* 37 W., *on* S. *S.* 4 *on* E *and S.* 5 *on* W *faces, with* 4 *notches on* E *and* 1 *notch on* W *faces, dug pits 18 x 18 x 12 ins* S. E. & W *of post, 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land hilly Soil 3rd *rate Vegetation* Bunchgrass

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

John B. Brady, Compassman, Sept. 21, 1882.

Township 28 North Range 31 West
6th Principal Meridian.

Chains	North, between Sections 31 and 32. Variation 14°15' East.
	Over level land
3.00	Leave Flat bears E. and W. and ascend.
38.00	Top of Ridge bears E. & W. and descend,
40.00	Set a post 3 ft. long, 3 ins. diam.
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
74.00	Enter Flat bears E. and W.
78.00	Leave Flat bears E. and W. and ascend.
80.00	Set a post 4 ft. long, 4 ins. square,
	12 ins. in the ground, for Cor. to Secs, 29-30-31-32,
	marked T. 28 N. S. 29, on N. E. R. 31 W. S. 32
	on S. E. S. 31 on S. W. and S. 30 on N. W. face,
	with 1 notch on S. and 5 notches on E. edges,
	dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
	and raised a mound of earth 2 ft. high, 4½ ft. base
	around post.
	Land level & rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 31 West
6th Principal Meridian.

Chains	East, on a random line between Sections 29 and 32. Variation 14°30' East.
	Descend.
1.50	Enter Flat bears N.E. and S.W.
40.00	Set temporary ¼ Sec. Cor.
57.00	Ascend.
79.50	Intersect N. & S. line, 40 lks. S. of cor. to secs.
	28-29-32-33 from which corner, I run
	S. 89°43' W. on a true line between sections 29-32
	Variation 14°~~40~~ 30' East
39.75	Set a post 3 ft. long, 3 ins. diam.
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
79.50	The corner to sections 29-30-31-32,
	Land rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.
	G. E. Kenlner, Sept. 22, 1882.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	
	West, on a random line between Sections 30 and 31.
	Variation 14°30′ East.
	Ascend.
27.00	*Top of Ridge, bears* N. & S.W. *and descend.*
40.00	*Set temporary ¼ Sec. Cor.*
59.00	*Enter Flat bears* N. & S.
78.59	*Intersect* W. B. of Tp. 75 lks. N, *of cor. to secs.* 25-30-31-36′ *from which corner, I run* N.89°28′ E. *on a true line, between sections* 30-31
	Variation 14°30′ *East.*
38.59	*Set a post 3 ft. long, 3 ins. diam.* 12 ins. *in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
78.59	*The corner to sections* 29-30-31-32, *Land* 59.00 lks. mountainous. *and* 19.59 *chains level.* *Soil* 3rd *rate* *Vegetation* Bunchgrass.

John B. Brady, Compassman,
Sept. 22, 1882.

Township 28 North Range 37 West

6th Principal Meridian

Chains	
	North, between Sections 29 and 30.
	Variation 14°30′ East.
	Ascend.
18.50	*Top of Ridge, bears* N.50°E. & S.50°W *and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
52.00	*Enter Flat bears* E. and W.
55.00	*Leave Flat bears* E. and W. *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs,* 19-20-29-30, *marked T,* 28 N. S, 20, *on N, E, R,* 37 W, S. 29 *on S, E, S,* 30 *on S, W, and S,* 19 *on N, W, face, with* 2 *notches on S, and* 5 *notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.*
	3.00 77.00 lbs.
	Land level. & *mountainous.*
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 20 and 29. Variation 14° 20′ East.
	Descend.
40.00	Set temporary ¼ Sec. Cor.
48.00	Cross Wash, 200 lks. wide, Course S. and ascend.
67.00	Top of Hill bears N.W. & S.E. and descend.
79.71	Intersect N. & S. line, 28 lks. S. of cor. to secs. 20-21-28-29 from which corner, I run S 89° 48′ W. on a true line between sections 20-29. Variation 14° ~~40~~ 20′ East
39.86	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
79.71	The corner to sections 19-20-29-30, Land hilly Soil 3rd rate Vegetation Bunchgrass. G. E. Kenlneo, Sept. 22, 1882.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	West, on a random line between Sections 19 and 30. Variation 14° 20′ East.
	Ascend.
10.00	Top of Ridge, bears N.E. and S.W. and descend.
40.00	Set temporary ¼ Sec. Cor.
48.00	Enter Flat bears N. and S.
69.00	Enter Marsh bottom.
70.00	A Lake. - And along S. Edge of Lake.
78.83	Intersect W. B. of Tp. 61 lks. N. of cor. to secs. 19-24-25-30 from which corner, I run N 89° 34′ E, on a true line between sections 19-30 Variation 14° ~~20~~ 20′ East.
38.83	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
78.83	The corner to sections 19-20-29-30, 48.00 lks. and 30.83 chains level. Land mountainous. Soil 3rd rate Vegetation Bunchgrass. John B. Brady, Compassman, Sept. 22, 1882.

Township 28 North Range 37 West

6th Principal Meridian.

Chains — North, between Sections 19 and 20.

Variation 14° 20' East.

Ascend.

12.00 Top of Ridge, bears N. E and S.W. and descend.

37.00 Enter Flat bears E. and W.

40.00 Set a post 3 ft. long, 3 ins. diam.

12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

64.00 Leave Flat bears E. & W. and ascend.

80.00 Set a post 4 ft. long, 4 ins. square,

12 ins. in the ground, for Cor. to Secs, 17-18-19-20, marked T, 28 N, S, 17, on N. E. R, 37 W, S. 20 on S, E, S, 19 on S, W, and S, 18 on N, W, face, with 3 notches on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.

53.00 lks. & 27.00 lks.

Land 1 mountainous. & 1 level.

Soil 3rd rate

Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains — East, on a random line between Sections 17 and 20.

Variation 14° 10' East.

Descend.

40.00 Set temporary ¼ Sec. Cor.

80.04 Intersect N. & S. line, 15 lks. N. of cor. to secs. 16-17-20-21 from which corner, I run N. 89° 54' W. on a true line between sections 17-20.

Variation 14° ~~30'~~ 10' East

40.02 Set a post 3 ft. long, 3 ins. diam.

12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

80.04 The corner to sections 17-18-19-20.

Land rolling.

Soil 3rd rate

Vegetation, Bunchgrass.

G. E. Kentner, Sept. 22, 1882.

Township 28 North Range 3W West
6th Principal Meridian.

Chains

West, on a random line between Sections 18 and 19.
Variation 14°10 East.

Ascend.

21.00 Top of Ridge, bears N. & S. and descend.

40.00 Set temporary ¼ Sec. Cor.

71.00 Enter Flat bears N. and S.,

78.75 Intersect W. B. of Tp. 24 lks. N., of cor. to secs. 13-18-19-24 from which corner, I run N 89° 50' E, on a true line, between sections 18-19
Variation 14° ~~15~~ 10' East.

38.75 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

78.75 The corner to sections 17-18-19-20.
Land ^ mountainous. 71.00 lks. & ^ level. 7.75 lks.
Soil 3rd rate
Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

John B. Brady, Compassman,
Sept. 22, 1882.

Township 28 North Range 3W West
6th Principal Meridian.

Chains

North, between Sections 17 and 18
Variation 14°10' East.

Ascend.

5.00 Top of Ridge, bears E. & W. and descend.

22.00 Enter Flat bears E. and W.

31.00 Leave Flat bears E. and W. and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

63.00 Top of Ridge, bears N.W. & S.E.

67.00 Creeks both Say and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 7-8-17-18 marked T. 28 N. S, 8 , on N, E, R, 3W S. 17 on S, E, S, 18 on S, W, and S, 7 on N, W, face. with 4 notches on S, and 5 notches on E, edges. dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.

Land ^ mountainous. 71.00 lks. & ^ level. 9.00 lks.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	East, on a random line between Sections 8 and 17. Variation 14° 20' East.
	Descend.
6.00	Enter Flat bears N. and S.
30.00	Leave Flat bears N. and S. and ascend.
40.00	Set temporary ¼ Sec. Cor.
48.50	Top of Ridge, bears N. & S., and descend.
60.00	Enter Marsh.
79.77	Intersect N. & S. line, 29 lks. S. of cor. to secs. 8-9-16-17 from which corner, I run S. 89° 48' W. on a true line between sections 8-17
	Variation 14° 30' East
39.89	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
79.77	The corner to sections 7-8-17-18, 43.77 lks. 36.00 lks. Land level, mountainous. Soil 3rd rate Vegetation, Bunch grass. G. E. Kentner, Sept. 22, 1882.

Township 28 North Range 37 West

6th Principal Meridian.

Chains	West, on a random line between Sections 7 and 18. Variation 14° 20' East.
	Ascend.
5.00	Top of Spur, bears N. & S. and descend.
20.00	Enter Flat bears N. and S.
36.00	Enter Hackberry grove, bears N. & S.
40.00	Set temporary ¼ Sec. Cor.
41.00	Leave Flat and Grove bears N.W. & S.E. and ascend.
79.08	Intersect W. B. of Tp. 13 lks. S. of cor. to secs. 7-12-13-18 from which corner, I run S. 89° 54' E., on a true line, between sections 7-18
	Variation 14° 20' East.
39.08	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post. from which A Cottonwood 30 ins. diam. bears N. 10° W. lks. dist. marked ¼ S. B. T. Hackberry bush 30 ins. diam. bears S. 10° W. lks. dist. marked ¼ S. B. T.
79.08	The corner to sections 7-8-17-18. 58.08 lks. 21.00 lks. Land mountainous & level. Soil 3rd rate Timber of Cottonwood Vegetation Bunch grass. John B. Brady, Chainman, Sept. 22, 1882.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	North, between Sections 7 and 8. Variation 14° 20' East.
	Ascend.
16.00	Set a Sand stone 9 x 8 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
63.00	Top of Hill bears E. and W., and descend.
80.00	Set a Sand stone 12 x 8 x 6 ins. 8 ins. in the ground for Cor. to Secs. 5-6-7-8 marked with 5 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land hilly
Soil 3rd rate
Vegetation, Buncheyrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	East, on a random line between Sections 5 and 8. Variation 14° 30 East.
	Descend.
40.00	Set temporary ¼ Sec. Cor.
46.00	Cross Wash, 200 lks. wide, Course NW, and ascend.
63.00	Top of Hill bears N.W. & S.E. and descend.
79.69	Intersect N. & S. line, 8 lks. S., of cor. to secs. 4-5-8-9 from which corner, I run S. 89° 37' W. on a true line between sections 5-8
	Variation 14° 40' East
39.85	Set a Sand stone 12 x 9 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.69	The corner to sections 5-6-7-8.

Land hilly
Soil 3rd rate
Vegetation, Buncheyrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

G. E. Kentner, Sept. 22, 1882.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	West, on a random line between Sections 6 and 7. Variation 14° 30' East.
	Ascend.
40.00	*Set temporary ¼ Sec. Cor.*
69.00	*Top of Hill bears NE. & SW., and descend.*
79.16	*Intersect W. B. of Tp. 30 lks. S. of cor. to secs. 1–6–7–12 from which corner, I run S. 89° 30' E., on a true line, between sections 6–7 Variation 14° 25' East.*
39.16	*Set a Sand stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.16	*The corner to sections 5–6–7–8,*
	Land hilly
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 28 North Range 37 West
6th Principal Meridian.

Chains	
	North, on a ~~random~~ true line between Sections 5 and 6. Variation 14° 30' East.
	Descend.
40.00	*Set a Sand stone 16 x 11 x 8 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., S and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
57.00	*Cross Wash, 20 lks. wide, Course W. and ascend.*
69.00	*Top of Hill bears S. and W., and descend.*
78.13	*Intersect the 7th Standard Parallel N. at a point 9.69 chs. West of the Standard ¼ Sec. Cor. on S. B. of Sec. 33, T. 29 N. R. 37 W. at which point I*
	Set a Sand stone 16 x 11 x 8 ins. 11 ins. in the ground for Closing Cor. to Secs. 5 and 6 marked C. C. with 5 notches on E. and 1 notch on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.

John B. Brady, Compassman
Sept. 22, 1882.

GENERAL DESCRIPTION.

A small portion of the land in this Township is mountainous, but its general character is rolling and level.
The abundant growth of Bunch-grass covering as it does the most of the Tp., furnishes excellent grazing land.
The soil is 3rd rate.
There is a small lake in Sec. 24 and in S. E. ¼ of Sec. 16, a Spring of fine water.
There is Marsh land in Secs. 1-2-8-9-10-11-14-15-16-17-19-26-27-28-29.

U. S. Surveyor General's Office.

Plattsmouth Neb

1883

The foregoing Field Notes of the surveys of

the Subdivisional lines of Township No 28 North of Range No 37 West of the Principal Base and Meridian

in the State of Neb. *executed by*

Geo E. Kentner

U. S. Deputy Surveyor, under his contract No 70 *dated*

July 5th 1882 in the Month of Sept. 1882

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

D W Stephenson

U. S. Surveyor-General for

General Land Office • Original Field Notes

Book Number

599

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.