General Land Office • Original Field Notes

Book Number

604

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index Diagram

Town 9 N. Range 38 E.



Subdivision of Township
No 9 North of Range
West of the
Principal Meridian
of Nebraska

ed August 25th 1871

d August 29th 1871

By
William E. Daugherty
Deputy Surveyor

T. 9 N. R. 12 W.
R. 38. W.

Township No 9 North Range No 38 West 6th Meridian

List of Names

Henry Hesel
Frank M Daugherty — Chainmen

Elijah Bennett
Henry Leap
Oscar P. Milton — Rodmen / Flagmen

proper
To determine the adjustment of my compass for ~~adjusting~~ subdividing this Township I commence at the corn of Townships 9 Ranges 37 and 38 East of Principal Meridian and run thence North on a blank line along the East boundary of ~~Township~~ Section 36

Variation 13° East

3996 To a point 2 links East of quarter Section corn

7976 To a point 7 links East of corn to Sections 25 and 36

To retrace this line I run parallel therefor I must adjust my compass to a variation of 13° 3' East

Subdivisions Commenced August 25th 1871

Township No 9 North

North between Sections 30 & 36
Variation 13° East

4000 Set chaw post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chaw post in mound of Earth with pits as per instructions for corner to Sections 25 26 35 & 36
Land rolling Soil 3rd Rate
~~Soil 2nd Rate~~

Range No 30 West 6th Meridian

East on a random line between Sections 25 & 36
Variation 13° East

4000 ~~40~~ Set a post for Temporary 1/4 Sec corner

79.86 Intersect East boundary of Township 48 links South of corner to Sections 25 & 36 from which corner a Ash 8 in diameter bears N 89° 30' W on a true line between Sections 25 & 36
Variation 13° East

39.93
~~39.93~~ Set chaw post in mound of Earth with pits as per instructions for 1/4 Section corner

79.86 The corner to Sections 25 26 35 & 36
Land ~~rolling~~ hilly
Soil 3rd Rate (Sandy)

Township No 9 North

North between Sections
25 & 26
Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 23 24 25 & 26 Land rolling Soil 3rd Rate

Range No 3 East 6th Meridian

East on a random line between Sections 24 & 25.
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 Sec corner

80.26 Intersect North and South line 20 links North of corner to sections 24 and 25. from which corner I run N 89° 57' W on a true line between Sections 24 and 25 — Variation 13° 30' East —

40.13 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.26 The corner of sections 23, 24, 25 & 26 Land rolling Soil 3rd Rate

Township No 9 North

Range No 35 West 6th Meridian

North between Sections
23 & 24
Variation 13° 30' East

40.00 Set chas post in mound of Earth
with pits as per instructions for
¼ Section corner
80.00 Set chas post in mound of
Earth with pits as per
instructions for corner to Sections
13 14 23 & 24
Sand wlhrig
Sod 3 Rds

East on a random line between
Sections 13 & 24
Variation 13° 20' East

40.00 Set post for Temporary ¼ Sec corner
80.12 Intersect East boundary of Township
10 links North of corner to Sections
13 & 24 from which corner bears
N 89° 56' W a line line between
Sections 13 & 24
Variation 13° 20' East
40.04 Set chas post in mound of Earth
with pits as per instructions for
¼ Section corner
80.12 The corner of Sections
13 14 23 & 24
Sand wlhrig
Sod 3 Rds

Township No 9 North

North between Sections 13 & 14

Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to Sections 11 12 13 and 14

Found white Oak Bearing Trees

Set 2 Witness Trees

Range No 38 East 6th Meridian

East on a random line between Sections 12 & 13

Variation 13° 20' East

40.00 Set a post for temporary 1/4 Sec corner

80.24 Intersect East boundary of Township 38 links South of corner to Sections 12 and 13 from which corner a pine S 89° 44' W on a true line between Sections 12 and 13

Variation 13° 20' East

30.12 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.24 The corner of Sections 11 12 13 and 14

Found white Oak

Set 2 Witness

Township No 9 North

North between sections 11 & 12

Variation 13° 30' East

40.00 Set chas post mi mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chas post mi mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12

Land rolling

Soil 2d Rate

Range No 38 West 6th Meridian

East on a random line between sections 1 & 12

Variation 13° 30' East

40.00 Set post for Temporary 1/4 sec corner

80.14 Intersect East boundary of Township 18 links North of corner to sections 1 and 12 from which corner I mrk S 89° 54' W on a true line between Sections 1 and 12

Variation 13° 30' East

40.07 Set chas post mi mound of Earth with pits as per instructions for 1/4 Section corner

80.14 The corner of sections 1 2 11 and 12

Land ~~rolling~~ Slightly Rolling

Soil 2d Rate

Township No 9 North

North on random lines
between sections 1 & 2
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn
80.60 Intersect North boundary of Township
14 links East of corner to sections 1
and 2 from which corner I saw
S 6° E on a true line between
Sections 1 and 2
Variation 13° 30' East
40.60 Set stone post mound of Earth
with pits as per instructions
for 1/4 Section corner
80.60 The corner of sections
1 2 11 and 12
Land gently rolling
Soil 2nd Rate

August. 25th 1871

Range No 38 West 6th Meridian

North between Sections
34 & 35
Variation 13° East

40.00 Set stone post mound of Earth with
pits as per instructions for 1/4
Sec corner
80.00 Set stone post mound of Earth
with pits as per instructions
for corner to sections
26 27 34 and 35
Land hilly
Soil 3rd Rate

Township No 9 North

East on a random line between Sections 26 & 35
Variation 13° East

40,00 Set a post for temporary 1/4 Sec corner
80,30 Intersect North and South line 60 links South of corner to Sections 25 26 35 and 36 from which corner I run S 89° 34' W on a line line between Sections 26 and 35
Variation 13° East
40,15 Set stone post mound of Earth with pits as per instructions for 1/4 Section corner
80,30 The corner of Sections 26 25 34 and 35
Signed Witness
Surd 3° Westerly

Range No 36 West 6th Meridian

North between Sections 26 & 27
Variation 13° East

40,00 Set stone post mound of Earth with pits as per instructions for 1/4 Section corner
80,00 Set stone post mound of Earth with pits as per instructions for corner to Sections 22 23 26 and 27
Signed Witness
Surd 13° Westerly

Township No 9 North

East on a random line between Sections 23 & 26

Variation 13°20' East

40.00 Set a post for temporary 1/4 Sec cor

79.92 Intersect North and South line 6 links South of corner to sections 23 24 25 and 26 from which corner bears S 89°58' W on a true line between Sections 23 and 26

Deviation 13°20' East

39.96 Set chaw post w. mound of Earth with pits as per instructions for 1/4 Section corner

79.92 The corner to Sections 22 23 26 and 27

Land rolling

Soil 3rd Rate

Range No 38 West 6th Meridian

North between Sections 22 & 23

Variation 13° 15' East

40.00 Set chaw post w. mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaw post w. mound of Earth with pits as per instructions for corner to sections 14 15 22 and 23

Land rolling

Soil 3rd Rate

Township No 9 North

East on a random line between Sections 14 & 23
Variation 13° 20' East

40.00 Set a post for temporary 1/4 Sec corner
80.18 Intersect North and South line ~~between~~ 30 links South ~~Sections 14 and 23~~ from which corner I am S 89° 47' W on a true line between Sections 14 and 23
Variation 13° 20' East
40.09 Set Stone post mi mound of Earth with pits as per instructions for 1/4 Section corner
80.18 The corner of Sections 14. 15. 22 and 23
Land Uplng
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections 14 & 15
Variation 13° 10 East

40.00 Set Stone post mi mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set Stone post mi mound of Earth with pits as per instructions for corner to sections 10 11 14 and 15
Land Uplng
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 11 & 14

Variation 13° East

4000	Set a post for temporary 1/4 Sec corner
8042	Intersected North and South line 73 links South of corner to Sections 11 12 13 and 14 from which corner I own S 89° 29' W on a line between Sections 11 and 14

Variation 13° East

4024	Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner
8042	The corner to Sections 10 11 14 and 15

Land rolling

Soil 2nd Rate

Range No 35 East 6th Meridian

North between Sections 10 & 11

Variation 13° East

4000	Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner
8000	Set chain post in mound of Earth with pits as per instructions for corner to Sections 2 3 10 and 11

Land rolling

Soil 2nd Rate

Township No 9 North

East on a random line between Sections 2 & 11

Variation 13° 30 East

40.00 Set a post for Temporary 1/4 Sec corner

80.16 Intersect North and South line 12 links South of corner to sections 1 2 11 and 12 from which corner to sections 1 and 12 bears S 89° 55' W on a true line between sections 2 and 11

Variation 13° 30 East

40.88 Set chas post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 2 3 10 and 11

Land gently rolling

Soil good 2nd Rate

Range No 38 West 6th Meridian

North on a random line between Sections 2 & 3

Variation 13° 30 East

40.00 Set a post for temporary 1/4 Sec corner

80.84 Intersect North boundary of Township 18 links East of corner to sections 2 and 3 from which corner bears N 89° 58' E on a true line between Sections 2 and 3

Variation 13° 30 East

40.84 Set chas post in mound of Earth with pits as per instructions for 1/4 Section corner

80.84 The corner of sections 2 3 10 and 11

Land rolling

Soil 2nd Rate

14

24

Township No 9 North

Range No 38 West 6th Meridian

North between Sections
33 & 34
Variation 13° East

4 40.00 Set chas post in mound of Earth
8 with pits as per instructions for
1/4 Section corner
80.00 Set chas post in mound of Earth
with pits as per instructions for
~~1/4 Section~~ corner in sections
27 28 33 & 34
Lend wlhrig
Sod 2nd Rate

East on a random line between
Sections 27 & 34
Variation 13° 30' East
4 00 Set a post for temporary 1/4 sec cor
8 00 Distant North and South link 21
lnks North of corner to sections 26
27 33 & 34 from which corner
bears N 89° 30' W on a true line
between sections 27 & 34
Variation 13° 30' East
4 00 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner
8 00 The corner of sections
27 28 33 & 34
Lend wlhrig
Sod 2° Rate

August 26th 1871

25

Township No 9 North

North between Sections
27 & 28
Variation 13° 30

40.00 Set chain post w mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post w mound of Earth with pits as per instructions for corner to sections 21 22 27 & 28
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 22 & 27
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 sec corn

80.14 Intersect North and South line 15 links West of corner to sections 22 23 26 & 27 from which corner I own N 89° 54' W on a true line between Sections 22 & 27
Variation 13° 30' East

40.07 Set chain post w mound of Earth with pits as per instructions for 1/4 Section corner

80.14 The corner of sections 21 22 27 & 28
Land rolling
Soil 2nd Rate

Township No 9 North

	North between Sections 21 & 22 Variation 13° 30 East
40.00	Set chain post w. mound of Earth with pits as per instructions for 1/4 Section corner
80.00	Set chain post w. mound of Earth with pits as per instructions for Corner to Sections 15 16 21 and 22 Land rolling Soil 2nd Rate

Range No 38 West 6th Principal

	East on a Random line between Sections 15 & 22 Variation 13° 30 East
40.00	Set a post for temporary 1/4 sec corn
80.32	Intersect North and South line 12 links South of corn to Sections 14 15 22 and 23 from which corn to Sections I am S 89° 55' W on a true line between sections 15 and 22 Variation 13° 30' East
40.16	Set chain post for mound of Earth with pits as per instructions for 1/4 Section corner
80.32	The corn of sections 15. 16. 21 & 22 Land rolling Soil 2nd Rate

Township No 9 North

North between Sections
15 & 16
Variation 13° 30' East

40.00 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chas post in mound of Earth
with pits as per instructions
for corner to sections
9 10 15 and 16
Land Wlhng
Sol 2 Rate

Range No 38 West 6th Meridian

East on a random line between
Sections 10 & 15
Variation 13° 35' East

40.00 Set a post for Temporary 1/4 sec corner
80.10 Intersected North and South line 21 links
South of corner to sections 10 11 14 and
15 from which corner bears
S 89° 57' W on a true line between
Section ~~Corner~~ 10 and 15
Variation 13° 35' East
40.05 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.10 The corner of sections
9 10 15 and 16
Land Wlhng
Sol 2d Rate

Township No 9 North Range No 38 West 6th Meridian

North between sections
9 & 10
Variation 13° 30' East

40.00 Set chain post in mound of earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of earth with pits as per instructions for corner to sections 3 4 9 and 10

Land gently rolling
Soil 2nd Rate

East on a random line between
Sections 3 & 10
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner

80.22 Intersect North and South line 17 links South of corner to sections 2 3 10 and 11 from which corner I mile S 89° 53' W on a true line between Sections 3 and 10
Variation 13° 30' East

40.11 Set chain post in mound of earth with pits as per instructions for 1/4 Section corner

80.22 The corner of sections 3 4 9 and 10
Land gently rolling
Soil 2nd Rate

Township No 9 North Range No 38 West 6th Meridian

North on a Random line between
Sections 3 & 4
Variation 13° 33' East

40.00 Set a post for temporary 1/4 Sec Corn
80.54 Intersect North boundary of Township
15 links West of corner to Sections 3
and 4 from which corner I run
S 6° W on a true line between
Sections 3 and 4
Variation 13° 33' East
40.54 Set Chain post mi mound of Earth
with pits as per instructions for
1/4 Section corner
80.34 The corner of Sections
3 4 9 and 10
Land rolling
Soil 2nd Rate

North between Sections
32 & 33
Variation 13° East

40.00 ~~Set~~ Set chain post mi mound of
Earth with pits as per instructions
for 1/4 Section corner
80.00 Set chain post mi mound of Earth
with pits as per instructions
for corner to Sections
28 29 32 and 33
Land gently rolling
Soil 2nd Rate

Township No 9 North Range No 38 East 6th Meridian

East on a random line between Sections 28 & 33
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corner
80.24 Intersect North and South line 35 links
West of corner between Sections 27 28 33
and 34 from which corner a
N 89° 45' W on a line between
Sections 28 and 33
Variation 13° 30' East
40.12 Set Chained pits in mound of Earth
with pits as per instructions for
1/4 Section corner
80.24 The corner of Sections
28 29 32 and 33
Found yellow
Iron 2" Pipe

North between Sections
28 & 29
Variation 13° 30' East

40.00 Set Chained pits in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set Chained pits in mound of Earth
with pits as per instructions
for corner between Sections
20 21 28 and 29
Found yellow
Iron 2" Pipe

Township No 9 North Range No 38 West 6th Meridian

East on a random line between
Sections 21 & 28
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 sec cor.
79.89 Intersect North and South line 25 links
South of corner to sections 21 22 27
and 28 from which corner I saw
South 89° 49' W on a true line between
Sections 21 and 28
Variation 13° 30' East
39.94 Set charred post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.89 The corner of Sections
20 21 28 and 29
Land rolling
Soil 2nd Rate

August 27th 1871

North between Sections
20 & 21
Variation 13° 30' East

40.00 Set charred post in mound of Earth with
pits as per instructions for 1/4 sec corner
80.00 Set charred post in mound of Earth
with pits as per instructions for
corner to sections
16 17 20 and 21
Land rolling
Soil 2nd Rate

Township No 9 North

East on a Random line between Sections 16 & 21
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 Sec corner
80.08 Intersect North and South line 7 links South of corner to Sections 15 16 21 and 22 from which corner to corner S 89° 57' W on a true line between Sections 16 and 21 Random 13° 30' E
~~Land rolling~~ ~~Soil 2d Rate~~
40.04 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner
80.08 The corner to sections 16 17 20 and 21
Land level
Soil 2d Rate

Range No 38 East 6th Meridian

North between Sections 16 & 17
Variation 13° 30' East

2.80 Small pond of water 75 links wide bears NW and SE extending about 20 rods Each side of this water 18 inches deep
40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set chard post in mound of Earth with pits as per instructions for corner to Sections 8 & 9 16 and 17
Land rolling
Soil 2d Rate

Township No 9 North

East on a random line between Sections 9 & 16

Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner

80.26 Intersect North and South line 45 links South of corner to sections 9 & 16 from which corner a tree bears S. 89° E. 41' ~~S. 89° E. 39~~

West on a true line between Sections 9 and 16

Variation 13° 30' East

40.13 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.26 The corner of sections 8 9 16 and 17

Land rolling

Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections 8 & 9

Variation 13° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 4 5 8 and 9

Land rolling

Soil 2nd Rate

Township No 9 North

East on a random line between Sections 4 & 9

Variation 13° 35' East

3.00 Slough 50 links wide bears NW & SE

40.00 Set a post for temporary 1/4 sec corner

80.04 Intersected North and South line 14 links South of corner to sections 3 4 9 and 10 from which corner bears S 89° E 35' W on a true line between sections 4 and 9

Variation 13° 35' East

40.02 Set chamfered post in mound of earth with pits as per instructions for 1/4 section corner

80.04 The corner of sections 4 3 8 and 9

Land nothing level

Soil 2nd Rate

Range No 38 West 6th Meridian

North on a Random line between Sections 4 & 5

Variation 13° 35' East

3.00 Slough 50 links wide bears NW & SE about 5.00 each side of line water about 1 foot deep

40.00 Set a post for temporary 1/4 sec cor

73.00 a small pond of water East of line 3.50 Chains

79.40 Intersected ~~North and South~~ line North boundary of Township line 37 links East of corner to sections 4 and 5 from which corner bears S 16° E between sections 4 and 5

Variation 13° 35' East

39.40 Set chamfered post in mound of earth with pits as per instructions for 1/4 section corner

79.40 The corner of sections 4 5 8 and 9

Land level Soil 2nd Rate

Township No 9 North

North between Sections
31 & 32
Variation 13° East

40.00 Set chas post mi mound of Earth
with pits as per instructions for 1/4
Section corner

80.00 Set chas post mi mound of Earth
with pits as per instructions for
corner to sections 29 30 31
and 32
Land rolling hilly
Soil 3rd Rate (Sandy)

Range No 3 West 6th Meridian

East on a random line between
Sections 29 & 32
Variation 13° 30 East

40.00 Set a post for temporary 1/4 sec corner
79.76 Intersect North and South line 19 links
South of corner to sections 28 29 32 & 33
from which corner I mark
S 89° 57' W on a true line between sections
29 and 32
Variation 13° 30' East
39.88 Set chas post mi mound of Earth
with pits as per instructions for
1/4 Section corner
79.76 The corner of sections
29 31 32 and 32
Land rolling
Soil 2nd Rate

Township No 9 North

West on a random line between
Sections 30 & 31
Variation 13° 30' East

40.00 Set a post for temporary 1/4 corner
80.77 Intersect West boundary of Township
56 links North of corner to sections
30 and 31 from which corner a cedar
8 89° 47' E 36' East a true line between
sections 30 and 31
Variation 13° 30' East
40.77 Set stone post mound of Earth with
pits as per instructions for 1/4
Section corner
80.77 The corner of sections
29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections
29 & 30
Variation 13° 40' East
40.00 Set stone post mound of Earth with
pits as per instructions for 1/4 Sec corn
80.00 Set stone post mound of Earth
with pits as per instructions for
corner to sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 20 & 29
Variation 13° 35' East

40.00 Set a post ~~in mound of~~ for temporary 1/4 Section corner

80.26 Intersect North and South line 20 links South of corner of sections 20 21 28 and 29 from which corner of ~~Sect~~ S 89° 31' W on a true line between sections 20 and 29
Variation 13° 35' East

40.13 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.26 The corner of sections 19 20 29 and 30
Land rolling
Soil 2nd Rate

August 28th 1871

Range No 38 East 6th Meridian

East on a random line between Sections 19 & 30
Variation 13° 45' East

40.00 Set a post for temporary 1/4 Sec corner

80.09 Intersect West boundary of Township 12 links South of corner to Sections 19 and 30 from which corner I mon S 89° 35' E on a true line between Sections 19 and 30
Variation 13° 45' East

40.09 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.09 The corner of Sections 19 24 29 and 30
Land rolling
Soil 2nd Rate

Township No 9 North

Range No 38 West 6th Meridian

North between Sections
19 & 20
Variation 13°45' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set Chained post in mound of Earth with pits as per instructions for corner to sections 17, 18, 19 and 20
Land rolling
Soil 2nd Rate

East on a random line between Sections 17 & 20
Variation 13°40' East

40.00 Set a post for temporary 1/4 sec corner

80.12 Intersect North and South line 3 links South of corner to sections 16 17 20 and 21 from which corner a pine S 89° 47' W 21 links a tree bears between Sections 17 and 20
Variation 13°40' East

40.06 Set Chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.12 The corner to sections
17, 18, 19 and 20
Land rolling
Soil 2nd Rate

Township No 9 North

Range No 38 West 6th Principal Meridian

West on a random line between
Sections 18 & 19
Variation 13° 40' East

40.00 Set a post for temporary 1/4 sec corner
80.71 Intersect West boundary of Township
2.3 links North of corner to sections
18 and 19 from which corner a pine
N 89° 30' W a pine tree between
sections 18 and 19
Variation 13° 40' East
4071 Set chain post mound of Earth
with pits as per instructions for
1/4 Section corner
8071 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

North between Sections
17 & 18
Variation 13° 45' East

4000 Set chain post mound of Earth
with pits as per instructions for
1/4 Section corner
8000 Set chain post mound of
Earth with pits as per
instructions for corner to sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line between
Sections 8 & 17
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn
80.06 Intersect North and South line 13 links
South of corner to sections ~~8 and 17~~
8 9 16 and 17 from which corner
and S. 89° 54' W on a true line
between Sections 8 and 17
Variation 13° 30' East
40.03 Set chaw post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.04 The corner of sections
7 8 17 and 18
Lewis Wilhite
Dep 2d Rate

Range No 38 West 6th Meridian

West on a random line between
Sections 7 & 18
Variation 13° 30' East
40.00 Set a post for temporary 1/4 sec corn
80.89 Intersect West boundary of Township
16 links North of corner to Sections
7 and 18 from which corner bears
N. 89° 53' E on a true line between
Sections 7 and 18
Variation 13° 30' East
40.89 Set chaw post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.89 The corner of sections
7 8 17 and 18
Lewis Wilhite
Dep 2d Rate

Township No 4 North

North between Sections
7 & 8
Variation 14° East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 5 6 7 and 8
Sound rolling
Soil 2d Rate

Range No 38 West 6th Meridian

East on a random line between Sections 5 & 8
Variation 14° East

40.00 Set a post for temporary 1/4 corner
40.18 Intersect North and South line 13 links North of corner to sections 4 5 8 and 9 from which corner I saw N89°34'W on a true line between Sections 5 and 8
Variation 14° East

40.09 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner
80.18 The corner of sections 5 6 7 and 8
Sound rolling
Soil 2d Rate

Township No 9 North

East on a random line between
Sections 6 & 7
Variation 14° East

4.00 Set a post for temporary 1/4 sec corner
80.24 Intersect West boundary of Township
8 links North of corner to Sections
6 and 7 from which corner bears
N 89° 57' E on a true line between
Sections 6 and 7
Variation 14° East
40.24 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Section corner
80.24 The corner of Sections
5 6 7 and 8
Land rolling Soil on East 1/4
2nd Rate on West 3/4 3rd Rate

Range No 3 West 6th Meridian

North on a Random line between
Sections 5 & 6
Variation 14° East
8.00 A small pond of water 2.00
chains West of line containing about
1/4 of an acre circular in form
water about 10 inches deep
40.00 Set ~~chs~~ a post for temporary 1/4 sec corner
79.10 Intersect North boundary of Township 17
links West of corner of sections 5 and 6 from
which corner bears S 7' W on a true
line between Sections 5 and 6
Variation 14° East
39.10
~~40.00~~ Set a chained post in mound of
Earth with pits as per
instructions for 1/4 Section
corner
79.10 The corner of sections
5 6 7 and 8
Land rolling
Soil 2 Rate

August 29th 1871

Township No 9 North Range No 38 West 6th Principal Meridian

General Description

This Township is a high rolling Prairie except a portion in the S E corner which is hilly and sandy consequently 3rd Rate the land in the ballance of the Township is fair 2nd Rate - except about 3/4 of the western portion of the line between sections 6 & 7 which is 3rd Rate

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines & corners described in the foregoing field Notes of Township No 9 North of the base line of Range No 38 west of the 6th Principal Meridian showing the respective capacities in which they acted.

Henry Heisel } Chainmen
Frank M. Daughety }
Henry Lear } Monumenters
Geo P Milton } Axemen

We hereby certify that we assisted William E. Daugherty Deputy Surveyor in Surveying & Subdividing Township No 9 north of the base line of Range No. 38 west of the 6th principal Meridian and that said township has been in all respects to the best of our knowledge & belief well & faithfully Surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General. Henry Heisel Chainman
Frank M. Daugherty

Township No 9 North Range No 38 East 6th Meridian

Henry Lear
Oscar P. Miller } Witnesses

Subscribed and Sworn to before me at my office in the city of Platte mouth Nebraska this 2d day of September 1871

A Gehler
Probate Judge

I, William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin P. Cutler are joint contractors with E. E. Cunningham the United States Surveyor General for the State of Nebraska bearing date the 20th day of May 1871 I have well faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual & the laws of the United States Surveyed Township No 9 North of the base line of Range No 38 west of the 6th principal Meridian as represented in the foregoing field notes as having been surveyed under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual & printed instructions and that the foregoing are the true & original field notes of such Survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Platte mouth State of Nebraska this 2d day of September 1871

A Gehler
Probate Judge

Township No 9 North

Surveyor Generals Office
Hallsworth, Nov 25th 187

The foregoing field Notes of the Sub
of the Subdivision of Township No
9 North Range No 38 West 6th
P.M. in the State of Nebraska
Executed by Wm E. Daugherty
Deputy Surveyor under Joint
Contract No 44. dated May 26th
1871. wherein Wm E. Daugherty
and Martin B. Cutler are joint
Contractors. in the Month of
August 1871. Having been
critically Examined. The necessary
corrections and Explanations made
the said field Notes and
Surveyor Thereof are
hereby approved

E. E. Cunningham
Surveyor General

Subdivision of Township
No 10 North of Range
No 38 East of the
6th Meridian
State of Nebraska

Commenced August 20th 1871

Finished August 24th 1871

By William E. Daugherty
Deputy Surveyor

Township No 10 North

Names of Assistants

Frank M. Daugherty
Henry Heisel — Chainmen

Henry Lear
Oscar P. Miller — Flagmen and Axemen

Index Diagram of Township

T 10 N., R 38 West



Range No 38 East 6th Meridian

To determine the proper adjustment of my compass for subdividing this Township & commence at the corner of this Township No 9 and 10 North Ranges 37 and 38 West of the 6th Principal Meridian and run thence North on a blank line along the East boundary of section 36

Variation 13° 30' East

40.10 To a point 4 links west of ~~corner~~ quarter section corner

80.14 To a point 11 links West of corner to sections 25 and 36

To retrace this line or run parallel thereto I must adjust my compass to a variation of 13° 25' East

Subdivisions Commenced August 20th 1871

From the corner of sections 1 2 35 and 36 I run

Township No 10 North

North between Sections
35 & 36
Variation 13° 25' East

40.00 Set a Stone Post in mound of Earth with pits as per instructions for
1/4 Section corner

80.00 Set a Stone Post in mound of Earth with pits as per instructions
for corner to Sections 25 26
35 and 36
Land nothing level
Soil Gravelly

Range No 38 West 6th Meridian

East on a random line between
Sections 25 & 36
Variation 13° 25' East

40.00 Set a Post for temporary 1/4 Sec corn
80.00 Intersect East boundary of Section
South of corner to Sections 25 and 36
~~Variation 13° 25' East~~

~~40.00 Set a Stone Post in mound of Earth with pits as per instructions for~~
1/4 Section corner

~~80.00 Set a Stone Post in mound of Earth with pits as per instructions for~~
from which corner I run S 89° 43' W
on a true line between Sections 25 and 36
Variation 13° 25'

40.00 Set a Stone Post in mound of Earth with pits as per instructions for
1/4 Section corner

80.00 The corner of Sections
25 26 35 and 36
Land nothing
Soil Gravelly

Township No 10 North

North between Sections 25 & 26
Variation 13° 38' East

40.00 Set stone post in mound of earth with pits as per instructions for 1/4 Section corner

80.00 Set stone post in mound of earth with with pits as per instructions for corner to sections 23 24 25 and 26
Land white
Soil 3rd Rate (Sandy)

Range No 38 West 6th Meridian

East on a random line between Sections 24 & 25
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner

80.28 Intersect East boundary of Township 13 links South of corner to sections 24 and 25 from which corner I saw S 89° 54' W on a line line between sections 24 and 25
Variation 13° 38' East

40.14 Set stone post in mound of earth with pits as per instructions for 1/4 Section corner

80.28 The corner of sections 23 24 25 and 26
Land white
Soil 3rd Rate (Sandy)

Township No 10 North

North between Sections
23 & 24
Variation 13° 30 East

40.00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chain post in mound of Earth
with pits as per instructions
for corner to Sections
13 14 23 and 24
Land rolling
Soil 3rd Rate—

Range No 38 East 6th Meridian

East on a random line between
Sections 13 & 24
Variation 13° 30' East

4.00 Set a post for temporary 1/4 Sec corner

79.92 Intersect East boundary of Township
43 links South of corner to Sections
13 and 24 from which corner I saw
~~8~~ 89° ~~30~~ 42' W on a true line between
Sections 13 and 24
Variation 13° 30' East—

39.96 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

79.92 The corner of Sections
13 14 23 and 24
Land rolling
Soil 3rd Rate—

Township No 10 North

North between Sections
13 & 14
Variation 13° 40' East

40.00 Set chain post w mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post w mound of Earth with pits as per instructions for corner to sections 11 12 13 and 14
Send Willing
Lord 12" Rule

Range No 38 East 6th Meridian

East on a random line between Sections 12 & 13
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 sec corn

80.16 Intersect East boundary of Township 40 links South of corner to sections 12 and 13 from which corner a tree S 89° 45' W on a line between Sections 12 and 13
Variation 13° 30' East

40.08 Set chain post w mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 11, 12 13 and 14
Send Willing
Lord 12" Rule

Township No 10 North

North between Sections
11 & 12
Variation 13° 30' East

4,00 Set Chas Post ni mound of Earth
with pits as per instructions for
1/4 Section corner

8,00 Set Chas Post ni mound of Earth
with pits as per instructions for
corner to sections 1 2 11
and 12
Land altering
Dod 12 Rate

Range No 38 West 6th Meridian

East on a random line between
Sections 1 & 12
Variation 13° 45' East

4,00 Set a Post for Temporary 1/4 sec corn
80,10 Intersect East boundary of Township
38 links North of corner to Sections 1 and 12
from which corner I saw N 89° 45' W
on a true line between Sections 1 & 12
Variation 13° 45' East

40,05 Set Chas Post ni mound of Earth
with pits as per instructions for
1/4 Section corner

80,10 The corner of Sections 1 2
11 and 12
Land altering
Dod 12 Rate

Township No 10 North

North on a random line
between Sections 1 & 2
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn
79.89 Intersect North boundary of Township 50
miles West of corner to Sections 1 and
2 from which corner d pine
12 in dia bears N 21° W on a true line between
Sections 1 and 2
Variation 13° 30' East
39.89 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.89 The corner of Sections
1 2 11 and 12
Land rolling
Soil 2nd Rate

Aug 20th 1871

Range No 38 West 6th Meridian

North between Sections
34 & 35
Variation 13° 30' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections 26 27
34 and 35
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 26 & 35
Variation 13° 30' East

40.00 Set a pin for temporary 1/4 sec cor
80.36 Intersect North and south line 18
links South of corner to sections
25 26 35 and 36 pin, which
corner I run S 89° 54' W on a true
line between Sections 26 and 35
Variation 13° 30' East
40.18 Set Stone pit mound of Earth
with pits as per instructions for
1/4 Section corner
80.36 The corner of sections
26 27 34 and 35
Land whereof
Sol 2nd Rate

Range No 38 East 6th Meridian

North between Sections
26 & 27
Variation 13° 30 East
35.00 a Pond of water 3,00 chains East of
this about 300 in width and about
640 in length bears North & South
water about 2 feet deep (Clear
and pure)
40.00 Set Stone pit mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set Stone pit mound of Earth
with pits as per instructions for
~~1/4 Section~~ corner corner to
Sections 22 23 26 and 27
Land whereof
Sol 2nd Rate

Township No 10 North

East on a random line between
Sections 23 & 26
Variation 13° 35' East

40.00 Set a post for temporary 1/4 sec corner
80.14 Intersect North and south line 38 links
South of corner to sections 23 24
25 and 26 from which corner bears
S 89° 34' W on a true line between
Sections 23 and 26
Variation 13° 35' East
40.07 Set chard post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.14 The corner of sections
22 23 26 and 27
Jerod Wilkins
Dep Surv Rate

Range No 38 West 6th Meridian

North between Sections
22 & 23
Variation 13° 30 East
40.00 Set chard post in mound of Earth with
pits as per instructions for 1/4
Section corner
80.00 Set chard post in mound of Earth
with pits as per instructions
for corner to sections ~~22 23~~
~~26 and 27~~
14 13 22 and 23
Jerod Wilkins
Dep Surv Rate

Township No 10 North

East on a random line between Sections 14 & 23
Variation 13° 40' East

40.00 Set a post for temporary 1/4 sec cor
80.18 Intersect North and South line 28 links West of post comm to Sections 13 14 23 and 24 from which corner bears N 89° 48' W on a line between sections 14 and 23
Variation 13° 40' East
40.09 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner
80.18 The corner of Sections 14 13 22 and 23
Land rolling
Soil 3rd Rate

Range No 38 West 6th Meridian

North between Sections 14 & 15
Variation 13° 30' East
40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set chard post in mound of Earth with pits as per instructions for corner to sections 10 11 14 and 15
Land rolling
Soil in South 1/2 3rd Rate
on North 1/2 2nd Rate

Township No 10 North

East on a random line between
Sections 11 & 14
variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn
80.88 Intersect North and South ~~boundary~~ line
18 links North of corner to sections
11 12 13 & 14 from which corner
a pine N 89° 54' W on a line line
between sections 11 and 14
Variation 13° 30' East
40.07 Set chaned post w mound of Earth with
pits as per instructions for 1/4
Section corner
80.88 The corner of sections
10 11 14 and 15
Land rolling
Sol 2nd Rate

Range No 38 West 6th Meridian

North between Sections
10 & 11
variation 13° 30' East
40.00 Set chaned post w mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chaned post w mound of Earth
with pits as per instructions for corner
to Sections 2 3 10 and 11
Land rolling
Sol 2nd Rate

Township No 10 North

East on a random line between
Sections 2 & 11
Variation 13° 25' East

40.00 Set a post for temporary 1/4 sec corner
79.90 Intersect North and south line 18 links
South of post corner to sections 1 2
11 and 12 from which corner a pine
S 89° 54' W on a true line between
Sections 2 and 11
Variation 13° 25' East
39.95 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner
79.90 The corner to sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North on a random line between
Sections 2 & 3
Variation 13° 30' East
40.00 Set a post for temporary 1/4 Section
corner
80.19 Intersect North boundary of Township
7 links west of corner to sections 2 and
3 from which corner a pine
S 3° W on a true line between
Sections 2 and 3
Variation 13° 30' East
40.19 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner
80.19 The corner to sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
33 & 34
Variation 13° 30' East

40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chard post in mound of Earth with pits as per instructions for corner to Sections 27 28 33 and 34
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between
Sections 27 & 34
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corner

80.22 Intersect North and South line 29 links North of corner to sections 26 27 34 and 35 from which corner I saw N 89° 48' W a tree line between sections 27 and 34
Variation 13° 30' East

40.11 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.22 The corner of sections
27 28 33 and 34
Land rolling
Soil 2nd Rate

Aug 21st 1871

Township No 10 North

Range No 38 East 6th Meridian

North between Sections
27 & 28
Variation 13° 30' East

40.00 Set chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chas Post in mound of Earth with pits as per instructions for ~~1/4 Section corner~~ corner to sections 21 22 27 and 28
Lemd Wlhig
Dpt 2 Rde

East on a random line between Sections 22 & 27
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corner

80.10 Intersect North and South line 17 links South of corner to sections 22 23 26 and 27 from which corner I run S 89° 53' W on a true line between Sections 22 and 27
Variation 13° 30' East

40.05 Set chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections 21 22 27 and 28
Lemd Wlhig
Dpt 2 Rde

Township No 10 North

Range No 38 East 6th Meridian

North between Sections
21 & 22
Variation 13°45' East

40.00 Set chained pits in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained pits in mound of Earth with pits as per instructions for corner to Sections 15 16 21 and 22
Lemd Wilhig
Dpt 2nd Rate

East on a random line between Sections 15 & 22
Variation 13°45' East

40.00 Set a pin for temporary 1/4 Sec corn

80.00 Intersect North and South line 12 links West of corner to sections 14 15 22 and 23 from which corner a tree N 89°55' W on a true line between Sections 15 and 22
Variation 13°45' East

40.00 Set chained pits in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 The corner of sections 15 16 21 and 22
Lemd Wilhig
Dpt 2nd Rate

Township No 10 North

North between Sections
15 & 16
Variation 13° 45' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections
9 10 15 and 16
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between
Sections 10 & 15
Variation 13° East

40.00 Set a post for temporary 1/4 Sec corner

80.12 Intersected North and South line 30 links West of corner to Sections 10 11 14 and 15 from which corner I ins S 89° 47' W an a line between Sections 10 and 15

~~40.06~~ Variation 13° East

40.06 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.12 The corner of Sections
9 10 15 and 16
Land rolling
Soil 2 Rate

Township No 10 North

North between Sections
9 & 10
Variation 13° 40' East

40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chard post in mound of Earth with pits as per instructions for corner to sections 3 4 9 and 10

Lemd Wlhrig
Surl 2d Rate

Range No 38 West 6th Meridian

East on a random line between Sections 3 & 10
Variation 13° 10' East

40.00 Set a post for temporary 1/4 sec corner

79.94 Intersected North boundary of Township 27 links ~~East~~ North of corner to sections ~~3 and~~ 2 3 10 and 11 from which corner I mine ~~N 89° 40' W~~ N 89° 48' W on a line between sections 3 and 10
Variation 13° 10' East

399.7 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

799.4 The corner of sections 3 4 9 and 10
Lemd Wlhrig
Surl 2d Rate

Township No 10 North

North on a Random line between Sections 3 & 4
Variation 13° 30' East

40.00 Set ~~Stake~~ a post for temporary 1/4 sec cor
79.14 Intersect North boundary of Township 24 links East of corner to sections 3 & 4 from which corner a ~~tree~~ 10" ℄ on a line bet between sections 3 & 4
Variation 13° 30' East
39.14 Set chas post in mound of Earth with pits as per instructions for 1/4 Section corner
79.14 The corner of sections 3 4 9 and 10
Land wlking
Sent 2nd Rate

Range No. 38 West 6th Meridian

North between Sections 32 & 33
Variation 13° 30' East
40.00 Set chas post in mound of Earth with pits as per instructions for 1/4 Section corner
80.00 Set chas post in mound of Earth with pits as per instructions for corner to sections ~~28~~ 29. ~~29~~ 28. 32 and 33
Land wlking
Sent 2nd Rate

Township No 10 North

East on a random line between Sections 28 & 33
Variation 14° East

40.00 Set a post for temporary 1/4 mon
80.36 Intersected North and South line 45 lnks North of post comn to sections 27 28 33 and 34 from which comn a mon N 89° 39' W on a line between sections 28 and 33
Variation 14° East
4018 Set chas post in mound of Earth with pits as per instructions for 1/4 Section comn
8036 The comn of sections 28 29 32 and 33
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections 28 & 29
Variation 14° East
40.00 Set chas post in mound of Earth with pits as per instructions for 1/4 Sections comn
80.00 Set chas post in mound of Earth with pits as per instructions for comn to sections 20 21 28 and 29
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 21 & 28
Variation 13° 45' East

40.00 Set a post for temporary 1/4 sec corner
80.14 Intersected North and South line 12 links
South of post corner to sections 21 22
27 and 28 from which corner bears
S 89° 55' W on a true line between
sections 21 and 28
Variation 13° 45' East—
40.07 Set chard post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.14 The corner of sections
20 21 28 and 29
Land rolling
Soil 2nd Rate—

August 22nd 1871

Range No 38 West 6th Meridian

North between Sections
20 & 21
Variation 14° East

40.00 Set chard post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chard post in mound of Earth
with pits as per instructions for
corner to sections 16 17
20 and 21
Land rolling
Soil 2nd Rate—

Township No 10 North

East on a random line between
Sections 16 & 21
Variation 13° 30' East

40.00 Set a post for Temporary 1/4 sec corn
80.16 Intersected North and south line 26 links
North of corner to sections 15 16 21 & 22
from which corner I run
N 89° 49' W on a true line between
sections 16 and 21
Variation 13° 30' East
40.08 Set chaus post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.16 The corner to sections
16 17 20 and 21
Land rolling
Soil 2nd Rate

Range No 38 East 6th Meridian

North between Sections
16 & 17
Variation 13° 45' E
40.00 Set chaus post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chaus post in mound of
Earth with pits as per instruc
tions for corner to sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 9 & 16
Variation 13° 30 East

40.00 Set post for temporary ¼ sec corn
80.08 Intersect North and South line 16
links South of corner to sections 9
10 15 and 16 from which corner I
saw S 89° 53' W on a true line between
sections 9 and 16
Variation 13° 30' East

40.04 Set chained post in mound of Earth
with pits as per instructions
for ¼ section corner
80.08 The corner of sections.
8 9 16 and 17
Found willow
Gal 2nd Rate

Range No 38 West 6th Meridian

North between Sections
8 & 9
Variation 13° 30 East

40.00 Set chained post in mound of
Earth with pits as per instructions
for ¼ section corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
4 5 8 and 9
Found willow
Gal 2nd Rate

Township No 10 North

East on a random line between
Sections 4 & 9
Variation 13° 40' E ast

40.00 Set a post for temporary 1/4 sec corn
79.88 Intersected North and south line 20
links North of post corners to sections
3 4 9 and 10 from which corn
Bears N 89 57' W on a true line
between sections 4 and 9
Variation 13° 40' East—
39.94 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corn
79.88 The corn of sections
4 5 8 and 9
Land rolling
Sal 2.00 Rate—

Range No 38 West 6th Meridian

North on a random line between
Sections 4 & 5
Variation 13° 45' E
40.00 Set a post for temporary 1/4 sec cor
80.17 Intersected North boundary of Township
1 links East of corners Sections 4
and 5 from which corn Bears
S 3' E on a true line between
Sections 4 and 5
Variation 13° 45' East—
40.17 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.17 The corn of sections
4 5 8 and 9
Land rolling
Sal 2.00 Rate—

Township No 10 North

North between Sections
31 & 32
Variation 14° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on random line between Sections
29 & 32
Variation 14° East

40.00 Set a post for Temporary 1/4 sec cor
79.82 Intersect North and South line 39 links North of corner to sections 28 29 32 and 33 from which corner to line N 89° 43' W on a line between sections 29 and 32
Variation 14° East

39.91 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

79.82 The corner of sections 29 30 31 and 32
Land rolling
Soil 2nd Rate

Township No. 10 North

Range No 38 East 6th Meridian

West on a random line between
Sections 30 & 31
Variation 14° East

40 ch Set post for temporary 1/4 section corner
80.68 Intersect West boundary of Township
33 links South of corner to sections 30
and 31 from which corner bears
S 89° 46' E on a line between
Sections 30 and 31
Variation 14° East
40.68 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.68 The corner of sections
29 30 31 and 32
Land Mound
Sec 2 Rule

North between Sections
29 & 30
Variation 14° East

40 ch Set chain post in mound of Earth
with pits as per instructions for
1/4 section corner
80 ch Set chain post in mound of Earth
with pits as per instructions for
corner to sections
19 20 29 and 30
Land Mound
Sec 2 Rule

Township No 10 North

East on a random line between Sections 20 & 29

Variation 13° 45' East

40.00 Set a post for temporary 1/4 sec cor

80.18 Enters oct North and south line 13 lnks South of corn to sections 20 21 28 and 29 from which corn bears S 89° 54' W on a true line between sections 20 and 29

Variation 13° 45' East

40.09 Set chas post in mound of earth with pits as per instructions for 1/4 section corn

80.18 The corn of sections 19 20 29 & 30

Land rolling

Soil 2nd Rate

August 23 1871

Range No 38 West 6th Meridian

West on a random line between Sections 19 & 30

Variation 13° 45' East

40.00 Set a post for Temporary 1/4 sec cor

80.76 Intersect west boundary of Township 11 links North of corn to sections 19 and 30 from which corn bears N 89° 37½ E on a true line between sections 19 and 30

Variation 13° 45' East

40.76 Set chas post in mound of Earth with pits as per instructions for 1/4 section corner

80.76 The corner of sections 19 20 29 and 30

Land rolling

Soil 2nd Rate

Township No 10 North

North between Sections 19 & 20

Variation 14° East

40.00 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set Chas Post in mound of Earth with pits as per instructions for corner to sections 17 18 19 and 20

Land rolling

Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 17 & 20

Variation 13° 30 East

40.00 Set Set Post for Temporary 1/4 sec corn

80 30 Intersect North and south line 10 links South of corner to sections 16 17 20 and 21 from which corner I mark S 89° 56' W ~~S 89° 56' W~~ on a true line between Sections 17 and 20

Variation 13° 30' East

40.15 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corn

80 30 The corn of Sections 17. 18. 19 & 20

Land rolling

Soil 2nd Rate

Township No 10 North

East on a random line between Sections 18 & 19

Variation 13° 40' East

40.00 Set a post for temporary 1/4 sec cor

80.47 Intersect west boundary of Township 44 links North of corner to Sections 18 and 19 from which corner bears N 89° 39' W on a true line between Sections 18 and 19

Variation 13° 40' East

40.47 Set chained pits mounds of Earth with pits as per instructions for 1/4 Section corner

80.47 The corner of sections 17, 18, 19 and 20

Land rolling

Soil & Rock

Range No 38 West 6th Meridian

North between Sections 17 & 18

Variation 13° 45' East

40.00 Set chained pits mounds of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained pits mounds of Earth with pits as per instructions for corner to sections 7, 8, 17 and 18

Land rolling

Soil & Rock

Township No 10 North

East on a random line between
Sections 8 & 17
Variation 13°40' East

40.00 Set a post for temporary 1/4 sec corn
80.16 Intersected North and South line 28 lks
North of corner to sections 8 9 16 and
17 from which corner I saw
N 89°48' W on a true line between
sections 8 and 17
Variation 13°40 East
40.08 Set chaus post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.16 The corner to sections
7 8 17 and 18
Saml Wilhig
Deputy Surveyor

Range No 38 West 6th Meridian

West on a random line between
Sections 7 & 18
Variation 13°45' East

40.00 Set a post for temporary 1/4 sec cor
80.39 Intersected West boundary of Township
23 links South of corner to sections
7 and 18 from which corner I saw
S 89°30' E on a true line between
sections 7 and 18
Variation 13°45' East
40.39 Set chaus post in mound of
Earth with pits as per
instructions for 1/4 section corner
80.39 The corner of sections
7 8 17 and 18
Saml Wilhig
Deputy Surveyor

Township No 10 North

North between Sections 7 & 8
Variation 13° 45' East

40.00 Set Chas Post & mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set Chas Post & mound of Earth with pits as per instructions for corner to sections 5 6 7 and 8
Scribed W Bkg
Scribed W Rale

Range No 38 East 6th Principal Meridian

East on a random line between Sections 5 & 8
Variation 13° 40 East

40.00 Set a post for Temporary 1/4 sec cor
80.24 Intersect North and South line 18 links West of corner to sections 4 5 8 and 9 from which corner bears N 89° 52' W on a true line between sections 5 and 8
Variation 13° 40' East
40.12 ~~40.72~~ Set Chas Post & mound of Earth with pits as per instructions for 1/4 Section corner
80.24 The corner to sections 5 6 7 and 8
Scribed W Bkg
Scribed W Rale

Township No 10 North

West on a random line between Sections 6 & 7
Variation 13° 45' E

40.00 Set a post for temporary 1/4 sec cor
80.63 Intersect west boundary of Township 68 links south of corner to Sections 6 and 7 from which corner I run S 89° 31' E on a true line between Sections 6 and 7
Variation 13° 45' East
40.63 Set chained pit in mound of Earth with pits as per instructions for 1/4 Section corner
80.63 The corner of sections 5 - 6, 7 and 8
Iowa volume
Surd 2d Rake

Range No 38 West 6th Meridian

North on a random line between Sections 5 & 6
Variation 13° 30' East
40.00 Set a post for temporary 1/4 sec cor
80.36 Intersect North boundary of Township 12 links East of corner to sections 5 and 6 from which corner I run S 5' E on a true line between Sections 5 and 6
Variation 13° 30' East
40.36 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner
80.36 The corner of sections 5 - 6 - 7 and 8
Iowa volume
Surd 2d Rake
August 24th 1871

60

Township No 10 North

Range No 38 West 6th Meridian

General Description

This Township is a high rolling Prairie soil generally good 2nd Rate—

List of Names

A list of Names of the individuals employed to assist in measuring, marking or running the lines & corners described in the foregoing field notes of Township No 10 north of the base line of Range No 38 west of the 6th principal Meridian showing the respective capacities in which they acted.

Henry Heisel } Chainmen
Frank M. Daugherty }
Henry Lear } Mound men
Oscar P. Miller } Axemen

We hereby certify that we Assistant William E. Daugherty Deputy Surveyor in Surveying & subdividing Township No 10 north of base line of Range No 38 west of the 6th principal Meridian that said Township has been in all respects to the best of our knowledge & belief well & faithfully surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General.

Henry Heisel } Chainmen
Frank M Daugherty }
Henry Lear } Mound men
Oscar P. Miller }

Township No. 10 North Range No 38 West 6th Meridian

Subscribed and sworn to before me at ~~Omaha~~ Platte in my office in the city of Platte county State of Nebraska this 20 day of September 1871 ~~November~~

A Sherrill
Probate Judge

I, William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin B. Cutler are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 20th day of May 1871, I have well faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual & the laws of the United States surveyed Township No 10 north of the base line of Range No 38 west of the 6th principal Meridian as represented in the foregoing field notes as having been surveyed under my direction; & I do further solemnly swear that all the corners of said Surveys have been established & perpetuated in strict accordance with the Surveying Manual & the printed instructions & that the foregoing are the true & original field notes of such Survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Platte county State of Nebraska this 20 day of September 1871

A Sherrill Probate Judge

Township No 10 North

Range No 38 East 6th Meridian

Surveyor Generals Office
Plattsmouth, 25th Nov. 1871

The foregoing field notes of the survey and subdivision of Township No. 10 North of the Base Line of Range No. 38 West of the 6th P.M. in Nebraska, Executed by Wm. E. Daugherty under joint Contract No. 44 with Wm. E. Daugherty & Martin B. Cutler are joint Contractors and bearing date the 26th day of May 1871. in the month of August 1871. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cummins Shaw
Surveyor General

Township No 11 North

T 11 N., R 38 W



Subdivision of Township No 11 North of Range No 38 East of the 6th Meridian State of Nebraska

Commenced August 15th 1871

Finished August 19th 1871

By William E. Daugherty
Deputy Surveyor

Township No 11 North

Range No 38 West 6th Meridian

Names of Assistants

Frank M. Daugherty / Chainmen
Henry Heisel

Henry Lear / Flagmen and Monumenters
Oscar P. Miller

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner of Townships 10 and 11 North Ranges No 37 and 38 West and run thence North on a blank line along the East side of Sec 36 Variation 13° 30 East

40.00 To a point 13 links East of quarter Section corner

80.14 To a point 17 links East of corner to Sections 25 and 36

To retrace this line I run parallel thereto I must adjust my compass to a Variation of 13° 23' East

From the corner of ~~Town~~
Sections 1 2 35 and 36
I run

Township No 11 North

North between Sections
35 & 36
Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 25 26 35 and 36
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 25 & 36
Variation 13° 30' East

40.00 Set a post for temporary 1/4 M corner

80.24 Intersect East boundary of Township 18 links South of corner to sections 25 and 36 from which corner bears S 89° 52' W on a true line between sections 25 and 36
Variation 13° 30' East

40.12 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.24 The corner to sections 25 26 35 and 36
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
25 & 26
Variation 13° 25' East

40.00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chain post in mound of Earth
with pits as per instructions
for corner to sections
23 24 25 and 26
Land rolling
Soil 2nd Rate

Range No 38 East 6th Meridian

East on a random line between
Sections 24 & 25
Variation 13° 35' East

40.00 Set a post for temporary 1/4 sec corner

80.00 Intersect East boundary of Township
13 links South of corner to sections
24 and 25 from which corner bears
S 89° 54' W on a line between
Sections 24 and 25
Variation 13° 35' East

40.00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 The corner of sections
23 24 25 and 26
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
23 & 24
Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24
Land rolling
Soil 2d Rate

Range No 38 West 6th Meridian

East on a random line between Sections 13 & 24
Variation 13° 40' East

40.00 Set a post for temporary 1/4 cor corner

80 26 Intersect East boundary of Township 79 links south of corner to Sections 13 and 24 from which corner a Gum bears S 89° 26' W on a true line between Sections 13 and 24
Variation 13° 40' East

40 13 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80 26 The corner of Sections 13 14 23 and 24
Surface rolling
Soil 2d Rate

Township No 11 North

North between Sections
13 & 14
Variation 13° 45' East

40.00 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chas post in mound of Earth
with pits as per instructions for
corner to Sections
11 12 13 and 14
Scribed Iron
Govt Meander

Range No 38 West 6th Meridian

East on a random line between
Sections 12 & 13
Variation 14° East

40.00 Set a post for temporary 1/4 sec corner

80.06 Intersect East boundary of Township
18 links South of corner to sections 12
and 13 from which corner bears
S 89° 32' W on a true line between
Sections 12 and 13
~~Variation 12° 13' East~~ 14°
Variation

40.03 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.04 The corner of sections
11 12 13 and 14
Scribed Iron
Govt Meander

Township No 11 North

North between Sections
11 & 12
Variation 13° 30' East

40.00 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set Chas Post in mound of Earth with pits as per instructions for corner to sections 1 2 11 and 12
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 1 & 12
Variation 13 1/2° East

40.00 Set a post for temporary 1/4 sec cor
80.16 Intersect East boundary of Township 12 links North of corner to sections 1 and 12 from which corner a mi N 89° 55' W on a true line between sections 1 and 12
Variation 14° East

40.08 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 1 2, 11 and 12
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
11 & 12
Variation

Range No 38 West 6th Meridian

East on a random line between
Sections 1 & 12
Variation

Township No 11 North

North on a random line between Sections 1 & 2

Variation 13° 30' East

40.00 Set a post for ~~corner to Sections~~ corner to Sections 1 2 11 and 12

80.75 Intersect North boundary of Township 27 links East of corner to Sections 1 and 2 from which corner to ~~Sec~~ Secs 11 & 12 on a line bears East 1 and 12

Variation 13° 30' East

40.75 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.75 The corner of Sections 1 2 11 and 12

Land rolling

Soil 2nd Rate

August 13th 1871

Range No 38 West 6th Meridian

North between Sections 34 & 35

Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 26 27 34 and 35

Land rolling

Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 26 & 35
Variation 13° 30' East

40.00 Set a post for Temporary ¼ sec cor.
79.90 Intersect North and South line 10
links South of corner to sections
25 26 35 and 36 from which
corner I run S 89° 56' W on a line
line between sections 26 and 35
Variation 13° 30' East
39.95 Set stone post in mound of
Earth with pits as per instruction
for ¼ Section corner
79.90 The corner of sections
26 27 34 and 35
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections
26 & 27
Variation 13° 35' East

40.00 Set stone post in mound of Earth
with pits as per instructions for
¼ Section corner
80.00 Set stone post in mound of
Earth with pits as per
instructions for corner to sections
22 23 26 and 27
Land rolling Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 23 & 26
Variation 13° 40' East

40.00 Set a post for temporary 1/4 sec cor
80.24 Intersect North and south line 38 chs
West of corner to sections 23 24
25 and 26 from which corner
~~sections~~ N 89 44' W on a line
line between sections 23 and 26
Variation 13° 40' East
40.12 Set chaw post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.24 The corner of sections
22 23 26 and 27
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections
22 & 23
Variation 13° 30' East
40.00 Set chaw post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chaw post in mound of Earth
with pits as per instructions
for corner to sections
14 13 22 and 23
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 14 & 23
Variation 13° 25' E

40.00 Set a post for temporary 1/4 sec cor.
80.10 Intersect North and South line 37 links
South of corner to sections 13 14 23
and 24 from which corner I run
S 89° 44' W on a true line between
sections 14 and 23
Variation 13° 25' East
40.03 Set chaus post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.10 The corner of sections
14 13 22 and 23
Land rolling
Soil 2nd Rate

Range No 38 East 6th Meridian

North between Sections
14 & 15
Variation 13° 45' East
40.00 Set chaus post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chaus post in mound of
Earth with pits as per
instructions for corners to sections
10 11 14 and 15
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 11 & 14
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner
79.80 Intersect North and South line 40 links
North of post corner to sections 11 12
13 and 14 from which corner a tree
N 89° 45' W on a true line between
sections 11 and 14
Variation 13° 30' East
39.90
~~39.80~~ 79.80 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.80 The corner of sections
10 11 14 and 15
Sand rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections
10 & 11
Variation 13° 40' East

40.00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chain post in mound of
Earth with pits as per
instructions for corner to sections
2 3 10 and 11
Sand rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 2 & 11
Variation 13° 20' East

40.00 Set a post for temporary 1/4 sec corner
80.12 Intersect North and South limit 16 chs
South of corner to sections 2 and 11 from
which corner I run S 89° 53' W on
a true line between sections
2 and 11
Variation 13° 20' East
40.06 Set chased post in mound of Earth
with pits as per instructions for
1/4 section corner
80.12 The corner of sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North on a random line between
Sections 2 & 3
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corn
80.61 Intersect North boundary of Township
16 chs West of corner to sections
2 and 3 from which corner I run
S 7' W on a true line between
Section 2 and 3
Variation 13° 30' East
40.61 Set chased post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.61 The corner of Sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
33 & 34
Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for
1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections
27 28 33 and 34
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between
Sections 27 & 34
Variation 14° East

40.00 Set a post for temporary 1/4 sec corner

80.24 Intersect North and south line 15 links
North of corner to sections 26 27 ~~28~~
33 and 34 from which corner I run
~~N~~ S 89° 34' W on a true line between
Sections 27 and 34
Variation 14° East

401.2 Set chain post in mound of Earth with pits as per instructions for
1/4 Section corner

801.24 The corner of sections
27 28 33 and 34
Land rolling
Soil 2nd Rate

August 16th 1871

Township No 11 North

North between Sections
27 & 28
Variation 13° 30 East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to Sections 21 22 27 and 28
Scribed Witness Post 2 Links Dist 2 Rods

Range No 38 West 6th Meridian

East on a random line between Sections 22 & 27
Variation 13° 45' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to Sections 21 22 27 and 28
Scribed Witness Post 2 Links Dist 2 Rods

40.00 Set a post for temporary 1/4 sec corner

80.40 Intersect North and South line at corner to sections 22 23 26 and 27 from which corner I run west on a true line between Sections 22 and 27
Variation 13°45' East

40.20 Set chain post in mound of Earth with pits as per instructions for 1/4 sec corner

80.40 The corner to sections 21 22 27 and 28
Scribed Witness Post 2 Links Dist 2 Rods

Township No 11 North

North between Sections
21 & 22
Variation 14° East

40.00 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set Chas Post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22
Timber Willing
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 15 & 22
Variation 13° 45' East

40.00 Set a Post for Temporary 1/4 sec corner

80.16 Intersect North and South line 10 links North of corner to sections 14 15 22 and 23 from which corner B bears N 89° 56' W on a true line between Sections 15 and 22
Variation 13° 45' East

40.08 Set Chas Post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 15 16 21 and 22
Timber Willing
Soil 2nd Rate

Township No 11 North

North between Sections
10 & 16
Variation 14° East

40.00 Set chas. pit in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chas. pit in mound of Earth with pits as per instructions for corner to sections 9 10 15 and 16
Lead rolling
Sod 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 10 & 15
Variation 13° 45' East

40.00 Set chas. ~~pit in mound of Earth with pits as per instructions~~ for

80.28 ~~Set Stone Mound Pits & Bearing trees~~ 35 links North of corner to sections 10 11 14 and 15 from which corner a cedar 9 in 89 1/2 45' W on a bee line between sections 10 and 15
Variation 13° 45' East

40.14 Set chas. pit in mound of Earth with pits as per instructions for 1/4 Section corner

80.28 The corner of sections 9 10 15 and 16
Lead rolling
Sod 2nd Rate

Township No 11 North

North between Sections
9 & 10
Variation 13° 30' East

40.00 Set chain post mi mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chain post mi mound of Earth with pits as per instructions for corner to sections
3 4 9 and 10
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 3 & 10
Variation 13° 35' East

40.00 Set a post for temporary 1/4 cor
80.20 Intersect North and South mi 19 link West of corner to sections 2 3 10 & 11 from which corner bears
N 89° 52' W on a true line between sections 3 and 10
Variation 13° 35' East

40.10 Set chain post mi mound of Earth with pits as per instructions for 1/4 section corner

80.20 The corner of sections
3 4 9 and 10
Land rolling
Soil 2nd Rate

Township No 11 North

North on a random line
between Sections 3 & 4
Variation 13° 25' East

40.00 Set a post for Temporary 1/4 Section Corner
80.35 Intersect North boundary of Township
20 links East of corner to Sections
3 and 4 from which corner a corner
Sg. E on a true line between
Sections 3 and 4
Variation 13° 25' East

40.33 Set chained post in mound of
Earth with pits as per instructions
for 1/4 Section corner

80.35 The corner of sections
3 4 9 and 10
Land rolling
Soil 2nd Rate

Aug 17th

Range No 38 West 6th Meridian

North between Sections
32 & 33
Variation 13° 30' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections 28 29
~~29 and 30~~ 32 and 33
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 28 & 33
Variation 13° 30' East

40.00	40.00 Set a post for temporary 1/4 sec corn
	80.12 Intersect North and South line 17 links
	South of corner to sections 27 28 33 &
8.00	33 from which corner bears
	~~S 89° 53' W~~ N 89° 53' W on a true line between
	Sections 28 and 33
	Variation 13° 30' East
	40.04 Set chaned post mi mound of Earth
	with pits as per instructions for
	1/4 Section corner
	80.12 The corner of sections
	28 29 32 and 33
	Land rolling
	Soil 2nd Rate

Range No 38 East 6th Meridian

North between Sections
28 & 29
Variation 13° 30' East

40.00	Set chaned post mi mound of Earth
	with pits as per instructions
	for 1/4 Section corner
80.00	Set chaned post mi mound of Earth
	with pits as per instructions for
	corner to sections ~~20 29 28~~
	~~and 28~~ 29 20. 21. 28 and 29
	Land rolling
	Soil 2nd Rate

Township No 11 North Range No 38 West 6th Meridian

East on a random line between Sections 21 & 28

Variation 13° 35' East

40.00 40.00 Set post for temporary 1/4 sec cor

79.96 Intersect North and South line 28 links North of corner to sections 21 22 27 and 28 from which corner I run N 89° 48' W on a true line between Sections 21 and 28

Variation 13° 35' East

.80 39.98 Set chained post mi mound of Earth with pits as per instructions for 1/4 Section corner

79.96 The corner of sections 20 21 28 and 29

Zemed rolling

Soil 2nd Rate

August 17th 1871

North between Sections 20 & 21

Variation 13° 40' East

40.00 Set chained post mi mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post mi mound of Earth with pits as per instructions for corner to sections 16 17 20 & 21

Zemed rolling

Soil 2nd Rate

Township No 11 North

East on a random line between Sections 16 & 21

Variation 13° 20' East

40.00 Set a post for temporary 1/4 Sec corner

80.18 Intersect North and South line 58 links south of corner to sections 15 16 21 and 22 from which corner bears S 89° 35' W on a line line between sections 16 and 21

80.00

Variation 13° 20' East

40.09 Set chand post in mound of Earth with pits as per instructions for 1/4 Section corner

80.18 The corner of sections 16 17 20 & 21

Land rolling

Soil 2nd Rate

Range No 38 West 6th Meridian

North between Sections 16 & 17

Variation 13° 45' East

40.00 Set a chand post ~~for temporary 1/4 Sec corner~~ in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chand post in mound of Earth with pits as per instructions for corner of sections 8 9 16 and 17

Land rolling

Soil 2nd Rate

42

Township No 11 North

East on a random line between
Sections 9 & 16
Variation 13° 45' East

40.00 Set Post for Temporary 1/4 sec corner
80.34 Intersect North and South line 32
lnks North of corner to sections 9
10 15 and 16 from which corner bears
N 89 46' W on a true line between
Sections 9 and 16
Variation 13° 43' East
40.17 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.34 The corner of sections
8 9 16 and 17
Land Whing
Sol 2nd Rate

43

Range No 3 West 6th Meridian

North between Sections
8 & 9
Variation 13° 35' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
4 5 8 and 9
Land Whing
Sol 2nd Rate

Township No 11 North

East on a random line between
Sections 4 & 9
Variation 13° 30' East

40.00 Set a post for temporary 1/4 Sec corner
80.14 Intersect North and South line 9 links
South of corner to Sections 3 4 9
and 10 from which corner I use
S 89° 56' W as a True line between
Sections 4 and 9
Variation 13° 30' East
40.07 Set Stone post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.14 The corner of Sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Range No 38 West 6th Meridian

North on a random line between
Sections 4 & 5
Variation 13° 40' East

40.00 Set temporary 1/4 Section corner
80.19 Intersect North boundary of Township
39 links West of corner to Sections
4 and 5 from which corner I use
N 1° 17' W on a True line between
Sections 4 and 5
Variation 13° 40' East
40.19 Set Stone post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.19 The corner of Sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

42

46

Township No 11 North

North between Sections
31 & 32
Variation 13° 40' East

40.00 Set chaw post in mound of Earth with pits as per instructions for
80.00 1/4 Section corner
Set chaw post in mound of Earth with pits as per instructions for
Corner to Sections
29 30 31 and 32
40 Land rolling
Sod 2nd Rate

80

47

Range No 38 West 6th Meridian

East on a random line between
Sections 29 & 32
Variation 13° 40' East

40.00 Set a post for Temporary 1/4 Sec corner
79.94 Intersected North and South line 36 links
North of post corner to Sections 28 29 32
and 33 from which corner a mon
N 79.44 W on a true line between
Sections 29 and 32
Deviation 13° 40' East

39.97 Set chaw post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.94 The corner of sections
29 30 31 and 32
Land rolling
Sod 2nd Rate

42

48

49

Township No 11 North Range No 38 West 6th Meridian

West on a random line between Sections 30 & 31

Variation 13°40' East

40.00 Set Temporary 1/4 Section corner

81.30 Intersected West boundary of Township 16 links North of corner to sections 30 and 31 from which corner bears N 89°53' E on a true line between Sections 30 and 31

Variation 13°40' East

41.30 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

81.30 The corner of sections 29, 30, 31 and 32

Land willing

Set 2" Rake

North between Sections 29 & 30

Variation 13° 25' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 19, 20, 29 and 30

Land willing

Set 2" Rake

40.17

80.34

50

Township No 11 North

East on a random line between
Sections 20 & 29
Variation 13° 20' East

4000 Set a post for Temporary 1/4 Sec corner
80.22 Intersect North and South line 53 links
South of corner to sections 20 21
28 and 29 from which corner bears
S 89° 38' W on a true line between
Sections 20 and 29
Variation 13° 20' East
4011 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.22 The corners of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate
August 18th 1871

51

Range No 38 West 6th Meridian

West on a random line between
Sections 19 & 30
Variation 13° 35' East
4000 Set a post for Temporary 1/4 Sec corner
80.91 Intersect West boundary of Township
13 links North of corner to sections
19 and 30 from which corner bears
N 89° 54' E on a true line between
sections 19 and 30
Variation 13° 35' East
4091 Set chas post in mound of Earth
with pits as per instructions for
1/4 Section corner
8091 The corners of sections 19 20
29 and 30
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections 19 & 20

Variation 13° 30' East

40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chard post in mound of Earth with pits as per instructions for corner to sections 17 18 19 and 20

Land rolling

Soil 2nd Rate

Range No 38 West 6th Meridian

East on a random line between Sections 19 & 20

Variation 13° 45' East

1.00 Set a post for temporary 1/4 sec corner

80.10 Intersected North and South line between ~~sections 19 and 20~~ 23 links North of corner to sections 16 17 20 and 21 from which corner bears N. 89° 30' W on a line line between sections 17 and 20

Variation 13° 45' East

40.05 Set chard post in mound of Earth with pits as per instructions for 1/4 section corner

80.10 The corner of sections 17 18 19 and 20

Land rolling

Soil 2nd Rate

Township No 11 North Range No 38 East 6th Meridian

East on a random line between Sections 18 & 19

Variation 13° 40' East

40.00 Set a post ~~in mound~~ temporary ¼ Sec Corn

80.72 Intersect West boundary of Township 33 links North of corner to sections 19 and 18 from which corner a tree bears N 89° 37' E

Variation 13° 40' East

40.72 Set chain post in mound of Earth with pits as per instructions for ¼ Section corner

80.72 The corner of Sections 17 18 19 and 20

Land rolling

Soil 2nd Rate

North between Sections 17 & 18

Variation 13° 35' East

40.00 Set chain post in mound of Earth with pits as per instructions for ¼ Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 7 8 17 and 18

Land rolling

Soil 2nd Rate

Township No 11 North

Range No 38 West 6th Meridian

East on a random line between Sections 8 & 17
Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner
80.04 Intersect North and South line 14 links North of corner to sections ~~8 and~~ 4 8 9 16 and 17 from which corner bears N 89° 54' W on a true line between sections 8 and 17

Variation 13° 30' East

40.12 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner
80.24 The corner of sections 7 8 17 and 18
Land rolling
Soil 2nd Rate

West on a random line between Sections 7 & 18
Variation 13° 20 East

40.00 Set a post for temporary 1/4 sec corner
80.92 Intersect West boundary of Township 43 links North of corner to sections 7 and 18 from which corner bears N 89° 42' E on a true line between Sections 7 and 18

Variation 13° 20' East

40.92 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner
80.92 The corner of sections 7 8 17 and 18
Land rolling
Soil 2nd Rate

42

5-8

Township No 11 North

North between Sections 7 & 8

Variation 13° 30 East

40.00 Set chas pint in mound of Earth with pits as per instructions for 1/4 sec cor

80.00 Set chas pint in mound of Earth with pits as per instructions for corner to sections 5 6 7 and 8

Lend wlhig

Surd 2 Rate

5-9

Range No 38 West 6th Meridian

East on a random line between Sections 5 & 8

Variation 13 20' East

40.00 Set a pint for temporary 1/4 sec corner

80.32 Intersect North and South line 49 links South of corner to sections 4 5 8 and 9 from which corner I run S 89° 39' W in a true line between sections 5 and 8

Variation 13° 20' East

40.16 Set chas pint in mound of Earth with pits as per instructions for 1/4 Section corner

80.32 The corner of sections 5 6 7 and 8

Lend wlhig

Surd 2d Rate

42

60

Township No 11 North

East on a random line between Sections 6 & 7

Variation 13° 45' East

40.00 Set a post for temporary 1/4 sec corner

80.34 Intersect West boundary of Township 27 links South of corner to Sections 6 and 7 from which corner I run S 89° 45' E on a true line between Sections 6 and 7

Variation 13° 45' East

40.17 Set charred post in mound of earth with pits as per instructions for 1/4 Section corner

80.33 The corner of Sections 5 6 7 and 8

Found willing

Coal 2 Rake

61

Range No 38 West 6th Meridian

North on a random line between Sections 5 & 6

Variation 13° 30' East

40.00 Set a post for temporary 1/4 sec corner

79.87 Intersect North boundary of Township 41 links West of corner to sections 5 and 6 from which corner I run S 18' W on a true line between Sections 5 and 6

Variation 13° 30' East

39.87 Set charred post in mound of Earth with pits as per instructions for 1/4 section corner

79.87 The corner of Sections 5 6 7 and 8

Found willing

Coal 2 Rake

August 19th 1871

Township No 11 North

General Description

This Township is a high rolling Prairie the soil is a fine quality of 2nd Rate good for pasturage and would be for agriculture if it could be irrigated There are no settlers in the Township

Range No 38 West 6th Meridian

List of Names

A list of the names of individuals employed to assist in running measuring or marking the lines & corners described in the foregoing field notes of Township No 11 north of the base line of Range No 38 west of the 6th principal Meridian showing the respective capacities in which they acted.

Henry Heisel } Chainmen
Frank M. Daugherty }
Henry Lear } Monumenter and
Oscar P. Miller } Axeman

We hereby certify that we assisted William E. Daugherty deputy Surveyor in Surveying & subdividing Township No 11 north of base line of Range No 38 west of the 6th principal Meridian & that said Township has been in all respects to the best of our knowledge & belief well & faithfully Surveyed & the boundary monuments planted according to instructions furnished by the Surveyor General.

Henry Heisel. Chainman
Frank M Daugherty
Oscar P. Miller } Monumenter
Henry Lear

Township No 11 North

Subscribed and Sworn to before me at my office in the city of Plattsmouth State of Nebraska this 20th day of Sept 1871

A S Chase
Probate Judge

I, William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin L. Cutler are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 20th day of May 1871, I have well & faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual & the laws of the United States surveyed Township No 11 north of the base line of Range No 38 west of the 6th principal Meridian as represented in the foregoing field Notes as having been surveyed under my direction; & I do further solemnly swear that all the corners of said Surveys

Range No 38 West 6th Meridian

have been established & perpetuated in strict accordance with the Surveying Manual & the printed instructions ~~I do further solemnly swear~~ and that the foregoing are true and original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 20 day of September 1871

A S Chase
Probate Judge

Township No 11 North

Range No 38 West 6th Meridian

Surveyor Generals Office
Plattsmouth Neb
Nov 23rd 1871.

The foregoing field notes of the Survey of Township No 11 North of the Base Line of Range No 38 West of the 6th Principal Meridian in the State of Nebraska, executed by Wm E. Daugherty deputy Surveyor, under the date Contract No 44, dated May 4th 1871 whereby Wm E. Daugherty and Martin B Culver are Joint Contractors with E. E. Cunningham United States Surveyor General for the district of Iowa and Nebraska, - having been critically examined, the necessary corrections and explanations made, the said field notes, and the Surveys they describe, are

Township No 11 North

Range No 38 West 6th Meridian

hereby approved.

E. E. Cunningham

Surveyor General

Index Diagram
No. 1

T 12 N., R 38 W.



Field Notes of the Survey of the Sub-division of Township No 12 North of the base line of Range No 38 West of the 6th Principal Meridian in the State of Nebraska by William Hardin deputy Surveyor under his Contract No 40 bearing date the 6th day of August A.D. 1870

Sub division commenced Sept 3d 1870.

Sub division completed Sept 9th 1870

Names of assistants and the respective capacities in which they acted

John Gleason Chainman
Charles Hardin Chainman
Fred Weihe Mounds man
S. J. Seger Mound builder

T 12 S R 38 W of 6th P M

Obs To determine the proper adjustment of my compass for Subdividing this Township I commence at the corner to Townships 11 and 12 South Ranges 37 and 38 West and run North on a blank line along the East boundary of sections 36

Va 13°20' E

40.04 A point 38 lks East of 1/4 sec cor
80.04 is a point 91 lks East of the corner to sections 25 and 36

To retrace this line or run a parallel there to my compass must be adjusted to a Variation of 13°59' East

Subdivision begun Sept 3d 1870

T12N R38W 6th PM

Chains	
	From the corner to sections 1, 2, 35 and 36 on the South boundary of the Township I run North between sections 35 and 36 Va 13°59'E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 25 26 35 and 36 Land Level Soil 2d rate

T12S R38W of the 6th PM

Chs	
	East on a random line between sections 35 and 36 Va 13°59'E
29.00	Drain running SE
40.00	Set a post for temporary 1/4 Sec Cor
79.82	Intersected the East boundary of the township 15 lks North of the corner to sections 25 and 36 from which corner I run S 89°54' W on a true line between sections 25 and 36 Va 13°59'E
39.91	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.82	The corner to sections 25, 26 35 and 36 Land Level Soil 2d rate

T12N., R38W. 5th P.M.

Chains	
	North between sections 25 and 26
26.75	Orgin Va 14° E
1000	Set a post deposited a Charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a Charred Stake and raised a mound of earth with pits as per instructions for corner to sections 23, 24 25 and 26
	Land level Soil 2d rate

T12N. R38W. 5th P.M.

Chs	
	East on a random line between sections 24 and 25 Va 14° E
40.00	Set a post for temporary 1/4 Sec corner
80.35	Intersected the east boundary of the township 34 lks north of the corner to sections 24 and 25 from which corner it runs N 89° 45' W on a true line between sections 24 and 25 Va 14° E
40.17½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.35	The corner to sections 23 24 25 and 26 Land level Soil 2d rate

	North between sections 23 and 24 Va 14° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 13 14 23 and 24 Land level Soil 2d rate

T 12 N R 38 W of 6th P M

Chs	East on a random line between sections 13 and 24 Va 14° E
40.00	Set a post for temporary 1/4 Sec cor
80.02	Intersected the East boundary of the township 40 lks North of the corner to sections 13 and 24 ~~Va 14° E~~ from which corner I run N 89° 34' W on a true line between sections 13 & 24
400+	Va 14° E
40.01	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.02	The corner to sections 13, 14, 23, and 24 Land level Soil 2d rate Sept 3d 1870

T 12 N of R 38 W. of 6th P M.

Chs	North between sections 13 and 14 Va 14° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 11, 12, 13 and 14 Land rolling Soil 2d rate

---

East on random line between sections 13 & 13
Va 14° E

40.00	Set a post for temporary 1/4 Sec cor
80.12	Intersected the east boundary of the township 60 lks north of the corner to sections 12 and 13 from which corner I run N 89° 34' W on a true line between sections 12 and 13 Va 14° E
40.06	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.12	The corner to sections 11, 12, 13, and 14 Land rolling Soil 2d rate

T12N of R38W of 6th P.M.

Chs	
	North between sections 11 and 12 Va 14° E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a chained Stake and raised a mound of earth with pits as per instructions for corner to sections 1, 2, 11 and 12 Land rolling Soil 2d rate

T12N of R38W of 6th P.M.

Chs	
	East on a random line between sections 1 and 12 Va 14° E
40.00	Set a post for temporary 1/4 Sec cor
80.43	Intersected the east boundary of township 36 lks North of the corner to sections 1 and 12 from which corner I run S 89° 35' W on a true line between sections 1 and 12 Va 14° E
402.1/2	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
804.3	The corner to sections 1, 2, 11 12 Land rolling Soil 2d rate

T12 N of R38 W of 6th P.M.

Chs	North on a true line between sections 1 and 2 Va 14°15' E
4,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
85,27	Intersected the 3d Standard (Parallel N.) line at a point 9,12 chs east of the corner to Township 13 N Ranges 37 and 38 W. There I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 1 and 2 Land Rolling soil 2d rate

Sept 4th 1870

Note, There being a matured difference in the length of the West and East boundaries of Sec 1 as given on the plat furnished me I run from the corner to 1 and 12 North on blank line between sections 1 and 12 on the east boundary of Sec 1 Va 14°12' E

40,04	To 5 lks East of 1/4 Sec cor
85,10	Intersected the 3d Standard parallel N. 9 lk east of Closing corner to Township 12 N Ranges 37 & 38 W.

T12 N. R38 W. 6th P.M.

Chs	North between sections 34 and 35 Va 14° E
4,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
8,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 26 27 34 and 35 Land rolling soil 2d rate

on 3d Stand and parallel N.

Run West from the closing corner to T12 R37 & 38 W. 9,88 chs to corner to Sec 31 and 32 of T13 N R 37 W

T 12 N of R 38 W of 5th P M

Chs	
	East on a random line between sections 26 and 35 Va 14° E
40.00	Set a post for temporary 1/4 Sec cor
80.62	Intersected the N and S line 46 lks North of the corner to sections 25 26 35 and 36 from which corner I run S 89° 46' W on a true line between sections 26 and 35 Va 14° E
40.31	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.62	The corner to sections 26, 27, 34 and 35 Land rolling soil 2d rate

T 12 N of R 38 W of 6th P M

Chs	
	North between sections 26 and 27 Va 14° E
35.00	Drain running east
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 22.23.26.27 Land slightly rolling Soil 2d rate
	East on a random line between Sections 23 & 26 Va 14° E
40.00	Set a post for temporary 1/4 Sec Cor
80.66	Intersected the N and S. line 25 lks North of the corner to sections 23.24 25 and 26 from which corner I run S 89° 49' W on a true line between sections 23 and 26 Va 14° E
40.33	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.66	The corner to sections 22.23.26 and 27 Land rolling Soil 2d rate

T12N R38W 6th P.M.

Chs	
	North between sections 22 and 23 Va 14°E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post in West edge of dry basin deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 14, 15, 22 and 23 on W. side of dry lake Land level Soil 2d rate

T12N of R38W of 6th P.M.

Chs	
	East on a random line between Sections 14 and 23 Va 14°E
23,90	Leave dry lake a basin bears NW & NW
40,00	Set a post for temporary 1/4 Sec Cor
80,30	Intersected the N and S line 12 lks North of the corner to Sections 13, 14, 23 and 24 from which corner I run S 89 55 W on a true line between Sections 14 and 23 Va 14°E
40,15	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80 30	The corner to sections 14 15 22, and 23 Land level Soil 2d rate

T 12 N of R 38 W. of 6th P. M.

Chs	North between sections 14 and 15 Va 13°45' E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to Sections 10, 11, 14 and 15 Land rolling Soil 2d rate
	East on a random line between sections 11 & 14 Va 13°45' E
45.00	Set a post for Temporary 1/4 Sec Cor
50.05	Intersected the N and S line 45 Lks North of the corner to sections 11 12 13 and 14 from which corner I run N 89°41 W on a true line between sections 11 and 14 Va 13°45' E
400.21/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.05	The corner to sections 10 11 14 and 15 Land rolling Soil 2d rate

T 12 N of R 38 W of 6th P M

Chs	North between sections 10 and 11 Va 13°45' E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to Sections 2, 3, 10 and 11 Land rolling Soil 2d rate

T 12 S. R 38 W of 6th P.M.

Chs	
	East on a random line between sections 2 and 11 Va 13° 45' E
40.00	Set a post for temporary 1/4 Sec cor
79.89	Intersected the N and S line 70 lks north of the corner to sections 1, 2, 11 and 12 from which corner I run N 89 30' W on a true line between sections 2 and 11 Va 13° 45' E
3994	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
7989	The corner to sections 2, 3, 10, and 11

Land gently rolling
Soil 2d rate

T 12 S R 38 W. 6th P.M.

Chs	
	South on true line between Sections 2 and 3 Va 1/4° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
85.72	Intersected the 3d Standard parallel N at a point 9.20 chs East of the corner to sections 35 and 36 of Township 13 S of Range 38 W Whence I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 2 and 3

Land gently rolling
Soil 2d rate
Sept 5th 1870

22

T 12 N of R 38 W of 6th P M

Chs	
	North between sections 33 and 34 Va 13° 45' E
8,00	Dry Lake bears E & N. W.
16,00	bears dry Lake bears E & W.
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 27, 28, 33 and 34 Land slightly rolling Soil 2d rate

23

T 12 S of R 38 W of 6th P M

Chs	
	East on random line between sections 27 & 34 Va 13° 45' E
40,00	Set a post for temporary 1/4 Sec cor
79,82	Intersected the N and S line 7 lks north of the corner to sections 26, 27, 34 and 35 from which corner I run N 89° 57' W on a true line between sections 27 and 34 Va 13° 45' E
39,91	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79,82	The corner to sections 27, 28 33 and 34 Land rolling Soil 2d rate

T12N of R38W of 6th P.M.

Chs	
	North between sections 27 and 28 Va 13°45' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
43.00	Drain runs West of North
72.32	Drain (Same) runs SE
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 21, 22, 27 and 28 Land Undulating Soil 2d rate

T12N R38W of 6th P.M.

Chs	
	East on a random line between Sections 22 and 27 Va 13°45' E
40.00	Set a post ~~deposited a charred stake and raised a mound of earth with pits as per instructions~~ temporary for 1/4 Sec cor
79.95	Intersected the N and S line 11 Lks South of the corner to sections 22 23 26 and 27 from which corner I run S 89° 55' W on a true line between sections 22 and 27 Va 13°45' E
39.97½	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.95	The corner to sections 21, 22, 27 and 28 Land gently rolling Soil 2d rate

T 12 N of R 38 W. of 6th P.M.

Chs	North between sections 21 and 22 Va 13° 50' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. Cor.
68.00	Enter a dry lake bears E & W.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15 16 21 and 22 Land slightly rolling Soil 2d rate

T 12 N of R 38 W of the 5th P.M.

Chs	East on a random line between Sections 15 and 22 Va 13° 50' E
19.00	Leave dry basin bears N. W & S.W.
40.00	Set a post for temporary 1/4 Sec Cor
80.68	Intersected the N and S line at corner to sections 14 15 22 and 23 from which corner I run West on a true line between Sections 15 and 22 Va 13° 50' E
40.34	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.68	The corner to sections 15 16, 21 and 22 Land undulating Soil 2d rate

T12S of R38W of 6th P.M.

Chs	
	North between Sections 15 and 16
47.5	Course 13°50' E
40.00	dry basin, bears E & S.W.
	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 9, 10, 15 and 16.
	Land slightly rolling Soil 2d rate
	Easton a random line between Sections 10 & 15
	Va 13°50' E
40.00	Set a post for temporary 1/4 Sec Cor
80.60	Intersected the N and S line 44 lks South of the corner to Sections 10, 11, 14 and 15 from which corner I run N 89°41' W on a true line between Sections 10 and 15
	Va 13°50' E
40.30	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.60	The corner to Sections 9, 10, 15, 16
	Land partly rolling Soil 2d rate

T12S of Range 38W of 6th P.M.

Chs	
	North between Sections 9 and 10
	Va 13°30' E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for corner to sections 3, 4, 9 and 10
	Land Rolling Soil Sandy 2d rate

T 12 N of R 38 W of 6th P M

Chs	
	East on a random line between Sections 3 and 10 Va 13° 30' E
4.00	Set a post for temporary 1/4 Sec cor
80.58	Intersected the S and S line 70 lks North of the corner to sections 2, 3, 10 and 11, From which corner I run S 89° 30' W on a true line between Sections 3 and 10 Va 13° 30' E
40.29	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.58	The corner to sections 3, 4, 9 and 10 Land rolling Soil 2d rate

T 12 N of R 38 W of the 6th P M

Chs	
	North on a true line between Sections 3 and 4 Var 13° 46'
4.00	Set a post - deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
84.67	Intersected the 3d standard parallel N. 8.50 chs East of the corner to Sections 34 and 35 of T 13 N of R 38 W. There I Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for closing corner to Sections 3 and 4 Land rolling Soil 2d rate

Sept 6th 1870

T12 N of R 38 W of 6th P M

Chs	
	North between sections 32 and 33 Va 13°40' E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 28,29,32,33. Land rolling Soil 2d rate
	East on a random line between sections 28 & 33 Va 13°40' E.
40,00	Set a post for temporary 1/4 Sec Cor
77,88	Intersected the Nand P line 23 lks North of the corner to sections 27, 28, 33 & 34 from which corner I run S 89°50' W on a true line between sections 33 and 34 Va 13°40' E
39,94	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79,88	The corner to sections 28, 29, 32, 33 Land rolling Soil 2d rate

T12 N of R 38 W of 6th P M

Chs	
	North between sections 28 and 29 Va 13°40' E
21,00	Enter dry lake in meander
25,40	Leave " " "
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 20 21 28 and 29 Land level soil 2d rate

T12S R38W of 6th P.M.

Chs	East on a random line between sections 21 and 28 Va 13°40'E
40.00	Set a post for temporary 1/4 Sec Cor
79.92	Intersected the N. & S. line 29 lks North of the corner to sections 21, 22, 27 and 28 from which corner I run S 89° 47' W on a true line between sections 21 and 28 Va 13°40'E
39.96	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.92	The corner to sections 20, 21, 28 and 29 Land rolling Soil 2d rate

---

	North between sections 20 and 21 Va 13°40'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 16, 17, 20, and 21 Land rolling soil 2d rate

T12S R38W of 6th P.M.

Chs	East on random line between Sections 16 and 21 Va 13°40'E
40.00	Set a post ~~deposited a charre~~
76.30	for temporary 1/4 Sec cor Witness Tree, Hickory, 12 links N.E. of P.
80.30	Intersected the N and S line 7 lks South of the corner to Sections 15, 16, 21, and 22 From which corner I run S 89°57' W. on a true line between Sections 16 and 21 Va 13°40'E
40.15	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.30	The corner to Sections 16, 17, 20 and 21 Land rolling Soil 2d rate

T12S of R38W of 6th P M

Chs	
	North between Sections 16 and 17 Va 13°40'E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 and 17 Land level Soil 2d rate
	East on a random line between Sections 9 & 16 Va 13°40'E
40,00	Set a post for Temporary 1/4 Sec Cor
80,14	Intersected the N and S line at corner to Sections 9, 10, 15, and 16 from which corner I run West on a true line between Sections 9 and 16 Va 13°40'E
2007	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,14	The corner to Sections 8, 9, 16 & 17 Land level; soil second rate

T12N of R38W of 6th P M

Chs	
	North between sections 8 and 9 Va 13°40'E
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5, 8 and 9 Land level Soil 2d rate

T12N of R38W of 5th P.M.

Chains	East on a random line between sections 4 and 9 Va 13°40' E.
4.000	Set a post for temporary ¼ Sec cor
80.28	Intersected the N & S. line 35 lks North of the corner to Sections 3, 4, 9 and 10 from which corner I run N 89° 15' W on a true line between sections 4 and 9 Va 13°40' E
40.14	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for ¼ Sec Cor
80.28	The corner to sections 4, 5, 8 and 9 Land rolling Soil 2d rate

T12N of R38W of 5th P.M.

Chs	North on a true line between Sections 4 and 5 Va 13°30' E
4.00	Set a post deposited a charred Stake and raisid a mound of earth with pits as per instructions for ¼ Sec cor
83.69	Intersected the 3d Stand and Cor. N. 8.95 chs east of the corner to Sections 33 and 34 of T13N of Range 38 W Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to Sections 4 and 5 Land gently rolling Soil 2d rate Sept 7th 1870

T 12 S of R 38 W of 6th P M

Chs	North between sections 31 and 32 Va 13° 5' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
45.80	Drain running S.E
63.78	Wagon road runs W & S & S & E
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 29, 30, 31 and 32 Land gently rolling Soil 2d rate

T 12 S R 38 W. 6th P M

Chs	East on a random line between sections 29 and 32 Va 13° 50' E
40.00	Set a post for temporary 1/4 Sec Cor
79.58	Intersected the S and S. line 31 chs South of the corner to sects 28, 29, 32 and 33 From which corner I run S 89° 47' W on a true line between sections 29 and 32 Va 13° 5' 0" E.
39.79	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.58	The corner to sections 29, 30, 31 and 32 Land Rolling Soil 2d rate

T 12 N of R 38 W of 6th P M

Chs	West on a random line between sections 30 and 31 Va 13° 50'
11 00	Wagon road Lies W W of N or E of S
40 00	Set a post for temporary 1/4 Sec Cor
78.50	Intersects the West bound ary of the Township 17 lks South of the corner to sections 30 and 31 from which corner I Run S 89° 30' East on a true line between sections 30 and 31 Va 1° 30' E
38.50	Set a post - deposited a charred stake and raised a mound of earth with pits as per instruc - tions for 1/4 Sec cor
78.50	The corner to sections 29 30 31 and 32 Land rolling Soil 2d rate

T 12 N of R 38 W of 6th P M

Chs	North between sections 29 and 30 Va 14° E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 19 20 29 and 30 Land slightly rolling Soil 2d rate

T12 S. of R 38 W of 6th P.M.

Chs	
	East on a random line between sections 20 and 29 Va 14° E
40,00	Set a post for temporary 1/4 Sec cor
79,82	Intersected the S and S line 13 lks South of the Corner to Sections 20 21 28 and 29 from which Corner I run S 89° 3/4 W on a true line between Sections 20 and 29 Va 14° E
39,91	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79,82	The corner to Sections 19 20, 29 and 30 Land rolling Soil 2d rate

T12 S R 38 W of 6th P.M.

Chs	
	West on a random line between Sections 19 and 30 Va 14° E
40,00	Set a post for temporary 1/4 Sec Cor
~~77,78~~	~~Intersected the West bound~~
48,45	Began to run S 20 W & S E. (trans)
77,78	Intersected the west boundary of the township 43 lks South of the corner to Sections 19 and 30 from which corner I run S 89° 41' E on a random line between Sections 19 and 30 Va 14° E
37,78	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
77,78	The corner to Sections 19, 20, 29 and 30 Land rolling Soil 2d rate

T12S of R38W of 6th PM

Ch	North between sections 19 and 20 On 13°45' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 17, 18, 19 and 20 Land rolling & Soil poor 2d rate

T12S of R38W of 6th PM

Ch	East on a random line between sections 17 and 20 On 13°46.5' E
40.00	Set a post for temporary 1/4 Sec Cor
80.24	Intersected the North and South line 32 lks south of the corner to sections 16 17 20 and 21 from which corner I run S 89°46' W, on a true line between sections 17 and 20 On 13°45' E
40.12	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.24	The corner to sections 17, 18, 19 and 20 Land rolling Soil poor 2d rate

Y2 S of R 38 W of 6th P M

Chs	
	West on a random line between sections 18 & 19 Va 13° 45' E
40.00	Set a post for temporary 1/4 Sec Cor
64.00	Enter dry Lake, circular
75.90	Leave " " "
78.74	Intersected the West boundary of the Township 76 Chs South of the corner to sections 18 and 19 from which corner I run S 89 28' East on a true line between sections 18 and 19 Va 13° 45' E
38.74	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
78.74	The corner to sections 17, 18, 19 and 20 Land Undulating Soil 2d rate

Y2 S of R 38 W of 6th P M

Chs	
	North between sections 17 & 18 Va 13° 35' E
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7, 8, 17 and 18 Land gently rolling Soil 2d rate

T 12 S of R 38 W of 6th P.M.

Chs	
	East on a random line between sections 8 and 17 Va 13° 35' E
40,00	Set a post for temporary 1/4 Sec Cor
80,18	Intersected the S & S line 38 lks South of the corner to sections 8, 9, 16 and 17 from which corner I run S 89° 44' W on a true line between sections 8 and 17 Var 13° 35' E
40,09	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,18	The corner to sections 7, 8, 17 and 18 Land level soil 2d rate

T 12 S of R 38 W of 6th P.M.

Chs	
	West on a random line between sections 7 and 18 Va 13° 35' E
4,50	Dry lake extending about 15 chs North & South of the line
12,00	Leave lake, bears N & S.
40,00	Set a post for temporary 1/4 Sec Cor
78,28	Intersected the West boundary of the township 53 lks South of the corner to sections 7 and 18 from which corner I run S 89 3/4° W on a True line between sections 7 and 18 Va 13° 35' E
38,28	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
78,28	The corner to sections 7, 8, 17 and 18 Land hilly soil poor 2d rate

Sept 8th 1870

T12N of R38W of 6th PM

0 hs	North between sections 7 and 8 On 13°45' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 5, 6, 7 and 8 Land Undulating Soil 2d rate

T12S of R38W of 6th PM

0 hs	East on a random line between sections 5 and 8 On 13°45' E
40.00	Set a post for temporary 1/4 Sec Cor
80.30	Intersected the N and S line 41 lks South of the corner to sections 4, 5, 8, and 9 From which corner I run S89°45' W on a true line between sections 5 and 8 On 13°45' E
4015	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.30	The corner to sections 5, 6, 7 and 8 Land Undulating Soil 2d rate

T 12 S of R 38 W of 6th P M

Chs	West on a random line between sections 6 and 7 Va 13° 45' E
40.00	Set a post for temporary 1/4 Sec Cor
78.93	Intersected the west boundary of the township 70 lks South of the corner to sections 6 and 7 From which corner I run S 89° 30' E on a true line between sections 6 and 7 Va 13° 45' E
38.93	Set a post deposited a chalked stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
78.93	The corner to sections 5, 6, 7 and 8 Land undulating Soil 2d rate

T 12 S of R 38 W of 6th P M

Chs	North on a town line between sections 5 and 6 Va 13° 40' E
40.00	Set a post deposited a chalked stake and raised a mound of earth with pits as per instruc tions for 1/4 Sec Cor
84.14	Intersected the 3d Stand- ard parallel N. 9.14 chs east of the corner to sections 32 and 33 of T 13 S R 38 W Where I set a post deposited a chalked stake and raised a mound of earth with pits as per instructions for closing corner to sections 5 and 6 Land rolling Soil 2d rate Sept 9th 1870

56

T 12 S R 38 W 6th P.M.

General Discription

This Township is mostly gently rolling prairie Soil muddling 2nd rate Growth mostly buffalo grass many dry lakes that show they are filled with water part of the year

Irrigation by Wells is easily done

The soil will produce good wheat. Limestone in small lumps is found nearly all over the Township Would also produce the usual crops of Nebraska

Good grazing Region

~~Hereby~~

A List of names of Assistants employed to assist in measuring and marking the lines and corners described in the foregoing Field notes of T 12 S R 38 W of the 6 P M showing and the capacities in which they severally acted

John Glenn Chainman
Charles Hardin Chainman
Fred Weiks Mound builder
S J Seger Mound builder

We hereby certify that we assisted William Hardin Deputy Surveyor in Subdividing Township Twelve North of the base line of Range number Thirty eight West of the Sixth Principal Meridian in the State of Nebraska and that said Survey has been in all respect to the best of our knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General

John Glenn Chainman
Charles Hardin Chainman
~~Charles Hardin~~ Fred Weiks Mound Builder
S. J. Seger Mound Builder

Subscribed and Sworn to by the above named persons before me a Clerk of the District Court for the county of Lincoln in the State of Nebraska this 29th day of September A D 70

R C Dunphy
Clerk of the District Courts within and for Lincoln County Nebraska

I William Hardin deputy Surveyor do Solemnly Swear that in pursuance of a contract with R R Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 6th day of August A.D. 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed the subdivisions of Township No Twelve North of the base line of Range No Thirty eight West of the 6th Principal Meridian in the State aforesaid and do further Solemnly Swear that the foregoing are the true and original field notes of such Survey

William Hardin

Subscribed by the said William Hardin Deputy Surveyor and Sworn to before me a Notary Public for Saunders County, Nebr. this 12 day of Oct 1870

A B Fuller

Notary Public

Surveyor Generals Office

Plattsmouth Nebr. Mch. 21. 1871.

The foregoing field Notes of the Survey of the Sub-division Lines of Township No. 12 North of the Base Line of Range No. 38 West of the 6th Principal Meridian in the State of Nebraska executed by William Hardin under his Contract of the 6th day of August 1870. in the Month of September 1870. having been Critically Examined the necessary Corrections and Explanations made, the said field notes and the Survey they describe are hereby approved.

Robt. R. Livingston

Surveyor General.

General Land Office • Original Field Notes

Book Number

604

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.