General Land Office • Original Field Notes

Book Number

614

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

INDEX DIAGRAM T 13. N. R. 39. W 6. P.M.



Meanders. Ps. 68, 69, 70, 71, 72 AND 73

(A.)

Field Notes
of the
[illegible] Subdivision
[illegible] No. 13 North of
[illegible] of Range No.
[illegible] Sixth Principal
[illegible] the State of
[illegible] surveyed by
[illegible] Paul, deputy
[illegible] joint contract
[illegible] ng date the 11th day
[illegible], 1869 wherein
[illegible] Paul and George
S. Gilbert are joint
contractors with Robert R.
Livingston, United States
Surveyor General, for the
District of Iowa and Nebraska.

13 to 16 N.
39 W.
T.
R.

Survey commenced
August 23d 1869

Survey completed
August 28th 1869

(A.)

Field Notes
of the
Survey and Subdivision
of Township No. 13 North of
the Base Line of Range No.
39 West of the Sixth Principal
Meridian, in the State of
Nebraska, Surveyed by
Nicholas J. Paul, deputy
Surveyor under joint Contract
No. 21, bearing date the 11th day
of June A.D. 1869 wherein
Nicholas J Paul and George
A. Gilbert are joint
contractors with Robert R.
Livingston, United States
Surveyor General, for the
District of Iowa and Nebraska.

Survey commenced
August 23d 1869

Survey Completed
August 28th 1869

(B.)

Names and Duties of Assistants

C. J. Acken	Chainman
W. H. Berry	Chainman
Geo. A. Warren	Cornerman
Gustavus Larson	Cornerman
John Fennell	Cornerman
Edmund Dutton	Flagman

Township 13 N. R 39 W 6th P.M.

Claims

	To determine the proper adjustment of my Compass for Subdividing this Township I begin at the corner to Townships 13 N. Ranges 38 and 39 W. and run North on a blank line along the East Boundary of section 36
	Va. 14° 12' E.
40.00	To the 1/4 section corner
80.02	To the corner to sections 25 and 36
	Therefore, to retrace this line or run parallel thereto my compass must be adjusted to a variation of 14° 12' E.
	Subdivision commenced August 23d 1869

Township 13 N. R. 39 W. 6th P.M.

Chains

From the corner to sections 35 and 36 on the South Boundary of the Township I run North between Secs 35 & 36 Va. 14° 12' E

40.00 Set post, deposited Stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80.00 Set post deposited Charred Stake and raised mound of earth with pits as per instructions for corner to Sections 25, 26, 35 and 36 Gently rolling prairie Soil, Hard clay 3rd rate

Township 13 N. R. 39 W. 6th P.M.

Chains

East on random line between Secs. 25 & 36 Va. 14° 12' E

40.00 Set temporary 1/4 Sec. cor.

79.94 Intersected East Boundary 10 links South of the corner to Sections 25 and 36 from which corner I run S 89° 56' West on true line between Secs. 25 and 36 Va. 14° 12' E

39.97 Set post deposited Charred Stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.

79.94 The corner to Sections 25, 26, 35 and 36 Gently Rolling prairie Soil Second rate

Township 13 N. R 39 W 6th P.M.

Chains

North between secs, 25 and 26
Va. 14° 12' E

40,00 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.

80,00 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 23, 24, 25 and 26
Land, gently rolling
Soil, dry Third rate

Township 13 N. R. 39 W. 6th P.M.

East on random line
between Secs. 24 and 25
Va. 14° 12' E,

29,00 Drain course NW
40,00 Set temporary 1/4 Sec. cor.
77,00 Drain course NW
80,06 Intersected East Boundary at the corner to sections 24 and 25 from which corner a pine
West on true line between Sections 24 and 25
Va. 14° 17' E.

40,03 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.

80,06 The corner to sections 23, 24, 25 and 26
Land, Rolling pine
Soil Third rate

Township 13 N. R. 39 W. 6th P.M.

Chains

North between Secs 23 and 24
Va. 14° 12' E

40.00 Set post deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

41.50 Drain course N.W.

80.00 Set post deposited stamped stake and raised mound of earth with pits as per instructions for corner to sections 13, 14, 23 and 24
Land, Rolling prairie
Soil, Third rate

Township 13 N. R. 39 W. 6th P.M.

East on random line
between Secs, 13 and 24
Va. 11° 24' E

17.00 Drain course N.W.

40.00 Set temporary 1/4 Sec. cor.

79.00 Drain course N.W.

80.06 Intersected East Boundary 2 lks North of the corner to sections 13 and 24 from which corner Drum
N 89° 59' West on true line
between Sections 13 and 24
Va, 11° 24' E,

140.03 Set post deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.

80.06 The corner to sections 13, 14, 24 and 23
Land, Gently Rolling
Soil, Second rate

Township 13 N. R 39 W 6th P.M.

Chains	
	North between Secs 13 and 14 Va. 14° 24' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.
77.00	Old California Road bears N E and S W
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to Sections 11, 12, 13 and 14 Surface gently rolling Soil Third rate

Township 13 N. R 39 W 6th P.M.

	East on random line between Secs. 12 and 13 Va. 14° 36' E.
39.00	Old California Road bears N E and S W.
40.00	Set post for temporary 1/4 Sec. cor.
80.02	Intersected East Boundary 5 links North of the corner to Sections 12 and 13 from which corner Gun N 89° 58' West on true line between Secs 12 and 13 Va 14° 36' E.
40.01	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.
80.02	The corner to Sections 11, 12, 13 and 14 Land, gently rolling Soil, Third rate.

Township 13 N. R. 39 W. 6th P.M.

Chains

North between Secs. 11 and 12
Va. 14° 36' E.

11,00 E[a]st Platte Valley bears NE & SW.

36,78 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 11 and 12 on the Right Bank of S. Platte river

To determine the width of the river on this line I cause a flag to be set in the line on the North bank of the river, and then measure a Base East 10,00 chains to a point from which the flag on the North Bank bears N. 13° 41' West thus giving 10,76 chs. as the width of the river hence at

77,54 I set post deposited charred Stake and raised mound of earth with pits as per instructions for corner

Township 13 N. R. 39 W. 6th P.M.

to fractional Sections 11 and 12 on the Left and North Bank of S. Platte river.

79,60 The Union Pacific Railroad bears N.E. and S.W.

80,00 Set post deposited charred Stake and raised mound of earth with pits as per instructions for corner to sections 1, 2, 11 & 12

Pt 11,00 chains gently rolling Soil Second rate
Balance on South side of river good rich 1st rate Bottom
On North side of river high dry gravelly 3d rate
River Bank about 15 feet high on North side of river.

Township 13 N. R. 39 W. 6th P.M.

Chains

East on a true line between Secs 1 and 12 Va. 15° 00' E

3,00 The Union Pacific Railroad bears N.E. and S.W.

14,00 a point about 50 links South of the 345th mile post on U.P.R.R. Road from Omaha

8.66 $8,66 Set post deposited stone and raised mound of earth with pits as per instructions for corner to fractional Sections 1 and 12 on the Left and North Bank of S. Platte river The Balance of this line lies in the river Land high, dry and gravelly, Soil 3d rate

Township 13 N. R. 39 W. 6th P.M.

North on a random line between Sections 1 and 12 Va. 15° 00' E

24,00 Wagon Road bears NE and SW

4,00 Set temporary 1/4 Sec cor

56,00 Leave Platte valley and enter broken hills bears E and W.

80,06 Intersected North Boundary 10 links East of the corner to Sections 1 and 2 from which corner I run South 4' E, on true line between Secs. 1 and 2 Va. 15° 00' E.

14,06 Set post, deposited stone and raised mound of earth with pits as per instructions for 1/4 sec. cor.

80,06 The corner to Sections 1, 2, 11 and 12 Land, hard dry and gravelly Soil 3d rate

August 23d 1869.

Township 13 N. R 39 W 6th P.M.

Chains

North between Secs 34 and 35
Va, 14° 09' E.

11 000 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor,

8 000 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to Secs, 26, 27, 34 and 35
Land, gently Rolling
Soil, Thirdrate

Township 13 N. R 39 W. 6th P.M.

East on random line
between Secs 26 and 35
Va, 14° 09' E.

11,00 Set post for temporary 1/4 Sec, cor,
80,08 Intersected N. & S. line 10 lks
North of the corner to Secs,
25, 26, 35 and 36 from which
corner B run
N 89° 56' West on true line
between Secs 26 and 35
Va, 14° 09' E.

11,04 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec. cor
8008 The corner to Sections
26, 27, 34 and 35
Gently Rolling prairie
Soil. Third rate.

Township 13 N. R 39 W. 6th P.M.

Chains

North between Secs 26 & 27
Va, 14° 09' E.

10,00 Drain course 7,10.

40,00 Set post, deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.

80,00 Set post deposited stamped stake and raised mound of earth with pits as per instructions for corner to sections 22, 23, 26 & 27
Hard, dry Rolling prairie
Soil gravelly Third rate

Township 13 N. R. 39 W. 6th P.M.

East on random line
between Secs 23 & 26
Va, 14° 21' E.

40,00 Set temporary 1/4 Sec cor

80,10 Intersected Rod S. line 5 links North of the corner to sections 23, 24, 25 & 26 from which corner Azm N 89° 58' West on true line between Secs 23 & 26
Va, 14° 21' E

40,05 Set post, deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80,10 The corner to Sections 22, 23, 26 & 27
Hard, dry & Rolling prairie
Soil, gravelly 3rd rate

Township 13 N. R 39 W 6th P.M.

Chains

North between Secs 22 & 23
Va. 1 1/4° E

19 00 Drain course W.W.

14 00 Set post deposited stone and stake and raised mound of earth with pits as per instructions for 1/4 sec cor

8 00 Set post deposited stone and stake and raised mound of earth with pits as per instructions for corner to sections 14, 15, 22 & 23

Hard, dry, rolling prairie
Soil gravelly Thurston

Township 13 N. R. 39 W. 6th P.M.

East on random line
between Secs 14 and 23
Va. 1 1/4° E

40 00 Set temporary 1/4 Sec cor,

80 14 Intersected N & S. line 7 lks. North of the corner to Sections 13, 14, 23 and 24 from which corner Azimuth N 89° 57' West on true line between Secs 14 & 23
Va. 1 1/4° E

110 07 Set post deposited stone and stake and raised mound of earth with pits as per instructions for 1/4 sec cor

80 14 The corner to Sections 14, 15, 22 and 23.

Gently rolling prairie
Soil Second rate

Township 13 N. R. 39 W. 6th P.M.

Chains	
	North between Secs 14 & 15 Va 14° 48' E.
14,00	Enter Platte valley bears N E and N W.
14,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 14 sec. cor.
19,00	Old Road bears N E & S W.
58,00	Slough 50 lks wide E & W
76,68	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional Sections 14 and 15 on the Right Bank of S. Platte river
80,00	The point for corner to sections 10, 11, 14 and 15 falls in the river
	Land, 1st 14,00, gently rolling Soil Secondrate
	Balance, good, 1st rate

Township 13 N. R. 39 W. 6th P.M.

	From the corner to Sections 11, 12, 13 and 14 S and West on true line between Sections 11 and 14 Va. 14° 36' E.
14,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 14 sec. cor.
55,00	Leave Upland and enter Bottom bears N E and S W.
62,00	A Slough 100 lks wide bears N. E. & W.
73,58	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional Sections 11 & 14 on the Right Bank of Platte river
	The remainder of this line is in the River
	Land, Upland 2nd rate Bottom good 1st rate

Township 13 N. R. 39 W 6th P.M.

Chains

North between Secs 10 & 11
to a 14°48' E

To determine the width of the river on this line I cause a flag to be set in the line on the North Bank of the river and then measure a base East 6,30 chains to a point from which the flag bears N 10° W. continue the Base East to a point 9,30 chains East of the meander corner on the Right Bank, from which the flag bears N 14° 36' W. which gives by calculation as the mean result of the two observations for the distance across the river on the line between sections 10, 11, 14 and 15, 35,72 chains from which subtract 3,32 chains being the distance between the meander corner on the Right Bank and the point for corner to sections 10, 11, 14 and 15, thus leaving 32,40 chains from point for corner

Township 13 N R. 39 W 6th P.M.

Chains

to sections 10, 11, 14 and 15 to the flag on the Left Bank of the S. Platte river: thence at 32.40 Set a post deposit a charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 10 and 11

40.00 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.

42.00 Union Pacific Railroad bears N E and S W

45.00 Leave low and enter high Bottom bearing E and W.

80.00 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 2, 3, 10 and 11.

Lower Bottom good 1st rate
Balance hard & dry Soil 2nd rate

Township 13 N. R 39 W 6th P.M.

Chains

East on random line
between Secs. 2 and 11
Va. 15° 00' E

37.00 Drain course South
40.00 Set temporary 1/4 Sec. cor
80.08 Intersected N. & S. line 20 links
South of the corner to sections
1, 2, 11 and 12 from which
corner I run S 89° E
S 89° 57' West on true line
51
between secs. 2 & 11
Va. 15° 00' E.
40.04 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 Sec cor
80.08 The corner to Sections 2, 3,
10 and 11
Land, hard, dry prairie
Soil, gravelly Hurdrate

Township 13 N R 39 W 6th P.M.

North on random line
between Secs 2 and 3
Va. 15° 00' E.

7.20 Wagon Road bears NE and SW
40.00 Set temporary 1/4 Sec. cor.
42.00 Leave valley and enter upland
bearing N. E. and S.W.
80.12 Intersected North Boundary 21
links West of the corner to secs
2 & 3 from which corner I run
S 9° W on true line
between Secs 2 and 3
Va. 15° 00' E.
40.12 Set post deposited charred
stake and raised mound
of earth with pits as
per instruction for 1/4 Sec. cor.
80.12 The corner to Sections 2, 3,
10 and 11
Bottom, hard dry and gravelly
Soil, Hurd rate
upland, broken, gravelly
Soil Hurdrate

Township 13 N. R. 39 W 6th P.M.

Chains	
	North between Secs 33 & 34 Va. 114° 21' E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 27, 28, 33 & 34
	Hard Rolling prairie Soil Thurdrate

Township 13 N. R. 39 W 6th P.M.

	East on random line between Secs 27 & 34 Va. 114° 15' E
40.00	Set temporary 1/4 Sec. cor.
79.94	Intersected W. & E. line 10 lks North of the corner to sections 26 27, 34 and 35 from which corner Iron N 89° 56' West on true line between Secs 27 & 34 Va. 114° 15' E.
39.97	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
79.94	The corner to sections 27, 28, 33 and 34
	Rolling Prairie Soil, Thurdrate
	August 24th 1869.

Township 13 N. R 39 W 6th P.M.

Chains	
	North between Secs 27 & 28 Va. 14° 15' E
40.00	Set post deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.
52.50	Drain course N.E.
80.00	Set post deposited stamped stake and raised mound of earth with pits as per instructions for corner to Secs 21, 22, 27 & 28
	Hard, dry rolling prairie Soil Third rate

Township 13 N. R. 39 W. 6th P.M.

	East on random line between Secs 22 & 27 Va. 14° 15' E
40.00	Set temporary 1/4 Sec. cor.
43.00	Drain course N.E.
80.00	Intersected N and S line 21 links North of the corner to Sections 22, 23, 26 and 27 from which corner Drum N 89° 51' West on true line between Sections 22 & 27 Va. 14° 15' E
40.00	Set post deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00	The corner to Sections 21, 22, 27 and 28
	Hard, gravelly & rolling Soil, Third rate

Township 13 N. R. 39 W. 6th P.M.

Chains	
	North between Secs 21 and 22 Var. 14° 15' E
40.00	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 15, 16, 21 and 22 Hard, gravelly and rolling Soil, Thirdrate

Township 13 N. R. 39 W. 6th P.M.

	East on random line between Secs. 15 and 22 Var. 14° 21' E.
40.00	Set temporary 1/4 Sec cor.
80.00	Intersected N. & S. line at the corner to Sections 14, 15, 22 and 23 from which corner B. tree West on true line between Secs. 15 and 22 Var. 14° 21' E
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80.00	The corner to sections 15, 16, 21 and 22 Gently rolling prairie Soil Third rate

Township 13 N. R 39 W 6th P.M.

Chains

North between secs, 15 & 16
Va 14° 21' E

2800 Old Road bears NE & W.

3800 Enter Bottom bears NE & W.

4000 Set post & deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor,

41,00 Slough 100 lks wide bears NE & W.

1680 Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner fractional Secs. 15 and 16 on the Right Bank of S. Platte river. I now cause a flag to be set in the line on the North Bank of the river and from the meander corner on the right Bank I run a base East 7,62 chains to a point from which the flag bears N. 12° 27' West, which gives 34.51 chains as the distance

Township 13 N. R 39 W 6th P.M.

across the river, to which add 146,80 chains the distance to the river makes 81.31 chains to the flag on the left Bank of the river. I here Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 9 and 10 on the Left Bank of S. Platte river and 1.31 chains North of the point for corner to sections 9, 10, 15 and 16, in the river Land, Bottom 1st rate Upland dry second rate

Note.

The line between sections 10 and 15 lies wholly in Platte river, and is not Surveyable,

Township 13 N. R 39 W. 6th P.M.

Chains

North between sections 9 & 10
Va, 14° 21' E

1,31 ~~1,35~~ To the meander corner on the left Bank, counting distance from the point for corner to sections 9, 10, 15 & 16 in the river,

16,35 Union Pacific Railroad bears N E and S W.

40,00 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor,

60,00 Old Road bears N. E. and S W.

80,00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 3, 4, 9 and 10.

Dry level Bottom
Soil good 2nd rate

Township 13 N. R. 39 W 6th P.M.

East on random line
between Secs 3 and 10
Va, 14° 21' E.

13,00 Drain course S. E.

27,00 Drain course S. E.

40,00 Set temporary 1/4 Sec. cor

47,00 Wagon Road bears N E and S W.

80,06 Intersected N & S line 5 lks North of the corner to secs. 2, 3, 10 and 11 from which corner I run
N 89° 58' West on true line
between secs 3 and 10
Va, 14° 21' E.

40,03 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor,

80,06 The corner to secs. 3, 4, 9 & 10
Hard, dry, Sandy & gravelly Soil, Third rate

Township 13 N. R 39 W 6th P.M.

Chains

North, on random line between Secs 3 & 4 Var. 14° 21' E

15,00 Leave Platte valley and enter broken bluffs bearing N.E. & West

40,00 Set temporary 1/4 Sec. cor.

80,07 Intersected North Boundary 18 links West of the corner to sections 3 and 4 from which corner I run South 8' W. on true line between Secs 3 and 4 Var 14° 21' E,

40,07 Set post deposited stone and stake and raised mound of earth with pits as per instructions for 1/4 sec. cor,

80 07 The corner to sections 3, 4, 9 and 10

Land, all very hard, dry and gravelly bluffs abounding in Moss agates and Topazes of an inferior quality

Soil Thirdrate,

Township 13 N. R 39 W 6th P.M.

North between Secs, 32 and 33 Var, 14° 15' E

40,00 Set post deposited stone and stake and raised mound of earth with pits as per instructions for 1/4 Sec cor

80,00 Set post deposited stone and stake and raised mound of earth with pits as per instructions for corner to Sections 28, 29, 32 and 33

Land, hard, dry and rolling

Soil, Third rate

Township 13 N. R 39 W 6th P.M.

Chains

East on random line
between Secs 28 & 33
Va. 14° 15' E.

40.00 Set temporary 1/4 Sec. cor.

79.90 Intersected B.O.S. line 12 lks
South of the corner to sections
27, 28, 33 and 34 from which
corner B pine
S 89° 55' West on true line
between Sections 28 & 33
Va. 14° 15' E.

39.95 Set post, deposited charred
stake and raised mound
of earth, with pits as per
instructions for 1/4 Sec. cor.

79.90 The Corner to Sections 28,
29, 32 and 33
Rolling prairie, hard dry
Soil Field rate

Township 13 N. R. 39 W. 6th P.M.

North between Secs 28 & 29
Va. 14° 15' E.

40.00 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec. cor.

80.00 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to sections 20, 21, 28 & 29
Hard dry, rolling prairie
Soil, gravelly 3d rate

Township 13 N. R 39 W 6th P.M.

Chains

East on random line
between secs 21 & 28
Va, 14° 18' E,

40,00 Set temporary 1/4 sec. cor,
80,04 Intersected N & S line 24 lks,
South of the corner to sections
21, 22, 27 and 28 from which
corner S run
S. 89°50' West on true line
between secs 21 & 28
Va, 14° 18' E,

40,02 Set post deposited stone
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec cor,

80,04 The corner to sections 20,
21, 28 and 29
Hard, dry, gravelly & rolling
Soil Thirdrate

August 25th 1869

Township 13 N. R 39 W 6th P.M.

North between Secs 20 and 21
Va, 14° 18' E,

40,00 Set post, deposited stone
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec cor,
70,00 Leave upland and enter Platte
Valley bears E and W
75,50 Old Road bears E and W
80,00 Set post deposited stone
stake and raised mound
of earth with pits as per
instructions for corner to
sections 16, 17, 20 & 21
Land, gently rolling,
Soil good Second rate

Township 13 N. R 39 W 6th P.M.

Chains

East on random line
between Secs 16 and 21
Va, 14° 18' E

22,00 Old Road bears NE and SE.
28,00 Leave valley and enter upland
bears NE and SE.
40,00 Set temporary M.C. Sec cor.
79,92 Intersected N. & S. line 25
links South of the corner to
Sections 15, 16, 21 and 22 from
which corner A pine
S 89° 49' West on true line
between Secs 16 and 21
Va, 14° 18' E
3,96 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for M.C. Sec cor.
79,92 The corner to sections
16, 17, 20 and 21
Bottom, level; Soil 1st rate
Balance Hard dry & 2nd rate

Township 13 N. R. 39 W. 6th P.M.

North between Secs 16 and 17
Va, 14° 18' E

21,80 Slough 50 lks wide bears W. & E.
30,37 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to fractional Sections 16 and
17 on the Right Bank of South
Platte river.
To determine the width of the
river on this line. I cause
a flag to be set on the left
Bank of the river, and in
the line between Sections
16 and 17, and from the
corner run a base East
7,22 chains to a point
from which the flag
bears N. 11° W. which
gives 3 7,14 chains as
the distance across the
river on the line between
Sections 16 and 17, to

Township 13 N. R 39 W 6th P.M.

Chains

which add 30.37 chains
the distance to the river;
makes

67.51 To the flag on the left Bank
of the river; S. here
Set post deposited stone
stake and raised mound
of earth with pits as per
instructions for corner to
fractional Sections 16 and 17
on the Left Bank South Platte river
N.B. the point for 1/4 sec cor
falls in river,
79.00 Union Pacific Railroad
bears NE and SW
80.00 Set post deposited,
stone stake and raised
mound of earth with pits
as per instructions for
corner to Sections 8, 9, 16
and 17
Land good rich Bottom
Soil. Thirteen

Township 13 N. R 39 W 6th P.M.

East on true line between
Sections 9 and 16
Var. 14° 15' E.

5.00 Union Pacific Railroad
bears NE & SW
40.00 Set post deposited stone
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
75.46 Set post deposited stone
stake and raised mound
of earth with pits as per
instructions for corner to
fractional sees 9 & 16
on the left Bank of South
Platte river.
Land good rich bottom
Surface level Soil 1st rate

Township 13 N. R 39 W 6th P.M.

Chains	
	North between secs 8 and 9 Va, 14° 15' E.
10,00	Leave lower bottom and enter upper bottom bears E & W,
40,00	Set post, deposited chained stake and raised mound of earth with pits as per instructions for 1/4 sec. cor,
46,00	Wagon Road bears N E & S W,
80,00	Set post, deposited chained stake and raised mound of earth with pits as per instructions for corner to sections 4, 5, 8 and 9 1st 10,00 chains 1st rate Balance hard dry and gravelly soil 3d rate

Township 13 N. R, 39 W, 6th P.M.

	East on random line between secs 4 and 9 Va, 14° 9' E
40,00	Set temporary 1/4 sec. cor,
79,98	Intersected S and S line 10 links South of the corner to sections 3, 4, 9 and 10 from which corner S 89° 56' West on true line between secs 4 and 9 Va, 14° 9' E,
39,99	Set post deposited chained stake and raised mound of earth with pits as per instructions for 1/4 sec, cor,
79,98	The corner to sections 4, 5, 8 and 9 Hard, dry gravelly Bottom soil 2d rate thickly overgrown with weeds-

Township 13 N. R. 39 W. 6th P.M.

Chains

North on a random line
between sections 4 & 5
Va, 14° # 9' E,

10,00 Leave Platte Valley and enter
broken hills bearing E. & W,

40,00 Set temporary 1/4 sec cor

80,10 Intersected North Boundary
10 links West of the corner
to Sections 4 and 5 from
which corner 3 inn
S. 4' West on true line
between secs 4 and 5
Va, 14° # 9' E,

40,10 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 sec cor,

80,10 The corner to sections 4
5, 8 and 9
Bottom Seconds rate
Upland, broken 3rd rate

Township 13 N. R. 39 W. 6th P.M.

North between Secs. 31 and 32
Va, 14° # 9' E

40,00 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 Sec. cor

80,00 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to Sections 29, 30, 31 & 32
Hard, dry, rolling prairie
Soil Third rate.

Township 13 N. R 39 W 6th PM

Chains

East on random line between Sections 29 & 32 Va 14° #9' E,

40.00 Set temporary 1/4 sec cor,
80.26 Intersected W 1/4 Line 15 links North of the corner to sections 28, 29, 32 & 33 from which corner 9 mm N 89° 54' West on true line between sections 29 & 32 Va. 14° #9' E,
40.13 Set post, deposited chard stake and raised mound of earth with pits as per instructions for 1/4 sec. cor,
80.26 The corner to sections 29, 30, 31 and 32 Rolling Prairie Soil, Thurdrate

Township 13 N. R 39 W. 6th PM.

West on random line between Sect. 30 and 31 Va 14° #9' E,

40.00 Set temporary 1/4 Sec cor,
79.70 Intersected West Boundary of the Township 20 lks, North of the corner to sections 30 and 31 from which corner 9 mm N 89° 51' E on true line between Secs 30 and 31 Va, 14° #9' E,
39.70 Set post deposited chard stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor
79.70 The corner to sections 29, 30, 31 and 32 Land hard & Rolling Soil, gravelly Surdrate

Township 13 N. R 39 W 6th P.M.

Chains

North between Secs 29 & 30
Va, 14° 9' E

40,00 Set post, deposited chaind
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec. Cor,

80,00 Set post deposited chaind
stake and raised mound
of earth with pits as per
instructions for corner
to secs 19, 20, 29 and 30
Land, rolling prairie
Soil, gravelly Third rate

Township 13 N. R, 39 W 6th P.M.

East on a random line
between Sections 20 & 29
Va, 14° 15' E

40,00 Set temporary 1/4 Sec. Cor,

80,20 Intersected N. & S. line
10 links North of the corner
to sections 20, 21, 28 and 29
from which corner I run
N 89° 56' West on true line
between Sections 20 & 29
Va, 14° 15' E,

40,10 Set post, deposited chaind
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec. Cor,

80,20 The corner to Sections
19, 20, 29 and 30
Land, gently rolling
Soil, Third rate

Township 13 N. R. 39 W 6th P.M.

Chains

West on random line
between Secs 19 & 30

5,00 Enter high bottom bears NE & SW
40,00 Set temporary 1/4 Sec. cor,
79,68 Intersected West Boundary
18 links North of the corner
to sections 19 and 30 from
which corner I run
N 89° 52' East on true line
between Secs 19 & 30
Va 14° 15' E

39,68 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor,
79,68 The corner to sections
19, 20, 29 & 30
Land nearly level
Soil dry second rate
August 26th 1869

Township 13 N. R. 39 W. 6th P.M.

North between Secs 19 & 20
Va 14° 15' E

5,00 Enter high bottom land,
bears NE & SW
40,00 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 Sec cor,
53,00 Old Road bears NE & S.W.
76,00 Enter lower Bottom land
bears East & West
80,00 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to sections 17, 18, 19 & 20
Upland and high
bottom are dry and
hard. Soil 2nd rate
Lower Bottom good
Soil 1st rate.

Township 13 N. R 39 W 6th P.M.

Chains

East on random line
between Secs. 17 and 20
Va, 14° 27' E,

10,00 Enter low marshy land
subject to overflow bears N.W. & S.E.
40,00 Set temporary 1/4 Sec. cor.
60,00 Leave Marshy land bears N.E. & N.
80,20 Intersect N. and S. line 20
links South of the corner to
Sections 16, 17, 20 and 21 from
which corner I run
S 89° 51' West on true line
between Secs. 17 and 20
Va, 14° 27' E,
40,10 Set post deposited stone
Stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
80,20 The corner to Sections 17,
18, 19 and 20
Land, Except Marsh
good rich 1st rate
Bottom

Township 13 N. R. 39 W. 6th P.M.

West on true line between
Sections 18 and 19
Va, 14° 27' E

33,00 Drain course N.E.
40,00 Set post, deposited stone
Stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
71,84 Set post deposited stone
Stake and raised mound
of earth with pits as per
instructions for corner to
fractional Sections 18 and
19 on the Right Bank of
South Platte River
Land good rich 1st rate
grassland.

Note, the corner to secs
18, 19, 13 and 24 on the
West Boundary of the
Township is in Platte river

Township 13 N. R. 39 W. 6th P.M.

Chains

North between Secs. 17 and 18
Va. 114° 27' E.

4.00 A Slough 75 links wide bears East and West.

23.60 Set post deposited stone and stake and raised mound of earth with pits as per instructions for corner to fractional sections 17 and 18 on the Right Bank of S. Platte river bears N. E.
The width of the Platte river on the line between sections 17 and 18 ~~as~~ determined by measurement with the chain to be 32.15 chains to which add 23.60 chs. the distance to the river makes

55.75 To the flag on the left Bank of the river, here set post deposited stone and stake and raised mound of earth

Township 13 N. R. 39 W. 6th P.M.

with pits as per instructions for corner to fractional sections 17 and 18 on the left Bank of the S. Platte river

Note.— The point for quarter section corner falling in the river, it cannot therefor be established

60.70 The Union Pacific Railroad bears N E and S W.

80.00 Set post deposited stone and stake and raised mound of earth with pits as per instructions for corner to sections 7, 8, 17 & 18
Land, good rich 1st rate producing a heavy growth of grass

Township 13 N. R. 39 W. 6th P.M.

Chains

East on random line
between Secs 8 and 17
Va 14° 30' E.

40,00 Set temporary 1/4 Sec cor,
80,04 Intersected N. and S. line
14 links South of the
corner to sections 8, 9, 16 & 17
from which corner Bears
S 89° 54' West on true line
between Secs, 8 and 17
Va, 14° 30' E.
40,02 Set post deposited stone
Stake and raised mound
of earth with pits as per
instructions for 1/4 Sec cor,
80,04 The corner to Secs 7, 8,
17 And 18
Had, dry Bottom
Soil, Secondrate

Township 13 N. R. 39 W. 6th P.M.

West on random line
between Secs 7 and 18
Va 14° 30' E

40,00 Set temporary 1/4 Sec. cor,
41,00 Drain Coyote S. E.
43,00 Wagon Road bears N E and S W,
79,85 Intersected West Boundary
10 links North of the
corner to sections 7 & 18
from which corner Bears
N 89° 56' East on true
line between Secs, 7 and 18
Va 14° 30' E
39,85 Set post, deposited stone
Stake and raised mound
of earth with pits as per
instructions for 1/4 Sec, cor,
79,85 The corner to sections
7, 8, 17 And 18
Dry gravelly Bottom
Soil, Secondrate.

Township 13 N. R. 39 W. 6th P.M.

Chains

North between Secs 7 & 8,
Va, 14° 30' E

19,00 Wagon Road bears NE & SW,
40,00 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec cor,
65,00 Leave Platte valley and
enter broken hills, bearing NE & SW,
80,00 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to sections 5, 6, 7 and 8
Land Sandy & gravelly
Soil Thirdrate

Township 13 N. R. 39 W. 6th P.M.

East on random line
between Secs 5 & 8
Va, 14° 21' E

24,00 Enter Platte Valley bears
NE and SW,
31,00 Drain course SE,
40,00 Set temporary 1/4 Sec cor,
80,00 Intersected N & S line
6 links South of the
corner to secs 4, 5, 8 and 9
from which corner a pine
S 89° 57' West on the line
between secs 5 & 8
Va, 14° 21' E
40,00 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 Sec cor,
80,00 The corner to sections 5, 6
7 and 8
Hills, broken Soil 3rd rate
Bottom, level sandy
second rate

Township 13 N. R 39 W 6th P.M.

Chains	
	West on random line between Secs 6 and 7 Va, 14° 21' E,
40,00	Set temporary 1/4 sec. cor,
65,50	Drain Course S.E.
79,85	Intersect West Boundary 15 links North of the corner to Secs 6 and 7 from which corner Pine N 89° 54' East on true line between Secs. 6 and 7 Va, 14° 21' E,
39,85	Set post deposited Stamped Stake and raised mound of earth with pits as per instructions for 1/4 sec, cor,
79,85	The corner to sections 5, 6, 7 and 8 Land broken gravelly bluffs & Soil Thirdrate worthless,

Township 13 N. R. 39 W 6th P.M.

	North on random line between Secs 5 and 6 Va, 14° 21' E,
40,00	Set temporary 1/4 Sec. cor,
69,50	Drain course S.E.
80,12	Intersect North Boundary 5 links West of the corner to sections 5 and 6 from which corner Pine S. 2' W on true line between sections 5 and 6 Va, 14° 21' E,
40,12	Set post, deposited Stamped Stake and raised mound of earth with pits as per instructions for 1/4 Sec, cor,
80,12	The corner to sections 5, 6, 7 and 8 Land, broken and gravelly Soil, Thirdrate

Township 13 N. R 39 W 6th P.M.

Meanders of the Right Bank of S. Platte river through the Township.

Begin at the corner to fractional sections 19 and 24, in the West Boundary of the Township and on the Right Bank of the river, and run thence down Stream with the Meanders of the Right Bank of said river, in fractional section 19 as follows:—

Courses	Distances	Remarks.
1 N 85° E	3,00	Good rich, 1st rate bottom.
N 55° E	6,19 2	To the corner to fractional sections 18 and 19; thence in Section 18:—
N 73° E	26,00	Good rich 1st rate
N 84½° E	10,00	Producing very heavy
N 69° E	34,00	grass.
N 61½° E	6,10 3	To the corner to fractional secs 17 & 18; thence in Sec. 17
N 80° E	21,00	Good, 1st rate
N 86½ E	21,00	grass land,
N 78° E	8,00	Banks 2½ feet high.
N 89° E	30,70 4	To the corner to

Township 13 N. R. 39 W. 6th P.M.

Courses	Distances	Remarks.
		the corner to fractional secs. 16 and 17; thence in Section 16:— August 27th 1869
N 77° E	4,00	
N 89° E	14,00	Good 1st rate Bottom
N 79° 30' E	33,00	Banks 2 feet high
N 71° E	24,00	At 7,00 chs Old Ranch, bears South 10,00 chains
N 76½ E	7,15 5	To the corner to fractional secs. 15 and 16; thence in Sec. 15:—
N 86° E	23,00	Good level Bottom
N 78° E	26,00	Soil 1st rate
N 62° E	25,00	Banks 2 feet high
N 54¼ E	13,06 6	To the corner to fractional sections 14 and 15; thence in Section 14:—
N 63° E	7,25 7	To the corner to fractional sections 11 and 14; thence in Section 11:—
N 68¼ E	44,00	Good 2nd rate
N 75½ E	16,00	Banks 3 feet high
N 61° E	16,00	
N 42° E	7,00 8	To the corner to fractional sections 11 and 12; thence,

Township 13 N. R. 39 W 6th P.M.

Courses	Distances	Remarks
		in Section 12
N 62½° E	1,85	Land good rich
N 76¼° E	6,85	level Bottom
N 80½° E (S 3½°)	20,00 (21.00)	Soil, 1st rate
N 79° E	19,00	Banks 2½ feet
N 69½° E	14,00	high
N 39° E	8,00	
East	14,00 9	To the the corner to fractional Sections 7 and 12 in the East Boundary of the Township and on the Right and South Bank of the river.

Township 13 N. R. 39 W. 6th P.M.

Meanders of the Left Bank of S. Platte river, through the Township.

Begin at the corner to fractional sections 1 and 6 in the East Boundary of the Township and on the Left and North Bank of the river, and run thence up stream with the meanders of the left Bank of said river in fractional Section 1 as follows.

Courses	Distances	Remarks.
10 S 87° W	47,00	Banks 5 to 10 feet high
S 82½° W	24,46 11	To the corner to fractional sections 1 and 12; thence in Section 12
S 74½° W	8,98 12	To the corner to fractional sections 11 and 12; thence in Section 11
S 87° W	9,00	Banks 15 feet high
S 57½° W	18,00	Banks 4 to 10 feet high

over

Township 13 N. R. 39 W 6th P.M.

Courses	Distances	Remarks
S 59½° W	35.00	Dry 2nd rate Bottom
S 64° W	13.00	
S 52½ W	18 48/100	To the corner to fractional sections 10 and 11; thence in Section 10:—
S 74° W	24.00	Good 1st rate
S 65° W	48 00	grassland
S 74½ W	14.00	To the corner to fractional sections 9 and 10; thence in section 9:—
S 72° W	4.60	To the corner to fractional sections 9 & 16; thence in Section 16:—
S 78° W	36.60	Good 1st rate
S 84½° W	37 00	Bottom, low Banks.
S 66½° W	3 00	To the corner to fractional sections 16 and 17, thence in Section 17:—
S 80° W	27 00	
S 85½° W	40.00	
S 74° W	14.20	To the corner to fractional sections 17 and 18 thence

Township 13 N. R. 39 W. 6th P.M.

Courses	Distances	Remarks.
		in Section 18:—
S 88¾ W	24.00	Good rich Bottom
S 75° W	39.50 ~~40.00~~	Banks 2 to 5 feet high
S 55° W	22.00	To the corner to fractional sections 13 and 18 in the West Boundary of the Township and on the left and North Banks of the River August 28th 1869.

Township 13 N. R 39 W 6th P.M.

General Description:

This Township is all prairie land and destitute of water except Platte river.
The land South of the valley is dry rolling prairie. Soil generally third rate some being classed as 2nd rate. The Bottom land is mostly good dry 1st and 2nd rate producing good grass and being well adapted to grazing. The land North of the valley is hard dry broken hills Soil Thirdrate and Worthless

Township 13 N. R 39 W 6th P.M.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field Notes of Township No. 13 North of the Base line of Range No. 39 West of the Sixth principal Meridian, showing the respective capacities in which they acted:

G. J. Ackers, Chainman.
W. H. Berry, Chainman.
Geo. A. Warren, Cornerman.
Gustavus Larson, Cornerman.
John Hemell, Cornerman.
Edmund Dutton, Flagman.

Note: See Book "C" of Exterior Lines for affidavit of Gustavus Larson, Cornerman.

State of Nebraska } S.S.
Douglas County }

We, hereby certify that we assisted N. J. Paul, deputy Surveyor, in Surveying and subdividing Township No 13 North of the Base Line, Range No 39 West of the Sixth Principal Meridian in the State of Nebraska, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed, and the Boundary Monuments planted according to the instructions furnished by the Surveyor General,

O. F. Acker	Chainman
W. H. Berry	Chainman
John Pennell	Moundman
Geo. H. Warren	Moundman
Edmund Dutton	Flagman

Subscribed and sworn to by the above named persons before me a Notary Public in and for said Douglas Co, and State of Nebraska this 12th day of Oct. 1869.

Byron Reed
Notary Public

I, Nicholas J Paul, Deputy Surveyor, do Solemnly Swear that in pursuance of a joint Contract wherein Nicholas J. Paul and George H. Gilbert are joint contractors with Robert R. Livingston, United States Surveyor General for the District of Iowa & Nebraska, bearing date the 11th day of June 1869 I have well, faithfully and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the laws of the United States, Surveyed and subdivided Township No 13 North of the Baseline, Range No 39 West of the Sixth Principal Meridian in the State of Nebraska, as represented as having been done under my direction, and I do

further Swear that all the corners of said Surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original field Notes of such Survey.

Nicholas J. Paul,
Deputy Surveyor.

Subscribed by said Nicholas J. Paul Deputy Surveyor and Sworn to before me a Notary Public in and for Doiglas County in the State of Nebraska, this 28th day of October 1869.

Byron Reed
Notary Public

Surveyor Generals Office
Plattsmouth Nebr. March 24 1870

The foregoing field Notes of the Survey and subdivision of Township No. 13 North of Base Line, of Range No. 39 West of the Sixth Principal Meridian in the State of Nebraska Executed by Nicholas J. Paul Deputy Surveyor under Joint Contract No. 21. dated June 11th 1869 wherein Nicholas J. Paul and George D. Gilbert are Joint Contractors, in the Month of August 1869. having been critically examined, the necessary Corrections and explanations made the Same field notes and the Surveys they describe are hereby Approved.

Robt. R. Livingston
Surveyor Gneral.

Field Notes of the
Subdivision Lines of the
Township No. 14 N. Range No. 39
West of the 6th Principal Meridian
in the State of Nebraska.

Subdivision Commenced
" Septr 5th. 1870
" Completed.
Septr 10. 1870.

Names of Assistants

William Schultz } Chainmen
T. W. Tinnamon }
Fred Dawb. Rodsman
~~Herman~~ Lessinger Flagman.

INDEX DIAGRAM. T. 14. N. R. 39 W. 2nd 6. P.M.

6	36	5	25	4	21	3	17	2	7	1
	35		34		27		20		14	7
7	34	8	24	9	20	10	13	11	6	12
	33		32		23		19		13	5
18	32	17	23	16	19	15	12	14	5	13
	31		30		22		18		11	4
19	30	20	22	21	18	22	11	23	4	24
	29		28		21½		17		10	3
30	28	29	21½	28	16	27	10	26	2	25
	27		26		20½		16		9	2
31	26	32	20½	33	15	34	8	35	1	36

Township 14 N. Range 39 W.

To determine the proper adjustment of my Compass for Subdividing this Township, I commence at the Cor. to Townships 13 and 14 N. R. 38 and 39 W. and run North on a blank line along the East Boundary of Sec. 36.

Variation 14° 5' E

40.07 to a point 15 links ~~West~~ East of the ¼ Sec. Cor.
80.00 to a point ~~72~~ 7 links ~~West~~ East of the Cor.
80.10 to Secs. 25 and 36.

To retrace this line or run parallel thereto my Compass must be adjusted to a variation 15°. 00' E

From the Cor. to Secs. 1. 2. 35 and 36 on the South boundary line of the Townships I run North between Secs. 35 and 36. Var 15°. 00 E

40.00 Set post, deposite charred stake and raise mound of earth with pits as per instructions for ¼ Sec. Cor.
70.00 Begin Bottom enter hills bearing S.E
80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs 25. 26. 35 and 36.
Land mostly Bottom, level, Soil 1st 2nd rate

Townships 14 N. Range 39 W.

East on a random Line between Secs. 25 and 36.
Var. 15°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor
70.00 ~~Intersect E~~ ravine, drains S.E.
80.60 Intersect East line of the Township 25 links South of the Cor. to Secs. 25 and 36, from which Cor I run S 89. 49' E on a true line between Secs 25 and 36.
Var. 15, 00' E
40.30. Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor,
80.60 the Cor. to Secs. 25, 26. 35 & 36.
Land hilly broken. Soil 3d rate

North between Secs. 25 and 36.
Var. 15°. 00' E
40.00 Set post deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Secs.

Townships 14 N Range 39 W.

23. 24. 25 and 26.
Land high, rolling
Soil 2d rate.

East on a random Line between Secs. 24 and 25.
Var. 15°. 00' E.
40.00 Set stake for temporary ¼ Sec. Cor.
80.36 Intersect East line of the Township 20 links South of the Cor. between Secs. 24 and 25, from which Cor. I run S 89°. 57' E on a true line between Secs. 24 and 25.
Var. 15°. 00' E
40.18 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.36 the Cor. to Secs. 23. 24. 25 and 26.
Land high, rolling,
Soil 2d rate.

Township 14 N. Range 39 W.

North between Secs. 23 and 24
Var. 14°. 50' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 13. 14. 23. and 24.

Land high, rolling
Soil 2d rate

East on a random Line between Secs. 13 and 24.
Var. 14°. 50' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.16 Intersect East line of the Township 7 links South of the Cor. to Secs. 13 and 24, from which Cor. 2 runs S 89°. 57' W on a true Line between Secs. 13 and 24 Var. 14°. 50' E

40.08 Set post deposite charred stake and raise mound of earth with

Township 14 N. Range 39 W.

pits for ¼ Sec. Cor.

80.16 The Cor. to Secs. 13. 14. 23 and 24.

Land high, rolling
Soil 2d rate.

North between Secs. 13 and 14.
Var. 14°. 50' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 11. 12. 13 and 14

Land high, rolling
Soil 2¼ rate.

East on a random Line between Secs. 12 and 13
Var. 14°. 50' E.

40.00 Set stake for temporary ¼ Sec. Cor

68.00 Drain bearing N &

80.10 Intersect East line of the Township 8 links South of the Cor. to Secs. 12 and 13 from which Cor. 2, runs S 89. 57' W on a

Township 14 N. Range 39 W

from line between Sec^{s}. 12 and 13.
Var. 14°. 50' E

40.05 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.10 the Cor. to Sec^{s}. 11. 12. 13 and 14
Land Light, rolling
Soil 2^{d} rate

North between Sec^{s}. 11 and 12
Var. 15°. 00' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposite charred stake and raise mound of earth with pits for ~~¼ Sec.~~ Cor. to Sec^{s}. 1. 2. 11 and 12.
Land high, rolling
Soil 2^{d} rate.

Township 14 N. Range 39 W.

East on a random Line between
Sec^{s}. 1 and 12.
Var. 14°. 50' E.

40.00 Set stake for temporary ¼ Sec. Cor.
20.00 Drain bearing North West
80.10 Intersect East line of the Township 11 links North of the Cor, between Sec^{s}. 1 and 12. from which Cor. 2 runs N 89°. 55' W on a true line between Sec^{s}. 1 and 12.
Var. 14°. 50' E.

40.05 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.10 The Cor. to Sec^{s}. 1. 2. 11 and 12.
Land hilly
Soil 3^{d} rate.

North on a random Line between
Sec^{s} 1 and 2.
Var 15°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor
80.20 Intersect North line of the Township 20 links West of the Cor. to Sec^{s}. 1 and 2, from which Cor. 2 run

Township 14 N Range 39 W

S. 9° W
~~S 0°. 05' W~~ on a true Line between
Sec^s. 1 and 2
Var. 15°. 00 E

40.20 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.20 the Cor. to Sec^s. 1. 2. 11. and 12
Land hilly, broken
Soil 3^d rate.

Sept. 5. 1870

North between Sec^s. 34 and 35.
Var. 15°. 00' E

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^s. 26. 27. 34 and 35
Land level, Bottom
Soil 1^st rate.

Township 14 N. Range 39 W.

East on a random Line between
Sec^s. 26 and 35.
Var. 15°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor.

62.00 Leave Bottom & enter hills bearing S.E.

79.90 Intersect East line of Sec. 35.
20 links South of the Cor. to Sec^s.
25. 26. 35 and 36. from which Cor
I run S 89° 57' W on a true line
between Sec^s. 26 and 35
Var. 15°. 00' E

39.95 Set post, deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.

79.90 the Cor to Sec^s. 26. 27. 34 & 35
Land ~~W~~ part level Bottom
Soil 1^st rate
East part hills. -
Soil 3^d rate

Township 14 N. Range 39 W

North between Secs. 26 and 27,
Var. 15°.00' E.

10.00 Leave Bottom, + enter hills, bear E & N.
40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs 22, 23. 26 and 27,
Land high, rolling
Soil 3d rate.

East on a random line between Secs. 23 and 26.
Var. 15°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor.
80.17 Intersect East line of Sec 26 21 links South of the Cor. to Secs. 23. 24. 25 and 26. from which Cor. I run S. 89° 51' W on a true line between Secs 23 and 26
Var. 15°. 00' E
40.08½ Set post deposite charred stake and raise mound of earth with

Township 14 N. Range 39 W.

pits for ¼ Sec. Cor.
80.17 4th Cor. to Secs. 22. 23. 26 and 27.
Land high, rolling
Soil 2d rate

North between Secs 22 and 23
Var. 14°, 10' E
40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor to Secs. 14. 15. 22 & 23
Land rolling
Soil 2d rate.

East on a random Line between Secs. 14 and 23.
Var. 14°, 40' E
40.00 Set stake for temporary ¼ Sec. Cor
80.00 Intersect East line of Sec. 23. 15 links South of the Cor. to Secs. 13. 14. 23 and 24. from which Cor. I run S 89° 54' E on a true Line

Township 14 N. Range 39 W.

between Sec^s. 14 & 23.
Var. 14.°40' E

40.00 Set post deposited charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 ~~Set post deposite charred stake and raise mound of earth with pits for the Cor. to~~ the Cor of 4 Sec^s. 14. 15. 22 and 23.

Land high rolling
Soil 2^d rate.

North between Sec^s. 14 and 15
Var. 14.° 20' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^s. 10. 11. 14 and 15

Land rolling
Soil 2^d rate

Township 14 N. Range 39 W.

East on a random Line between Sec^s. 11 and 14.
Var. 14.°40' E.

40.00 Set stake for temporary ¼ Sec Cor.

79.80 Intersect East line of Sec. 11. 9 links North of the Cor. to Sec^s. 11. 12. 13 and 14. From which Cor. I run N. 89.° 56' W on a True line between Sec^s. 11 and 14.
Var. 14.°40' E

39.90 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.80 the Cor to Sec^s. 10 11 12. 14 and 15
Land rolling. Soil 2^d rate

North between Sec^s. 10 and 11.
Var. 14°. 30' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor to Sec^s. 2. 3. 10 and 11
Land hilly. Soil 3^d rate.

Township 14 N. Range 39 W.

East on a random Line
between Sec^{s}. 2 and 11

40.00 Set stake for temporary ¼ Sec. Cor
var. 14° 30' E

65.00 Drain running North

79.90 Intersect East line of Sec. 2
4 links North of the Cor. to Sec^{s}.
1. 2. 11. and 12. from which Cor.
I run N. 89° 59' W. on a true
Line between Sec^{s}. 2 and 11.

Var. 14° 30' E

39.95 Set post, deposite charred stake
and raise mound of earth with
pits for ¼ Sec. Cor

79.90 the Cor to Sec^{s} 2. 3. 10 and 11

Land hilly. Soil 3^{d} rate.

North on a random Line
between Sec^{s}. 2 and 3.

Var. 14° 40' E

40.00 Set Stake for temporary ¼ Sec. Cor

80.20 Intersect North line of the
Township 12 links East of
the Cor. between Sec^{s}. 2 and 3
from which Cor. I run

Township 14 N. Range 39 W.

S 0° 5' E on a true Line
between Sec^{s}. 2 and 3.

Var. 14° 40' E

40.20 Set post, deposite charred stake
and raise mound of earth with
pits for ¼ Sec. Cor.

80.20 the Cor. to Sec^{s}. 2. 3. 10 and 11.

Land hilly broken
Soil 3^{d} rate.

Sept. 6. 1870

North between Sec^{s} 33 and 34

Var. 14°. 00' E

40.00 Set post, deposite charred stake and
raise mound of earth with pits
for ¼ Sec. Cor.

80.00 Set post, deposite charred stake
and raise mound of earth with
pits for the Cor. to Sec^{s}.
27. 28. 33 and 34

Land level, Bottom
Soil 1st rate

Townships 14 N. Range 39 W.

East on a random Line between
Sec^{s}. 27 and 34
Var. 14°. 12' E

40.00 Set Stake for temporary ¼ Sec. Cor.
51.00 drain, with dry bed of Creek Descends South
80.10 Strike the Cor. to Sec^{s} 26. 27. 34 and 35, from which Cor. I run due West on a true Line between Sec^{s}. 27 and 34
Var. 14.° 12' E

40.05 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.10 the Cor. to Sec^{s}. 27. 28. 33 & 34
Land level Bottom
Soil 1st rate.

North between Sec^{s} 27 and 28
Var. 14°. 00' E E & W.

30.00 leave Bottom, enter Bluff bank
40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposite charred stake

Townships 14 N. Range 39 W.

and raise mound of earth with pits for the Cor. to Sec^{s} 21. 22. 27 and 28.
Land hilly in North part
1/4 Level in Bottom
Soil 2^{d} rate.

East on a random Line between
Sec^{s}. 22 and 27.
Var. 15°00' E

40.00 Set stake for temporary ¼ Sec cor.
80.16 Intersect East line of Sec. 22. 15 links North of the Cor. to Sec^{s} 22. 23. 26 & 27 from which Cor. I run N. 89°. 54' W on a true Line between Sec^{s} 22 & 27
Var. 15°. 00' E

40.08 Set post deposite charred stake and raise mound of earth with pits for the ¼ Sec. Cor.
80.16 the Cor to Sec^{s}. 21. 22. 27 and 28.
Land high, rolling
Soil 2^{d} rate.

Township 14 N. Range 39 W.

North between Sec^{s}. 21 and 22
Var. 14°. 00' E

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 15. 16. 21 and 22.
Land high, rolling
Soil 2^{d} rate.

East on a random Line between Sec^{s}. 15 and 22.
Var. 15.° 00' E

40.00 Set Stake for temporary ¼ Sec. Cor.

80.12 Intersect East line of Sec. 22. 9 links South of the Cor. to Sec^{s}. 14. 15. 22. and 23. from which Cor. I run S. 89° 56' W on a true Line between Sec^{s}. 15 and 22
Var. 15°. 00' E

40.06 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

Township 14 N. Range 39 W.

80.12 the Cor. to Sec^{s}. 15. 16. 21. and 22
Land high, rolling
Soil 2^{d} rate.

North between Sec^{s}. 15 and 16.
Var. 14°. 10' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 9. 10. 15 and 16.
Land rolling
Soil. 2^{d} rate.

East on a random Line between Sec^{s}. 10 and 15.
Var. 14.° 50' E

40.00 Set Stake for temporary ¼ Sec. Cor.

80.08 Intersect East line of Sec. 10. 12 links North of the Cor. to Sec^{s}. 10. 11. 14 & 15 from which Cor. I run N. 89°. 55' W on a true Line between Sec^{s}. 10 & 15.
Var. 14°. 50' E

Township 14 N. Range 39 W.

40.04 Set post, deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor.

80.08 The Cor. to Sec^s. 9, 10, 15 and 16.
Surface rolling & Soil 2^d rate

North between Sec^s. 9 and 10
Var. 14°. 00' E

40.00 Set post deposite charred stake and raise mound of earth with pits for 1/4 Sec Cor

60.00 wide drain^g dry Creek bed ~~in~~ N.W. descends

80.00 Set post deposite charred stake and raise mound of earth with pits for The Cor. to Sec^s. 3. 4. 9 and 10.

Land hilly
Soil 3^d rate.

East on a random Line between Sec^s. 3 and 10.
Var 14°. 16' E.

18.00 wide drain^g or dry Creek ~~in~~ N. descends

40.00 Set stake for temporary 1/4 Sec. Cor.

52.00 wide drain^g dry Creek ~~in~~ N. descends

80.20 Intersect East line of Sec. 3, 9 links North of the Cor to Sec^s. 2, 3, 10 and 11.

Township 14 N. Range 39 W.

from which Cor. 2 run N 89°. 56' W on a true Line between Sec^s. 3 and 10
Var. 14°. 16' E

40.10 Set post, deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor.

80.20 The Cor. to Sec^s. 3. 4. 9 and 10.
Land hilly
Soil 3^d rate.

North on a random Line between Sec^s. 3 and 4.
Var. 14°. 12' E.

28.00 Ravine or ~~scarcely~~ descends N.W. dry Creek ~~in~~

40.00 Set stake for temporary 1/4 Sec. Cor.

80.10 Intersect North line of the Township 15 links West of the Cor. between Sec^s. 3 and 4. from which Cor. 2 run S ~~0°.~~ 16° 8' W on a true Line between Sec^s. 3 and 4.
Var. 14°. 12' E

40.10 Set post deposite charred stake, and raise mound of earth with pits for 1/4 Sec. Cor.

80.10 the Cor to Sec^s. 3. 4. 9. and 10
Sept. 7. 1870 Land hilly, broken, Soil 3^d rate.

Township 14 N. Range 39 W

North between Sec^{s}. 32 and 33.
Var 14^{o}. 00' E

40. 00 Set post, deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor.

80. 00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 28. 29. 32 and 33.

Land level Bottoms
Soil 1st rate.

East on a random Line between Sec^{s}. 28 and 33.
Var. 14.^{o} 35' E

40. 00 Set Stake for temporary 1/4 Sec. Cor.

80. 10 Strike the Cor. to Sec^{s}. 27. 28. 33 & 34 from which cor I run West on a true line between Sec^{s}. 28 and 33.
Var. 14.^{o} 35' E

40. 05 Set post deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor

80. 10 the Cor. to Sec^{s}. 28. 29. 32 and 33

Land level Bottoms
Soil 1st rate

Township 14 N. Range 39 W.

North between Sec^{s}. 28 and 29
Var 14^{o}. 00' E

10. 00 leave Bottom & enter Bluffs bearing E & W.

40. 00 Set post, deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor.

80. 00 Set post, deposite charred stake and raise mound of earth with pits for the Cor to Sec^{s} 20. 21. 28 & 29

Land high rolling, bottom land except 10 chs E/L
Soil 2^{d} rate.

East on a random Line between Sec^{s}. 21 and 28
Var. 15^{o}. 00' E

40. 00 Set Stake for temporary 1/4 Sec. Cor.

80. 08 Intersect East line of Sec. 21. 14 links North of the Cor. to Sec^{s}. 21. 22. 27 & 28 from which Cor. I run N 89^{o}. 54' W on a true line between Sec^{s}. 21 & 28. Var. 15^{o}. 00 E.

40. 04 Set post, deposite charred stake and raise mound of earth with pits for 1/4 Sec. Cor.

80. 08 the Cor to Sec^{s}. 20. 21. 28 & 29.

Land high, rolling
Soil 2^{d} rate.

Township 14 N. Range 39 W

North between Sec^{s}. 20 and 21.
Var. 14°. 00' E

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposite charred stake, and rais mound of earth with pits for the Cor. to Sec^{s}. 16. 17 20 & 21.

Land rolling
Soil 2^{d} rate.

East on a random Line between Sec^{s}. 16 and 21.
Var. 14°. 50' E

40.00 Set Stake for temporary ¼ Sec. Cor.

79.90 Strike the Cor to Sec^{s}. 15. 16. 21. and 22 from which Cor. I run West on a true line between Sec^{s}. 16 and 21.
Var. 14°. 50' E

39.95 Set post deposite charred Stake and raise mound of earth with pits for ¼ Sec. Cor.

79.90 the Cor. to Sec^{s}. 15. 16. 21. and 22

Land rolling
Soil 2^{d} rate

Township 14 N. Range 39 W.

North between Sec^{s}. 16 and 17.
Var. 14°. 06' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 8. 9. 16 and 17

Land rolling
Soil 2^{d} rate.

East on a random Line between Sec^{s}. 9 and 16.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.86 Strike the Cor to Sec^{s}. 9. 10. 15 and 16. from which Cor. I run West on a true Line between Sec^{s}. 9 and 16.
Var 14°. 40' E

39.93 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.86 the Cor. to Sec^{s}. 8. 9. 16 and 17.

Land high, rolling
Soil 3^{d} rate

Townships 14 N. Range 39 W

	North between Sec^{s} 8 and 9 Var. 14°. 06'. E
40.00	Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
77.00	Ravine, & dry Creek ~~in~~ discends N. E.
80.00	Set post, deposite charred stake and raise mound of earth with pits. for the Cor. to Sec^{s} 4. 5. 8 and 9 Land hilly Soil 3^{d} rate.
	East on a random Line between Sec^{s}. 4 and 9. Var 14°. 30' E
4.00	Ravine and dry Creek ~~bearing~~ descending North
16.00	Ravine and dry Creek ~~bearing~~ descending N. W.
40.00	Set stake for temporary ¼ Sec. Cor.
70.00	Ravine and dry Creek ~~bearing~~ descending North
80.20	Intersect East line of Sec. 9. 19 links South of the Cor. to Sec^{s} 3. 4. 9 and 10 from which Cor I run S 89° 57' W on a true Line between Sec^{s}. 4 and 9
40.10	Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor Var. 14°30' E.

Townships 14 N Range 39 W.

80.20	the Cor to Sec^{s}. 4. 5. 8 and 9 Land hilly broken Soil 3^{d} rate.
	North on a random Line between Sec^{s}. 4 and 5 Var. 14°. 06' E
40.00	Set stake for temporary ¼ Sec. Cor
50.00	Ravine & dry Creek ~~bearing~~ drecnds N. W
70.00	Same ravine ~~bearing~~ drecnds N E
80.20	Strike the Corner between Sec^{s}. 4 and 5 on the North boundary line of the Township, from which Cor. I run ~~due~~ South on a true line between Sec^{s}. 4 and 5 Var. 14°. 06' E
40.20	Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.20	the Cor. to Sec^{s}. 4. 5. 8 and 9. Land hilly broken Soil 3^{d} rate. September 8th. 1870

Townships 14 N. Range 39 W.

North between Secs. 31 and 32.
Var. 13°. 57' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

70.00 leave Bottom & enter Bluffs bears N. E.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor to Secs. 29. 30. 31 and 32
Bottom Lands level
Soil 1st rate
in hills, Soil 3d rate

East on a random line between Secs. 29 and 32.
Var. 14°. 20' E

20.00 leave Bluffs & enter Bottom bears N. E.

40.00 Set stake for temporary ¼ Sec. Cor

79.90 Intersect East line of Sec. 29, 9 links North of the Cor. to Secs. 28. 29. 32. & 33 from which Cor. 2 rees N 89°. 56' W on a true Line between Secs 29 and 32
Var 14°. 20' E

Townships 14 N. Range 39 W.

39.95 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.90 the Cor. to Secs 29. 30. 31 and 32.
Land East part level Bottom
Soil 1st rate
Hills, broken, Soil 3d rate

West on a random line between Secs. 30 and 31.
Var. 14°. 20' E

40.00 Set post for temporary ¼ Sec. Cor.

~~70.00~~ ~~Leave hills enter Bottom~~

79.70 Intersect West line of the Township 9 links South of the Cor. between Secs 30 and 31 from which Cor. 2 rees S 89°. 56' E on a true line between Secs 30 and 31
Var. 14°. 20' E

39.70 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.70 the Cor. to Secs. 29. 30. 31 and 32
Land hilly, Broken
Soil 3d rate.

16

Township 14 N. Range 39 W

North between Sec^{s}. 29 and 30
Var. 14° 00' E.

40.00 Set post deposited charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake, and raise mound of earth with pits for the Cor. to Sec^{s}. 19. 20. 29 and 30
Land high, rolling
Soil 2^{d} rate,

East on a random line between Sec^{s}. 20 and 29
Var. 14°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor

80.16 Intersect East line of Sec. 20. 14 links North of the Cor to Sec^{s} 20. 21. 28 and 29 from which Cor I run N 89°. 54' W on a true line between Sec^{s}. 20 and 29.
Var. 14°. 00' E

40.08 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor

Township 14 N. Range 39 W.

80.16 the Cor. to Sec^{s} 19. 20. 29 and 30
Land high, rolling
Soil 2^{d} rate

West on a random line between Sec^{s}. 19 and 30
Var. 14°. 30' E

40.00 Set post for temporary ¼ Sec. Cor.

79.56 Intersect West line of the Township 15 links North of the Cor between Sec^{s}. 19 and 30 from which Cor I run N 89° 57' E on a true line between Sec^{s}. 19 and 30
Var. 14°. 30' E

39.56 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.56 the Cor. to Sec^{s}. 19. 20. 29 and 30
Land high, rolling
Soil 2^{d} rate

Township 14 N. Range 39 W

North between Sec^{s} 19 and 20
var. 14°. 00' E

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. cor.

80.00 Set post deposite charred stake and raise mound of earth for the Cor to Sec^{s}. 17. 18. 19. and 20.
Land high rolling
Soil 2^{d} rate

East on a random line between Sec^{s}. 17 and 20
Var 14°, 40' E

40.00 Set stake for temporary ¼ Sec Cor.

80.10 Intersect East line of Sec. 17. 19 links North of the Cor to Sec^{s}. 16. 17. 20. 21 from which Cor I run N. 89°. 57½ W on a true line between Sec^{s}. 17 and 20
Var. 14°, 40' E

40.05 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

Township 14 N. Range 39 W.

80.10 the Cor to Sec^{s}. 17. 18. 19. and 20
Land high, rolling
Soil 2^{d} rate
Sept. 9. 1870

West on a random line between Sec^{s}. 18 and 19
Var 14°, 20' E

40.00 Set stake for temporary ¼ Sec. Cor.

79.30 Intersect West line of the Township 20 links North of the Cor. between Sec^{s}. 18 and 19, from which Cor I run N. 89. 57' E on a true line between Sec^{s} 18 and 19.
Var 14.° 20' E

39.30 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.30 the Cor to Sec^{s}. 17. 18. 19. and 20
Land high, rolling
Soil 2^{d} rate

16

Townships 14 N. Range 39 W

North between Secs. 17 and 18
Var 14°. 06' E

40,00 Set post, deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposit charred stake and raise mound of earth with pits for the Cor. to Secs. 7. 8. 17 & 18.

Land high rolling
Soil 2d rate

East on a random line between Secs. 8 and 17.
Var 14°. 30' E

40 00 Set stake for temporary ¼ Sec Cor.

79.86 Intersect East line of Sec. 17. 20 links South of the Cor to Secs. 8. 9. 16 and 17. from which Cor I run S 89. 58' W on a true line between Secs. 8 and 17.
Var. 14°. 30' E

39.93 Set post deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.86 The Cor to Secs. 7. 8. 17 & 18 Surface high and rolling, Soil second rate

Townships 14 N. Range 39 W.

West on a random line between Secs. 7 and 18
Var. 14°. 40' E

40,00 Set stake for temporary ¼ Sec. Cor.

79.20 Intersect West line of the Township 25 links South of the Cor, between Secs 7 and 18, from which Cor. I run S. 89. 49' E on a true line between Secs. 7 and 18
Var. 14°. 40' E

39.20 Set post deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.20 The Cor to Secs 7. 8. 17. & 18
Land high, rolling
Soil 2d rate,

Township 14 N. Range 39 W

North between Secs. 7 and 8
Var. 14°. 06' E

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 5. 6. 7. and 8
Land hilly
Soil 3d rate

East on a random Line between Secs. 5 and 8
Var. 14°. 20' E

~~40.00~~ ~~Varies~~ ~~bearing North~~

40.00 Set Stake for temporary ¼ Sec. Cor.

80.18 Strike the Cor to Secs. 4. 5. 8 and 9. from which Cor. I run West on a true Line between Secs. 5 and 8
Var. 14°. 20' E

40.09 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

Township 14 N. Range 39 W.

80.18 the Cor to Secs. 5. 6. 7. and 8.
Land hilly, broken
Soil 3d rate

West on a random Line between Secs 6 and 7.
Var. 14°. 20' E

40.00 Set Stake for temporary ¼ Sec Cor

79.00 Strike the Cor. between Secs. 6 and 7 on West boundary line of the Township, from which Cor I run East on a true Line between Secs 6 and 7.
Var. 14°. 20' E

39.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.00 the Cor to Secs. 5. 6. 7 and 8.
Land hilly
Soil 3d rate

Township 14 N. Range 39 W

North on a random Line between
Sec^{s}. 5 and 6.
Var. 14°. 06' E

40. 40.00 Set Stake for temporary ¼ Sec Cor
79.90 Strike the Cor between Sec^{s}. 5
80 and 6. on the North bound a
line of the Township from
which Cor. 2 run South on
a true line between Sec^{s}. 5
and 6

Var. 14°. 06' E

39.90 Set post, deposit charred stak
and raise mound of earth
with pits for ¼ Sec. Cor.
79.90 the Cor. to Sec^{s}. 5. 6. 7 and 8.
Land hilly broken
Soil 3^{d} rate

September 10th. 1870

Township 14 N. Range 39 W.

General Description

This Township is without any running water, but covered with sweet bunch grass, its location between the two forks of the Platte River and the bottoms render it valuable for stock farms.

The Land is fit for Cultivation.

Townships 14 N. Range 39. W

We hereby certify that we assisted Charles Wimpy Deputy Surveyor in Surveying and subdivid Townships Number 14 North of the Base Line of Ra Number 39 West of the 6th Principal Meridian and that said Townships has been in all respe to the best of our knowledge and believe, co and faithfully Surveyed and the boundary monuments planted according to the ins structions furnished by the Surveyor Genera

William Schutz
H. W. Seeman
F. Daeb
H Lounger

Subscribed in My presence and sworn to before me this 22d day of September A.D. 1870

R. C. Dougherty
Clerk of the District Court within and for Lancaster County Nebraska

Townships 14 N. Range 39. W

I Charles Wimpy, Deputy Surveyor, do Solemnly Swear, that in pursuance of a Contract with Robt. R. Livingston Surveyor of the Public Lands of the United States in the State of Nebraska bearing date the 6th day August 1870 and in Strict conformity to the Laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Subdivision lines of Townships No. 14 North Range No. 39 West of the Sixth Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field Notes of such Survey.

Charles Wimpy.

Subscribed in my presence and sworn to before me this 22 day of September A.D. 1870 R. C. Dougherty Clerk of the District Court within and for Lancaster County Nebraska

Surveyor Generals Office
Plattsmouth Neb. Feb. 4. 1871

The foregoing field notes of the resurvey of the sub-division lines of Township No. 14 North of the Base Line, of Range No. 39. West of the 6th. Principal Meridian in the State of Nebraska, executed by Charles Wimpf. under his contract of the 6th. day of August 1870. in the month of September 1870. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

R. R. Livingston
Surveyor General.

These Plats not made in the transcribing room.

Field Notes.

of the

Subdivision Lines and Meanders of the North Platte River in Townships No. 15 North, Range 39 West of the 6th Principal Meridian in the State of Nebraska

Subdivision Commenced ~~August~~ Sept. 17. 1870

Completed Sept. 23. 1870

~~August~~

16

Names of Assistants

Fred. Ketterer } Chainmen
Wm. Schulz }
Wm. Tiemann } Rodmen
Fred. Daub. }
Herrmann Liesinger Flagman.

INDEX DIAGRAM. T 15 N. R 39 W 6. P.M.



MEANDERS, P. 59. 60. 61. 62. 63 AND 64

To determine the proper adjustment of my Compass for Subdividing this Town, Ships I commence at the Cor to Towns Ships 14. and 15 North Ranges 38 and 39 West and run North on a blank Line along the East boundary of Section 36. 25

Variation 17° 50' E

40.00 To a point 35 Links West of the 1/4 Sec. Cor
89.98 To a point 30 Links West of the Meander Cor 25 & 30 on left Bank of Platte River
fract. Sec.

To retrace this line or run parallel thereto my compas must be adjusted to a
Var. 14° 38' E.

From the Cor. to Sec. 1. 2. 35 and 36 on South Boundary line of the Township I run

Township 15. N. Range 39. W.

North between Secs. 35 and 36.
Var. 14.° 40' E.

23.00 Old Wagon road. bears S.E & West
40.00 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
42.70 Land Level Bottom. Soil 1st rate. the right Bank of N. Platte River. Set post, deposited charred stake and raised mound of earth with pits for Meander Cor to Sec. 35 & 36. — From this Meander Cor. I measure run across the North Platte River. with chain — to the Cor. to Secs. 25. 26. 35 and 36. falls in the river
~~42.00~~ 80.00 to its left Bank at Place for Cor. to Secs. 25, 26, 35 & 36 in pond & cannot be Set post, deposited charred stake and raised mound of earth with pits as per Instructions for Meander Cor. to Tract. Secs. 25 and 26.

From this Meander Cor. I run

Line of Secs. 25 & 36 all in river

Township 15 N. Range 39 W.

From place for Cor. to Secs. 25, 26, 35 & 36 in pond I ~~run~~ measure with chain

5.70 North between Secs. 25 and 26.
Var. 14.° 40' E.
~~34.30~~ Set post on left bank & 2 in pond for corner
39.50 Slough — bears E & W. and at
40.00 Set post on North bank of the Slough deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
45.00 Salt basin of 3 acres 2 chs. W. impudent with alkali
~~57.00~~ 54.70 Old Wagon road. bears E & W.
~~64.00~~ 70.00 Leave Bottom & enter hills bear E & W.
~~74.30~~ 80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 23. 24. 25 and 26.

Land. South part Bottom & Marsh. North part Sandy hills.

Soil 2d rate.

Township 15 N. Range 39. W.

East on a random Line between Sec^{s}. 24 and 25.
Var. 14.° 40' E.

18. 00 Ravine with Spring branch in it runs S.
40. 00 Set stake for temporary 1/4 Sec. Cor.
79. 80. Intersect East Line of the Township 22 Links North of the Cor. between Sec^{s}. 24 and 25, from which Cor. a tree N. 89.° 51' W on a True Line between Sec^{s}. 24 and 25.
Var. 14.° 40' E.
39. 90 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. cor.
79. 80 The cor. to Sec^{s}. 23. 24. 25 and 26.
Land Hilly
Soil 3^{d} rate. Sand.

Township 15 N. Range 39. W.

North between Sec^{s}. 23. and 24
Var. 14.° 40' E.

40. 00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
80. 00 Set post, deposited charred stake, and raised mound of earth with pits for the Cor. to Sec^{s}. 13. 14. 23 and 24.
Land High rolling
Soil 2^{d} rate.

Township 15. N. Range 39 W.

East on a random Line between Sec^{s}. 13. and 24

~~40.00~~ ~~Set~~ Var. 17.°. 40' E

40.00 Set stake for temporary 1/4 Sec. Cor.

79.88 Intersect East boundary line of the Township, 18 links North of the Cor. between Sec^{s}. 13 and 24. from which Cor I run N. 89°. 56' W on a true Line between Sec^{s}. 13 and 24 Var. 17°. 40' E.

39.94 Set post deposited Charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

79.88 The Cor. to Sec^{s}. 13. 14. 23. and 24, Land high rolling Soil 2^{d} rate.

Township 15 N. Range 39. W.

North between Sec^{s}. 13 and 14. Var. 17°. 40' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor to Sec^{s}. 11. 12 13 and 14.

Land high rolling Soil 2^{d} rate.

N.

Township 15 N. Range 39 W.

East on a random Line between Sec^ns. 12 and 13.

Var. 14°. 40' E.

40.00 Set Stake for temporary ¼ Sec. cor.

79.95 Intersect East line of the Township 7 links South of the Cor between Sec^s. 12 and 13. from which cor. I rem S 89°. 57¼ W. on a true Line between Sec^s. 12 and 13.

Var. 14°. 40' E.

39.97½ Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. cor.

79.95 the Cor to Sec^s. 11. 12. 13 and 14

Land hilly,
Soil 2^d rate

Township 15 N. Range 39 W.

North between Sec^s. 11 and 12.

Var. 14°. 40' E.

40.00 Set post, deposited charred stake, and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the cor. to Sec^s. 1. 2. 11 and 12.

Land hilly
Soil 2^d rate

Township 15 N. Range 39 W.

East on a random Line between
Secs. 1 and 12.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.08 Strike the Cor. to Secs. 1 and 12 on
East line of the Township.
from which Cor. I run ~~due~~
West on a True Line between
Secs. 1 and 12.
Var. 14°. 40' E.
40.04 Set post deposited charred stake
and raised mound of earth with
pits for ¼ Sec. Cor
80.08 The Cor to Secs. 1. 2. 11. and 12.
Land hilly
Soil 2d rate.

Township 15 N. Range 39 W.

North on a random Line between
Secs. 1 and 2.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.20 Intersect North line of the Township
11 links East of the Cor, between
Secs. 1 and 2. from which Cor. I run
S. ~~4~~ 5' E on a True Line between
Secs. 1 and 2.
Var. 14°. 40' E.
40.20 Set post deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.
80.20 The Cor. to Secs. 1. 2. 11. and 12.
Land hilly
Soil 2d rate.

Sept. 17. 1870

Township 15 N. Range 39 W.

North between Sec^{s}. 34 and 35.
Var. 14°. 40' E.

24.00
34.82 old wagon road bears E. The right Bank of the North Platte River. Set post, deposited charred stake, and raised mound of earth with pits for Mes. under Cor. to frac^{l}. Sec^{s}. 34 and 35.

Land level Bottom
Soil 1st rate. Thence with chain

77.36 The left Bank of the N. Platte River.
80 Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to frac^{l}. Sec^{s}. 34 and 35.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor to Sec^{s}. 26. 27. 34 and 35.

Township 15 N. Range 39 W.

East on a true Line between Sec^{s}. 26 and 35. Knowing it to strike the River. within 80 ch^{s}. Var. 14°. 40' E.

5
25.00 North or left Bank of the N. Platte River. Set post, deposited charred stake, and raised mound of earth with pits for Meander Cor. to frac^{l}. Sec^{s}. 26 and 35.

Land Bottom, Soil 1st rate.

Meas. this after line of Sec^{s}. 33 & 34

West on a true Line between Sec^{s}. 27 and 34 Knowing it in less than 80 ch^{s}. to strike the river.

Var. 14°. 40 E.

20.00 The North Bank of N. Platte river. Set post deposited charred stakes and raised mound of earth with pits for Meander Cor to frac^{l}. Sec^{s}. 27 and 34. meand. Cor on Sel. bn. W. 12 ch^{s}.

Land Bottom
Soil 1st rate.

Township 15 N. Range 39 W.

North between Secs. 26 and 25.
Var. 14° 40' E.

22.00 Slough. in marsh bears E & W.
~~40.00~~ Slough in marsh. bears E & W.
40.00 Set post on ~~the~~ Bank of ~~the~~ Slough, deporited charred stake and raised mound of earth with pits for ¼ Sec. Cor. bears S.E.
80.00 Set post ~~in old wagon road~~ deported charred stake and raised mound of earth with pits for the Cor to Secs. 22, 23, 26 and 25.

Land level Bottom
Soil 1st rate.

Township 15 N. Range 39 W.

East on a random Line between Secs. 23 and 26.
Var. 14° 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.
45.00 leave Bottom & enter hills bears E & W.
80.16 Intersect East line of Sec. 23. 15 links North of the Cor. to Secs. 23. 24. 25 and 26. from which Cor. 3 mm N 89° 54' W on a true Line between Secs. 23 and 26.
Var. 14° 40' E.
40.08 Set post deported charred stake and raised mound of earth with pits for ¼ Sec Cor.
80.16 The Cor. to Secs 22. 23. 26 & 25.

Land East part hilly
West part bottom
Soil East part 2d rate
West part 1st rate

Township 15 N. Range 39 W.

North between Secs. 22 and 23.
Var. 14°. 40' E.

20. 00 Bear Bottom & center hills bear S.E.

40. 00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80. 00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 14. 15. 22 and 23.

Land hilly
Soil 2nd rate.

Township 15 N. Range 39 W.

East on a random Line between Secs. 14 and 23.
Var 14°. 40' E.

40. 00 Set stake for temporary ¼ Sec. Cor.

80. 14 Intersect East line of Sec. 14, 8 links North of the Cor. to Secs. 13. 14. 23. & 24 from which Cor. 2 runs N 89°. 57' W. on a True Line between Secs. 14 and 23.

Var. 14°. 40' E.

40, 07 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80. 14 the Cor. to Secs. 14. 15. 22 and 23.

Land high, rolling
Soil 2nd rate.

Township 15 N. Range 39 W.

North between Sec^ts. 14 and 15
Var. 14°. 40' E.

40. 00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80. 00 Set post deposited charred stake and raised mound of earth with pits for the Cor. to Sec^ts. 10. 11. 14. and 15.

Land high rolling
Soil 2^d^ rate.

Township 15 N. Range 39 W.

East on a random Line between
Sec^ts. 11 and 14.
Var. 14°. 40' E.

40. 00 Set stake for temporary ¼ Sec. Cor.

80. 10 Intersect East line of Sec^n. 14. 5 links South of the Cor. to Sec^ts. 11. 12. 13 and 14. from which Cor. a run S 89°. 58' W on a true Line between Sec^ts. 11 and 14.
Var. 14°. 40' E.

40. 05 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80. 10 the Cor. to Sec^ts. 10. 11. 14 and 15
Land high, rolling
Soil 2^d^ rate.

Township 15 N. Range 39. W.

North between Secs. 10 and 11.
Var. 14°. 40' E.

40.00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor to Secs. 2. 3. 10 and 11.

Land hilly
Soil 2d rate.

Township 15 N. Range 39 W.

East on a random line between
Secs. 2 and 11.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.80 Intersect East line of Sec. 2. 9 Links North of the Cor. to Secs. 1. 2. 11 and 12, from which Cor I run N. 89°. 56' W. on a true line between Secs. 2 and 11.
Var. 14° 40' E.

39.90 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80
79.80 The Cor. to Secs. 2. 3. 10 and 11.

Land hilly
Soil 2d rate.

Township 15 N. Range 39. W.

North on a random Line between Sec^{s}. 2 and 3.

Var 14.° 45' E.

40.00 Set stake for temporary ¼ Sec. cor.

80.18 Intersect North line of the Township 15 links East of the Cor. between Sec^{s}. 2 & 3. From which cor. 3 pine 8 x 6' E on a true Line between Sec^{s}. 2 and 3.

Var. 14.° 45' E

40.18 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. cor.

80.18 The cor. to Sec^{s}. 2. 3. 10. and 11.

Land hilly.

Soil 2^{d} rate.

Sept. 18. 1870

Township 15 N. Range 39. W.

North between Sec^{s}. 33 and 34.

Var. 14.° 40' E.

30.00 Leave hills & enter Bottom, bears E & W.

33.00 Wagon road bears E & W.

36.00 South ~~& riz~~ Bank of the North Fork river. Set post, deposited charred stake and raised mound of earth with pits for Meander Cor. to Sec^{t}. Sec^{s}. 33 and 34.

73.00 by the chain the South Bank of an Island in the River. – Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to Sec^{s}. 33 & 34 ~~of the Island~~, ~~on the Island~~ Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec^{s}. 27. 28. 33. & 34.

80.00

Land on South side the river hilly, broken

Soil 3^{d} rate.

Township 15 N. Range 39 E.

East on a True Line between Sects. 27 and 34 over the Island Knowing it to strike the river in less than 80 chs.
Var. 14° 40' E.

40.00 Set post, apost. Cor. stake & mound of earth with pits for ¼ Sec. Cor.
48.00 N. Bank of the Island; Set post, deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Sec. 34 & 27.
Land level.
Soil 1st rate. (After this write the E. end of same line on page 12)

West on a True Line between Sects. 28 & 33 over the Island Knowing it to strike the river in less than 80 chs.
Var. 14° 40' E.

8.00 the 2nd West Bank of the Island.
Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Sec. 33 & 28. Remains of line in River
Land level
Soil 1st rate.
(† Write this line after line of Sects. 32 & 33)

Township 15 N. Range 39 E.

North between Sects. 27 and 28.
Var 14°. 40' E.

4.00 North Bank of the Island
Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Secs. 27 and 28.
5.80 North, or last as found after the chain Bank of the North Platte river
Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Sects. 27 and 28,
40.00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
48.00 Slough in Marsh, bears E.
80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor. to Sects. 21. 22. 27 and 28.
Land level Bottom
Soil 1st rate.

Township 15 N. Range 39 W.

East on a random Line between Sec^{s}. 22 and 27.
Var. 14°. 40' E.

40. 00 Set stake for temporary 1/4 Sec. Cor.
67. 00 Spring branch. runs South
80. 16 Intersect East line of Sec^{s}. 27. on old wagon road, and 16 links South of the Cor. to Sec^{s}. 22. 23. 26 and 27. from which Cor. I run S 89°. 53' W on a true line between Sec^{s}. 22 and 27.
Var. 14°. 40' E
40. 08 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
80. 16 The Cor. to Sec^{s}. 21. 22. 27, and 28.
Land level Bottom
Soil 1st rate

Township 15 N. Range 39 W.

North between Sec^{s}. 21 and 22.
Var. 14°. 40' E.

40. 00 Old Wagon road. bears S. E.
Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
60. 00 leave Bottom & enter hills bear S.E.
80. 00 Set post on hill. deposited charred stake and raised mound of earth with pits for the Cor. to Sec^{s}. 15. 16. 21. and 22.
Land Bottom, level.
Soil 1st rate
hills. 3rd rate.

Township 15 N. Range 39 W.

East on a random Line between
Sect. 15 and 22.
Var. 14° 40' E.,

40.00 Set stake for temporary ¼ Sec. Cor.,
79.86 Intersect East line of Sec. 15.
12 links North of the Cor. to
Sect. 14. 15. 22 and 23. From which
Cor. I run N. 89° 55' W on a
true Line between Sect. 15 and 22,
Var. 14° 40' E.,
39.93 Set post deporited charred stake
and raised mound of earth with pits
for ¼ Sec. Cor.,
79.86 the Cor to Sect. 15. 16. 21 & 22.
Land hilly
Soil 2d rate.

Township 15 N. Range 39 W.

North between Sect. 15 and 16.
Var. 14° 40' E.,

40.00 Set post, deporited charred stake
and raised mound of earth with pits
for ¼ Sec. Cor.
80.00 Set post deporited charred stake
and raised mound of earth with pits
for the Cor. to Sect. 9. 10. 15 and 16.
Land hilly, rolling
Soil 2d rate

Township 15 N. Range 39 W.

East, on a random Line between
Secs. 10 and 15.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.08 Intersects East line of Sec. 15. 9 links South of the Cor. to Secs. 10. 11. 14 and 15 from which Cor. B. runs S. 89.°57' W. on a true Line between Secs. 10 and 15
Var. 14.° 40' E.

40.07 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.08 The Cor. To Sect. 9. 10. 15 and 16.
Land high, rolling
Soil 2d. rate.

Township 15 N. Range 39 W.

North between Secs. 9 and 10.
Var. 14°. 40' E.

40.00 Set post, ~~for temporary ¼ Sec~~ deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor to Secs. 3 4. 8. 9 and 10
Land high, rolling
Soil 2d. rate.

Township 15 N. Range 39 W.

East on a random Line between Sec^{s}. 3 and 10.

Var. 14° 40' E.

40.00 Set Stake for temporary ¼ Sec. Cor.

80.10 Intersect East line of Sec. 10 5 links South of the Cor. to Sec^{s}. 2. 3. 10 and 11. from which Cor. I run S 89.° 58' W. on a True Line between Sec^{s}. 3 and 10

Var. 14°. 40' E

40.05 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.10 the Cor. to Sec^{s}. 3. 4. 9 and 10.

Land hilly
Soil 3^{d}. rate.

Township 15 N. Range 39 W.

North on a random Line between Sec^{s}. 3 and 4.

Var. 14°. 40' E.

40.00 Set Stake for temporary ¼ Sec. Cor.

80.00 Intersect North Boundary line of the Township 7 links East of the Cor. between Sec^{s}. 3 and 4 from which Cor. I run S 3'6 on a True Line between Sec^{s}. 3 and 4.

Var. 14.° 40' E.

40,00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80,00 the Cor. to Sec^{s}. 3. 4. 9. and 10.

Land hilly
Soil 3^{d}. Rate.

Sept. 19. 1870

Township 15 N. Range 39 W.

North between Secs. 32 and 33.
Var. 14.° 40' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

48.00 leave hills & enter Bottom bears S. E.

62.00 Old Wagon road. bears S. E & W. W.

74.80 the South (or right) Bank of North Platte River Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Secs. 32 and 33.

80.00 — the Cor. to Secs 28, 29, 32 and 33 (as found by chaining) can not be established as it falls in the river.

~~from the Meander Cor. to fracl Secs 32 and 33 I run across the N. Platte river~~

(Write line of Secs 28 & 33 next run p. 23)

Township 15 N. Range 39 W.

From place for Cor. to Secs 28, 29, 32 & 33, in range 3 measure with the chain

North between Secs. 28 and 29.
Var. 14.° 40' E.

0 00 E. 00 to the North (or left) Bank of the River and Set post, deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl. Secs. 28 and 29.

80 00 E. 00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 20, 21, 28 and 29.

Land Bottom
Soil. 1st rate.

Townships 15 N. Range 39 W.

East on a random Line between Secs. 21 and 28.
Var. 14°. 36' E

40.00 Set stake for temporary 1/4 Sec. Cor.
80.25 Intersect East line of Sec. 28. 9 links South of the Cor. to Secs. 21. 22. 27 and 28: from which Cor. I run S. 89°. 56' W on a True Line between Secs. 21 and 28.
Var. 14°. 36' E.
40.12½ Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.25 The Cor. to Secs. 20. 21. 28 and 29

West on a True Line between Secs. 20 & 29. Running to strike the river.
Var 14°. 36' E.
10.00 Left Bank of Platte River. Set post, deposited charred stake and raised mound of earth with pits for Meander Cor to Secs. 20 & 29, Land level Bottom Soil 1st rate.

plat for ¼ Sec Cor. is in River & cannot be set.

meand. Cor on right bank bears West 50.50 chs. from the

(÷ Write this after line of Secs 29 & 30)

Townships 15 N. Range 39 W.

North between Secs. 20 and 21.
Var. 14°. 35' E.

40.00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor to Secs. 16, 17, 20 and 21.
Land level Bottom Soil 1st rate.

Township 15 N. Range 39 W.

East on a random line between Sec^s. 16 and 21.

Var. 14°. 36' E.

8.00 Old Wagon road. bears S. E.

40.00 Set stake for temporary ¼ Sec. Cor.

60.00 Leave Bottom & enter Hills bearing S. E.

80.00 Intersect East line of Sec. 16.

14 links North of the Cor. to Sec^s. ~~9 & 10~~. 15 ~~and~~ 16. from which Cor. a pine N. 89°. 54' W on a true line between Sec^s. 16 and 21.

Var. 14°. 36' E

40,00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

~~60.00~~ ~~Leave Bottom enter hills~~

80,00 The Cor. to Sec^s. 16. 17. 20 & 21.

Land Bottom

Soil 1st rate.

Township 15 N. Range 39 W.

North between Sec^s. 16 and 17.

Var. 14°. 35'. E.

7.00 Old Wagon road bears S. E. bearing E. & W.

10.00 Leave Bottom & enter hills.

40,00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80,00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec^s. 8. 9 16 and 17.

Land hilly

Soil 2d rate

Township 15 N. Range 39 W.

Bears on a random Line between Secs. 9 and 16.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.92 Intersect East line of Sec. 9.
49 9 links North of the Cor. to Secs. 9. 10. 15 and 16, from which Cor. a run N. 89° 56' W on a true Line between Secs. 9 and 16.
Var. 14°. 40' E

39.96 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor

79.92 the Cor. to Secs 8. 9. 16 and 17
Land hilly broken
Soil 2d rate

Township 15 N. Range 39 W.

North between Secs. 8 and 9.
Var. 14°. 35' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 4. 5. 8 and 9.
Land hilly
Soil 2d rate.

Township 15 N. Range 39 W

East on a random line between Sec^{s}. 4 and 9.
Var. 14° 45' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.14 Intersect East line of Sec. 9, 7 links South of the Cor. to Sec^{s} 3. 4. 9 and 10, from which Cor. I run S 89° 57' W on a true line between Sec^{s} 4 and 9
Var. 14° 45' E.
40.07 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.14 The Cor. to Sec^{s}. 4. 5. 8 and 9.
Land hilly
Soil 2^{d} rate

Township 15. N. Range 39 W.

North on a random line between Sec^{s}. 4 and 5.
Var. 14° 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.16 Intersect North line of the Township 9 links West of the Cor. between Sec^{s}. 4 and 5. from which Cor. I run S. 2. ¼ W. on a true line between Sec^{s}. 4 and 5.
40.16 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.16 the Cor. to Sec^{s}. 4, 5. 8 and 9.
Land hilly
Soil 2^{d} rate.

Sept. 20. 1870

Township 15 N. Range 39 W.

North between Secs. 31. and 32.
Var 14°. 30' E.

40.00 Set post deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 29. 30. 31. and 32.

Land hilly broken
Soil 3d rate.

Township 15 N. Range 39 W.

East on a true Line between
Secs. 29 and 32. Running N to strike the river 5 (in) less than 80. chs.
Var. 14°. 40' E.

7.00 leave Hills & enter Bottom bears S.E.
40.00 Set post deposited 4 chs. S. 45 W. and raised mound of earth with pits for 1/4 Sec. Cor.
59.00 Old Wagon road bears S.E.
71.00 South or right Bank of North Platte river & Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fract. Secs. 29 & 32. Remainder of line is in River

Land Bottom, level
Soil 1st rate.

Township 15 N. Range 39. W.

West on a random Line between
Secs. 30 and 31.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.00 Intersect West boundary line of the Township 20 links South of the Cor, between Secs. 30 and 31. — from which Cor. A pine S 89°. 51' E on a True Line between Secs. 30 and 31.
Var. 14°, 40' E.

39.~~00~~ 90 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor

79.00 the Cor. To Secs. 29. 30. 31 & 32.
Land hilly, broken.
Soil 3rd rate.

Township 15 N. Range 39 W.

North between Secs. 29 and 30.
Var. 14°. 30' E.

9.00 leave hills & enter Bottom bears S.E.

29.00 Old Wagon road bears S.E & N.W.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 19. 20. 29 and 30.
Land level Bottom ~~xxptgchs~~.
Soil 1st rate.

Township 15 N. Range 39 W.

East on a true Line between Secs 20 and 29, Running it to Strike the river
Var. 14°. 40' E

19.50 the South or right Bank of North Platte river
Set post, deposited charred stake and raised mound of earth with pits for Meander Cor to fract'l. Secs. 20 and 29.
Land Bottom
Soil 1st rate

Write E. end of the above line from p. 35

Township 15 N. Range 39 W.

West on a Random line between Secs. 19 and 30
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. cor.
50.00 Off wagon road bears S. 89° W.
78.80 Intersect West boundary line of the Township 7 links South of the cor between Secs. 19 and 30. From which cor. I run S 89°. 57' E on a true line between Secs. 19 and 30.
Var 14°. 40' E

38.80 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

78.80 the cor. to Secs 19. 20. 29 and 30
Land level Bottom
Soil 1st rate.

Township 15 N. Range 39 W

North between Sec^{s}. 19 and 20.
Var. 14°. 30' E

12.30 South Bank of the North Platte river
Set post, deposited charred stake and
raised mound of earth with pits for
Meander Cor. to fract^{l}. Sec^{s}. 19 and 20

66.10 the North bank (or left) of the N. Platte river (as traversed by the chain)
Set post, deposited charred stake and
raised mound of earth with pits for
Meander Cor. to fract^{l}. Sec^{s}. 19 and 20.

80.00 Set post, deposited charred stake
and raised mound of earth with pits
for the Cor. to Sec^{s}. 17. 18. 19 and 20

Land Bottom
Soil 1st rate.

Township 15 N. Range 39 W.

East on a random Line between
Sec^{s}. 17 and 20.
Var. 14°. 40' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.20 Intersect East line of Sec. 20. 25 links
South of the Cor. to Sec^{s}. 16. 17. 20 & 21.
from which Cor. I run S. 89°. 49' W
on a true Line between Sec^{s}. 17 and 20
Var. 14°. 40' E

40.10 Set post deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.

80.20 the Cor. to Sec^{s}. 17. 18. 19 & 20.

Land level Bottom
Soil 1st rate

Township 15 N. Range 39 W.

West on a random Line between Sec's. 18 & 19.

Var. 14°. 35' E.

10.00 East running, Old, Spring runs South branch
40. 00 Set stake for temporary ¼ Sec. Cor.
68. 00 Spring Branch runs S. E.
78. 55 Intersect west boundary line of the Township 11 Links North of the Cor. between Sec's. 18 & 19. from which Cor I run N. 89°. 55' E on a true Line between Sec's. 18 and 19.

Var. 14°. 35' E

38.55 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
78.55 The Cor. to Sec's. 17. 18. 19 & 20

Land Bottom
Soil 1st rate

Sept. 21. 1870

Township 15 N. Range 39 W.

North between Sec's. 17 & 18.

Var. 14°. 30' E

18.00 Old mayon road, bears S. & W.
30. 00 leave Bottom & enter hills bearing E. & N.
40. 00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80,00 Set post, deposited charred stake, and raised mound of earth with pits for the Cor. to Sec's. 7. 8. 17 & 18

Land high rolling
Soil 2d rate.

Township 15 N. Range 39 W.

East on a random Line between Secs. 8 and 17.

Var. 14° 40' E

40.00 Set stake for temporary ¼ Sec. Cor.

60.00 Cold spring Branch in Ravine 1. runs N

79.92 Intersect East line of Sec. 17. 8 links South of the Cor. to Secs. 8. 9. 16 and 17. from which Cor. I run S. 89° 57' W on a true line between Secs. 8 and 17,

Var. 14° 40' E

39.96 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

79.92 the Cor. to Secs. 7. 8. 17 and 18.

Land high rolling

Soil 2d rate

Township 15 N. Range 39 W.

West on a random Line between Secs. 7 and 18.

Var. 14° 35' E.

40.00 Set stake for temporary ¼ Sec. Cor.

78.35 Intersect West line of the Township 7 links North of the Cor. between Secs. 7 and 18. from which Cor. I run N. 89° 57 E on a true line between Secs. 7 and 18.

Var. 14° 35' E

38.35 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

78.35 the Cor. to Secs 7. 8. 17. and 18.

Land high rolling

Soil 2d rate.

Township 15 N. Range 39 W

North between Sec.s 7 and 8
Var. 14°. 30' E.

40.00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor. to Sec.s 5. 6. 7 and 8.

Land high rolling
Soil 2d rate.

Township 15 N. Range 39 W.

East on a random Line between Sec.s 5 and 8.
Var. 14°. 40' E.

22.00 Spring Branch runs S. E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.19 Intersect East line of Sec. 5. 16 links North of the Cor. to Sec.s 4. 5. 8 and 9. from which Cor. I run N. 89°. 53' W on a true Line between Sec.s 5 and 8.
Var. 14°. 40' E.

40.09½ Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.19 the Cor. to Sec.s 5. 6. 7 and 8.
Land high rolling
Soil 2d rate.

Township 15 N. Range 39. W.

	West on a random Line between Secs. 6 and 7.
	Var. 14° 35' E,
40.00	Set stake for temporary ¼ Sec cor.
78.25	Intersect West boundary Line of the Township 9 Links South of the Cor. between Secs 6 & 7. from which Cor. 2 rods S. 89° 56' E on a true Line between Secs. 6 and 7.
	Var. 14° 35' E.
38.25	Set post deposited charred stake and raised mound of earth with pits for ¼ Sec cor
78.25	the Cor to Secs. 5. 6. 7 and 8
	Land high rolling
	Soil 2d rate

Township 15 N. Range 39. W.

	North on a random Line between Secs. 5. and 6.
	Var. 14°. 30' E,
14.00	Spring Branch runs S.E.
40.00	Set stake for temporary ¼ Sec. cor.
80.00	Intersect North line of the Township 14 Links West of the Cor. between Sec. 5. and 6. from which Cor 2 rods S. ~~E.~~ 6' W. on a true Line between Secs 5 and 6.
	Var. 14°. 30' E
40.00	Set post deposited charred stake, and raised mound of earth with pits for ¼ Sec cor.
80.00	the Cor. to Sec. 5. 6. 7 and 8.
	Land high. rolling
	Soil 2d rate

Sept. 22. 1870

Meanders of the North Platte river.

Begin at the Cor. to fract^{l}. Sec^{s} 19 & 24 in the West boundary of the Townships and on the South and left Bank of the river, and run thence down Stream with the Meanders of the left Bank of the river in fract^{l}. Section 19 as follows.

S78°E	20.00	
N 84° E	52.00	
East.	7.00	to the meander Cor. to fract^{l} Sec^{s} 19 and 20. Land in Sec. 19. Bottom Soil 1/4 rate. thence down in Sec. 20.
S68°E	35.00	
S 38° E	66.00	to the Meander Cor. to fract^{l} Sec^{s}. 20 and 29. Land rich Bottom. thence in Sec. 29.
S. 48° E.	15.00	to the Meander Cor. to fract^{l}. Sec^{s} 28 and 29. Land rich Bottom in Sec. 28.
S. 50° E	89.00	
S 67 E	15.00	to the Meander Cor. to fract^{l} Sec^{s} 27 & 28 the Land along the left Bank of the river is a

Courses	Chains	
		rich, level Bottom and high Wt on the Bank; further North from the river is a Slough in Many in Sec. 27.
S88E N.89 E	41.50	
S78 E	19.00 6	to the meander Cor. to fract. Secs 27 and 34.— Willows along the Bank of the river; rich Soil, & level Bottom. in Secs 34.
S77° E 82	20.30 21.00 7	to the Meander Cor. To fract. Sec. 34 and 35. in Sec. 35.
N.80° E 3	28.00 5 8	to the Meander Cor. to fract. Secs. 26 and 35. Land level rich Bottom in Sec. 26.
N 80° E 4	55.50 43.00 9	to the Meander Cor. to fract. Sec 25 and 26. Land low wet Bottom — in Sec 25
N. 83° E	57.00 8	
S 82° E	23.00 10	to the Meander Cor. to fract. Secs 25 and 36 on the East boundary of the Townships and the Left Bank of the river. Land low, wet Bottom

Courses	Chains	
		from the Meander Cor. to fract. Sec. 36 on the East boundary line of the Townships and on the right bank of the river, I run up Stream with the Meanders of the right bank of the river, in Sec. 36. as follows:-
N.68. W 11	13.00	
S87° W.	28.00	
S. 79° W	40.00 12	to the Meander Cor. to fract. Secs. 35 and 36.— Land rich, high level Bottom — thence in Sec. 35
S 83°.W	21.00	
S 59° W	12.00	
N.89. W	99.00 13	to the Meander Cor. to fract. Secs 34 and 35, Land high rich Bottom. thence in Sec. 34.
N.87° W	80.50 14	to the Meander Cor. to fract. Secs 33 and 34. Land sandy. Soil 3rd rate. There are large Sand bars in the river — thence in Sec. 33.
N. 76° W	26.00	
N. 66° W.	33.50 32.00	
N. 54° W 54	31.00 15	to the Meander Cor. to fract. Sec 32 and 33. along high Limestone rocks. There are Pines and Elm trees along the Bank of the river

Thence in Sec. 32.

N. 50° W	13.00	To the Meander Cor to fract[l]. Sec 29. and 32. – Land rocky & Sandy, Soil 3[d]. rate. Thence

in Sec. 29.

N. 28° W	54.00	
N. 38° W.	93.00	To the Meander Cor. to fract[l]. Sec. 20 and 29, Land rich, level Bottom.

Thence in Sec. 20.

N. 54 W	22.00	To the Meander Cor to fract[l]. Sec 19 and 20., Land high level Bottom

Thence in Sec. 19.

N 85° W	36.00	
N 70° W.	45.00	Land level Bottom Soil 1[st]. rate To the Meander Cor to fract[l] Sec[t] 19. on the West line of the Township and the right Bank of the river

Meanders of an Island in the river, in Sec[t] 27. 28. 33 and 34.

Begin at the Meander Cor on its North Bank on the Sec. line between Sec[t]. 27 and 28. and run down Stream with the Meanders of the Island in Sec. 27 as follows

S 87° E	39.30	
S 78° E	40.00	
	9.00	To the Meander Cor on the North boundary line of Sec. 34. thence in Sec. 34
S 72° E	25.00	
S 33 E	5.00	To foot of island
S 54° W	9.00	
N. 76° W	32.00	
N. 87° W	37.00	
	36.50	To the Meander Cor of the South bank of the Island on the Line between Sec[t] 33 and 34.

Thence in Sec. 33.

N 85° W	9.00	
N 52° W	10.00	To the Meander Cor, of the Island on the North line of Sec. 33.

Thence in Sec. 28.

N 4° W	16.00	Thence down Stream on N. bank To head of island
S 85° E	6.00	
S 71° E	21.00	
	21.00	To the place of beginning

The Land of this Island is low Bottom, rich Soil, and is covered with long good grass, or Willows

Sept. 23. 1870.

General Description of the Townships.

The Bluffs along the Bottom Lands on the South side of the River in this Township consist of Limestone rocks, also the Banks of the ravines and there are some Cedar Trees in these ravines –

64

The Bottom land on the North Side of the river is partly Low and wet and in some places, containing remarkable quantities of Alkali, and Salt. The grass on such places is thin, short and Yellow. The ravines and draines in the Bluffs have springs of very Cold clear Water, and make fast running Streams

We hereby Certify that we assisted Charles Kinyon, deputy Surveyor in Surveying and subdividing Township Number 15. N. of Range Number 39 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our Knowledge and belief, well and faithfully Surveyed and the boundary monuments placed according to the instructions furnished by the Surveyor General

William Libuty
Fr Tiemann
Fr. Daues
H. Lusmyer

Subscribed in my presence and sworn to before me this 28th day September AD 1870

R. L. Dougherty
Clerk of the District Court
within and for Lancaster County
Nebraska

I Charles Wimpf, Deputy Surveyor, do solemnly
swear that in pursuance of a Contract with Robt L.
Livingston Surveyor of the Public Lands of the United
States in the State of Nebraska, bearing date
August 6th 1870 and in Strict Conformity
to the Laws of the United States and the instructions
furnished to me by the said Surveyor General
I have faithfully Surveyed the Subdivision-
lines and meanders of Township No. 15 North of Range
Number 3 West of the 6th Principal
Meridian in the State aforesaid, and do
further Solemnly swear that the foregoing
are the true and original field Notes
of such Survey Charles Wimpf

Subscribed & Sworn to before me this 2d
day of September A.D. 1870

R. L. Dougherty
Clerk of the District Court
within and for Lancaster County
Nebraska

Surveyor Generals Office
Plattsmouth Neb Nov 23. 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No 15 North of the Base Line, of Range No 4 West of the 6th Principal Meridian in the State of Nebraska, executed by Charles Wimpf. under Contract No. 38 of the 6th day of August 1870. in the month of Sept. 1870, having been critically examined the necessary corrections and explanations made, the said field notes, and the survey they describe are hereby approved.

Robert L Livingston
Surveyor General

Field Notes

Of the Survey and Subdivision of Township 16 N. Range 39 West of the 6th Prin. Mer. Executed by J. B. Park deputy Surveyor under their joint contract No. 47 ~~wherein No. 47~~ dated June 16th 1871 wherein J B Park and H. L. Campbell are joint contractors.

Subdivision Commenced July 21st 1871
Completed July 25th 1871

List of Names

and duties of assistants

R. B. Keyes — Chainman
Chas. F. Billopp — Chainman
L. A. W. [illegible] — [illegible]

INDEX DIAGRAM. T. 16 N. R. 39 W. 6th P.M.

	6	60	5	44	4	33	3	22	2	11	1
	59		58		43		32		21		10
	7	57	8	42	9	31	10	20	11	9	12
	56		55		41		30		19		8
	18	54	17	40	16	29	15	18	14	7	13
	53		52		39		28		17		6
	19	51	20	38	21	27	22	16	23	5	24
	50		49		37		26		15		4
	30	48	29	36	28	25	27	14	26	3	25
	47		46		35		24		13		2
	31	45	32	34	33	23	34	12	35	1	36

Township 16 N. Range 39 W. 6th P. M.

To determine the proper adjustment of my compass for Subdividing this Township I commence at the corner to Townships 15 and 16 N. Ranges 38 and 39 W. and run North along the East boundary of Sec. 36.

Var. 14°20' E.

40.02 To a point 2 links East of the 1/4 Sec. Cor.

19.99 To a point 6 links East of the corner to Secs. 25, 26, 35, 36. ~~30, 31~~ Therefor my Compass must be adjusted to a Variation of 14°22' E to run a line parallel to or to retrace this line

Township 16 N Range 39 W. 6th P. M.

Chains	
	North between Sects. 25 and 36
	Var. 14°22' E.
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
5,00	Drain descends S. E. wet
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sects. 25, 26, 35, 36 Land Sand hills Soil 3rd rate.

Township 16 N. Range 39 W. 6th P. M.

Chains	
	East on random line between Sect. 25 and 36
	Var. 14°22' E.
4,00	Set temporary ¼ Sec. Cor.
55,00	Creek 5 links wide runs S. W.
80,22	Intersect East boundary of Township 16 links North of the corner to Sects. 25, 36 34, 31 from which corner I run
	N. 89° 52' W. on true line between Sects. 25 and 36
	Var. 14°22' E.
40,11	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,22	The corner to Sects. 25, 26, 35, 36 Land Sand hills Soil 3rd rate.

Township 16 N. Range 39 W. 6th P. M.

2 chains	North between Secs. 25 and 26 Az. 140 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26 Land Sand hills Soil Sand rate.

Township 16 N. Range 39 W. 6th P. M.

chains	East on random line between Secs. 24 and 25 Az. 140 22' E.
40.00	Set temporary 1/4 Sec. Cor.
79.90	Intersect East boundary of Township 26 links South of the Corner to Secs. 24, 25, 19, 30 from which corner Azm S. 89° 49' W. on true line between Secs. 24 and 25 Az. 140 22' E.
39.95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 23, 24, 25, 26 Land hilly and broken Soil Sand Bad rate

Township 16 N. Range 3 W. 6th P. M.

Chains	
	North between Secs. 23 and 24 Va. 14 22' E.
40,00	Set post deposit Charred Stake raised Mound of earth with pits as per instructions for a ¼ Sec. Cor.
60,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24 Land Sand hills Soil Poor rate.

Township 16 N. Range 3 W. 6th P. M.

Chains	
	East on random line between Secs. 13 and 24 Va. 14 22' E.
40,00	Set temporary ¼ Sec. Cor.
80,12	Intersect East boundary of Township 16 Links North of the corner to Secs. 13, 24 18, 19 from which corner I run N. 89 53' W. on true line between Secs. 13 and 24 Va. 14 22' E.
40,06	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,12	The corner to Secs. 13, 14, 23, 24 Land Sand hills Soil Poor rate

Township 16 N. Range 39 W. 6th P.M.

Chains	North between Secs. 13 and 14 Va. 14° 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12 13, 14. Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

	East on random line between Secs. 12 and 13 Va. 14° 22' E.
40.00	Set temporary ¼ Sec Cor.
79.88	Intersect East boundary of Township 20 links South of the corner to Secs. 12, 13, 7, 18 from which corner I run S. 89° 51' W. on true line between Secs. 12 and 13 Va. 14° 22' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
79.88	The corner to Secs. 11, 12 13, 14 Land hilly Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	North between Secs. 1 and 12 Va. 14°22' E.
40.00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12 Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	East on township line between Secs. 1 and 2 Va. 14°22' E.
40.00	Set temporary 1/4 Sec. Cor.
80.10	Intersect East boundary of Township 16 links South of the corner to Secs. 1, 12 & X from which corner I bear S. 89° 53' W. on true line between Secs. 1 and 12 Va. 14°22' E.
40.05	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 1, 2, 11, 12 Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P. M.

Chains	
	North on true line between Secs. 1 and 2 Var. 14° 22' E.
40,00	Set post deposit shared Stake raised mound of earth with pits as per instructions for 1/4 Sec'or,
78,05	Set post deposit shared Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 1 and 2 on the 4th Std, Par. North, at 18,70 chs East of the corner to Secs, 31 and 36 T. 17 N, R. 38, and 39 W; Land Sand hills, Soil Sandy

Township 16 N Range 39 W. 6th P. M.

Chains	
	North between Secs, 24 and 25 Var. 14° 22' E,
40,00	Set post deposit shared Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or,
80,00	Set Post deposit shared Stake raised mound of earth with pits as per instructions for a corner to, Secs. 26, 27, 34, 35 Land hilly, Soil Sand & marle

July 21st 1871

Township 16 N. Ranges 39 W. 6th P. M.

Chains	
	East on random line between Secs. 26, and 35 Va. 14° 22' E.
40.00	Set post for temporary ¼ Sec. Cor.
80.16	Intersect N. and S. line 20 links North of the corner to Secs 25, 26, 35, 36 from which corner I run N. 89° 51' W on true line between Secs. 26 and 35 Va. 14° 22' E.
40.08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
84.16	The corner to Secs. 26, 27, 34, 35 Land hilly Soil Sand 3rd rate

Township 16 N. Range 39 W. 6th P. M.

Chains	
	North between Secs. 26 and 27 Va. 14° 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27 Land Sand hills Soil 3rd rate

Township 16 N. Range 29 W. 6th P.M.

Chains	
	East on random line between Secs. 23 and 26 Var. 14° 22' E.
40.00	Set temporary 1/4 Sec. Cor.
80.22	Intersect N. and S. line 14 links South of the corner to Secs. 23, 24, 25-26 from which corner I run S. 89° 54' W. on true line between Secs. 23 and 26 Var. 14° 22' E.
40.11	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.22	The corner to Secs. 22, 23, 26, 27 Land hilly and broken Soil Sandy & stony

Township 16 N. Range 29 W. 6th P.M.

Chains	
	North between Secs. 22 and 23 Var. 14° 22 E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23 Land Sand hills Soil Sandy

Township 16 N. Range 39 W. 6th P. M.

Chains	East on standard line between Sec's. 14 and 23 Va. 14°22' E.
40,00	Set temporary 1/4 Sec Cor.
8,10	Intersect N. and S. line 22 Links South of the corner to Sec's. 13, 14, 23, 24 from which corner I run S. 89° 51' W on true line between Sec's. 14 and 23 Va. 14°22' E
40,00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,10	The corner to Sec's. 14, 15, 22, 23 Land Sand hills Soil Poor rate

Township 16 N. Range 39 W. 6th P. M.

Chains	North between Sec's. 14 and 15 Va. 14°20' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Sec's. 10, 11, 14, 15 Land Sand hills Soil Poor rate.

Township 16 N. Range 3 W. 6th P.M.

Chains	East on random line between Secs. 11 and 14 Var. 14° 20' E.
4.00	Set post for temporary 1/4 Sec. Cor.
80.18	Intersect ~~East boundary of Township~~ North and South line 20 links North of the corner to Secs. 11 12, 13, 14 from which corner I own N. 89° 51' W on true line between Secs. 11 and 14 Var. 14° 20' E.
40.09	Set post deposit stone stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Secs. 10, 11, 14, 15 Land hilly and broken Soil 3rd rate.

Township 16 N. Range 3 W. 6th P.M.

Chains	North between Secs. 10 and 11 Var. 14° 21' E.
40.00	Set post deposit stone stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit stone stake raised mound of earth with pits as per instructions for a corner to Secs. 2, 3 10, 11 Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	East on random line between Secs. 2 and 11 Var. 14° 21' E.
40.00	Set temporary ¼ Sec. Cor.
79.90	Intersect Rand S. line 16 Links South of the corner to Secs. 1, 2, 11, 12 from which corner Bmm S. 89° 53' W. on true line between Secs. 2 and 11 Var. 14° 21' E.
39.95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79.90	The corner to Secs. 2, 3 10, 11

Land very rolling
Soil Good rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	North on true line between Secs. 2 and 3 Var. 14° 21' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
78.25	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ~~Bearing~~ corner to Secs. 2 and 3 on the 4th Standard Parallel North at 18.55 chs. East of the corner to Secs. 35 and 36, T. 17 N. R. 39 W.

Land very rolling
Soil Sand Good rate.

Township 16 N. Range 29 W. 6th P.M.

40 chains	North between Secs. 33 and 34 Va. 14° 22' E.	
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.	
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28, 33, 34 Land hilly and broken Soil 2nd rate.	

Township 16 N Range 29 W. 6th P.M.

chains	East on random line between Secs. 27 and 34 Va. 14° 22' E.	
40,00	Set temporary 1/4 Sec Cor	
80,05	Intersect N. and S. line 14 links South of the corner to Secs. 26, 27, 34, 35 from which corner Sam S. 89° 54' W on true line between Secs. 27 and 34 Va. 14° 22' E.	
40,02½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.	
80,05	The corner to Secs. 27, 28, 33, 34 Land Sand hills Soil 2nd rate	

July 22 nd 1871

Township 16 N. Range 39 W. 6th P.M.

chains	N. W. A between Secs. 27 and 28 Va. 14° 20' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
8,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Cor. to Secs. 21, 22, 27, 28 Land hilly and broken Soil Sand rate.

Township 16 N. Range 39 W. 6th P.M.

chains	East on random line between Secs. 22 and 27 Va. 14° 22' E.
40,00	Set temporary ¼ Sec Cor.
79,84	Intersect N and S. line 18 links North of the corner to Secs. 22, 23, 26 27 from which corner I run N. 89° 52' W. on true line between Secs. 22 and 27 Va. 14° 22' E.
39,92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
79,84	The corner to Secs. 21, 22, 27, 28 Land Sand hills Soil Sand rate

Townships 16 N. Range 39 W. 6th P.M.

Chains	North between Secs. 21 and 22 On. 14 to 22 E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised Mound of earth with pits as per instructions for a corner to Secs, 15, 16, 21, 22 Land hilly and broken Soil 3 or 4 rate

Townships 16 North Range 39 W. 6th P.M.

Chains	East on random line between Secs. 15 and 22 On. 14 to 22 E.
40.00	Set temporary 1/4 Sec Cor.
80.02	Intersect N. and S. line 18 links North of the corner to Secs. 14, 15, 22, 23 from which corner I run N. 87° 52' West on true line between Secs, 15 and 22 On. 14 to 22 E
40.01	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.02	The corner to Secs, 15, 16, 21, 22 Land Sand hills Soil 3 or 4 rate

Township 16 N. Range 39 W. 6th P.M.

40 chains	North between Secs. 15 and 16 On. 14 & 21 E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land hilly and broken Soil & stone.

Township 16 N. Range 39 W. 6th P. M.

chains	East on random line between Secs. 10 and 15 On. 14 & 22 E.
40.00	Set temporary 1/4 Sec. cor.
80.66	Intersect N and S. line 24 links South of the corner to Secs. 10, 11, 14, 15 from which corner I run S. 89° 30' West true line between Secs. 10 and 15 On. 14 & 22 E.
40.13	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80.06	The corner to Secs. 9, 10, 15, 16 Land Land hills Soil & stone

Lounship 16 N Range 39 W 6th P M.

4 Chains	North between Secs. 9 and 10
	Var. 14°02' E.
40,00	Set post deposit charred & stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred & stake raised mound of earth with pits as per instructions for a corner to Secs. 3, 4, 9, 10
	Land Sand hills.
	Soil 2 nd rate

Lounship 16 N Range 39 W 6th P M.

Chains	East on random line between Secs. 3 and 10
	Var. 14°02' E.
40,00	Set temporary 1/4 Sec Cor.
79,90	Intersect N and S. line 12 links South of the corner to Secs. 2, 3, 8, 10, 11. from which corner S. one S. 89°56' W. on the line between Secs. 3 and 10
	Var. 14°02' E
39,95	Set post deposit charred & stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,90	The corner to Secs. 3, 4 9, 10
	Land Sand hills
	Soil 2 nd rate

Townships 16 N. Range 39 W. 6th P. M.

" chains	North on true line between Secs. 3 and 4 Va. 14° 21' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,45	Intersect 4th Stand. and Parallel North at 18,60 chs. East of the corner to Secs. 34 and 35 T. 17 N. R. 39 W. where Set Post post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs 3 and 4 T. 16 N. R 39 W. Land hilly Soil Sand & rate

Townships 16 N. Range 39 W. 6th P. M.

chains	North between Secs. 32 and 33. Va. 14° 22' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28, 29, 32, 33 Land hilly Soil Sand rate.

July 23 rd 1871

Township 16 N. Range 39 W. 6th P. M.

Chains	East on random line between Secs 28 and 33 Va. 14°22' E.
40.00	Set post for temporary ¼ Sec. Cor.
79.92	Intersect N. and S. line 20 links South of the corner to Secs. 27, 28, 33 34 from which corner I run S. 89° 51' W. on true line between Secs. 28 and 33 Va. 14°22' E.
89.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79.92	The corner to Secs 28, 29, 32, 33 Land Same hills Soil Same

Township 16 N. Range 39 W. 6th P. M.

Chains	North between Secs. 28 and 29 Va. 14°22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land very hilly Soil Sand & Gravel.

Township 16 N. Range 29 W. 6th P.M.

Chains	East on random line between Secs. 21 and 28 Var. 14° 22' E.
40.00	Set temporary 1/4 Sec. Cor.
80.18	Intersect N and S line 10 links North of the corner to Secs. 21, 22, 27, 28 from which corner I run N. 89° 56' W. on true line between Secs. 21 and 28 Var. 14° 22' E.
40.09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Secs. 20, 21, 28, 29 Land Sand hills Soil & mixed

Township 16 N. Range 29 W. 6th P.M.

Chains	North between Secs. 20 and 21 Var. 14° 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21 Land hilly and broken Soil & mixed

Township 16 N. Range 39 W. 6th P.M.

Chains	East on random line between Secs. 16 and 21 Va. 14° 22' E.
40,00	Set temporary ¼ Sec. Cor.
79,94	Intersect N. and S. line 8 links North of the corner to Secs 15, 16, 21, 22 from which corner a pine N. 89° 57' W. on true line between Secs. 16 and 21 Va. 14° 22' E.
39,97	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79,94	The corner to Secs. 16, 17, 20, 21 Land Sand hills Soil Inferior rate

Township 16 N. Range 39 W. 6th P.M.

Chains	North between Secs. 16 and 17 Va. 14° 22' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17 Land Sand hills Soil 2nd rate.

Township 16 N. Range 39 W. 6th P. M.,

Chains	East on standard line between Secs. 9 and 16 Co. 14° 21' E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 16 links North of the cor. to Secs. 9, 10, 15, 16, from which corner I run. N. 89° 58' W. on true line between Secs Secs 9 and 16 Co. 14° 21' E,
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs 8, 9 16, 17 Land Sand hills Soil 2nd rate

Township 16 N. Range 39 W. 6th P. M.,

Chains	North between Secs. 8 and 9 Co. 14° 21' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 4, 5, 8, 9 Land rough Sand hills Soil 2nd rate

Sounds Lips 16 N. Range 39 W. 6th P.M.

Chains	
	East on random line between Secs. 4 and 9 Va. 14° 21' E.
40.00	Set temporary 1/4 Sec. cor. post for
80.14	Intersect N. and S. line 12 links South of the corner to Secs. 3, 4, 9, 10 from which comes 9 ans S. 89° 55' W. on true line between Secs. 4 and 9 Va. 14° 21' E
40.07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80.14	The corner to Secs. 4, 5, 8, 9 Land hilly Soil 3 ord rate

Sounds Lips 16 N. Range 39 W. 6th P. M.

Chains	
	North on true line between Secs. 4 and 5 Va. 14° 21' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
78.60	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 4 and 5 on the 4th Standard Parallel North at 18.70 chs East of the corner to Secs. 33 and 34 T. 17 N., R. 39 W. Land Sand hills Soil 3 ord rate

Township 16 N. Range 39 W. 6th P.M.

6 chains	North between Secs. 31 and 32 Cor. 14 0 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
80.00	Set post deposit charred Stakes raised mound of earth with pits as per instructions for a come to Sec 1, 29, 31, 31, 32, Land very hilly Soil Sand & ox rate

Townships 16 N. Range 39 W. 6th P.M.

chains	East on random line between Secs 29 and 32 Cor. 14 0 22' E.
40.00	Set (post for) temporary ¼ Sec Cor.
80.16	Intersect S. Maine S. line 20 links West of the corner to Secs. 28, 29, 32, 33 from which corner I run N. 89 0 61' W on true line between Secs. 29 and 32 Cor. 14 0 22' E
40.08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
80.16	The comes to Secs. 29, 30 31, 32 Land hilly and broken Soil Sand rate

July 24th 1871
Measured and corrected Chain with the Standard

Townships 16 N. Range 29 W. 6th P.M.

Chains	
	West on random line between Secs. 30 and 31 Va. 14° 22' E.
40,00	Set temporary 1/4 Sec. cor.
78,17	Intersect West boundary of Township 18 links South of the Corner to Secs. 25, 30, 31, 36 from which corner Comm. S. 89° 52' E. on line line between Secs 30 and 31 Va. 14° 22' E.
38,17	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
78,17	The corners to Secs. 30, 29 31, 32 Land Sand hills Soil 3d rate

Townships 16 N. Range 29 W. 6th P. M.

Chains	
	North between Secs. 29 and 30. Va. 14° 22' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec. cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30 Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P. M.

Chains	East on random line between Sect. 20 and 29 Ca. 1/4 & 22 E.
40,00	Set post for temporary 1/4 Sec. Cor.
79,88	Intersect N. and S. line 18 links South of the corner to Secs. 20, 21, 28, 29 from which corner Iron S. 89° 52' W. on true line between Secs. 20 and 29 Ca. 1/4 & 22' E
39,94	Set post post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Secs. 19, 20, 29, 30. Land Sand hills Soil Sand rate

Township 16 N. Range 39 W. 6th P. M.

Chains	West on random line between Secs. 19 and 30 Ca. 1/4 & 22 E.
40,00	Set post for temporary 1/4 Sec. Cor.
78,06	Intersect West boundary of Township 22 links South of the Corner to Secs. 19, 30, ~~24, 25~~ from which corner Iron S. 89° 51' E on true line between Secs. 19 and 30 Ca. 1/4 & 22' E.
38,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,05	The corner to Secs. 19, 20, 29, 30 Land hilly sand & Cl rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	North between Secs. 19 and 20 Va. 14° 22' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20 Land Sand hills Soil Second rate

Township 16 N. Range 39 W. 6th P.M.

Chains	
	East on random line between Secs. 17 and 20 Va. 14° 20' E.
40.00	Set temporary 1/4 Sec. Cor.
80.16	Intersect N. and S line 12 links North of the corner to Secs. 16, 17, 20, 21 from which corner I run N. 89° 55' W. on true line between Secs. 17 and 20 Va. 14° 20' E.
40.08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.16	The corner to Secs. 17, 18, 19, 20, Land Range Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

	Chains	West on random line between Secs. 18 and 19 Var. 14° 21' E.
1	4,00	Set temporary 1/4 Sec. Cor.
	45,00	Marshy Slough 2 chs wide N.W. and S.E.
	77.96	Intersect West boundary of Township 14 Links North of the Corner. to Secs. 18, 19, 13 & 24 from which corner I run N. 89° 54' E, on true line between Secs. 18 and 19 Var. 14° 21' E
	37.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
	77.96	The corner to Secs 17, 18 19, 20 Land Low Sand Hills Land 3rd rate

Township 16 N. Range 39 W. 6th P.M.

	Chains	North between Secs. 17 and 18 Var. 14° 21' E.
	40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land hilly Soil Sand 3rd rate

Township 16 N. Range 39 W. 6th P.M.

Chains	East on random line between Secs. 8 and 17 Va. 14°20' E.
40.00	Set temporary 1/4 Sec. Cor.
80.06	Intersect N. and S. line 10 links South of the corner to Secs. 8, 9, 16, 17 from which corner I run S. 89°56' W on true line between Sect. 8 and 17 Va. 14°20' E.
140.03	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.06	The corner to Secs. 7, 8, 17, 18 Land Sand hills Soil Sandy

Township 16 N. Range 39 W. 6th P.M.

Chains	West on random line between Secs. 7 and 18 Va. 14°20' E.
40.00	Set temporary 1/4 Sec. Cor.
77.88	Intersect west boundary of Township 18 links North of the corner to Sec. 7. 18 ~~12~~ 13 from which corner I run, N. 89°52' East on true line between Secs. 7 and 18 Va. 14°20' E.
37.88	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.88	The corner to Secs. 7, 8, 17, 18 Land Sand hills Soil Sandy

Township 16 N. Range 3 W. 6th P.M.

Chains	
	North between Secs. 7 and 8
	Ca. 1 40 20' E.
40,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8 Land Same hills Soil 2nd rate

Township 16 N. Range 3 W. 6th P.M.

Chains	
	East on random line between Secs. 5 and 8
	Ca. 1 40 20' E.
40,00	Let post for temporary 1/4 Sec. Cor.
80,06	Intersect N. and S. line 26 links South of the corner to Secs. 4, 5, 8, 9 from which corner Iron S. 89 49' W. on true line between Secs 5 and 8
	Ca. 1 40 20' E.
40,08	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Secs. 5-6, 7, 8 Land Same hills Soil 2nd rate.

Township 16 N. Range 39 W. 6th P.M.

Chains	West on random line between Secs. 6 and 7 Va. 14° 20' E.
40.00	Set, lost for temporary 1/4 Sec. Cor.
78.90	Intersect West boundary of Township 14 links South of the corner to Secs. 6, 7 & 12 from which corner I run S. 89° 54' E. on true line between Secs 6 and 7 Va. 14° 20' E.
38.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.90	The corner to Secs 5, 6, 7, 8 Land Sand hills Soil 3rd rate

Township 16 N. Range 39 W. 6th P.M.

Chains	North on true line between Secs. 5 and 6 Va. 14° 20' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78.63	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Closing corner to Sect. 5, and 6, on the 4th Standard Parallel North at 18.62 chs East of the corner to Secs. 32 and 33 T. 17 N. R. 39 W. Land Sand hills Soil 3rd rate

July 25th 1871

Township 16 N. Range 39 W. 6th P.M.

General Description

This Township is all hilly and in some parts broken, the Sand on the hills being drifted by the wind into indiscribable heaps, and great hollows being Scooped out on the the tops of the highest peaks. A Spring in Sec 36 is all the water to be found in the Township except a Small brook crossing the South West corner of Sec 31.

This Township is not well adapted to Settlement and cultivation

Township 16 N. Range 39 W. 6th P.M.

List of Names

A list of the names of individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field-notes of Township 16 N. Range 39 West of the 6th P.M. Mer. Showing the respective capacities in which they acted

Richard B. Keyes, Chas F. Billopp, Geo. N. Wallace } Chainmen

Henry McBroom } Monumenter

We hereby certify that we assiste
J. B. Park deputy Surveyor in
Surveying and Subdividing
Township 16 North of the base line of Rang
Number 39 West of the 6th Prin. Mer,
and that Said Township has been
in all respects, to the best of
our knowledge and belief, well
and faithfully Surveyed, and
the Boundary Monuments planted
according to instructions fur-
nished by the Surveyor General.

Richard B. Kyle Chainmen
Chas. F. Bullock Chainmen
George H. Wallace Axemen or
Henry McBroom Rodmen

State of Nebraska
Lincoln County } ss. Subscribed
and Sworn to by the above name
persons before me a Justice
of the Peace for Said County
this 10th day of August A.D. 1871

Wm. I. Patterson J. P.

I, J. B. Park deputy Surveyor do
Solemnly Swear that in
pursuance of a joint contract
with E. E. Cunningham Surveyor
General of the District of Iowa
and Nebraska bearing date June
16th 1871 I have well and truly
and faithfully in my own
proper person and in Strict
conformity with the instructions
furnished by the Surveyor
General, the Surveying Manu-
al and the Laws of the
united States Surveyed all
those parts or portions of Township
16 North of the Base line of Range
number 39 West of the 6th
Principal Meridian as are
represented in the foregoing
field-notes as having been
Surveyed under my direc-
tion and I do further
Solemnly Swear that all
the corners to Said Surveys

have been established and
and perpetuated in Strict
conformity with the
Surveying manual and
printed instructions, and
that the foregoing are
the true and original field
notes of Such Survey.

J. B. Park

Deputy Surveyor

State of Nebraska }
Lincoln County } ss.

Subscribed to in
my presence and Sworn
before me this 10th day of
August 1871

Wm. I Patterson J. P.

Surveyor Generals Office
Plattsmouth Aug. 1871

The foregoing field notes of the
Survey and subdivision of Town-
ship No. 16. North of the Base line
of Range No. 39 West of the 6th
P. M in the State of Nebraska, exe-
cuted by Josiah B. Park under
joint Contract No. 47 wherein
J B. Park and Henry C. Campbell
are joint Contractors dated June 6
1871. in the month of July A. D. 1871
having been critically examined
the necessary corrections and ex-
planations made the said field
notes and the survey they describe
are hereby approved

E. E. Cummins
Surveyor General

General Land Office • Original Field Notes

Book Number

614

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.