General Land Office • Original Field Notes

Book Number

618

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Town No 29 N Range No 39 W

6	5	4	3	2	1			
7	8	9	10	11	12			
18	17	16	15	14	13			
19	20	21	22	23	24			
30	29	28	27	26	25			
31	32	33	34	35	36			

80.08 | 80.04 | 80.10 | 79.93 | 80.03

Field Notes
of
Retracing and
Subdivision
of
Township
No 29 North
of
Base Line
of
Range
No 39 West
of
the 6th P.M.
in Nebraska

Executed by W. T. Richardson
U. S. Deputy Surveyor under
his contract No 114 bearing date
of August 12th 1880.

Survey commenced
May 1st 1881
Survey completed
May 19 1881.

List of names of assistants

James M. Fox Chainman
W. K. Raphael do
T. J. Howard Monumentman
H. C. Hall. Flagman.

This Survey was executed with a Light-Wanderer transit Marked [illegible] E. Gurley of Troy N.Y. No number to be found on the instrument. Tested at the Surveyor Genl Office and approved by the Surveyor Genl before entering the field.

From the Corner to Townships 29 N. Ranges 39 & 40 West I run

Retracing S. boundary of T. 29 N. R. 39 W.

East along S. bdy of Sec 31
Va 14° 25'

40.07 ¼ Sec cor good condition mound from pits 15 x 24 x 12 in deep

79.91 Cor to Secs 31 and 32. fair condition mound mest and cedar stake in pit 15 x 24 x 12 in deep

East along S. bdy of Sec 32
Va 14° 25'

40.00 ¼ Sec cor good condition mound from pits 15 x 24 x 12 in deep

80.08 Cor to Secs 32 and 33 nearly destroyed mound from pits 15 x 24 x 12 in deep mest and cedar stake.

East along S. boundary of Sec 33
Va 14° 25'

39.90 ¼ Sec cor good condition mound from pits 15 x 24 x 12 in deep

80.04 Cor to Secs 33 and 34 fair condition

Retracing S. bdy of Tp 29 N. R 39. West.

	rebuilt- mound from pits 15 x 24 x 12 in deep west- and cedar stake.
	East- along S. boundary of Sec 34 Va 14° 25'
40.00	1/4 Sec cor fence condition rebuilt- mound from pits 15 x 24 x 12 in deep
80.10	Cor to Secs 34 and 35. Good condition rebuilt- mound from pits 15 x 24 x 12 in deep west- and cedar stake in pit
	East- along S. boundary of Sec 35 Va 14° 25' E
39.95	1/4 Sec cor good condition rebuilt- mound from pits 15 x 24 x 12 in deep
79.93	Cor to Secs 35 and 36 nearly due west and rebuilt- mound from pits 15 x 24 x 12 in deep west- and cedar stake.

Retracing S. boundary Tp 29. R. 39. W.

	East- along South boundary of Township Section 35 Va 14° 25' E.
39.96	1/4 Sec cor good condition rebuilt- mound west- and ea from pits 15 x 24 x 12 in deep
80.03	cor to Township 29. Range 39. and 35 good condition rebuilt- mound from pits 15 x 24 x 12 in deep west- and cedar stake.

Subdivisions of Tp 29 North

	Having used a Va of 14° 35' in running E. boundary of the Tp I commence at the cor to Secs 35 and 36 on S. boundary of the Township and run N. bet Secs 35 and 36.
	Va 14° 35' E
28. w	Valley Creek N. E. and S. W.
36. w	Grass Valley . . . . .
40. w	Built mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor Triple chained
80. w	Built mound of earth 3 ft high from pits 18 x 24 x 12 in deep set md cedar stake 2 x 2 x 24 in in S. E. pit for cor to Secs 25. 26. 35 and 36.
	Land rolling
	Soil 2nd rate.

Range 39 West of the 6th P. M.

	East on a random line bet Secs 25 and 36
	Va 14° 35' E.
40. w	Set 1/4 Sec cor
61. w	Valley course N. E. and S. W.
80. 23	Intersect East boundary of Tp at a point 25 chs N. of cor to Secs 25. and 36. from which cor I run N. 89° 49' W. on a true line bet Secs 25 and 36
	Va 14° 35' E
40. 11¼	Built mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80. 23	Cor to Secs 25. 26. 35. and 36
	Land rolling
	Soil 2nd rate.

Subdivision of Tp 29 North

	N. bet- lea 25 and 26
	Va 14° 35' E
40. w	Built- mound of earth 2½ ft. high from pits 18x24x12 in deep for ¼ sec cor
80. w	Difficult. Surveyed Built- mound of earth 3 ft- high from pits 18x24x12 in deep set- red cedar stake 2x2x24 in in S.E. pit- for cor to Secs 23. 24, 25. and 26
	Land rolling
	Soil 2nd. rate

Range 39 West of the 6th P.M.

	East- on a random line
	bet- lea 24. and 25
	Va 14° 35' E.
40. w	Set- corn ¼ sec cor
80. 32	Intersd- E bdy of Tp at a point- 3.0 chs N. of cor to Secs 24. and 25. from which cor I N. 89° 47' West- on a true line bet- Secs 24 and 25
	Va 14° 35' E
40.16	Built- mound of earth 2½ ft. high from pits 18x24x12 in deep for ¼ sec cor
80. 32	Boundaries 23. 24. 25. and 26.
	Land rolling
	Soil 2nd. rate.

Subdivision of Tp 29 N. Rge 8 W. Range 8 W. West of the 6th P.M.

	N. Cor- Sec 23. and 24
	Va 14° 35' E.
20. w	Enter Valley Dran N. E. and S. W.
39. 90	Dran Valley " " " "
40. w	Built- mound of earth 2½
	ft- high from pits 15 x 24 x 12 in
	deep for ¼ Sec cor.
54. w	Enter Valley Dran N. E. & S. W.
	diagonals observed
80. w	Built- mound of earth 3 ft-
	high from pits 15 x 24 x 12 in
	deep set- md cedar stake
	2 x 2 x 24 in in S. E. pit-
	for cor to Sec 13. 14. 23. and 24
	Land Valley 1st rate.
	Land hilly good 2nd rate

	East- on a random line
	Cor- Sec 13. and 24
	Va 14° 35' E
40. w	Set- Com ¼ Sec cor
80. 15	Intersect- E. bdy of Tp at a
	point 15 lks N. of cor to Sec
	13. and 24 from which cor I run
	N. 89° 53' W on a true line
	Cor- Sec 13. and 24
	Va 14° 35' E.
40. 09	Built- mound of earth
	2½ ft- high from pits- 15 x 24 x 12 in
	deep for ¼ Sec cor
80. 18	Built- mound of earth 3 ft-
	high from pits- 15 x 24 x 12 in
	deep set- md cedar stake
	2 x 2 x 24 in in S. E. pit- for
	cor to Secs
80. 15	Cor to- Sec 13. 14. 23. and 24
	Land rolling
	Soil 2nd rate.

Subdivision of Tp 29. North

	N. Ort- Rec 13 and 14 Va 14° 35' E
9.00	Lear Valley Cran E & W
40.00	Built- mound of earth 22 ft. high from pits 15 x 24 x 12 in deep for 94 Rec cor
50.00	Lear Valley Cran E & W Approximate Chorcord
70.00	Built- mound of earth 3 ft. high from pits 18 x 24 x 12 in deep set 3rd cedar stake 2 x 2 x 24 in in S. E. pits for cor & Rec
	11. 12. 13. and 14 Land Valley (2nd rate hilly good 2nd

Range 89 West of the 6th P.M.

	East on a random line Ort- Rec 12. and 13. Va 14° 35' E.
40.00	Set- Cor 94 Rec cor
80.27	Intersect- East- bdy of 9 ft at a point- 15 Lks N. of cor to Rec 12. and 13 from which cor I am N. 89. 54' West on a true line Ort- Rec 12. & 13
	Va 14° 35' E
40.13	Built- mound of earth 24 ft high from pits 15 x 24 x 12 in. deep for 94 Sec cor
80.27	Cor to Rec 11. 12. 13. and 14 Land rolling Soil 2nd rate

Subdivision of Tp 29 North

Range 3 West of the 6th P.M.

N. Ext - Sec 11. and 12
Va 14° 35' E.

40. ac | Built - mound of earth
29 ft high from surface 15 x 24 x 12 in
deep for 4 sec cor.

70. ac | Enter Valley from N. E. & S. W
Original channel
80. ac | Built - mound of earth
3 ft high from surface 15 x 24 x 12 in
deep set - red cedar stake
2 x 2 x 24 in deep in S. E. surface
for cor to Secs 1. 2. 11. and 12.

Land Valley 1st rate
" hills 2nd "

East on a random line set -
Sec 1 & 12
Va 14° 35' E

12. ac | Leave Valley N. E. and S. W.
40. ac | set - cor 4 sec cor
80 29 | Intersect N. and S. line at a
point 31 chs N. of cor to Secs
1 and 12 from which cor I mon
N. 8° 47' W set - on a true line set -
ween 1 and 12.
Va 14° 35' E

40. 14½ | Built - mound of earth
29 ft high from surface 15 x 24 x 12
in deep for 4 sec cor
50. 29 | Cor to Secs 1. 2. 11. and 12
Land rolling
Soil 2nd rate

Subdivision of Tp 29 North — Range 39 west of the 6th P.M.

	on a random line N., Cor to Secs 1 and 2. Va 14° 35' E
40.00 40.00 80.25	Set Com ¼ Sec cor 2 saw Valley bore N.E. and S.W. Intersect N. bdy of Tp at a point 28 chs West of cor to Secs 1 and 2. from which cor I run S. 79° 45' W. 8.12 W. on a true line Cor to Secs 1 and 2. Va 14° 35' E
40.26	Built mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor
80.25	Cor to Secs 1, 2, 11, and 12 Land Valley good 2nd rate hills 2nd rate. May 14th 1851.

Instrument - United at cor to Secs 34 and 35 on S boundary of Tp by observation of Polaris Sat its greatest Eastern Elongation. Instrument used Engls mountain transit Made by W. and L. Gurley of Troy N.Y. the Needle made an angle with the Meridian line obtained of 12° 34' + Azimuth of 1° 48' = S 14° 22' the true Va at that Sta Difference bet true Va at the point and line last run of 0° 13' Time 3h 44m AM civil time May 15th 1851.

Subdivision of Sec 29 Bank

N. Qrt- Rec 34 and 35
Va 14° 35' E

40.00 Built- mound of Earth 2½ ft- high from pits 18x24x12 in deep for ½ Rec cor

Difficulty observed

50.00 Built- mound of Earth 3 ft- high from pits 18x24x12 in deep set- md cedar stake 2x2x24 in in S. E. pit- for Cor 4- Rec 26. 27. 34 and 35

Land rolling
Soil good 2nd rate.

Range 39 West- of the 6th P. M.

East- on a random line Qrt- Rec 26. and 35
Va 14° 35' E

40.00 Set- Iron ¼ Sec cor

79.50 Intersect- N. and S. line at- a point- 7 lks S. of cor 4- Rec 25. 26. 35 + 36 from which cor Bears S. 59° 57' W. on a true line Qrt- Rec 26. and 35
Va 14° 35' E

39.90 Built- mound of Earth 2½ ft- high from pits 18x24x12 in deep for ½ Sec cor

79.80 Cor 4- Rec 26. 27. 34 and 35

Land rolling
Soil 2nd rate

Subdivision of Tp 29. North

	N. Ort- Lea 26 and 27
	Va 14° 35' E
7.00	Head of Valley Ran N. E
15.00	Lean head of Valley " "
40.00	Built- mound of Earth 2½ ft- high from pit- 15 x 24 x 12 in deep for ¼ Sec cor
70.00	Built- mound of earth 3 ft- high from pit- 15 x 24 x 12 in deep set- red cedar stake 2 x 2 x 24 in in S.E. pit- for cor to Sec 22. 23. 26. and 27
	Land rolling
	Soil 2nd rate

Range 39 west of the 6th P.M.

	East- on a random line
	Ort- Sec 23. and 26
	Va 14° 35' E.
40.00	Set- Com ¼ Sec cor
79.76	Intersect- N. and S. line at a point- 14 chs South of cor to Sec 23. 24. 25. and 26. from which cor bears S 89° 54' W on a true line Ort- Sec 23 & 26
	Va 14° 35' E.
39.88	Built- mound of earth 2½ ft- high from pit- 15 x 24 x 12 in deep for ¼ Sec cor
79.76	Cor to Sec 22. 23. 26 & 27
	Land rolling
	Soil 2nd rate

Subdivision of Tp 29 North

Range 39 West of the 6th P.M.

✓	N. bet- Sec 22. and 23 Va 14° 35' E		East on a random line bet- Sec 14 and 23 Va 14° 35' E
20.00	Built- mound of earth 2½ ft- high from pit 15 x 24 x 12 in deep for ¼ Sec Cor	40.00	Set- Com ¼ Sec Cor
72.50	Entry Valley bear E and W.	79.91	Intersect- N. and S line at- a point- 15 lks S of an old Pine 13
70.00	Built- mound of earth 3 ft. high from pit 15 x 24 x 12 in deep set- red cedar stake 2 x 2 x 24 in in S. E pit for Cor to Sec 22. 23. 14. and 15 Land rolling Soil good 2nd rate		14. + 23 from which an Iron mound bears S. 89° 52' W on a true line bet- Sec 14 + 23 Va 14° 35' E
		39.95	Built- mound of earth 2½ ft- high from pit 15 x 24 x 12 in deep for ¼ Sec Cor
		79.91	Cor to- Sec 10. 11. 14. and 15 Land rolling Soil good 2nd rate

Subdivision of Tp 29. North

Range 8 9. W. of the 6th P.M.

	N. Ext- Run 14 and 15
	Va 14° 35' E.
1.50	Leave Valley Run E. and W.
40. w	Built- mound of earth 2½ ft-
	high from pits 18x24x12 in dep
	for ¼ Sec cor.
54. w	Enter Valley Run E and W.
80. w	Depth should Built- mound of earth
	2½ ft- high from pits 18x24x12
	in dep set- and cedar stake
	2x2x24 in in S.E. pit- for cor
	to Secs 10. 11. 14 and 15.
	Land gently rolling
	Soil good 2nd rate

	East- on a random line Ext-
	Secs 11. and 14
	Va 14° 35' E
40. w	Ext- Cross ¼ Sec cor
44. 20	Leave Valley E. and
79.52	Intersect- N. & S. line at a point
	22 chs South of cor to Secs
	11. 12. 13. and 14 from which cor
	bears S 89. 51' W. on a true line
	Ext- Secs 11. and 14
	Va 14° 30' E.
39.94	Built- mound of earth 2½ ft-
	high from pits 18x24x12 in dep
	for ¼ Sec cor
79.52	Cor to Secs 10. 11. 14. and 15
	Land rolling
	Soil good 2nd rate

Subdivision of Tp 22 North Range 3 E. west of the 6th P.M.

	N. Qrt-Sec 10. and 11 Va 14° 35' E
23. w	Leave Valley Drain E. and S. W.
40. w	Built-mound of earth 2½ ft- high from pits 18x24x12 in dup for ¼ Sec cor
77. w	Enter Valley Drain N. E. and S. W.
80. w	Drift creek channel Built-mound of earth 3 ft- high from pits 18x24x12 in dup Ret- red cedar stake 2x2x24 in in S. E. pit- for cor to Sec 2. 3. 10. 11. Land gently rolling Soil good 2nd rate.

	East on a random line Qrt-Sec 2 and 11 Va 14° 35' E
12. w	Leave Valley Drain N. E. & S. W.
40. w	Ret- cor ¼ Sec cor
80. w	Enter Valley Drain N. W. S. E.
79.70	Intersect- N. and S. line at cor to Sec 1. 2. 11. & 12 from which cor a pine 9 ins W. set- on a line to Qrt- Sec 2 and 11. Va 14° 35' E
39.85	Built-mound of earth 2½ ft- high from pits 18x24x12 in dup for ¼ Sec cor
79.70	Cor to Sec 2. 3. 10. and 11 Land gently rolling Soil 2nd rate.

Subdivision of Tp 29 N. of Rds

Range 39 W est of the 6th P. M.

	R. on a random line Ast-
	ern 2 and 3.
	Va 14° 35' E
40. m	Set Cor 94 Rec cor
41. m	L ean Valley N. E. and S. W
50.05	Intersd- N. Body of Tp at a
	point- 50 chs west- of cor to Secs
	2, and 3. from which Cor Dam
	S. 25° W. on a true line Ast- Secs
	2 and 3
	Va 14° 35
40.05	Built- mound of stone 2½
	ft- high from point 18 x 24 x 12 in
	deep for 94 Rec cor
50.05	Cor to Secs 2. 3. 10. and 11
	Land rolling
	Soil 2nd rate.
	May 15th 1851

	Instrument- used to cor to
	Secs 33. and 34 By Observation of
	Polaris at its greatest Eastern
	Elongation. Instrument used
	a Light- Mountain Transit
	made by W. and L. E. Gurley
	of Troy N. Y. No 1 to be found
	on the Instrument which was in
	good condition. the Needle made
	an angle with the Meridian
	thus obtained of 12° 34' + Azimuth
	of 1° 45' = 14° 22' the true Var at
	this Station. Difference Ast-
	ween last- sun & true Var of 13°
	Time 3 h 36 m A. M. civil Time
	May 14th 1851.

Subdivision of Tp. 29. North

Range 39. East of the 6th P.M.

	N. bet- lies 33. and 34.
	Va 14° 35' E
40.00	Built- mound of earth 27 ft-
	high from pits 15 x 24 x 12 in
	deep for ¼ sec cor
80.00	Depositi charcoal stained mound
	of earth 3 ft- high from pits
	15 x 24 x 12 in deep all- mid cedar
	stake 2 x 2 x 24 in in S. E. pit-
	for cor ¼ sec 27. 28. 33. and 34
	Land rolling
	Soil 2nd rate

	East- on a random line
	bet- lies 27. and 34
	Va 14° 35' E
40.00	Set- iron ¼ sec cor ✓
80.13	Intersect- N. and S. line at a
	point- 20 lks N. of cor ¼
	sec 26. 27. 34 and 35 from which
	cor I mon bears N. 89° 57' W. on a
	line bet- lies 27. and 34
	Va 14° 35' E
40.064	Built- mound of earth
	22 ft- high from pits 15 x 24 x 12 in
	deep for ¼ sec cor.
80.13	cor ¼ sec 27. 28. 33. and 34
	Land rolling
	Soil good 2nd rate.

Subdivision of Tp. 29 North

Range 39 West of the 6th P.M.

N. bet- Sec 27 and 25
Va 14° 35' E.

40.00 Built- mound of earth 2½ ft- high from pit 18 x 24 x 12 in deep for ¼ Sec cor

85.00 Depositi charcoal buried mound of earth 3 ft- high from pit- 15 x 24 x 12 in deep bet- ord cedar stake 2 x 2 x 24 in in S. E. pit- for cor to Secs 21. 22. 27. and 28

Land swampy
Soil good 2nd rate.

East- on a random line bet- Sec 27 and 22.
Va 14° 35' E

40.00 Set- Corn ¼ Sec cor

80.00 Surveyed- N. & S. line at cor to Secs 22. 23. 26 and 27 from which cor I run West- on a true line bet- Secs 22. & 27.
Va 14° 35' E

40.05 Built- mound of earth 2½ ft- high from pit 18 x 24 x 12 in deep for ¼ Sec cor

80.10 Cor to Secs 21. 22. 27 and 28

Land good & swampy
Soil good 2nd rate

Subdivision of Sec. 29 North

Range 3 West of the 6th P.M.

B Ost Pcor 21. Md 12.
Va 140 35' E

40.0 | Built mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ sec cor

7.0 | Depuis charcoal raised mound of earth 3½ high from pits 18 x 24 x 12 in deep set-md cedar stake 2 x 2 x 24 in in S.E pit for cor & Pcor 15, 16, 21, 22

Land rolling
Soil 2nd rate.

East on a random line
Ost-Pcor 15, 22. Va 141° 3½ E

24.00 | Enter Valley Run. East

40.0 | pit on ¼ sec cor

80.00 | Intersect N. & S. line at a point 12 ch. S of cor & Pcor 14 & 21, 22 from which cor bears S. 74° 55' W on a true line Ost-Pcor 15, 22

40.0 | 3 | Built mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ sec cor Va 14 3½ E

80.00 | Cor & Pcor 15, 16, 21, 22

Land Valley & rolling
Soil 2nd & 3rd rate.

Subdivision of Tp 29. North of Range 3 West of the 6th P.M.

	N. Ent- Sec 15 and 16
	Va 14° 35' E
40.00	Built- mound of earth 27
	ft- high from pits 15 x 24 x 12 in
	deep for ¼ sec cor
57.00	Ent- Value bran E. and W.
	opposite charcoal
80.00	Built- mound of earth 3 ft-
	high from pits 15 x 24 x 12 in
	deep set- red cedar stake
	2 x 2 x 24 in in S.E. pit for
	cor to Sec 9. 10. 15 and 16.
	Land gently rolling
	Soil good 2nd rate.

	East on a random line
	Ent- Sec 10 and 15
	Va 14° 35' E.
40.00	Set- iron ¼ sec cor
79.80	Intersect- N. and S line at
	a point- 25 lks S. of cor to
	Secs 10. 11. 14 and 15 from which
	cor bears S 89° 49' W. on a
	true line Ent- Sec 10 & 15
	Va 14° 35' E.
39.90	Built- mound of sod
	2½ ft- high from pits 15 x 24 x
	12 in deep for ¼ sec cor
79.50	Cor to Secs 9. 10. 15. and 16
	Land gently rolling
	Soil good 2nd rate.

Subdivision of Sec 29 North

Range 3 West of the 6th P.M.

	N. bet - Secs 9 and 10 Va 14° 35' E		East - on a random line bet - Secs 3 and 10 Va 14° 35' E
6.00	Leave Valley bran E and W. V		
44.00	Set - iron Pg Sec cor	40.00	Set - iron Pg Sec cor
40.00	Built - mound of earth 2ft high from pits 18 x 24 x 12 in deep for Pg Sec cor	51.50	Enter Valley bran N.E. & N.W.
		79.70	Inland - N and S. line at a point - 30 lks South of cor a Sec 2. 3. 10. and 11 from which cor 3 mm S. 89° 47' W. on a bran line bet - Secs 3 and 10 Va 14° 35' E
70.00	Depression charcoal raised mound of earth 3ft high from pits 18 x 24 x 12 in deep set - and cedar stake 2 x 2 x 24 in deep in S.E. pit for cor to Secs 3. 4. 9. and 10.	39.85	Built - mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for Pg Sec cor
		79.70	Cor to Secs 3. 4. 9. and 10.
	Land rolling Soil 2nd rate		Land rolling Soil 2nd rate

Subdivisions of Sec. 29. North Range 39 West of the 6th P.M.

N. on a random line bet-
ween 3 and 4.
Va 14° 35' E.

29.00 Enter Valley from N.E. & W.

40.00 Built mound of earth
2½ ft. high from pits 18 x 24 x 12
deep for ½ sec cor

52.00 Leave Valley from N. E. & S. W.

79.50 Intersect N. Boundary of Ut. Lake at a
point 20. lks East of cor to
Secs 3 and 4. from which cor
I mon S. 0° 9' E. on a line bet
Cor. Sec 3 and 4
Va 14° 35' E.

~~Traverse Ut. Lake~~

V
3983 Built Mound of Earth 2½ ft.
high from pits 18 x 24 x
12 in. deep for 4 sec.
cor.

74.86 Came to Secs. 3. 4. 9 & 10.
May 18. 1881

Subdivision of Sec 29 N & each

	From the cor to Sec lines 32. and 33 on S. bdy of Sec (cor a post & mound and cedar stake & pit in good condition)
	From N. & W. lines 32. and 33.
	Va 14° 35' E.
40. w	Built mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for ¼ Sec cor
80. w	Depositc charcoal raised mound of earth 3 ft. high from pits 18 x 24 x 12 in. deep set with cedar stake 2 x 2 x 24 in. in S. E. pit. for cor to Secs 25. 29. 32. and 33.
	Land rolling Soil 2nd rate.

Range 39 west of the 6th P. M.

	East on a random line Set Secs 25. and 33.
	Va 14° 35' E.
40. w	Set Corn ¼ Sec cor
79.90	Intersect N. and S. line at a point 22 chs N. of cor to Secs 25. 33. and 34. from which cor I run N. 89° 51' W on a true line Set Secs 25. and 33
	Va 14° 35' E
39.95	Built mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for ¼ Sec cor
79.90	Cor to Secs 25. 29. 32. and 33.
	Land rolling Soil 2nd rate.

Subdivision of Pt 29. 20.

	R. Ord- Sec 25. and 29
	Va 14° 35' E
40.00	Built- mound of earth
	2½ ft- high from pit
	18 x 24 1/2 in dish for ¼
	Sec cor.
80.00	Depth- charcoal round
	mound of earth 3 ft- high
	from pit 18 x 24 1/2 in dish.
	Ref- Md cedar stake 2 x 2 x 24
	in mound S. E. pit- from cor-
	ner 20. 21. 28 & 29.
	Land rolling
	Soil 2nd rate.

Range 34. W. of the 6th. P. M.

	East on a random line
	Ord- Sec 21. and 25
	Va 14° 35' E
40.00	Set- Com ¼ sec cor
79.53	Intersect- N & S line at a
	point- 23 lks S. of cor-
	ner 21. 22. 25 & 27 from
	which cor 3 inm S. 89° 50' W
	on a line line Ord- Sec 21 & 25
	Va 14° 35' E ✓
39.912	Built- mound of earth
	24 ft- high from pit 18 x 24 1/2
	in dish for ¼ Sec cor
79.53	Ord- Sec 20. 21. 28 & 29
	Land rolling
	Soil good 2nd rate

Subdivisional of Tp 29. N.

N. 1st Cor 20. and 21
Va 141 35' E

40. w Built mound of earth 2½ ft high from pits 18 l 24 l 12 in deep for 94 Sec cor

8 s. w Depositd charcoal raised mound of earth 8 ft high from pits 18 l 24 l 12 in deep set red cedar stake 2 x 2 x 24 in S. E. pit for cor to sec 16. 17. 20 and 21

Land gently rolling
Soil good 2nd rate.

Range 39 W. of the 6th P.M.

East on a random line
1st Cor 16 and 21
Va 141 30' E

40. w Set stone 94 sec cor

8 0. w Intersd N. & S. line at a point 30 lks S. of cor to secs 15. 16. 21. & 22 from which cor I mon S. 89° 44' W on a stone line 1st Cor 16. & 21
Va 141 35' E

40. w Built mound of earth 2½ ft high from pits 18 l 24 l 12 in deep for the sec cor

8 0. w Cor to secs 16. 17. 20. 21.

Land rolling
Soil good 2nd rate.

Subdivision of Sec. 22 N.

	N. Ust. Sea 18 and 17 Va 140 35' E
40. w	Built mound of earth 2½ ft high from pits 18 1 24 12 in diag for ¼ Sec cor
80. w	Dug pits charcoal round mound of earth 3 ft high from pits 18 1 24 x 12 in diag set rod under slate 2 x 2 1 24 in S.E. pit for cor to Sec S. 9. 16. and 17 Land rolling Soil good

Range 89. W. of the 6th P.M.

	East - on a random line Ust - Sea 9 and 16 Va 140 35' E
26. w	Enter West end of Valley from East
40. w	set - Sec ¼ Sec cor
80. 16	Entered - N and S line at a point - 17 chs S. of cor to Sec 9. 10. 15. and 16. from which cor bears S. 89. 53' W on a true line. Ust - Sea 9. 7 15 Va 140 35' E
40. 08	Built mound of earth 2½ ft high from pits 18 1 24 x 12 in diag for ¼ Sec cor Sec - Sec S. 9. 16. and 17 gently Land rolling Soil good 2nd rate

Subdivision of T. 29 N.

	N. 1/4 cor E. and W. Va 140° 35' E.
40. w	Built mound of earth 29 ft high from pits 18 x 24 x 12 in dep for 1/4 sec cor
53. w	Ewles Valley bears E. and W.
70. w	Depositc charcoal raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep set red cedar stake 2 x 2 x 24 in dep mi S. E. pits for cor to secs 4. 5. 8. and 9.
	Land rolling Soil good 2nd rate.

Range 39 W. of the 6th P. M.

	East and random line bet secs 4 & 9 Va 140° 35' E.
31. w	Swan Valley bears N. E. & S. W.
40. w	pit bet 1/4 sec cor
80. 25	Intersect N. and S. line at a point 9 lks S. of cor to secs 3. 4. 9 and 10. from which cor Dunn S. 89 3/4 E. 6 lks.
	line bet secs 4 and 9 Va 140° 35' E.
40. 12½	Built mound of earth 29½ ft high from pits 18 x 24 x 12 in dep for 1/4 sec cor to secs 4. 5. 8. and 9.
80. 25	Land gently rolling Soil good 2nd rate.

Subdivision of Twp 29 N.

Range 3 W. of the 6th P.M.

N. on a random line
Ont Sec 4 and 5.
Va 14° 35' E V

S. 10 Lear Valley bears E and W.
40.00 Set Corn 1/4 Sec cor
50.00 Intersect N. bdy of Twp at a
point 13. lks West of cor to
Sec 4 and 5 (cor a mound & pits
with red cedar stake in pit in
good condition) from which
cor I run S. 6' W. on a line
bet Sec 4 and 5
Va 14° 35' E
40.00 Small mound of earth 2 ft
ft high from pits 18 x 24 x 12 in
deep for 1/4 Sec cor
80.00 cor to Sec 4. 5. 8. 9.
Land rolling
soil good 2nd rate.
May 18th 1851

Instrument tested at cor to
Sec 31. and 32 on N. bdy of
Twp by observation of Polaris at
its greatest Eastern Elongation
Instrument used a light
Mountain transit made by W. and
L. E Gurley of Troy N. Y. Instrument
in good adjustment no 11 to be found
on the Instrument. The needle made
an angle with the meridian then
obtained of 12° 34' E Azimuth of
10 45' = 14° 22' the time of a at
the point Difference bet time Va
at the point & time bet sun of
0 13
May 19th 1851 0 min 3 h. 25 m
A. M. civil time.

Subdivision of Sec 29. 20 mile

From the cor to Sec 31. and 32 on S. bdy of Sec (cor a Mound & pits and cedar stake in pit- good conditn)
I run N. 1st- Sec 31. and 32
Va 14° 35' E

40. w Built- mound of earth 2½ ft- high from pits 15 x 2½ x 12 in deep for ¼ sec cor

50. w Deposits charcoal round mound of earth 3 ft- high from pits 15 x 2½ x 12 in- deep set- and cedar stake 2 x 2 x 24 in in S. E pit for cor to Secs 29. 30. 31. and 32

Low swelling
Soil 2nd rate. V

Range 39. W. of the 6th P Mo.

East- on a random line to- Secs 29. and 32
Va 14° 35' E

40. w pits 4 in sec cor

50. w Intersect- R. & S. lines at cor to Secs 25. 29. 32. and 36 from which cor I run West- on a line on Sec- Secs 29. & 32
Va 14° 35' E

40. w Built- mound of earth 2½ ft- high from pits 15 x 2½ x 12 in deep for ¼ sec cor

50. w Cor to Secs 29. 30. 31. & 32

Land gently rising
Soil good 2nd rate

Subdivision of Sec 29. T3.

Range 39 W. of the 6th P.M.

	West on a random line bet-
	ses 30. & 31.
	Va 14° 35' E
40.00	Set stone Yr sec cor
50.21	Inclined W. 50 lks of Yr at a
	point 9 chs S. of cor & sec 30 & 31
	(Cor a mound 4 feet wd cedar stake
	in pit in good condition) from which
	cor I run S. 89° 55' E on a true
	line bet ses 30. and 31
	Va 14° 35' E
40.21	Built mound of earth 2½ ft
	high from pits 15 x 24 x 12 in deep
	for Yr sec cor
50.21	Cor bet ses 29. 30. 31. & 32
	Land rolling
	Soil 2nd rate.

	N. bet ses 29 and 30
	Va 14° 35' E
40.00	Built mound of earth 2½ ft
	high from pits 15 x 24 x 12 in deep
	for Yr sec cor
50.00	Inclined Chestnut witness mound
	of earth 3 ft high from pits 18 x 24 x
	12 in deep set red cedar stake 2 x 2 x
	24 in in S. E. pits for cor to Secs
	19. 20. 29 & 30.
	Land rolling
	Soil 2nd rate.

Subdivision of Sec 29. T 8 N R 8 W.

	East - on a random line bet-
	sec 20. and 29.
	Va 14° 35' E.
40.00	Set Com ¼ sec cor
50.11	Intered - N. and S. line at - d
	point - 2 chs W. of cor to secs
	20. 21. 28. & 29. / from which cor.
	I bear N. 59° 55' W. on a line bet
	Cor - sec 20. and 29.
	Va 14° 35' E.
40.05	Built - mound of Earth 2½ ft -
	high from pits 18 x 24 x 12 in deep
	for ¼ sec cor
50.11	Cor to - secs 19. 20. 29. & 30
	Land rolling
	Soil 2nd rate.

Range 8 W. West of the 6th P. M.

	W. on a random line bet sec
	19. and 30
	Va 14° 35' E
40.00	Set Com ¼ sec cor
80.33	Intered - at Bdy of Cty at - a
	point - 2.5 chs N. of cor to secs
	19. & 30 from which cor bears
	~~Road~~ N. 89° 49' E on
	a true line bet - Secs 19. and 30
	Va 14° 35' E
40.33	Built - mound of earth 2½ ft -
	high from pits 18 x 24 x 12 in deep
	for ¼ sec cor
80.33	Cor to - Secs 19. 20. 29. & 30
	Land gently rolling
	Soil good 2nd rate.

Subdivision of Tp. 29. South

	N. bet- Rea 19. and 20.
	Va 14° 35' E
40. w	Built- mound of earth 2½ ft-
	high from pits 15 x 24 x 12 in. deep
	for ¼ sec cor
80. w	Deposits charcoal ranic mound
	of earth 3 ft- high from pits 15 x 24 x 12
	in. deep set- red cedar stake
	2 x 2 x 24 in. in S. E. pit- for cor-
	ner 17. 18. 19. and 20.
	Land rolling
	Soil 2nd rate.

Range 89 W. of the 5th P. M.

	East on a random line
	bet- Sec 17. & 20
	Va 14° 35' E
40. w	Set- Corn ¼ sec cor
80. w	Intersect- N. & S. line at- a
	point- 12 chs S. of cor to Secs
	16, 17, 20, & 21 from which cor
	from 20 on S. 89° 55' W. on a
	bee line bet- Sec 17. & 20
	Va 14° 35' E
40. w	Built- mound of earth
	2½ ft- high from pits 15 x 24 x 12 in.
	deep for ¼ sec cor
80. w	Cor to- Secs 17, 18, 19, & 20
	Land rolling
	Soil good 2nd rate.

Subdivision of Sec 29. T9.

W. on a random line Set-
tes 15. & 19
Va 14° 35' E

40.00 Set — cor to Sec cor
80.25 Inters - W bdy of Sec at a
3 pmt - 10 cks S. of cor to tes
15 & 19. from which cor bears
S. 89° 56' E. on a true cor Set -
tes 15. & 19.
Va 14° 35' E

40.35 Built mound of earth 2½ ft -
high from pits 18 x 24 x 12 in dep
for Sec cor

T.U.30 Cor to tes 17. 18. 19. & 20
Land rolling
Soil 2nd rate

Range 32 W. of the 6th P.M.

N. Set tes 17 & 18 Va 14° 35'

40.00 Built mound of earth 2½ ft -
high from pits 18 x 24 x 12 in dep
for Sec cor

80.00 Bearing tree cleared round mound
of earth 3 ft high from pits 18 x 24 x
12 in dep set ind cedar stake 2 x 2 x
24 in in S.E. pit for cor Sec
T. 5. 17. & 18.
Land rolling
Soil good 2nd rate

Subdivision of Cft 29 North

	East on a random line
	Set Cor 5 & 17
	Va 14° 35' E
40.00	Set Com ¼ sec Cor
79.90	Intersect N. and S. line at a point 12 lks E. of Cor & run S. 9 lks. & 17. from which Cor B. S 90° 35' W on a true line Set Cor 8. & 17.
	Va 14° 35' E
39.95	Built mound of earth 24 ft high from pits 1 x 2 & 1/2 E in dist for ¼ sec Cor
79.90	Cor & Sec 7. 8. 17. & 18
	Land gently rolling Soil good 2nd rate

Range 84 West of the 6th P. M.

	West on a random line
	Set Cor 7 & 18.
	Va 14° 35' E
40.00	Set Com ¼ sec Cor
50.40	Intersect W. Bdy of Cft at a point 18 lks S. of Cor & Sec 7. & 18. from which (Cor a mound & pits with red cedar stake in pit good condition) from which S 89° 52' Cor B Com E. East on a true line Set Cor 7 & 18.
	Va 14° 35' E
40.40	Built mound of earth 24 ft high from pits 1 x 2 & 1/2 E in dist for ¼ sec Cor
80.40	Cor & Sec 7. 8. 17. 18.
	Land rolling Soil 2nd Rate

Subdivision of Sec. 29. North

Range 39. West of the 6th P.M.

		N. 1st- Run 7.98.	
		Va 14° 35' E.	
40. w		Built- mound of earth 2½	
		ft- high from pit- 18 x 24 x 12 in	
		deep for ¼ sec cor	
80. w		Depos- charcoal mound	
		mound of earth 3 ft- high	
		from pit- 18 x 24 x 12 in- deep	
		pit- and cedar stake 2 x 2 x 24 in	
		in S.E. pit- for cor- to sec	
		5. 6. 7. 8.	
		Land rolling	
		Soil 2nd rate.	

		East on a random line	
		1st- Run 5 98.	
		Va 14° 35' E.	
5. w		Enter West end of Valley	
		Cross East-	
40. w		pit- bears ¼ sec cor in Valley	
80. 08		Intersect N. & S. line at cor	
		1st Run 4. 5. 8. 9. from which	
		dist 3 chs West- on a bears	
		tree 1st- Run 5 98	
		Va 14° 35' E.	
40. 04		Built- mound of Earth	
		2½ ft- high from pit- 18 x 24 x 12 in	
		deep for ¼ sec cor	
80. 08		1st- Run 5. 6. 7. 8.	
		Land mostly Valley	
		Soil good 2nd rate.	

Subdivision of Sec 29 T 20 N R 3 E W. of the 6th P.M.

West on a random line Set-
tra 6. & 7.
Va 14° 35' E

40. W — Set Com ¼ sec cor
8.0. 53 — Inland - West - bdy of Ct at-
a point - 12 chs N of cor to Rs
5. & 7. (cor is mound & pits
and ash or stake in pit - good
condition) from which cor bears N 89° 05' E
East - on a true line bet - Rs
5 & 7.
Va 14° 35' E.
40. 53 — Built - mound of earth 2½
ft - high from pits 18 x 24 x 12 in
deep for ¼ sec cor
80. 53 — Cor to Rs 5. 6. 7 & 8.
Land rough
Soil 3rd rate.

Range 3 E W. of the 6th P.M.

N. on a random line Set-
tra 5 & 6.
Va 14° 35' E
40. W — Set Com ¼ sec cor
80. 23 — Inland - N. bdy of Ct at a
point - 15 chs E dist of cor to
Rs 5 & 6. (cor a mound &
pits stake in pit in good
condition) from which cor bears
S 71° East - on a true line bet - Rs
5. 7. 6.
Va 14° 35' E
40. 23 — Built - mound of earth 2½
ft - high from pits 18 x 24 x 12 in deep
for ¼ sec cor
80. 23 — Cor to Rs 5. 6. 7 & 8
Land rolling
Soil 2nd rate.
Nov 19th 1851.

General Description

The land in this township is mostly fair and water can be obtained in the valleys at a depth of 20 ft of 1st quality soft water. The township is covered with the best of grass. Buffalo blue joint & grama. There is no way to irrigate the 1/4 sections by artesian wells. There is very little timber in the 1/4 and that of a very inferior quality of willow and ash.

Names of Assistants

A list of the names of the assistants employed in running measuring and marking the lines and corners described in the foregoing field notes of the 29. North of the Base Line of Range No 39 West of the 6. P.M. in Nebraska showing the respective capacities in which they acted

James M. Troy	Chainman
W. K. Raphael	do
E. J. Howard	Monumentman
H. C. Hall	Flagaman

State of Nebr } ss
Lincoln Co }

We hereby certify that we assisted W. K. Richardson United States Deputy Surveyor in Surveying and Subdividing Township No 29. North of the Base Line of Range 39. West of the 6th P.M. in Nebraska. & that said Township has been in all respects to the best of our knowledge & belief, faithfully surveyed. and the boundary monuments planted according to the instructions furnished by the Surveyor Genl. & durable character and constructed and marking and in the manner specially described in the foregoing Field Notes

James M Troy Chainman.
W. K. Raphael do
E. J. Howard. Monumentman.
H. C. Hall Flagaman.

Subscribed and Sworn to before me
May 28th 1881 Wm Neville
Notary Public.

State of Nebraska } ss
Lancaster }

I W. T. Richardson United States Deputy Surveyor. do solemnly swear that I have in my own proper person with the necessary assistants. well, truly, and faithfully executed the retracement and subdivision surveys of Twp No 29 North of the Base Line of Range No 3 West of the 6th P.M. in Nebraska under joint contract No 117. with Geo. D. Smith United States Surveyor Genl for the District of Iowa and Nebraska. bearing date of August 12th 1880.

That in making the said surveys I have used only such instruments as were approved by the Surveyor Genl exercising due care in the premises of the adjustment of the same. That I have in all respects complied with the laws of the United States governing public land surveys. the Surveying Manual and such additional instructions as have been furnished me by the said Surveyor General

relating to the aforesaid surveys that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned. that to the best of my knowledge and belief all assistants employed have faithfully obeyed the aforesaid laws and instructions and that the annexed Field Notes are the original. true and correct returns of the said Surveys.

W. T. Richardson

Subscribed in my presence and sworn to before me this 28th day of January 1881

Jno Neville
Notary Public.

Surveyor Genl's Office
Plattsmouth Neb. June 18th 1881.

The foregoing field notes of the retracement of boundaries and Survey and Subdivision of Township No. 29 North of the Base Line of Range No 39 West of the 6th P. M. in Nebraska.

Executed by W. J. Richardson U. S. Deputy Surveyor under his Contract No 117 dated Aug. 12th 1880 in the month of May 1881, having been critically examined the necessary corrections and explanations made, the said field notes, and the Surveys they describe are hereby approved.

Geo. S. Smith
Surveyor General

Town No 30 N Range No 39 W

6	64	5	47	4	35	3	23	2	11	1		
	63		62		46		34		22		10	
7	61	8	45	9	33	10	21	11	9	12		
	60		59		44		32		20		8	
18	58	17	43	16	31	15	19	14	7	13		
	57		58		42		30		18		6	
19	55	20	41	21	29	22	17	23	5	24		
	54		53		40		28		16		4	
30	52	29	39	28	27	27	15	26	3	25		
	51		50		38		26		14		2	
31	49	32	37	33	25	34	13	35	1	36		

Field Notes of
Subdivision of Township
- No 30 North of the
Base Line
of Range No 39 West
of the 6th P.M.
in Nebraska
Executed by W. T. Richardson
U. S. Deputy Surveyor under
his Contract - No 117 Dated
Late of August 12th 1880
Survey commenced
May 20. 1881
Survey Completed
May 25. 1881
List of names of assistants
James M. Hoy Chainman
W. K. Rapelee do
T. J. Howard Monumentman
H. C. Hall Flagman

This Survey was Executed with a Light Mountain Transit made by Wm. Ford L. E. Gurley of Troy N. Y. No. Nº 6 to be forwd on the instrument locked at the Surveyor Generals Office and approved by the Surveyor Genl before entering the Field.

Subdivision of Tp 35 North

Range 39 West of the 6th P.M.

	Commencing at the Sel- cor to Sec 35 and 36 on S. bdy of Township (cor a mound with pits and red cedar stake in pit) Rd having run the East- bdy of the Tp on a Va of 14° 35' E 9 mm N. to Sel- Sec 35 and 36 Va 14° 35' E		East- on a random line bet- Sec 25 and 36 Va 14° 35' E
40.00	Built- mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor	21.00	Enter Valley Dran N. E. and S. W
45.00	Enter Valley Dran N. E. and S. W	40.00	Set- iron ¼ Sec cor
55.00	Leave " "	46.50	Leave Valley Dran N.E. & S.W.
80.00	Set- a pointed charcoal Built- mound of earth 3 ft- high from pits 15 x 24 x 12 in deep set- 1 red cedar stake 2 x 2 x 24 in S.E. pit- for cor to Sec 25. 26. 35. and 36	79.86	Intersect- E. bdy of Tp at a point 14 lks S. of cor to Sec 25 and 36. (Cor a pointed mound in good condition cedar stake in pit.) from which cor I mm S. 89° 54' W. on a line bet- Sec 25 & 36 Va 14° 35' E
	Land gently rolling Soil good 2nd rate	3993	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ Sec cor
		79.86	Cor to Sec 25. 26. 35 & 36
			Land gently rolling Soil good 2nd rate

Subdivision of Tp. 30 North

N. Cor- Sec 25 & 26
Va 14° 35' E

40.00 W. Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in dep set- red cedar stake 2 x 2 x 24 in in S.E. pit- for cor & Sec
1, 23, 24, 25 and 26
Land rolling
Soil 2nd rate.

Range 39 west of the 6th P.M.

East- on a random line
Cor- Sec 24 & 25
Va 14° 35' E

21.00 W. Enter Valley N.E. & S.W
40.00 W. Set- Corn ¼ Sec cor
41.00 W. Cross Valley Creek N.E. & S.W
80.05 Intersect- E. bdy of Tp at a point- 7 lks N. of cor to- Sec 24 & 25 (cor a sandstone & red cedar stake in pit- good conditn) from which cor bears N. 89° 57' W. on a curve line Cor- Sec 24 and 25.
Va 14° 35' E
40.04 Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in deep for ¼ Sec cor
80.05 Cor to Sec 23, 24, 25, and 26
Land gently rolling
Soil good 2nd rate

Subdivision of Tp. 30 North

	N. Ost- Cor 23, & 24
	Va 14° 35' E
40. w	Set- Cor 1/4 Sec
40. w	Built- mound of earth 2½ ft. high from pit- 18 x 24 x 12 in deep for 1/4 Sec Cor
80. w	Set- Iron Charcoal
	Built- mound of earth 3 ft. high from pit- 18 x 24 x 12 in deep set- 3rd cedar stake 2 x 2 x 24 in in S. E. pit- for Cor to Sec 13. 14. 23, & 24
	Land rolling
	Soil 2nd rate

Range 3 W. of the 6th P. M.

	East- on a random line between Sec 13. and 24
	Va 14° 35' E
40. w	Set- Corn 1/4 Sec Cor
80. w	Intersected- E. bdy of Tp at a point 24 chs N. of Cor to Sec 13. & 24 (Cor a mound of pit and cedar stake in pit- good witness from which Cor is on N. 8 9° 50' W. on a true line between Sec 13. and 24.
	Va 14° 35' E
40. w	Built- mound of earth 2½ ft- high from pit- 18 x 24 x 12 in deep for 1/4 Sec Cor
80. w	Cor to Sec- 13, 14, 23, and 24
	Land rolling
	Soil 2nd rate

Subdivision of Tp. 30. North

	N. bet-Rge 13. and 14
	Va 14° 35' E
12.00	Enter marsh bm E & W.
13.50	Snake River 30 chs wide bm E & W
24.00	Grand Island 3rd Blk Mile Road
	bm E. & W.
25.00	Enter hills
40.00	Built- mound of earth
	2½ ft-high from pit 1 ft x 2 ft x 1½ in
	dep for 4th Sec cor
40.10	Deposited charcoal
	Built- mound of earth 3 ft-
	high from pit- 1 ft x 2 ft x 1½ in
	dep set- md cedar stake
	2 in x 2 in x 24 in in S.E pit- for cor
	to Sec 11, 12, 13, & 14
	Land rolling
	Soil 2nd rate.

Range 39. West of the 6th P. M.

	East on a random line bet-
	ween 12 and 13.
	Va 14° 35' E
40.00	Set- corn Sec cor
46.50	Grand Island & Blk Mile Road
	runs N.W. & S.E.
80.10	Intersect- E bdy of Tp at a
	point- 12 chs N. of cor to- ben
	12. and 13. (Cor a mound of soil
	and cedar stake in pit- in good
	condition) from which cor 3 ins
	N. 58° 65' W. on a true line
	bet- Sec 12 and 13.
	Va. 14° 35' E
40.05	Built- mound of earth
	2½ ft- high from pit- 1 ft x 2 ft x 1½
	in dep for 4th Sec cor
84.10	Cor- Sec 11, 12, 13, and 14
	Land rolling
	Soil 2nd rate.

Subdivision of Tp. 30. North

Range 39. W of the 6th P.M.

	N. Cor- Sec 11. and 12,
	Va 14° 35' E
40.00	Built mound of earth 2ft.
	high from pits 18 x 24 x 12 in deep
	for 94 Sec cor
50.00	Grand Island & Blk Hills Road
	Cross N. W. & S. E.
	Depth to channel
50.00	Built mound of earth 3 ft-
	high from pits 18 x 24 x 12 in deep,
	set- red cedar stake 2 x 2 x 24 in
	in S. E. pit- for cor to Sec.
	1. 2. 11. & 12
	Land rolling
	Soil 2nd rate.

	E. on a random line Set-
	Sec 1 and 12
	Va 14° 35' E.
40.00	Set- Sec 94. Sec cor
79.94	Intersect- E bdy of Tp at a
	point- 18 chs N. of cor to Secs
	1. & 12 (cross mound & pits
	and cedar stake in pit- cor in
	good condition) from which I
	run N. 89. 52' W on a true line
	Set- Sec 1. & 12.
	Va 14° 35' E
39.97	Built- mound 2½ ft- high
	from pits 18 x 24 x 12 in deep
	for 94 Sec cor
79.94	Cor to Secs 11. 12. 14 and 13.
	Land rolling
	Soil 2nd rate.

Subdivision of Th 30 North

R. on a random line Bet-
ween 1. & 2.

Va 14° 35' E

40.00 Set- Com Qr sec cor
80.25 Inclined N. 60½ E. at- a
point- 30. chs West- of cor- be-
tween 1. & 2. (Cor a mound &
pile rd cedar stake in pit-
good condition) from which
cor I run S. 0° 13' W on a true
line bet- Sec 1 and 2.

Va 14° 35' E

49.25 Built- mound of Earth 2½
ft- high from pits 15 x 24 x 12 in
deep for Qr Sec cor

80.25 Cor to Sec 1. 2. 11. & 12

Land gently rolling
Soil good 2nd rate

Friday May 20th 1881

Range 39. West- of the 6th P.M.

Instrument- Used at- cor to
Sec 26. 27. 34 and 35 By observation
of polaris at- its greatest- Eastern
Elongation Instrument- used a
light- mountain transit- made
by W. and L. E. Gurley of Troy
N. Y. No 2. to be found on the
instrument- Our meridian made
an angle with the meridian thus
obtained of 12° 34' + Azimuth of
1° 45' = 14° 22' the true Va at-
this Station.

Difference bet- true East- and
true Va at- this point- of 0° 13'
E: 20'
3 h 29 m A. M. civil time

Sat- May 21st 1881

Subdivision of Th. 30. North

N. Cor- Rec 34 and 35
Va 14° 35

40. w Built- mound of earth 2½ ft- high from pit- 15x24x12 in dep. for ¼ Sec cor

46. w Enter Valley Creek N. E. & S. W.

67. w Leave " " " "

80. w Deposit- charcoal pit mound of earth 3 ft- high from pit- 15x24x12 in dep. set- md cedar stake 2x2x24 in- in S. E. pit- for cor to- Sec 26. 27. 34 and 35

Land rolling
Soil 2nd rate

Range 39. west of the 6th P. M.

East- on a random line set- Sec 26. and 35.
Va 14° 35' E

40. w Set- Stone ¼ Sec cor

79.58 Intersect- N. and S. line of- a pond- 2.0 chs S. of cor to- Sec 25. 26. 35. and 36 from which cor. bears S. 89° 57' W. on a line to- Cor- Sec 26. and 35
Va 14° 35' E

39.84 Built- mound of earth 2½ ft- high from pit- 15x24x12 in dep. for ¼ Sec cor

79.65 Cor to- Sec 26. 27. 34 and 35

Land rolling
Soil good 2nd rate

Subdivision of Tp 30. North

	N. Ord- Line 26. and 27
	Va 14° 35' E.
40. w	Built- mound of earth 2½ ft- high from pits 15 x 24 x 12 in deep for ¼ Sec cor
46. w	Enter Valley bran N. E. and S. W.
56. w	Cross " " " " "
84. w	Opposite charcoal ravine mound of earth 3 ft- high from pits 15 x 24 x 12 in deep set- red cedar stake in S. E. pit- for Cor to Sec 22. 23. 26. and 27.
	Land gently rolling
	Soil good 2nd rate.

Range 39 West- of the 6th P. M.

	East on a random line
	Ord- Run 23. and 26.
	Va 14° 35' E
40.00	Set- Cor ¼ Sec cor
79.88	Intersect- N. and S. line at a point- 24 chs N. of cor to Sec 23. 24. 25 and 26. from which cor I am N. 89. 50' W. on a true line Ord- Run 23. and 26.
	Va 14° 35' E
39.94	Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in deep for ¼ Sec cor
79.88	Cor to Sec Run 22. 23. 26. and 27.
	Land rolling
	Soil 2nd rate.

Subdivision of Tp. 30. N. Rge 39. West of the 6th P.M.

	N. bet- Secs 22. and 23
	Va 14° 35' E.
40. w	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ Sec cor
68. w	Enter marsh on S. side of Snake river
75. w	Snake River 25 Ch wide
80. w	Deposit charcoal sand mound of earth 3 ft- high from pits 18 x 24 x 12 in deep set- red cedar stake 2 x 2 x 24 in in S.E. pit- for cor. 4- Secs 14, 15, 22, 23.
	Land rolling
	Soil 2nd rate.

Range 39. West of the 6th P.M.

	East on a random line
	bet- Secs 14 and 23. — Va 14° 35' E
3. w	Snake River 25 Ch wide
	Course N. E.
3. 50	Enter Bluffs Course N. E. and S. W.
40. w	pet- line ¼ Sec cor
79. 50	Intersect N. & S. line at a point 15 Ch N. of cor 4- Secs 13, 14, 23 and 24. from which cor I run N. 89° 53' W. on a true line bet- Secs 14. and 23
	Va 14° 35' E
39. 90	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ Sec cor
79. 50	Cor 4- Secs 14, 15, 22, and 23
	Land rough
	Soil 3rd rate.

Subdivision of Tp 30. North

	N. bet- line 14 and 15
	Va 14° 35' E.
2.50	Road Sd enters hills line N. E. and S. W.
40. w	Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in- deep for ¼ Sec cor
80. w	Dispute- charcoal raised mound of earth 3 ft- high from pits 15 x 24 x 12 in- deep set- ted cedar stake 2 x 2 x 24 in in S. E. pit- for cor- to Sec 10. 11. 14. and 15
	Land rolling; Soil 2nd rate.

Range 39. west of the 6th P. Mer.

	East- on a random line bet- Secs 11. & 14
	Va 14° 35' E.
40. w	Set- line ¼ Sec cor
79. 95	Intersect- R. & S. line at- cor to Secs 11. 12. 13. & 14 from which cor I run West- on a true line bet- Secs 11. & 14
	Va 14° 35' E
79. 95	Built- a mound of earth 2½ ft- high from pits- 15 x 24 x 12 in- deep for ¼ Sec cor.
79. 95	Cor- to Secs 10. 11. 14. & 15

Subdivision of Tp 30. North

	R. Ist- Run 10. & 11
	Va 14° 35' E
40. W	Built- mound of earth
	29. ft- high from pits
	18 x 24 x 12 in- dug for 4 Rec
	cor
80. W	D s/pits- charcoal round
	mound of earth 3 ft- high
	from pits- 18 x 24 x 12 in- dug
	Pit- ind cedar stake 2 x 2 x 24 in
	in S. E. pit- for cor to- Run
	2. 3. 10. and 11.
	Land rolling
	Soil 2nd rate.

Range 32. West of the 5th P.M.

	East- on a random line
	Ist- Run 2. & 11
	Va 14° 35' E
40. W	Pit- Com 4 Rec cor
58.50	Grand Island & Black Hills
	Road cross N. W. 3d S E
80.16	Intersd- N. & S line at a point
	12 ch N. of cor to- Run 1. 2. 11. & 12
	from which cross Iam
	N. 89° 55' West- on a true line to
	Ist- Run 2. & 11.
	Va 14° 35' E.
40.08	Built- mound of earth 29 ft-
	high from pits 18 x 24 x 12 in- dug
	for 4th Rec cor
80.16	Cor to Run 2. 3. 10. and 11.
	Land rolling
	Soil 2nd rate.

Subdivisions of Tp 30. North

	R. on a random line bet-
	ween 2. and 3 Va 14, 36'
40. w	Set Corn 1/4 Sec cor
N. 13	Inclined R. body of Tp at a
	point 15 lks East of cor be-
	tween 2 and 3. (in a mound &
	pits 8 lks & 4 ps in good condition
	from which cor 3 mn S. 8° 8' W.
	on a true line bet- Rns 2. & 3
	Va 1 40 35' E
40. 13	Built- mound of Earth 2½
	ft. high from pits 1 ft x 2 ft & 12 in
	deep for 1/4 Sec cor
W. 13	cor to Secs 2. 3. 10. 11
	Land gently rolling
	Soil good 2nd rate.
	May 27th 1851

Range 39. West of the 6th P.M.

Instrument locked at corner to Secs 34 & 35 by elevation of Polaris at its greatest Eastern Elongation. Instrument used a Lights Mountain Transit made by W. & L. E. Gurley of Troy N.Y. No 1[illegible] to be found on the Instrument. The Needle made an angle with the meridian then obtained of 12° 34' + Azimuth of 1° 45' = 14° 22' the true Va at this point. Difference bet. true East from a true Va at this Sta of 0° 13'

Omis. 3 lks 16 m. in Secs 34 & 35 May 22nd 1851

Subdivision of Township 30 North

R. Ret- run 33 and 34
Va 14° 35' E

32. w — Enter Valley Run N. E. ¼ S. W.

49. w — Built- mound of earth 22 ft- high from pits 15 x 24 x 12 in dep for ¼ Sec cor

49. w — Enter Valley Run N. E. and S. W.

80. w — Deposit- charcoal raised mound of earth 3 ft- high from pits 15 x 24 x 12 in dep Ret- red cedar stakes 2 x 2, 12 in in S. E. pit- for cor to Sec 27. 25. 33. and 34.

Land gently rolling
Soil 2nd rate.

Range 39 West of the 6th P.M.

East on a random line
Ret- Sec 27 and 34
Va 14° 35' E

48. w — Built- mound of earth 22 ft- high from pits 15 x 24 x 12 in

40. w — Set- Stone ¼ Sec cor

80. 42 — Intmd- N. & S. line at- a point- 29. ch- N of cor to Sec 26. 27. 34. and 35 from which cor I ans N. 89° 45' W on a true line Ret- Sec 27. and 34
Va 14° 35' E

40. 21 — Built- mound of earth 22 ft- high from pits 15 x 24 x 12 in dep for ¼ Sec cor

80. 42 — Cor to Sec 27. 25. 33. and 34

Land rolling
Soil 2nd rate.

Subdivision of Tp 30 North

	N. bet- Sec 27 and 25. Va 14° 35' E.
40. w	Built mound of earth 2½ ft- high from pits- 15 x 24 x 12 in deep for ¼ Sec cor.
80. w	Depositc observed rancid mound of earth 3 ft- high from pits- 15 x 24 x 12 in deep set- red cedar stake 2 x 2 x 24 in in S. E pit- for cor to Sec 21, 22, 27 and 25
	Land rolling Soil 2nd rate

Range 39 West of the 6th P.M.

	East- on a random line bet- Sec 27 and 22. Va 14° 35' E.
40. w	Set- Corn ¼ Sec cor
80. 35	Intersd- N. and S. line at a point- 14 chs N. of cor to Sec 22, 23, 26 and 27 from which cor B runs N. 89° 54' W. on a true line bet- Sec 22 and 27 Va 14° 35' E
40. 19	Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in deep for ¼ Sec cor
80. 35	Cor to Sec 21, 22, 27 and 28 Land rolling Soil good 2nd rate.

Subdivisions of Tp 30. North

	N. bet- Secs 21. and 22.
	Va 14° 35' E.
40. w	Built- mound of earth
	22½ ft- high from pits 15 x 24 x 1
	12 in deep for ¼ Sec cor
52 w	foot of Bluffs bear E. and W.
	Scattering cedar and ash timber
51. 50	Snake River 30 Ch- wide
	course East-
55. w	Road E. & W.
56. w	Enter hills E. & W.
80. w	Opposite charcoal raised
	mound of earth 3 ft- high
	from pits 15 x 24 x 12 in deep
	set- red cedar stake 2 x 2 x 24 in
	in S. E. pit- for cor to Secs
	15. 16. 21. and 22.
	Land rolling
	Soil 2nd rate.

Range 39. West of the 6th P.M.

	East on a random line
	bet- Secs 15 and 22.
	Va 14° 35' E.
40. w	Set- Corn ¼ Sec cor
69. w	enter Valley from N. E. S. W.
71. w	Snake River Valley & road
	from N. E. and S. W.
80. 14	Intersect- N. and S. line at-
	a point- 10 Ch- N. of cor to-
	Secs 14. 15. 22. and 23 from which
	cor I run N. 89° 56' West on a
	true line bet- Secs 15 and 22.
	Va 14° 35' E.
40. 07	Built- mound of earth
	22½ ft- high from pits
	15 x 24 x 12 in deep set
	red cedar stake 2 x 2 x 24
	in in S. E. for ¼ Sec cor
80. 14	Cor to Secs 15. 16. 21. and 22
	Land gently rolling
	Soil good 2nd rate.

Subdivision of T. 8 S. R. 30 E.

	N. Qrt- Sec 15 and 16.
	Va 14° 35' E.
40.00	Built- mound of earth
	2½ ft- high from pit- 15 x 24 x 12 in
	deep for ¼ Sec cor
80.00	Dug pit- charcoal raise mound
	of earth 3 ft- high from pit-
	15 x 24 x 12 in deep set- 4
	cedar stake 2 x 2 x 24 in in
	S. E. pit- for cor- to Sec
	T. 10. 15. 2nd 16.
	Land rolling
	Soil 2nd rate.

Range 39 west of the 6th P. M.

	East on a random line
	Qrt- Sec 10. and 15
	Va 14° 35' E.
40.00	Set- Cor ¼ Sec cor
80.04	Intersect- N. and S. line at a
	point- 26 lks N. of cor- to Sec
	10. 11. 14. and 15 from which cor
	I own N. 89. 45' W. on a line line
	Qrt- Sec 10. and 15
	Va 14° 35' E
40.02	Built- mound of earth
	2½ ft- high from pit-
	18 x 24 x 12 in deep for ¼ Sec
	cor
80.04	Cor- to Sec T. 10. 15. 2d 16
	Land gently rolling
	Soil good 2nd rate.

Subdivision of Twp 30. North

	N. 1/4 Sec 9. 2nd D Va 14° 35' E.
40.00	Built- mound of earth 2½ ft- high from pits- 18 x 24 x 12 in dep for ¼ Sec cor
80.00	Deposit charcoal raise mound of earth 3 ft- high from pits 18 x 24 x 12 in dep set- md cedar stake 2 x 2 x 24 in in S. E. pit- for cor & Pos 3. 4. 9. 2nd 10.
	Land gently rolling Soil good 2nd rate.

Range 39. West of the 6th P.M.

	East on a random line 1/4 Pos 3 2nd 10. Va 14° 35' E.
40.00	Set- Iron ¼ Sec cor
79.88	Intersect- N. 2nd L line at- a point 11. ch W. bank of cor & Pos 2. 3. 10. 2nd 11. from which cor 3 min S. 89° 55' W. on a true line bet- Pos 3 & 10 Va 14° 35' E
39.94	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in dep for ¼ Sec cor
79.88	Cor & Pos 3. 4. 9. 2nd 10. Land rolling Soil good 2nd rate

Subdivision of Sct. 30. North

Range 39. West of the 6th P.M.

R. on a random line Ast-
bet Sec 3 and 4
Va 14° 35' E.
40.00 Set Cor 1/4 Sec Cor
To 42 Intersect R. bdy of Sct at a point
24 lks East of Cor to Secs 3 and 4
(on a mound of pits stone in pit
Cor in good condition) from which
Cor bears S 15° E on a true line
Ast Secs 3 and 4.
Va 14° 35' E.
42
40.72 Built mound of earth 2 ft
ft high from pits 1 ft x 2 ft x 1/2
in depth for 1/4 Sec Cor
To 42 Cor to Secs 3, 4, 9, and 10.
Land gently rolling
Soil good 2nd rate.

May 22nd 1871

Subdivision of Tp. 30 North

Range 39. West of the 6th P.M.

	From cor to sec 32. and 33 on S. bdy of Tp. (cor a mound & pit with stake in pit in good condition)
	I run N. bet sec 32. and 33
	Va 14° 35' E.
38. w	Enter Valley from E and W.
40. w	Built mound of earth 2½ ft high from pit 18 x 24 x 12 in deep for ¼ sec cor
82. w	Leave Valley from E and W.
80. w	Deposit charcoal raised mound of earth 3 ft high from pit 18 x 24 x 12 in deep set ind cedar stake 2 x 2 x 24 in in S.E pit for cor to sec 25. 29. 32. & 33.
	Land gently rolling
	Soil good 2nd rate.

	East on a random line bet sec 25 & 33
	Va 14° 35' E
40. w	Set cor ¼ sec cor
80.10	Intersect N. and S. line at a point 32 lks S of cor to sec 27. 25. 33 & 34. from which cor I run S 59° 40' W on a true line bet sec 25. and 33.
	Va 14° 35' E.
40.05	Built mound of earth 2½ ft high from pit 18 x 24 x 12 in deep for ¼ sec cor.
80.10	Cor to sec 25. 29. 32. & 33.
	Land rolling
	Soil good 2nd rate.

Subdivision of Tp 30. North

Range 39. West of the 6th P.M.

	N. bet- Rec 25 and 29.
	Va 14° 35' E
40.00	Set- com ¼ Sec cor
40.00	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ Sec cor
80.00	Distant- charcoal, rock mound of earth 3 ft- high from pits 18 x 24 x 12 in deep set- md cedar stake 2 x 2 x 24 in. in S.E. pit- for cor to Sec 20. 21 25. and 29. A chump of young Ash trees bears S. 40° E. of this cor 10 chs dist-
	Land rolling
	Soil good

	East- on a random line
	N bet- Sec 21. and 25
	Va 14° 35' E.
40.00	Set- com ¼ Sec cor.
80.10	Intersect- N. and S. line at a point- 7 lks S. of cor to Sec 21. 22. 27 & 28. from which cor I run S. 89° 57' W on a true Line N bet- Sec 21. and 28
	Va 14° 35' E.
40.05	Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ sec cor.
80.10	Cor to Sec 20. 21. 28 and 29.
	Land rolling
	Soil good

Subdivision of Tp 38. North

	N. Cor- Rca 20. and 21
	Va 14° 35' E.
40. w	Built- mound of Earth 2½ ft-
	high from pit- 18 x 24 x 12 in deep
	for ¼ Sec cor.
56. w	Enter Snake River Valley
	a few scatter cedar trees on
	L. bank.
59. w	Snake River 20. ch's wide
	course E. & W.
62. w	Road course E & W.
72. w	Enter low hills
80. w	Deposit charcoal pit
	mound of earth 3 ft- high
	from pit- 18 x 24 x 12 in deep
	pit- and cedar stake 2 x 2 x 24 in
	in S. E. pit- for cor 4- Secs
	16. 17. 21 and 21.

Land gently rolling
Soil good 2nd rate.

Range 39 W. of the 6th P. M.

	East on a random line
	Cor- Secs 16. and 21.
	Va 14° 35' E.
40. w	Set- Com ¼ Sec cor.
80. 30	Intersect- N. and S. line at-
	a point- 12 ch's S. of cor 4-
	Secs 15. 16. 21 and 22. from which
	cor I run S. 89° 57½' W. on a
	true line Cor- Secs 16. and 21.
	Va 14° 35' E.
40. 05	Built- mound of earth 2½ ft-
	high from pit 18 x 24 x 12 in
	deep for ¼ Sec cor.
80. 30	Cor 4- Secs 16. 17. 20. and 21.

Land rolling
Soil good 2nd rate

Subdivision of Tp 38 North

	N. Cor- Sec 15. and 17.
	Va 14° 35' E.
40. ac	Built- mound of Earth
	22 ft- high from pit- 18 x 24 x
	12 in deep for 1/4 Sec cor
80. ac	Deposit- charcoal raised
	mound of earth 3 ft- high
	from pit- 18 x 24 x 12 in deep
	set- 4 red cedar stakes 2 x 2 x 24 in
	deep in S. E. pit- for cor 4- Sec
	8. 9. 15. and 17.
	Land gently rolling
	Soil good 2nd rate.

Range 39 West of the 6th P. M.

	East on a random line
	Cor- Sec 9. and 16
	Va 14° 35' E
40. ac	Set- Com 1/4 Sec cor
80. 36	Intersect- N. and S. line at cor
	to Sec 9. 10. 15. and 16. from
	which cor 4 pine Scribed on a
	pine line Cor- Sec 9 and 16
	Va 14° 35' E
40. 15	Built- mound of earth 2 ft
	high from pit- 18 x 24 x 12 in deep
	for 1/4 Sec cor.
80. 35	Cor 4- Sec 5. 9. 16. and 17.
	Land gently rolling
	Soil good 2nd rate.

Subdivision of Tp 30 North

	N. Ext- lines 8. and 9.
	Va 14° 35' E.
40. w	Built- mound of earth 22 ft. high from pits 15 x 12 x 12 w dug for ¼ Sec cor
80. w	Dig pits- charcoal raised mound of earth 3 ft- high from pits 18 x 12 x 12 w dug for pit- and cedar stake 2 x 2 x 24 w in S. E. pit for cor 4- Secs 4. 5. 8 and 9.
	Land gently rolling Soil good 2nd rate.

Range 39. West of the 6th P.M.

	East on a random line Ext- Secs 4 and 9.
	Va 14° 35' E
40. w	Set- Corn ¼ Sec cor
80. 40	Intersect- N. and S. line at a point- 20 chs N. of cor 4- Secs 3. 4. 9 & 10. from which cor 3 runs N. 89° 51' E Ext- Secs 4 and 9.
	Va 14° 35' E
40. 20	Built- mound of earth 22 ft- high from pits 15 x 12 x 12 w dug for ¼ Sec cor
80. 40	Cor 4- Secs 4. 5. 8. and 9.
	Land gently rolling Soil good 2nd rate

Subdivision of Tp. 30. North

	N. on a random line
	Set- Cor to Secs 4 and 5.
	Va 14° 35' E.
40.00	Set- Com ¼ Sec cor
80.22	Witness- N. boundary of
	Tp at a point- 15 ch E.
	of cor to Secs 4 and 5. from
	which cor B. com S 60° E
	on a true line bet Secs 4 and 5.
	Va 14° 35' E
40.22	Built- mound of Earth
	2½ ft high from pits 18 12 24 x
	12 — dug for ¼ Sec cor
80.22	Cor to Secs. 4. 5. 8 and 9.
	Land gently rolling
	Soil good 2nd rate

May 24. 1881

Range 39. West of the 6th P.M.

Instrument- Used at cor to Secs 31 and 32 on S. boly of Tp by observation of Polaris at its upper culmination greatest Eastern Elongation. Instrument- used a light Mountain Transit Made by W. and L. E. Gurley of Troy N. Y. No. 2 to be found on the Instrument- the needle made an angle with the meridian line obtained of 12° 35' + azimuth of 1° 45' = 14° 23' the True Va at this date

Difference bet- true and mag- line Va at this point of 0° 12'

3 05

Time 2 h 5 m P. M. civil time

May 25. 1881

Subdivision of Sec 30. N and

N. bet- Sec 31. and 32

Va 140 35' E

40. W Set- Iron Pipe cor

40. W Built- mound of earth 2½ ft-
60.75 Line Valley Iron C & W high from pits 18 x 24 x 12 in deep
79. W Drain Valley Iron C & W for ¼ Sec cor

80. W Depth- charcoal varied mound of earth 3 ft- high from pits 18 x 24 x 12 in deep Set- mid cedar stake 2 x 2 x 24 in in S. E. pit for cor to Sec 29. 32. 31. & 32.

Land rolling
Soil 2nd rate.

Range 39. W. of the 6th P.M.

East on a random line
Bet- Sec 29. & 32

Va 14° 35' E.

25. W Enter Valley Iron C & W
40. W Set- Iron Pipe cor
58. W Drain Valley Iron C & W.
80.10 Intersect- N. & S line at a point- 11 lks S of cor to Sec 25. 29. 32. & 33 from which cor B S 89. 55' W
am W. on a line bet- Sec 29. & 32. &

Va 14° 35' E

40.05 Built- mound of earth 2½ ft- high from pits 18 x 24 x 12 in deep for ¼ Sec cor
80.10 Cor to Sec 29. 30. 31. & 32

Land gently rolling
Soil good 2nd rate

Subdivision of Sec 30. N side

W. on a random line bet- Sec 30 & 31.
Va 14° 35' E

40. W — Set- Cem 24 Sec cor
8.45 — Witness- W Body of Ck at- a point 13 ck S. of cor- to Sec 30 & 31. (cor at mound & pits- stake in pit- in good condition) from which I run S. 89° 55' E on a true line bet- Sec 30 & 31
Va 14° 35' E
40.45 — Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in- deep for 24 Sec cor
80.45 — Cor- Sec 29, 30, 31, & 32
Land rolling
Soil 2nd rate.

Range 39 West- of the 6th P.M.

N. Cor- Sec 29 & 30
Va 14° 35' E

40. W — Built- mound of earth 2½ ft- high from pits- 15 x 24 x 12 in- deep for 24 Sec cor
80. W — Diphtheria channel
" Built- mound of earth 3 ft- high from pits- 15 x 24 x 12 in- deep set- md cedar stake 2 x 2 x 24 in in S.E. pit- for cor to Sec 19, 20, 29, & 30
Land rolling
Soil 2nd rate.

Subdivision of Sec 30 North

	East on a random line Ct- Rea 20. & 29
	Va 140 35' E.
40.00	Set- Lim 1/4 Sec cor
80.16	Intersect- N. & W. bdy of city at- a point- 15 chs S. of cor to Secs 19 & 30. from which cor I run West on a bdy line Ct- Rea 20. & 29
	Va 14° 35' E
40.08	Built- mound of earth 2½ ft- high from pits- 18 x 24 x 12 in- deep for ¼ sec cor
80.16	Cor to- Rea 19. 20. 29. & 30
	Land rolling
	Soil 2nd rate.

Range 39. W. of the 6th P.M.

	North on a random line Ct- Rea 19. & 30
	Va 140 35' E
40.00	Set- Lim 1/4 sec cor
79.93	Intersect- W. bdy of City at- a point- 15 chs S. of cor to Secs 19 & 30. from which cor I run S. 89° 54' E on a bdy line Ct- Rea 19. & 30.
	Va 140 35' E
39.93	Built- mound of earth 2½ ft- high from pits- 18 x 24 x 12 in- deep for ¼ sec cor
79.93	Cor to- Rea 19. 20. 29. 30
	Land rolling
	Soil good 2nd rate

Subdivision of Sec 30. North

	N. bet- Sec 19. and 20
	Va 14° 35' E
40.00	Built- mound of Earth 2½ ft-
	high from pits 18 x 24 x 12 in deep
	for ¼ sec cor
81.00	Enter small mound on S. side
	Snatch Ruin Bears E & W
81.50	Snatch Ruin 20 Chs wide comm E.
82.00	Road E & W. 1 mile wide
84.00	Deposite charcoal round mound
	of earth 3 ft- high from pits
	18 x 24 x 12 in deep for ¼ sec cor-
	and cedar stake 2 x 2 x 24 in
	in S. E. pit- for cor to Secs
	17. 18. 19. & 20.

Land rolling
Soil 2nd rate.

Range 39. W. of the 6th P.M.

	East- on a random line
	Cor:- Secs 17. and 20
	Va 14° 35' E
40.00	Set- Limestone ¼ sec cor
84.09	Intersect- N. & S. line at a
	point- 26 Chs N. of cor to Secs
	16. 17. 20. & 21. from which an
	Iron Pin S. 89° 49' W. on a true
	line bet- Secs 17 and 20
	Va 14° 35' E
42.05	Built- mound of earth 2½ ft
	high from pits 18 x 24 x 12 in
	deep for ¼ sec cor
80.09	Cor to Secs 17. 18. 19. & 20

Land rough
Soil 2nd rate

Subdivision of Sec. 30. North

West on a random line
Set Cor 18. & 19.
Va 14° 35' E

40.00 Set Com ¼ Sec cor
79.52 Inland W. bdy of Sec at a
point 20 lks N of cor & sec
18. & 19. for cor a mound & pit
cedar stake in pit cor in good
condition) from which cor bears
N. 89° 5' E on a true line bet
Secs 18. & 19

Va 14° 35' E

39.52 Built mound of earth
2½ ft high from pits 18 & 24 l. 2 -
deep for ¼ Sec cor
79.52 Cor & Sec 17. 18. 19. & 20

Land rolling
Soil 2nd rate.

Range 39. W. of the 6th P.M.

N. Cor Sec 12. & 13
Va 14° 35' E

40.00 Built mound of earth 2½
ft high from pits 18 & 24 l. 12 -
deep for ¼ sec cor
80.00 Deposit charcoal raised mound
of earth 3 ft high from pits 18 & 24 l. 12 -
deep set red cedar stake 2 x 2 x 12 -
in S. E. pit for cor & sec 7. 8. 12. & 13

Land gently rolling
Soil good 2nd rate.

Subdivision of Sec 30. North

	East on a random line Ret-
	Sec 17. T 15
	Va 14° 35' E
40.00	Set- Com ¼ sec cor
79.89	Inland- W. & S. line at-
	a point 15 chs S. of cor b-
	tween 5. 9. 15. & 17 from
	which cor 3 mm S. 89. 54' W
	on a com line Ret- Sec 5. & 17
	Va 14° 35' E
39.95	Built- mound of earth
	2½ ft- high from pits 18 x
	24 x 12 in- disp for ¼ sec cor
79.89	Cor to Sec 7. 8. 17. & 18
	Land gently rolling
	Soil good 2nd rate

Range 89. West of the 6th P.M.

	West on a random line
	Ret- Sec 7. & 18.
	Va 14° 35' E
40.00	Set- Com ¼ sec cor
79.08	Inland- W. bdy of Sec at a
	point- 30 chs S of cor a- bove
	7. & 18. from which cor 3 mm
	S. 89° 47' E on a com. line Ret-
	Sec 7. & 18
	Va 14° 35' E
39.08	Built- mound of earth
	2½ ft- high from pits 18 x 24 x
	12 in- disp for ¼ sec cor
79.08	Cor to Sec 7. 8. 17. & 18
	Land gently rolling
	Soil good 2nd rate

Subdivision of Sec 30. North

N. Qrt-Sec 7.7.8.

Va 14° 35' E

40.00 Built mound of earth
2½ ft high from pits 18 1
24 x 12 ins deep for ¼ sec cor

80.00 Depositi charcoal earth mound
of earth 3 ft high from pits 18 1
24 x 12 ins deep set mod cedar
stake 2 x 2 x 24 ins die N.E. pits
for cor to Sec 5. 6. 7. 7 8

Land gently rolling
Soil good 2nd rate

Range 39 West of the 6th P.M.

East on a random line
Qrt-Sec 5.7.8.

Va 14° 35' E

40.00 Set-Line ¼ sec cor
80.16 Intersect N.S. line at a
point 19 chs S of cor to Sec
4. 5. 8. 7. 9 from which an
iron S. 89° 52' W on a true
line Qrt-Sec 5 7 8

Va 14° 35' E

40.08 Built mound of earth
2½ ft high from pits 18 x 24 1
12 ins deep for ¼ sec cor
80.16 Cor to Sec 5. 6. 7. 7 8

Land gently rolling
Soil good 2nd rate

Subdivision of Tp 8 South

West on a random line
Cor-Secs 6 and 7.
Va 14° 35' E

40.00 Set Com ¼ sec cor
78.76 Intersect W. bdy of Tp at a
point 28 lks N. of cor to Secs
6 & 7. (cor a mound & pits state
in pits good condition) from which
cor bears N 5° 45' E on a true
line Cor-Secs 6 & 7.
Va 14° 35' E
38.76 Built mound of earth 2½
ft high from pits 18 x 24 x 12 in
deep for ¼ sec cor
78.76 Cor to Secs 5. 6. 7. 8
Land gently rolling
Soil good 2nd rate

Range 3 W. of the 6th P.M.

A on a random line
Cor-Secs 5 and 6
Va 14° 35' E

40.00 Set Com ¼ sec cor
80.13 Intersect W. bdy of Tp at a point
1.6 lks W. of cor to Secs 5 & 6
from which cor (cor a mound
& pits state in pits in good
condition) from which cor bears
S 7° W on a true line Cor-Secs
5 & 6.
Va 14° 35' E
40.13 Built mound of earth 2½ ft
high from pits 18 x 24 x 12 in deep
for ¼ sec cor
80.13 Cor to Secs 5. 6. 7. 8.
Land gently rolling
Soil good 2nd rate

May 25th 1851.

General Description

The North half of this Township is upland of excellent quality & well adapted to agricultural purposes & the Township is well watered by Snake River & has considerable timber along its banks principally Cedar, Huckleberry & "Box Alder" There is a little sand stone in the bed of the River but none is to be seen other stone. Grasses are principally buffalo & grama with some blue joint.

Name of Assistants

A list of the names of the assistants employed in running measuring and marking the lines and corners described in the foregoing field Notes of T 6 N R 30 West of the Base Line of Range No 39 West of the 6th Principal Meridian in Nebraska showing the respective capacities in which they acted.

James M. Fox — Chainman
W. K. Raphael — Do
T. J. Howard — Flagman
H. C. Hall — Do

State of Nebraska } ss
Lincoln County }

We hereby certify that we assisted U. T. Richardson United States Deputy Surveyor in surveying and subdividing Township No 30 North of the Base Line of Range No 39 West of the 6th P.M. in Nebraska and that said township has been in all respects to the best of our knowledge and belief faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor Gen'l of a similar character, instructions & marking and in the manner especially described in the foregoing field Notes

James M Fox Chainman
W. K. Raphael
T. J. Howard Flagman
H. C. Hall

Subscribed and Sworn to before me May 28th 1881.
W. H. Neville
Notary Public.

State of Nebraska } ss.
Lincoln County }

I W. T. Richardson United States Deputy Surveyor do solemnly swear that I have in my own proper person with the necessary assistants well truly and faithfully executed the subdivisional survey of Tp. No. 30. N of Range No. 3. west of the 6th P. M. in Nebraska. under joint Contract with Emil Gris. L. Smith United States Surveyor Genl for the district of Iowa and Nebraska bearing date 1st August 12th 1880.

That in making the said survey I have used only such instruments as were approved by the Surveyor Genl. Exercising due care in the preservation of the adjustments of the same that I have in all respects complied with the laws of the United States governing public land surveys the surveying Manual and such additional instructions as have been furnished me by the said Surveyor General, relating to the aforesaid survey, that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned. That to the best of my knowledge and belief they and all assistants so employed have strictly observed the aforesaid laws and instructions and that the annexed Field Notes are the original, true and correct returns of the said Survey.

W. T. Richardson

Subscribed in my presence and sworn to before me this 28th day of May 1881.

Wm Neville
Notary Public.

Surveyor General's Office
Plattsmouth Neb. June 18. 1882

The foregoing Field Notes of the Survey & Subdivision of Township 30 North of Base Line, of Range No 39 West of the 6th P.M. in Nebraska Executed by W. T. Richardson U. S. Deputy Surveyor under his Contract No 117, dated August 22d 1880. in the months of May 1881 having been critically examined, the necessary Corrections & Explanations made, the said Field Notes and, the Surveys they describe are hereby approved

Geo. A. Smith
Surveyor General

Charlie N. Dakin, Deputy Surveyor.

T. 31 North R. 39 West.

6th Principal Meridian.

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 31 North Range 39 West

6th Principal Meridian.

BY

Charlie N. Dakin Deputy Surveyor.

Under his Contract of Sept. 2nd 1882.

Survey Commenced Oct. 25, 1882.

Survey Completed Oct. 27, 1882.

Platted,
Copied for Washington,
Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Township ..... Range .....

..... 6th Principal Meridian.



Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township ..... North ..... Range ..... West

..... 6th Principal Meridian.

Township 31 North Range 39 West

(See previous page.)

6th Principal Meridian.

Chains	
	From the corner to Sections 35, 36, 1 and 2 on the South boundary; I run North, between Sections 35 and 36.
	Variation 15° 35' East.
	Ascend.
20.00	Top of Spur, bears N.W. and S.E. and descend.
40.00	Set a Sand stone 12 x 8 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
43.00	Cross Wash, 40 lks. wide, Course S.E. and ascend.
62.50	Top of Spur, bears N. 30 W. & S. 30 E. and descend.
80.00	Set a Stone stone 16 x 16 x 8 ins. 11 ins. in the ground for Cor. to Secs. 25-26-35-36, marked with / notch on S. and / notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 25 and 36.
	Variation 15° 45' East.
	Ascend.
40.00	Set temporary ¼ Sec. Cor.
58.00	Top of Spur, bears N.W. and S.E. and descend.
80.04	Intersect E. B. of Tp. 11 lks. North of cor. to secs. 25-30-31-36 from which corner, I run N. 89° 55' W. on a true line, between sections 25-36,
	Variation 15° 45' East.
40.02	Set a Sand stone 15 x 14 x 6 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.04	The corner to sections 25-26-35-36,
	Land Rolling.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 25 and 26.
	Variation - 15°45' East.
	Ascend.
6.00	Top of Spur, bears N.20°W. & S.20°E, and descend.
16.00	Cross Wash, 35 lks. wide, Course S.40°E, and ascend.
40.00	Set a Sand stone 12x10x5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., E and N. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
45.00	Top of Spur, bears N.W. & S.E, and descend.
63.00	Enter Flat bears N.40°E. and S.40°W,
80.00	Set a Sand stone 15x15x12 ins. 10 ins. in the ground for Cor. to Secs. 23-24-25-26 marked with 2 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	63.00 chs. Land ^ mountainous. and 17.00 chs. level
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 24 and 25.
	Variation 15°30' East.
	Over rolling land.
11.00	Leave Flat bears N.E. and S.W, and ascend.
33.00	Top of Spur, bears N.W. and S.E, and descend.
40.00	Set temporary ¼ Sec. Cor.
52.00	Cross Wash, 40 lks. wide, Course S.E, and ascend.
70.00	Top of Spur, bears N. and S, and descend.
79.86	Intersect E. B. of Tp. 16 lks. South of cor. to secs. 19-20-25-30 from which corner, I run S.89°53'W, on a true line, between sections 24-25.
	Variation 14°55' East.
39.93	Set a Sand stone 13x9x7 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.86	The corner to sections 23-24-25-26,
	Land ^ mountainous. and 11.00 chains level
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 23 and 24.
	Variation 15°50' East.
	Over level land
8.00	Leave Flat bears N.30°W. & S.30°E. and ascend.
27.00	Top of Spur, bears N.20°W. & S.20°E. and descend.
40.00	Set a Sand stone 15 x 9 x 5 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
54.00	Cross Wash, 50 lks. wide, Course S.W. and ascend.
80.00	Set a Sand stone 15 x 15 x 13 ins. 10 ins. in the ground for Cor. to Secs. 13-14-23-24 marked with 3 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

8.00 lks. 72.00 lks.
Land level. mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 13 and 24.
	Variation 15°30' East.
	Ascend.
20.00	Top of Spur, bears N. and S. and descend.
33.00	Cross Wash, 10 lks. wide, Course S. and ascend.
40.00	Set temporary ¼ Sec. Cor.
64.00	Top of Spur, bears N.20°W. & S.20°E. and descend.
80.09	Intersect E. B. of Tp. 32 lks. South of cor. to secs. 13-18-19-24 from which corner, I run S.89°46'W. on a true line, between sections 13-24,
	Variation 15°15' East.
40.05	Set a Sand stone 10 x 10 x 5 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.09	The corner to sections 13-14-23-24,

Land mountainous.
Soil 2nd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 13 and 14.
	Variation 15°30' East.
	Ascend.
29.00	*Top of Spur, bears* N.W. & S.E. *and descend.*
40.00	*Set a* Sand *stone* 11 x 8 x 6 *ins.,* 7 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* W *face, dug pits* 18 x 18 x 12 *ins.,* E *and* W. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
48.00	Enter dry Lake, bears E. and W,
72.00	Leave Same, bears E. and W,
80.00	*Set a* Sand *stone* 12 x 9 x 9 *ins.* 8 *ins. in the ground for Cor. to Secs.* 11-12-13-14 *marked with* 4 notches *on S. and* 1 notch *on E. of it, dug pits* 18 x 18 x 12 *ins. in each Sec.,* 5½ *ft. dist. and raised a mound of earth* 2 *ft. high,* 4½ *ft. base.*
	Land mountainous. 56.00 chs And 24.00 Chains in dry lake
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 12 and 13.
	Variation 15°40' East.
	Ascend.
18.00	*Top of Spur, bears* N. and S. *and descend.*
40.00	*Set temporary* ¼ *Sec. Cor.*
41.50	*Cross Wash,* 50 *lks. wide, Course* S. *and ascend.*
59.00	*Top of Spur, bears* N. and S. *and descend.*
65.40	*Cross Wash,* 20 *lks. wide, Course* S. *and ascend.*
80.01	*Intersect* E. *B. of Tp.* 6 *lks.* North *of cor. to secs.* 7-12-13-18 *from which corner, I run* N. 89° 57' W. *on a true line, between sections* 12 - 13. 40'
	Variation 15° 30' *East.*
40.01	*Set a* Sand *stone* 10 x 8 x 6 *ins.,* 7 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* N *face, dug pits* 18 x 18 x 12 *ins.,* N *and* S. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
80.01	*The corner to sections* 11-12-13-14,
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 11 and 12.
	Variation 15°40' East.
	Descend.
24.00	Cross Wash, 40 lks. wide, Course S.20 W. and ascend.
40.00	Set a Sme stone 10 x 8 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
60.00	Top of Ridge, bears N.E. and S.W. and descend.
80.00	Set a Sand stone 12 x 8 x 6 ins., 8 ins. in the ground for Cor. to Secs. 1-2-11-12 marked with 5 notch Es on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 1 and 12.
	Variation 15°30' East.
	Over rolling land. and ascend
10.00	Top of Spur, bears N.W. & S.E. and descend.
40.00	Set temporary ¼ Sec. Cor.
44.00	Cross Wash, 40 lks. wide, Course S.E. and ascend.
72.00	Top of Spur, bears N.W. & S.E. and descend.
79.93	Intersect E. B. of Tp. 40 lks. North of cor. to secs. 1-6-7-12 from which corner, I run N.89°43' W. on a true line, between sections 1-12
	Variation 15°10' East.
39.97	Set a Sand stone 11 x 11 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.93	The corner to sections 1-2-11-12,

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, on a random line between Sections 1 and 2. Variation 15° 30′ East.
	Ascend.
3.00	Top of Spur, bears E. and W, and descend.
14.00	Cross Wash, 50 lks. wide, Course N.20W, and ascend.
40.00	Set temporary ¼ Sec. Cor.
79.92	Intersect N. B. of Tp. 23 lks. East of cor. to secs. 1-2-35-36 from which corner, I run S. 10′ E., on a true line, between sections 1—2, Variation 15° 30′ East.
39.92	Set a Stone stone 11 x 10 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.92	The corner to sections 1—2—11—12, Land Broken and Rolling. Soil 2nd & 3rd rate Vegetation, Bunchgrass. I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct. C. H. Dakin, Oct. 25, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 34 and 35. Variation 15° 30′ East.
	Ascend.
19.00	Top of Spur, bears N.W. & S.E, and descend.
24.00	Enter Flat bears N.W. and S.E,
40.00	Set a Sand stone 10 x 10 x 7 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
44.00	Leave Flat bears E. and W, and ascend.
52.00	Top of Spur, bears N.27W. S.27E and descend.
64.00	Cross Wash, 40 lks. wide, Course S.E, and ascend.
80.00	Set a Stone stone 15 x 12 x 6 ins. 10 ins. in the ground for Cor. to Secs. 26-27-34-35, marked with / notch on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land mountainous. 60.00 chs. and 20.00 chains level.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

East, on a random line between Sections 26 and 35.

Variation 15° 35' East.

Ascend.

Chains	
8.00	Top of Spur, bears N.10°W. & S.10°E. and descend.
11.40	Cross Road, bears N.20°W. and S.20°E.
28.00	Cross Wash, 40 lks. wide, Course S.40°E. and ascend.
40.00	Set temporary ¼ Sec. Cor.
41.00	Top of Spur, bears N. and S. and descend.
59.80	Cross Wash, 40 lks. wide, Course S.10°E. and ascend.
79.84	Intersect N. & S. line, 26 lks. South of cor. to secs. 25-26-35-36, from which corner, I run S.89°49' W. on a true line between sections 26-35.

Variation 15°~~35'~~ 45' East

39.92	Set a Sand stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.84	The corner to sections 26-27-34-35,

Land mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

North, between Sections 26 and 27.

Variation 15° 35' East.

Ascend.

Chains	
6.84	Cross Road, bears N.W. and S.E.
12.30	Cross Wash, 30 lks. wide, Course S.30°E. and ascend.
14.00	Top of Spur, bears N.30°W. & S.30°E. and descend.
40.00	Set a Sand stone 9 x 9 x 6 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
41.50	Cross Wash, 45 lks. wide, Course S.30°E. and ascend.
73.00	Top of Spur, bears N.W. & S.E. and descend.
80.00	Set a Sand stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 22-23-26-27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 23 and 26. Variation 15° 40' East.
	Ascend.
19.00	*Top of Spur, bears* N. and S. *and descend.*
36.00	*Cross Wash,* 50 *lks. wide, Course* S. 30 E., *and ascend.*
40.00	*Set temporary ¼ Sec. Cor.*
51.00	*Enter Flat bears* S. 35° W. and N. 35° E.,
79.96	*Intersect N. & S. line,* 18 *lks.* North *of cor. to secs.* 23-24-25-26 *from which corner, I run* N 89° 52' W. *on a true line between sections* 23-26, *Variation* 15° 40' *East*
39.98	*Set a* Sand *stone* 12 x 8 x 8 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N *face, dug pits 18 x 18 x 12 ins.,* N *and* S *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.96	*The corner to sections* 22-23-26-27, *Land* 51.00 chs *mountainous.* and 28.96 chains level. *Soil* 3rd *rate* *Vegetation,* Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 22 and 23. Variation 15° 40' East.
	Ascend.
10.00	*Top of Spur, bears* N. 23° E. & S. 23° W. *and descend.*
25.00	*Enter Flat bears* N. 80° E. and S. 80° W.,
33.00	*Leave Flat bears* N.E. and S.W., *and ascend.*
34.50	*Top of Spur, bears* N.W. and S.E. *and descend.*
40.00	*Set a* Sand *stone* 12 x 11 x 8 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W *face, dug pits 18 x 18 x 12 ins.,* E *and* W *. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
51.00	*Cross Wash,* 50 *lks. wide, Course* S. E., *and ascend.*
80.00	*Set a* Stone *stone* 10 x 8 x 8 *ins.* 7 *ins. in the ground for Cor. to Secs.* 11-15-22-23, *marked with* 3 *notch es on S. and* 2 *notch es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.* 72.00 chs *Land mountainous.* and 8.00 chs. level *Soil* 3rd & 3rd *rate* *Vegetation,* Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 14 and 23. Variation 15° 45' East.
	Ascend.
13.00	Top of Spur, bears N.20°E. & S.20°W and descend.
32.00	Cross Wash, 50 lks. wide, Course S.30°E. and ascend.
40.00	Set temporary ¼ Sec. Cor.
51.00	Top of Spur, bears N.30°W. & S.30°E. and descend.
68.00	Cross Wash, 40 lks. wide, Course S.E. and ascend.
79.80	Intersect N. & S. line, 44 lks. North of cor. to secs. 13-14-23-24 from which corner, I run N.89°41'W. on a true line between sections 14-23
	Variation 15°~~30~~45' East
39.90	Set a Sand stone 12 x 8 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.80	The corner to sections 11-15-22-23,
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 14 and 15. Variation 15°45' East.
	Ascend.
10.50	Top of Spur, bears N.23°E. & S.23°W and descend.
21.00	Enter Flat bears N.30°E. and S.30°W.
40.00	Set a Sand stone 16 x 14 x 12 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
50.00	Leave Flat bears N.15°E. & S.15°W and ascend.
58.00	Top of Spur, bears E. and W. and descend.
80.00	Set a Sand stone 18 x 16 x 8 ins. 12 ins. in the ground for Cor. to Secs. 10-11-14-15 marked with 4 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land, mountainous. 51.00 lchs. and 29.00 lchs. level
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 11 and 14. Variation 15° 50′ East.
11.30	Enter Flat bears N. and S.
28.00	Leave Flat bears N. and S. and ascend.
37.00	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
44.00	Cross Wash, 40 lks. wide, Course N 50° W and ascend.
58.50	Top of Spur, bears N.E. and S.W. and descend.
79.66	Intersect N. & S. line, 21 lks. North of cor. to secs. 11-12-13-14 from which corner, I run N. 89° 51′ W. on a true line between sections 11-14
	Variation 15° 40′ East
39.83	Set a Sand stone 16 x 16 x 8 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.66	The corner to sections 10-11-14-15, Land mountainous. 62.96 chs and 16.70 chains level. Soil 2nd rate Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 10 and 11. Variation 15° 50′ East.
	Descend.
5.00	Cross Wash, 90 lks. wide, Course S.E., and ascend.
31.00	Top of Spur, bears N.W. & S.E. and descend.
40.00	Set a Sand stone 14 x 8 x 7 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
61.00	Cross Wash, 50 lks. wide, Course N 35° E, and ascend.
70.00	Top of Spur, bears N. 30° E. & S. 30° W and descend.
80.00	Set a Stone stone 16 x 16 x 8 ins. 11 ins. in the ground for Cor. to Secs. 2-3-10-11 marked with 5 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 2 and 11. Variation 15° 45' East.
	Ascend.
18.00	Top of Spur, bears N. and S. and descend.
30.00	Cross Wash, 40 lks. wide, Course S. 30 E., and ascend.
40.00	Set temporary ¼ Sec. Cor.
58.00	Top of Spur, bears N.W. and S.E. and descend.
79.84	Intersect N. & S. line, 15 lks. South of cor. to secs. 1-2-11-12 from which corner, I run S. 89° 54' W. on a true line between sections 2 - 11 Variation 15° 30' East
39.92	Set a Stone stone 12 x 10 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.84	The corner to sections 2 - 3 - 10 - 11, Land mountainous. Soil 3rd rate Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian

Chains	North, on a random line between Sections 2 and 3. Variation 15° 45' East.
	Ascend.
7.50	Top of Spur, bears N. 20° W. 1 S. 20 E. and descend.
16.00	Cross Wash, 50 lks. wide, Course N.W. and ascend.
40.00	Set temporary ¼ Sec. Cor.
80.10	Intersect N. B. of Tp. 50 lks. East of cor. to secs. 2-3-34-35 from which corner, I run S. 21' E., on a true line, between sections 2 - 3, Variation 15° 45' East.
40.10	Set a Sand stone 12 x 9 x 9 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.10	The corner to sections 2 - 3 - 10 - 11, Land Broken. Soil 3rd rate Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

David McKay, Compassman, Oct. 25, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 33 and 34. Variation 15°20' East.
	Ascend.
9.00	*Top of Spur, bears* E. and W. *and descend.*
29.00	*Cross Wash,* 50 *lks. wide, Course* N.W. *and ascend.*
40.00	*Set a* Sand *stone* 13 x 8 x 5 *ins.,* 9 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* W *face, dug pits* 18 x 18 x 12 *ins.,* E *and* W. *of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
55.00	*Top of Spur, bears* N.W. & S.E. *and descend.*
71.00	*Cross Wash,* 100 *lks. wide, Course* N.W. *and ascend.*
78.50	*Top of Spur, bears* E. and W. *and descend.*
80.00	*Set a* Sand *stone* 10 x 10 x 8 *ins.* 7 *ins. in the ground for Cor. to Secs.* 27-28-33-34 *marked with* 1 *notch on S. and* 3 *notches on E. edges, dug pits* 18 x 18 x 12 *ins. in each Sec.,* 5½ *ft. dist. and raised a mound of earth* 2 *ft. high,* 4½ *ft. base.*

Land mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 27 and 34. Variation 15°30' East.
	Descend.
20.00	*Cross Wash,* 50 *lks. wide, Course* N.W. *and ascend.*
40.00	*Set temporary* ¼ *Sec. Cor.*
65.50	*Top of Spur, bears* N.W. and S.E. *and descend.*
79.90	*Intersect N. & S. line,* 41 *lks.* North *of cor. to secs.* 26-27-34-35, *from which corner, I run* N.89°42' W. *on a true line between sections* 27-34 *Variation* 15°30' *East*
39.95	*Set a* Sand *stone* 13 x 8 x 6 *ins.,* 9 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* N *face, dug pits* 18 x 18 x 12 *ins.,* N *and* S *. of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
79.90	*The corner to sections* 27-28-33-34,

Land mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 27 and 28. Variation 15° 30' East.
	Descend.
23.00	Cross Wash, 50 lks. wide, Course N.W. and ascend.
37.00	Top of Spur, bears E. and W, and descend.
40.00	Set a Sand stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
41.00	Enter Flat bears N.W. and S.E,
46.85	Cross Road, bears N. 40° W. and S. 40° E,
58.00	Leave Flat bears N.W. & S.E, and ascend.
71.00	Top of Spur, bears E. and W, and descend.
80.00	Set a Sand stone 12 x 9 x 6 ins. 8 ins. in the ground for Cor. to Secs. 21-22-27-28 marked with 2 notch Es on S. and 3 notch Es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land ^ mountainous. 63.00 chs. and 17.00 chains level
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East on a random line between Sections 22 and 27. Variation 15° 30' East.
	Ascend.
16.00	Top of Spur, bears N.W. and S.E, and descend.
40.00	Set temporary ¼ Sec. Cor.
52.00	Cross low Sag and ascend.
79.98	Intersect N. & S. line 14 lks. North of cor. to secs. 22-23-26-27 from which corner, I run N 89° 58' W. on a true line between sections 22-27. Variation 15° ~~40~~ 30' East
39.99	Set a Sand stone 14 x 13 x 8 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.98	The corner to sections 21-22-27-28.
	Land Rolling.
	Soil 2nd rate
	Vegetation, Bunchgrass,

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 21 and 22. Variation 15° 30' East.
	Descend.
28.00	*Cross Wash, 75 lks. wide, Course NW. and ascend.*
40.00	*Set a Sand stone 13 x 11 x 8 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., S and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
60.00	*Top of Spur, bears N.30°W. & S.30°E. and descend.*
80.00	*Set a Sand stone 11 x 9 x 8 ins. 7 ins. in the ground for Cor. to Secs. 15-16-21-22 marked with 3 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 15 and 22. Variation 15° 40' East.
	Ascend.
40.00	*Set temporary ¼ Sec. Cor.*
62.53	*Top of Spur, bears NW. & SE. and descend.*
79.76	*Intersect N. & S. line, 28 lks. North of cor. to secs. 14-15-22-23 from which corner, I run N 89° 48' W. on a true line between sections 15-22, Variation 15° 40' East*
39.88	*Set a Sand stone 12 x 10 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist.; and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.76	*The corner to sections 15-16-21-22.*

Land Rolling.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West

6th Principal Meridian.

North, between Sections 15 and 16.

Variation 15° 40' East.

Chains	
19.00	Enter Flat bears E. and W.
40.00	Set a Sand stone 15 x 8 x 6 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
41.00	Leave Flat bears E. and W. and ascend.
61.00	Top of Spur, bears N.W. and S.E., and descend.
80.00	Set a Sand stone 12 x 9 x 6 ins. 8 ins. in the ground for Cor. to Secs. 9-10-15-16 marked with 4 notch E on S. and 3 notch E on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West

6th Principal Meridian.

East, on a random line between Sections 10 and 15.

Variation 15° 45' East.

Chains	
	Ascend.
2.00	Enter Flat bears N. and S.
40.00	Set temporary ¼ Sec. Cor.
50.00	Leave Flat bears N. and S. and ascend.
79.88	Intersect N. & S. line, 20 lks. South of cor. to secs. 10-11-14-15, from which corner, I run S. 89° 51' W. on a true line between sections 10-15
	Variation 15° 45' East
39.94	Set a Sand stone 10 x 9 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.88	The corner to sections 9-10-15-16,

Land rolling.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 9 and 10. Variation 15° 45' East.
	Over rolling land.
19.00	Cross Wash, 40 lks. wide, Course N.25°W. and ascend.
40.00	Set a Sand stone 10 x 8 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
51.00	Top of Spur, bears N.40°W. & S.40°E. and descend.
63.00	Enter Flat bears N.W. and S.E.,
80.00	Set a Sand stone 12 x 11 x 9 ins. 8 ins. in the ground for Cor. to Secs. 3-4-9-10 marked with 5 notch Es on S. and 3 notch Es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East on a random line between Sections 3 and 10. Variation 15° 30' East.
	Ascend.
9.00	Top of Spur, bears N. and S., and descend.
40.00	Set temporary ¼ Sec. Cor.
79.94	Intersect N. & S. line, 4 lks. South of cor. to secs. 2-3-10-11 from which corner, I run S.89°58' W. on a true line between sections 3-10 Variation 15° 45' East
39.97	Set a Sand stone 11 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.94	The corner to sections 3-4-9-10,

Land Rolling.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	
	North, on a random line between Sections 3 and 4.
	Variation 15° 30' East.
	Enter Flat bears E. and W.,
20.00	Leave Flat bears E. and W., and ascend.
40.00	Set temporary ¼ Sec. Cor.
79.84	Intersect N. B. of Tp. 16 lks. East of cor. to secs. 3-4-33-34 from which corner, I run
	S. 7' E., on a true line, between sections 3 - 4,
	Variation 15° ~~25'~~ 30' East.
39.84	Set a Sand stone 20x12x8 ins., 15 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.84	The corner to sections 3 - 4 - 9 - 10.
	Land level. & rolling.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	C. W. Dakin, Oct. 26, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 32 and 33.
	Variation 15° 25' East.
	Over rolling land. and ascend
20.00	Top of Spur, bears E. and W., and descend.
40.00	Set a Sand stone 18 x 8 x 5 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
43.00	Enter Valley, bears E. and W.
80.00	Set a Sand stone 12x10x6 ins. 8 ins. in the ground for Cor. to Secs. 28-29-32-33 marked with / notch on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land ~~mountainous.~~ Rolling and level.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 28 and 33.
	Variation 15° 30' East.
	Ascend.
27.00	Top of Spur, bears Nana S, and descend.
40.00	Set temporary ¼ Sec. Cor.
60.00	Cross low Sag and ascend.
79.71	Intersect N. & S. line, S lks. Nat of cor. to secs. 27-28-33-34 from which corner, I run N 89° 57' W. on a true line between sections 28 - 33,
	Variation 15° 30' East
39.86	Set a Sana stone 12x 10x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.71	The corner to sections 28 - 29 - 32 - 33,
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West

6th Principal Meridian

Chains	
	North, between Sections 28 and 29.
	Variation 15° 30' East.
	Ascend.
30.00	Top of Spur, bears E. and W. and descend.
40.00	Set a Sana stone 15 x 13 x 11 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.00	Set a Sana stone 13 x 8 x 5 ins. 9 ins. in the ground for Cor. to Secs. 20-21-28-29 marked with 2 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land ~~mountainous~~ Rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

East, on a random line between Sections 21 and 28.

Variation 14° 30' East.

Chains	
	Ascend.
13.00	Top of Spur, bears N. and S. and descend.
19.00	Enter Flat bears N. and S.
39.00	Leave Flat bears N. and S. and ascend.
40.00	Set temporary ¼ Sec. Cor.
40.30	Cross Road, bears N. and S.
53.22	Cross low Sag and ascend.
61.00	Top of Spur, bears N. 15° W. and S. 15° E. and descend.
80.05	Intersect N. & S. line, 31 lks. South of cor. to secs. 21-22-27-28 from which corner, I run S. 89¼° W. on a true line between sections 21-28.
	Variation ~~15°~~ 14° 30' East
110.03	Set a Sand stone 16 x 12 x 8 ins., 14 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.05	The corner to sections 20-21-28-29.

Land mountainous.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian

North, between Sections 20 and 21.

Variation 14° 30' East.

Chains	
	Ascend.
9.00	Top of Spur, bears E. and W. and descend.
27.00	Enter Flat bears E. and W.
40.00	Set a Sand stone 8 x 8 x 5 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
67.23	Cross Road, bears N. 70° W. and S. 70° E.
80.00	Set a Sand stone 16 x 12 x 5 ins., 11 ins. in the ground for Cor. to Secs. 16-17-20-21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land, mountainous. 27.00 chs. and 53.00 chains level.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 16 and 21. Variation 15°45' East.
	Ascend.
13.50	Top of Spur, bears N. and S. and descend.
27.00	Cross Wash, 50 lks. wide, Course S., and ascend.
35.00	Top of Spur, bears N. and S. and descend.
37.00	Enter Flat bears N. and S.
40.00	Set temporary ¼ Sec. Cor.
42.50	Leave Flat bears N. and S. and ascend.
79.88	Intersect N. & S. line, 58 lks. South of cor. to secs. 15-16-21-22 from which corner, I run S. 89°35' W. on a true line between sections 16-21 Variation 15°45' East
39.94	Set a Sand stone 16x12x10 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.88	The corner to sections 16-17-20-21, Land ^ mountainous. 74.38 chs. and 5.50 chains level Soil 2nd rate Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 16 and 17. Variation 15°45' East.
	Enter Flat bears N.W. and S.E.
9.00	Leave Flat bears N.W. and S.E. and ascend.
27.00	Top of Spur, bears N.W. and S.E. and descend.
40.00	Set a Sand stone 12 x 10 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
43.00	Cross Wash, 200 lks. wide, Course E., and ascend.
56.50	Top of Spur, bears N.W. and S.E. and descend.
80.00	Set a Sand stone 12 x 10 x 8 ins. 8 ins. in the ground for Cor. to Secs. 8-9-16-17 marked with 4 notch Xs on S. and 4 notch Xs on E. faces, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land ^ mountainous. 71.00 chs. level. 9.00 chs. Soil 2nd & 3rd rate Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 9 and 16. Variation 15°40' East.
	Ascend.
15.00	Top of Spur, bears N.W and S.E, and descend.
29.00	Cross Wash, 100 lks. wide, Course N.W, and ascend.
40.00	Set temporary ¼ Sec. Cor.
39.00	Top of Spur, bears N.W and S.E, and descend.
79.83	Intersect N. & S. line, 26 lks. South of cor. to secs. 9-10-15-16 from which corner, I run S.89°49' W. on a true line between sections 9-16, Variation 15°46' East
39.92	Set a Sand stone 12x12x10 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.83	The corner to sections 8-9-16-17,

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 8 and 9. Variation 15°40' East.
	Descend.
2.50	Cross Wash, 150 lks. wide, Course N.W, and ascend.
26.00	Top of Spur, bears E. and W. and descend.
40.00	Set a Sand stone 14x11 x 9 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
49.55	Cross Wash, 250 lks. wide, Course N.W, and ascend.
69.50	Top of Spur, bears N.W. & S.E. and descend.
80.00	Set a Sand stone 16x12x10 ins. 11 ins. in the ground for Cor. to Secs. 4-5-8-9 marked with 5 notch es on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 4 and 9.
	Variation 15° 45' East.
23.50	Cross Wash, 150 lks. wide, Course N., and ascend.
27.00	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
42.00	Cross low Sag and ascend.
45.00	Enter; Flat bears N. and S.
76.50	Top of Spur, bears N.W. and S.E. and descend.
80.26	Intersect N. & S. line, 31 lks. South of cor. to secs. 3-4-9-10 from which corner, I run S. 89° 45' W. on a true line between sections 4-9.
	Variation 15° ~~30'~~ 45' East
40.13	Set a Sand stone 12x12x8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.26	The corner to sections 4-5-8-9.
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, on a random line between Sections 4 and 5.
	Variation 15° 45' East.
	Ascend.
11.00	Top of Spur, bears E. and W. and descend.
20.00	Cross Wash, 150 lks. wide, Course N 30° W. and ascend.
32.00	Top of Spur, bears N.E. and S.W. and descend.
40.00	Set temporary ¼ Sec. Cor.
46.50	Cross low Sag and ascend.
80.20	Intersect N.B. of Tp. 36 lks. West of cor. to secs. 4-5-32-33 from which corner, I run S. 15' W., on a true line, between sections 4-5,
	Variation 15° ~~30'~~ 45' East.
40.20	Set a Sand stone 12x8x6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.20	The corner to sections 4-5-8-9,
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	David McKay, Compassman, Oct. 26, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

North, between Sections 31 and 32.

Variation 15° East

Ascend.

Chains	
26.00	Top of Spur, bears N.W. & S.E., and descend.
32.00	Cross Wash, 100 lks. wide, Course S.E.
40.00	Set a Sand stone 19 x 11 x 9 ins., 14 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
42.00	Cross Wash, 100 lks. wide, Course S. 15° E.
76.00	Cross Wash, 200 lks. wide, Course S. 10° E. and ascend.
80.00	Set a Sand stone 13 x 9 x 5 ins. 9 ins. in the ground for Cor. to Secs. 29-30-31-32 marked with 1 notch on S. and 5 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.
Soil 2nd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

East, on a random line between Sections 29 and 32.

Variation 15° 30' East

Ascend.

Chains	
40.00	Set temporary ¼ Sec. Cor. N. 60° W. & S. 60° E. 8 links,
48.00	Cross Divide bet. Snake Creek & Running Water River bears ^
52.00	Cross Wash, 100 lks. wide, Course N., and ascend.
78.00	Top of Spur, bears N. and S., and descend.
80.48	Intersect N. & S. line, 24 lks North of cor. to secs. 28-29-32-33, from which corner, I run N. 89° 30' W. on a true line between sections 29-32, Variation 15° 30' East
40.24	Set a Sand stone 13 x 9 x 5 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.48	The corner to sections 29-30-31-32,

Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

C. H. Dakin, Oct. 27, 1882.

Township 31 North Range 39 West

6th Principal Meridian.

Chains	
	West, on a random line between Sections 30 and 31.
	Variation 15° 30′ East.
	Ascend.
2.00	Top of Spur, bears N. and S. and descend.
13.00	Cross Wash, 20 lks. wide, Course S. and ascend.
30.00	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
47.00	Cross Wash, 200 lks. wide, Course S. and ascend.
59.00	Top of Spur, bears N. and S. and descend.
78.92	Intersect W. B. of Tp. 60 lks. North of cor. to secs. 25-30-31-36 from which corner, I run N. 89° 34′ E., on a true line, between sections 30-31
	Variation 15° 30′ East.
38.92	Set a Sand stone 13 x 8 x 5 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
78.92	The corner to sections 29-30-31-32,
	Land mountainous.
	Soil 2nd rate
	Vegetation, Bunchgrass.
	David McKay, Compassman, Oct. 27, 1882.

Township 31 North Range 39 West

6th Principal Meridian

Chains	
	North, between Sections 29 and 30.
	Variation 15° 30′ East.
	Ascend.
40.00	Set a Sand stone 13 x 9 x 8 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
54.00	Top of Ridge, bears N. 70° E. & W. and descend.
80.00	Set a Sand stone 13 x 10 x 5 ins. 9 ins. in the ground for Cor. to Secs. 19-20-29-30 marked with 2 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land Rolling.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 20 and 29. Variation 15° 40' East.
	Ascend.
13.00	Top of Spur, bears N.W. & S.E. and descend.
22.00	Cross Wash, 200 lks. wide, Course N. and ascend.
40.00	Set temporary ¼ Sec. Cor.
43.00	Top of Spur, bears N. and S. and descend.
80.16	Intersect N. & S. line, 68 lks. North of cor. to secs. 20-21-28-29 from which corner, I run N. 89° 31' W. on a true line between sections 20-29. Variation 15° 40' East
110.08	Set a Sand stone 10 x 6 x 5 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.16	The corner to sections 19-20-29-30. Land mountainous. Soil 2nd rate Vegetation, Bunchgrass. C. W. Dakin, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 19 and 30. Variation 15° 40' East.
	Ascend.
12.00	Top of Spur, bears N. and S. and descend.
29.00	Cross Wash, 300 lks. wide, Course N. and ascend.
33.00	Top of Spur, bears N. 25° W. & S. 25° E. and descend.
40.00	Set temporary ¼ Sec. Cor.
45.00	Cross low Sag and ascend.
78.00	Intersect W. B. of Tp. 44 lks. North of cor. to secs. 19-24-25-30 from which corner, I run N. 89° 41' E. on a true line, between sections 19-30 Variation 15° 40' East.
38.00	Set a Sand stone 12 x 8 x 3 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
78.00	The corner to sections 19-20-29-30. Land mountainous. Soil 2nd rate Vegetation, Bunchgrass. David McKay, Compassman, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 19 and 20. Variation 15°40' East.
	Ascend.
10.00	Top of Spur, bears N.30°W. & S.30°E. and descend.
40.00	Set a Sand stone 8 x 8 x 6 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.00	Enter Flat bears E. and W.
80.00	Set a Sand stone 12x12x12ins. 8 ins. in the ground for Cor. to Secs. 17-18-19-20 marked with 3 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land Rolling.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 17 and 20. Variation 15°45' East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
49.85	Cross Road, bears N.60°W. and S.60°E.
79.99	Intersect N. & S. line, 49 lks. North of cor. to secs. 16-17-20-21 from which corner, I run N.89°39'W. on a true line between sections 17-20, Variation 15°45' East
40.00	Set a Sand stone 15 x 12 x 8 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.99	The corner to sections 17-18-19-20
	Land level.
	Soil 2nd rate
	Vegetation, Bunchgrass.
	C. M. Bakin, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 18 and 19. Variation 15°45 East.
	Over level land
40.00	*Set temporary ¼ Sec. Cor.*
77.43	*Intersect W. B. of Tp. 50 lks. North of cor. to secs. 13-18-19-24 from which corner, I run N 89°30' E., on a true line, between sections 18-19, Variation 15°55' East.*
37.43	*Set a Sand stone 12 x 10 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
77.43	*The corner to sections 17-18-19-20;*
	Land level.
	Soil 2nd rate
	Vegetation, Bunchgrass.
	David McKay, Compassman,
	Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 17 and 18 Variation 15°45' East.
9.15	*Cross Road, bears N 70° W. & S. 70° E., and ascend*
37.00	*Top of Spur, bears E. and W., and descend.*
40.00	*Set a Sand stone 15 x 8 x 6 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
55.00	*Enter Flat bears E. and W.,*
80.00	*Set a Sand stone 18 x 12 x 5 ins. 12 ins. in the ground for Cor. to Secs. 7-8-17-18 marked with 4 notch E on S. and 5 notch E on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land mountainous. 45.85 chs. and 34.15 chs. level
	Soil 2nd rate
	Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 8 and 17.
	Variation 15°45' East.
40.00	Set temporary ¼ Sec. Cor.
80.19	Intersect N. & S. line, 13 lks. North of cor. to secs. 8-9-16-17 from which corner, I run N.1°54' W. on a true line between sections 8-17
	Variation 15°45' East
40.10	Set a Sand stone 12 x 10 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.19	The corner to sections 7-8-17-18.
	Land level.
	Soil 3rd rate
	Vegetation, Bunchgrass.
	C.W. Dakin, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 7 and 18.
	Variation 15°45' East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
76.81	Intersect W.B. of Tp. 35 lks. North of cor. to secs. 7-12-13-18 from which corner, I run N.89°45' E, on a true line, between sections 7-18.
	Variation 15°45' East.
36.81	Set a Sand stone 15 x 8 x 5 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
76.81	The corner to sections 7-8-17-18.
	Land level.
	Soil 3rd rate
	Vegetation, Bunchgrass.
	David McKay, Compassman, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 7 and 8.
	Variation 15° 45' East.
	Enter Flat bears E and N,
16.00	Leave Flat bears E and N, and ascend.
40.00	Set a Sand stone 18 x 12 x 9 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., E and N. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
69.00	Top of Spur, bears N 50° W, 9 S 50° E, and descend.
80.00	Set a Sand stone 12 x 10 x 8 ins. 8 ins. in the ground for Cor. to Secs. 5-6-7-8, marked with 5 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

16.00 lks. & 64.00 lks.
Land, level. mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 5 and 8.
	Variation 15° 30' East.
	Ascend.
9.00	Top of Spur, bears N and S, and descend.
40.00	Set temporary ¼ Sec. Cor.
53.50	Cross Wash, 200 lks. wide, Course N, and ascend.
59.50	Top of Spur, bears N and S, and descend.
80.07	Intersect N. & S. line, 20 lks. Nth of cor. to secs. 4-5-8-9 from which corner, I run N 89° 51' W. on a true line between sections 5-8
	Variation 15° ~~45'~~ 30' East
40.04	Set a Sand stone 12 x 8 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.07	The corner to sections 5-6-7-8,

Land mountainous.
Soil 2nd rate
Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

C. M. Dakin, Oct. 27, 1882.

Township 31 North Range 39 West
6th Principal Meridian.

Chains — West, on a random line between Sections 6 and 7.
Variation 15° 45' East.

Ascend.

12.50 Top of Spur, bears Nand S. and descend.
20.00 Cross Wash, 50 lks. wide, Course N.15 E, and ascend.
23.00 Top of Spur, bears Nand S, and descend.
40.00 Set temporary ¼ Sec. Cor.
56.00 Cross low Sag and ascend.
76.15 Intersect W. B. of Tp. 10 lks. North of cor. to secs. 1-6-7-12 from which corner, I run N 89° 56' E, on a true line, between sections 6-7,
Variation 16° 45' East.
36.15 Set a Sand stone 12 x 8 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
76.15 The corner to sections 5-6-7-8,
Land mountainous.
Soil 2nd rate
Vegetation, Bunchgrass.

Township 31 North Range 39 West
6th Principal Meridian.

Chains — North, on a random line between Sections 5 and 6.
Variation 15° 50' East.

Ascend.

6.50 Top of Spur, bears E. and W, and descend.
40.00 Set temporary ¼ Sec. Cor.
45.00 Cross Wash, 20 lks. wide, Course N.25 E, and ascend.
54.00 Top of Spur, bears NE. and SW, and descend.
59.00 Cross low Sag and ascend.
80.03 Intersect N. B. of Tp. 25 lks West of cor. to secs. 5-6-31-32 from which corner, I run S. 11' W. on a true line, between sections 5-6.
Variation 15° 50' East.
40.03 Set a Sand stone 8 x 8 x 8 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.03 The corner to sections 5-6-7-8,
Land mountainous.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
David McKay, Compassman,
Oct. 27, 1882.

GENERAL DESCRIPTION.

The general character of the land in this Township is mountainous.
It is covered with an abundant growth of Bunchgrass, which furnishes excellent grazing land throughout the Twp.
The soil is 2nd and 3rd rate.

U. S. Surveyor General's Office.

Plattsmouth, Neb. 1883

The foregoing Field Notes of the Retracings, and survey of the Subdivision lines of Township No. 31 North of Range No. 39 West of the Principal Base and Meridian in the State of Neb. executed by C. H. Dakin U. S. Deputy Surveyor, under his contract No. 5, dated Feb. 2, 1882 in the month of Oct. 1882, having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

L. W. Stephenson
U. S. Surveyor-General for

Charles W. Dakin, Deputy Surveyor.

T. 32 **North R.** 39 **West.**

6th Principal Meridian.

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 32 North Range 39 West

6th Principal Meridian.

BY

Charles W. Dakin, Deputy Surveyor.

Under his Contract of February 2nd 1882

Survey Commenced October 9th 1882

Survey Completed October 11th 1882

Platted,
Copied for Washington,
Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Township 32 North, Range 39 West,

6th Principal Meridian.



Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township North Range West

6th Principal Meridian.

Township 32 North Range West

6th Principal Meridian.



Township North Range West

6th Principal Meridian.

Survey made with Burt's Patent Improved Solar Compass, nearly new, and in first rate order. Made by John Roach, *of* San Francisco Cal, *in* 1881.

Township 32 North Range 39 West
(See previous page.) 6th Principal Meridian.

Chains	
	From the corner to Sections 35, 36, 1 and 2 on the South boundary; I run North, between Sections 35 and 36.
	Variation 15° 30' East.
	Over rolling land.
23.00	*Top of Ridge, bears N. W. and S. E. and descend.*
40.00	*Set a Sand stone 18 x 10 x 7 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
43.00	*Cross low Sag and ascend.*
80.00	*Set a Sand stone 14 x 14 x 11 ins. 9 ins. in the ground for Cor. to Secs. 25, 26, 35 & 36, marked with / notch ~ on S. and / notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	57.00 chs Land mountainous. and 23.00 chs. Rolling.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West 2
6th Principal Meridian.

Chains	
	East, on a random line between Sections 25 and 36.
	Variation 15° 10' East.
	Over rolling land.
1.00	*Top of Spur, bears N. W. and S. E. and descend.*
13.00	*Cross low Sag and ascend.*
40.00	*Set temporary ¼ Sec. Cor.*
62.75	*Top of Spur, bears N. W. and S. E. and descend.*
80.35	*Intersect E. B. of Tp. 40 lks. South of cor. to secs. 25, 30, 31 and 36, from which corner, I run S. 89° 43' W. on a true line, between sections 25 and 36.*
	Variation 15° 10' East.
40.17	*Set a Sand stone 8 x 8 x 6 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.35	*The corner to sections 25, 26, 35 and 36.*
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains — North, between Sections 25 and 26.

Variation 15° 10' East.

Over rolling land.

9.00 Cross low Sag and ascend.

37.00 Top of Spur, bears N. 30° W. dist. 3.75 and descend.

40.00 Set a Sand stone 16 x 13 x 10 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

47.00 Cross low Sag and ascend.

75.00 Top of Spur, bears N. E. dist. 4.75 and descend.

80.00 Set a Sand stone 12 x 12 x 10 ins. 8 ins. in the ground for Cor. to Secs. 23, 24, 25 & 26, marked with 2 notches on S. and 1 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land, mountainous. 7.00 Chs. and rolling. 9.00 Chs.

Soil 3rd rate

Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains — East, on a random line between Sections 24 and 25.

Variation 15° 00' East.

Over rolling land.

40.00 Set temporary ¼ Sec. Cor.

80.10 Intersect E. B. of Tp. 31 Ns. North of cor. to secs. 19, 24, 25 & 30, from which corner, I run

S. 89° 45' W. on a true line, between sections 24 and 25.

Variation 15° 00' 45' East.

40.05 Set a Sand stone 12 x 9 x 9 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

80.10 The corner to sections 23, 24, 25 and 26.

Land rolling.

Soil 3rd rate

Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 23 and 24.
	Variation 15° 00' East.
	Descend. Over rolling land.
20.00	Top of Spur, bears N.E. and S.W. and descend.
22.00	Cross low Sag and ascend.
36.00	Top of Spur, bears N.E. and S.W. and descend.
40.00	Set a Sand stone 12 x 12 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
58.00	Cross low Sag and ascend.
80.00	Set a Sand stone 14 x 9 x 7 ins. 9 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24, marked with 3 notches on S. and 1 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. 20.00 lks 60.00 lks.
	Land rolling and mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 13 and 24.
	Variation 15° 00' East.
	Ascend.
2.00	Top of Spur, bears N.W. and S.E. and descend.
40.00	Set temporary ¼ Sec. Cor.
79.98	Intersect E. B. of Tp. 6 lks. North of cor. to secs. 13, 18, 19 and 24, from which corner, I run N. 89° 57' W. on a true line, between sections 13 and 24. 15.00
	Variation 14° 60' East.
39.99	Set a Sand stone 11 x 9 x 5 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.98	The corner to sections 13, 14, 23 and 24.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 13 and 14.
	Variation 15° 00' East.
	Ascend.
2.00	Top of Spur, bears E. and W. and descend.
18.00	Enter Flat bears E. and W.
25.00	Cross Road, bears E. and W.
40.00	Set a Sand stone 11 x 10 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
52.00	Leave Flat bears E. and W.
66.00	Cross Niobrara River, 100 lks. wide, Course E.
80.00	Set a Lime stone 10 x 10 x 8 ins. 7 ins. in the ground for Cor. to Secs. 11, 12, 13 and 14 marked with 4 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. 34.00 Chs 46.00 Chs. Land level and mountainous. Soil 3rd rate Vegetation of Buneh grass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 12 and 13.
	Variation 16° 10' East.
	Descend.
39.00	Cross Niobrara River, 120 lks. wide, Course N. 65° E.
40.00	Set temporary ¼ Sec. Cor.
79.89	Intersect E. B. of Tp. 29 lks. North of cor. to secs. 7, 12, 13 and 18 from which corner, I run N. 89° 45' W. on a true line, between sections 12 and 13, Variation 15° 10' East.
39.94	Set a Lime stone 12 x 8 x ins., ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.89	The corner to sections 11, 12, 13 and 14. Land rolling. Soil 3rd rate Vegetation of Buneh grass and Sagebrush.

Township 32 North Range 37 West
6th Principal Meridian.

Chains

North, between Sections 11 and 12.

Variation 15° 10' East.

Ascend.

10.00 Enter Flat bears E. and W.

40.00 Set a Sand stone 12 x 9 x 7 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

70.00 Leave Flat bears E. and W. and ascend.

80.00 Set a Sand stone 13 x 13 x 8 ins. ins. in the ground for Cor. to Secs. 1, 2, 11 and 12, marked with 5 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

60.00 and 20.00 Chains Mts.

Land ^ level.

Soil 3rd rate

Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 37 West
6th Principal Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 15° 15' East.

Over rolling land.

25.50 Cross low Sag and ascend.

30.00 Top of Spur, bears N. and W. and descend.

40.00 Set temporary ¼ Sec. Cor.

44.00 Cross Wash, lks. wide, Course S. and ascend.

80.06 Intersect E. B. of Tp. 18 lks. North of cor. to secs. 1, 6, 7 and 12, from which corner, I run N. 89° 52' W. on a true line, between sections 1 and 12.

Variation 15° 45' East.

40.03 Set a Sand stone 16 x 14 x 9 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face and raised a mound of stone.

Pits impracticable.

80.06 The corner to sections 1, 2, 11 and 12.

54.56 Chs. 25.50 Chs.

Land ^ mountainous. and ^ rolling.

Soil 3rd rate

Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	North, on a ~~random~~ true line between Sections 1 and 2.
	Variation 15° 15' East.
	Over rolling land.
6.00	Top of Spur, bears E. and W. and descend.
23.00	Cross low Sag and ascend.
40.00	Set a Lime stone 14 x 10 x 6 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
56.16	Intersect the 8th Standard Parallel North at a point 12.04 chs. West of the Standard Cor. to Secs. 31 and 36, Tps. 33 N., R. 38 & 39 W., at which point I.
	Set a Sand stone 10 x 10 x 8 ins. 7 ins. in the ground for Closing Cor. to Secs. 1 and 2 marked C. C. with 1 notch on E. and 5 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land rolling.
	Soil 3rd rate
	Vegetation Bunchgrass & Bagebrush.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	C. W. Dakin, Oct. 9th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 34 and 35.
	Variation 15° 35' East.
	Over rolling land. and ascend
20.00	Top of Spur, bears E. and W. and descend.
40.00	Set a Sand stone 18 x 6 x 9 ins., 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
68.00	Top of Spur, bears N. 70° W. and S. 70° E. and descend.
75.00	Cross low Sag and ascend.
80.00	Set a Sand stone 18 x 12 x 5 ins. 10 ins. in the ground for Cor. to Secs. 26, 27, 34 & 35 marked with 1 notch on S. and 2 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	60.00 chs. 20.00 chs.
	Land mountainous. and rolling.
	Soil 3rd rate
	Vegetation Bunchgrass & Bagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 26 and 35. Variation 15° 20' East.
	Over rolling land.
13.00	Cross low Sag and ascend.
31.00	Top of Spur, bears N. 20° E. and S. 20° W. and descend.
40.00	Set temporary ¼ Sec. Cor.
46.00	Cross low Sag and ascend.
67.00	Top of Spur, bears N. and W. and descend.
79.74	Intersect N. & S. line, 31 lks. North of cor. to secs. 25, 26, 35 & 36 from which corner, I run N. 89° 47' W. on a true line between sections 26 and 35. Variation 15° 20' East
39.87	Set a Sand stone 12 x 8 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.74	The corner to sections 26, 27, 34 and 35. 13.00 Chs 66.74 Chs Land rolling. and mountainous. Soil 3rd rate Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 26 and 27. Variation 15° 20' East.
	Ascend.
8.00	Top of Spur, bears N. 70° W. and S. 70° E. and descend.
40.00	Set a Sand stone 12 x 10 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
73.00	Enter Flat bears E. and W.
80.00	Set a Sand stone 15 x 7 x 6 ins., 10 ins. in the ground for Cor. to Secs. 22, 23, 26 & 27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land rolling. and 7.00 Chains flat. 73.00 Soil 3rd rate Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation 15° 25' East.

Over level land

40.00 Set temporary ¼ Sec. Cor.

79.90 Intersect N. & S. line, at cor. to secs. 23, 24, 25 & 26 from which corner, I run

West on a true line between sections 23 and 26.

Variation 15° ~~00~~ 25' East

39.95 Set a Sand stone 13 x 10 x 9 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

79.90 The corner to sections 22, 23, 26 and 27.

Land level.

Soil 2nd rate

Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains

North, between Sections 22 and 23.

Variation 15° 25' East.

Descend.

11.00 At Spring,

40.00 Set a Sand stone 13 x 9 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

60.00 Top of Spur, bears N. 70° W. and S. 70° E. and descend.

80.00 Set a Sand stone 15 x 8 x 3 ins. 10 ins. in the ground for Cor. to Secs. 14, 15, 22 and 23, marked with 3 notches on S. and 2 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.

Soil 2nd rate

Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 14 and 23.
	Variation 15° 15' East.
	Over level land
40.00	Set temporary ¼ Sec. Cor.
45.00	Top of Spur, bears N. and S. and descend.
80.03	Intersect N. & S. line, 20 lks. North of cor. to secs. 13, 14, 23 & 24, from which corner, I run N. 89° 57' W. on a true line between sections 14 and 23.
	Variation 15° 15' East
40.01	Set a Sand stone 12 x 9 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.03	The corner to sections 14, 15, 22 and 23.
	Land level and rolling.
	Soil 2nd rate
	Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 14 and 15.
	Variation 15° 15' East.
	Over level land
	Descend.
9.56	Cross Road, bears N. E. and S. W.
40.00	Set a Sand stone 13 x 8 x 4 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
60.00	Descend.
65.00	Cross Wash, 50 lks. wide, Course N. 85° W.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs, 10, 11, 14 and 15, marked T, 32 N, S, 11, on N, E, R, 39 W, S. 14 on S, E, S. 15 on S, W, and S, 10 on N, W, faces, with 4 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec,, 5½ ft, dist,, and raised a mound of earth 2 ft, high, 4 ½ ft, base around post.
	Land level.
	Soil 2nd rate
	Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 11 and 14. Variation 15° 20' East.
	Ascend.
14.00	Descend.
23.00	Cross Niobrara River, 75 lks. wide, Course S.E.
27.00	Top of bank, bears E. and N.W. thence over Flat.
40.00	Set temporary ¼ Sec. Cor.
51.00	Cross Wash, 20 lks. wide, Course S.
79.92	Intersect N. & S. line, 11 lks. South of cor. to secs. 11, 12, 13 and 14, from which corner, I run S. 89° 55' W. on a true line between sections 11 and 14. Variation 15° 30' East
39.96	Set a Sand stone 18 x 12 x 7 ins., 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.92	The corner to sections 10, 11, 14 and 15. Land rolling. Soil 1st rate Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 10 and 11. Variation 15° 20' East.
	Descend.
14.00	Cross Niobrara River, 75 lks. wide, Course N. 85° E., and ascend
21.00	Top of bank, bears E. and W. thence over Flat.
24.93	Cross Road, bears E. and W.
30.00	Enter rolling land, bears E. and W.
40.00	Set a Sand stone 18 x 9 x 3 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
51.80	Top of Spur, bears E. and W. and descend.
80.00	Set a Sand stone 13 x 7 x 4 ins. 5 ins. in the ground for Cor. to Secs. 2, 3, 10 and 11, marked with 5 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land rolling. Soil 1st rate Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 2 and 11.
	Variation 15° 25' East.
	Ascend.
29.00	*Top of Spur, bears N.W. and S.E. and descend.*
40.00	*Set temporary ¼ Sec. Cor.*
45.00	*Enter Tableland, bears N.E. and S.W.*
80.16	*Intersect N. & S. line, 38 lks. North of cor. to secs. 1, 2, 11 and 12, from which corner, I run N. 89° 44' W. on a true line between sections 2 and 11.*
	Variation 15° 25' East
40.08	*Set a Post stone 18 x 5 x 3 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.16	*The corner to sections 2, 3, 10 and 11.*
	Land mountainous. 45.00 Chs. and 35.16 Chs. flat.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian

Chains	
	North, on a ~~random~~ true line between Sections 2 and 3.
	Variation 15° 25' East.
	Ascend.
31.00	*Top of Spur, bears E. and W. and descend.*
40.00	*Set a Post stone 17 x 15 x 9 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
55.37	*Intersect the 8½ Standard Parallel North, at a point 12.08 chs. West of the Standard Cor. to Secs. 35 and 36, T. 33 N., R. 39 W. at which point I.*
	Set a Post, 4 ft. long, 4 ins. square, 12 ins. in the ground for Closing Cor. to Secs. 2 and 3 T. 32 N., R. 39 W. on S., 0.2 on E. and 0.3 on W. faces, marked C. C. with 2 notches on E. and 4 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of Post, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around Post.
	Land rolling.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	Dated this 9th day, Compassman, Oct. 9th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 33 and 34.
	Variation 15° 25' East.
	Over rolling land. and ascend
20.00	Top of Spur, bears E. and N. and descend.
40.00	Set a Sand stone 15 x 9 x 4 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
41.00	Cross low Sag and ascend.
49.00	Top of Spur, bears N. E. and S. W. and descend.
80.00	Set a Sand stone 16 x 8 x 3 ins. 10 ins. in the ground for Cor. to Secs. 27, 28, 33 & 34, marked with 1 notch on S. and 3 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	20.00 lks 60.00 lks.
	Land rolling. and mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 27 and 34.
	Variation 15° 25' East.
	Ascend.
20.00	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
79.96	Intersect N. & S. line, 14 lks. North of cor. to secs. 26, 27, 34 & 35, from which corner, I run N. 89° 54' W. on a true line between sections 27 and 34.
	Variation 15° 25' East
39.98	Set a Sand stone 12 x 8 x 4 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.96	The corner to sections 27, 28, 33 and 34.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	North, between Sections 27 and 28.
	Variation 15° 25' East.
	Descend.
40.00	*Set a* Bans *stone 11 x 10 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.00	*Set a* Bans *stone 14 x 13 x 9 ins. 9 ins. in the ground for Cor. to Secs. 21, 22, 27 & 28 marked with 2 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land rolling.
	Soil Fair *rate*
	Vegetation of Bunchgrass *&* Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	East on a random line between Sections 22 and 27.
	Variation 15° 30' East.
	Descend.
40.00	*Set temporary ¼ Sec. Cor.*
79.81	*Intersect N. & S. line, 33 lks. North of cor. to secs. 22, 23, 26 & 27, from which corner, I run* N. 89° 46' W. *on a true line between sections 22 & 27.*
	Variation 15° ~~25~~ 30' *East*
39.90	*Set a* Bans *stone 12 x 6 x 4 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.81	*The corner to sections 21, 22, 27 and 28.*
	Land rolling.
	Soil Fair *rate*
	Vegetation of Bunchgrass *&* Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains — North, between Sections 21 and 22.

Variation 15° 30' East.

Descend.

40.00 Set a Sand stone 12 x 8 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

80.00 Set a Sand stone 16 x 12 x 8 ins. 11 ins. in the ground for Cor. to Secs. 15, 16, 21 & 22, marked with 3 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.

Soil 3rd rate

Vegetation of Bunchgrass & Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains — East, on a random line between Sections 15 and 22.

Variation 15° 25' East.

Ascend.

7.00 Top of Spur, bears N. and S. and descend.

15.00 Enter Flat bears N.W. and S.E.

40.00 Set temporary ¼ Sec. Cor.

79.69 Intersect N. & S. line. 10 lks. South of cor. to secs. 14, 15, 22 & 23, from which corner, I run S. 89° 56' W. on a true line between sections 15 and 22.

Variation 15° 25' East

39.84 Set a Sand stone 13 x 12 x 10 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

79.69 The corner to sections 15, 16, 21 and 22.

Land rolling and level.

Soil 3rd rate

Vegetation of Bunchgrass & Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 15 and 16.
	Variation 15° 25' East.
	Descend.
11.52	Cross Road, bears E. and W.
13.00	Enter Flat bears E. and W.
40.00	Set a Sand stone 12 x 8 x 4 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
46.00	Descend.
48.00	Enter river bottom, bears N. 20° E. and S. 20° W.
78.54	Cross Niobrara River,
80.00	115 lks. wide, Course E. and ascend Impossible to set Cor. at true point. At 1 ch. N, therefore Set a Sand Witness stone 15 x 12 x 3 ins. 10 ins. in the ground for Cor. to Secs. 9, 10, 15 and 16 marked W. C. with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land level.
	Soil 1st rate
	Vegetation Bunch grass and Bluegrass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 10 and 15.
	Variation 15° 40' East.
	From Witness Cor, 9 offset 1 chain North to avoid steep bluff.
	At 10 chains, 9 offset 2 chains South on true line.
40.00	Set temporary ¼ Sec. Cor.
✗ D 56.00	13. Erwins house, bears S. 29° E., 16.00 chs. dist.
79.90	Intersect N. & S. line, 30 lks. North of cor. to secs. 10, 11, 14 and 15 from which corner, I run S. 89° 47' W. on a true line between sections 10 and 15.
	Variation 15° 40' East
39.95	Set a Sand stone 12 x 8 x 3 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.90	The corner to sections 9, 10, 15 and 16.
	Land level.
	Soil 1st rate
	Vegetation Bunch grass and Bluegrass.
✗ D 64.00	Cross Niobrara River, 100 lks. wide, course N. 20° E.

Township 32 North Range 39 West
6th Principal Meridian.

Run this point for Corner to Secs 9-10 15 & 16

Chains — North, between Sections 9 and 10.

Variation 15° 40' East.

Ascend.

13.45 *Cross Road, bears E. and W.*

40.00 *Set a Sand stone 13 x 8 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*

80.00 *Set a Sand stone 14 x 10 x 8 ins. 7 ins. in the ground for Cor. to Secs. 3, 4, 9 & 10 marked with 5 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*

Land rolling.

Soil 2nd rate

Vegetation of Bunch grass & Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains — East on a random line between Sections 3 and 10.

Variation 15° 25' East.

Over rolling land.

40.00 *Set temporary ¼ Sec. Cor.*

53.00 *Cross low Sag and ascend.*

79.00 *Top of Hill bears N. and S. and descend.*

79.89 *Intersect N. & S. line, 64 lks. South of cor. to secs. 2, 3, 10 & 11, from which corner, I run S. 89° 33' W. on a true line between sections 3 & 10.*

Variation 15° 25' East

39.94 *Set a Sand stone 15 x 13 x 8 ins., 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*

79.89 *The corner to sections 3, 4, 9 and 10.*

Land rolling.

Soil 3rd rate

Vegetation of Bunch grass & Buffalo grass.

Township 32 North Range 37 West
6th Principal Meridian.

Chains — North, on a ~~random~~ true line between Sections 3 and 4.

Variation 15° 25' East.

Descend.

15.00 Foot of Spur, bears N.E. & W. and ascend

23.00 Top of Spur, bears N.E. and S.W. and descend.

40.00 Set a Sand stone 13 x 9 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

55.71 Intersect the 8th Standard Parallel North, at a point 11.96 chs. West of the Standard Cor. to Secs. 34 and 35. T. 33 N., R. 37 W., at which point I.

Set a Sand stone 13 x 9 x 5 ins. 8 ins. in the ground for Closing Cor. to Secs. 3 and 4 marked C. C. with 3 notches on E. and 3 notches on W. edges, dug pits 18 x 18 x 12 ins. S. E., and W. of stone, 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base.

Land rolling.

Soil 3rd rate

Vegetation of Bunchgrass and Buffalo grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

C. M. Dakin, Oct. 10th 1882.

Township 32 North Range 37 West
6th Principal Meridian.

Chains — North, between Sections 32 and 33.

Variation 15° 30' East.

Ascend.

16.00 Top of Spur, bears E. and W. and descend.

21.60 Cross low Sag and ascend.

32.50 Top of Spur, bears N.W. and S.E. and descend.

40.00 Set a Sand stone 11 x 10 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

56.30 Cross Wash, 30 lks. wide, Course N. 30° W. and ascend.

80.00 Set a Sand stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 marked with 1 notch on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base.

Land mountainous.

Soil 3rd rate

Vegetation of Bunchgrass and Pagebrushes.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 28 and 33.
	Variation 15° 30' East.
	Descend.
12.70	*Cross low Sag and ascend.*
27.00	*Top of Ridge, bears N. and W. and descend.*
40.00	*Set temporary ¼ Sec. Cor.*
57.50	*Cross Wash, 30 lks. wide, Course N. and ascend.*
80.20	*Intersect N. & S. line, 60 lks. South of cor. to secs. 27, 28, 33 & 34, from which corner, I run*
	N. 89° 34' W. on a true line between sections 28 and 33.
	Variation 15° ~~30'~~ 30' East
40.10	*Set a Sand stone 13 x 7 x 5 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and E. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.20	*The corner to sections 28, 29, 32 and 33.*
	Land mountainous.
	Soil 3rd rate
	Vegetation Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian

Chains	North, between Sections 28 and 29.
	Variation 15° 30' East.
	Ascend.
13.12	*Top of Spur, bears E. and W. and descend.*
27.00	*Cross Wash, 40 lks. wide, Course N. 60° W. and ascend.*
40.00	*Set a Sand stone 14 x 9 x 7 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
47.00	*Top of Spur, bears E. and W. and descend.*
53.00	*Enter Marsh, lks. wide, Course E. and W.*
78.00	*Leave Marsh, lks. wide, Course E. and W.*
80.00	*Set a Sand stone 16 x 14 x 10 ins. 11 ins. in the ground for Cor. to Secs. 20, 21, 28 & 29 marked with 2 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land rolling. 27.00 lks. and 53.00 lks. Mts.
	Soil 3rd rate
	Vegetation Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 21 and 28.
	Variation 15° 40' East.
	Ascend.
7.80	*Top of Spur, bears* N. and S. *and descend.*
17.20	*Cross low Sag and ascend.*
34.00	*Top of Spur, bears* N. and S. *and descend.*
40.00	*Set temporary ¼ Sec. Cor.*
51.68	*Cross low Sag and ascend.*
80.14	*Intersect N. & S. line, 25 lks. South of cor. to secs. 21, 22, 27 & 28, from which corner, I run*
	S. 81° 49' W. on a true line between sections 21 and 28.
	Variation 15° 40' East
40.17	*Set a Sand stone 15 x 9 x 7 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.14	*The corner to sections 20, 21, 28 and 29.*
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian

Chains	
	North, between Sections 20 and 21.
	Variation 15° 40' East.
	Ascend.
10.20	*Top of Spur, bears E. and W. and descend.*
23.00	*Cross low Sag and ascend.*
40.00	*Set a Sand stone 15 x 11 x 5 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
45.00	*Top of Spur, bears E. and W. and descend.*
74.00	*Cross Road, bears E. and W.*
80.00	*Set a Sand stone 14 x 10 x 6 ins. 9 ins. in the ground for Cor. to Secs. 16, 17, 20 & 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 16 and 21.
	Variation 15° 25' East.
	Over level land
33.00	Cross Creek 35 lks. wide, Course N. 20° E. and ascend.
36.00	Top of bank, thence over Flat.
40.00	Set temporary ¼ Sec. Cor.
46.86	Cross Road, bears N. E. and S. W.
79.83	Intersect N. & S. line, 4 lks. North of cor. to secs. 15, 16, 21 and 22, from which corner, I run N. 89° 58' W. on a true line between sections 16 and 21,
	Variation 15° 25' East
39.91	Set a Sand stone 10 x 9 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.83	The corner to sections 16, 17, 20 and 21.
	Land rolling and level.
	Soil 2nd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 16 and 17.
	Variation 15° 25' East.
	Ascend.
11.00	Top of Spur, bears E. and W. and descend.
18.20	Cross low Sag and ascend.
40.00	Set a Sand stone 12 x 10 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
45.00	Top of Ridge, bears E. and W. and descend.
74.57	Cross low Sag and ascend.
80.00	Set a Sand stone 14 x 9 x 6 ins. 9 ins. in the ground for Cor. to Secs. 8, 9, 16 and 17, marked with 4 notch es on S. and 4 notch es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 9 and 16.
	Variation 15° 45' East.
	Descend.
3.20	Cross Niobrara River,
	170 lks. wide, Course S. 60° E. and ascend.
11.30	Top of bank, course N. E. and over Flat.
25.14	Cross Wash, 30 lks. wide, Course N. and ascend.
40.00	Set temporary ¼ Sec. Cor.
79.92	Intersect N. & S. line, 23 lks. North of cor. to secs.
	9, 10, 15 & 16, from which corner, I run
	N. 89° 30' W. on a true line between sections 9 and 16,
	Variation 15° 45' East
39.96	Set a Sand stone 14 x 14 x 12 ins., 9 ins.
	in the ground, for ¼ Sec. Cor., marked ¼ on N. face,
	dug pits 18 x 18 x 12 ins., N. and S. of stone 5½
	ft. dist., and raised a mound of earth 1½ ft. high, 3½
	ft. base.
79.92	The corner to sections 9, 8, 16 and 17.
	Land rolling.
	Soil 1st rate
	Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 8 and 9.
	Variation 15° 45' East.
	Descend.
2.07	Cross Niobrara River,
	133 lks. wide, Course S. 50° E. and ascend.
29.00	Top of Bluff, bears E. and W., and over Flat.
34.00	Cross Road, bears E. and W.
40.00	Set a Sand stone 7 x 12 x 6 ins., 11 ins.
	in the ground, for ¼ Sec. Cor., marked ¼ on W. face,
	dug pits 18 x 18 x 12 ins., E and W. of stone 5½
	ft. dist., and raised a mound of earth 1½ ft. high, 3½
	ft. base.
55.09	Cross Wash, 70 lks. wide, Course S. 30° W. and ascend.
80.00	Set a Sand stone 13 x 11 x 8 ins. 8 ins.
	in the ground for Cor. to Secs. 4, 5, 8 and 9, marked
	with 5 notches on S. and 4 notches on E. edges,
	dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and
	raised a mound of earth 2 ft. high, 4½ ft. base.
	54.40 chs. Land rolling. 25.60 chs. Mts.
	Soil 1st rate
	Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 4 and 9.
	Variation 15° 50' East.
	Enter Flat bears N. and S.
22.83	Cross Wash, 30 lks. wide, Course S. 20° W.
40.00	Set temporary ¼ Sec. Cor.
42.00	Leave Flat bears S. E. and N. W. and ascend.
70.60	Top of Spur, bears N. and S. and descend.
80.14	Intersect N. & S. line, 11 lks. South of cor. to secs. 3, 4, 9 and 10, from which corner, I run S. 89° 55' W. on a true line between sections 4 and 9.
	Variation 15° ~~20'~~ 50' East
40.07	Set a Sand stone 10 x 10 x 7 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.14	The corner to sections 4, 5, 8 and 9.
	Land rolling and level.
	Soil 2nd rate
	Vegetation of Bunchgrass and Buffalo grass.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	North, on a ~~random~~ true line between Sections 4 and 5.
	Variation 15° 50' East.
	Ascend.
8.16	Top of Spur, bears E. and W. and descend.
21.00	Cross Wash, 40 lks. wide, Course S. 20° E. and ascend.
35.00	Top of Spur, bears S. E. and N. W. and descend.
40.00	Set a Sand stone 18 x 13 x 7 ins., 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
56.08	Intersect the 8th Standard Parallel North, at a point 12.14 chs. West of the Standard Cor. to Secs. 33 and 34, T. 33 N., R. 39 W., at which point I.
	Set a post, 4 ft. long, 4 ins. square, 12 ins. in the ground, for Closing Cor. to Secs. 4 and 5, marked C. C. T. 32 N., R. 39 W., on N., S. 4 on E. and S. 5 on W. faces, with 4 notches on E. and 2 notches on W. faces, dug pits 18 x 18 x 12 ins. N., E. & W. of post, 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base around post.
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass and Buffalo grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
David W. Kerr, Surveyor, Oct. 10th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains | North, between Sections 31 and 32.

Variation 15° 55' East.

Ascend.

18.30 Top of Hill bears N.W. and S.E. and descend.

23.00 Cross low Sag and ascend.

40.00 Set a Sand stone 14 x 10 x 8 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

53.00 Top of Hill bears E. and W. and descend.

69.00 Enter Flat bears E. and W.

80.00 Set a Sand stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 29, 30, 31 & 32, marked with 1 notch on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.

Land 69.00 lks. Mtn. Red 11.00 lks. level.

Soil 3rd rate

Vegetation Bunchgrass and Sagebrush.

Township 32 North Range 39 West
6th Principal Meridian.

Chains | East, on a random line between Sections 29 and 32.

Variation 15° 45' East.

Over level land

16.00 Enter Marshy Land, Course N. and S.

27.00 Leave Marshy Land, Course N. and S.

40.00 Set temporary ¼ Sec. Cor.

61.00 Cross Wash, 40 lks. wide, Course N. 15° W.

79.85 Intersect N. & S. line, 45 lks. North of cor. to secs. 28, 29, 32 & 33 from which corner, I run N. 89° 41' W. on a true line between sections 29 and 32.

Variation 15° 30' East

39.92 Set a Sand stone 14 x 12 x 6 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

79.85 The corner to sections 29, 30, 31 and 32.

Land level.

Soil 3rd rate

Vegetation Bunchgrass and Sagebrush.

L. W. Baker, Oct. 11th 1862.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 30 and 31. Variation 15° 45' East.
3.50	Leave Flat bears N. W. and S. E. and ascend.
7.30	Top of Spur, bears N. W. and S. E. and descend.
18.00	Enter Flat bears S. W. and N. E.
40.00	Set temporary ¼ Sec. Cor.
75.63	Intersect W. B. of Tp. 58 lks. South of cor. to secs. 25, 30, 31 & 36, from which corner, I run N. 89° 38' E. on a true line, between sections 30 and 31, Variation 15° 45' East.
35.63	Set a Sand stone 16 x 12 x 8 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
75.63	The corner to sections 29, 30, 31 and 32. Land level and rolling. Soil Sandy rate Vegetation of Bunchgrass and Sagebrush. David McKay, Compassman, Oct. 11th 1882.

Township 32 North Range 39 West
6th Principal Meridian

Chains	North, between Sections 29 and 30. Variation 15° 45' East.
4.00	Enter Marsh, Course N. 20° W. and S. 20° E.
38.00	Leave Marsh Course N. 20° W. and S. 20° E. and ascend
40.00	Set a Sand stone 13 x 11 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
64.50	Top of Ridge, bears E. and W. and descend.
80.00	Set a Sand stone 13 x 7 x 7 ins. 8 ins. in the ground for Cor. to Secs. 19, 20, 29 & 30, marked with 2 notches on S. and 3 notches on E. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base. Land mountainous. 42.00 lks. and 38.00 lks. level Soil Sandy rate Vegetation of Bunchgrass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	East, on a random line between Sections 20 and 29. Variation 15° 50' East.
	Ascend.
12.30	Top of Spur, bears N.W. and S.E, and descend.
27.00	Cross low Sag and ascend.
38.00	Top of Spur, bears N.W. and S.E, and descend.
40.00	Set temporary ¼ Sec. Cor.
61.80	Cross low Sag and ascend.
80.28	Intersect N. & S. line, 19 lks. North of cor. to secs. 20, 21, 28 & 29, from which corner, I run N. 89° 52' W. on a true line between sections 20 and 29. Variation 15° ~~50~~ 52' East
140.11	Set a Sand stone 12 x 8 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.23	The corner to sections 19, 20, 29 and 30. Land mountainous. Soil 3rd rate Vegetation of Bunchgrass and Sagebrush. C. W. Baker, Oct. 11th 1882

Township 32 North Range 39 West

6th Principal Meridian.

Chains	West, on a random line between Sections 19 and 30. Variation 15° 50' East.
	Descend.
6.65	Cross Wash, 35 lks. wide, Course N. 11° W. and ascend.
13.60	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
53.80	Cross low Sag and ascend.
75.28	Intersect W. B. of Tp. 3 lks. North of cor. to secs. 19, 24, 25 & 30, from which corner, I run N. 89° 59' E. on a true line, between sections 19 and 30. Variation 15° ~~50~~ 50' East.
35.28	Set a Sand stone 16 x 9 x 7 ins., 11 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
75.28	The corner to sections 19, 20, 29 and 30. Land mountainous. Soil 3rd rate Vegetation of Bunchgrass and Sagebrush. David W° Kay, Compassman Oct. 11th 1882.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	North, between Sections 19 and 20.
	Variation 15° 50'
	Ascend.
15.00	*Top of Ridge, bears E. and W. and descend.*
17.40	*Cross low Sag and ascend.*
25.70	*Top of Hill bears N.W. and S.E. and descend.*
40.00	*Set a Sand stone 14 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.* And Enter Wash,
75.00	*Lean Wash, course N. 15° E.*
78.17	*Cross Road, bears E. and W.*
80.00	*Set a Sand stone 14 x 8 x 8 ins. 7 ins. in the ground for Cor. to Secs. 17, 18, 19 & 20, marked with 3 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains	East, on a random line between Sections 17 and 20.
	Variation 14° 35' East.
	Descend.
23.50	*Cross Wash, 35 lks. wide, Course N. 20° E and ascend.*
40.00	*Set temporary ¼ Sec. Cor.*
58.00	*Top of Spur, bears N. and S. and descend.*
79.96	*Intersect N. & S. line, 8 lks. South of cor. to secs. 16, 17, 20 & 21, from which corner, I run*
	S. 89° 57' W. on a true line between sections 17 and 20.
	Variation ~~15° 20'~~ 14° 35' East
39.98	*Set a Sand stone 14 x 8 x 8 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.96	*The corner to sections 17, 18, 19 and 20.*
	Land mountainous.
	Soil 3rd rate
	Vegetation of Bunchgrass & Sagebrush.
	C. W. Baker, Oct. 11th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	West, on a random line between Sections 18 and 19.
	Variation 14° 35' East.
	Over rolling land.
25.00	Cross Road, bears N. 70° W. and S. 70° E.
40.00	Set temporary ¼ Sec. Cor.
61.48	Cross Road, bears N. 65° E. and S. 65° W.
74.64	Intersect W. B. of Tp. 14 lks. North of cor. to secs. 13, 18, 19 & 24, from which corner, I run N. 89° 54' E. on a true line, between sections 18 and 19.
	Variation ~~14° 35'~~ 14° 51' East.
34.64	Set a Sand stone 8 x 8 x 5 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
74.64	The corner to sections 17, 18, 19 and 20.
	Land rolling.
	Soil 3rd rate.
	Vegetation of Bunchgrass and Sagebrush.
	David McKay, Comp assistant.
	Oct 11th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 17 and 18
	Variation 14° 35' East.
	Over rolling land. and ascend
40.00	Set a Sand stone 18 x 10 x 6 ins., 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
42.20	Top of Spur, bears E. and W. and descend.
51.00	Enter Timber at bank of river.
59.13	Cross Niobrara River, 170 lks. wide, Course N. 80 E., and ascend. Timber at banks of River.
80.00	Set a Sand stone 12 x 8 x 8 ins. 8 ins. in the ground for Cor. to Secs. 7, 8, 17 and 18 marked with 4 notches on S. and 3 notches on E. of it, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.
	Land rolling.
	Soil 1st rate
	Vegetation of Bunchgrass and Buffalograss.
	Timber of Pine, Cottonwood, Ash and Elm.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 8 and 17. Variation 15° 40' East.
	Descend.
8.30	Cross Gulch, 40 lks. wide, Course E. and ascend.
17.20	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ Sec. Cor.
49.40	Cross Niobrara River, 160 lks. wide, Course N. 20° E. and ascend.
58.00	Top of bank, bears N.E. and S.W. Enters flat
80.14	Intersect N. & S. line, 21 lks. North of cor. to secs. 8, 9, 16 & 17, from which corner, I run N. 89° 51' W. on a true line between sections 8 and 17. Variation 15° 40' East
40.07	Set a Sand stone 10 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.14	The corner to sections 7, 8, 17 and 18. 58.00 Chs. Land mountainous. and 22.14 Chs. flat Soil 1st rate Vegetation of Bunchgrass and Buffalo Grass. C. W. Dakin, Oct. 11th 1882.

Township 32 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 7 and 18. Variation 15° 40' East.
	Ascend.
12.00	Top of Spur, bears N. and S. and descend.
17.35	Cross Gulch, 20 lks. wide, Course N. and ascend.
28.00	Top of Spur, bears N.W. and S.E. and descend.
40.00	Set temporary ¼ Sec. Cor.
53.00	Cross Creek 40 lks. wide, Course N. 20° E. and ascend.
74.58	Intersect W. B. of Tp. 42 lks. North of cor. to secs. 7, 12, 13 & 18, from which corner, I run N. 89° 41' E. on a true line, between sections 7 and 18. Variation 15° 40' East.
34.58	Set a Sand stone 9 x 9 x 8 ins., 6 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
74.58	The corner to sections 7, 8, 17 and 18. Land mountainous. Soil 3rd rate Vegetation of Bunchgrass and Buffalo Grass. Davis Mc Kay, Compassman, Oct. 11th 1882.

Township 32 North Range 39 West

6th Principal Meridian.

Chains

North, between Sections 7 and 8.

Variation 15° 48' East.

Ascend.

5.35 *Top of Spur, bears E. and W. and descend.*

17.50 *Cross Wash, 30 lks. wide, Course S. 35° W. and ascend.*

32.00 *Cross Road, bears E. and W.*

40.00 *Set a Sand stone 12 x 9 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*

80.00 *Set a Sand stone 16 x 11 x 8 ins. 11 ins. in the ground for Cor. to Secs. 5, 6, 7 and 8 marked with 6 notches on S. and 5 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*

Land mountainous.

Soil 3rd rate

Vegetation Bunchgrass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation 15° 50' East.

Descend.

22.54 *Cross Gulch, 60 lks. wide, Course S. and ascend.*

25.00 *Top of Spur, bears W. W. and W. E. and descend.*

40.00 *Set temporary ¼ Sec. Cor.*

61.95 *Cross Wash, 20 lks. wide, Course S. and ascend.*

80.21 *Intersect N. & S. line, 79 lks. North of cor. to secs. 4, 5, 8 and 9, from which corner, I run*

N. 89° 26' W. on a true line between sections 5 and 8.

Variation 15° 50' East

40.10 *Set a Sand stone 10 x 7 x 7 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*

80.21 *The corner to sections 5, 6, 7 and 8.*

Land mountainous.

Soil 3rd rate

Vegetation Bunchgrass and Sagebrush.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

C. W. Dakin, Oct. 11th 1882.

Township 32 North Range 39 West

6th Principal Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation 15° 50' East.

Ascend.

8.30 Top of Spur, bears N. and S. and descend.

19.23 Cross Wash, 35 lks. wide, Course S. and ascend.

31.60 Top of Spur, bears N. and S. and descend.

40.00 Set temporary ¼ Sec. Cor.

74.05 Intersect W. B. of Tp. 53 lks. North of cor. to secs. 1, 6, 7 & 12, from which corner, I run N. 89° 36' E. on a true line, between sections 6 and 7,

Variation 15° 50' East.

34.05 Set a Sand stone 10 x 10 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits 18 x 18 x 12 ins., N. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

Wash, 40 lks. wide, Course N. and ascend.

74.05 The corner to sections 5, 6, 7 and 8.

Land mountainous.

Soil 3rd rate

Vegetation of Bunch grass and Sagebrush.

Township 32 North Range 39 West

6th Principal Meridian.

Chains

North, on a ~~random~~ true line between Sections 5 and 6.

Variation 15° 50' East.

Ascend.

18.00 Top of Ridge, bears E. and W. and descend.

28.31 Cross low Sag and ascend.

40.00 Set a Sand stone 10 x 8 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.

55.20 Intersect the 8½ Standard Parallel North, at a point 12.61 chs. West of the Standard Cor. to Secs. 32 and 33. T. 33 N., R. 39 W., at which point I.

Set a post, 4 ft. long, 4 ins. square, 12 ins. in the ground, for Closing Cor. to Secs. 5 and 6 marked C. C. T. 32 N., R. 39 W., on N., S. 5 on E., and S. 6 on W. faces, with 5 notches on E., and 1 notch on W faces, dug pits 18 x 18 x 12 ins. N, E & W. of post, 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land mountainous.

Soil 3rd rate

Vegetation of Bunch grass and Buffalo grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

David McKay, Compassman, Oct. 11th 1882.

GENERAL DESCRIPTION.

The lands in the Central and Southern Parts of this Township, is generally mountainous, with 3rd rate soil, which produces Bunchgrass and Sagebrush. In the Northern part, the land is rolling and level, with 1st and 2nd rate soil, producing excellent Bunchgrass, Bluegrass and Buffalo grass. Along the banks of the Niobrara River, which flows through the Northern portion of the Tp. is found timber of Cottonwood, Alder, Elm and Ash.

The Township is well watered by Niobrara River and numerous Creeks. It is valuable for grazing and well adapted to agriculture, particularly the Northern part.

Several good Wagon roads, traverse the Tp.

Sandstone is found in all sections, nearly all the corners being constructed of it.

Mr. B. Erwin's house and improvements are in Sec. 15.

There is a large Spring in Sec. 23.

There is a large Marsh in the Southwestern part of the Tp.

U. S. Surveyor General's Office.

Plattsmouth Neb 1883

The foregoing Field Notes of the surveys of

The Subdivision lines of
Township No 32 North of
Range No 37 West of the
Principal Base *Meridian*

in The State of Neb *executed by*

Charles W. Catlin

U. S. Deputy Surveyor, under his contract No 103 dated

Feb 2 1882 in the Mo of Oct 1882

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

L V Stephenson

U. S. Surveyor-General for

General Land Office • Original Field Notes

Book Number

618

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.