General Land Office • Original Field Notes

Book Number

619

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(116

T. 33-35 N.
R. 39 W.

116.

Charlie W. Dakin,

T. 33 **North R.** 39

6th Pr

T 33-35 N
R 39 W

F[illegible]TES

THE SUBD[illegible] LINES OF

Township 33 North Range 39 West

6th Principal Meridian.

BY

Charlie W. Dakin, Deputy Surveyor.

Under his Contract of Feb. 3rd 1882

Survey Commenced Sept. 28, 1882,

Survey Completed Sept. 30, 1882,

Platted,
Copied for Washington,
Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal.

st

Township..... Range.....

..... 6th Principal Meridian



Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township..... North..... Range..... West

..... 6th Principal Meridian.

Township ..... North ..... Range ..... West

..... 6th Principal Meridian.

Township ..... North ..... Range ..... West

..... 6th Principal Meridian.

Survey made with Burt's Patent Improved Solar Compass, nearly new, and in first rate order. Made by John Roach *of* San Francisco, California *in* 1881.

Township 33 North Range 39 West

(See previous page.) 6th Principal Meridian.

Chains	
	From the corner to Sections 35, 36, 1 and 2 on the South boundary; I run North, between Sections 35 and 36. Variation 14°55' East.
	Ascend.
40.00	Set a Lime stone 19 x 11 x 8 ins., 14 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
56.00	Top of Ridge, bears N.W. and S.E. and descend.
70.00	Enter Flat bears N.E. and S.W.
80.00	Set a Sand stone 16 x 10 x 9 ins. 11 ins. in the ground for Cor. to Secs. 25-26-35-36 marked with 1 notch on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.

70.00 chs. 10.00 chs.
Land mountainous. and level.
Soil 2nd & 3rd rate
Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 25 and 36. Variation 14°40 East.
	Over level land
12.00	Leave Flat bears N.W. and S.E. and ascend.
27.00	Top of Spur, bears N. and S. and descend.
40.00	Set temporary ¼ sec. cor.
52.00	Cross low Sag and ascend.
80.10	Intersect E. B. of Tp. 33 lks. North of cor. to secs. 25-30-31-36 from which corner, I run N.89°46' W., on a true line, between sections 25-36. Variation 14° ~~30'~~ 40' East.
40.05	Set a Sand stone 12 x 9 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.10	The corner to sections 25-26-35-36.

68.10 chs.
Land mountainous. and 12.00 chains level.
Soil 3rd rate
Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 25 and 26. Variation 14° 40' East.
	Over level land
11.00	Leave Flat bears N.W. and S.E., and ascend.
40.00	Set a Sand stone 20 x 9 x 6 ins., 15 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
55.00	Top of Spur, bears N.E. and S.W., and descend.
66.00	Cross low Sag and ascend.
75.00	Top of Spur, bears N.W. and S.E. and descend.
80.00	Set a Sand stone 19 x 8 x 7 ins. 14 ins. in the ground for Cor. to Secs. 23-24-25-26, marked with 2 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.
	Land, mountainous. 69.00 and 11.00 chs. flat
	Soil 2nd " 9 3rd " rate
	Vegetation, Bunchgrass

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 24 and 25. Variation 14° 35' East.
	Ascend.
6.00	Top of Spur, bears N.E. and S.W. and descend.
23.00	Enter Flat bears N. and S.
40.00	Set temporary ¼ sec. cor.
80.21	Intersect E. B. of Tp. 14 lks. North of cor. to secs. 19-24-25-30 from which corner, I run N. 89° 54' W., on a true line, between sections 24-25, Variation 14° ~~25'~~ 35' East.
40.11	Set a Sand stone 14 x 10 x 9 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
80.21	The corner to sections 23-24-25-26,
	Land, level. 57.21 and 23.00 chains Flat.
	Soil 2nd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 23 and 24. Variation 14° 35' East.
	Descend.
29.00	Cross low Sag and ascend.
46.00	Set a Sand stone 15 x 9 x 5 ins., 16 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
67.00	Top of Spur, bears E. and W. and descend.
80.00	Set a Sand stone 11 x 9 x 7 ins. 7 ins. in the ground for Cor. to Secs. 13-14-23-24 marked with 3 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Timehgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 13 and 24. Variation 14° 30' East.
	Ascend.
13.00	Top of Spur, bears N. and S. and descend.
18.00	Cross low Sag and ascend.
27.50	Top of Spur, bears N.E. and S.W. and descend.
40.00	Set temporary ¼ sec. cor.
43.00	Cross low Sag and ascend.
61.00	Top of Spur, bears N. and S. and descend.
79.97	Intersect E.B. of Tp. 11 lks North of cor. to secs. 13-18-19-24 from which corner, I run N. 89° 55' W. on a true line between sections 13-24, Variation 14° 30' East.
39.99	Set a Sand stone 10 x 9 x 8 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.97	The corner to sections 13-14-23-24.
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Timehgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 13 and 14. Variation 14° 30′ East.
	Ascend.
12.50	*Top of Spur, bears* E. and W., *and descend.*
33.50	*Cross low Sag and ascend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
46.00	*Top of Spur, bears* E. and W., *and descend.*
55.00	*Cross Wash,* 80 *lks. wide, Course* S. 35° W. *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 11-12-13-14 *marked T.* 33 N., *S.* 12, *on N. E.,* R 39 W., *S.* 13 *on S. E., S.* 14 *on S. W. and S.* 11 *on N. W. face, with* 4 *notch es on S. and* 1 *notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*

Land mountainous.
Soil 2nd & 3rd *rate*
Vegetation Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 12 and 13. Variation 14° 40′ East.
	Descend.
12.00	*Cross Wash,* 125 *lks. wide, Course* N., *and ascend.*
21.50	*Top of Spur, bears* N. and S., *and descend.*
35.00	*Enter Flat bears* N. 30° W. and S. 30° E.
40.00	*Set temporary ¼ sec. cor.*
79.84	*Intersect E. B. of Tp.* 16 *lks.* South *of cor. to secs.* 7-12-13-18 *from which corner, I run* S. 89° 53′ W., *on a true line, between sections* 12-13. *Variation* 14° ~~30′~~ 40′ *East.*
39.92	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.84	*The corner to sections* 11-12-13-14.

44.84 - 35.00

Land level. & mountainous,
Soil 2nd & 3rd *rate*
Vegetation Bunchgrass,

Township ..... North ..... Range ..... West

..... 6th Principal Meridian.

Chains	North, between Sections 11 and 12. Variation 14° 30' East.
	Descend.
9.00	*Cross Wash, 200 lks. wide, Course S.W. and ascend.*
12.00	*Top of Spur, bears E. and W. and descend.*
24.50	*Cross Wash, 150 lks. wide, Course S.E. and ascend.*
31.70	*Top of Ridge, bears E. and W. and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
54.00	*Cross Wash, 75 lks. wide, Course W. and ascend.*
62.00	*Top of Spur, bears N.E. and S.W. and descend.*
76.00	*Enter Flat bears E. and W.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 1-2-11-12, marked T.33N. S. 1 on N. E., R39W. S. 12 on S. E., S. 11 on S. W and S. 2 on N. W. face, with 5 notches on S. and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land, mountainous. and 4.00 Chains level.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township ..... North ..... Range ..... West

..... 6th Principal Meridian.

Chains	East, on a random line between Sections 1 and 12. Variation 14° 45' East.
	Over level land
14.00	*Leave Flat bears N.W. and S.E., and ascend.*
19.00	*Top of Spur, bears N. and S. and descend.*
27.00	*Enter dry Lake, bears N.E. and S.W.*
40.00	*Set temporary ¼ sec. cor.*
79.95	*Intersect E. B. of Tp. 41 lks. South of cor. to secs. 1-6-7-12 from which corner, I run S.89°42' W., on a true line, between sections 1-12*
	Variation 14°45' East.
39.98	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins. N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.95	*The corner to sections 1-2-11-12, 27.00 Chs. and 52.95 Chains dry lake.*
	Land, mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	North, on a random line between Sections 1 and 2. Variation 14°45′ East.
	Over level land
11.00	*Leave Flat bears* N.E. and S.W., *and ascend.*
19.00	*Top of Spur, bears* N.E. and S.W. *and descend.*
23.30	*Enter Flat bears* N.E. and S.W.
40.00	*Set temporary ¼ sec. cor.*
79.84	*Intersect* N.B. *of Tp.* 39 *lks.* West *of cor. to secs.* 1-2-35-36 *from which corner, I run* S. 17′ W., *on a true line, between sections* 1-2, *Variation* 14°~~50′~~ 45′ *East.*
39.84	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.84	*The corner to sections* 1-2-11-12, *Land level. Soil* 2nd & 3rd *rate Vegetation,* Bunchgrass. *I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.* C. N. Dakin, Sept. 28, 1882.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	North, between Sections 34 and 35. Variation 14°50′ East.
	Ascend.
4.00	*Top of Spur, bears* N.W. and S.E., *and descend.*
11.50	*Enter Flat bears* N.W. and S.E.,
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
62.00	*Leave Flat bears* N.W. and S.E., *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 26-27-34-35, *marked T.* 33N, *S.* 26, *on N. E., R.* 39W, *S.* 35 *on S. E., S.* 34 *on S. W. and S.* 27 *on N. W. face, with* 1 *notch on S. and* 2 *notch* 80 *on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.* 50.50 lks. 29.50 lks. *Land* level. and mountainous. *Soil* 2nd & 3rd *rate Vegetation,* Bunchgrass.

Chains	East, on a random line between Sections 26 and 35. Variation 14° 45′ East.
	Ascend.
14.00	*Top of Spur, bears* N. 10° E. & S. 10° W. *and descend.*
23.50	*Cross Wash,* 100 *lks. wide, Course* N. 20° E. *and ascend.*
32.00	*Top of Spur, bears* N.E. and S.W. *and descend.*
40.00	*Set temporary ¼ sec. cor.*
79.84	*Intersect N. & S. line,* 10 *lks.* North *of cor. to secs.* 25-26-35-36 *from which corner, I run* N 89° 56′ *W. on a true line between sections* 26 - 35, *Variation* 14° 45′ *East.*
39.92	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.84	*The corner to sections* 26 - 27 - 34 - 35. *Land* mountainous, *Soil* 3rd rate, *Vegetation,* Bunchgrass.

Chains	North, between Sections 26 and 27. Variation 14° 45′ East.
	Ascend.
14.00	*Top of Spur, bears* E. and W. *and descend.*
23.00	*Cross Wash,* 250 *lks. wide, Course* West *and ascend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
42.00	*Top of Spur, bears* E. and W. *and descend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 22-23-26-27, *marked T.* 33 N., *S.* 23 *on N. E., R.* 39 W., *S.* 26 *on S. E., S.* 27 *on S. W. and S.* 22 *on N. W. face, with* 2 *notch* Es *on S. and* 2 *notch* Es *on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land mountainous. Soil 3rd rate, *Vegetation,* Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 23 and 26.
	Variation 14°40′ East.
	Ascend.
27.00	*Top of Spur, bears* N.E. and S.W. *and descend.*
34.00	*Enter Flat bears* N.E. and S.W.
40.00	*Set temporary ¼ sec. cor.*
79.68	*Intersect N. & S. line,* 19 *lks.* South *of cor. to secs.* 23-24-25-26 *from which corner, I run* S.89°52′ *W. on a true line between sections* 23-26,
	Variation 14°~~35′~~ 40′ *East.*
39.84	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.68	*The corner to sections* 22-23-26-27.
	Land level.
	Soil 2nd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 22 and 23.
	Variation 14°40′ East.
	Descend.
2.25	*Cross Wash,* 100 *lks. wide, Course* West *and ascend.*
6.00	*Top of Spur, bears* E. and W., *and descend.*
31.00	*Cross Wash,* 75 *lks. wide, Course* West *and ascend.*
38.00	*Top of Spur, bears* E. and W. *and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
61.50	*Enter Flat bears* E. and W.
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 14-15-22-23 *marked T.*33N, *S.* 14, *on N. E., R.* 39W, *S.* 23 *on S. E., S.* 22 *on S. W and S.* 15 *on N. W. face, with* 3 *notch es on S. and* 2 *notch es on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land, 61.50 *mountainous.* and 18.50 chains level
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 14 and 23.
	Variation 14° 40′ East.
	Over level land
40.00	*Set temporary ¼ sec. cor.*
79.88	*Intersect N. & S. line,* 30 *lks.* South *of cor. to secs.*
	13-14-23-24 from which corner, I run
	S. 89° 47′ W. on a true line between sections 14-23
	Variation 14° ~~30~~ 40′ East.
39.94	*Set a post 3 ft. long, 3 ins. diam.*
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
	N. face, dug pits, 18 x 18 x 12 ins., N. and S. of
	post 5½ ft. dist., and raised a mound of earth 1½ ft.
	high, 3½ ft. base around post.
79.88	*The corner to sections* 14-15-22-23,
	Land level.
	Soil 2nd *rate*
	Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	North, between Sections 14 and 15.
	Variation 14° 40′ East.
	Over level land
23.00	*Leave Flat bears* E. and W. *and ascend.*
40.00	*Set a post 3 ft. long, 3 ins. diam.*
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on
	N. face, dug pits, 18 x 18 x 12 ins., E. *and* W. *of*
	post 5½ ft. dist., and raised a mound of earth 1½ ft.
	high, 3½ ft. base around post.
44.00	*Top of Spur, bears* E. and W. *and descend.*
80.00	*Set a post 4 ft. long, 4 ins. square,*
	12 ins. in the ground, for Cor. to Secs. 10-11-14-15,
	marked T. 33 N. *S.* 11 *, on N. E., R.* 39 W. *, S.* 14
	on S. E., S. 15 *on S. W. and S.* 10 *on N. W. face,*
	with 4 *notches on S. and* 2 *notches on E. edges;*
	dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,
	and raised a mound of earth 2 ft. high, 4½ ft. base
	around post. 57.00 chs. and 23.00 chains level.
	Land mountainous.
	Soil 2nd *rate*
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 11 and 14. Variation 14° 40′ East.
	Ascend.
7.00	Top of Spur, bears N. and S., and descend.
40.00	Set temporary ¼ sec. cor.
45.00	Low Sag and ascend.
80.09	Intersect N. & S. line, 4 lks. North of cor. to secs. 11-12-13-14 from which corner, I run N 89° 58′ W. on a true line between sections 11-14
	Variation 14° 40′ East.
40.05	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins. N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.09	The corner to sections 10-11-14-15,
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Chains	North, between Sections 10 and 11. Variation 14° 40′ East.
	Descend.
21.00	Enter Flat bears E. and W.,
40.00	Set a Sand stone 13 x 9 x 6 ins., 9 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
66.50	Leave Flat bears E. and W. and ascend.
74.00	Top of Ridge, bears E. and W., and descend,
80.00	Set a Sand stone 20 x 9 x 7 ins. 15 ins. in the ground for Cor. to Secs. 2-3-10-11 marked with 5 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.
	Land mountainous. 34.50 chs. and 45.50 chs. level.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 2 and 11. Variation 14° 45′ East.
	Ascend.
4.00	*Top of Spur, bears* N. and S. *and descend.*
21.00	*Cross Wash, 100 lks. wide, Course* S. *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
	Top of Spur, bears N. and S. *and descend.*
57.00	*Enter Flat bears* N. and S.
79.85	*Intersect N. & S. line, 60 lks.* North *of cor. to secs.* 1-2-11-12 *from which corner, I run* N. 89° 34′ *W. on a true line between sections* 2-11. *Variation* 14° 45′ *East.*
39.93	*Set a* Sand *stone* 12 x 9 x 7 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* E. N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.85	*The corner to sections* ~~1~~ - 2 - 3 - 10 - 11
	Land mountainous.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Chains	North, on a random line between Sections 2 and 3. Variation 14° 45′ East.
	Descend.
11.50	*Enter Flat bears* N. E. and S. W.
40.00	*Set temporary ¼ sec. cor.*
79.67	*Intersect N B. of Tp.* 14 *lks.* West, *of cor. to secs.* 2-3-34-35 *from which corner, I run* S. 6′ W., *on a true line, between sections* 2-3 *Variation* 14° ~~30′~~ 45′ *East.*
39.67	*Set a* Sand *stone* 18 x 10 x 8 *ins.,* 9 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.67	*The corner to sections* 2-3-10-11,
	Land level.
	Soil 2nd *rate*
	Vegetation, Bunchgrass.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	David McKay, Compassman, Sept. 28, 1882.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	North, between Sections 33 and 34.
	Variation 15° 15′ East.
	Descend.
17.00	*Enter Flat bears* N. 65° W. and S. 65° E.
33.00	*Leave Flat bears* E. and W., *and ascend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
47.00	*Top of Spur, bears* N. W. and S. E., *and descend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 27-28-33-34, *marked* T. 33 N. S. 27 *on N. E.,* R 39 W. S. 34 *on S. E.,* S. 33 *on S. W. and* S. 28 *on N. W. face, with* / *notch on S. and* 3 *notch* 80 *on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land mountainous.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	
	East, on a random line between Sections 27 and 34.
	Variation 14° 50′ East.
	Descend.
39.00	*Cross Wash, 30 lks. wide, Course* N., *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
72.00	*Top of Spur, bears* N. and S., *and descend.*
79.92	*Intersect N. & S. line,* 57 *lks.* South *of cor. to secs.* 26-27-34-35 *from which corner, I run* S. 89° 36′ W. *on a true line between sections* 27-34.
	Variation 14° ~~45′~~ 50′ *East.*
39.96	*Set a* Sand *stone 12 x 8 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.92	*The corner to sections* 27-28-33-34.
	Land mountainous.
	Soil 3rd *rate*
	Vegetation, Bunchgrass.

Chains	North, between Sections 27 and 28. Variation 14° 50' East.
	Ascend.
27.00	*Top of Ridge, bears* N. 55° W. & S. 55° E. *and descend.*
40.00	*Set a post 3 ft. long, 3 ins. diam.*
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.00	*Enter Flat bears* E. and W.
80.00	*Set a post 4 ft. long, 4 ins. square,*
	12 ins. in the ground, for Cor. to Secs. 21-22-27-28, *marked T.* 33 N., *S.* 22 *on N. E., R.* 39 W., *S.* 27 *on S. E., S.* 28 *on S. W. and S.* 21 *on N. W. face, with* 2 *notch* ∞ *on S. and* 3 *notch* ∞ *on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land mountainous.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Chains	East on a random line between Sections 22 and 27. Variation 15° East.
	Over level land
40.00	*Set temporary ¼ sec. cor.*
60.00	*Leave Flat bears* N. and S. *and ascend.*
72.00	*Top of Hill bears* N. and S. *and descend.*
79.98	*Intersect N. & S. line,* 20 *lks.* South *of cor. to secs.* 22-23-26-27 *from which corner, I run* S. 89° 51' W. *on a true line between sections* 22-27. *Variation* ~~14° 40'~~ 15° 00' *East.*
39.99	*Set a post 3 ft. long, 3 ins. diam.*
	12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.98	*The corner to sections* 21-22-27-28
	Land level. and *hilly*
	Soil 2nd *rate*
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	
	North, between Sections 21 and 22. Variation 15° East.
	Over level land
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
72.00	*Leave Flat bears* E. and W., *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 15-16-21-22, *marked T.* 33 N., *S.* 15, *on N. E.,* R 39 W., *S.* 22 *on S. E., S.* 21 *on S. W. and S.* 16 *on N. W. face, with* 3 *notches on S. and* 3 *notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land level.
	Soil 2nd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	
	East, on a random line between Sections 15 and 22. Variation 15°10′ East.
	Descend.
20.00	*Enter Flat bears* N. 30° E. & S. 30° W.
40.00	*Set temporary ¼ sec. cor.*
50.00	*Leave Flat bears* N. and S., *and ascend.*
57.50	*Top of Spur, bears* N. & S., *and descend.*
79.71	*Intersect N. & S. line,* 11 *lks.* South *of cor. to secs.* 14-15-22-23 *from which corner, I run* S. 89° 55′ W. *on a true line between sections* 15-22, *Variation* ~~14° 40′~~ 15° 10′ *East.*
39.86	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.71	*The corner to sections* 15-16-21-22,
	Land 30.00 chs. *level.* and 49.71 chs. *mountainous.*
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Chains	North, between Sections 15 and 16. Variation 15°10' East.
	Ascend.
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 9-10-15-16, marked T. 33 N., S. 10, on N. E., R. 39 W., S. 15 on S. E., S. 16 on S. W. and S. 9 on N. W. face, with 4 notch Es on S. and 3 notch Es on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land hilly
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 10 and 15. Variation 14°50' East.
	Ascend.
10.00	*Top of Spur, bears N. and S. and descend.*
21.00	*Cross Wash, 50 lks. wide, Course S. and ascend.*
27.75	*Top of Spur, bears N. and S. and descend.*
40.00	*Set temporary ¼ sec. cor.*
62.50	*Cross Wash, 300 lks. wide, Course N. and ascend.*
74.00	*Top of Spur, bears N. and S. and descend.*
79.65	*Intersect N. & S. line, 22 lks. North of cor. to secs. 10-11-14-15 from which corner, I run N. 89°51' W. on a true line between sections 10-15, Variation 14°~~40'~~ 50' East.*
39.83	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.65	*The corner to sections 9-10-15-16,*
	Land mountainous.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 9 and 10. Variation 14° 50′ East.
	Ascend.
17.00	*Top of Ridge, bears* E. and W. *and descend.*
40.00	*Set a* Sand *stone* 11 x 9 x 6 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
73.00	*Enter Flat bears* E. and W.
80.00	*Set a* Sand *stone* 17 x 12 x 9 *ins.* 11 *ins. in the ground for Cor. to Secs.* 3-4-9-10 *marked with* 5 *notches on S. and* 3 *notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*

Land 73.00 chs *mountainous.* and 7.00 chains flat.
Soil 2nd & 3rd *rate*
Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East on a random line between Sections 3 and 10. Variation 14° 45′ East.
	Over level land
19.00	*Leave Flat bears* N. and S. *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
41.50	*Top of* Peak, *bears* N. and S. *and descend.*
73.00	*Cross Wash,* 200 *lks. wide, Course* N., *and ascend.*
79.93	*Intersect N. & S. line,* 35 *lks.* South *of cor. to secs.* 2-3-10-11 *from which corner, I run* S. 89° 45′ W. *on a true line between sections* 3-10 *Variation* 14° 45′ *East.*
39.97	*Set a* Sand *stone* 11 x 4 x 4 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.93	*The corner to sections* 3-4-9-10

Land 60.93 chs *mountainous.* and 19.00 chains level
Soil 3rd *rate*
Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, on a random line between Sections 3 and 4. Variation 14° 45' East.
	Over level land
13.00	Leave Flat bears N.W. and S.E. and ascend;
22.00	Top of Spur, bears N.W. and S.E. and descend.
40.00	Set temporary ½ sec. cor.
79.92	Intersect N.B. of Tp. 17 lks. East of cor. to secs. 3-4-33-34 from which corner, I run S. 7' E., on a true line, between sections 3-4. Variation 14° ~~50'~~ 45' East.
39.92	Set a Sand stone 11 x 9 x 6 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.
79.92	The corner to sections 3-4-9-10 6692 lks.

Land mountainous. and 13.00 chs. level

Soil 2nd rate

Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

C. W. Dakin, Sept. 29, 1882.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 32 and 33. Variation 15° 20' East.
	Over level land
40.00	Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.
80.00	Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs. 28-29-32-33, marked T.33N S. 29, on N. E., R39W, S. 33 on S. E., S. 32 on S. W. and S. 28 on N. W. face, with 1 notch on S. and 4 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land level.

Soil 2nd & 3rd rate

Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 28 and 33. Variation 15°05′ East.
	Over level land
40.00	*Set temporary ¼ sec. cor.*
63.00	*Leave Flat bears* N. and S. *and ascend.*
79.83	*Intersect N. & S. line,* 28 lks. North *of cor. to secs.* 27-28-33-34 *from which corner, I run* N. 89°48′ *W. on a true line between sections* 28-33
	Variation ~~14°50′~~ 15°05′ *East.*
39.92	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
79.83	*The corner to sections* 28-29-32-33.
	Land 63.00 chs. *level and* 16.83 chains *Mts.*
	Soil 2nd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian

Chains	North, between Sections 28 and 29. Variation 15°05′ East.
	Over level land
32.50	*Leave Flat bears* E. and N. *and ascend.*
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* N. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
55.00	*Top of Spur, bears* E. and N. *and descend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 20-21-28-29, *marked T.* 33 N., *S.* 21 *, on N. E., R.* 39 W., *S.* 28 *on S. E., S.* 29 *on S. W. and S.* 20 *on N. W. face, with* 2 *notches on S. and* 4 *notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land 47.50 chs. *mountainous and* 32.50 chs. *level.*
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 21 and 28. Variation 15° East.
	Descend.
12.00	*Enter Flat bears* N. and S.
40.00	*Set temporary ½ sec. cor.*
80.17	*Intersect N. & S. line,* 6 lks. South *of cor. to secs.* 21-22-27-28 *from which corner, I run* S. 89° 57′ W. *on a true line between sections* 21-28
	Variation 15° *East.*
40.09	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
80.17	*The corner to sections* 20-21-28-29. *Land* 68.17 lks. *level.* and 12.00 lks. *Mts.* *Soil* 2nd *rate* *Vegetation,* Bunchgrass.

Chains	North, between Sections 20 and 21. Variation 15° East.
	Descend.
8.00	*Enter Flat bears* N.W. and S.E.
40.00	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
65.00	*Leave Flat bears* E. and W, *and ascend.*
80.00	*Set a post 4 ft. long, 4 ins. square, 12 ins. in the ground, for Cor. to Secs.* 16-17-20-21, *marked T.* 33 N., *S.* 16, *on N. E., R* 39 W., *S.* 21 *on S. E., S.* 20 *on S. W. and S.* 17 *on N. W. face, with* 3 *notches on S. and* 4 *notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.*
	Land 57.00 lks. *level.* and 23.00 lks. *mountainous.* *Soil* 2nd & 3rd *rate* *Vegetation,* Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	East, on a random line between Sections 16 and 21. Variation 15° East.
	Ascend.
13.00	*Top of Spur, bears* N. and S. *and descend.*
40.00	*Set temporary ¼ sec. cor.*
43.00	*Cross Wash, 100 lks. wide, Course* S. *and ascend.*
61.00	*Top of Spur, bears* N. and S. *and descend.*
80.23	*Intersect N. & S. line,* 32 lks. South *of cor. to secs.* 15-16-21-22 *from which corner, I run* S. 89° 46′ *W. on a true line between sections* 16-21
	Variation 15° ~~10~~′ *East.*
40.12	*Set a post 3 ft. long, 3 ins. diam. 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. and S. *of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.*
80.23	*The corner to sections* 16-17-20-21.
	Land mountainous.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	North, between Sections 16 and 17. Variation 15° East.
	Ascend.
21.00	*Top of Spur, bears* N. W. and S. E. *and descend.*
32.50	*Cross Wash, 200 lks. wide, Course* N. W. *and ascend.*
40.00	*Set a* Sand *stone* 12 x 9 x 7 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
42.50	*Top of Spur, bears* N. 40° W. & S. 40° E. *and descend.*
71.00	*Cross Wash, 250 lks. wide, Course* N. 35° W. *and ascend.*
80.00	*Set a* Sand *stone* 14 x 10 x 9 *ins.,* 9 *ins. in the ground for Cor. to Secs.* 8-9-16-17, *marked with* 4 *notches on S. and* 4 *notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*
	Land mountainous.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 9 and 16. Variation 14° 35′ East.
	Ascend.
7.50	*Top of Spur, bears* N.W. and S.E. *and descend.*
19.00	*Cross Wash,* 200 *lks. wide, Course* N.10°W. *and ascend.*
31.00	*Top of Spur, bears* N. and S. *and descend.*
40.00	*Set temporary ¼ sec. cor.*
43.75	*Cross Wash,* 75 *lks. wide, Course* N.20°E. *and ascend.*
58.50	*Top of Ridge, bears* N.72°W. & S.72°E. *and descend.*
79.96	*Intersect N. & S. line,* 9 *lks.* South *of cor. to secs.* 9-10-15-16 *from which corner, I run* S.89° 56′ *W. on a true line between sections* 9-16, *Variation* 14° ~~50′~~ 35′ *East.*
39.98	*Set a* Sand *stone* 13 x 10 x 10 *ins.,* 9 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.96	*The corner to sections* 8-9-16-17. *Land mountainous. Soil* 2nd & 3rd *rate Vegetation,* Bunchgrass.

Chains	North, between Sections 8 and 9. Variation 14° 35′ East.
	Ascend.
8.00	*Top of Spur, bears* N.W. and S.E. *and descend.*
21.00	*Cross Wash,* 50 *lks. wide, Course* N.60°W. *and ascend.*
34.00	*Top of Spur, bears* E. and W. *and descend.*
40.00	*Set a* Sand *stone* 11 x 9 x 4 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
49.00	*Cross Wash,* 200 *lks. wide, Course* N.60°W. *and ascend.*
68.00	*Top of Spur, bears* N.W. and S.E. *and descend.*
80.00	*Set a* Sand *stone* 13 x 11 x 9 *ins.* 9 *ins. in the ground for Cor. to Secs.* 4-5-8-9 *marked with* 5 *notches on S. and* 4 *notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*
	Land mountainous. Soil 2nd & 3rd *rate Vegetation,* Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	East, on a random line between Sections 4 and 9. Variation 14° 45′ East.
	Ascend.
8.50	*Top of Spur, bears* N. and S. *and descend.*
36.00	*Cross Wash,* 300 *lks. wide, Course* North *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
54.00	*Top of Spur, bears* N. & S. *and descend.*
71.50	*Enter Flat bears* N. and S.
79.67	*Intersect N. & S. line,* 42 *lks.* South *of cor. to secs.* 3-4-9-10 *from which corner, I run* S. 89° 42′ W. *on a true line between sections* 4-9, *Variation* 14° 45′ *East.*
39.84	*Set a* Sand *stone* 12 x 10 x 9 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.67	*The corner to sections* 4-5-8-9, *Land* 71.50 chs. *mountainous.* and 8.17 chains level *Soil* 2nd & 3rd rate *Vegetation,* Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	North, on a random line between Sections 4 and 5. Variation 14° 45′ East.
	Ascend.
13.00	*Top of Spur, bears* N. 20° W. & S. 20° E. *and descend.*
40.00	*Set temporary ¼ sec. cor.*
80.13	*Intersect* N.B. *of Tp.* 25 *lks.* West *of cor. to secs.* 4-5-32-33 *from which corner, I run* S. 11′ W. *on a true line, between sections* 4-5. *Variation* 14° 45′ *East.*
40.13	*Set a* Sand *stone* 12 x 10 x 7 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.13	*The corner to sections* 4-5-8-9, *Land* mountainous. *Soil* 2nd & 3rd rate *Vegetation,* Bunchgrass. *I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.* David McKay, Compassman, Sept. 29, 1882.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	North, between Sections 31 and 32. Variation 15°10' East.
	Ascend.
8.00	*Top of Spur, bears* N.W. and S.E. *and descend.*
29.00	*Enter Flat bears* N.W. and S.E.
40.00	*Set a* Sand *stone* 10 x 10 x 6 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
59.50	*Leave Flat bears* N.W. and S.E. *and ascend:*
80.00	*Set a* Sand *stone* 12 x 12 x 8 *ins.* 8 *ins. in the ground for Cor. to Secs.* 29-30-31-32 *marked with* 1 *notch on S. and* 5 *notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*

Land 30.50 chs. *level.* and 49.50 *mountainous.*
Soil 2nd & 3rd *rate*
Vegetation, Bunchgrass.

Township 33 North Range 39 West

6th Principal Meridian.

Chains	East, on a random line between Sections 29 and 32. Variation 15° East.
	Ascend.
10.50	*Top of Spur, bears* N.E. and S.W. *and descend.*
22.00	*Enter Flat bears* N.10°E. and S.10°W.
40.00	*Set temporary ¼ sec. cor.*
80.06	*Intersect N. & S. line,* 61 *lks* North *of cor. to secs.* 28-29-32-33 *from which corner, I run* N.89°34' W. *on a true line between sections* 29-32, *Variation* 15° 00' *East.*
40.03	*Set a* Sand *stone* 12 x 10 x 10 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.06	*The corner to sections* 29-30-31-32,

Land 58.06 chs. *level.* and 22.00 chs. *Mts.*
Soil 2nd & 3rd *rate*
Vegetation, Bunchgrass.

C. W. Dakin, Sept. 30, 1882.

Chains	West, on a random line between Sections 30 and 31. Variation 15° East.
	Ascend.
18.00	*Top of Spur, bears* N. and S. *and descend.*
26.00	*Enter Flat bears* N.W. and S.E.
40.00	*Set temporary ¼ sec. cor.*
61.00	*Leave Flat bears* N. and S. *and ascend.*
80.42	*Intersect* W.B. *of Tp.* 38 *lks.* North *of cor. to secs.* 25-30-31-36 *from which corner, I run* N. 89° 44' E., *on a true line, between sections* 30-31 *Variation* 15° ~~05'~~ 00' *East.*
40.42	*Set a* Sand *stone* 10 x 10 x 8 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.42	*The corner to sections* 29-30-31-32, *Land* 45.42 lks. *mountainous. and* 35.00 lks. *level.* *Soil* 2nd & 3rd *rate* *Vegetation,* Bunchgrass. David McKay, Compassman, Sept. 30, 1882.

Chains	North, between Sections 29 and 30. Variation 15° East.
	Ascend.
16.00	*Top of Spur, bears* N. 60° W. and S. 60° E. *and descend.*
24.00	*Cross Wash,* 150 *lks. wide, Course* N.W. *and ascend.*
40.00	***Set a*** Sand ***stone*** 18 x 16 x 10 ***ins.,*** 12 ***ins. in the ground, for ¼ Sec. Cor., marked ¼ on*** W. ***face, dug pits,*** 18 x 18 x 12 ***ins.,*** E. ***and*** W. ***of stone*** 5½ ***ft. dist., and raised a mound of earth*** 1½ ***ft. high,*** 3½ ***ft. base.***
46.00	*Top of Spur, bears* N.E. and S.W. *and descend.*
80.00	*Set a* Sand *stone* 11 x 10 x 8 *ins.* 7 *ins. in the ground for Cor. to Secs.* 19-20-29-30 *marked with* 2 *notches on S. and* 5 *notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*
	Land mountainous. *Soil* 2nd & 3rd *rate* *Vegetation,* Bunchgrass.

Chains	East, on a random line between Sections 20 and 29. Variation 14° 50′ East.
	Descend.
40.00	*Set temporary ¼ sec. cor.*
64.00	*Cross Wash, 350 lks. wide, Course N.E., and ascend.*
70.00	*Top of Spur, bears N. 20° W. & S. 20° E., and descend.*
79.85	*Intersect N. & S. line, 22 lks. North of cor. to secs. 20-21-28-29 from which corner, I run N. 89° 51′ W. on a true line between sections 20-29, Variation ~~15°~~ 14° 50′ East.*
39.93	*Set a Sand stone 12 x 10 x 6 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.85	*The corner to sections 19-20-29-30,*
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass.
	C. H. Dakin, Sept. 30, 1882.

Chains	West, on a random line between Sections 19 and 30. Variation 14° 50′ East.
	Ascend.
13.00	*Top of Spur, bears N. and S., and descend.*
28.00	*Cross Wash, 350 lks. wide, Course S., and ascend.*
40.00	*Set temporary ¼ sec. cor.*
46.50	*Top of Spur, bears N. and S., and descend.*
63.00	*Cross Wash, 150 lks. wide, Course S., and ascend.*
80.28	*Intersect N.B. of Tp. 14 lks. North of cor. to secs. 19-24-25-30 from which corner, I run N. 89° 54′ E., on a true line, between sections 19-30 Variation 14° ~~40′~~ 50′ East.*
40.28	*Set a Sand stone 12 x 12 x 8 ins., 8 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.28	*The corner to sections 19-20-29-30,*
	Land mountainous.
	Soil 3rd rate
	Vegetation, Bunchgrass,
	David McKay, Compassman, Sept. 30, 1882.

Chains	North, between Sections 19 and 20. Variation 14°50' East.
	Ascend.
28.00	*Top of Spur, bears* E. and W. *and descend.*
40.00	*Set a* Sand *stone* 21 x 11 x 5 *ins.,* 16 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* W *face, dug pits* 18 x 18 x 12 *ins.,* E *and* W *. of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
54.00	*Cross Gulch,* 8 *lks. wide, Course* S. E. *and ascend.*
80.00	*Set a* Sand *stone* 15 x 9 x 7 *ins.* 10 *ins. in the ground for Cor. to Secs.* 17-18-19-20 *marked with* 3 *notches on S. and* 5 *notches on E. edges, dug pits* 18 x 18 x 12 *ins. in each Sec.,* 5½ *ft. dist. and raised a mound of earth* 2 *ft. high,* 4½ *ft. base.*
	Land mountainous.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Chains	East, on a random line between Sections 17 and 20. Variation 14°45' East.
	Over rolling land,
40.00	*Set temporary* ¼ *Sec. Cor.*
79.69	*Intersect N. & S. line,* 12 *lks.* South *of cor. to secs.* 16-17-20-21 *from which corner, I run* S. 89°35' W. *on a true line between sections* 17-20 *Variation* 14°45' *East*
39.85	*Set a* Sand *stone* 21 x 18 x 3 *ins.,* 16 *ins. in the ground, for* ¼ *Sec. Cor., marked* ¼ *on* N *face, dug pits* 18 x 18 x 12 *ins.,* N *and* S *. of stone* 5½ *ft. dist., and raised a mound of earth* 1½ *ft. high,* 3½ *ft. base.*
79.69	*The corner to sections* 17-18-19-20
	Land rolling.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.
	C. W. Dakin, Sept. 30, 1882.

Chains	West, on a random line between Sections 18 and 19. Variation 14° 45′ East.
	Over rolling land.
40.00	*Set temporary ¼ Sec. Cor.*
80.53	*Intersect W. B. of Tp. 45 lks. South of cor. to secs. 13-18-19-24 from which corner, I run S. 89° 41′ E. on a true line, between sections 18-19, Variation 14° 45′ East.*
40.53	*Set a Sana stone 15 x 9 x 7 ins., 10 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face and raised a mound of stone.*
	Pits impracticable.
80.53	*The corner to sections 17-18-19-20.*
	Land rolling.
	Soil 2nd rate
	Vegetation, Bunchgrass.
	David McKay, Compassman, Sept. 30, 1882.

Chains	North, between Sections 17 and 18. Variation 14° 45′ East.
	Over rolling land.
40.00	*Set a Sana stone 21 x 18 x 3 ins., 16 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N face, dug pits 18 x 18 x 12 ins., E and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.00	*Set a Sana stone 17 x 9 x 5 ins. 11 ins. in the ground for Cor. to Secs. 7-8-17-18 marked with 4 notches on S. and 5 notches on E. faces, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base.*
	Land rolling.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 8 and 17. Variation 14°45' East.
	Descend.
9.00	*Cross Wash,* 200 lks. *wide, Course* N.10°W *and ascend.*
29.00	*Top of Spur, bears* N.E. and S.W. *and descend.*
40.00	*Set temporary ¼ sec. cor.*
49.00	*Enter Flat bears* N.E. and S.W.
61.00	*Leave Flat bears* N.W. and S.E. *and ascend.*
79.84	*Intersect N. & S. line,* 16 lks. North *of cor. to secs.* 8-9-16-17 *from which corner, I run* N.89°53' W. *on a true line between sections* 8-17 *Variation* 14°~~33~~ 45' *East.*
39.~~97~~ 92	*Set a* Sand *stone* 8 x 8 x 5 *ins.,* 5 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.84	*The corner to sections* 7-8-17-18 67.84 chs. *Land mountainous.* and 12.00 chs. *level.* *Soil* 2nd & 3rd *rate* *Vegetation,* Bunchgrass. C.W. Dakin, Sept. 30, 1882.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	West, on a random line between Sections 7 and 18. Variation 14°45' East.
	Descend.
7.00	*Enter Flat bears* N. and S.
31.00	*Leave Flat bears* N. and S. *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
80.39	*Intersect W. B. of Tp.* 13 lks. South *of cor. to secs.* 7-12-13-18 *from which corner, I run* S.89°54' E. *on a true line, between sections* 7-18 *Variation* ~~15~~ 14°45' *East.*
40.39	*Set a* Sand *stone* 14 x 10 x 6 *ins.,* 9 *ins. in the ground; for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.39	*The corner to sections* 7-8-17-18. 24.00 chs. *Land level.* and 56.39 chs. *mountainous.* *Soil* 2nd & 3rd *rate* *Vegetation* Bunchgrass. David McKay, Compassman, Sept. 30, 1882.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	North, between Sections 7 and 8. Variation 14°45′ East.
	Descend.
8.50	*Cross Wash, 200 lks. wide, Course S.W. and ascend.*
29.00	*Top of Spur, bears N.W. and S.E. and descend.*
37.00	*Enter Flat bears N.W. and S.E.*
40.00	*Set a Sand stone 8 x 8 x 6 ins., 5 ins. in the ground, for ¼ Sec. Cor., marked ¼ on W. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.00	*Set a Sand stone 5 x 12 x 7 ins. 10 ins. in the ground for Cor. to Secs. 5 - 6 - 7 - 8 marked with 5 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high 4½ ft. base.*
	Land 37.00 chs. mountainous. and 43.00 chs. level.
	Soil 3rd rate
	Vegetation, Bunchgrass.

Township 33 North Range 39 West
6th Principal Meridian.

Chains	East, on a random line between Sections 5 and 8. Variation 14°45′ East.
	Over level land
40.00	*Set temporary ¼ sec. cor.*
71.00	*Leave Flat bears N. and S. and ascend.*
80.03	*Intersect N. & S. line, 33 lks. North of cor. to secs. 4 - 5 - 8 - 9 from which corner, I run N. 89°46′ W. on a true line between sections 5 - 8.*
	Variation 14°45′ East.
40.02	*Set a Sand stone 11 x 9 x 4 ins., 7 ins. in the ground, for ¼ Sec. Cor., marked ¼ on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.03	*The corner to sections 5 - 6 - 7 - 8.*
	Land 71.00 chs. level. and 9.03 chs. Mts.
	Soil 2nd & 3rd rate
	Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

C. W. Dakin, Sept. 30, 1882.

Chains	West, on a random line between Sections 6 and 7. Variation 14° 45' East.
	Over level land
18.50	*Leave Flat bears* N.E. and S.W. *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
57.84	*Top of Ridge, bears* N.E. and S.W. *and descend.*
	Intersect N. B. of Tp. 5 *lks.* North *of cor. to secs.*
	1-6-7-12 *from which corner, I run*
	N. 89° 58' E., *on a true line, between sections* 6-7.
	Variation ~~15° 10'~~ 14° 45' *East.*
40.87	*Set a* Sand *stone* 12 x 10 x 7 *ins.,* 8 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* N. *face, dug pits, 18 x 18 x 12 ins.,* N. *and* S. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
80.87	*The corner to sections* 5-6-7-8,
	Land 62.37 chs. *mountainous.* and 18.50 chains level.
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.

Chains	North, on a random line between Sections 5 and 6. Variation 14° 45' East.
	Over level land
13.50	*Leave Flat bears* E. and W. *and ascend.*
40.00	*Set temporary ¼ sec. cor.*
79.95	*Intersect N. B. of Tp.* 9 *lks.* East *of cor. to secs.*
	5-6-31-32 *from which corner, I run*
	S. 4' E., *on a true line, between sections* 5-6.
	Variation 14° ~~30'~~ 45' *East.*
39.95	*Set a* Sand *stone* 11 x 9 x 6 *ins.,* 7 *ins. in the ground, for ¼ Sec. Cor., marked ¼ on* W. *face, dug pits, 18 x 18 x 12 ins.,* E. *and* W. *of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base.*
79.95	*The corner to sections* 5-6-7-8
	Land 13.50 chs. *level.* and 66.45 chs. *mountainous.*
	Soil 2nd & 3rd *rate*
	Vegetation, Bunchgrass.
	I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.
	David McKay, Compassman, Sept. 30, 1882.

GENERAL DESCRIPTION.

The land in this Township is mountainous and level. It is covered with vegetation of Bunchgrass.
A considerable portion of the land affords excellent grazing facilities.
The soil is 2nd and 3rd rate.

U. S. Surveyor General's Office.

Plattsmouth, Neb. 1883

The foregoing Field Notes of the surveys of the Subdivision lines of Township No. 33 North of Range No. 39 West of the Principal Base and *Meridian in* the State of Neb. *executed by*

Charles H. Dakin

U. S. Deputy Surveyor, under his contract, dated Feb. 2, 1882, in the month of Sept. 1882

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

D. W. Stephenson

U. S. Surveyor-General for

Field Notes
of
the survey of
the Subdivision Lines
of
Township No 34 North, Range
No 39 West,
of
the 6th Principal Meridian in
Nebraska
as surveyed by
D. C. McElroy
U S Deputy Surveyor
under his
Contract No 22
Dated August 29th 1882

Survey commenced May 7th 1883
Survey completed May 11th 1883

Subdivision

Names and duties of Assistants

J L McElroy	Compassman
Ed Duffey	Chainman
Charley T Padden	Chainman
Barnie Carrigan	Rodman
John McElroy	Flagman

Index

Township 34 N. Range ~~40~~ 39 W.

6	66	5	49	4	38	3	27	2	16	1
64		63		48		37		26		15
7	62	8	47	9	36	10	25	11	14	12
61		60		46		35		24		13
18	59	17	45	16	34	15	23	14	12	13
58		57		44		33		22		11
19	56	20	43	21	32	22	21	23	10	24
55		54		42		31		20		9
30	53	29	41	28	30	27	19	26	8	25
52		51		40		29		18		7
31	50	32	39	33	28	34	17	35	6	36

T 34 N R 39 W

Preliminary Oaths of Assistants

We Ed Duffey and Charley T Padden do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will lead the chain upon uneven ground and plumb the tally pins whether by sticking or dropping the same that we will report the true distance to all noticable objects and the true length of all lines the surveyor in measuring to the best of our skill & ability

Ed his x mark Duffey
Charley T Padden

Subscribed and sworn to before me this 4th day of May A D 1883
[Seal] Chas H Cornell
U S Commissioner Dist of Neb

I Barnie Carrigan do solemnly swear that I will well and truly perform the duties of Rodman according to instructions given me and to the best of my ability Barnie Carrigan

Subscribed & sworn to before me this 4th day of May A D 1883
Chas H Cornell
[Seal] U S Commissioner Dist of Neb

Subdivisions

I J M McElroy do solemnly swear that I will well and truly perform the duties of Flagman according to instructions given me and to the best of my skill and ability.

J M McElroy

Subscribed and sworn to before me this 4th day of May AD 1883

Chas H Carroll

US Commissioner

[Seal] Dist of Neb.

T 34 N R 39 W.

On the night of May 6th 1883. I took an observation on the Star Polaris, in accordance with instructions contained in the Manual of Surveys and drove pickets on the line thus established

Survey commenced May 7 1883 with a Burts Improved Solar Compass (manufactured by W & L E Gurley of Troy N Y)

Before commencing this survey I test my compass on the line established last night and find it correct.

In executing this survey latitude was taken every day when practicable

I begin at the cor to secs 1, 2, 35 & 36 on the south boundary which is a mound of earth 2 ft high 4½ ft base over it four pits 18×18×12 ins in each sec 5½ ft dist., with stake 2 ins square 1 ft above the ground in SE pit marked

T 34 N S 36 on NE

R 39 W S 1 on SE

S 35 on NW and

T 33 N S 2 on SW faces, with 1 notch on E and 5 notches on W edges, Thence I run

Subdivisions

North bet Secs 35 & 36
va 14° 41' E

39.00 Leave valley bears NE & SW and ascend.

40.00 Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2×2 ins 2 ft long 12 ins in the ground marked ¼ S on W face

51.00 top of ridge 40 ft high.

80.00 Drove a charred stake 12 ins in the ground for cor to Secs 25, 26, 35 & 36, dug pits 18×18×12 ins in each sec 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked:-

T 34 N S 25 on NE
R 39 W S 36 on SE
S 35 on SW and
S 26 on NW faces with 1 notch on S & E edges

Land:- South 39 chs level soil 2nd rate & balance rolling with 3rd rate soil,

T 34 N R 39 W

East on a random line, bet secs 25 & 36
Va 14° 41' E

Descend.

28.00 Foot of ridge 40 ft, enter valley bears NW & SW

40.00 Set temporary ¼ Sec cor.

80.22 Intersect E boundary of township at 18 lks N of cor to Secs 25, 30, 31 & 36, which is a mound of earth 2 ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist, and stake 2 ins square 12 ins above ground in SE pit marked:-

T 34 N S 30 on NE
R 38 W S 31 on SE
R 39 W S 36 on SW and
S 25 on NW faces with 1 notch on S & 5 notches on N edges. Thence I run 89° 52' W, on a true line bet Secs 25 & 36 with same Va

40.11 Drove a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins E & W of post 5½ ft dist & raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked ¼ S on N face.

80.22 The cor to Secs 25, 26, 35 & 36,

Land west 28 chs rolling 3rd rate soil balance level, with 2nd rate soil.

Subdivisions

North bet. Secs. 25 & 26
va 14° 41' E

Descend

9.00 Foot of ridge 40 ft enter valley, bears NW & SE

40.00 Drove a charred stake 12 ins in the ground for 1/4 Sec cor., dug pits 18×18×12 ins N & S of cor 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N. pit drove a stake 2 ins square 2 ft long 12 ins in the ground marked 1/4 S on N face

49.00 Leave valley, bears E & W and ascend.

80.00 top of hill 40 ft. Drove a charred stake 12 ins in the ground for cor to secs 23, 24, 25 & 26., dug pits 18×18×12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In E pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked:-

T 34 N S 24 on NE

R 39 W S 25 on SE

S 26 on SW and

S 23 on NW faces with 2 notches on S and 1 notch on E edges.

Land:- South 9 & N 31 chs rolling 3rd rate soil balance level soil 2nd rate.

T 34 N R 39 W.

East on a random line bet Secs 24 & 25
va 14° 41' E

40.00 Set temporary 1/4 Sec Cor. Descend

68.00 Foot of hill 40 ft enter valley bears E & SW

80.16 Intersect E boundary of township at 15 lks N of cor. to secs 19, 24, 25 & 30., which is a mound of earth 2 ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist and stake 2×2 ins 1 ft above ground in SE pit marked:

T 34 N S 19 on NE

R 38 W S 30 on SE

R 39 W S 25 on SW and

S 24 on NW faces with 4 notches on N and 2 notches on S edges. Thence I run N 89° 54' W on a true line bet Secs 24 & 25 with same va.

40.08 Drove a charred stake 12 ins in the ground for 1/4 Sec Cor., dug pits 18×18×12 ins E & W of stake 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

80.16 The cor to secs 23, 24, 25 & 26

Land:- west 68 chs rolling 3rd rate soil balance level with 2nd rate soil

Subdivisions

North bet Secs 23 and 24
via 14° 41' E

40.00 Drive a charred stake 12 ins in the ground for ¼ Sec Cor, dig pits 18x18x12 ins N & S of cor 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on W face

80.00 Drive a charred stake 12 ins in the ground for cor to Secs 13, 14, 23 & 24, dig pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked:-

T 34 N S 13 on NE
R 39 W S 24 on SE
S 23 on W and
S 14 on NW faces with 3 notches on S and N edges.

Land rolling
Soil 3rd rate.

T 34 N R 39 W.

East on a random line bet. Secs 13 & 24
via 14° 41' E

14.00 Set temporary ¼ Sec Cor. Descend

64.00 Foot of hill 40 ft enter valley bears NW & SE

80.44 Intersect E boundary of township 35 lks N of cor to secs 13, 18, 19 & 24 which is a mound of earth 2 ft high 4½ ft base over it from pits 18x18x12 ins in each sec 5½ ft dist, and stake 2x2 ins 2 ft long 1 ft in the ground in S.E. pit marked:-

T 34 N S 18 on NE
R 39 W S 19 on SE
S 13 on NW and
S 13 on NW faces with 3 notches on N & S edges.

Chain 1 run N 89° 45' W on a true line back Secs 13 & 24 with same va.

40.22 Drive a charred stake 12 ins in the ground for ¼ Sector, dig pits 18x18x12 ins E & W of each 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

80.44 The cor to Secs 13, 14, 23 & 24 found:- West 64 chs rolling Soil 3rd rate; the balance is level with 2nd rate Soil.

Subdivision

North bet secs 13 & 14
va 14° 41′ E

40,00 Drive a charred stake 12 ins in the ground for 1/4 Sec cor., dig pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit Drive a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on N face
Descend

61,00 Foot of hill 45 ft, enter valley bears NW & SE

80,00 Drive a charred stake 12 ins in the ground for cor to secs 11, 12, 13 & 14., dig pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive stake 2x2 ins 2 ft long 1 ft in the ground marked
T 34 N D 12 on NE
R 39 W D 13 on SE
D 14 on SW and
D 11 on NW faces with 4 notches on S and 1 notch on E edges.
Land:- D 61 chs rolling 3rd rate soil balance level with 2nd rate soil

T 34 N R 39 W

East on a random line bet secs 12 & 13
va 14° 41′ E

40,00 Set temporary 1/4 Sec cor.

78,00 Leave valley bears NW & SE and ascend

80,38 Intersect E boundary of township 32 lks N of cor to secs 7, 12, 13 & 18, which is a mound of earth 2 ft high 4½ ft base over it from pits 18x18x12 ins in each sec 5½ ft dist., & stake 2x2 ins 1 ft above ground in SE pit marked:-
T 34 N D 7 on NE
R 38 W D 18 on SE
R 39 W 8 13 on SW
S 12 on NW faces 2 notches on N & 4 notches on S edges
Thence I run N 89° 44′ W on a true line bet Secs 12 & 13 much raised va.

40,19 Drive a charred stake 12 ins in the ground for 1/4 Sec cor., dig pits 18x18x12 ins E & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked 14 D on N face.

80,38 The cor to Secs 11, 12, 13 & 14.
Land level soil 2nd rate

Subdivision

North bet Secs 11 & 12
Va 14° 41' E

28.00 Same valley bears NW & SE and ascend
40.00 20 ft of hill 40 ft.
Drive a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.
80.00 Drive a charred stake 12 ins in the ground for cor to Secs 1, 2, 11 & 12, dug pits 18x18x12 ins in each sec 5¼ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked:
T 34 N D 1 in NE
R 39 W D 12 in SE
S 11 in SW and
S 2 in NW faces with 5 notches on S and 1 notch on E edges,
Land:- South 2 & the level soil 2nd rate balance rolling soil 3rd rate.

T 34 N R 39 W

East on a random line bet Secs 1 & 12
Va 14° 41' E
40.00 Set temporary 1/4 Sec cor.
80.26 Intersect E boundary of township at a point 28 lks N of cor to Secs 1, 6, 7 & 12, which is a mound of earth 2 ft high 4½ ft base over it from pits 18x18x12 ins in each sec 5½ ft dist. and stake 2x2 ins 1 ft above ground in SE pit marked:-
T 34 N D 6 in NE
R 38 W D 7 in SE
R 39 W D 12 in SW
S 1 in NW faces with 1 notch on N & 5 notches on S edges,
Thence I run
N 89° 48' W on a true line bet Secs 1 & 12 with same va
40.13 Drive a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins S & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face
80.26 The cor to Secs 1, 2, 11 & 12
Land rolling
Soil 3rd rate

Subdivision

North on a random line bet Secs 1 & 2.
Va 14° 41' E

40.00 Set temporary 1/4 Sec cor.

80.23 Intersect N boundary of township at a point 30 lks W of cor to Secs 1, 2, 35 & 36, which is a mound of earth 2½ ft high 4½ ft base over it, from pits 18×18×12 ins in each sec 5½ ft dist, and stake 2×2 ins in SE pit 1 ft above the ground marked:-

T35 N S36 on NE

R39 W S1 on SE

T34 N S2 on SW and

S35 on NW faces, 1 notch on E & 5 notches on W edges.

Thence I run

S0°13' W on a true line bet secs 1 & 2, with same va

40.23 Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18×18×12 ins N & S of post 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it, In N pit drove stake 2×2 ins 2 ft long 1 ft in ground marked ¼ S on W face.

80.23 The cor to Secs 1, 2, 11 & 12.

Land rolling

Soil 3rd rate.

T34 N R39 W

From the cor to Secs 2, 3, 34 & 35 on the south boundary of the township which is a mound of earth 2½ ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist, with stake 2×2 ins 1 ft above ground in SE pit marked:

T34 N S35 on NE : R39 W S3 on SE

T33 N S3 on SW and S34 on NW faces with 2 notches on E and 4 notches on W edges I run

North bet Secs 34 & 35
Va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18×18×12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it, In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W edge.

80.00 Drove a charred stake 12 ins in the ground for cor to Secs 26, 27, 34 & 35, dug pits 18×18×12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked:

T34 N S26 on NE

R39 W S35 on SE

S34 on SW and

S27 on NW faces with 2 notches on E and 1 notch on S edges.

Land rolling

Soil 3rd rate.

Subdivisions

East on a random line bet Secs 26 & 35
va 14° 41' E

40.00 Set temporary 1/4 sec cor.

79.80 Intersected N & S line 25 lks S of cor to Secs 25, 26, 35 & 36. Thence I run S 89° 49' W on a true line bet Secs 26 & 35 with land va

39.90 Drove a charred stake 12 ins in the ground for 1/4 sec cor. dug pits 18x18x12 ins E & W of cor 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

79.80 The cor to Secs 26, 27, 34 & 35
Land rolling
Soil 3rd rate

May 7th 1883

T 34 N R 39 W

North bet Secs 26 & 27
va 14° 41' E

Descend

32.00 Foot of hill 40 ft, Enter valley, bears NE & SW.

40.00 Drove a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

60.00 Leave valley, bears E & W and ascend.

76.00 Top of hill 40 ft.

80.00 Drove a charred stake 12 ins in the ground for cor to Secs 22, 23, 26 & 27. dug pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked
T 34 N S 23 on NE
R 39 W S 26 on SE
S 27 on SW and
S 22 on NW faces with 2 notches on S & E edges
Land:- South 32 and north 20 chs rolling with 3rd rate soil; balance level with 2nd rate soil

Sub divisin

East on a random line bet secs 23 & 2[illegible]
va 14° 41' E

40.00 Set temporary 1/4 sec cor.

79.76 Intersect N & S line at 31 lks S of cor to secs 23, 24, 25 & 26, Shewed I run S 89° 47' W on a true line bet secs 23 & 26 with same va

39.88 Drove a charred stake 12 ins in the ground for 1/4 sec cor, dug pits 18 x 18 x 12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2 x 2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

40 79.76 The cor to secs 22, 23, 26 and 27
Land rolling
Soil 3rd rate

80

T 34 N R 39 W

North bet secs 22 & 23
va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for 1/4 sec cor. dug pits 18 x 18 x 12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2 x 2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face

80.00 Drove a charred stake 12 ins in the ground for cor to secs 14, 15, 22 & 23, and raised a mound of earth of earth 2 ft high 4½ ft base over it. Four pits 18 x 18 x 12 ins in each sec 5½ ft dist. In SE pit drove stake 2 x 2 ins 2 ft long 1 ft in the ground marked:-
T 34 N S 14 on NE
R 39 W S 23 on SE
S 22 on SW and
S 15 on NW faces with 2 notches on E and 3 notches on S Edges.
Land rolling
Soil 3rd rate

Subdivision

East on a random line bet secs 14 & 23
va 14° 41' E

40.00 Set temporary 1/4 sec cor.

79.68 Intersect N & S line 28 lks S of cor to secs 13, 14, 23 & 24 Chained I run S89°48' W on a true line bet secs 14 & 23 with same va.

39.84 Drove a charred stake 12 ins in the ground for 1/4 sec cor dug pits 18x18x12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

79.68 The cor to secs 14, 15, 22 & 23
Land rolling
Soil 3rd rate

T34N R39W

North bet secs 14 & 15.
va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2x2 ins 2 ft long 1 ft in ground marked 1/4 S on W face

80.00 Drove a charred stake 12 ins in the ground for cor to secs 10, 11, 14 & 15. dug pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2x2 ins 2 ft long 1 ft in ground marked
T34N S11 on NE
R39W S14 on SE
S15 on SW and
S10 on NW faces with 2 notches on E and 4 notches on S edges
Land rolling
Soil 3rd rate.

Subdivision

East on a random line bet secs 11 & 14
va 14° 41' E

40.00 Set temporary 1/4 sec cor. and descend.
58.00 Foot of hill 30 ft enter valley, bears NW & SE
79.80 Intersect N & S line 20 lks S of cor to secs 11, 12, 13 & 14. Shena Drum
S89°51'W on a true line bet secs 11 & 14 with same va.
39.90 Drove a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18×18×12 ins E & W of cor 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2×2 ins 2 ft long 1 ft in ground marked 1/4 S on N face
79.80 The cor to secs 10, 11, 14 and 15
Land, west 58 chs rolling with 3rd rate soil balance level with 2nd rate soil.

40
80
40
80

T34N R39W.

North bet secs 10 and 11
va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18×18×12 ins N & S of post 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face
80.00 Drove a charred stake 12 ins in the ground for cor to secs 2, 3, 10 & 11, dug pits 18×18×12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2×2 ins 2 ft long 12 ins in ground marked
T34N S 2 on NE
R39W S 11 on SE
S 10 on SW and
S 13 on NW faces with 2 notches on E and 5 notches on S Edges
Land rolling
Soil 3rd rate

Subdivisions

East on a random line bet secs 2 & 11
va 14° 41' E

Descend

17.00 Foot of hill 35 ft, enter valley bears NW & SE
40.00 Set temporary 1/4 Sec Cor.
46.00 Leave valley bears NE & SE and ascend
79.92 Intersect N & S line on top of hill 40 ft high 7 lks S of cor to secs 1, 2, 11 & 12. Thence I run S89°57'W on a true line bet secs 2 & 11 with same va
39.96 Drove a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18×18×12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2×2 ins 2 ft long 12 ins in the ground marked 1/4 S on N face
79.92 The cor to secs 2, 3, 10 & 11
Land west 17 and East 34 chs rolling with 3rd rate soil; balance level with 2nd rate soil

40
80
40
80

T 34 N R 39 W

North on a random line bet secs 2 & 3
va 14° 41' E

Descend

30.00 Foot of hill, enter valley bears NW & SE
40.00 Set temporary 1/4 Sec Cor
46.00 Leave valley bears NW & SE and ascend
68.00 Top of hill 40 ft.
80.00 Intersect N boundary of township 21 lks W of cor to secs 2, 3, 34 & 35, which is a mound of earth 2 ft high 4½ ft base over it, from pits 18×18×12 ins in each sec 5½ ft ft dist. and stake 2×2 ins 1 ft above ground in SE pit marked:- T 33 N S 35 on NE
R 39 W, S 2 on SE; T 34 N S 3 on SW and S 34 on NW faces with 2 notches on E and 4 notches on W edges. Thence I run S 0°9' W on a true line bet secs 2 & 3 with same va
40.00 Drove a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18×18×12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face
80.00 The cor to secs 2, 3, 10 & 11.
Land S 30 and N 34 chs rolling soil 3rd rate balance level soil 2nd rate.

Subdivisions

From the cor to Secs 3, 4, 33 & 34 on the South boundary of the Township which is a mound of earth 2 ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist, with stake 2×2 ins 1 ft above ground in SE pit marked:-
T 34 N. S 34 on NE ; R 39 W S 3 on SE
T 33 N S 4 on SW and S 33 on NW faces with 3 notches on E & W edges I run
North bet secs 33 & 34
va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for ¼ Sec Cor, dug pits 18×18×12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W face

80.00 Drove a charred stake 12 ins in the ground for Cor to Secs 27, 28, 33 & 34, dug pits 18×18×12 ins in each Sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked:-
T 34 N S 27 on NE
R 39 W S 34 on SE
S 33 on SW and
S 27 on NW faces, with 1 notch on S and 3 notches on E edges.
Land rolling Soil 3rd rate

T 34 N R 39 W

East on a random line bet Secs 27 & 34
va 14° 41' E

40.00 Set temporary ¼ Sec Cor,

79.86 Intersect N & S line 14 lks S of cor to Secs 26, 27, 34 & 35. Thence I run
S 89° 54' W on a true line bet Secs 27 & 34 with same va

79.93 Drove a charred stake 12 ins in the ground for ¼ Sec Cor, dug pits 18×18×12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

79.86 The cor to Secs 27, 28, 33 & 34,
Land rolling
Soil 3rd rate.

Subdivision

North bet Secs 27 and 28
via 14° 41' E

Descend

14,00 Foot of hill 40 ft, Enter valley bears E & W

40,00 Drive a charred stake 12 ins in the ground for 1/4 Sec cor., dig pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 Sec on W face.

45,00 Leave valley, bears E & W and ascend

62,00 Top of hill 50 ft

80,00 Drive a charred stake 12 ins in the ground for Cor to Secs 21, 22, 27 & 28, dig pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive stake 2x2 ins 2 ft long 1 ft in ground marked:
T 34 N S 22 on NE
R 19 W S 27 on SE
S 28 on SW and
S 21 on NW faces with 2 notches on S and 3 notches on E edges.

Land S 14 and N 35 chs rocky, Soil 3rd rate
Balance level with 2nd rate soil.

May 8th 1883

T 34 N R 19 W

East on a random line bet Secs 22 & 27
via 14° 41' E

40.00 Set temporary 1/4 Sec cor.

79.96 Intersect N & S line at cor to Secs 22, 23, 26 & 27
Thence I run
West on a true line bet Secs 22 & 27
with same va

39.98 Drive a charred stake 12 ins in the ground for 1/4 Sec cor., dig pits 18x18x12 ins E & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

79.96 The cor to Secs 21, 22, 27 & 28
Land rocky
Soil 3rd rate

Subdivision

North bet secs 21 and 22
va 14° 41' E

40,00 Drove a charred stake 12 ins in the ground for ¼ sec cor, dug pits 18×18×12 ins N & S of post 6½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W face. Discend.

54,00 Foot of hill, 30 ft. enter valley, bears NE & SW.

75,00 Leave valley, bears NE & SW and ascend.

80,00 Drove a charred stake 12 ins in the ground for cor to secs 15, 16, 21 & 22. dug pits 18×18×12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked:-
T34N S 15 on NE
R39W S 22 on SE
S21 on SW and
S16 on NW faces with 3 notches on S & E edges.
Land:- S 54 and N 5 chs rolling with 3rd rate soil; balance level with 2nd rate soil.

T 34 N R 39 W

East on a random line bet secs 15 & 22
va 14° 41' E

40,00 Set temporary ¼ sec cor.

79,75 Intersect N & S line 25 lks S of cor to secs 14, 15 22 & 23. Thence Drove
S89°49' W on a true line bet secs. 15 & 22 with same va

39,87½ Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18×18×12 ins E & W of post 6½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it, In E pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

79,75 The cor to secs 15, 16, 21 and 22.
Land rolling
Soil 3rd rate.

Subdivision

North bet secs 15 & 16
va 14° 41' E

Ascend.

4,00 Top of hill 30 ft.

40,00 Drove a charred stake 12 ins in the ground for ¼ sec cor. dug pits 18×18×12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 4½ ft base over it. In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W face.

80,00 Drove a charred stake 12 ins in the ground for cor to secs 9, 10, 15 & 16, dug pits 18×18×12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In S E pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked

T 34 N S 10 on NE
R 39 W S 15 on SE
S 16 on SW and
S 9 on NW faces with 3 notches on E and 4 notches on S Edges.
Land rolling
Soil 3rd rate.

T 34 N R 39 W

East on a random line bet secs 10 & 15.
va 14° 41' E

40,00 Set temporary ¼ sec cor.

79,70 Intersect N & S line at 29 lks S of cor to secs 10, 11, 14 & 15. Thence Drew S 89° 48' W on a true line bet secs 10 & 15 with same va.

39,85 Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18×18×12 ins E & W of cor 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2×2 ins 2 ft long 1 ft in ground marked ¼ S on N face.

79,70 The cor to secs 9, 10, 15 & 16.
Land rolling
Soil 3rd rate.

Subdivision

North bet Secs 9 and 10
va 14° 41' E

4 40.00 Dmw a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18×18×12 ins N+S of post 5½ ft dist., and raised mound of earth 1½ ft high 4½ ft base over it. In N pit drw stake 2×2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

8 80.00 Dmw a charred stake 12 ins in the ground for cor to Secs 3, 4, 9 + 10, dug pits 18×18×12 ins in mid sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drw stake 2×2 ins 2 ft long 1 ft in the ground marked

4 T 34 N S 3 on N
R 39 W S 10 on E
S 9 on SW and
S 4 on NW faces with 3 notches on E and 5 notches on S faces.

8 Land rolling
Soil 3rd rate.

T 34 N R 39 W

East on a random line bet Secs 3 & 10
va 14° 41' E.

40.00 Set temporary 1/4 Sec cor.

79.84 Intersect N and S line 16 chs S of cor to Secs 2, 3, 10 & 11 thence Drw S 89° 53' W on a true line bet secs 3 & 10 with same va

39.92 Dmw a charred stake 12 ins in the ground for 1/4 Sec cor. dug pits 18×18×12 ins E+W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drw stake 2×2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

79.84 The cor to Secs 3, 4, 9 and 10
Land rolling
Soil 3rd rate.

Subdivision

North in a random line bet Secs 3 & 4
va 14° 41' E

4 40,00 Set temporary "4 sec cor

8 80,14 Intersect N boundary of township at cor to secs 3,4,33 & 34, which is a mound of earth 2½ ft high 4½ ft base run it from pits 18×18×12 ins in each sec 5½ ft dist, and stake 2×2 ins 1 ft above ground in SE pit marked:-
T35N S 34 on NE
R39W S 3 on SE
T34N S 4 on SW
S 33 on ~~SW~~ NW faces with 3 notches on E & W edges

40.14 Thence S run S on a true line bet secs 3 & 4 with same va

4(~~40,04~~ Drive a charred stake 12 ins in the ground for "4 sec cor, dig pits 18×18×12 ins N & S of post 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive stake

8(2×2 ins 2 ft long 1 ft in the ground marked "4 S on W face.

80,14 The cor to secs 3, 4, 9 & 10
Land rolling
Soil 3rd rate.

T 34 N R 39 W.

From the cor to secs 4, 5, 32 & 33 on the S boundary of the township which is a mound of earth 2 ft high 4½ ft base run it with pits 18×18×12 ins in each sec 5½ ft dist, and stake 2×2 ins 1 ft above ground in SE pit marked:-
T34N S33 on NE ; R39W S4 on SE
T33N S 5 on SW and S32 on NW faces with 2 notches on W and 4 notches on E edges I run
North bet secs 32 and 33
va 14° 41' E

40,00 Drive a charred stake 12 ins in the ground for "4 sec cor, dig pits 18×18×12 ins N & S of post 5½ ft dist, and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2×2 ins 2 ft long 1 ft in the ground marked "40 on W face.

80,00 Drive a charred stake 12 ins in the ground for cor to secs 28, 29, 32 & 33, dig pits 18×18×12 ins in each sec 5½ ft dist, and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive stake 2×2 ins 2 ft long 1 ft in ground marked:- T34N S28 on NE
R39W S33 on SE
S32 on SW and
S29 on NW faces with one notch on S and 4 notches on S edges
Land rolling, Soil 3rd rate.

Subdivision

East on a random line betn Secs 28 & 33
Va 14° 41' E

Descend,

23,00 Foot of hill. 40 ft, Enter valley bears N & S

40,00 Set temporary ¼ Sec Cor,

50,00 Leave valley bears N & S and ascend,

80,30 Intersect N & S line 30 lks N of cor to secs 27, 28
33 & 34 Thence Drive
N 89° 47' W on a true line betn Secs 28 & 33
with Same Va,

40,15 Drive a charred stake 12 ins in the ground for
¼ sec cor, dug pits 18×18×12 ins E & W of post 5½ ft
dist and raised mound of earth 1½ ft high 3½
ft base over it In E pit drive a stake 2×2 ins
2 ft long 1 ft in the ground marked ¼ S on N
face,

80,30 The cor to Secs 28, 29, 32 & 33
Land; W 23 and E 30 chs rolling
with 3rd rate soil; balance
level with 2nd rate soil

T34 N R39 W.

North betn Secs 28 & 29
Va 14° 41' E

Descend

13,00 Foot of hill 40 ft, Enter valley bears E & W

27,00 Leave valley, bears W & NE and ascend

40,00 Top of hill 30 ft high,

~~40,00~~ Drive a charred stake 12 ins in the ground for ¼
Sec Cor,, dug pits 18×18×12 ins N & S of post 5½
ft dist,, and raised mound of earth 1½ ft
high 3½ ft base over it In N pit drive a stake
2×2 ins 2 ft long 1 ft in ground marked ¼ S on W face

78,00 Foot of hill 35 ft, Enter valley, bears W & NE

80,00 Drive a charred stake, 12 ins in the ground for Cor to Secs
20, 21, 28 & 29, dug pits 18×18×12 ins in each sec 5½ ft
dist,, and raised a mound of earth 2 ft high 4½
ft base over it. In SE pit drive a stake 2×2
ins 2 ft long 1 ft in the ground marked
T 34 N S 21 on NE
R 39 W S 28 on SE
S 29 on SW and
S 20 on NW faces with 2 notches on Sand
4 notches on E edges
Land: W 16 and N 63 chs rolling Soil 3rd rate
balance level 2nd rate

Subdivision

East on a random line bet secs 21 & 28
va 14° 41' E

4,00 Leave valley bears N & SW and ascend.
23,00 Top of hill 40 ft.
40 00 Set temporary 1/4 sec cor.
80 44 Intersect N & S line 42 lks N of cor to secs 21, 22, 27 & 28 Thence I run N 89° 42' W on a true line bet secs 21 & 28 with same va
40,22 Drive a charred stake 12 ins in the ground for 1/4 sec. cor. dug pits 18x18x12 ins E & W of cor 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it, In SE pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.
80 44 The cor to secs 20, 21, 28 & 29
Land rolling
Soil 3rd rate

T34N R39W

North bet secs 20 and 21
va 14° 41' E

40,00 Drive a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.
47 00 Leave valley, bears NE & W and ascend
61,00 Top of hill 45 ft.
80,00 Drive a charred stake 12 ins in the ground for cor to secs 16, 17, 20 & 21, dug pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it In SE pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked
T34N S 16 on NE
R39W S 21 on SE
S 20 on SW and
S 17 on NW faces with 3 notches on S and 4 notches on E edges
Land South 47 chs level with 2nd rate soil, balance rolling with 3rd rate soil

May 9th 1883

Subdivision

East on a raised on line bet secs 16 & 21
va 14° 41' E

4 110.00 Set temporary 1/4 sec cor.

8 80.36 Intersect N & S line 35 lks N of cor to secs
15, 16, 21 & 22 Thence I run
N 89° 45 W on a true line bet secs 16 & 21
with same va

40.18 Drove a charred stake 12 ins in the ground
for 1/4 sec cor. dug pits 18 x 18 x 12 ins E &
W of post 5 1/2 ft dist, and raised
mound of earth 1 1/2 ft high 3 1/2 ft base over
it. In E pit drove stake 2 x 2 ins 2 ft long
1 ft in the ground marked 1/4 S on N face.

4 80.36 The cor to secs 16, 17, 20 & 21
Land rolling
Soil 3rd rate.

8

T34 N R39 W

North bet secs 16 and 17
va 14° 41' E

40.00 Drove a charred stake 12 ins in the
ground for 1/4 sec cor., dug pits 18 x 18 x 12 ins
N & S of post 5 1/2 ft dist and raised mound
of earth 1 1/2 ft high 3 1/2 ft base over it. In N
pit drove a stake 2 x 2 ins 2 ft long 1 ft in
the ground marked 1/4 S on N face.

80.00 Drove a charred stake 12 ins in the ground
for cor to secs 8, 9, 16 & 17, dug pits 18 x 18
x 12 ins in each sec 5 1/2 ft dist and
raised mound of earth 2 ft high 4 1/2 ft
base over it. In SE pit drove a stake 2
x 2 ins 2 ft long 1 ft in ground marked:
T34 N S9 on NE
R39 W S16 on SE
S17 on SW and
S8 on NW faces with 4 notches on
S & E edges.
Land rolling
Soil 3rd rate

Subdivisions

East on a random line bet secs 9 & 16
va 14° 41' E

40.00 Set temporary ¼ sec cor
80.20 Intersect N & S line 25 lks N of cor to secs 9, 10, 15 & 16 thence I run N 89° 49' W on a true line bet secs 9 & 16 with same va
40.10 Drove a charred stake 12 ins in the ground for ¼ sec cor, dug pits 18×18×12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on N face
80.20 The cor to secs 8, 9, 16 & 17
Land rolling
Soil 3rd rate

T 34 N R 39 W

North bet secs 8 and 9
va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for ¼ sec cor. dug pits 18×18×12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W face.
80.00 Drove a charred stake 12 ins in the ground for cor to secs 4, 5, 8 & 9, dug pits 18×18×12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked
T 34 N S 4 on NE
R 39 W S 9 on SE
S 8 on SW and
S 5 on NW faces with 5 notches on
S and 4 notches on E edges
Land rolling
Soil 3rd rate.

Subdivision

East on a random line bet secs 4 & 9
va 14° 41' E

40.00 Set temporary ¼ Sec cor.

80.28 Intersect N & S line 28 lks N of cor to secs 3, 4, 9 & 10. Thence I run N 89° 48' W on a true line bet secs 4 & 9 with same va

40.14 Drove a charred stake 12 ins in the ground for ¼ sec cor. dug pits 18×18×12 ins E & W of post 5½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on N face.

80.28 The cor to secs 4, 5, 8 & 9
Land rolling
Soil 3rd rate

T 34 N R 39 W

North on a random line bet secs 4 & 5
va 14° 41' E

40.00 Set temporary ¼ Sec cor.

79.95 Intersect N boundary of township at 35 lks W of cor to secs 4, 5, 32 & 33 which is a mound of earth 2 ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist. and stake 2×2 ins 1 ft above ground in SE pit marked
T 35 N S 33 on NE
R 39 W S 4 on SE
T 34 N S 5 on SW &
S 32 on NW faces with 4 notches on E and 2 notches on W edges
Thence I run S 0° 15' W on a true line bet secs 4 & 5 with same va

39.95 Drove a charred stake 12 ins in the ground for ¼ Sec cor. dug pits 18×18×12 ins N & S of post 5½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it In N pit drove a stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on W face

79.95 The cor to secs 4, 5, 8 & 9
Land rolling
Soil 3rd rate.

Subdivision

From the cor to Secs 5, 6, 31 & 32 on the S boundary of the township which is a mound of earth 2 ft high 4½ ft base over it from pits 18×18×12 ins in each Sec 5½ ft dist and stake 2×2 ins 1 ft above ground in SE pit marked:
T34N S32 on NE ; R39W S5 on SE
T33N S6 on SW and S31 on NW faces with 5 notches on E and 1 notch on W edges. I run North last Secs 31 and 32.

Va 14° 41' E

Descend

34.00 Foot of hill 50 ft, Enter valley, bears SE & SW.

40.00 Drive a charred stake 12 ins in the ground for ¼ Sec Cor., dug pits 18×18×12 ins N & S of, post 5½ ft. dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drive stake 2×2 ins 2 ft long 1 ft in ground marked ¼ S on W face.

80.00 Drive a charred stake 12 ins in the ground for Cor to Secs 29, 30, 31 & 32., dug pits 18×18×12 ins in each Sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drive a stake 2×2 ins 2 ft long 1 ft in the ground marked R34N S29 on NE ; R39W S32 on SE S31 on SW and S30 on NW faces with 1 notch on S and 5 notches on E edges.
Land, South 34 chs running Soil 3rd rate
Balance level Soil 2nd rate.

T34N R39W

East on a random line last Secs 29 & 32
Va 14° 41' E

40.00 Set temporary ¼ Sec cor.

58.00 Leave valley, bears NE & SW and ascend

79.76 Top of hill 40 ft, Intersect N & S line 25 lks S of cor to Secs 28, 29, 32 & 33. Thence I run S 89° 49' W on a true line last Secs 29 & 32 with Same Va

39.88 Drive a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18×18×12 ins E & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drive a stake 2×2 ins 2 ft long 1 ft in ground marked ¼ S on N face

79.76 The cor to Secs 29, 30, 31 & 32.
Land :- West 58 chs level with 3rd rate Soil, balance running with 3rd rate Soil.

Subdivision

West on a random line bet Secs 30 & 31
Va 14° 41' E

40.00 Set temporary ¼ Sec Cor.
56.00 Leave valley, bears NE & SW and ascend.
81.00 Intersect W boundary of township 30 lks N of cor to Secs 25, 30, 31 & 36 which is a mound of earth 2ft high 4½ ft base over it, from pits 18×18×12 ins in each sec 5½ ft dist, with stake 2×2 ins 1 ft above ground in SE pit marked: T34N S30 on NE ; R39W S31 on SE R40W S36 on SW and S25 on NW faces with 1 notch on S and 5 notches on N edges, shown from N89° ~~49~~ 47' E on a true line bet secs 30 & 31 with same va.
41.00 Drove a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18×18×12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2×2 ins 2ft long 1ft in the ground marked ¼ S on N face.
81.00 The cor to secs 29, 30, 31 & 32
Land:- East 56 Chs level with 2nd rate soil; balance rolling with soil of a 3rd rate.

T34N R39W

North bet Secs 29 and 30
Va 14° 41' E

29.00 Leave valley, bears E & SW and ascend
40.00 Top of ridge 50 ft. Drove a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18×18×12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2×2 ins 2ft long 1ft in the ground marked ¼ S on W face.
60.00 Descend
73.00 Foot of ridge, entire valley bears E & NW
80.00 Drove a charred stake 12 ins in the ground for cor to Secs 19, 20, 29 & 30, dug pits 18×18×12 ins in each sec 5½ ft dist., and raised mound of earth 2ft high 4½ ft base over it. In SE pit drove stake 2×2 ins 2ft long 1ft in the ground marked:-
T34N S20 on NE.
R39W S29 on SE
S30 on SW and
S19 on NW faces with 2 notches on S and 5 notches on E edges
Land: South 29 and North 7 chs level with 2nd rate soil: balance rolling with 3rd rate soil.

Subdivisions

East on a random line bet Secs 20 & 29
va 14° 41' E

40.00 Set temporary ¼ Sec cor.

79.70 Intersect N & S line 30 lks S of cor to Secs 20, 21, 28 & 29. Thence I run S 89° 49' W on a true line bet Secs 20 & 29 with same va,

39.85 Drove a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18 x 18 x 12 ins E & W of post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 x 2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

79.70 The cor to Secs 19, 20, 29 & 30
Land level Soil 2nd rate

T34 N R39 W

West on a random line bet Secs 19 and 30
va 14° 41' E

13.00 Leave valley, bears NW & SE and ascend.

40.00 Top of hill 50 ft. Set temporary ¼ Sec cor.

80.72 Intersect W boundary of township 16 lks W of cor to Secs 19, 24, 25 & 30, which is a mound of earth 1½ ft high 4½ ft base over it from pits 18 x 18 x 12 ins in each sec 5½ ft dist, with stake 2 x 2 ins 1 ft above ground in SE pit marked:-
T34 N, S19 on NE R39 W S30 on SE
R40 W S25 on SW and S24 on NW faces with 2 notches on S and 4 notches on N edges.
Thence I run N 89° 53' E on a true line bet secs 19 & 30 with same va

40.72 Drove a charred stake 12 ins in the ground for ¼ Sec cor., dug pits 18 x 18 x 12 ins E & W of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2 x 2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

80.72 The cor to Secs 19, 20, 29 & 30
Land:- east 13 chs level with 2nd rate soil; balance rolling with 3rd rate soil.

Subdivision

North bet Secs 19 & 20
va 14° 41' E

40,00 Drove a charred stake 12 ins in the ground for ¼ sec cor. dug pits 18×18×12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2×2 ins 2 ft long 1 ft in ground marked ¼ S on W face.

44,00 Leave valley, bears NE & SW and ascend

62,00 Top of hill 40 ft

80,00 Drove a charred stake 12 ins in the ground for cor to Secs 17, 18, 19 & 20, dug pits 18×18×12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked:-
T34N S 17 on NE
R39W S 20 on SE
S19 on SW and
S18 on NW faces with 3 notches on S and 5 notches on E edges
Land South 44 chs level, with 2nd rate soil: balance rolling with 3rd rate soil.

May 10th 1883

T34N R39W

East on a random line bet Secs 17 & 20
va 14° 41' E

40,00 Set temporary ¼ sec cor

79,80 Intersect N & S line 20 chs S of cor to Secs 16, 17, 20 & 21. Thence I run S89°51' W on a true line bet Secs 17 & 20 with same va

39,90 Drove a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18×18×12 ins E & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove stake 2×2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

79,80 The cor to Secs 17, 18, 19 & 20
Land rolling
Soil 3rd rate

Subdivision

West on a random line bet Secs 18 & 19
Va 14° 41' E

40.00 Set temporary 1/4 sec cor.
60.00 Foot of hill 40 ft Enter valley bears NW & SE
80.34 Intersect W boundary of township 35 lks N of cor to Secs 13, 18, 19, 24 which is mound of earth 2 ft high 4½ ft base over it. Found pits 18x18x12 ins in each sec 5½ ft dist. with stake in SE pit 2x2 ins 1 ft above ground marked:
T34N S18 on NE
R39W S19 on SE
R40W S24 on SW E
S13 on NW faces with 3 notches on S & N edges. Thence I run N 89° 45' E on a true line bet Secs 18 and 19
40.34 with Sand va
40.34 Drove a charred stake 12 ins in the ground for 1/4 sec cor. dug pits 18x18x12 ins E & W of post 5½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face
80.34 The cor to Secs 17, 18, 19 & 20
Land: East 60 chs rolling soil 3rd rate
balance level with 2nd rate soil

T34N R39W

North bet Secs 17 and 18
Va 14° 41' E

40.00 Drove a charred stake 12 ins in the ground for 1/4 sec cor. dug pits 18x18x12 ins N & S of post 5½ ft dist. and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.
80.00 Drove a charred stake 12 ins in the ground for cor to Secs 7, 8, 17 & 18, dug pits 18x18x12 ins in each sec 5½ ft dist and raised mound of earth 2 ft high 4½ ft base over it. In SE pit drove stake 2x2 ins 2 ft long 1 ft in ground marked
T34N S8 on NE
R39W S17 on SE
S18 on SW and
S7 on NW faces with 4 notches on S and 5 notches on E edges
Land rolling soil 3rd rate

Subdivision

East on a random line bet Secs 8 & 17
va 14° 41' E

40.00 Set temporary 1/4 sec cor.
79.94 Intersect N & S line at cor to secs 8, 9, 16 & 17. Thence I run
West on a true line bet Secs 8 and 17 with same va
39.97 Drove a charred slate 12 ins in the ground for 1/4 sec cor., dug pits 18 x 18 x 12 ins E & W of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a slate 2 x 2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face
79.94 The cor to secs 7, 8, 17 & 18
Land rolling
Soil 3rd rate,

T34 N R39 W

West on a random line bet Secs 7 & 18
va 14° 41' E

40.00 Set temporary 1/4 sec cor. and descend
52.00 Foot of hill 40 ft. Enter valley bears N & S W.
80.05 Intersect W boundary of township 7 lks S of cor to secs 7, 12, 13 & 18, which is a mound of earth 2 ft high 4 ft base over it from pits 18 x 18 x 12 ins in each sec 5 1/2 ft dist., with slate in S E pit 2 x 2 ins 1 ft above ground marked
T34 N S 7 on N E
R39 W S 18 on S E
R40 W S 13 on S W
S 12 on N W faces with 4 notches on S & 2 notches on N edges. Thence I run
S 89° 57' E on a true line bet Secs 7 & 18 with same va
40.05 Drove a charred slate 12 ins in the ground for 1/4 sec cor., dug pits 18 x 18 x 12 ins E & W of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a slate 2 x 2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.
80.05 The Cor to Secs 7, 8, 17 & 18
Land: East 52 chs rolling Soil 3rd rate
Balance level 2nd rate soil.

Subdivision

North bet. Secs 7 and 8
va 14° 44' E

40.00 Dmr a charred stake 12 ins in the ground for 1/4 Sec Cr., dug pits 18x18x12 ins W to E post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face

80.00 Dmr a charred stake 12 ins in the ground for Cor to Secs 5, 6, 7 & 8, dug pits 18x18x12 ins in each Sec 5½ ft dist., and raised mound of earth 2½ ft high 4½ ft base over it. In SE pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked:
B 34 N S 5 on NE
R 39 W S 8 on SE
S 7 on SW and
S 6 on NW faces with 5 notches on S and E edges
Land:- rolling
Soil 3rd rate

B 34 N. R 39 W.

East on a random line bet Secs 5 & 8
va 14° 44' E

40.00 Set temporary 1/4 Sec Cor

79.72 Intersect N & S line 18 lks S of Cor to Secs 4, 5, 8 & 9
Thence from
S 89° 52' W, on a true line bet Secs 5 & 8 with Same va

39.86 Dmr a charred stake 12 ins in the ground for 1/4 Sec Cr., dug pits 18x18x12 ins E & W of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

79.72 The Cor to Secs 5, 6, 7 and 8
Land rolling
Soil 3rd rate

Subdivision

West on a random line bet Secs 6 & 7
va 14° 41' E
Descend.
14.00 Foot of hill 40 ft. Enter valley bears N & S
40.00 Set temporary 1/4 sec cor.
47.00 Leave valley, bears N & SW and ascend.
60.00 Top of hill 30 ft
79.60 Intersect W boundary of township
10 lks N of cor to secs 1, 6, 7 and 12 which
cor is a mound of earth 2 ft high 4½
ft base over it form pits 18 x 18 x 12 ins
in each sec 5½ ft dist, and
stake 2 x 2 ins 1 ft above ground in SE
pit marked:
T34N S6 on NE
R39W S7 on SE
R40W S12 on SW and
S1 on NW faces with 1 notch on
N and 5 notches in S Edges.
Thence I run
N89° 56' E
on a true line bet Secs 6 & 7
with same va
39.60 Drove a charred stake 12

T34N R39W

ins in the ground for 1/4 sec
cor., dug pits 18 x 18 x 12 ins
E & W of post 5½ ft dist,
and raised mound of
earth 1½ ft high 3½ ft
base over it, In E pit
drove a stake 2 x 2 ins
2 ft long 1 ft in the
ground marked 1/4 S
on N face
79.60 She Cor to Secs 5, 6, 7 & 8
Land: East 14 and
west 32, 40 chs rolling
with 3rd rate soil;
balance level with
2nd rate soil.

Subdivision

T 34 N R 39 W.

North on a random line bet secs 5 & 6
va 14° 41' E
40.00 Set temporary 1/4 Sec Cor.
79.70 Intersect N boundary of township 7
lks W of cor to secs 5, 6, 31 & 32, which
cor is a mound of earth 2 ft high 4½
ft base ~~on it~~, with pits 18×18×12
ins in each sec 3½ ft dist, and
slate 2×2 ins 1 ft above ground
in SE pit marked:
T 35 N S 32 on NE
R 39 W S 5 on SE
T 34 N S 6 on SW
S 31 on NW faces with 1 notch
on W and 5 notches on E edges
Thence I run
S 0° 3' W
on a true line bet secs 5 & 6
with same va
39.70 Drove a chamfered slate 12 ins
in the ground for 1/4 Sec cor., dug
pits 18×18×12 ins N & S of post 5½
ft dist., and raised mound of
earth 1½ ft high 3½ ft base

over it. In N pit drove a slate
2×2 ins 2 ft long 1 ft in the ground
marked 1/4 S on N face.
79.70 The cor to secs 5, 6, 7 and 8.
Land rolling
Soil 3rd rate.

May 11th 1883

Subdivision

General Description

This Township is composed of land that is generally of a third rate character, The soil in the valleys is much better than the rolling and up land. There is no timber in the township, and in Sec 19 there are two ponds that have water in them only during the rainy seasons. The township is very well covered with grass.

T34 N R39 W

List of Names.

A list of the names of individuals employed by S C McElroy U S Deputy Surveyor to assist in running measuring and marking the lines and corners described in the foregoing field notes of the survey of the Subdivisions Lines of Township No 34 North. Range 39 West of the 6th Principal meridian in Nebraska Showing the respective capacities in which they acted:-

J L McElroy	Ampassman
Ed Dubbey	Chainman
Charley T Padden	Chainman
Bonnie Corrigan	Mundman
J M McElroy	Flagsman

Subdivision

T34N R39W

Field Notes of Assistants

We hereby certify that we assisted L. M. Elvy United States Deputy Surveyor in surveying all those parts or portions of the Subdivision Lines of Township No. 34 North Range No. 39 West of the 6th Principal meridian in the State of Nebraska as an represented in the foregoing field notes as having been surveyed by him and under his direction and that said survey has been in all

Subdivisions

respects, to the best of our knowledge and belief well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor General for Nebraska

J. L. McElroy Compassman
Barnie Carrigan Mandman
J M McElroy Flagman
Ed his mark Duffey Chainman
Charley Padden. Chainman

Subscribed and sworn to before me this 20 day of June 1882.

Chas H. Owell
U.S. Commission
Dist of Neb.

T 34 N R 39 W

Final Oath of United States Deputy Surveyor

I S. C. McElroy United States Deputy Surveyor do solemnly swear, that in pursuance of instructions received from George S Smith United States Surveyor General for Nebraska bearing date the twenty ninth day of August 1882. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the United States Surveyor General for Nebraska the Surveying Manual and the laws of the United States surveyed all those parts or portions of the subdivision lines of Township No 34 North, Range No 39 West of the 6th Principal Meridian in the State of Nebraska, as are represented in the foregoing field notes as having

Subdivisions

been surveyed by me and under my direction; & I do further solemnly swear, that all the corners of surveys have been established and perpetuated in strict accordance with the Surveying manual, the special instructions of the United States Surveyor General for Nebraska, and in the specific manner described in the field notes; and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress, approved August 8th 1846.

S C McElroy
Deputy Surveyor

Subscribed & sworn to before me this 22nd day of September A.D. 1882
W. R. Adams
Notary Public

NOTARIAL SEAL
RICHARDSON COUNTY
NEBRASKA

T34 N R39 W

U.S. Surveyor General's Office
Plattsmouth Nebraska
November 14th 1883

The foregoing field notes of the Survey of the Subdivision Lines of Township No 34 N Range 39 West of the 6th Principal Meridian Line in the State of Nebraska Executed by S. C. McElroy U S Deputy Surveyor under his contract No 12. dated August 29th 1882, in the month of May 1883 having been officially examined, the necessary corrections & supplementaries made, the said field notes and the surveys they describe are hereby approved

L V Stephenson
U.S. Surveyor General

Field Notes
of the
Retracement of the North Boundary
and Survey of the
Subdivision Lines
of
Fractional
Township No. 35 north of Base
Line Range No. 39 west of
the 6th Principal Meridian
in Nebraska
as surveyed by
J. C. McElroy
U. S. Deputy Surveyor,
under his
Contract #12,
Dated August 29th 1882

Survey Commenced
May 30th 1883
Survey Completed
June 1 1883

Names & Duties of Assistants

J. M. McElroy	Compassman
Barnie Corrigan	Rodman
J. M. McElroy	Flagman
Ed Duffey	Chainman
Charley Padden	Chainman

Index



Preliminary Oaths of Assistants

We Ed Duffey and Charley Padden do solemnly swear that we will well and faithfully execute the duties of chain carriers: that we will level the chain upon uneven ground and measure the tally lines, whether by stacking or dropping the same that we will report the true distance to all notable objects and the true length of lines that we assist in measuring to the best of our skill and ability

Ed his x mark Duffey
Charley Padden

Subscribed & sworn to before me this 4th day of May AD 1882

Chas A Lowell
U S Commissioner
Dist of Neb

[Seal]

I Barnie Corrigan do solemnly swear that I will well and truly perform the duties of Rodman according to

instructions given me and to the best of my ability Barnie Corrigan

Subscribed & sworn to before me this 4th day of May A D 1883

Chas H Cornell
[Seal] U S Commissioner
Disct of Neb

I, J M McElroy do solemnly swear that I will well and truly perform the duties of Flagman according to instructions given me and to the best of my skill and ability

J M McElroy

Subscribed & sworn to before me this 4th day of May A D 1883

Chas H Cornell
[Seal] U S Commissioner
Disct of Nebr

Retracement of N Bndry T 35 N R 39 W

During the night of May 29, 1883 I did not take any observation for the reason that the weather was too cloudy.

Retracement survey commenced May 30th 1883 with a Burt's Improved Solar Compass manufactured by W & L E Gurley of Troy N.Y.

In commencing the survey of this township I first retrace the north boundary thereof beginning at the cor to Twp 35 N Rs 38 & 39 W on the north boundary of the state being the 43rd P N Lat which cor is a mound of earth 2½ ft high 5 ft base over it from pits 24 x 18 x 12 ins S E & W of cor 6 ft dist. with stake 2 x 2 ins 1 ft above ground in E pit marked:-

CC T 35 N on S
R 37 W S19 on E
R 38 W S24 on W faces with 6 notches on S E & W faces. Thence I run West on 11 2 th mile

10,00 Drain, course N W & S E

Retracement of N Bndry of T 35 N. R 39 W

16.23	A point 40 lks S of 112th mile post which is a cottonwood post badly decayed with mound & pits nearly destroyed. Post 3 ft above ground and 6 ins. square marked Dakota on N Nebraska on S 112th mile + 43° N.L. on E Rebuilt mound to 3 ft high 5½ ft base around post from pits 3 ft square 18 ins deep 6 ft dist from post. Land rolling Soil 3rd rate. The return course is therefore S 89° 35' E
	From the 112th Mile post West on 43rd P N Lat Va 14° 40 E
1.15	At 6.32 chs S of this point found old astronomical station which is a shaft of stone 10 x 12 ins projecting 2½ ft above ground Stone marked:- Lat Station No 3 on N Lat 42° 59' 55.46" on S 1874 on E Rebuilt the mound to 2½ ft high 6½ ft in diameter -
20.00	Knoll 25 ft high.
79.90	A point 60 lks S of 113th Mile post which is cottonwood 6 ins square turned off at top of ground. Set post 6 ins square 7 ft long 3 ft in low mound, and rebuilt mound to 3 ft high 5½ ft base over it from pits 3 ft square 18 ins deep. E & W of post 6 ft dist, Post marked Dakota on N. Nebraska on S. 113th Mile ~~post~~ 43° N L on E and 1880 on W Land rolling Soil 3rd rate The return course is therefore S 89° 34' E

Retracement of N Bndry of Nebraska thro R 39 W

From the 113th Mile post west on 43rd P N Lat

va 14° 40' E

80.06 A point 88 lks S of 114th Mile post which is collimated bins square burned off at top of line mound, pits filled, Set post 6 ft long 3 ft in the ground bins square and relevant mound of earth to 3 ft high 5½ ft base around post from pits 3 ft square 18 ins deep E & W of post 6 ft dist Post marked
Dakota on N
Nebraska on S
114th Mile & 43° N Lat on E
1883 on W faces
Land rolling Soil 3rd rate
The return course is therefore
S 89° 22' E

From the 114th Mile post west on 43rd P N Lat

va 14° 40' E

79.94 A point 30 lks S of 115th mile post which is of collimated bins square burned off at top of mound. Pits filled mound low. Set post 7 ft long 3 ft in the ground, and relevant mound of earth to 3 ft high 5½ ft base around post from pits 3 ft square 18 ins deep 6 ft dist E & W of post which post is bins square & marked:
Dakota on N
Nebraska on S
115th Mile & 43° N Lat on E
1883 on W faces
Land rolling Soil 3rd rate.
The return course is therefore S 89° 47' E

Retracement of N Bndry of Nebraska thro R 39 W

From the 115th mile post west in 43rd P N Lat

Va 14° 40' E

79.90 A point 80 lks S of 116th mile post which is of Cottonwood 6 ins square and burned off at ground mound low pits full. Set post bins square 7 ft long 3 ft in ground and rebuilt mound of earth to 3 ft high 5½ ft base around post. Four pits 3 ft square 18 ins deep E & W of post 6 ft dist. Post marked:

Dakota on N

Nebraska on S

116th mile & 43° N L on E

1883 on W faces.

Land rolling Soil 3rd rate

The return course is therefore S 89° 26' E

From the 116th mile post west on 43rd P N Lat

Va 14° 40' E

80,10 A point 60 lks S of 117th mile post, which is Cottonwood bins square burned off at top of line mound, pits full,

Set post 6½ ft long 3 ft in in ground and rebuilt mound of earth to 3 ft high 5½ ft base around post ~~four~~ pits 3 ft square 18 ins deep E & W of post 6 ft dist.

Post bins square & marked

Dakota on N

Nebraska on S

117th mile & 43° N L on E

1883 on W faces

Land rolling Soil 3rd rate

The return course is therefore S 89° 34 E

Retracement of N Bndy of Nebraska thro R39W

Thru the 117th Mile post west on 43rd P N Lat
va 14° 40' E

63.50 A point 70 lks S of the Closing Cor to Twp 35 N, R39 & 40 W which cor is mound of earth 2½ ft high 5 ft base over it from pits 24×18×12 ins crosswise on each line S W & E of cor 6 ft dist In E pit a Stake 2×2 ins 1 ft above ground marked:-
CCT 35 N on S
R39W S19 on E
R40W S24 on W faces with 6 notches on S, E, & W faces.
Land rolling Soil 3rd rate
The return course is therefore
S89° 23' E

May 30th 1883

Subdivision of T35N R39W

On the night of May 30th 1883 I took an observation on the Star Polaris in accordance with instructions contained in the Manual of Surveys, and drove pickets on the line thus established

Survey of Subdivision Commenced May 31st 1883 with a Burt's Improved Solar Compass manufactured by W & L E Gurley of Troy N.Y.

Before commencing this Survey I test my compass on the line established last night and find it correct.

From the cor to secs 35 & 36 on S boundary of Twp 35N R39W which is a mound of earth 2½ ft high 4½ ft base over it from pits 18×18×12 ins in each sec 5½ ft dist, with stake 2×2 ins 1 ft above ground in SE pit marked;
T35N S36 on NE
R39W S1 on SE
T34N S2 on SW and

Subdivision of T35N R39W

S35 on NW face with 1 notch on
S & 5 notches on W faces I run
North bet Secs 35 & 36
Va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face

80.00 Deposited a charred stake 12 ins in the ground for cor to secs 25, 26, 35 & 36., dug pits 18x18x12 ins in each sec 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked:
T35N S25 on NE
R39W S36 on SE
S35 on SW and
S26 on NW faces with 1 notch on S & E edges.
Land rolling Soil 3rd rate

East on a random line bet Secs 25 & 36
Va 14° 40' E

40.00 Set temporary 1/4 sec cor.,
80.45 Intersect E boundary of township 30 lks S of cor to secs 25 & 36., which cor is a mound of earth 2 ft high 4½ ft base over it. with pits 18x18x12 ins in each sec 5½ ft dist., and stake 2x2 ins 1 ft drove ground in SE pit marked
T35N S30 on NE
R38W S31 on SE
R39W S36 on SW and
S25 on NW faces with 1 notch on S and 5 notches on N edges
Chance I run
S89°47' W on a true line bet secs 25 & 36 with same va

40.22 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug

Subdivision of T35N R39W

pits 18x18x12 ins E & W of post 5½ ft dist., and raised a mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

80.45 The cor to secs 25 26, 35 & 36
Land rolling Soil 3rd rate.

North bet secs 25 & 26
Va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for ¼ sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on W face

80.00 Deposited a charred stake 12 ins in the ground for cor to secs 23, 24, 25 & 26 dug pits 18x18x12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base.

over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked:-
T35N S 24 on NE
R39W S 25 on SE
S 26 on SW and
S 23 on NW faces with 2 notches on Sand 1 notch on E edges
Land rolling Soil 3rd rate

East on a random line bet secs 24 & 25
Va 14° 40' E

40.00 Set temporary ¼ sec cor
80.36 Intersect E boundary of township 35 lks S of cor to secs 24 & 25, which cor is a mound of earth 2 ft high 4½ ft base over it from pits 18x18x12 ins in each sec 5½ ft dist., and stake 2x2 ins 1 ft above ground in SE pit marked:-
T35N S 19 on NE
R38W S 30 on SE
R39W S 25 on SW and

Subdivision of T35N R39W

S24 on NW faces with 2 notches on S. and 4 notches on N edges
Thence S run
S89° 45' W on a true line bet secs 24 & 25 with same va

40,18 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

80,36 The cor to secs 23, 24, 25 & 26
Land rolling Soil 3rd rate

North on a true line bet secs 23 & 24
va 14° 40' E

40,00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in ground marked 1/4 S on W face

57,12 Intersect N boundary of the State being the 43rd P N Lat 16,21 chs E of 113 h Mill post. before described

By me Deposited charred stake 12 ins in the ground for closing cor to secs 23 & 24 dug pits 18x18x12 ins S E & W of cor 5 1/2 ft dist., and raised a mound of earth 2 ft high 4 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked:-
CC T35N R39W on S
S24 on E and
S23 on W faces with 1 notch on E & 5 notches on W faces.
Land rolling Soil 3rd rate

From the cor to secs 34 & 35 on the S boundary of this township which is a mound of earth 2 ft high 4 1/2 ft base over it from pits 18x18x12 ins in each sec 5 1/2 ft

Subdivision of T35N R39W

dist with stake in S E pit
2x2 ins 1 ft above ground marked
T35N S35 on NE
R39W S 2 on SE
S34 N S 3 on SW and
S34 on NW faces with 2 notches
on E and 4 notches on W edges.
I run
North bet secs 34 & 35
Va 14° 40' E

40.00 Deposited a charred stake 1 2 ins in
the ground for 1/4 Sec cor, dug pits
18x18x12 ins N & S of post 5½ ft dist
and raised a mound of earth
1½ ft high 5½ ft base over it
In N pit drove a stake 2x2 ins 2 ft
long 1 ft in the ground marked
1/4 S on W face.
Descend,

64.00 Foot of hill 30 ft. Enter valley
bears NE & SW

80.00 Deposited a charred stake 1 2 ins in the
ground for cor to secs 26, 27, 34 & 35
dug pits 18x18x12 ins in each sec 5½

ft dist, and raised a mound of earth
2 ft high 4½ ft base over it. In
S E pit drove a stake 2x2 ins 2 ft
long 1 ft in the ground marked:-
T35N S 26 on NE
R39W S 35 on SE
S34 on SW and
S27 on NW faces with 1 notch on S
and 2 notches on E edges.
Land:- S64 chs rolling soil
3rd rate, balance level soil
2nd rate

East on a random line bet secs 26 & 35
Va 14° 40' E

40.00 Set temporary 1/4 Sec cor.

65.00 Leave valley, bears NW & SW and
ascend,

79.62 Top of hill 30 ft high
Intersect N & S line 28 lks N of Cor
to secs 25, 26, 35 & 36 Thence I run
N89°48' W on a true line bet secs
26 & 35 with same va.

Subdivision of T 35 N R 39 W

39.81 Deposited a charred stake 1 3ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 6 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

79.62 The cor to secs 26, 27, 34 & 35, Land:- W 65 chs level soil 3rd rate, balance rolling soil 3rd rate.

North bet secs 26 & 27
va 14° 40' E

40.00 Deposited a charred stake 1 3ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 6 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face.

80.00 Deposited a charred stake 1 3ins in the ground for cor to secs 22, 23, 26 & 27 dug pits 18x18x12 ins in each sec 6 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked:-
T 35 N S 23 on NE
R 39 W S 26 on SE
S 27 on SW and
S 22 on NW faces with 2 notches on S and E edges.
Land level soil 2nd rate

East on a random line bet secs 23 & 26
va 14° 40' E

2.00 Leave valley bears NW & SE and ascend.

13.00 Top of hill 30 ft.

40.00 Set temporary 1/4 sec cor.

79.70 Intersect N & S line 36 chs N of cor to secs 23, 24, 25 & 26
Thence S run
N 89° 40' W on a true line bet secs 23 & 26 with same va

Subdivision of T35N R39W

39.85 Deposited a charred stake 12ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

79.70 The cor to secs 22, 23, 26 & 27.
Land rolling Soil 3rd rate

North on a true line bet Secs 22 & 23.
Va 14° 40' E

1.00 Leave valley bears N W and S E and ascend.

40.00 Deposited a charred stake 12ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

56.83 Intersect N boundary of state being 43rd P N Lat 16.55 chs

E of 114th Mile post, before dis cribed by me
Deposited a charred stake 12ins in the ground for closing cor to secs 22 & 23., dug pits 18x18x12 ins 5 1/2 ft dist E. S & W of cor. and raised a mound of earth 2 ft high 4 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked
C C T35N R39W on S
S 23 on E and
S 22 on W faces with 2 notches on E & 4 notches on W faces
Land rolling Soil 3rd rate

From the cor to Secs 33 & 34 on the S boundary of this township which cor., is a mound of earth 2 ft high 4 1/2 ft base over it from pits 18x18x12 ins in each sec 5 1/2 ft dist., and stake 2x2 ins 2 ft above ground in S E pit marked

Subdivision of T35N R39W

T35N S34 on NE
R39W S 3 on SE
T34N S 4 on SW
S33 on NW faces with 3 notches on E & W edges S run
North bet Secs 33 & 34
Va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post ~~in each sec~~ 5 1/2 ft dish, and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face

48.00 Foot of hill 30 ft Enter valley bears E & W.

80.00 Deposited a charred stake 12 ins in the ground for cor to secs 27, 28, 33 & 34, dug pits 18x18x12 ins in each sec 5 1/2 ft dish and raised mound of earth 2 ft high 4 1/2 ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked T35N S27 on NE

R39W S34 on SE
S33 on SW and
S28 on NW faces with 1 notch on S and 3 notches on E edges.
Land: S 48 chs rolling 3rd rate soil balance level, soil 2nd rate

Est on a random line bet secs 27 & 34
Va 14° 40' E

40.00 Set temporary 1/4 sec cor.

79.82 Intersect N & S line 45 lks S of cor to secs 26, 27, 34 & 35, Thence I run S89°41' W on a true line bet secs 27 & 34 with same Va

39.91 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 5 1/2 ft dish and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

79.82 The cor to secs 27, 28, 33 & 34

Land level soil 2nd rate

North left secs 27 & 28
va 14° 40' E

40.00 Deposited a charred stake 12ins in the ground for 1/4 sec cor, dug pits 18x18x12 ins N & S of post 5½ ft dist and raised a mound of earth 1½ ft high 5½ ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked "4 S" on W face.

80.00 Deposited a charred stake 12 ins in the ground for cor to secs 21, 22, 27 & 28, dug pits 18x18x12 ins in each sec 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked
T35N R22 on NE
R39E 27 on SE
S28 on SW and
S21 on NW faces with 2 notches on S & 3 notches on E edges
Land level Soil 2nd rate

East on a random line bet secs 22 & 27
va 14° 40' E

40.00 Set temporary 1/4 sec cor.
A lake about 15 chs S

79.86 Intersect N & S line 49 chs S of cor to Secs 22, 23, 26 & 27 Thence Run S 89° 39' W on a true line bet secs 22 & 27 with same va

39.93 Deposited a charred stake 12 ins in the ground for 1/4 sec cor, dug pits 18x18x12 ins E & W of post 5½ ft dist and raised a mound of earth 1½ ft high 5½ ft base over it. In E pit drove a stake ~~2x2~~ 2 ins 2 ft long 1 ft in the ground marked "4 S" on W face

79.80 The cor to secs 21, 22, 27 & 28
Land level Soil 2nd rate

May 31st 1883

North on a true line bet secs 21 & 22
va 14° 40' E

17.00 Leave valley, bears NE & W and ascend.

Subdivision of T35N R39W

28.00 Top of hill 40 ft

40.00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5 1/2 ft dist, and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

57.20 Intersect N boundary of the State being 43rd P N Lat. 16.84 chs E of 115th Mile Post, before described

Deposited a charred stake 12 ins in the ground for closing cor. to secs 21 & 22, dug pits 18x18x12 ins S.E. & W of cor 5 1/2 ft dist., and raised mound of earth 2 ft high 4 1/2 ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked

C C T35N R39W on S

S22 on E and

S21 on W face.

Land:- S 17 chs level Soil 2nd rate

balance rolling Soil 3rd rate.

From the cor to Secs 32 & 33 on the S boundary of this township which cor is a mound of earth 2 ft high 4 1/2 ft base over it., from pits 18x18x12 ins in each sec 5 1/2 ft dist and stake 2x2 ins 1 ft above ground in S E pit marked

T35N S33 on NE

R39W S 4 on SE

T34N S 5 on SW

S32 on NW faces with 4 notches on E and 2 notches on W edges

Drum

North bet secs 32 and 33

va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5 1/2 ft dist., and raised mound of earth 1 1/2 ft high 3 1/2 ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

56.00 Descend

Subdivision of T 35 N R 39 W

72.00 Foot of hill 40 ft. Enter valley bears N W and S E

80,00 Deposited a charred stake 12 ins in the ground for cor to secs 28, 29, 32 & 33. Aug pits 18x18x12 ins in each sec 5½ ft dist., and raised mound of earth 2 ft high 4½ ft base over it. In S E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked:-
T 35 N S 28 on N E
R 39 W S 33 on S E
S 32 on S W and
S 29 on N W faces with 1 notch on S and 4 notches on E edges
Land:- S 72 chs rolling. Soil 3rd rate, balance level soil 2nd rate,

East on a random line bet Secs 28 & 33
Va 14° 40' E

40.00 Set temporary ¼ Sec Cor.

80,16 Intersect N & S line 18 lks N of cor to Secs 27, 28, 33 & 34

Thence I run
N 89° 52' W on a true line bet Secs 28 & 33 with same va

40,08 Deposited a charred stake 12 ins in the ground for ¼ Sec cor., Aug pits 18x18x12 ins E & W of post 5½ ft dist., and raised a mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2 x 2 ins 2 ft long 1 ft in the ground marked ¼ S on N face

80,16 The cor to secs 28, 29, 32 & 33
Land level soil 2nd rate

North bet secs 28 and 29
Va 14° 40' E

40,00 Deposited a charred stake 12 ins in the ground for ¼ Sec cor., Aug pits 18x18x12 ins N & S of post 5½ ft dist and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on W face

Subdivision of T35N R39W

59.00	Leave valley bears NE & SW and ascend.
80.00	Top of hill 40 ft. Deposited a charred stake 12 ins in the ground for cor to secs 20 21 28 & 29. Ang pits 18x18x12 ins in each sec 5½ ft dish, and raised a mound of earth 2½ ft high 4½ ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked T35N S21 on NE R39W S28 on SE S29 on SW and S20 on NW with 2 notches on S and 4 notches on E edges Land:- S 59 chs level soil 2nd rate; balance rolling soil 3rd rate.
	East on a random line bet Secs 21 & 28 Va 14° 40' E
	Descend

14.00	Foot of hill 40 ft. Enter valley bears NE & SW.
40.00	Set temporary ¼ Sec cor.
80.10	Intersect N & S line 21 lks N of cor to Secs 21. 22, 27 & 28 Thence I run N 89° 51' W on a true line bet Secs 21 & 28 with same va.
40.05	Deposited a charred stake 12 ins in the ground for ¼ Sec cor. Ang pits 18x18x12 ins E & W of post 5½ ft dish, and raised mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked ¼ S on N face.
80.10	The cor to Secs 20 21 28 & 29 Land:- W 14.00 chs rolling soil 3rd rate; balance level soil 2nd rate.
	North on a true line bet Secs 20 & 21 Va 14° 40' E
40.00	Deposited a charred stake 12 ins in

Subdivision of T35N R39W

the ground for 1/4 Sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised a mound of earth 1½ ft high 3½ ft base around it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

57.00 Intersect N boundary of the State being the 43rd P N Lat 16 48 chs E of 116th Mile post supposed by me described by me

Deposited a charred stake 12 ins in the ground for Closing Cor to Secs 20 & 21, dug pits 18x18x12 ins S.E. & W of cor 5½ ft dist., and raised a mound of earth 2 ft high & 4½ ft base around it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked

C.C. T35N R39W on S
S 21 on E
S 20 on W faces and 4 notches on E & 2 notches on W faces.

Land rolling Soil 3rd rate.

Thence the cor to Secs 31 & 32 on the Boundary of this township which cor is a mound of earth 2 ft high 4½ ft base around in from pits 5x5x2 ins in each dia 5½ ft dist and stake 2x2 ins 1 ft above ground in SE pit marked

T35N S 32 on NE
R39W S 5 on SE
T34N S 6 on SW
S 31 in NW faces and 1 notch on W and 5 notches on E edges

I run

North bet Secs 31 and 32
Va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for 1/4 Sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base around it. In N pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on W face.

80.00 Deposited a charred stake 12 ins in the

ground for cor to secs 29, 30 31 & 32,
dug pits 18x18x12 ins in each sec 5½
ft dist, and raised mound of earth
2 ft high 4½ ft base over it. In SE
pit drove a stake 2x2 ins 2 ft long,
ft in the ground marked
S35N S29 on NE
R39W S32 on SE
S31 on SW and
S30 on NW faces with 1 notch on S
and 5 notches on E edges
Land rolling, soil 3rd rate.

East on a random line bet secs 29 & 32
va 14° 40' E

40.00 Set temporary ¼ sec cor.
55.00 Descend
64.00 Foot of hill 40 ft Enter valley bears NW & SE
79.92 Intersect N & line 7 lks N of cor to secs 28, 29, 32 & 33. Thence I run N89°57'W on a true line bet secs 29 and 32 with same va
39.91 Deposited a charred stake 12 ins in the ground for ¼ sec cor, dug pits 18x18x12 ins E & W of post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long, ft in the ground marked ¼ S on N face
79.92 The cor to secs 29, 30, 31 and 32, Land: W 64 chs rolling 3rd rate soil, balance level soil 2nd rate

West on a random line bet secs 30 & 31
va 14° 40' E

30.00 Descend.
36.00 Foot of hill 40 ft. Enter valley bears N & S & S N
40.00 Set temporary ¼ sec cor.
45.00 Leave valley, bears N & S N and ascend.
79.35 Intersect N boundary of this township 9 lks S of cor. to secs 30 & 31, which cor. is a mound of earth 2 ft high 4½ ft base over it from pits 18x18x12 ins in each sec 5½ ft

Subdivision of T35N R39W

dist., and stake 2x2 ins 1 ft above ground in SE pit marked:-
T35N S30 on NE
R39W S31 on SE
R40W S36 on SW
S25 on NW faces with 1 notch on S and 5 notches on N edges
Thence S. run
S89°56' E on a true line bet Secs 30 & 31 with same va

39.35 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base over it. In E pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face

79.35 The cor to secs 29, 30, 31 & 32. Land:- E 36 and W 34.55 Chs rolling with 3rd rate soil, balance level soil 2nd rate

North bet Secs 29 & 30
va 14° 40' E

40.00 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins N & S of post 5½ ft dist., and raised mound of earth 1½ ft high 3½ ft base over it. In N pit drove stake 2x2 ins 2 ft long 1 ft in the ground marked 1/4 S on N face
Descend

51.00 Foot of hill 40 ft Enter valley bears SW and SE.

80.00 Deposited a charred stake 12 ins in the ground for ~~1/4 sec~~ to secs 19, 20, 29 & 30 cor., dug pits 18x18x12 ins in each sec 5½ ft dist., and raised a mound of earth 2 ft high 4½ ft base over it. In SE pit drove a stake 2x2 ins 2 ft long 1 ft in the ground marked
T35N S20 on NE
R39W S29 on SE
S30 on SW and

Orig cor N W faces with 2 notches on S and 5 notches on E edges.
Land:- S 57 chs running with 3rd rate Soil, balance land with 2nd rate Soil.

East on a random line bet Secs 20 & 29
Va 14° 40' E

40.00 Set temporary 1/4 sec cor.
43.00 Leave valley, bears N W & S E and ascend
70.00 Top of hill 40 ft.
79.82 Intersected N & S line 14 lks N of cor of Secs 20 & 29.
Thence S run
N 89° 54' W
on a true line bet Secs 20 & 29
with Same va
39.91 Deposited a charred stake 12 ins in the ground for 1/4 sec cor., dug pits 18x18x12 ins E & W of post 5 1/2 ft dist, and raised a mound of earth 1 1/2 ft high 3 1/2 ft base and it.

79.82 In E pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked "4 S" on N face.
The cor to Secs 19, 20, 29 & 30
Land:- N 43 chs level Soil 2nd rate, balance running Soil 3rd rate.

West on a random line bet Secs 19 & 30
Va 14° 40' E

40.00 Set temporary 1/4 Sec cor
41.00 Leave valley bears N E & S and ascend.
48.00 Top of hill 40 ft.
79.28 Intersect west boundary of this township 35 lks S of cor to Secs 19 & 30. which cor is a mound of earth 2 ft high 4 1/2 ft base and it. found pits 18x18x12 ins in each sec 5 1/2 ft dist and stake in S E pit

Subdivision of T35N R39W

2x2 ins 1 ft above ground
marked
T35N S19 on NE
R39W S30 on SE
R40W S25 on SW
S24 on NW faces,
with 2 notches on S and 4
notches on N edges.
Thence S
S 89° 45' E
on a true line bet Secs 19 & 30
with Same ra.
39.28 Deposited a charred stake
1 2 ins in the ground for 1/4 Sec
cor., dug pits 18x18x12 ins E
& W of first 5 1/2 ft dish and
raised mound of earth 1 1/2 ft
high 3 1/2 ft base over it. In
E pit drove a stake 2x2 ins 2
ft long 1 ft in the ground
marked 1/4 S on N face
79.28 The cor to Secs 19, 30, 29 & 30
Sand:- E 41 chs level, soil 2nd
rate, balance rolling Soil
3rd rate.

North on a true line bet Secs
19 & 20
Ra 14° 40' E
14.00 Leave valley bears SE & N
and ascend
20.00 Top of hill 40 ft
40.00 Deposited a charred stake 1 2 ins
in the ground for 1/4 Sec cor., dug
pits 18x18x12 ins N & S of first 5 1/2
ft dish and raised mound of earth
1 1/2 ft high 3 1/2 ft base over it. In
SE pit drove a stake 2x2 ins 2 ft
long 1 ft in the ground marked
1/4 S on N face
56.88 Intersect N boundary of State
being the 43rd P N Lat, 16.60 chs
E of 1/4 Mile post before by
me described ~~by me~~
Deposited a charred stake
1 2 ins in the ground for
Closing Cor to Secs 19 & 20,
dug pits 18x18x2 ins E. W &
S of for 5 1/2 ft dish, and
raised a mound of

earth 2 ft high 4½ ft base over it. In E pit drive a stake 2x2 ins 2 ft long 1 ft in the ground marked
C C T35N R39W on S
S20 on E
S19 on W faces with 1 notch on W and 5 notches on E edges.
Land:- S14 chs, level soil 2nd rate, balance rolling soil 3rd rate.

June 1st 1883.

General Description

In the central part of this township there is a large valley in which the land is much better than the upland soil.

In Section 27 in the valley there is a fine lake and this is all the water in the township. Grass is quite abundant.

T 35 N

List of Names.

A list of the names of the individuals employed by J. C. McElroy U.S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing field notes, of the Retracement of N boundary and survey of the Subdivision lines of township No 35 north, of range No 39 W of the 6th P.M. in Nebraska, showing the respective capacities in which they acted,

J. D. McElroy	Compassman
Parvin Corrigan	Chainman
J. M. McElroy	Flagman
Ed Dupey	Chainman
Charles Padden	Chainman

Final Oaths of Assistants

We hereby certify that we assisted J. C. McElroy United States Deputy Surveyor in surveying all that parts or portions of the Retracement of exterior and subdivision lines of Township No 35 North, of Range No 39 W, of 6 PM in Nebraska as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects to the best of our knowledge

and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor General for Nebraska

J. L. McElroy Compassman
Bernie Corriyan Mountman
J. M. McElroy Flagman
Ed his x mark Duffey Chainman
Charley Padden. Chainman

Sworn to and subscribed before me this 20th day of June 1883.

Chas. H. Cowell
U.S. Commission
Dist. of Neb.

Final Oath of U.S. Deputy Surveyor.

I, S. L. McElroy, U.S. deputy surveyor, do solemnly swear that in pursuance of instructions received from George S. Smith U.S. Surveyor General for Nebraska bearing date of the twenty-ninth day of August 1882, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the U.S. Surveyor general for Nebraska, the surveying manual, and the laws of the United States, surveyed all those parts or portions of the Retracement of the Boundary and Subdivision lines of township No 35 North, of range No 39 W of 6th P.M., in Nebraska, as are represented in the foregoing field notes as having been surveyed by me and

T 35 N

under my directions; and I do further solemnly swear that all the corners of said survey, have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the U.S. Surveyor General for Nebraska, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an act of Congress approved August 8, 1846

Stephen C McElroy
U S Deputy Surveyor

Subscribed & sworn to before me this ~~day of~~ 19th day of October 1888

H B Gist
Notary Public

R 39 W

U. S. Surveyor General's Office
Plattsmouth Nebr
November 14th 1888

The foregoing field notes of the survey of the subdivision, and retracement of a boundary of Tp. 35 N. R 39 W of 6th P.M. in Nebraska, executed by S. C. McElroy U. S. Deputy Surveyor under his contract No 12 dated August 29th 1887 in the months of May and June 1883 having been critically examined the necessary corrections and explanations made, the said field notes and the survey they describe are hereby approved

L V Stephenson
U. S. Surveyor General