General Land Office • Original Field Notes

Book Number

622

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index Diagram of Town 9 N. Range 40 W

6	63	5	47	4	36	3	25	2	14	1	
	62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12	
	59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13	
	56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24	
	53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25	
	50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36	

Subdivision of Township
No 9 North of Range
No. 40 West of the
1st Ill[illegible]ian
[illegible]raska

T. 9 to 12 N
R. 40 W.

[illegible]ptember 1871

Finished 29th September 1871

By
William E. Daughurty
Deputy Surveyor

Township No 9 North

Names of Assistants

Frank M. Daughtry
Henry Heisel } Chainmen

Henry Lear } Flagmen
Oscar P. Melton } Moundmen

Range No 40 West 6th Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of Townships 9 on the 2nd Stand and parallel Ranges 39 and 40 West and run thence North on a blank line ~~between sections~~ along the East boundary of Section 34
Variation 14° East

3996 To a point 8 links west of 4 on corner
7998 To a point 20 links west of corner to Sections 25 and 34
To retrace this line a run parallel thereto my compass must be adjusted to a
Variation of 13°57' East

Subdivisions Commenced September 25th 1871

From the corner of sections 1 2 35 and 36 I run

Township No 9 North

North between Sections
35 & 36
Variation 14° East

40.00 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.00 Set chain post in mound of Earth
with pits as per instructions for
Corner to sections
25 26 35 and 36
Land rolling
Soil 3rd Rate

Range No 40 West 6th Meridian

East on a random line
between Sections 25 & 36
Variation 14° East

40.00 Set post for temporary 1/4 Sec corner

80.00 Intersect East boundary of Township
14 links south of corner to sections
25 and 36 from which corner I run
S 89° 54' W on a true line between
Sections 25 and 36
Variation 14° East

40.00 Set chain post in mound of
Earth with pits as per
instructions for 1/4 Section corner

80.00 The corner of sections
25 26 35 and 36
Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections 25 & 26

Variation 14° East

40.00 ~~Set post for Temporary 1/4 sec cem~~
Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaud post in mound of Earth with pits as per instructions for corner to Sections 23 24 25 and 26

Land ~~rolling~~ hilly

Soil 3 Rate

Range No 40 West 6th Meridian

East on a random line between Sections 24 & 25

Variation 13° 50' East

40.00 Set post for Temporary 1/4 sec cem

79.88 Intersect East boundary of Township 16 links South of corner of sections 24 and 25 from which corner I now S 89° 53' W on a true line between Sections 24 and 25

Variation 13° 50' East

39.94 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

79.88 The corner of sections 23. 24. 25 and 26
~~13~~ ~~14~~ ~~23~~ and ~~24~~

Land hilly

Soil 3 Rate

Township No 9 North

North between Sections
23 & 24
Variation 14° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections
13 14 23 and 24
Land ~~rolling~~ hilly
Soil 3rd Rate

Range No. 40 West 6th Meridian

East on a random line between Sections 13 & 24
Variation 13°30' East

40.00 Set post for temporary 1/4 sec corner

80.10 Intersect East boundary of Township 10 links South of corner to sections 13 and 24 from which corner I saw S 89°56' W on a line between sections 13 and 24

Variation 13°30' East

40.03 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections
13 14 23 and 24
Land hilly
Soil 2nd Rate

Township No 9 North

North between Sections
13 & 14
Variation 14° East

40.00 Set chaw pest in mound of Earth with pits as per instructions for 1/4 sec corner

80.00 Set chaw pest in mound of Earth with pits as per instructions for corner to Sections 11 12 13 and 14
Land rolling
Soil 3° Rate

Range No 40 West 6th Meridian

East on a random line between Sections 12 & 13
Variation 14° East

40.00 Set pest for temporary 1/4 sec cor

80.22 Intersect East boundary of Township 26 links North of corner to sections 12 and 13 from which corner I run N 89° 49' W on a true line between Sections 12 and 13
Variation 14° East

40.11 Set chaw pest in mound of Earth with pits as per instructions for 1/4 sec corner

80.22 The corner of sections 11 12 13 & 14
Land rolling
Soil 3° Rate

Township No 9 North

North between Sections
11 & 12
Variation 13° 30' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections
1 2 11 and 12
Land rolling
Soil 3rd Rate

Range No 40 East 6th Meridian

East on a random line between Sections 1 & 12
Variation 13° 30' East

40.00 Set post for temporary 1/4 sec corner

80.04 Intersect East boundary of Township 10 links North of corner to sections 1 and 12 from which corner I saw N 89° 56' W on a true line between sections 1 and 2
Variation 13° 30' East

40.02 Set chain post in mound of Earth with pits as per instructions for 1/4 section corner

80.04 The corner of sections
1, 2, 11 and 12
Land rolling
Soil 3rd Rate

Township No 9 North

North on a random line between
Sections 1 & 2
Variation 14° East

4000 Set post for temporary 1/4 sec cor
79.70 Intersect North boundary of
Township 44 links west of corner
to sections 1 and 12 from which
corner I run S 19' W on a true
line between sections 1 and 12
Variation 14° East

39.70 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

7970 The corner of sections
1 2 11 and 12
Land rolling
Soil 3rd Rate

September 25th 1871

Range No 40 West 6th Meridian

North between Sections
34 & 35
Variation 13° East

4000 Set chained post in mound of Earth with
pits as per instructions for 1/4
Section corner

8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
26 27 34 and 35
Land rolling
Soil 3rd Rate

Township No 9 North

East on a random line between
Sections 26 & 35
Variation 14° East

40.00 Set post for temporary 1/4 Sec corner
80.16 Intersect North and South line 57
links North of corner to sections
25 26 35 and 36 from which
corner I run N 89° ~~34'~~ 36' W on a true
line between sections 26 and 35
Variation 14° East
40.08 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.16 The corner of sections
26 27 34 and 35
Land rolling
Soil 3rd Rate

Range No 40 West 6th Meridian

North between Sections
26 & 27
Variation 14° East

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chaned post in mound of Earth
with pits as per instructions for
corner to sections
22 23 26 and 27
Land ~~rolling~~ hilly
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 23 & 26

Variation 13° 40' East

4000 Set post for temporary 1/4 sec cor.

80.14 Intersect North and south line 17 links North of corner to sections 23 24 25 and 26 from which corner I run N 89° 53' W on a true line between sections 23 and 26

Variation 13° 40' East

40.07 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner

80.14 The corner of sections 22 23 26 and 27

Land ~~rolling~~ hilly

Soil 3rd Rate

Range No 40 West 6th Meridian

North between Sections 22 & 23

Variation 14° East

4000 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chared post in mound of Earth with pits as per instructions for corner to sections 14 15 22 and 23

Land ~~rolling~~ hilly

Soil 3rd Rate

Township No 9 North

East on a random line
between Sections 14 & 23
Variation 13° 30' East

40.00 Set post for temporary 1/4 sec cor

80.64 Intersect North and South line 69
links South of corner to sections
~~14 and 23 24~~ 13 14 23 & 24
from which corner I run
S 89° 30 W on a true line between
sections 14 and 23
Variation 13° 30' East

40.32 Set chaned post mi mound of Earth
with pits as per instructions
for 1/4 section corner

80.64 The corner of sections
14 15 22 and 23
Land ~~rolling~~ hilly
Soil 3rd Rate

Range No 40 East 6th Meridian

North between Sections
14 & 15
Variation 13° 40' East

40.00 Set chaned post mi mound of Earth
with pits as per instructions for
1/4 section corner

80.00 Set chaned post mi mound of
Earth with pits as per
instructions for corner to sections
10 11 14 and 15
Land rolling
Soil 3rd Rate

Township No 9 North

East on a random line
between Sections 11 & 14.
Variation 14° East

40.00 Set post for temporary 1/4 sec corn.
80.44 Intersect North and south line 25
links North of corner to sections 11 12
13 and 14 from which corner I run
N 89° 49' W on a true line between
Sections 11 and 14
Variation 14° East
40.22 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.44 To the corner of sections
10 11 14 and 15
Land hilly
Soil 3rd Rate

Range No. 40 East 6th Meridian

North between Sections
10 & 11
Variation 13° 35' East
40.00 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section Corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
2 3 10 and 11
Land hilly
Soil 3rd Rate

Township No 9 North

East on a random line between Sections 2 & 11

Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corner

80.20 Intersect North and South line 39 links North of corner to sections 1 2 11 and 12 from which corner I mw which corner I mw ~~&~~ N 89° 43' W on a true line between sections 2 & 11

Variation 13° 50' East

40.10 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner

80.20 The corner of sections 2 3 10 and 11

Land hilly

Soil 3rd Rate

Range No 40 West 6th Meridian

North on a random line between Sections 2 & 3

Variation 14° East

40.00 Set post for temporary 1/4 sec corner

78.89 Intersect North boundary of Township 9 links West of corner to sections 2 & 3 from which corner I mw S 4' W on a true line between Sections 2 and 3

Variation 14° East

38.89 Set chased post in mound of Earth with pits as per instructions for 1/4 sec. corner

78.89 The corner of sections 2 3 10 and 11

Land ~~rolling~~ hilly

Soil 3rd Rate

Township No 9 North

North between Sections
33 & 34
Variation 14° East

4000 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner

8000 Set chaned post in mound of Earth
with pits as per instructions for
corner to sections 27 28 33 & 34
Land Rolling
Soil 3rd Rate

Range No 40 West 6th Meridian

East on a random line between
Sections 27 & 34
Variation 14° East

4000 Set ~~chaned~~ temporary 1/4 sec corner

80.22 Intersect North and South line 5 links
South of corner to sections 26 27
34 and 35 from which corner I run
S 89° 58' W on a true line between
Sections 27 and 34
Variation 14° East

4011 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 sec corner
~~to sections~~

8022 The corner of sections
27 28 33 and 34
Land ~~rolling~~ hilly
Soil 3rd Rate

September 26th 1871

Township No 9 North

North between Sections
27 & 28
Variation 14° East

40.00 Set chained pin in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained pin in mound of Earth with pits as per instructions for corner to sections 21 22 27 and 28

Land ~~rolling~~ hilly
Soil 3rd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 22 & 27
Variation 14° East

40.00 Set post for temporary 1/4 sec corner

80.32 Intersect North and South line 35 links North of corner to sections 22 23 26 and 27 from which corner I saw N 89° 45' W on a true line between Sections 22 and 27
Variation 14° East

40.16 Set chained pin in mound of Earth with pits as per instructions for 1/4 Section corner

80.32 The corner of sections 21 22 27 and 28

Land ~~rolling~~ hilly
Soil 3rd Rate

Township No 9 North

North between Sections
21 & 22
Variation 13° 30' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 15 16
21 and 22
Land ~~rolling~~ hilly
Soil 3rd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 15 & 22
Variation 14° East

4000 Set ~~ch~~ post for temporary 1/4 sec corner

7980 Intersect North and South line 42 links North of corner to sections 14 15 22 & 23 from which corner I mid
N 89° ~~43'~~ 42' W on a true line between Sections 15 and 22
Variation 14° East

3990 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

7980 The corner of sections 15 16 21 and 22
Land ~~rolling~~ hilly
Soil 3rd Rate

Township No 9 North

North between Sections
15 & 16.
Variation 14° East

40.00 Set chained pit in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chained pit in mound of
Earth with pits as per
instructions for corner to sections
9 10 15 and 16
Land hilly
Soil 3rd Rate

Range No 40 West 6th Meridian

East on a random line
between Sections 10 & 15
Variation 13° 40' E.

40.00 Set pit for temporary 1/4 sec corner

80.12 Intersected North and South line 24
links South of corner to sections
10 11 14 and 15 from which
corner I run S 89° 50' W on a true
line between sections 10 and 15
Variation 13° 40' East

40.06 Set chained pit in mound of Earth
with pits as per instructions
for 1/4 Sec corner

80.12 The corner of sections
9 10 15 and 16
Land ~~rolling~~ hilly
Soil 3rd Rate

Township No 9 North

North between Sections
9 & 10
variation 14° East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections
3 4 9 and 10
Land hilly
Soil 3° Rate

Range No 40 West 6th Meridian

East on a random line between Sections 3 & 10
variation 14° East

40.00 Set post for temporary 1/4 Sec corner

80.28 Intersect North and South line 20 links North of corner to sections 2 3 10 and 11 from which corner I mv N 89° 51' W on a true line between sections 3 and 10
variation 14° East

40.14 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.28 The corner of sections
3 4 9 and 10
Land hilly
Soil 3° Rate

Township No 9 North

North on a random line between Sections 3 & 4

Variation 14° E

40.00 Set post for temporary 1/4 sec cerner

80.11 Intersect North boundary of Township 17 links East of cerner to sections 3 and 4 from which cerner I now S 7' E on a tree line between sections 3 and 4

Variation 14° East

40.11 Set chaus post in mound of Earth with pits as per instructions for 1/4 Section cerner

80.11 The cerner of sections 3 4 9 and 10

Land ~~roll~~ hilly

Soil 3° Rate

Range No 40 West 6th Meridian

North between Sections 32 & 33

Variation 14° E

3100 Drain Slough 50 links under mus SW

40.00 Set chaus post in mound of Earth with pits as per instructions for 1/4 Section cerner

80.00 Set chaus post in mound of Earth with pits as per instructions for cerner to sections 28 29 32 and 33

Land rolling

Soil 2° Rate

Township No 9 North

East on a random line between Sections 28 & 33

Variation 14° East

4000 Set Temporary 1/4 sec corner
6400 Drain slough bears N & S
79.86 Intersect North and South line 25 links North of corner to sections 27 28 33 and 34 from which corner I run N 89° 49' W on a true line between sections 28 and 33

Variation 14° East

39.93 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

7986 The corner of sections 28 29 32 & 33

Land rolling

Soil 2° Rate

Range No 40 West 6th Meridian

North between Sections 28 & 29

Variation 14° East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections 20 21 28 and 29

Land rolling

Soil 2° Rate

Township No 4 North

East on a random line between
Sections 21 & 28
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corn
69.50 Drain slough bears north & south
79.92 Intersect north and south line 13 links
north of corn to sections 21 22
27 and 28 from which corn I run
N 89° 34' W on a true line between
Sections 21 and 28
Variation 13° 50' East
39.96 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section corn
79.92 The corn of sections
20 21 28 & 29
Land rolling
Soil 2nd Rate

September 27th 1871

Range No 40 West 6th Meridian

North between Sections
20 & 21
Variation 14° East
40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section corn
80.00 Set chaned post in mound of
Earth with pits as per
instructions for corn to Sections
16 17 20 and 21
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 16 & 21

Variation 14° East

26.00 Drain Slough 50 links wide bears N & S

40.00 Set post for temporary 1/4 sec corner

80.18 Intersect North and South line 35 links North of corner to sections 15 16 21 and 22 from which corner I run N 89° 45' W on a true line between Sections 16 and 21

Variation 14° East

40.09 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.18 The corner of sections 16 17 20 & 21

Land rolling

Soil on East 1/4 3° Rate

on West 3/4 2° Rate

Range No 40 West 6th Meridian

North between Sections 16 & 17

Variation 14° E

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 8 9 16 and 17

Land rolling

Soil 2° Rate

Township No 1 North

East on a random line
between Sections 9 & 16
Variation 13° 45' East

40.00 Set post for temporary 1/4 sec corn
58.50 Drain Slough 50 links wide drains South
80.20 Intersect North and South line 12 links
North of corner to sections 9 10 15 &
16 from which corner I find N 89° 55' W
on a true line between sections
9 and 16
Variation 13° 45' East
40.10 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corn
80.20 The corner of sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

North between Sections
8 & 9
Variation 13° 50' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corn
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to
sections 4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line between Sections 4 & 9

Variation 13° 40' East

40.00 Set ~~chased post in mound of Earth~~ post for temporary 1/4 sec cor with

69.00 Drain Slough 50 links wide drains South

80.10 Intersect North and South line 18 links South of corner to sections 3 4 9 and 10 from which corner I run S 89° 52' W on a true line between Sections 4 and 9

Variation 13° 40' East

40.05 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections 4 5 8 and 9

Land rolling

Soil 2nd Rate

Range No 40 West 6th Meridian

North on a random line between Sections 4 & 5

Variation 14° East

40.00 Set post for temporary 1/4 sec corner

79.65 Intersect North boundary of Township 27 links East of corner to sections ~~3 4 9 and 10~~ 4 & 5 from which corner I run S 11' E on a true line between sections 4 and 5

Variation 14° East

39.65 ~~39.69~~ Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

79.65 The corner of sections 4, 5, 8 and 9

Land rolling

Soil 2nd Rate

Township No 9 North.

North between Sections
31 & 32
variation 14° East

4000 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chaud post in mound of Earth with pits as per instructions for corner to sections
29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 29 & 32
variation 14° East

4000 Set post ~~post~~ for temporary 1/4 sec corn

80.14 Intersect North and South line 16 links South of corner to sections 28 29 31 and 32 from which corner I run S 89° 53' W on a true line between Sections 29 and 32
variation 14° East

40.07 Set chaud post in mound of Earth with pits as per instructions for 1/4 Section corner

80 14 The corner of sections
29 30 31 and 32
Land rolling
Soil 2nd Rate

Township No 9 North

West on a random line between Sections 30 & 31

Variation 14° 15' East

40.00 Set post for temporary 1/4 sec corner

80.16 Intersect west boundary of Township 27 links South of corner to sections 30 and 31 from which corner I run S 89° 53' E. on a true line between Sections 30 and 31

40.16

Variation 14° 15' East

~~40.08~~ Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 To the corner of sections 29, 30, 31 and 32

Land rolling

Soil 2nd Rate

Range No 10 West 6th Meridian

North between Sections 29 & 30

Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 19, 20, 29 and 30

Land rolling

Soil 2nd Rate

September 28th 1871

Township No 9 North

East on a random line between Sections 20 & 29

Variation 13° 55' East

40.00 Set post for temporary 1/4 sec corn

80.00 Intersect North and South line 27 links South of corner to sections 20 21 28 and 29 from which corner ~~to sections~~ I run S 89° 55' W on a true line between sections 20 and 21

Variation 13° 55' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set ~~chained post in mound of Earth~~ corner to sections 19 20 29 & 30

Send rolling

Soil 2nd Rate

Range No 40 West 6th Meridian

West on a random line between Sections 19 & 30

Variation 13° 50' East

40.00 Set ~~chained~~ post for temporary 1/4 sec cor

80.50 Intersect West boundary of Township 12 links North of corner to sections 19 and 30 from which corner I run N 89° 55' E on a true line between sections 19 and 30

Variation 13° 50' East

40.50 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.50 The corner of sections 19 20 29 and 30

Send rolling

Soil 2nd Rate

Township No 9 North

North between Sections
19 & 20
Variation 13° 30' East

40.00 Set chain post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chain post in mound of Earth
with pits as per instructions
for corner to sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

East on a random line between
Sections 17 & 20
Variation 13° 45' East

40.00 Set post for temporary 1/4 sec corner

79.88 Intersect North and South line 23 links
South of corner to sections 16 17 20
and 21 from which corner I run
S 89° 58' W on a true line between
Sections 17 and 20
Variation 13° 45' East

39.94 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

79.88 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Township No 9 North

West on a random line
between Sections 18 & 19
Variation 13° 30' East

40.00 Set temporary 1/4 sec corner
80.41 Intersect West boundary of Township
18 links south of corner to sections
18 and 19 from which corner I run
S 89° 52' E on a true line between
Sections 18 and 19
Variation 13° 50' East
40.41 Set chained post in mound of Earth
with pits as per instructions
for 1/4 sec corner
80.41 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

North between Sections
17 & 18
Variation 13° 50' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections
7, 8, 17 and 18
Land rolling
Soil 2nd Rate

Township No 9 North

East on a random line
between Sections 8 & 17
Variation 13° 40' East

40.00 Set a post for temporary 1/4 sec corn
80.10 Intersect North and South line 15 links
South of corner to sections ~~8 and 17~~
8 9 16 and 17 from which corner
now S 89° 54' W on a true line
between Sections 8 and 17
Variation 13° 40' East
40.05 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.10 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

West on a random line
between Sections 7 & 18
Variation 13° 45' East

40.00 Set ~~Chained post in mound of Earth~~ post for temporary 1/4 sec corn
~~with pits as per instructions for~~
~~1/4 Section corner~~
80.98 Intersect West boundary of Township
48 links South of corner to sections
7 and 18 from which corner I now
S 89° 39' E on a true line between
Sections 7 and 18
Variation 13° 45' East
40.98
~~40.00~~ Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.98 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 9 North

North between Sections
7 & 8
Variation 13° 48' East

40.00 Set chained post in mound of Earth with pits as per instructions for
1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
5, 6, 7 and 8
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

East on a random line between Sections 5 & 8
Variation 13° 45' East

40.00 Set post for temporary 1/4 Sec corner

80.18 Intersect North and South line 17 links North of corner to sections 4 5 8 and 9 from which corner I run N 89° 53' W on a true line between Sections 5 and 8
Variation 13° 45' East

40.07 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.18 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Township No 4 North

West on a random line
between Sections 6 & 7
Variation 13° 30' East

40,00 Set a post for temporary 1/4 sec cor
80,40 Intersect west boundary of Township
29 links North of corner to sections
6 and 7 from which corner I saw
N 89° 48' E on a true line between
Sections 6 and 7
Variation 13° 30' East

40,40 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80,40 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North on a random line
between sections 5 & 6
Variation 13° 40' East

40,00 Set post for temporary 1/4 sec corner
80,33 Intersect North boundary of Township
33 links East of corner to sections
5 and 6 from which corner I saw
S 13° E on a true line between sections
5 and 6
Variation 13° 40' East

40,33 Set charred post in mound of Earth
with pits as per instructions
for 1/4 Sec. corner

80,33 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

September 29th 1871

Township No 9 North Range No 40 West 6th Meridian

General Description

The Surface of this Township on the East side is hilly Soil Sandy consequently 3rd rate or worse on the west side The Township is gently rolling the soil is a good quality of 2nd Rate - well adapted to grazing

List of Names

A list of the names of the individuals employed to assist in running Measuring & marking the lines & corners of Township No 9 North of the base line of Range No 40 west of the 6th principal Meridian showing the respective capacities in which they acted.

Henry Heisel
Frank M. Daugherty } Chainmen
Henry Lear } Mound men
Oscar P. Milton } Axmen

We hereby Certify that we assisted William E. Daugherty Deputy Surveyor in surveying & subdividing Township No 9 North of the base line of Range No 40 west of the 6th principal Meridian and that said Township has been in all respects to the best of our knowledge & belief well & faithfully surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General

Henry Heisel } Chainmen
Frank M. Daugherty
Henry Lear } Mound men
Oscar P. Milton

Township No 9 North

Subscribed an sworn to before me at my office in the city of Platts mouth State of Nebraska this 20th day of Oct 1871

A S Chase
Probate Judge

I, William E Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin B Cutler are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 26th day of May 1871 I have well faithfully & truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed Township No 11 north of base line of Range No 40 east of the 6th principal Meridian State of Nebraska as represented in the foregoing field notes as having been surveyed under my direction

Range No 40 East 6th Meridian

and I do further solemnly swear that all the corners of said survey have been established & perpetuated in strict accordance with the Surveying Manual & printed instructions and I do further solemnly swear that the foregoing are the true & original field notes of such survey

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Platts mouth in the State of Nebraska this 20 day of Oct 1871.

A S Chase
Probate Judge

Township No. 9 North Range No. 40 West 6th Meridian

Surveyor General's Office
Plattsmouth, Nov. 25th 1871.

The foregoing field notes of the Survey & Subdivision of Township No. 9. North of the Base Line of Range No. 40 West of the 6th P.M. in Nebraska Executed by Wm. E. Daugherty, under joint Contract No. 44 wherein Wm. E. Daugherty & Martin B. Cutler are joint Contractors with bearing date the 26th day of May in the month of September 1871. having been critically examined the necessary correction and explanations made the said field notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

Township No 4 North

T 10 N., R 40 West

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

Subdivision of Township
No 10 North of Range
No. 40 West of the
6th Meridian
State of Nebraska

Commenced September 20th 1871

Finished September 24th 1871

By
William E. Daugherty
Deputy Surveyor

Township No. 10 North

Names of Assistants

Frank M. Daugherty
Henry Heidel } Chainmen

Henry Dear
Oscar P. Miller } Flagmen

Range No. 40 West 6th Meridian

To determine the proper adjustment of my compass for Subdividing this Township I commence at the corner of Townships 9th and 10 North Ranges 39 and 40 West and run thence North on a blank line along the East side of section 36 Variation 14° East

40.00 To a point 18 links West of quarter section corner

80.08 To a point 12 links West of corner to sections 25 and 36

To retrace this line a run parallel thereto I must adjust my compass to a variation of 13° 55' East

Subdivisions Commenced September 20th 1871

From the corner of sections 1 2 35 and 36 on South & xxxx (North) Boundary of Township

Township No 10 North

Drop

North between Sections
35 & 36
Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 25 26 35 and 36
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 25 & 36
Variation 14°. East

40.00 Set temporary 1/4 sec corner

80.16 Intersect East boundary of Township 20 links North of corner to sections 25 and 36 from which corner N 89° 57' W on a true line between sections 25 and 36
Variation 14° East

40.08 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 25 26 35 and 36
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
25 & 26
Variation 13° 50' East

4000 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

8000 Set chained post in mound of Earth with pits as per instructions for corner to sections
23 24 25 and 26
Land rolling
Soil 2d Rate

Range No. 40 West 6th Meridian

East on a random line between Sections 24 & 25
Variation 13° 50' East

4000 Set post for temporary 1/4 sec cor.

7984 Intersect East boundary of Township 12 links South of corner to sections 24 and 25 from which corner I run S 89° 55' W on a true line between Sections 24 and 25
Variation 13° 50' East

3992 Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

7984 The corner of sections
23 24 25 and 26
Land rolling
Soil 2d Rate

Township No. 40 North

North between Sections
23 & 24
Variation 14° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 section cor

8000 Set chain post in mound of Earth with pits as per instructions for corner to Sections 13 14 23 and 24

Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 13 & 24
Variation 14° East

4000 Set ~~chain~~ post for temporary 1/4 sec cor

80.18 Intersect East boundary of Township 22 links North of post corner to Sections 13 and 24 from which corner I run N 89° 50' W on a true line between sections 13 & 24
Variation 14° East

40.09 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.18 The corner of Sections 13 14 23 and 24

Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
13 & 14
Variation 13° 30' East

4000 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
11 12 13 and 14
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

East on a random line
between Sections 12 & 13
Variation 13° 30' East

4000 Set post for temporary 1/4 Sec corner

80.10 Intersect East boundary of Township
16 links North of corner to sections
12 and 13 from which corner I run
N 89° 53' W on a true line between
Sections 12 and 13
Variation 13° 30' East

4005 Set chained post in mound of Earth
with pits as per instructions for
1/4 Sec corner

8010 The corner of sections
11 12 13 and 14
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
11 & 12
Variation 13° 30' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chased post in mound of Earth with pits as per instructions for Corner to sections 1 2 11 and 12
Land rolling
Soil 2° Rate

Range No 40 West 6th Meridian

East on a random line between Sections 1 & 12
Variation 13° 30' East

40.00 Set post for temporary 1/4 sec corner

80.16 Intersect East boundary of Township 27 links South of corner to sections 1 and 12 from which corner I run S 89° 48' W on a true line between Sections 1 and 12
Variation 13° 30' East

40.08 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner

80.16 To corner of sections 1 2 11 and 12
Land rolling
Soil 2° Rate

Township No 10 North

North on a random line
between sections 1 & 2
Variation 13° 15' East

40.00 Set post for temporary 1/4 sec cor

79.91 Intersect North boundary of Township
25 links East of corner to sections
1 and 2 from which corner bears
S 11° E on a true line between
sections 1 and 2
Variation 13° 15' East

39.91 Set chained post in mound of
Earth with pits as per
instructions for 1/4 section
corner

79.91 To corner of sections
1 2 11 and 12
Land rolling
Soil 2d Rate

Range No 40 West 6th Meridian

North between sections
34 & 35
Variation 14° East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
26 27 34 and 35
Land rolling
Soil 2d Rate in North
1/2 South 1/2 3d Rate (Sandy)

September 20th 1871

Township No 10 North

East on a random line between Sections 26 & 35

Variation 14° East

40.00 Set post for temporary 1/4 sec cor

79.90 Intersect North and South line 14 links North of corner to sections 25 26 35 and 36 from which corner ~~to sections~~ N 89 54 W Between sections 26 and 35

Variation 14° East

39.95 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner

79.90 The corner of sections 26. 27. 34 and 35

Land rolling

Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections 26 & 27

Variation 14° East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 22 23 26 and 27

Land rolling

Soil 2nd Rate

Township No 10 North

East on a random line
between Sections 23 & 26
Variation 14° East

4 00 Set post for temporary 1/4 sec cor
79.82 Intersect North and South line 36
links North of corner to sections
23 24 25 and 26 from
which corner I run N 89° 48' W 45'
on a true line between sections
23 and 26
Variation 14° East

89 91 Set chared post in mound of
Earth with pits as per
instructions for 1/4 section corn
79 82 The corner of sections
22 23 26 and 27
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
22 & 23
Variation 14° East

4 00 Set chared post in mound of Earth
with pits as per instructions for
1/4 section corner
8 00 Set chared post in mound of Earth
with pits as per instructions for
corner to sections
14 15 22 and 23
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line
between Sections 14 & 23
Variation 13° 40 East

40.00 Set post for temporary 1/4 sec cor
80.18 Intersect North and South line 26
links South of corner to sections
13 14 22 and 23 from which
corner of mur S 89° 49' W on a true
line between sections 14 and 23
Variation 13° 40' East

40.09 Set chaud post in mound of
Earth with pits as per
instructions for 1/4 Section corner
80 18 The corner of sections
14 15 22 and 23
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
14 & 15
Variation 13° 55' East

40.00 Set chaud post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chaud post in mound of Earth
with pits as per instructions for
corner to sections
10 11 14 and 15
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 11 & 14
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec cor
80.38 Intersect North and South line 15
links North of corner to sections
11 12 13 and 14 from which
corner I run N 89° 54' W on a
true line between sections
11 and 14
Variation 13° 50' East

40.19 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.38 The corner of sections
10 11 14 and 15
Land rolling
Soil 2d Rate

Range No. 40 West 6th Meridian

North between Sections
10 & 11
Variation 13° 45' East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
2 3 10 and 11
Land rolling
Soil 2d Rate

Township No 10 North

East on a random line between
Sections 2 & 11
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corn

80.14 Intersect north and south line at
corn to sections 1 2 11 & 12
from which corn I run West
on a true line between sections
2 and 11
Variation 13° 40' East

40.07 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.14 The corner of sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North ~~on~~ a random line between
Sections 2 & 3
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corn

80.32 Intersect north boundary of Township
12 links west of corn to sections
2 and 3 from which corn I run
S 5 W on a true line between
Sections 2 and 3
Variation 13° ~~31~~ 50' East

40.~~16~~ 32 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.32 The corner of sections
2 3 10 and 11
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
33 & 34
Variation 14° East

4000 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set chain post in mound of Earth with pits as per instructions for corner to sections 27 28 33 and 34

Land yellow
Soil 2d Rate

Range No 40 East 6th Meridian

East on a random line between Sections 27 & 34
Variation 14° East

4000 Set ~~chain post in mound of Earth with pits as per instructions for 1/4 Section corner~~ post for finding 1/4 sec corner

80.22 Intersect North and South line at corner to sections 26 27 34 and 35 from which corner I run West on a true line between Sections 27 and 34
Variation 14° East

4011 Set chain post in mound of Earth with pits as per instructions for 1/4 Sec corner

8022 The corner of sections 27 28 33 and 34

Land yellow
Soil 2d Rate

September 21st 1871

Township No. 10 North

North between Sections
27 & 28
Variation 14° East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections
21 22 27 and 28
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 22 & 27
Variation 13° 45' East

40.00 Set ~~chared post in mound of Earth with pits as per instructions for 1/4 Section corner~~ post for temp 1/4 sec corner

80.20 Intersect North and south line 13 links North of corner to section ~~22 and 27~~ 22 23 26 and 27 from which corner I now N 89° 54' W on a true line between sections 22 and 27
Variation 13° 45' East

40.10 Set chared post in mound of Earth with pits as per instructions for 1/4 Section corner

80.20 The corner of sections
21 22 27 and 28
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
21 & 22
Variation 13°50' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 15 16 21 and 22
Land rolling
Soil 2d Rate

Range No 40 West 6th Meridian

East on a random line between Sections 15 & 22
Variation 13 40' East

40.00 Set post for temporary 1/4 Sec corner

80.08 Intersect North and South line 24 links North of corner to sections 14 15 22 and 23 from which corner I run N 89°50' W on a true line between sections 15 and 22
Variation 13°40' East

40.04 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.08 The corner of sections 15 16 21 and 22
Land rolling
Soil 2d Rate

Township No 10 North

North between Sections
15 & 16
Variation 13°30' East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section Corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 9, 10, 15 and 16
Sand white
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 10 & 15
Variation 13°30' East

40.00 Set post for temporary 1/4 Sec corner

79.58 Intersect North and south line 40 links South of corner to sections 10 11 14 and 15 from which corner I run S 89°43' W on a true line between sections 10 and 15
Variation 13°30' East

39.79 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

79.58 The corner of sections 9, 10, 15 and 16
Sand white
Soil 2nd Rate

Township No. 10 North

North between Sections
9 & 10
Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 3 4 9 and 10

Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 3 & 10
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corner

80.14 Intersect North and South line 12 links South of corner to sections 2 3 10 and 11 from which corner bears S 89° 35' W on a true line between Sections 3 and 10
Variation 13° 50' East

40.07 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.14 The corner of sections 3 4 9 and 10

Land rolling
Soil 2nd Rate

Township No 10 North

North on a random line between
Sections 3 & 4
Variation 14° East

40.00 Set post for temporary 1/4 sec cor.
80.45 Intersect North boundary of
Township 26 links west of corn
to sections 3 and 34 from which
corner I chain S 11 W on a true
line between sections 3 and 34
Variation 14° East

40.45 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section cor
80.45 The corner of sections
3 4 9 and 10
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
32 & 33
Variation 14° East

40.00 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section corner
60.00 ~~Drain~~ Slough 50 links wide drains
S E
80.00 Set chaned post in mound of Earth
with pits as per instructions
for corner to sections
28 29 32 and 33
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 28 & 33
Variation 13° 50' E

40.00 Set post for Temporary 1/4 sec corner
79.88 Intersect North and South line 8
links South of corner to sections
27. 28. 33 and 34 from which
corner I run S 89° 57' W on a line line
between sections 28 and 33
Variation 13° 50' East
39.94 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner
79.88 The corner of sections
28 29 32 and 33
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
28 & 29
Variation 13° 50' East
40.00 Set chain post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chain post in mound of Earth
with pits as per instructions
for corner to sections
20 21 28 and 29
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 21 & 28
Variation 13° 50' East
40.00 Set post for temporary 1/4 sec corn
80.20 Intersect North and South line 14 links
North of corner to sections 21 22
27 and 28 from which corner
bears N 89° 54' W on a true line
between sections 21 and 28
Variation 13° 50' East
40.10 Set chained post in mound of
Earth with pits as per
instructions for 1/4 Section corn
80.20 The corner of sections
20 21 28 and 29
Land rolling
Soil 2nd Rate

September 22nd 1871

Range No 40 East 6th Meridian

North between Sections
20 & 21
Variation 14° East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
16 17 20 and 21
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 16 & 21
Variation 13° 40' East

40.00 Set post for temporary 1/4 Sec corner

80.10 Intersect North and South line 18 links South of corner to sections 16 17 20 and 21 from which corner I run S 89° 52' W on a true line between sections 16 and 21
Variation 13° 40' East

40.03 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.10 The corner of sections 16 17 20 and 21
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
16 & 17
Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line line
between Sections 9 & 16
Variation 14° East

40.00 Set post for temporary 1/4 sec corner
80.30 Intersect North and South line 31
links North of corner to sections
9 10 15 and 16 from which corner
I run N 89° 47' W on a bri line
between sections 9 and 16
Variation 14° East

40.75 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 Sec corner
80.30 The corner of sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
8 & 9
Variation 14° East

40.00 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chaned post in mound of
Earth with pits as per
instructions for corner to
Sections 4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 4 & 9
Variation 14° East

40.00 Set post for temporary 1/4 sec cor
80.12 Intersect North and South line
30 links North of corner to sections
3 4 9 and 10 from which
corner d mon N 89° 47' W on a
true line between sections 4 & 9
Variation 14° East

40.06 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.12 The corner to sections
4 5 8 and 9
Land working
Sol 2nd Rate

Range No 40 West 6th Meridian

North on a random line between
Sections 4 & 5
Variation 13° 45' East

40.00 Set post for temporary 1/4 sec corner
80.11 Intersect North boundary of Township
9 links West of corner to sections
4 and 5 from which corner d mon
S 4' W on a true line between
Sections 4 and 5
Variation 13° 45' East

40.11 Set chained post in mound of Earth
with pits as per instructions
for ~~corner to sections~~ 1/4 sec corner
80.11 The corner of sections
4 5 8 and 9
Land working
Sol 2nd Rate

Township No 10 North

North between Sections
31 & 32
Variation 13° 50' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for Corner to sections 29 30 31 and 32

Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 29 & 32
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corner

79.87 Intersect North and South line 42 links South of corner to sections 28 29 32 and 33 from which Corner I run S 89° 42' W on a true line between sections 29 & 32
Variation 13° 50' East

39.92 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

79.84 The corner of sections 29 30 31 and 32

Land rolling
Soil 2nd Rate

Township No 10 North

West on a random line between Sections 30 & 31
Variation 13° 55' East

40.00 Set post for temporary 1/4 sec corner
80.65 Intersect west boundary of Township 15 links North of corner to sections 30 and 31 from which corner I run N 89° 54' E on a true line between sections 30 and 31
Variation 13° 55' East

40.65 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner
80.65 The corner of sections 29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections 29 & 30
Variation 13° 50' East

40.00 Set chared post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set chared post in mound of Earth with pits as per instructions for corner to sections 19 20 29 and 30
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 20 & 29
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corn
79.76 Intersect North and South line 24
links South of corner to sections
20 21 28 and 29 from which
corner I am S 89° 50' W on a true
line between sections 20 and 29
Variation 13° 50' East

39.88 Set chained post in mound of Earth
with pits as per instructions
for 1/4 section corner
79.76 The corner of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

September 23rd 1871

Range No 40 West 6th Meridian

West on a random line between
Sections 19 & 30
Variation 14° East

40.10 Set post for temporary 1/4 sec cor
80.85 Intersect West boundary of Township
39 links South of corner to sections
19 and 30 from which corner I am
S 89° 43' E on a true line between
Sections 19 and 30
Variation 14° East

40.85 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.85 The corner of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
19 & 20
variation 13° 50' East

40.00 Set chained pit in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.00 Set chained pit in mound of Earth
with pits as per instructions
for corner to sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East over a random line between
Sections 17 & 20
Variation 13° 55' East

40.00 Set pipe for temporary 1/4 Sec corner

80.10 Intersected North and South line 28
links North of corner to sections 16
17 20 and 21 from which corner I run
N 89° 48' W on a true line between
Sections 17 and 20
Variation 13° 55' East

40.03 Set chained pit in mound of Earth
with pits as per instructions for
1/4 Section corner

80.10 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 18 & 19
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corn
81.15 Intersect west boundary of Township
29 links South of corner to sections
18 and 19 from which corner bears
N 89° 48' E a true line between
sections 18 and 19
Variation 13° 40' East
41.15 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
81.15 The corner of sections
17 18 19 and 20
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
17 & 18
Variation 13° 55' East

40.00 Set chained post in mound of Earth
with pits as per instructions for 1/4
Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions for
corner to sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 10 North

East on a random line between
Sections 8 & 17
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corn
79.90 Intersect North and South line 9 links
North of corner to sections 8 9 16
and 17 from which corner I run
N 89° ~~57~~ 56 W on a true line between
Sections 8 and 17
Variation 13° 40' East

39.95 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
79.90 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

West on a random line between
Sections 7 & 18
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corn
81.57 Intersect West boundary of Township
55 links North of corner to sections
7 and 18 from which corner I run
N 89° ~~37~~ 36 E on a true line between
Sections 7 and 18
Variation 13° 40' East

41.57 Set ch and post in mound of Earth
with pits as per instructions for
1/4 Section corner
81.57 The corner of sections
7 8 17 and 18
Land rolling
Soil 2nd Rate

Township No 10 North

North between Sections
7 & 8
Variation 14° East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 5 & 8
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corner

80.22 Intersect North and South line 17 links North of corner to sections 4 5 8 & 9 from which corner I saw N 89° 53' W on a true line between Sections 5 and 8
Variation 13° 40' East

40.11 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.22 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

Township No 10 North

West on a random line between
Sections 6 & 7
Variation 14° East

40.00 Set post for temporary 1/4 sec corn
81.38 Intersect west boundary of Township
12 links South of corn to sections
6 and 7 from which corn I run
S 89° 55' E on a true line between
Sections 6 and 7
Variation 14° East
41.38 Set chard post in mound of Earth
with pits as per instructions
for 1/4 Section corner
81.38 The corner of sections
5, 6, 7, and 8
Surface rolling
Soil 2nd rate

Range No 40 West 6th Meridian

North on a random line
between Sections 5 & 6
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corn
79.91 Intersect north boundary of Township
46 links west of corn to sections
5 and 6 from which corn I run
S 19° 20' W on a true line between
Sections 5 and 6
Variation 13° 40' East
39.91 Set chard post in mound of
Earth with pits as per
instructions for 1/4 sec corn
79.91 The corner of sections
5 6 7 and 8
Land rolling
Soil 2nd Rate

September 24th 1871

Township No 10 North Range No 40 West 6th Meridian

General Description

This Township is a high rolling Prairie and is very very well adapted to grazing the soil is a good quality of 2 Rate land and if water was accessible would produce good crops

List of Names

A list of the names of the individuals employed to assist in running measuring & marking the lines & corners described in the foregoing field notes of Township No 10 north of the base line of Range No 40 west of the 6th principal Meridian showing the respective capacities in which they acted.

Henry Heisel } Chainmen
Frank M. Daugherty }
Henry Lear } Mound men
Oscar P. Milton } Axmen

We hereby Certify that we assisted William E. Daugherty Deputy Surveyor in Surveying & Subdividing Township No 10 north of the base line of Range No 40 west 6th principal Meridian and that said Township has been in all respects to the best of our Knowledge & belief well & faithfully surveyed & the boundary monuments planted according to instructions furnished by the Surveyor General.

Henry Heisel } Chainmen
Frank M. Daugherty }
Henry Lear } Mound men
Oscar P. Milton

Township No 10 North

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 20th day of 1871 Oct - A S Chiles
Probate Judge

I, William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein William E. Daugherty & Martin B. Cutler are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 25th day of May 1871. I have well, faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying manual & the laws of the United States surveyed Township No 10 north of base line of Range 40 west 6th principal Meridian. as represented in the foregoing field notes as having been surveyed under my direction; & I do further solemnly swear that all the corners of said surveys have been es-

Range No 40 West 6th Meridian

tablished & perpetuated in strict accordance with the surveying manual & printed instructions and that the foregoing are the true & original field notes of such survey.
William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth state of Nebraska this 20th day of Oct 1871
A S Chiles
Probate Judge

Township No 10 North | Range No 40 West 6th Meridian

Surveyor General's Office,
Plattsmouth, Nov 25, 1871.

The foregoing field notes of the Survey and Sub-division of Town. No. 10 North of the Baseline of Range No. 40 West of the 6th Principal Meridian, in the State of Nebraska, executed by Wm E. Daugherty, deputy Surveyor, under Joint Contract No. 44, between Wm E. Daugherty and Martin B. Coulter and Joint Contractors, bearing date the 26th day of May, 1871, in the month of September 1871, having been critically examined the necessary corrections and explanations made, the said field notes & the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

Township No 10 North

T 11 N., R 40 West

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

Subdivision of Township
No. 11 North of Range
No 40 West of the
6th Meridian
State of Nebraska

Commenced September 15th 1871
Finished September 19th 1871

By William E. Daugherty
Deputy Surveyor

Township No 11 North

Names of Assistants

Frank M. Daugherty
Henry Heidel } Chainmen

Henry Sear
Oscar P. Millow } Flagmen (Moundmen)

Range No 40 West 6th Meridian

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner of Townships No 10 & 11 North Ranges No 39 and 40 and run thence North on a blank line along the East boundary of Section 36

Variation 14° East

40.00 To a point 11 links west of 1/4 sec corner

80.02 To a point 20 links west of Corner to sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to a ~~Var~~

Variation of 13° 51' East

Subdivisions commenced September 10th 1871

From the corner to sections 1 2 35 and 36 I run (North)

Township No 11 North

North between sections
35 & 36
Variation 14° East

40.00 Set chain post in mound of earth with pits as per instructions for 1/4 section corner

80.00 Set chain post in mound of earth with pits as per instructions for corner to sections 25 26 35 and 36
Land rolling
Soil 2d Rate

Range No 40 East 6th Meridian

East on a random line between sections 25 & 36
Variation 14° East

40.00 Set post for temporary 1/4 sec corner

80.14 Intersect East boundary of Township 16 links North of corner to sections 25 and 36 from which corner I run N 89° 53' W on a true line between sections 25 and 36
Variation 14° East

40.07 Set chain post in mound of earth with pits as per instructions for 1/4 section corner

80.14 The corner of sections 25 26 35 and 36
Land rolling
Soil 2d Rate

Township No 11 North

North between Sections
25 & 26
Variation 13°50' East

~~40.00 Set post for Temporary 1/4 sec cor~~
~~79.90 Intersect East~~

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to sections 23 24 25 and 26
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

East on a random line between Sections 24 & 25
Variation 13°50' East

40.00 Set Post for temporary 1/4 sec cor

79.90 Intersect East boundary of Township 7 links South of corner to Sections 24 and 25 from which corner I run S 89°57' W on a true line between sections 24 and 25
Variation 13°50' East

39.95 Set chain post in mound of Earth with pits as per instructions for 1/4 sec corner

79.90 The corner of sections 23 24 25 and 26
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
23 & 24
variation 14° East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 13 14 23 and 24

Lend nothing

Sol 2 Rate

Range No 40 West 6th Meridian

East on a random line between Sections 13 & 24
variation 14° East

40.00 Set post for temporary 1/4 sec corner

80.10 Intersect East boundary of Township 18 links North of corner to sections 13 and 24 from which corner bears N 89° 53.5' W on a true line between sections 13 and 24
variation 14° East

40.05 Set chaned post in mound of Earth with pits as per instructions for 1/4 section corner

80.10 The corner of sections 13 14 23 and 24

Lend nothing

Sol 2nd Rate

Township No 11 North

North between Sections
13 & 14
Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections 11, 12, 13 and 14
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

East on a random line between Sections 12 & 13
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec cor

80.24 Intersect East boundary of Township 12 links South of corner to Sections 12 and 13 from which corner I run S 89° 35' W on a true line between sections 12 and 13
Variation 13° 40' East

40.12 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.24 The corner of sections 11, 12, 13 and 14
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
11 & 12
Variation 13° 50' East

40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to sections
1 2 11 and 12
Sand rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between
Sections 1 & 12
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corner

80.04 Intersect East boundary of Township
13 links North of corner to sections
1 and 12 from which corner bears
N 89° 54' W on a true line between
Sections 1 and 12
Variation 13° 50' East

40.02 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner

80.04 The corner of sections
1 2 11 and 12
Sand rolling
Soil 2nd Rate

Township No 11 North

North on a random line
between Sections 1 & 2
Variation 14° East
4000 Set post for temporary 1/4 sec cor
80.13 Intersect North boundary of Township
15 links East of corner to sections
1 and 2 from which corner I run
S 6° E on a true line between
Sections 1 and 2
Variation 14° East
40.13 Set chased post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.13 The corner of sections
1 2 11 and 12
Land rolling
Soil 2° Rate

September 15th 1871

Range No 40 West 6th Meridian

North between Sections
34 & 35
Variation 14° East
4000 Set chased post in mound of Earth
with pits as per instructions for
1/4 Section corner
8000 Set chased post in mound of Earth
with pits as per instructions
for corner to sections
26 27 34 and 35
Land rolling
Soil 2° Rate

Township No 11 North

East on a random line between
Sections 26 & 35
Variation 14° East
4000 Set post ~~for~~ Temporary 1/4 Sec corner
7982 Intersect North and south line 32
links South of corner to sections
25 26 35 and 36 from which
corner I run S 89° 46' W on a true
line between sections 26 and 35
Variation 14° East
3991 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 Section corner
7982 The corner to sections
26 27 34 and 35
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
26 & 27
Variation 14° East
4000 Set chaned post in mound of Earth
with pits as per instructions for
1/4 Section corner
8000 Set chaned post mound of Earth
with pits as per instructions for
corner to sections
22 23 26 and 27
Land rolling soil 2nd Rate

Township No 11 North

East on a random line between
Sections 23 & 26
Variation 14° East
40.00 Set post for temporary 1/4 sec corner
80.10 Intersect North and South line 11
links North of corner to sections
23 24 25 and 26 from which
corner I run N 89°55' W on a true
line between sections 23 and 26
Variation 14° East
40.05 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner
80.10 The corner of sections
22 23 26 and 27
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
22 & 23
Variation 14° East
40.00 Set chained post in mound of earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of earth
with pits as per instructions for
corner to sections 14 15 22
and 23
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between Sections 14 & 23
Variation 13° 50' East

40.00 Set post for temporary 1/4 sec corner

80.16 Intersect North and south line 21 links North of corner to sections 13 14 23 and 24 from which corner I run N 89° 51' W on a true line between sections 14 and 23
Variation 13° 50' East

40.08 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner to sections 14 15 22 and 23
Land rolling
Soil 2d Rate

Range No 40 West 6th Meridian

North between Sections 14 & 15
Variation 13° 55' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chased post in mound of Earth with pits as per instructions for corner to sections 10 11 14 and 15
Land rolling
Soil 2d Rate

Township No 11 North

East on a random line between
Sections 11 & 14
Variation 13° 50' East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

8000 Set chained post in mound of Earth
with pits as per instructions
for corner to sections

4000 Set post for temporary 1/4 sec cor

79.88 Intersect North and south line 17 links
South of corner to sections 11 12 13 & 14
from which corner I run S 89° 53' W
on a true line bet sec 11 & 14
Variation 13° 50' East

39.99 Set chained post in mound of Earth with
pits as per instructions for 1/4 sec corner

79.88 The corner of sections
10 11 14 and 15
Level rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

North between Sections
10 & 11
Variation 14° East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

8000 Set chained post in mound of
Earth with pits as per
instructions for corner to
Sections 2 3 10 & 11
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 2 & 11
Variation 14° East

4000 Set ~~chased post in m~~ Temporary 1/4 sec cor
80 12 Intersect North and south line 28
links North of corner to sections 1 2
11 and 12 from which corner I now
N 89° 48' W on a true line between
sections 2 and 11
Variation 14° East

40 06 Set chased post in mound of Earth
with pits as per instructions
for 1/4 section corner
80 12 The corner of sections
2 3 10 and 11
Found wlhing
Sorl 2 Rate

Range No 40 West 6th Meridian

North on a random line between
Sections 2 & 3
Variation 14° East

4000 Set post for temporary 1/4 sec corner
80 ~~00~~ 10 Intersect North boundary 28 links
West of corner to sections 2 and 3
from which corner I now S 12' W
on a true line between sections
2 and 3
Variation 14° East

40 10 Set chased post in mound of Earth
with pits as per instructions
for 1/4 section corner
80 10 The corner of sections
2 3 10 and 11
Found wlhing
Sorl 2 Rate

Township No 11 North

North between Sections
33 & 34
Variation 14° East

40.00 Set chained post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chained post in mound of Earth with pits as per instructions for corner to sections
27 28 33 and 34
Leveled rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 27 & 34
Variation 14° East

40.00 Set post for temporary 1/4 sec cor

80.32 Intersect North and South line 34 links North of corner to sections 26 27 34 and 35 from which corner I run N 89° 45' W on a true line between sections 27 and 34
Variation 14° East

40.16 ~~Intersect~~ Set chained post in mound of Earth with pits as per instructions for 1/4 section corner

80.32 The corner of sections
27 28 33 and 34
Leveled rolling
Soil 2nd Rate

September 16th 1871

Township No 11 North

North between Sections
27 & 28
Variation 13° 45' East

40.00 Set chain post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chain post in mound of Earth with pits as per instructions for corner to 21 22 27 & 28

Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 22 & 27
Variation 13° 45' East

40.00 Set post for temporary 1/4 sec corner

80.14 Intersected North and South line 16 links South of corner to sections 22 23 26 and 27 from which corner I saw S 89° 53' W on a line between sections 22 and 27
Variation 13° 45' East

40.07 Set chain post in mound of Earth with pits as per instructions for 1/4 section corner

80.14 The corner of sections 21 22 27 and 28

Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
21 & 22
Variation 13° 50' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 sec
Corner

8000 Set chased post in mound of Earth with pits as per instructions for corner to sections
15 16 21 and 22
Land rolling
Soil 2d Rate

Range No 40 West 6th Meridian

East on a random line between Sections 15 & 22
Variation 13° 50' East

4000 Set post for temporary 1/4 sec corner

8000 Intersect North and South line 15 links North of corner to sections 14 15 22 and 23 from which corner I run N 89° 54' W on a true line between Sections 15 and 22
Variation 13° 50' East

4000 Set chased post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 The corner of sections
15 16 21 and 22
Land rolling
Soil 2d Rate

Township No 11 North

North between Sections
15 & 16
Variation 14° East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 9 10 15 and 16

Level rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 10 & 15
Variation 13°50' East

40.00 Set post for temporary 1/4 sec corner

80.16 Intersect North and south line 25 links North of corner to sections 10 11 14 and 15 from which corner I run N 89°49' W on a true line between sections 10 and 15
Variation 13°50' East

40.08 Set chaned post in mound of Earth with pits as per instructions for 1/4 Section corner

80.16 The corner of sections 9 10 15 and 16

Level rolling
Soil 2nd Rate

Township No 11 North

North between Sections
9 & 10
Variation 13°37' East

40.00 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

80.00 Set chard post in mound of Earth with pits as per instructions for corner to sections 3 4 9 and 10

Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

East on a random line between Sections 3 & 10
Variation 13°55' East

40.00 Set post for temporary 1/4 sec corner

79.98 Intersect North and South line 35 links North of corner to sections 2. 3. 9 and 10 from which corner I run N 89° 45' W on a line between Sections 3 and 10
Variation 13°55' East

39.99 Set chard post in mound of Earth with pits as per instructions for 1/4 Section corner

79.98 The corner of sections 3 4 9 and 10

Land rolling
Soil 2nd Rate

Township No 11 North

North on a random line
between Sections 3 & 4
Variation 13° 50' East
40.00 Set post for temporary 1/4 sec corner
79.73 Intersect North boundary of Township
~~48~~ 48 links west of corner to
Sections 3 and 4 from which
corner I run S 21' W on a true
line between sections 3 and 4
Variation 13° 50' East
39.73 Set chaud post in mound of
Earth with pits as per instructions
for 1/4 section corner
79.73 The corner of sections
3 4 9 and 10
Land rolling
Soil 2 Rate

Range No 40 West 6th Meridian

North between Sections
32 & 33
Variation 14° East
40.00 Set chaud post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chaud post in mound of Earth
with pits as per instructions
for corner to sections
28 29 32 and 33
Land rolling
Soil 2 Rate

Township No 11 North

East on a random line between
Sections 28 & 33
Variation 14° East

40.00 Set post for temporary 1/4 sec corn
80.10 Intersect North and South line 13 links
South corner to sections 27 28
33 and 34 from which corner I run
S 89° 54' W as a true line between
Sections 28 and 33
Variation 14° East
40.03 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.10 The corner of sections
28 29 32 and 33
Level rolling
Soil 2nd Rate

Range No 40 West of 6th Meridian

North between Sections
28 & 29
Variation 14° East
40.00 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.00 Set chained post in mound of
Earth with pits as per
instructions for corner to
Sections
20 21 28 and 29
Level rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 21 & 28
Variation 14° East

40.00 Set post for temporary 1/4 sec corn
79.82 Intersect North and South line 32
links North of corner to sections
21 22 27 and 28 from which
corner I run N 89° 46' W on a true
line between sections 21 and 28
Variation 14° East

39.91 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
79.82 The corner of sections
20 21 28 and 29
Land nothing
Sol 2nd Rate

September 17th 1871

Range No 40 west 6th Meridian

North between Sections
20 & 21
Variation 14° East

40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of
Earth with pits as per instructions
for corner to sections
16 17 20 and 21
Land nothing
Sol 2 Rate

Township No 11 North

East on a random line between
Sections 16 & 21
Variation 13° 45' East
40.00 Set post for temporary 1/4 sec cor
80.18 Intersect North and South line 12
links South of corner to sections 15
16 21 and 22 from which corn
I find S 89° 55' W on a true line
between sections 16 and 21
Variation 13° 45' East
40.09 Set chained post in mound of Earth
with pits as per instructions
for 1/4 Section corner
80.18 The corner of sections
16 17 20 & 21
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
16 & 17
Variation 13° 55' East
40.00 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Township No 11 North

East on a random line between
Sections 9 & 16
Variation 13°55' East

4000 Set post for temporary 1/4 sec cor
80.04 intersect North and South line 10
links North of corner to sections 9
10 15 and 16 from which corner
bears N 89°56' W on a true line
between sections 9 and 16
Variation 13°55' East

40.02 Set chained post in mound of
Earth with pits as per
instructions for 1/4 section corner

80.04 The corner of sections
8 9 16 and 17
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North between Sections
8 & 9
Variation 13°50' East

4000 Set chained post in mound of Earth
with pits as per instructions for
1/4 Section corner

8000 Set chained post in mound of Earth
with pits as per instructions for
Corner to sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Township No. 11 North

East on a random line between
Sections 4 & 9
Variation 13°40' East

40.00 Set post for temporary 1/4 sec corner
80.12 Intersect North and South line 16
links North of corner to sections
3 4 9 and 10 from which corner
I mark N 89° 53' W on a true
line between sections 4 and 9
Variation 13°40' East

40.04 Set chained post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.12 The corner of sections
4 5 8 and 9
Land rolling
Soil 2nd Rate

Range No 40 West 6th Meridian

North on a random line between
Sections 4 & 5
Variation 13°40' East

40.00 Set post for temporary 1/4 sec corner
80.19 Intersect North boundary of Township
10 links West of corner to sections
4 and 3 from which corner I mark
S 4' W on a true line between
Sections 4 and 3
Variation 13°40' East

40.19 Set chained post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.19 The corner of sections
4 3 8 and 9
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
31 & 32
Variation 14° East

4000 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 Set charred post in mound of Earth with pits as per instructions for corner to sections 29. 30. 31 and 32.
Sand rolling
Soil 2 Rate

Range No 40 West 6th Meridian

East on a random line between Sections 29 & 32
Variation 14° East

4000 Set post for temporary 1/4 sec cor ~~in mound of Earth with pits as per instructions for~~

8000 Intersect North and South line 36 links North of corner to sections 28 29 32 and 33 from which cor I run N 89° 45' W on a true line between sections 29 and 32
Variation 14° East

4000 Set charred post in mound of Earth with pits as per instructions for 1/4 Section corner

8000 ~~Set charred post in~~ The corner of sections 29 30 31 & 32
Sand rolling
Soil 2 Rate

Township No 11 North

East on a random line
between Sections 30 & 31
Variation 14° East

40.00 Set post ~~in~~ for temporary 1/4 sec cor
82.00 Intersected west boundary of Township
32 links North of corner to sections
30 and 31 from which corner bears
N 89° 46' E on a true line between
Sections 30 and 31
Variation - 14° East

42.00 Set chained post in mound of
Earth with pits as per
instructions for 1/4 sec corner
82.00 The corner of sections
29 30 31 and 32
Land rolling
Soil 2nd Rate

Range No 40 East 6th Meridian

North between Sections
29 & 30
Variation 14° East

40.00 Set chained post in mound of
Earth with pits as per instruct
ions for 1/4 Section corner
80.00 Set chained post in mound of Earth
with pits as per instructions
for corner to sections
19 20 29 and 30
Land hilly
Soil 3rd Rate

Township No 11 North

East on a random line between
Sections 20 & 29
Variation 13° 35' East
40.00 Set Temporary 1/4 sec corner
80.12 Intersect North and South line 20
links South of corner to sections
20 21. 28 and 29 from which
corner I run S 89° 31' W on a
true line between sections
20 and 29
Variation 13° 35' East
40.06 Set chaned post in mound of
Earth with pits as per
instructions for 1/4 sec. corner
80.12 The corner to sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

September 18th 1871

Range No 40 West 6th Meridian

West on a random line between
Sections 19 & 30
Variation 14° 10' East
40.00 Set post for temporary 1/4 sec corner
81.45 Intersect West boundary of
Township 27 links South of corner
to sections 19 and 30 from which
corner I run S 89° 48' E and
true line between sections 19 & 30
variation 14° - 10'
41.45 Set chaned post in mound of Earth
with pits as per instructions
for 1/4 section corner
81.45 The corner of sections
19 20 29 and 30
Land rolling
Soil 2nd Rate

Township No 11 North

North between Sections
19 & 20
Variation 14° East

3900 Slough 50 links wide bears East & west water 1 foot deep
40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set chased post in mound of Earth with pits as per instructions for ~~1/4 section corner~~ corner to sections
17 18 19 and 20
Lemd. wlhing
Soil 2 Rate

Range No 40 West 6th Meridian

East on a random line between Sections 17 & 20
Variation 13° 40 East

40.00 Set post for temporary 1/4 sec corner
80.44 Intersect North and South line 25 links North of corner to sections 16 17 20 and 21 from which corner I run N 89° 49' W on a true line between sections 17 & 20
Variation 13° 40' East
40.22 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner
80.44 The corner of sections
17 18 19 and 20
Lemd wlhing
Soil 2 Rate

Township No 11 North

West on a random line between Sections 18 & 19
Variation 13° 40' East

40.00 Set post for temporary 1/4 sec corner
81.12 Intersect West boundary of Township 30 links South of corner to sections 17 18 ~~and~~ 19 & 20 from which corner I run S 89° 47' E on a true line between sections 18 and 19
Variation 13° 40' East
41.12 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner
81.12 The corner of sections 17 18 19 and 20
Lend rolling
Soil 2d Rate

Range No 40 West 6th Meridian

North between Sections 17 & 18
Variation 13° 30' East

40.00 Set chased post in mound of Earth with pits as per instructions for 1/4 section corner
80.00 Set chased post in mound of Earth with pits as per instructions for corner to Sections 7 8 17 & 18
Lend rolling
Soil 2d Rate

Township No 11 North

East on a random line between Sections 8 & 17

Variation 13° 30' East

4000 Set post for temporary 1/4 sec cor

7992 Intersect North and South line 40 links South of corner to sections 8 9 16 and 17 from which corner to ~~sections~~ I run S 89° 43' W on a true line between sections 8 and 17.

Variation 13° 30' East

3996 Set chared post in mound of Earth with pits as per instructions for 1/4 sec corner

7992 The corner of sections 7 8 17 and 18

Land rolling

Soil 2 Rate

Range No 40 West 6th Meridian

West on a random line between Sections 7 & 18

Variation 13° 30' East

4000 Set post for temporary 1/4 sec cor

80.85 Intersect West boundary of Township 18 links North of corner to sections 7 and 18 from which corner I run N 89° 52' E on a true line between Sections 7 and 18

Variation 13° 30' East

4085 Set chared post in mound of Earth with pits as per instructions for 1/4 sec cor

8085 The corner of sections 7 8 17 and 18

Land rolling

Soil 2 Rate

Township No. 11 North

North between Sections
7 & 8
Variation 13° 40' East

40.00 Set chaned post in mound of Earth with pits as per instructions for 1/4 section corner

80.00 Set chaned post in mound of Earth with pits as per instructions for corner to sections 5 6 7 and 8
Land rolling
Soil Black

Range No 40 West 6th Meridian

East on a random line between Sections 5 & 8
Variation 13° 45' East

40.00 Set post for temporary 1/4 sec cor

80.10 Intersected North and South line 10 links North of corner to sections 4 5 8 and 9 from which corner I run N 89° 56' W on a true line between sections 5 and 8
Variation 13° 45' East

40.05 Set chaned post in mound of Earth with pits as per instructions for 1/4 section corner

80.10 The corner to sections 5 6 7 and 8
Land rolling
Soil Black

Township No 11 North

East on a random line between
Sections 6 & 7
Variation 13° 40' East
40.00 Set post for temporary 1/4 sec corn
80.15 Intersect west boundary of Township
12 links south of corner to sections
6 and 7 from which corner I run
S 89° 55' E on a true line between
sections 6 and 7
Variation 13° 40' East
40.15 Set chard post in mound of Earth
with pits as per instructions
for 1/4 section corner
80.15 The corner of sections
5 6 7 and 8
Found nothing
Set 2nd Rate

Range No 40 East 6th Meridian

North on a random line between
Sections 5 & 6
Variation 13° 50' East
40.00 Set post for temporary 1/4 sec corn
80.11 Intersect North boundary of Township
8 links west of corner to sections
5 and 6 from which corner I run
S 3' W on a true line between
Sections 5 and 6
Variation 13° 50' East
40.11 Set chard post in mound of
Earth with pits as per
instructions for 1/4 sec corner
80.11 The corner of sections
5 6 7 and 8
Found nothing
Set 2nd Rate

September 19th 1871

Township No 11 North

General Description

This Township is a high rolling Prairie Soil 2nd Rate affording good rich pasturage ~~but~~ It is not adapted to agriculture but would be if ~~without~~ irrigated.

Range No 40 West 6th Meridian

List of Names

A list of names of men employed to assist in running measuring & marking the lines & corners described in the foregoing field notes of Township No 11 North of base line of Range No 40 west of 6th principal Meridian. showing the respective capacities in which they acted.

Henry Heisel } Chainmen
Frank M. Daugherty }
Henry Lear } Mound men
Oscar P. Milton } Axmen

We hereby Certify that we assisted William E. Daugherty Deputy Surveyor in Surveying and Subdividing Township No 11 north of base line of Range No. 40 west 6th principal Meridian & that said Township has been in all respects to the best of our knowledge & belief well & faithfully surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General.

Henry Heisel } Chain men
Frank M. Daugherty }
Henry Lear } Mound men
Oscar P. Milton }

Township No 11 North Range No 40 West 6th Meridian

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 20th day of September 1871 Od

A S Childe Probate Judge

I, William E. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein William E. Daugherty & Martin B. Cutler are joint contractors with E. E. Cunningham United States Surveyor General for the State of Nebraska bearing date the 25th day of May 1871 I have well faithfully & truly in my own proper person & in strict conformity to the instructions furnished by the Surveyor General the Surveying Manual & the laws of the United States surveyed Township No 11 north of base line of Range No 40 West of the 6th principal Meridian as represented in the foregoing field notes as having been surveyed under my direction; and I do further solemly swear that all the corners of said survey have been established & perpetuated in strict accordance with the Surveying Manual & the printed instructions and that the foregoing are the true & original field notes of such survey.

William E Daugherty
Deputy Surveyor

Subscribed and sworn to before me at my office in the city of Plattsmouth State of Nebraska this 20th day of ~~Sept~~ October 1871

A S Childe Probate Judge

Township No. 11 North

Range No 40 West 6th Meridian

Surveyor Genl's Office
Plattsmouth, Nebr 25th 1871.

The foregoing field-notes of the survey of Township No 11 North of the base line of Range No. 40 West of the 6th Principal Meridian, in the State of Nebraska, executed by Wm E. Daugherty, deputy Surveyor, under joint contract No. 44, wherein Wm E. Daugherty and Martin B. Cutler are joint contractors dated May 26th 1871, in September, 1871, — having been critically examined the necessary corrections and explanations made the said field notes, and the surveys they describe, are hereby approved.

E. E. Cunningham
Surveyor General.

Township No 11 North

T 12 N., R 40 West

6	56	5	42	4	32	3	22	2	13	1
55		54		41		31		21		12
7	53	8	40	9	30	10	20	11	11	12
52		51		39		29		19		10
18	50	17	38	16	28	15	18	14	9	13
49		48		37		27		17		8
19	47	20	36	21	26	22	16	23	7	24
47		46		35		25		15		6
30	46	29	34	28	24	27	15	26	5	25
45		44		33		24		14		5
31	43	32	33	33	23	34	14	35	4	36

Field Notes of the Survey

of the Subdivisions of Township number twelve North of the base line & Range number Forty West of the Sixth Principal Meridian in the State of Nebraska by William Hardin deputy Surveyor under his contract No 40 bearing date the ~~sixth~~ fifth day of August 1870

Subdivision commenced Sept 19th 1870

Subdivision completed Sept 22 1870

A List of the names of assistants and their Several duties

John Glenn Chainman
Charles Gardin Chainman
Fred Weiss Mound builder
S J Seger Mound builder

T 12 N of R 40 W of 6th Principal Meridian

To ascertain the proper adjustment of my compass for Sub-dividing this township I commence at the corner to Townships 11 and 12 N. of Ranges 39 and 40 West and run North from a blank line along the east boundary of Section 36

Chs Va 13° 30' E
40.16 To a point 78 lks East of the 1/4 Sec Cor.
80.19 To a point 117 lks East of the corner to Sections 25 and 36

To retrace this line or run parallel thereto my compass must be adjusted to variation of 14° 30' E

Sub division commenced
September 17th 1870
~~Sept 22 1870~~

T 12 N of R 40 W of 6th P M

Chains	
	From the corner to sections 1, 2 35 and 36 on the south boundary of the township I run North between sections 35 & 36 va 14° 20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
46.50	Drain running S.E
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 25 26 35 and 36 Land level Soil 2d rate

T 12 N of R 40 W of 6th P M

Chs	
	East on a random line between sections 25 and 36 va 14° 20' E
40.00	Set a post for temporary 1/4 sec cor
80.03	Intersected the east boundary of the township 6 chs south of the corner to sections 25 and 36 from which corner I run S 89° 57' W on a true line between sections 25 and 36 va 14° 20' E
40 1/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.03	The corner to sections 25, 26, 35 and 36 Land level Soil 2d rate
	North between sections 25 and 26 va 14° 20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 23, 24 25 and 26 Land level Soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	East on a random line between sections 24 and 25
	Va 14°20' E
~~79.78~~	~~Inters~~
4000	Set a post for temporary 1/4 Sec cor
7978	Intersected the east boundary of the township 22 lks North of the corner to sections 24 and 25 from which corner I run N 89°51' W on a true line between sections 24 and 25
	Va 14°20' E
3989	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
7978	The corner to sections 23, 24, 25 and 26
	Land level soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	North between sections 23 and 24
	Va 14°30' E
40.00	Set a post deposited a charred stake, and raised a mound of earth, with pits as per instructions for 1/4 Sec cor
41.00	Small pond of water 60 lks over and 8 to 12 inches deep
57.00	To middle of Swail bears N W and S E containing a string of ponds of water
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to sections 13 14 23 and 24
	Land level soil 2d rate

T12 S of R 40 W of 6th P M

Chs	
	East on a random line between Sections 13 and 24
	Va 14°30' E
5.00	Low Swail bearing N W & S E
	with a succession of small
49.00	ponds of water
56.00	Set a post for temporary 1/4 Sec cor
	Small pond 3.70 chs over and
	10 inches deep in centre
79.53	Intersected the East bound
	ary of the township at the
	corner to Sections 13 and 24
	from which corner I run
	West on a true line between
	Sections 13 and 24
	Va 14°30' E
39.76½	Set a post - deposited a
	charred stake and raised a
	mound of earth with pits
	as per instructions for
	1/4 Sec cor
79.53	The corner to Sections
	13 14 23 and 24
	Land flat Soil 2nd rate
	Sept 17th 1870

T12 N of R 40 W of 6th P M

Chs	
	North between Sections 13 and 14
	Va 14°35' E
5.00	Centre of a Swail bears N W & S E full of Ponds
25.00	To the middle of a Swail with string
	of Ponds bearing N W and S E
40.00	Set a post - deposited a charred
	Stake and raised a mound
	of earth with pits as per
	instructions for 1/4 Sec cor
80.00	Set a post - deposited a charred
	Stake and raised a mound
	of earth with pits as per instruc
	tions for corner to Sections
	11, 12, 13 and 14
	Land flat, Soil black loam mixed
	with coarse gravel 2nd rate

T12 N of R40 W of 6th P.M.

Chs	
	East on a random line between sections 12 and 13 Va 14° 35' E
35.50	Low swail ~~AW~~ bearing N W and nearly South, with ponds in it
40.00	Set a post for temporary 1/4 Sec cor
79.90	Intersected the east boundary of the township 34 lks North of the corner to sections 12 and 13 from which corner I run N 39 45' W on a true line between sections 12 and 13 Va 14° 35' E
39.95	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.90	The corner to sections 11, 12, 13 and 14 Land flat soil 2d rate

T12 N R40 W of 6th P.M.

Chs	
	North between sections 11 and 12 Va 14° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-cor
80.00	Set a post deposited a charred stake, and raised a mound of earth with pits as per instructions for corner to sections 1, 2, 11 and 12 Land rolling Soil 2d rate

T 12 N of R 40 W of the 6th P.M.

Chs	
	East on a random line between Sections 1 and 12 Va 14° 30' E
40.00	Set a post for temporary 1/4 Sec Cor
44.00	Ravine running S.E.
58.30	Same ravine running N.E.
80.12	Intersected the east boundary of the township 49 lks South of the corner to sections 1 and 12 from which corner I run S 89 39' W on a true line between sections 1 and 12 Va 14° 30' E
40.06	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor.
80.12	The corner to sections 1, 2, 11 and 12
	Land W 1/2 level E 1/2 broken Soil average poor 2d rate

T 12 N of R 40 W of 6th P.M.

Chs	
	North on a true line between Sections 1 and 2 Va 14° 30' E.
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-cor
85.19	Intersected the 3d Standard parallel N at a point 10.47 lks East of the corner to T 13 N Ranges 39 and 40 W. The point for corner being on a stony point and impossible to dig pits I therefore set a post and deposite charred stake and raise a mound of small stones as per instruction for closing corner to sections 1 and 2
	Land rolling Soil 2d rate

T12 N of R40 W of 6th P M

Chs	North between sections 34 and 35
	Va 14°21' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 26 27 34 and 35
	East on a random line between sections 26 & 35
	Va 14°21' E
40.00	Set a post for temporary 1/4 Sec Cor
79.80	Intersected the N and S line 47 lks North of the corner to sections 25, 26 35 and 36 from which corner I run N 89° ~~37~~ 40' W on a true line between sections 26 and 35
	Va 14°21' E
39.90	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.80	The corner to sections 26 27, 34, 35
	Land level soil 2d rate

T12 N of R40 W of 6th P M

	North between sections 26 and 27
Chs	Va 14°30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 22, 23, 26 and 27
	Land rolling soil 2d rate
	East on a random line between sections 23, 26
	Va 14°30' E
40.00	Set a post for temporary 1/4 Sec Cor
80.06	Intersected the N and S line 54 5 lks North of the corner to sections 23 24, 25 and 26 from which corner I run N 89° 37' W on a true line between sections 23 and 26
	Va 14°30' E
40.03	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.06	The corner to sections 22, 23, 26 and 27
	Land level soil 2d rate

T 12 N of R 40 W of 6th P. M.

Chs	North between sections 22 and 23 Va 14°35' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 14 15 22 and 23 Land level soil 2nd rate

T 12 N of R 40 W of the 6th P. M.

Chs	East on a random line between sections 14 and 23 Va 14°35' E
40.00	Set a post for temporary 1/4 Sec Cor
80.35	Intersected the N and S line 75 lks North of the Corner to sections 13, 14, 23 and 24 from which corner I run N 89°28' W on a true line between sections 14 and 23 Va 14°35' E
40.17½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.35	The corner to sections 14, 15, 22 and 23 Land some rolling soil 2nd rate

T12 N of R 40 W of 6th P.M.

Chs	
	North between Sections 14 & 15 Va 14°30' E
40.00	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
61.00	Dry lake lying mostly in Sec 15 containing about 10 acres
65.50	Leave dry lake, bears E. & W.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 10, 11, 14 and 15
	Land gently rolling Soil 2d rate
	Sept 18th 1870

T12 N of R 40 W of 6th P.M.

Chs	
	East on a random line between Sections 11 and 14 Va 14°30' E
40.00	Set a post for temporary 1/4 Sec Cor
40.75	Small bearing N W and S E
80.19	Intersected the N and S line 58 lks north of the corner to sections 11, 12, 13 and 14
	From which corner I run S 89°35' W on a true line between Sections 11 and 14 Va 14°30' E
40.09½	Set a post deposited a charred Stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.19	The corner to sections 10 11 14 and 15
	Land level Soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	North between Sections 10 and 11 Va 14°20' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 2, 3, 10 and 11 Land gently rolling Soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	East on a random line between sections 2 and 11 Va 14°20' E
9.15	Ravine running W of North
40.00	Set a post for temporary 1/4 Sec cor
80.35	Intersected the N. and S. line 82 lks North of the corner to sections 1, 2, 11 and 12 from which corner I run N89°25' W on a true line between sections 2 and 11 Va 14°20' E
40 1/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.35	The corner to sections 2, 3, 10 and 11 Land rolling Soil 2d rate

T12 N of R 40 W of 6th P.M.

Chs	
	North on a true line between sections 2 and 3 Va 14°20'E
35.60	Ravine running W of N.
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor-
77.50	Ravine running N.W
84.00	Intersected chs 3rd stand- and parallel N 11.29 chs East of the corner to sections 35 and 36 T13 N R40 W Where I deposited a charred stake ~~Set~~ a post and raised a mound of earth with pits as per instructions for closing corner to sections 2 and 3
	Land broken soil poor 2d rate

T12 N of R 40 W of 6th P.M.

Chs	
	North between sections 33 and 34 Va 14°21'E
34.00	Low trail bearing N of W and S of E
40.00	Set a post - deposited a char- ed stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor-
80.00	Set a post - deposited a char- ed stake and raised a mound of earth with pits as per instructions for corner to sections 27, 28, 33 and 34
	Land level soil good 2d rate

T 121 N of R 40 W of 6th P M

Chs	
	East on a random line between sections 27 & 28
	Va 14°21'E
40,00	Set a post for temporary 1/4 Sec Cor
79,97	Intersected the N and S line 8 chs north of the corner to sections 26, 27, 34 and 35 from which corner I run N 89°23'W on a true line between Sections 27 and 34
	Va 14°21'E
39,98½	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79,97	The corner to sections 27, 28, 33 and 34
	Land level soil good 2d rate

	North between Sections 27 and 28
	Va 14°30'E
40,00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 21, 22, 27 and 28
	Land level soil good 2d rate

T 12 N of R 40 W of 6th P M

Chs	
	East on a random line between Sections ~~21~~ 22 and ~~28~~ 27
	Va 14°30'E
40,00	Set a post for temporary 1/4 Sec - cor
79,76	Intersected the N and S line 9 chs North of the corner to sections ~~21~~ 22, 23, 26 & 27 ~~and 28~~ from which corner I run
	N 89°20'W on a true line between Sections ~~21~~ 22 and ~~28~~ 27
	Va 14°30'E
39,88	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79,76	The corner to sections 21 22 27 and 28
	Land flat soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	North between sections 21 and 22 Va 14° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
71.70	Low swail - with small ponds of water - bears NW & SE
80.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15, 16, 21 and 22 Land Undulating Soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	To get a close intersection I run S. 89° 24' E on a random line between sections 15 and 22 Va 14° 30' E
40.00	Set a post for temporary 1/4 Sec Cor
79.80	Intersected the N and S. line at corner to sections 14, 15, 22. and 23. From which corner I run N 89° 24' W on a true line between sections 15 and 22 Va 14° 30' E
39.90	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.80	The corner to sections 15, 16, 21 and 22 Land Level soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	North between Sections 15 and 16 Va 14°35'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to Sections 9, 10, 15 and 16 Land level Soil 2d rate

T12 S of R40 W of 6th P.M.

Chs	S89°38'E on a random line between Sections 10 and 15 Va 14°35'E
40.00	Set a post for temporary 1/4 Sec cor N and S line at the
80.22	Intersected the corner to Sections 10 11, 14 and 15 From which corner I run N89°38'W on a true line between sections 10 and 15 Va 14°35'E
40.11	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.22	The corner to Sections 9, 10, 15 and 16 Land level Soil 2d rate Sept 19th 1870

T12 N of R40 W of 6th P.M.

Chs	
	North between Sections 9 and 10
	V 14°30' E
30,75	Ravine runs N W and then N
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 3, 4, 9 & 10
	Land rolling soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	S 89°19' E on a random line between sections 3 and 10
	va 14°30' E
11,85	Ravine running North
40,00	Set a post for temporary 1/4 Sec-cor-
80,57	Intersected the N. and S. line at the corner to sections 2, 3, 10 and 11 from which corner I run N 89°19' W on a true line between sections 3 and 10
	va 14°30' E
40,28½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-cor-
80,57	The corner to sections 3, 4, 9 and 10
	Land rolling soil poor 2d rate

T 13 N of R 40 W of 6th P.M.

Chs	North on a true line between Sections 3 and 4 Va 14°30'E
13.52	Ravine running east
18.30	Ravine " "
28.25	Ravine " "
44.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
44.85	Enter main ravine or gulch running North (coming from E of S) bed about 2 chs wide and composed of beautiful pebbles banks 4 to 8 ft high
60.00	A Ledge of rotten sand stone crops out of bank 1 chain east of line
65.00	Leave ravine running W of N
82.55	Intersected the 3d Standard parallel N 10.40 chs east of the corner to Sections 34 and 35 T 13 N R 40 W Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to Sections 3 & 4
	Land broken soil 3d rate

T 12 N of R 40 W of 6th P.M.

Chs	North between Sections 32 and 33 Va 14°21'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 28 29 32 and 33
	Land rolling soil 2d rate

	East on a random line between Sections 28 & 33 Va 14°21'E
40.00	Set a post for temporary 1/4 Sec cor
80.00	Intersected the N & S. line 67 lks North of the corner to Sections 27, 28, 33 and 34 from which corner I run N 89° 31' W on a true line between Sections 28 and 33 Va 14°21'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
81.00	The corner to Sections 28, 29 32 and 33
	Land slightly rolling soil 2d rate

T12 N of R40 W of 6th P M

Chs	North between ~~Sections~~ 28 and 29 Va 14° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for Corner to sections 20, 21, ~~22, 27 and~~ 28 & 29 Land gently rolling Some thin flat limestone scattered over the surface Soil 2d rate

T12 N of R40 W of 6th P M

Chs	To get a close intersection I run S 89° 30' E on a random line between sections 21 and 28 Va 14° 30' E
40.00	Set a post for temporary 1/4 Sec Cor
80.16	Intersected the N and S line at the corner to sections 21, 22, 27 and 28 from which corner I run N 89° 30' W on a true line between sections 21 and 28 Va 14° 30' E
40.08	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.16	The corner to sections 20, 21, ~~22, 27 and~~ 28 & 29 Land level Soil 2d rate

T 12 N of R 40 W of 6th P. M.

Chs	
	North between sections 20 and 21 Va 14° 30' E
9.00	Swail or draw bears E & W
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
70.00	Draw or Swail bearing N.W & S.E
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections ~~15~~, 16, 17, 20 and 21
	Land rolling soil 2d rate

T 12 N of R 40 W of 6th P. M.

Chs	
	East on a random line between sections 16 and 21 Va 14° 30' E
37.50	Dry lake containing 5 or 6 acres
39.40	Leave dry lake, circular
40.00	Set a post for temporary 1/4 Sec Cor
72.00	Draw bearing N.W & S.E
80.26	Intersected the N and S line 45 lks North of the corner to sections 15, 16, 21 and 22 from which corner I run
	N 89° 41' W on a true line between sections 16 and 21 Va 14° 30' E
40.13	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.26	The corner to sections ~~15~~ 16, 17, 20 & 21
	Land level soil 2d rate

T12 S of R 40 W of 5th P M

Chs	
	North between Sections 16 and 17
	Va 14°25'
9.00	Draw bears E and W
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 & 17
	Land gently rolling
	Soil 2d rate

T12 S of R 40 W of 5th P M

Chs	
	S 89°41' E on a random line between sections 9 and 16
	Va 14°25' E
20.50	Ravine running North
36.00	Same ravine S E
39.00	Same " S E
40.00	Set a post for temporary 1/4 Sec cor
41.00	Main Ravine running W of S.
79.84	Intersected the N and S line 14 Chs North of the Corner to Sections 9 10 15 and 16 from which corner I run
	N 89°35' W on a true line between sections 9 and 16
	Va 14°25' E
39.92	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.84	The corner to Sections 8, 9, 16 and 17
	Land broken Soil 3d rate

T12 N of R 40 W of 6th P M

Chs	North between Sections 8 and 9 Va 14°25' E
4000	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
5050	Ravine running N W
6600	Same running N E
6995	Same " N W
7910	Same " N E
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4, 5, 8 and 9
	Land broken Soil poor 2d rate

T12 N of R 40 W of 6th P M

Chs	S 89° 35' E on a random line between sections 4 and 9 Va 14°25' E
1090	Ravine running E of N
3630	Main Ravine running N. W.
4000	Set a post for temporary 1/4 Sec Cor
5810	Ravine running South
6100	Ravine bounds S W.
8018	Intersected the N and S line 8 Chs South of corner to sections 3 4 9 and 10 from which corner I run. S 89° 38' W on a true line between sections 4 and 9 Va 14°25' E
4009	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8018	The corner to sections 4, 5, 8 and 9. Land Broken Soil poor 2d rate Sept 20th 1870

T 12 S of R 40 W of 6th P M

Chs	
	North on a true line between sections 4 and 5 va 14° 20' E
39.65	Ravine running N.W
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-Cor-
82.10	Intersected the 3d Stand- and parallel N. 9.80 chs East of the corner to sections 33 and 34 T 13 N R 40 W
	Where I set a post- deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 4 and 5
	Land very broken
	Soil gravelly 3d rate

T 12 N of R 40 W of 6th P M

Chs	
	North between sections 31 and 32 va 14° 21' E
2.34	Leave Slough or Quail bean E & W.
40.00	Set a post- deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-Cor-
77.06	Enter a circular dry lake con- -taining about 8 acres
80.00	Set a post in dry basin deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 29 30 31 and 32
	Land gently undulating-
	Soil 2d rate

T12 N of R40 W of 6th P M

Chs	
	East on a random line between Sections 29 and 32 Va 14°21'E
5.70	Leave dry basin bears S.W. & N.W.
40.00	Set a post for temporary 1/4 Sec cor
79.80	Intersected the N and S. line 57 lks North of the corner to Sections 28, 29 32 and 33 From which corner I run S 89°36' W on a true line between Sections 29 and 32 Va 14°21'E
39.90	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. cor
79.80	The corner to Sections 29 30 31 and 32 Land level soil 2d rate

T12 N of R40 W of 6th P M

Chs	
	West on random line between Sections 30 and 31 Va 14°21'E
7.00	Leave dry basin or lake, bears n.E. & S.E.
40.00	Set a post for temporary 1/4 Sec cor
78.19	Intersected the West boundary of the township, on 5th guide mer. W. 42 lks South of the corner to Sections 30 and 31 From which corner I run S 89°42'E on a true line between Sections 30 and 31 Va 14°21'E
38.19	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. cor
78.19	The corner to Sections 29, 30, 31 and 32 Land level soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	North between sections 29 & 30
	Va 14° 30' E
325	Leave dry lake or basin, bears S24°W.
40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 19, 20, 29 and 30
	Land level. Soil 2d rate

	East on a random line between sec 20 & 29
	Va 14° 30' E
40,00	Set a post for temporary 1/4 Sec cor
79,61	Intersected the N and S. line 40 lks North of the corner to sections 20, 21, 28 and 29 from which corner I run N 89° 43' W on a true line between sections 20 & 29
	Va 14° 30' E
3980½	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79,61	The corner to sections 19 20 29 & 30
	Land level soil 2d rate

T12 N of R40 W of 6th P.M.

Chs	
	West on a random line between sections 19 and 30
	Va 14° 30' E.
40,00	Set a post for temporary 1/4 Sec cor
78,72	Intersected the west boundary of the town ship or 5th Guide Mer. W. 68 lks South of the corner to sections 19 and 30, from which corner I run S 89° 34' East on a true line between sections 19 and 30
	Va 14° 30' E
38,72	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
78,72	the corner to sections 19, 20, 29 and 30
	Land Level Soil 2d rate

	North between sections 19 and 20
	Va 14° 30' E
40,00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 17, 18, 19 and 20
	Land level soil 2d rate

T 12 N R 40 W of 5th P M

Chs	East on a random line between sections 17 and 20 Va 14° 30' E
40.00	Set a post for temporary 1/4 Sec cor
79.57	Intersected the N and S line 46 lks north of the corner to Sections 16 17 20 and 21 from which corner I run N 89° 40' W on a true line between sections 17 and 20 Va 14° 30' E
39.78½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor.
79.57	The corner to sections 17, 18 19 and 20 Land level soil 2d rate

T 12 N of R 40 W of 5th P M

Chs	West on a random line between sections 18 and 19 Va 14° 30' E
36.50	Ravine running North
40.00	Set a post for temporary 1/4 Sec cor
79.08	Intersected the North boundary of the township (or 5th Guide Mer. W.) 51 lks South of the corner to sections 18 and 19 from which corner I run S 89° 28' 5" E on a true line between sections 18 and 19 Va 14° 30' E
39.08	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.08	The corner to sections 17, 18, 19 and 20 Land a little rolling soil 2d rate

T 12 N of R 40 W of 6th P M

Chs	North between sections 17 and 18 Va 14° 30' E
4,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7, 8, 17 and 18 Land 1/2 level 1/2 hilly Soil 2d rate

T 12 N of R 40 W of 6th P M

Chs	East on a random line between sections 8 and 17 Va 14° 30' E
10,00	Ravine running W of N
34,00	Ravine running N W
40,00	Set a post for temporary 1/4 Sec cor
77,87	Intersected the N and S line 35 lks North of the corner to sections 8, 9, 16 and 17 From which corner I run S 89° 45' W on a true line between sections 8 and 17 Va 14° 30' E
39,93 1/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79,87	The corner to sections 7, 8, 17 and 18 Land, Broken Soil poor 2d rate Sept 21st 1870

T 12 N of R 40 W of 6th P M

Chs	
	West on a random line between sections 7 and 18
	va 14° 30' E
9.00	Ravine runs N W
27.00	Out crop of stone bears N. W.
31.00	Ravine " N W
35.90	Large ravine descends North
	about 2 chs north of the line a thin layer of sand stone crops out of the banks of the ravine
40.00	Set post for temporary ¼ sec corner
79.64	Intersected the West boundary of the township or 5th Guide Mer. W. 58 lks South of the corner to sections 7 and 18, from which corner I run S 89° 35' East on a true line between sections 7 and 18
	va 14° 30' E
39.64	Set a sand stone 26 X 12 X 3 inches for ¼ sec cor
79.64	The corner to sections 7, 8, 17 18

T 12 N of R 40 W of 6th P M

Chs	
	North between sections 7 and 8
	va 14° 20' E
34.00	Ravine running N W
35.50	Same " N E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for ¼ sec cor
40.30	Same ravine runs N W
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 5, 6, 7 and 8
	Land broken ~~[illegible]~~
	Soil poor 2d rate

T 12 N of R 40 W of 6th P.M.

Chs	East on a random line between sections 5 and 8
	Va 14°20'E
40,00	Set a post for temporary 1/4 sec cor
47,15	Ravine runs North
80,10	Intersected the N and S line 53 lks North of the corner to sections 4, 5, 8, and 9 from which corner I run N 89°35'W on a true line between sections 5 and 8
	Va 14°20'E
40,05	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80,10	The corner to sections 5, 6, 7 and 8
	Land surface broken soil poor 2d rate

T 12 N of R 40 W. of 6th P.M.

	N 89°24' W on a random line between sections 6 and 7
	Va 14°20'E
16,50	Ravine runs N W & ~~loses~~ loses itself in bottom
40,00	Set a post for temporary 1/4 sec cor
57,00	outlet of Ravines, bears N W.
64,50	Leave outlet or out spread of Ravines
79,47	Intersected the West boundary of the township 14 lks South of the corner to sections 6 and 7 from which corner I run S 89°18'E on a true line between sections 6 and 7
	Va 14°20'E
39,47	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79,47	The corner to sections 5 6 7 and 8
	Land sloping North and some broken soil sandy poor 2d rate

T12N of R40W of 6th P.M.

Chs	North on a true line between sections 5 and 6
	Va 14°20'E
40,00	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
82,91	Intersected the 3d Standard parallel N 10,26 chs East of the corner to sections 32 and 33 of T13N R40W
	Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to sections 5 and 6
	Land surface smooth, sloping to the North, soil sandy poor 2d
	Sept 22 1870

General Description

This township is mostly tolerably good 2d rate The Soil of the South half is good black loam and over 20 inches deep mixed with some gravel. The N½ is some what cut up by ravines and is more sandy The Township as a whole is good and would raise good crops of the grains and roots common to the State The Surface of the land presents good facilities for Irrigation The water will have to be furnished by wells & windmills. Probably the ponds in the Swails furnish water throughout the year

Would be a great grazing country abounds in buffalo grass

A list of the names of individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of T12N of R40W of 6th P.M. Showing the respective capacities in which they acted

John Glenn } Chainmen { Fred Weiche } Mound
Charles Harden } { S.L. Seger } Builders

We hereby certify that we assisted William Hardin Deputy Surveyor in Surveying the sub-divisions of township number Twelve North of the base line of Range number Forty West of the Sixth Principal Meridian in the State of Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monument planted according to the instructions furnished by the Surveyor General

John Glass Chainman
Charles Hardin Chainman
Fred. Wake. Mound builder
S. G. Seger Mound builder

Subscribed and sworn to by the above named persons before me a Clerk of the District Court for the County of Lincoln in the State of Nebraska this 29th day of September 1870

R. C. Dougherty
Clerk of the District Court within and for Lincoln County Nebraska

I William Hardin deputy Surveyor do solemnly swear that in pursuance of a contract with R. R. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the sub divisions of Township number Twelve North of the base line of Range number Forty West of the 6th Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such Survey

William Hardin
Deputy Surveyor

Subscribed by said William Hardin deputy Surveyor and sworn to before me a Notary Public for Saunders County in the State of Nebraska this 21st day of Nov 1870

A B Fuller
Notary Public

Surveyor General's Office
Plattsmouth Neb. March 21. 1870.

The foregoing field Notes of the Survey of the Sub-division Lines of Township Number 12 North of the Base Line of Range Number 40 West of the 6th Principal Meridian in the State of Nebraska Executed by William Harding under his Contract of the 5th day of August 1870. in the Month of September 1870. having been Critically Examined the necessary Corrections and Explanations made the said field Notes and the Survey they describe are hereby Approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

622

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.