General Land Office • Original Field Notes

Book Number

623

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(37)

T.13-16N.
R.40 W.

37

INDEX DIAGRAM
of
Town 13 N. Range 40



Meanders. Pt. 68. 69. 70. 71. 72. 73

INDEX DIAGRAM.

of

Town 13 N. Range 40 West



Meanders. Ps. 68. 69. 70. 71. 72. 73

(A.)

Field Notes

T. 13 To 16 N

R 40 W

of the Sixth Principal Meridian North of the Base Line and West of the Sixth Principal Meridian in the State of Nebraska, Surveyed by Nicholas J. Paul, deputy Surveyor under joint No. 21 bearing date the 11th day of June A. D. 1869, wherein Nicholas J. Paul and George A. Gilbert are joint Contractors with Robert R. Livingston United States Surveyor General for the District of Iowa and Nebraska.

Survey commenced August 29th 1869

Survey completed September 4th 1869

Notes
of the
and Subdivision
Township No. 13 North of
the Base Line and Range
No. 40 West of the Sixth
Principal Meridian in the State
of Nebraska, Surveyed by
Nicholas J. Paul, deputy
Surveyor under joint No. 21
bearing date the 11th day
of June a. D. 1869, wherein
Nicholas J. Paul and George
A. Gilbert are joint
Contractors with Robert
R. Livingston United States
Surveyor General for the
District of Iowa and
Nebraska.

Survey commenced
August 29th 1869

Survey completed
September 4th 1869

(B.)

Names and Duties of Assistants.

C. J. Acker	Chainman
W. H. Berry	Chainman
Geo. A. Warren	Moundman
Gustavus Larson	Moundman
John Fennell	Moundman
Edmund Dutton	Flagman

Township 13 N. R 40 W. 6th P.M.

Chains

To determine the proper adjustment of my compass for subdividing this Township I begin at the corner to Townships 13 North, Ranges 39 and 40 West and run North on a blank line along the East Boundary of Section 36 Va. 14° 03' E

40.01 To a point 3 lks East of the 114 sec. cor.

80.03 To a point 6 links East of the corner to secs 25 & 36

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 14° 06' East

Subdivision commenced August 29th 1869

Township 13 N. R 40 W. 6th P.M.

Chains	
	From the corner to Sections 35 and 36 on the South Boundary of the Township I run North between Secs 35 & 36 Var. 14° 06' E.
80.0	Drain course N 10
40.00	Set post, deposited chaned stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
70.00	Leave upland and enter high valley bears N.E. & S.W.
80.00	Set post deposited chained stake and raised mound of earth with pits as per instructions for corner to sections 25. 26. 35 and 36
	Dry rolling prairie Soil, gravelly 3d rate

Township 13 N. R 40 W 6th P.M.

Chains	
	East on random line between Secs 25 and 36 Var. 14° 06' E.
20.00	Leave high valley bears N.E. & S.W.
40.00	Set temporary 1/4 Sec. cor
67.00	Drain course N 10
80.20	Intersected East Boundary 10 links South of the corner to sections 25 and 36 from which corner I run S 89° 56' West on true line between Sections 25 and 36 Var. 14° 06' E.
40.10	Set post deposited chained stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80.20	The corner to sections 25, 26, 35 and 36 Gently Rolling Soil, gravelly 3d rate

Township 13 N. R 40 W. 6th P.M.

Chains

North between Secs 25 & 26
Va, 14° 06' E

40,00 Set post deposited stone and raised mound of earth with pits as per instructions for 1/4 Sec cor

80,00 Set post deposited stone and raised mound of earth with pits as per instructions for corner to sections 23, 24, 25 and 26
Land gently rolling
Surface slopes Northward
Soil gravelly 2nd rate

Township 13 N. R 40 W. 6th P.M.

East on random line
between Secs 24 & 25
Va, 14° 15' E

40,00 Set temporary 1/4 Sec. cor.
80,04 Intersect E. boundary of Township 18 links South of the corner to sections 24 and 25 from which corner S 7 W
S 89° 52' West on true line
between secs 24 & 25
Va, 14° 15' E,
40,02 Set post deposited stone and raised mound of earth with pits as per instructions for 1/4 sec. cor
80,04 The corner to sections 23, 24, 25 and 26
Gently rolling
Soil second rate

Township 13 N. R. 39 40 W 6th P.M.

Chains	
	North between Secs 23 & 24 Va 14° 15' E
35.00	Old Road bears NE and SW.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
17.00	Enter lower Bottom bears E & W.
19.15	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional Secs 23 & 24 on the Right Bank of S Platte river.
	The width of the river as determined by measurement with the chain is 33.35 chains, therefore, the corner to sections 13, 14, 23 and 24 is in the river and cannot be established.
	High Bottom 2nd rate
	Lower Bottom 1st rate

Township 13 N. R. 40 W 6th P.M.

	The line between secs 13 and 24 lies wholly in the river.
	North between sections 13 and 14 Va 14° 21' E,
	Counting distance from the point for corner to secs 13, 14, 23 and 24 in the river.
2.50	Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 13 and 14 on the left Bank of the S Platte river course of river N, E.
27.50	Union Pacific Railroad bears NE and SW.
30.00	Leave low and enter higher Bottom bears E & W.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.

Township 13 N. R. 10 W 6th P.M.

Chains	
11.60	Wagon Road bears NE & SW
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 11, 12, 13 and 14
	Soil Bottom 2nd rate
	Balance, Third rate
	August 29th 1869.

Township 13 N. R. 10 W. 6th P.M.

	East on random line between Secs 12 and 13 Va. 14° 21' E.
40.00	Set temporary 1/4 sec. cor.
78.50	Drain course SW
80.30	Intersected East Boundary 19 links South of the corner to sections 12 and 13 from which corner a sun S 89° 52' West on true line between Sections 12 and 13 Va. 14° 21' E.
40.15	Set post deposited charred Stake and raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.30	The corner to Sections 11, 12, 13 and 14 Land, dry, Sandy Soil, Thirdrate

Township 13 N. R. 10 W 6th P.M.

Chains	
	North between Secs 11 and 12 Var. 14° 21' E
30.00	Leave Valley and enter broken hills bearing N 65° W
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.00	Set post deposited charred stake and raised mound of Earth with pits as per instructions for corner to sections 1, 2, 11 and 12
	Bottom sandy and dry Hills rough broken and gravelly Soil Thirdrate

Township 13 N. R. 10 W 6th P.M.

	East on random line between Secs 1 and 12 Va. 14° 21' E
40.00	Drain course South
40.00	Set temporary 1/4 Sec. cor
43.00	Drain course S.E.
80.40	Intersected East Boundary 12 links South of the corner to sections 1 and 12 from which corner A run S 89° 55' West on true line between secs 1 and 12 Va 14° 21' E
40.20	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.
80.40	The corner to Sections 1, 2, 11 and 12 Very Rough and broken Soil Thirdrate Worthless

Township 13 N. R 40 W 6th P.M.

Chains

North on random line
between Secs 1 and 2
Va, 14° 2 E

15.00 Drain course S W
40.00 Set temporary 1/4 Sec. Cor.
80.15 Intersected North Boundary
42 links West of the
corner to sections 1 and 2 from
which corner Sun
S 18' West on true line
between secs 1 and 2
Va, 14° 2 1' E

15
40.15 Set post deposited chared
Stake and raised mound
of earth with pits as per
instructions for 1/4 sec
cor.

80.15 The corner to sections
1, 2, 11 and 12
Land, rough & broken
Soil, Hardrate

Township 13 N. R 40 W. 6th P.M.

North between Sections 34 & 35
Va, 14° 06' E

40.00 Set post deposited chared
Stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
115.00 Center high Bottom land
bears NE and S W
8000 Set post, deposited chared
stake and raised mound of
earth with pits as per
instructions for corner
to sections 26, 27, 34 and 35
High dry prairie
Surface gently Rolling
Soil gravelly 3rd Rate

Township 13 N. R. 40 W 6th P.M.

Chains	
	East on random line between Secs. 26 & 35 Va. 114° 06' E
40.00	Set post deposited charred stake and raised mound of earth with pits as per for temporary 1/4 sec. cor.
79.94	Intersected N and S line 15 links South of the corner to sections 25, 26, 35 & 36 from which corner A run S 89° 54' West on true line between Secs. 26 and 35 Va. 114° 06' E
39.97	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
79.94	The corner to Sections 26, 27, 34 and 35 Land gently rolling Soil, Second rate

Township 13 N. R. 40 W. 6th P.M.

North between Secs. 26 and 27 Va. 114° 06' E.

40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.
80.00	Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 22, 23, 26 and 27 Gently rolling prairie Surface Slopes Northward Soil Second rate, dry

Township 13 N. R 40 W. 6th P.M.

Chains	
	East on random line between Secs. 23 and 26 Va, 14° 15' E,
40,00	Set temporary 1/4 Sec. cor,
8000	Intersected A and S line 10 lk. South of the corner to Secs. 23, 24, 25 and 26 from which corner A runs S 89° 56' West on true line between Secs, 25 and 26 Va, 14° 15' E,
40,00	Set post deposited charred Stake and raised mound of earth with pits as per instructions for 1/4 Sec cor,
80,00	The corner to sections 22, 23, 26 and 27 Land nearly level prairie Soil, Second rate,

Township 13 N. R 40 W 6th P.M.

Chains	
	North between Secs. 22 and 23 Va, 14° 15' E,
26,00	Old Road, bears NE and SW
33,00	Leave higher and enter lower Bottom bears NE, and SW
4000	Set post deposited charred Stake and raised mound of earth with pits as per instructions for 1/4 sec cor
41,00	Set post deposited charred Stake and raised mound of earth with pits as per instructions for corner to fractional Sections 22 and 23 on the Right and South Bank of S. Platte river course of river N.E, The width of river as found by measurement with the chain is 33.50 chains to which add 41,00 chains the distance to the river makes
74,50	To the North and left

Townships 13 N. R 40 W. 6th P.M.

South Platte

Bank of river; here
Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to fractional Sections
22 and 23

80,00 Set post deposited charred
stake and raised mound
of earth with pits as
per instructions for
corner to sections 14
15, 22 and 23
Land, good rich Bottom
Soil 1st rate

Townships 13 N. R 40 W. 6th P.M.

East on true line between
Sections 14 and 23
Va, 14° 15' E,

40,00 Set post deposited charred
stake and raised mound
of earth with pits as
per instructions for
1/4 Section corner

50,90 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to fractional Sections
14 and 23 on the left
Bank of the S. Platte river, the
corner to sections 13, 14,
23 and 24 being in river,
Land good rich
first rate producing
very heavy grass,

Township 13 N. R 40 W 6th P.M.

Chains	
	North between Secs 14 and 15 Va, 1/4° 15' E.
10,00	Union Pacific Railroad bears N E and S W
35,00	Wagon Road bears NE & SW
40,00	Set post deposited chained stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80,00	Set post deposited chained stake and raised mound of earth with pits as per instructions for corner to sections 10, 11, 14 and 15 Land, Pt 15,00 chains good rich Pt sand Balance gravelly, dry hard and Flintrate

Township 13 N. R 40 W. 6th P.M.

Chains	
	East on random line between Secs, 11 and 14 Va, 13° 57' E,
40,00	Set temporary 1/4 sec. cor. in Drain course S E,
79,70	Intersected N and S line 5 links North of the corner to secs 11, 12, 13 and 14 from which corner B run N 89° 58' West on true line between secs. 11 and 14 Va, 13° 57' E.
3985	Set post, deposited chained stake and raised mound of earth with pits, as per instructions for 1/4 sec. cor. The corner to sections 10, 11, 14 and 15, Hard, dry & gravelly Soil, Flintrate
79,70	

Township 13 N. R. 40 W. 6th P.M.

Chains	
	North between Secs. 10 & 11 Va. 13° 57' E.
16,00	Leave plain valley and enter broken hills bearing NE & SW
41,00	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
79,50	Drain course SE.
80,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 2, 3, 10 and 11, Bottom dry & gravelly Hills rough and broken Soil, Thirdrate

Township 13 N. R. 40 W. 6th P.M.

Chains	
	East on random line between Secs 2 & 11 Va. 13° 57' E
3.00 3,00	Drain course SE
14,00	Set temporary 1/4 Sec cor.
79,66	Intersected N & S line 15 lks. North of the corner to Secs 1, 2, 11 and 12 from which corner a pine 18 ins. diam. bears N 89° 57' West on true line between Secs. 2 & 11 Va. 13° 57' E
39,83	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
79,66	The corner to sections 2, 3, 10 and 11, Land very rough & broken Soil Thirdrate

Township 13 N. R. 40 W. 6th P.M.

Chains		
	North on random line between Secs 2 and 3 Va, 13° 5' E	
40,00	Set temporary 1/4 sec cor,	
50,00	Large Drain course S E,	
74,00	Drain course S W	
80,10	Intersected North Boundary 20 links East of the corner to sections 2 and 3 from which corner A run S 9' E, on true line between secs 2 & 3 Va, 13° 5' E,	
40,10	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor,	
80,10	The corner to sections 2, 3, 10 and 11 Land very rough and broken, Soil Thirdrate	

August 30th 1869

Township 13 N. R 40 W. 6th P.M.

	North between Secs, 33 and 34 Va, 13° 5' E,
25,00	Enter high valley bears E & W,
40,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor,
80,00	Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 27, 28, 33 and 34 Gently rolling prairie Soil second rate

Township 13 N. R. 40 W. 6th P.M.

Chains	
	East on Random line between Secs 27 and 34 Va. 14° 06' E.
40.00	Set temporary 1/4 sec cor.
79.90	Intersected S and S line 12 links South of the corner to sections 26, 27, 34 and 35 from which corner I run S 89° 55' West on true line between Secs 27 and 34 Va. 14° 06' E.
39.95	Set post, deposited chard & stake and raised mound of earth with pits as per instructions for 1/4 sec cor.
79.90	The corner to sections 27, 28, 33 and 34 Land, gently rolling Soil, Second rate

Township 13 N. R. 40 W. 6th P.M.

North between Secs. 27 & 28 Va 14° 06' E

40.00	Set post, deposited chard stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80.00	Set post deposited chard stake and raised mound of earth with pits as per instructions for corner to secs. 21, 22, 27 and 28 Land, gently rolling Soil, Second rate

Township 13 N. R 40 W. 6th P.M.

Chains

East on random line
between secs 22 & 27
Va, 140 ~~&~~ 6' E

40.00 Set Temporary 1/4 sec cor,
79.98 Intersected N and S. line
15 links South of the corner
to sections 22, 23, 26 and 27
from which corner I run
S 89° 57' West on true line
between secs 22 & 27
Va, 44° ~~&~~ 6' E
39.99 Set post deposited chained
stake and raised mound of
earth with pits as per
instructions for 1/4 sec. cor,
79.98 The corner to sections
21, 22, 27 & 28
Land nearly level
high dry bottom
Soil second rate

Township 13 N. R 40 W. 6th P.M.

North between secs, 21 and 22
Va 114° ~~&~~ 6' E,
15.40 Old road bears N.E. and S.W.
17.00 Enter lower bottom bearing
N, East and West at Slough
9.9 links wide bears E & W
26.00 Set post deposited chained
stake and raised mound
of earth with pits as per
instructions for corner to
fractional sections 21 and
22 on the Right and South
Bank of S. Platte river
Course of river N.E.
The width of the river as
determined by measurement
with the chain is 37.70
chains, to which add
26 chains the distance
to the river makes
63.70 To the North and left Bank
of the S. Platte river, here
Set post deposited chained
stake and raised mound

Township 13 N. R 40 W 6th P.M.

Chains	
	of earth with pits as per instructions for corner to fractional Sections 21 and 22
75,30	Union Pacific Railroad bears N.E. & S.W.
8 000	Set post deposited stamped stake and raised mound of earth with pits as per instructions for corner to sections 15, 16, 21 and 22 Land, On South side of river, rich, 1st rate On North side Sandy, dry and second rate

Township 13 N. R 40 W 6th P.M.

	East on random line between Secs. 15 and 22 Va. 114° 06' E
35,30	Union Pacific Railroad bears N.E. and S.W.
40,00	Set temporary 1/4 Sec. cor.
80,00	Intersected R. & I. line 10 lks. North of the corner to sections 14, 15, 22 and 23 from which corner I run N 89° 56' West on true line between Secs 15 and 22 Va 114° 06' E
40,00	Set post deposited stamped stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80,00	The corner to sections 15, 16, 21 and 22 Land level good Soil Second rate
Note.	Brule Station, U.P.R.R. is in S.E. 1/4 of sec. 15.

Township 13 N. R 40 W. 6th P.M.

Chains

North between Secs 15 & 16
Va 114° 06' E

2,000 Wagon Road bears N.E. & S.W.

31,50 Drain course S.E.

40,00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.

78,00 Leave valley and enter hills bearing N.E. and S.W.

80,00 Set post, deposited charred stake and raised mound of earth with pits, as per instructions for corner to sections 9, 10, 15 and 16
Hills. Rough & broken
Valley Dry sandy
Soil, Secondrate

Township 13 N. R 40 W 6th P.M.

East on random line
between Secs 10 and 15
Va, 13° 57' E.

10,00 Leave hills and enter valley bearing N.E. and S.W.

40,00 Set temporary 1/4 Sec. cor.

61,50 Drain course S.E.

79,96 Intersected N and S line 5 chs South of the corner to sections 10, 11, 14 and 15 from which corner I run
S 89° 58' West on true line
between Secs. 10 and 15
Va, 13° 57 E.

39,98 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.

79,96 The corner to sections
9, 10, 15 and 16
Hills, broken. Soil 3d rate
Valley sandy & gravelly
Soil second rate

Township 13 N. R 40 W. 6th P.M.

Chains	
	North between Secs, 9 & 10 Va, 13° 5, 7'E
40,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor;
80,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 3, 4, 9 and 10, Land, broken clay hills Soil, Hydrate worthless

Township 13 N. R 40 W. 6th P.M.

	East on random line between Secs, 3 & 10, Va, 13° 5 7'E
40,00	Set temporary 1/4 Sec, cor;
40,25	Drain course S.E;
78,75	Drain course S.E
80,10	Intersected N & S. line 10 lks North of the corner to secs, 2, 3, 10 and 11 from which corner B. bears N 89° 56' West on true line between secs 3 & 10 Va, 13° 5 7'E
40,05	Set post deposited, charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor;
80,10	The corner to sections 3, 4, 9 and 10 Land very rough & broken Soil, clayey Hydrate.

Township 13 N. R. 10 W. 6th P.M.

Chains

North on random line
between Secs 3 and 4
Va, 13° 5 7/8 E

13,00 Leave broken hills and enter table land bearing E. & W.

40,00 Set temporary 1/4 sec. cor.

79,95 Intersected North Boundary 10 links East of the corner to sections 3 and 4 from which corner Bears S. 1/4 E. on true line between Secs 3 & 4 Va, 13° 5 7/8 E

39,95 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.

79,95 The corner to sections 3, 4, 9 and 10
1st 13 chains broken, 3d rate
Balance level 2nd rate
August 31st 1869

Township 13 N. R. 10 W. 6th P.M.

North between Secs 32 and 33
Va, 13° 5 7/8 E,

24,00 Enter high valley bears E. & W.

40,00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.

80,00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to secs. 28, 29, 32 and 33, Upland rolling prairie Soil Third Rate Valley Slopes gently Northward, Soil, 2nd rate

Township 13 N. R 40 W. 6th P.M.

Chains

East on random line
between Secs. 28 and 33
Va. 13° 5' E.

40.00 Set temporary 1/4 sec. cor.
80.00 Intersected N and S line 10 lks.
South of the corner to secs
27, 28, 33 and 34 from which
corner I run
S 89° 56' W. on true line
between Secs. 28 and 33
Va. 13° 5' E
41.00 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 sec. cor.
80.00 The corner to sections 28,
29, 32, and 33
Land, nearly level
Soil, Second rate,

Township 13 N. R 40 W. 6th P.M.

North between secs 28 & 29
Va. 13° 5' E.

40.00 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 sec. cor.
79.50 Old Road bears N.E. and S.W.
80.00 Set post deposited charred
stake and raised mound of
earth with pits as per
instructions for corner to
sections 20, 21, 28 and 29
Land gently Rolling
Soil, Second Rate

Township 13 N. R. 40 W. 6th P.M.

Chains

East on random line
between Secs. 21 and 28
va. 114° 00' E.

2.00 Old Road bears NE & SW.

4.00 Set temporary 1/4 Sec cor.

80.02 Intersected S and S line 6 links South of the corner to sections 21, 22, 27 and 28 from which corner I run S 89° 57' West on true line between Secs. 21 and 28
va. 114° 00' E.

110.01 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor.

80.02 The corner to sections 20, 21, 28 and 29
Land, nearly level
Soil, Sandy Second rate

Township 13 N. R. 40 W. 6th P.M.

North between Secs 20 and 21
va. 114° 00' E.

2.50 Enter lower Bottom bears
NE and SW

20.95 Set post deposited charred stake and raised mound of Earth with pits as per instructions for corner to fractional sections 20 and 21 on the Right Bank of South Platte river, running NE.
The width of the river, found by measurement with the chain is 37.45 chains to which add 20.95 chains, the distance to the river makes

58.40 To the left and North Bank of the river; - then Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 20 and 21 on the left Bank of S. Platte River

Township 13 N. R 40 W. 6th P.M.

Chains	
65.00	The Union Pacific Railroad bears NE and SW,
80.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 16, 17, 20 and 21
	The higher Bottom land on South side of river is sandy, Soil second rate
	The lower Bottom is good sich 1st rate grass land,
	On North side of river the land is high dry hard, Sandy and gravelly Soil Second rate

Township 13 N. R 40 W 6th P.M.

Chains	
	East on random line between Secs. 16 and 21 Var. 14° 6' E.
40.00	Set temporary 1/4 Sec. cor.
80.22	Intersected N & S. line 8 links North of the corner to sections 15, 16, 21 and 22 from which corner a tree S 89° 57' West on true line between secs 16 and 21 Var. 14° 6' E
40.11	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 Sec cor,
80.22	The corner to sections 16, 17, 20, and 21 Land Sandy and gravelly Soil Hardrate

Township 13 N. R. 4 0 W. 6th P.M.

Chains	
	North between Secs. 16 and 17 Va. 1 4 0 6' E.
4.00	Wagon Road bears N.E. & S.W.
27.50	Drain course S. E.
40.00	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
50.00	Leave Valley and enter broken hills bearing N.E. and S.W.
80.00	Set post, deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 8, 9, 16 and 17 Land, hard dry sand and gravel Soil, worthless Third rate

Township 13 N. R. 4 0 W. 6th P.M.

	East on random line between Sections 9 & 16 Va. 13° 5 7' E.
40.00	Set temporary 1/4 sec. cor.
56.00	Drain course S. E.
80.16	Intersected N. and S. line 5 Chs. North of the corner to sections 9, 10, 15 and 16 from which corner I run N. 89° 58' West on true line between Secs. 9 and 16 Va. 13° 57' E.
40.08	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80.16	The corner to sections 8, 9, 16 and 17 Land, broken, Sandy and gravelly Soil, Third rate

Township 13 N. R 40 W. 6th P.M.

Chains	
	North between Secs 8 and 9 Va, 18°57' E,
38,00	Drain course S.S.
41,000	Set post deposited chared stake and raised mound of earth with pits, as per instructions for 1/4 sec. cor,
80,00	Set post, deposited chared stake and raised mound of earth with pits as per instructions for corner to secs 4, 5, 8 and 9 -
	Land, broken gravely Bluffs
	Soil, worthless Timbered

Township 13 N. R 40 W. 6th P.M.

	East on a random line between Sections 4 and 9 Va, 18°57' E,
26,00	Drain course S.E,
39,60	Drain course S.W.
40,00	Set temporary 1/4 Sec. cor,
80,10	Intersected N and S line 5 lks North of the corner to secs, 3, 4, 9 and 10 from which corner S 89°58' West on true line between secs, 4 and 9 Va, 13°57' E,
40,05	Set post deposited chared stake and raised mound of earth with pits as per instructions for 1/4 Sec, cor,
80,10	The corner to sections 4, 5, 8 and 9
	Land, broken hills
	Soil Timbered

Township 13 N. R 40 W. 6th P.M.

Chains

North on random line
between Secs 4 and 5
Var. 13° 5' E

2.50 Drain course East
24.00 Drain course S.E.
40.00 Set temporary 1/4 sec. cor.
80.07 Intersected North Boundary
10 links East of the corner
to sections 4 and 5 from
which corner I run
S. 4' E. on true line
between Sections 4 and 5
Var. 13° 5' E
40.07 Set post, deposited charred
stake and raised mound of
earth with pits as per
instructions for 1/4 Sec. cor.
80.07 The corner to sections 4,
5, 8 and 9
Land, Broken Hills
Soil, Worthless. Thirdrate

Township 13 N. R. 40 W. 6th P.M.

North between Secs. 31 and 32
Var. 14° 15' E.

30.00 Enter high Valley bears E. & W.
40.00 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
80.00 Set post, deposited charred
stake and raised mound
of earth with pits as per
instructions for corner
to sections 29, 30, 31 and 32
Land nearly level, sloping
gently Northward
Soil, gravelly 2nd rate

Township 13 N. R 10 W. 6th P.M.

Chains

East on random line
between Secs. 29 and 32
Va. 14° 21' E

40.00 Set temporary 1/4 Sec. cor.
79.90 Intersected N & S line 10 lks
North of the corner to sections
28, 29, 32 and 33 from which
corner B run
N 89° 56' West on true line
between Secs, 29 & 32
Va. 14° 21' E
39.95 Set post, deposited chained
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
79.90 The corner to sections
29, 30, 31 and 32
Land nearly level
Soil Second rate

Township 13 N. R 10 W. 6th P.M.

West on random line
between Secs 30 and 31
Va. 14° 21' E
40.00 Set temporary 1/4 Sec. cor,
80.23 Intersected West Boundary
at the corner to Secs 30 &
31 from which corner A run
East on true line between
sections 30 and 31
Va. 14° 21' E.
40.23 Set post deposited chained
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor,
80.23 The corner to sections 29,
30, 31 and 32
Land level prairie
Soil Sandy 2nd rate

Township 13 N. R 40 W. 6th P.M.

Chains

North between Secs, 29 & 30
Va, 14° 21' E,

14.00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for ¼ sec cor.

59.00 Old Road bears N.E, and N.W,

79.00 Enter lower Bottom bears E & W.

80.00 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1 corner to sections 19, 20, 29 and 30

Land, nearly level
Soil, good 2nd rate

September 1st 1869

Township 13 N. R 40 W. 6th P.M.

East on random line
between Secs 20 and 29
Va, 14° 21' E

40.00 Set temporary ¼ sec cor,

50.00 Leave lower and enter higher bottom bears N.E & S.W.

80.06 Intersected A and S line at the corner to sections 20, 21, 28 and 29 from which corner A bears West on true line
between Secs 20 and 29
Va, 14° 21' E,

14.03 Set post, deposited charred stake and raised mound of earth with pits as per instructions for ¼ sec. cor.

80.06 The corner to secs. 19, 20, 29 and 30

Lower Bottom 1st rate
Balance good 2nd rate

Township 13 N. R 40 W. 6th P.M.

Chains

West on true line between
Sections 19 and 30
Va. 14° 21' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec cor.

79.67 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 19 and 30 on the Right Bank of S. Platte river. The corner to secs. 19 and 30 in West Boundary of the township is in the river.

Course of river N.E.
Land level Bottom
Soil good rich 1st rate

Township 13 N. R 40 W. 6th P.M.

North between Secs. 19 and 20
Va. 14° 21' E.

19.45 Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional Sections 19 and 20 on the Right and South Bank of S. Platte river
Course of river N.E.
Width of river on line between secs 19 and 20, as found by measurement with the chain is 32.67 chains to which add 1945 chains makes

52.12 To the Left and North Bank of S. Platte River; A pine
Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to fractional sections 19 and 20

54.75 The Union Pacific

Township 13 N. R. 40 W. 6th P.M.

Chains

69.00 Railroad bears N.E. & S.W.

80.00 Wagon Road bears N.E. and S.W.
Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 17, 18, 19 and 20
Land on South side of river good rich 1st rate
On North side of river the land is sand and gravel mixed
Soil, Thirdrate

Township 13 N. R. 40 W. 6th P.M.

East on random line between Secs. 17 and 20
Va. 13° 57' E.

40.00 Set temporary 1/4 sec. cor.

50.00 Wagon Road bears N.E. and S.W.

79.92 Intersected N. and S. line 10 links South of the corner to sections 16, 17, 20 and 21 from which corner I run S 89° 56' West on true line between Secs. 17 and 20
Va. 13° 57' E.

39.96 Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.

79.92 The corner to sections 17, 18, 19 and 20
Land, Sandy & gravelly
Soil, Thirdrate

Township 13 N. R. 40 W. 6th P.M.

Chains	
	West on random line between secs. 18 and 19 Va. 13° 5 7/8 E.
40,00	Set post for temporary 1/4 sec. cor
80,07	Intersected West Boundary 5 links North of the corner to secs 18 and 19 from which corner I run N 89° 58' East on true line between secs. 18 & 19 Va. 13° 5 7/8 E.
40,07	Set post, deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80,07	The corner to sections 17, 18, 19 and 20 Land, dry hard, Sandy and gravelly, Soil 3rd rate

Township 13 N. R 40 W. 6th P.M.

North between secs. 17 and 18 Va. 13° 5 7/8 E

37,80	Drain course SE
38,00	Leave valley and enter broken hills bearing NE and SW
4000	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor,
80,00	Set post deposited charred stake and raised mound of earth with pits as per instructions for corner to sections 7, 8, 17 and 18 Land, Sandy and gravelly Soil, Thirdrate

Township 13 N. R. 10 W. 6th P.M.

Chains

East on random line
between Secs. 8 and 17
Va. 13° 5' E.

40 00 Set temporary 1/4 Sec. cor.
44.00 Drain course S.E.
79.90 Intersected N and S line
5 links South of the corner
to secs. 8. 9. 16 and 17 from
which corner Sun
S 89° 58' West on true line
between sections 8 & 17
Va. 13° 5' E.
39.95 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
79.90 The corner to sections
7. 8. 17 and 18
Land hilly and broken
Soil Third rate

Township 13 N. R. 10 W. 6th P.M.

West on random line
between sections 7 & 18
Va. 13° 5' E.

23.50 Drain course South
40.00 Set temporary 1/4 sec. cor.
63.00 Drain course South
79.93 Intersected West Boundary
10 links North of the corner
to secs 7 and 18 from
which corner Sun
N 89° 56' East on true line
between Secs 7 and 18
Va. 13° 5' E.
39.93 Set post deposited charred
stake and raised mound
of earth with pits as per
instructions for 1/4 sec. cor.
79.93 The corner to secs 7. 8.
17 and 18
Broken gravelly Bluffs
Soil, Third rate

Township 13 N. R. 40 W. 6th P.M.

Chains	
	North between Secs. 4 & 8 Va. 13° 5 7' E.
40,00	Set post deposited chained Stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
50,00	Drain course N. E.
53,00	Large Drain course S. E.
80,00	Set post deposited chained Stake and raised mound of earth with pits as per instructions for corner to sections 5, 6, 7 and 8
	Broken, gravelly Bluffs Soil worthless, Timbered

Township 13 N. R. 40 W. 6th P.M.

	East on random line between secs. 5 and 8 Va. 13° 5 7' E.
40,00	Set temporary 1/4 sec. cor.
80,06	Intersected N and S line at the corner to sections 4, 5, 8 and 9 from which corner Spruce
	West on true line between Sections 5 and 8 Va. 13° 5 7' E
40,03	Set post deposited chained stake and raised mound of earth with pits as per instructions for 1/4 Sec. cor.
80,06	The corner to sections 5, 6, 7 and 8 Land, rough broken hills Soil, gravelly Timbered

Township 13 N. R. 10 W. 6th P.M.

Chains	
	West on random line between secs 6 and 7 Va. 13° 5' E.
10,00	Large Drain course S.E.
40,00	Set temporary 1/4 sec cor.
79,87	Intersected West Boundary of the Township 15 links South of the corner to sections 6 and 7 from which corner B run S 89° 54' East on true line between sections 6 and 7 Va. 13° 5' E
39,87	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. corner.
79,87	The corner to sections 5, 6, 7 and 8 Land broken Clay hills Soil, Third rate

Township 13 N. R. 10 W. 6th P.M.

	North on random line between secs 5 and 6 Va. 13° 5' E
40,00	Set temporary 1/4 sec cor.
80,10	Intersected North Boundary of the Township 15 links East of the corner to sections 5 and 6 from which corner B run S. 6' E. on true line between secs 5 and 6 Va. 13° 5' E.
40,10	Set post deposited charred stake and raised mound of earth with pits as per instructions for 1/4 sec. cor.
80,10	The corner to sections 5, 6, 7 and 8 Broken clay hills Soil, worthless, Thirdrate.

Township 13 N. R. 40 W. 6th P. M.

Meanders of the Right Bank of Platte river through the Township.

Begin at the corner to fractional secs. 25 and 30 in the West Boundary of the Township and on the Right and S. E. Bank of the river, and run thence down stream with Meanders of the Right Bank of said river, in fractional section 30, as follows;

Courses	Distances	Remarks,
N. 50½ E	78 2	To the corner to fractional sections 19 and 30; thence in section 19;—
N 78½ E	4,00	Good rich Bottom
N. 60° E	7,00	Banks 3 feet high.
N 76¾ E	32,30 3	To the corner to fractional sections 19 and 20; thence in section 20;—
N 87° E	29,00	Good rich Bottom
S 83° E	17,00	Banks 3 feet high,
S 73½ E	10,00	Good grass land

Township 13 N. R. 40 W. 6th P. M.

Courses	Distances	Remarks,
N 78½ E	24,93 4	To the corner to fractional sections 20 and 21; thence in section 21; Sept 2nd 1869
S 73° E	4,00	Good rich Bottom
N 78½ E	25,00	Soil 1st rate
S 81½ E	26,00	Banks 2 to 3 feet high,
N 80° E	25,00	
N 62° E	1,52 5	To the corner to fractional sections 21 and 22; thence in section 22;
N 81¼ E	41,00	Good rich Bottom
N 68½ E	11,00	Soil 1st rate
N 80½ E	29,72 6	To the corner to fractional secs 22 and 23; thence in section 23;—
N 86° E	30,00	28,00 Leave low Bottom
S 82½ E	23,00	Soil 1st rate
N 79° E	25,00	2500 Reuter low Bottom
N 32° E	5,00 7	To the corner to fractional secs 23 & 24 then in section 24;—
N 89° E	16,00	Good rich land
N 62° E	31,00	Bank 2 to 6 feet high
N 71¼ E	38,60 8	To the corner to

Township 13 N. R. 140 W.

fractional sections 19 and 24 on the Right and S.E. Bank and in the East Boundary of the Township
Land good rich, Bottom producing a good growth of grass and not subject to overflow.

Township 13 N. R. 140 W. 6th P.M.

Meanders of the Left Bank of S. Platte river through the Township.

Begin at the corner to fractional sections 13 & 18 in the East Boundary of the Township and on the left and North Bank of the river, and run thence up stream with the meanders of the left Bank of said river in fractional section 13, as follows:

S 67° W.	35.00	Good rich, 1st rate
S 71° W	17.00	producing heavy grass
S 82½ W	18.00	Banks 3 feet high
S 51° W	8.00	
S 76½ W	7.90	To the corner to fractional
	10	sections 13 & 14; thence
		in section 14:-
S 85½ W	29.15	To the corner to fractional
	11.	sections 14 & 23; thence
		in section 23:-

over

Township 13 N. R 40 W. 6th P.M.

Courses	Distances	Remarks.
S 83° W	10,00	
S 85½° W	22,00	
S 82½° W	19,27 12	To the corner to fractional sections 22 and 23, thence in sec 22,
S 80½° W	30,00	Land, rich Bottom
S 84½° W	27.00	Banks 3 to 6 feet high
S 84° W	20.00	Good grass land
S 76° W	3,82 13	To the corner to fractional secs 21 & 22, thence in section 21,—
N 79° W	5,50	Hard dry Bottom
S 87½° W	22,00	Soil secondrate
S 85° W	23,00	Banks 4 to 10 feet high
S 83½° W	30,00 14	To the corner to fractional sections 20 and 21, thence in section 20,—
N 87° W	2,00	
S 84¼° W	15,00	
N 89½° W	42,00	
S 74° W	21.70 15	To the corner to fractional secs 19 and 20, thence in section 19,—

Township 13 N. R. 40. W. 6th P.M.

Courses	Distances	Remarks.
S 88° W	22,00	
S 83° W	34 00	29,50 Mouth of Drain
S 64° W	27,25 16	To the corner to fractional sections 19 and 24 in the West Boundary of the Township and on the Left and North Bank of the river At 2,00 chains on last course enter lower Bottom said good rich 1st rate Balance along this line dry, gravelly and 3d rate Banks 6 to 12 feet high. September 4th 1866

Township 13 N. R 40 W. 6th P.M.

General Description:

That portion of this Township lying South of Platte valley is mostly hard, dry prairie gently rolling. Soil, 2nd and 3d rates.

The valley is mostly 1st rate land particularly on the South side of the river, the North side being too dry hard and gravelly.

The valley near the river is well adapted to grazing as it produces very heavy rich grass. The Union Pacific Railroad passes through the valley on the North side of the river. The "Old California crossing" is about 5.00 Chains West of the West Boundary of this Township.

Township 13 N. R 40 W. 6th P.M.

Brule Siding on the Union Pacific Railroad, is in the South East Quarter of section 15. North of the valley in this Township the land is broken Clay hills Soil Thin Sandstone and worthless

Township 13 N. R. 40 W. 6th P.M.

A List of Names.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field Notes of Township No. 13 North of the Base Line of Range No. 40 West of the Sixth Principal Meridian in the State of Nebraska showing the respective capacities in which they acted:-

C. J. Acken, Chainman.
W. H. Berry, Chainman.
Geo. A. Warren, Cornerman.
Gustavus Larson, Cornerman.
John Flemell, Cornerman.
Edmund Dutton, Flagman.

Note: See Book "C" of Exterior Lines, for affidavit of Gustavus Larson, Cornerman.

State of Nebraska }
County of Douglas } S.S.

We, Hereby certify that we assisted N. J. Paul, Deputy Surveyor, in Surveying and Subdividing Township No 13 North of the Base Line, Range 10 West of the Sixth Principal Meridian in the State of Nebraska, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed and the Boundary Monuments planted, according to the Instructions furnished by the Surveyor General,

O. F. Aiken Chainman
W. H. Berry Chainman
John Spencer Mounduman
Geo. A. Warren Mounduman
Edmund Dutton Flagman

Subscribed & Sworn to by the above named persons before me a Notary Public in and for Douglas County State of Nebraska this 12th day of October A.D. 1869.

Byron Reed
Notary Public

I, Nicholas J. Paul, Deputy Surveyor, do Solemnly swear that in pursuance of a joint contract wherein Nicholas J. Paul and George D. Gilbert are joint contractors with Robert R. Livingston, United States Surveyor General, for the District of Iowa and Nebraska, bearing date the 11th day of June 1869, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws ~~of the laws~~ of the United States, Surveyed and subdivided Township No 13 North of the Baseline Range No 10 West of the Sixth Principal Meridian in the State of Nebraska, as represented by the foregoing field Notes as having been done under my

direction; and I do further
Solemnly swear that all
the corners of said Survey
have been established and
perpetuated in Strict
accordance with the
Surveying Manual and
printed instructions and
that the foregoing are the
true and original
Field Notes of such
Survey.

Nicholas J. Paul
Deputy Surveyor

Subscribed by said Nicholas
J. Paul, Deputy Surveyor,
and sworn to before
me a Notary Public for
Douglas County in
the State of Nebraska
this 28th day of October
A.D. 1869.

Byron Reed
Notary Public

...ss I hereby certify
...d N. J. Paul, Deputy
...veying the exterior
... Subdividing
...ers (13) thirteen North
...ines to (40) forty, both
... of the (6th) Sixth
...ian, Nebraska.

Surveyor Generals Office
Plattsmouth Neb. Mar. 24. 1870
The foregoing filed Notes of the Survey
of the Sub-Division lines and Meanders
of Townships No. 13 North of the
Base Line, Range Two. 40 West of
the 6th Principal Meridian in
the State of Nebraska. Executed
by Nicholas J. Paul. Deputy Sur-
veyor, under Joint Contract No 21
dated June 21st 1869. Wherein
Nicholas J. Paul and George T. Gilbert
are Joint Contractors. in the months
of August and September 1869.
having been Critically Examined
the necessary Corrections and Explan-
ations made the said field Notes
and the Surveys they describe are
hereby approved.

Robt. R. Livingston
Surveyor General.

Douglas County
State of Nebraska } ss I hereby certify
that I assisted S. J. Paul, Deputy
Surveyor, in surveying the exterior
boundaries and subdividing
townships numbers (13) thirteen North
Ranges (25) twenty five to (40) forty, both
inclusive, west of the (6th) Sixth
Principal Meridian, Nebraska,
and that said townships have been in
all respects, to the best of my knowledge
and belief, well and faithfully surveyed
and the boundary monuments planted
according to the instructions furnished
by the Surveyor General.
Gustavus Larson Moundsman
Subscribed and Sworn to by the above named
person, before me a Notary Public in and
for said County this 16th day of September
1869
John M. Clark
Notary Public

Field Notes.

of the

Subdivision lines in Township Number 14 North, Range Number 40 West of the 6th Principal Meridian in the State of Nebraska

No 38

Subdivision commenced
Sept. 2nd. 1870
Completed
September 16th 2nd. 1870.

Names of Assistants.

Fred. Ketterer } Chainmen
Wm. Schulz }
Wm. Tiemann } Moundmen
Fred Daub }
Herrmann Liesinger

N.° 6. PM.

6	35	5	27	4	21	3	14	2	8	1	
37		36		26		20		14		7	
7	36	8	26	9	20	10	13	11	6	12	
35		34		25		19		13		6	
18	34	17	25	16	19	15	12	14	5	13	
33		32		24		18		12		4	
19	32	20	24	21	18	22	11	23	4	24	
31		30		23		17		10		3	
30	30	29	23	28	16	27	10	26	3	25	
29		28		22		16		9		2	
31	28	32	22	33	15	34	9	35	1	36	

To determine the proper adjustment of my Compass for Subdividing this Township, I commence at the Cor. to Townships 13 and 14 North Ranges 39 and 40 West and run North, on a blank line along the East boundary of the Township between Sections 314 36.

Var. 14.° 6' E.

40.00 To a point 12 links West of the 1/4 Sec. Cor
80.00 To a point 14 links West of the Cor. to Secs. 30. 31. 25 and 36.
to retrace this line, or run parallel thereto my Compass must be adjusted to a
Variation of 14.° 00' E.

From the Cor. to Secs. 1. 2. 35 and 36 on the South boundary of the Township I run thence

Townships 14 N. Range 40 W

North between Secs. 35 and 36.
Var. 14°. 00' E.

25.00 deep ravine, drains S.E.

40.00 Set post in Bluffs on side of a hill deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

46.00 leave Bluffs, enter Table Lands. bearing S.E.

80.00 Set ~~stake~~ post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 25. 26. 35 and 36.

Land, South part very hilly
North part, level.
Soil 3d rate.

Townships 14 N. Range 40 W.

East on a random Line between Secs. 25 and 36.
Var. 14°. 00' E.

40.00 Set stake for temporary 1/4 Sec. Cor.

80.20 Intersect East line of Sec. 36. 15. links South of the Cor between Secs. 25. and 36 on East line of the Township, from which Cor. 3 ~~run~~ S. 89°. 54' W. on a true Line between Secs. 25 and 36.
Var. 14°. 00' E.

40.10 Set post, deposit charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.20 The Cor. to Secs. 25. 26. 35 and 36.

Land Level
Soil 2d rate.

Township 14 N. Range 40 W.

North between Secs 25 and 26.
Var 14°. 00'. E.

40.00 Set post, deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80,00 Set post deposite charred stake, and raised mound of earth with pits for the Cor. to Secs. 23. 24. 25 and 26.

Land level.
Soil 2d rate.

East on a random Line between Secs. 24 and 25.
Var. 14.°00' E.

40.00 Set stake for temporary ¼ Sec. Cor

80.00 Intersect East line of the Township 10 links South of the Cor. between Secs. 24 and 25, from which Cor. I run S. 89°. 54' W on a True Line between Secs. 24 and 25.
80.10

Var. 14.° 00 ÷ E

40.05 Set post, deposite charred stake and raise mound of earth with

Township 14 N. Range 40 W.

pits for ¼ Sec. Cor.

80.10 the Cor. to Secs. 23. 24. 25 and 26.

Land level.
Soil 2d rate.

North between Secs. 23 and 24.
Var. 14.°05' E.

40.00 Set post, deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80,00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 13. 14. 23 and 24.

Land level.
Soil 2d rate.

East on a random Line between Secs. 13. and 24.
Var. 14.° 10' E.

40,00 Set stake for temporary ¼ Sec. Cor.

80.00 Intersect East line of the Township 5 links North of the Cor. to Secs. 13 and 24 from which Cor. I run

Township 14 N. Range 40 W.

N. 89°. 58' W on a true Line between Secs. 13 and 24.

Var 14°. 10'.

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80,00 the Cor. to Secs. 13. 14. 23. and 24.

Land level.

Soil 2d rate.

North between Secs. 13 and 14

Var. 14°. 00' E.

40,00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80,00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 11. 12. 13. and 14.

Land level.

Soil 2d rate.

Township 14 N. Range 40. W

East on a random Line between Secs. 12 and 13.

Var. 14°. 15' E.

40.00 Set. stake for temporary ¼ Sec. Cor.

39.92 Intersect East line of the Township 5 links South of the Cor. between Secs. 12 and 13. from which Cor. I. run S 89°. 58' W on a True Line between Secs. 12 and 13.

Var. 14°. 15' E.

39.96 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.92 the Cor. to Secs. 11. 12. 13 and 14.

Land level

Soil 2d rate.

North between Secs. 11 and 12.

Var. 14°. 10' E.

40,00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80,00 Set post, deposite charred stake and raise mound of earth with

Township 14 N. Range 40 W.

joins for the Cor-ts Sec.ˢ 1. 2. 11 and 12.
Land rolling
Soil 2ⁿᵈ rate.

East on a random Line between
Sec.ˢ 1. and 12.
Var. 14.° 20' E.

40.00 Set stake for temporary ¼ Sec. Cor.
~~80.16~~ ~~Intersect East line of the~~
42.00 leave Table Lands & enter Bluffs. bearing S.E.
80.16 Intersect East line of the Township
16 links North of the Cor. between
Sec.ˢ 1 and 12, from which Cor. I run
N. 89.° 53' W on a True Line between
Sec.ˢ 1 and 12,
Var. 14.° 20' E,
40.08 Set post on hill deposit charred stake
and raised mound of earth with pits
for ¼ Sec. Cor.
80.16 The Cor ᵗᵒ Secˢ 1. 2. 11 and 12.
Land hilly, broken
Soil 3ⁿᵈ rate.

Township 14 N. Range 40 W.

North on a random Line between
Sec.ˢ 1 and 2.
Var. 14.° 10' E
40.00 Set stake for temporary ¼ Sec. Cor.
~~40.08~~ 48.00 Deep ravine, in Bluffs. Drains N.W.
80.26 Intersect North line of the Township
17 links East of the Cor. between Sec.ˢ
1 and 2, from which Cor. I run
S 89.° 7' E on a True Line between
Sec.ˢ 1 and 2.
Var 14.° 10' E.
40.26 Set post, deposit charred stake
and raise mound of earth with
pits for ¼ Sec. Cor.
80.26 The Cor. ᵗᵒ Secˢ 1. 2. 11 and 12.
Land very hilly, broken
Soil 3ⁿᵈ rate.

Sept. 9. 1870

Township 14 N. Range 40 W.

North between Sec's. 34 and 35.
Var. 14°. 10' E.

10.00 High Sand hill in Bluffs. bears W.
40.00 Set post, deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.00 Set post, deposite charred stake and raised mound of earth with pits for the Cor. to Sec's. 26. 27. 34 and 35.
Land hilly & rolling
Soil 3d rate.

East on a random Line between Sec's. 26 and 35.
Var. 14°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor.
42.00 deep ravine drains S. E
68.00 deep ravine drains S. E.
79.86 Intersect East line of Sec. 26. 8 links North of the Cor. to Sec's. 25. 26. 35 and 36. — from which Cor. I run N. 89°. 57' W on a true Line between Sec's. 26 and 35
Var. 14°. 00' E

Township 14 N. Range 40 W.

39.93 Set post, on bank of a ravine, deposite charred stake, and raise mound of earth with pits for ¼ Sec. Cor.
79.86 the Cor. to Sec's. 26. 27. 34 and 35.
Land hilly, broken
Soil 3d rate.

North between Sec's. 26. and 27.
Var. 14°. 10' E.

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Sec's. 22. 23. 26 and 27.
Land high, ~~hilly~~ rolling
Soil 2d rate.

East on a random Line between Sec's. 23. and 26.
Var 14°. 00.

40.00 Set stake for temporary ¼ Sec. Cor.
80.09 Intersect East line of Sec. 26.

Township 14 N. Range 10 W.

7 links South of the Cor. to Sec's. 23. 24. 25 and 26. from which Cor. I run S. 89.° 57 W. on a True Line between Sec's. 23 and 26.

Var. 14°. 00' E

40.07½ Set post deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.09 the Cor. to Sec's. 22. 23. 26 and 27.

Land level.

Soil 2nd rate.

North between Sec's. 22 and 23,

Var. 14°. 10' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Sec's. 14, 15. 22 and 23.

Land level

Soil 2nd rate.

Township 14 N. Range 10 W.

East on a random Line between Sec's. 14 and 23.

Var. 14°. 15' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.90 Intersect East line of Sec. 14. 20 links North of the Cor. to Sec's. 13. 14. 23 and 24. from which Cor. I run N. 89.° 57' W on a True Line between Sec's. 14 and 23.

Var. 14°. 15.' E

39.95 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor

79.90 the Cor. to Sec's. 14. 15. 22 and 23.

Land level. Soil 2nd rate.

North between Sec's. 14 and 15.

Var. 14°. 10' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor

80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor to Sec's. 10. 11. 14. and 15.

Land level.

Soil 2nd rate.

Township 14 N. Range 40 W.

East on a random Line between
Sec^{s}. 11 and 14.
Var. 14°. 15' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.14 Intersect East line of Sec. 11. - 9 links
North of the Cor. to Sec^{s}. 11. 12. 13. and 14
from which Cor. I run N. 89°. 56' W.
on a True Line between Sec^{s}. 11 and 14
Var. 14°. 15' E -
40.07 Set post deposit charred stake and rais
mound of earth with pits for ¼ Sec. Cor.
80.14 The Cor. to Sec^{s}. 10. 11. 14 and 15.
Land gently rolling
Soil. 2^{d} rate

North between Sec^{s}. 10 and 11.
Var. 14°. 10' E.

40.00 Set post deposit charred stake and
raise mound of earth with pits for ¼ Sec. Cor
80.00 Set post, on line deposit charred stake and
raise mound of earth with pits for
the Cor. to Sec^{s}. 2. 3. 10 and 11.
Land gently rolling
Soil. 2^{d} rate.

Township 14 N. Range 40 W.

East on a random Line between
Sec^{s}. 2 and 11.
Var. 14°. 20' E.

40.00 Set Stake for temporary ¼ Sec. Cor.
80.24 Intersect East line of Sec. 2. 7 links
North of the Cor. to Sec^{s}. 1. 2. 11. and 12
from which Cor. I run N. 89. 57' W on
a True line between Sec^{s}. 2 and 11.
Var. 14°. 20' E
40.12 Set post in Mound, deposit charred stake
and raise mound of earth with pits for
¼ Sec. Cor.
80.24 The Cor. to Sec^{s}. 2. 3. 10 and 11.
Land hilly. broken,
Soil 3^{d} rate,

North on a random Line between
Sec^{s}. 2 and 3.
Var. 14°. 10' E.

40.00 Set Stake for temporary ¼ Sec. Cor.
80.16 Intersect North line of the Town-
ship 10 links East of the Cor.
between Sec^{s}. 2 and 3. from which
Cor. I run S. 4° 2' E on a True Line

Township 14 N. Range 40 W.

between Sec^{s}. 2 and 3,
Var. 14°. 10'.

40.16. Set post, deposite Chared stake and raise mound of earth with pits for ¼ Sec. Cor.

80.16 The Cor. to Sec^{s}. 2. 3. 10 and 11.
Land very broken
Soil 3^{d} rate.
Sept. 10. 1870

North between Sec^{s}. 33 and 34.
Var. 14°. 15' E.

20.00 leave Bluffs enter Table Lands. bearing E. & W.

40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80,00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 27. 28 33 and 34.
Land South part hilly,
North part level. Sandy
Soil 3^{d} rate.

Township 14 N. Range 40 W.

East on a random line between Sec^{s}. 27 and 34.
Var. 14°. 00' E.

30.00 ~~Set~~ Ravine, course South

40.00 Set stake for temporary ¼ Sec. Cor.

80.06 Intersect East line of Sec. 34. 5 links South of the Cor. to Sec^{s}. 26. 27. 34 and 35. from which Cor. 2 runs S. 89°. 58' W on a True Line between Sec^{s}. 27 and 34
Var. 14°. 00' E.

40.03 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor

80.06 The Cor. to Sec^{s}. 27. 28. 33 and 34.
Land high, rolling. Soil 2^{d} rate.

North between Sec^{s}. 27 and 28.
Var. 14°. 10' E.

20.00 deep Ravines drians S. W.

40.00 Set post deposite charred stake and raise mound of earth with pits for ~~the~~ ¼ Sec. Cor.

8000 Set post, deposite charred stake and raised mound of earth

Township 14 N. Range 40 W.

with pits for the Cor. to Sec's.
21. 22. 27 and 28.
Land ~~level~~ gently rolling
Soil 2d rate.

East on a random Line between
Sec's 22 and 27,
Var. 14°. 05' E.

40.00 Set stake for temporary ¼ Sec. Cor,
39.90 Intersect East line of Sec. 27 9 links
South of the Cor to Sec's. 22. 23. 26.
and 27. from which Cor. I. runs
S. 89°. 56' W on a True Line between
Sec's. 22 and 27.
Var. 14°. 05' E.
39.95 Set post deposit charred stake and
raise mound of earth with pits
for ¼ Sec. Cor.
79.90 the Cor. to Sec's. 21. 22. 27 and 28
Land level,
Soil 2d rate.

Township 14 N. Range 40 W.

North between Sec's. 21. and 22.
Var. 14°. 10' E.

40.00 Set post deposit charred stake and raise
mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposit charred stake and raise
mound of earth with pits for the Cor. to Sec's.
15. 16. 21. and 22.
Land level. Soil 2d rate.

East on a random Line between Sec's. 15 and 22
Var. 14°. 10' E.

40.00 Set stake for temporary ¼ Sec. Cor.
80.14 Intersect East line of Sec. 22. 5 Links South of
the Cor to Sec's. 14. 15. 22. and 23. from which Cor.
I run S 89°. 58' W on a True Line between Sec's.
15 and 22,
Var. 14°. 10 E.
40.07 Set post deposit charred stake and raise
mound of earth with pits for ¼ Sec. Cor.
80.14 the Cor. to Sec's. 15. 16. 21. and 22
Land level
Soil 2d rate.

Township 14 N. Range 40 W.

North between Sec. 15 and 16.
Var. 14°. 15' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec. 9. 10. 15 & 16.
Land level. Soil 2d rate.

East on a random Line between Sec. 10 & 15.
Var. 14°. 10' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.26 Intersect East line of Sec. 15. 22 links South of the Cor. to Secs. 10. 11. 14 & 15 from which Cor. I run S. 89°. 57' W on a true Line between Sec. 10 and 15
Var 14°. 10' E.

40.13 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.26 the Cor. to Sec. 9. 10. 15 & 16.
Land level
Soil 2d rate.

Township 14 N. Range 40 W.

North between Sec. 9 and 10.
Var. 14°. 15' E.

40.00 Set post deposite charred stake and raise mound of earth with pits for. ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec. 3. 4. 9 and 10.
Land level. Soil 2d rate.

East on a random Line between Sec. 3 & 10.
Var. 14°. 20' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.92 Intersect East line of Sec. 3. 7 links North of the Cor. to Sec. 2. 3. 10 and 11 from which Cor. I run N. 89°. 57' West on a true Line between Sec. 3 & 10.
Var. 14°. 20' E

39.96 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

79.92. the Cor. to Sec. 3. 4. 9. and 10.
Land rolling
Soil 2d rate.

Township 14 N. Range 40 W.

North on a random Line between Sec^{s}. 3 and 4.
Var. 14° 15' E, bearing E & W.

18.00 leave Table Lands & enter Bluffs
40.00 Set stake for temporary ¼ Sec. Cor.
80.14 Intersect North line of the Township. 8 links West of the Cor. between Sec^{s}. 3 and 4, from which Cor. 4 run S. & 3 W on a True Line between Sec^{s}. 3 and 4.
Var. 14° 15' E.
4
7
40.14 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
3 80.14 The Cor. to Sec^{s}. 3. 4. 9 & 10.
Land very hilly, broken
Soil 3^{d} rate.

Sept. 11. 1870

Township 14 N. Range 40 W.

North between Sec^{s}. 32 and 33.
Var. 14° 20' E.

14.00 leave Bluffs & enter Table Lands bearing E & W.
40.00 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 28. 29. 32 and 33.
Land South ~~part~~ 3/4 hilly, North ~~part~~ 2/3 level
Soil South 3^{d} 3^{d} rate North 2 ~~3~~ 2^{d} rate

East on a random Line between Sec^{s}. 28 & 33.
Var. 14° 00' E.

15.00 deep ravine drains S. E
40.00 Set stake for temporary ¼ Sec. Cor.
50.00 deep ravine, drains S. W.
80.12 Strike the Cor. to Sec^{s} 27. 28. 33 and 34 from which Cor. I run West on a True Line between Sec^{s}. 28. and 33.
Var. 14° 00' E
40.09 Set post, deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
80.12 The Cor. to Sec^{s}. 27. 28. 33. and 34
Land high, rolling
Soil 3^{d} rate.

Townships 14 N. Range 4o W.

North between Secs. 28 and 29.
Var. 14°. 15' E

40.00 Set post deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor. (in Range deps and L.E.)

80.00 Set post, deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 20. 21. 28. and 29.
Land high, rolling. Soil 2d rate

East on a random line between Secs. 21. & 28
Var. 14°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor.

80.01 Intersect East line of Sec. 21. 17 links North of the Cor. to Secs. 21. 22. 27 & 28 from which Cor. I run N. 89°53 W on a True Line between Secs 21 & 28
Var. 14°. 00' E.

40.00 Set post deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 The Cor to Secs. 20. 21. 28 & 29.
Land gently rolling
Soil 2d rate

Townships 14 N. Range 4o W.

North between Secs. 20 and 21.
Var. 14°. 15'. E.

40.00 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Secs. 16. 17. 20 and 21.
Land rolling. Soil 2d rate.

East on a random line between Secs. 16. & 21.
Var. 14°. 00' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.16 Intersect East line of Sec. 16. 9 links North of the Cor. to Secs. 15, 16, 21. and 22. from which cor. I run N. 89°.56' W on a True Line between Secs. 16 and 21.
Var. 14°. 00' E

40.08 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.16 The Cor to Secs. 16. 17. 20 & 21.
Land level
Soil 2d rate.

17

Township 14 N. Range 40 W.

North between Sec. 16 and 17.
Var. 14°. 20' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec. 8. 9. 16. and 17.
Land gently rolling. Soil 2nd rate.

40
79 East on a random line between Sec. 9. & 16.
Var 14°. 00' E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.92 Intersect East line of Sec. 16. 12 links South of the Cor. to Sec. 9. 10. 15 and 16. from which Cor. I run S. 89°. 55' W. on a True Line between Sec. 9 and 16
Var. 14°. 0' E

39.96 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

79.92 The Cor. to Sec. 8. 9. 16 and 17
Land rolling
Soil 2nd rate.

Township 14 N. Range 40 W.

North between Sec. 8 and 9.
Var. 14°. 20' E.

40.00 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec. 4. 5. 8 and 9.
Land rolling. Soil 2nd rate.

East on a random line between Sec. 4 and 9.
Var. 14°. 15'. E.

40.00 Set stake for temporary ¼ Sec. Cor.

79.86 Intersect East line of Sec. 4. 7 links North of the Cor. to Sec. 3. 4. 9 and 10, from which Cor. I run N. 89°. 57' W on a true Line between Sec. 4 and 9.
Var. 14°. 15'. E.

39.93 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor

79.86 The Cor. to Sec. 4. 5. 8 and 9.
Land rolling
Soil 2nd rate.

Township 14 N Range 40 W

North on a random line between Sec.s 4 and 5.

Var. 14.° 20' E.

20.00 leave Table Lands & enter Bluffs bearing E & W.

40.00 Set stake for temporary ¼ Sec. Cor

80.17 Intersect North boundary line of the Township 9 links West of the Cor. between Sec.s 4 and 5. from which Cor. I run S. 2.° 4' W on a true line between Sec.s 4 and 5.

Var 14.° 20' E.

40.17 Set post, deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.17 the Cor. to Sec.s 4. 5. 8 and 9.

Land very hilly

Soil 3rd rate.

Sept. 12. 1870

Township 14 N. Range 40 W.

North between Sec.s 31. and 32.

Var. 14.° 20' E.

8.00 leave Bluffs & enter Table Lands. bear E & W.

40.00 Set post deposited charred stake and raise mound of earth with pits for ¼ Sec. Cor.

70.00 Set post deposit charred stake and raise, mound of earth with pits for the Cor to Sec.s 29. 30. 31 and 32.

Land ~~rocky~~ hilly. Soil 3rd rate.

East on a random line between Sec. 29 and 32.

Var. 14.° 00'. E

40,00 Set stake for temporary ¼ Sec. Cor.

80.17 Intersect East line of Sec. 32. 12. links South of the Cor. to Sec.s 28. 29. 32 and 33. from which Cor. I run S. 89.° 55' W on a true line, between Sec.s 29 and 32.

Var 14.° 00' E

40.08½ Set post, deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.17 the Cor. to Sec.s 29. 30. 31 and 32.

Land rolling

Soil 2nd rate.

Township 14 N. Range 40 W.

West on a random Line between Sec^{s} 30 and 31
Var. 14°. 00' E

40.00 Ravine or dry Creek bed ~~in~~ drains S. E.
7 Set stake for temporary ¼ Sec. Cor. on bank
79.74 Intersect West line of the Township or 5th Guide Mer. N.
10 Links North of the Cor. between
Sec^{s}. 30 and 31. From which Cor. I
run N 89°56' E on a true Line
between Sec^{s}. 30. and 31.
Var. 14°. 00 E.
39.74 Set post, deposite charred stake and
raised mound of earth with pits
for ¼ Sec. Cor.
79.74 The Cor. to Sec^{s}. 29. 30. 31 and 32
Land rolling
Soil 2^{d} rate.

Township 14 N. Range 40 W.

North between Sec^{s}. 29 and 30.
Var. 14°. 20' E.

40.00 Set post, deposite charred stake and raise
mound of earth with pits for ¼ Sec. Cor.
50.00 Wide ~~Valley~~ draim, with small dry Creek bed drians S. E.
80.00 Set post deposite charred stake and raise
mound of earth with pits for the Cor.
to Sec^{s}. 19, 20. 29 and 30.
Land rolling. Soil 2^{d} rate.

East on a random Line between Sec^{s}. 20 & 29.
Var. 14°. 00' E

40.00 Set stake for temporary ¼ Sec. Cor.
80.00 Intersect East line of Sec. 29. 12 Links South
of the Cor. to Sec^{s}. 20. 21. 28 and 29. From which
Cor. I run S. 89°. 55 W. on a true line
between Sec^{s}. 20 and 29.
Var 14°. 00' E.
40.00 Set post deposite charred stake and raise
mound of earth with pits for ¼ Sec. Cor.
80.00 The Cor to Sec^{s}. 19. 20. 29 and 30
Land rolling
Soil 2^{d} rate.

Township 14 N. Range 40 W.

West on a random Line between Sec^{s}. 19 and 30.
Var. 14°. 00' E.

20.00 dry stream bed in large drain discends S. E.
40.00 Set stake for temporary ¼ Sec. Cor.
79.60 Intersect West boundary line of the Township 9 Links North of the Cor. between Sec^{s}. 19 and 30. from which Cor. I run N. 89°. 56' E on a True Line between Sec^{s}. 19 and 30.
Var. 14°. 00' E.
39.60 Set post deposite charred stake and raised mound of earth with pits for ¼ Sec. Cor.
79.60 the Cor. to Sec^{s}. 19. 20. 29 and 30.
Land rolling
Soil 2^{d} rate.

Township 14 N. Range 40 W.

North between Sec^{s}. 19 and 20.
Var. 14°. 20' E.

40.00 Set post, deposit charred stake and raised mound of earth with pits for. ¼ Sec. Cor.
80.00 Set post deposite charred stake and raise mound of earth with pits for the Cor. to Sec^{s}. 17. 18. 19. and 20.
Land rolling. Soil 2^{d} rate.

East on a random Line between Sec^{s}. 17 and 20
Var. 14° 00' E.

40.00 Set stake for temporary ¼ Sec. Cor.
79.90 Intersect East line of Sec. 17. 5 Links North of the Cor. to Sec^{s}. 16. 17. 20 and 21. from which Cor. I run N. 89°. 58' W on a True Line between Sec^{s} 17 and 20.
Var. 14°. 00' E.
39.95 Set post deposite charred stake and raise mound of earth with pits for ¼ Sec. Cor.
79.90 the Cor. to Sec^{s}. 17. 18. 19 and 20
Land rolling
Soil 2^{d} rate.

Township 14 N. Range 40 W.

West on a random Line between
Sec^{s}. 18 and 19.
Var. 14°. 00' E

10.00 leave Table Land & enter Valley trans S.E.
& set post for temporary ¼ Sec. Cor
40.00 dry bed of a small Stream, streams S.E.
74.00 leave Valley & enter Table Land, trending S.E.
79.74 Intersect West boundary line
of the Township, at the Cor.
between Sec^{s}. 18 and 19. from
which Cor. I run East on
a true Line between Sec^{s}.
18. and 19.
Var. 14°. 00' E
39.74
39.74 Set post, deposite charred stake and
raise mound of earth with pits
for ¼ Sec. Cor.
79.74 The Cor to Sec^{s}. 17. 18. 19. 20
Land rolling
Soil 2^{d} rate.

Township 14 N. Range 40 W.

North between Sec^{s}. 17 and 18
Var. 14°. 25' E.
40.00 Set post, deposite charred stake and raised
mound of earth with pits for ¼ Sec. Cor.
80.00 Set post deposite charred stake and raise
mound of earth with pits for the Cor.
to Sec^{s}. 7. 8. 17 and 18.
Land rolling. Soil 2^{d} rate.

East on a random Line between Sec^{s}. 8 and 17.
Var. 14°. 00' E
40.00 Set stake for temporary ¼ Sec. Cor.
80.14 Intersect East line of Sec. 8. 9 links North
of the Cor. to Sec^{s} 8. 9. 16 and 17. from
which Cor. I run N. 89°. 56'. W on a
true Line between Sec^{s}. 8 and 17.
Var. 14°. 00' E.
40.07 Set post, deposite charred stake and
raise mound of earth with pits for
¼ Sec. Cor.
8
80.14 The Cor to Sec^{s}. 7. 8. 17. 18.
Land rolling
Soil 2^{d} rate.

Sept. 13. 1870

Township 14 N. Range 40 W

West on a random Line between
Sec's. 7 and 18.
Var. 14°. 00' E.

40.00 Set stake for temporary 1/4 Sec. Cor.
79.70 Intersect West boundary line
of the Township 11 links North of
the Cor. between Sec's. 7 and 18.
from which Cor. I run
N. 89° 55' E on a true Line
between Sec's. 7. and 18
. Var. 14°. 00' E
39.70 Set post, deposited charred stake
and raised mound of earth with
pits for 1/4 Sec. Cor
79.70 the Cor. to Sec's. 7. 8. 17 and 18.
Land rolling;
Soil 2d rate.

Township 14 N. Range 40 W.

North between Sec's. 7 and 8.
Var. 14° 25' E.

40.00 Set post deposit charred stake and raise
mound of earth with pits for 1/4 Sec. Cor.
80.00 Set post deposit charred stake and raise
mound of earth with pits for the
Cor. to Sec's. 5. 6. 7 and 8
Land level. Soil 2d rate,

East on a random Line between Sec's. 5 and 8.
Var. 14°. 00' E

40.00 Set stake for temporary 1/4 Sec. Cor.
80.10 Intersect East line of Sec's. 5 and 8 at
the Cor. to Sec's. 4. 5. 8 and 9. from which
Cor. I run West on a true Line between
Sec's. 5 and 8.
Var 14°. 10' E
40.05 Set post deposit charred stake and raise
mound of earth with pits for 1/4 Sec. Cor
80.10 the Cor. to Sec's. 5. 6. 7 and 8.
Land level
Soil 2d rate.

37.

Township 14 N. Range 40 W.

West on a random Line between Sec^{s}. 6 and 7.
Var. 14°. 10' E.

40.00 — 40.00 — Set Stake for temporary ¼ Sec. Cor in large drain with dry Creek bed East, descends North

79.70 — 79.65 — Intersect West boundary line of the Township 17 links North of the Cor. between Sec^{s}. 6 and 7. from which Cor. I run N. 89°. 53' E. on a True Line between Sec^{s}. 6 and 7.

39.70 — Var. 14°. 10' E.

39.65 — Set post & deposit charred stake and raise mound of earth with pits. for ¼ Sec. Cor.

79.70 — 79.65 — The Cor. to Sec^{s}. 5. 6. 7 and 8.
Land high, rolling
Soil 2^{d} rate

Township 14 N. Range 40 W.

North on a random Line between Sec^{s}. 5 and 6.
Var 14° 25' E.

40.00 — Set Stake for temporary ¼ Sec. Cor.

50.00 — leave Table Land & enter Bluffs. bearing S 89 W

80.18 — Intersect North line of the Township 22 links West of the Cor. between Sec^{s}. 5 and 6. from which Cor. I run S. 0° 9' W. on a True Line between Sec^{s}. 5 and 6.

Var 14°. 25. E.

40.18 — Set post & deposit charred stake and raise mound of earth with pits for ¼ Sec. Cor.

80.18 — The Cor. to Sec^{s}. 5. 6. 7 and 8.
Land hilly, broken
Soil 3^{d} rate

39.

Townships 14 N. Range 40 W.

General Description

The Land in this Township is mostly 2d. rate, excepting in the Bluffs on both sides of the Table Land;
This Table Land is nearly level ground and is covered with short bunch grass.
Some of the ravines will contain water for some time in wet weather.
The hills in the Bluffs are gravel, and the Banks of the ravines contain Lime Stone rocks.
Only a very few Cedar Trees are growing in the Northern Bluffs.

Sept. 16. 1870

We hereby certify that we assisted Charles Wimpf Deputy Surveyor in Surveying and Subdividing Townships Number 14 North of the Base line of Range Number 40 West of the 6th Principal Meridian and that said Townships has been in all respects, to the best of our Knowledge and believe, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

William Schmidt
Fr Tiemann
Fr. Daeb
H Lesonger

Subscribed in my presence and sworn before me this 22 day of September A.D. 1870.

R C Dewhurst
Clerk of the District Court within and for Lancaster County Nebraska

I. Charles Wimpf. Deputy Surveyor, do solemnly swear that in pursuance of a Contract with Rob. R. Livingston Surveyor of the Public Lands of the United States in the State of Nebraska bearing date the 6th day of Aug. 1870 and in strict Conformity to the Laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Subdivision lines of Township Number 14 North Range Number 10 West of the Sixth Principal Meridian in the State aforesaid and do further Solemnly Swear that the foregoing are the true and original field Notes of such Survey.

Charles Wimpf.

Subscribed in my presence and Sworn to before me this 27 day of September A.D. 1870 R. C. Dunphy Clerk of the District Court within and for Lancaster County Nebraska

Surveyor Generals Office
Plattsmouth Neb. Nov. 23. 1870.

The foregoing field notes of the survey of the subdivision lines of Township No 14 North of the Base Line, of Range No 10 West of the 6th Principal Meridian in the State of Nebraska, executed by Charles Wimpf, under contract No 38 of the 6th day of Aug. 1870, in the month of Sept. 1870. having been critically examined, the necessary corrections and explanations ~~and explanations~~ made, the said field notes and the survey they describe are hereby approved.

Robt. R. Simpson
Surveyor General

Field Notes.

of the

Subdivision Lines and Meanders of the North Platte River in Township Number 15 North, Range 40 West of the 6th Principal Meridian in the State of Nebraska.

1038

Subdivision Commenced

~~August~~ Sept. 24. 1870.

Completed

~~August~~ Sept. 30. 1870.

Names of Assistants.

Fred. Ketterer } Chainmen
Wm Schulz }

Wm Siemann } Roundsmen
Fred. Daub }

~~Herrmann~~ Liesinger Flagman.

INDEX DIAGRAM. T. 15 N. R 40 W. 6 P.M.

6	52	5	41	4	33	3	22	2	12	1
51		51		40		32		21		11
7	50	8	39	9	31	10	20	11	10	12
49		48		30 39		30		19		9
18	48	17	38	16	29	15	18	14	8	13
47		46		37		28		7		6
19	46	20	37	21	27	22	17	23	5	24
45		44		36		26		16		4
30	44	29	35	28	25	27	15	26	3	25
43		42		34		24		14		2
31	42	32	34	33	23	34	13	35	1	36

Meanders 53. 54. and 55.

To determine the proper adjustment of my Instrument for Subdividing this Township I commence at the Cor. to Townships 14 and 15 North Ranges 39 and 40 West, and run North on a blank Line along the East Boundary Line of Section 36.

Variation 14°. 33' E.

40.00 To a point 8 Links West of the ¼ Sec. Cor.
80.00 To a point 7 links West of the Cor. to Secs. 25. 36. 30. and 31.

to retrace this Line or run parallel thereto My Compass must be adjusted to a Variation of 14°. 30' E.

From the Cor. to Secs. 1. 2. 35 and 36 On the South Boundary Line of the Township I run

Township 15 N. Range 40 W.

North between Secs. 35 and 36.
Var. 14°. 30' E.

10
10.00 varies, bearing North West
40.00 Set post, deposited charred stake and raised mound of earth with pits as per instructions for ¼ Sec. Cor
80.00. Set post, deposited charred stake and raised mound of earth with pits for the Cor to Secs. 25. 26. 35 and 36.
Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random line between
Secs. 25 and 36.
Var. 14°. 30. E.

30.00 ~~Varies~~ dry Creek bed in ravine, drains N.W.
40.00 Set stake for temporary ¼ Sec. Cor.
80.14. Intersect East line of the Township 15 links South of the Cor. between Secs. 25 and 36. — from which Cor. 3 trees S. 89° 54' W. & E. on a true line between Secs. 25 and 36.
Var. 14°. 30' E.
40.07 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80.14. The Cor to Secs. 25. 26. 35 and 36.
Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W. 40 W

North between Secs. 25 and 26.
Var. 14°. 30' E.

30.00 Dry Creek bed in Ravine drains N.W.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post on Top of a hill, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 23. 24. 25. and 26.
Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random Line between
Secs. 24 and 25.
Var. 14°. 30' E.

40.00 Set stake for temporary ¼ Sec. cor.

79.90 Intersect East boundary of Township ~~Line of Sec. 25~~. 8 Links South of the Cor. between Secs. 24 and 25 - on the East line of the Township, from which Cor. a tree bears S. 89°. 57' W. on a true Line between Secs. 24 and 25.
Var. 14°. 30' E.

39.95 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. cor.

79.90 The Cor. to Secs. 23. 24. 25 and 26.
Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

North between Secs. 23 and 24.
Var. 14°. 30' E.

19.00 Leave hills & enter Bottom, bears N.E & S.W.

19.00 Old Wagon road bears E & W.

26.60 South (or right) Bank of the North Platte River &
Set post, deposited charred stake and raised
mound of earth with pits for Meander Cor.
to frac. Secs. 23 and 24. *

56
56.00 North (or left) bank of N. Platte River (as found by chaining) — Set post
deposited charred stake, and raised mound
of earth with pits for Meander Cor.
to frac. Secs. 23 and 24.

80.00 Set post, deposited charred stake and
raised mound of earth with pits for
the Cor to Secs. 13. 14. 23 and 24.
Land Bottom (except 10 chains)
Soil 1st rate.

* 40.00 Place for ¼ Sec. Cor in mound & it cannot be set

Township 15 N. Range 40 W.

East on a random Line between
Secs. 13 and 24.
Var. 14°. 26' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.22 Intersect East line of the Township
9 links North of the Cor. between Secs.
13 and 24. — from which Cor. 2 rods
N. 89°. 56' W on a true Line between
Secs. 13. and 24.
Var. 14°. 26' E.

40.11 Set post, deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.

80.22 The Cor to Secs. 13. 14. 23 and 24.
Land Level Bottom
Soil 1st rate.

Township 15 N. Range 40 W.

	West on a True Line between Secs 14 and 23. Running to strike the River Var. 14° 26' E
40.00	Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
67.00	the North Bank of N. Platte River Set post, deposited charred stake and raised mound of earth with pits for Meander Cor to Fract. Secs 14 and 23. Land level Bottom Soil 1st rate.

* Write this line after line of Secs 22 & 23

Township 15 N. Range 40 W.

	North between Secs. 13 and 14. Var. 14° 26' E.
40.00	Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
50.00	Slough in Marsh, runs S.E
78.00	Old Wagon road, bears S.E.
80.00	Set. post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor, to Secs. 11, 12, 13 and 14. Land level Bottom Soil 1st rate.

Townships 15 N. Range 40 W.

East on a random Line between
Sec^{s}. 12 and 13.
Var. 14°. 26' E.

40.00 Set Stake for temporary ¼ Sec. Cor.
20.12 Intersect East line of the Township
10 links South of the Cor. between
Sec^{s}. 12 and 13; from which Cor.
2 ans S. 89.° 56' W. on a True
Line between Sec^{s}. 12 and 13.
Var. 14°. 26' W.
40.06 Set post, deposited charred Stake
and raised mound of earth with
pits for ¼ Sec. Cor.
80.12 the Cor. to Sec^{s}. 11. 12. 13. & 14.
Land rolling
Soil 1st & 2^{d} rate.

Townships 15 N. Range 40 W.

North between Sec^{s}. 11 and 12
Var. 14°. 26' E.

10.00 leave Bottom & enter hills, bear S E.
60.00
40.00 Set post, deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.
80.00 Set post, deposited charred stake and
raised mound of earth with pits for
the Cor. to Sec^{s}. 1, 2, 11 and 12,
Land high, rolling
Soil 2^{d} rate.

Township 15 N. Range 40 W.

East on a random Line between
Sec^{s}. 1 and 12.
Var. 14°. 25'. E

40.00 Set stake for temporary ¼ Sec. Cor.
79.82 Intersect East line of the Township
22. links South of the Cor. between
Sec^{s}. 1 and 12. from which Cor. 2
rnn S. 89°. 57'. W on a true Line
between Sec^{s}. 1 and 12
Var. 14°. 25' E

39.91 Set post, deposited charred stake and
raised mound of earth with pits
for ¼ Sec. Cor.

79.82 The Cor to Sec^{s}. 1. 2. 11. and 12.
Land high rolling
Soil 2^{d} rate

Township 15 N. Range 40 W.

North on a random Line between Sec^{s}.
1 and 2.
Var. 14°. 30' E.

40.00 Set stake for temporary ¼ Sec. Cor.
79
79.88 Intersect North line of the Township
6 links West of the Cor. between
Sec^{s}. 1 and 2. from which Cor.
2 rnn S ~~x~~. 3' W on a true Line
between Sec^{s}. 1 and 2.
Var. 14°. 30' E

39.88 Set post, deposited charred stake and
raised mound of earth with pits
for ¼ Sec. Cor.

79.88 The Cor to Sec^{s}. 1. 2. 11 and 12
Land high, rolling
Soil 2^{d} rate

Sept 24. 1870

Township 15 N. Range 40 W.

North between Secs. 34 & 35
Var. 14°. 26' E.

40. 00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80. 00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 26. 27. 34. 35

Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random Line between
Secs. 26 and 35.
Var. 14°. 26' E.

40. 00 Set stake for temporary ¼ Sec. Cor.

70. 00 Dry Creek bed in Ravine, draws N.

79. 78 Intersects East line of Sec. 26. 22 links North of the Cor. to Secs. 25. 26. 35 and 36. From which Cor. I run N. 89° 51' W on a true Line bet. betw Secs. 26 and 35.
Var. 14°. 26' E.

79. 89 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

79. 78 the Cor. to Secs. 26. 27. 34 & 35.
Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

North between Secs 26 and 27.
Var. 14°. 26' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 22 23. 26 and 27.

Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random Line between Secs. 23 and 26.
Var. 14°. 26'. E.

40,00 Set stake for temporary ¼ Sec. cor.

70.00 Dry bed of creek in Ravine N. drains

80.00 Intersect East line of Sec. 26. – 16 Links South of the cor. to Secs. 23, 24, 25 and 26. From which cor. Trees S. 89° 53' W on a true Line between Secs. 23. and 26.
Var. 14°. 26'. E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 the Cor to Secs. 22. 23. 26. and 27.
Land hilly & broken
Soil 3rd rate

Township 15 N. Range 40 W.

North between Sec. 22 and 23.
Var. 14°. 26' E.

40.00 Set post on top of hill, ~~for 4~~ deposited
charred stake and raised mound of
earth with pits for ¼ Sec. cor.
44.00 Old wagon road bears S.E. & N.W.
46.68 South Bank of North Fearth River.
Right
Set post, deposited charred stake and
raised mound of earth with pits for
Meander Cor. to fract's Sec 22 and
23.
as found by chaining
50.00 The Cor. to Sec's 14. 15. 22 and 23
Can not be established as it falls
in the river-, ~~thence run~~
~~across the North Fearth river~~
42.33 ~~to the North Bank of said river~~
~~Set post, deposited charred stake~~
~~and raised mound of earth with~~
~~pits for Meander Cor. to fract~~
~~Sec. 14 and 15. and from this~~
~~Cor I run~~
Impassible; Soil 3d rate

Meander line of Sec. 14 & 23 next, see p. 7

Township 15 N. Range 40 W.

From point in N. Platte River for Cor. to Sec's. 14, 15, 22 & 23, I measure with chain

North between Sec. 14 and 15
Var. 14°. 26' E.

9.00 Set post on left bank &c — see page 17
~~31.00~~
40.00 Set post, deposited charred stake
and raised mound of earth with pits
for ¼ Sec. cor.
70.00
~~61.00~~ Slough in marsh, runs S.E.
~~71.00~~ Set post, deposited charred stake
80.00 and raised mound of earth with
pits for the Cor. to Sec's. 10. 11
14 and 15.
Land Bottom
Soil 1st rate.

Township 15 N. Range 40 W.

East on a random Line between Secs. 11. and 14.
Var. 14° 23' E

40.00 / 79.00 / 80.22 — Set stake for temporary ¼ Sec. Cor. opp. wagon road bears S.E. Mkd. Pine Bur. & Cor. to Secs. 11. 12. 13 and 14. from which Cor. 2 rods West on a true Line between Secs 11 and 14.

Var. 14° 23' E

40.11 — Set post, deposited charred stake, and raised mound of earth with pit for ¼ Sec. Cor.

80.22 — The Cor to Secs. 10. 11. 14 & 15. Land ~~hilly~~ level & Bottom, Soil 1st ½ rate.

Township 15 N. Range 40 W.

North between Secs. 10. and 11
Var. 14° 20' E.

30
20.00 — Old wagon road bears E & W.
40.00 — Leave Bottom & enter hills, bears E. & W. Set post on hills, deposited charred stake, and raised mound of earth with pits for ¼ Sec. Cor.
70.00 — Set post, deposited charred stake and raised mound of earth with pit for the Cor. to Secs. 2. 3. 10. and 11.
Land high, rolling.
Soil 2d ½ rate.
Bottom on South part level.
Soil 1st ½ rate.

Township 15 N. Range 10 W.

East on a random Line between Sec. 2 and 11.

Var. 14°. 25' E.

40.00 Set stake for temporary ¼ Sec. Cor
80.11 Intersect East line of Sec. 2. 5 Links North of the Cor. to Sec. 1. 2. 11 and 12. from which Cor. Trees N. 89°. 58' W on a True Line between Sec. 2 and 11

Var. 14°. 25' E.

40.05½ Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
80. 11. The Cor to Sec. 2. 3. 10. and 11

Land high, rolling
Soil 2d rate

Township 15. N. Range 10. W.

North on a random Line between Sec. 2 and 3.

Var. 14.° 24' E

40.00 Set stake for temporary ¼ Sec. Cor.
79.92 Intersect North line of the Township 15 Links East of the Cor. between Sec. 2 and 3. from which Cor. Bears S. 2. 8' E on a True Line between Sec. 2 and 3.

Var. 14°. 24' E.,

39.92. Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.
79.92. The Cor. to Sec. 2 3. 10. and 11

Land high, rolling
Soil 2d rate.

Sept. 25. 1870

Township 15 N. Range 40 W.

North between Secs. 33 and 34
Var. 14°. 24' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 27, 28, 33, and 34.

Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random line between
Secs. 27 and 34.
Var. 14°. 25' E.

12.00 Ravine, course North, West
40.00 Set stake for temporary 1/4 Sec. Cor.
63.00 deep ravine, dry bed of Creek course N.
80.20 Intersect East line of Sec. 34. 12 links South of the Cor. to Secs. 26. 27. 34 and 35. from which Cor. 2 rus S 89°. 55' W on a true line between Secs. 27 and 34
Var. 14°. 25' E.

40.10 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.20 the Cor. to Secs. 27. 28. 33 and 34.
Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

North between Secs. 27 and 28
Var. 14°. 22' E.

30.00 Ravine bearing N. W.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 21, 22, 27 and 28.

Land hilly, broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random Line between
Secs. 22 and 27.
Var. 14°. 24' E.

40.00 Set stake for temporary ¼ Sec. Cor.

60.00 Dry Creek bed in Ravine, draws N.

80.08 Intersect East line of Sec. 22. 9 links North of the Cor. to Secs 22. 23. 26 and 27. - from which Cor. I run N. 89°. 56' W. on a true Line between Secs. 22 and 27.
Var. 14°. 24' E.

40.04 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.08 the Cor. to Secs. 21. 22. 27 and 28.

Land hilly broken
Soil 3rd rate.

Township 15. N. Range 40 W.

North between Sec. 21 and 22.
Var. 14°. 20' E,

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. cor.

48.00 leave hills & enter Bottoms bears E. & W.

78.00 old wagon road bears S. E. & N. W.

80.00 Set post, deposited charred stake, and raised mound of earth with pits for the cor. to Secs. 15, 16, 21, and 22.

Land South part hilly
Soil 3d rate
North part Bottom
Soil 1st rate.

Township 15 N. Range 40 W.

East on a true Line between Sec. 15 and 22. Knowing it to strike the River in less than 80 chains
Var. 14°. 23' E.

25.00 the South or right Bank of North Platte river. — Set post, deposited charred stake and raised mound of earth with pits for Meander Cor. to fracl Secs. 15 and 22.
Remainder of this line in River

Land level Bottom
Soil 1st rate.

Township 15 N. Range 40 W

North between Sec^{s}. 15 and 16.
Var. 14°. 20' E.

27.04 the South (or right) Bank of North Platte river Set post, deposited charred stake and raised mound of earth with pits for Meander Cor. to fract^{l}. Sec^{s}. 15 and 16.

74.42 the North (or left) bank of North Platte river (by chainage) Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fract^{l}. Sec^{s} 15 and 16.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec^{s}. 9. 10. 15 and 16.

Land Bottom
Soil 1st rate.

Township 15 N. Range 40 W.

East on a random Line between Sec^{s}. 10 and 15.
Var. 14°. 23' E.

22.00 Spring branch, 5 links wide runs S.

40.00 Set stake for temporary ¼ Sec. Cor.

70 90.00 Slough in Marsh, runs South

79.80 Intersect East line of Sec. 10. 18 links North of the Cor. to Sec^{s} 10. 11. 14 and 15. from which Cor. a pine N. 89°. 52' W. on a true Line between Sec^{s}. 10 and 15.
Var. 14°. 23. E.

39.93 Set post deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

8 79.86 the Cor to Sec^{s}. 9. 10. 15 and 16.

Land Bottoms Rich
Soil 1st rate.

Write this after line of Sec. 16 & 17 From Cor. to Sec^{s}. 9, 10, 15 & 16, 9 runs
West on a true Line between Sec^{s}. 9 and 16, (a) knowing (ic) to strike the river (in) less than 80 chs.
Var. 14°. 23. E.

600 North (or left) Bank of Platte river, Set post in mound (N) of earth with (charred stake) pits for Meander Cor. to fract^{l}. Sec^{s}. 9 and 16 ÷ 1st
Land Bottom Soil 1st rate

40.00 place Stake 2 links (on right) ÷ Meand^{r}. Cor on right bank bears West 62 chains

Township 15 N. Range 40 W

North between Sec^{s}. 9 and 10
Var. 14°. 24' E.

19.00 Old Wagon road trans S.E & N.W.
22.00 leave Bottom & enter hills, E & W. trans.
40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
8,00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Sec^{s}. 3. 4. 9 and 10.

Land rolling
Soil 2^{d} rate.

Township 15 N. Range 40 W.

East on a random line between
Sec^{s}. 3 and 10.
Var. 14°. 25'. E.

7.00 Spring branch ~~running~~ ~~bearing~~ South
16.00 Spring branch running South
40.00 Set stake for temporary 1/4 Sec. Cor.
80.00 Intersect East line of Sec. 10. 4 links South of the Cor. to Sec^{s}. 2. 3. 10 and 11. from which Cor. I run S. 86°. 58' W. on a true Line between Sec^{s}. 3 and 10.
Var. 14°. 25' E.
40,00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
80.00 the Cor. to Sec^{s}. 3. 4. 9 and 10
Land high. rolling
Soil 2^{d} rate.

Township 15 N. Range 40 W.

North on a random Line between Secs. 3 and 4.

Var. 14°. 24' E.

40.00 Set stake for temporary ¼ Sec. Cor.

80.00 Intersect North line of the Township 9 links East of the Cor. between Secs. 3 and 4; from which Cor. I run S. 4' E on a true Line between Secs. 3 and 4.

Var. 14°. 24' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 the Cor. to Secs. 3. 4. 9 and 10.

Land high, rolling
Soil 2d rate.

Sept. 26, 1870

Township 15 N. Range 40 W.

North between Secs. 32 and 33.

Var. 14°. 24' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 28. 29. 32 and 33.

Land hilly broken
Soil. 3d rate.

East on a random Line between Secs. 28 and 33.

Var. 14°. 25' E

40.00 Set stake for temporary ¼ Sec. Cor.

50.00 dry Creek bed in Ravine course N.

74.00 dry Creek bed in Ravine course N.

79.86 Intersect East line of Sec. 28. 10 links North of the Cor. to Secs 27. 28. 33 and 34. from which Cor. I run N. 89° 56' W on a true Line between Secs. 28 and 33.

Var. 14°. 25' E.

Township 15. N. Range 40 W.

39.93 Set post, deposited charred stake and raised mound of earth, with pits for ¼ Sec. Cor.

79.86 the Cor. to Secs. 28. 29. 32. and 33.
Land hilly broken
Soil 3rd rate.

North between Secs 28 and 29.
Var. 14°. 20' E.

40.00 Set post, deposited charred stake, and raised mound of earth with pits. for ¼ Sec. Cor.

80.00 Set post, deposited charred stake, and raised mound of earth with pits for the Cor. to Secs. 20. 21. 28 and 29.

Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W.

East on a random Line between
Secs. 21. and 28.
Var. 14°. 22' E.

40.00 Set stake for temporary ¼ Sec. Cor.

65.00 dry Creek bed in Rainy course North

80.09 Intersect East. line of Sec. 21. — 16 Links North of the Cor. to Secs. 21. 22. 27 and 28 from which Cor. I run N. 89°. 53' W on a true Line between Secs. 21. and 28
Var. 14°. 22½'. E

40.04½ Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.09 the Cor. to Secs. 20. 21. 28 and 29.
Land hilly, broken,
Soil 3rd rate.

Township 15 N. Range 40 W.

North between Secs. 20 and 21.
Var. 14°. 20' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

78.00 Leave Bluffs & enter Bottom bears S.E.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor to Secs. 16. 17. 20 and 21.
Land hilly broken
Soil 3d rate.

East on a random Line between Secs. 16 and 21.
Var. 14°. 20' E.

40.00 Set stake for temporary 1/4 Sec. Cor.

70.00 Old Wagon road, bears S.E. and dry Bed of Creek. descends N.

80.12 Intersect East line of Sec. 16. 15 links North of the Cor. to Secs. 15. 16. 21. and 22. from which Cor. I run N 89°. 54' W. on a true Line between Secs. 16 & 21.
Var. 14°. 20'. E

Township 15 N. Range 40 W.

40.06 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.12 The Cor. to Secs. 16. 17. 20. & 21.
Land level Bottom
Soil 1st rate.

North between Secs. 16 and 17.
Var. 14°. 20' E.

3/4 80.00 Old Wagon road bears S.E. & N.W.

40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 8. 9. 16 and 17.
Land level Bottom
Soil 1st rate.

Township 15 N. Range 40 W.

East on a true Line between Secs. 9 and 16.
Var. 14°. 20' E.

12.00 South or right bank of North Platte river
Set post, deposited charred stake and
raised mound of earth with pits for
Meander Cor. to fracl. Sec. 9 and 16.
* Land Bottom, Soil 1st rate.

* For E. end of this line see page 30

North between Secs. 8 and 9.
Var. 14°. 22' E.

5.50 South or right bank of the North Platte river.
Set post, deposited charred stake and
raised mound of earth with pits for
Meander Cor. to fracl. Secs. 8 and 9.

49.50 the North or left Bank of North Platte river by chaining
Set post deposited charred stake and
raised mound of earth with pits E & W
for Meander Cor. to fracl. Secs. 8 and 9. thence entirely hilly land

61.00 Old Wagon road bears S. E & N. W.

70.00 fast running, Cold, Spring Branch runs S. E.

80.00 Set post, deposited charred stake and
raised mound of earth with pits for
the Cor. to Secs. 4. 5. 8 and 9.
Land hilly. Sandy
Soil 3d rate. # Center bottom bears S E

Township 15. N. Range 40 W.

East on a random Line between
Secs. 4 and 9.
Var. 14°. 23'. E.

8.00 leave Bottom + enter hills bearing South
40.00 Set stake for temporary ¼ Sec. Cor.
80.20 Intersect East line of Sec. 4. 7 links
North of the Cor to Secs. 3. 4. 9 and 10
from which Cor. I run N. 89°. 57' W
on a True Line between Secs 4 and 9
Var 14°. 23' E.

40.10 Set post, deposited charred stake
and raised mound of earth with
pits for ¼ Sec. Cor.

80.20 the Cor. to Secs. 4, 5. 8 and 9.
Land high, rolling
Soil 2d rate.

Township 15. N. Range 40 W

North on a random Line between Secs. 4 and 5.

Var. 14°. 20' E.

40.00 Set post for temporary ¼ Sec. Cor.

80.16 Intersect North Line of the Township 7 links West of the Cor. between Sec. 4 and 5. from which Cor. 2 rm S. 3° W. on a true line between Secs. 4 and 5.

Var. 14°. 20' E.

40.16 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.16 The Cor. to Secs. 4. 5. 8 and 9.

Land high rolling

Soil 2d rate.

Sept. 27. 1870

Township 15 N. Range 40 W.

North between Secs. 31 and 32.

Var. 14°. 24' E.

40.00 Set post, deposited charred stake and raised mound of earth with pits for ¼ Sec. Cor.

80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 29. 30. 31. and 32.

Land hilly, broken

Soil 3d rate.

East on a random Line between Secs. 29 and 32.

Var. 14.° 10' E.

10.00 dry Creek bed in Ravine, drains N.

40.00 Set Stake for temporary ¼ Sec. Cor.

80.22 Intersect East line of Sec. 32. 19 links South of the Cor. to Secs. 28. 29. 32 and 33. from which Cor. 2 rm S. 89°. 52' W. on a true Line between Secs. 29 and 32.

Var. 14°. 10' E.

40.11 Set post, deposited charred stake and raised mound of earth with

Township 15 N. Range 40 W.

pits for 1/4 Sec. Cor.
80.22 , the Cor. to Secs. 29. 30. 31. and 32.
Land hilly, broken
Soil 3rd rate.

West on a random Line between
Secs. 30 and 31.
Var. 14°. 10' E.
40.00 Set stake for temporary 1/4 Sec. Cor. on 5th Guide Mer. N.
78.80 Intersect West line of the Township 10 links North of the Cor. between Secs. 30 and 31, from which Cor. 2 mm N. 89°. 56' E on a true Line between Secs. 30. and 31.
Var. 14°. 10' E.
38.80 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
78.80 the Cor. to Secs. 29. 30. 31 and 32.
Land hilly broken
Soil 3rd rate.

Township 15 N. Range 40 W.

North between Secs. 29 and 30.
Var. 14°. 20' E.
40.00 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.
80.00 Set post, deposited charred stake and raised mound of earth with pits for the Cor. to Secs. 19. 20. 29 & 30.
Land hilly, broken.
Soil 3rd rate.

East on a random Line between
Secs. 20 and 29.
Var. 14°. 12' E.
40.00 Set stake for temporary 1/4 Sec. Cor.
41.00 dry Creek bed in a ravine, drains N. E.
64.00 dry Creek bed in a ravine, drains N.
80.06 Intersect East line of Sec. 29. 11 Links South of the Cor. to Secs. 20. 21. 28 and 29, from which Cor. 2 mm S 89°. 55' W on a true Line between Secs. 20 and 29.
Var. 14°. 12' E.
40.03 , Set post, deposited charred stake

Township 15 Range 40 W.

and raised mound of earth with
pits for ¼ Sec. Cor.
80.06 The Cor. to Sec^s. 19. 20. 29 and 30
Land hilly broken
Soil 3^d rate.

West on a random Line between
Sec^s. 19 and 30.
Var. 14°. 12' E.
40.00 Set post for temporary ¼ Sec. Cor.
78.78 Intersect West line of the Township
6 links North of the Cor. between
Sec^s. 19 and 30. from which Cor. I
run N. 89°. 57' E on a true Line
between Sec^s. 19 and 30
Var 14°. 12' E
38.78 Set post deposited charred stake
and raised mound of earth with
pits for ¼ Sec. Cor.
78.78 The Cor. to Sec^s. 19. 20. 29
and 30.
Land hilly broken
Soil 3^d rate.

Township 15 N. Range 40 W.

North between Sec^s. 19. and 20.
Var. 14°. 24 E.
30.00 dry Creek bed in Ravine course N. E.
40.00 Set post, deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.
80.00 Set post deposited charred stake and
raised mound of earth with pits
for the Cor. to Sec^s. 17, 18, 19 and 20
Land hilly, broken
Soil 3^d rate.

East on a random Line between
Sec^s. 17 and 20.
Var. 14°. 12' E
~~20.00 Ravine & Dry Creek bed in bottom of Ravine for Temp.~~
~~Cor stake in mound Set ¼ Sec. Cor~~
40.00 Set stake for temporary ¼ Sec. Cor
60.00 Leave hills & enter Bottoms bears S. E.
80.00 Strike the Cor. to Sec^s. 16, 17, 20 and 21.
from which Cor I run West on a
true Line between Sec^s. 17 and 20
Var. 14°. 12' E
40.00 Set post deposited charred stake

Township 15 N. Range 40 W.

and raised mound of earth with
pits for ¼ Sec. cor
87.00 the Cor, to Secs. 17. 18. 19 and 20.
Land hilly
Soil 3d rate.

West on a random Line between
Sects. 18 and 19.
Var. 14°. 12' E

40.00 Set stake for temporary ¼ Sec. Cor.
78.70 Intersect West Line of the Township
at the Cor. between Sects. 18 and 19. from
which Cor. I run East on a
true Line between Sects. 18 and 19.
Var. 14°. 12' E.
38.70 Set post deposited charred stake
and raised mound of earth with
pits for ¼ Sec. Cor.
78.70 the Cor. to Secs. 17. 18. 19 and 20.
Land hilly broken
Soil 3d rate.

Sept. 28. 1870

Township 15 N. Range 40 W.

North between Secs. 17 and 18.
Var. 14°. 22' E.
25.00 Learn hills & enter Bottom bears E & W.
40.00 Set post deposited charred stake and
raised mound of earth with pits for
¼ Sec. Cor.
50.00 Via wagon road bears E & W.
80.00 Set post deposited charred stake and
raised mound of earth with pits for
the Cor. to Secs. 7. 8. 17. and 18.
Land South part hilly, broken
Soil 3d rate
North part Bottom
Soil 1st rate.

East on a random Line between
Secs. 8 and 17.
Var. 14°, 14' E.
40.00 Set stake for temporary ¼ Sec. Cor.
79.90 Intersect East. line of Sec. 8. - 9 Links
North of the Cor. to Secs. 8. 9. 16 and 17
from which Cor I run N. 89°. 56' W
on a true Line between Sects. 8 and 17.
Var 14° 14' E

Township 15 N. Range 40 W.

39.95 Set post, deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

79.90 The Cor. to Secs. 7. 8. 17. and 18.
Land level Bottom
Soil. 1st rate

West on a random Line between Secs 7 and 18.
Var. 14°. 14' E.

40.00 Set stake for temporary 1/4 Sec. Cor.

78.70 Intersect West line of the Township 14 links South of the Cor. between Secs. 7 and 18. from which Cor. a rm S. 89°. 54' E on a true Line between Secs. 7 and 18'
Var. 14°. 14' E.

38.70 Set post deposited charred stake and raised mound of earth with pits for 1/4 Sec. Cor.

78.70 The Cor. to Secs. 7. 8. 17 and 18
Land Bottom level
Soil 1st rate.

Township 15 N. Range 40 W.

North between Secs. 7 and 8.
Var. 14°. 20' E.

23.00 The South or right bank of North Platte river

~~78.00~~ Set post deposited charred stake and raised mound of earth with pits for Meander Cor. to fract. Secs. 7 and 8, or left

48.00 The North bank of North Platte river by chaining Set post, deposited charred stake and raised mound of earth with pits for Meander Cor to fract. Secs. 7 and 8.

70.00 Leave Bottom & enter hills bear E & W.

80.00 Set post deposited charred stake and raised mound of earth with pits for the Cor. to Secs 5. 6. 7 and 8.
Land South part Bottom
Soil 1st rate
in hills. 2d rate.

Township 15. N. Range 40 W

East on a random Line between Secs. 5 and 8.
Var. 14°. 20' E.

40.00 Set stake for temporary 1/4 Sec. Cor.
42.00 Old Wagon road bears S.
71.00 Cold Spring branch. running South.
80.08 Intersect East line of Sec. 5. 12 links North of the Cor. to Secs. 4. 5. 8 and 9. from which Cor. I run N. 89. 55' W on a True Line between Secs. 5. and 8
Var 14°. 20' E.
40.04 Set post, deposit charred stake and raise mound of earth with pits for 1/4 Sec. Cor.
80.08 The Cor to Secs. 5. 6. 7 and 8.
Land hilly. Soil 2d rate.

West on a random Line between Secs 6 and 7.
Var. 14°. 20' E.

40.00 Set stake for Temporary 1/4 Sec. Cor. W.
78.60 Intersect West line of the Township 9 links South of the Cor. between Secs. 6 and 7. from which Cor. I run S. 89°. 56. E on a True Line between Secs. 6 and 7.
Var. 14°. 20' E.
38.60 Set post, deposit charred stake

Township 15 N. Range 40 W.

and raise mound of earth with pits for 1/4 Sec. Cor.
78.60 The Cor to Secs. 5. 6. 7 and 8.
Land hilly. Soil 2d rate.

North on a random Line between Secs. 5 and 6.
Var. 14°. 20' E.

18.00 Old wagon road bears E & W.
40.00 Set stake for temporary 1/4 Sec. Cor.
80.00 Strike the Cor. to Secs. 5 and 6. on North boundary Line of the Township; from which Cor. I run South on a true Line between Secs. 5 and 6.
Var 14°. 20' E.
40.00 Set post, deposit charred stake, and raise mound of earth with pits for 1/4 Sec. Cor.
80.00 The Cor to Secs. 5. 6. 7 and 8.
Land hilly
Soil 2d rate.

Sept. 29. 1870

T. 15 N. R 40 W. 6th P. M.

Meanders of the North Platte River.

Begin at the Meander Cor. to fract.l Sec.s 7 and 12 in the West boundary of the Townships and on the left and ~~South~~ North Bank of the river, and run thence down Stream with the Meanders of the left, bank of said river, in fractional Sec. 7 as follows:-

Courses	Distances	
S 85° E.	80.00 (79.)	to the Meander Cor. to fract.l Sec.s 7 and 8. Land level Bottom, rich Soil, thence in Sec. 8.
N. 84° E	46.00	
East	34.00	to the Meander Cor. to fract.l Sec.s 8 and 9. along sharp high Clay banks, thence in Sec. 9. across Cold Spring branch.
S 85° E	28.00	
S 60° E	30.00	
S 45° E	32.00	to the Meander Cor. to fract.l Sec.s 9 and 16. Land level, Bottom Soil 1st rate. thence in Sec. 16.
S 57° E	11,00	to the Meander Cor to fract.l Sec.s 15 and 16. Bottom land, thence in Sec. 15.

Meanders of the North Platte River.

	63.40	
S 48¾° E	44.00	
S 55° E	40.00	to the Meander Cor to fract.l Sec.s 14 and 15. Land level Bottom, Soil 1st rate thence in Sec. 14.
S 58° E	16.00	to the Meander Cor. to fract.l Sec.s 14 and 23. Land level rich Bottom thence in Sec. 23.
S 60° E	42.00	
S 84° E	31.00	to the Meander Cor to fract.l Sec.s 23 and 24. in rich level Bottom land thence in Sec. 24.
N 76° E	54.00	
S 87 E	29.00	to the Meander Cor to fract.l Sec.s 19 and 24 on East boundary Line of the Townships. Land Bottom Soil 1st rate. Run the Meander Cor to fract.l Sec. 24 on East Line of the Townships & run up Stream with the Meanders of the right Bank of the river, in fract.l Sec. 24 as follows:
	53.50	
S 88° E	54.00	
S 89° E	27.00	to the Meander Cor. to fract.l Sec.s 23 and 24. Land rich Bottom.

Meanders of the North Platte river.

		in Sec. 23.
N 80° W	54.00	
N 76° W	30.00	to the Meander Cor to fract^{l}. Sec^{s} 22 and 23. to the foot of the rocks thence in Sec^{n}. 22.
N. 53 W	61.00	to the Meander Cor. to fract^{l}. Sec^{s} 15 and 22, along the rocks and Bluffs, Land rocky, Soil 3^{d} rate. thence in Sec. 15.
~~N. 48° W~~	~~47.00~~	
N. 55° W	40.00	to the Meander Cor. to fract^{l}. Sec^{s} 9 and 16. Land Bottom Soil 1st rate
~~N. 48° W~~	~~47.00~~	~~thence in Sec. 16~~
N 59¼ W	39.30	~~To Meand. Cor lot~~ thence in Sec. 9
N 64 W	14.00	to the Meander Cor. to fract^{l}. Secs 8 and 9. Land Bottom Soil 1st rate thence in Sec. 8.
N. 63 W	19.00	
N. 80 W	63.00	to the Meander Cor. to fract^{l}. Sec^{s} 7 and 8. Land rich Bottom, level thence in Sec. 7.
S 88½ W	51.30	
~~S 88 W~~	~~42.00~~	
S 88 W	28.00	to the Meander Cor to fract^{l}. Sec. 7 on West boundary line of the Township. Land level Bottom, Soil 1st rate

Sept. 30. 1870.

Townships 15 N. Range 40 W.

General Description.

There are two very nice Spring branches in this Township, along which is very good, high grass. The water of these branches is cold and very clear, and fast running.

The Bottom Land in the East part of the Township and on the North side of the river Contains considerable Alkali, and some ponds, which however could easily be laid dry by ditches.

The hills on north side of the Township are lower than those on the South side, and are covered with sweet grass.

We hereby Certify, that we assisted Charles Wimpy deputy Surveyor in surveying and Subdividing Township Number 15 North of the Base line of Range Number 40 West of the Sixth principal Meridian and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions, furnished by the Surveyor General.

William Sibats
H. Tiedeman
Fr. Daub
H Lessinger

Subscribed in my presence and Sworn to before me this 22d 30th day of September A.D. 1870

R C Dougherty
Clerk of the District Court within and for Lancaster County Nebraska

I Charles Wimpy, deputy Surveyor, do solemnly swear that in pursuance of a contract with Robert R. Livingston Surveyor of the Public Lands of the United States in the State of Nebraska, bearing date the 6th day of ~~July~~ Aug. 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Subdivision lines and meanders of Township Number 15 North Range Number 40 West of the 6th Principal Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field Notes of such Survey.

Charles Wimpy

Subscribed in my presence and Sworn to before me this 30th 22d day of September A.D. 1870

R C Dougherty
Clerk of the District Court within and for Lancaster County Nebraska

Surveyor Genral's Office

Plattsmouth Neb. Nov. 23. 1870

The forgoing field notes of the Survey of the Subdivision lines & meanders in Township No 15 North of Range No 10 West of the 6th Principal Meridian in the State of Nebraska executed by Charles Wimpf under his Contract of the 6th day of August 1870. in the Month of September 1870 having been Critically examined the necessary Corrections & explanations made the said field notes and the Surveys they discribe are hereby approved

Robt. E. Simmington
Surveyor Genral

Field Notes

Of the Survey and Subdivision of Townships 16 N. Range 10 West of the 6th P.M. Nebr. Executed by J. B. Park deputy Surveyor under their joint contract number 47 dated June 16th 1871 wherein J. B. Park and A. L. Campbell are joint contractors

Subdivision Commenced July 26th 1871
Completed July 30th 1871

List of Names

and duties of assistants

R. B. Keyes Chainman

Charles F. Billopp Chainman

INDEX DIAGRAM. T. 16. N. R 40 W. 6th P.M.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 16 N. Range 40 W. 6th P.M.

Chains. To determine the proper adjustment of my compass for Subdividing this Township I commence at the corner to Townships 16 N. Ranges 39 and 40 W. and run North along the Eastbound are of Sec 36 Var. 14° 30' E

39.98 To a point 2 links East of the 1/4 Sec. cor.

79.97 To a point 4 links East of the corner to Sec. 25, 36, 29, 31. Therefore to retrace this line, or run a line parallel thereto My Compass must be adjusted to a variation of 14° 32' E.

Subdivision commenced July 26th 1871.

Township 16 N. Range 40 W. 6th P.M.

Chains	
	North between Secs. 35 and 36 Ca. 14° 32' E.
40,00	Set post deposit charred Stake raised mound of earth with as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 25, 26. 35. 36 Land hilly Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P.M.

Chains	
	East on random line between Secs. 25 and 36 Ca. 14° 32' E.
30,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
80,20	Intersect East bound of Sec. 18 80 links North of the corner to Secs. 25. 36. 30. 31 from which corner I am N. 89° 52' W. on true line between Secs. 25 and 36 Ca. 14° 32' E.
1,0,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,20	The corner to Secs. 25, 26, 35, 36 Land hilly Soil Sand 3rd rate

Townships 16 N. Range 24 W. 6th P.M.

chains	
	North between Secs. 25 and 26
	Var. 14° 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23 24, 25, 26 Land Sand hills Soil Sd Mate.

Townships 16 N. Range 24 W. 6th P.M.

chains	
	East on random line between Secs. 24 and 25
	Var. 14° 32' E.
40,00	Set post for temporary 1/4 Sec. Cor.
79,92	Intersect East boundary of Township 24 links South of the corner to Secs. 24, 25 ~~19,20~~, from which corner I run S. 89° 50' W. on true line between Secs. 24 and 25
	Var. 14° 32' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 23, 24, 25, 26 Land hilly and broken Soil Sd Mate

Township 16 N. Range 20 W. 6th P.M.

Chains	
	North between Secs. 23 and 24 Va. 1 deg 32' E.
6	0,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
8	0,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14 + 23, 24 Land Sand hills Soil Sandy mate

Township 16 N. Range 20 W. 6th P.M.

Chains	
	East on variation line between Secs. 13 and 24 Va. 1 deg 32' E.
4	0,00 Set temporary 1/4 Sec. cor.
7	9,90 Intersect East boundary of Township 20 links North of the corner to Secs. 13, 24 + ~~16~~ 19 from which corner I run N. 89 deg 61' W. on true line between Secs. 18 and 24 Va. 1 deg 32' E.
39	9,95 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
79	9,90 The corner to Secs. 13, 14, 23, 24 Land Sand hills Soil Sandy mate

Townships 16 N. Range 40 W 6th P.M.

Chains	
	North between Secs. 13 and 14 Var. 14° 32' E.
35,00	Drain descends East
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12, 13, 14 Land Sand hills Soil Sandy

Townships 16 N. Range 40 W 6th P.M.

Chains	
	East on random line between Secs. 12 and 13 Var. 14° 32' E.
40,00	Set temporary ¼ Sec. Cor.
80,10	Intersect East boundary of Township 18 links South of the corner to Secs 12, 13, ~~7~~, 18 from which corner Bm S. 89° 52' W. on true line between Secs. 12 and 18 Var. 14° 32' E
40,05	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
80,10	The corner to Secs. 11, 12, 13, 14 Land Sand hills Soil Sandy

Lounship 16 N. Range 4 W. 6th P.M.

Chains	
	North between Secs. 11 and 12
	Va. 1 40 32' E.
4,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Secter,
80,00	Set post deposit, Charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 1, 2, 11, 12
	Land hilly
	Soil Sand & arrate

Lounship 16 N. Range 4 W. 6th P.M.

Chains	
	East on razidoca line between Secs, 1 and 12
	Va. 1 40 32' E.
4,00	Set temporary 1/4 Secter,
79,92	Intersect East boundary of Lounship 12 Links N'th of the corner to Secs, 1, 12, 6, 7 from which corner Laun N. 89° 55' W. on true line between Secs, 1 and 12
	Va. 1 40 32' E
39,96	Set post deposit, Charred Stake raised mound of earth with pits as per instructions for a 1/4 Secter,
79,92	The corner to Secs, 1, 2, 11, 12
	Land hilly and broken
	Soil Sand Bad rate

Township 16 N. Range 40 W 6th P.M.

chains	North between Secs. 1 and 2 On. 1 40 32' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
78.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Closing Corner to Secs. 1 and 2 on the 4th Standard Parallel North at 18.75 chs. East of the corner to Secs. 31, and 26 T. 17 N. R. 39. and 40 W. Land hilly Soil Sand Stone rate

Township 16 N. Range 40 W 6th P.M.

chains	North between Secs. 34 and 35 On. 1 40 32' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35. Land Sand hills Soil Sand rate

July 26th 1871

Township 16 N. Range 40 W. 6th P.M.

Chains	
	East on random line between Secs. 26 and 35 Va 14° 32' E.
40.00	Set temporary 1/4 Sec Cor.
80.08	Intersect N. and S. line 14 links North of the corner to Secs. 25, 26, 35, 36 from which corner I run N. 89° 54' W. on true line between Secs. 26 and 35 Va. 14° 32' E.
40.04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.08	The corner to Secs. 26 27, 34, 35 Land Sand hills Soil 2nd rate

Township 16 N. Range 40 W. 6th P.M.

Chains	
	North between Secs. 26 and 27 Va. 14° 32' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 22, 23 Land Sand hills Soil 2nd rate.

Township 16 N Range 40 W, 6th P. M.

Chains	East on variation line between Secs. 23 and 26 Var. 14° 32' E.
40.00	Set temporary ¼ Sec'or,
79.88	Intersect N. and S line 12 links North of the corner to Secs. 23. 24 25, 26 from which corner I saw N. 89° 55' W. on true line between Secs 23 and 26 Va. 14° 32' E
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec'or.
79.88	The corner to Secs. 22. 23. 26. 27 Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P. M.

Chains	North between Secs. 22 and 23 Va. 14° 32' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec'or,
84.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23 Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P.M.

chains	East on random line between Secs. 14 and 23 Ca. 1 40 32' E.
40,00	Set temporary 1/4 Sec Cor,
80,16	Intersect ~~East boundary of Township~~ North line of the corner to Secs. 13, 14, 23, 24 from which corner I run S. 89° 58' W. on true line between Secs. 14 and 23 Ca. 1 40 32' E.
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,16	The corner to Secs. 14, 15, 22, 23. Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P.M.

chains	North between Secs. 14 and 15 Ca. 1 40 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land Sand hills Soil 3rd rate

Townships 16 N. Range 20 W. 6th P. M.

80 chains	East on random line between Secs. 11 and 14 Var. 14°32' E.
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 14 links North of the corner to Secs. 11, 12, 13 14 from which corner I run N. 89°54' W. on true line between Secs 11 and 14 Var. 14°32' E.
39,98	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
79,92	The corner to Secs, 10, 11, 14, 15 Land Sand hills Soil Sand rate

Townships 16 N. Range 20 W. 6th P. M.

chains	North between Secs. 10 and 11 Var. 14°32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 2, 3, 10, 11 Land Sand hills Soil Sand rate.

Township 16 N. Range 40 W. 6th P.M.

Chains	East on random line between Secs. 2 and 11 Ca. 140 32' E.
40,00	Set temporary 1/4 Sec Cor,
80,18	Intersect N. and S line 8 links South of the corner to Secs 1, 2, 11, 12 from which corner I mon S. 89° 57' W. on the line between Secs 2 and 11 Ca. 140 32' E.
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,18	The corner to Secs. 2, 3, 10, 11, Land Sand hills Soil Sand rate

Township 16 N. Range 40 W. 6th P.M.

Chains	North on true line between Secs. 2 and 3 Ca. 140 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,25	Set Post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs 2 and 3 on the North Standard Parallel at 18,70 chs East of the corner to Secs 35 and 36 T. 17 N R. 40 W. Land Sand hills Soil Sand rate

Township 16 N. Range 40 W. 6th P.M.

Chains	North between Secs. 33 and 34 Co. 1 40 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Cor. to Secs. 27, 28, 33, 34 Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P.M.

Chains.	East on random line between Sec 1, 27 and 34 Co. 1 40 32' E.
40,00	Set temporary 1/4 Sec Cor,
80,00	Intersect N. and S. line 16 chains South of the Corner to Secs. 26, 27, 34, 35 from which corner I run S. 89 30' W. on true line between Secs. 27 and 34 Co. 1 40 32' E.
40,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	The corner to Secs. 27, 28 33, 34 Land Sand hills Soil 3rd rate

July 27th 1871

Township 16 N. Range 40 W. 6th P.M.

Chains	North between Secs. 27 and 28	
	Va. 14° 32' E.	
40		
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.	
78.		
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a cor. to Secs. 21, 22 27, 28	
	Land Sand hills.	
	Soil 3rd rate.	

Township 16 N. Range 40 W. 6th P.M.

Chains	East on random line between Secs. 22 and 27	
	Va. 14° 32' E.	
40,00	Set temporary 1/4 Sec. Cor.	
79.92	Intersect N and S line 18 links North of the corner to Secs. 22, 23, 26, 27 from which corner Sun N. 89° 52' W. on true line between Secs. 22 and 27	
	Va. 14° 32' E.	
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.	
79.92	The corner to Secs. 21, 22, 27, 28	
	Land Sand hills	
	Soil 3rd rate.	

Township 16 N. Range 40 W 6th P.M.

2 chains	North between Secs. 21 and 22 Ca. 14 32' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22, Land hilly Soil Sand 3rd rate

Township 16 N. Range 40, W. 6th P.M.

2 chains	East on random line between Secs. 15 and 22 Ca. 14 32' E.
40.00	Set temporary 1/4 Sec. Cor.
84.16	Intersect N. and S. line 2 chs North of the corner to Secs. 14, 15, 22, 23, from which corner I run N. 89 0 W on true line between Secs. 15 and 22 Ca. 14 32' E.
44.08	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.16	The corner to Secs. 15, 16 21, 22. Land Lava hills Soil 3rd rate

Township 16 North Range 40 W. 6th P.M.

Chains	
	North between Secs 15 and 16 Ca. 140 32' E.
40.00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16 Land Sand hills Soil 3rd rate.

Township 16 N. Range 40 W. 6th P.M.

Chains	
	East on random line between Secs. 10 and 15 Ca. 140 32' E.
40.00	Set temporary 1/4 Sec Cor.
80.14	Intersect E and S. line 16 links South of the corner to Secs. 10, 11, 14, 15 from which corner Gan S. 89° 5-3' W. on true line between Secs 10 and 15 Ca. 140 32' E.
40.07	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.14	The corner to Secs. 9, 10, 15, 16 " Land Sand hills. Soil 3rd rate.

Township 16 N. Range 40 W. 6th P. M.

Chains	North between Secs. 9 and 10 Va. 14° 32' E.
40,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor.
80,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a Corner to Secs. 3, 4, 9, 10 Land hilly and broken Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P. M.

Chains	East on standard line between Secs. 3 and 10 Va. 14° 32' E.
40,00	Set temporary ¼ Sec Cor.
79,90	Intersect N and S. line 12 links North of the corner to Secs. 2, 3, 10, 11 from which corner I run N. 89° 55' W. on true line between Secs. 3 and 10 Va. 14° 32' E.
39,95	Set post deposit chained Stake raised mound of earth with pits as per instructions for a ¼ Sec Cor
79,90	The corner to Secs. 3, 4, 9, 10 Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P.M.

Chains	
	North on the line between Secs. 3 and 4,
	Va. 14° 32' E.
40,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,40	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 3 and 4 on the 4th Standard Parallel North at 18.65 chs. East of the corner to Secs. 34 and 35 T. 17 N. R 40 W. Land Sand hills Soil S and rate

Township 16 N. Range 40 W. 6th P.M.

Chains	
	North between Secs. 32 and 33
	Va. 14° 32' E.
40,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit Charred Stake raised mound of earth with pits as per instructions for a corner to Secs 28, 29, 32, 33 Land S and hills Soil S and rate

Township 16 N. Range 40 W. 6th P.M.

chains	East on grand our line between Secs. 28 and 33 Va. 14° 32' E.
40,00	Set post for temporary 1/4 Sec. Cor.
79.80	Intersect N. and S. line 14 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run N. 89° 54' W. on the line between Secs. 28 and 33 Va. 14° 32' E.
39.80	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 28, 29, 32, 33 Land hilly and Broken Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P.M.

chains	North between Secs. 28 and 29 Va. 14° 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
45,00	Drain descends S.W.
84.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29 Land hilly and broken Soil Sand 3rd rate

July 28th 1871

Township 16 N. Range 40 W. 6th P. M.

2	chains	East on random line between Secs. 21 and 28 Va. 14° 32' E.
	40.00	Set temporary ¼ Sec. Cor.
	80.16	Intersect N. and S. line 12 links South of the corner to Secs 21, 22, 27 28 from which corner a Pine S. 89° 55' W. on true line between Secs. 21 and 28 Va. 14° 22' E.
3	40.08	Set post deposit shaved Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
	80.16	corner to Secs. 20, 21,
7		28, 29 Land hilly & broken Soil Sand Sod rate

Township 16 N. Range 40 W. 6th P. M.

	chains	North between Secs. 20 and 21 Va. 14° 32' E.
	40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
	80.00	Set post deposit Shaved Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21
2		Land hilly and broken Soil Sand Sod rate

Township 16 N. Range 40 W. 6th P. M.

	Chains	
		East on random line between Secs. 16 and 21 Va. 14° 32' E.
1	40,00	Set temporary 1/4 Sec. Cor.
	80,10	Intersect N. and S. line 16 links North of the corner to Secs. 15, 16, 21, 22, from which corner a pine N. 89° 58' W. one link line between Secs. 16 and 21 Va. 14° 32' E.
	40,05	Set post deposit charred & stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
3		
	80,00	The corner to Secs. 16,
7		17, 20, 21 Land hilly and broken Soil 3rd rate

Township 16 N. Range 40 W. 6th P. M.

	Chains	
		North between Secs. 16 and 17 Va. 14° 32' E.
	40,00	Set post deposit charred & stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
	80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17 Land Same hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P. M.

	Chains	East on random line between Secs. 9 and 16 Va. 14° 32' E.
	40,00	Set temporary 1/4 Sec. cor.
	79,86	Intersect N. and S. line 10 links South of the corner to Secs. 9, 10, 15, 16 from which corner Ironwood S. 89° 56' W. on true line between Secs. 9 and 16 Va. 14° 32' E.
3	39,93	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
7	79,86	The corner to Secs. 8, 9 16, 17 Land hilly and broken Soil Sand & rock

Township 16 N. Range 40 W. 6th P. M.

Chains	North between Secs. 8 and 9 Va. 14° 32' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9 Land rough Sand hills very broken Soil Sand & rock

Township 16 N. Range 40 W. 6th P. M.

Chains	East on random line between Secs. 4 and 9 Va. 14° 32' E.
40,00	Set temporary 1/4 Sec Cor.
80,08	Intersected N. and S. line 12 links West of the Corner to Secs. 3, 4, 9, 10 from which corner I run N. 89° 55' W. on true line between Secs. 4 and 9 Va. 14° 32' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,08	The corner to Secs. 4, 5, 8, 9, Land rough Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P. M.

Chains	North on true line Between Secs. 4 and 5 Va. 14° 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,80	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a closing Corner on 4th Stand. and Parallel North Secs. 4 and 5 T. 16 N. R 40 W. at 18,75 chs East of the corner to Secs. 33 and 34 T. 17 N. R 40 W. Land Sand hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P.M.

Chains	North between Secs. 31 and 32 Va. 14° 32' E.
40,00	Let post deposit chared Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
46,00	Drain descends S. E.
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 29 30, 31, 32, Land hilly Soil Sand Sod rate

Township 16 N. Range 40 W. 6th P.M.

Chains	East on random line between Secs. 29 and 32 Va. 14° 32' E.
20,50	creek 10 lks wide runs South.
40,00	Let temporary 1/4 Sec. Cor.
80,14	Intersect N. and S. line 14 links South of the corner to Secs. 28, 29, 32, 33 from which corner Inn S. 89° 54' W. on true line between Secs. 29 and 32, Va. 14° 32' E.
40,07	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,14	The corner to Secs. 29, 30 31, 32, Land Sand hills Soil Sod rate.

Township 16 N. Range 40 W. 6th P. M.

	Chains	West on random line between Secs. 30 and 31 Var. 14° 32' E.
	40,00	Set temporary ¼ Sec. Cor.
	78,54	Intersect West boundary of Township 16 links North of the corner on 5th Guide Meridian West to Secs. 30, 31, 25, 36 from which corner I run N. 89° 53' E on true line between Secs. 30 and 31 Var. 14° 32' E,
	38,54	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor,
	78,54	The corner to Secs. 29, 30, 31, 32 Land Land hills Soil 3rd rate

Township 16 N. Range 40 W. 6th P. M.

	Chains	North between Secs. 29 and 30 Var. 14° 32' E.
	40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor,
	80,00	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a corner to Secs. 19, 20 29, 30 Land rough Sand hills Soil 3rd rate

July 29th 1871

Townships 16 N. Range 40 W. 6th P.M.

Chains	East on random line between Secs. 20 and 29 Var. 14° 32' E.
12.00	Creek 12 links wide runs South
40.00	Set temporary 1/4 Sec. Cor.
79.94	Intersect N. and S. line 14 links North of the corner to Secs. 20, 21, 28, 29 from which corner I run N. 89° 54' W. on true line between Secs. 20 and 29 Var. 14° 32' E.
39.97	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.94	The corner to Secs. 19, 20 29, 30 Land rough and broken Soil Sand & mod rate

Townships 16 N. Range 40 W. 6th P.M.

Chains	West on random line between Secs. 19 and 30 Var. 14° 32' E.
40.00	Set post for temporary 1/4 Sec. Cor.
78.48	Intersect West boundary of Township 16 links South of the corner to Secs. 19, 30, ~~24, 25~~ from which corner I run S. 89° 58' E. on true line between Secs. 19 and 30 Var. 14° 32' E.
38.48	Set post deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
78.48	The corner to Secs. 19, 20, 29, 30 Land rough Sand hills Soil & mod rate

Township 16 N. Range 10 W. 6th P.M.

Chains	North between Secs. 19 and 20.
	Va. 1/4° 32' E.
40,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or.
41,00	Creek 6 links wide runs S.E.
80,00	Set post deposit chained Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20.
	Land very hilly and broken Soil Sand & ordinate

Township 16 N. Range 10 W. 6th P.M.

Chains	East on a random line between Secs. 17 and 20
	Va. 1/4° 32' E.
40,00	Set temporary 1/4 Sec'or.
80,18	Intersect North & line 10 links South of the corner to Secs. 16, 17, 20, 21 from which corner a run S. 89° 56' W. on true line between Secs. 17 and 20
	Va. 1/4° 32' E.
40,09	Set post deposit chained Stake raised mound of earth with pits as per instructions for a 1/4 Sec'or.
80,18	The corner to Secs. 17, 18 19, 20
	Land hilly and broken Soil Sand & ordinate

Township 16 N. Range 40 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19 Va. 14° 32' E.
8,00	Creek 5 links wide runs South
4,00	Set temporary 1/4 Sec. Cor.
78,37	Intersect West boundary of township 12 links North of the ~~corner to~~ on 5th Gundy "Municipal Mark" corner to Secs. 18, 19, 13, 24 from which corner I run N. 89° 55' E on true line between Secs. 18 and 19 Va. 14° 32' E
38,37	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,37	The corner to Secs. 17 18, 19, 20
	Land hilly and broken
	Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P. M.

Chains	
	West between Secs. 17 and 18 Va. 14° 32' E
25,00	Creek 5 links wide runs S.W. falls about 6 ft in 2 chs
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
45,00	Spring head of creek
80,00	Set post deposit. Charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8 17, 18
	Land very hilly
	Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P.M.

	Chains	East on random line between Secs. 8 and 17 Va. 14° 32' E.
8,0	40,00	Set temporary ¼ Sec'l
4,14	80,14	Intersect N. and S. line
7	78,	22 links South of the corner to Secs. 8, 9, 16, 17 from which corner Iron N. 89° 55' W. on true line between Secs, 8 and 17 Va. 14° 32' E,
	40,07	Set post deposit Chained Stake raised mound of earth with pits as per instructions for a ¼ Sec'l
38,	80,14	The corner to Secs. 7, 8 17, 18
78		Land hilly Soil Sand 3rd rate

Township 16 N. Range 40 W. 6th P.M.

Chains	West on random line between Secs. 7 and 18 Va. 14° 32' E.
40,00	Set post for temporary ¼ Sec'l Cor,
78,18	Intersect West boundary of Township 12 links North on the 5th Guide Meridian West of the corner to Secs, 7, 18, ~~12~~ 12 from which corner Iron N. 89° 55' E. on true line between Secs, 7 and 18 Va. 14° 32' E,
38,18	Set post deposit Chained Stake raised mound of earth with pits as per instructions for a ¼ Sec'l Cor,
78,18	The corner Secs. 7, 8, 17, 18 Land Sand hills Soil 3rd rate.

Township 16 N. Range 40 W. 6th P.M.

Chains	North between Secs. 7 and 8 Va. 140 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs. 5, 6 7, 8 Land Sand hills Soil Good sand

Township 16 N. Range 40 W. 6th P.M.

Chains	East on random line between Secs. 5 and 8 Va. 140 32' E.
40,00	Set temporary 1/4 Sec. Cor.
80,14	Intersect N. and South line 18 links North of the corner to Secs. 4, 5, 8, 9 from which corner Bear N. 89° 52' W on true line between Secs. 5 and 8 Va. 140 8 2/3' E
40,07	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
84,14	The corner to Secs 5, 6, 7 8 Land hilly Soil Sandy Good sand

Township 16 N. Range 40 W. 6th P. M.

Chains	
	West on random line between Secs. 6 and 7 Va. 14° 32' E.
40,00	Set temporary 1/4 Sec. Cor
78,10	Intersect West boundary of township 14 links North of the corner to Secs 6, 7, 1, 12 from which corner I run N. 89° 54' E. on true line between Secs 6 and 7 Va. 14° 32' E
38,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
78,10	The corner to Secs 5, 6 7, 8 Land Sand hills Soil Sandy

Township 16 N. Range 40 W. 6th P. M.

Chains	
	North on true line between Secs. 5 and 6 Va. 14° 32' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,80	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 5 and 6 on the 4th Standard Parallel North at 19,40 chs East of the corner to Secs 32 and 33 T. 17 N. R. 40 W. Land Sand hills Soil Sandy

July 30th 1871

Township 16 N. Range 40 W. 6th P.M.

General Description

This Township is very hilly and broken, Soil Sand & ord orate, covered thinly with tough grass. A fine Spring brook ~~arises~~ in Sec 17 runs South. the banks are high Sand bluffs. very broken

This Township is not well adapted to Settlement and cultivation but would do for grazing to a limited extent.

Township 16 N. Range 40 W. 6th P.M.

Chains

List of Names

A list of the names of individuals employed to assist in running, measuring or marking the lines and corners described in foregoing field-notes of Township 16 North of the base line, of range number 40 West of the 6th Prin. Mer. Showing the respective capacities in which they acted.

R B Keyes Chainman
Chas H Billopp Chainman
Geo. D Wallace Axeman or
Henry McBroom Mountaineer

We hereby certify that we assisted
L. B. Park deputy Surveyor in Sur-
veying and Subdividing Township
Number 16 N. of the base line &
Range number 40 West of the 6th
Prin. Mer. and that Said Township
has been in all respects, to the
best of our Knowledge and
belief well and faithfully Sur-
veyed and the boundary monu-
ments planted according to
the instructions furnished by
the Surveyor Surveyor General
Richard B. Kyler Chainmen
Chas. F Billopp Chainman
George H Wallace Axemen or
Henry M Broom Flagmen

State of Nebraska }
Lincoln County } ss Subscribed
and Sworn to by the above named
persons, before me a Justice
of the Peace in and for Said County
this 10th day of August A D 1871

Wm J Patterson J. P.

I, J. B. Park deputy Surveyor do Solemnly Swear that, in pursuance of a joint contract herein J.B. Park and A. L. Campbell are joint contractors with E.E. Cunningham Surveyor General for the District of Iowa and Nebraska, bearing date June 16th 1871 I have well faithfully and truly, in my own proper person, and in Strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the laws of the United States, Surveyed all those parts or portions of Townships number 16N. of the base line, of Range number 40W. of the 6th Principal Meridian as are represented in the foregoing field notes as having been Surveyed under my direction; and I do

further Solemnly Swear that all the corners of Said Surveys have been established and perpetuated in Strict accordance with the Surveying Manual, and printed instructions, and that the foregoing are the true and original field-notes of Such Survey

J. B. Park
Deputy Surveyor

State of Nebraska }
Lincoln County } ss.

Subscribed in my presence and Sworn to before me this 10 day of August 1871

Wm. I Patterson J.P.

Surveyor Generals Office
Plattsmouth Aug. 1871

The foregoing field notes of the Survey and subdivision of Township No. 16 North of the Base line of Range No. 40 West of the 6th Prin. cipal Meridian in the State of Nebraska. Executed by Josiah B. Park, under joint Contract No 47 wherein J. B. Park and Henry C. Campbell are joint Contractors dated June 16th 1871. in the month of July A.D 1871. having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

E. E. Cunningham
Surveyor General.

General Land Office • Original Field Notes

Book Number

623

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.