General Land Office • Original Field Notes

Book Number

632

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Sec 4
15 — 8 + 9
N 26 + 27
" 27 - 28

INDEX DIAGRAM

Town 13 N. Range 41 W

6	63	5	45	4	33	3	21	2	10	1
	62		61		44		32		20	9
7	60	8	43	9	32	10	19	11	8	12
	59		58		42		31		18	7
18	57	17	41	16	29	15	17	14	6	13
	56		55		40		28		16	5
19	54	20	39	21	27	22	15	23	4	24
	53		52		38		26		14	
30	51	29	37	28	25	27	13	26	3	25
	49		48		36		24		12	2
31	47	32	35	33	23	34	11	35	1	36

Meander lines
Fr. 65. 66, 67. 68. 69. 70

Field Notes of the
Survey of the
Subdivision lines and

e South

th Platte

nship

T. 13 to 16. N

R. 41 W

No. 13 North of the Base
Line of Range No. 41 West.
of the 6th Principal Meridian
in the State of Nebraska
by Wm. Bradbury Deputy Surveyor
under his Joint Contract No. 27
with M. T. Patrick bearing
date the 28th day of June 1869

Field Notes of the Survey of the Subdivision lines and meanders of the South Fork of the North Platte River in Township No. 13 North of the Base Line of Range No. 41 West of the 6th Principal Meridian in the State of Nebraska by Wm. Bradbury Deputy Surveyor under his Joint Contract No. 27 with M. T. Patrick bearing date the 28th day of June 1869

A. List of the names and duties of the individuals employed to assist in surveying the Subdivision lines & meanders of the South Fork of the Platte River in Township No 13 North of the base Line of Range No 41 West of the 6th Principal Meridian in the State of Nebraska.

Henry Clay Lockwood Chainman
Frank. Smith Chainman
John. Bechtol Moundman
John H. Goodrich Moundman
A. J. Foley Flagman

Note; The cause of so many of the East & West lines of this Township being just 80 chains is that the N & S. lines were corrected to make the Sections Square Miles — and many of the corners to which random lines were run could be plainly seen with the Telescope on the instrument used in subdividing

Township 13 North Range 41 W 6th Prin Mer

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships ~~12 and~~ 13 N Ranges 40 and 41 W., and run North on a blank line along the East Boundary of Section 36. Variation 14° 30' East

40.08 To a point 4 links East of the quarter Section Corner

80.20 To a point 1 link West of the corner to Sections 25 and 36,

To retrace this line or run parallel thereto my Compass must be adjusted to a variation of 14° 30' East

T. 13 N. R 41. W. 6th P. M.

Sub-divisions commenced Sept. 12th 1869.

From the corner to sections ~~1. 2.~~ 35 and 36 on the South Boundary of the Township I run North, between Sections 35 and 36
Variation 14° 11' East
40.00 Set a post, deposited Charred Stake, raised mound of earth, made pits as per instructions for a quarter Section Corner
80.00 Set a post, deposited Charred Stake, raised mound of earth, made pits as per instructions for a [redacted] to Section 25. 26. 35 and 36.

Land level 2nd Rate

Township 13 N. Range 41 W 6th P.M.

East on a random line between Sections 25 and 36
Variation 14° 11' East
40.00 Set a post for temporary quarter section corner
79.55 Intersected East Boundary of Township 9 links South of post corner to sections 25 and 36
From which corner I run
S. 89° 54' West on a true line bet. Sec. 25 & 36
Variation 14° 46' East
39.77½ Set a post, deposited Charred Stake, raised mound of earth, made pits as per instructions for a quarter Section corner
79.55 The corner to Sections 25, 26, 35 and 36

Bottom Lands level 2nd Rate

T. 13 N. R 41. W. 6th Principal Meridian

North between Sections 25 and 26.

Chains Variation 14° 20' East

37.10 A. Road runs W. S. W.

40.00. Set a post, deposited Charred stake, raised mound of earth made pits as per instructions for a quarter section corner

42.50 Set a post, deposited charred stake, raised mounds of earth, made pits as per instructions for corner to fractional Sections 25 and 26 on the right ~~hand~~ bank of the South fork of the ~~North~~ Platte River

By measurement the average depth of the water being only two feet. I find the distance between the Right and left banks of the Platte River to be 40.14 Chs. this added to 42.50 Chs. to frac. cor. Sec's 25 and 26 Will give 82.64 Chs or. 2.64 Chs North of the point for corner to Sections 23, 24, 25 and 26.

80.00. Corner to Secs. 23, 24, 25 & 26 in river

Land Level Soil 2nd rate

Line of Secs. 24 & 25 is all in River.

Run could [illegible] on the instrument used in [illegible]

Township 13 N Range 41 W. 6th Principal Meridian

Chains North between Secs 23 and 24 Va 14° 20' E.

The corner to Sections 23. 24 25. and 26. coming in the South Fork of Platte River therefore at

2.64 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a corner to frac. Sec's 23 and 24 on the left ~~hand~~ Bank. South Fork Platte River

25.15 Center of Union Pacific Rail Road bears N. 70° E

36.00 old Emigrant Road to California Foot of hills, leave bottom lands bears N. E.

40.00 Set a post deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

80.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a corner to Sections 13. 14. 23 and 24

Land Level to 40.00 chs. rest hilly

Soil 1st rate

Township 13N Range 41 W.

chains	
	East on a random line between Sec's. 13 and 24 Va 14° 10' E.
40.00	Set a post, for temporary 1/4 Sec. corner
50.00	Foot of hill enter Land. Ravine bears N. N. W.
68.70	East side same ravine
80.00	Intersected Eastern Boundary of Township at post corner to Sections 13 and 24 from which corner I run
	West on true line between Secs 13 & 24 Va 14° 10' E.
40.00	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.00	The corner to Sections 13. 14. 23 and 24

Land hilly Soil 2nd rate

Run could be [illegible] on the instrument used in [illegible]

5th Principal Meridian

chains	
	North between Sec's 13 and 14 Va 14° 20' E.
31.00	Top of Bluffs — Laring S.E
40.00	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
63.00	Bottom of hill South side Ravine bears N. N. W.
80.00	Top of hill, falls both ways N E & S W. Set a post, deposited Charred Stake raised mound of earth and made pits as per instructions for a corner to Sections 11. 12. 13. and 14

Land undulating Soil 2nd rate

Township 13 N Range 41 W.

Chains	East on a random line between Sec's 12 and 13 Va 14° 11' E.
20.00	Foot of hill, enter Ravine bears N.W.
40.00	Set a post for temporary 1/4 Sec. corner
73.00	East side Same Ravine bears N.W. & S.E.
80.00	Intersected Eastern Boundary of Township at post corner to Sections 12 and 13 from which corner I run West on true line betw. Sec's 12 & 13 Va 14° 11' E
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 11. 12. 13 and 14

Land hilly Soil 3rd rate

6th Principal Meridian

Chains	North between Sec's 11 and 12 Va 14° 20' E.
32.00	Bot. of hill Enter Ravine bears W.N.W.
40.00	North side same Ravine Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
45.00	Top of hill bears S.E.
80.00	Set a post. deposited Charred stake raised mound of earth and made pits as per instructions for a corner to Sections 1. 2. 11 and 12.

Land hilly to 45.00 chs — Balance Rolling Soil South part 3rd rate North Part. 2nd rate

Township 13 N. Range 41 W.

Chains East on a random line between Sec's 1 and 12
Va 14° 11' E.

40.00 Set a post, for temporary 1/4 Sec. Corner

80.00 Intersected Eastern Boundary of Township at post corner to Sections 1 and 12 from which corner I run

West on true line bet. Sec. 1 & 12
Va 14° 11' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

80.00 The corner to Sections 1. 2. 11 and 12

Land Rolling
Soil 2nd rate

run could be [illegible]
on the instrument used in [illegible]

6th Principal Meridian

Chains North on a random line between Sec's 1 and 2
Va 14° 20' E.

40.00 Set a post for temporary 1/4 Sec Corner

79.90 Intersected Northern Boundary of Township at post corner to Sections 1 and 2 from which corner I run

South on true line bet. Sec. 1 & 2
Va 14° 20' E.

39.90 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

79.90 The corner to Sections 1. 2. 11 and 12.

Land Rolling Prairie
Soil 2nd rate

Township 13 N Range 41 W.

chains From the corner to Sections ~~2. 3.~~ 34 and 35 on the Southern Boundary of the Township I run North between Secs 34 and 35 Va 14° 30' E.

40.00 Set a post, deposited charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.00 Set a post, deposited charred Stake, raised mound of earth and made pits as per instructions for a corner to Sections 26. 27. 34 and 35

Land undulating
Soil 2nd rate

run could be [illegible]
on the instrument used in [illegible]

6th Principal Meridian

chains East on a random line between Sec's 26 and 35 Va 14° 10' E.

40.00 Set a post, for temporary 1/4 Sec Corner

80.45 Intersected the N and S line at post corner to Sections 25. 26. 35 and 36 from which corner I run West on true line betn Secs 26 & 35 Va 14° 10' E.

40.22 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

80.45 The corner to Sections 26. 27. 34 and 35

Land undulating
Soil 2nd rate

Township 13 N Range 41 W

Chains North between Sec's 26 and 27
Va 14° 30' E.

11.21 Road to Ft. Sedgwick bears E & W

23.12 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for
a corner to fractional
Secs 26 and 27 on the
Right Bank of the
South Fork Platte River

62.00 Set a post, deposited charred
stake, raised mound of earth
and made pits as per instructions
for a corner to fractional Sections
26 and 27 on the left Bank
South Fork Platte River

80.00 Set a post, deposited
charred stake raised mound
of earth and made pits as per
instructions for a corner to
Sections 22. 23. 26 and 27
Land undulating
Soil 1st rate

Run could not ...
on the instrument used in ...

6th Principal Meridian

Chains East on a true line between Sec's 23 & 26.
Va 14° 10' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

67.21. Intersected left Bank
of South Fork Platte River
Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for corner
to fractional Sections
23 and 26 on left Bank
of South Fork Platte River

Corner to Sect. 23, 24, 25 & 26 in river

Land Level
Soil 1st rate

Sept. 12th 1869

Township 13 N Range 4 W. 6th Principal Meridian

Chains North between Sec's 22 and 23
Va 14° 35' E

2.50 Center of Union Pacific Rail Road bears N.E.
18.00 Road to Julesburg bears N.E.
20.00 Fort of Bluffs enter Ravine bears N. ~~south~~ North.
40.00 Set a post, deposited charred stake raised mound of earth and made pits as per instruction from 1/4 Sec corner
75.00 leave Ravine, enter side hill bears S.E.
80.00 Side hill.
Set a post, deposited charred stake. raised mound of earth and made pits as per instructions for a corner to Sections 14. 15. 22 and 23.

Land principally hilly
Soil 3rd rate.

Run could not [illegible] on the instrument used in [illegible]

Chains East on a random line between Sec's 14 and 23
Va 14° 10' E.

2.00 Top of hill, Gradual fall
11.50 Old Emigrant Road to California bears N.W.
21.00 Ravine bears N.N.W. and S.S.E.
34.00 Top of Bluff bears S.E.
40.00 Small Ravine bears N.N.W. & S.S.E.
Set a post for temporary 1/4 Sec corner
46.00 Top of Bluff bears S.E.
53.00 Ravine bears N.N.W. & S.S.E.
80.00 on side hill
Intersected N and S line at a point 10 links North of post corner to Sections 13. 14. 23 and 24 from which corner Sun. North 89° 56' West on true line between Sections 14 & 23
Va 14° 10' E.
40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec. corner
80.00 The corner to Sections 14. 15. 22 and 23
Land hilly and broken
Soil 3rd rate

Township 13 N Range 41 W.

chains North between Sec's 14 and 15
Va 14° 21' E.

5.00 Top of Bluff. leave Bluff bears N. W
gradual fall 40 feet.

28.31 Old Emigrant Road to
California bears N. N W.
and S. S. E.

36.00 Ravine bears S. S. E.

40.00 ~~Set a post, deposited~~
~~Charred Stake~~, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. Corner

48.00 Top of Hills about
100 ft above South Fork
Platte River

80.00 Set a post deposited
charred stake, raised
mound of earth and made
pits as per instructions
for a corner to Sections
10. 11. 14 and 15.
Land to 48.00 Hilly balance Rolling
Soil 2nd rate

6th Principal meridian

chains East on a random line
between Sec's 11 and 14
Va 14° 10' E.

40.00 Set a post, for temporary
1/4 Sec Corner

48.00 Top of Hill, West Side
of Ravine bears N. W

63.00 Ravine bears N. W.

80.00 Intersected N and S line
at post corner to Sections
11. 12. 13 and 14 from
which corner I run
West true line bet. Sec. 11 & 14
Va 14° 10' E.

40.00 Set a post, deposited
Charred stake, raised
mound of earth and made
pits as per instructions
for a 1/4 Sec Corner

80.00 The Corner to Sections
10. 11. 14 and 15

Land Rolling ~~undulating~~
Soil 2nd rate

Township 13N Range 41W.

chains North between Sec's 11 & 14
Va 14° 20' E.

41.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
corner to Sections
2. 3. 10 and 11

Land Rolling
Soil 2nd rate.

6th Principal Meridian

chains East on a random line
between Sec's 2 and 11
Va 14° 10' E.

16.00 East Edge of hills on West
Side Ravine, bears S.E. gradual fall

27.00 West Side Ravine bears S.E.

41.00 Set a post for temporary
1/4 Sec. corner

51.00 East Side Ravine
bears N.W. to S.E. bank Ravine

67.00 Top of hill bears N.W.

80.00 Intersected N and S line
at post corner to Sections
1. 2. 11 and 12 from
which corner I run
West true line bet. Sec. 2 & 11
Va 14° 10' E.

41.00 Set a post, deposited
charred stake, raised
mound of earth and made pits
as per instructions for
1/4 Sec. corner

80.00 The corner to Sections
2. 3. 10 and 11
Land hilly and Broken Soil 3rd rate

Township 13 N Range 41 W. 6th Principal Meridian

chains North on a random line
between Secs 2 and 3
Va 14° 20' E.

15.50 Edge of Bluff, bear N W S. W. side
Ravine, Gradual fall

39.00 S. W. side of Ravine
bears N. W and S. E.

40.00 Set a post for temporary
1/4 Sec. corner

80.10 Intersection Northern
Boundary of Township
10 links West of post
corner to Sections 2 and 3
from which corner Sun
South 0° 04' West on a
true line between Secs. 2 & 3
Va 14° 20' E.

40.10 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions from
1/4 Sec. corner

80.10 The corner to Sections
2. 3. 10 and 11
Land hilly. Soil 3rd rate

Township 13 N. Range 41 W. 6th Principal Meridian

chains	
	From the corner to Sections ~~3. 4.~~ 33 and 34 on the Southern Boundary of the Township I run
	North between Sec's 33 and 34
	Va 14° 30' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00 ⊕	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 27. 28. 33 and 34
	Land undulating
	Soil 2nd rate
⊕ 68.00.	Road to Ft. Sedgewick bears S.W.

chains	
	East on a random line between Sec's 27 and 34
	Va 14° 10' E.
36.20	Road to Ft. Sedgewick bears S.W.
40.00	Set a post for temporary 1/4 Sec. corner
80.00	Intersected N and S line at post, corner to Sections 26. 27. 34 and 35 from which corner I run
	West true line betn. Sect. 27 & 34
	Va 14° 10' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 27. 28. 33 and 34
	Land undulating
	Soil 1st rate.

Township 13 N Range 41 W. 6th Principal Meridian

Chains North between Sec's 27 and 28
Va 14° 31' E.

12.50 Small Stream 15 links wide
~~bears~~ runs N. E. ~~and S. W.~~

24.20 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions
for corner to fractional
Sections 27 and 28 on the
Right hand Bank of the
South Fork Platte River

62.00 Set a post, deposited
charred stake, raised mound
of earth and made pits as per
instructions for a corner to
Fractional Sections 27 and 28
on the ~~right~~ left ~~hand~~ bank
of the South Fork Platte River

66.50 Center of Union Pacific Rail Road bears S.W.

80.00 Set a post, deposited charred
stake, raised mound of earth and
made pits as per instructions for
a corner to Sections 21.22.27 & 28
Land undulating Soil 1st rate

Chains East on a random line
between Sec's 22 and 27
Va 14° 11' E.

41.00 Set a post for temporary
1/4 Sec. Corner

69.88 Center of Union Pacific
Rail Road bears S.W.

80.00 Intersected N and S line
at a point 10 links North
of post corner to Sections
~~20~~ 22. ~~21~~ 28. 26 and 27. from
which corner I run
North 89° 56' West on true line
between Sec's 22 & 27 — Var. 14° 10' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions
for a 1/4 Sec. Corner

80.00 ~~Set~~ The corner to Sections
21. 22. 27 and 28

Land undulating
Soil 1st rate.

Township 13 N Range 4 W 5th Principal Meridian

chains North between Sec's 21 and 22
Va 14° 25' E.

3.00 Road to Julesburg bears S.W.
5.00 Foot of Bluffs. leave bottom lands gradual rise bra S.W.
40.00 Set a post. deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner
80.00 Set a post, deposited charred stake. raised mound of earth and made pits as per instructions from corner to Sections 15. 16. 21 and 22

Land hilly
Soil 3rd rate

chains East on a random line between Sec's 15 and 22
Va 14° 10' E

5.00 Top. of Hill, crossing side Hill on bears S.
19.00 Ravine bears S. E.
36.00 Top of Ridge bears S.E
40.00 Set a post for temporary 1/4 Sec. corner
49.00 Ravine bears S. E.
56.00 Top. of Ridge bears S.E.
61.00 Small Ravine bears S. E.
66.00 Top of Ridge bears S.E.
72.00 Small Ravine bears S. E.
80.00 Intersected N and S line at post corner to Sections 14. 15. 22 and 23 from which corner I ran West on a true line between Sec's 15 & 22
Va 14°. 10'. E.
40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.00 The corner to Sections 16. 16. 21 and 22
Land hilly and broken
Soil 3rd rate

Township 13 N Range 41 W. 6th Principal Meridian

chains North between Sec's 15 and 16
Va 14° 21' E

9.00 Top of Hills. enter Rolling Land (bears E & W)

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
9. 10. 15 and 16

To. 9.00 chs Hilly
Balance Rolling
Soil 2nd rate

Sept. 13th 1869

chains East on a random line
between Sec's 10 and 15
Va 14° 10' E.

40.00 Set a post for temporary
1/4 Sec. Corner

80.00 Intersected N and S line
at post corner to Sections
10. 11. 14 and 15 from
which corner I run
West on a true line between Sec's 10 & 15
Va 14° 10' E

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

80.00 The corner to Sections
9. 10. 15 and 16

Land Rolling
Soil 2nd rate

95.00 Emigrant Road to California (bears S. 10° E)

Township 13 N Range 4 W.

chains North between Secs 9 and 10
Va 14° 21' E.

40.00 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

80.00 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions from
Corner to Sections
3. 4. 9 and 10

Land Rolling
Soil 2nd rate.

4th Principal Meridian

chains East on a random line
between Sec's 3 and 10
Va 14° 10' E

40.00 Set a post for temporary
1/4 Sec. Corner

59.00 Emigrant Road to
California bears N. W. & S.

80.00 Intersected N and S line
at post corner to Sections
2. 3, 10 and 11 from
which Corner S and
West on a true line between Sec'd. 3 & 10
Va 14° 10' E.

40.00 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

80.00 The corner to Sections
3. 4. 9 and 10

Land Rolling
Soil 2nd rate

Township 13 N Range 41 W. 6th Principal Meridian

Chains North on a random line
between Sec's 3 and 4
Va 14° 31' E.

40.00 Set a post for temporary
1/4 Sec Corner

63.00 Emigrant Road to California bears N.W.

80.00 Intersected Northern
Boundary of Township
at post corner to Sections
3 and 4 from which
Corner I saw
South on a true line between Sec. 3 & 4
Va 14° 20' E

40.00 Set a post, deposited
charcoal stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

80.00 The Corner to Sections
3. 4. 9 and 10

Land Rolling
Soil 3rd rate.

Township 13 N. Range 41 W.

Chains From the corner to Sections ~~4. 5~~. 32 and 33 on the Southern Boundary of the Township I run North between Sec's 32 and 33 Va 14° 30' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

57.50 Road to Ft Sedgewick bears W

61.00 Stream 10 links wide ~~bears~~ runs E. N. E. Head about 12.00 chs W.

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 28. 29. 32 and 33

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 28 and 33 Va 14° 10' E.

40.00 Set a post for temporary 1/4 Sec corner

49.00 Stream 15 links wide ~~bears~~ runs N. E.

80.00 Intersected N and S line at post. corner to Sections 29. 28. 33 and 34 from which corner I run West on a true line between Sec's 28 & 33 Va 14° 10' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.00 The corner to Sections 28. 29. 32 and 33

Land Level
Soil 1st rate

Township 13N Range 41 W.

Chains	North between Sec's 28 and 29 Va 14° 30' E.
29.16	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Fractional Sections 28 and 29 on the Right hand bank of the South Fork of the Platte River
55.111	Set a post. deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Fractional Sections 28 and 29 on the left bank of South Fork of Platte River
55.83	Center of Union Pacific Rail Road bns W 16 links west of Center of Bridge marked □IV.B.51
64.00	Foot of hills bears W. begin to rise
80.00	Set a post, deposited charred stake raised, mound of Earth and made pits as per instructions for a corner to Sections 20.21.28 and 29. Land undulating Soil 2nd rate

on the instrument used as ...

6th Principal Meridian

Chains	East on a random line between Sec's 21 and 28 Va 14° 10' E.
24.111	Road to Julesburgh bears W.N.W. and east. pass along road
40.00	Set a post for temporary 1/4 Sec corner
52.00	Leave Road to Julesburgh bears E.S.E.
68.50	Road, (same) bears E.N.E. & W.S.W.
80.00	Intersected N and S line at post corner to Sections 21.22. 27 and 28 from which corner I run West on a true line between Sec's 21 & 28 Va 14° 10' E.
40.111	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.111	The corner to Sections 20.21.28 and 29

Land hilly
Soil 3rd rate

Township 13 N Range 4 W 6th Principal Meridian

Chains North between Sec's 20 and 21
Va 14° 25' E.

40.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

80.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
16. 17. 20 and 21.

Land Hilly and broken
Soil 3rd rate

12.00 Road to Jolesburgh bears W.

Chains East on a random line
between Sec's 16 and 21
Va 14° 10' E.

15.00 Small Ravine bears N. W and S.

25.00 Top of Ridge bears S.

40.00 Set a post for temporary
1/4 Sec Corner

52.00 Ravine bears South

80.00 Top of hill

Intersected N and S line
at post corner to Sections
15. 16. 21 and 22 from
which corner S and
West on a true line bet. Sec. 16 & 21
Va 14° 10' E.

40.00 Set a post, deposited
Charred stake, raised
mound of earth and made
pits as per instructions for a
1/4 Sec. Corner

80.00 The corner to Sections
16. 17. 20 and 21.
Land hilly
Soil 3rd rate

~~12.00 Road to Jolesburgh.~~

Township 13 N Range 24 W 6th Principal Meridian

Chains North between Sec's 16 and 17
Va 14° 20' E.

28.00 Top of B bluff near N.E. 150 feet above South Fork Platte River

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 8. 9. 16 and 17 —

Land to 28.00 chs. hilly & broken
Balance 1 Rolling
Soil 2nd rate

Chains East on a random line between Sec's 9 and 16.
Va 14° 11' E.

40.00 Set a post for temporary 1/4 Sec Corner

80.00 Intersected N and S line at post Corner to Sections 9. 11. 15 and 16 from which corner I saw

West on a true line betn Secs 9 & 16
Va 14° 11' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

80.1111 The corner to Sections 8. 9. 16 and 17.

Land rolling
Soil 2nd rate

Township 13 N Range 41 W.

Chains	
	North between Sec's 8 and 9 Va 14° 20' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 4. 5. 8 and 9
	Land rolling Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 4 and 9 Va 14° 10' E.
40.00	Set a post for temporary 1/4 Sec Corner
80.00	Intersected N and S line at post corner to Sections 3. 4. 9 and 10 from which Corner Ls and West on a true line between Sec. 4 & 9 Va 14° 10' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	The corner to Sections 4. 5. 8 and 9
	Land undulating Soil 2nd rate.
	Sept. 14th 1869

Township 13 N Range 4 W 6th Principal Meridian

Chains	
	North on a random line between Sec's 4 and 5 Va 14° 20' E.
40.00	Set a post for temporary 1/4 Sec Corner
80.20	Intersected Northern Boundary of Township at a point 10 links West of post corner to Sections 4 and 5 from which Corner I run South 0° 04' West on a true line between Sec. 4 & 5 Va 14° 20' E.
40.20	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.20	The Corner to Sections 4. 5. 8 and 9

Land rolling
Soil 2nd rate

on the instrument

Township 13 N Range 41 West

chains From the corner to Sections ~~5. 6.~~ 31 and 32 on the Southern Boundary of the Township I run North between Sec's 31 and 32 Va 14° 31' E.

37.50 Road to Ft. Sedgewick S.M.

40.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

74.40 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Fractional Sections 31 and 32 on the right ~~hand~~ Bank of the South Fork of the Platte River

80.00 corner to Sec. 29, 30, 31 & 32 In River, Set a temporary stake for corner to Sections 29. 30. 31 & 32 Land undulating Soil 1st rate

6th Principal Meridian

chains East on a random line between Sec's 29 and 32 Va 14° 11' E.

19.11 Intersected Right ~~hand~~ bank of the South Fork of the Platte River Set a post for temporary corner to frac. Sec's 29 and 32 —

40.00 Set a post for temporary 1/4 Sec corner

80.00 Intersected N and S line at post corner to Sections 28. 29 32 and 33 from which corner I run West on a true line bet. Sec. 29 & 32 Va 14° 10' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

60.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a corner to Frac. Sec's 29 and 32 on the Right Bank of the South Fork of Platte River

80.00 Place for corner to Sec. 29, 30, 31 & 32 in River

Land undulating Soil 1st rate

Township 13 N Range 41 W.

Chains	
	West on a random line between Sec's 30 and 31 Va 14° 10' E.
50.72	The left Bank of the ~~Platte~~ South Fork of the Platte River set a post for temporary corner to Frac Sections 30 & 31
73.70	Center of Union Pacific Rail Road's Side track Big Springs Station (bears S.W.)
74.21	Center of Union Pacific Rail Road (bears S.W.)
75.00	finding I cannot connect with ~~stake~~ Sec Corner owing to obstruction I take an offset North 10.00 chs thence West 4.72 chains thence South 10.00 chains to post corner to ~~Sections~~ 30 & 31 on Western Boundary of Township from which corner I run
79.72	East (on true line bet. Sec. 30 & 31) Va 14° 10'
2.46	S. E. Corner of Union Pacific Rail Road Sleeping House for Men employed on this Section

6th Principal Meridian

29.00	Set a post, deposited charred stake, raised mound of earth and grave pits as per instructions from Corner to Fractional Sections 30 and 31 on the left Bank of the South Fork of the Platte River
	Land level Soil 2nd rate

Township 13 N Range 41 W.

Chains North between Secs 29 and 30
Va 14° 30' E

32.50 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Fractional Secs 29 and 30 on left bank South Fork Platte River

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

40.80 Center of Union Pacific Rail Road S.W.

49.00 Road to Julesburgh bears S.W.

50.00 Foot of hills bear S.W.

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to sections 19. 20. 29 and 30

Land undulating Soil 2nd rate

on the instrument line

6th Principal Meridian

Chains East on a random line between Secs 30 and 29
Va 14° 00' E.

40.00 Set a post for temporary 1/4 Sec. Corner

50.00 road to Julesburgh

80.00 Intersected N and S line at post corner to sections 20. 21. 28 and 29 from which corner I saw

West on true line betw. Secs 20 & 29
Va 14° 00' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 The corner to sections 19. 20. 29 and 30.

Land hilly and broken Soil 3rd rate.

Township 13 N Range 41 W.

chains West on a random line
between Sec's 19 and 30
Va 14° 10' E.

8.00 Top of hill bears S.W.

40.00 Set a post for temporary
1/4 Sec. Corner

79.53 Intersected Western
Boundary of Township
at post corner to
Sec's 19 and 30 from
which Corner I run
East true line betw. Sec. 19 & 30
Va 14° 10' E.

39.53 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

79.53 The corner to Sections
19. 20. 29 and 30

Land rolling
Soil 2nd rate

6th Principal Meridian

chains North between Sec's 19 and 20
Va 14° 25' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instruction for a
1/4 Sec Corner

55.00 Top of Hills bear S.W. & E.

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a corner
to Sections 17. 18.
19 and 20

Land hilly and broken
Soil 3rd rate

Township 13N Range 41W.

chains East on a random line
between Sec's 17 and 20
Va 14° 10' E.

~~40.00~~ Set a post, ~~deposited~~
for temporary 1/4 Sec. corner

80.00 Intersected N and S line
at post corner to Sections
16. 17. 20 and 21 from
which corner 2 and
West from line bet. Sec. 17 & 20
Va 14° 10' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec corner

80.00 The corner to Sections
17. 18. 19 & 20

Land rolling
Soil 2nd rate

6th Principal Meridian

chains West on a random line
between Sec's 18 and 19
Va 14° 10' E.

40.00 Set a post for temporary
1/4 Sec Corner

79.20 Intersected Western
Boundary of Township
at a point 5 links north
of post corner to Sections
18 and 19 from which corner
Bears North 89° 58' East
on a true line between Sec. 18 & 19
Va 14° 10' E.

39.20 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions
from 1/4 Sec Corner

79.20 The corner to Sections
17. 18. 19 and 20

Land hilly & Broken
Soil 3rd rate

Township 13 N Range 41 W.

Chains North between Sec's 17 and 18
Va 14° 20' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner.

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a Corner to Sections 7, 8. 17 and 18

Land rolling
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sections 8 and 17
Va 14° 10' E.

411.111 Set a post for temporary 1/4 Sec Corner

811.111 Intersected N and S line at post corner to Sections 8. 9. 16 and 17 from which corner I am West true line betw. Sec. 8 & 17
Va 14° 10' E.

411.111 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

811.111 The corner to Sections 7. 8. 17 and 18

Land rolling
Soil 2nd rate

Township 13 N Range 4 W

chains West on a random line between Sec's 7 and 18 Va 14° 10' E.

4.00 Set a post, for temporary 1/4 Sec Corner

78.90 Intersected Western Boundary of Township at post Corner to Sections 7 and 18 from which corner Lines East true line betw. Sec. 7 & 18 Va 14° 10' E.

38.90 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec Corner

78.90 The corner to Sections 7. 8. 17 and 18

Land rolling
Soil 2nd rate

6th Principal Meridian

chains North between Sec's 7 and 8 Va 14° 30' E.

4.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

8.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections T. C. 7 and 8

Land rolling
Soil 2nd rate.

Sept 15th 1869

Township 13 N Range 4 W

Chains East on a random line
between Sec's 5 and 8
Va 14° 11' E.

40.00 Set a post for temporary
1/4 Sec corner

81.21 Intersected N and S line
at post corner to sections
4. 5. 8 and 9 from
which corner 2 and
West true line betw. Sec. 5 & 8
Va 14° 11' E.

41.11 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

80.20 The corner to sections
5. 6. 7 and 8

Land rolling
Soil 2nd rate

6th Principal Meridian

Chains North on a random line
between Sec's 5 and 6.
Va 14° 11' E.

40.00 Set a post for temporary
1/4 Sec corner

81.11 Intersected Northern
Boundary of Township
at a point 10 links West
of post corner to sections
5 and 6 from which
corner 2 and
South 11° 04' West
on true line betw. Sec. 5 & 6
Va 14° 11 E.

41.11 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

81.11 The corner to sections
5. 6. 7 and 8

Land rolling
Soil 2nd rate

Township 13 N Range 41 W

Chains	
	West on a random line between Sec's 6 and 7 Va 14° 11' E
40.00	Set a post for temporary 1/4 Sec Corner
78.70	Intersected Western Boundary of Township at post corner to Sections 6 and 7 from which corner I run East on true line bet. Sec. 6 & 7 Va 14° 11' E
38.70	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
78.70	The corner to Sections 5. 6. 7 and 8

Land rolling
Soil 2nd rate

Sept. 16th 1869.

6th Principal Meridian

Meanders of the right bank of South Fork of Platte River through the Township.

Begin at the fractional corner to Sections 25 and 30 on the Eastern Boundary of the Township and on the right and S. E. bank of the river, and run thence up stream with the Meanders of the right bank of said River. in Fractional Section 25 as follows.

~~S 59° W~~

Courses	Distances	
S 59° W	8.00 chs	
S 70¾° W	28.00 "	
S. 52¼° W	38.00 "	
S 89½ W	16.60 2	To the corner to Frac Sections 25 and 26 thence in Sec 26
S. 76¾ W	24.00	
S. 82¾ W	23.00	

Courses	Distances	
S 66¾ W	14.00 chs	
S 77° W	22.80 chs	To the corner to fractional Sections 26 and 27 thence in Sec 27.
S 63¾ W	8.98	
S 88¾ W	22.00	
S 78¾ W	26.00	
S 64¼ W	4.00	
S 87¾ W	10.00	
N 71½ W	11.50 4	To the corner to fractional Sections 27 and 28 thence in Section 28
N 86¼ W	80.00 5	To the corner to fractional Sections 28 and 29 thence in Sec 29
S. 64¼ W	67.00 6	To the corner to fractional Sections 29 and 32 thence in Section 32
S 74° W	20.00 7	To the corner to fractional Sections 31 and 32 thence in Section 31
S 52 W	46.50	
S 54° W	~~47.00~~	
S. 40½° W	10.00	
S 61° W	19.00	

S. 76 3/4° W	21.35 chs	To the corner to fractional Sections 31 and 36 on the Western Boundary of Township
[illegible]	[illegible]	

Note. The Right bank of the South Fork of the Platte River through Section 28 is very low, and sandy. The average height of the Right bank through the Township above water level is three feet. Water muddy, quicksand bottom. bank level, Soil 2nd rate, not subject to inundation; No timber.

Meanders of the left bank of South Fork of Platte River through the Township.—

Begin at the corner to fractional Sections 31 and 36 in the West Boundary of Township and on the left and North bank of the River, and run thence down stream with the meanders of the left bank of said river in Fractional Section 31 as follows.

Courses	Distances	
N 60½° E	111. links	
N 57° E	8. links	
N 32° E	19.70 ~~15.00~~	To the corner to fractional Sections 30 and 31 thence in Section 30
N 54° E	15.00	
N 70° E	12.00	
N 44° E	16.00	
N 72½° E	9.00	

Courses	Distances	
N 50° E	9.11 chs 11	To the corner to frac. Sec's 29 and 30 thence in Sec 29.
N 49° 1/4 E	11.11	
N 67 1/4° E	14.11	
N 74 1/4° E	23.00 22.50	
N 79 1/4° E	19.11	
S 89° E	20.90 12	To the corner to frac Sec's 28 and 29 thence in Sec 28
N 77 1/2° E	9.00.	
N 82 1/2° E	34.00	
S 83° E	36.75 37.50 13	To the corner to frac Secs 27 and 28 thence in Sec 27
East.	80.00 14	To the corner to frac Sec's 27 and 26 thence in Sec 26
N 77° E	35.00	
N 80 1/2° E	14.00	
N 67 3/4 E	21.00 15	To the corner to frac Secs 23 and 26 thence in Sec 23

Courses	Distances	
N 49° E	13.11 chs 16	To the corner to frac Sec's 23 and 24 thence in Sec 24
N 88 1/2° E	14.00	
N 55 1/4° E	16.00	
N 66° 3/4 E	56.60 57.60 17	To the corner to frac Secs 24 and 19 on the Eastern Boundary of Township

Note. The left. bank of the South Fork of the Platte River through Section 27 is low, sandy & subject to inundation.

Land along the left. bank of the South Fork Platte River is rolling, Soil 2nd rate, not subject to inundation. No timber

General Description

The Soil of this Township is poor except in the Valley of the Platte. the whole of the Soil however contains a small quantity of alkali.
No timber

For affidavits see book 4 T. 13 N R 44 W

Surveyor General's Office
Plattsmouth April 7th 1870.

The foregoing field notes of the survey of the sub-division lines and meanders of Township No. 13 North of the Base Line. Range 41 West of the Sixth Principal Meridian in the State of Nebraska. Executed by William Bradburn under Joint Contract No 27. dated June 28. 1869. wherein William Bradburn and Matthewson T. Patrick are joint contractors, in the month of September 1869. having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

Subdivision

INDEX DIAGRAM. T. 14 N. R. 41 W. 6th P.M.

6	60	5	46	4	35	3	24	2	13	1
60		59		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12
58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36

Names of Assistants

Chainman Marcus Griffen
" Henry Boggs
" Isiah Ayr
" Francis J. Sullivan

Mound Builders & Flagmen —
Osceola Dyer
Charles Keller
Charles Helberg
Henry Osborne

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to ~~towns~~ sections 13 & 14. N. R. 40. & 41 W. and run North on a blank line along the East Boundary of section 36. Variation 14° 30' East

39.96 To a point 8 links West of quarter section corner

79.92 To a point 12 links West of the corner to sections 25. & 36.

To retrace this line or run parallel thereto, my compass must be adjusted to a variation of 14° 20' East.

Subdivision commenced Aug 10th
From corner to sections 1. 2. 35 & 36 on South Boundary of Township I run

41

Township No. 1 of N. Range 41 West 6th Principal Meridian
North between sections 35 & 36
Variation 14° 25' E

40.00 deposited charred stake set post raised mound of earth, with pits as per instructions for one fourth section corner

80.00 deposited charred stake set post raised mound of earth, with pits as per instructions for corner to sections 25. 26, 35, and 36

Surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

West 6th Principal

East Random between section 25 & 36

Variation 14°25'

40.00 set temporary 1/4 section post

80.06 intersect 5th guide meridian W. at ~~section~~ corner to sections 25.30.31. & 36 from which corner I run

West on true line between sects 25 & 36

Variation 14°25' E

40.03 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

80.06 section corner

surface rolling

soil 2nd rate

(Write instruction in usual form)

West 6th Principal Meridian

North between sections 25 & 26

Variation 14°25

40.00 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

80.00 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 23, 24, 25 & 26

surface broken

soil 3rd rate

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random between sects 24 & 25
	Var 14°25'
x 40.00	set temporary 1/4 section post
xx	
xxx 79.90	intersect 5 guide meridian
xxxx 79.90	12 links South of ~~section~~ corner to sections 19.24.25 & 30
	from which corner I run
S 89°56' W	on true line between sections 24. & 25
	Var 14°25'
39.95	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
79.90	Corner to sections 23.24 25 & 26
	surface rolling soil 3rd rate
*31.00	Ravine & Runs N. E
xx 50.50	Ravine & Runs S. S E
xxx 60.00	Ravine " S S E
xxxx 76.00	Ravine " S S E

North	Between sections 23 & 24
	Var 14°30'
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instruction for corner, to sections 13.14.23 & 24
	surface Broken soil 3rd rate

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random between section 13 & 24
	Var 14°30'
17.00	Ravine runs South
35.00	" " S. W.
40.00	set temporary 1/4 section post
79.70	intersect 5th guide Meridian N. at ~~section~~ corner to sections 13.18.19. & 24. from which cor Drum
West	on true line between sections 13 & 24
	Var 14°30' E
39.85	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
79.70	~~set post deposited chared stake raised mound of earth with pits as per instruction for~~ The corner to sections 13.14.23 & 24 surface rolling soil 3rd rate

North	Between sections 13 & 14
	Var 14°35'
40.00	set post deposited chared stake raised mound of earth with pits as per instruction for 1/4 section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 11.12.13 & 14
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random Between sect-s 12 & 13
	Var 14° 20'
40.00	set temporary 1/4 sect corner
79.00	Ravine runs N. W
79.60	intersect 5th guide meridian 128 links North of ~~section~~ corner to sects 7. 12. 13. & 18. from which cor I
N. 89° 05' W	run on true line Between sections 12 & 13
	Var 14° 20' E
39.80	set post deposited deposited chared stake raised mound of Earth with pits as per inst for 1/4 section corner
79.60	~~set post~~ cor to sections 11. 12. 13. & 14
	Surface rolling soil 3rd rate

North	Between sects 11 & 12
	Var 14° 30'
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 1. 2. 11. & 12
	Surface rolling soil 3rd rate

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random between sect 1 & 12 Var 14° 20'
40.00	set temporary 1/4 section corner in Ravine runs N. W.
80.30	intersect 5th ~~standard parallel~~ Guide meridian W. 20 links South of ~~section~~ corner to sects 1.6.7. & 12. from which corner I run
S 89° 5' W	on true line between sections 1 & 12 Var 14° 20' E
40.15	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.30	set cor to sections 1.2.11. & 12. surface rolling soil 3rd rate

North	Random between sects 1 & 2 Var 14° 25'
40.00	set temporary 1/4 section post
40.00	Ravine runs N. E
80.10	intersect township line 33 links West of ~~section~~ corner to sections 1.2.35 & 36. from which cor run
S 0° 18' W	on true line between sections 1 & 2. Var 14° 25'
40.10	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.10	cor to sections 1.2.11 & 12 surface Broken soil 3rd rate

August, 10th 1870

Township No. 14 N. Range No. 41

North	between sects 34 & 35
	" Var 14°30'
5.50	Ravine bears N.E. & S.W.
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 26. 27. 34 & 35
	Surface rolling soil 3rd rate
	" "

West 6th Principal Meridian

East	Random between sects 26 & 35
	Var 14°30'
40.00	set temporary 1/4 section cor
80.00	intersect section line at ~~post~~ corner to sects 25. 26. 35. & 36. from which cor I run
West	on true line between sections 26 & 35
	Var 14°30'
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	corner to sections 26. 27. 34. 35.
	Surface rolling soil 3rd rate

Township No. 14 N. Range No. 4, West 6th Principal Meridian

North	Between sections 26 & 27 Var 14° 30'
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27 surface rolling soil 2nd rate

East	Random between sects 23 & 26 Var 14° 30' E
40.00	set temporary 1/4 sect corner
80.08	intersect section line 22. links South of ~~post~~ corner to sections 23. 24. 25. & 26. from which corner from
S 89° 51' W	on true line between sections 23 & 26 Var 14° 30' E
40.04	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect cor
80.08	cor to sections 22. 23 26 & 27. surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

North	Between sections 22 & 23
	Var 14° 30'
40.00	set post "deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for 1/4 section corner
80.00	set post deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for cor to sections
	14. 15. 22 23 ~~& 24~~.
	surface rolling
	soil of 3rd rate

West 6th Principal Meridian

East	Random Det sects 14 & 23
"	Var " 14° " 30' E.
40.00	set temporary 1/4
	section corner
79.96	Section line 42 links
intersected	north of corner to sects
	13. 14. 23. & 24. from which corner
N. 89° 42' W	true line between
	sections 14 23
	Var 14° 30' E
39.98	set post deposited
	charred stake raised
	mound of earth
	with pits as per
	instructions for 1/4
	sections corner
	~~section line 42 links~~
	~~North of cor to~~
79.96	cor to sections 14. 15
	22. & 23
	surface Broken
	soil of 3rd rate

Township No. 14 N. Range No. 41

North	Between sections 14 + 15
	Var 14°30'E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. + 15
	surface Rolling soil 3rd rate

West 6th Principal Meridian

East	Random Between sects 11 + 14
	Var 14°30'E
40.00	set temporary 1/4 section corner
8020	intersect section line at ~~post~~ corner to sects 11. 12. 13. + 14. from which cor I run
West	on a true line between sections 11 + 14
	Var 14°30'E
40.10	set post deposited chared stake raised mound of earth with pits as per instruction for 1/4 section corner
8020	cor to sections 10. 11 14 + 15
	surface rolling soil. 3rd rate.

Township No. 14 N. Range No. 4 West 6th Principal Meridian

North	Between sections 10 & 11
	Var 14°30'
40.00	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 2.3.10. & 11
	surface level soil 2nd rate

East	Between sections 2 & 11
	Var 14°30'E
40.00	set temporary 1/4 section corner
80.00	intersect section line 20 links South of ~~section~~ corner to sections 1.2.11. & 12 from which
	Cor from
S89°51'W	on true line between section 2 & 11
	Var 14°30'E
40.00	set post deposited, chared stake raised mound of earth with pits as per instructions for 1/4 section corner
80.00	corner to sections 2.3.10. & 11
	surface rolling soil third rate

Township No. 14 N. Range No. 41

North	Random between 2 & 3
	Var 14° 35' E
4000	set temporary 1/4 section post
78.80	Raving runs East
80.20	intersect township line 30 links East of ~~section~~ corner to sections 2.3.34 & 35 from which
S 13' E	cor from on true line between sections 2 & 3
	Var 14° 35' E
40.20	set ~~temporary~~ post deposited charred ~~[illegible]~~ raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
80.20	corner to sections 2.3.10. & 11
	surface rolling soil 3rd rate

August 11th 1870.

West 6th Principal Meridian

North	Between sections 33 & 34
	Var 14° 30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner ~~post~~
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 27.28.33 & 34.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random between sects 27 & 34 Var 14°30' E
4000	set temporary 1/4 sect post
79.92	intersect section line 14 links ~~East~~ north of ~~section~~ cor to sections 26. 27. 34. & 35. from which cor I run
N89°54'W	on true line between sections 27 & 34 Var 14°30' E.
3996	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
79.92	corner to sections 27. 28. 33 & 34. surface rolling soil 3rd rate

North	Between sections 27 & 28 Var 14°30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 21. 22 & 27. 28. surface rolling soil 3rd rate.

Township No. 14 N. Range No. 4, West 6th Principal Meridian

East	Random between sections 22 & 27.
	Var 14°30'E
4000	set temporary 1/4 section post &
8000	intersect section line 52 links South of ~~section~~ corner to Sects 22.23.26.&27 from which cor Trun
S89°38'W	on true line between sections 21.22.27.&28.
	Var 14°30'E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	Corner to sections 21. 22.27.&28
	surface rolling soil 3rd rate

North	Between sections 21 & 22
	Var 14°26'E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 15.16.21 & 22
	surface rolling soil 3rd rate.

Township No. 14 N. Range No. 41 West 6th Principal Meridian

East	Random between sections 15 & 22
	Var 14° 30'
4000	set temporary 1/4 section post
8000	intersect corner to sections 14 15. ~~16. 21~~ & 22 & 23 at post from which corner Drun
West	on true line Between sections 15 & 22
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for ~~Cor~~ 1/4 section corner ~~post~~
8000	Cor to sections 15. 16. 21 & 22
	surface rolling soil 2nd rate.

North	Between sections 15 & 16
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15 & 16.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

East	Random bet sect 10 & 15
	Var 14° 30' E
4000	set temporary 1/4 sect post
8000	intersect sect line 20 links South of ~~section~~ corner to Sects 10.11.14.&15.
	from which corner I run
S 89° 52' W	on true line between sections 10 & 15
	Var 14° 30' E
4000	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 9.10.15. & 16.
	surface rolling soil 3rd rate

West 6th Principal Meridian

North	Between sects 9 & 10
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 3.4.9. & 10
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

East	Random betw sects 3 & 10
	Var 14° 30' E
4000	set temporary 1/4 sect post
79.92	intersect section line at ~~post~~ corner to sections 2.3.10.&11. from which cor I run
West	on true line between sections 3 & 10
	Var 14° 30' E
~~4000~~ 39.96	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
~~80.00~~ 79.92	corner to sections 3. 4. 9 & 10
	surface rolling soil 3rd rate

West 6th Principal Meridian

North	Random Betw sects 3 & 4
	Var 14° 30' E
4000	set temporary 1/4 sect post
80.48	intersect town line 7/2 links west of ~~section~~ corner to sections 3.4.33.&34 from which corner I run
8 ~~00~~ 3 ~~4~~ 1 W	on true line Between sections 3 & 4.
	Var 14° 30' E
40.48	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
80.48	Cor to sections 3. 4 9 & 10.
	surface rolling soil 3rd rate

August 12th 1870

Township No. 14 N. Range No. 41

North	Between sects 32 & 33
	Var. 14°30' E.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
*8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 28. 29. 32. & 33. N.W. & S.E. in road bears surface rolling soil 3rd rate
*~~8000~~	~~set corner in road bears N.W. & S.E.~~

West 6th Principal Meridian

East	Random Betw sects 28 & 33
	Var 14°30' E
4000	set temporary 1/4 section post
8006	intersect section line 7 links South of ~~sect~~ corner to sections 27. 28. 33 & 34 from which corner I run
S 89°57' W.	on true line between sections 28 & 33
	Var 14°30' E
4003	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 ~~c~~ section ~~post~~ corner
8006	corner to sections 28. 29. 32 & 33
	Surface rolling soil 3rd rate.

Township No. 14 N. Range No. 41

North	Between sections 28 & 29
	Var 14°30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 20. 21. 28 & 29.
	surface rolling soil 3rd rate

West 6th Principal Meridian

East	Random Between sects 21 & 28
	Var 14°30' E
4000	set temporary 1/4 sect post
8000	intersect section line at ~~post~~ corner to sects 21. 22. 27. & 28. from which
West.	Prim on true line between sections 21 & 28.
	Var 14°30' E
4000	set post in mound deposited chared stake, with pits as per instruction for 1/4 section ~~post~~ corner
8000	corner to sections 20. 21. 28. & 29.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

North	Between sections 20 & 21
	Var 14°30'E
4000	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 20. & 21
	surface rolling soil 3rd rate.

West 6th Principal Meridian

East	Random Betw sects 16 & 21
	Var 14°30'E
4000	set temporary 1/4 sect post.
80.30	intersect section line 42 links North of ~~sect~~ corner to sections 15. 16. 21. & 22 from which corner I run
N 89°42'W	on true line between sections 16 & 21
	Var 14°30'E
40.15	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8030	corner to sections 16. 17. 20. & 21.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 41

North	Between sections 16 & 17 Var 14°30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 8. 9. 16. & 17
	surface rolling soil 3rd rate

West 6th Principal Meridian

East	Random Betw 9 & 16 Var 14°25' E.
4000	set temporary 1/4 section post
8000	intersect section line at ~~post~~ corner ~~to~~ to sects 9.10.15. & 16 from which I run
West.	on true line Between sections 9 & 16. Var 14°25' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 8. 9. 16. & 17.
	surface rolling soil 3rd rate.

Township No. 14 N. Range No. 41

North	Between sections 8 & 9
	Var 14°30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner, to sections 4. 5. 8. 9
	surface rolling soil 3rd rate.

West 6th Principal Meridian

East	Random Between sects 4 & 9.
	Var 14°30' E
4000	set temporary 1/4 section post
79.80	intersect section line 7 links North of section corner to sections 3. 4. 9 & 10. from which corner down
N89°57' W	on true line Between sections 4 & 9.
	Var 14°30' E
39.90	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.
79.80	corner to sections 4. 5 8 & 9.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 4

North	Random Between sections 4. & 5
	Var 14°20' E
4000	set temporary 1/4 section post.
80.63	intersect Town line 6 links West of ~~section~~ corner to sections 4. 5. 32. & 33. from which cor I run
~~8 00 12~~ 3' W	on true line between sections 4 & 5
	Var 14°20' E
40.63	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 ~~corner~~ section corner
80.63	corner to sections 4. 5. 8. & 9
	surface rolling soil 3rd rate.

August 13th 1870.

West 6th Principal Meridian

North	Between sections 31 & 32
	Var 14°30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner ~~post~~
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32
	surface rolling soil 3rd rate.

Township No. 14 N. Range No. 41

East	Random ~~Between~~ sections 29 & 32
	Var 14°25' E
4000	set temporary 1/4 section post
8000	intersect section line at ~~section~~ ~~post~~ corner to Sects 28. 29. 32. & 33 from which cor. from
West	on true line Between 29 & 32
	Var 14°25' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 29 30. 31 & 32.
	surface rolling soil 3rd rate

West 6th Principal Meridian

West	Random between sects 30 & 31
	Var 14°35' E.
4000	set temporary 1/4 section post
78.80	intersect range line 30 links North of ~~section~~ cor to Sections 25. 30. 31. & 36 from
N 89°47' E	on true line Between sects 30 & 31
	Var 14°35' E
38.80	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
78.80	corner to sections 29. 30. 31. & 32.
	surface rolling soil 3rd rate

which corner I run

Township No. 14 N. Range No. 21 West 6th Principal Meridian

North Between sections 29 & 30
Var 14° 30' E
4000 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for 1/4 section ~~post~~ corner
8000 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for corner to sections
19. 20. 29. & 30
surface rolling
soil 3rd rate

East Random Between sects
20 & 29
Var 14° 30' E
10.00 Road bears N. W. & E
40.00 set temporary 1/4 sect
post
8000 intersect section line
11 links North of corner
to sections 20. 21. 28. & 29 from
which corner I run
S 89° 55' W on true line between
sections 20 & 29 Var 14° 30' E
4000 set post deposited
charred stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post~~ corner
8000 corner to sections 19.
20. 29. & 30
surface rolling
soil 3rd rate

Township No. 14 N. Range No. 41

West Random Between sections 19 & 30

Var 14°30'E

4000 set temporary 1/4 section post.

78.75 intersect range line 21 links South of ~~section~~ corner to Sects 19.24.25.&30 from which corner I run

~~8000~~ 89°51' E on true line between sections 19 & 30

Var 14°30'E

38.75 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 secton corner

78.75 corner to sections 19.20 29. & 30

surface rolling soil 3rd rate.

West 6th Principal Meridian

North Between sections 19. & 20

17.00 — Road bears N.W. & S.E.

Var 14°30'E

4000 set post deposited chared stake raised mound of earth with pits as per instruction for 1/4 section ~~post~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instruction for corner to sections 17. 18. 19. & 20

surface rolling soil 3rd rate

Township No. 14 N. Range No. 4, West 6th Principal Meridian

East Random Between sects 17. & 20

Var 14° 30' E

4000 set temporary 1/4 sects post

8000 intersect section line at ~~post~~ corner to Secs 16. 17. 20 & 21. from which corners run

West on true line between sections 17. & 20

Var 14° 30' E

4000 set post deposited chated, stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 17. 18. 19 & 20.

surface rolling soil 3rd rate

West ~~on~~ Random Between sects 18 & 19.

Var 14° 30' E

37.50 Road bears N. W. & S. E

4000 set temporary 1/4 section post

7826 intersect range line 37 links North of ~~section~~ corner to Sections 13. 18. 19. & 24. from which corner run

N ~~10° 16'~~ 89° 44' E on true line between sects 18 & 19

Var 14° 30' E.

38.26 set post deposited chated stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

7826 corner to sections 17. 18. 19 & 20

surface rolling soil 3rd rate

Township No. 14 N. Range No. 11

North Between sections 17 & 18
Var 14° 30' E

4000 set post deposited
charred stake raised
mound of earth with
pits as per instruction
for 1/4 section ~~post~~ corner

8000 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for corner to sections
7. 8. 17. & 18.
surface rolling
soil 3rd rate

West 6th Principal Meridian

East Random Between sects
8 & 17.
Var 14° 35' E

4000 set temporary 1/4 sects
post

8000 intersect section line
at ~~post~~ corner to sects
8. 9. 16. & 17. from which corner
West 40 min true line Between
sections 8 & 17
Var 14° 35' E

4000 set post deposited
charred stake raised
mound of earth with
pits as per instruction
for 1/4 section ~~post~~ corner

8000 corner to sections 7
8. 17. & 18.
surface rolling
soil 3rd rate

Township No. 14 N. Range No. 41

West	Random between sects 7. & 18
	Var 14°35' E.
4000	set temporary 1/4 section post
78.40	intersect range line at ~~post~~ cor to sects 7. 12. 13. & 18 from which cor Prun
East	on true line between sections 7 & 18
	Var 14°35 E
3~~7~~8.40	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
78.40	corner to sections 7. 8. 17. & 18
	surface rolling soil 3rd rate

West 6th Principal Meridian

North	Between sections 7. & 8
	Var 14°35' E
4000	set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner ~~post~~
5150	Ravine runs S. E
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. & 8.
	surface rolling soil 3rd rate

East Random betw sects 5 & 8 Var 14°30' E

4000	set temporary 1/4 section post
8010	intersect section line 18 links N. ~~set~~ cor
N89°52'W*	on true line between sects 5 & 8 "Var 14°30'
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8010	cor to sections 5. 6. 7. 8 -
	surface rolling soil 3rd rate

*to sects 4. 5. 8. & 9. from which cor Prun

West Random betw sects 6 & 7. Var 14° 30'
8.00 Raine runs S. W.

40.00	set temporary 1/4 sect post
67.50	Raine runs South
2/8.10	intersect range line 12 lks S. of cor
	on true line betw sects 6 & 7 Var 14° 30'
38.70	set post deposited charcd stake
	raised mound of earth with pits as per
	instructions for 1/4 section post corner
78.10	cor to sections 5. 6. 7. 8.
	soil 3rd rate surface rolling
North random betw sections 5 & 6 var 14° 35'	
40.00	set temporary 1/4 section post
80.40	intersect town ship line at cor
South	on true line between sects 5 & 6
	var 14° 35'
40.40	set post deposited charcd stake
	raised mound of earth with pits
	as per instructions for 1/4 sects post
80.40	corner to sections 5. 6. 7. 8
	surface rolling soil 3rd rate

General Discrip. The land in this Township is not well adapted to farming purposes, ~~the land is~~ being poor ~~and~~ it affords but a scanty supply of bunch grass; soil is dry and hard, & can not be cultivated without irrigation ~~Exregation~~; & know of no means to irrigate ~~exregate~~, there is neither timber or water in the township.

August 14th 1870

& to Sects 1. 6. 7. & 12. from which cor & run

For affidavits of Surveyor & assistants See Subdivision of T. 15 N. R. 48 W.

◇ to Sects 5. 6. 31. & 32 from which cor & run

Surveyor Generals Office
Ellsworth Neb. Nov. 12. 1870.

The foregoing field notes of the Survey of the Subdivision lines of Township No. 14 N. of the Base Line, of Range No. 41 West of the 6th Principal Meridian in the State of Nebraska, Executed by James McBride under joint contract of the 5th day of August 1870. wherein James McBride and Edward B. Murphy are joint contractors, in the Month of August 1870, having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

E. S. R. Simpson
Surveyor General.

Subdivision
of
Township No. 15. North
of
Range No. 41 West
of
6th Principal Meridian

Commenced September 12th 1870
Finished Sept. 16th 1870
by
Jas McBride & E. B. Murphy

Names of Assistants

Chainmen
Marcus J. Griffen
Francis J. Sullivan
Isiah Aye
Henry Boggs
Mound Builders & Flagmen
Osceolo Dyer

INDEX DIAGRAM T. 15. N. R 41 W. 6.

6	63	5	47	4	36	3	25	2	14	1
62		61		46		35		24		13
7	60	8	45	9	34	10	23	11	12	12
59		58		44		33		22		11
18	57	17	43	16	32	15	21	14	10	13
56		55		42		31		20		9
19	54	20	41	21	30	22	19	23	8	24
53		52		40		29		18		7
30	51	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36



MEANDERS. P. 64. 65. 66. 67. 68 and 69.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Towns. 14 & 15 N. Ranges 40. & 41. West, & run North on a blank line along the East Boundary of section 36. Var. 14° 38' E.

3998 To a point 3 lks W. of 1/4 section corner.

7996 To a point 7 lks W. of corner to sects. 25 & 36.

To retrace this line or run parallel thereto, my compass must be adjusted at a Variation of 14° 35' E

From the corner to Sections 1, 2. 35 & 36 on the South Boundary of the Township I run

Township No. 15 N. Range 41 West 6th Principal Meridian

North	Between Sections 35 & 36 Var 14°35' E
39 00	Ravine runs N.E
40 00	set Line stone 16+12+8 inches, as per instructions for 1/4 section cor
80 00	set line stone 10+10+8 inch as per instruction for corner to sections 25.26.35.& 36 Surface Broken Soil 3rd rate.

East	on a Random line betw sections 25 & 36. Var 14°30' E
19 00	High Bluff of line stone bears N. & S.
24 50	Ravine bears North
37 00	Ravine " N. W.
40 00	set temporary 1/4 sect post.
80 ~~00~~ 30	intersect 5th Guide Meridian, West, 27 lks North of corner to sects 25.30.31.& 36 from which corner I run
N 89°48' W.	on true line between sections 25 & 36. Var 14°30' E
40 15	set first deposited charred stake raised mound of earth with pits as per inst for 1/4 sect corner
80 30	corner to sections 25.26.35.& 36 Surface Broken & Line Stone, Hills. stone all along the line

Township No. 15. N. Range 41 West 6th Principal Meridian

North Between Sects 25 & 26.
Var 14°30' E

4000 set lime stone 12+10+3 inch as per instructions for 1/4 section corner.

6100 Ravine bears N W.

8000 set lime stone 12+10+2 inches as per instructions for corner to sections 23.24. 25. & 26.

Surface Broken & Rocky
Soil 3rd rate.

East on a random line between sections 24 & 25.
Var 14°35' E.

950 Ravine bears N E.

1500 Ravine " North

2850 Ravine " North

4000 set temporary 1/4 sect post

4550 Ravine bears N W.

7950 intersect 5th guide Meridian West, at corner to sections 19. 24. 25. & 30 from which corner 3 run.

West on true line between sects 24. & 25
Var 14°35' E.

3975 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner

7950 corner to sections 23. 24. 25. & 26

Surface Broken & Lines Stony Hills.
Soil 3rd rate.

Township No. 15 N. Range 41 West 6th Principal Meridian

North	Between Sections 23 & 24 Var 14° 35' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect cor
6250	Ravine bears S.E.
8000	set lines stone 16 + 12 + 8 inches as per instructions for corner to sections 13.14. 23. & 24
	Surface Broken + Rocky Soil 3rd rate.

East	on a random line between sections 13 & 24 Var 14° 35' E
3650	Ravine bears North.
4000	set temporary 1/4 section post.
7960	intersect 5th Guide Meridian W. 28 lks North of corner to sections 13. 18. 19. & 24. from which corner I run
N 89° 48' W.	on true line between sects 13 & 24. Var 14° 35' E
3980	set lines stone 16. + 10 + 4 inches as per instructions for 1/4 section corner.
7960	corner to sections 13.14. 23 & 24.
	Surface Broken Lines Stone Hills Soil 3rd rate.

Township No. 15. N. Range 41 West 6th Principal Meridian

North	Between Sections 13 & 14 Var 14° 30' E
700	Deep cañon bears N. N. W.
3800	Enter N. Platter Bottom bears E. & W.
4000	set line stone, 16 + 12 + 2 inches as per instructions for 1/4 section corner.
8000	set post deposited charred stake raised mound of earth with pits, in wagon road; bearing N.W. as per instructions for corner to sections 11. 12. 13. & 14.
	Surface 1/2 Broken & hilly. North 1/2 level Soil 3rd rate.

East	on a random line, betw sects 12 & 13 Var 14° 30' E
4000	set temporary 1/4 section post.
7980	intersect 5th Guide Meridian West, 12 lks North of corner to sections 7. 12. 13. & 18. from which corner I run
N 89° 55' W.	on true line, between sects 12 & 13. Var 14° 30' E
3990	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect cor
7980	corner to sections 11. 12. 13. & 14.
	Surface Level Soil 3rd rate.

Township No. 15 N. Range 41 West 6th Principal Meridian

North	Between sections 11 & 12
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
4250	To right bank of N. Platte River set post deposited chared stake raised mound of earth with pits as per instructions for Meander corner.
8000	section corner in river as found by chaining.
	Surface Level Soil 3rd rate.

East	on a Random Line between sections 1. & 12.
	Var 14° 30' E
5 80	To left bank of N. Platte river with chain set temporary Meander post.
4000	set temporary 1/4 sect post.
8000	intersect 5th Guide Meridian West, 27 lks North of corner to sections 1. 6. 7. & 12. from which corner I run
N 89° 48' W	on true line, between sects 1 & 12.
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits, for 1/4 section cor
7420	To left Bank of N. Platte river & set post deposited chared stake raised mound of earth with pits as per instructions for Meander corner. distance in river ascertained by ch measure,
8000 sect	corner in river
	Surface Level, Soil 2nd rate

Township No. 15. N. Range 41 West 6th Principal Meridian

North	on a Random line betw sections 1 & 2
	Var 14°30' E
250	to left bank of N. Platte River & set temporary Meander post.
2500	Leave N. Platte river Bottom bears, E W.
4000	set temporary 1/4 sect post
8018	intersect township line 48 lks West, of cor to sects 1.2.35. & 36. from which corner I run
S 21' W.	on true line betw sects 1 & 2.
	Var 14°30' E
4018	set post deposited chared stake raised mound of earth with pits as per inst for 1/4 section corner.
7768	to left bank of N. Platte river & set post deposited chared stake raised mound of earth with pits as per instructs for Meander cor.
8018	section corner in river. distance in river ascertained by measuring with chain
	Surface rolling
	Soil 3rd rate.

Sept 12th 1870

North	Between Sections 34. & 35.
	Var 14°35' E
3950	raving bears East.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner. to sections 26. 27. 34. & 35
	Surface Broken
	Soil 3rd rate.

Township No. 15. N. Range 41

East	on a Random line between Sects. 26. T35.
	Var 14° 30' E
625	Ravine bears North
4000	set temporary 1/4 sect post.
8000	intersect section line at corner to sections 25.26. 35. T36. from which corner I run
West,	on true line between sects 26. T35.
	Var 14° 30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	corner to sections 26. 27. 34. T35.

Surface Broken
Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 26. T27
	Var 14° 35' E
2500	Ravine bears N.E.
3500	Ravine " N.W.
3625	Ravine " N.E.
4000	set true stone 14+12+3 inches as per instructions for 1/4 section corner.
7700	Ravine bears N.E.
8000	set true stone 10+10+8 inches as per instructions for corner to sections 22. 23. 26. T27.

Surface all Level
Stony & Hills

Township No. 15 N. Range 41

East	on a random line between sections 23 & 26.
	Var 14°30' E
300	Ravine bears North.
1500	Ravine " South
2200	Ravine " S.W.
4000	set temporary 1/4 sect post.
8000	intersect section line 32 lks South of cor to sects 23. 24. 25. & 26. from which corner True
S 89°46' W	on bearing line between sects 23 & 26.
	Var 14°30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 22. 23. 26. & 27.
	Surface Broken & Hilly Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 22 & 23.
	Var 14°30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. & 23.
	Surface rolling Soil Sandy & Hilly

Township No. 15 N. Range 41

East	on a Random line between sections 14 & 23. Var 14°35' E
2500	Ravine bears North
4000	set temporary 1/4 section post.
8000	intersect section line 62 lks North of corner to sections 13. 14. 23. & 24 from which corner I run
N 89°33' W.	on true line between sects 14 & 23 Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 14. 15. 22. & 23

Surface, West 1/4 Broken sand hills East 1/2 line stone hills Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 14 & 15. Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
5900	Line Stone Bluff 200 feet high bears N. W. & E.
6000	Enter North Platte river Bottom bears E & W.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 10, 11. 14 & 15.

Surface, South 3/4 Broken & Sand hills North 1/4 Level Soil 2nd rate.

Township No. 15 N. Range 41

East on a Random line Between Sections 11. & 14

Var 14°30' E

4000 set temporary 1/4 sect post.

8000 intersect section line 18 lks North of corner to sections 11. 12. 13. & 14 from which corner I run

N 89°52' W. on true line between sections 11. & 14

Var 14°30' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 10. 11. 14. & 15.

Surface Level
Soil 2nd rate.

West 6th Principal Meridian

North Between sections 10 & 11

Var 14°35' E

1000 wagon road bears E & W.

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

4500 to right bank of N. Platte River & set post deposited chared stake raised mound of earth with pits as per instructions for corner to fractional sections 10. & 11

8000 section corner in N. Platte river as found by chaining

Surface Level
Soil 2nd rate.

Township No. 15 N. Range 41

East	Random Between sects 2 & 11
	Whole of this line in North Platte River

West 6th Principal Meridian

North	on a Random line between sections 2 & 3.
	Var. 14° 30' E
1068	To left bank of N. Platte river & set temporary fractional meander post
4000	set temporary 1/4 sect post
8030	intersect township line 19 lks West of corner to sects 2. 3. 34. & 35. from which cor I run
G. 8' W.	on true line betw sects 2 & 3
	Var. 14° 30' E
4030	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
6962	To left bank of N. Platte river & set post deposited chared stake raised mound of earth with pits as per instructions for corner to fractl sects 2 & 3. distance in river, obtained by chain measure
8030	sect cor in river
	Surface level Soil 2nd rate good grass land.

Left 13th
18/70

Township No. 15 N. Range 41 West 6th Principal Meridian

North	Between Sections 33 & 34. Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
6700	Ravine bears N. W.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33. & 34.
	Surface Broken Soil 3rd rate.

East	on a random line betw. Sections 27. & 34 Var 14° 35' E
2500	ravine bears N. E.
4000	set temporary 1/4 section post.
4700	ravine bears N. E.
8040	intersect section line 42 lks North of corner to sections 26, 27 & 34 & 35 from which cor. Pecan
N 89° 42' W.	on true line between sections 27. & 34 Var 14° 35' E
4020	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8040	corner to sections 27. 28. 33. & 34.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range 41 West 6th Principal Meridian

North	Between Sections 27 & 28
	Var 14° 35' E
700	Range bears S.W.
4000	set post deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for 1/4 section corner.
8000	set post deposited
	charred stake raised
	mound of earth
	with pits as per ins-
	tructions for corner to
	sections 21. 22. 27 & 28.
	Surface Broken
	Soil 3rd rate.

East	on a Random line
	between sections 22 & 27.
	Var 14° 35' E
3000	Line stone Knob.
4000	set temporary 1/4 section
	post.
8000	intersect section line
	at corner to sections 22.
	23. 26. & 27. from which
	corner I run,
West.	on true line between
	sections 22 & 27.
	Var 14° 35' E
4000	set post deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for 1/4 section corner
8000	corner to sections 21 22.
	~~23. 26. & 27.~~ & 28
	Surface Broken
	Soil 3rd rate.

Township No. 15 N. Range 41

North Between Sections 21. & 22.
Var 14° 35' E

4000 set post deposited
charred stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

8000 set post deposited
charred stake raised
mound of earth with
pits as per instruc-
tions for corner to
sections 15, 16. 21. & 22.

Surface Broken
Soil 3rd rate.

West 6th Principal Meridian

East on a random line between
sections 15. & 22.
Var 14° 35' E

4000 set temporary 1/4 sect
post.

8000 intersect section line
17 lks South of corner
to sections 14. 15. 22 & 23.
from which corner I
run

S89°53'W. on true line between
sections 15 & 22
Var 14° 35' E

4000 set post deposited charred
stake raised mound
of earth with pits as per
instructions for 1/4 sect
corner.

8000 corner to sections 15.
16. 21. & 22.

Surface Broken
Soil Sandy

Township No. 15. N. Range 41

North Between Sections 15 & 16
Var 14° 35' E

4000 set post deposited
charred stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

7900 Enter N. Platte river Bottom
bears S.E. & N.W.

8000 set post deposited
charred stake raised
mound of earth
with pits as per ins-
tructions for corner
to sections 9. 10. 15. & 16

Surface Broken
Soil Sand & Hills

West 6th Principal Meridian

East on a random line between
sections 10 & 15
Var 14° 30' E

4000 set temporary 1/4 sect
post

8000 intersect section line
22 lks North of corner
to sections 10. 11. 14. & 15.
from which corner I
run

N 89° 57' W on true line between
sections 10 & 15
Var 14° 30' E

4000 set post deposited charred
stake raised mound of
earth with pits as per
instructions for 1/4 section
corner.

8000 corner to sections 9.
10. 15. & 16.

Surface Level
Soil 2nd rate.

Township No. 15 N. Range 41

North	Between Sections 9 & 10 Var 14° 35' E
1350	wagon road bears E. & W.
2250	To right bank of N. Platte river, & set post deposited charred stake raised mound of earth with pits as per instructions for corner to fractional sects 9 & 10.
6950	over river to left bank set post deposited charred stake raised mound of earth with pits as per instructions for cor fractional sections 9 & 10. distance over river ~~measure~~ ascertained by chain measurment.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to secs 3. 4. 9 & 10
	Surface Level Soil 2nd rate

West 6th Principal Meridian

East	True line betw Sect 3 & 10 Var 14° 30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
4885	intersect left bank of N. Platte River, & set post deposited charred stake raised mound of earth with pits as per instructions for ~~corner~~ to fractional sections 3 & 10.
	Remainder of this line in N. Platte River.
	Surface Level Soil 2nd rate.

Township No. 15 N. Range 41

North on a Random line between sections 3 & 4
Var 14° 30' E

4000 set temporary 1/4 sect ~~Corner~~ post.

8012 intersect Township line at corner to sections 3. 4. 33. & 34 from which corner I run

South on true line between sections 3 & 4.
Var 14° 30' E

4012 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8012 corner to sections 3. 4. 9. & 10.

Surface Level
Soil 2nd rate.

September 14th 1870

West 6th Principal Meridian

North Between Sections 32 & 33
Var 14° 30' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

7100 varing bears N E.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 28. 29. 32. & 33

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range 41

East on a randome line between sects 28 & 33.
Var 14° 30' E

1500	Ravine bears North
2300	Ravine " N. W.
4000	set temporary 1/4 sect post.
79.78	intersect section line 73 lks North of corner to sections 27. 28. 33 & 34 from which corner I run
N 89° 29' W.	on true line between 28 & 33
	Var 14° 30' E
39.89	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner
79.78	corner to sections 28. 29. 32. 33.

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

North Between Sections 28. & 29.
Var 14° 30' E

1450	Ravine bears N. W.
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sects 20. 21. 28. & 29.

Surface Broken
Soil 3rd rate.

Township No. 15. N. Range 41

East	on a random line between sections 21. & 28
	Var 14°30' E
4000	set temporary 1/4 sect post.
4025	Ravine bears North
7910	intersect section line 127 lks North of cor to sections 21. 22. 27. & 28 from which cor I run
N 89° 5' W.	on true line between sections 21. & 28.
	Var 14°30' E
3955	set post deposited chared stake raised mound of earth with pits as per Instructions for 1/4 section corner
7910	corner to sections 20. 21. 28. & 29.
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

North	Between sections 20 & 21
	Var 14°35' E
500	ravine bears N W.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set lime stone 16. + 16 + 6 inch as per instructions for corner. to sections 16. 17. 20. & 21.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range 4

C	East	on a Random line, Between sections 16. & 21. Var 14°35' E
13	4000	set temporary 1/4 section post.
23	5000	Raving bears North
4	1700	Raving " N. W.
7	7920	intersect section line 75 links South of corner to sections 15. 16. 22. & 22 from which corner I run
N	S 89° 28' W.	on true line between sections 16 & 21. Var 14° 35' E.
3	39 ~~11~~ 6	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
7	7920	corner to sections 16. 17. 20. & 21.

Surface rolling
Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 8. 9. 16. & 17. Var 14° 50' E
2530	raving bears N. E.
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 8. 9. 16. & 17.

Surface Broken
Soil 3rd rate.

Township No. 15. N. Range 41

E	East	on a random line betw Sections 9. & 16. Var 14°30' E
15	950	deep ravine high rocky banks bears North.
230		
40	4000	set temporary 1/4 sect post.
79	6000	Enter N. Platte river bottom bears N. W. & S. E.
	8000	intersect sect line 92 lk South of corner to sects 9. 10. 15. & 16 from which corner I run
N 89	S 89° 21' W	on true line betw sects 9 & 16 Var 14°30' E
39	4000	set post deposited charred stake, raised mound of earth with pits as per instructions for 1/4 sect corner.
79	8000	corner to sections 8. 9. 16. & 17
		Surface Broken Sand hills Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 8 & 9. Var 14°30' E
3000	Enter N. Platte river Bottom. bears N. W.
3300	wagon road bears E. & W.
3890	intersect right bank of N. Platte river & set post deposited charred stake raised mound of earth with pits as per instructions for corner to fractional sections 8 & 9.
8000	section corner in N. Platte River, as found by chaining
	Surface Level Soil 2nd rate.

Township No. 15 N. Range 41

East	on a random line between sections 4 & 9. Var 14°35' E
1500	intersect left bank of N. Platte river & set ~~temporary~~ Meander post.
4000	set temporary 1/4 sect post.
8000	intersect section line 12 lks South of corner to sects 3, 4, 9 & 10. ~~15 & 16.~~ from which corner I run.
S 89°55' W.	on true line between sections 4 & 9. Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect cor
6500	to left bank of Platte river & set post deposited chared stake raised mound of earth with pits as per instructions for corner to fractional ~~cor~~ sects 4 & 9

Surface Level
Soil 2nd rate

West 6th Principal Meridian

North	on a Random line between sections 4 & 5. Var 14°35' E
700	to left bank of N. P. R. & set temporary Meander post.
4000	set temporary 1/4 sect post.
7640	Slough 200 lks Wide bears S.E.
7886	intersect township line 52 lks West of corner to sections 4. 5. 32. & 33 from which cor I run
S 0°22' W.	on true line betw sects 4 & 5. Var 14°35' E
3886	set post deposited chared stake raised mound of earth with pits as per inst for 1/4 sect corner.
7186	left bank of North Platte river & set post deposited chared stake raised mound of earth with pits as per inst for cor to fractional sections 4. & 5.
7886	sect cor in river ascertained distance by chain measure surface level soil 2nd rate

(Sept 15th 1876)

Township No. 15. N. Range 41 West 6th Principal Meridian

Ea	North	Between sections 31 & 32. Var 14° 36' E.	
15	4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.	
230			
4c			
79	8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32	
N 89		Surface rolling Soil 3rd rate.	
39			
79			

East	on Random line between sections 29. & 32. Var 14° 35' E		
4000	set temporary 1/4 sect post.		
7986	intersect section line 20 lks South of corner to sections 28. 29. 32 & 33 from which corner I run		
S 89° ~~39~~ 51' W.	on true line between sections 29. & 32. Var 14° 35' E		
3993	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner		
7986	corner to sections 29. 30. 31. & 32.		
	Surface soil Sale 3rd rate.		

Township No. 15 N. Range 41

~~North~~ West	~~Between Sections~~ on a Rand line betw sects 30 & 31
	Var 14°30' E
4000	set temporary 1/4 sect post.
7825	intrsect range line 17 lks North of corner to sections 25. 30. 31. & 36. from which corner I run
N 89° 53' E	on true line between sects 30. & 31.
	Var 14°30' E
3825	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
7825	corner to sections 29. 30. 31. & 32.
	Surface rolling Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 29. & 30
	Var 14°35' E
1700	Ravine bears West.
3370	Ravine " NE.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7200	Ravine bears NE.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29. & 30
	Surface Broken Soil 3rd rate.

Township No. 15. N. Range 41

East		on a random line between sects 20 & 29 Var 14°35' E
15	100	Ravine bears N. W.
230	37.50	Ravine " N. W.
40	4000	set temporary 1/4 section post.
29	2894	intersect section line 100 lks North of corner to sects 20, 21, 28, & 29. from which corner I run
N 89	N 89°17' W	on true line between sects 20 & 29 Var 14°35' E
39	3997	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
29	7994	corner to sections 19, 20, 29, & 30

Surface Broken
Soil 3rd rate.

West 6th Principal Meridian

West		on a Random line between sections 19 & 30 Var 14°35' E
4000		set temporary 1/4 sect post.
7880		intersect range line 12 lks North of corner to sections 19, 24, 25, & 30 from which corner I run.
N 89°28' E		on true line between sections 19 & 30. Var 14°35' E
3880		set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
7880		corner to sections 19, 20, 29, & 30.

Surface Broken
Soil 3rd rate.

Township No. 15. N. Range 41

North	Between sections 19 & 20	
	Var 14°35' E	
3750	Ravine bears East.	
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.	
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 18. & 19. & 20.	
	Surface Broken Soil 3rd rate.	

West 6th Principal Meridian

East	on a random line between sections 17 & 20.	
	Var 14°32' E	
4000	set temporary 1/4 section post.	
4300	ravine bears	N.W.
5775	ravine "	North
6550	ravine "	North
7300	ravine "	N.E.
7930	intersect section line 80 lks South of corner to sects 16. 17. 20 & 21. from which corner I run	
S. 89°26' W.	on true line between sects 17. & 20	
	Var 14°32' E	
3965	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.	
7930	corner to sections 17. 18. 19. & 20.	
	Surface Broken Soil 3rd rate.	

Township No. 15. N. Range 41 West 6th Principal Meridian.

West	on a random line between sects 18. & 19
	Var 14°45' E
27/25	raving bears North
4000	set temporary 1/4 sect post.
5650	raving bears N E.
7910	intersect range line 35 lks South of corner to sections 13. 18. 19. & 24 from which corner I run
S 89°45' E	on true line between sections 18 & 19
	Var 14°45' E
3910	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7910	corner to sections 17. 18. 19. & 20.
	Surface Broken Soil 3rd rate.

North	Between Sections 17. & 18
	Var 14°40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. & 18
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range 41

East and random line between sections 8 & 17.
Var 14° 30' E

3505 Ravine bears N.E.

4000 set temporary 1/4 sect post.

7950 intersect section line 25 lks North of corner to sections 8.9.16.&17. from which corner I run

N 89° 49' W on true line between sections 8 & 17.
Var 14° 30' E

3975 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

7950 corner to sections 7. 8. 17. & 18.

Surface Broken
Soil 3rd rate.

West 6th Principal Meridian

West on a random line between sects 7 & 18
Var 14° 50' E

4000 set temporary 1/4 sect post.

7000 ravine bears N.E.

7780 intersect range line 40 lks North of corner to sections 7. 12. 13. & 18. from which corner I run

N 89° 45' W on true line between sections 7 & 18
Var 14° 50' E

3780 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

7780 corner to sections 7. 8. 17. & 18.

Surface Broken
Soil 3rd rate.

Township No. 15. N. Range No. 41 West 6th Principal Meridian

North Between Sections 7 & 8
Var 14°35' E

1700 Raving bears N.E.
3200 Raving bears N.W.
4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
5400 Raving bears N.E.
5500 Enter N. Platte river Bottom bears E. & W.
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. & 8

Surface Broken
Soil 3rd rate.

East True line between sections 5 & 8
Var 14°35' E

1500 intersect right bank of N. Platte river & set post deposited chared stake raised mound of earth with pits as per instructions for fractional section corner to sections 5 & 8

Remainder of this line in N. Platte River.
Surface Level
Soil 3rd rate.

Township No. 15 N. Range 41 West 6th Principal Meridian

West	on a random line between sections 6 & 7. Var 14°35' E
4000	set temporary 1/4 sect post.
5200	wagon road bears N.W. & S.E.
7000	leave N. Platte river bottom bears N.W. & S.E.
7810	intersect range line 22 lks North of corner to sections 1.6.7. & 12 from which corner I run
N 89° 59' W	on true line betw sects 6 & 7 Var 14°35' E
3810	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
7810	corner to sections 5. 6. 7. & 8.

Surface Level Soil 2nd rate.

North	on a random line between sects 5 & 6. Var 14°35' E
550	to right bank of N. Platte river & set temporary Meander post.
3203	over river by chaining & set temporary Meander post.
4000	set temp. 1/4 section post.
7986	intersect township line at corner to sections 5.6.31. & 32 from which corner I run
South	on true line betw sects 5 & 6. Var 14°35' E
3986	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
4783	intersect left bank of N. Platte river & set post deposited charred stake raised mound of earth with pits as per ins for fractional sects 5 & 6.
7436	over river to right bank set post deposited charred stake raised mound of earth with pits as per instructions for fractional sections 5 & 6.
7986	corner to sections 5.6.7. & 8.

(Sept 16th 1870) Surface Level Soil 2nd rate.

Meanders of Right Bank of North Platte River beginning at Meander ~~post~~ corner on Range line between Sections 7 & 12. on E. bound.y of Town.

thence up stream in Sec. 12 — Variation 14° 30' E.

S 78° W.	2000
N. 68° W	1800
N. 67° W.	1100
N. 63° W.	1400
N 51° W	1050
N 58° W	1550 to Meander corner between Sects 11 & 12

Continued in Sect 11

Var 14° 30' E

N. 83° W	1100
~~West~~ N. 88° W	3000
S 88° 30' W	1600
N 81° 30' W.	1500
N 88° W.	850 to Meander corner betw. Sects 10 & 11

Continued in sect 10 right bank

Var 14° 30' E

N 85° W.	2800

S 65° W	1500
S 46° W	700
S 19° W	500
S 36° 30' W	1050
S 88° W	2000
N 85° W	500 to fractional section corner between sections 9 & 10

Continued in section 9 right bank

Var 14° 30' E

S 82° W	1650
N 74° W.	2000
N 73° W.	1600
N 76° 30' W	2050
N 73° W	950 to fractional section corner between Sect 8 & 9

Continued in sect 8 right bank

Var 14° 30' E.

N. 65° W.	3000
N 50° W	1800
N 40° W	1100
N 65° W	900
N 66° 30' W	980 cor to fract. sects 5 & 8

Right Bank continued in Meanders of Left Bank

Section ~~4~~ 5

Var 14°30' E

N 71° W 800

N 67°30' W 820 9 to corner to fractional sections 5 & 6

continued in section 6 right Bank

Var 14°30' E

N 80° W 1400

N 72° W 2200

N 62°30' W 1700

S 89 N 52°30' W 700

N 73° W 1600

N 77° W 730 8 to corner to fractional sections 1 & 6

On West Boundary of Township.

of N. Platte River

Beginning at corner to fractional sections 7 & 12

On East Boundary of Township. thence up stream

Var 14°30' E

in Section 12

9 N 68° W 1600

N 74° W 3000

N 67° W 1300

N 74° W 900

N 77°30' W 1030 10 to corner to fractional sections 1 & 12.

continued in section 1

N 66°30' W 630 11 corner to fractional sections 1 & 2

continued in Section 2

N 70° W. 1800

N 72° W 1200

N 86½° W 2200

N 82°30' W 700

S 79° W 1400

S 79°30' W 950 12 to corner to fractional sections 2 & 3

Continued in Section 3

Left Bank

Var 14° 30' E

S 82° W 12 00
S 76° W 7 00
S 61° W 5 50
S 58° 30' W 8 70 13 corner to fractional sections 3 & 10
Continued in Section 10

Var 14° 30' E

S 80° W 11 00
S 72° W 25 00
S 87° W 11 50
S 85° W 2 50 14 corner to fractional sections 9 & 16
Continued in Section 9

Var 14° 30' E

N 77° 30' W 21 00
N 84° W 19 00
N 75° W 3 50
N 86° W 12 50 15 corner to fractional sections 4 & 9.
Continued in Sect 4
N 75° W 6 00 at 3 00 chains slough comes in from the North 10 lks wide

N 60° 30' W 10 70 16 to corner to fractional sections 4 & 5
Continued in Section 5

Var 14° 30' E

N 65½° W 30 00
N 67° W 26 00
N 84° W 14 00
N 87° W 15 10 17 corner to fractional sections 5 & 6.
Continued in Section 6

Var 14° 30' E

N 61° W 11 00
N 55° W 18 00
N 51° W 25 50
N 77° 30' W 17 00
N 70° W 10 00
N 77° 30' W 8 10 18 corner to fractional sections 1 & 6. on West Boundary of Township

General Discription

"The land in this Township is not adapted to farming purposes. The surface is Broken & Rocky with deep ravines, the North except in the bottom lands Platte River runs through the North part is wide & shallow with low banks, the bottom land is sandy but affords good grazing

"

For affidavits per Subn. of T. 15 R. 48 W.

Surveyor General's Office
Plattsmouth Nebr. Jany 7. 1871

The foregoing field notes of the Survey of the Subdivision lines & meanders of Township No 15 North of the Base Line, Range No 41 West of the Sixth Principal Meridian in the State of Nebraska, Executed by James McBride under Joint Contract of 5th day of August 1870. Wherein James McBride & Edward B. Murphy are joint Contractors, in the month of September 1870 - having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved -

Robt. R. Livingston
Surveyor General.

Field Notes

of the Survey and and Subdivision of Township 16 N. Range 41 W. Executed by J. B. Park deputy Surveyor under their joint contract wherein J. B. Park and A. L. Campbell are joint contractors — being contract No 47 dated June 16th 1871

Subdivision Commenced July 31st 1871
Completed August 4th 1871

List of Names

And duties of assistants

R. B. Keyes Chainman
Charles F. Billopp Chainman
Geo. H. Wallace Axemen or

INDEX DIAGRAM. T 16 N. R. 41 W. 6 P.M.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 16 N. Range 41 W. 6th P.M.

Chains To determine the proper adjustment of my compass for Subdividing this township. I commence at the corner to Township 15 and 16 N. Ranges 40 and 41 W. being the Fifth Guide Meridian West and run North a long the East boundary of Secs. 36.

Var. 14° 30 E

39.99 To a point 2 links East of the 1/4 Sec. or

79.98 To the corner to Secs, 25, 36, 30, 31, Therefore my Compass is in proper adjustment

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs 35 and 36
	Va. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 25, 26, 35, 36,
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs 25 and 36
	Va. 14° 30' E.
40,00	Set rest for temporary 1/4 Sec Cor.
80,10	Intersect East Boundary of Township 20 links North of the corner to Secs 25, 36 on Fifth Guide Meridian West ~~30, 31~~ from a witness corner Iron
	N 89° 51' W. on true line between Secs, 25 and 36
	Va. 14 30' E
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,10	The corner to Secs, 25, 26, 35, 36
	Land hilly
	Soil Sand 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	
	North between Secs. 25 and 26
	Va. 14° 30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 23, 24, 25, 26
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

Chains	
	East on random line between Secs. 24 and 25
	Va. 14° 30' E.
40.00	Set temporary 1/4 Sec Cor.
79.94	Intersect East Boundary of Township 18 links North of the Corner to Secs 24, 25, ~~19, 30~~ on fifth Guide Meridian from which corner Town N. 89° 52' W. on true line between Secs. 24 and 25
	Va. 14 30' E
39.97	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.94	The corner to Secs. 23, 24, 25, 26.
	Land hills
	Soil Sand 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	North between Secs. 23 and 24
	Ca. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 13, 14, 23, 24
	Land Land hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	East on random line between Secs. 13 and 24
	Ca. 14° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor
80,16	Intersect East Boundary Township 21 links South of the corner to Secs 13, 24 on Fifth Guide Meridian with 18, 19 from which corner Town S. 89° 5' W. on the line between Secs 13 and 24
	Ca. 14° 30' E
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs, 13, 14, 23, 24
	Land Land hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	North between Secs. 13 and 14 Va. 14° 30' E.
40,00	Set post deposit charred Stake raised, mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 11, 12 13, 14 Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

Chains	East on random line between Secs. 12 and 13 Va. 14° 30' E
40,00	Set post for temporary 1/4 Sec. Cor.
80,06	Intersect East Boundary of Township 16 links North of the corner to Secs, 12, 13, on Fifth Guide Meridian ~~7.18~~ from which corner I run N. 89° 53' W on true line between Secs, 12 and 13 Va. 14° 30' E.
40,03	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,06	The corner to Secs, 11 12, 13, 14 Land Sand hills Soil 3rd rate,

Township 16 N. Range 41 W. 6th P.M.

chains	
	North between Secs. 11 and 12
	Va. 14°30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 1, 2, 11, 12,
	Land Land hills raigh and broken
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

chains	
	East on random line between Secs, 1 and 12
	Va. 14°30' E.
40,00	Set post for temporary 1/4 Sec Cor
80,18	Intersect East Boundary of Township 14 links North of the corner to Secs, 1, 12, 6, 7, on Fifth Grade Meridian West from which corner I run N 89° 54' W, on true line between Sections 1 and 12
	Va. 14°30' E.
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,18	The corner to Secs, 1, 2, 11, 12
	Land Land hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	North between Secs. 1 and 2 on true line Ca. 14 & 30' E.
40.00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 1 and 2 on the 4th Stand. Parallel North at 20.00 ch West of the 1/4 Sec. Cor. on the South Side of Sec. 31, T. 17 N. R. 40 W.
	Land hilly and Some broken Soil 3 ord rate — Sand

Township 16 N. Range 41 W. 6th P. M.

chains	North between Secs. 34 and 35 Ca. 14 & 30' E.
40.00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35
	Land hilly Soil Sand 3 ord rate

Township 16 N. Range 41 W. 6th P. M.

chains	East on random line between Secs. 26 and 35 Va. 14° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
55,00	Drain descends South
80,08	Intersect N. and S. line 11 links North of the Corner to Secs. 25, 26, 35, 36, from which corner Town N. 89° 55' W. on true line between Secs. 26 and 35 Va. 14° 30' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 26 27, 34, 35 Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

chains	North between Secs. 26 and 27 Va. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 22, 23, 26, 27. Land Sand hills Soil 3rd rate.

July 31st. 1871

Township 16 N. Range 41 W. 6th P. M.

chains	East on random line between Secs. 23 and 26
	Ca. 14° 30' E.
40.00	Set temporary 1/4 Sec. Cor. past for
80.10	Intersect N. and S. line 12 links South of the corner to Secs. 23, 24, 25, 26 from which corner I run
	S. 89° 55' W. on true line between Secs. 23 and 26
	Ca. 14° 30' ~~W.~~ East
40.05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 22, 23, 26, 27
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	North between Secs. 22 and 23
	Ca. 14° 30' E.
40.00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 14, 15, 22, 23.
	Land rough broken
	Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	East on random line between Secs. 14 and 23 Va. 14°30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.90	Intersect N. and S. line 18 links North of the corner to Secs. 13, 14, 23, 24, from which corner Town N. 89° 5-2' W. on true line between Secs. 14 and 23 Va. 14°30' E.
39.98	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 14, 15, 22, 23 Land rough broken Sand hills Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	North between Secs. 14 and 15 Va. 14°30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15 Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

Chains	East on random line between Secs. 11 and 14 Va. 14°30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 16 links S. with of the corner to Secs. 11, 12, 13, 14 from which corner I run S. 89° 53' W. on true line between Secs. 11 and 14 Va. 14°30' E.
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 10, 11, 14, 15
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	North between Secs. 10 and 11 Va. 14°30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 2 3, 10, 11
	Land rough Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	East on random line between Secs. 2 and 11 Va. 14°30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.88	Intersect N and S. line 14 links North of the corner to Secs. 1, 2, 11, 12 from which corner I run N. 89°54' W on true line between Secs. 2 and 11 Va. 14°30' E.
39.94	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.88	The corner to Secs. 2, 3, 10, 11 Land Land hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

chains	
	North on true line between Secs. 2 and 3 Va. 14°30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 2 and 3, on the 4th Standard Parallel North at 19.85 chs West of the 1/4 Sec. Cor. on South Side of Sec. 36, T. 17 N. R. 41 W. Land rough Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 33 and 34
	Var. 14° 30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28, 33, 34
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs. 27 and 34
	Var. 14° 30' E.
40.00	Set post for temporary 1/4 Sec. Cor
80.04	Intersect N. and S. line 21 links North of the corner to Secs. 26, 27, 34 35 from which corner run
	N. 89° 51' W. on true line between Secs. 27 and 34
	Var. 14° 30' E.
40.02	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.04	The corner to Secs. 27, 28 33, 34
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 27 and 28 Va. 140 30' E
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28
	Land Sand hills
	Soil Sandrate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between between Secs. 22 and 27
	Va. 140 30' E.
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect N. and S. line 16 links North of the corner to Secs. 22, 23, 26 27, from which corner I run
	N. 89 53' W. on true line between Secs. 22 and 27
	Va. 140 30' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs. 21, 22, 27, 28
	Land Sand hills
	Soil Sandrate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 21 and 22
	Va. 140 30' E.
40.00	Left post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Left post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16 21, 22
	Land Sand hills
	Soil Sandy
	August 1st 1871

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs. 15 and 22
	Va. 140 30' E.
40.00	Left temporary 1/4 Sec Cor
79.92	Intersect N and S. line 23 links North of the corner to Secs. 14, 15, 22, 23 from which corner Some N. 89 05' W on true line between Secs. 15 and 22
	Va. 140 30' E
39.96	Left post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.92	The corner to Secs 15, 16, 21, 22
	Land rough Sand hills
	Soil Sandy

Township 16 N. Range 41 W. 6th P. M.

Chains	
	North between between Secs. 15 and 16 bra. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits, as per instructions for a corner to Secs. 9, 10, 15, 16, Land Sand hills Soil Good rate

Township 16 N. Range 41 W. 6th P. M.

Chains	
	East on random line between Secs. 10 and 15 bra. 14° 30' E.
40,00	Set post ~~for~~ temporary 1/4 Sec. Cor.
80,05	Intersect N. and S. line 21 links North of the corner to Secs. 10, 11, 14, 15 from which corner I run N. 89° 51' W on true line between Secs. 10 and 15 bra. 14° 30' E.
40,02½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,05	The corner to Secs. 9, 10, 15, 16 Land Sand hills Soil Good rate.

Township 16 N. Range 41 W. 6th P. M.

chains	
	North between Secs. 9 and 10.
	Var. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth, with pits as per instructions for a 1/4-Sec. Cor.
80,00	Set post deposit deposit charred Stake raised mound of earth, with pits as per instructions for a corner to Secs. 3, 4, 9, 10
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	
	East on random line between Secs. 3 and 10
	Var. 14° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
79,90	Intersected Named line 10 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run,
	S. 89° 56' W on true line between Secs. 3 and 10
	Var. 14° 30' E.
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,90	The corner to Secs. 3, 4 9, 10
	Land rough Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	North between Secs. 3 and 4 (outline) Ca. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,30	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 3 and 4 on the 45 Standard Parallel North at 19,80 chs West of the 1/4 Sec. Cor. on South Side of Sec. 35 T. 17 N. R. 41 W.
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	North between Secs. 32 and 33 Ca. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 28 29, 32, 33
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs. 28 and 33 Va. 14° 30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.10	Intersect N. and S. line 22 links North of the corner to Secs. 27, 28, 33, 34 from which corner I run N. 89° 51' W. on true line between Secs. 28 and 33 Va. 14° 30' E
40.05	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 28, 29, 32, 33. Land hilly Soil Good rate - Sand

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 28 and 29 Va. 14° 30' E.
40.00	Set post deposit, charred Stake mixed, mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake mixed mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29. Land Sand hills Soil Good rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs. 21 and 28 Va. 14° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,18	Intersect N. and S. line 18 links South of the corner to Secs. 21, 22 27, 28 from which corner I run S. 89° 52' W. on true line between Secs. 21 and 28 Va. 14° 30' E.
40,09	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 20, 21 28, 29. Land hilly Soil Land 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 20 and 21 Va. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16 17, 20, 21 Land Sand hills Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

chains East on random line between Secs. 16 and 21
Ca. 14° 30' E.

40.00 Set post for temporary 1/4 Sec. Cor.

80.12 Intersect N and S. line 11 links North of the corner to Secs. 15, 16, 21, 22 from which corner Iron N. 89° 55' W on true line between Secs. 16 and 21
Ca. 14° 30' E.

40.06 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec.

80.12 The corner to Secs. 16, 17, 20, 21
Land Sand hills
Soil Good rate

Township 16 N. Range 41 W. 6th P.M.

chains North between Secs. 16 and 17
Ca. 14° 30' E.

40.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

80.00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17
Land hilly, Soil Sand
Good rate

August 2nd 1871

Township 16 N. Range 41 W. 6th P. M.

Chains	
	East on random line between Secs, 9 and 16
	Va. 14° 30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.92	Intersect N. and S. line 26 links North of the corner to Secs. 9, 10, 15, 16 from which corner Tow N. 89° 49' W. on true line between Secs. 9 and 16
	Va. 14° 30' E.
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 8, 9, 16, 17
	Land hilly,
	Soil Sand 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	
	North between Secs. 8 and 9
	Va. 14° 30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit, charred Stake raised, mound of earth with pits as per instructions for a corner to Secs. 4, 5, 8, 9
	Land hilly
	Soil Sand 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	East on random line between Secs. 4 and 9 Va. 14° 30' E.
40,00	Set temporary 1/4 Sec Cor. (Kept for)
79,85	Intersect N. and S. line 7 links North of the corner to Secs. 3, 4, 9, 10 from which corner I run N. 89° 57' W. on true line between Secs. 4 and 9 Va. 14° 30' E.
39,92½	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79,85	The corner to Secs. 4, 5, 8, 9.
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

Chains	North on true line between Secs. 4 and 5 Va. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit charred Stake mound of earth with pits as per instructions for a closing Cor. to Secs 4 and 5 on the 4th Stand. Parallel North at 19,75 chs West of the 1/4 Sec. Cor. on the South Side of Section 34 T. 17 N. R 41 W.
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

chains	
	North between Secs. 31 and 32 Var. 14° 30' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 29. 30 31. 32
	Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

chains	
	East on spud on line between Secs. 29 and 32 Var. 14° 30' E.
25,00	Slough 1 ch wide descending S.E.
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 14 links South of the corner to Secs. 28, 29, 32 33 from which a witness corner
	S. 89° 54' W. on the line between Secs. 29 and 32 Var. 14° 30' E.
40,04	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 29. 30. 31. 32
	Land hilly Soil Sand 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	West on random line between Secs. 30, and 31 Var. 14° 30' E.
40.00	Set temporary 1/4 Sec. Cor.
77.41	Intersect West Boundary of Township 18 links North of the Corner to Secs 30, 31 ~~20, 29~~ from which corner I run N. 89° 52' E. on true line between Secs. 30, and 31 Var. 14° 30' E.
37.41	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.41	The corner to Secs. 29, 30, 31, 32 Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 29 and 30 Var. 14° 30' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs 19, 20, 29, 30, Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

Chains	
	East on random line between Secs. 20 and 29 Va. 14° 30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.04	Intersect N. and S. line 16 links North of the corner to Secs. 20, 21, 28, 29, from which corner I run N. 89° 53' W. on true line between Secs. 20 and 29 Va. 14° 30' E.
40.02	Set post deposit charred Stake raised mound of with pits as per instructions for a 1/4 Sec. Cor.
80.04	The corner to Secs. 19, 20 29, 30
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

Chains	
	West on random line between Secs. 19 and 30 Va. 14° 30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
77.30	Intersect West Boundary of Township 18 links South of the corner to Secs. 19, 30, 24 25 from which corner I run S. 89° 52' E. on true line between Secs. 19 and 30 Va. 14° 30' E.
37.30	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.30	The corner to Secs. 19 20, 29, 30,
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P.M.

Chains	
	North between Secs. 19 and 20, Va. 14° 30' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17, 18, 19, 20,
	Land Sand hills Soil Good rate.

Township 16 N. Range 41 W. 6th P.M.

Chains	
	East on random line between Secs. 17 and 20 Va. 14° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,16	Intersect N and S. line 14 links North of the corner to Secs. 16, 17, 20, 21 from which corner run N. 89° 54' W. on true line between Secs. 17 and 20 Va. 14° 30' E.
40,08	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,16	The corner to Secs. 17, 18, 19, 20
	Land Sand hills Soil Good rate

Township 16 N. Range 41 W. 6th P. M.

Chains	
	West on random line between Secs 18 and 19 Va 14 30 E.
40.00	Set temporary 1/4 Sec. Cor.
75.00	Drain Descends S. E.
77.10	Intersect West Boundary of Township 12 lines 25 South of the corner to Secs. 18, 19 ~~13, 24~~, from which corner I run S. 89° 55' E. on true line between Secs 18 and 19 Va. 14 30 E.
37.10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
77.10	The corner to Secs. 17 18, 19, 20 Land Sand hills Soil 3rd rate,

Township 16 N. Range 41 W. 6th P. M.

Chains	
	North between Secs. 17 and 18 Va. 14 30 E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land Sand hills Soil 3rd rate.

August 3rd 1871

Township 16 N. Range 41 W. 6th P.M.

chains	
	East on random line between Secs. 8 and 17 bw. 140 30 E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.90	Intersect N. and S. line 24 links North of the corner to Secs. 8, 9, 16, 17 from which corner I run N. 89° 50' W. on true line between Secs. 8 and 17 bw. 140 30' E.
39.95	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs 7, 8, 17, 18
	Land Sand hills
	Soil Good rate

Township 16 N. Range 41 W. 6th P.M.

chains	
	West on random line between Secs. 7 and 18 bw. 140 30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
76.92	Intersect West Boundary of township 18 links South of the corner to Secs. 7, 18, ~~12, 13~~, from which corner I run S. 89° 52' E. on true line between Secs. 7 and 18 bw. 140 30' E.
36.92	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
76.92	The corner to Secs. 7, 8, 17, 18
	Land Sand hills
	Soil Good rate

Township 16 N. Range 41 W. 6th P.M.

chains	
	North between Secs. 7 and 8 Va. 14°30' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8 Land Sand hills Soil 3rd rate.

Township 16 N. Range 41 W. 6th P.M.

chains	
	East on random line between Secs. 5 and 8 Va. 14°30' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.10	Intersect N. and S. line 12 links North of the corner to Secs. 4, 5, 8, 9. from which corner Sun N. 89° 55' W. on true line between Secs. 5 and 8 Va. 14°30' E.
40.05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.10	The corner to Secs. 5, 6, 7, 8 Land Sand hills. Soil 3rd rate.

Township 16 N. Range 41 W. 6th P. M.

chains	West on random line between Secs. 6 and 7
	Va. 14° 30' E.
40,00	Set post for temporary 1/4 Sec. Cor.
76.50	Intersect West Boundary of Township 16 links South of the corner to Secs. 6, 7 and 12 from which corner I run
	S. 89° 53' E. on true line between Secs. 6 and 7
	Va. 14° 30' E.
36.50	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
75.50	The corner to Secs. 5, 6, 7, 8
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 41 W. 6th P. M.

chains	North on true line between Secs. 5 and 6
	Va. 14° 30' E.
40,00	Set post deposit charred Stakes raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,25	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing cor. to Secs. 5 and 6 on the 4th Standard Parallel North at 19.73 chs West of the 1/4 Sec. Cor. on South Side of Sec. 33 T. 17 N. R. 41 W.
	Land Sand hills
	Soil 3rd rate
	August 4th 1871

General Description

This Township is Sandy and hilly. The Easten and middle portion considerably broken The Soil is poor being light Sand drifted about by the wind 8. The South westen portion of the Township is a lower range of hills but very Sandy. There is no water or timber in the in the Township ans is not fit for Settlement and cultivation

Names of Assistants

The following is a list of the names of individuals employed to assist J B Park deputy Surveyor in Subdividing this township Showing the respective capacities in which they Severally acted,

R B Reyes Chainman
Chas. F Billopp Chainman
Geo H Wallace Axemen or
Henry M Broome Moundmen

We hereby certify that we assisted J. B. Park deputy Surveyor, in Surveying and Subdividing Township 16 North of the base line of Range number 41 West of the 6th Prin. Mer. and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the boundary monuments planted according to instructions furnished by the Surveyor General

Richard B. Kelly Chainman
Chas. F. Billapp Chainman
George H. Wallace Axemen
Henry W. Broome Flagman

State of Nebraska }
Lincoln County } ss. Subscribed and sworn to by the above named persons before me a Justice of the Peace for said County this 10th day of August 1871

Wm. I Patterson J. P.

I, J. B. Park deputy Surveyor do Solemnly Swear that, in pursuance of a joint contract, wherein J. B. Park and A. L. Campbell are joint contractors with E. E. Cunningham, Esq Surveyor General for the District of Iowa and Nebraska bearing date June 16th 1871 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying manual, and the laws of the United States, Surveyed all those parts or portions of Township number 16 North of the base line, of Range number 41 West of the 6th Principal Meridian as are

represented in the foregoing field-notes as having been surveyed under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual, and printed instructions, and that the foregoing are the true and original field notes of such survey.

J. B. Park
Dipty Surveyor.

State of Nebraska
Lincoln County } ss.

Subscribed in my presence and sworn to before me this 10th day of August 1871

Wm. J. Patterson J. P.

Surveyor Generals Office
Plattsmouth Aug 1871

The foregoing field Notes of the survey and subdivision of Township No. 16. North of the Base line of Range No. 41 West of the Sixth Principal Meridian in Nebraska Executed by J. B. Park Deputy Surveyor under Joint Contract No. 47. Dated June 16th 1871, in the month of July 1871. Wherein J. B. Park and H. C. Campbell are Joint Contractors having been critically Examined. The Necessary Corrections and Explanations Made the said field Notes and the Surveys they describe are hereby Approved

E. E. Cunningham
Surveyor General.
Nebraska & Iowa

General Land Office • Original Field Notes

Book Number

632

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.