General Land Office • Original Field Notes

Book Number

639

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

correct label change

6—10
T. ~~9,10~~,
and
12 N.
R. 42 W.

101

Field Notes
of
Township 6 N.
of
Range 42 W. 6th P. M.
in
State of Nebraska.

Executed
by Johnston, Patrick deputy surveyor.
under joint Contract No

Survey
Commenced May 23 1873
Completed May 24. 1873

List of Names
Harry Williams Chainman
Thos Daily Chainman
Charles Roehrig Flagman
John M Robinson Flagman.

INDEX

Town 6 N R 42 W

6	5	4	3	2	16	1
				15		14
7	8	9	10	11	13	12
				12		11
18	17	16	15	14	10	13
				9		8
19	20	21	22	23	7	24
				6		5
30	29	28	27	26	4	25
				3		2
31	32	33	34	35	1	36

Township 6 N. Range 42 W.

To determine the proper adjustment of my compass for subdividing this Township I commenced at the cor to Township No 6 N. Range 42 West of the 6th P.M. & ran North on a blank line along the East Boundary of Sec 36.

Va. 14° 15' E

40.00 To Gr. Sec. Cor.
88.00 To cor to secs 25 & 36.
therefore to retrace this line or run parallel thereto my compass is in proper adjustment

Township 6 N. Range 42. W.

Chains	
	From the Cor. to sec. 35 & 36. on south Boundary of the Township I run North between sec. 35 & 36 Va. 14° 15' E
40.00	Set post deposit charred state raised mound of earth with pits as per instructions for gr. sec. cor
80.00	Set post deposit charred state raised mound of earth with pits as per instructions for cor to sec. 25. 26. 35 & 36.
	Land rolling soil sandy 3rd rate

Township 6 N. Range 42. W.

Chains	
	East on random line between sec. 25 & 36. Va. 14° 15' E
40.00	Set post for temporary gr. sec. cor.
79.80	Intersect East Boundary of Township 21 Lks N of Cor to sec. 25 & 36. from which cor I run N 89° 51' West on a true line between sec. 25 & 36. Va. 14° 15' E
39.90	Set post deposit charred state raised mound of earth with pits as per instructions for gr. sec. cor.
79.80	Cor. to sec. 25. 26. 35 & 36.
	Land broken soil 3rd rate.

Township 6. N. Range 42 W

chains	
	West on true Line between Secs 26. & 35.
	Va. 14° 15' E
24.82	Intersect the ~~west~~ State line Boundary ~~of Township~~ 70 Lks North of the 31th mile Post. where Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor. to fractional Secs 26. & 35.
	Land rolling soil 3rd rate.

Township 6. N. Range 42. W

chains	
	North between Secs 25 & 26.
	Va. 14° 15' E
40.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for gr. Sec. cor.
80.00	Set post deposit charred stake raised Mound of earth with pits as per instructions for cor to Secs 23. 24. 25 & 26.
	Land rolling & Sandy Soil 3rd rate

Township 6 N. Range 42

chains	
	East on random line between Sec^s 24 & 25 Va 14° 15' E
40.00	Set post ~~deposit charred stake raised mound of earth with pits as per instructions~~ for temporary for gr. Sec. cor.
80.10	Intersect East Boundary of Township 14 Links North of cor. to sec^s 24 & 25 from which cor I run N 89° 54' West on true line between Sec^s 24 & 25 Va 14° 15' E
40.05	Set post deposit charred stake raised Mound of earth with pits as per instruction for gr. Sec. cor.
80.10	Cor. to Sec 23. 24. 25 & 26 Land high & rolling - 3^d rate

Township 6 N. Range 42 W

chs	
	West on true line between sec^s 23. & 26. Va. 14° 15' E
24.20	Intersect West Boundary of State 86. Lks North of the 32. Mile Post, Where Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor. to fractional Sec^s 23 & 26.
	Land high & rolling soil 3rd rate

Township 6. N. Range 42. W

Chains	
	North between sec's 23 & 24 Va. 14° 15' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for qr. sec cor
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to secs 13. 14. 23 & 24
	Land high & rolling Soil 3rd rate

Township 6. N. Range 42. W

Chains	
	East on random line between secs 13 & 24 Va 14° 15' E
40.00	Set post for temporary ¼ sec. cor
80.56	Intersect East Boundary of Township 32. 2 ks N. of the cor to secs 13. & 24. from which cor. I run
	N. 89° 47' West on true line between secs 13 & 24 Va. 14° 15' E May 23d 1873
40.28.	Set post deposit charred stake raised mound of earth with pits as per instruction for qr. sec. cor.
80.56	Corners sec's 13. 14. 23 & 24
	Land rolling Soil 3rd rate

Township 6. N. Range 42. W

chains	
	Western line between secs 14 & 23 Va 14° 15' E
23.92	Intersect West boundary of State 98 Lks North of the 33rd Mile Post Where Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor to fractional secs 14 & 23
	Land high & rolling Soil 3rd rate

Township 6. N. Range 42. W

chains	
	North between secs 13 & 14 Va. 14° 15' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to secs 11. 12. 13 & 14
	Land high & Broken Soil 3rd rate

Township 6 N. Range 42 W

Chains	
	East on random line between Sec's 12 & 13. Va. 14° 15' E
40.00	Set post for temporary gr. sec. cor
50.00	Intersect East Boundary of Township 10 Links North of cor. to sec's 12 & 13. from which cor Drum
	N 89° 56' West on true line between Sec's 12 & 13. Va 14° 15' E
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for gr. sec. cor.
80.00	Corner to Sec's 11. 12. 13 & 14
	Land rolling soil 3rd rate

Township 6 N. Range 42 W

Chains	
	West on true line between sec's 11 & 14. Va 14° 15' E
23.10	Intersect West Boundary of State 81 Lks North of the 34th Mile Post where Set post deposit charred stake raised mound of earth with pits as per instruction for closing cor to fractional sec's 11 & 14
	Land high & rolling soil 3rd rate
	~~May 23, 1873~~

Township 6. N. Range 42 W

Chains	
	North between sec. 11 & 12 Va. 14° 15' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instruction for cor to sec. 1. 2. 11. & 12.
	Land rolling Soil 3rd rate

Township 6. N. Range 42. W

Chains	
	East on random line between sec. 1 & 12. Va 14° 15' E
40.00	Set post for temporary gr. sec. cor.
79.68	Intersect East Boundary of Township 21. Lts North of cor. to sec. 1 & 12. from which cor. I run N. 89° 54' West on true line between sec. 1 & 12. Va 14° 15' E
39.84	Set post deposit charred stake raised mound of earth with pits as per instructions for gr sec. cor.
79.68	Corner to sec. 1. 2. 11 & 12
	Land rolling Soil 3rd rate

Township 6 N. Range 42 W.

West on true line between sec.s 2 & 11

Va. 14° 15' E

22.10 Intersect West Boundary of State 1.09 chains North of 35th Mile Post. Where set post deposit charred stake raised Mound of earth with pits as per instructions for closing cor. to fractional sec.s 2 & 11

Land rolling & Broken Soil 3rd rate

Township 6 N. Range 42 W.

chains

North on random line between sec.s 1 & 2.

Va. 14° 15

40.00 Set post for temporary gr. sec cor

80.68 Intersect North Boundary of Township 42. Lks East of Cor to sec.s 1 & 2. from which cor I run

South 18' E on true line between sec.s 1 & 2.

Va. 14° 15' E

40.68 Set post deposit charred stake raised Mound of earth with pits as per instructions for gr. sec. cor.

80.68 Corner to sec.s 1, 2, 11 & 12.

Land high rolling & sandy Soil 3rd rate

May 24, 1873

Township No 6. N. Range 42 W

General Description

The Surface of this Township is high rolling prairie

The Soil Sandy 3rd rate.

A List

Of the Names of the individuals who assisted in running measuring and marking the Subdivision lines and corners of Township No 6. N. Range No 42. W. of the 6th P.M. in the State of Nebraska

Harry H. Williams chainman
Thomas Daily chainman
Charles Roehrig Flagman
John M. Robinson Moundman

We hereby certify that we assisted John R. Patrick deputy Surveyor in subdividing Township No 6. North of the Base Line Range No 42. West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the Boundary Monuments planted according to the instructions of the Surveyor General

Harry Williams } Chainman
Thomas Daiby }
Charles Rocking Flagman
John M Robinson Woodman

Subscribed and sworn to before me by the above named persons this a Notary Public in and for Webster County in the State of Nebraska this 13th day of June 1873

O. D. Brown
Notary Public

I John R. Patrick do solemnly swear that in pursuance of a joint contract No 67. wherein John R. Patrick and H. D. Stout are joint contractors with E. C. Cunningham United States Surveyor General for the District of Nebraska and dated bearing date June 29th 1872. I have well faithfully and truly in my own proper person and in strict conformity with the Instructions of the Surveyor General the Surveying Manual and Laws of the United States surveyed all those parts or portions of Township No 6. N. Range No 42 W of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing Field Notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established

and prosecuted in strict accordance with the Surveying manual and printed Instructions and that the foregoing are the true and original Field Notes of such survey

Jno R Patrick

Assistant Surveyor

Subscribed by the said John R Patrick and sworn to before me a Notary Public within and for the county of Cass in the State of Nebraska this 13th day of June 1873.

Thos Pollock
Notary Public

Surveyor General's Office
Plattsmouth June 18th 1873

The foregoing Field Notes of the Survey of the Subdivision lines of Township No 6 North of the Base line. of Range No 42 West of the 6th P.M. in the State of Nebraska Executed by John R Patrick Deputy Surveyor under your Contract No 62 dated June 29th 1872 wherein John R. Patrick and N.B. Stout are joint Contractors, in the Month of May 1873. having been critically Examined, the necessary Corrections and Explanations Made, the said Field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

T 7 N., R 42 W

6	5	4	3	2	16	1
				15		14
7	8	9	10	11	13	12
				12		11
18	17	16	15	14	10	13
				9		8
19	20	21	22	23	7	24
				6		5
30	29	28	27	26	4	25
				3		2
31	32	33	34	35	1	36

Field Notes of the Survey
of
Fractional Township No 7
North of the Base Line of
Range No 42. West of the
6th. Principal Meridian
In the
State of Nebraska.

Executed
By John R. Patrick deputy
Surveyor under joint
contract No 62. of June 29. 1872.

Survey
Commenced May 25. 1872
Completed " 26. 1872

List of Names

Harry Williams Chainman
Thomas Dailey Chainman
Charles Roehrig Flagman
John M Robinson Monumentman

To determine the proper
adjustment of my compass
for subdividing this
Township I commenced
at the Cor to Tos Township
No 7. North of the Base Line
Range No 42. West of the
6th Principal Mer. & run
North on a blank line along
the East Boundary of
Sec 36.

Va / 4° 20' E

39.95 To Cor. Sec. Cor.
39.90 To Cor to Secs 25 & 36.
To retrace this line or
run parallel thereto my
compass must be adjusted
to a Variation of
/ 4° 20' E

Township 7. N. Range 42 W

Chains	
	From the cor. to Secs 35 & 36 on South Boundary of Township I run. North between secs 35 & 36 Va. 14° 20' E
40.00	Set post Deposit Charred stake raised mound of earth with pits as per instruction for qr. sec. cor.
60.00	Leave broken sand ridges & enter gently rolling prairie
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to secs 25, 26, 35 & 36.
	Land, 1st 60 chs rolling & sandy balance gently rolling soil 2nd rate.

Township 7 N. Range 42 W.

Chains	
	East on random line between secs 25 & 36. Va. 14° 20' E
40.00	Set post for temporary qr. sec. cor.
80.30	Intersect East Boundary of Township 20 chs North of cor. to secs 25 & 36 from which cor I run
	S. 89° 51' West on a true line between secs 25 & 36. Va. 14° 20' E
40.15	Set post deposit charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.30	Corner to secs 25, 26, 35 & 36.
	Land rolling soil 2nd rate.

Township 7. N. Range 42 W.

Chains	
	West on a true line between sec° 26 & 35. Va 14° 20' E
21.68	Intersect West Boundary of State. 66 Lks North of the 37th Mile post where Set post deposit Charred stake raised mound of earth with pits as per instructions for closing cor to fractional sec° 26. & 35.
	Land rolling Soil 2nd rate.

Township 7. N. Range 42. W.

Chains	
	North bearing sec° 25 & 26. Va. 14° 20' E
32.50	To main channel of Whitemans Fork of Republican River 30 lks wide runs East then N.E. & turns S.E. No Water. has gravel bed — N.E. of this cor. down the creek there is a Sandstone quarry.
40.00	Set post deposit Charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.00	Set post deposit Charred stake raised mound of earth with pits as per instructions for cor. to sec°. 23. 24. 25 & 26.
	Land rolling Soil 2nd rate.

Township No 7. N. Range 42 W

chains	
	East on random line between sec^s 24 & 25
	Va. 14° 20' E
40.00	Set post for gr. sec. cor. ~~stake~~
79.68	Intersect East Boundary of Township 34 Lks. North of cor. to sec^s 24 & 25 from which cor. I run.
	N. 89° 45' West on a true line between sec^s 24 & 25.
	Va. 14° 20' E
39.84	Set post deposit charred stake raised mound of Earth with pits as per instructions for gr. sec. cor.
79.68	Cor. to sec^s 23, 24, 25 & 26.
	Land level soil 2nd rate
	There is an underlayer of sand stone along this line ranging from 1 to 3. feet below the surface.

Township 7. N. Range 42. W.

	West on a true line between sec^s 23 & 26.
	Va 14° 20' E
21.34	Intersect West Boundary of state 76. Links North of 38. Mile Post Where
	Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor. to fractional sec^s 23 & 26.
	Land level. good rich soil
	Underlaid with sandstone & Large herds of Buffalo

Township 7. N. Range 42 W

chains	
	North between secs 23 & 24
	Va. 14° 20' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to secs 13, 14, 23 & 24
	Land level soil 1st rate
	Pools of water along this line

Township 7. N. Range 42. W

chains	
	East on random line between secs 13 & 24.
	Va. 14° 20' E
40.00	Set post for temporary qr. sec. cor.
79.72	Intersect East Boundary of Township 18. Lks North of cor to secs 13 & 24. from which cor. I run.
	N 89° 52' West on a true line between secs 13 & 24
	Va. 14° 20' E.
39.86.	Set post deposit charred stake raised mound of earth with pits as per instructions for qr. sec. cor.
79.72.	Corner to secs 13, 14, 23 & 24
	Land level soil 1st rate.

Township 7. N. Range 42 W

chains	
	West on a true Line between Sec.s 14 & 23 Var. 14° 20' E
21.00	Intersect West Boundary of State 100 Lks North of the 39th Mile Post Where Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor. to fractional sec.s 14 & 23.
	Land level soil 1st rate.

Township 7. N. Range 42 W.

chains	
	North between Sec.s 13 & 14 Var. 14° 20' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instruction for gr. sec. cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to sec.s 11, 12, 13, & 14.
	Land level soil 1st rate.
	May 25. 1873

Township 7. N. Range 42 W.

Chains	
	East on random line between sec. 12 & 13 Va. 14° 20' E
2 40.00	Set post for temporary gr. cor.
80.20	Intersect East Boundary of Township 30 Lks North of the cor to sec. 12 & 13. from which cor I run. N. 89° 47' West on a true line between sec. 12 & 13. Va. 14° 20' E
40.10	Set post deposit charred stake raised mound of earth with pits as per instruction for gr. sec. cor.
80.20	Corner to sec. 11, 12, 13 & 14
	Land level soil 1st rate.

Township 7. N. Range 42 W.

Chains	
	West on true line between sec. 11 & 14 Va. 14° 20' E
20.92	Intersect the West Boundary of State 8 Lks North of the 40th Mile post where Set post deposit charred stake raised mound of earth with pits as per instructions for closing cor to fractional sec. 11 & 14.
	Land level soil 1st rate.

Township 7. N. Range 42 E

chains	
	North between secs 11 & 12.
	Va. 14° 20' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for gr sec cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for cor to secs 1. 2. 11. & 12.
	Land Level soil 1st rate.

Township 7. N. Range 42 W

chs	
	East on random line between secs 1 & 12.
	Va. 14° 20' E
40.00	Set post for temporary gr sec cor.
80.40	Intersect East Boundary of Township 48 Lks North of cor to secs 1 & 12. from which cor. I run
	N 89° 39' West on true line between secs 1 & 12.
	Va. 14° 20' E
40.20	Set post deposit charred stake raised mound of earth with pits as per instructions for gr. sec cor.
80.40	Corner to secs 1. 2. 11 & 12.
	Land level soil 1st rate.

Township 7. N. Range 42 W

Chains	
	West on true Line between sec. 2 & 11
	Va 14° 20' E
20.62	Intersect West Boundary of State 84 Lks North of the 41st Mile Post - where Set post Deposit Charred stake raised mound of earth with pits as per instructions for closing Cor. to fractional sec. 2 & 11
	Land level soil 1st rate

Township 7. N. Range 42. W.

Chains	
	North on random line between sec. 1 & 2
	Va. 14° 20' E
40.00	Set post for temporary gr. sec. cor.
79.44	Intersect North Boundary of Township 54 Lks west of Cor to sec. 1 & 2. from which Cor. I run.
	South 23' W. on true Line between sec. 1 & 2.
	Va. 14° 20' E.
39.44	Set post Deposit Charred stake raised mound of earth with pits as per instructions for gr. sec. cor.
79.44.	Corner to sec. 1. 2. 11 & 12.
	Land level soil 1st rate.
	May 26. 1870

Township No 7. N. Range 42 W.

General Description

This Township is mostly Level prairie except the southern part which is gently rolling.

Whitemand Fork of the Republican River flows through sec's 25 & 26.

Soil is generally 1st rate.

A List

Of the names of the individuals employed to assist in running measuring and marking the Subdivision Lines and corners of Township No 7. North of Range No 42 West of the 6th Principal Meridian

Harry R. Williams Chainman
Thos L Dailey Chainman
Charles Rocking Flagman
John M Robinson Monumentman

We hereby certify that we assisted John R. Patrick deputy Surveyor in Subdividing Township No 7 North of the Base Line of Range No 42. West of the 6th P.M. and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed. & the Boundary Monuments planted according to the instructions furnished by the Surveyor General.

Harry H. Williams } Chainmen
Thos Daily
Charles Rosling Flagman
John M Robinson Mounder

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Webster State of Nebraska this 15th day of June AD 1873

O W Brown
Notary Public

I John R. Patrick do solemnly swear that in pursuance of a joint Contract No 62 wherein John R Patrick & H. B. Stout are joint Contractors with E. E. Cunningham United States Deputy Surveyor General for the District of Nebraska & Iowa bearing date June 29th 1872 I have well faithfully and truly in my own proper person and in strict conformity with the Instructions of the Surveyor General the Surveying Manual and Laws of the United States Surveyed all those parts or portions of Township No 7 North of the Base Line of Range No 42 West of the 6th Principal Meridian as are represented in the foregoing Field Note as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the

Surveying Manual and printed instructions and that the foregoing are the true and original Field notes of such Survey.

Jno R Patrick

Deputy Surveyor.

Subscribed by the said John R. Patrick! & Sworn to before me a Notary Public within & for the County of Cass in the State of Nebraska this 13th day of June AD 1873

Thos Pollock

Notary Public

Surveyor General's Office

Plattsmouth June 18th 1873

The foregoing Field Notes of the Survey of the Subdivision lines of Township No 7 North of the Base line of Range No 42 West of the 6th P.M. in the State of Nebraska. Executed by John R. Patrick Deputy Surveyor under joint Contract No 62 dated June 29th 1872 wherein John R. Patrick & N. B. Stout are joint Contractors - in the Month of May 1873 having been Critically Examined the necessary Corrections & Explanations made, the said Field Notes & Surveys they describe are hereby approved

E. E. Cunningham

Surveyor General

T. 8. N. R. 42. W. 6th P.M.

Field Notes
of
The survey and subdivision of
Fractional Township No 8
N. R. 42 W. 6th P. M.
in the
State of Nebraska

Executed
By John R. Patrick Deputy
Surveyor under joint contract
No. 62 dated June 29th 1872

Survey
Commenced Nov 16 1872
Completed Nov 16 1872

List of names
of persons employed to assist in
surveying this Township showing
the respective capacities in
which they acted
Harry H. Williams chainman
Thomas Daly chainman
Charles Roehrig Flagman
John M Robinson moundman

INDEX DIAGRAM T8 N. R. 42 W. 6th P.M.



Township 8 N. R. 42 W. 6th P.M.

chains

To determine the proper adjustment of my compass for the subdivision of this Township - I commenced at the cor to Townships 8 N. R. 41 W. and Township 8 N. R. 42 W. 6th P.M. and run north on a blank line along the east boundary of sec. 36.

Va. 14° 25' E.

40 To a point - 3 links east of ¼ sec. cor

79.98 To a point - 11 links E. of the cor. to sec. 25 and 36.

To retrace this line or run parallel thereto my compass must be adjusted to a Variation 14° 30' E.

Township 8 N.R. 42 W. 6th P.M.

chains	
	north between sec. 35 and 36 Va. 14° 30' E
21	Crossed dry creek with coarse gravel bottom bears S. E.
40	Set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 sec. cor.
80	set Post deposit charred stake raised mound of earth with pits as per instructions for cor to sec. 25. 26. 35 and 36

Land rolling
Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	East on a random line between sec. 25 and 36 Va. 14° 30' E
40	set Post for temporary 1/4 sec. cor.
80	intersected East boundary of Township 9 N.R. 42 W. 6th cor to sec. 25 and 36 from which I run
N 89° 36'	West on a true line between sec. 25 and 36 Va. 14° 30' E.
40	set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 sec. cor.
80	The cor. to sec. 25. 26. 35. 36

Land gently rolling
Soil 2d rate

Township 8 N R. 42 W. 6th P.M.

chains	
	West on a true line between fractional Sec. 26 and 35 Va. 14° 30' E.
19.10	intersected the Boundary line between the States of Nebraska and Colorado at a point 31 links North of the 43 mile post - where I set Post - deposit charred slate raised mound of earth with pits as per instructions for 6 6 6 fractional Sec 26 & 35 -
	Land gently rolling
	Soil 2d rate

Township 8 N R 42 W. 6th P.M.

chains	
	North between sec. 25 and 26 Va. 14° 30' E.
40	set Post - deposit charred slate raise mound of earth with pits as per instructions for 1/4 sec. cor
80	set Post - deposit charred slate raised mound of earth with pits as per instructions for cor. to Sec. 23. 24. 25 and 26
	Land gently rolling
	Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

Chains	
	East on a random line between sec. 24 & 25 Va. 14°30' E
40	set Post for temporary 1/4 sec. cor.
80.02	intersected East boundary of Township 56 links South of the cor. to sec. 24 and 25 from which I run S 89°36' W. on a true line between sec. 24 and 25 Va. 14°30' E
40.01	set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 sec. cor.
80.02	The cor. to sec. 23. 24. 25. 26
	Land rolling prairie Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

Chains	
	West on a true line between fractional sec. 23 and 26 Va. 14°30' E
18.19	intersected the Boundary line between the states of Nebraska and Colorado at a point 33 links North of the 44th mile Post where I set Post deposit charred stake raised mound of earth with pits as per instructions for C.C. to fractional sec. 23 & 26
	Land gently rolling Soil 2d rate

Township 8 N.R. 45 W. 6th P.M.

chains	
	North between Sec. 23 & 24 Va. 14° 30' E
40	Set Post-deposit-charred stake raised mound of earth with pits as per instructions for ¼ Sec. Cor.
80	Set Post-deposit-charred stake raised mound of earth with pits as per instructions for cor. to Sec. 13. 14. 23 and 24
	Land rolling Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	East on a random line between Sec. 13 and 24 Va. 14° 30' E
40	Set Post for temporary ¼ Sec. Cor.
80.09	intersected East boundary of Township 68 links North of the cor. to Sec. 13 and 24 from which 9 trees N 89° 31' W. on a true line between Sec. 13 and 24 Va. 14° 30' E.
40.04½	Set Post-deposit-charred stake raised mound of earth with pits as per instructions for ¼ Sec. Cor.
80.09	The cor. to Sec. 13. 14. 23 & 24
	Land rolling Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	West on a true line between fractional Sec. 14 and 23 Va. 14° 30' E.
17.22	intersected the boundary line between the States of Nebraska and Colorado at a point 39 links North of the 45th mile Post. Where I set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor. to fractional Sec 14 & 23
	Land rolling
	Soil 2nd rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	north between Sec. 13 & 14 Va. 14° 30' E.
40	set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 Sec. Cor.
80	set Post deposit charred stake raised mound of earth with pits as per instructions for Cor. to Sec. 11, 12, 13 and 14
	Land gently rolling
	Soil 2nd rate

Township 8 N.R. 42 W. 6th P.M.

chains	East on a random line between sec. 12 and 13. Va. 14°30' E.
40	Set Post for temporary 1/4 sec. co.
80.06	intersected East boundary of the Township 70 links South of the cor. to sec. 12, and 13 from which Grid S. 89°30' W. on a true line between sec. 12 and 13 Va. 14°30' E
40.03	Set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 sec. cor
80.06	The cor. to sec 11, 12, 13 & 14

Land rolling
Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	West on a true line between fractional sec. 11 and 14 Va. 14°30' E.
16.34	intersected the Boundary line between the States of Nebraska and Colorado at a point 28 links North of the 46 mile Post where I set Post deposit charred stake raised mound of earth with pits as per instructions for 1/4 sec. cor

Fractional sec. 11 & 14
Land gently rolling
Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	North between sec. 11 & 12
	Va. 14° 30' E.
40	set Post deposit charred
	stake raised mound
	of earth with pits as per
	instructions for 1/4 sec. cor
80	set Post deposit charred
	stake raised mound of
	earth with pits as per
	instruction for cor. to sec.
	1, 2, 11 and 12
	Land gently rolling
	Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	
	East on a random line
	between sec. 1 and 12
	Va. 14° 30' E
40	set Post for temporary 1/4 sec. cor.
80.04	intersected East boundary
	of Township 59 links ~~north~~ South
	of the cor. to sec. 1 and 12
	from which Grun
	S 89° ~~34'~~ 35' W. on a true line
	between sec. 1 and 12
	Va. 14° 30' E
40.02	set Post deposit charred
	stake raised mound
	of earth with pits as per
	instructions for 1/4 sec. cor.
80.04	The cor. to sec. 1, 2, 11 & 12
	Land rolling
	Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	West on a true line between fractional Sec. 2 and 11 Va. 14° 30' E
15.51	intersected the boundary line between the States of Nebraska and Colorado at a point 34 links north of the 47 mile Post where I set Post deposit charred stake raised mound of earth with pits aspu instructions for 6 6 to fractional Sec 2. & 11
	Land rolling
	Soil 2d rate

Township 8 N.R. 42 W. 6th P.M.

chains	North on a ~~random~~ true line between sec. 1 and 2 Va. 14° 30' E
40.00 ~~40~~	~~Set Post for temporary 1/4 sec. cor.~~
82.14	intersected 2d standard parallel and North boundary of Township at a point 5 chains E. of the cor to sec. 31 T. 9 N.R. 41 & ~~36 T. 9 N.R. 42~~ 42 W. 36 W. where I set post deposit charred stake raise mound of earth with pits aspu instruction for cor to sec. 1 and 2 Township 8 N.R. 42 W. from which I run
	~~South on a true line between sec. 1 and 2 Va. 14° 30' E~~
40.00	set Post deposit charred stake raised mound of earth with pits aspu instructions for 1/4 sec. cor
~~82.14~~	~~The cor to sec. 1, 2, 11 and 12~~
	Land gently rolling
	Soil 2d rate

Nov 16' 1872

General Discription

This Township is gently rolling prairie and is well adapted for grazing having good growth of short grass. — The soil is not adapted for cul=tivation it best thin not more that 5 or 6 inches then a bed of coarse gravel. — no water on any part of it.

A. List
of the names of the indi=
=viduals who assisted
in running, measuring
and marking the Sub=
=division lines and corners
of Township No 8 North
Range 42 West of the
6th Principal Meridian

Harry H. Williams	Chainman
Thomas Dailey	Chainman
Charles Roehrig	Flagman
John M. Robinson	Moundman
	Compassman

We hereby certify that we assisted John R. Patrick deputy Surveyor in subdividing Town=ship No 8 North Range 42 West of the 6th Principal meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the in=structions of the Surveyor General

Harry Williams chainman
[illegible] chainman
Chas Roelvig Flagman
Jno M Robinson moundman

Subscribed and sworn to before the above named persons before me a notary Public in and for the county of Lancaster in the state of Nebraska this 29th day of November 1872

Thos H Keyde
Notary Public

J. John R. Patrick do solemnly swear that in pursuance of a joint contract No 62 wherein John R Patrick and H. B. Stout are joint contractors with E. E. Cunningham United States Surveyor General for the district of Nebraska and Iowa bearing date the 29th day of June A.D. 1872 I have well faithfully and truely in my own proper person and in strict conformity with the instructions of the Surveyor General the surveying manual and the Laws of the United States, surveyed all those parts or portions of the Town=ship No. 8 North of the Base line of Range 42 West of the 6th Principal meridian in the State of Nebraska. as are represented in the forgoing Field notes as having been surveyed under my direction and I do solemnly wear that all the corners of said surveys have been established and perpetuated in strict accordance with the

Surveying manual and Printed Instructions and that the foregoing are the true and original Field notes of such Survey

John R. Patrick

Deputy Surveyor

Subscribed by the said John R. Patrick and sworn to before me a Notary Public within and for the County of Lancaster in the State of Nebraska this 29th day of November A.D. 1872.

Wm. H. Hegar
Notary Public

Surveyor Generals. Office
Plattsmouth June 18th 1873

The foregoing field Notes of the Survey and sub-division of Town=ship No 8 North of Range No 42 West of the 6th Principal Meridian in Nebraska executed by John R Patrick Deputy Surveyor under joint contract No 62 dated June 29th A.D 1872. wherein John R. Patrick and H B. Stout are joint contractors in the Month of November 1872 having been critically examined the the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

T. 9 N. R. 42 W. 6th P.M.

Field notes

of

of the survey and subdivision
of Fractional Township No.
9 N.R. 42 W. 6th P.M.
in the
State of Nebraska

Executed
By John R. Patrick Deputy
Surveyor under joint contract
No. 62 dated June 29th 1872

Survey
commenced Aug. 10 1872
completed Aug. 10 1872

List of Names
of persons employed to assist in
surveying this Township show-
-ing the respective capacities
in which they acted

Harry H. Williams	chainman
Thomas Daily	chainman
Charles Koehrig	Flag man
John M Robinson	mound man

INDEX DIAGRAM. T. 9. N.R. 42 W 6. P.M.

6	5	4	3	2	1
					5
7	8	9	10	11	12
					4
18	17	16	15	14	13
					3
19	20	21	22	23	24
					2
30	29	28	27	26	25
					1
31	32	33	34	35	36

Township 9 N.R. 42 W. 6th P.M.

chains

To determine the proper adjust=
=ment of my compass for the
subdivision of this Township
I commenced at the corner
to Township 9 N.R. 41 W.
and Township 9 N.R. 42 W
and run north on a blank
line along the East line
of section 36

Va. 13.54

39.89 to a point 4.35 links E of 1/4 sec. cor.
79.96 to a point 82 links East of cor.
to sec. 25 and 36

To retrace this line or run
parallel thereto my compass
must be adjusted to a
Variation 14°.30' East

Township 9 N.R. 42 W. 6th P.M.

From the cor to Secs. 25, 30, 31 & 36, on E. bdry of Town Drive

chains West on a true line between fractional Sec. 25 and 36 Va. 14° 30' E

13.26 intersected the boundary line between the States of Nebraska and Colorado at a point 41 links North of the 49th mile Post where I set Post deposit charred Stake raise mound of earth with pits as per instructions O C to fractional sec 25 and 36

Land gently rolling

Soil 2d rate

Township 9 N.R. 42 W. 6th P.M.

From the cor to Secs. 19, 24, 25 & 30 on East bdry of Town Drive

chains West on a true line between fractional Sec. 24 and 25 Va. 14° 30' E

11.98 intersected the boundary line between the States of Nebraska and Colorado at a point 69 links North of the 50th mile Post where I set Post deposit charred stake raised mound of earth with pits as per instructions for C C to fractional sec 24 & 25

Land rolling

Soil 2d rate

Township 9 N. R. 42 W. 6th P.M.

From the cor. to Secs. 13, 18, 19 & 24 on E. bdry of Town Drum

chains	West on a true line between fractional Sec. 13 and 24 Va. 14° 30' E
10.75	intersected the boundary line between the states of Nebraska and Colorado at a point 103 links North of the 51 mile post where I set Post deposit charred stake raised mound of earth with pits aspu instructions for C C to fractional 13 & 24 Land gently rolling Soil 2d rate

Township 9 N. R. 42 W. 6th P.M.

From the cor. to Secs. 7, 12, 13 & 18 on East bdry of Town Drum

chains	West on a true line between fractional Sec. 12 and 13. Va. 14° 30' E.
9.50	intersected the boundary line between the states of Nebraska and Colorado at a point 149 links North of the 52nd mile post where I set Post deposit charred stake raised mound of earth with pits aspu instruction for C C to fractional Sec 12 & 13 Land gently rolling Soil 2d rate

5

Township 9 N. R 42 W. 6th P.M.

Chains	From the cor to Secs. 1.6.7.12 on E. bdry of Town Drew West on a true line between fractional Sec. 1 and 12 Va. 14° 30' E.
8.25	intersected the boundary line between the States of Nebraska and Colorado at a point 194 links North of the 53rd Mile Post where I set Post deposit Charred Stake raised mound of earth with pits as per instructions for C Ⓒ to fractional Sec 1 & 12
	Land gently rolling Soil 2d rate
	Aug 11th 1872

General Description

This Township is gently rolling and has a good growth of short grass that might do well for grazing. The soil is but thin with a thick layer of coarse gravel beneath - there is no water on this Township

A. List
of the names of the in-
-dividuals who assisted
in running, measuring
and marking the
subdivisive lines and
Corners of Township
No. 9 North Range 42
West of the 6th prin-
-cipal Meridian

Harry Williams Chainman
Thomas Daily Chainman
Charles Roehrig Flagman
John M Robinson Monudman

We hereby certify that we assisted John R. Patrick Deputy Surveyor in subdividing township No 9 North Range 4 2 West of the 6th Principal Meridian and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General

Harry Williams Chainman
[illegible] Chainman
Charlie Roehrig Flagman
Jno M Robinson Moundman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lancaster in the State of Nebraska this 29th day of Nov 1872

Thos H. Hyde
Notary Public

I John R Patrick do solemnly swear that in pursuance of a joint contract No 62 wherein I and R. Patrick & R Stout are joint contractors with E. E. Cunningham United States Surveyor General for the District of Nebraska dated the 24th day of June A.D. 1872.

I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General the surveying manual and the laws of the United States surveyed all those parts or portions of the Township No 9 North of the base line Range 4 West of the 6th Principal Meridian in the State of Nebraska, as are represented in the foregoing field notes as having been surveyed

under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual of United Instructions and that the foregoing are the true and original Field Notes of such survey

Jno R Patrick

Deputy Surveyor

Subscribed by the said John R Patrick Deputy Surveyor and sworn to before me a Notary Public within and for the County of Lancaster in the State of Nebraska this the 29th day of November A. D. 1872

Wm H. Hyde
Notary Public

Surveyor Generals Office
Plattsmouth June 18th 1873

The foregoing field Notes of the Survey and sub-division of Township No 9 North of Range No 42 West of the 6th Principal Meridian, executed by John R. Patrick Deputy Surveyor under Joint contract No 62 dated June 29th 1872. wherein John R Patrick and H. B. Hoot are joint contractors in the month of June A D 1872. having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

E. E. Cummings
Surveyor General

T. 10. N. R. 42. W. 6th P. M.

Field Notes
of
The Survey and Subdivision
of Fractional Township
No 10 N.R. 42 W. 6th P.M.
in the
State of Nebraska

Executed
By John R. Patrick Deputy
Surveyor under joint con
No 62 dated June 29th 1872

Surveys
Commenced Aug. 12 1872
Completed Aug. 12. 1872

List of names
of persons employed to assist
in surveying this Township
showing the respective ca-
-pacities in which they acted
H. H. Williams Chainman
T. Daly Chainman
C. Roehrig Flagman
J. M. Robinson Mounaman

INDEX TOWN 10 N. R 42 W 6th P.M.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Township 10 N R 42 W 6th P.M.

chains	
	To determine the proper adjust=ment of my compass for the Subdivision of this Township I commenced at the corner to Township 10 N R. 41 W. and Township 10 N R 42 W. and run north on a blank line along the last line of section 36
	Va. 14° E
40	to a point 26 links E. of 1/4 sec. cor
79.94	to a point 41 links East of the Cor to Sec. 25 and 36
	Therefore this line or line parallel thereto my com=pass must be adjusted to a variation 14° 30' E.

Township 10 N R 42 W. 6th P M

From the cor. to Secs 25. 30. 31 & 36 on E. bdry of Town Drum

chains West on a true line between fractional Sec. 25 and 36 Va. 14° 30' E

6.20 intersected the boundary line between the States of Nebraska and Colorado at a point 251 links North of the 55 mile Post where I set Post deposit charred stake raised mound of earth with pits as per instructions for C 6 to Fractional Sec 25 & 36

Land level

Soil 2d rate

Township 10 N R 42 W. 6th P M

From the cor. to Secs. 19. 24. 25 & 30. on E. bdry of Town Drum

chains West on a true line between Sec. 24 and 25 Va. 14° 30' E

5.45 intersected the boundary line between the States of Nebraska and Colorado at a point 280 links North of the 56 mile Post where set Post deposit charred stake raised mound of earth with pits as per instructions for C 6 to Fractional Sec 24 and 25

Land level

Soil 2d rate

Township 10 N R 42 W. 6th P.M.

From the cor. to Secs. 13, 18, 19 & 24, on E. bdry of Town Drum

Chains	
	West on a true line between fractional Sec. 13 and 24 Va. 14° 30' E
4.68	intersected the boundary line between the States of Nebraska and Colorado at a point 312 links North of the 57 mile Post where Set Post deposit charred Stake raised mound of earth with pits as per instructions for C C to fractional sec 13 & 24
	Land Level
	Soil 2d rate

Township 10 N R. 42 W. 6th P.M.

From the cor. to Secs. 7, 12, 13 & 18, on E. bdry of Town Drum

Chains	
	West on a true line between sec. 12 and 13 Va. 14° 30' E
3.96	intersected the boundary line between the States of Nebraska and Colorado at a point 345 links North of the 58 mile Post where Set Post deposit charred Stake raised mound of earth with pits as per instructions for C C to fractional Sec 12 & 13
	Land level
	Soil 2d rate

Township 10 N. R. 42 W. 6th P.M.

From the cor. to Secs 1.6.7.12 on E bdry of Town Drain

chains	
	West on a true line between Sec. 1 and 12 Va. 14° 30' E
3.20	intersected the boundary line between the states of Nebraska and Colorado at a point 356 links North of the 59 mile post where set Post deposit charred Stake raised mound of earth with pits as per instructions for C C to Fractional sec 1 & 12. Land level
	Soil 2d rate

Aug 12th, 1872

General Discription

This Fractional Township being so very narrow is quite level, has a good growth of short grass soil thin with coarse gravel beneath.

A List
of the names of the individuals who assisted in running, measuring and marking the Subdivision lines and Corners of Township No 10 North Range 1 West of the 6th Principal Meridian

Harry Williams	Chainman
Thomas Daily	Chainman
Charles Boehing	Flagman
John M Robinson	Monuman

We hereby certify that we assisted John R Patrick Deputy Surveyor in subdividing Township No 10 North Range 41 West of the 6th Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the surveyor General

Harry Williams Chainman
[illegible] Chainman
Charlie Rocking Flagman
pro M Robinson Monumentman

Subscribed and sworn to by the above named persons before me a Notary Public in & for the County of Lancaster in the state of Nebraska this 29 day of Nov A.D. 1872

Thos H Hyde
Notary Public

I John R Patrick do solemnly swear that in pursuance of a joint contract No 62 wherein John R Patrick and H B Slout are joint contractors with E E Cunningham United States Surveyor General for the districts of Nebraska and Iowa bearing date the 29th day of June A.D. 1872.

I have well and faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General surveyed and the laws of the United States surveyed all those parts or portions of the Township No 10 North of the Base line of Range 41 West of the 6th Principal Meridian in the state of Nebraska as on

represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual and Printed instructions and that the foregoing are the true and original field notes of such survey

Jno R Palmer
Deputy Surveyor

Subscribed by the said John R Palmer Deputy Surveyor and sworn to before me a Notary Public within and for the County of Lancaster in the state of Nebraska this 29 day of Nov A.D. 1872

Wm. H. Hoyt
Notary Public

Surveyor Generals Office
Plattsmouth June 18th 1873

The foregoing field notes of the Survey and subdivision of Township No 10 North of Range No 42 West of the 6th Principal Meridian executed by John R. Patrick Deputy Surveyor under joint contract No 62 dated June 29th 1872 wherein John R. Patrick and H. B Stout are joint contractors in the month of August A D 1872 having been critically examined the necessary corrections and explanations made the same field notes and the Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Here is No. T 11 N in this Range

T 12 N
R 42-43-44-45 W

T 12 N
R 42 W

Town 12 N. Range 42 West



Meanders on pages 45. 46. 47. 48. 49. 50.

1870

1870

Field Notes of the Survey of the Sub-divisions and Meanders of Township 12 north of Range 42 West of the 6th Principal Meridian in the State of Nebraska by William Hardin deputy Surveyor under his contract No. 40. dated the 6th day of August 1870

Sub-division commenced Sept 30th 1870
Sub-division and meanders Completed Oct 3d 1870

T 12 N of R 42 W of 6th P.M.

Chs Having run the East boundary of this township my compass therefore is in proper adjustment ~~for~~ Sub-dividing ~~this Township~~ it.

On accordance with Special instructions from the Surveyor General for the Sub-division of this Township

I set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to Sections 1 and 2, at a point on the 3d standard parallel N. 80.00 ch West of the corner to T 12 N. R. 41 and 42 W; and 15.62 chs East of the corner to T 13 N of Ranges 41 and 42 W.

T 12 N of R 42 W of 6th P M

Chs	From the closing corner to Sections 1 and 2 on the 3d standard parallel I run South as per special instructions between Sections 1 and 2 Va 14°27' E
3.15	Old wagon road bears nearly E & W
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 1, 2, 11 and 12
	Land river bottom Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	East on a random line between Sections 1 and 12 Va 14°27' E
40.00	Set a post for temporary 1/4 Sec Cor
80.12	Intersected the east boundary of the township 18 lks north of the corner to Sections 1 and 12 From which corner I run N 89°52' W on a true line between Sections 1 and 12 Va 14°27' E
40.06	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.12	The corner to Sections 1, 2, 11 and 12
	Land, bottom sloping North Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	South between sections 11 and 12 va 14°27' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor —
60.00	Leave River bottom proper and begin to ascend Slope bears E & W.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 11, 12, 13 and 14
	Land mostly bottom Sloping north Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	East on a random line between sections 12 and 13 va 14°27' E.
22.20	Ravine running north and loses itself in bottom land
40.00	Set a post for temporary 1/4 Sec Cor
70.50	Ravine running north (looses)
80.26	Intersected the East boundary of the township 30 lks North of the corner to sections 12 and 13 from which corner I run N 89°47' W on a true line between sections 12 and 13 va 14°27' E
40.13	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80.26	The corner to sections 11, 12, 13 and 14
	Land, Sloping north and cut up some by ravines Soil poor 2d rate

T 12 N of R 42 W of 6th P M

Chs	South between sections 13 and 14 On 14° 30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec-cor-
68.00	Ravine running W of N
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 13, 14, 23 and 24 Land surface broken Soil Sandy poor 2d rate

T 12 N of R 42 W of 6th P M.

Chs	East on a random line between sections 13 and 24 On 14° 30' E
7.70	Ravine runs N. W.
40.00	Set a post for temporary 1/4 Sec-cor-
80.19	Intersected the east boundary of the township 17 lks North of the corner to sections 13 and 24 from which corner I run N 89° 53' W on a true line between sections 13 and 24 On 14° 30' E
4069½	Set a post- deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor.
80.19	The corner to sections 13, 14, 23 and 24 Land rolling Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	South between sections 23 and 24
	va 14°36' E
9.21	Intersected the south boundary of the State 1,00 ch West of the First mile post
	Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to fractional sections 23 and 24
	Land rolling soil 2d rate
	Sept 30th 1870

T 12 N of R 42 W. of 6th P M

	The Point for corner to sections 2 and 3 on the 3d Standard parallel N being in the river I run from the corner to sections 1.2.11.12 N 89°55' W, on a true line between Sections 2 and 11 and parallel to the 3d standard ~~line~~ Parl. N.
	va 14°27' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 2, 3, 10 11
	Land level bottom
	Soil 2d rate

T12 N of R 42 W of 6 P M

Chs	
	North between Sections 2 and 3 Va 14°27' E
40.00	Set a post – deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
60.00	Old wagon road, bears E and W
61.75	Enter low bottom bears E & W.
68.05	Set a post deposited a charred stake and raised a mound of earth with pit as per instructions on the South or right bank of the South ~~fork of the~~ Platte River for corner to fractional sections 2 and 3
	Land bottom Soil 2d rate

T12 N of R 42 W of 6th P M

Chs	
	From the corner to sections 2, 3, 10 and 11 I run South between sections 10 and 11 Va 14°30' E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec – cor –
80.00	Set a post – deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 10 11, 14 and 15
	Land Smooth – Sloping gently towards the North Soil 2d rate

T12 N of R 42 W of 6th P M

Chs	East on a random line between Sections 11 and 14 va 14°30' E
40.00	Set a post for temporary 1/4 Sec cor n
80.19	Intersected the N and S line 18 lks North of the corner to Sections 11, 12, 13 and 14 from which corner I run S 89°52' W on a true line between Sections 11 and 14 va 14°30' E.
4009 1/2	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
8019	The corner to sections 10, 11, 14 and 15 Land Slopes North Soil 2d rate

T12 N of R 42 W of 6th P M

Chs	South between Sections 14 and 15 va 14°30' E
11.00	Enter Sandy bed of mouth of Ravine running W of N and losing itself or spreading out 20 or 30 chs N W of this point
13.00	Leave bed of ravine coming from E of South
40.00	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post-deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 14, 15, 22 and 23
	Land Smooth-Sloping North Soil 2d rate

T12 N of R42 W of 6th P.M.

Chs	
	Easton a random line between sections 14 and 23 Va 14°30'E
7.25	Ravine runs N E
14.30	Enter a large Draw or drain of Ravines - running N W
20.00	Leave draw descends N.W.
40.00	Set a post for temporary 1/4 Sec Cor
61.00	Draw or Drain runs E of S
79.95	Intersected the N and S line 38 lks north of corner to sections 13 14 23 and 24 from which corner I run N 89°44' W on a true line between sections 14 and 23 for a 14°30'E
39.92½	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.95	The corner to sections 14 15 22 and 23 Land broken Soil poor 2d rate

T12 N of R42 W of 6th P.M.

Chs	
	South between sections 22 and 23 Va 14°30'E
9.91	Intersected the state line 88 lks West of the 2d mile post
	Where I set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to fractional sections 22 and 23

Land broken, Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	From the corner to sections 2, 3, 10 and 11 I run N 89° 56' W on a true line between sections 3 and 10 Va 14° 27
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 3, 4 9 and 10
	Land, Bottom with many alkali basins or holes
	Soil poor 2d rate

T 12 N of R 42 W of 6th P M

Chs	North between sections 3 and 4 Va 14° 25' E
28.00	Old wagon road bearing E and W
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec - cor -
55.59	Set a post on the right bank of ~~the~~ South Platte River - deposited a charred stake and raised a mound of earth with pit as per instructions for corner to fractional sections 3 and 4
	Land flat bottom
	Soil poor 2d rate

T 12

T 12 N of R 42 W of 6th P M

Chs		From the corner to sections 3, 4, 9 and 10 I run South between sections 9 and 10 Va 14°30' E
40.0	40,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec. cor.
80.0	80,00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 9, 10, 15 and 16 Land level bottom Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	East on a random line between sections 10 and 15 Va 14°30'
40,00	Set a post for temporary 1/4 Sec Cor
79,88	Intersected the N and S line 19 lks North of the corner to sections 10, 11, 14 and 15. from which corner I run N 89°52' W on a true line between sections 10 and 15 Va 14°30' E
39,94	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79,88	The corner to sections 9, 10, 15 and 16 Land bottom, sloping North Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	
	South between sections 15 and 16 va 14°30' E
*30.00	Ravine running E of N.
*2500	Leave bottom, bears E & W.
4000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8000	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 15.16 21 and 22
	Land S 1/2 Smooth N 1/2 Rolling Soil 2d rate

T 12 N of R 42 W of 6th P M

Chs	
	East on a random line between sections 15 and 22 va 14°30' E
40.00	Set a post for temporary 1/4 Sec cor
80.14	Intersected the N & S line 25 lks North of the corner to sections 14 15 22 and 23 from which corner I run N 89° ~~50'~~ 49' W on a true line between sections 15 and 22 va 14°30' E
40.07	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
8014	The corner to sections 15 16 21 and 22 Land surface rolling Soil poor 2d rate

T12 N of R 42 W of 6th P.M.

0 chs	South between sections 21 and 22 Va 14° 30' E
10.50	Intersected the State line 10.2 chs West of the 3d mile post
	Where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to fractional sections 21 and 22
	+ October 1st 1870
	+ Surface rolling, soil 2d rate

T12 N of R 42 W of 6th P.M.

0 chs	From the corner to sections 3.4.9. and 10 I run N 89° 56' W on a true line between sections 4 and 9 Va 14° 27' E
40.00	Set a post 4 deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec. cor.
61.00	Enter old road, bears S of W & N of E
71.50	Leave road bears S W & E.
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 4 5 8 and 9.
	Land: Level bottom Soil Sandy 2d rate

18

T12 N of R42 W of 6th P.M.

Chs	
	North between sections 4 and 5
	Var 14°27' E
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
53.36	Channel nearly dry runs S.E.
54.90	Island bears S.E.
57.66	Set a post on the right bank (proper) of ~~the~~ South Platte River - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to fractional sections 4 and 5
	Land level bottom much alkali
	Soil poor 2d rate

T12 N of R42 W of 6th P.M.

Chs	
	From the corner to sections 4, 5 8 and 9 I run
	South between sections 8 and 9
	Var 14°27' E
2.00	Old road bearing N. E and S. W.
40.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
80.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 8, 9, 16 and 17
	Land level bottom
	Soil 2d rate

T12 N of R42W of 6th P.M.

Chs	
	East on a random line between sections 9 and 16 va 14°27'E
40.00	Set a post for temporary 1/4 sec cor
79.94	Intersected the N and S line 6 links north of the corner to sections 9, 10, 15 and 16 from which corner I run N89°57'W on a true line between sections 9 and 16 va 14°27'E
39.97	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
79.94	The corner to sections 8, 9, 16 and 17
	Land bottom sloping gently north
	Soil 2d rate

T12 N of R42W of ~~the~~ 6th P.M.

Chs	
	South between sections 16 and 17 va 14°25'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 sec cor
70.00	Leave river bottom bears E&W. and enter land smooth but sloping more N
80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 16, 17, 20 and 21
	Land mostly bottom, level
	Soil 2d rate

T12N of R42W of 6th PM

Chs	East on a random line between sections 16 and 21 Var 14°27'E
31.00	Ravine running North
40.00	Set a post for temporary 1/4 Sec Cor
79.96	Intersected the N and S line 5 lks South of the corner to Sections 15, 16, 21 and 22 from which corner I run S89°58'W on a true line between sections 16 and 21 Var 14°27'E
39.98	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
79.96	The corner to sections 16, 17, 20 and 21 Land rolling & some broken Soil poor 2d rate

T12N of R42W of 6th PM

Chs	South between sections 20 and 21 Var 14°27'E
11.14	Intersected the State line 1.08 chs West of the 4th Mile Post When I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to fractional sections 20 and 21 Land rolling Soil 2d rate

T12 N of R42 W of 6th P.M.

Chs	Set a post deposited a lime-stone 6x2x2 inches marked by cutting a ring around the middle thereof raised a mound of earth with pits as per instructions for Closing Corner to sections 5 and 6, at a point on the 3d Standard parallel N. 15.62 chs East of the corner to Sections 32 and 33 of T13 N of R42 W

T12 N of R42 W of 6th P.M.

Chs	From the aforesaid closing corner to Sections 5 and 6 on the 3d Standard parallel N. I run South between Sections 5 and 6 Va 14° 21' E
9.85	Wagon road bears N of E & S of W.
15.34	U.P.R. Road " "
20.44	Set a post on the left bank of the South Platte River deposited a charred stake and raised a mound of earth with pits as per instructions for corner to fractional sections 5 and 6. (I measure over river with chain)
40.00	Point for 1/4 Sec Cor in River
58.36	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to fractional sections 5 and 6 on the Right or South bank of the River
South Platte 80.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for corner to Sections 5, 6, 7 and 8

Land. N side of River broken Soil 3d rate
S side bottom good 2d rate

T12 N of R 42 W of 6th P M

Chs	East on a random line between Sections 5 and 8 Va 14°21' E
40.00	Set a post for temporary 1/4 Sec Cor
79.70	Intersected the N and S. line 16 lks South of the corner to sections 4.5. 8. 9 from which corner I run S 89° 53' W on a true line between Sections 5 and 8 Va 14°21' E
39.85	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Section corner
79.70	the corner to sections 5 & 7 and 8 Land bottom many alkali ponds Soil poor 2d rate

T12 N of R 42 W of 6th P M

Chs.	West on a true line between Sections 6 and 7. Va 14°21' E
16.92	Set a post on the right bank of ~~the~~ South Platte River deposited a charred stake and raised a mound of earth with pits as per instructions for corner to fractional sections 6 and 7 *

(Land bottom
Soil good 2d rate)

* From cor. to Sect. 6 & 7, on W. boundary of Township I run East on a true line bet. Sect. 6 & 7
Variation 14° 24' East

3.73	Set post on left bank of South Platte River, deposit charred stake & raised mound of earth, with pits as per instruct. for meander corner to frac. Sect. 6 & 7

Surface low and subject to overflow

T12 N of R42 W of 6th P.M.

Chs	South between sections 7 and 8 Va 14°24'E
40.00	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
45.00	Leave lowest bottom, leave N.E. & S.W.
47.50	Old wagon road bearing S.-West
80.00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 7, 8, 17 and 18
	Land. S 1/2 2d bottom N 1/2 1st or lowest bottom
	Soil 2d rate

T12 N of R42 W of 6th P.M.

Chs	East on a random line between sections 8 and 17 Va 14°24'E
40.00	Set a post for temporary 1/4 Sec cor
79.86	Intersected the N and S line 16 Chs South of the corner to sections 8, 9, 16, 17 from which corner I run S 89°53' W on a true line between sections 8 and 17 Va 14°24'E
39.93	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec cor
79.86	The corner to sections 7, 8, 17 and 18
	Land Smooth; sloping N.
	Soil 2d rate

~~T12N of R42W of 6th P.M.~~

~~Obs~~	~~South between sections 17 and 18 Va 14° 24' E~~
~~40.00~~	~~Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor~~
~~80.00~~	

T12N of R42W of 6th P.M.

Obs	West on a random line between sections 7 and 18 Va 14° 24
40.00	Set a post for temporary 1/4 Sec Cor
44.00	Old Wagon road bears S of W
49.30	Leave " "
59.00	Slough running N E
61.30	Leave Slough, runs N.E.
70.70	Intersected the West boundary of township 39 lks North of the Corner to Sections 7 and 18 from which corner I run N 89° 45' E on a true line between Sections 7 and 18 Va 14° 24 E
30.70	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
70.70	The corner to Sections 7 8 17 and 18

Land level bottom
Soil 2d rate

T12 N of R 42 W of 6th P.M.

Chs	South between sections 17 and 18 Va 14°24' E
40,00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,00	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for corner to sections 17 18 19 and 20 Land Smooth Soil 2d rate

T12 N of R 42 W of 6th P.M.

Chs	East on a random line between sections 17 and 20 Va 14°24' E
40,00	Set a post for temporary 1/4 Sec Cor
80,20	Intersected the N and S line 30 lks South of the corner to sections 16 17 20 and 21 From which corner I run S 89°47' W on a true line between sections 17 and 20 Va 14°24' E
40,10	Set a post - deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
80,20	The corner to sections 17 18 19 and 20 Land Smooth Soil 2d rate

T12 N of R 42 W of 6th P M

Chs	West on a random line between sections 18 and 19 Va 14°24' E
40,00	Set a post - for temporary 1/4 Sec cor
71,02	Intersected the West boundary of the township 12 lks North of the corner to sections 18 and 19 from which corner I run S 89°54' E on a true line between sections 18 and 19 Va 14°24' E
31,02	Set a post deposited a charred stake and raised a mound of earth with pits as per instructions for 1/4 Sec Cor
71,02	The corner to sections 17, 18, 19 20 Land smooth sloping North Soil 2d rate

T12 S R 42 W of 6th P. M.

Chs	South between sections 19 and 20 Va 14°27' E
11,29	Intersected the State line 1,25 chs West of the 3d Mile Post where I set a post deposited a charred stake and raised a mound of earth with pits as per instructions for closing corner to fractional sections 19 and 20. October 2d 1870

Land slopes gently to the N; Soil 2d rate

~~T12 N of R42W of 6th P.M.~~

Chs	~~From the corner to sections 6 and 7 on the West boundary of the township I run~~
	~~East on a true line between sections 6 and 7~~
	~~Va 14° 24' E~~
~~3.73~~	~~Set a post on the left bank of the river deposited a charred stake and raised a mound of earth with pits as per instructions for corner to fractional sections 6 and 7~~

Meanders of the Right bank of the South Platte River through the Township

Begin at the corner to fractional sections 7 and 12 in the West boundary of the township and on the right and South bank of the river and run thence down stream with the meanders of the right bank of said river in fractional section 7 as follows

Courses ~~Causes~~	Distances	
N 58 3/4° E	20.00 chs	
N 71° E	16.00	
N 50 1/4° E	17.00	
N 31 1/4° E	16.70 2	To the corner to fractional sections 6 and 7. Thence in Section 6
N 37° E	20.00	
N 57° E	2.40	
N 38 1/2° E	4.80 3	To corner to fractional sections 5 and 6 Thence in section 5
N 67° E	8.00	
N 54 1/2° E	9.50	
N 82 1/4° E	6.00	

T 12 N of R 42 W of 6th P M

Courses	Distances	
N 6½° E	13,00 chs	Land dry bottom soil 2d rate
N 52¾ E	15 00	
N 65° E	10.00	
N 76° E	7 00	
N 84½ E	12.00	
N 60° E	9.10 4	To the corner to fractional sections 4 and 5. At 1,00 ch on the last station a channel nearly dry runs S.E. and 4,00 acros on line Thence in section 4
N 87° E	5.00	
N 81° E	13.00	
N 87¼ E	14 00	At 2,00 ch channel runs S of E and 3 90 chs acros on line
N 68° E	10,00	
N 88° E	8,00	At 6,00 ch mouth of a channel runs N.E being 1.80 chs acros on line
S 1° E	2 00	
S 55° E	8,00	At 3,40 mouth of channel 2,10 chs on line runs East
N 82½° E	5,00	
N 87½° E	5 00	

T 12 N of R 42 W of the 6th P M

Courses	Distance	
S 67½° E	3 00	
S 74° E	6 00	
S 65° E	3 00	
N 74° E	3.46 5	To corner to fractional sections 3 and 4. The land on the first 7 stations is low flat and wet most of it subject to overflow and being islands is covered thickly with willow cottonwood and other bushes all being small and of no value at present. The other stations are high and dry and the land good 2d rate Thence in section 3
N 86° E	19.00	
N 73¾ E	21 00	
N 75° E	12 00	
N 88½ E	11 00	
S 86° E	7 50	
N 66¼ E	11 20 6	To the corner to fractional sections 2 and 3 Land high and dry bottom soil 2d rate

T 12 N of R 42 W of 6th P M

Causes	Distances	Thence in Section 2
N 58° E	4.00 chs	
N 70¼° E	3 00	
N 76¾° E	21.00	
N 63° E	8 40 7	To corner to fractional Sections 2 & 36 in the North boundary of the township & on the 3d Stand. Par. N.
	Land	~~high and~~ dry banks Soil 2d rate

T 12 N of R 42 W of 6th P M

Meanders of the left bank of the South Platte river through the Township

From the corner to fractional Sections 5 and 33 on the North boundary of the township and on the left bank of the river I run up stream with the meanders of the left and N W bank of the river as follows viz

		in Section 5
8 S 69¾ W	42.00 chs	
S 59° W	10.32 9	To the corner to fractional Sections 5 and 6 Thence in Section 6
S 69¾ W	6.40	
S 43° W	9 00	
S 58½° W	12.00	
S 53° W	14 00	
S 40° W	6.50	
S 30 W	6 50	
S 58½ W	5 50	
S 49¼° W	16 50	
S 42 W	11.00	At 6 00 mouth of a channel running S of E and 140 chs across on line
S 40 W	4 00 10	Corner to fractional Sections 6 and 7 Land low – subject to overflow

T 12 N R 42 W of 6th P M

Causes S 5 8 1/4 W	Thence in section 7 4,49 11 To the corner to fractional sections 7 and 12 on the West boundary of the township

Remarks there are many small low islands in the river along near the left bank in sections 6 but being low and subject to over flow and of no value, They were not considered worth meandering

Oct 3d 1870

T 12 N of R 42 W. of 6th P M

General Discription

The quality of the land in this township may be described as poor 2d rate

The bottom on the south side of the river has much alkali

The bottom on the north side is too low and wet

The Slope from the South boundary to the river bottom proper is very nice. the soil inclined to be grabelly and will be very properly classed as poor 2d rate

The grass in the bottom on the south side is the usual bottom grass mixed with ~~Pritt~~ ~~or~~ rushes in many places — in other places Alkali grass (herbe salée) alone flourishes.

The transitions from Table land to the plane Sloping to the north and from that to the river bottom proper is so gradual that it is in most places impossible to note it in field notes

A List of the names of individuals employed to assist in measuring and marking the lines and corners described in the foregoing field notes of T 12 North of R 42 W of the 6th Principal Meridian Showing the respective capacities in which they acted

John Glenn } Chainmen
Charles Hardin }

Fred Weihe } Mound
J Leger } Builders

We hereby certify that we assisted

William Hardin deputy Surveyor in Surveying the Sub-division and meanders of Township No 12 North of the base line & R No 42 West of the Sixth Principal Meridian in the state of Nebraska and that said township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

John Glens	Chainman
Charles Hardin	Chainman
Fred. Wiehe.	Mound builder
S. J. Seger	Mound builder

Subscribed & Sworn to by the above named persons before me a Clerk of the Dist Court in and for the County of Lincoln in the state of Nebraska this 6th day of October 1870

R C Dougherty
Clerk of the Dist Court within and for Lincoln County Nebraska

I William Hardin deputy Surveyor do solemnly swear that in pursuance of a contract with R R Livingston Surveyor of the public lands of the United States in the state of Nebraska bearing date the 6th day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by said Surveyor General I have faithfully surveyed the sub-divisions and meanders of Township No 12 N of the base line of Range 42 W of the 6th principal Meridian in the state aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

William Hardin Deputy Surveyor

Subscribed by the said William Hardin deputy Surveyor and sworn to before me a Notary Public in and for Lancaster County in the State of Nebraska this 21st day of Nov 1870

A B Fuller
Notary Public

Surveyor General's Office
Plattsmouth Neb. Mch. 21st 1871

The foregoing Field Notes of the Survey of the subdivisional Lines and Meanders of Township No. 12 North of the State Line of Range No. 42 West of the Sixth Principal Meridian in the State of Nebraska, Executed by William Hardin, under his Contract of the 16th day of August 1870 in the Months of September & October 1870, having been critically Examined, the necessary Corrections and Explanations made, the said field notes and the survey, they herein are hereby approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

639

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.