General Land Office • Original Field Notes

Book Number

640

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Index Diagram to Town 13 N. R 43 W.

6	60	5	47	4	37	3	27	2	17	1
	61		59		46		36		26	16
7	58	8	45	9	35	10	25	11	15	12
	57		56		44		34		24	14
18	55	17	43	16	33	15	23	14	13	13
	54		53		42		32		22	12
19	52	20	41	21	31	22	21	23	11	24
	51		50		40		30		20	10
30	49	29	39	28	29	27	19	26	9	25
	6		5		4		3		2	1
31	48	32	38	33	28	34	18	35	8	36

Meanders 62 AND 63.

Field notes

of the Survey of the Subdivision lines and Meanders of the South Fork of the Platte River in Township No. 13 North of the Base line of Range No. 42 West of the 6th Principal Meridian in the State of Nebraska by Wm Bradburn Deputy Surveyor under his Joint Contract No. 29 with Matthewson. G. Patrick bearing date the 28th day of June A. D. 1869

A List

of the names and duties of the individuals employed to assist in Surveying the Subdivision lines and meanders of the South Fork of the Platte River in Township No. 13 North of the Base line of Range No. 42 West of the 6th Principal Meridian in the state of Nebraska

H. J. Foley. Chainman
Clay Lockwood Chainman
Frank Smith Moundman
W. R. Smith Moundman
John H. Goodrich Flagman

Note. Many of the corners to which random lines were run could be plainly seen with the telescope on the instrument used in Subdivisiy

Township 13 N Range 42 W. 6th Principal Mer

Omit this page & insert it at the end of this book

Knowing that the Southern Boundary of this Township will run in the South Fork of the Platte River the greater portion of the way I Commence at the established post corner to Sections 25. 30. 31 and 36 Township 13 North of the Base Line of Ranges 42 and 43 West of the 6th Principal Meridian and run East on a random line between Sections 30 and 31. 29 and 32 - 28 and 33 27 and 34. 26 and 35 and 25 and 36. temporary Va 14° 15' E. I set 1/2 Mile and Mile post at way 40 and 80 Chains, and at 5 Miles 79. 73 Chains intersected Eastern Boundary of Township at a point 20 links South of the Township Corner to Sections 25 and 36. Township 13 N Ranges 41 and 42 West

Therefore the correction will be 27 links West and 3 1/3 links north per mile

Township 13 N. Range 42 W

6th Principal Meridian

From the corner to Sections 25, 30, 31 and 36 Township 13 North Ranges 41 and 42 West run west on a true line between sections 25 and 36

Variation 14°16' East.

1.30 N. E. Corner of a building

2.13 Center of small post 30 links in diameter.

20.00 Road to Julesburg bearing N. E.

40.00 Set a post, deposited charred stake, raised mound of earth, made pits as per instructions for a 1/4 Sec. Corner

47.00 Foot of bluffs 30 ft. high. bear N.E.

49.00 Top of small ridge crop on South side. ~~fall to~~ bear S.W.

53.00 Foot of ridge. bears N.

76.00 Foot of Hills (of hills bear N.) and rise of 40 ft. to top. bears N.

80.00 Top. Set a post, deposited charred stake, raised mound of earth, made pits as per instructions for a corner to sections 25, 26, 35 and 36.

Bottom 2nd rate, hills 3rd rate soil (write page 8 next)

West on a true line between Sections 26 and 35

Variation 14°16' East

40.00 Set a post, deposited a charred stake, raised mound of earth made pits as per instructions for a 1/4 Sec. Corner

71.00 Crop a ravine running about 10.00 chains north. drains South

80.00 Set a post, deposited charred stake, raised mound of earth, made pits as per instructions for a corner to Sections 26, 27, 34 and 35

Make this the 1/4 Sec. corner

Land, Hilly, 3rd Rate

over

Township 13 N. Range 42 W.

West on a true line between sections 27 and 34
Variation 14° 16' East

21.00 Begins to fall to the W. bears S.S.E.
40.00 Center of a ravine, runs ~~N.N.W.~~
Set a post, deposited charred stake, raised mound of earth, made pits as per instructions for a 1/4 Sec. Corner
55.00 Top of Ridge bears W.
80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for corner to sections 27, 28, 33 and 34.

Land Hilly and Broken
3rd Rate.

Make this the 1st mile of the 3d tier

6th Principal Meridian

East on a Random Line between
~~West between sections~~ 28 and 33
Variation 14° 15' East
~~broken to~~

32.00 ~~29.00~~ Top of Hill bears S.E. & descend from high land
38.00 Extra Ravine, bears S.E.
33.00 ~~Crossed Ravine runs N.W.~~
Set post for temporary Sec. Cor.
40.00 in Ravine. Set a post, deposited charred stake, raised mound of earth, and made pits as per instructions for a 1/4 Sec. Corner.
(give this on true line)
47.00 Cross ravine bears S.E.
~~42.00 Leave ravine, gradual rise 40 ft.~~
51.00
48.00 Top of Hill. bears S.E. ⊕
80.00 Set a post, deposited charred stake, raised mound of earth, and made pits as per instructions for corner to Sections 28, 29, 32 and 33
(give this at end of 1st mile 4th tier)

Land to 48.00 chains on E. end broken, rest level. Soil 1st part 3rd rate. 2nd part 2nd rate.
(write this below)

⊕ S. 89° 59' W. on a true line between Sections 28 & 33 — Var. 14° 15' East

40.00 (give 1/4 post above)
80.00 To the Corner to Secs. 28, 29, 32 & 33
(Give description as above)

(Give this page in regular order on the 4th tier)

Township 13 N. Range 42 W.

write S. 89° 59' W. — ~~West~~ (random first on a true line) between Sections 29 and 32

Variation 14° ~~16'~~ 15' East

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner.

80.00 (write this corner at end of 1st mile in double line) Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 29, 30, 31 and 32 (to the Corn to Secs. 28, 29, 30, 31 & 32)

Land 1st Part Hilly and Broken. 2nd Part Level Soil 1st Part 3rd rate 2nd Part 1st rate.

(At this bt the 2nd line in double line)

⊕ East on a random line between Sect. 29 & 32

Var. 14° 15' E

40.00 Set a post for temporary 1/4 Sec. Corner

80.00 Intersect N. bd. line 3 lks. S. of Cor. to Sect. 28, 29, 32 & 33, from which corner I run (as above)

6th Principal Meridian.

West (on a random line) between Sections 30 and 31

Variation 14° ~~16'~~ 15' East

40.00 (write this on the true line) Set a post (for temporary 1/4 Sec. Corner), deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

79.73 Intersected ~~post~~ (3 links north of) Corner to sections 30 and 31 on west boundary of Township.

(3 mile in double line)

(from which corner I run ⊕)

~~Land level 2nd rate~~

~~September 17th 1869.~~

⊕ N. 89° 59' E on a true line between Sect. 30 & 31 Var. 14° 15' E

39.73 Set post &c as above

79.73 Corner to Sect. 29, 30, 31 & 32

Land level

Soil second rate

Sept. 17. 1869

Township 13 N Range 42 W. 6th Principal Meridian

(Write this after list of names)

To determine the proper adjustment of my compass for subdividing this Township. I commence at the established post corner to Sections 25 and 36 on the eastern boundary of the Township and run North ~~between Sec's~~ on a blank line along the east boundary of Section 25 Va 14° 25' E.

40.00 to a point 4 links east of 1/4 Sec corner

80.00 To a point 11 links east of the corner to Sections 24 and 25

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 14° 25' East

(give line on page 1 next)

(Write this at beginning of Subd.)

Chains Subdivisions commenced September 18th 1869

From the corner to Sections 25. 26. 35 and 36 I ran South between Sec's 35 and 36 Va 14° 25' East

(2nd mile)

12.00 Foot of hills bear S.W.

29.00 Road to Julesburgh bears S.W.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner bears S.W.

42.62 Centre of Union Pacific Rail Road

60.57 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for on left bank of South Fork Platte River for a corner to fractional Sections 35 and 36, Cor. to Sec. 35 & 36 in River

Land undulating Soil 1st rate

Township 13 N Range 42 W

Chains From the corner to Section
25. 26. 35 and 36 I run
North between Sec's 25 and 26
Va 14° 25' E

12.00 Foot of hills bear N.W.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. corner

66.00 North side Ravine bears S.E.

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
corner to Sections
23. 24. 25 and 26

Land hilly
Clear Gravel

6th Principal Meridian

Chains East on a random line
between Sec's 24 and 25
Va 14° 16' E

25.00 Top of hills, bear S.E.

40.00 Set a post for temporary
1/4 Sec corner

80.20 Intersected Eastern
Boundary of Township
at post corner to Sections
24 and 25 from which
corner I run
West true line bet. 24 & 25
Va 14° 16' E

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec corner

80.20 the corner to Sections
23. 24. 25 and 26

Land Rolling
Soil 2nd rate

Township 13 N Range 42 W 6th Principal Meridian

chains North between Sec's 23 and 24
Va 14° 25' E

17.00 Top of hills, bear S.E.

40.00 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions for
1/4 Sec Corner

80.00 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions for
Corner to Sections
13. 14. 23 and 24

Land undulating
Soil 2nd rate

chains East on a random line
between Sec's 13 and 24
Va 14° 16' E

10.00 Top of hill S. W. side of Ravine

25.00 ~~South Side~~ Enter of Ravine
bears S. E.

40.00 Set a post for temporary
1/4 Sec Corner

80.20 Intersected Eastern
Boundary of Township
10 links South of post
corner to Sections 13
and 24 from which
corner I run
South 89° 56' ~~East~~ West
Var. Sec's 13 & 24
Va 14° 16' E

40.10 Set a post, deposited
Chained stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec Corner

80.20 The corner to Sec's 13. 14. 23 and 24
Land hilly
Soil 2nd rate

Township 13 N Range 42 W.

Chains North between Secs 13 and 14
Va 14° 25' E

6.00 Top of hill bears S.E.
11.00 Top of Hills at Ravine which bears S 40° E.
40.00 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner
70.00 North side Same Ravine bears S.E.
80.00 Set a post, deposited Charred stake, raised mound of earth and made pits as per instruction from corner to Sections 11. 12. 13 and 14

Land hilly
good gravel

6th Principal Meridian

Chains East on a random line between Secs 12 and 13
Va 14° 16' E

5.00 Top of hill bears S.E.
40.00 Set a post, for temporary 1/4 Sec Corner
80.64 Intersected Eastern Boundary of Township 22 links South of post corner to Sections 12 and 13 from which corner Lines South 89° 51' West
Va 14° 16' E
40.32 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.64 The corner to Sections 11. 12. 13 and 14

Land mostly level
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

Chains	
	North between Sec's 11 and 12 Va 14° 25' E
2.00	Top of hill bears S.E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 1. 2. 11 and 12
	Land principally hilly Soil 3rd rate

Chains	
	East on a random line between Sec's 1 and 12 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec corner
80.40	Intersected Eastern boundary of Township 32 links South of post corner to Sections 1 and 12 from which corner I run (between Sec's 1 & 12) South 89° 46' West Va 14° 16' E
40.20	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
80.40	The corner to Sections 1. 2. 11 and 12
	Land rolling Soil 2nd rate

Township 13 N Range 42 W

Chains	
	North on a random line between Sec's 1 and 2 Va 14° 25' E
23.00	The South West ~~corner~~ point of a good spring water about 5.00 chs wide 12 ft deep
32.00	The N. W. ~~Cor~~ end of same pond lies in Sec 1
40.00	Set a post for temporary 1/4 Sec corner
79.50	Intersected Northern Boundary of Township 5 miles east of post corner to Sec's 1 and 2 from which corner I run South 0° 02' East Sec. 1 & 2 between Va 14° 25' E
39.50	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner
79.50	The corner to Sections 1. 2. 11 and 12 Land Level Soil 2nd rate

6th Principal Meridian

(Give line between Sect. 26 & 35 next — see page 2)

Chains	
	From the corner to Sections 26. 27. 34 and 35 I run South between Sec's 34 and 35 Va 14° 26' E
38.00	Top of hills bearing E & W.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner
41.00	Foot of hills & enter bottom bears E.
59.00	Road to Jolesburgh bears S.W. runs S 80° W
65.12	Center Union Pacific Rail Road
69.06	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions on left Bank South Fork Platte River from corner to frac Sec's 34 and 35 Cor run to Sect. 34 & 35 is in River Land North part hilly South part Bottom lands Soil 2nd rate

Make this the 2nd mile on the 2nd tier

Township 13 N Range 42 W 6th Principal Meridian

(3° mile on 2nd trip)

Chains From the corner to Sections 26. 27. 34 and 35 I run North between Sec's 26 and 27 Va 14° 25' E

33.00 Leave high Ground descend about 30 feet to a swamp bears S.E.

37.00 Center of Small Ravine bear. S. E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec corner

43.00 Top of hill bears S.E.

80.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a corner to Section 22. 23. 26 and 27

Land hilly

Soil 3rd rate

Chains East on a random line between Sec's 23 and 26 Va 14° 16' E

40.00 Set a post for temporary 1/4 Sec. corner

50.00 Top of hill bears S.W.

79.85 Intersected N and S line at post corner to Sections 23. 24. 25 and 26 from which corner I run West true line bet. Sec's 23 & 24 Va 14° 16' E

39.92½ Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

79.85 The corner to Sections 22. 23. 26 and 27

Land rolling

Soil 2nd rate

Township 13 N Range 22 6th Principal Meridian

Chains

North between Sec's 22 and 23
Va 14° 25' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner.

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to sections 14. 15. 22 and 23

Land Rolling
Soil 2nd rate

Chains

East on a random line between Sec's 14 and 23
Va 14° 16' E

40.00 Set a post for temporary 1/4 Sec corner

79.70 Intersected N and S line 4 links South of post corner to Sections 13. 14. 23 and 24 from which corner I run

South 89° 58' West on a new line bet. Secs. 14 & 23
Va 14° 16' E

39.85 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

79.70 The corner to sections 14. 15. 22 and 23

Land level
Soil 2nd rate

Sept 19th 1869

Township 13 N Range 42 W 6th Principal Meridian

Chains

North between Sec's 14 and 15
Va 14° 25' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec. corner.

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for corner to sections 10. 11. 14 and 15

Land undulating
Soil 2nd rate

Chains

East on a random line between Sec's 11 and 14
Va 14° 16' E

40.00 Set a post for temporary 1/4 Sec corner

79.58 Intersected N and S line at post corner to sections 11. 12. 13 and 14 from which corner I run

West true line bet. Sec. 11 & 14
Va 14° 16' E

39.77½ Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec corner

79.55 The corner to sections 10. 11. 14 and 15

Land undulating
Soil 2nd rate

Township 13 N Range 42 W

Chains North between Secs 10 and 11
Va 14° 26' E

40.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec Corner

80.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
2. 3. 10 and 11

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line
between Secs 2 and 11
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec Corner

79.44 Intersected N and
S line at post corner
to Sections 1. 2. 11 and 12
from which corner I run
West Tow line betn Secs 2 & 11
Va 14° 16' E

39.88 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

79.76 The corner to Sections
2. 3. 10 and 11

Land undulating
Soil 2nd rate

Township 13 North Range 42 W. 6th Principal Meridian

Chains	
	North on a random line between Sec's 2 and 3 Va 14° 25' E
40.00	Set a post for temporary 1/4 Sec corner
79.50	Intersected Northern Boundary of Township at post corner to Sections 2 and 3 from which Corner L ans South true line bet. Sec. 2 & 3 Va 14° 25' E
39.50	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
79.50	The corner to Sections 2. 3. 10 and 11
	Land undulating Soil 2nd rate

(Give line between Sec. 27 & 34 next — see page 3)

Chains	
	From the corner to Sections 27. 28. 33 and 34 Ans South between Sec's 33 and 34 Va 14° 25' E
40.00	Set a post. deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner
58.00	Edge of Bluff bears E.
66.00	Foot of Bluff bears E.
71.00	Road from Julesburgh bears W. bears S. 88° W.
74.07	Center of Union Pacific Rail Road
74.56	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from Cor to Trac Sec's 33 and 34 on left Bank South Fork Platte River Corr to Sec. 33 & 34 in river Land hilly Soil 2nd rate

(Make this the 2nd mile on the 3rd row)

Thownship 13 N Range 43 W.

chains From the corner to Sections 27. 28. 33 and 34 I run North between Sec's 27 and 28 Va 14° 25' E.

40.00 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

45.00 leave high Ground bears S.E. enter Ravine

58.00 Center & head of Ravine bears S.E. ~~S. W.~~

64.00 Top of hill bears S.E.

80.00 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from corner to Sections 21. 22. 27 and 28

Land hilly & broken
Soil 3rd rate

6th Principal Meridian

chains East on a random line between Sec's 22 and 27 Va 14° 16' E

40.00 Set a post, for temporary 1/4 Sec corner

80.46 Intersected the N and S line at post corner to Sections 22. 23. 26 and 27 from which corner I run West true line bet. Sec. 22 & 27 Va 14° 16' E

40.23 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

80.46 The corner to Sections 21. 22. 27 and 28

Land undulating
Soil 2nd rate

Township 13 N Range 42 W

chains	
	North between Sec's 21 and 22 Va 14° 25' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 15. 16. 21 and 22

Land level
Soil 2nd rate

6th Principal Meridian

chains	
	East on a random line between Sec's 15 and 22 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec Corner
80.92	Intersected N and S line 14 links South of post, corner to Sections 14. 15. 22 and 23 from which corner S and S 89° 54' West true line bet. Sec's 15 & 22 Va 14° 16' E
40.46	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.92	The corner to Sections 15. 16. 21 and 22

Land level
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

chains North between Sec's 15 and 16
Va 14° 25' E

40.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. corner.

80.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions from
corner to Sections
9, 10, 15 and 16

Land undulating
Soil 2nd rate

chains East on a random line
between Sec's 10 and 15
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec corner

79.88 Intersected N and S line
at post corner to
Sections 10. 11. 14 and
15 from which corner I run
West true line betw. Sect. 10 & 15
Va 14° 16' E

39.94 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec corner

79.88 The corner to Sections
9, 10, 15 and 16

Land undulating
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

Chains North between Secs 9 and 10
Va 14° 25' E

40.00 Set a post, deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. corner

811.111 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions from
Corner to Sections
3. 4. 9 and 10

Land undulating
Soil 2nd rate

Chains East on a random line
between Secs 3 and 10
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec Corner

79.94 Intersected N and S line
at post corner to Sections
3. 3. 10 and 11 from
which corner I am
West true line bet. Sec. 3 & 10
Va 14° 16' E

39.94 Set a post, deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

79.94 The corner to Sections
3. 4. 9 and 10

Land undulating
Soil 2nd rate

Sept. 20th 1869

Township 13 N Range 42 W - 6th Principal Meridian

Chains North on a random line between Sec's 3 and 4 Va 14° 25' E

40.00 Set a post for temporary 1/4 Sec corner

79.00 Intersected Northern boundary of Township at post corner to Sections 3 and 4 from which corner 2 cor South (true line bet. Sec. 3 & 4) Va 14° 25' E

39.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

79.00 The corner to Sections 3. 4. 9 and 10

Land undulating Soil 2nd rate

Chains From the corner to Sections ~~28. 29.~~ 32 and 33 (Ravine this line) on S. boundary of Township 2 ~~South~~ North between Sec's 32 & 33 Va 14° 25' E

30.00 ~~28.00~~ Top of Bluffs, ~~leave~~ leave hills and enter Ravine bears S.E.

40.00 Center of Ravine, here 5.00 chs N.W. bears S.E. Set a post deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner

52.00 ~~54.1111~~ Top of Bluffs leave Ravine bears S.E. ~~and commences to fall~~

80.00 ~~Intersected Southern Boundary of Township at post corner to Sections 32 and 33~~ ⊕

⊕ Give corner written on page 41 & then give line on same page

Land hilly Soil 3rd rate

Township 13 N Range 42 W. 6th Principal Meridian

chains From the corner to Sections 28. 29. 32 and 33 & run North between Sec's 28 and 29 Va 14° 35' E

40.00 Top of hill on S. side of a Ravine S.E. drains
Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

46.00 S. side Ravine bears S. E.

60.00 North side same Ravine S.E.

80.00 Top of hill bears S. E.
Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 20. 21. 28 and 29

Land level
Soil 2nd rate

chains East on a random line between Sec's 21 and 28 Va 14° 16' E

40.00 Set a post, for temporary 1/4 Sec Corner

80.36 Intersected N and S line at post corner to Sections 21. 22. 27 and 28 from which Corner S and West true line bet. Sec's 21 & 28

Va 14° 16' E

40.18 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

80.36 The corner to Sections 20. 21. 28 and 29

Land level
Soil 2nd rate

Township 13 N Range 42 W.

chains North between Sec's 20 and 21
Va 14° 35' E

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to sections
16. 17. 20 and 21

Land level
Soil 2nd rate

6th Principal Meridian

chains East on a random line
between Sec's 16 and 21
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec corner

80.72 Intersected N and S line
at post corner to sections
15. 16. 21 and 22 from
which corner I run
West true line betw. Sec. 16 & 21
Va 14° 16' E

40.36 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

80.72 The corner to sections
16. 17. 20 and 21

Land level
Soil 2nd rate.

Township 13 N Range 42 W

Chains North between Secs 16 and 17
Va 14° 25' E.

40.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner.

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
corner to Sections
8. 9. 16 and 17

Land level
Soil 2nd rate

6th Principal Meridian

Chains East on a random line
between Secs 9 and 16
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec Corner

80.00 Intersected the N and S
line at post corner to
Sections 9. 10. 15 and 16
from which corner I run
West true line betw. Sec. 9 & 16
Va 14° 16' E

40.00 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instruction for a
1/4 Sec Corner

80.00 The corner to Sections
8. 9. 16 and 17

Land Level
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

chains North between Sec's 8 and 9
Va 14° 35' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 4. 5. 8 and 9

Land undulating
Soil 2nd rate

chains East on a random line between Sec's 4 and 9
Va 14° 16' E

40.00 Set a post for temporary 1/4 Sec Corner

79.82 Intersected the N and S line at a point 9 links North of post corner to Sec's 3. 4. 9 and 10 from which corner I am North 89° 56' West on a true line bet. Sec. 4 & 9
Va 14° 16' E

39.91 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

79.82 The corner to Sections 4. 5. 8 and 9

Land undulating
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

Chains	
	Northwardly on line between Sec's 4 and 5 Va 14° 25' E
40.00	Set a post for temporary 1/4 Sec Corner
79.00	Intersected Northern boundary of Township at post corner to Sections 4 and 5 from which Corner I run
	South (true line bet. Sec. 4 & 5) Va 14° 25' E
39.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
79.00	~~Set a post~~ The corner to Sections 4. 5. 8 and 9

Land level
Soil 2nd rate

Chains	
	(Run this line) From the corner to Sections ~~29. 30.~~ 31 and 32 on S. boundary of Township I run ~~South~~ North between Sec's 31 and 32 Va 14° 25' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	~~The corner to Sections 31 and 32 on Southern boundary of Township~~

Land Rolling
Soil 3rd rate

* give corner written on page 5 & then give line on same page
then give line on page 6

Township 13 N Range 42 W

chains From the corner to Section 29. 30. 31 and 32 I run North between Sec's 29 and 30 Va 14° 25' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 19. 20. 29 and 30

Land Rolling
Soil 3rd rate

6th Principal Meridian

chains East on a random line between Sec's 30 and 29 Va 14° 16' E

40.00 Top. of Hill bears S.E.
Set a post for temporary 1/4 Sec Corner

47.00 S. Side Ravine bears S.E.

60.00 N. Side Ravine bears S.E.

79.73 Intersected N and S line at post corner to Section 20. 21. 28 and 29 from which corner I run West true line bet. Sec. 20 & 29
Va 14° 16' E

39.86 N Set a post, deposited charred stake, raised mound of earth and made pits as per instruction from 1/4 Sec corner

79.73 The corner to Section 19. 20. 29 and 30
Land hilly
Good gravel
Sept. 21st 1869

Township 13 N Range 4 W 6th Principal Meridian

chains West on a random line
between Sec's 19 and 30
Va 14° 16' E

40.00 Set a post for temporary
1/4 Sec Corner

79.14 Intersected the
Western boundary
of Township 16 links
South of post corner
to Sections 19 and 30
from which corner L and on the line bet. Sec. 19 & 30
South 89° 53 East
Va 14° 16' E

39.14 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

79.14 The corner to sections
19. 20. 29 and 30

Land undulating
Soil 3rd rate

chains North between Sec's 19 and 20
Va 14° 25' E

5.00 Top of Bluff bears S.E.

111.00 South Side Ravine
drains bears S. E.

40.00 North Side Same Ravine drains S.E.
Set a post ~~for temporary~~
~~1/4 Sec Corner~~

~~80.00 Top of Hill~~ deposited
Charred stake raised
mound of earth and
made pits as per
instructions from
1/4 Sec Corner

80.00 Set a post, deposited
Charred stake raised
mound of earth
and made pits as per
instructions from
corner to Sections
17. 18. 19 and 20

Land hilly
Gravel & Sand (Good)

Township 13 N Range 42 W.

chains	
	East on a random line between Sec's 17 and 20 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec corner
79.42	Intersected N and S line at post corner to sections 16. 17. 20 and 21 from which corner I run West true line bet. Sec. 17 & 20 Va 14° 16' E
39.71	Set a post, deposited Chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
79.42	The corner to sections 17. 18. 19 and 20

Land Level
Soil 2nd rate

6th Principal Meridian

chains	
	West on a random line between Secs 18 and 19 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec corner
78.95	Intersected western boundary of Township at post corner to sections 18 and 19 from which corner I run East true line bet. Sec. 18 & 19 Va 14° 16' E
38.95	Set a post, deposited Chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
78.95	The corner to sections 17. 18. 19 and 20

Land level
Soil 2nd rate

Township 13 N Range 42 W.

Chains	
	North between Sec's 17 and 18 Va 14° 25' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 7. 8. 17 and 18

Land level
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 8 and 17 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec corner
79.12	Intersected N and S line at point 5 links South of post corner to Sections 8. 9. 16 and 17 from which corner I am S 89° 58' West (True bearing later, Jul 8 1917) Va 14° 16' E
39.56 5	Set a post, deposited charred stake, raised mound of earth and made pits as per instruction from 1/4 Sec corner
79.12	The corner to Sections 7. 8. 17 and 18

Land level
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

Chains	
	West on a random line between Secs 7 and 18 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec corner
78.80	Intersected Western boundary of Township at a point 19 links North of post corner to Secs 7 and 18 from which corner I run North 89° 52' East on a true line bet. Secs. 7 & 18 Va 14° 16' E.
38.80	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
78.80	The corner to Sections 7. 8. 17 and 18

Land level
Soil 2nd rate

Chains	
	North between Secs 7 and 8 Va 14° 25' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 5. 6. 7 and 8

Land undulating
Soil 2nd rate

Township 13 N Range 22 W 6th Principal Meridian

chains	
	East on a random line between Secs 5 and 8 Va 14° 16' E
40.00	Set a post for temporary 1/4 Sec Corner
79.60	Intersected N and S line at post corner to Sections 4. 5. 8 and 9 from which corner I run West on true line betw. Secs. 5 & 8 Va 14° 16' E
39.80	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
79.60	The corner to sections 5. 6. 7 and 8

Land undulating
Soil 2nd rate

chains	
	North on a random line between Sec's 5 and 6 Va 14° 25' E
40.00	Set a post for temporary 1/4 Sec Corner
78.90	Intersected Northern boundary of Township at post corner to Sec's 5 and 6 from which corner I run South on true line between Secs. 5 & 6 Va 14° 25' E.
38.90	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
78.90	The corner to sections 5. 6. 7 and 8

Land undulating
Soil 2nd rate

Township 13 N Range 42 W. 6th Principal Meridian

Chains

West on a random line between Sec's 6 and 7 Va 14° 16' E

40.00 Set a post for temporary 1/4 Sec corner

78.83 Intersected Western Boundary of Township at post corner to Sections 6 and 7 from which corner I am

East (from line bet. Sec. 6 & 7) Va 14° 16' E

38.83 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

78.83 The corner to Sections 5. 6. 7 and 8

Land undulating Soil 2nd rate

Sept. 22nd 1869

Meanders of the right bank of South Fork of Platte River through the Township

Begin at the corner to fractional Sections 2 and 36 in the South Boundary of the Township and on the S. bank of the river and run thence down the Stream as follows. in Fractional Section 36.

Courses	Distances
1 N 40° E	14.40 chs
604 N 58 1/4 E	25.00 2

To the corner to fractional Sections 36 and 31 on the East Boundary of Township.

Land along the Right bank of South Fork Platte River is level, Soil 2nd rate, & not subject to inundation

Note: Lots along the left Bank of the Platte River is level, and not rocky, subject to inundation

Meanders of the left Bank of South Fork of Platte River through the Township.

Begin at the corner to fractional Secs 5 and 33 on the South Boundary of the Township and on the left bank and North side of the river, and run thence down stream with Meanders of the left bank of said river in fractional Section 33 as follows

Courses	Distances	
3 N 71½° E	17.11 chs 4	To corner to frac Secs 33 and 34 thence in Sec 34.
N 83½° E	27.00	
N 87¼° E	53.20 5	To corner to frac Secs 34 and 35 thence in Sec 35
S 89¼° E	36.00	
S 85½° E	16.00	
N 67°30' E	29.00 6	To corner to frac Secs 35 and 36 thence in Sec 36
N 81° E	15.00	
N 68¼° E	29.00	
N 71¼° E	12.50	To corner to frac Sections 36 and 31 in East Boundary of Township
N 59¼° E	8.00	
N 40° E	10.00	
N 56¼° E	15.50 7	

General Description.

The quality of the land in this Township is comparatively poor with the exception of Platte Valley which consists of excellent Grass land.

The Water of the South Fork of the Platte River ~~contains~~ is muddy but good for culinary ~~purposes~~ and drinking purposes.

The soil of the hills is poor with very little grass and that of an inferior quality

List of Names

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 13. North of the Base line of Range No 42 West of the 6th Principal Meridian in the State of Nebraska showing the respective capacities in which they acted

H. J. Foley Chainman
Clay Lockwood Chainman
Frank Smith Maundman
W. R. Smith Maundman
John H. Goodrich Flagman
Wm Bradburn Compassman

For affidavits
See Book Lp.

T. 13 N. R. 44 W.

Surveyor Generals Office
Plattsmouth Neb April 7th 1870.

The foregoing field notes of the survey of the subdivision lines and meanders of Township No. 13 North of the Base Line of Range No. 42 West of the 6th Principal Meridian in the State of Nebraska executed by William Bradbeurn under joint contract No. 27. bearing date the 28th day of June 1869 wherein William Bradbeurn and Matthewson T. Patrick are joint contractors. in the month of September 1869. having been critically examined the necessary corrections and explanations made. the said field notes and the surveys they describe are hereby approved.

Robt R Simpson
Surveyor General.

INDEX DIAGRAM T. 14 N. R. 42 W. 6 P.M.

6	60	5	46	4	35	3	24	2	13	1	
60		59		45		34		23		12	
7	59	8	44	9	33	10	22	11	11	12	
58		57		43		32		21		10	
18	56	17	42	16	31	15	20	14	9	13	
55		54		41		30		19		8	
19	53	20	40	21	29	22	18	23	7	24	
52		51		39		28		17		6	
30	50	29	38	28	27	27	16	26	5	25	
49		48		37		26		15		4	
31	47	32	36	33	25	34	14	35	3	36	

Subdivision
of
Township 14 N.
North
of
Range 42 West
of
6th Principal Meridian

Commenced August 15th 1870
Finished August 19th "

Jas McBride & E. P. Murphy

Names of Assistants

Chainman Marcus Griffen
" " Henry Boggs
" " Isiah Ayr
" " Francis J. Sullivan

Mundbuilders & Flagmen
Osceola Dyer
Charles Kelley
Charles Helberg
Henry J. Osborne

To determine the proper adjustment of my compass I do subdivide this Township, I commence at the corner to Townships 13 & 14. N. Ranges 41 & 42 West. and run North, on a blank line along the East Boundary of section 36. Variation 14°35' E.

4000 To a point 12 lks East of 1/4 sect corner

7996 To a point 16 lks East of corner to sections 25 & 36.

To retrace this line my compass must be adjusted at a Variation 14°42' E.

From corner to sections 1. 2. 35. & 36. on the South Boundary of the township

I run —

Township No. 14 N. Range No. 42

~~West~~ 6th Principal Meridian

North Between sects 35 & 36
" Var 14°40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 25. 26. 35. & 36

Surface rolling
Soil 3rd rate

Township No. 14 N. Range 42 West 6th Principal Meridian

East Random Between sects 25 & 36
Var 14° 35' E.

4000 set temporary 1/4 sec post

8000 intersected E. boundary of township ~~range line~~ at ~~section~~ corner to secs. 25, 30, 31 & 36, from which comm'd com

West on true line between sections 25 & 36.
Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sec corner.

8000 corner to sections 25. 26. 35 & 36.
Surface rolling
Soil 3rd rate

North Between Sects 25 & 26.
Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 23. 24. 25. & 26
Surface level
Soil 2nd rate

Township No. 14 N. Range No. 42 West 6th Principal Meridian

East Random. Between sects 24 & 25

Var 14° 35' E

4000 Set temporary 1/4 sect post

8.0.14 intersect Range line 20 links South ~~section~~ corner to sections 19. 24. 25 & 30. from which cor ~~&~~ mus

S89°51'W on true line between sections 24 & 25

Var 14° 35' E

40.07 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

80.14 corner to sections 23. 24. 25 & 26.

Level surface
Soil 2nd rate

(# Write in usual form)

North Between sections 23 & 24

Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 13. 14. 23 & 24

Surface Level
Soil 2nd rate

Township No. 14 N. Range No. 42 West 6th Principal Meridian

East	Random Betw sections 13 & 24
	Var 14° 30' E
4000	set temporary 1/4 sect post
8000	intersect ~~section~~ range line at ~~section~~ corner to sections 13. 18. 19. & 24 from which cor
	West on ~~bng~~ run line between sections 13 & 24
	Var 14° 30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post.
8000	corner to sections 13. 14. 23 & 24.
	Surface Rolling Soil 2nd rate

North	Between Sections 13 & 14
	Var 15° 5' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14
	Surface rolling Soil 3rd rate.

Township No. 14 N. Range No. 42 West 6th Principal Meridian

East Random between sects 12 & 13

Var 14° 40' E

4000 set temporary 1/4 section post

5500 Road board N. W. & E.

8000 intersect range line 8 links South of ~~sect~~ ~~line~~ corner to sections 7. 12. 13. & 18 from which corner Drum

S 89° 57' W on true line Between sections 12 & 13

Var 14° 40' E.

4000 set post deposited chaned stake raised mound of earth with pits as per instructions for 1/4 section corner ~~post~~.

8000 corner to sections 11. 12. 13. & 14

Surface rolling soil 2nd rate

North ~~Range~~ between sections 11 & 12

Var 14° 40' E

4000 set post deposited chaned stake raised mound of earth with pits as per instruction for 1/4 section corner ~~post~~

8000 set post deposited chaned stake raised mound of earth with pits as per instructions for corner to sections 1. 12. 11 & 12

Surface rolling soil 3rd rate.

Township No. 14 N. Range 42 West 6th Principal Meridian

East Random. Between sects 1 & 12. N.W. & S.E.

1000 road Bears N.W. & S.E. Var 14° 35' E

4000 set temporary 1/4 section post

8000 intersect ~~sections~~ range line at ~~section~~ corner to sections 1. 6. 7 & 12. from which corner I run

West on true line Between sections 1 & 12.

Var 14° 35' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 1. 2 11 & 12.

Surface rolling Soil 3rd rate.

North Random Between sections 1 & 12.

2100 road Bears N.W. & S.E. Var 14° 35' E

4000 set temporary 1/4 section post

7894 intersect town line 40 links West of ~~sec line~~ corner to sections 1. 2. 35. & 36. from which cor I run

Jan. 17 N. on true line Between sections 1 & 12.

Var 14° 35' E

2100 ~~road~~ Bears N.W. & S.E.

38.94 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

7894 corner to sections 1. 2. 11 & 12.

Surface rolling soil 3rd rate.

August 15th 1870.

Township No. 14 N. Range 42 West 6th Principal Meridian

North Between Sections 34. & 35.

Var 14° 35' E.

4000 Set post "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 26. 27. 34. & 35.

Surface rolling
Soil 3rd rate

East Random Between sections 26 & 35.

Var 14° 35' E

4000 set temporary 1/4 section post

8000 intersect N. & S. line ~~section corner~~ 37 links South of ~~sect corn~~ corner to sections 25. 26. 35. & 36 from which Cor 2 varn

S 89° 44' W. on true line between sections 26. & 35

Var 14° 35' E

4000 set stake "deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 26. 27. 34. & 35

Surface rolling
Soil 3rd rate.

Township No. 14 N. Range 42

North Between sections 26 & 27
Var 14° 3.8

40.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions
for 1/4 section ~~post~~ corner

80.00 set post deposited
charred stake raised
mound of earth with
pits as per instructions for corner to
sections 22.23.26 & 27

Surface rolling
Soil 3rd rate

West 6th Principal Meridian

East Random Between
sections 23 & 26
Var 14° 35' E

40.00 set temporary 1/4 section
post

79.88 intersect section line
11. links South of ~~sec~~
~~line~~ corner to sections
23. 24. 25. & 26. from which cor Poun

S 89° 55' W. on true line Between
sections 23 & 26.
Var 14° 35' E

39.94 set post deposited
charred stake raised
mound of earth with
pits as per instructions for 1/4 section
~~post~~ corner

79.88 corner to sections
22. 23. 26. & 27.

Surface rolling
Soil 3rd rate

Township No. 14 N. Range 2 E

North Between sections 22 & 23
Var 14° 38' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. & 23

Surface rolling
Soil 3rd rate

West 6th Principal Meridian

East Random Between sections 14 & 23.
Var 14° 36' E

4000 set temporary 1/4 section post.

8000 intersect section line at ~~section~~ corner to sections 13. 14. 23. & 24 from which cor 2 mon

West on true line between sections 14. & 23
Var 14° 36' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 14. 15. 22. & 23.

Surface rolling
Soil 3rd rate

Township No. 14 N. Range 42 West 6th Principal Meridian

North Between sects. 14 & 15
Var 14° 30' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. & 15.

Surface rolling
Soil 3rd rate.

East Random Between sects 11 & 14
Var 14° 35' E

4000 set temporary 1/4 section post.

8000 intersect section line at ~~section~~ corner to sections 11. 12. 13. & 14 from which corner bears

West on true line between sections 11 & 14.
Var 14° 35' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 10. 11. 14. & 15

Surface rolling
Soil 3rd rate

Township No. 14 N. Range 42

North Between Sections 10 & 11
Var 14° 30' E

14.50 Road bears N. W. & E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 2.3.10. & 11.

Surface rolling
Soil 3rd rate.

West 6th Principal Meridian

East Random Between sects 2 & 11.
Var 14° 35' E

4000 set temporary 1/4 section post

8055 intersect section line 30 links South of ~~section~~ corner to sects 1.2.11. & 12 from which cor. Poun

S 89° 47' W on true line Between sections 2 & 11.
Var 14° 35' E

4027/2 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8055 corner to sections 2.3.10. & 11.

Surface rolling
Soil 3rd rate.

Township No. 14 N. Range 42

No.	North	Random Between sects 2 & 3.
		Var 14° 30' E.
14	4000	set temporary 1/4 section post.
42	78.90	intersect Town line 69 links East ~~section~~ corner to sections 2.3.34 & 35. from which corner Down
do	~~S 00° 29'~~ 30' E	on true line between sections 2 & 3:
		Var 14° 30' E
	38.90	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect. corner
	78.90	corner to sections 2. 3. 10. & 11.
		Surface rolling Soil 3rd rate

August 16th 1870

West 6th Principal Meridian

North	Between Sections 33 & 34.
	Var 14° 35' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33 & 34
	Surface rolling Soil 3rd rate

Township No. 14 N. Range 42 West 6th Principal Meridian

North	East	Random Between sections 27 & 34. Var 14° 35' E
14	4000	set temporary 1/4 section post
40	8010	intersect section line at ~~section~~ corner to sections 26.27.34 & 35 from which
	West	corner bears on true line between sections 27. & 34 Var. 14° 35' E
80	4005	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
	8010	corner to sections 27.28.33 & 34 Surface rolling Soil 3rd rate

North	Between sections 27 & 28 Var 14° 35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 21.22.27 & 28 Surface rolling Soil 3rd rate

Tow

Nov

14.

4oo

8oo

Township No. 14 N. Range 42

East	Random Between sects 22 & 27
	Var 14° 35' E
4000	set temporary 1/4 section post.
39.96	intersect section line at ~~section~~ corner. to sections 22.23.26 & 27 from which cor bears true line between sections 22 & 27
West	
	Var 14° 35' E
39.98	set post deposited charred stake raised mound of earth with pits as per instruction for 1/4 section corner
79.96	corner to sections 21. 22. 27. & 28.
	Surface rolling Soil 3rd rate

West 6th Principal Meridian

North	Between sections 21 & 22
	Var 14° 35' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~. corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 15. 16. 21. & 22
	Surface rolling Soil 3rd rate

Township No. 14 N. Range 42 West 6th Principal Meridian

East	Chandon Between sects. 15 & 22. Var 14° 35' E
4000	set temporary 1/4 section corner post
8000	intersect section line, at ~~section~~ corner to sections 14. 15. 22. & 23. from which
West	down true line between sections 15 & 22. Var 14° 35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 15. 16. 21. & 22.

Surface rolling
Soil 3rd rate

North	Between sections 15 & 16 Var 14° 40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15. & 16

Surface rolling
Soil 3rd rate

Township No. 14 N. Range No. 12 West 6th Principal Meridian

East	Random between sections 10 & 15. Var 14° 40' E
4000	set temporary 1/4 section post.
8000	intersect section line 45. links North of ~~sect corn~~ corner to sections 10, 11, 14, & 15. from which corner I run
N 89° 41' W	on true line between sections 10. & 15. Var 14° 40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 9. 10. 15. & 16. ~~set post deposited charred stake raised mound of earth with pits as per instructions for corner~~ surface rolling soil 3rd rate

North	between sections 9. & 10 Var 14° 30' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 3. 4. 9. & 10.

Surface rolling soil 3rd rate

Township No. 14 N. Range 42 West 6th Principal Meridian

East — Random Between sects 3 & 10.

Var 14° 35' E

4000 set temporary 1/4 section post

19.92 intersect section line at ~~section~~ corner. to sections 2.3.10.&11. from which corner I run

West — on true line between sections 3 & 10.

Var 14° 35' E

39.96 set ~~temporary~~ post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

19.96. Corner to sections 3. 4. 9. & 10

surface rolling soil 3rd rate.

North — Random Between sections 3 & 4

Var 14° 35' E

4000 set temporary 1/4 section post

18.95 intersect town line 38 links west of ~~section~~ corner. to sections 3.4.33. & 34. from which corner I run

S 00° 17' 16" W on true line between sections 3 & 4.

Var 14° 35' E

38.95 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

18.95 corner to sections 3. 4. 9. & 10

surface rolling soil 3rd rate.

August 17th 1870

Township No. 14 N. Range 42 West 6th Principal Meridian

North	Between sections 32. T33 - Var 14°30' E	East	Random Between sects 28. T33. Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~. corr	4000	set temporary 1/4 section post!
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 28.29.32 T33. (surface rolling soil 3rd rate	8000	intersect section line at ~~section~~ corner. to sections 27.28.33. T34. from which Cor Dam
		West	on true line between sections 28. T33. Var 14°35' E
		4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~. corr
		8000	corner to sections 28.29.32. T33. surface rolling soil 3rd rate.

Township No. 14 N. Range 42

North	Between sections 28 & 29. Var 14° 35' E.
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections. 20. 21. 28. & 29. Surface rolling soil 3rd rate.

West 6th Principal Meridian

East	Random Between sections 21 & 28. Var 14° 35' E
4000	set temporary 1/4 section post.
8010	intersect section line at ~~section~~ corner to sects 21. 22. 27. & 28. from which cor.
West	on true line between sections 21 & 28. Var 14° 35' E
4005	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8010	corner to sections 20. 21. 28. & 29. Surface rolling soil 3rd rate.

Township No. 14 N. Range No. 42

North Between sections 20. & 21.

Var 14° 46' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 16. 17. 20. & 21

surface rolling soil 3rd rate

West 6th Principal Meridian

East Random Between sections 16 & 21.

Var 14° 35' E

4000 set temporary 1/4 section post

79.70 / 79.70 intersect section line 27 links North of ~~section~~ corner to sects 15, 16, 21. & 22 from which cor

N 89° 48' W Bryan true line between sections 16 & 21.

Var 14° 35' E

3985 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

79.70 ~~and~~ corner to sections 16. 17. 20. & 21

surface rolling soil 3rd rate

Township No. 14 N. Range No. 42 West 6th Principal Meridian

North Between sections 16 & 17.

Var 14° 35' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for Corner to sections 8. 9. 16. & 17.

surface rolling soil 3rd rate.

East Random Between sections 9. & 16.

Var 14° 35' E

4000 set temporary 1/4 section post.

80.12 intersect section line 32 links south of ~~section~~ corner to sections 9. 10. 15. & 16 from which cor bears N. 89° 44' W.

S 89° 44' W on true line between sections 9 & 16.

Var 14° 35' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8012 corner to sections 8. 9. 16. & 17.

surface rolling soil 3rd rate.

Township No. 14 N. Range No. 42

North	Between sections 8 & 9. Var 14° 30' E
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
80.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8 & 9. Surface rolling soil 3rd rate.

West 6th Principal Meridian

East	Random Between sections ~~4~~ 4 & 9 Var 14° 30' E
40.00	set temporary 1/4 section post
80.00	intersect section line to ~~bisect~~ ~~West~~ ~~at~~ ~~section~~ corner to sects 3. 4. 9 & 10 from which cor. bears
West	on true line between sections 4 & 9. Var 14° 30' E
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
80.00	corner to sections 4. 5. 8. & 9. Surface rolling soil 3rd rate.

Township No. 14 N. Range No. 2 W

North	Random Between sections 4 & 5. Var 14° 30' E
4.00	set temporary 1/4 section post
19.10	intersects town line 10 links West of ~~section~~ corner to sects 4.5.32.&33 from which Cor Down
30' N	on true line between sections 4 & 5 Var 14° 30' E
30.10	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
19.10	corner to sections 4.5.8.9
	surface rolling soil 3rd rate
	August 18th 1870

West 6th Principal Meridian

North	Between Sections 31 & 32. Var 14° 38' E
4.00	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8.00	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 29.30.31.&32
	surface rolling soil 3rd rate.

Township No. 14 N. Range No. 12 West 6th Principal Meridian

East Random between secs 29 & 32.
Var 14° 35' E

4000 set temporary 1/4 sect post.

8000 intersect section line at ~~section~~ corner to sections 28. 29. 32. & 33. from which corner I run

West on true line between sections 29. & 32.
Var 14° 35' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections. 29. 30. 31. & 32.

surface rolling soil 3rd rate.

West Random Between secs 30 & 31.
Var 14° 35' E

4000 set temporary 1/4 section post.

7825 intersect range line 30 links North of ~~section~~ corner to secs 25. 30. 31. & 36. from which cor I run

N 89° 47' E on true line between sections 30. & 31.
Var 14° 35' E

38.25 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

78.25 corner to sections 29. 30. 31. & 32.

surface rolling soil 3rd rate.

Township No. 14 N. Range No. 42 West 6th Principal Meridian

North Between sections 29. & 30
Var 14°40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 19. 20. 29. & 30.

surface rolling
soil 3rd rate.

East. Random Between sections 20. & 29.
Var 14°35' E

4000 set ~~temporary~~ ~~temporary~~ ~~1/4~~ section post

8040 intersect section line 37 links south of ~~section~~ corner to sections 29. 21. 28. & 29. from which cor N. on S. on true line between

S 89°44' W sections 20 & 29.
Var 14°35' E

40.20
8020 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner ~~post~~

8040 corner to sections 19. 20. 29. & 30.

surface rolling
soil 3rd rate.

Township No. 14 N. Range No. 42 West 6th Principal Meridian

West	Random Between sects 19. & 30. Var. 14° 40' E
4000	set temporary 1/4 section post stake raised mound of earth
5/.40	intersect Range line 62 links north ~~section~~ corner to sections 19, 24, 25. & 30 from which Corner Corn on true line between sections 19. & 30. Var. 14° 40' E
N 89° 38' E	
8/.40	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
7/.40	corner to sections 19. 20. 29. & 30.
	surface rolling soil 3rd rate

North	Between sections 19. & 20 Var 14° 40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19. & 20.
	surface rolling soil 3rd rate

Township No. 14 N. Range No. 42

East	Random Between sections 17 & 20. Var 14°40' E
4000	set temporary 1/4 section post.
8000	intersect section line at ~~section~~ corner to sections 16.17.20.&21. from which cor. bears
West	on true line between sections 17 & 20. Var 14°40' E
4000	set post deposited chased stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 17. 18. 19. & 20. surface rolling soil 3rd rate.

West 6th Principal Meridian

West	Random between sections 18 & 19. Var 14°35' E
4000	set temporary 1/4 section post
17.60	intersect Range line 50 links North of ~~section~~ corner to sections 13.18.19.&24 from which
N 89°38' E	cor. bears on true line between sections 18 & 19. Var 14°35' E
37.60	set post deposited chased stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
77.60	corner to sections 17. 18. 19. & 20. surface rolling soil 3rd rate.

Township No. 14 N. Range No. 42 West 6th Principal Meridian

North Between sections 17 & 18
Var 14° 50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. & 18
surface rolling soil 3rd rate

East Random Between sections 8 & 17
Var 14° 35' E

4000 set temporary 1/4 sect post

7980 intersect section line at ~~section~~ corner to sections 8. 9. 16. & 17 from which

West Proceed on true line between sections 8 & 17.
Var 14° 35' E

3990 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

7980 corner to sections 7. 8. 17. & 18
surface rolling soil 3rd rate

Township No. 14 N. Range No. 42 West 6th Principal Meridian

West	Random Between sections 7. & 18
	Var 14°35' E.
4000	set temporary 1/4 section post.
1/2/65	intersect range line 30 links North ~~section~~ corner to sects 7.12.13. & 18
	from which cor'd run
N89°47' E	on true line between sections 7 & 18
	Var 14°35' E
3/65	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
2/2/65	corner to sections 7. 8. 17. & 18
	surface rolling soil 3rd rate

North	Between sections 7 & 8.
	Var 14°35' E
4000	set post" deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 5.6.7.4 8. ~~7. & 18~~
	surface rolling soil 3rd rate
North	Random line between sections 5 & 8 Var
East	on a random line Between sections 5.8. Var 14°35' E
4000	set temporary 1/4 section post
8000	intersect section line 19 lks south ~~and~~ cor
S89°53' W	on true line between sections 5 & 8
	Var 14°33' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 5.6.7.4 8
	surface rolling soil 3rd rate.

West Random Betw sects 6 & 7. var 14°30'

4000	set temporary 1/4 section post
4723	intersect range line 28 links south of ~~section~~ corner to sects
S 89°48' E	on true line between sections
37.23	6. & 7. — var. 14°30' E. set post deposited charcd stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
77.23	corner to sections 5. 6. 7. & 8. surface rolling soil 3rd rate.

North Random between sections 5 & 6. var 14°30'

4000	set temporary 1/4 section post
4920	intersect town line 41 links west of ~~section~~ corner to sects ~~3 & 4~~
S 89°18' W.	on true line between sects 5 & 6. — var. 14°30' E.
39.20	set post deposited charcd stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
79.20	corner to sections 5. 6. 7. & 8. surface rolling soil 3rd rate.

General description. The land in this Township is not well adapted to farming purposes, ~~the land is~~ being poor and affording but a scanty supply of bunch grass; the soil is dry and hard & cannot be cultivated without irrigation, & I know of no means to irrigate; there is neither timber nor water in the Township.

August 19th 1870

Surveyor Generals Office
Plattsmouth Neb. Nov. 12. 1870

The foregoing field notes of the survey of the subdivision lines of Township No. 14 North of Range No. 42 West of the 6th Principal Meridian in the State of Nebraska, executed by James McBride under joint contract No. 35. of the 5th day of August 1870 wherein James McBride & Edward B. Murphy are joint contractors, in the month of Aug 1870 having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Township No. 15 N.R. No. 42 W. 6th P.M.

6	62	5	46	4	33	3	24	2	13	1
61		60		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12
58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13
55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24
52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25
49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36

Meanders 63 and 64

Subdivision
of
Township No. 15 North
of
Range No. 42 West
of
6th Principal Meridian

Commenced September 18th 70
Finished September 22nd 1870
by
Jas. McBride & E. B. Murphy

Names of Assistants

Chainman. Marcus G. Griffen
" Francis J. Sullivan
" Lazaff Ale
" Harry Boggs
Flagmen " Mount Bullock
" Osceola Dyer
" Charles Keller
" Charles Helberg
" Henry Osborne

To determine the proper adjustment of my compass for subdividing this Township & commence at the corner to Townships 14 & 15 North Ranges 4 & 5 West & run North on a blank line along the East Boundary of sect 36. Variation 14° 30' E

3998 To a point 11 links East of 1/4 section corner

4992 To a point 9 lks East of corner to sections 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 14° 30' E from corner to sects 1.2.35 & 36. on south boundary of Township

Run

Township No. 15 N. Range No. 42

West 6th Principal Meridian

North Between sections 35 & 36.

Var 14° 30' E

0000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section cor

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 25.26.35 & 36.

Surface rolling

Soil 3rd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East Random between secs 25 & 36

Var 14°50' E

4000 set temporary ~~1/4 sec.~~ post ~~deposited charred~~ ~~stake raised mound of earth with pits as per instructions for 1/4 sec.~~ post

8000 intersect ~~random~~ range line at cor to sections ~~post~~ 25. 30, 31. & 36. from which cor 2 mm

West on true line between sections 25 & 36

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor

8000 corners to sections 25. 26. 35 & 36.

Surface rolling
Soil 2nd rate.

North between sections 25 & 36

Var 14°35' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corners to sections 23. 24. 25. & 26.

Surface rolling
Soil 2nd rate.

Township No. 15 N Range No. 42

East	Random Between sects 24 & 25
	Var 14° 40' E
1350	Ravine bears N.E
4000	set temporary 1/4 sect post
4700	Ravine bears North
8000	intersect Range line 120 links North of ~~sect~~ corner to Sections 19. 24. 25. & 30. from which cor bears
N 89° 6' W.	on true line between sections 24 & 25.
	Var 14° 40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 23. 24. 25 & 26.
	Surface Broken Soil 3rd rate

West 6th Principal Meridian

North	Between sections 23 & 24
	Var 14° 35' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
6750	Ravine bears N W.
8000	set Line Stone 20 x 12 x 8 inches as per instructions for corners, to sections 13. 14. 23 & 24
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range 42 West 6th Principal Meridian

East Random Between Sects 13 & 24

Var 14°50' E

4000 set temporary 1/4 section post

4950 ravine bears North

6300 ravine " N.E.

8000 intersect Range line at ~~section~~ corner to Sects 13.18.19. & 24 from which Cor. 9 mnt

West on true line between sections 13 & 24.

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 corner to sections 13.14.23 & 24.

Surface Broken
Soil 3rd rate.

North Between Sections 13 & 14

Var 14°35' E

1875 Ravine bears East

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner

4675 Ravine bears East

8000 set Line Stone 10 x 16 x 4 inches as per instructions for corners to sections 11.12. 13 & 14.

Surface Broken
Soil 3rd rate

Township No. 15 N. Range No. 42

East	Random Between Sects 12 & 13. Var 14°35' E
4000	set temporary 1/4 section post.
6000	Ravine bears North.
8000	intersect range line 25 links North of ~~cor~~ corner to Sections 11, 12, 13. & 18 from which Cor Drn
N 89°49' W	on true line between sections 12 & 13. Var 14°35' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post Cor
8000	~~Line Tree 14 12 & 14~~ as ~~per inst for corner~~
cor located	11. 12. 13 & 14.
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 11 & 12 Var 14°40' E
4000	set temporary post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section Cor
6200	ravine bears N E
8000	Line closes 16 + 10 + 6 links as per instructions for corners to sections 1. 2. 11 & 12.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East Random Between Sects 1 & 12

Var 14° 40' E

7/50 Ravine North
1450 Cliff of Lime Stone bears N. & S.
2300 rabbit bears North
4000 set temporary 1/4 sect post
5525 head of ravine bears N.
5750 ravine bears North
8000 intersect range line 19 links North of ~~sections~~ corner to sects 1. 6. 7 & 12 from which corner I run
N. 89° 52' W. on true line between sects 1 & 12

Var 14° 40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner.
8000 corner to sections 1. 2. 11 & 12

Surface Broken & Rocky Soil 3rd rate.

North on true line Between Sects 1 & 12

Var 14° 45' E

475 ravine bears N. E.
2350 road bears N. E. & S. W.
3400 leave high lime stone bluff & enter N. Platte River Bottom bears E. & W.
4000 right bank of N. Platte river & set Lime stone 16 + 12 + 10 inches as per instructions for meander & 1/4 sect ~~post~~ corner. Remainder of line and Section cor in river

Surface Broken & Rocky Soil 3rd rate.

September 18th 1870

Township No. 15 N. Range No. 42.

North	Between sections 34 & 35. Var 14°50' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corners to sects 26. 27. 34. & 35. Surface Rolling Soil 3rd rate.

West 6th Principal Meridian

East	Random Between sects 26. & 35 Var 14°50' E
3550	road bears N. W. & S. E.
4000	set temporary 1/4 sect ~~post~~ corner
8000	intersect sect line 50 links North of ~~sect~~ corner to sects 25. 26. 35. & 36. from which I ran
N 89° 39' W.	on true line between sections 26 & 35. Var 14°50' E
4000	set first deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	corner to sections 26. 27. 34 & 35 Surface rolling Soil 3rd rate.

Township No. 15 N. Range No. 42

North	Between sections 26. & 27
	Var 14°50' E
4000	set post deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for 1/4 section ~~post~~ cor.
4300	ravine bears N.E.
8000	set Lime Stone 14 + 10 + 6 inches
	as per instructions for
	corner to sections 22. 23.
	26. & 27.
	Surface rolling
	Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Secs.
	23 & 26.
	Var 14°50' E
4000	set temporary 1/4 sec.
	Post
5500	road bears N. & S.
6050	ravine " North
7060	ravine " N.E.
7750	ravine " N.E.
7976	intersect sec line 30
	links North of ~~section~~
	corner to Sects. 23. 24. 25. & 26
	from which corner I run
N 89° 47' W.	on true line between
	sections 23 & 26
	Var 14°50' E
3988	set post deposited charred
	stake raised mound of
	earth with pits as per
	instructions for 1/4 sect.
	~~post~~. corner
7976	corner to sections 22.
	23. 26. & 27.
	Surface Broken
	Soil 3rd rate.

Township No. 15 N. Range No. 42

North. Between sections 22 & 23
Var 14° 35' E

150 ravine bears N.E.
1700 " " "
4000 set ~~temporary~~ ~~1/4 sect~~ post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner.
4350 ravine bears N.E.
7300 " " N.W.
7500 Wagon road bears N.W. & S.E.
8000 Blue stone 12 x 10 x 4 inches as per instructions for corner to sections 14. 15. 22 & 23.

Surface Broken
Soil 3rd rate

West 6th Principal Meridian

East Random Between Sects 14 & 23
Var 14° 35' E

3150 ravine bears N.W.
4000 set temporary 1/4 sect post
7500 ravine bears N.W.
8000 intersect section line at ~~section~~ corner to Sects 13. 14. 23 & 24 from which cor I run true line between sections 14 & 23
Var 14° 35' E

West
4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
8000 corners to sections 14. 15. 22 & 23

Surface Broken
Soil 3rd rate.

Township No. 15 N. Range No. 42 West 6th Principal Meridian

North Between Sections 14 & 15
Var 14° 45' E

425	road bears N.E & S.W
600	ravine " N.E.
2600	road " N.W. & S.E
~~2800~~	~~set " " N.W.~~
4000	set Lime stone 12 + 10 + 6 inch as per inst for 1/4 sect corner
5300	ravine Bears N.W
6500	bend in main drain bears N.E. & N. ~~N.W. & S.E.~~
6650	leave bend bears N.E ~~N.W.~~
7225	ravine bears West
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corners, to sections 10, 11, 14 & 15.

Surface rolling
Soil 3rd rate.

East Random Between Sects 11 & 14.
Var 14° 45' E

4000	set temporary 1/4 sect post
4600	ravine bears N.E
8000	intersect section line at ~~section~~ corner to sects 11.12.13. & 14 from which cor

West Course on true line between sections 11 & 14
Var 14° 40' E

4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
8000	corner to sections 10. 11. 14. & 15

Surface Rolling
Soil 3rd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

North	Between Sections 10 & 11
	Var 14°45' E
2425	wagon road bears E & W
2600	ravine bears West
3600	" " "
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
4100	ravine bears West
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corners to sections 2.3.10 & 11
	Surface Broken Soil 3rd rate.

East	Random Between Sects 2 & 11
	Var 14° 40' E
1000	deep ravine bears N E
4000	set temporary 1/4 section post
4140	wagon road N E & S W
8000	intersect section line 62 links South of ~~section~~ corner to Sects 1.2.11. & 12 from which corner I run
S 89° 43' W.	on true line between sections 2 & 11
	Var 14° 40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~. corner
8000	corner to sections 2.3 10 & 11.
	Surface Broken & Rocky Soil 3rd rate.

Township No. 15 N. Range No. 42

North	True line Between Secs. 2 & 3
	Var 14°40' E
1850	desc. Canon bears N W
2400	" " " N E
3700	ravine N W
3950	" N E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
6540	to right Bank of N Platte River & set post as per instructions for Meander ~~post~~ Corner. Remainder of pits in River
	Surface Broken
	Soil 3rd rate.

September 19th 1870

West 6th Principal Meridian

North	Between Sections 33 & 34.
	Var 14°40' E
4000	set post deposited chara stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ Corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 27. 28. 33 & 34
	Surface Rolling
	Soil 2nd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East Random Between Sects. 27 & 34

Var 14°50' E

4000 set temporary 1/4 section post

8000 intersect section line 30 links North of ~~section~~ corner to Sects 26.27.34.35 from which cor. Dun

N 89°47' W on true line between sections 27 & 34.

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ for

8000 corner to sections 27. 28. 33 & 34

Surface rolling Soil 3rd rate.

North Between Sections 27 & 28

Var 14°40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect. ~~post~~ corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corners to sections 21. 22. 27 & 28

Surface rolling Soil 3rd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East

Random Between Sects 22 & 27.
Var 14° 35' E

500 ravine bears North
2500 " " "
4000 set temporary 1/4 section post
6350 ravine bears N.E.
7000 " " "
7958 intersect section line at ~~section~~ corner to Sects 22. 23. 26. & 27. from which cor. pos. true line between sections 22 & 27.
Var 14° 35' E
39 2/9 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corners.
7958 corners to sections 21. 22. 27 & 28.
Surface Broken
Soil 3rd rate.

West

North

Between Sections 21 & 22
Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
4700 ravine bears ~~North~~ East
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners, to sections 15. 16. 21. & 22
Surface Broken
Soil 3rd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East Random between Sects 15 & 22
Var 14° 40' E

4000 set temporary 1/4 sect post

7200 ravine bears North

8000 road bears N. 75 E intersect section line 11 links North of ~~sect~~ Cor to Sects 14. 15 & 22. 23. From which Cor Lone Pine on this line between Sects 15 & 22
Var 14° 40' E

N 89° 55' W

8000 set first deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner to sections 15 16. 21. & 22.

Surface Broken
Soil 3rd rate

North between Sections 15 & 16
Var 14° 40' E

2100 ravine bears N E
2300 " " "
4000 set first deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

5200 ravine bears N E
6700 ravine " N E
8000 set marked Line stone 16 x 12 x 6 inches as per instructions for corner to sections 9. 10. 15. & 16

Surface Broken
Soil 3rd rate

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East Random Between sections 10 & 15

Var 14°45' E

1100 varing bears N.E.

4000 set temporary 1/4 sect post.

5955 varing bears S.E.

6775 wagon road N & S

7200 main drain bears North

8000 intersect section at ~~section~~ corner to Seds 10.11. 14. & 15 from which Cor. Doue

West on true line between sections 10 & 15

Var 14°45' E

4000 set marked lime stone 24 + 10 + 3 inches as per instructions for 1/4 section ~~post~~ cor

8000 corner to sections 9.10 15 & 16.

Surface Lime stone Hills Soil 3rd rate.

North Between sections 9 & 10

Var 14°45' E

850 varing bears N.E.

3250 " " "

4000 marked lime stone as per instructions for 1/4 section ~~post~~ corner.

5400 varing bears S.E.

6200 " " "

8000 set marked lime stone 14 + 12 + 10 inches as per instructions for corners to sec. 3.4.9. & 10.

Surface Whole line Lime stone Hills

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East

Random Between Sections 3 & 10

Var 14° 45' E

1200 ravine bears S.E.

2000 ~~leave~~ Foot of line stone bluffs enter Ash creek Bottom bears N.E.

3750 Ash creek 8 links wide runs North water sinks soon.

4000 set temporary 1/4 sect post.

4450 leave bottom for high line stone bluffs bearing N.W.

7990 intersect sect line at ~~sect~~ cor to sects 2.3.10. & 11. from which corner I run

West

on true line between sects 3 & 10.

Var 14° 45' E

3995 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect post

7990 corner to sections 3. 4. 9. & 10 —

Surface Broken

Soil 3rd rate.

North

Random Between Sects 3 & 4

Var 14° 40' E

4000 set temporary 1/4 sect post

4700 ravine bears N.E.

7000 ravine " "

8020 intersect township line 42 links East of ~~sect~~ corner to sects 3. 4. 33. & 34 from which cor I run

S° 18' E on true line betw sects 3. 4.

Var 14° 40' E

4020 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner

8020 corner to sections 3. 4. 9 & 10.

Surface Line stone Hills.

Soil 3rd rate

September 20th 1870

Township No. 15 N. Range No. 42

North	Between Sections 32 & 33. Var 14° 46' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner, to sections 28 & 29. 32. & 33.
	Surface Broken Soil 3rd rate

West 6th Principal Meridian

East	Random Between Sects 28 & 33 Var 14° 35' E
4000	set temporary 1/4 sect post
7936	intersect section line at ~~section~~ corner to Sects 27. 28. 33. & 34. from which cor. bears
West	on true line between Sections 28 & 33. Var 14° 35' E
3968	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~. corner
7936	corner to sections 28. 29. 32. & 33.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range No. 42

North	Between Sections 28 & 29
	Var 14° 40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
6350	varing bears N.E
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29
	Surface Broken
	Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Sections 21 & 28.
	Var 14° 40' E
1130	varing bears N.E
2750	" " "
4000	set temporary 1/4 section post
4300	varing bears N. W.
6370	" " "
7970	intersect sec line 82 links South of ~~section~~ corner to Sects 21. 22. 27 & 28 from which cor Prim bears
S 89° 25' W.	true line between secs 21 & 28.
	Var 14° 40' E
3985	set first deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
7970	corner to sections 20. 21. 28. & 29
	Surface Broken
	Soil 3rd rate.

Township No. 15 N. Range No. 42 West 6th Principal Meridian

North Between Sections 20 & 21.
Var 14°40' E

1900 varies bears S E.
4000 set post deposited hard stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
6300 varies bears N E
8000 set Lime stone 14 + 8 + 6 inches 1/2 per instructions for corner to sections 16. 17. 20 & 21

Surface Broken
Soil 3rd rate.

East Random Between Sect 16 & 21
Var 14°40' E

1700 varies bears S E
4000 set temporary 1/4 sect post
4350 varies bears S E
4650 " " "
4960 intersect section line 115 links North of ~~sect~~ corner to Sects 15/16. 21. & 22 from which cor I run
N 89° 11' W. on true line between sections 16 & 21.
Var 14°40' E
3980 set post deposited hard stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
7960 corner to sections 16. 17. 20. & 21

Surface Broken
Soil 3rd rate.

Township No. 15 N. Range No. 42

North	Between Sections 16 & 17 Var 14° 40' E
4000	set post deposited charcd stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
4700	varns bears N.E
6200	" " "
8000	set post deposited charcd stake raised mound of earth with pits as per instructions for corners to sections 8. 9. 16. & 17
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Sects 9 & 16 Var 14° 40' E
4000	set temporary 1/4 sect post.
5050	varns bears S.E.
5950	varns " N.E
7940	intersect sect line 62 links South of ~~section~~ corner to Sections 9. 10. 15 & 16. from which cor I run on true line between sections 9 & 16. Var 14° 40' E
S 89° 33' W.	
3970	set post deposited charcd stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner.
7940	corner to sections 8. 9. 16. & 17.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range No. 12

North	Between Sections 8 & 9. Var 14°45' E.
4000	set post deposited charcoal & stone raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
8000	marked line stone 16 + 10 + 3 inches as per instructions for corners to sections 4. 5. 8 & 9. Surface Broken Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Sects 4 & 9. Var 14°40' E
950	deep ravine bears North
4000	set temporary 1/4 sect post
4400	ravine bears N.E
8060	intersect section line 48 links North of ~~sect~~ corner to sections 3. 4. 9 & 10 from which cor I run
N 89°39' W.	on true line between sections 4 & 9. Var 14°40' E
4030	set marked line stone 24 + 16 + 4 inches as per inst for 1/4 sect ~~post~~ cor
8060	corners to sections 4. 5. 8 & 9. Surface Broken line stone Hills Soil 3rd rate.

Township No. 15 N. Range No. 42

North	Random Between Sects 4 & 5.
	Var 14°45' E
3600	ravine bears N.E.
4000	set temporary 1/4 sect post.
4400	ravine bears N.W.
7810	intersect township line 12 links West of ~~section~~ corner to sects 4.5.32.&33. from which cor Drum
S. 5' W.	on true line between sections 4 & 5
	Var 14°45' E
3810	set marked line stone 12 + 10 + 6 inches as per inst for 1/4 section ~~post~~ cor
7810	corner to sections 4. 5. 8 & 9.
	Surface rolling Soil 3rd rate.
	September 21st 1876

West 6th Principal Meridian

North	Between Sections 31 & 32
	Var 14°40' E
4000	set post deposited chara stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner.
8000	set post deposited chara stake raised mound of earth with pits as per instructions for corners to sections 29. 30. 31. & 32
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East	Random Between Sections 29 & 32. Var 14°40' E
4000	set temporary 1/4 sect post
2950	intersect section line at ~~section~~ corner to Sects 28. 29. 32. & 33. from which cor I run
West	on true line between sections 29 & 32. Var 14°40' E
39.75	set post deposited chard stake raised mound of Earth with pits as per instructions for 1/4 section ~~post~~. corner
2950	corner to sections 29. 30. 31. & 32.
	Surface rolling Soil 2nd rate.

West	Random Between Sections 30 & 31. Var 14°40' E
4000	set temporary 1/4 sect post
2910	intersect range line 27 links South of ~~sect~~ corner to Sects 25. 30. 31. & 36 from which cor I run
S 89°48' E	on true line between Sects 30 & 31 Var 14°40' E
39.10	set post deposited chard stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~. corner
2910	corner to sections 29. 30. 31. & 32
	Surface ~~Broken~~ rolling Soil 3rd rate

Township No. 15. N. Range No. 42

North	Between sections 29 & 30 Var 14°40' E
4000	set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
4025	ravine bears ~~West~~ East
7550	" " "
8000	set Lime Stone 10 + 8 + 6 inches as per instructions for corner ~~##~~ to sections 19. 20. 29. & 30.
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Sects 20 & 29 Var 14°40' E
1500	ravine bears N.E.
4000	set temporary 1/4 section post
7976	intersect section line 30 links South of ~~section~~ corner to Sects 20. 21. 28. & 29. from which corner I run
S 89°47' W.	on true line between sections 20 & 29. Var 14°40' E
3988	set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner
7976	corners to sections 19. 20. 29. & 30
	Surface Broken Soil 3rd rate.

Township No. 15. N. Range No. 42

West Random Between Sects 19 & 30.

Var 14° 45' E

550 varing bears S.E.

4000 set temporary 1/4 section post

4/80 intersect range line at ~~section~~ corner to Sects 19. 24. 25. & 30 from which corner Run

East on True line between Sections 19 & 30

Var 14° 45' E

3/80 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ corner

4/80 corner. to sections 19. 20. 29. & 30.

Surface rolling soil 3rd rate.

West 6th Principal Meridian

North Between Sections 19 & 20

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19. & 20

Surface rolling soil 3rd rate.

Township No. 15 N. Range No. 42

East	Random Between Sects 17 & 20
	Var 14° 40' E
500	raving beard S E
4000	set temporary 1/4 sect post
7985	intersect section line 28 links North of ~~sect~~ corner to Sects 16. 17. 20. & 21.
	from which corner I run
N 89° 48' W	on true line between sections 17 & 20.
	Var 14° 40' E
3992½	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~post~~ cor to ~~sections~~ 17. 18. 19. & 20.
	Surface
7985	Corner to sections 17. 18. 19. & 20
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

West	Random Between Sects 18 & 19.
	Var 14° 45' E
4000	set temporary 1/4 sect post.
7690	intersect range line 86 links North of ~~sect~~ corner to Sects. 13. 18. 19. & 24
	from which corner I run
N 89° 25' W	on true line between sections 18 & 19.
	Var 14° 45' E
3690	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
7690	corners to sections 17. 18. 19. & 20
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range No. 42.

North	Between Sections 17 & 18 Var 14°40' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set Lime stone 12 + 8 + 6 cut as per instructions for corners to sections 7, 8, 17, & 18.
	Surface Broken Soil 3rd rate.

West 6th Principal Meridian

East	Random Between Sects 8 & 17 Var 14°40' E
2200	ravine, Bears N.E.
3800	ravine, " "
4000	~~Lime stone 16 + 12 + 3 as~~ ~~Set post per instructions~~ for temp 1/4 sect corner ~~post~~
8000	intersect section line 87 links North of ~~sect~~ corner to Sects 8, 9, 16, & 17 from which Cor Q bears on true line between sections 8 & 17. Var 14°40' E
N 89°23' W.	
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
8000	corner, to sections 7, 8, 17, & 18 Surface Broken Soil 3rd rate.

Township No. 15 N. Range No. 42

West	Random Between Sects 7 & 18
	Var 14° 35' E
4000	set temporary 1/4 section post
7910	intersect range line 100 links South of ~~sec~~ corner to Sects 7. 12. 13. & 18.
	From which corner I run
S 89° 17' E	on true line between Sections 7 & 18
	Var 14° 35' E
3910	set first deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor
7910	corners to sections 7. 8. 17. & 18
	Surface Broken Soil 3rd rate

West 6th Principal Meridian

North	Between Sections 7 & 8
	Var 14° 40' E
4000	set first deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.
6200	varing bears N.E
7600	" " "
8000	set fine stone 18 + 12 + 3 inches as per instructions for corners to sections 5. 6. 7 & 8.
	Surface Broken Soil 3rd rate.

Township No. 15 N. Range No. 42 West 6th Principal Meridian

East | Random Between Sects 5 & 8

Var 14°45' E

725	raving bears N.E.
1350	" " "
2200	" " "
4000	set temporary 1/4 sect post.
7940	intersect section line 9.2. links North of ~~section~~ corner to Sects 4.5.8.&9. from which cor. Run on true line between Sections 5 & 8.
N 89°-21' W	
	Var 14°45' E
3970	set line stone 12 x 10 x 3 inches as per instructions for 1/4 section ~~post~~ corner
7940	corner to sections 5.6. 7 & 8

Surface Broken
Soil 3rd rate.

West | Random Between Sects 6 & 7.

Var 14°45' E

400	raving " bears North
4000	set temporary post deposited charred stake raised mound of earth with pits
6200	raving bears N.E
7980	intersect range line at corner to sections 1.6.7 & 12. from which corner I run East on true line between Sections 6 & 7
	Var 14°45' E
3980	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
7980	corner to sections 5.6. 7 & 8.

Surface Broken
Soil 3rd rate.

Township No. 15 N. Range No. 42.

West 6th Principal Meridian

North	Random Between Sects 5 & 6.
	Var 14°45' E
600	deep ravine bears N.E
4000	set temporary 1/4 sect post
6200	ravine bears N.E
7860	intersect township line 48 links West of ~~section~~ corner to Sects. 5.6.31.32. from which cor. Drain
N. 8° 21' W.	on true line between sections 5 & 6.
	Var 14°45' E
3860	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sec ~~post~~ corner
7860	corners to sections 5.6. 7.8
	Surface Broken & Rocky
	Soil 3rd rate
	September 22nd 1876

Meanders of Right Bank of N. Platte River in Section No. 1.

Beginning at Meander corner on Range line Between Sects 1 & 6 on E. bound. of S. thence up stream

Variation 14°45' E

N. 88° W.	1800 Chs
N. 83° W.	2200 "
N. 88° W.	850
N. 85° W.	2500
N. 81° W.	650 To Meander 1/4 Sec Corner corner between Sects 1 & 2
	Continued in Section 2 Right Bank up Stream
	Var 14°45' E
N. 84° W.	1500
N. 80° W.	1200
N. 62°30' W.	1500
N. 57° W.	1050
N. 68° W.	1100
N. 78° W.	2150 To Meander corner Between Sects 2 & 3 at 1800 Chs. on last course Drain comes in from S. W.
	Continued in Section No. 3
	Var 14°45' E
N. 75° W.	1000

Continued in Section 3.

N. 5 4 W.	17.00	
N 62° W.	3.50 4	To Meander Corner on Township line Between Sections 3 & 34
		Meanders of Left Bank of N. Platte River in Sect 3. Beginning at Meander Corner on Range line Between Sections 3 & 10. on East boundary of Township 3 thence up stream
		Var 14° 45' E
N. 80° W.	12.00	
N. 83° W.	7.00	
N. 87 30 W.	15.00	
S. 88° W.	16.00	
N. 85° W.	5.50	
N. 83° W.	11.00	
N. 17° W.	30.00 6	To Meander corner on Township line Between Sections 1. & 36.

General Discription

This Township contains but a small amount of land fit for cultivation, The surface is broken & rocky & contains a large number of cañons & deep ravines, some of them contain red cedar. The southern tier of sections embraces Level & good land. The N. Platte River running through the N.E. corner of the township, the is wide & shallow with low banks; no timber on the river.

For affidavits for Surveyor & assistants see Township 15 N. Range 42 West. 6th Principal Meridian

Surveyor Generals Office
Plattsmouth Neb. Jany. 7. 1871

The foregoing field notes of the subdivision lines and meanders of Township No. 15 North of the Base Line of Range No. 42 West of the 6th Principal Meridian, in the State of Nebraska, executed by James McBride, under joint contract No. 35. dated August 5. 1870. wherein James McBride & Edward B. Murphy are joint contractors, in the month of September 1870. having been critically examined the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

INDEX DIAGRAM. T 16 N. R 42. W 2nd 6 P.M.

6	58	5	44	4	34	3	22	2	11	1
57		56		43		33		21		10
7	55	8	42	9	32	10	20	11	9	12
54		53		41		31		19		8
18	52.	17	40	16	30	15	18	14	7	13
51		50		39		29		17		6
19	49	20	38	21	28	22	16	23	5	24
48		47		37		27		15		4
30	46	29	36	28	26	27	14	26	3	25
58				25		24		13		2
31	45	32	35	33	23	34	12	35	1	36

Meanders 60 and 61

Field Notes

Of Township 16 North of the base line of Range number 42 West of the 6th Principal Meridian executed by J. B. Park Deputy Survey, under their joint contract number No. 47, dated June 16th 1871 wherein J. B. Park and A. L. Campbell are joint contractors

Subdivision commenced Aug. 4th, 1871
Completed Aug. 9th

List of Names

and duties of assistants
R.P.B. Reyes Chainman
Charles F. Billopp chainman
Geo. H. Wallace Axemen or
Henry McBroom Monumenter

Townships 16 N. Range 42 W. 6th P.M.

Chains	To determine the proper adjustment of my Compass for Subdividing this Township I commence at the corner to Townships 15 and 16 N. of Ranges 41 and 42 W. of the 6th P.M. and run North along the East Boundary of Sec. 36 Va. 140 35' E.
40.01	To point 9 links East of the ¼ Sec. cor.
80.03	To the corner to Secs. 25, 26, 30, 31
	To retrace this line or run a line parallel thereto My Compass is in proper adjustment

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 35 and 36 bea. 1 40 35 0 E.
	From the meander corner in the line between Secs. 1 and 36 in Ts. 15 and 16 N. R 42 W. at 29.10 chs West of the ¼ Sec. Cor. on the South Side of Sec 36 I run
	North 2 chs. to a point, thence S. 89°58 W. 10.90 chs to line between Secs 35 and 36, at
2.00	North of point for Cor. to Secs. 1, 2, 35, 36,
	Set post deposit charred Stake raised mound of earth with pits as per instructions for a meander Cor. to fractional Secs. 35 and 36, on N. Side river
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
43.00	Old road bears N.W. and S.E.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 25 26, 35 36
	Land level, Soil 1st rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 25 and 36 bea. 1 40 35' E.
4.00	Set temporary ¼ Sec. Cor.
50.00	Drain descends South
79.90	Intersect East boundary of Township 16 link N. North of the corner to Secs. 25, 36, 30, 31 from which corner I run N. 89° 53 W. on true line between Secs 25 and 36 bea. 1 40 35' E.
39.95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a ¼ Sec. Cor.
79.90	The corner to Secs. 25, 26 35, 36
	Land Slightly rolling Soil 1st rate.

Township 16 N. Range 42 W. 6th P. M.

Chains	
	North between Secs, 25 and 26 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs, 23, 24, 25, 26
	Land Slightly rolling
	Soil good 2nd rate

Township 16 N. Range 42 West 6th P. M.

Chains	
	East on random line between Secs, 24 and 25 Va. 14° 35' E
38,00	Drain descends S. W.
40,00	Set temporary 1/4 Sec. Cor.
80,12	Intersect East Boundary of Township 14 links South of the corner to Secs, 24, 25 19, 30, from which corner I run
	S. 89° 54' W. on true line between Secs, 24 and 25 Va. 14° 35' E.
40,06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,12	The corner to Secs 23, 24 25, 26
	Land rolling
	Soil poor 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 23 and 24 Va. Va 14° 35' E.
40,00	Le A post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Let post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 13, 14, 23, 24
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 13 and 24 Va. 14° 35' E.
40,00	Let temporary 1/4 Sec. Cor.
79,84	Intersect East Boundary of Township 28 links North of the corner to Secs. 13, 24, 18, 19 from which corner I run N. 89° 48' W. on true line between Secs. 13 and 24 Va. 14° 35' E.
37,92	Let post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Secs. 13, 14, 23 24.
	Land Sand hills
	Soil 3rd rate

August 4th 1871

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 13 and 14 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 11, 12, 13, 14. Land very rolling Soil Sand 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on window line between Secs. 12 and 13 Va. 14° 35' E.
5,00	Drain descends Southeast Marshy and wet
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect East Boundary of Township 16 links South of the corner to Secs. 12, 13, ~~7, 18~~, from which corner I run S. 89° 53' W. on the line between Secs. 12 and 13 Va. 14° 35' E.
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 11, 12, 13, 14. Land Sand hills. Soil 3rd rate.

Township 16 N. Range 12 West 6th P.M.

Chains	
	North between Secs 11 and 12. Var. 14° 35' E.
6.00	Drain descends South East
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 1, 2, 11, 12
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 12 W. 6th P.M.

Chains	
	East on random line between Secs. 1 and 12 Var. 14° 35' E.
40.00	Set temporary 1/4 Sec Cor.
80.12	Intersect East Boundary of Township 22 links North of the corner to Secs. 1, 12, 6, 7 from which corner I run N. 89° 51' W. on true line between Secs. 1 and 12 Var. 14° 35' E.
40.06	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80.12	The corner to Secs. 1, 2, 11, 12.
	Land Same hills
	Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains North between Secs 1 and 2 on top line
Ca, 14.35 ' E,

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

80,25 Set post deposit charred Stake raised mound of earth with pits as per instructions in Side of Drain descends S.W. for a closing corner to Secs 1 and 2 on the 4th Standard Parallel North at 14.90 chs West of the 1/4 Sec Cor on South Side of Secs. 31 S, 17 N.R. 41 W.

Land very rolling
Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains From the corner to Secs. 25, 26 35, 36, I run West on true line between Secs. 26 and 35
Ca, 14.35 ' E,

40,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor

80,00 Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 26, 27, 34, 35,

Land level
Soil 1st rate

Township 16 N, Range 42 W, 6th P.M.,

Chains	
	From the corner to Secs, 26, 27, 34, 35, I run South on the line between Secs, 34 and 35 Ca, 140 35' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor, in old road
51,90	Set post deposit charred Stake raised mound of earth with pits as per instructions for corner to fractional Sections 34 and 35 on the North and left bank of North Platte river runs S, 71° E, Land level Soil 1st rate

Township 16 N, Range 42 W, 6th P.M.,

Chains	
	North between Secs, 26 and 27 Ca, 140 35' E,
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor,
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a Corner to Secs, 22, 23, 26, 27 Land Slightly rolling Soil good 2 nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 23 and 26 Va. 14° 38' E.
40.00	Set temporary 1/4 Sec. Cor.
79.90	Intersect N. and S. line 18 links South of the corner to Secs. 23, 24, 25, 26 from which corner I run S. 89° 52' W. on true line between Secs. 23 and 26 Va. 14° 35' E.
39.95	Set post deposit charred Stake raised of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	The corner to Secs. 22, 23 26, 27

Land very rolling
Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 22 and 23 Va. 14° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 14 15, 22, 23

Land very rolling
Soil 2nd rate — gravelly

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 14 and 23 Va. 14° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	I intersect N. and S. line 20 links North of the corner to Secs. 13, 14, 23, 24 from which corner I run N. 89° 51' W. on true line between Secs. 14 and 23 Va. 14° 35' E.
40,05	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,10	The corner to Secs. 14, 15, 22, 23
	Land Sand hills
	Soil 3rd rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 14 and 15 Va. 14° 35' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs. 10, 11, 14, 15
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P. M.

Chains	
	East on random line between Secs. 11 and 14 Va. 14° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
79,84	Intersect N. and S. line 14 links North of the cor. to Secs. 11, 12, 13, 14. from which cors. bear N. 89° 45' W. between Secs. 11 and 14 Va. 14° 35' E.
39,92	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,84	The corner to Secs. 10, 11, 14, 15,
	Land hilly
	Soil gravelly 2nd rate
	August 6th 1871

Township 16 N. Range 42 W. 6th P. M.

Chains	
	North between Secs. 10 and 11 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 2, 3, 10, 11
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 2 and 11, Va. 14° 35' E.
36,00	Drain descends South
40,00	Set temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 12 chs. South of the corner to Secs. 1, 2, 11, 12 from which corner I run S. 89° 55' W. on true line between Secs. 2 and 11 Va. 14° 35' E.
40,04	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs 2, 3, 10, 11
	Land very rolling
	Soil gravelly. 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North, on true line between Secs. 2 and 3 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
74,00	Drain descends S.E.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 2 and 3 on the 4th Standard Parallel north at 14,96 chs West of the 1/4 Sec. Cor. on the South Side of Sec. 36, T. 17 N. Range 42 West
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 33 and 34 Va. 140 35' E.
16,25	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 33, and 34, on the South and right bank of North Platte river. An old road runs along the bank I measure with the chain across the river
40,00	In river 1/4 Sec. Cor. cannot be established
70,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 33 and 34 on the North bank of the North Platte river.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 27, 28, 33, 34 in old road Land level — Soil 1st rate River Shallow quicksand bottom

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 27 and 34 Va. 140 35' E.
40,00	Set temporary 1/4 Sec. Cor.
80,10	Intersect ~~East boundary~~ W. & S. line ~~of Township~~ 12 links South of the corner to Secs. 26, 27, 34, 35 from which corner I run S. 89° 55' W. on true line between Secs. 27 and 34 Va. 140 35' E.
40,05	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	The corner to Secs 27, 28, 33, 34 Land level — Soil 1st rate good grass.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	West on true line between Secs. 28 and 33
	Va. 14° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 28, and 33, on the North and left bank of North Platte river
	Land level,
	Soil 1st rate – high grass

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 27 and 28.
	Va. 14° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
75.00	Leave rolling land and enter hills N.W. & S.E.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 21, 22, 27, 28
	Land rolling
	Soil 2 and rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 22 and 27
40,00	Set temporary 1/4 Sec Cor Va 140 35' E.
80,20	Intersect N. and S line 18 links North of the corner to Secs. 22, 23, 26, 27 from which corner I run N. 89°05-2 W. on the line between Secs 22 and 27 Co. 140 35' E.
40,10	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,20	The corner to Secs 21, 22, 27, 28 Land 1st 1/2 mile hilly ballance rolling Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 21 and 22 Co. 140 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80,00	Set post deposit, charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 15, 16, 21, 22 Land Same hills Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East onward on line between Secs. 15 and 22 Var. 14° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
79,88	Intersect N. and S. line 14 links South of the corner to Secs 14, 15, 22 23, from which corner I mm
	S. 89° 54' W. on true line between Secs. 15 and 22 Var. 14° 35' E.
39,94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,88	The corner to Secs. 15, 16, 21, 22
	Land Sand hills
	Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 15 and 16 Var. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 9, 10, 15, 16
	Land gravelly
	Soil 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 10 and 15 Va. 14° 35' E.
40.00	Set temporary 1/4 Sec. Cor.
80.12	Intersect N. and S. line 22 links North of the corner to Secs. 10, 11, 14, 15 from which corner run N. 89° 57' W. on true line between Secs 10 and 15 Va. 14° 35' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.12	The corner to Secs. 9, 10, 15, 16
	Land hilly
	Soil gravelly & moderate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 9 and 10 Va. 14° 35' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a corner to Secs 3, 4, 9, 10
	Land hilly
	Soil gravelly & moderate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs 3 and 10 Va. 14° 35' E.
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersect N. and S. line 10 links South of the corner to Secs. 2, 3, 10, 11 from which corner I run S. 89° 55' W. on true line between Secs. 3 and 10 Va. 14° 35' E.
39.96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.92	The corner to Secs. 3, 4, 9, 10
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North on true line between Secs. 3 and 4 Va. 14° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.90	Set post deposit charred Stake raised mound of earth with pits as per instructions for a closing corner to Secs. 3 and 4 on the 4th Standard Parallel North, at 15.05 chs West of the 1/4 Sec. cor. on the South Side of Sec. 35 T. 17 N. R. 42 W.
	Land very rolling
	Soil gravelly. 2nd rate.

August 6th 1871

Township 16 N. Range 42 W. 6th P.M.

Chains	North between Secs. 32 and 33 Ba. 140 35' E
20,00	Old wagon road bears E. and W.
28,40	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 32 and 33, on the South and right bank of North Platte river.
	I measure across the river with the chain
40,00	In river. 1/4 Sec. Cor. cannot be established.
80,00	The point for Cor. to Secs. 28, 29, 32, 33, in river and therefore cannot be established
	Land level
	Soil 1st rate.
	River Shallow with Sandy bottom

Township 16 N. Range 42 W. 6th P.M.

Chains	From the point in North Platte river for cor. to Secs. 28, 29, 32, 33 I run measuring with chain North between Secs. 28 and 29 Ba. 140 38' E.
2,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 28 and 29, on the North and left bank of the river
5,00	Old road bears N. 70° W. S. 70° E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 20, 21, 28, 29
	Land level.
	Soil 3rd rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on meandered line between Secs. 21 and 28 Va. 14° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
65,00	Leave level land and enter Sand hills
79,90	Intersect N. and S. line 16 links North of the corner to Secs. 21, 22, 27, 28 from which corner I am N. 89° 55' W. on true line between Secs. 21 and 28 Va. 14° 35' E.
39,95	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,90	The corner to Secs 20, 21 28, 29

Land 1st 65 chs level
Soil 1st rate
Ballance Sand hills
Soil 3rd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 20 and 21 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 16, 17, 20, 21

Land Sand hills
Soil 3rd rate.

Township 16 N, Range 42 W, 6th P.M.

Chains	
	East on random line between Secs 16 and 21 Va. 14° 35' E.
30,00	Leave level land and enter Sand hills N. and S.
40,00	Set temporary 1/4 Sec. Cor.
80,18	Intersect N. and S. line 20 links South of the corner to Secs. 15, 16, 21, 22. from which Lam I run
	S. 89° 51' W. on true line between Secs. 16 and 21 Va. 14° 35' E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,18	The corner to Secs. 16, 17 20, 21
	Land 3 chs level Soil 1st rate Ballance Sand hills Soil 3rd rate.

Township 16 N, Range 42 W, 6th P.M.

Chains	
	North between Secs. 16 and 17 Va. 14° 35' E.
35,00	Leave level land enter Sand hills, bearing N.W. and S.E.
40,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 8, 9, 16, 17.
	Land 1st 35 chs level good 2 rate land Ballance Sand hills Soil 3 rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 9 and 16 Va. 14° 35' E.
40.00	Set post for temporary 1/4 Sec. Cor.
79.86	Intersect N. and S. line 12 links North of the corner to Secs. 9, 10, 15, 16 from which corner I run N. 89° 55' W. on true line between Secs. 9 and 16 Va. 14° 35' E
39.93	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.86	The corner to Secs. 8, 9 16, 17

Land hilly
Soil 3rd rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs 8 and 9 Va. 14° 35' E.
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a Corner to Secs. 4, 5, 8, 9

Land very rolling
Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 4 and 9 Var. 14° 35' E.
40,00	Set post for temporary 1/4 Sec. Cor.
80,08	Intersect N. and S. line 18 links South of the Corner to Secs. 3, 4, 9, 10 from which corner I run S. 89° 52' W. on true line between Secs. 4 and 9 Var. 14° 35' E.
40,04	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,08	The corner to Secs. 4, 5, 8, 9 Land very rolling Soil Sandy, 3rd rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North on true line between Secs. 4 and 5 Var. 14° 35' E.
40,00	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,75	Set post deposit charred stake raised mound of earth with pits as per instructions for a closing corner to Secs. 4 and 5 on the 4th Standard Parallel North at 15,12 chs West of the 1/4 Sec. Cor. on the South side of Sec. 4 T. 17 N. Range 42 W. Land rolling Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P. M.

Chains	
	North between Secs 31 and 32 Va. 14° 32' E.
15.00	Canon descends N. E. rock ledges along its banks.
36.00	Leave bluff enter valley bearing N.W. and S.E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor. in old wagon road.
42.30	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 31 and 32 on South and right bank of North Platte river. I continue the measure across the river with the chain
80.00	The point for corner to Secs. 29.30 31, 32 in river and therefor cannot be established

Land 30 chs hilly & broken balance level - Soil 1st rate

N.B. The line between Secs. 29 and 32 all in river and cannot be established

Township 16 N. Range 42 W. 6th P. M.

Chains	
	(For line of Secs 30 & 31 see p. 60)
	From the point in North Platte river the place for corner to Secs 29, 30, 31, 32, I run measuring with chain North between Secs. 29 and 30 Va. 14° 35' E.
13.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to fractional Secs. 29 and 30 on the North and right bank of river
21.00	Old road runs with the river
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 19, 20, 29, 30 Land level, Soil 1st rate River shallow Sandy bottom

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 20 and 29. Va. 14° 35' E.
40.00	Set post for temporary 1/4 Sec. Cor.
80.12	Intersect N. and S. line 22 links South of the corner to Secs. 20, 21, 28, 29. from which corner I run S. 89° 51' W. on true line between Secs 20, 29 Va. 14° 35' E.
40.06	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor
80.12	The corner to Secs. 19, 20, 29 30 Land level. Soil 1st rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	West on random line between Secs. 19 and 30 Va. 14° 35' E.
20.30	Creek 70 links wide runs South. clear water gravelly bottom
40.00	Set temporary 1/4 Sec. Cor.
79.75	Intersect west boundary of Township 16 links North of the corner to Secs. 19. 30, ~~24.85~~ from which corner I run N. 89° 53' E. on true line between Secs. 19 and 30 Va. 14° 35' E.
39.75	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.75	The corner to Secs. 19, 20, 29 30, Land level. Soil 1st rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 19 and 20 Var. 14° 35' E.
40.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
80.00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 17. 18. 19. 20 Land level, Soil 1st rate

August 7th 1871

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 17 and 20 Var. 14° 35' E.
40.00	Set temporary 1/4 Sec Cor.
79.88	Intersect N. and S. line 22 links North of the corner to Secs. 16. 17. 20. 21 from which corner I run N. 89° 51' W. on true line between Secs. 17 and 20 Var. 14° 35' E.
39.94	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor.
79.88	The corner to Secs. 17. 18. 19. 20. Land slightly rolling Soil good 2nd rate

Township 16 N. Range 42 W. 6th P. M.

Chains	
	West on random line between Secs. 18 and 19 Var. 14° 35' E.
39.50	Creek 50 links wide runs South Clear water gravelly bottom
40.00	Set temporary 1/4 Sec. Cor.
79.65	Intersect West Boundary of Township 12 links South of the Corner to Secs. 18, 19 ~~13, 24~~. from which corner I run
	S. 89° 55' E. on true line between Secs. 18 and 19 Var. 14° 35' E.
39.65	Set post deposit charcoal Stake raised mound of earth with as per instructions for a 1/4 Sec. Cor.
79.65	The corner to Secs. 17, 18 19, 20

Township 16 N. Range 42 W. 6th P. M.

Chains	
	North between Secs. 17 and 18 Var. 14° 35' E.
40.00	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
70.00	Leave level land enter Sand hills.
80.00	Set post deposit charcoal Stake raised mound of earth with pits as per instructions for a corner to Secs. 7, 8, 17, 18 Land 70 chs level Soil 2nd rate. Ballance Sand hills Soil 3rd rate.

Lowns hip 16 N. Range 42 W. 6th P.M.

Chains	
	East on magnetic line between Secs. 8 and 17 Var. 14° 35' E.
40.00	Set temporary 1/4 Sec. Cor.
80.18	Intersect N. and S. line 14 links South of the corner to Secs. 8, ~~9~~, 16, 17 from which corner I run S. 89° 54' W. on true line between Secs. 8 and 17 Var. 14° 35' E.
40.09	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80.18	The corner to Secs 7, 8, 17, 18

Land Sand hills
Soil Sandy.

Lowns hip 16 N. Range 42 W. 6th P.M.

Chains	
	West on random line between Secs. 7 and 18 Var. 14° 35' E.
26.00	Leave hills enter creek bottom bears N. and S.
38.00	Creek 50 lks wide runs South.
40.00	Set temporary 1/4 Sec. Cor.
55.00	Leave bottom enter hills bears N. & S.
79.80	Intersect N. and S. line 24 lks South of the corner to Secs. 7, 18 ~~12~~ 13 from which corner I run S. 89° 50' E. on true line between Secs. 7 and 18. Var. 14° 35' E.
39.80	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79.80	The corner to Secs. 7, 8, 17, 18

Land upland hilly Soil 3rd rate — Bottom & level Soil 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains	
	North between Secs. 7 and 8 Var. 14° 35' E.
4,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
80,00	Set post deposit charred Stake raised mound of earth with pits as per instructions for a corner to Secs. 5, 6, 7, 8
	Land Same hills
	Soil 3rd rate.

Township 16 N. Range 42 W. 6th P.M.

Chains	
	East on random line between Secs. 5 and 8 Var. 14° 35' E.
40,00	Set temporary 1/4 Sec. Cor.
79,92	Intersect N. and S. line 16 links North of the corner to Secs. 4, 5, 8, 9 from which corner I run N. 89° 05' W. on true line between Secs. 5 and 8 Var. 14° 35' E
39,96	Set post deposit charred Stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.
79,92	The corner to Secs. 5, 6, 7, 8
	Land hilly
	Soil gravelly 2nd rate

Township 16 N. Range 42 W. 6th P.M.

Chains

West on random line between Secs. 6 and 7
Var. 14° 35' E.

40.00 Set post for temporary 1/4 Sec. Cor. on side of bluff

45.00 Creek 45 links wide runs South

58.00 Enter bluff bearing N. and S.

79.65 Intersect West Boundary of Township 12 links South of the corner to Secs. 6, 7, 18 & 19, from which corner I run S. 89° 55' E. on true line between Secs. 6 and 7
Var. 14° 35' E.

39.65 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor.

79.~~95~~ 65 The corner to Secs. 5, 6, 7, 8,
Land except along creek hilly
Soil gravel 3rd rate Creek bottom
Level-Soil 1st rate

Township 16 N. Range 42 W. 6th P.M.

Chains

North on true line between Secs. 5 and 6
Var. 14° 35' E.

40.00 Set limestone rock 12 x 10 x 4 for 1/4 Sec. Cor.

79.70 Set limestone rock 14 x 14 x 6 for closing corner to Secs. 5 and 6 on the 4th Standard Parallel North at 15.75 chs West of the 1/4 Sec. Cor. on South Side of Sec. 33. T. 17 N. R. 42 W.
Land hilly-Soil gravelly 2nd rate.
Limestone Ledge 2 chs North of this corner.

From cor to Secs. ~~25, 36~~, 30, 31 in West Boundary of Township I run East on true line between Secs 30 and 31
Var. 14° 35' E.

10.00 Old road ~~bears~~ N.W. and S.E.

22.60 Set post deposit charred stake raised mound of earth with pits as per instructions for Cor. to fr. Secs. 30 and 31 on South Side of river
Land level Soil 1st rate

Township 16 N. Range 42 W. 6th P. M.

Meanders of North Platte River through the Township.

From the meander corner in the line between Secs. 1 and 2 in Townships 15 and 16 N. R 42 W. at 29.10 chs west of the 1/4 Sec. Cor on South Side Sec. 36, I run up the ~~right~~ left bank of the river with the meanders thereof in Secs. 3, 6 as follows.

Courses	Dist.	Remarks
N. 79½ W	11.20	1 To cor. to fr. Secs. 35 and 36. thence in Sec. 35
N 68° W.	26.00	2
N. 73° W.	31.00	
N. 11° W.	27.60	To cor. to fr. Secs. 34 and 35 thence in Sec. 34
N. 67° W	39.00	3
N. 54½ W.	31.00	
N. 66 W.	20.50	To the cor. to fr. Secs. 33 and 34 thence in Secs. 33,
N 80° W.	35.00	4
N 83½ W.	36.00	To cor to fr Secs. 28 and 33. thence

Township 16 N. Range 42 W. 6th P. M.

Courses	Dist	
		in Sec. 28
N. 78½ W.	10.20	5 To cor. to fr Secs. 28 and 29 thence in Sec 29.
N. 76½ W.	32.00	6
N. 82° W.	38.00	
S. 85° W.	14.00	6 To cor. to fr. Secs. 29 and 30 thence in Sec. 30
N. 76° W.	26.00	7 At 20.00 Creek 70 lks wide empties into river. clear water
N. 58° W.	32.00	
N. ~~45~~° W. 41¾°	41.60	8 Intersect West Boundary of Township at 12.90 chs

South of Cor to Secs. 19, 30, 24, 25

The meander corner having never been established or being washed into the river I therefore set post deposit charred stake raised mound of earth with pits as per instructions for a cor. to fractional Secs. 19 and 24 on north bank of river

Township 16 N. Range 42 W. 6th P.M.

From the cor. to fr. Secs. 3. and 34 in the South boundary of the Township, on the South and right bank of the river I run up stream along the bank with the meanders thereof in Secs 34 as follows:

Courses	Dist	Remarks
N. 72° W.	32, 00	Dry bed of Ash creek
N. 79° W.	~~24~~ 24.80	To cor. to fr Secs. 33 and 34 then in Sec 33.
N. 77° W.	31, 00	
N. 83° W.	23, 00	
N. 85° W.	27, 00	To cor. to fr. Secs. 32 and 33 thence in Sec 33.
N. 80° W.	36, 00	
N. 84° W	21, 00	
N. 76½ W.	24, 00	To cor. to fr. Secs. 31 and 32 then in Sec. 32
N. 60° W	31, 00	
N. 55° W.	37. 20	To cor. to fr. Secs. 30 and 31 thence in Secs. 30
N. 55½ W.	27.10	To cor. to fr. 25 and 30

Township 16 N. Range 42 W 6th P.M.

in West Boundary of Township

Township 16 N. Range 42 W. 6th P. M.

General Description

The North east part of this Township is mostly Sand hills & poor land the N.W. portion is hilly Soil good land & well wate, The Southern portion is traversed by North Platte river along which the land is rich and productive. A fine Creek from 50 to 70 links in width come into the Township in Secs. 6 and runs in a Southern direction through the Western tier of Secs. its very clear water, gravelly bottom good banks. In Secs. 6 and in the bluffs on the South Side of Platte river there are several ledges of limestone rock.

The greater portion of this Township is suitabled for settlement and cultivation

Township 16 N. Range 42 W. 6th P. M.

Chains

List of Names

A list of the name of individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field-notes of Township 16 N. Range 42 West of the 6th Prin. Mer. Showing the respective capacities in which they acted.

R. B. Keyes Chainman
Chas. S. Billopp Chainman
Geo. A. Wallace Axeman
A. McBroome Moundman

We hereby certify that we assisted J. H. Parth, Deputy Surveyor, in Surveying and Subdivision Township Number 16 North of the base line of Range number 42 West of the 6th Prin. Mer. and that said Township has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Richard B. Keyes Chainman
Chas. F. Bishopp Chainman
George H. Wallace } Axemen or
Henry W. Broom } Mound men

State of Nebraska }
Lincoln County } Subscribed and Sworn to by the above named persons before me for Said

County of Lincoln in the
State of Nebraska this
11 day of Aug AD 1871

Wm. T. Patterson - J. P.

I, J. B. Park deputy Surveyor do
solemnly swear that, in pursuance
of a joint contract, wherein J. B.
Park and A. L. Campbell are joint
contractors with E. E. Cunningham
Surveyor General for the District of
Iowa and Nebraska bearing date
the 16th day of June 1871 I have well
faithfully and truly in my own
proper person, and in strict conf=
ormity with the instructions furn=
ished by the Surveyor General
the surveying system
the Laws of the United States,
Surveyed, all those parts or
portions of Township number
16 N. Range 42 W. of the 6th Prin.
Mer. as are represented in the
foregoing fiel-notes as having
been Surveyed under my direc=
tion; and I do further Solemnly
Swear that all the corners
of said Survey have
been

established and perpetuate in strict accordance with the Surveying manual and printed instructions, and that the foregoing are the true and original field-notes of such survey.

L. P. Park
Deputy Surveyor

Lincoln County
Nebraska } ss.

Subscribed to in my presence and sworn before me this 10th day of August 1871

Wm J Patterson J.P.

Surveyor Genl's Office
Washington Dec 8 1871

The foregoing field notes of the survey and subdivision of Township No 16 North of Range No 42 West of 6th P.M. Executed by J. W. Park under joint contract No 47 dated June 16th 1871 wherein J. L. Park & H. C. Campbell are joint contractors in the 3 month of August 1871 having been critically examined the necessary corrections and explanations made the said field notes and surveys they describe are hereby approved

E. E. Cunningham

General Land Office • Original Field Notes

Book Number

640

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.