General Land Office • Original Field Notes

Book Number

652

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T.12–16 N.
R.: 44 W.
76

Field Notes
of
Fractional Township No 12 North
of
Range No 44 West

Field Notes

of the subdivision lines in Township 12 North of Range 44 West of the 6th Principal Meridian, in the State of Nebraska

by

Philander C. Patterson

Deputy Surveyor

Under his contract bearing date July 19th 1869

Subdivision Commenced
September 13th 1869

Subdivision Completed
September 15th 1869

List of names

A list of the names of the individuals employed to aid in running, measuring & marking the lines & corners described in the following field notes of Township 12 North, Range 44 West of the 6th principal meridian showing the respective capacities in which they acted.

George J. Kellogg — Chainman
William T. Foy — Chainman
Robert N. B. Simpson — Chainman
James Long — Chainman
Homer Tiffany — Axeman

Field notes of the subdivision lines in Township 12 N. Range 44 West, 6th Prin. Mer.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to sections 1 and 12 on the Range line, and run North on a blank line along the East boundary of section 1

Va 14° 10' East

39.75 To a point 14 lks. East of the ¼ sec. cor.
79.56 To a point 30 lks East of the corner to Townships 12 North Ranges 43 and 44 West

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 14° 23' East.

Subdivision commenced September 13th 1869.

From the quarter section corner on the South side of section 31 Township 18 North Range 43 West, 6th Prin

West along the South boundary line

Va 14° 10' E

Township 12 N. Range 44 W. 6th P. M.

12.79 Drove chared stake and post and raised mound with pits as per instructions for closing corner to sections 1 and 2

From the corner to sections 1 and 2 on the North boundary of the Township. I run South between sections 1 and 2 Va 14°23 East

40.00 Drove chared stake and set a post and raised a mound with pits as per instructions for ¼ sec. cor,

80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 1. 2. 11 and 12

Land gently rolling gravely 3rd Rate

East on a random line between sections 1 and 12 Va 14°10' East

40.00 Set a ~~flag~~ for temporary ¼ sec. cor

80.19 Intersected E ~~Y and C. Ton~~ boundary of Township 23 lks South of the corner to sections

Township 12 N. Range 44 W. 6th P. M.

1 and 12. from which corner I run S 89°47' 50" W on a true line between sections 1 and 12 Va 14°10' East

40.09 Drove chared stake and set a post in Mound with pits as per instructions for ¼ sec. cor,

80.19 The corner to sections 1. 2. 11 and 12 Land level 2nd Rate

---

South between sections 11 and 12 Va 14°25' E

40.00 Drove chared stake and set a post in Mound with pits as per instructions for ¼ sec. cor,

80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 11. 12. 13 and 14 Land level 2nd Rate

---

East on a random line between sections 12 and 13 Va 14°10' East

Township 12 N. Range 44 W. 6th P. M.

40.00 Set a post for temporary ¼ sec. cor.
79.90 Intersected range line 44 lks. South of corner to sections 12 and 13. from which corner I run S 89° 41' W on a true line between sections 12 and 13.
Va 14° 10' East
38.95 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor,
79.90 The corner to sections 11. 12. 13 and 14. Land gently rolling 2nd rate

---

South between sections 13 and 14
Va 14° 23' East
40.00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor,
80.00 Drove chared stake and set a post in mound for corner to sections 13. 14. 23 and 24
Land rolling 2nd rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between sections 13 and 24
Va 14° 10' East
40.00 Set a post for temporary ¼ sec. cor.
79.92 Intersected range line 67 links South of corner to sections 13 and 24 from which corner I run S 89° 31' W on a true line between sections 13 and 24
Va 14° 10' East
39.96 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor,
79.92 The corner to sections 13. 14. 23 and 24 Land level 2nd rate

---

South between sections 23 and 24
Va 14° 23' East
10.04 Intersected the State line 11.70 chs. East of the 18 mile post at which point. Drove chared stake and set post in mound with pits as per instructions for closing corner to sections 23 and 24. September 18th 1869

Township 12 N. Range 44 W. 6th P.M.

From the ¼ sec. cor. on the South side of section 36 in Township 13 N Range 44 West I run West along 3rd Standard ~~line~~ Parallel N.

Va 14°10' East

12.79 Drove chared stake and set post in Mound with pits as per instructions for Closing Corner to sections 2 and 3

South between sections 2 and 3

Va 14°23' East

40.00 Drove chared stake and set post in Mound for ¼ sec. cor.

80.00 Drove chared stake and set post in mound with pits as per instructions for corner to sections 2. 3. 10 and 11

Land Rolling gravely ridges

3rd Rate

East on a random line between sections 2 and 11

Va 14°10' East

Township 12 N. Range 44 W. 6th P.M.

40.00 Set a post for temporary ¼ sec. cor.

80.30 Intersected North and South line at corner to sections 1. 2. 11 and 12 from which corner I run West on a true line between sections 2 and 11

Va 14°10' East

40.15 Drove a chared stake and set a post in a Mound with pits as per instructions for ¼ sec. cor.

80.30 The corner to sections 2. 3. 10 and 11

Land East part level 2nd Rate

West part broken gravely

South between sections 10 and 11

Va 14°23' East

40.00 Drove chard stake and set post in Mound with pits as per instructions for ¼ sec. cor.

80.00 Drove chared stake and set post in mound with pits as per instructions for corner to sections 10. 11. 14 and 15

Land broken gravel ridges

3rd Rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between
sections 11 and 14
Va 14° 10' East

40.00 Set a post for temporary 1/4 sec. cor.
80.44 Intersected North and South
line 20 lks. North of corner to
sections 11, 12, 13 and 14
N 89° 51' W on a true line between
sections 11 and 14
Va 14° 10' East

40.22 Drove chared stake and set post
in mound with pits as per
instructions for 1/4 sec. cor.
80.44 The corner to sections 10, 11, 14 and 15
Land rolling gravel ridges 3rd Rate

South between sections 14 and 15
Va 14° 23' East

40.00 Drove chared stake and set post
in mound with pits as per
instructions for 1/4 sec. cor.
80.00 Drove chared stake and set a post
in mound with pits for corner
to sections 14, 15, 22 and 23
Land rolling 2nd Rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between
sections 14 and 23,
Va 14° 10' East

40.00 Set a flag for temporary 1/4 sec. cor,
80.55 Intersected North and South line
at corner to sections 18, 14, 23 and 24
West on a true line between
sections 14 and 23.
Va 14° 10' East.

40.27½ Drove chared stake and set a post
in mound with pits as per
instructions for 1/4 sec. cor,
80.55 The corner to sections 14, 15, 22 and 23
Land gently rolling 2nd rate

South between sections 22 and 23
Va 14° 23' East

10.63 Intersected the State line
11.43 chs. East of 14 Mile post
at which point. Drove chared stake
and set a post in mound for
closing corner to sections 22 and 23
Land level 2nd rate

Township 12 N. Range 44 W. 6th P. M.

From 1/4 sec. cor. on the South
side of Section 35. Township 13 North
Range 44 West I run
West along the 3rd standard
line Parallel N.
Va. 14°23' East

12.79 Drove chared stake and set a post
in Mound with pits as per
instructions for Closing corner
to Sections 3 and 4. from which
I run
South between sections 3 and 4
Va 14°23' East

40.00 Drove chared stake and set a post
in Mound with pits as per
instructions for 1/4 sec. cor.

80.00 Drove chared stake and set a post
in Mound with pits as per
instructions for corner to
Sections 3. 4. 9 and 10.
Land level 2nd Rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between
sections 3 and 10
Va 14°23' East

40.00 Set a flag for temporary 1/4 sec. cor.
80.06 Intersected North and South
line 10 lks. North of corner to
Sections 2. 3. 10 and 11. from
which corner I run
N 89°56' W on a true line between
Sections 3 and 10
Va 14°23' East

40.03 Drove chared stake and set a post
in Mound with pits as per
instructions for 1/4 sec. cor.
80.06 The corner to Sections 3. 4. 9 and 10
Land East part broken gravel
ridges 3rd Rate West part
level 2nd Rate
September 17th 1869

Township 12 N. Range 44 W. 6th P. M.

South between sections 9 and 10
Va 14°23' East

40,00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 9, 10, 15 and 16
Land level 2nd Rate

East on a random line between sections 10 and 15
Va 14°23' East

40,00 Set a post for temporary ¼ sec. cor.

80,12 Intersected North and South line 25 lks. North of corner to sections 10, 11, 14 and 15 from which corner S run
N 89°49' W on a true line between sections 10 and 15
Va 14°23' East

40,06 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor

Township 12 N. Range 44 W. 6th P. M.

80,12 The corner to sections 9, 10, 15 and 16
Land level 2nd Rate

South between sections 15 and 16
Va 14°23' E

40,00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 15, 16, 21 and 22
Land rolling sandy 2nd Rate

East on a random line between sections 15 and 22
Va. 14°23' East

40,00 Set a flag for temporary ¼ sec. cor.

80,20 Intersected North and South line 20 lks North of corner to sections 14, 15, 22 and 23, from which corner S run
N 89°51' W on a true line between sections 15 and 22
Va 14°23' East

Township 12 N. Range 44 W. 6th P. M.

40,10 Drove chared stake and set a post
10 in mound with pits as per
instructions for ¼ sec. cor,
80.20 The corner to sections 15, 16, 21 and 22
Land rolling 3rd Rate

South between sections 21 and 22
Va 14° 23 East

10.50 Intersected State line
11.14 chs East of the 15 Mile post
at which point. Drove chared stake
and set a post in mound with
pits as per instructions for
closing corner to sections 21 and 22
Land rolling sandy 3rd Rate

Township 12 N. Range 44 W. 6th P. M.

From ¼ sec. cor. on the South
side of section 34 Township 13
North Range 44 West, & run
West along the 3rd
Standard ~~Line~~ Parallel N.
Va 14° 25' East

12.79 Drove chared stake and set a post
in mound with pits as per,
instructions for closing
corner to sections 4 and 5

South between sections 4 and 5
Va 14° 25' East

40,00 Drove chared stake and set a post
in mound with pits as per
instructions for ¼ sec. cor
80,00 Drove chared stake and set a post
in mound with pits as per,
instructions for corner to
sections 4, 5, 8 and 9
Land level 2nd Rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between
sections 4 and 9
Va 14°25' East

40,00 Set a flag for temporary 1/4 sec. cor,
79.94 Intersected North and South line
4 lks. South of corner to sections
3, 4, 9 and 10, from which corner
I run
S 89°58' W on a true line between
sections 4 and 9
Va 14°25' East

39.97 Drove chared stake and set a post
in Mound with pits as per,
instructions for 1/4 sec. cor,
79.94 The corner to sections 4, 5, 8 and 9
Land level 2nd Rate

South between sections 8 and 9
Va 14°25' East

40,00 Drove chared stake and set a post
in Mound for with pits as per,
instructions for 1/4 sec. cor,
80,00 Drove chared stake and set a post
in Mound with pits as per

Township 12 N. Range 44 W. 6th P. M.

instructions for corner to
sections 8, 9, 16 and 17
Land gently rolling sandy
soil 2nd Rate
September 16th 1869

East on a random line between
sections 9 and 16
Va 14°25' East

40,00 Set a flag for temporary 1/4 sec. cor,
80,00 Intersected North and South
line 10 lks. North of corner to
sections 9, 10, 15 and 16 from
which corner I run
N 89°56 W on a true line between
sections 9 and 16
Va 14°25' East

40,00 Drove chared stake and set a post
in Mound with pits as per
instructions for 1/4 sec. cor
80,00 The corner to sections 8, 9, 16 and 17
Land rolling and sandy
3rd Rate

Township 12 N. Range 44 W. 6th P. M.

South between sections 16 and 17
Va 14°25' East

40.00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 16, 17, 20 and 21
Land sand hills 3rd rate

East on a random line between sections 16 and 21
Va 14°25' East

40.00 Set a flag for temporary ¼ sec. cor.

80.16 Interseted North and South line 26 lks. North of corner to sections 15, 16, 21 and 22 from which corner S run
N 89°49' W on a true line between sections 16 and 21
Va 14°25' East

40.08 Drove chared stake and set a post in mound with pits as per

Township 12 N. Range 44 W. 6th P. M.

instructions for ¼ sec. cor.

80.16 the corner to sections 16, 17, 20 and 21
Land sand hills 3rd rate

South between sections 20 and 21
Va 14°25' East

10.58 Intersect State line 10.57 chs East of the 16 mile post. at which point. Drove chared stake and set a post in mound with pits as per instructions for corner to sections 20 and 21
Land sand ridges 3rd rate

Township 12 N. Range 44 W. 6th P. M.

From ¼ sec. cor. on the South side of Section 33 Township 13 North Range 44 West I run West along 3rd Standard ~~line~~ Parallel N.
Va 14° 25' East

12.79 Drove chared stake and set a post in mound with pits as per instructions for closing corner to sections 5 and 6

South between sections 5 and 6
Va 14° 25' East

40.00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 5. 6. 7 and 8
Land level 2nd Rate

Township 12 N. Range 44 W. 6th P. M.

East on a random line between sections 5 and 8
Va 14° 25' East

40.00 Set a plag for temporary ¼ sec. cor.
79.79 Intersected North and South line at corner to sections 4. 5. 8. and 9. from which corner I run
West on a true line between sections 5 and 8
Va 14° 25' East

39.89½ Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
79.79 The corner to sections 5.6.7 and 8
Land level 2nd Rate

West on a random line between sections 6 and 7
Va 14° 25' East

40.00 Set a post for temporary ¼ sec cor.
77.13 Intersected Range line 19 lks. South of corner to sections 6 and 7 from which corner I run

Township 12 N. Range 44 W. 6th P. M.

N 89° 52' E on a true line between sections 6 and 7
Va 14° 25' East

37.13 Drove chared stake and set a post in mound of dirt with pits as per instructions for ¼ section corner

77.13 The corner to sections 5, 6, 7 and 8
Land sand hills 3rd rate

South between sections 7 and 8
Va 14° 25' East

40,00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 Drove chared stake and set a post in mound with trench as per instructions for corner to sections 7. 8. 17 and 18.
Land sand hills 3rd Rate

Township 12 N. Rang 44 W. 6th P. M.

East on a random line between sections 8 and 17
Va 14° 25' East

40,00 Set a flag for temporary ¼ sec. cor.

79.75 Intersected North and South line 15 links North of corner to sections 8. 9. 16 and 17. from which corner I run
N 89° 54' W on a true line between sections 8 and 17
Va 14° 25 East.

39.87½ Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

79.75 The corner to sections 7. 8. 17 and 18
Land sand hills 3rd Rate

September 17th 1869.

Township 12 N. Range 44 W. 6th P. M.

West an a random line
between sections 7 and 18
Va 14° 25' East

40,00 Set a post for temporary ¼ sec. cor
65,00 Leave sand hills and enter
high bottom land bearing
North and South
69,57 Center of Union Pacific Rail
Road bearing N. W. and S. E.
76,53 Intersected West Boundary line
7 lks. South of corner to
sections 7 and 18. from
which corner I run
S 89° 57' E an a true line between
sections 7 and 18
36,53 Drove chared stake and set a
post in mound with pits as per
instructions for ¼ sec. cor,
76,53 The corner to sections 7. 8. 17 and 18
Land West part high dry bottom
2nd Rate. East part Sandy 3rd Rate

Township 12 N. Range 44 W. 6th P. M.

South between sections 17 and 18
Va 14° 25' East

40,00 Drove chared stake and set a post
in mound with pits as per,
instructions for ¼ sec. cor,
80,00 Drove chared stake and set a post
in mound with pits as per,
instructions for corner to sections
17, 18, 19 and 20
Land sand hills 3rd Rate

East an a random line between
sections 17 and 20
Va 14° 25' East

40,00 Set a post for temporary ¼ sec. cor,
79,70 Intersected North and South
line 17 lks. North of corner to
sections 16, 17, 20 and 21 from
which corner I run
N 89° 53' W an a true line between
sections 17 and 20
Va 14° 25' East
39,85 Drove chared stake and set a
post in mound with pits as per

Township 12 N. Range 44 W. 6th P.M.

instructions for 1/4 sec. cor
79.70 the corner to sections 17. 18.
19 and 20
Land Sand hills 3rd rate

West on a random line
between sections 18 and 19
Va 14° 25' East
28.00 Center of Union Pacific Rail
Road bearing N. W. and S. E.
40.00 Set a post for temporary 1/4 sec. cor,
76.18 Intersected West Boundary
of the Township 26 lks North
of corner to sections 18 and 19
from which corner I run
N 89° 49' E on a true line between
sections 18 and 19.
Va 14° 25' East
36.18 Drove chared stake and set a post
in mound with pits as per
instructions for 1/4 sec. cor,
76.18 the corner to sections 17. 18. 19 and 20
Land level 2nd Rate

Township 12 N. Range 44 W. 6th P.M.

South between sections
19 and 20
Va 14° 25' East
11.47 Intersected State line
11.00 chs. East of 17 mile post
at which point drove chared
stake and set a post in mound
with pits as per instructions
for corner to sections
19 and 20
Land level sandy 2nd Rate

September 18th 1869

General Description

The quality of the land in this Township is rather below an average. There is some good 2nd rate land in the North part of the Township. The South West part of the Township is too Sandy to cultivate.

There is neither water, timber, or stone in this township.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. 12 North of the base line of Range No 44 West of the 6th Principal Meridian. showing the respective capacities in which they acted:

George J Kellogg Chain man
William F. Fox Chain man
Robert N.B. Simpson Second man
James Long Second man
Homer Tiffany Flag man

Sworn to and subscribed
before me this 4th day
of January AD 1870

J. M. Patterson
Notary Public

We hereby certify that we assisted Philander C Patterson deputy Surveyor in Surveying and Subdividing Township number twelve North of base line ~~number~~ of Range Number forty four West of the Sixth Principal Meridian. and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed and the boundary Monuments planted according to the instructions furnished by the Surveyor General

George J Kellogg
Wm E Fay
Robert M Simpson
James Sams
Hannes Steffens

I Philander C. Patterson deputy Surveyor do solemnly swear that, in pursuance of a contract with Robert K. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869. and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Township number twelve North of the base line of range number forty four West of the 6th Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of said survey

Philander C. Patterson
Deputy Surveyor

Sworn to and subscribed
before me this 4th day of
January A D 1870

J M Patterson
Notary Public

Surveyor Generals Office
Plattsmouth Neb. April 14th 1870.

The foregoing Field Notes of the Survey
of the Sub-Divisional lines of Township
No. 12 North of the Base Line, of Range
No. 14 West of the 6th Principal Meri-
dian in the State of Nebraska. Exe-
cuted by Philander C. Patterson, depu-
ty Surveyor, under his Contract No. 29
dated July 19th 1869 in the Month
of September 1869. having been criti-
cally Examined the necessary cor-
rections and explanations made the
said field Notes and the Surveys they
describe are hereby approved.

Robt R Livingston
Surveyor General.

T 13 N., R 44 W

6	66	5	50	4	38	3	26	2	15	1	
	67		65		49		37		25		13
7	64	8	48	9	36	10	24	11	12	12	
	63		62		47		35		23		11
18	61	17	46	16	34	15	22	14	10	13	
	60		59		45		33		21		9
19	58	20	44	21	32	22	20	23	8	24	
	57		56		43		31		19		7
30	55	29	42	28	30	27	18	26	6	25	
	54		53		41		29		17		5
31	52	32	40	33	28	34	16	35	4	36	

Field Notes

of the survey of the Subdivisional lines of Township 13 North of the Base Line, of Range 44 West of the 6th Principal Meridian in the State of

Nebraska

by William Braidberr
Deputy Surveyor
under his joint contract No 27 with Matthewson T. Patrick bearing date the 28 day of June A.D. 1869.

A. List

of the names and duties of the individuals employed to assist in surveying the subdivision lines of Township 13 North of the Base line of Range 44 West of the 6th Principal Meridian in the state of

Nebraska

A. J. Foley	Chainman
Clay Lockwood	Chainman
Frank Smith	Rodsman
John Bechtol	Rodsman
John A. Goodrich	Flagman

Note. Many of the corners to which random lines were run could be plainly seen with the telescope on the Instrument used in subdividing

Township 13 N. R 44 W. 6th Principal Meridian

To determine the proper adjustment of my compass for Subdividing this Township I commenced at the corner to Township 12 & 13, Ranges 43 and 44 West and run North on a Mark line along the East boundary of Section 36

Va 14° 45' E.

40.03 To the ¼ Sec. corner.
80.05 To a point 1 link East of the Post corner to Sections 25 and 36

To retrace this line or run parallel thereto, my compass must be adjusted to a Va of 14° 45' East.

Township 13 N. Range 44 W.

chains

Subdivisions commenced September 26th 1869

From the corner to Sections Nos. 35 and 36 on the Southern Boundary of the Township I run North between Secs 35 and 36 Va 14° 50' E

41.11 Set a post, deposited chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.11 Set a post, deposited chained stake, raised mound of earth and made pits as per instructions for a corner to Sections 25. 26. 35 and 36.

Land undulating Soil 2nd rate

6th Principal Meridian

chains

East on a random line between Secs 25 and 36 Va 14° 45' E.

~~41.11~~

41.11 Set a post for temporary 1/4 Sec corner

80.11 Intersected Eastern Boundary of Township at post corner to Sections 25 and 36 from which corner I run West on a true line between Sections 25 and 36 Va 14° 45' E.

41.15 Set a post, deposited chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.11 The corner to Sections 25. 26. 35 and 36.

Land undulating Soil 2nd rate.

Township 13 N. Range 44 W 6th Principal Meridian

chains

40.00 North between Secs 25 and 26
Va 14°51' E.
Set a post. deposited
Chared Stake. raised
mound of earth and
made pits as per instruction
for a 1/4 Sec corner

811.11 Set a post, deposited chared
stake, raised mound of
earth and made pits as
per instructions for a
corner to Sections 23. 24
25 and 26.

Land Level
Soil 2nd rate

chains

East on a random line
between Secs 24 and 25
Va 14°45' E.

40.00 Set a post for temporary
1/4 Sec. Corner

80.30 Intersected Eastern Boundary
of Township at post corner
to Sections 24 and 25
from which corner I run
West on a true line
between Sections 24 and 25
Va 14°45' E.

40.15 Set a post, deposited
Chared stake, raised
mound of earth and
made pits as per instruction
for a 1/4 Sec. corner

80.30 The corner to Sections
23. 24. 25 and 26.

Land undulating
Soil 2nd rate

Township 13 N. Range 44 W. 6th Principal Meridian

6 chains	North between Secs 23 and 24 Va 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 13. 14. 23 and 24

Land Rolling
Soil 2nd rate

6 chains	East on a random line between Secs 13 and 24 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.59	Intersected eastern boundary of Township at post corner to Sections 13 and 24 from which corner a true W. Ls on a true line between Secs 13 and 24 Va 14° 45' E.
40.29½	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.59	The corner to Sections 13. 14. 23 and 24

Land undulating
Soil 2nd rate

Township 13 N Range 6 E 44 W. 6th Principal Meridian

Chains	
	North between Secs 13 and 14 Va 14° 39' E.
40.00	Set a post, deposited chared stake, raised mound of earth and made pits as per instruction for a 1/4 Sec. corner
80.00	Set a post, deposited chared stake, raised mound of earth and made pits as per instructions for a corner to Sections 11. 12. 13 & 14
	Land Rolling Soil 2nd rate

Chains	
	East on a random line between Secs 12 and 13 Va 14° 45' E
40.00	Set a post, for temporary 1/4 Sec. corner
80.33	Intersected Eastern Boundary of Township at a point 20 links North of post corner to Sections 12 and 13 from which corner I run North 83° 51' West on a true line between Secs 12 and 13 Va 14° 45' E.
40.16½	Set a post, deposited Chared stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner.
80.33	The corner to Sections 11. 12. 13 and 14
	Land undulating Soil 2nd rate

Township 13 North, Range 44 West 6th Principal Meridian

Chains

North between Secs 11 and 12
Va 14° 39' E.

40.00 Set a post, deposited
Chaind stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

80.00 Set a post, deposited
Chaind stake, raised
mound of earth and
made pits as per
instructions for a
Corner to Sections
1. 2. 11 and 12.

Land Rolling
Soil 2nd rate.

Chains

East on a random line
between Secs 1 and 12
Va 14° 45' East.

40.00 Set a post for temporary
1/4 Sec. Corner

79.90 Intersected Eastern
Boundary of Township
40 links north of post
Corner to Sections 1 and 12
from which corner I run
North 89° 43' West on a true line
between Sections 1 and 12
Va 14° 45' E

39.95 Set a post, deposited
Chaind stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

79.90 The Corner to Secs 1. 2.
11. and 12.

Land undulating
Soil 2nd rate.
Sept. 26th 1869

Township 13 North Range

chains North on a Random line
between Sections 1 and 2
Va 14° 39' E.

40.00 Set a ~~post~~ deposited
Chained stake, raised
mound of earth and
made pits as per instructions
for a 1/4 Sec. corner

80.00 Set a post deposited
Chained stake, raised
mound of earth and
made pits as per
instructions for a corner
to Sections
Error.

44 West 6th Principal Meridian

chains North on a random line
between Sec's 1 and 2
Va 14° 39' E.

40.00 Set a post for temporary
1/4 Sec. Corner

79.62 Intersected Northern boundary
of Township 50 links east
of post corner to Sections
1 and 2 from which corner bears
South 0° 21' E. 9.5 lks on
true line between Sections 1 and 2
Va 14° 39' E.

39.62 Set a post. deposited Chained
stake, raised mound of
earth and made pits as
per instructions for a
1/4 Sec. corner

79.62 The corner to Sections
1. 2. 11. and 12.

Land Rolling
Soil 2nd rate.

T. 13. N. R 44 W. 6th Principal Meridian

Chains	
	From the corner to Sections
	34. 35 and 35 on the
	Southern boundary of the
	Township I run
	North between Sections 34 and 35
	Va 14° 45' Ft.
6.00	Top of hill ↖ bears S.E. S. Side Ravine 30 feet deep
17.00	In Ravine S. Side bears N. W.
31.00	Top of Ridge bears N.W.
36.00	leave Ridge ↖ bears N.W. and at
40.00	enter Ravine ↖ bears S.E. S. Side
	Set a post. deposited
	Charred Stake, raised Mound
	of earth and made pits as per
	instructions for a 1/4 Sec. corner
59.00	N. Side Ravine ↖ bears S.E. leave Ravine rise of 40 ft.
64.00	~~40.00~~ top of hill, bears S.E.
80.00	Set a post. deposited charred
	Stake raised mound of earth
	and made pits as per instructions
	for a corner to Sections 26. 27. 34
	and 35.
	Land hilly
	Soil 3rd rate

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	
	East on a Random line
	between Sec's 26 and 35
	Va 14° 45' Ft.
40.00	Set a post for temporary
	1/4 Sec. corner
79.90	intersected N and S line
	at post corner to Sections
	25. 26. 35 and 36 from
	which corner I run
	West on a true line between
	Sec's 26 and 35
	Va 14° 45' Ft.
39.95	Set a post. deposited charred
	Stake, raised mound of
	earth and made pits as
	per instructions for a
	1/4 Sec. corner
79.90	The corner to Sections 26. 27
	34 and 35
	Land undulating
	Soil 2nd rate.

Township 13 North, Range 4 4 West — 6th Principal Meridian

Chains	
	North between Secs 26 and 27 Va 14° 45' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 22. 23. 26 and 27
	Land Level Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a random line between Secs 23 and 26 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.80	Intersected N and S line at post corner to Sections 23. 24. 25 and 26 from which corner I run West on a true line between Sec's 23 and 26 Va 14° 45' E.
39.90	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
79.80	The corner to Sections 22. 23. 26 and 27 Land undulating Soil 2nd rate.

Township 13. N. Range 44 West

Chains	
	North between Secs 22 and 23 Va. 14° 45' E.
40.00	Set a post, deposited chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited chained stake, raised mound of earth and made pits as per instruction for a corner to Sections 14. 15. 22. and 23
	Land undulating Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a random line between Secs 14 and 23. Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.41	Intersected N and S line at post corner to Sections 13. 14. 23 and 24 from which corner I run West on a true line between Sec's 14 and 23 Va 14° 45' E.
39.70	Set a post, deposited Chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.41	The corner to Sections 14. 15. 22 and 23
	Land rolling Soil 2nd rate

Township 13 N. Range 44

Chains	
	North between Secs 14 and 15 Va 14° 45' E.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 10. 11. 14 & 15
	Land level Soil 2nd rate

W. 6th Principal Meridian

Chains	
	East on a Tandom line between Secs 11 and 14. Va 14° 35' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.00	Intersected N and S line at post corner to Sections 11. 12. 13. and 14 from which corner I run West on a true line between Sections 11 and 14 Va 14° 45' E.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 10. 11. 14 and 15
	Land undulating Soil 2nd rate

Township 13 N. Range 6 E

Chains

North between Sec^s 11 and 12
Va 14° 45' E.

41.11 Set a post, deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec: corner

80.11 Set a post, deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
2. 3. 10 and 11.

Land undulating
Soil 2nd rate

44 West 6th Principal Meridian

Chains

East on a Variation line
between Sec^s 2 and 11
Va 14° 45' E.

40.11 Set a post for temporary
1/4 Sec. corner

80.00 Intersected N and S line
at post corner to Sections
1. 2. 11 and 12 from which
corner. I am
West on a true line between
Sections 2 and 11
Va 14° 45' E.

40.00 Set a post, deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Section corner

80.00 The corner to Sections
2. 3. 10 and 11

Land Rolling
Soil 2nd rate

Sept. 27th 1869

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	
	North on a Random line between Secs 2 and 3 Va 14° 45' E.
40.00	set a post for temporary 1/4 sec corner
60.00	N. Side of hill, cleave high ground at a gradual fall
68.00	cross. S.W. corner of a pond of water about 3.00 chs. wide, Water Course
71.00	N.W. corner of same pond
79.62	Intersected Northern Boundary of Township at post corner to Sections 2 and 3 from which corner I run
	Southto on a true line between Secs 2 and 3 Va 14° 45' E.
39.62	Set a post, deposited chas stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.62	The course to Secs 2. 3. 11 and 11 Land Rolling soil 2nd rate

Chains

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	From the corner to Sections 4. 5. 33 and 34 run North between Sec^s 33 and 34 Va 15° 06' E.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	Top of hill on N. Side of Ravine bears N. W and S E.
80.00	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a corner to Sections 27. 28. 33 and 34
	Land undulating Soil 2nd rate

Chains	East on a Random line between Sec^s 27 and 34 Va 14° 45' E.
40.00	Set a post, ~~deposited~~ for temporary 1/4 Sec corner
80.50	Intersected N and S line at post corner to Sections 26. 27. 34 and 35 from which corner I run West on a true line between Sections 27 and 34 Va 14° 45' E.
40.25	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.50	The corner to Sections 27. 28. 33 and 34
	Land hilly Soil 3rd rate.

Township 13 N. Range 4 W

chains

111.00 North between Secs 27 and 28
Vas N. 14° 5' E.
Foot of Hill, Enter Ravine
South side. (50 ft. deep)

211.00 top of Ridge Vas N. W. leave Ridge

311.00 in Ravine Vas N. W. leave Ravine and
gradual rise of 40 ft to Vas N. W.

411.00 Top of Hill N. Side Ravine
These Joint Ravines extend
about half a mile N. W.
Set a post, deposited charred
stake, raised mound of
earth and made pits
as per instructions for a
1/4 Sec. corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per instructions
for a corner to Sections
21. 22. 27 and 28

Land principally hilly
Soil 3rd rate

6th Principal Meridian

chains

East on a Standard Line
between Secs 22 and 27
Va 14° 45' E.

411.00 Set a post for temporary
1/4 Sec. Corner

80.31 Intersected N and S line
at post corner to Sections
22. 23. 26 and 27 from
which corner I run
West on a true line
between Sections 22 and 27
Va 14° 45' E.

411.15 Set a post, deposited
charred stake, raised mound
of earth and made pits
as per instructions for a
1/4 Sec. corner

80.31 The corner to Sections
21. 22. 27 and 28

Land undulating
Soil 2nd rate

T. 13 N. R. 44. W. 6th Principal Meridian

Chains	
	North between Secs 21 and 22 Va 14° 51' E.
411.111	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
811.111	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a corner to Sections 15. 16. 21 and 22
	Land undulating Soil 2nd rate.

Chains	
	East on a random line between Secs 15 and 22 Va 14° 45' E.
411.111	Set a post for temporary 1/4 Sec. corner
811.12 12	Intersected N and S line at post corner to Sections 14. 15. 22 and 23 from which corner I run West on a true line between Sections 15 and 22 Va 14° 45' E.
40.06	Set a post, deposited Charred Stake raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.12	The corner to Sections 15. 16. 21. and 22.
	Land Level Soil 2nd rate.

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	
	North between Secs 15 and 16 Va 14° 50' E.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a Corner to Sections 9. 10. 15 and 16.

Land Rolling
Soil 2nd rate

Chains	
	East on a random line between Secs 10 and 15. Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec corner
79.92	Intersected N and S line at post corner to Sections 10. 11. 14 and 15 from which corner I run West on a true line between Secs 10 and 15 Va 14° 45' E.
39.96	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
79.92	The corner to Sections 9. 10. 15 and 16.

Land undulating
Soil 2nd rate.

Township 13 N. Range 44 W.

Chains North between Secs 9 and 10
Va 14° 36 E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions
for a 1/4 Sec. corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits. as per
instructions for a
corner to Sections
3. 4. 9. and 10.

Land level
Soil 2nd rate.

6th Principal Meridian

Chains East on a random line
between Secs 3 and 10
Va 14° 45 E.

40.00 Set a post for temporary
1/4 Sec. corner

79.52 Intersected N and S line
at post corner to Sections
2. 3. 10 and 11 from
which corner I run
West on a true line
between Secs 3 and 10
Va 14° 45 E.

39.76 Set a post. deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

79.52 the corner to Sections
3. 4. 9 and 10.

Land undulating
Soil 2nd rate.

Sept. 28th 1869

Township 13 N. Range 44 W.

Chains	
	North on a random line between Secs 3 and 4 Va 14° 45' E.
411.111	Set a post for temporary 1/4 Sec. corner
79.62	Intersected Northern Boundary of Township at post corner to Sections 3 and 4 from which corner I run South on a true line between Sec's 3 and 10 Va 14° 45' E
39.62	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
79.62	The corner to Sections 3. 4. 9. and 10

Land Rolling
Soil 2nd rate

6th Principal Meridian

Township 13. N. Range 44 W. 6th P. Principal Meridian

Chains From the corner to Sections ##. ##. 32 and 33 on the Southern Boundary of Township I am.

North between Sec.s 32 and 33
Va 14° 36' E.

41.00 Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited Charred stake, raised mound of earth and made pits as per instruction for a corner to Sections 28. 29. 32 and 33

Land Rolling
Soil 2nd rate

Chains East on a random line between Sec.s 28 and 33
Va 14° 45' E.

41.00 Set a post for temporary 1/4 Sec. Corner

71.00 Top of hill, S. Side of Ravine bears N.W. and S.E.

79.70 Intersected N and S line at post corner to Sections 21. 28. 33 and 34 from which corner I am West on a true line between Sec's 28 and 33
Va 14° 45' E.

39.85 Set a post deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

79.70 The corner to Sections 28. 29. 32. and 33

Land Rolling
Soil 2nd rate.

Township 13 N. Range 44 W.

Chains	
	North between Secs 28 and 29 Va 14° 28' E.
40.00	Set a post, deposited chaining Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited chaining stake, raised mound of earth and made pits as per instructions for a Corner to Sections 20. 21. 28 and 29.

Land level
Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a random line between Sections 21 and 28 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.20	Intersected N and S line at post corner to Sections 21. 22. 27 and 28 from which corner I saw West on a true line between Secs 21 and 28 Va 14° 45' E.
39.60	Set a post, deposited chaining Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.20	The corner to Sections 20. 21. 28 and 29

Land undulating
Soil 2nd rate

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	
	North between Secs 21 and 21 Va 15° 12' E.
40.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 16. 17. 20. and 21.
	Land undulating Soil 2nd rate.

Chains	
	East on a true line between Secs 16 and 21 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.88	Intersected N and S line at post corner to Sections 15. 16. 21 and 22 from which corner I run West on a true line between Secs 16 and 21 Va 14° 45' E.
39.94	Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
79.98	The corner to Sections 16. 17. 20 and 21 —
	Land undulating Soil 2nd rate

Township 13 N. Range 44 W. 6th P. Principal Meridian

Chains North between Sec 15 & 17
Va 14° 24' E.

40.111 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner.

80.111 Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
8. 9. 16 and 17.

Land undulating
Soil 2nd rate.

Chains East on a random line
between Secs 9 and 16
Va 14° 45' E.

40.111 Set a post for temporary
1/4 Sec. corner

79.56 Intersects N and S line
at post corner to
Sections 9. 111. 15 and 16.
from which corner I run
West on a true line between
Secs 9 and 16
Va 14° 45' E.

39.78. Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

79.56 The corner to Sections
8. 9. 16. and 17

Land undulating
Soil 2nd rate.

Township 13 N. Range 44 W. 6th P.M.

Chains	
	North between Secs 8 and 9 Va 14° 56' E.
40.00	Set a post, deposited Chained stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited Chained stake, raised mound of earth and made pits as per instructions for a corner to Sections 4. 5. 8. 9 -
	Land undulating Soil 2nd rate

Principal Meridian

Chains	
	East on a Random line between Secs 4 and 9 Va 14° 45' E.
41.00	Set a post for temporary 1/4 Sec. Corner
80.00	Intersected N and S line at post Corner to Sections 3. 4. 9 and 10 from Which corner I am.
	West on a true line between Secs 4 and 9 Va 14° 45' E.
40.00	Set a post, deposited Chained stake, raised Mound of earth and made pits as per instruction for a 1/4 Sec. Corner
80.00	The corner to Sections 4. 5. 8 and 9
	Land Rolling Soil 2nd rate

Township 13 N. Range 44 West 6th Principal Meridian

Chains

North on a random line
between Secs 4 and 5
Va 14° 55' E.

40.00 Set a post for temporary
1/4 Sec. Corner

79.70 Intersects Northern Boundary
of Township 1.39 links
East of Post Corner to
Sections 4. and 5 from
Which Corner I run
South 1.00 East (East) on a true
line between Secs 4 & 5
Va 14° 55' E.

39.70 Set a post deposited
Charred Stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

79.70 The corner to Section
4. 5. 8 and 9.

Land undulating
Soil 2nd rate.

Sept 29th 1869

Township 13N. Range 44 W.

chains	From the corner to Sections #. #. 31 and 32 on the Southern Boundary of the Township I run North between Secs 31 & 32 Va 14° 45' E
40.00	Set a post deposited Charred Stake raised Mound of earth and made pits as per instructions for a 1/4 Sec. Corner
60.00	leave Bottom Lands and begin to ascend Sand Hills (bears W. N. W. & S. S. E)
80.00	set a post deposited Charred Stake raised mounds of earth and made pits as per instructions for a corner to Sections 29. 30. 31 and 32

Land principally undulating Soil Black Sand 1st rate

6th Principal Meridian

chains	East on a random line between Secs 29 and 32 Va 14° 45' E (bears S. and N. W.)
31.00	Top of Sand Hills & thicket to
40.00	Set a post for temporary 1/4 Sec. corner
80.22	Intersected N and S line at post corner to Sections 28. 29. 32 and 33 from which corner I run West on a true line between Sections 29 and 32 Va 14° 45' E
40.00	Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.22	The corner to Sections 29. 30. 31. and 32

Land Rolling
Soil 2nd rate.

Township 13 N. Range 44 W. 6th Principal Meridian

chains

West on a random line between Secs 30 and 31 Va 14° 45' E

40.00 Set a post for temporary 1/4 Sec corner

611.111 72.00 Foot of Sand Hills bears E.S.E. Road Runs bears South.

80.36 Intersected Western Boundary of Township 5 links North of post comm to sections 30 and 31 from which corner I am

North 89° 58' E 80.36 on a true line between Secs 30 and 31 Va 14° 45' E.

40.36 Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner to

80.36 Corner to Sections 29. 30. 31 and 32

Land Rolling
Soil Black Sand 1st rate

chains

North between Secs 29 and 31 Va 14° 45' E.

311.11 Top of Sand Hills bears W. W

411.111 Set a post, deposited Charred Stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.111 Set a post, deposited Charred stake, raised mound of earth and made pits as per instructions from corner to Sections 19. 20. 29 and 30

Land Rolling Soil 3rd rate

T 13. N. Range 44 W. 6th P. M

Chains	
	East on a random line between Secs 21 and 29 Va 14° 45' E.
41.00	Set a post for temporary 1/4 Sec. corner
80.62	Intersected N and S line at post corner to Sections 20. 21. 28 and 29 from which corner bears West on a true line between Secs 20 and 29 Va 14° 45' E.
40.31	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.62	The corner to Sections 19. 20. 29 and 30

Land undulating
Soil 2nd rate

Township 13 N. Range 44 W. 6th Principal Meridian

Chains	
	West on a random line between Secs 19 and 30 Va 14° 45' E.
41.00	Set a post for temporary 1/4 Sec. corner
73.00	Wood Road bears South
80.40	Intersected Western boundary of Township 10 links North of post corner to Sections 19 and 30 from which corner bears North 89° 56' E. on a true line between Secs 19 and 30 Va 14° 45' E.
40.40	Set a post. deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.40	The corner to Sections 19. 20. 29. & 30

Land Hilly
Soil 2nd rate

Township 13 N. Range 44 W

Chains	
	North between Secs 19 and 20 Va 14° 45' E
40.00	Set a post. deposited charcd stake raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charcd stake, raised mound of earth, and made pits as per instructions for a Corner to Sections 17. 18 19. and 20.

Land Level
Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a Random line between Secs 17 and 21 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersected N and S line at post corner to Sections 16. 17. 21 and 21 from which corner I run West on a true line between Sec's 17 and 20 Va. 14° 45' E.
400.00	Set a post, deposited charcd stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 17. 18. 19 and 20.

Land undulating
Soil 2nd rate.

Township 13 N. Range 44 W 6th Principal Meridian

Chains	
	West on a random line between Sec.s 18 and 19 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner (bears N)
61.11	Wood Road to H. Sedgwick
80.92	Intersects Western Boundary of Township 20 links North of post corner to Sections 18 and 19 from which corner bears North 89° 51' E. dist on a true line between Sec.s 18 and 19 Va 14° 45' E.
40.92	Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.92	The corner to Sections 17. 18. 19 and 20

Land undulating
Soil 2nd rate.

Chains	
	North between Sec.s 17 and 18 Va 14° 45' E.
440.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
800.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 7. 8. 17 and 18

Land undulating
Soil 2nd rate

T. 13 N. R 44 W. 6th Principal Meridian

chains East on a random line
between Sec's 8 and 17
Va 14° 45' E.

40.00 Set a post, ~~deposited~~
~~Chared Stake, raised~~
~~Mound of earth and~~
~~Made pits as per~~
~~instructions for a~~ for temporary
1/4 Sec. corner

80.49 Intersected N and S line
at post corner to Sections
8. 9. 16 and 17 from
which corner I run
West on a true line between
Sec's 8 and 17
Va 14° 45' E

41.24 Set a post, deposited
Chared Stake raised
Mound of earth and made
pits as per instructions
for a 1/4 Sec. Cor

80.49 The corner to Sections
T. 8. 17 and 18

Land undulating
Soil 2nd rate

Township 13 N Range 44 W. 6th Principal Meridian

chains West on a random line
between Sec's 7 and 18
Va 14° 45' E.

40.00 Set a post for temporary
1/4 Sec. corner

71.00 Road to Ft. Sedgewick bears N

81.23 Intersected Western boundary
of Township 20 links North
of post corner to Sections
7 and 18 from which
corner I run
North 89° 57' E ~~E~~ act on a true
line between Sec's 7 and 18
Va 14° 45' E

41.23 Set a post, deposited
Chared Stake, raised
mound of earth and made
pits as per instructions for
a 1/4 Sec. corner

81.23 The corner to Sections
T. 8. 17 and 18.

Land undulating
Soil 2nd rate

Township 13 N. Range 44 W. — 6th Principal Meridian

Chains — North between Secs 7 and 8
Va 14° 45' E

40.11 — Set a post, deposited
Charred stake, raised
mound of earth and made
pits as per instructions
for a 1/4 Sec corner

80.00 — Set a post, deposited
Charred stake raised
mound of earth and
made pits as per instructions
for a corner to Sections
5. 6. 7. and 8

Land undulating
Soil 2nd rate

Chains — East on a Tandum line
between Secs 5 and 8
Va 14° 45' E

40.1111 — Set a post for temporary
1/4 Sec. corner

80.24 — intersected N and S line
at post corner to Sections
4. 5. 8 and 9. From
Which corner I run
West on a true line between
Sec's 5 and 8
Va 14° 45' E.

40.12 — Set a post, deposited
Charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

80.24 — The corner to Sections
5. 6. 7 and 8.

Land Rolling
Soil 2nd rate

Sept 30th 1869

Township 13 N. Range 44 West

Chains	
	North on a random line between Secs 5 and 6 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.50	Intersected Northern Boundary of Township 154 links East of post Corner to Sections 5 and 6 from which corner a tree bears South 88° 54' East on a line between Secs 5 & 6 Va 14° 45' E.
39.50	Set a post, deposited Charred Stake, raised Mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.50	The corner to Sections 5. 6. 7. 8.

Land undulating
Soil 2nd rate

Oct. 1st 1869

6th Principal Meridian

Chains	
	West on a Random line between Secs 6 and 7 Va 14° 45' E.
40.00	Set a post for temporary 1/4 Sec. Corner
~~48.53~~ 43.53	a point 1.50 chs north of Grave of Joseph Tibbs Killed by the indians July 12th 1867 bears N Wood Road to Ft Sedgwick
45.00	Intersected Western Boundary of Township 40 links North of post Corner to Sections 6 and 7 from which corner a tree bears North 89° 43' East on a line between Secs 6 and 7 Va 14° 45' E.
41.53	Set a post, deposited Charred stake, raised Mound of earth and made pits as per instructions for a 1/4 Sec. corner
81.53	The corner to Sections 5. 6. 7. and 8 Land Rolling Soil 2nd rate

68

Geural Discription

This Township is a
devil plateau
Land poor and
containing alkali
and is without timber
no grass to speak of

Township 13 N. Range 44 West of 6th Principal Meridian

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field notes of Township No. 13 North of the Base Line of Range No. 44 West of the 6th Principal Meridian, showing the respective capacities in which they acted

H. J. Foley	Chainman
Clay Lockwood	Chainman
Frank B. Smith	axeman
John. Bechtol	axeman
John H Goodrich	Flagman
Wm Bradburn	Compassman

For affidavits
See next page

We hereby certify that we assisted William Bradburn, Deputy Surveyor, in surveying and subdividing Township 13 North of the Base Line of Ranges. 41. 42. 43. 44. 45. 46. 47. and 48 West of the 6th Principal Meridian, and that said Townships have been in all respects to the best of our knowledge and belief, well and faithfully Surveyed, and the boundary monuments planted accordingly to the instructions furnished by the Surveyor General

H. J. Foley Chairman
Clay Lockwood "
Flagman for Ranges. 41. 42. 43. 44 and 45 Flagman for Ranges. 46. 47 and 48
H. Smith
Moundman for Contract

John N Goodrich
Flagman for Ranges. 41. 42. 43. and 44. Moundman for Ranges 45. 46. 47 and 48
W. R. Smith
Moundman for Ranges 41. 42 and 43. Flagman for Ranges 45 and Chainman for Ranges. 46. 47. and 48
John Bechtel
Moundman for range 44

Subscribed and sworn to by the above named persons, before me a Notary Public in and for the county of Douglas in the State of Nebraska this 11th day of November AD 1869

R. F. Seall
Notary Public

I William Bradburn
Deputy Surveyor, do
Solemly Swear that, in
pursuance of a joint-contract
wherein William Bradburn
and Matthewson T. Patrick
are joint contractors with
Robert R. Livingston
Surveyor General for
Iowa and Nebraska
bearing date the 28 day
of June A.D. 1869.
I have well, faithfully,
and truly, in my own proper
person, and in strict
conformity with the instruc-
tions furnished by the
Surveyor General, the
Surveying Manual, and
the laws of the United
States, surveyed all those
parts or portions of Township
thirteen north of the base
line of Ranges forty
one, forty two, forty
three, forty four, forty
five, forty six, forty
seven, and forty eight.
(41. 42. 43. 44. 45. 46. 47
and 48) as are represented
on the foregoing and an-
nexed field Notes as having
been surveyed under my
direction; and I do further
Solemly Swear that all the
Corners of said Surveys
have been established and
perpetuated in strict
accordance with the
Surveying Manual and
printed instructions, and
that the foregoing notes are
the true and original
field notes of such surveys

Wm Bradburn
Deputy Surveyor

Subscribed to by said
William Bradburn,
Deputy Surveyor, and
sworn to before me, a
Notary Public in and
for Douglas county in
the State of Nebraska
this 11th day of November
A.D. 1869.

R. F. Seall
Notary Public

Surveyor Generals Office
Plattsmouth Neb April 7th. 1870.

The foregoing field notes of the survey of
the subdivision lines of Township No.
13 North of the Base Line of Range
No. 4 West of the 6th Principal Meridian
in the State of Nebraska, executed by
William Bradburn, under joint contract
No. 27. of June 25. 1869. wherein Wm.
Bradburn & M. T. Patrick, are joint
contractors, in the months of September
& October 1869. having been critically
examined, the necessary corrections and
explanations made, the said field notes
and the surveys they describe are hereby
approved.

Robt. R. Livingston
Surveyor General.

T 14 N., R 44 W.

6	60	5	46	4	35	3	24	2	13	1	
	59		59		45		34		23		12
7	59	8	44	9	33	10	22	11	11	12	
	58		57		43		32		21		10
18	56	17	42	16	31	15	20	14	9	13	
	55		54		41		30		19		8
19	53	20	40	21	29	22	18	23	7	24	
	52		51		39		28		17		6
30	50	29	38	28	27	27	16	26	5	25	
	49		48		37		26		15		4
31	47	32	36	33	25	34	14	35	3	36	

Subdivision
of
Township No. 14
North
of
Range 44 West
of
6th Principal Meridian

Commenced August 26th
Finished August 30th 1870
by
Jas McBride & E.B. Murphy

Names of Assistants

Chainman
Marcus. Griffin
Chainman
Harry. Boggs
Chainman
Josiah. Axe
Chainman
Frank. J. Sullivan
Mound builder & Flagman
Oscéola Dyer
Charles. Kelley
Charles Helberg
Henry Osborne

Township No. 14 S. Range No. 4 E.
West 6th Principal Meridian
North between sections 35. & 36.
Var 14° 45' E.

Hole set post deposited
stoned stake raised
mound of earth with
pits as per instruc-
tions for ¼ section corner
4256 Ravine bears S. E.
8000 set post deposited
stoned stake raised
mound of earth with
pits as per instruc-
tions for corners to
sections, 25. 26. 35. & 36.
surface rolling
soil 3rd rate.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships 13. & 14 N. Rgs 4 & 5 West, and run North, on a blank line along the East Boundary of sect 36
Variation 14° 40' E.

3998 To a point 4 lks E. of ¼ sect corner
4996 To a point 11 lks E. of cor to sects 25. & 36.
To retrace this line or run parallel thereto, my compass must be adjusted to a variation of 14° 45' E.
From the corner to sections 1. 12. 35. & 36. on the South Boundary of the Township. Down

Township No. 14 N. Range No. 4 West 6th Principal Meridian

East	Random Between sects 25. & 36.	
	Var 14° 55' E.	
36 00	Range board E. &	
40 00	set temporary 1/4 sects post	
80 00	intersect range line at ~~section~~ corner to sects 25. 30. 31. & 36 from which corner I run	
West	on true line between sections 25. & 36.	
	Var 14 55 E.	
40 00	set post deprovided chared stake raised mound of earth with pits as per instructions for 1/4 sections ~~post~~ corner	
80 00	corner to sections 25. 26. 35. & 36.	
	surface rolling soil 3rd rate.	

North	Between sections 25 & 26
	Var 14° 55' E.
40 00	set post deprovided chared stake raised mound of earth with pits as per instructions for 1/4 sections. ~~post~~ corner
80 00	set post deprovided chared stake raised mound of earth with pits as per instructions for corners to sections 23. 24. 25. & 26
	surface rolling soil 3rd rate.

Township No. 14 N. Range No. 44 West 6th Principal Meridian

East Random line between sects 24. & 25

Var 14° 50' E

4000 set temporary 1/4 sec. post.

5 52 40 Drain runs S.S.E.

8000 intersect range line 16 links north of ~~east~~ corner to section 19. 24. 25. & 30 from which corner I run

N 89. 53 W. on true line between sections 24. & 25.

Var 14° 50' E

4000 set post deposited stoned stake raised mound of earth with pits as per instructions for 1/4 section post. comm

8000 corners to sections 23. 24. 25. & 26.

surface rolling soil 2nd rate

North Between sections 23 & 24

Var 14° 45' E

4000 set post deposited stoned stake raised mound of earth with pits as per instructions for 1/4 section post. comm

8000 set post deposited stoned stake raised mound of earth with pits as per instructions for corners to sections 13, 14 & 23 & 24

surface rolling soil 2nd rate

Township No. 14 N. Range No. 4

East

4000 Random Between sections 13. & 24.
Var 14° 50' E
set temporary 1/4 sect post
~~"~~ ~~S. P. C.~~
80.00 intersd range line & chains
~~north~~ ~~direction~~ corner to sects 13. 18. 19. & 24 from which Cor. I run —

West

"on true line between the sections 13. & 24
Var 14° 50' E
4005 set post deposited chated stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8010 corner to sections 13. 14. 23. & 24.
surface rolling
soil 3rd rate.

West 6th Principal Meridian

North

Between sections 13. & 14. & 23. & 24.
Var 14° 45' E
4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14
surface rolling
soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

East

Random between sects 12 & 13

Var 14° 50' E

4000 set temporary 1/4 section post

~~4000~~ ~~set~~ ~~post~~

19.92 Intersect range line 14 links North ~~between~~ of ~~sections~~ corner to sects 7. 12. 13. & 18. from which Cor I run

N. 89 1/2 W. on true line between sections 12 & 13

Var 14° 50' E

39.96 set post deposited chased stake raised mound of earth with pits as per instructions for 1/4 section corner

79.92 corner to sections 11. 12. 13. & 14.

surface rolling soil 3rd rate

North

Between sections 11 & 12

Var 14° 40' E

4000 set post deposited chased stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

8000 set post deposited chased stake raised mound of earth with pits as per instructions for corners to sections 1. 2. 11. & 12.

surface rolling soil 3rd rate.

Township No. 14. N. Range 44 West 6th Principal Meridian

East	Random between sects 1 & 12	North	Random Bet sections 12
	Var 14° 35' E		Var 14° 42' E
40.00	set temporary 1/4	40.00	set temporary 1/4
30.00	section post	39.81	section post
	intersect range		intersect town line
	line 21 links South		11 links West of section
	of section corner to sects		corner to sections 11. 2. 35 & 36
	1. 6. & 12 from which Corner I run		from which corner I run
S 89 1/2 W	on true line between	E. 5' W	on true line between
	sections 1 & 12.		sections 1 & 12.
	Var 14° 35' E		Var 14° 42' E
40.00	set post deposited	39.81	set post deposited
	charred stake raised		charred stake raised
	mound of earth		mound of earth & stones
	with pits as per instructions for 1/4 sect		pits as per instructions for 1/4 section
	post corner		corner
80.00	corner to sections	79.81	corner to sections
	1. 2. 11. & 12.		1. 2. 11. & 12.
	surface rolling		surface rolling
	soil 3rd rate.		soil 3rd rate.
			August 26th 1870

Township No. 14 N. Range 4 West 6th Principal Meridian

North Between sections 3 4 & 35
Var 15° 15' E

14 50 ravine runs E.
4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post~~ corner
8000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for corner to
sections 26. 27. 34. & 35
surface rolling
soil 3rd rate.

East Random Between
sections 26. & 35.
Var 14° 30' E

4000 set temporary 1/4 sect
post
8000 intersect sect line
at ~~section~~ corner to
sects 25. 26. 35. & 36 from which cor
West 8.00 run
on true line between
sects 26. & 35.
Var 14° 30' E
4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post~~ corner
8000 corner to sections
26. 27. 34. & 35.
surface rolling
soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

North Between sections 26. & 27

Var 14° 45' E

4000 set post & mound
Chared stake raised
mound of earth
with pits as per
instructions for 1/4
section ~~post~~ corner

8000 set post & mound
Chared stake raised
mound of earth
with pits as per
instructions for cor-
ners, to sections 22, 23 & 26. & 27
~~22. & 23~~ surface rolling
soil 3rd rate.

East Random Between secs.
23. & 26.

Var 14° 45' E

4000 set temporary 1/4
section post
8000 intersect sect line
42 links South of
~~section~~ corner to sections
23. 24. 25 & 26. from which cor
S 89° 42' W on true line between
sections 23 & 26.

Var 14° 45' E

4000 set post & mound
Chared stake raised
mound of earth
with pits as per ins-
tructions for 1/4 section
~~post~~ corner
8000 corner to sections
22. 23. 26. & 27.
surface rolling
soil 3rd rate.

Township No. 14 N. Range No. 24 W. 44

North Between sections 22 & 23

Var 14° 40' E

4000 set post & deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post.~~ corner

8000 set post deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for corner to
sections 14. 15. 22. & 23
surface rolling
soil 3rd rate.

West 6th Principal Meridian

East Random Between
sections 14 & 23

Var 14° 25' E

4000 set temporary 1/4
section post.

8000 intersect section line
at section corner to
sections 13. 14. 23. & 24 from which Cor.
West ~~Found~~ on true line between
sections 14 & 23.

Var 14° 25' E

4000 set post deposited
Chared stake raised
mound of earth
with pits as per
instructions for 1/4
section ~~post~~ corner
8000 corner to sections
14. 15. 22. & 23.
surface rolling
soil 3rd rate.

18 20 Township No. 14 N. Range 44 West 6th Principal Meridian.

N	North	Between sections 14 & 15 Var 14°45' E	East	Random Between sections 11. & 14 Var 14°42' E
4	4000	set post "deposited" chased stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner	4000	set temporary 1/4 section post
	8012	set post deposited chased stake raised mound of earth with pits as per instructions for corners to sections 10. 11. 14. & 15 surface rolling soil 3rd rate.	8012	intersect section line 80 links north of ~~section~~ corner to sects 11. 12. 13. & 14 from which cor bears N. 89°39' W. on true line between sections 11 & 14 Var 14°42' E
			4006.	set post deposited chased stake raised mound of earth with pits as per instructions for 1/4 section corner
			8012	corners to sections 10. 11. 14. & 15. surface rolling soil 3rd rate.

Township No. 14 N. Range 4 4

North Between sections 10 & 11
Var 14° 45' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post corner

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for corners to
sections 2. 3. 10. & 11.
surface rolling
soil 3rd rate.

West 6th Principal Meridian

East Random Between
sections 2 & 11
Var 14° 45' E

4000 set temporary 1/4 section
post
1/4 intersect section line
at section corner to
sect. 1. 2 fl. 42 from which cor. I own
West on true line between
sections 2 & 11
Var 14° 45' E

39.78 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post. corner
1/4 corner to sections
2. 3. 10. & 11.
surface rolling
soil 3rd rate.

24

Township No. 14 N. Range 4 W. of the 6th Principal Meridian

North. Boundary Between sections 2 & 3.

Var 14° 45' E

4000 set temporary 1/4 section post

8012 intersect town line 11 links West of ~~sec~~ corner to sections 2. 3. 34. & 35. from which Cor. bears ~~S.~~ 5° W. on true line between sections 2 & 3.

Var 14° 45' E

4012 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post, corner

80 12 corner to sections 2. 3. 10. & 11

surface rolling soil 3rd rate

August 27th 1870

25

West 6th Principal Meridian

North Between rects 33 & 34.

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~, corner

7900 Ranges bears S E.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33. & 34

surface rolling soil 3rd rate

Township No. 14 N. Range 4th

East Randonii: Between sections 27. 034.

Var 14°45' E

4000 set temporary 1/4 section post.

8000 intersect section line 27 links north of section corner to sects 26.27.34.35. from which cor bears N 89° 45' W true line between sections 27. 034.

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post corner

8000 corner to sections 27. 28. 33 & 34.

surface rolling soil 3rd rate.

West 6th Principal Meridian

North Between sections 27. 028

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 21. 22. 27. & 28.

surface rolling soil 3rd rate.

28

Township No. 14 N. Range 44 West 6th Principal Meridian

29

East

Random Between sections 22 & 27.

Var 14°40' E

4000 set temporary 1/4 section post

7930. intersect section line 20 links north of ~~section~~ corner on ½ sects 22. 23. 26. & 27. from which corner Drum

N. 89° 50' W. on true line between sections 22 & 27.

Var 14°40' E

3965 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 ~~section~~ post. corner

1930 corner to sections 21 22. 27. & 28. ~~stake raised~~ Mound of Earth with pits as per

Surface rolling

Soil 3rd rate

North

Between sections 21 & 22

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for ~~corners~~ to sections 15. 16. 21. & 22

Surface rolling

Soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

East Random Between sections 15. & 22.
Var 14° 40' E
4000 set temporary 1/4 section post.
8000 intersect section line at ~~section~~ corner to sects 14. 15. 22. & 23 from which corner I run.
West on true line between sections 15 & 22.
Var 14° 40' E
4000 set post "deposited" chased stake raised mound of earth with pits as per instructions for 1/4 section post. corner
8000 Corner to sections 15. 16. 21 & 22.
Surface rolling
Soil 3rd rate.

North Between sections 15. & 16
Var 14° 45' E
4000 set post "deposited" chased stake raised mound of earth with pits as per instructions for 1/4 section post. corner
8000 set post deposited chased stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15. & 16
Surface rolling
Soil 3rd rate

Township No. 14 N. Range 44

East

Random between sections 10 & 15

Var 14° 40' E

4000 Set temporary 1/4 section post

40.00 4 # intersect section line 33 links North of ~~section~~ corner to sec 10. 11. 14. & 15, from which cor I run N. 89° 46' W. on 44 1/2" W. on 1/4 line between sections 10. & 15.

Var 14° 40' E

40.00 2 Set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner

80.00 4 corner to sections. 9. 10. 15. & 16. Surface rolling soil 3rd rate.

West 6th Principal Meridian

North Between sections 9. & 10

Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post. corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections. 3. 4. 9. & 10

Surface rolling soil 3rd rate.

Township No. 14 N. Range 44

East

Random Between sects 3 & 10

Var 14° 40' E

4000 set temporary 1/4 section post.

1984 intersect section line 33 links north of sect corner to sects 2. 3. 10. & 11. from which corner I run

N 89° 45' W 6 chs 7 lks from line between sections 3 & 10

Var 14° 40' E

3992 set post "deposited" chored stake raised mound of earth with pits as per instructions for 1/4 section post. corner

7 7984. corner to sections 3. 4. 9. & 10.

Surface rolling soil 3rd rate

West 6th Principal Meridian

North

Random Between sects 3 & 4.

Var 14° 40' E

4000 set temporary 1/4 section post.

5000 intersect Township line at section corners between sections 3. 4. 33. & 34 from which corner I run

South on true line between sections 3 & 4.

Var 14° 40' E

4000 set post "deposited" chored stake raised mound of earth with pits as per instructions for 1/4 section corner to sections 3. 4. 9. & 10.

Surface rolling soil 3rd rate.

August 28th 1870

Township No 14 N. Range 44 West 6th Principal Meridian

North Between sections 32. T33

Var 14°46'E

4000 set post "deposited
Chared stake raised
Mound of earth with
pits as per instruc-
tions for 1/4 section
post corner

5000 set post deposited
Chared stake raised
Mound of earth with
pits as per instruc-
tions for corners to
sections 28.29.32.T33
Surface rolling
soil 3rd rate.

East Random. Between
sections 28 T33.

Var 14°50'E

4000 set temporary 1/4 sect post
5000 varnish brand E.
7988 intersect section line
50 links North of ~~sect~~
corners sections 27.28.33.
T34. from which corner I run
N.89°39'W. on true line between
sections 28 T33.

Var 14°50'E

3994 set post deposited.
Chared stake raised
Mound of earth with
pits as per instruc-
tions for 1/4 section corner post
7988 corner to sections
28.29.32.T33.
28
Surface rolling
soil 3rd rate.

Township No. 14 N. Range 4 W. 6th P. Meridian

North Between sections 28 & 29.

Var 14° 50' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post. corner

67 00 varia. bears East.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 20. 21. 28. & 29

surface rolling soil 3rd rate.

East Random Between sections 21. & 28

Var 14° 50' E

1350 varia. bears South East

4000 set temporary 1/4 section post.

8000 intersect section line 22 links North of corner to sections 21. 22. 27. & 28. from which cor. I run

N 89° 15' W. on true line between sections 21 & 28.

14° 50' E

Var

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section Corner.

8000 corner to sections 20. 21. 28. & 29.

surface rolling soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

N.	North	Between sections 20 & 21 Var 15°10' E	East	Random Between sects 16. & 21. Var 14°50' E	
4	2/00	drive bears E.E.	15.50	road bears N. & S.	
	4000	set post deposited	4000	set temporary 1/4	
		Chared stake raised		section post.	
		mound of earth with	8000	intersect section line	
		pits as per instruc-		12 links North of	
		tions for 1/4 section		~~section~~ corner to sections	
		~~post~~ corner		16. 16. 21. & 22. from which ctr Iron	
6	8000	set post deposited	N 89°55' W.	on Sub. line between	
Do.		Chared stake raised		sections 16. & 21.	
		mound of earth with		Var 14°50' E	
		pits as per instruc-	4000	set post deposited	
		tions for corners to		Chared stake raised	
		sections 16. 17. 20 & 21.		mound of earth with	
		Surface rolling		pits as per instruc-	
		soil 3rd rate.		tions for 1/4 section	
				~~post~~ corner	
			8000	corner to sections	
				16. 17. 20. & 21.	
				Surface roll	
				soil 3rd rate.	

Township No. 14 N. Range 44 West 6th Principal Meridian

North Between Sections 16. & 17

Var 14°40'E

4000 set post deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post. corner

3000 set post deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for corners to
sections 8. 9. 16. & 17.
surface rolling
soil 3rd rate.

East Random Between
sections 9 & 16.

Var 14°40'E

4000 set temporary 1/4
section post
3000 intersect section north
line 134 links
of section corner to
sections 9. 10. 15. & 16. from which cor
N. 89° 3' W. bears true line between
sections 9 & 16.

Var 14°40'E

4000 set post deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post. corner
3000 corner to sections
8. 9. 16. & 17.
surface rolling
soil 3rd rate

Township No. 14 S. Range 44

North Between sections 8 & 9
Var 14° 40' E

4000 set temporarily 1/4
section post.

4000 set post deposited
chased stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post. corner

8000 set post deposited
chased stake raised
mound of earth with
pits as per instruc-
tions for corners.
to sections 4. 5. 8. & 9

surface rolling
soil 3rd rate.

West 6th Principal Meridian

East Random Between
sections 4 & 9.
Var 14° 48' E

4000 set temporarily 1/4
section post.

1984 intersect section
line 68 links north
of section corner to
sects 3. 4. 9. & 10 from which Cor.
N 89° 31' W true line between
sections 4 & 9.
Var 14° 48' E

3982 set post deposited
chased stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post. corner

1984 corner to sections
4. 5. 8 & 9.

surface rolling
soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

North Random Between sections 4 & 5.

Var 14° 45' E

4000 set temporary 1/4 section post.

19.92 intersect township line 4 links East of section Corner to sects 4. 5. 32. & 33. from which set Down

2' & on line line between sects 4 & 5

Var 14° 45' E

3996 set Iron pipe deposited Chased slate raised Mound of earth with pits as per instructions for 1/4 section post corner

19.92 corner to sections 4. 5. 8 & 9.

Surface soil Soil 3rd rate.

August 29th 1870

North Between sections 31 & 32.

Var 14° 30' E

4000 set Iron pipe deposited Chased slate raised Mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32

Surface soil Soil 3rd rate.

Township No. 14 N. Range 4th West 6th Principal Meridian

East

Random Between sections 29. T32

Var 14°50'E

40.00
4000 set temporary 1/4 section post.

1980 intersect section line between sections 17 links south of corner to sects 28.29.32.T33. from which cor bears N. 89°53' W. 80 links

on true line between sections 29. T32.

Var 14°50'E

3990 set post & deposited chased stake raised mound of earth with pits as per instructions for 1/4 sect post corner

79.80 corner to sections 29.30.31. T32

surface rolling soil 3rd rate

West

Random Between sections 30 T31

Var 14°50'E

1000 road bears N. 50 E.

4000 set temporary 1/4 section post

1906 intersect Range line 15 links North of corner to sections 25.30.31.T36 from which corner Iron

N 89°54' W on true line between sections 30 T31.

Var 14°50'E

3906 set post & deposited chased stake raised mound of earth with pits as per instructions for 1/4 section

1906 post corner to sections 29.30.31.T32.

surface rolling soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

North 4000 Between sections 29 & 30
Var 15° 15' E
set post deposited
Chased stake
raised mound of
Earth with pits as per
instructions for 1/4
section post corner
8000 set post deposited
Chased stake raised
mound of Earth
with pits as per
instructions for
Corners, to sections
19. 20. 29. & 30.
Surface rolling
soil 3rd rate.

East 4000 Random Between
sections 20 & 29.
Var 14° 55' E
set temporary 1/4
section post.
8000 intersect section line
at section corners
sections 20. 21. 28. & 29 from which cor
West 8000 on line bears
sections 20 & 29.
Var 14° 55' E
4000 set post deposited
Chased stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
post corner
8000 corner to sections
19. 20. 29. & 30.
Surface rolling
soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

West

4000 Random Between sections 19. & 30.
Var 14° 55' E
set temporary 1/4 section Post.

7/62 intersect Range line at ~~section~~ corner to sections 19. 24. 25. & 30. From which corner I run

East on true line between sections 19. & 30.
Var 14° 55' E

3/62. set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section Post comm

7/62 corner to sections 19. 20. 29. & 30.
surface roll
soil 3rd rate.

North

Between Sections 19 & 20
Var 15° 10' E

2200 ravine bears S. E.

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~Post~~ comm

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 17. 18. 19. & 20.
surface roll
soil 3rd rate.

Township No. 14 N. Range 44 West 6th Principal Meridian

East	Random. Between sections 17. & 20 Var 14°50' E		West	Random Between sections 18. & 19 Var 14°50' E	
4000	set temporary 1/4 section post		4000	set temporary 1/4 section post	
8010	intersect ~~sect~~ line 11 links south of ~~section~~ corner to secs 16. 17. 20. & 21. from which cor bears		1852	intersect range line 32 links north of ~~section~~ corner to sections 13. 18. 19. & 24 from which cor bears	
S 89° 55' W	on true line betw sects 17. & 20. Var 14°50' E		N 89° ~~55~~ 46' E	on true line betw sects 18. & 19. Var 14°50' E	
4005	set post "deposited" chaned stake raised mound of earth with pits as per instructions for 1/4 section		3852	set post deposited chaned stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner	
8010	corner to sections 17. 18. 19. & 20. surface soil soil 3rd rate.		1852	corner to sections 17. 18. 19. & 20. surface soil soil 3rd rate.	

Township No. 14 N. Range 44 West 6th Principal Meridian

North

Between sections 17 & 18
Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post. corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for Corners to sections 7. 8. 17. & 18
Surface roll
Soil 3rd rate

East

Random Between sections 8 & 17
Var 14° 45' E

4000 set temporary 1/4 section post

4200 road bears N. 89°
1996 intersect section line 27 links north of ~~section~~ corner to sections 8. 9. 16. & 17. from which corner a pine

N 89° 48' W. on true line bears
" sects 8 & 17 - Var. 14° 45' E.

39.98 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect post corner

1996 Corners to sects. 7. 8. 17. & 18
surface roll
soil 3rd rate

Township No. 14 N. Range 44 West 6th Principal Meridian

West	Random Between sections 7. & 8. Var 14° 45' E
4000	set temporary 1/4 sect post
7910	intersect range line 14 links South of sect corner to sections 7. 12. 13. & 18 from which corner I run
S 89° 54' E	on true line between sections 7. & 8. Var 14° 45' E
3910	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section post comm
7910	corner to sections 7. 8. 17. & 18. surface rolling soil 3rd rate

North	Between sects 7. & 8. Var 14° 40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section
8000	post comm set post deposited chared stake raised mound of earth with pits as per instructions for corners to sects 5. 6. 7. & 8. surface rolling soil 3rd rate
East	Random betw sects 5 & 8. Var 14° 45' E
4000	set temporary 1/4 section post
7990	intersect section line 36 links North of section corner to sects 4. 5. 8. & 9 from which
N 89° 45' W	corner I run true line between sects 5. & 8 Var 14° 45'
39.98	set post deposited chared stake raised
7990	mound of earth with pits as per instructions for 1/4 section post comm corner to sects 5. 6. 7. & 8. surface roll soil 3rd rate
West	Random between sections 6. & 7 Var 14° 40' E
4000	set temporary 1/4 sect post
7889	intersect town ship line at section corner to sections 1. 6. 7. & 12. from which corner I run
East	on true line between sects 6 & 7 Var 14° 40'
3889	set post deposited chared stake raised
	mound of earth with pits as per
7889	instructions for 1/4 section post comm corner to sections 5. 6. 7. & 8. surface roll soil 3rd rate

North Randow Reto sects 5 & 6 Var 14° 4' E

4000 set temporary "1/4 section" post

8008 intersect township line 63 links West of section corner to sects 5.6.31.&32

80.00 27' W. on this line between sects 5 & 6.

4008 set post deposited charcoal Var 14° 4' E
raised mound of earth with stake
pits as per instructions for 1/4 sect
post. corner

8008 corner to sections 5.6.7 & 8.

surface rolling
soil 3rd " rate

General Discription.

The land in this Township is not well adapted to cultivation, the land being high, rolling & dry, and affords but a scanty supply of grass; there is in a large portion of the township that the soil, is well adapted to small grain, if there was rain or any chance to irrigate; I know of no means to irrigate; there is neither water nor timber in the Township.

August 30th 1870

For Oaths of Surveyor & Assistants see Subdivision of T. 15, R. 4 W.

Surveyor Generals Office
Plattsmouth Neb. Nov. 12. 1870.

The foregoing plat & Notes of the Survey of the Subdivision lines of Township No. 14 North of the Base line of Range No 4 4 West of the 6th Principal Meridian in the State of Nebraska; executed by James McBride, under Joint Contract of the 5th day of Aug. 1870. wherein James McBride & Edward B. Murphy are Joint Contractors, in the Matter of August 1870. having been critically examined the necessary corrections and explanations made, the said plat & Notes and the Surveys they describe are hereby approved.

Robt. E. Livingston
Surveyor General.

T 15 N., R 44 West

	6	56	5	46	4	35	3	24	2	13	1
		55		45		34		23		12	
	7	54	8	44	9	33	10	22	11	11	12
		54		33		43		32		21	10
	18	53	17	42	16	31	15	20	14	9	13
		52		52		41		30		19	8
	19	51	20	41	21	29	22	18	23	7	24
		51		50		39		28		17	6
	30	50	29	38	28	27	27	16	26	5	25
		49		48		37		26		15	4
	31	47	32	36	33	25	34	14	35	3	36

Subdivision

of

Township No. 15 North

of

Range No. 44 West

of

6th Principal Meridian

Commenced October 9th 1870

Finished October 13th 1870

by

Jas McBride & E. P. Murphy

Names of Assistants

Chainmen

Marcus J. Griffen
Francis J. Sullivan
Leigh Ayre
Henry Boggs.

Mound Builders Flagmen

Osceola Dyer
Charles Kelley
Charles Hellberg
Henry Osborne

Having run the exterior lines with the same Instrument & Chainmen I deem it unnecessary to retrace the East Boundary of Sect 36.

Township No. 15 N. Range No. 4 E

West 6th Principal Meridian

South Between Sections 35 & 36.

Var 14 2/3 E

4000 set post deposited & chared stake raised mound of earth with pit as per instructions for 1/4 sect post

8000 set post deposited & chared stake raised mound of earth with pit as per instructions for Corners to Sections 25. 26. 35 & 36

Surface rolling

Soil 3rd rate

"

Township No. 15 N. Range 4 East Raudom Polo Sects 25. & 36.

Var 14° 45' E

4000 set temporary 1/4 sect post

7940 intersect range line 60 links North of set corner to Sections 25. 30 31 & 36 from which corner I run

N 89° 34' W on line between sections 25 & 36.

Var 14° 45' E

3970 set post & mound stone raised mound of earth with pits as per instructions for 1/4 sect corner

7940 1/4 sect post corner to Sections 25. 26. 35 & 36.

Surface rolling Soil 3rd rate.

West 6th Principal Meridian

North Between Sections 25 & 26.

Var 14° 45' E

4000 set post & mound stone raised mound of earth with pits as per instructions for 1/4 sect corner

8000 set post & mound stone raised mound of earth with pits as per instructions for Corners to Sections 23. 24. 25. & 26

Surface Level Soil 2nd rate

Township No. 15 N. Range #44

East
4000 Random Line Between Sect 24 & 25 Var 14° 40' E
set temporary 1/4 section post
8000 intersect range line at ~~sect~~ corner to sects. 19. 24. 25. & 30. From which cor Pine 8 ins on line between sections 24 & 25.
West
Var 14° 40' E
4000 set post defaulted chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~cor~~ corner to sections 23. 24. 25. & 26.
Surface rolling
Soil 3rd rate

West 6th Principal Meridian

North Between Sections 23 & 24
Var 14° 35' E
4000 set post defaulted chared stake raised mound of earth with pits as per instructions for 1/4 sect ~~cor~~ corner.
5500 Ravine bears East
8000 set post defaulted chared stake raised mound of earth with pits as per instructions for Corners to Sections 13. 14. 23 & 24.
Surface rolling
Soil 2nd rate

Township No. 15 N. Range 24.

East

1800 Ravine bears N.E
1000 set temporary 1/4 section post.
6650 Ravine bears N.E
8000 intersect range line 27 links North of ~~cor~~ corner to sects. 13. 18. 19. & 24. from which corner I run N. 89° 48' W. on true line between sects 13 & 24

Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~cor~~ corner
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 13. 14. 23 & 24.

Surface rolling
Soil 3rd rate.

West 6th Principal Meridian

North

Sects 13 & 14

Var 14° 46' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners to sections 11. 12. 13. & 14.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range No. 4

East	Random Between sections 12 & 13.
	Var 14° 40' E
4 00	set temporary 1/4 sec't post.
80 12	intersect range line at ~~section~~ corner to Sects 7. 12. 13. 18 from which cor'd'rs
West	on true line between sections 12 & 13
	Var 14° 40' E
40 06	set post deposited chard stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
80 02	corner to sections 11. 12. 13 & 14.
	Surface rolling Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 11 & 12
	Var 14° 20' E
4 00	set post deposited chard stake raised mound of earth with pits as per instructions for 1/4 section post corner.
4 01	ravine bears N.E
8 00	set post deposited chard stake raised mound of earth with pits as per instructions for corners to sections 11. 2. 11. & 12.
	Surface rolling Soil 3rd rate.

Township No. 15. N. Range 4 West 6th Principal Meridian

East. Random Betw Sects 1 & 12
Var 14° 30' E

4000 set temporary 1/4 section post.

6000 Varins Bears N.E
7990 intersect Range line at section corner to Sects 1. 6 7. & 12 from which corner Bears
West on true line between sects 1 & 12

Var 14° 30' E

3998.5 set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

7990 corner to sections 1. 2. 11. & 12

Surface rolling
Soil 3rd rate

North Random Betw Sects 1 & 12
Var 14° 25' E

250 varins Bears N.E
4000 set temporary 1/4 section post
8075. intersect township line at section corner to Sects 1. 2. 35. & 36. from which cor Bears
Southerly true line between sections 1 & 12.

Var 14° 25' E

4075 set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 sect ~~cor~~
8075 corner to sections 1. 2. 11. & 12

Surface rolling
Soil 2nd rate.

Oct 9th 1870

Township No. 15 N. Range No. 44 West 6th Principal Meridian

North	Between Sects 34 & 35. Var 14° 35'
4000	set post deposited chard stake raised mound of earth with pits as per instructions for ¼ sec'd ~~post~~ corner.
8000	set post deposited chard stake raised mound of earth with pits as per instructions for Corner to sections 26. 27. 34. & 35 Surface rolling Soil 2nd rate

East	Random Betw Sects 26 & 35 Var 14° 40' E
4000	set temporary ¼ section ~~post~~ corner
8000	intersect section line 36 links North of section corner to sects 25. 26. 35. & 36. from which a Pine bears N 89° 45" W on true line between sections 26 & 35. Var 14° 40' E
4000	set post deposited chard stake raised mound of earth with pits as per instructions for ¼ section ~~post~~ corner
8000	corner to sections. 26. 27. 34. & 35. Surface rolling Soil 3rd rate.

Township No. 15 N. Range 4 E West 6th Principal Meridian

North Between Sections 26 & 27
Var. 14° 35' E

4000 set post deposited chard stake raised mound of earth with pits as per instructions for 1/4 section ~~sect~~ corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. 27.

Surface rolling
Soil 3rd rate.

East Random Betw Sects 23. & 26
Var 14° 35' E

4000 set temporary 1/4 section post.

4950 intersect section line at ~~section~~ corner to Sects 23. 24. 25. & 26. from which cor I run

West on true line between sections 23 & 26.
Var 14° 35' E

3975 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

7950 corner to sections 22. 23. 26. & 27.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range No. 4 West 6th Principal Meridian

North		Between Sections 22 & 23	East		Random Betw Sects 14 & 23
		Var 14° 35' E			Var 14° 30' E
25 0		Wagon Road bears NE & SW	4000		set temporary ¼ section
4000		set post deposited			post.
		Chared stake raised	4 00		ravine bears NE.
		Mound of earth with	4926		intersect section line
		pits as per instruc-			12 links South of ~~sect~~
		tions. for ¼ section			Corner to Sections 13. 14. 23. &
		~~post~~ corner			24 from which cor & run
8000		set post deposited	89° 55'		on true line between
		Chared stake raised			sections 14 & 23.
		Mound of earth with			Var 14° 30' E
		pits as per instruc-	3963		set post deposited chared
		tions for corner ~~to~~ to			stake raised Mound
		sections 14. 15. 22 & 23.			of earth with pits as
		Surface rolling			per instructions for ¼
		Soil 2nd rate.	4926.		section ~~post~~. corner
					corner to sections 14.
					15. 22. & 23.
					Surface rolling
					Soil 2nd rate

Township No. 15 N. Range 44 West 6th Principal Meridian

North	Between sections 14 & 15 Var 14° 35' E	East	Random line between sections 11 & 14 Var 14° 35' E
4000	set post "deposited" Chased stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.	4000	set temporary 1/4 section post.
7980		7980	intersect section line 13 links North of ~~section~~ corner to Sects 11. 12. 13 & 14 from which corner I run
		N 89° 54' E	on true line between sections 11 & 14 Var 14° 35' E
8000	set post "deposited" chased stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. & 15.	3990	set post "deposited" chased stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.
		7980	corner to sections 10. 11. 14 & 15.
	Surface rolling Soil 2nd rate.		Surface rolling Soil 3rd rate.

Township No. 15 N. Range 44 West 6th Principal Meridian

North Between sections 10 & 11 Var 14° 20' E

4000 set post "deposited Chared. stake raised mound of earth with pits as per instructions for 1/4 section post. Corner

3000 set post deposited chared stake raised mound of earth with pits as per instructions for corners, to sects 2.3.10 & 11

Surface rolling Soil 2nd rate.

East Random Between sections 2 & 11. Var 14° 30' E

4000 set temporary 1/4 section post

7920 intersect section line 9 links North of ~~section~~ Corner post "

1.2.11.12 from which a pine

N 89° 56' W on line between sects

2 & 11 Var 14° 30' E

3960 set post deposited chared

stake raised mound of earth

with pits as per instructions

for 1/4 sect ~~post~~ corner

7920 corner to sections 2.3.10.&11

Surface rolling

Soil 2nd rate.

Township No. 15 N. Range No. 44 West 6th Principal Meridian

North Between Sections 2 & 3.

Var 14° 20' E

4000 set temporary Section post. North boundary of Township

8009 intersect ~~section~~ ~~line~~ 35 links West of ~~section~~ Corner to Sec^ts 2. 3. 34. 35. from which Cor Pound on true line between sections 2 & 3.

S 15 W

Var 14° 20' E

4009 set post deposited shared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ Cor

8009 corner. to sections 2. 3. 10. & 11

Surface rolling Soil 2nd rate

Oct 10th 1870

North Between Sections 33 & 34

Var 14° 35' E

4000 set post deposited shared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

8000 set post deposited shared stake raised mound of earth with pits as per instructions for corners to sections 27. 28. 33. & 34.

Surface rolling Soil 2nd rate

Township No. 15 S. Range #4 West 6th Principal Meridian

East Random Between sections 27 & 34.

4000 set temporary ¼ sec'd post.

1980 intersect section line at ~~section~~ corner to Sects. 26. 27. 34. & 35. from which cor Pine bears true line between sections 27 & 34.

Var 14° 35' E

West 3990 set post deposited charred stake raised mound of earth with pits as per instructions for ¼ section ~~post~~ corner

1980 corner to sections 27. 28. 33 & 34.

Surface rolling Soil 3rd rate.

North Between sections 27 & 22 E.

Var 14° 35' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for ¼ section

8000 ~~post~~ corner

set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28

Surface rolling Soil 2nd rate.

28

Township No. 15 N. Range 4 W

East	Random Between Sects 22 & 27. Var 14° 35' E	
4000	set temporary 1/4 sect post	
79.74	intersect section line 60 links South of cor to Sects 22. 23. 26. & 27. from which Ø Ø run on true line between sections 22 & 27. Var 14° 35' E	
S 89° 34' W		
3987	set post Deposited Chard stake raised mound of earth with pits as per instructions for 1/4 section post cor.	
1974	Corner to sections 21. 22. 27. & 28.	
	Surface rolling Soil 3rd rate.	

29

West 6th Principal Meridian

North	Between Sections 21. & 22. Var 14° 40' E
2300	Range Trees N.E.
4000	set post deposited Chard stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner
8000	set post deposited Chard stake raised mound of earth with pits as per instructions for Corners to sections 15. 16. 21. & 22.
	Surface rolling Soil 3rd rate.

Township No. 15 N. Range No. 4 West 6th. Principal Meridian

East	Random Between Sections 15 & 22. Var 14° 35' E.	North	Between Sections 15 & 16 Var 14° 15' E.
4000	set temporary 1/4 section post	4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ cor.
1948	intersect section line 15 links North of ~~section~~ corner to Sections 14. 15. 22. & 23. from which cor. bears N 89° 28' W. and true line between sections 15 & 22.	8008	set post deposited chared stake raised mound of earth with pits as per instructions for corners, to sections 9. 10. 15. & 16
3970	Var 14° 35' E set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.		Surface rolling Soil 3rd rate.
7940	~~x~~ Corner to sections 15. 16. 21. & 22.		
	Surface rolling Soil 3rd rate.		

Township No. 15 N. Range No. 14 West 6th Principal Meridian

East. Random Between section 10 & 15

Var 14° 35' E.

4000 set temporary ¼ post
7950 intersect section line
at ~~section~~ corner to secs
10. 11. 14. & 15. from which Cor. Pine
West on line between
sections 10 & 15

Var 14° 35' E.

3975 set post deposited chard
stake raised mound of
earth with pits as per
instructions. for ¼ section
7950 ~~post~~. corner.
corner to sections 9. 10. 15.
& 16

Surface rolling
Soil 3rd rate.

North Between Sections 9 & 10

Var 14° 15' E.

4000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for ¼ section ~~post~~ cor.
8000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for corner * to sections
3. 4. 9 & 10

Surface rolling
Soil 3rd rate.

Township No. 15 . r. Range 44

East on a Random line Between Sections 3 & 10.

Var 14° 35' E

4000 set temporary 1/4 sec post.

8000 intersect section line 5 links South of ~~section~~ corner to secs 2.3.10.11 from which corner I run

S 89° 58' W on true line between sections 3 & 10

Var 14° 35' E

4000 set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

8000 ~~sec~~ corner to sections 3.4. 9 & 10

Surface rolling Soil 3rd rate.

West 6th Principal Meridian

North on a Random line Between Sections 3 & 4.

Var 14° 20' E

4000 set temporary 1/4 section post.

8010 intersect township line 21 links West of ~~section~~ corner to sections 3.4.33. & 34 from which corner I run

S 89° 58' W on true line between sections 3 & 4.

Var 14° 20' E

4010 set post deposited charcoal stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

8010 corner to sections 3.4. 9. & 10.

Surface rolling Soil 3rd rate.

Oct 11th 1870

Township No. 15 N. Range #4 West 6th Principal Meridian

North Between sections 32 & 33
Var 14° 0' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post~~ corner.

8000 ~~Set~~ post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for corners, to
sections 28. 29. 32. & 33.

Surface rolling
Soil 3rd rate.

East Random Between Sections
28 & 33.

Var 14° 35' E

4000 set temporary 1/4 sec.
post.

7960 intersect section line
28 links South of ~~east~~
corner to sects. 27 28. 33.
34. from which corner
S 89° 45' W one mile line between
sections 28 & 33

Var 14° 35' E

3980 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for 1/4 section ~~post~~ corner
7960 corner to sections 28.
29. 32 & 33.

Surface rolling
Soil 3rd rate.

38

Township No. 15 N. Range No. 44 West 6th Principal Meridian

39

North	Between Sections 28 & 29. Var 14° 35' E	East	Random Line Sects 21 & 28. Var 14° 40' E
2100	Wagon Road N.N.E. & S.S.W.	4000	set temporary 1/4
4000	set post deposited		section post.
	Chard stake raised	5100	ravine bears N.E.
	mound of earth with pits	7960	intersect section line
	as per instructions for		at ~~section~~ corner to ~~sects~~
	1/4 section ~~post~~. corner		21. 22. 27. & 28. from which cor'd
8000	set post deposited chard	West	run on true line between
	stake raised mound of		sections 21 & 28.
	earth with pits as per		Var 14° 40' E
	instructions for corners	3980	set post deposited
	to sections 20. 21. 28. & 29.		Chard stake raised
	Surface rolling		mound of earth with
	Soil 3rd rate.		pits as per instructions
		7960	for 1/4 section ~~post~~. cor.
			corner to sections 20.
			21. 28. & 29.
			Surface rolling
			Soil 3rd rate.

40

Township No. 15 N. Range #4 West 6th Principal Meridian

41

North		Between sections 20 & 21	East		Random Between sections
		Var 14° 35' E			16 & 21.
	4000	set post deposited			Var 14° 40' E
		Chared stake raised		4000	set temporary 1/4 section
		mound of earth with			post.
		pits as per instruction		6225	road bears N. W.
	8000	for 1/4 section ~~post~~ cor		8000	intersect section line
		set post deposited			at ~~section~~ corner to sects.
		Chared stake raised			15. 16. 21. & 22 from which cor
		mound of earth with	West		run on true line between
		pits as per instruc-			sections 16 & 21
		tions for corner to			Var 14° 40' E
		sections 16. 17. 20 & 21.		4000	set post deposited
		Surface rolling			Chared stake raised
		Soil 3rd rate.			mound of earth with
					pits as per instructions
					for 1/4 section ~~cor~~ t. corner
				8000	corner to sections 16. 17.
					20 & 21.
					Surface rolling
					Soil 3rd rate.

Township No. 15 S. Range #44 West 6th Principal Meridian

North	Between sections 16 & 17 Var 14° 15' E	East	Random Between Sections 9 & 16 Var 14° 35' E
4000	set post deposited Chard stake raised mound of earth with pits as per instructions for 1/4 section cor	2000	Wagon road bears N. & S.
1600	variye bears N.E.	4000	set temporary 1/4 sec post.
8000	set post deposited Chard stake raised mound of earth with pits as per instructions for Corners to sections 8. 9. 16 & 17.	8000	intersect section line 100 links South of cor corner to sections 9. 10. 15. 16 from which corner I run S 89° 17' W. on true line and between sections 9 & 16 Var 14° 35' E
	Surface rolling Soil 3rd rate.	4000	set post deposited Chard stake raised mound of earth with pits as per instructions for 1/4 section cor
		8000	corner to sections 8. 9. 16. & 17.
			Surface rolling Soil 3rd rate

Township No. 15 N. Range No. 44 West 6th Principal Meridian

North Between Sections 8 & 9.
Var 14°10' E

4000 set post deposited
Chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
~~post~~ corner.

4150 Wagon road bears N W & E
8000 set post deposited Chard
stake raised mound
of earth with pits as
per instructions for
corners to sections
4. 5. 8 & 9.

Surface rolling
Soil 3rd rate.

East Random Between Sections
4 & 9.
Var 14°35' E

4000 set temporary 1/4 ~~sect~~ post
~~intersect~~
8000 intersect section line
20 links South of ~~section~~
Corner to Sects 3. 4. 9. & 10
from which corner Drum
S 89° 51' W bow line line between
Sections 4 & 9.
Var 14°35' E

4000 set post deposited
Chared stake raised.
mound of earth with
pits as per instruction
for 1/4 section ~~post~~ corner
8000 corner to sections 4. 5.
8 & 9.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range No. 44

North	Random Between Sections 4 & 5.
	Var 14° 15' E
4000	set Temporary 1/4 sec't
	post
7931	intersect Township line
	14 links West of ~~section~~
	corner to Sections 4.5.32.
	& 33. from which cor from
S. 6' W.	on true line between
	Sections 4 & 5.
	Var 14° 15' E
3931	set post deposited
	charred stake raised
	mound of earth with
	pits as per instruc-
	tions. for 1/4 section
7931	~~Just~~ Corner.
	corners to sections 4.
	5. 8. & 9.
	Surface rolling
	Soil 3rd rate
	Oct 12th 1870

West 6th Principal Meridian

~~North~~	Random between Sections
	31 & 32.
	Var 14° 35' E
4000	set post deposited
	charred stake raised
	mound of earth with
	pits as per instructions
	for 1/4 section ~~post cor~~
8000	set post deposited
	charred stake raised
	mound of earth with
	pits as per instruc-
	tions for corners to
	sections 29. 30. 31 & 32.
	Surface rolling
	Soil 3rd rate

Township No. 15 N. Range No. 44

East	Random Between Sects 29 & 32.
	Var 14° 40' E
40.00	set temporary 1/4 sect post
80.00	intersect section line 24 links South of section corner to Sects 28. 29. 32. & 33. from which cor Drum
S 89° 50' W	on true line between sections 29 & 32.
	Var 14° 40' E
40.00	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner,
80.00	corner to sections 29. 30. 31 & 32.
	Surface rolling Soil 3rd rate

West 6th Principal Meridian

West	Random Between Sects 30 & 31.
	Var 14° 40' E
40.00	set temporary 1/4 section post
79.41	intersect Range line 13 links North of ~~section~~ corner to Sections 25. 30. 31 & 36 from which corner Drum
N 89° 54 1/2 W	on true line between Sects 30 & 31.
	Var 14° 40' E
39.14	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post.
79.14	corner to sections 29. 30. 31. & 32.
	Surface rolling Soil 3rd rate

Township No. 15. N. Range No. 44

North 4000 — Between Sections 29 & 30 Var 14°35' E
set post deposited Chared stake raised mound of earth with pits as per inst for ¼ section ~~line~~ corner.

8000 — set post deposited Chared stake raised Mound of earth with pits as per instructions for corners to sections 19.20.29 & 30
Surface rolling Soil 3rd rate.

East 2150 — Random Set Secs 20 & 29. Var 14°40' E
Varies East N. A.

4000 — set ¼ section post

8000 — intersect section line 19 links North of ~~section~~ corner to sects. 20.21.28.&29 from which cor. 9 runs

S 89° 5' W 4000 — on true line between sections 20 & 29 Var 14°40' E set post deposited Chared stake raised Mound of earth with pits as per instructions for ¼ sect ~~line~~ corner

8000 — corner to sections 19.20.29 & 30.

Surface rolling Soil 3rd rate.

West 6th Principal Meridian

West 4000 — Random Between Secs 19 & 30. Var 14°40' E
set temporary Chared post

7900 — intersect range line 60 links S. of corner to sections 19. 24. 25 & 30 from which cor 3 runs

S 89° 45' E 3900 — on true line between Secs 19 & 30 Var 14°40' E
set post deposited Chared stake raised mound of earth with pits as per instructions for ¼ section ~~line~~ corner

7900 — corner to sections 19.20.29. & 30.
Surface rolling Soil 3rd rate.

North 4000 — Between Secs 19 & 20. Var 14°35' E
set post deposited Chared stake raised mound of Earth with pits as per instructs for ¼ section ~~line~~ corner.

8000 — set post deposited Chared stake raised mound of earth with pits as per instructs for Corners to sections 17. 18. 19 & 20.

Surface rolling Soil 3rd rate.

Township No. 15 N. Range #4 4

East

4000 Random Betw Sects 17 & 20. Var 14°40' E

set temporary ¼ section post.

8000 intersect sect line 32 lks North of ~~post~~ corner to sects 16. 17. 20. & 21. from which cor Bears N. 89°46' W. on true line between sections 17 & 20 Var 14°40' E

4000 set post deposited chard stake raised mound of earth with pits as per instructions for ¼ section ~~post~~ corner

8000 corner to sections 17. 18. 19. & 20

Surface rolling Soil 3rd rate

West Random Betw Sects 18 & 19.

Var 14°45' E

4000 set temporary ¼ section post.

7846 intersect Range line at ~~section~~ corner to sects 13. 18. 19. 24. from which cor Bears East on true line between section 18 & 19 Var 14°45' E

3846 set post deposited chard stake raised mound of earth with pits as per instructions for ¼ section ~~post~~ corner

7846 corner to sections 17. 18. 19. & 20.

Surface rolling Soil 3rd rate.

West 6th Principal Meridian

North Between sections 17 & 18

Var 14°20' E

4000 set post deposited chard stake. raised mound of earth with pits as per instructions for ¼ sect ~~post~~ corner

8000 set post deposited chard stake raised mound of earth with pits as per ~~instructions~~ for corners to sections 7. 8. 17. & 18

Surface soil 3rd rate rolling

East Random Betw Sects 8 & 17

Var 14°25' E

4000 set temporary ¼ sect post.

7928 intersect sect line at 50 lks North of ~~section~~ corner to sections 8. 9. 16 & 17 from which cor Bears N. 89°39' W. on true line betw Sects 8 & 17. Var 14°25' E

3974 set post deposited chard stake raised mound of earth with pits as per instructions for ¼ section ~~post~~ cor

7948 corner to sections 7. 8. 17. & 18.

Surface rolling Soil 3rd rate.

Township No. 15 N. Range No. 4 West 6th Principal Meridian

West Random Line between Sects 7 & 18
Var 14° 20' E

4000 set temporary 1/4 sect post
7834 intersect Range line 37.11 lks North of sect corner to sects 7.12.13 & 18 from which a pine 8 ins diameter bears N 89° 45' E 11 lks
N 89° 45' E on true line between Sects 7 & 18 Var 14° 20' E
3834 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect post
7834 corner to sections 7.8.17 & 18
Surface rolling
Soil 2nd rate.

North Between Sections 7 & 8.
Var 14° 20' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post corner
8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 5.6. 7 & 8.
Surface rolling
Soil 2nd rate

East Random Line between Sects 5 & 8.
Var 14° 35' E

600 road bears N. W. & E.
4000 set temporary 1/4 section post.
7960 intersect section line at sect corner to sections 4.5.8 & 9 from which a pine 3 ins diameter bears West. 39 lks
West. on true line between Sects 5 & 8 Var 14° 35' E
3980 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post corner
7960 corner to Sects 5.6. 7 & 8.
Surface rolling
Soil 2nd rate.

West Random Line between Sects 6 & 7
Var 14° 20' E

4000 set temporary 1/4 sect post
7782 intersect range line at 44 lks North of section corner to sects 1. 6. 7 & 12 from which a pine 6 ins diameter bears N 89° 42' E 66 lks
N 89° 42' E on true line between Sects 6 & 7
Var 14° 20' E
3782 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section post cor
7782 corner to sections 5. 6. 7 & 8
Surface rolling
Soil 2nd rate.

Township No. 15 N. Range No. 4 4

West 6th Principal Meridian

North

Random Between Sections 5 & 6

Var 14° 20' E

4000 set temporary 1/4 section post

7915 intersect Township line, 14 links West of ~~section~~ corner to sects 5. 6. 31. & 32 from which a Pine 9 ins diam bears S. 4° W. 6 lks. on true line between sections 5 & 6.

Var 14° 20' E

39 15 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section ~~post~~ corner.

2 9 15 corner to sections 5. 6. 7 & 8.

Surface rolling
Soil 3rd rate.

Oct 13th 1870

"

General Discription

The land in this Township is gently rolling & good 2 & 3 rate quality & is well adapted to grazing & raising small grain if the season is not too dry. There is neither water nor timber in the Township

For affidavits of Survey & Posts see Township 15 N. Range 4 W. West 6th Principal Meridian

56

Surveyor Generals Office
Plattsmouth Nebr. January 7. 1871.
The foregoing Field Notes of the Survey of the Sub-divisional lines of Township No. 15 North of the Base Line, Range No. 14 West of the Sixth Principal Meridian in the State of Nebraska, Executed by James McBride under Contract of 5th day of August 1870. wherein James McBride and Edward B. Murphy are Contractors- in the Month of October 1870. having been critically examined the necessary corrections and Explanations made, the said Field Notes and the Surveys they describe are hereby approved

Robt. R. Simpson
Surveyor General.

Index Diagram

Town 16 N. R 44 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

T 16 N R 44 W

To determine the proper adjustment of my Compass for subdividing this Township. I commence at the Corner to T 15 + 16 N R 43 + 44 W and run

N on blank line a long E boundary of sec 36

Va 14° 41' E

39.97 To ¼ sec cor

79.98 To cor to secs 25 + 36.

~~To retrace this line or run parallel thereto my Compass must be adjusted to a~~ is in proper adjustment

Va 14° 41' of E

My compass is therefore in proper adjustment

Subdivision Commenced July 30th 1875

J 16 NR 44 W

Chains	
	North bet'n Sec's. 35 and 36. Va 14° 40' E
4000	Set post 12 x 3 in x 4 ft 1 ft dug pits Bain mound of earth 2½ ft high from pits 18 x 24 x 12 in dug for ¼ sec cor
8000	Set post 3 x 3 in x 4 ft 1 ft dug pits mound of earth 3 ft high from pits 18 x 24 x 12 in dug for Cor to Sec's. 25-26-35-36
	High Rolling Prairie 2nd rate

J 16 NR 44 W

Chains	
	East on random line bet'n Sec's. 25 and 36 Va 14° 40' E
4000	Set post for temporary ¼ sec cor
7926	Intersect S boundary of Township 40 links W of Cor to Sec's. 25 and 36 from which Basin N 89° 45' W on true line bet'n Sec's. 25 and 36 Va 14° 40' E
3963	Set post 2 x 3 in 4 ft 1 ft dug pits mound of earth 2½ ft high from pits 18 x 24 x 12 in dug for ¼ Sec cor
7926	Cor to Sec's. 25-26-35-36
	High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	North bet^{n} Sec^{s} 25 and 26 Va 14° 40' E
4000	Set post 2x3 in x 4 ft 1 ft disp cor mound of earth 2½ ft high from pits 18x24x12 in disp for 1/4 sec cor
8000	Set post 3x3 in x 4 ft 1 ft disp cor mound of earth 2½ ft high from pits 18x24x12 in disp for cor to Sec^{s} 23-24-25 & 26
	High Rolling Plains 2nd rate

T 16 S R 44 W

Chains	East on random line bet^{n} Sec^{s} 24 and 25 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7969	Intersect E boundary of Township 35 Links S of Cor to Sec^{s} 24 & 25 from which I run S 89° 45' W on true line bet^{n} Sec^{s} 24 and 25 Va 14° 40' E
3984½	Set post 2x3 in x 4 ft 1 ft disp cor mound of earth 2½ ft high from pits 18x24x12 in disp for 1/4 sec cor
7969	Cor to Sec^{s} 23. 24 25 & 26
	High Rolling Plains 2nd rate

T 16 N R 44 W

Chains	North bet^{n} Sec^{s}. 23 and 24 Va 14° 40' E
4000	Set post 2x3^{in}x4 ft 1 ft dup vein Mound of earth 2½ ft high from pits 18x24x12 in dup for 1/4 sec Cor
8000	Set post 3x3^{in}x4 ft 1 ft dup vein Mound of earth 3 ft high from pits 18x24x12 in dup for Cor to Sec^{s}. 13-14-23 & 24
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	East on random line bet^{n} Sec^{s}. 13 and 24 Va 14° 40' E
3700	Leave High Rolling Prairie Enter Bottom
4000	Set post for temporary 1/4 sec Cor
7970	Intersect E boundary of Township 30 links S of Cor to Sec^{s}. 13 and 24 from which I run S 89° 47 W on true line bet^{n} Sec^{s}. 13 and 24 Va 14° 40' E
3985	Set post 2x3^{in}x4 ft 1 ft dup vein Mound of earth 2½ ft high from pits 18x24x12 in dup for 1/4 sec Cor
7976	Cor to Sec^{s}. 13-14-23 & 24
	Platte River Bottom 2nd rate

T 16 S R 44 W

Chains	North bet.n Sec.s 13 and 14 Va 14° 40' E
2000	Leave High Rolling Prairie enter Bottom
4000	Set post 2x3 in x 4 ft - 1 ft dup cairn Mound of earth 2½ ft high from pits 18x24x12 in dup for ¼ Sec Cor.
8000	Set post 3x3 in x 4 ft - 1 ft dup cairn Mound of earth 3 ft high from pits 18x24x12 in dup for Cor to Sec.s 11-12-13 & 14
	Platte River Bottom 2nd rate

T 16 S R 44 W

Knowing that I would strike the River at less than 8000 chains

Chains	East on true line bet.n Sec.s 12 and 13 Va 14° 40' E
4000	Set post 2x3 in x 4 ft - 1 ft dup cairn Mound of earth 2½ ft high from pits 18x24x12 in dup for ¼ Sec Cor
7365	South Bank N. Platte River where set post 3x3 in x 4 ft - 1 ft dup cairn Mound of earth 3 ft high from pits 18x24x12 in dup for M. C. to Tract Secs 12 & 13
	Platte River Bottom 2nd rate

J 16 A R 44 W

Chains	North bet.n Sec.s 11 and 12 Va 14° 40 E
40 00	Set post 2 x 3 in. x 4 ft - 1 ft - dep. agst Mound of earth 2½ ft high from pits 18 x 24 x 12 in dep. for ¼ sec cor
67 38	South bank of N. Pl. R. T. & T. River when set post 3 x 3 in. x 4 ft - 1 ft - dep. Chains Mound of earth 3 ft high from pits 18 x 24 x 12 in dep. for M. C.
80 00	Distance in river ascertained by Chaining Point for cor to Sec.s 1-2-11+12 on Sand bar in River Can not be Established

Platte River Bottom 2nd rate

J 16 A R 44 W

From point on sand bar in River for cor to Sec.s 1-2-11+12

Chains	East on random line bet.n Sec.s 1 and 12 Va 14° 40 E
25 16	North bank of River when set post for temporary M. C
40 00	Set post for temporary ¼ sec cor
79 80	Intersect E boundary of Township 12 links N of Cor to Sec.s 1 and 12 from which I run N 89° 55' W on true line bet.n Sec.s 1 and 12 Va 14° 40' E
39 90	Set post 2 x 3 in. x 4 ft - 1 ft - dep. Chains Mound of earth 2½ ft high from pits 18 x 24 x 12 in dep. for ¼ sec cor
57 64	North bank of N. Platte River when set post 3 x 3 in. x 4 ft - 1 ft - dep. Chains Mound of earth 3 ft high from pits 18 x 24 x 12 in dep. for M. C.
79 80	Distance in River ascertained by Chaining Point for cor to Sec.s 1-2-11+12 on Sand bar in River

Platte River Bottom 2nd rate

T 16 N R 44 W

From point on sand bar in Platte Cor to Sec. 1-2-11-12

Chains

1.5 Chains North on town line betn Secs. 1 and 2

Va 14° 40' E

2000 North bank of River where set post 2x3"x4 ft 1 ft dug rain Mound of earth 2½ ft high from pits 18x24x12 in dug for Mr. 6 distance in River ascertained by Chaining

4000 Set post 2x3"x4 ft 1 ft dug rain Mound of earth 2½ ft high from pits 18x24x12 in dug for ¼ Sec Cor

7940 Intersect 4th Standard parallel North 12.00 chains west of ¼ Cor South side of Sec 31 T 17 N R 43 W Set post 3x3"x4 ft 1 ft dug rain Mound of earth 3 ft high from 3 pits 18x24x12 in dug for Closing Cor to Secs. 1-2 T 16 N R 44 W

Platte River Bottom 2nd rate

July 30th 1875

T 16 N R 44 W

Chains

North betn Secs. 34 and 35

Va 14° 40' E

4000 Set post 2x3"x4 ft 1 ft dug rain Mound of earth 2½ ft high from pits 18x24x12 in dug for ¼ Sec Cor

8000 Set post 3x3"x4 ft 1 ft dug rain Mound of earth 3 ft high from pits 18x24x12 in dug for Cor to Secs. 26-27-34-35

High Rolling Prairie 2nd rate

T 16 N R 4 4 W

Chains	
	East on random line bet'n Sec's. 26 and 35
	Va 14° 40' E
40 00	Set post for temporary 1/4 sec cor
79 48	Intersect W and S line at a point 95 Links S of cor to Sec's. 25-26-35 & 36 from which I run
	S 89° 45' W on true line bet'n Sec's. 26 and 35
	Va 14° 40' E
39 74	Set post 2 x 3 in x 4 ft - 1 ft deep scribed mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
79 48	Cor to Sec's. 26-27-34 & 35
	High Rolling Prairie 2nd rate

T 16 N R 4 4 W

Chains	
	North bet'n Sec's. 26 and 27
	Va 14° 40' E
40 00	Set post 2 x 3 in x 4 ft - 1 ft deep scribed mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
80 00	Set post 3 x 3 in x 4 ft - 1 ft deep scribed mound of earth 3 ft high from pits 18 x 24 x 12 in deep for Cor to Sec's. 22-23-26 & 27
	High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	East on random line bet^{n} Sec^{ns} 23 and 26
	Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7989	Intersect 1st and 5 line at a point 30 links N of cor to Sec^{ns} 23-24-25-26 from which I run
	N 89° 47' W on true line bet^{n} Sec^{ns} 23 and 26
	Va 14° 40' E
3994/2	Set post 2x3"x4 ft - 1 ft deep Brass Mound of earth 2 1/2 ft high from pits 18x24x12 in deep for 1/4 sec cor
7989	Cor to Sec^{ns} 22-23-26 & 27

High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	North bet^{n} Sec^{ns} 22 and 23
	Va 14° 40' E
4000	Set post 2x3"x4 ft 1 ft deep each Mound of earth 2 1/2 ft high from pits 18x24x12 in deep for 1/4 sec cor
8000	Set post 3x3"x4 ft 1 ft deep each Mound of earth 3 ft high from pits 18x24x12 in deep for cor to Sec^{ns} 14-15-22 & 23

High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	
	East on random line bet'n Sec's. 14 and 23 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7950	Intersect N and S line at a point 26 links N of Cor to Sec's. 13-14-23 & 24 from which I cum N 89° 49' W on true line bet'n Sec's. 14 and 23 Va 14° 40' E
3975	Set post 2 x 3 x 4 ft 1 ft deep cain mound of earth 2½ ft high from pits 18 x 24 x 12 in dep's for 1/4 Sec Cor
7950	Cor to Sec's. 14-15-22 & 23

High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	
	North bet'n Sec's. 14 and 15 Va 14° 40' E
4000	Set post 2 x 3 x 4 ft 1 ft deep cain mound of earth 2½ ft high from pits 18 x 24 x 12 in dep's for 1/4 Sec Cor
5000	Leave High Rolling Prairie Enter Bottom
8000	Set post 3 x 3 x 4 ft 1 ft deep cain mound of earth 3 ft high from pits 18 x 24 x 12 in dep's for Cor to Sec's. 10-11-14 & 15

High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	
	East on random line bet. Sec. 11 and 14
	Va 14° 40' E
2800	Old wagon Road N.W. S.E.
4000	Set post for temporary 1/4 sec cor
7910	Intersect N and S line at a point 12 links N of Cor to Sec. 11 12 13 & 14 from which I run
	N 89° 55' W on true line bet. Sec. 11 and 14
	Va 14° 40' E
3955	Set post 2 x 3 x 4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
7910	Cor to Sec. 10 11 14 & 13

Platte River Bottom 2nd rate

T 16 S R 44 W

Chains	
	North bet. Sec. 10 and 11
	Va 14° 40' E
1000	Old Wagon Road N.W. S.E.
4000	Set post 2 x 3 x 4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
6438	South bank of River whence Set post 3 x 3 x 4 ft 1 ft deep cairn Mound of earth 3 ft high from pits 18 x 24 x 12 in deep for W. 6 distance & azimuth ascertained by chaining
8000	Point for Cor to Sec. 2 3 10 & 11 in River Cannot be Established

Platte River Bottom 2nd rate

T 16 S R 44 W

Chains	East on random line bet^{n} Sec^{s}. 2 and 11 Line in River can not be Established

T 16 S R 44 W

From point in River cor to Sec^{s}. 2 3 - 10 & 11 June

Chains	North on true line bet^{n} Sec^{s}. 2 and 3 Va 14° 40' E
3692	North bank of River whence set post 2 x 3 x 4 ft - 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for W. C distance ascertained by chaining
4000	Set post 2 x 3 x 4 ft - 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
7925	Intersect 4th Standard Parallel North 11.60 chains west of 1/4 Cor South side of Sec 36 T 15 R 44 W Set post 3 x 3 x 4 ft - 1 ft deep cairn Mound of earth 3 ft high from 3 pits 18 x 24 x 12 in deep for Closing Corner to Sec^{s}. 2 & 3 T 16 R 44 W

Platte River Bottom 2nd Std
July 31st 1875

T 16 R 44 W

Chains South bet^{n} Sec^{s} 33 and 34
Va 14° 40' E

4000 Set post 2x3x4 ft 1 ft deep rais mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor

8000 Set post 3x3^{in}x4 ft 1 ft deep rais mound of earth 3 ft high from pits 18x24x12 in deep for cor to sec^{s} 27-28-33 & 34

High Rolling Plains 2nd rate

T 16 R 44 W

Chains East on random line bet^{n} Sec^{s} 27 and 34
Va 14° 40' E

4000 Set post for temporary ¼ sec cor

7963 Intersect N and S line at a point 15 links N of cor to sec^{s} 26-27-34 & 35 from which I run
S 89° 54' W on true line bet^{n} Sec^{s} 27 and 34
Va 14° 40' E

3981/2 Set post 2x3x4 ft 1 ft deep rais mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor
7963 Cor to sec^{s} 27-28-33 & 34

High Rolling Plains 2nd rate

J 16 NR 44 W

Chains	North bet. Sec. 27 and 28 Va 14° 40' E
4000	Set post 2x3 x 4 ft 1 ft deep cairn mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
7000	Ravine NE & SW
8000	Set post 3x3 x 4 ft 1 ft deep cairn mound of earth 3 ft high from pits 18x24x12 in deep for Cor to Sec. 21-22-27 & 28
	High Rolling Prairie 2nd rate

J 16 NR 44 W

Chains	East on random line bet. Sec. 22 and 27 Va 14° 40' E
600	Ravine SE
4000	Set post for temporary 1/4 sec cor
7940	Intersect N and S line at a point 12 links S of Cor to Sec. 22-23-26 & 27 from which I run S 89° 55' W on true line bet. Sec. 22 and 27 Va 14° 40' E
3970	Set post 2x3 x 4 ft 1 ft deep cairn mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
7946	Cor to Sec. 21-22-27 & 28
	High Rolling Prairie 2nd rate

J 16 A R 44 W

Chains	North bet^{n} Sec^{n}. 21 and 22 Va 14° 40' E
40 00	Set post 12 x 3 x 4 ft 1 ft deep rain Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 4 Sec Cor
80 00	Set post 5 x 3 x 4 ft 1 ft deep rain Mound of earth 3 ft high from pits 18 x 24 x 12 in Deep for Cor to Sec^{n}. 15-16-21 & 22
	High Rolling Plains 2nd rate

J 16 A R 44 W

Chains	East on random line bet^{n} Sec^{n}. 15 and 22 Va 14° 40' E
40 00	Set post for temporary 1/4 Sec Cor
41 00	Leave High Rolling Plains
42 00	Ranch N E
44 00	Leave Bottom Enter High Rolling Plains
79 25	Intersect Sth and S line at a point 20 links S of Cor to Sec^{n}. 14-15-22 & 23 from which I run S 89° 51' W on true line bet^{n} Sec^{n}. 15 and 22 Va 14° 40' E
39 62½	Set post 12 x 3 x 4 ft 1 ft deep rain Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
79 25	Cor to Sec^{n}. 15-16-21 & 22
	High Rolling Plains 2nd rate

T 16 N R 44 W

Chains North bet^n Sec^s. 15 and 16
Va 14° 40' E

4000 Set post 2x3 1/2x4 ft 1 ft deep rain
mound of earth 2 1/2 ft high from
pits 18x24x12 in deep for 1/4 sec cor

7600 8000 Set post 3x3 1/2x4 ft 1 ft deep rain
mound of earth 3 ft high from
pits 18x24x12 in deep for Cor to
Sec^s. 9-10-15 & 16

High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains East on random line bet^n
Sec^s. 10 and 15
Va 14° 40' E

4000 Set post for temporary 1/4 sec cor

7900 Intersect S and S line at a point
15 links S of Cor to sec^s. 10-11-14 & 15
from which Ash 12 ins
S 89° 37' W on true line
bet^n Sec^s. 10 and 15
Va 14° 40' E

3950 Set post 2x3 1/2x4 ft 1 ft deep rain
mound of earth 2 1/2 ft high from
pits 18x24x12 in deep for 1/4 sec cor

7900 Cor to Sec^s. 9-10-15 & 16

Platte River Bottom 2nd rate

T 16 N R 44 W

Chains	North betn Secs 9 and 10 Va 14° 40' E
30 00	Old Wagon Road N W. S E.
40 00	Set post 2x3½x4 ft 1 ft dug pits mound of earth 2½ ft high from pits 18x24x12 in dug for M. 4
69 10	South bank of River when set post 3x3½x4 ft 1 ft dug pits mound of earth 3 ft high from pits 18x24x12 in dug for M. 6 distance in River ascertained by chaining
80 00	Point for Cor to (East) Secs 3-4-9-10 in River Can not be Established

Platte River Bottom 2nd rate

T 16 N R 44 W

Chains	East on random line betn Secs 3 and 10
	Line in River can not be Established

T 16 S R 44 W

From point in River Cor to Sec. 3-4-9 & 10 I can

Chains	
	North on true line betn Sec. 3 and 4
	Va 14° 40' E
3433	South Bank of River whence set post 2 x 3 in x 4 ft - 1 ft dup cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in dup for M & distance ascertained by Chaining
4000	Set post 2 x 3 in x 4 ft - 1 ft dup cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 sec cor
7903	Intersect 4th Standard Parallel North 11.40 chains west of 1/4 Cor South side of Sec 35 T 17 N R 44 W Set post 2 x 3 in x 4 ft 1 ft dup cairn Mound of earth 3 ft high from 3 pits 18 x 24 x 12 in dup for Closing Corner to Sec. 3 & 4 T 16 N R 44 W

Platte River Bottom 2nd rate

Aug 1st 1875

T 16 N R 44 W

Chains	
	North betn Sec. 32 and 33
	Va 14° 40' E
4000	Set post 2 x 3 in x 4 ft - 1 ft dup cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 sec cor
8000	Set post 3 x 3 in x 4 ft 1 ft dup cairn Mound of earth 3 ft high from pits 18 x 24 x 12 in dup for cor to Sec. 28-29-32 & 33

High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	East on random line betn. Sec. 28 and 33
	Va 14° 40' E
40 00	Set post 6x6 temporary 1/4 sec cor
79 80	Intersect Grand Island at a point 10 links S of Cor to Secs. 27-28-33-34 from which I run
	S 89° 56' W on random line betn. Secs. 28 and 33
	Va 14° 40' E
39 90	Set post 2x3 in x 4 ft 1 ft deep rain mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
79 80	Cor to Secs. 28-29-32-33
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	South betn. Secs. 28 and 29
	Va 14° 40' E
40 00	Set post 2x3 in x 4 ft 1 ft deep rain mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
80 06	Set post 3x3 in x 4 ft 1 ft deep rain mound of earth 3 ft high from pits 18x24x12 in deep for Cor to Secs. 20-21-28-29
	High Rolling Prairie 2nd rate

T 16 N R 4 W

Chains	
	East on random line betn Secs. 21 and 28
	Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7976	Intersect N and S line at a point 10 links N of Cor to Secs 21-22-27-28 from which I run
	N 89° 56' W on true line betn Secs. 21 and 28
	Va 14° 40' E
3988	Set post 2x3"x4 ft 1 ft dup vein
	Mound of earth 2½ ft high from pits 18x24x12 in dup for 1/4 sec cor
7976	Cor to Secs 20-21-28-29

High Rolling Plains 2nd rate

T 16 N R 4 W

Chains	
	North bet'n Secs 20 and 21
	Va 14° 40' E
4000	Set post 2x3"x4 ft 1 ft dup vein
	Mound of earth 2½ ft high from pits 18x24x12 in dup for 1/4 sec cor
8000	Set post 3x3"x4 ft 1 ft dup vein
	Mound of earth 3 ft high from pits 18x24x12 in dup for cor to Secs. 16-17-20-21

High Rolling Plains 2nd rate

T 16 R 4 W

Chains	
	East on random line bet. Sec. 16 and 21 Va 14° 40' E
4000	Set post for temporary 1/4 Sec Cor
7965	Intersect N and S line at a point 18 links N of Cor to Secs. 15-16-21 & 22 from which I run N 89° 52' W on true line bet. Secs. 16 and 21 Va 14° 40' E
3982 1/2	Set post 2 x 3" x 24 ft 1 ft dup cairn Mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in dup for 1/4 Sec Cor
7965	Cor to Secs. 16-17-20 & 21
	High Rolling Prairie 2nd rate

T 16 R 4 W

Chains	
	North bet. Secs. 16 and 17 Va 14° 40' E
4000	Set post 2 x 3" x 24 ft 1 ft dup cairn Mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in dup for 1/4 Sec Cor
8000	Set post 3 x 3" x 4 ft 1 ft dup cairn Mound of earth 3 ft high from pits 18 x 24 x 12 in dup for Cor to Secs. 8-9-16 & 17
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	East on random line betn Secs. 9 and 16 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
6200	Cedar Heigh Rolling Prairie Center Bottom
7970	Intersect Ogalalla line at a point 12 links N of Cor to Secs. 9-10-15 & 16 from which I run N 89° 55' W on term line betn Secs. 9 and 16 Va 14° 40' E
3985	Set post 2x3 x 4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
7970	Cor to Secs. 8-9-16 & 17
	Heigh Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	North betn Secs. 8 and 9 Va 14° 40' E
2200	Leave High Rolling Prairie Center Bottom
4000	Set post 2x3 x 4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
6700	Old wagon Road N & S
8000	Set Stone 14 x 10 x 5 cairn pile stone 3 ft high & and shade pits 18 x 24 x 12 in deep for cor to Secs. 4-5-8 & 9
	Platte River Bottom 2nd rate

T 16 N R 44 W

Knowing that I would strike the River less than Eas[t] Chains 3 [illegible]

Chains	East on true line betn. Secs. 4 and 9
	Va 14° 40' E
15.00	South Bank River where set post 3X3 ins. X 4 ft 1 ft deep raise Mound of earth 3 ft high from pits 18X24X12 in deep for M.C. distance ascertained by chaining to fract. Secs 4 & 9
	Platte River Bottom 2nd rate

T 16 N R 44 W

Chains	North on true line betn. Secs. 4 and 5
	Va 14° 40' E
15.00	South Bank of N. Platte River where set post 2X3 ins. X 4 ft 1 ft deep raise Mound of earth 2½ ft high from pits 18X24X12 in deep for M.C. distance in River ascertained by chaining
40.00	Point for ¼ Cor in River can not be Established
57.24	North bank River where set post 2X3 ins X 4 ft 1 ft deep raise mound of earth 2½ ft high from pits 18X24X12 in deep for M.C. distance ascertained by chaining
78.97	Intersect 4th Standard Parallel North 11.90 chains west of ¼ Cor South side of Sec 34 T 17 N R 44 W set post 3X3X4 ft 1 ft deep raise Mound of earth 3 ft high from pits 18X24X12 in deep for closing Corner to Secs. 4 & 5 T 16 N R 44 W
	Platte River Bottom 2nd rate
	Aug 2nd 1875

T 16 N R 44 W

Chains	
	North bet^{n} Sec^{s} 31 and 32
	Va 14° 40' E
4000	Set post 2x3x24 ft 1 ft deep cairn
	Mound of earth 2½ ft high from
	pits 18x24x12 in deep for 1/4 sec cor
8000	Set post 3x3 in x 4 ft 1 ft deep cairn
	Mound of earth 3 ft high from
	pits 18x24x12 in deep for cor to
	Sec^{s} 29-30-31 & 32
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	East on random line bet^{n}
	Sec^{s} 29 and 32
	Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7990	Intersect S and S line at a point
	16 links N of Cor to Sec^{s} 28-29-32 & 33
	from which Dunn
	N 89° 55' W on true line
	bet^{n} Sec^{s} 29 and 32
	Va 14° 40' E
3995	Set post 2x3½x24 ft 1 ft deep cairn
	Mound of earth 2½ ft high from
	pits 18x24x12 in deep for 1/4 sec cor
7990	Cor to Sec^{s} 29-30-31 & 32
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	West on random line bet.n Sec.s 30 and 31 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor.
7824	Intersect W boundary of Township 20 links N of Cor to Sec.s 30 & 31 from which I cum S 89° 51' E on true line bet.n Sec.s 30 and 31 Va 14° 40' E
3824	Set post 2 x 3 in x 4 ft 1 ft dup cairn mound of earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 sec cor
7824	Cor to Sec.s 29-30-31 & 32
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	South bet.n Sec.s 29 and 30 Va 14° 40' E
4000	Set post 2 x 3 in x 4 ft 1 ft dup cairn mound of earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 sec cor
8000	Set post 3 x 3 in x 4 ft 1 ft dup cairn mound of earth 3 ft high from pits 18 x 24 x 12 in dup for Cor to Sec.s 19-20-29 & 30
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	East on random line bet. Sec. 20 and 29
	Va 14° 40' E
40 00	Set post for temporary 1/4 sec cor
79 86	Intersect N and S line at a point 12 links S of Cor to Sec. 20 21 28 29 from which I run
	S 89° 55' W on true line bet. Sec. 20 and 29
	Va 14° 40' E
39 93	Set post 2 x 3" x 4 ft 1 ft dug Bank Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dug for 1/4 sec cor
79 86	Cor to Sec. 19-20-29-30
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	West on random line bet. Sec. 19 and 30
	Va 14° 40' E
40 00	Set post for temporary 1/4 sec cor
78 36	Intersect W boundary of Fourth 12 links N of Cor to Sec. 19 and 30 from which I run
	N 89° 55' E on true line bet. Sec. 19 & 30
	Va 14° 40' E
38 36	Set post 2 x 3" x 4 ft 1 ft dug Bank Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dug for 1/4 sec cor
78 36	Cor to Sec. 19-20-29-30
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	North bet^{n} Sec^{s}. 19 and 20
	Va 14° 40
4000	Set post 2x3 x 4 ft 1 ft dug pits mound of earth 2½ ft high from pits 18x24x12 in dug for ¼ sec cor
8000	Set post 3x3 x 4 ft 1 ft dug pits mound of earth 3 ft high from pits 18x24x12 in dug for Cor to Sec^{s}. 17-18-19 & 20
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	East on random line bet^{n} Sec^{s}. 17 and 20
	Va 14° 40' E
4000	Set post for temporary ¼ sec cor
7975	Intersect N and S line at a point 21 links S of Cor to Sec^{s}. 16-17-20 & 21 from which I run
	S 89° 51' W on true line bet^{n} Sec^{s}. 17 and 20
	Va 14° 40' E
3987½	Set post 2x3 x 4 ft 1 ft dug pits mound of earth 2½ ft high from pits 18x24x12 in dug for ¼ sec cor
7973	Cor to Sec^{s}. 17-18-19 & 20
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	West on random line betn Secs. 18 and 19 Va 14° 40' E
40 00	Set post for temporary 1/4 sec cor
78 40	Intersect W boundary of Township 25 links N of Cor to Secs. 18 and 19 from which I run N 89° 49' E on true line betn Secs. 18 and 19 Va 14° 40' E
38 40	Set post 2x3 x 4 ft 1 ft deep in mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
78 40	Cor to Secs. 17-18-19-20
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	North betn Secs. 17 and 18 Va 14° 40' E
40 00	Set post 2x3 x 4 ft 1 ft deep in mound of earth 2½ ft high from pits 18x24x12 in deep for 1/4 sec cor
80 06	Set post 3x3 x 4 ft 1 ft deep in mound of earth 3 ft high from pits 18x24x12 in deep for Cor to Secs. 7-8-17 & 18
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	East on random line betn Secs. 8 and 17 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7935	Intersect N and S line at a point 16 links S of Cor to Secs. 8-9-16 & 17 from which I sun S 89° 53' W on true line betn Secs. 8 and 17 Va 14° 40' E
3977½	Set post 2x3½x4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor
7955	Cor to Secs. 7-8-17 & 18
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	West on random line betn Secs. 7 and 18 Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
7860	Intersect W boundary of Township 16 links N of Cor to Secs. 7 and 18 from which I sun N 89° 53' E on true line betn Secs. 7 and 18 Va 14° 40' E
3860	Set post 2x3½x4 ft 1 ft deep cairn Mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor
7866	Cor to Secs. 7-8-17 & 18
	High Rolling Prairie 2nd rate

T 16 N R 44 W

Chains	
	North betn Secs. 7 and 8 Va 14° 40' E
40 00	Set post 2x3x24 ft 1 ft deep Mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor
80 00	Set post 3x3 in x 4 ft 1 ft deep Mound of earth 3 ft high from pits 18x24x12 in deep for cor to Secs. 5-6-7 & 8
	High Rolling Plains 2nd rate

T 16 N R 44 W

Chains	
	East on random line betn Secs. 5 and 8 Va 14° 40' E
16 00	Secs. High Rolling Plains & Platte Bottom
40 00	Set post for temporary ¼ sec cor
67 00	Old Wagon Road N W & S
79 40	Intersect N and S line at a point 10 links S of cor to Secs. 4-5-8-9 from which a pine L S 89° 56' W on true line betn Secs. 5 and 8 Va 14° 40' E
39 70	Set post 2x3x4 ft 1 ft deep Mound of earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor
79 40	Cor to Secs. 5-6-7 & 8
	Platte River bottom 2nd rate

T 16 S R 44 W

Chains	
	West on random line betn Sec. 6 and 7
	Va 14° 40' E
4000	Set post for temporary 1/4 sec cor
5100	Platte N E & S W
7875	Intersect W boundary of Township 12 links S of Cor to Sec. 6 and 7 from which I run
	S 89° 55' E on true line betn Sec. 6 and 7
	Va 14° 40' E
3875	Set post 2 x 3 in x 4 ft - 1 ft dug in Mound of earth 2½ ft high from pits 18 x 24 x 12 in dep for 1/4 sec cor
7875	Cor to Sec. 5-6-7 & 8

High Rolling Prairie 2nd rate

T 16 S R 44 W

Chains	
	North on true line betn Sec. 5 and 6
	Va 14° 40' E
2600	Leave High Rolling Prairie Enter Bottom
4000	Set post 2 x 3 x 4 ft 1 ft dep dug in Mound of earth 2½ ft high from pits 18 x 24 x 12 in dep for 1/4 sec cor
6400	Old Wagon Road N W & S E
6500	Platte N E
7820	South Bank Platte (N. Fk. N. Platte) River where set post 2 x 3 in x 4 ft 1 ft dug in Mound of earth 2½ ft high from pits 18 x 24 x 12 in dep for M. 6 distance (N. Fk. River) ascertained by Chaining
7890	Intersect 4th Standard Parallel North 1.56 Chains E of M. 6 South. Set fractional Sec 33 T 17 N R 44 W on S Bank of Platte River

Platte River Bottom 2nd rate

Aug 3° 1875

Meanders of the right bank of North Platte River through this Township

I Commence at the meander Corner to fractional Sections 6 and 33 on North boundary of Township and run thence down stream with the meanders of the right bank as follows Va 14° 40' E

Courses	Chains	
		in Section 6
S 64 E	160	To meander Cor to fract'l Sec.s 5 and 6
2		Thence in Section 5
S 64 E	760	
S 45 E	4850	
S 50 E	2800	
S 67¾ E	1940	To meander Cor to fract'l Sec. 4 & 5
3		Thence in Section 4
S 45 E	2120	To meander Cor to fract'l Sec.s 4 and 9
4		Thence in Section 9
S 82½ E	2880	
S 77 E	1840	
S 80½ E	1800	To meander Cor to fract'l Sec. 9 & 10
5		Thence in Section 10
S 85 E	3060	
S 89 E	2920	

Courses	Chains	
S 85 E	2050	To meander cor to fract'l Sec's. 10 & 11
6		thence in Section 11
N 80½ E	2000	
N 75½ E	1300	
N 87 E	2820	
S 74½ E	2070	To meander cor to fract'l Sec's. 11 & 12
7		thence in Section 12
S 59 E	3200	
S 48 E	2910	
S 40 E	2220	
S 38½ E	1760	To meander cor to fract'l Sec's. 12 & 13
8		thence in Section 13
S 18½ E	2050	To meander cor to fract'l Sec's.
9		13 and 18 on East boundary
		of Township

Meanders of the left bank of North Platte River through this Township

I Commence at the meander Corner to fractional Sections 7 and 12 on East boundary of the Township and run thence up stream with the meanders of the left bank as follows Va 14° 40' E

Courses	Chains	
		in Section 12
10 N 42¼ W	3100	
N 65 W	2700	
N 52 W	1260	To meander cor to fract'l Sec's 1 and 12
11		Thence in Section 1
N 45 W	1950	
N 63 W	1310	To meander cor to fract'l Sec's. 1 and 2
12		Thence in Section 2
N 70 W	4000	
N 80 W	2360	
S 83 W	1940	To meander Cor to fract'l Sec's. 2 and 3
13		Thence in Section 3
S 88 W	3770	
S 89½ W	2230	
S 87¼ W	2010	To meander Cor to fract'l Sec's. 3 and 4
14		Thence in Section 4

Courses	Chains	
14		in Section 4
N 85 W	11 30	
N 74 W	31 30	
N 72 W	22 90	
N 71¾ W	18 10	To meander Cor to fract'l Sec 4 & 5 Thence in Section 5
15		
N 60 W	7 40	
N 64 W	20 30	
N 67 W	10 50	To meander Cor to fractional Sections 5 and 33 On North boundary of Township on 4th Standard Parallel N Aug 4th 1875
16		

General Description

This Township is Composed Mostly of High Rolling Prairie good Grazing 2nd rate. The South part of the Township is Platte River Bottom. and is Covered with a luxurious growth of grass. fine Hay Land Soil Sandy 2nd rate. The River is a wide Sand bed Stream

List of Names

A list of the names of the individuals Employed to assist in running measuring and marking the Lines and Corners described in the foregoing field Notes of Township No 16 N of Base Line of Range 44 West of the 6th P.M. in Nebraska showing the respective capacities in which they acted

Joseph Grace — Chainman
J Bradford Piper — "
B Bowley — Moundman
J.W. Zenor

We hereby certify that we assisted Luther Kuhlman deputy surveyor in surveying and subdividing T 16 N of Base Line of R44 W of 6th P.M. in Nebraska and that said Township has been to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General of dimension character construction & marking and in the manner as specifically described in the foregoing field Notes

Joseph Grace } Chainmen
J Bradford Piper }
B. Bowley } Moundmen
J.W. Zenor

Subscribed & sworn to before me a Notary Public in & for Cheyenne County Neb this 14th day of Sept 1875

Geo. [illegible] Dallon
Notary Public

I Luther Kuhlman deputy surveyor
do Solemnly Swear that in pursuance
of a joint Contract wherein H
M. Dorrington. Wm. B. Wells & Luther
Kuhlman are joint Contractors
with Jno R Clarke United States
Surveyor General for Nebraska
and Iowa bearing date the
27th day of July 1875
I have well faithfully and truly
in my own proper person and
in strict Conformity with the
instructions furnished by the
Surveyor General, the Surveying
Manual and the laws of the
United States. Surveyed all
those parts or portions of Township
No 16 North Range 44 west of
6th P.M. in Nebraska, as are
represented in the foregoing field
notes as having been Surveyed
under my direction and
I do further Solemnly Swear
that all the Corners by said
Surveys have been Established
and perpetuated in strict accordance
with the Surveying Manual printed

instructions and special instructions of the Surveyor General of dimension & character construction & marking and in the manner as specifically described in the foregoing field Notes and that the foregoing are the true and original field Notes of such surveys

Luther Kuhlman
Deputy Surveyor

Subscribed & sworn to before me a Probate Judge in for Cass County & State of Nebraska this 1st day of Nov 1875

H. E. Atkinson
Probate Judge

Plattsmouth Neb Nov 10th 1875.

The foregoing field Notes of the Survey and Subdivision of Township No 10 North of the Base Line of Range No 14 West of the 6th Principal Meridian in Nebraska Executed by Luther Kuhlman under Joint contract No 97 dated July 22nd 1875 in the Months of July and August 1875 having been critically examined the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

Jno. C. Clark.
Surveyor General

General Land Office • Original Field Notes

Book Number

652

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.