General Land Office • Original Field Notes

Book Number

661

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T 25 N., R 45 W

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	41	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Town 25 N. Range 45 W.

Field Notes of Survey and Subdivision of Township No 25 North of the Base line of

Range No 45 West of the 6th P.M. in Nebraska

Executed by D. V. Stephenson — Deputy Surveyor under Joint Contract No 110 Dated the 23rd day of April 1879

July 23rd 1879 Survey Commenced

July 26th 1879 Survey Completed

List of Names

Albert Sharp Chainman

W. C. Miller Chainman

F. L. Borland Mounduman

Allen E Sharp Flagoman

Town 25 N. Range 45 W.

From the Center of Mound the Cor to Sec's 35 and 36 on South boundary of Township line I run
North bet Sec's 35 and 36
Va 14° 34' E

40.00 Raised Mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for cor to Sec's 25. 26. 35 and 36

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 25 and 36
Va 14° 34' E

40.00 Set temporary ¼ Sec. cor.

79.93 Intersect East boundary of Township 18 lks North of Cor to Sec's 25 + 36 from which Cor I run
North 89°52' West on a true line bet. Sec's 25 and 36
Va 14° 34' E

39.96 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

79.93 Cor to Sec's 25. 26. 35 + 36

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

	North bet Sec's 25 and 26 Va 14° 34' E
40.00	Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ Sec cor.
41.00	Ent. Valley bears N.E. + S.W.
80.00	Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep, drove Cedar Stake 2×2 in and 2 ft in S.E. pit for Cor. to Sec's 23. 24. 25 + 26
	Land Rolling + Valley Soil 1st and 2nd Rate

Town 25 N. Range 45 W.

	East on a random line bet. Sec's 24 + 25 Va 14° 34' E
40.00	Set temporary ¼ Sec. cor.
79.86	Intersect East boundary of Township 10 North of mound with pits the Cor to Sec's 24 and 25 from which Cor I run North 89°56' West on a true line bet Sec's 24 + 25 Va 14° 34' E
39.93	Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ Sec. cor.
79.86	Cor to Sec's 23. 24. 25 + 26
	Land Level Soil 1st Rate

Town 25 N. Range 45 W.

North bet Sec's 23 and 24
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for Cor to Sec's 13.14.23 and 24

Land Level
Soil 1st Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 13 and 24
Va 14° 34' E

40.00 Set temporary ¼ sec. cor.

79.96 Intersect East boundary of Township 13 lks North of mounderite pits the Cor. to Sec's 13 + 24 from which Cor. I run
North 89° 54' West on a true line bet. Sec's 13 + 24
Va 14° 34' E

39.98 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

79.96 Cor. to Sec's 13.14.23 + 24

Land Level
Soil 1st Rate

Town 25 N. Range 45 W

North bet Sec's 13 and 14
Va 14° 34' E

22.00 Ent Upland bears N E & S W.

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep, drove Cedar Stake 2×2 in and 2 ft in S.E. pit for Cor to Sec's 11.12.13. and 14

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 12 and 13
Va 14° 34' E

40.00 Set temporary ¼ sec. cor.

79.87 Intersected ~~North & South line~~ East boundary of Tp. 6 lks north of mound with pits the Cor to Sec's 12 & 13 from which Cor I run North 89° 57' West on a true line bet Sec's 12 and 13
Va 14° 34' E

39.93 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

79.87 Cor. to Sec's 11.12.13 & 14

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North bet Sec's 11 and 12
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.

61.00 Enter Valley bears N.E. & S.W.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep, drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to Sec's 1. 2. 11 and 12

Land Mostly Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 1 and 12
Va 14° 34' E

16.00 Enter Upland bears N.W. & S.W.

40.00 Set temporary ¼ sec. cor.

79.93 Intersect East boundary of Township at mound & pits the cor to Sec's 1 and 12 from which Cor. I run

West on a true line bet Sec's 1 and 12
Va 14° 34' E

39.96 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

79.93 Cor to Sec's 1. 2, 11 and 12

Land Mostly rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North on a random line bet Sec's 1 & 2
Va 14° 34' E

23.00 Ent. Upland bears N W & S E

40.00 Set temporary 1/4 sec. cor.

79.45 Intersect North boundary of Township 16 Ks West of mound & pits the cor to sec's 1 and 2 from which Cor. I run

South 07' West on a true line bet Sec's 1 and 2
Va 14° 34' E

39.45 Raised mound of Earth 2 1/2 ft. high from pits 18×24×12 in deep for 1/4 Sec. cor.

79.45 Cor. to Sec's 1. 2. 11 and 12

Land mostly rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

From the Center of the mound the cor. to sec's 34 & 35 on south boundary of Township line I run North bet Sec's 34 & 35
Va 14° 34' E

40.00 Raised mound of Earth 2 1/2 ft. high from pits 18×24×12 in deep for 1/4 Sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2 1/2 ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for Cor to Sec's 26. 27. 34 & 35

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 26 and 35
Va 14°34' E

40.00 Set temporary 1/4 Sec. cor.

79.98 Intersect North & South line
11 lks South of cor to sec's
25. 26. 35. & 36 from which
Cor S run
South 89°55' West on a true
line bet Sec's 26 & 35
Va 14°34' E

39.99 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep for 1/4 Sec. cor.

79.98 Cor. to sec's 26. 27. 34 & 35

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North bet. Sec 26 and 27
Va 14°34' E

22.00 Ent Valley bears E & W.

40.00 Raised mound of Earth 2½ ft
high from pits 18×24×12 in deep
for 1/4 Sec. cor.

80.00 Deposit charcoal raised mound
of Earth 2½ ft high from pits
18×24×12 in deep. drove Cedar
Stake 2×2 in and 2 ft in S.E. pit
for Cor. to Sec's 22. 23. 26 & 27

Land Mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 23 + 26
Va 14° 34' E

40.00 Set temporary 1/4 sec. cor.

80.03 Intersect North + South line 19 lks
South of Cor. to Sec's 23. 24. 25
and 26 from which Cor I run
South 89° 52' West on a true line
bet Sec's 23 + 26
Va 14° 34' E

40.01 Raised mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep for
1/4 sec. cor.

80.03 Cor to Sec's 22. 23, 26 + 27

Land Valley
Soil 1st Rate

Town 25 N. Range 45 W.

North bet Sec's 22 + 23
Va 14° 34' E

18.00 Leave Valley Ent upland bears E + W.

40.00 Raised mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep for
1/4 sec. cor.

80.00 Deposit charcoal, raised mound
of Earth 2½ ft high from pits
18 x 24 x 12 in deep. drove Cedar
Stake 2 x 2 in and 2 ft in S.E. pit
for cor to Sec's 14. 15. 22. + 23

Land rolling + Valley
Soil Good 2nd Rate

July 23rd 1879

Town 25 N. Range 45 W.

East on a random line bet
Sec's 14 + 23
Va 14° 34' E

40.00 Set temporary 1/4 Sec. cor.
63.00 Ent Valley bears N.E. + S.W.
79.95 Intersect north + south line 8 lks
South of Cor to Sec's 13.14.23 +
24 from which Cor I run
South 89° 57' West on a true
line bet Sec's 14 + 23
Va 14° 34' E
39.97 Raised mound of Earth 2½ ft.
high from pits 18x24x12 in deep
for 1/4 Sec. cor.
79.95 Cor. to Sec's 14.15, 22 + 23

Land Mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

North bet Sec's 14 and 15
Va 14° 34' E
40.00 Raised mound of Earth 2½ ft
high from pits 18x24x12 in deep
for 1/4 Sec. cor.
44.00 Ent Valley bears N.E. + S.W.

80.00 Deposit charcoal, raised mound
of Earth 2½ ft high from pits
18x24x12 in deep. drove Cedar
Stake 2x2 in and 2 ft in S.E. pit
for Cor to Sec's 10.11.14 + 15

Land Rolling + Level
Soil 1st + 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 11 & 14
Va 14° 34' E

31.00 Ent Upland bears NE & SW

40.00 Set temporary 1/4 sec. cor.

79.92 Intersect North & South line 15 lks
South of cor to sec's 11.12.13 &
14 from which cor I run
South 89° 54' West on a true
line bet Sec's 11 and 14
Va 14° 34' E

39.96 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in deep
for 1/4 sec. cor.

79.92 Cor. to sec's 10.11.14 and 15

Land rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

North bet sec's 10 and 11
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft
high from pits 18 x 24 x 12 in
deep for 1/4 sec. cor.

64.00 Ent. upland bears NE & SW

80.00 Deposit charcoal, raised mound
of Earth 2½ ft high from pits
18 x 24 x 12 in deep. Drove
Cedar Stake 2 x 2 in and 2 ft
in S.E. pit for cor to sec's
2. 3. 10 and 11

Land Rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

	East on a random line bet Sec's 2 and 11
	Va 14°34' E
12.00	Ent Valley bears N W & S W
40.00	Set temporary 1/4 sec. cor.
79.84	Intersect North & South line 32 lks south of cor to sec's 1. 2. 11 & 12 from which Cor. I run
	South 89°57' West on a true line bet sec's 2 and 11
	Va 14°34' E
39.92	Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for 1/4 sec. cor.
79.84	Cor. to sec's 2. 3. 10 & 11
	Land Mostly Valley Soil 1st Rate

Town 25 N. Range 45 W.

	North on a random line bet sec's 2 and 3
	Va 14°34' E
6.00	Enter Valley bears E & W.
40.00	Set temporary 1/4 sec. cor.
52.00	Leave Valley Ent upland Bears E & W
79.57	Intersect North boundary of Township at mound with pits to the cor to sec's 2 & 3 from which Cor I run
	South on a true line bet sec's 2 and 3
	Va 14°34' E
39.57	Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep. for 1/4 sec. cor.
79.57	Cor to sec's 2. 3. 10 & 11
	Land rolling & Valley Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

From the center of the mound the cor. to sec's 33 and 34 on South boundary of Township line I run North bet. Sec's 33 and 34
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep, above Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to sec's 27, 28, 33 and 34

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 27 & 34
Va 14° 34' E

40.00 Set temporary ¼ sec. cor.

79.95 Intersected North & South line 8 lks South of cor to sec's 26, 27, 34 & 35 from which cor I run South 89° 57' West on a true line bet Sec's 27 and 34
Va 14° 34' E

39.97 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.

79.95 Cor. to sec's 27, 28, 33 & 34

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North be secs 27 + 28
Va 14° 34' E

39.00 Ent. Valley bears E + W.

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep, drove Cedar Stake 2×2 in + 2 ft. in S.E. pit for cor to secs 21, 22, 27 + 28

Land Rolling + Valley
Soil 1st + 2nd Rate

Town 25 N Range 45 W.

East on a random line bet secs 22 + 27
Va 14° 34' E

40.00 Set temporary ¼ sec. cor.

79.82 Intersected north + south line 14 lks south of cor to secs 22, 23, 26 + 27 from which Cor I run
South 89° 54' West on a true line bet. secs 22 + 27
Va 14° 34' E

39.91 Raised mound, of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ sec. cor.

79.82 Cor to secs 21, 22, 27 + 28

Land Valley
Soil 1st Rate

Town 25 N. Range 45 W

North bet sec's 21 and 22
Va 14°34' E

40.00 Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18x24x12 in deep above Cedar Stake 2x2 in and 2 ft. in S.E. pit for cor to sec's 15. 16. 21 and 22

Land Rolling
Soil 1st Rate

Town 25 N. Range 45 W

East on a random line bet Sec's 15 and 22
Va 14°34' E

40.00 Set temporary ¼ Sec. cor.
75.00 Leave Valley Cut Hills bear N+S.
79.94 Intersect North + south Line at cor to sec's 14. 15. 22 and 23 from which Cor I run
West on a true line bet sec's 15 and 22
Va 14°34' E

39.97 Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for ¼ sec. cor.
79.94 Cor to sec's 15. 16. 21 + 22

Land Mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W

North bet Sec's 15 and 16
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft. high from pits 18x24x12in deep for 1/4 sec. cor.

73.00 Leave Valley Ent upland bears N.E. & S.W.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18x24x12in deep, drove Cedar Stake 2x2 in and 2 ft in S.E. pit for cor to Sec's 9.10.15 and 16

Land Mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 10 and 15
Va 14° 34' E

19.00 Ent. Valley bears N.E. & S.W.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect North & South line 9 lks North of cor to sec's 10.11.14 and 15 from which cor I run North 89° 56' West on a true line bet Sec's 10 and 15
Va 14° 34' E

39.92 Raised mound of Earth 2½ ft high from pits 18x24x12in deep for 1/4 sec. cor.

79.85 Cor. to Sec's 9.10.15 & 16

Land Mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

North bet sec's 9 and 10
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for ¼ sec cor

56.00 Ent Valley bears N.E. & S.W.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18x24x12 in deep, drove Cedar Stake 2x2 in and 2 ft. in S.E. pit for Cor to sec's 3, 4, 9 and 10

Land rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet sec's 3 and 10
Va 14° 34' E

24.00 Ent. Upland bears NE & SW

40.00 Set temporary ¼ sec. cor.

79.96 Intersect north & south line 18 lks North of cor. to sec's 2, 3, 10 & 11 from which Cor I run North 89° 54' West on a true line bet sec's 3 and 10
Va 14° 34' E

39.98 Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for ¼ sec. cor.

79.96 Cor to sec's 3, 4, 9 and 10

Land rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

North on a random line bet
Sec's 3 and 4
Va 14° 34' E

33.00 Ent upland bears N.E. + S.W.
40.00 Set temporary 1/4 sec. cor.
79.57 Intersect North boundary of
Township 11 lks West of mound with pits to the cor
to sec's 3 + 4 from which
Cor I run
South 05' West on a true
line bet Sec's 3 and 4
Va 14° 34' E
39.57 Raised mound of Earth 2½ ft
high from pits 18×24×12 in
deep. for 1/4 sec. cor.
79.57 Cor to Secs 3.4.9 + 10
Land Rolling + Valley
Soil 1st + 2nd Rate

July 24th 1879

Town 25 N. Range 45 W.

From the Center of the mound
the cor. to sec's 32 and 33 on
South boundary of Township
line I run
North bet Sec's 32 and 33
Va 14° 34' E
40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep for 1/4 sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft high
from pits 18×24×12 in deep
drove Cedar Stake 2×2 in
and 2 ft. in S.E. pit for cor
to Sec's 28.29.32 + 33

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 28 and 33
Va 14° 34' E

40.00 Set temporary 1/4 Sec. cor.

80.04 Intersect North & south line 15 lks
south of cor. to sec's 27, 28
33 & 34 from which cor. bears
South 89° 54' West on a true
line bet Sec's 28 & 33
Va 14° 34' E

40.02 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec cor.

80.04 Cor to sec's 28, 29, 32 & 33

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North bet sec's 28 and 29
Va 14° 34' E

24.00 Ent. Valley bears E & W.

40.00 Raised mound of Earth 2½ ft
high from pits 18×24×12 in
deep for 1/4 Sec. cor.

80.00 Deposit charcoal, raised
mound of Earth 2½ ft high
from pits 18×24×12 in deep
drive Cedar stake 2×2 in
and 2 ft in S.E. pit for cor.
to Sec's 20, 21, 28 & 29

Land Valley
Soil 1st Rate

Town 25 N. Range 45 W

	East on a random line bet Secs 21 and 28 Va 14 34' E
40.00	Set temporary 1/4 sec cor
80.12	Intersect North + South line 14.00 South of cor to secs 21.22.27 and 28 from which cor I run South 89°58' West on a true line bet Secs 21 and 28 Va 14° 34' E
40.06	Raised mound of Earth 2 1/2 ft high from pits 18x24x12 in deep. for 1/4 Sec. cor.
80.12	Cor to Secs 20. 21. 28 + 29
	Land Valley Soil 1st Rate

Town 25 N. Range 45 W.

	North bet sec 20 and 21 Va 14° 34' E
40.00	Raised mound of Earth 2 1/2 ft high from pits 18x24x12 in deep. for 1/4 sec. cor.
54.00	Cut Hills bear N.E. + S.W.
80.00	Deposit charcoal, raised mound of Earth 2 1/2 ft high from pits 18x24x12 in deep. drove Cedar Stake 2x2 in and 2 ft. in S.E. pit for cor. to Secs 16.17.20 + 21
	Land rolling + Valley Soil 1st + 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 16 & 21
Va 14° 34' E

33.00 Ent. Valley bears N.E. & S.W.

110.00 Set temporary 1/4 sec. cor.

80.06 Intersect North & South line
23 lks South of cor to sec's 15, 16
21 & 22 from which cor I run
South 89°58' West on a true
line bet sec's 16 & 21
Va 14° 34' E

40.03 Raised mound of Earth 2½ ft.
high from pits 18x24x12 in
deep for 1/4 sec. cor.

80.06 Cor. to Sec's 16. 17. 20 & 21

Land rolling & Level
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

North bet sec's 16 and 17
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high
from pits 18x24x12 in deep
for 1/4 sec. cor.

80.00 Deposit charcoal, raised mound
of Earth 2½ ft high from pits
18x24x12 in deep, drove
Cedar Stake 2x2 in and 2 ft.
in S.E. pit for Cor to Sec's
8. 9. 16 and 17

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet
Sec's 9 and 16
Va 14° 34' E

40.00 Set temporary 1/4 Sec. cor.
80.11 Intersect North & South line
17 lks South of cor to sec's 9.10
15 & 16 from which cor. I now
South 89° 58' West on a true
line bet Sec's 9 and 16
Va 14° 34' E

40.05 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in deep
for 1/4 Sec cor.

8 80.11 Cor to Sec's 8. 9. 16 and 17

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North bet Sec's 8 and 9
Va 14° 34' E

40.00 Raised mound of Earth 2½
ft. high from pits 18 x 24 x 12 in
deep for 1/4 Sec. cor.
42.00 East Valley bears N.E. & S.W.
80.00 Deposit charcoal, raised
mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep
above Bear Stake 2 x 2 in
and 2 ft in S.E. pit for
Cor. to Sec's 4. 5. 8 and 9

Land Rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

East on a random line
bet Sec's 4 & 9
Va 14° 34' E

40.00 Set temporary 1/4 sec. cor.

80.16 Intersected North & South line
31 lks south of cor to sec's
3. 4. 9 & 10 from which
cor. I am

South 89° 47 West on a true
line bet Sec's 4 and 9
Va 14° 34' E

40.08 Raised mound of Earth 2½ ft
high from pits 18×24×12 in deep
for 1/4 Sec. cor.

80.16 Cor. to Secs 4. 5. 8 and 9

Land Level Valley
Soil 1st Rate

Town 25 N. Range 45 W.

North on a random line bet
Sec's 4 and 5
Va 14° 34' E

17.00 Enter Hills bear N.E. & S.W.

40.00 Set temporary 1/4 sec. cor.

79.43 Intersect north boundary of
Township 21 lks West of cor.
to Sec's 4 & 5 from which cor
I am

South 09' West on a true line
bet Sec's 4 & 5
Va 14° 34' E

39.43 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec. cor.

79.43 Cor to Sec's 4. 5. 8 and 9

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W

From the center of the mound the Cor. to Sec's 31 and 32 on South boundary of Township line I run North bet Sec's 31 and 32 Va 14° 34' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

68.00 Enter Valley bears N.E. & S.W.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for Cor to Sec's 29, 30, 31 & 32

8

Land Rolling & Level
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 29 & 32 Va 14° 34' E

16.00 Cut Stalls bear N.E. & S.W.

40.00 Set temporary ¼ sec. cor.

80.03 Intersect North & South line 12 lks South of cor to Sec's 28, 29, 32 & 33 from which cor. I run South 89° 55' West on a true line bet Sec's 29 & 32 Va 14° 34' E

40.01 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ Sec. cor.

80.03 Cor. to Sec's 29, 30, 31 & 32

Land Rolling
Soil 2nd Rate

July 25th 1879

Town 25 N. Range 45 W.

West on a random line bet Sec's 30 and 31
Va 14° 34' E

29.00 Ent. Hills bear N.W. & S.E.
40.00 Set temporary 1/4 Sec. cor.
80.61 Intersect West boundary of Township 17 lks South of mound with pit the Cor. to Sec's 30 and 31 from which Cor. I run
South 89° 53 East on a true line bet sec's 30 and 31
Va 14° 34' E
40.61 Raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep. for 1/4 Sec. cor.
80.61 Cor to Sec's 29. 30. 31 and 32

Land Rolling & Level
Soil 1st & 2nd Rate

Town 25 N. Range 45 W.

North bet Sec's 29 and 30
Va 14° 34' E
40.00 Raised mound of Earth 2 1/2 ft. high from pits 18 x 24 x 12 in deep for 1/4 sec. cor.
76.00 Ent. Hills bear E & W.
80.00 Deposit Charcoal, raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep drove Cedar Stake in S.E. pit for cor. to sec's 19. 20. 29 & 30.

Land Level Valley
Soil 1st Rate

Town 25 N. Range 45 W.

East on a random line
bet Sec's 20 + 29
Va 14° 34' E

8.00 Ent. Valley bears N.E. S.W.
40.00 Set temporary 1/4 sec. cor.
80.11 Intersect North + South line 16 lks
South of cor. to sec's 20. 21. 28
and 29 from which cor I run
South 89° 53' West on a true
line bet Sec's 20 + 29
Va 14° 34' E
40.05 Raised mound of Earth 2½ ft
high from pits 18x24x12 in
deep for 1/4 sec. cor.
80.11 Cor. to sec's 19. 20. 29 + 30

Land mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

West on a random line bet.
Sec's 19 and 30
Va 14° 34' E

17.00 Ent. Valley bears N.W. + S.E.
40.00 Set temporary 1/4 sec. cor.
80.68 Intersect West boundary of Town
ship 25 lks South of mound with pits the cor to sec's
19 + 30 from which cor I run
South 89° 49' East on a true line
bet. Sec's 19 + 30
Va 14° 34' E
40.68 Raised mound of Earth 2½ ft.
high from pits 18x24x12 in deep
for 1/4 sec. cor.
80.68 Cor to Sec's 19. 20. 29 + 30

Land mostly Valley
Soil 1st Rate

Town 25 N. Range 45 W.

North bet Sec's 19 and 20
Va 14° 34' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep, for ¼ sec, cor

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep Above Cedar Stake 2×2 in and 2 ft in S.E. pit for cor to sec's 17, 18, 19 & 20

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line bet Sec's 17 and 20
Va 14° 34' E

40.00 Set temporary ¼ Sec. cor.

79.98 Intersect North & South line at cor. to Sec's 16, 17, 20 & 21 from which Cor. I run West on a true line bet Sec's 17 and 20
Va 14° 34' E

39.99 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec, cor.

79.98 Cor to sec's 17, 18, 19 & 20

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

West on a random line
bet secs 18 and 19
Va 14°34' E

40.00 Set temporary 1/4 sec. cor.

80.55 Intersect West boundary of Town
ship 18 lks South of mound with pits Cor. to secs
18 and 19 from which cor I run
South 89°52' East on a true
line bet secs 18 + 19
Va 14°34' E

40.55 Raised mound of Earth 2½ ft
high from pits 18×24×12 in
deep for 1/4 sec. cor.

80.55 Cor. to secs 17. 18. 19 + 20

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

North bet secs 17 and 18
Va 14°34' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in deep
for 1/4 sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft
high from pits 18×24×12 in
deep, drove cedar stake
2×2 in and 2 ft in S.E pit
for Cor. to secs 7. 8. 17 + 18

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

East on a random line
bet Sec's 8 and 17
Va 14° 34' E

40.00 Set temporary 1/4 Sec. cor.

80.04 Intersect North & South line 28 lks
North of cor. to Sec's 8. 9. 16 & 17
from which Cor S. cor
North 89° 58' West on a true line
bet Sec's 8 & 17
Va 14° 34' E

40.02 Raised mound of Earth 2½ ft
high from pits 18 x 24 x 12 in
deep, for 1/4 Sec. cor.

80.04 Cor to Sec's 7. 8. 17 & 18

Land Rolling
Soil 2nd Rate

Town 25 N. Range 45 W.

West on a random line bet
Sec's 7 and 18
Va 14° 34' E

40.00 Set temporary 1/4 Sec. cor.

47.00 Ent Valley bears N. E. & S. W.

80.53 Intersect West boundary of Town
ship 22 lks South of Cor to
Sec's 7 & 18 from which cor.
S cor
South 89° 57' East on a true line
bet Sec's 7 and 18
Va 14° 34' E

40.53 Raised mound of Earth 2½ ft
high from pits 18 x 24 x 12 in
deep, for 1/4 Sec. cor.

80.53 Cor to Sec's 7. 8. 17 & 18

Land Rolling & Valley
Soil 1st & 2nd Rate

Town 25 N. Range 45 W

	North bet secs 7 and 8 Va 14° 34' E
18.00	Enter Valley bears N.E. + S.W.
40.00	Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.
80.00	Deposit charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep. drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to secs 5.6.7 and 8
	Land Mostly Valley Soil 1st Rate

Town 25 N. Range 45 W.

	East on a random line bet secs 5 and 8 Va 14° 34' E
40.00	Set temporary ¼ sec. cor.
80.09	Intersect north + south line 22 lks north of cor to secs 4.5.8 + 9 from which Cor I run North 89° 57' West on a true line bet secs 5 and 8 Va 14° 34' E
40.04	Raised mound of Earth 2½ ft high from pits 18×24×12 in deep. for ¼ sec. cor.
80.09	Cor. to secs 5.6.7 and 8
	Land Valley Soil 1st Rate

Town 25 N. Range 45 W.

West on a random line
bet Sec's 6 and 7
Va 14° 34' E

22.00 Ent. Miles bear N.E. & S.W.

40.00 Set temporary 1/4 sec. cor.

80.62 Intersect West boundary of Town
ship 35 lks South of Cor. to Sec's
6 & 7 from which I run
South 89° 45' East on a true
line bet Sec's 6 and 7
Va 14° 34' E

40.62 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in
deep for 1/4 sec. cor.

80.62 Cor to Sec's 5. 6. 7 and 8

Land Rolling
Soil 2nd & 1st Rate

Town 25 N. Range 45 W.

on a random line
North bet Sec's 5 and 6
Va 14° 34' E

6.00 Ent Upland bears N.E. & S.W.

40.00 Set temporary 1/4 sec. cor.

79.52 Intersect North boundary of
Township 15 lks West of Cor
to Sec's 5 and 6 from which
Cor I run
South 56' West on a true
line bet Sec's 5 and 6
Va 14° 34' E

39.52 Raised mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
1/4 sec. cor.

79.52 Cor to Sec's 5. 6. 7 & 8

Land Rolling
Soil 2nd Rate

July 26th 1879

Town 25 N. Range 45 W.

General Description

This Township has no running Water or Timber. The surface of Township is good. with Wide rich Valleys Extending from North East to South West Water can be readily had by digging from 12 to 15 ft The Entire Township is covered with good Grass of various Varieties Well adapted to Grazing and Agriculture

Town 25 N. Range 45 W.

List of Names

A List of the Names of the individuals employed to assist in running, measuring or marking the lines and corners, described in the foregoing field Notes of Township No. 25 North of the base Line of Range No. 45 West of the 6th P.M., in Nebraska showing the respective Capacities in which they acted:

Albert Sharp	Chainman
W. C. Miller	Chainman
F. L. Borland	Moundman
Allen E. Sharp	Flagman

We hereby certify that we assisted D. V. Stephenson Deputy Surveyor in surveying and subdividing Township No. 25 North of the base line of Range No. 45 West of 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General, of dimensions character construction, and marking and in the manner as specifically described in the foregoing field Notes

Albert Sharp	Chainman
W. C. Miller	Chainman
F. L. Borland	Moundman
Allen E. Sharp	Flagman

Subscribed and sworn to by the above Named Persons before me a Notary Public for the County of ~~Lancaster~~ Cheyenne in the State of Nebraska this 25th day of August 1879

W. H. Stowe
Notary Public

Town 25 N Range 45 W.

I, D. V. Stephenson — Deputy Surveyor do solemnly swear that in pursuance of a joint Contract wherein S. M. Chapman, D. V. Stephenson and J. C. McElroy are joint Contractors with John R. Clark U.S. Surveyor General for the Dist. of Nebraska and Iowa bearing date April 23rd 1879. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the surveying Manual, and the laws of the U. States, surveyed all the parts or portions of Township No 25 North of the base line of Range No 45 West of the 6th P.M. in Nebraska, as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the Corners, of said surveys have been Established and perpetuated, in strict accordance with the Surveying Manual, printed instructions and special Instructions of Surveyor General, of dimensions character, Construction and Marking in the Manner as specially described in the foregoing field Notes, and that the foregoing are the true and original field Notes of such Survey

D V Stephenson
Deputy Surveyor

Subscribed by said D. V. Stephenson Dep'ty Surveyor and sworn to before me a ~~Clerk District Court~~ for the County of Richardson in the State of Nebraska this 1st day of September 1879

J. C. Cunningham
Clerk District Court for said County

Surveyor General's Office
Plattsmouth Neb. Nov. 10th 1879

The foregoing field notes of the Survey & Sub Division of Township No 25 North of the Base Line, of Range No 45 West of the 6th P.M. in Nebraska. Executed by David T. Stephenson Deputy Surveyor, under Joint Contract No 710 dated April 23d 1879, in the month of July 1879, having been critically Examined the necessary corrections & Explanations made, the said field notes & the surveys they describe are hereby approved.

Geo S Smyth
Surveyor General

T 26 N., R 45 W

6	60	5	44	4	33	3	22	2	11	1	
59		58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12	
56		55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13	
53		52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24	
50		49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25	
47		46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36	

Town 26 N Range 45 W

Field Notes of Survey & Subdivision of Township No 26 North of the Base line of Range No 45 West of the 6th P.M. in Nebraska

Executed by D. V. Stephenson deputy Surveyor under your Contract No 110 dated April 23d 1879.

Survey Commenced August 4th 1879
Survey Completed August 8th 1879

List of Names

Albert Sharp	Chainman
W. C. Miller	Chainman
F. L. Borland	Mounduman
Allen E Sharp	Flagman

Town 26 N Range 45 W.

To find the proper adjustment of my compass for the subdivision of this township I begin at the S. E. corner of Township No 26 North of the base line & Range No 45 West of the 6th P M in Nebraska and run North on a blank line on the East boundary of Sec 36

Va 14° 40' East.

40.00	To a point 11 lks West of 1/4 sec cor
80.00	To a point 23 lks West of the sec cor

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 14°30' E

Town 26 N Range 45 W.

From center of mound the Cor to Secs 35 & 36 on the South Boundary of the Township I run North between secs 35 & 36

Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in in S.E. pit for Cor to Secs 25. 26. 35 & 36

Land High Valley
Soil 1st rate

Town 26 N Range 45 W.

East on Random line bet. Secs 25 & 36

Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.89. Intersect East boundary of Township 19 lks South of mound with pits Cor to Secs 25 & 36 from which Cor I run

S 89° 52' West on true line bet. Secs 25 & 36

Va 14° 30' E

39.94½ Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor

79.89 Corner to Secs 25 26 35 & 36

Land High Valley
Soil 1st Rate

Town 26 N. Range 45 W

North Bet. Secs 25 & 26
Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 X 24 X 1½ in dep for ¼ Sec Cor

76.00 Leave Valley & Enter Upland bears E & W.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 X 24 X 1½ in dep Drove cedar stake 2 X 2 X 24 in in S.E. pit for Cor to Secs 23 24 25 & 26

Land High Valley
Soil 1st Rate

Town 26 N. Range 45 W.

East on Random line bet Secs 24 & 25
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.78 Intersect East boundary of Township 42 lks North of Point for Cor to Secs. 24 & 25 (corner in pond) from which Cor I run

S 89° 47' West on true line between Secs 24 & 25
Va 14° 30' E

39.89 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 1½ in dep for ¼ Sec. Cor.

79.78 Corner to Secs 23. 24. 25 & 26

Land Rolling Near Valley
Soil 1st Rate

Town 26 N Range 45 W

North bet Secs 23 & 24
Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor.

63.00 Enter Valley bears E & W.

80.00 Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep Drove Cedar Stake 2 x 2 x 24 in in SE pit for Cor to Secs 13, 14, 23 & 24

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range No 45 W

East on Random line bet. Secs 13 & 24
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.96 Intersect East boundary of Township 15 lks South of Mound with pits Cor to Secs 13 & 24 from which Cor I run S 89° 54 West on true line bet. Secs 13 & 24
Va 14° 30' E

39.98 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec Cor

79.96 Corner to Secs 13, 14 23 & 24

Land Rolling
Soil 2d Rate

August 4th 1879

Town 26 N Range 45 W

North bet Secs 13 & 14
Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.

41.00 Leave Valley & Enter Upland bears E & W.

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar stake 2 X 2 X 24 in in S.E. pit for Cor to Secs
11 12 13 & 14

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W.

East on Random line bet Secs 12 & 13
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.92 Intersect East boundary of Township 9 lks North of mound set to pits Cor to Secs 12 & 13 from which Cor I run
N 89° 56' West on true line between Secs 12 & 13
Va 14° 30' E

39.96 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

79.92 Corner to Secs
11 12 13 & 14

Land Rolling
Soil 2d rate

Tow 26 N Range 45 W

North between secs 11 & 12
Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec Cor.

80.00 Deposit Charcoal raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep Drove Cedar stake 2 x 2 x 24 in in S E pit for Cor to secs 1. 2. 11 & 12

Land Rolling
Soil 2d Rate

Tow 26 N Range 45 West

East on random line bet secs 1 & 12
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.81 Intersect East boundary of township 21 lks North of Cor to Secs 1 & 12 from which Cor I run N 89° 51 West on true line between secs 1 & 12
Va 14° 30' E

39.90½ Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec Cor

79.81 Corner to Secs 1. 2. 11 & 12

Land Rolling
Soil 2d Rate

Town 26 N Range 45 W

North on Random line bet
Secs 1 & 2
Va 14° 30' E
40.00 Set temporary 1/4 sec Cor
81.10 Intersect North boundary
of Township 30 lks West of
the Cor to secs 1 & 2 from
which Cor I run
South 13' W on true line bet-
Secs 1 & 2
Va 14° 30' E
41.10 Raised Mound of Earth 2 1/2
ft high from pits 18 X 24
X 12 in dep for 1/4 Sec Cor
81.10 Cor to Secs
1. 2. 11 & 12

Land Valley
Soil 1st Rate

Town 26 N Range 45 W.

From Center of Mound the Cor
to Secs 34 & 35 on the South
Boundary of Township I
run North between Secs 34 & 35
Va 14° 30' E
40.00 Raised Mound of Earth 2 1/2
ft high from pits 18 X 24 X
12 in dep for 1/4 Sec. Cor.
80.00 Deposit Charcoal raised
Mound of Earth 2 1/2 ft
high from pits 18 X 24 X
12 in dep Drove Cedar
stake 2 X 2 X 24 in in
S. E. Pit for Cor to
Secs
26 27 34 & 35

Land Valley
Soil 1st Rate

Town 26 N Range 45 W

East on random line bet
sec 26 & 35
Va 14° 30' E

40.00 Set temporary 1/4 Sec Cor
80.03 Intersected N & S line 12 lks
North of Cor to secs 25, 26
35 & 36 from which Cor I
run
N. 89° 55' West on true line bet
sec 26 & 35
Va 14° 30' E

40.01½ Raised Mound of Earth 2½
ft high from pits 18 x 24
x 12 in. deep for 1/4 Sec Cor
80.03 Corner to Secs
26, 27, 34 & 35

Land Valley
Soil 1st Rate

Town 26 N Range 45 W.

North between secs 26 & 27
Va 14° 30' E

40.00 Raised Mound of Earth
2½ ft high from pits
18 x 24 x 12 in deep for
1/4 Sec Cor
71.00 Leave Valley & Enter Upland
bears E. & W.
80.00 Deposited Charcoal raised
Mound of Earth 2½ ft high
from pits 18 x 24 x 12 in
deep and Drove Cedar
Stake 2 x 2 x 24 in in
SE pit for Cor to secs
22, 23, 26 & 27

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W

East on random line bet
secs 23 & 26
Va 14° 30' E
40.00 Set temporary 1/4 Sec Cor
79.82 Intersect N. & S. line 7 lks
South of Cor to secs 23 24
25 & 26 from which Cor
bears
S. 89° 57' West on true line bet
secs 23 & 26
Va 14° 30' E
39.91 Raised Mound of Earth 2½
ft high from pits 18 X
24 X 12 in deep for 1/4
Sec Cor.
79.82 Corner to secs
22 23 26 & 27

Land Rolling
Soil 2d Rate

Town 26 North Range 45 W.

North bet secs 22 & 23
Va 14° 30' E
41.00 Raised Mound of Earth 2½
ft high from pits 18 X 24
X 12 in deep for 1/4 Sec Cor
72.00 Leave Upland & Hunter Valley
bears E. & W.
80.00 Deposited Charcoal raised
Mound of Earth 2½ ft high
from pits 18 X 24 X 12 in
deep and drove Cedar
stake 2 X 2 X 24 in in
S.E. pit for Cor to secs
14, 15, 22 & 23

Land Rolling & Valley
Soil 1st & 2d Rate

Town 26 N Range 45 W

East on Random lat
secs 14 & 23
Va 14° 30' E

40.00 Set temporary 1/4 Sec Cor
79.89 Intersect N & S line 9 chs
North of Cor to secs 13, 14.
20 & 24 from which Cor
I run
N 89° 56 West on true line
lat secs 14 & 23
Va 14° 30' E

3994 Raised Mound of Earth
2 1/2 ft high from pits 18
X 24 X 12 in dep for 1/4
Sec. Cor.

79.89 Corner to secs
14. 15. 22 & 23

Sand Valley
Soil 1st & Rate

Town 26 N Range 45 W

North lat secs 14 & 15
Va 14° 30' E

38.00 Leave Valley & Enter Upland
bears E. & W.

40.00 Raised Mound of Earth
2 1/2 ft high from pits 18 X
24 X 12 in dep for 1/4 Sec
Cor

80.00 Deposit Charcoal raised
Mound of Earth 2 1/2 ft
high from pits 18 X 24 X 12
in dep Drove cedar stake
2 X 2 X 24 in in S.E. pit
for Cor to secs
10 11 14 & 15

Sand Valley & Rolling
Soil 1st & 2d Rate

Town 26 N. Range 45 W

East bet Secs 11 & 14 on random line
Va 14° 30' E

40.00 Set temporary 1/4 Sec Cor
80.01 Intersected N & S line 17 lks North of Cor to Secs 11. 12. 13 & 14 from which Cor I run

N 89° 53' West on true line bet Secs 11 & 14
Va 14° 30' E

40.00½ Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 Sec Cor
80.01 Corner to Secs 10 11 14 & 15

Land Rolling
Soil 2d Rate

Town 26 N. Range 45 W.

North bet Secs 10 & 11
Va 14° 30' E

11.00 Enter Valley bears W & N.E.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in dup for 1/4 Sec. Cor.
80.00 Deposited Charcoal raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in dup & rove Cedar stake 2 x 2 x 24 in in S. E. pit for Cor to Secs 2 3 10 & 11

Land Mostly Valley
Soil 1st rate

August 5th 1879

Town 26 N Range 45 W.

	East on random line bet secs 2 & 11
	Va 14° 30' E
31.00	Leave Valley & Enter Upland bears N. & S.
40.00	Set temporary 1/4 sec Cor
80.06	Intersect N & S line 9 lks North of Cor to secs 1. 2. 11 & 12 from which Cor I run
	N 89° 56' West on true line bet secs 2 & 11
	Va 14° 30' E
40.03	Raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec Cor.
80.06	Corner to Secs 2, 3, 10 & 11

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W.

	North on Random line bet secs 2 & 3
	Va 14° 30' E
40.00	Set temporary 1/4 sec. Cor.
75.00	Leave Valley & Enter Upland bears E & W
81.16	Intersect North boundary of Township 16 lks. West of mound with pits Cor. to secs 2 & 3 from which Cor I run
	South 7' W. on true line bet secs 2 & 3
	Va 14° 30' E
41.16	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 sec. Cor.
81.16	Corner to Secs 2, 3, 10 & 11

Land Valley
Soil 1st Rate

Town 26 N Range 45 W

From the Center of Mound the Cor to secs 33 & 34 on the East Boundary of Township I run North bet secs 33 & 34

Va 14°30' E

40.00 Raised Mound of Earth 2" 2ft high from pits 18 X 24 X 12 in deep for 1/4 Sec Cor

80.00 Deposited charcoal raised mound of Earth 2" 2ft high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in in SE pit for cor to secs

27 28 33 & 34

Land Valley

Soil 1st Rate

Town 26 North Range 45 W.

East on Random line bet Secs 27 & 34

Va 14°30' E

40.00 Set temporary 1/4 Sec Cor

80.05 Intersect N & S line 8 chs North of Cor to secs 26 27 34 & 35 from which Cor I run

N 89°57' West on true line bet secs 27 & 34

Va 14°30' E

40 02½ Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for 1/4 Sec Cor

80.05 Corner to secs

27 28, 33 & 34

Land Valley Soil 1st rate

Town 26 N. Range 45 W

North bet secs 27 & 28
Va 14°30' E

42.00 Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

66.00 Leave Valley & Enter Uplands bears E & N.W.

80.00 Deposited Charcoal raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar stake 2 X 2 X 24 in in S.E. pit for Cor to secs
21 22 27 & 28

Sand Valley & Rolling
Soil 1st & 2d Rate

Town 26 N. Range 45 W.

East on random line bet secs 22 & 27
Va 14°30' E

40.00 Set temporary ¼ sec. Cor

79.97 Intersected N & S line 9 lks North of Cor to secs 22 23 26 & 27 from which Cor I run N 89°56' West on true line bet secs 22 & 27
Va 14°30' E

39.98½ Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.

79.97 Corner to secs
21 22 27 & 28

Sand Rolling
Soil 2d Rate

Town 26 N Range 45 W

North Bet Secs 21 & 22
Va 14°30' E

40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec Cor

80.00 Deposited Charcoal raised mound of Earth from pits 18 x 24 x 12 in. deep Drove cedar stake 2 x 2 x 24 in. in S.E. pit for Cor to Secs 15, 16, 21 & 22

Land Rolling Soil 2d rate

Town 26 N Range 45 W.

East on Random line bet Secs 15 & 22
Va 14°30' E

40.00 Set temporary ¼ Sec. Cor.

64.00 Enter Valley bears N.W. & S.E.

80.03 Intersect N & S line 16 links back of Cor to Secs 14, 15, 22 & 23 from which Cor & run S 89°53' West on true line bet. Secs 15 & 22
Var. 14°30' E

40.01½ Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec Cor.

80.03 Corner to Secs 15 16 21 & 22

Land Rolling & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W.

North between Secs 15 & 16
Va 14° 30' E

13.00 Enter Valley bears E & S.W.

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

44.00 Leave Valley & Enter Upland bears E & W.

50.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar stake 2 X 2 X 24 in long in S.E. pit for Cor to Secs
9. 10. 15 & 16

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W.

East on Random line bet Secs 10 & 15
Va 14° 30' E

40.00 Set temporary ¼ Sec. Cor.

80.09 Intersected N. & S. line 28 lks South of Cor to Secs 10. 11. 14 & 15 from which Cor I run
S 89° 48' West on town line bet Secs 10 & 15
Va 14° 30' E

40.04½ Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

80.09 Corner to Secs
9. 10 15 & 16

Land Rolling soil 2d Rate

Town 26 N Range 45 W.

North between Secs 9 & 10
Va 14° 30' E

14.00 Enter Valley bears E & W.

40.00 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

80.00 Deposited Charcoal raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep Drove Cedar stake 2 X 2 X 24 in in S. E. pit for Cor to Secs
3. 4. 9 & 10

Sand Rolling & Valley Soil 1st & 2d rate

Town 26 N, Range 45 W.

East on Random line bet Secs 3 & 10
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

79.98 Intersected N & S line 21 lks South of Cor to Secs 2. 3. 10 & 11 from which Cor I run

S 89° 51' West on true line between Secs 3 & 10
Va 14° 30' E

39.99 Raised Mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

79.98 Corner to sections
3. 4. 9 & 10

Sand Valley
Soil 1st Rate

Town 26 N Range 45 W

North on Random line bet
Secs 3 & 4
Va 14° 30' E
40.00 Set temporary 1/4 Sec. Cor.
57.00 Leave Valley & enter upland
bears N.E. & S.W.
81.09 Intersect North Boundary of
Township 25 lks West of
mound with pits
Cor to Secs 3 & 4 from
which Cor I run
South 11 W on true line bet
secs 3 & 4
Va. 14° 30' E
41.09 Raised Mound of Earth 2 1/2
ft. high from pits 18 X
24 X 12 in deep for 1/4
Sec. Cor.
81.09 Corner to Secs
3. 4. 9 & 10

Sand Valley & Rolling Prairie
Soil 1st & 2d Rate

August 6th 1879

Town 26 N. Range 45 W.

From the center of Mound the
Cor to Secs 32 & 33 on the South
boundary of Township I run
North bet Secs 32 & 33
Va 14° 30' E.
40.00 Raised Mound of Earth 2 1/2
ft high from pits 18 x 24
x 12 in deep for 1/4 Sec Cor
80.00 Deposited Charcoal raised
Mound of Earth 2 1/2 ft high
from pits 18 X 24 X 12 in
deep & Drove Cedar stake
2 X 2 X 24 in in S.E. Pit
for Cor to Secs
28. 29. 32 & 33

Sand Valley Soil 1st rate

Town 26 N Range 45 West

East on Random line bet
secs 28 & 33
Va 14° 30' E

40.00 Set temporary 1/4 Sec Cor
79.88 Intersect N & S line 17 North of
Cor to secs 27 28 33 & 34
from which Cor bears
N 89° 53' West on true line
bet. secs. 28 & 33
Va 14° 30' E

39.84 Raised Mound of Earth 2½
ft high from pits 18 x 24
x 12 in deep for 1/4 Sec Cor
79.88 Corner to secs
28, 29, 32 & 33.

Small Valley
Soil 1st Rate

Town 26 N Range 45 W

North bet secs 28 & 29
Va 14° 30' E

40.00 Raised Mound of Earth
2½ ft high from pits 18 x
24 x 12 in deep for 1/4 Sec. Cor.
56.00 Leave Valley & Enter Upland
bears N. E. & S. W.
63.00 Enter Valley bears E. & W.
80.00 Deposit Charcoal raised
mound of Earth 2½ ft high
from pits 18 x 24 x 12 in deep
Drove Cedar stake 2 x 2
x 24 in in S E pit for Cor
to secs
20, 21, 28 & 29

Small Valley & Upland
Soil 1st & 2d Rate

Town 26 N Range 45 W

East on Random line bet
secs 21 & 28
Va 14° 30' E
40.00 Set temporary 1/4 Sec Cor.
63.00 Leave Valley & Enter Upland
bears N.W. & S.E.
79.95 Intersected N & S line 11 lks
North of Cor to secs 21
22 27 & 28 from which
Cor I now
N 89° 55' West on true line bet
secs 21 & 28
Va 14° 30' E
39.97½ Raised Mound of Earth 2½
ft high from pits 18 X 24
X 12 in deep for 1/4 Sec Cor
79.95 Corner to Secs
20, 21, 28 & 29.

Sand Valley & Upland
Soil 1st & 2d rate

Town 26 N Range 45 W.

North bet. secs. 20 & 21
Va 14° 30' E
40.00 Raised Mound of Earth 2½
ft high from pits 18 X 24
X 12 in deep for 1/4 Sec Cor
80.00 Deposited Charcoal Raised
Mound of Earth 2½ ft high
from pits 18 X 24 X 12 in
deep and Drove Cedar Stake
2 X 2 X 24 in. in S E pit
for Cor to secs
16, 17, 20 & 21

Sand Valley
Soil 1st Rate

Town 26 N Range 45 W.

	East on Random line bet Secs 16 & 21 Va 14° 30' E
40.00	Set temporary 1/4 Sec Cor.
58.00	Lower Valley & Enter Upland bears N. & S.
79.98	Intersect N & S line 10 lks South of Cor to Secs 15, 16 21 & 22 from which Co S run
	S 89° 56' West on true line bet Secs 16 & 21 Va 14° 30' E
39.98	Raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
79.98	Corner to Secs 16, 17, 20 & 21
	Land Valley & Rolling Prairie Soil 1st & 2d Rate

Town 26 N Range 45 W.

	North bet Secs 16 & 17 Va 14° 30' E
23.00	Lower Valley & Enter Upland bears N. & S.
40.00	Raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
80.00	Deposit Charcoal raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep and Drove Cedar stake 2 x 2 x 24 in in S E pit for Cor to Secs 8, 9, 16 & 17
	Land Valley & Upland Soil 1st & 2d Rate

Town 26 N Range 45 W

	East on Random line bet
	Secs 9 & 16
	Va 14° 30' E
40.00	Set temporary 1/4 Sec Cor
79.89	Intersected N & S line 19 lks
	South of Cor to Secs 9, 10, 15
	& 16 from which Cor Trees
	S 89° 57' West on true line
	bet Secs 9 & 16
	Va 14° 30' E
39.94½	Raised Mound of Earth 2½ ft
	high from pits 18 X 24 X 12
	in deep for 1/4 Sec Cor
79.89	Corner to Secs
	8, 9, 16 & 17

Land Rolling Prairie
Soil 2d Rate

Town 26 N Range 45 W.

	North between Secs 8 & 9
	Va 14° 30' E
8.00	Enter Valley bears E. & W.
40.00	Raised Mound of Earth 2½ ft
	high from pits 18 X 24 X
	12 in deep for 1/4 Sec Cor
60.00	Leave Valley & Enter Upland
	bears W. & N.E.
80.00	Deposit Charcoal raised
	Mound of Earth 2½ ft high
	from pits 18 X 24 X 12 in
	deep and Drove Cedar Stake
	2 X 2 X 24 in deep in S.E.
	pit for Cor to Secs
	4, 5, 8 & 9

Land Upland & Valley
Soil 1st & 2d Rate

Town 26 N Range 45 W

East on Random line bet-
secs 4 & 9
Va 14° 30' E
11.00 Enter Valley bears N.E. & S.W.
40.00 Set temporary 1/4 sec Cor
79.93 Intersect N & S line 8 links South
of Cor to secs 3, 4, 9 & 10 from
which Cor I run
S 89° 57 West on true line
bet secs 4 & 9
Va 14° 30' E
39.9~~2~~ 6 1/2 Raised Mound of Earth 2 1/2 ft.
high from pits 18 X 24 X 12
in deep for 1/4 Sec Cor
79.93 Corner to secs
4, 5, 8 & 9.

Land Rolling & Valley
Soil 1st & 2d rate

Town 26 N Range 45 W.

North on Random line bet
secs 4 & 5
Va. 14° 30' E
40.00 Set temporary 1/4 Sec Cor
81.22 Intersect North boundary of
Township 21 lks West of
mound with pits
Cor to secs 4 & 5 from
which Cor I run
South 9' W. on true line bet
secs 4 & 5
Va. 14° 30' E
41.22 Raised Mound of Earth
2 1/2 ft high from pits 18 X
24 X 12 in deep for 1/4 Sec, Cor,
81.22 Corner to Secs
4, 5 8 & 9

Land Rolling Prairie
Soil 2d Rate

Town 26 N Range 45 W

From Center of Mound the Cor to Secs 31 & 32 on the East Boundary of Township I run North between Secs 31 & 32
Va 14° 30' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for ¼ Sec Cor

80.00 Deposited Charcoal raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep and Drove Cedar stake 2 x 2 x 24 in in S.E. pit for Cor to Secs
29. 30. 31 & 32

Land Valley
Soil 1st Rate

Town 26 N Range 45 W.

East on Random line bet Secs 29 & 32
Va 14° 30' E

8.00 Leave Valley & Enter Upland bears N. & S. E.

40.00 Set temporary ¼ Sec. Cor.

59.00 Enter Valley bears N. & S. W.

79.95 Intersect E & S line at Cor to Secs 28 29 32 & 33 from which Cor I run

West on true line between Secs 29 & 32
Va 14° 30' E

39.97½ Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor.

79.95 Corner to Secs
29. 30. 31 & 32

Land Upland & Valley
Soil 1st & 2d Rate

Town 26 North Range 45 W

West on Random line bet
secs 30 & 31
Va 14° 30' E
40.00 Set temporary 1/4 Sec. Cor.
80.38 Intersected West Boundary of
Township 19 lks North of Cor
to Secs 30 & 31 from which
Cor I run
S. 89° 52' East on true line bet
Secs 30 & 31
Va 14° 30' E
40.38 Raised Mound of Earth 2 1/2
ft. high from pits 18 x 24
x 12 in deep for 1/4 Sec Cor,
80.38 Corner to Secs
29, 30, 31 & 32

Land Valley
Soil 1st Rate

August 7th 1879

Town 26 N Range 45 W.

North bet Secs 29 & 30
Va 14° 30' E
40.00 Raised Mound of Earth 2 1/2
ft high from pits 18 x 24
x 12 in deep for 1/4 Sec. Cor
58.00 Leave Valley & Enter upland
bears E & W.
80.00 Deposit Charcoal raised Mound
of Earth 2 1/2 ft high from
pits 18 x 24 x 12 in deep,
& Drove Cedar Stake 2 x 2 x
24 in. in S E pit for Cor
to Secs
19, 20, 29 & 30

Land Valley & Upland
Soil 1st & 2d Rate

Town 26 N Range 45 W.

East on Random line bet Secs 20 & 29

Va 14° 30' E

18.00 Enter Valley bears N.W. & S.E.

40.00 Set temporary 1/4 Sec Cor

80.02 Intersect N & S line 16 lks North of Cor to Secs 20, 21, 28 & 29 from which Cor I run N 89° 53' West on true line bet Secs 20 & 29

Va 14° 30' E

40.02 Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor

80.02 Corner to Secs 19 20 29 & 30

Land Valley & Rolling
Soil 1st & 2d Rate

Town 26 N Range 45 W.

West on Random line bet Secs 19 & 30

Va 14° 30' E

40.00 Set temporary 1/4 Sec. Cor.

80.34 Intersected West boundary of Township 25 lks South of Cor to Secs 19 & 30 from which Cor I run S 89° 49' East on true line between Secs 19 & 30

Var 14° 30' E

40.34 Raised mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor

80.34 Corner to Secs 19 20 29 & 30

Land Rolling Prairie
Soil 2d Rate

Town 26 N Range 45 W

North bet Secs 19 & 20
Va 14° 30' E

21.00 Enter Valley bears S, E & W.

40.00 Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.

48.00 Leave Valley & Enter Upland bears E, & W.

80.00 Deposit Charcoal raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep. Set Drove Cedar Stake 2 X 2 X 24 in in S.E. pit for Cor to Secs
17 18 19 & 20

Land Valley & Upland
Soil 1st & 2d Rate

Town 26 N Range 45 W.

East on Random line bet Secs 17 & 20
Va 14° 30' E

40.00 Set temporary ¼ Sec Cor

74.00 Enter Valley bears N. & S.

79.91 Intersect N & S line 9 lks North of Cor to Secs 16, 17 20 & 21 from which Cor I run

N 89° 56' West on true line bet. Secs 17 & 20
Va 14° 30' E

39.90½ (5½) Raised mound of Earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec Cor

79.91 Corner to Secs
17, 18 19 & 20

Land Upland & Valley
Soil 1st & 2d Rate

Town 26 N Range 45 W

	West on Random line bet Secs 18 & 19
	Va 14°30' E
40.00	Set temporary 1/4 Sec Cor
80.41	Intersect West Boundary of Township 15 lks South of Cor to Secs 18 & 19 from which Cor I saw (marked with pits)
	S 89°54' East on true line bet secs 18 & 19
	Va. 14°30' E
40.41	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
80.41	Corner to Secs 17, 18, 19 & 20
	Sand Rolling
	Soil 2d Rate

Town 26 N Range 45 W

	North bet Secs 17 & 18
	Va. 14°30' E
40.00	Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
80.00	Deposited Charcoal Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep and Drove Cedar stake 2 x 2 x 24 in, in S.E. pit for Cor to Secs 7, 8, 17 & 18
	Sand Rolling
	Soil 2d Rate

Town 26 North Range 45 W.

East on Random line bet
Secs 8 & 17
Va 14° 30' E

40.00 Set temporary 1/4 Sec Cor
79.96 Intersect N & S line 16 lks
North of Cor to Secs 8. 9.
16 & 17 from which, Cor
bears
N 89° 53' West on true line
bet Secs 8 & 17
Va 14° 30' E

39.98 Raised Mound of Earth 2 1/2
ft high from pits 18 X 24
X 12 in deep for 1/4 Sec Cor.
79.96 Corner to Secs
7. 8. 17 & 18

Land Rolling
Soil 2d Rate

Town 26 N Range 45 W.

West on Random line
bet Secs 7 & 18
Va 14° 30' E

40.00 Set temporary 1/4 Sec. Cor.
80.26 Intersect West boundary
of Township 4 lks South of
mound with pits
Cor to Secs 7 & 18 from which
Cor bears
S 89° 51' East on true line
bet secs 7 & 18
Va 14° 30' E

40.26 Raised Mound of Earth
2 1/2 ft high from pits 18
X 24 X 12 in deep for 1/4
Sec Cor
80.26 Corner to Secs
7. 8. 17 & 18

Land Rolling
Soil 2d Rate

Town 26 N Range 45 W

North bet Secs 7 & 8
Va 14° 30' E

12.00 Enter Valley Bears E. & W.
40.00 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
69.00 leave valley, bears S & W.
80.00 Deposit Charcoal raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep and Drive Cedar Stake 2 x 2 x 24 in in E. & W. pit for Cor to Secs 5, 6, 7 & 8

Land Rolling & Valley
Soil 1st & 2d Rate

Town 26 N Range 45 W.

East on Random line bet Secs 5 & 8
Va 14° 30' E

40.00 Set temporary 1/4 Sec. Cor.
80.04 Intersect N & S line 12 lks North of Cor to Secs 4, 5, 8 & 9 from which Cor I run N 89° 55' West on true line bet Secs 5 & 8
Va. 14° 31' E
40.02 Raised Mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
80.04 Corner to Secs 5, 6, 7 & 8

Land Rolling
Soil 2d Rate

Town 26 N Range 45 W

	West on Random line bet Secs 6 & 7
	Va 14° 30' E
40.00	Set temporary 1/4 Sec Cor
80.32	Intersect West Boundary of Township 30 lks South of mound with pits Cor. to secs 6 & 7 from which Cor I run
	S 89° 47' East on true line bet Secs 6 & 7
	Va 14° 30' E
40.32	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.
80.32	Corner to Secs 5, 6, 7 & 8
	Land Rolling
	Soil 2d Rate

Town 26 N Range 45 W

	North on Random line bet Secs 5 & 6
	Va 14° 30' E
40.00	Set temporary 1/4 Sec Cor
81.13	Intersect North Boundary of Township 28 lks West of mound with pits Cor to Secs 5 & 6 from which Cor I run
	South 12' W on true line bet Secs 5 & 6
	Va 14° 30' E
41.13	Raised Mound of Earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
81.13	Corner to Secs 5, 6, 7 & 8
	Land Rolling
	Soil 2d Rate

August 8th 1879

Town 26 N Range 45 W

General Description

There is no timber or running water in this Township
It is mostly wide open Valley and the whole surface is covered with rich grass
Water may be obtained by digging at from 8 to 12 feet in the Valleys
The entire township is well adapted to Agricultural and grazing purposes
There are no improvements in the township

Town 26 N. Range 45 W.

List of Names

A list of the names of the individuals Employed to assist in running, Measuring or Marking the lines and Corners described in the foregoing field Notes of Township No 26 North of the Base line of Range No 45 West of the 6th P. M. in Nebraska showing the respective capacities in which they acted

Albert Sharp Chainman
W. C. Miller Chainman
F. L. Borland Mounduman
Allen E Sharp Flagman

We hereby certify that we assisted D. V. Stephenson _____ deputy Surveyor in surveying and Subdividing Township No 26 North of the Base line of Range No 45 West of the 6th P.M. in Nebraska, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the Boundary Monuments planted according to the instructions furnished by the Surveyor General of description character Construction and marking in the manner as specifically described in the foregoing Field notes

Albert Sharp Chainman
W C Miller Chainman
F L Borland Mounduman
Allen E Sharp Flagman

Subscribed and Sworn to by the above named persons before me a Notary public for the County of ~~Lincoln~~ Cheyenne in the State of Nebraska this 25th day of August 1879.

D V Stephenson
Notary Public

Town 26 N Range 45 W.

I David D. Stephenson deputy surveyor do solemnly swear that in pursuance of a joint Contract wherein S. M. Chapman, D. V. Stephenson and S. C. McElroy, are joint Contractors with Geo R Clark U S Surveyor General for the District of Nebraska and Iowa bearing date April 23rd 1879 I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual & the laws of the U. S. Surveyed all the parts or portions of Township No 26 North of the Base line of Range No 45 West of the 6th P. M. in Nebraska, as are represented in the foregoing field Notes as having been Surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established & perpetuated in strict accordance with the Surveying Manual printed Instructions & Special instructions of the Surveyor General of Dimensions Character Construction and Marking in the Manner as specifically described in the foregoing Field Notes and that the foregoing are the true and original Field Notes of such Survey

D V Stephenson
Deputy Surveyor

Subscribed by said D. V. Stephenson and sworn to before me a Clerk of Dist Court for the County of Richardson in the State of Nebraska this 1st day of September 1879

T. M. Cunningham Clerk
District Court for said Co

Surveyor General's Office
Plattsmouth Neb. Nov. 10th 1879

The foregoing field notes of the Survey & subdivision of Township No 26 North of the Base Line of Range No 45 West of the 6th P. M. in Nebraska, Executed by David T. Stephenson Deputy Surveyor under joint Contract No 110 dated April 23d 1879. in the Month of August 1879. having been critically Examined, the necessary corrections & Explanations made, the said field notes and the surveys they describe are hereby approved.

Geo S Spritte
Surveyor General

Index Diagram

Town 27 N. R 45 W

24



24

Field Notes

of

The Survey and Subdivision

of

Township No. 27 North of Base Line

of

Range No. 45 West of the 6th P. M.

in the

State of Nebraska

Executed by

D. T. Stephenson Depy Surveyor

Under joint Contract No. 115

dated 23rd day of April 1879

Survey

Commenced August 13th 1879

Completed August 17th 1879

Names & duties of Assts.

Albert Sharp Chainman

W. C. Miller Chainman

F. L. Borland Rodman

Allen E. Sharp Flagman

Town 27 N Range 45 W

To determine the proper adjustment of my Compass for the subdivision of this Township I begin at the S. E. Corner of Tp. and run North on a blank line along the East boundary of Sec 36 Var 14° 50' E

40.00 To a point 11 lks East of 1/4 Sec Cor

80.00 To a point 22 lks East of the S E Cor

To retrace this line or run Parallell thereto my Compass must be adjusted to a

Variation of 14° 40' E

Tp. 27 N. 45 W.

From the Center of the Mound the Corner to Secs 35 and 36 on the South boundary of the Township I run
North bet. Secs. 35 and 36
Va 14° 40' E-

40.00 Raised Mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for ¼ Sec Cor.

56.00 Enter valley E + W.

80.00 Deposited Charcoal raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for Cor. to Secs. 25, 26. 35 and 36.

Land Rolling - Soil 2nd Rate

T. 27 N. 45 W.

East on Random line bet Secs. 25 and 36
Va. 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

79.93 Intersected East boundary of Township 4 links N. of the Cor. to Secs. 25 and 36 from which Corner I run
N. 89.54 West on true line bet. Secs. 25 and 36.
Va 14° 40' E-

39.96½ Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in. deep for ¼ Sec Cor.

79.93 The Cor. to Secs. 25, 26, 35 and 36

Land Valley 1st Rate

T. 27 N. 45 W.

North bet. Secs. 25 and 26.
Va. 14°40' E

23.00 Leave Valley E. & W.

40.00 Raised Mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

80.00 Deposit Charcoal, raise mound of earth 2½ feet high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 23. 24. 25 and 26.

Land Valley and Rolling Soil 1st & 2nd Rate

T. 27 N. 45 W

East on random line bet. Secs 24 and 25
Va 14°40' E

40.00 Set temporary ¼ Sec. Cor.

79.91 Intersect East boundary of Tp. 10 links North of the Cor to Secs. 24 & 25 from which Cor. I run, N. 89°59' West on true line bet. Secs. 24 and 25
Va 14°40' E.

39.95½ Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

79.91 The Cor. to Secs. 23. 24. 25 and 26

Land Rolling Soil 2nd Rate

T. 27 N. 45 W

North between Secs. 23 and 24
Va 14° 40' E.

40.00 Raised Mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec Cor.

80.00 Deposited Charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor to Secs.
13, 14, 23 and 24,

Land Rolling - Soil 2nd Rate

T 27 N 45 W

East on random line bet
Secs. 13 and 24
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

80.03 Intersected E. boundary of Township 13 links South of the Cor. to Secs. 13 and 24 from which Corner I runs
S. 89° 54' West on true line bet Secs. 13 and 24.
Va 14° 40' E—

40.01½ Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.03 The Cor. to Secs.
13, 14, 23 and 24

Land Rolling - Soil 2nd Rate

August 19th 1879

T. 27 N. 45 W.

North bet Secs. 13 and 14
Va 14° 40' E

40.00 Raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for ¼ Sec Cor.

80.00 Deposited charcoal raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep Drove Cedar Stake in S. E. Pit 2 x 2 x 24 in for Cor to Secs. 11, 12, 13 and 14

Land Rolling Soil 2nd Rate

Tp. 27 N. 45 W.

East on a random line bet Secs 12 and 13.
Va 14° 40' E.

40.00 Set temporary ¼ Sec. Cor.

79.94 Intersected East boundary of Township 23 links South of the Mound with 12 ft Cor. to Secs. 12 and 13. from which I run
S. 89° 50' West on true line bet Secs 12 and 13.
Va 14° 40' E.

39.97 Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in. deep for ¼ Sec. Cor.

79.94 The Cor. to Secs. 11, 12, 13 and 14

Land Rolling Soil 2nd Rate

T. 27 N. 45 W.

North bet Secs. 11 and 12
Va. 14° 48' E.

40.00 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposited Charcoal, raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep ~~for~~ one Cedar Stake 2 X 2 X 24 in. in S.E. Pit for Cor to Secs. 1, 2, 11 and 12.

Table Land 2nd Rate

T. 27 N. 45 W.

East on a random line bet Secs. 1 and 12
Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

80.06 Intersected E. boundary of Township 18 links South of the Cor. to Secs 1 & 12. from which Cor. I run
S. 89° 52' West on true line bet. Secs. 1 and 12.
Va 14° 40' E.

40.03 Raised mound of Earth 2½ ft. high from pits 18 X 24 X 12 in. deep for ¼ Sec Cor.

80.06 The Cor. to Secs 1, 2, 11 and 12

Table Land – Soil 2nd Rate

T. 27 N. 45 W.

North on a random line bet
Secs. 1 and 2.
Va 14° 40' E.
40.00 Set temporary 1/4 Sec. Cor.
80.36 Intersected North boundary
of Township 31 Mounted with pits
Cor to Secs. 1 and 2. from which
Cor. I run.
South, 13' E., on true line bet.
Secs. 1 and 2.
Va. 14° 40' E.
40.36 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
80.36 The Cor. to Secs.
1. 2. 11 and 12

Land Level Soil 2nd Rate

Tp. 27 N. 45 W

From the Center of the Mound
the Cor. to Secs. 34 and 35 on the
South boundary of Township I
run
North bet Secs. 34 and 35
Va 14° 40' E
40.00 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.
72.00 Enter Valley E. + W.
80.00 Deposited Charcoal raised
mound of earth 2½ ft high
from pits 18 X 24 X 12 in deep
Drove Cedar Stake 2 X 2 X 24 in S. E.
Pit for Cor. to Secs.
26. 27. 34 and 35

Land Rolling Soil 2nd Rate

T. 27 N. 45 W.

East on a random line bet
Secs. 26 and 35
Va 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

79.97 Intersected N. & S. line 22
links South of the Cor. to Secs.
25, 26, 35 and 36 from which
Corner I run,

S. 89° 51' West on true line
between Secs. 26 and 35
Va. 14° 40' E

39.98½ Raised mound of earth 2½ ft
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.

79.97 The Cor. to Secs.
26. 27. 34 and 35

Land Valley Soil 1st Rate

T. 27 N. 45 W.

North bet Secs. 26 and 27
Va 14° 40' E

40.00 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.

65.00 Leave Valley N.W. & S.E.

80.00 Deposited charcoal, raised
mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
Drove cedar Stake 2 X 2 X 24 in in S.E. Alt
for Cor to Secs.
22. 23. 26 and 27

Land Valley & Rolling
Soil 1st & 2nd Rate.

Town 27 North 45 West

East on a random line bet. Secs. 23 and 26.
Va 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

80.07 Intersected N. & S. line 18 links South of the Cor. to Secs. 23, 24, 25 and 26 from which Cor. I run
S. 87.52' West on true line bet. Secs. 23 and 26,
Va 14° 40' E.

40.03½ Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for 1/4 Sec Cor.

80.07 The Cor to Secs.
22, 23, 26 and 27

Land Rolling Soil 2nd Rate.

Tp. 27 N. R. 45 W.

North bet. Secs. 22 and 23
Va 14° 40' E.

40.00 Raised Mound of Earth 2½ ft. high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.

80.00 Deposited Charcoal, raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep
Drove Cedar Stake 2 x 2 x 24 in. in S.E. Pit for Cor to Secs.
14, 15, 22 and 23.

Land Rolling Soil 2nd Rate

Tp. 27 N. R. 45 W.

East on a random line beh.
Secs. 14 and 23
Va. 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor
79.93 Intersection N & S. line 26 lks
South of the Corners to Secs.
13, 14, 23 and 24 from which
Corner I run
S. 89° 49' West on true line
bet. Secs. 14 and 23.
Va. 14° 40' E.

39.96½ Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.

79.93 The Cor. to Secs.
14, 15, 22 and 23
Land Rolling - Soil 2nd Rate

Tp. 27 N. R. 45 W.

N. between Secs. 14 and 15.
Va 14° 40' E.

40.00 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.

80.00 Deposited charcoal, raised mound
of earth 2½ feet high from pits
18 X 24 X 12 in deep. Drove Cedar
Stake 2 X 2 X 24 in. in S. E.
Pit for Cor. to Secs.
10, 11, 14 and 15.

Land Rolling - Soil 2nd Rate

Tp 27 N. R. 45 W.

East on a random line betw
Secs. 11 and 14
Va 14° 40' E

40.00		Set temporary 1/4 Sec. Cor.
79.10	80.05	Intersected N. & S. line 12 links South of the Cor. to Secs. 11, 12, 13 and 14 from which Cor. I run
		S. 89° 55' West on true line bet. Secs. 11 and 14
		Va 14° 40' E.
39.99	40.02½	Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.
79.99	80.05	The Corner to Secs. 10. 11. 14 and 15.

Land Rolling Soil 2nd Rate

Tp. 27 N. R. 45 W.

North between Secs. 10 and 11
Va. 14° 40' E.

40.00	Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.
80.00	Deposited charcoal raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Dove cedar Stake 2 X 2 X 24 in S. E. Pit for Cor to Secs. 2, 3, 10 and 11.

Land high & level Soil 2nd Rate

Town 27 N. R. 45 W

East on a random line between Secs. 2 and 11
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

79.98 Intersected N. & S. line 8 links North of the Cor. to Secs. 1, 2 11 and 12, from which Cor. I run N. 89° 57' West on true line bet. Secs. 2 and 11
Va 14° 40' E.

39.99 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

79.98 The Corner to Secs. 2, 3, 10 and 11

Land high & level - Soil 2nd Rate

Town 27 N. Range 45 W.

North on random line bet Secs. 2 and 3
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

80.28 Intersected North boundary of the Township 23 links East of the mound with pits Corner to Secs. 2 and 3. from which Corner I run South, 10' E., on true line between Secs. 2 and 3.
Va 14° 40' E.

40.28 Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in. deep for 1/4 Sec. Cor.

80.28 The Cor. to Secs. 2, 3, 10 and 11

Land high & level - Soil 2nd Rate

August 14th 1879.

Town 27 N. R. 45 W.

From the Center of the Mound the Corner to Secs. 33 and 34 on the South boundary of the Township I run North bet. Secs. 33 and 34,

Va. 14° 40' E.

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for Cor. to Secs. 27, 28, 33 and 34

Land Rolling - Soil 2nd Rate

Town 27 N. R. 45 West

East on a random line bet Secs. 27 and 34

Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

58.00 Enter Valley N. W. + S. E.

80.05 Intersected N. + S. line 17 links North of the Cor. to Secs. 26, 27, 34 and 35; from which Cor. I run North 89° 55' West on true line bet. Secs. 27 and 34

Va 14° 40' E.

44.02½ Raised mound of earth 2½ ft from pits 18 x 24 x 12 in deep for ¼ Sec Cor

80.05 The Cor. to Secs. 27, 28, 33, and 34

Land Rolling - Soil 1st Rate

Town 27 North Range 45 W.

North bet. Secs. 27 and 28

Va 14° 40' E

11.00 Enter Valley E. & W.

40.00 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

59.00 Leave Valley E & W

80.00 Deposited Charcoal raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep Dovve Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 21, 22, 27 and 28.

Land Valley and Rolling Soil 1st and 2nd Rate

T. 27 N. R. 45 W.

East on a random line between Secs. 22 and 27.

Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

48.00 Enter Valley N. & S.

74.00 Leave Valley N. & S.

79.89 Intersected N. & S. line 24 links North of the Cor. to Secs. 22, 23, 26 and 27, from which Cor. I run N. 89° 50' West on true line bet. Secs 22 and 27.

Va 14° 40' E

39.94½ Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for ¼ Sec Cor.

79.89 The Corner to Secs. 21, 22, 27 and 28.

Land Valley & Rolling Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

North betn Secs. 21 and 22
Va 14° 40' E

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

66.00 Enter Valley. W. & S. E.

80.00 Deposited charcoal raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor. to Secs. 15, 16, 21 and 22

Land Valley & Rolling
Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

East on a random line betn Secs. 15 and 22.
Va 14° 40' E.

32.00 Leave Valley N. W. & S. E.

40.00 Set temporary ¼ Sec. Cor.

80.05 Intersect N. & S. line 11 links North of the Cor. to Secs 14, 15, 22 and 23 from which Cor. I run N. 89° 55' West on true line betn Secs. 15 and 22.
Va 14° 40' E.

40.02½ Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

80.05 The Cor. to Secs. 15, 16, 21 and 22.

Land Valley & Rolling
Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

North bet. Secs. 15 and 16
Va 14° 40' E.

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in. deep for 1/4 Sec Cor.

56.00 Leave Valley N. W. & S. E.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep Drove Cedar Stake 2 X 2 X 24 in S. E. Pit for Cor. to Secs. 9. 10. 15 and 16

Land Valley and Rolling
Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

East on a random line bet. Secs. 10 and 15
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

79.96 Intersected N. & S. line 16 links North of the Cor to Secs. 10. 11 14 and 15 from which Cor runs N. 89. 53' West on true line bet. Secs. 10 and 15
Va 14° 40' E.

39.98 Raised mound of Earth 2½ ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec Cor.

79.96 The Cor. to Secs. 9. 10. 15 and 16.

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 West.

North between Secs. 4 and 10
Va 14° 40' E

40.00 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

80.00 Deposited charcoal raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit for Cor to Secs. 3. 4. 9 and 10.

Land high & level Soil 2nd Rate

Town 27 N. R. 45 West.

East on random line bet Secs. 3 and 10
Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

79.95 Intersected N. & S. line 12 links South of the Cor. to Secs. 2. 3. 10 & 11 from which Corner I run S. 89° 52' West on true line bet. Secs 3 and 10.
Va 14° 40' E

39.97½ Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in. deep for ¼ Sec. Cor.

79.95 The Corner to Secs. 3. 4. 9 and 10

Land high & level Soil 2nd Rate

Town. 27 N. R. 45 W.

North on random line bet
Secs. 3 and 4
Va 14° 40' E
40.00 Set temporary 1/4 Sec. Cor.
80.39 Intersected North boundary of
Township 37 links East of the Cor.
to Secs. 3 and 4. from which
Cor. I run
South 16' E. on true line bet.
Secs. 3 and 4.
Va 14° 40' E
40.39 Raised mound of earth 2½ ft
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec Cor
80.39 The Cor to Secs.
3. 4. 9 and 10.

Land high & level Soil 2nd Rate

August 15th 1879

Town 27 N. R. 45 W.

From the Center of Mound the Cor.
to Secs. 32 and 33 on the South
boundary of Township I run
North bet Secs. 32 and 33.
Va 14° 40' E.
40.00 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
80.00 Deposited Charcoal raised
mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
Drove Cedar Stake 2 X 2 X 24 in.
in S. E. Pit for Cor. to Secs.
28, 29, 32 and 33.

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 W

East on a random line bet
Secs. 28 and 33.
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.
79.82 Intersection N. & S. line 17 links
North of the Cor to Secs. 27. 28. 33 & 34.
from which bar S. run
N. 89° 55' West on true line
bet. Secs. 28 and 33
Va. 14° 40' E.
39.91 Raised mound of earth 2½ ft.
high from pits 18 X 24 X 12 in. deep
for 1/4 Sec. Cor.
79.82 The Cor. to Secs.
28 X 29. 32 and 33

Land Rolling Soil 2nd Rate

Town 27 N R. 45 W.

North between Secs. 28 and 29
Va 14° 40' E
17.00 Enter Valley E. & W.
40.00 Raised mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
for 1/4 Sec. Cor.
66.00 Leave Valley E. & W.
80.00 Deposited charcoal, raised
mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
Drove Cedar Stake 2 X 2 X 24 in
S. E. Pit for Cor. to Secs.
20. 21. 28 and 29

Land Valley & Rolling
Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

East on random line bet
Secs. 21 and 28
Va. 14° 40' E.

40 40.00 Set temporary 1/4 Sec. Cor.
79 80.04 Intersected N. & S line 14 lks.
North of the Cor. to Secs. 21, 22,
27 and 28; from which Corner
I run
N. 89° 54' West on true line
between Secs. 21 and 28.
Va. 14° 40' E
3 110.02 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.
7 80.04 The Cor. to Secs.
20, 21, 28 and 29.

Land Rolling Soil 2nd Rate

T. 27 N. R. 45 W.

North between Secs. 20 and 21
Va 14° 40 E.

40.00 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Cor.
80.00 Deposited Charcoal raised
mound of earth 2½ ft. high
from pits 18 X 24 X 12 in deep,
Drove Cedar Stake 2 X 2 X 24 in.
in S. E. Pit for Cor. to Secs.
16, 17, 20 and 21

Land Rolling Soil 2nd Rate

T. 27 N. R. 45 W.

East on random line bet
Secs. 16 and 21
Va 14° 40' E

40 40.00 Set temporary 1/4 Sec. Cor.
79 63.00 Enter Valley N. N. & S. E.
79.85 Intersection N. & S. line 21
links South of the Cor. to Secs
15, 16, 21 and 22 from which
Cor. I run
S. 89° 51' West on true line
between Secs. 16 and 21
Va 14° 40' E.
3 39.94 Raised mound of earth 2½ feet
7 high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
79.85 The Cor. to Secs
16, 17, 20 and 21

Land Valley & Rolling
Soil 1st & 2nd Rate

T. 27 N. R. 45 W.

North between Secs. 16 and 17
Va 14° 40' E
40.00 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.
80.00 Deposited charcoal raised
mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
Drove Cedar Stake 2 X 2 X 24 in.
in S. E. pit for Cor. to Secs.
8, 9, 16 and 17

Land Rolling Soil 2nd Rate

T. 27 N. R. 45 W.

East on a random line between Secs. 9 and 16

Va 14° 40' E

15.00 Enter Valley, N & S.E.,

40.00 Set temporary 1/4 Sec. Cor.

51.00 Leave Valley N.W. & S.E.,

79.97 Intersection N. & S. line 19 lks. South of the Cor. to Secs. 9, 10, 15 & 16 from which Cor. S. run S. 89° 52' West on true line bet. Secs. 9 and 16.

Va. 14° 40' E.

39.98½ Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

79.97 The Cor. to Sections 8, 9, 16 and 17

Land Valley & Rolling
Land good 2nd Rate

T. 27 N. R. 45 W.

North bet. Secs. 8 and 9.

Va 14° 40' E

40.00 Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

80.00 Deposited charcoal - raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep Drove cedar stake 2 x 2 x 24 in. in S.E. pit for Cor. to Secs. 4, 5, 8 and 9

Land high & level - Soil 2nd Rate

T. 27 N. 45 W.

East on a random line bet
Secs. 4 and 9.

Va 14° 40' E.

40.00 Set temporary ¼ Sec. Cor.
80.04 Intersected N. & S. line 12 links
South of the Cor. to Secs. 3, 4,
9 and 10. From which Cor. I run,
S. 89° 55' West on true line
between Secs. 4 and 9.

Va 14° 40' E.

40.02 Raised mound of earth 2½ ft.
high from pits 18 x 24 x 12 in
deep for ¼ Sec. Cor.
80.04 The Cor. to Secs.
4, 5, 8 and 9.

Land high & level Soil 2nd Rate

T. 27 N. R. 45 W.

North on a random line bet
Secs. 4 and 5

Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.
80.32 Intersected North boundary of
Township 26 ~~[illegible]~~ links East of the
Cor. to Secs. 4 and 5. From
which Corner I run
South 11' E. on a true line
between Secs. 4 and 5.

Va 14° 40' E

40.32 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in.
deep for ¼ Sec. Cor.
80.32 The Cor. to Secs.
4, 5, 8 and 9.

Land high & level - Soil 2nd Rate

Town 27 N. R. 45 W.

From Center of Mound the Corner to Secs 31 and 32 on the South boundary of Township 27 N.

4 North between Secs. 31 and 32
7 Va 14° 40' E

40.00 Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep Drove Cedar Stake 2 X 2 X 24 in. in S. E. Pit. for Cor. to Secs. 29. 30. 31 and 32

Land Rolling · Soil 2nd Rate

Town 27 N. R. 45 W

East on a random line bet. Secs. 29 and 32.

Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

80.09 Intersected N. & S. line 9 links North of the Cor to Secs. ~~29.30~~ 28.29 ~~31~~ 32 and ~~32~~ 33, from which Cor. I run N. 89° 56' West on true line between Secs. 29 and 32.

Va 14° 40' E

40.04½ Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.09 The Cor to Secs. 29. 30. 31 and 32.

Land Rolling - Soil 2nd Rate

August 16th 1879

Town 27 N. R. 45 W.

West on a random line bet. Secs. 30 and 31

Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

80.26 Intersect West boundary of Township 16 links North of mound with pits Cor. to Secs. 30 and 31 from which Corner I run.

N. 89.53' East on true line between Secs 30 and 31.

Va 14° 40' E

40.26 Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

80.26 The Cor. to Secs. 29. 30. 31 and 32

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 W.

North bet. Secs. 29 and 30.

Va 14° 40' E

16.00 Enter ~~West end of~~ Valley - E & W.

40.00 Raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in. deep for 1/4 Sec. Cor.

76.00 Leave Valley N. E. & S. W.

80.00 Deposited charcoal raised mound of earth 2½ feet high from pits 18 x 24 x 12 in. deep Drove Cedar Stake 2 x 2 x 24 in. in S. E. Pit for Cor to Secs. 19. 20. 29 and 30.

Land Valley & Rolling - Good 2nd Rate

Town 27 N. R. 45 W.

East on a random line bet. Secs. 20 and 29.

Va 14° 40' E

3.00	Enter Valley N.E. & S.W.
24.00	Leave Valley N.W. & S.E.
40.00	Set temporary 1/4 Sec. Cor.
79.92	Intersected N. & S. line 15 links South of the Corner to Secs. 20. 21 28 and 29. from which Corner I run.
	S. 89° 52' West on true line bet. Secs. 20 and 29.
	Va 14° 40' E.
39.96	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec Cor.
79.92	Cor. to Secs. 19. 20. 29 and 30.

Land Rolling - Soil 2nd Rate

Town 27 N. R. 45 W.

West on a random line bet. Secs. 19 and 30.

Va. 14° 40' E

40.00	Set temporary 1/4 Sec. Cor.
80.39	Intersected West boundary of Tp. 21 links North of the Corner to Secs. 19 and 30 from which Cor. I run.
	N. 89° 54' East on true line bet. Secs. 19 and 30.
	Va 14° 40' E
40.39	Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec Cor.
80.39	The Cor to Secs. 19. 20. 29 and 30.

Land Rolling Soil 2nd Rate

North bet 19 and 20.

Va 14° 40' E.

40.00 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove Cedar stake 2 X 2 X 24 in. in S. E. pit for Cor to Secs. 17, 18, 19 and 20.

Land Rolling Soil 2nd Rate

East on a random line bet Secs. 17 and 20

Va 14° 40' E

40.00 Set temporary ¼ Sec. Cor.

80.00 Intersected N. & S. line 11 links South of the Corner to Secs. 16, 17, 20 and 21 from which Cor. I run S. 89° 55' West on true line bet. Secs. 17 and 20.

Va 14° 40' E.

40.03 Raised mound of earth 2½ ft high from pits 18 X 24 X 12 in deep for ¼ Sec. Cor.

80.06 The Cor. to Secs. 17, 18, 19 and 20.

Land Rolling Soil 2nd Rate

Town 27 N. R 45 W.

West on a random line bet
Secs. 18 and 19.
Va 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

80.24 Intersected West boundary of
Township 26 links North of the
Cor. to Secs. 18 and 19 from which
Corner I run
N. 89° 49' East on true line
bet. Secs. 18 and 19.
Va 14° 40' E.

4.24 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in.
deep for 1/4 Sec. Corner.

80.24 The Cor. to Secs.
17, 18, 19 and 20.

Land Rolling - Soil 2nd Rate

Town 27 N. R. 45 W.

North between Secs. 17 and 18
Va 14° 40' E

40.00 Raised mound of earth 2½ feet
high from pits 18 X 24 X 12 in
deep for 1/4 Sec. Cor.

80.00 Deposited Charcoal Raised
mound of earth 2½ feet high
from pits 18 X 24 X 12 in deep
Dressed Cedar 2 X 2 X 24 in Stake in S. E.
Pit for Cor to Secs.
7, 8, 17 and 18

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 W

East on a random line bet. Secs. 8 and 17.

Va 14° 40' E –

40.00 Set temporary 1/4 Sec. Cor.

79.81 Intersected N. & S. line 17 links North of the Corner to Secs. 8, 9, 16 and 17, from which Corner I run

N. 89° 53' West on true line between Secs. 8 and 17.

Va 14° 40' E –

39.90½ Raised mound of earth 2½ ft. high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

79.81 The Cor. to Secs. 7, 8, 17 and 18.

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 W.

West on a random line bet. Secs. 7 and 18

Va 14° 40' E –

40.00 Set temporary 1/4 Sec. Cor.

80.31 Intersected West boundary of Township 32 links North of the Corner to Secs 7 and 18 from which Corner I run

N. 89° 46' East on a true line between Secs. 7 and 18

Va 14° 40' E

40.31 Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. Cor.

80.31 The Cor. to Secs. 7, 8, 17 and 18

Land Rolling Soil 2nd Rate

Town 27 N. R. 45 W.

North bet. Secs. 7 and 8
Va 14° 40' E

40.00 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.00 Deposited charcoal, raised mound of earth 2½ feet high from pits 18 X 24 X 12 in deep. Drove Cedar Stake 2 X 2 X 24 in. in S.E. Pit for Cor to Secs. 5, 6, 7 and 8

Land high + level Soil 2nd Rate

Town 27 N. R. 45 W.

East on a random line betn Secs. 5 and 8
Va 14° 40' E

40.00 Set temporary 1/4 Sec. Cor.

79.86 Intersects N. & S. line 22 links North of the Cor. to Secs. 4, 5, 8 and 9, from which Cor. I run
North 89° 51' West on true line between Secs. 5 and 8
Va 14° 40' E

39.93 Raised mound of earth 2½ feet high from pits 18 X 24 X 12 in. deep for 1/4 Sec. Cor.

79.86 The Corner to Secs. 5, 6, 7 and 8

Land high + level - Soil 2nd Rate

Town 27 N. R. 45 W.

West on a random line bet. Secs. 6 and 7

Va 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

80.48 Intersected West boundary of Township 18 links North of the ~~monument pits~~ corner to Secs. 6 and 7, from which Cor. I run

N. 89° 52' East on true line bet. Secs. 6 and 7.

Va 14° 40' E

40.48 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.48 The Cor. to Secs. 5, 6, 7 and 8

Land high + level. Soil 2nd Rate

Town 27 N. R. 45 W.

North on a random line bet. Secs. 5 and 6

Va 14° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

80.43 Intersected North boundary of Township 19 links E. of ~~monument pits~~ the Cor. to Secs. 5 and 6 from which Corner I run. South, 8' E., on true line between Secs. 5 and 6

Va 14° 40' E

40.43 Raised mound of earth 2½ ft. high from pits 18 X 24 X 12 in deep for 1/4 Sec. Cor.

80.43 The Cor. to Secs. 5, 6, 7 and 8

Land high + level. Soil 2nd Rate

August 17th 1879

General Description.

The two northern tiers of Secs. are table land. The valleys are rich soil and covered with fine grasses. The balance of the Township is good, gently rolling Prairie land.

List of Names

A list of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of Township No. 24 North of the Base Line of Range No. 45 West of the 6th P.M. in Nebraska showing the respective capacities in which they acted

Albert Sharp Chainman
W. C. Miller Chainman
F. L. Borland Rodman
Allen E. Sharp Flagman

We hereby certify that we assisted D. V. Stephenson Deputy Surveyor in surveying and subdividing Township No. 24 North of the Base Line of Range No. 45 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to instructions of the Surveyor General, dimensions character and construction and marking are in the manner as specifically described of the foregoing field notes.

Albert L. Sharp
W. C. Miller
F. L. Borland
Allen E. Sharp

Subscribed and sworn to by the above named persons, before me a Notary Public for the County of ~~Lincoln~~ Cheyenne in the State of Nebraska this 25th day of August 1879

V. Wiesmann
Notary Public

I David J. Stephenson Deputy Surveyor do Solemnly Swear that in pursuance of a joint Contract wherein S. M. Chapman & D. J. Stephenson and S. C. McElroy joint Contractors with John R Clark, United States Surveyor General, for the Dist. of Nebraska and Iowa bearing date ~~July 25th 1878~~ April 7th 1879 I have well faithfully and truly in my own proper person and in strict Conformity, with the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States surveyed all the Parts or portions of Township No. 27 North of the Base line of Range No. 45 West of the 6th P.M. in Nebraska as are represented in the foregoing field Notes as having been surveyed under my direction and I do further Solemnly swear that all the Corners of said surveys have been Established and perpetuated in strict accordance with the surveying Manual printed ~~instructions~~ our special instructions of the Surveyor General of Dimensions Character and construction and Marking in the manner as specially described in the foregoing field Notes that the foregoing are the true and original field Notes of such survey

D J Stephenson
Deputy Surveyor

Subscribed in my presence and sworn to before me this 1st day of September 1879.

J. C. Cunningham
Clerk District Court for Richardson County Nebraska

Surveyor General's Office
Plattsmouth Neb. Nov 10th 1879

The foregoing field notes of the Survey and Subdivision of Township No 27 North of the Base Line, of Range No 45 West of the 6th P.M. in Nebraska, Executed by D. V. Stephenson U.S. Deputy Surveyor, under joint Contract No 710 dated April 23d 1879, in the month of August 1879, having been critically Examined, the necessary Corrections and Explanations made, the said field notes and the Surveys they describe are hereby approved.

Geo S Smith
Surveyor General

T 28 N., R 45 W

6	60	5	44	4	33	3	22	2	11	1	
	59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12	
	56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13	
	53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24	
	50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25	
	47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36	

Town 28 N. Range 45 W.

Field Notes of Survey & Subdivision of Township No 28 North of the Base line of Range No 45 West of the 6th P.M. in Nebraska

Executed by D. V. Stephenson deputy Surveyor under Joint Contract No 110 Dated Apl 23rd 1879

Survey Commenced August 18th 1879 Survey Completed August 22nd 1879

List of Names

Albert Sharp Chainman
W. C. Miller Chainman
F. L. Borland Mounaman
Allen E. Sharp Flagman

Town 28 N. Range 45 W.

To find the proper adjustment of my Compass for the subdivision of this Township, I begin at the S E Cor. of Township No 28 North of the base line of Range No 45 West of the 6th P.M. in Nebraska and run North on a blank line on the East boundary of Sec 36

Var 14° 30' E

4 0,00 To a point 7 lks East of 1/4 sec. cor.

8 0,00 To a point 15 lks East of cor. to secs 25 and 36

To retrace this line or run parallel thereto my Compass must be adjusted to a variation of 14° 36' E

Town 28 N. Range 45 W.

From Center of mound the cor. to Sec's 35 and 36 on south boundary of Township I run North bet Sec's 35 + 36
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×13 in deep, for ¼ sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for cor. to Sec's 25. 26. 35 and 36

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 25 and 36
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

80.09 Intersect East boundary of Township 26 lks South of cor to Sec's 25 + 36 from which Cor I run South 89° 49' West on a true line bet Sec's 25 + 36
Va 14° 36' E

40.04 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep, for ¼ sec. cor.

80.09 Cor. to Sec's 25. 26. 35 + 36

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Secs 25 + 26
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft high from pits 18 × 24 × 12 in deep for ¼ Sec. cor.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18 × 24 × 12 in deep drove Cedar Stake 2 × 2 in and 2 ft. in S.E. pit for cor. to Secs 23. 24, 25 + 26

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Secs 24 and 25
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

80.16 Intersect East boundary of Township at mound with pits the cor to secs 24 + 25 from which Cor. I run West on a true line bet Secs 24 + 25
Va 14° 36' E

40.08 Raised mound of Earth 2½ ft. high from pits 18 × 24 × 12 in deep for ¼ sec. cor.

80.16 Cor to Secs 23. 24. 25 + 26

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 23 & 24
Va 14° 36' E

40.00 Raised Mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor.

80.00 Deposit Charcoal, raised Mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to Sec's 13, 14, 23 & 24

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet
Sec's 13 and 24
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

79.93 Intersect East boundary of Township 8 lks South of Mound with pits for cor.
to Sec's 13 & 24 from which
Cor. I run
South 89° 54' West on a true
line bet. Sec's 13 & 24
Va 14° 36' E

39.96 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ sec. cor.

79.93 Cor. to Sec's 13, 14, 23 & 24

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet secs 13 and 14
Va 14° 96' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to Secs 11.12.13 and 14

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Secs 12 and 13
Va 14° 96' E

40.00 Set temporary ¼ sec. cor.

79.81 Intersect East boundary of Township 19 lks South of mound with pits the Cor to Secs 12 & 13 from which Cor. I run
South 89° 52' West on a true line bet Secs 12 & 13
Va 14° 96' E

39.90 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep. for ¼ sec. cor.

79.81 Cor to Secs 11.12.13 and 14

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 11 and 12
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft high from pits 18x24x12 in deep for. ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18x24x12 in deep, drove Cedar Stake 2x2 in and 2 ft. in S.E. pit for cor to Sec's 1, 12, 11 and 12

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 1 and 12
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

79.96 Intersect East boundary of Township ~~Mound with pits the~~ 12 chs South of cor to sec's 1 and 12 from which Cor. I run
South 89° 55' West on a true line bet Sec's 1 and 12
Va 14° 36' E

39.98 Raised mound of Earth 2½ ft. high from pits 18x24x12 in deep for. ¼ sec. cor.

79.96 Cor to Sec's 1, 2, 11 + 12

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North on a true line bet.
Sec's 1 and 2
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep, for ¼ sec. cor.

70.70 Intersected 7th Standard Parallel N at a point 8 chs and 70 lks West of mound with pits the ¼ sec cor South side of Sec 31, T. 29. N R. 44. W
Deposited Charcoal built mound of Earth 2½ ft high from 3 pits 24×24×12 in deep drove Cedar Stake 2×2 in 2 ft long marked CC on South side in East pit for Closing cor to Secs 1 & 2 Land Rolling
Soil 2nd rate

August 18th 1879

Town 28 N. Range 45 W.

From the Center of the mound the cor. to Sec's 34 and 35 on South boundary of Township
I run
North bet. Sec's 34 & 35
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for cor to Sec's 26. 27. 34 & 35

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line
bet. Sec's 26 and 35
Va 14° 36' E

40.00 Set temporary 1/4 Sec. cor
80.09 Intersected North & South line
23 lks North of cor to Sec's
25, 26, 35 & 36 from which
Cor. I run
North 89° 50' West on a true line
bet Sec's 26 & 35
Va 14° 36' E

40.04 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 Sec. Cor.
80.09 Cor to Sec's 26, 27, 34 & 35

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 26 & 27
Va 14° 36' E

40.00 Raised mound of Earth 2½
ft high from pits 18×24×12
in deep for 1/4 Sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft high
from pits 18×24×12 in deep
drove Cedar Stake 2×2 in
and 2 ft in S.E. pit for cor
to Sec's 22, 23, 26 & 27

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line
bet Sec's 23 & 26
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.
79.88 Intersect North & south line
14 chs North of cor to Sec's
23. 24. 25 & 26 from which
Cor S. run
North 89° 54' West on a true
line bet Sec's 23 & 26
Va 14° 36' E

39.94 Raised Mound of Earth 2½ ft.
high from pits 18×24×12 in deep
for ¼ Sec. Cor.
79.88 Cor to Sec's 22. 23. 26 & 27

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 22 & 23
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep for ¼ Sec. Cor.

80.00 Deposit Charcoal, raised
mound of Earth 2½ ft high
from pits 18×24×12 in deep
drove Cedar Stake 2×2 in
and 2 ft. in S. E. pit for Cor.
to Sec's 14. 15. 22 & 23

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet secs 14 and 23
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect North & South line 18 lks South of cor to secs 13.14. 23 & 24 from which cor I run South 89°52' West on a true line bet secs 14 & 23
Va 14° 36' E

39.98 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for 1/4 sec, cor.

79.96 Cor. to secs 14.15.22 & 23

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet secs 14 & 15
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep. drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor to Secs 10.11.14 & 15

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet.
Sec's 11 and 14
Va 14° 36' E.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect North + South line 13 lks
North of cor. to Sec's 11. 12 & 13 &
14 from which cor. I run
North 89° 54' West on a true
line bet Sec's 11 and 14
Va 14° 36' E

40.03 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in
deep. for 1/4 Sec. cor.

80.06 Cor to Sec's 10. 11. 14 and 15

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 10 and 11
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in deep
for 1/4 sec. cor.

80.00 Deposit Charcoal, raised mound
of Earth 2½ ft high from pits
18 x 24 x 12 in deep, drove Cedar
Stake 2 x 2 in and 2 ft. in S.E.
Pit for cor to Sec's
2. 3. 10 and 11.

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line
bet. Sec's 2 and 11
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
80.12 Intersect North + South line
25 lks North of Cor. to sec's 1. 2
11 and 12 from which Cor. I run
North 89° 57' West on a true line
bet. Sec's 2 and 11
Va 14° 36' E

40.06 Raised mound of Earth 2½ ft
high from pits 18x24x12 in
deep for 1/4 Sec. cor.
80.12 Cor to Sec's 2. 3. 10. and 11

Lund Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North on a true line bet
Sec's 2 and 3
Va 14° 36' E

40.00 Raised mound of Earth 2½
ft. high from pits 18x24x12 in
deep. for 1/4 Sec. cor.

70.00 I intersected 7th Standard
Parallel at a point 8.90 chs West of
mound with pits the 1/4 Sec Cor South of Sec 36.
T. No 29. N. of R No. 45 W
Deposited Charcoal built
mound of Earth 2½ ft high
from 3 pits, 24x24x12 in deep
drove Cedar Stake 2x2 in
2 ft long marked CC on South
side in East pit for Closing Cor to Sec
24 35

Lund Rolling
Soil 2nd Rate
August 19th 1874

Town 28 N. Range 45 W.

From Center of mound the Cor. to Sec's 33 & 34 on the South boundary of Township I run North bet. Sec's 33 & 34
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep. for ¼ sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18 x 24 x 12 in deep drove Cedar Stake 2 x 2 in and 2 ft. in S.E. pit for cor. to Sec's 27. 28. 33 and 34

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet sec's 27 and 34
Va 14° 36' E

40.00 Set temporary ¼ sec. cor

80.13 Intersect North & South line 21 lks South of cor to sec's 26. 27. 34 and 35 from which cor. I run South 89° 51' West on a true line bet sec's 27 & 34
Va 14° 36' E

40.06 Raised mound of Earth 2½ ft. high from pits 18 x 24 x 12 in deep for ¼ sec. cor.

80.13 Cor. to sec's 27. 28. 33 & 34

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 27 + 28
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep Above Cedar Stake 2×2 in and 2 ft in S.E. pit for cor to Sec's 21. 22. 27 + 28

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 22 + 27
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.
79.96 Intersect North + South line 15 lks South of Cor. to Sec's 22. 23. 26 + 27 from which Cor. I run South 89° 54' West on a true line bet Sec's 22 and 27
Va 14° 36' E

39.98 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep, for ¼ sec. cor.
79.96 Cor. to Sec's 21. 22. 27 + 28

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 21 and 22
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep, for ¼ Sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep, drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for Cor to Sec's 15, 16, 21 and 22

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 15 and 22
Va 14° 36' E

40.00 Set temporary ¼ Sec. cor.
80.09 Intersect North & South line at Cor. to Sec's 14, 15, 22 & 23 from which Cor. I run
West on a true line bet Sec's 15 and 22
Va 14° 36' E

40.04 Raised mound of Earth 2½ ft high from Pits 18×24×12 in deep for ¼ Sec. cor.
80.09 Cor to Sec's 15, 16, 21 and 22

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 15 and 16
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ Sec. cor.

80.00 Deposit charcoal, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. Drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for cor. to sec's 9.10.15 and 16

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 10 and 15
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.
79.82 Intersect North & South line 2 chs South of cor to Sec's 10.11 14 and 15 from which cor I run South 89° 50' West on a true line bet Sec's 10 & 15
Va 14° 36' E

39.91 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor.
79.82 Cor. to Sec's 9.10.15 & 16

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 9 and 10
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep. for ¼ sec. cor.

70.00 Deposit charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for cor to Sec's 3. 4. 9 & 10

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 3 and 10
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

80.07 Intersect North & south line 11 chs North of cor to sec's 2. 3. 10 and 11 from which cor. I run North 89° 55' West on a true line bet. Sec's 3 & 10
Va 14° 36' E

40.03 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep. for ¼ sec. cor.

80.07 Cor to Sec's 3. 4. 9 & 10

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North on a true line bet. Secs 3 and 4
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ sec. cor.

68.~~21~~ 31 Intersected 7th Standard Parallel N. at a point 9.26 chs West of ¼ sec cor South side of sec 35. T. No. 29. N. of R. No. 45. W. mound with pits etc
Deposited Charcoal built mound of Earth 2½ ft high from 3 pits 24×24×12 in deep done Cedar Stake 2×2 in 2 ft long marked CC in east pit for Coleing cor to secs 3 & 4

Land Rolling
Soil 2nd Rate

August 20th 1879

Town 28 N. Range 45 W.

From the Center of mound the Cor. to secs 32 & 33 on the South boundary of Township
I run
North bet. Secs 32 & 33
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ sec cor

80.00 Deposit Charcoal raised mound of Earth 2½ ft. high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft. in S E pit for cor. to secs 28. 29. 32 & 33

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line
bet sec's 28 + 33
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.91 Intersect North + south line 16 lks
North of cor to sec's 27. 28.
33 + 34 from which cor
I run
North 89° 53' West on a true
line bet sec's 28 + 33
Va 14° 36' E
39.95 Raised mound of Earth 2 1/2 ft.
high from pits 18 x 24 x 12 in
deep, for 1/4 sec. cor.
79.91 Cor. to sec's 28. 29. 32 + 33

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet sec's 28 and 29
Va 14° 36' E

40.00 Raised mound of Earth 2 1/2 ft.
high from pits 18 x 24 x 12 in
deep for 1/4 sec. cor.

80.00 Deposit charcoal, raised
mound of Earth 2 1/2 ft high
from pits 18 x 24 x 12 in deep
drove Cedar Stake 2 x 2 in
and 2 ft. in S.E. pit for cor.
to sec's 20. 21. 28 + 29

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet
Sec's 21 and 28
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor
79.82 Intersect North & South line 23 lks
North of cor to sec's 21. 22
27 & 28 from which cor.
L oun
North 89° 58' West on a true
line bet. Sec's 21 & 28
Va 14° 36' E

39.91 Raised mound of Earth 2 1/2 ft.
high from pits 18×24×12 in
deep. for 1/4 Sec. cor.
79.82 Cor. to sec's 20. 21. 28 & 29

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet Sec's 20 & 21
Va 14° 36' E

40.00 Raised mound of Earth 2 1/2
ft high from pits 18×24×12 in
deep, for 1/4 Sec. cor.

80.00 Deposit Charcoal, raised
mound of Earth 2 1/2 ft. high
from pits 18×24×12 in deep
drove Cedar. Stake 2×2 in
Ad 2 ft. in S.E pit for
Cor to Sec's 16. 17. 20 & 21

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet. Sec's 16 and 21
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect North & south line 28 lks South of cor. to sec's 15. 16. 21 & 22 from which Cor. I run South 89° 48' West on a true line bet. Sec's 16 & 21
Va 14° 36' E

40.06 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for 1/4 sec. cor.

80.13 Cor to Sec's 16. 17. 20 & 21

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 16 & 17
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for. 1/4 sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft in S.E. pit for. Cor to Sec's 8. 9. 16 and 17

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet.
Sec's 9 and 16
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.91 Intersect N & South line 14 lks
South of cor to sec's 9, 10
15 & 16 from which cor S. on
South 89°54' West on a true
line bet sec's 9 & 16
Va 14° 36' E

39.95 Raised mound of Earth 2½
ft. high from pits 18x24x12 in
deep for 1/4 sec. cor.

79.91 Cor. to sec's 8, 9, 16 & 17

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. sec's 8 & 9
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18x24x12 in
deep for 1/4 sec. cor.

80.00 Deposit charcoal, raised
mound of Earth 2½ ft. high
from pits 18x24x12 in deep
Drove Cedar Stake 2x2 in
and 2 ft. in S. E. pit for cor.
to sec's 4, 5, 8 and 9

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet. Secs 4 and 9
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

80.03 Intersect N & South line 9 lks North of Cor to secs 3. 4 9 & 10 from which cor. I run North 89° 56' West on a true line bet secs 4 & 9
Va 14° 36' E

40.01 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep. for 1/4 sec. cor.

80.03 Cor. to secs 4. 5. 8 & 9

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North on a true Line bet secs 4 and 5
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for 1/4 sec, cor.

69.30 Intersected 7th Standard Parallel N at a point 10.00 chs West of mound and pits the 1/4 sec cor South side sec. 34. T no. 29. N. of Range No. 45. W
Deposited Charcoal built mound of Earth 2½ ft high from 3 pits 24×24×12 in deep drove cedar stake 2×2 in 2 ft long marked CC in east pit for closeing cor to secs 4 & 5
Land Rolling
Soil 2nd Rate

August 21st 1879

Town 28 N. Range 45 W.

From the center of the mound the cor. to Sec's 31 and 32 on the South boundary of Township I run
North bet. Sec's 31 and 32
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit Charcoal, raised mound of Earth 2½ ft high from pits 18×24×12 in deep. drove Cedar Stake 2×2 in and 2 ft. in S. E pit for Cor. to Sec's 29. 30. 31 + 32

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 29 + 32
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.

79.86 Intersect North + south line 11 lks South of cor. to sec's 28. 29. 32 and 33 from which cor. I run
South 89° 55' West on a true line bet Sec's 29 + 32
Va 14° 36' E

39.93 Raised mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

79.86 Cor. to Sec's 29. 30. 31 and 32

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

West on a random line bet
Sec's 30 & 31
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.46 Intersect West boundary of
Township 16 Ks North of mound with pits the cor.
to sec's 30 & 31 from which
Cor. I ran
North 89° 53' East on a true
line bet Sec's 30 & 31
Va 14° 36' E

39.46 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep, for 1/4 sec. cor.
79.46 Cor. to Sec's 29, 30, 31 & 32

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 29 & 30
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in deep
for ~~1/4 sec~~. cor.

80.00 Deposit charcoal, raised mound
of Earth 2½ ft. high from pits
18, 24, 12 in deep. drove Cedar
Stake 2×2 in and 2 ft. in
S.E. pit for cor to Sec's
19, 20, 29 & 30

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet.
Sec's 20 and 29
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

80.04 Intersect North & South line 7 lks
North of Cor to Sec's 20. 21. 28
and 29 from which Cor. I run
North 89°57' West on a true
line bet. Sec's 20 and 29
Va 14°36' E

40.02 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec. cor.

80.04 Cor to Sec's 19. 20. 29 & 30

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

West on a random line bet
Sec's 19 & 30
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

79.29 Intersect West boundary of Town
ship 31 lks South of Cor to Sec's
19 & 30 from which Cor. I run
South 89°47' East on a true
line bet Sec's 19 & 30
Va 14,36

39.29 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec. cor.

79.29 Cor. to Sec's 19. 20 29 & 30.

Land Rolling
Soil 2nd Rate

Town 28 N Range 45 W.

North bet Sec's 19 & 20
Var 14° 36' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ Sec. cor.

70.00 Deposit charcoal, raised mound of Earth 2½ ft. high from pits 18×24×12 in deep drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for Cor. to Sec's 17.18.19 & 20

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet Sec's 17 & 20
Var 14° 36' E

40.00 Set temporary ¼ Sec. cor.
79.78 Intersect North & South line 13 lks North of cor. to Sec's 16.17.20 & 21 from which cor. I run North 89° 54' West on a true line bet Sec's 17 and 20
Var 14° 36' E

39.89 Raised mound of Earth 2½ ft high from pits 18×24×12 in deep, for ¼ Sec. cor.
79.78 Cor. to Sec's 17.18.19 & 20

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

West on a random line bet
Sec's 18 and 19
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.

79.23 Intersect West boundary of
Township 28 lks South of mound with pit to the cor.
to sec's 18 & 19 from which
Cor. I run
South 89° 48' East on a true
line bet Sec's 18 & 19
Va 14° 36' E

39.23 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec. cor.

79.23 Cor. to Sec's 17, 18, 19 & 20

Land rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. sec's 17 and 18
Va 14° 36' E

40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in deep
for 1/4 sec. cor.

80.00 Deposit charcoal, raised
mound of Earth 2½ ft. high
from pits 18×24×12 in deep
drove Cedar Stake 2×2 in
and 2 ft. in S.E. pit for cor
to Sec's 7, 8, 17 & 18

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet.
Sec's 8 and 17
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.91 Intersect North & South line 17 lks
South of Cor to Sec's 8, 9, 16
& 17 from which Cor I run
South 89° 53' West on a true
line bet Sec's 8 & 17
Va 14° 36' E
39.95 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in
deep for 1/4 sec. cor.
79.91 Cor. to Sec's 7, 8, 17 & 18

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

West on a ran dom line bet.
Sec's 7 and 18
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.34 Intersect west boundary of Town
-ship 41 lks North of Cor. to Sec's
7 & 18 from which Cor I run
South 89° 42' East on a true line
bet. Sec's 7 & 18
Va 14° 36' E
39.34 Raised mound of Earth 2½ ft.
high from pits 18 x 24 x 12 in
deep for 1/4 sec. cor.
79.34 Cor. to Sec's 7, 8, 17 & 18

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North bet. Sec's 7 & 8
Va 14° 36' E

40.00 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep for ¼ sec. cor.

80.00 Deposit charcoal, raised Mound of Earth 2½ ft high from pits 18×24×12 in deep. drove Cedar Stake 2×2 in and 2 ft. in S.E. pit for Cor. to Sec's 5.6.7 & 8

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

East on a random line bet. Sec's 5 & 8
Va 14° 36' E

40.00 Set temporary ¼ sec. cor.
79.85 Intersect North & South line 28 lks South of Cor to Sec's 4.5.8 and 9. from which Cor I run South 89° 50' West on a true line bet Sec's 5 & 8
Va 14° 36' E

39.92 Raised Mound of Earth 2½ ft. high from pits 18×24×12 in deep. for ¼ sec. cor.
79.83 Cor. to Sec's 5.6.7 & 8.

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

West on a random line bet
Secs 6 & 7
Va 14° 36' E

40.00 Set temporary 1/4 sec. cor.
79.46 Intersect West boundary of
Township 33 lks South of mound with pits the Cor.
to secs 6 & 7 from which
Cor. I run
South 89° 46' East on a true
line bet secs 6 & 7
Va 14° 36' E
39.46 Raised mound of Earth 2½
ft high from pits 18×24×12 in
deep. for 1/4 sec. cor.
79.46 Cor. to Secs 5, 6, 7 & 8

Land Rolling
Soil 2nd Rate

Town 28 N. Range 45 W.

North on a true line bet
Secs 5 and 6
Va 14° 36' E
40.00 Raised mound of Earth 2½ ft.
high from pits 18×24×12 in
deep. for 1/4 sec. cor.

68.56 Intersected 7th Standard Parallel
N at a point 9.80 chs West
of mound with pits the 1/4 sec cor South side of sec
33, T, No. 29. N. of R, No. 45. W
Deposited Charcoal built
mound of Earth 2½ ft high
from 3 pits 24×24×12 in deep
drove Cedar Stake 2×2 in 2
ft long marked CC in East
pit for closeing cor to secs
5 & 6

Land Rolling
Soil 2nd rate

August 22nd 1879

Town 28 N. Range 45 W.

General Description
This is a Township of good 2nd Rate Soil, Well adapted to Grazing and Agriculture. It has no living Water, but Water can be had by digging from 12 to 15 ft. and is covered with different Varieties of Luxurient grasses, for Meadow or Grazing. No Timber

List of Names

A list of the names of the individuals employed to assist in running Measuring or Marking the lines and Corners described in the foregoing field Notes of Township No. 28 North of the Base line of Range No. 45 West of the 6th P.M. in Nebraska, showing the respective Capacities in which they acted

Albert Sharp Chainman
W. C. Miller Chainman
F. L. Borland Moundman
Allen E. Sharp Flagman

We hereby Certify that we assisted D. V. Stephenson deputy Surveyor, in Surveying and Subdividing, Township No. 28 North of the Base line of Range No. 45 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully sur-

veyed and the boundary monuments planted according to the instructions furnished by the Surveyor General, of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field Notes

Albert Sharp Chainman
W C Miller Chainman
F L Borland Moundman
Allen E Sharp Flagman

Sworn and subscribed to by the above named persons before me a Notary Public for the County of Cheyenne in the State of Nebraska this 25th day of August 1879

[illegible]
Notary Public
[illegible]

Town 28 N. Range 45 W.

I, D. V. Stephenson deputy surveyor do solemnly swear, that in pursuance of a joint contract wherein S. M. Chapman, D. V. Stephenson and S. C. McElroy are joint contractors with John R. Clark U. States Surveyor General, for the District of Nebraska and Iowa bearing date April 28rd 1879. I have well and faithfully and truly in my own proper person and in strict conformity with the instructions, furnished by the Surveyor General, the surveying manual, and the Laws of the U. States surveyed all the parts or portions of Township No 28 North of the base line of Range No 45 West of the 6th P.M. in Nebraska, as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear, that all the corners of said survey have been established and perpetuated in strict accordance with surveying

Town 28 N. Range 45 W.

manual, printed instructions, and special instructions of the Surveyor General of dimensions, character, construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

D V Stephenson
Deputy Surveyor

Subscribed and sworn to by said D. V. Stephenson, deputy surveyor before me a Select Dist Court for the County of Richardson in the State of Nebraska this 1st day of September 1879

R. E. Cunningham Clk
District Court for said Co.

Surveyor General's Office
Plattsmouth Neb Nov. 10th 1879
The foregoing field notes of the Survey and subdivision of Township No. 28 North of the Base Line of Range No. 45 West of the 6th P. M. in Nebraska executed by D. V. Stephenson Depy Surveyor under point Contract No. 110 dated April 23rd 1879 in the Month of Aug. 1879, having been critically examined and the necessary corrections and explanations made, the said field notes and the survey they describe are hereby approved

Geo. L. Smith
Surveyor Genl.

General Land Office • Original Field Notes

Book Number

661

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.