General Land Office • Original Field Notes

Book Number

670

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

~~44~~
43

T.12-16 N.
R. 47. W.

43.

Field Notes

of the subdivision lines in Township 12 North, Range 47 West of the 6th Principal Meridian in the State of Nebraska by

Philander C. Patterson
Deputy Surveyor

Under his contract bearing date July 19th 1869

Subdivision commenced October 1st 1869

Subdivision completed October 6th 1869

Contract No. 29

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 12 North, Range 47 West of the 6th Principal Meridian showing the respective capacities in which they acted.

George C. Kellogg Chain man
Hamel Tiffany Chain man
Robt. N. B. Simpson Mound man
James Lane Mound man
William H. Fox Flag man

Field notes of the subdivision lines in Township 12 N. Range 47 W. 6th Prin. Mer.

To determine the proper adjustment of my compass for subdividing this Township. I commence at the corner to sections 1 and 12 on the East Boundary of the Township, and run North on a blank line along the East Boundary of section 1

Va 14° 10' East

40.00 To the 1/4 sec. cor.
80.34 To the corner to Townships 12 North Ranges 46 and 47 West

To retrace this line or run parellel there, my compass is properly adjusted.

Subdivision commenced October 1st 1869

Township 12 N. Range 47 W. 6th P. M.

From ¼ Sec. Cor. on the South side of section 31 Township 13 North, Range 46 West I run
West along the 3rd Standard Line Parallel N.
Va 14°25' East
5.33 Drove chared stake and set a post in Mound with pits as per, instructions for Closing Corner to sections 1 and 2 from which corner I run
South between Sections 1 and 2
Va 14°10' East
40.00 Drove chared stake and set a post in Mound with pits as per, instructions for ¼ sec. cor.
80.00 Drove chared stake and set a post in Mound with pits as per, instructions for corner to sections 1, 2, 11 and 12.
Land rolling 3rd Rate

Township 12 N. Range 47 W. 6th P. M.

East on a random line between sections 1 and 12
Va 14°25' East
40.00 Set a flag for temporary ¼ sec. cor.
79.75 Intersected the East Boundary line 37 lks. North of corner to sections 1 and 12 from which corner I run
N 89°44' W. on a true line between sections 1 and 12
Va 14°25' East
39.87½ Drove chared stake and set a post in mound with pits as per, instructions for ¼ sec. cor.
79.75 the corner to sections 1, 2, 11 and 12
Land rolling 3rd Rate

South between sections 11 and 12
Va 14°10' East
40.00 Drove chared stake and set a post in mound with pits as per, instructions for ¼ sec. cor.
80.00 Drove chared stake and set a post in mound with pits as

Township 12 N. Range 47 W. 6th P. M.

per instructions for corner to sections 11, 12, 13 and 14.
Land gently rolling 2nd Rate

East on a random line between sections 12 and 13
Va 14° 10' East
4,00 Set a flag for temporary ¼ sec. cor.
79,63 Intersected the East Boundary 30 lks. North of corner to sections 12 and 13 from which corner I run
N 39° 47' W on a true line between sections 12 and 13
Va 14° 10' East
39,81 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
79,63 The corner to sections 11, 12, 13 and 14
Land rolling 2nd Rate

Township 12 N. Range 47 W. 6th P. M.

North between sections 13 and 14
Va 14° 10' East
40,00 Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
80,00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 13, 14, 23 and 24
Land rolling 3rd Rate

East on a random line between sections 13 and 24
Va 14° 10' East
4,00 Set a flag for temporary ¼ sec. cor.
79,60 Intersected the East Boundary of Tp 30 lks. North of corner to sections 13 and 24 from which corner I run
N 39° 47' W on a true line between sections 13 and 24
Va 14° 10' East
39,80 Drove chared stake and set a post in mound with pits as

Township 12 N. Range 47 W. 6th P. M.

per. instructions for ¼ sec. cor.
79.60 The corner to sections 13.14.23 and 24
Land rolling 3rd Rate

South between sections 23 and 24
Va 14°10' East
12.03 Intersected the State line
17.02 chs. East of the 31st Mile
post at which point
Drove chared stake and set
a post in mound with pits for
corner to sections 23 and 24
Land rolling gravely 3rd Rate
October 1st 1869

From ¼ sec. corner on the south
side of section 36 Township 13
North, Range 47 West I run
West along the 3rd Standard Parallel N. ~~line~~
Va 14°25' East
5.33 Drove chared stake and set a post
in mound with pits as per.
instructions for Closing Corner
to sections 2 and 3 from
which corner I run

Township 12 N. Range 47 W. 6th P. M.

South between sections 2 and 3
Va 14°10' East
40.00 Drove chared stake and set a
post in mound with pits as
per. instructions for ¼ sec. cor.
80.00 Drove chared stake and set a
post in mound with pits as
per. instructions for corner
to sections 2.3.10 and 11
Land rolling 3rd Rate

East on a random line between
sections 2 and 11
Va 14°25' East
40.00 Set a flag for temporary ¼ sec. cor.
80.16 Intersected N and S. line 12 lks
North of corner to sections 1.2.
11 and 12. from which corner
I run
N 89°55' W on a true line between
sections 2 and 11
Va 14°25' East
40.08 Drove chared stake and set a
post in mound with pits as

Township 12 N. Range 47 W 6th P.M.

per, instructions for ¼ Sec. cor,
80,16 The corner to sections 2.3.10 and 11
Land rolling 2nd Rate

South between sections 10 and 11
Va 14°10' East
40,00 Drove chared stake and set a post in mound with pits as per, instructions for ¼ Sec. cor,
80,00 Drove chared stake and set a post in mound with pits as per, instructions for corner to sections 10, 11, 14 and 15
Land rolling 2nd Rate

East on a random line between sections 11 and 14
Va 14°25' East
4,00 Set a flag for temporary ¼ sec. cor,
80,00 Intersected N. and S. line 17 lks. North of corner to sections 11, 12, 13 and 14 from which corner I run
N 89°55' W on a true line between

Township 12 N. Range 47 W 6th P.M.

sections 11 and 14
Va 14°25' East
40,00 Drove chared stake and set a post in mound with pits as per, instructions for ¼ sec. cor,
80,00 The corner to sections 10, 11, 14 and 15
Land gently rolling 2nd Rate

South between sections 14 and 15
Va 14°10' East
40,00 Drove chared stake and set a post in mound with pits as per, instructions for ¼ Sec. cor,
80,00 Drove chared stake and set a post in mound with pits as per, instructions for corner to sections 14, 15, 22 and 23
Land rolling 3rd Rate

East on a random line between sections 14 and 23
Va 14°20' East
38,75 A dry creek 10 lks wide runs South
40,00 Set a flag for temporary ¼ Sec. cor,

Township 12 N. Range 47 W. 6th P.M.

30.05 Intersected N. and S. line at the corner to sections 13, 14, 23 and 24 from which corner I run -
West on a true line between sections 14 and 23
Va 14° 20' East
40.02 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor,
80.05 The corner to sections 14, 15, 22 and 23
Land rolling and gravely 3rd Rate

South between sections 22 and 23
Va 14° 10' East
11.94 Intersected the State line 10.94 chs. East of the 32 Mile post at which point
Drove chared stake and set a post in mound with pits as per instruction for corner to sections 22 and 23
Land rolling and gravely 3rd Rate

Township 12 N. Range 47 W. 6th P.M.

From 1/4 Sec. Cor. on the South side of section 35 Township 13 North Range 47 West I run West along the 3rd Standard ~~Line~~ Parallel N.
Va 14° 25' East
5.33 Drove chared stake and set a post in mound with pits as per instructions for Closing Corner to sections 3 and 4 from which corner I run

South between sections 3 and 4
Va 14° 10' East
40.00 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor.
80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 3, 4, 9 and 10
Land gently rolling 2nd Rate

Township 12 N. Range 47 W. 6th P.M.

East on a random line between sections 3 and 10

Va 14°25' East

40,00 Set a post for temporary 1/4 Sec. Cor.

80,37 Intersected N and S. line 17 lks. South of the corner to sections 2, 3, 10 and 11 from which corner I run

S 89°53' W on a true line between sections 3 and 10

Va 14°25' East

40,18 Drove chared stake and set a post in mound with pits as per. instructions for 1/4 Sec. Cor.

80,37 The corner to sections 3, 4, 9 and 10

Land rolling 2nd Rate

October 2nd 1869

South between sections 9 and 10

Va 14°10' East

40,00 Drove chared stake and set a post in mound with pits as per. instruction for 1/4 Sec. Cor.

80,00 Drove chared stake and set a

Township 12 N. Range 47 W. 6th P.M.

post in mound with pits as per. instructions for corner to sections 9, 10, 15 and 16

Land gently rolling gravelly 3rd Rate

East on a random line between sections 10 and 15

Va 14°25' East

20,50 Top of round ~~knate~~ knoll or mound

40,00 Set a flag for temporary 1/4 Sec. Cor.

80,36 Intersected N and S. line 16 lks South of the corner to sections 10, 11, 14 and 15 from which corner I run

S 89°53' W on a true line between sections 10 and 15

Va 14°25' East

40,18 Drove chared stake and set a post in mound with pits as per. instruction for 1/4 Sec. Cor.

80,36 The corner to sections 9, 10, 15 and 16

Land gently rolling 2nd Rate

Township 12 N. Range 47 W. 6th P. M.

South between sections 15 and 16
Va 14° 10' East

40.00 Drove chared stake and set a post in mound with pits as per instruction for 1/4 sec. cor.

80.00 Drove chared stake and set a post in mound with pits as per instruction for corner to sections 15, 16, 21 and 22
Land rolling and gravely 3 chains

East on a random line between sections 15 and 22
Va 14° 25' East

40.00 Set a post for temporary 1/4 sec. cor.

80.38 Intersected N. and S. line 22 lks South of the corner to sections 14, 15, 22 and 23 from which corner I run
S 89° 51' W. on a true line between sections 15 and 22
Va 14° 25' East

40.162 Drove chared stake and set a post in mound with pits as

Township 12 N. Range 47 W. 6th P. M.

per instruction for 1/4 sec. cor.

80.38 The corner to sections 15, 16, 21 and 22
Land broken and gravely

South between sections 21 and 22
Va 14° 10' East

11.34 Intersected the State line 16.31 chains East of the 33d Mile post, at which point
Drove chared stake and set a post in mound with pits as per instructions for corner to sections 21 and 22
Land rolling and gravely

October 4th 1869

Township 12 N. Range 47 W. 6th P.M.

From 4 Sec. Cor. on the South side of section 34 Township 13 North. Range 47 West I run West along the 3rd Standard ~~line~~ Parallel N.

Va 14°20' East

5.33 Drove chared stake and set a post in mound with pits as per instruction for Closing Corner to sections 4 and 5. from which corner I run

South between sections 4 and 5

Va 14°10' East

40.00 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor.

80.00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 4, 5, 8 and 9

Land level 2nd Rate

Township 12 N. Range 47 W. 6th P.M.

East on a random line between sections 4 and 9

Va 14°20' East

40.00 Set a flag for temporary 1/4 Sec. Cor.

80.00 Intersected E and W. Line 15 lks North of the corner to sections 3, 4, 9 and 10 from which corner I run

N 87°53' W on a true line between sections 4 and 9

Va 14°20' East

40.00 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to sections 4, 5, 8 and 9

Land level 2nd Rate

South between sections 8 and 9

Va 14°10' East

40.00 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor.

80.00 Drove chared stake and set a post in mound with pits as

Township 12 N. Range 47 W. 6th P.M.

per. instructions for corner to sections 8, 9, 16 and 17
Land level 2nd Rate

East on a random line between sections 9 and 16
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.
80.09 Intersected N and S line 14 lks. North of the corner to sections 9, 10, 15 and 16 from which corner ✝ run
N 89°54' W on a true line between sections 9 and 16
Va 14°20' East

40.04½ Drove chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
80.09 The corner to sections 8, 9, 16 and 17
Land gently rolling 2nd Rate

South between sections 16 and 17
Va 14°10' East

40.00 Drove chared stake and set a

Township 12 N. Range 47 W. 6th P.M.

post in mound with pits as per. instructions for ¼ sec. cor.
80.00 Drove chared stake and set a post in mound with pits as per. instructions for corner to sections 16, 17, 20 and 21
Land broken and gravely

East on a random line between sections 16 and 21
Va 14°20' East

3.25 A dry creek 15 lks. wide runs South
34.75 A dry creek 30 lks. wide runs South
40.00 Set a flag for temporary ¼ sec. cor.
80.25 Intersected N. and S. line 8 lks. North of the corner to sections 15, 16, 21 and 22 from which corner ✝ run
N 89°57' W on a true line between sections 16 and 21
Va 14°20' East

40.13 Drove chared stake and set a post in mound with pits as per. instructions for ¼ sec. cor.

Township 12 N. Range 47 W 6th P. M.

80.26 The corner to sections 16, 17, 20 and 21
Land broken and gravely

South between sections 20 and 21
Va 14° 10' East

10.50 A dry creek 50 lks wide runs S. W.
11.18 Intersected the State line
16.00 chains East of the 37th Mile post, at which point
Draw chared stake and set a post in mound with pits for corner to sections 20 and 21
Land gravely 3rd Rate

From ¼ Sec. Cor. on the South side of sections 33 Township 13 North, Range 47 West I run West along the 3rd Standard Parallel N.
Va 14° 20' East

5.33 Draw chared stake and set a post in mound with pits as per instructions for Closing Corner to sections 5 and 8 from which corner I run

Township 12 N Range 47 W 6th P. M.

South between sections 5 and 6
Va 14° 10' East

40.00 Draw chared stake and set a post in mound with pits as per instructions for ¼ Sec. Cor.
80.00 Draw chared stake and set a post in mound with pits as per instruction for corner to sections 5, 6, 7 and 8
Land level 2nd Rate

East on a random line between sections 5 and 8
Va 14° 20' East

40.00 Set a flag for temporary ¼ Sec. Cor.
80.00 Intersected N and S. line at the corner to sections 4, 5, 8 and 9 from which corner I run West on a true line between sections 5 and 8
Va 14° 20' East

40.00 Draw chared stake and set a post in mound with pits as per instructions for ¼ Sec. Cor.

Township 12 N. Range 4 W 6th P.M.

80,00 The corner to sections 5.6.7 and 8
Land level 2nd Rate

West on a random line
between sections 6 and 7
Va 14°20' East

40,00 Set a flag for temporary ¼ sec. cor,
77,48 Intersected the West Boundary
11 lks. North of the corner to
sections 6 and 7 from
which corner I run
N 89°55' East on a true line
between sections 6 and 7
Va 14°20' East

37,48 Drove chared stake and set a
post in mound with pits as
per instructions for ¼ sec. cor,
77,48 The corner to sections 5.6.7 and 8
Land rolling 3rd Rate
October 5th 1859

South between sections 7 and 8
Va 14°10' East

40,00 Drove chared stake and set a
post in mound with pits as

Township 12 N. Range 4 W 6th P.M.

per instructions for ¼ sec. cor,
80,00 Drove chared stake and set a
post in mound with pits as
per instructions for ~~¼ sec. cor~~
corner to sections 7.8.17 and 18
Land rolling 2nd Rate

East on a random line between
sections 8 and 17
Va 14°20' East

40,00 Set a flag for temporary ¼ sec cor
80,09 Intersected N and S line 18 lks
North of corner to sections
8.9.16 and 17 from which
corner I run
N 89°52' W on a true line between
sections 8 and 17
Va 14°20' East

40,04 Drove chared stake and set a
post in mound with pits as
per instructions for ¼ sec. cor.
80,09 The corner to sections 7.8.17 and 18
Land rolling 2nd Rate

Township 12 N. Range 47 W. 6th P.M.

West on a random line
between sections 7 and 18
Va 14°20' East

40,00 Set a flag for temporary 1/4 sec. cor.
51,75 A dry creek 25 lks. wide runs S.E.
77,48 Intersected the West Boundary
at the corner to sections 7 and
18 from which corner I run
East on a true line between
sections 7 and 18
Va 14°20' East
37,48 Drove chared stake and set a
post in mound with pits as
per instructions for 1/4 sec. cor.
77,48 The corner to sections 7, 8, 17 and 18
Land West part level and sandy
East part broken gravely

South between sections 17 and 18
Va 14°10' East

40,00 Drove chared stake and set a
post in mound with pits as
per instructions for 1/4 sec cor.
56,00 Enter sandy valley bearing N.W.
and S.E.

Township 12 N. Range 47 W. 6th P.M.

80,00 Drove chared stake and set a
post in mound with pits as
per instructions for corner to
sections 17, 18, 19 and 20
Land North part broken and gravely
South part level and sandy

East on a random line between
sections 17 and 20
Va 14°20' East

16,50 Leave valley bearing N.W. and
South East
23,55 A dry creek 25 lks. wide runs South
40,00 Set a flag for temporary 1/4 sec. cor.
50,20 A dry Creek 15 lks. wide runs S.W.
80,22 Intersected N and S. line 14 lks.
North of corner to sections 16, 17, 20
and 21 from which corner
I run
N 89°54' W on a true line between
sections 17 and 20
Va 14°20' East
40,11 Drove chared stake and set a
post in mound with pits as

Township 12 N. Range 47 W. 6th P.M.

per. instructions for ¼ sec. cor.
80.22 the corner to sections 17.18.19 and 20
Land broken and gravely

West on a random line
between sections 18 and 19
Va 14° 20' East
3.15 A dry creek 5.55 lks. wide runs South
40.00 Set a flag for temporary ¼ sec. cor.
77.16 Intersected the West Meandary line
23 lks. South of the corner to
sections 18 and 19 from
which corner I run
S 89° 50' E on a true line between
sections 18 and 19
Va 14° 20' East
37.16 Drove charred stake and set a
post in mound with pits as
per. instructions for ¼ sec. cor.
77.16 the corner to sections 17.18.19 and 20
Land rolling 3rd rate

Township 12 N. Range 47 W. 6th P.M.

South between sections 19 and 20
Va 14° 10' East
8.41 A dry creek 100 lks. wide runs
South East
11.16 Intersected the State line
15.80 chains East of the 35 mile
post. at which point
Drove charred stake and set
a post in mound with pits
as per. instructions for
corner to sections 19 and 20
Land rolling gravly 3rd Rate

October 6th 1869

General Description

The land in this Township is very hard and dry and generally covered with small gravel.
There was a good spring discovered near the center of Section 18. the water sinks in the sand a few rods from the spring.

List of Names

A list of the Names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. 12 North of the base line of No. 47 West of the 6th Principal Meridian. Showing the respective capacities in which they acted.

George G. Kellogg Chain man.
Homer Tiffany Chain man
Robert N. B. Simpson Mound man
James Long Mound man
William R. Cox Flag man

Subscribed and sworn
to before me this 4th day of
January A.D. 1870

J. M. Patterson
Notary Public

We hereby certify that we assisted Philander C Patterson deputy surveyor in surveying and subdividing Township number twelve North of the base line of Range number forty seven West of the sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

George J Kellogg
Homer Tiffany
Robert H. B. Simpson
James Long
Wm. F. Fox

I Philander C. Patterson deputy surveyor do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869 and in strict conformity to the laws of the United States and the instruction furnished by the said Surveyor General I have faithfully surveyed the subdivision lines of Township number twelve North of the base line of Range number forty seven West of the 6th Principal Meridian, in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Philander C. Patterson
Deputy Surveyor

Subscribed and Sworn to before me this 4th day of January A.D. 1870

J M Patterson
Notary Public

Surveyor Generals Office
Plattsmouth Neb. April 14th 1870.

The foregoing field notes of the Survey of the Subdivision lines of Township No 12 North of the Base Line of Range No 47 West of the 6th Principal Meridian in the State of Nebraska. Executed by Philander C. Patterson under his Contract No 29. dated July 19th 1869 in the Month of October 1869. having been carefully examined, the necessary Corrections and Explanations made the said field notes and the Surveys they describe are hereby approved.

Robt R. Livingston
Surveyor General.

Index Diagram
to

INDEX DIAGRAM. T. 13. N. R 47 W 6. P.M.

6	66	5	50	4	39	3	26	2	14	1
67		65		40		37		35		12
7	64	8	45	9	36	10	24	11	13	12
63		62		47		25		23		11
18	61	17	46	16	34	15	22	14	10	13
60		59		45		33		21		9
19	58	20	44	21	32	22	20	23	8	24
57		56		43		31		19		7
30	55	29	42	28	30	27	18	26	6	25
54		53		41		29		17		5
31	52	32	40	33	28	34	16	35	4	36

Field Notes

of the Survey of the Subdivision Lines of Township 13 North of the Base Line of Range 47 West of the 6th Principal Meridian in the State of

Nebraska.

by. William Bradburn
Deputy Surveyor
under his joint contract No 27 with
Matthewson. T. Patrick
bearing date the 28 day of
June A.D. 1869.

A. List

of the names and duties of the individuals employed to assist in surveying the subdivision lines of Township 13 North of the Base line of Range 47 West of the 6th Principal Meridian in the State of Nebraska

H. J. Holly	Chainman
W. R. Smith	Chainman
Frank Smith	Mounuman
John H. Goodrich	Mounuman
Clay Lockwood	Flagman

Note. The cause of so many of the East and West lines of this Township being just 80 chains is that the N & S. lines were corrected to make the Sections square miles and many of the corners to which random lines were run could be plainly seen with the telescope on the Instrument was in subdividing

Township 13 N Range 47 W. 6th P.M.

To determine the proper adjustment of my compass for Subdividing this Township I commence at the established post corner to Townships 13 ~~and 12~~ North Ranges 46 and 47 West and run

North on a blank line along the Eastern Boundary of Section 36

Va 14° 40' E.

40.00 To the 1/4 Sec Corner

80.00 The post corner to Sections 25 and 36.

To Retrace this line or run parallel therto my compass must be adjusted to a Variation of 14° 40' East

Township 13 N. - Range 47 W

Chains	
	Subdivision commenced October 10th 1869
	From the corner to Sections ~~#~~. 35 and 36 on the Southern Boundary of the Township Run North between Sec's 35 and 36 Va 14° 40' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 25. 26. 35 and 36
	Land undulating Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 25 and 36 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.30	Intersected Eastern Boundary of Township at post corner to Sections 25 and 36 from which corner Run West on a true line between Sec's 25 and 36 Va 14° 50 E
40.15	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.30	The corner to Sections 25. 26. 35 and 36.

Land undulating
Soil 2nd rate.

Township 13 N Range 47 W. 6th P. Principal Meridian

Chains North between Sec's 25 & 26
Va 14° 40' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a corner to Sections 23. 24 25 and 26

Land undulating
Soil 2nd rate

chains East on a random line
between Sec's 24 and 25
Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. corner

80.55 Intersected Eastern Boundary of Township at post corner to Sections 24 and 25 from which corner I run West on a true line
between Sec's 24 and 25
Va 14° 50' E.

40.27 1/2 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

80.55 The corner to Sections 23. 24. 25 and 26

Land undulating
Soil 2nd rate.

Township 13 N. Range 47 W

Chains	
	North between Sec's 23 and 24 Va 14° 40' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
75.00	Top of hill (bears E and W) leave hills gradual fal of 40 ft.
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instction for a corner to Sections 13. 14. 23 and 24.

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 13 and 24 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.80	Intersect Eastern Boundary of Township at post corner to Sections 13 and 24 from which corner Drew West on a true line between Sec's 13 and 24 Va 14° 50' E.
40.40	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.80	The corner to Sections 13. 14. 23 and 24

Land hilly & broken
Soil 3rd rate.

Township 13 N. Range 47 W.

chains	
	North between Sec's 13 and 14
	Va 14° 30' E.
40.00	Foot of hill, S side Ravine bears E & W
	Set a post, deposited
	charred stake, raised
	mound of earth and
	made pits as per
	instructions for a
	1/4 Sec. corner
67.00	North Side Ravine bears
	E and W. Leave Ravine, Gradual rise
80.00	on Hill Side
	Set a post, deposited
	charred stake, raised
	mound of earth and
	made pits as per
	instructions for a corner
	to Sections 11. 12. 13 and 14

Land hilly
Soil 3rd rate.

6th Principal Meridian

chains	
	East on a random line
	between Sec's 12 and 13
	Va 14° 50' E.
40.00	Set a post, for temporary
	1/4 Sec corner
80.40	Intersected ~~Hand S line~~
	~~at eastern~~ East Boundary of Township
	at post corner to Sections
	12 and 13 from which
	corner I run
	West on a true line
	between Sec's 12 and 13 Va 14° 50' E
40.20	Set a post, deposited
	charred stake, raised
	mound of earth and
	made pits as per
	instructions for a
	1/4 Sec. corner
80.40	The corner to Sections
	11. 12. 13 and 14.

Land hilly & broken
Soil 3rd rate

October 16th 1869

Township 13 N. Range 47 W.

Chains North between Sec's 11 and 12
Va 14° 30' E.

22.00 Top of hill, bears N. W. W & East

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to sections 1. 2. 11 and 12

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 1 and 12
Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. corner

80.00 Intersected Eastern Boundary of Township at post corner to sections 1 and 12 from which corner I run
West on a true line between sections 1 and 12.
Va 14° 50' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 The corner to sections 1. 2. 11 and 12

Land undulating
Soil 2nd rate.

Township 13 N. Range 47 W. 6th Principal Meridian

chains	
	North on a random line between Sec's 1 and 2
	Va 14°35' E.
37.00	Top of hill bears S.W and S.E. Gradual fall North
40.00	Set a post, for temporary 1/4 Sec corner
80.00	Intersected Northern Boundary of Township at post corner to Sections 1 and 2 from which corner I run
	South on a true line between Sections 1 and 2
	Va 14°35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 1. 2. 11 and 12

Land hilly
Soil 3rd rate

Township 13N. Range 47W. 6th Principal Meridian

chains From the corner to Sections 34. 35 on the Southern Boundary of the Township I run North between Sec's 34 and 35 Va 14° 35' E

40.00 Set a post. deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 26. 27. 34 and 35

Land undulating Soil 2nd rate

chains East on a random line between Sec's 26 and 35 Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. corner

79.75 Intersected N and S line at post corner to Sections 25. 26. 35 and 36 from which corner I run West on a true line between Sec's 26 and 35 Va 14° 50' E.

39.87½ Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

79.75 The corner to Sections 26. 27. 34 and 35

Land undulating Soil 2nd rate.

Township 13 N. Range 47 W. 6th Principal Meridian

Chains	
	North between Sec's 26 and 27 Va 14° 35' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 22. 23. 26 and 27
	Land undulating Soil 2nd rate.

Chains	
	East on a random line between Sec's 23 and 26 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.50	Intersected N and S line, at post corner to Sections 23. 24. 25 and 26 from which corner I run West on a true line between Sec's 23 and 26 Va 14° 50' E.
39.75	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.50	The corner to Sections 22. 23. 26 and 27
	Land undulating Soil 2nd rate.

Township 13 N. Range 47 W. 6th Principal Meridian

chains	North between Sec's 22 and 23 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
66.00	Top of Hill bears E.N.E & W.N.W. Gradual fall
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 14. 15. 22 and 23

Land Rolling
Soil 2d rate

chains	East on a random line between Sec's 14 and 23 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec. corner
79.20	Intersected N and S line at post corner to Sections 13. 14. 23 and 24 from which corner Iron
	West on a true line between Sec's 14 and 23 Va 14° 50' E.
39.60	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.20	The corner to Sections 14. 15. 22 and 23

Land hilly and broken
Soil 3rd rate.

Township 13 N. Range 47 W.

Chains	
	North between Sec's 14 and 15 Va 14° 35' E
40.00	Foot of hill r S side Ravine bears E and W. Set a post, deposited charred stake, raised mound of earth and made pits as per instruction for a 1/4 Sec. corner
80.00	North Side Ravine bears E. leave Ravine. Set a post, deposited charred stake Raised mound of earth and made pits as per instructions for a corner to Sections 10. 11. 14 and 15.
	Land hilly Soil 3rd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 11 and 14 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec. corner
79.27	Intersected N and S line at post. corner to Sections 11. 12. 13 and 14 from which corner I run West on a true line between Sec's 11 and 14 Va 14° 50' E.
39.63 p	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.27	The corner to Sections 10. 11. 14 and 15
	Land hilly Soil 3rd rate

Township 13 N Range 47 W. 6th Principal Meridian

Chains	
	North between Sec's 11 and 11 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
44.00	Top of hill, N. side Ravine bears E and W. enter Level Ground
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 2. 3. 10 and 11
	Land South part hilly North part Level
	Soil South Part 3rd rate North Part 2nd rate

Chains	
	East on a random line between Sec's 2 and 11 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
49.34	Intersected N and S line at a point 20 links South of post corner to Sections 1. 2. 11. and 12 from which corner bears
Smith	~~North~~ 89° 57' West on a true line between Sec's 12 and 11 Va 14° 50' E.
39.67	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
49.34	The corner to Sections 2. 3. 10 and 11
	Land undulating Soil 2nd rate

Township 13 N. Range 47 W. 6th Principal Meridian

Chains	
	North on a random line between Sec's 2 and 3 Va 14° 35' E.
40.00	Set a post for temporary 1/4 Sec corner
61.00	Foot of hill ~~North~~ South Side of Lodge Pole Valley bears N.E & N.W.
80.23.	Intersected Northern Boundary of Township 30 links East of post corner to Sections 2 and 3 from which corner I run South 0° 13' East on a true line between Sections 2 and 3 Va 14° 35' E.
40.23	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from a 1/4 Sec corner
80.23	The corner to Sections 2. 3. 10. 11

Land principally hilly
Soil 3rd rate
October 11th 1869

October 11th 1869

Township 13 N Range 47 W.

Chains From the corner to Sections ##. ##. 33 and 34 on the Southern Boundary of the Township Run North between Sec's 33 and 34 Va 14° 35' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 27. 28. 33 and 34

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 27 and 34 Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. corner

80.00 Intersected N and S line at post corner to Sections 26. 27. 34 and 35 from which corner I run West on a true line between Sec's 27 and 34 Va 14° 50' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 The corner to Sections 27. 28. 33 and 34

Land undulating
Soil 2nd rate

Township 13 N. Range 47 W. 6th Principal Meridian

Chains	
	North between Sec's 27 and 28 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 21. 22, 27 and 28
	Land undulating Soil 2nd rate.

Chains	
	East on a random line between Sec's 22 and 27 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.00	Intersected N and S lines at post corner to Sections 22. 23. 26 and 27 from which corner I run West on a true line between Sec's 22 and 27 Va 14° 50' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	The corner to Sections 21. 22. 27 and 28
	Land undulating Soil 2nd rate

Township 13 N Range 4 7 W. 6th Principal Meridian

Chains North between Sec's 21 and 22
Va 14° 35' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.00 Top of hill (bears E.S.E.) Ground fall to the N
Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 15. 16. 21 and 22

Land Rolling
Soil 2nd rate

Chains East on a random line between Sec's 15 and 22
Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. Corner

80.00 Intersected N and S line at post corner to Sections 14. 15. 22 and 23 from which corner I run West on a true line between Sec's 15 and 22
Va 14° 50' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner

80.00 The corner to Sections 15. 16. 21 and 22

Land Hilly & broken
Soil 2nd rate.

Township 13 N Range 47 W. 6th Principal Meridian

chains	North between Sec's 15 and 16 Va 14° 35' E.
40.00	South Side Ravine bears nearly E and W. Set a post, deposited charred stake, raised mound of earth and made pits as per Instructions for a 1/4 Sec. corner
69.00	The North Side Ravine bears E & W. leave Ravine 2.00 chs off
80.00	Set a post deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 9. 10. 15 and 16

Land hilly
Soil 3rd Rate

chains	East on a random line between Sec's 10 and 15 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.30	Intersected N and S line at post corner to Sections 10. 11. 14 and 15 from which corner I am West on a true line between Sections 10 and 15 Va 14° 50' E.
40.15	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.30	The corner to Sections 9. 10. 15 and 16.

Land hilly
Soil 3rd Rate.

Township 13 N Range 47 W.

Chains	
	North between Sec's 9 and 10 Va 14° 35' E.
6.00	Top of hill bears E.N.E & W.N.W.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Section 3. 4. 9 and 10.

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 3 and 10 Va 14° 50' E
40.00	Set a post, for temporary 1/4 Sec. corner
80.70	Intersected N and S line at ~~a point 30 links~~ North of post corner to Sections 2. 3. 10 and 11 from which corner I run North 89° 47' West on a true line between Sec's 3 and 10 Va 14° 50' E
411.35	Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
811.70	The corner to Sections 3. 4. 9 and 10

Land Rolling
Soil 2nd rate.

Township 13 N. Range 4 W.

chains North on a random line between Sec's 3 and 4 Va 14° 35' E.

19.00 Top of hill gradual fall 60 ft

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections —

6th Principal Meridian

chains North on a random line between Sec's 3 and 4 Va 14° 35' E. bears S.E. & S.W.

19.00 Top of hill, gradual fall (60 ft)

40.00 Set a post for temporary 1/4 Sec corner

49.90 Intersected Northern Boundary of Township at post corner to Sections 3 and 4 from which corner South on a true line between Sec's 3 and 4 Va 14° 35' E.

39.90 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

79.90 The corner to Sections 3. 4. 9 and 10

Land hilly
Soil 3rd rate

Township 13 N Range 47 W.

Chain	
	From the corner to Sections ~~#~~. ~~#~~. 32 and 33 on Southern Boundary of Township I run North between Sec's 32 and 33 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 28. 29. 32 and 33

Land Level
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 28 and 33 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec corner
80.00	Intersected N and S line at post corner to Sections 27. 28. 33 and 34 from which corner I run West on a true line between Sec's 28 and 33 Va 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 28. 29. 32 and 33

Land Level
Soil 2nd rate

Township 13N. Range 47W.

chains	North between Sec's 28 & 29 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 20. 21. 28 and 29.
	Land undulating Soil 2nd rate
	Oct 12th 1869

6th Principal Meridian

chains	East on a random line between Sec's 21 and 28 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec corner
80.00	Intersected N and S line at post corner to Sections 21. 22. 27 and 28 from which corner I run West on a true line between Sec's 21 and 28. Va 14° 50' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	The corner to Sections 20. 21. 28 and 29
	Land undulating Soil 2nd rate

Township 13 N Range 4 E W.

chains North between Sec's 20 & 21
Va 14° 35' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instruction for a
1/4 Sec. corner

55.00 Top of hill (bears N.E & S.W.) gradual fall

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
16. 17. 20 and 21.

Land Rolling
Soil 2nd rate

6th Principal Meridian

Chains East on a random line
between Sec's 16 and 21
Va 14° 50' E.

40.00 Top of hill bears E & E and S.W. there
Set a post for temporary
1/4 Sec corner

80.00 Intersected N and S line
at post corner to Sections
15. 16. 21 and 22 from
which corner I run
West on a true line
between Sec's 16 and 21
Va 14° 50' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

80.00 The corner to Sections
16. 17. 20 and 21.

Land Hilly
Soil 3rd rate

Township 13 N. Range 47 W

Chains	North between Sec's 16 and 17 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
53.00	Foot of hill S side Ravine bears E & W.
67.00	North Side same Ravine bears E & W.
80.00	on side Hill
	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 8. 9. 16 and 17
	Land hilly & broken Soil 3rd rate

6th Principal Meridian

Chains	East on a random line between Sec's 9 and 16 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.80	Intersected North and South line at post corner to Sections 9. 10. 15 and 16 from which corner I run West on a true line between Sec's 9 and 16 Va 14° 50' E.
39.90	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.80	The corner to Sections 8. 9. 16 and 17.
	Land hilly & broken Soil 3rd rate.

Township 13 N Range 4 W.

Chains	
	North between Secs 8 and 9 Va 14° 35' E.
34.00	Top of hills bears S.E. & W. & N.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
	Top of hill bears E. & S. W.
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 4. 5. 8. and 9

Land Rolling

Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a random line between Secs 4 and 9 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec. Corner
79.58	Intersected N and S line 70 links North of post corner to Sections 3. 4. 9 and 10. from which corner I run North 89° 30' West on a true line between Secs 4 and 9 Va 14° 50' E.
39.79	Set a post, deposited charred stake, raised mound of earth and made pits as per instruction for a 1/4 Sec Corner
79.58	The corner to Sections 4. 5. 8. and 9.

Land undulating

Soil 2nd rate.

Township 13 N. Range 47 W. 6th Principal Meridian

chains North on a random line
between Sec's 4 and 5
Va 14° 35' E
40.00 Set a post for temporary
1/4 Sec corner
49.26 Intersected northern
Boundary of Township
40 links East of
post corner to Sections
4 and 5 from which
corner I run
South 1° 17' East on a
true line between Sec's 4 and 5
Va 14° 35' E
39.26 Set a post, deposited
charred stake, raised
mound of earth, and
made pits as per
instruction for W
1/4 Sec. corner
49.26 The corner to Section
4. 5 8 - and 9

Land hilly
Soil 3rd rate

Township 13 N Range 47 W.

chains From the corner to Sections
31 and 32 on the
Southern Boundary of
the Township I run
North between Sec's 31 and 32
Va 14° 35' E
40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner
80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
29. 30. 31 and 32

Land level
Soil 2nd rate

6th Principal Meridian

chains East on a random line
between Sec's 29 and 32
Va 14° 50' E.
40.00 Set a post, for temporary
1/4 Sec. Corner
80.00 Intersected N and S
line at post corner to
Sections 28. 29. 32 and 33
from which corner I run
West on a true line
between Sec's 29 and 30
Va 14° 50' E.
40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner
80.00 80.00 Sec Corner to Sections
29. 30. 31 and 32.

Land level
Soil 2nd rate.

T

Cha

40.

53

67

80

Township 13 N. Range 47 W.

chains	
	West on a random line between Sec's 30 and 31 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.20	Intersected Western Boundary of Township at post corner to Sections 30 and 31 from which corner I run
	East on a true line between Sec's 30 and 31 Va 14° 50' E
40.20	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.20	The corner to Sections 29. 30. 31 and 32

Land level
Soil 2nd rate

6th Principal Meridian

chains	
	North between Sec's 29 and 30 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 19. 20. 29 and 30

Land undulating
Soil 2nd rate

Township 13 N Range 47 W.

chains East on a random line
between Sec's 20 and 29
Va 14° 50' E

40.00 Set a post, for temporary
1/4 Sec Corner
80.05 ~~Intersected N and~~
~~S line, at post for~~
~~corner to Sections~~
~~20. 21. 28 and~~
~~29~~ from which corner
I run West on a true line
between Sec's 20 and 29
Va 14° 50' E.

40.02 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner
80.05 ~~Set a post.~~ The
corner to Sections
19. 20. 29 and 30

Land undulating
Soil 2nd rate

6th Principal Meridian

chains West on a random line
between Sec's 19 and 30
Va 14° 50' E.

40.00 Set a post for temporary
1/4 Sec. corner
80.35 Intersected Western
Boundary of Township
at post corner to Sections
19 and 30 from which
corner I run
East on a true line
between Sec's 19 and 30
Va 14° 50' E.

40.35 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner
80.35 The corner to Sections
19. 20. 29 and 30

Land undulating
Soil 2nd rate

October 13th 1869

Township 13 N Range 47 W.

chains North between Sec's 19 and 21
Va 14° 35' E

411.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner

811.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to sections 17, 18, 19 and 21.

Land undulating
Soil 2nd rate

6th Principal Meridian

chains East on a random line
between Sec's 17 and 21
* Top of line Va 14° 51' E.

411.00 * Set a post, for temporary 1/4 Sec Corner

811.03 Intersected N and S line at post corner to sections 16, 17, 21 and 21
from which corner I run
West on a true line
between Sec's 17 and 20
Va 14° 51' E.

411.1½ Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner

811.13 The corner to sections 17, 18, 19 and 20

Land Rolling
Soil 2nd Rate

Township 13 N Range 24 W

Chains	
	West on a random line between Secs 18 and 19 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.48	Intersected Western Boundary of Township at post corner to Sections 18 and 19 from which corner I run East on a true line between Secs 18 and 19 Va 14° 50' E.
40.48	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.48	The corner to Sections 17. 18. 19 and 20
	Land undulating Soil 2nd rate

6th Principal Meridian

Chains	
	North between Secs 17 and 18 Va 14° 35' E. bears West and S.E
34.00	Top of hill A Gradual fall 30 off
40.00	Foot of hill South side of Ravine bears E and W. Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	In Ravine Set a post, deposited charred stake, raised mound of earth and made pits as per instruction for a corner to Sections 7. 8. 17 and 18
	Land hilly Soil 3rd rate

Ta

chain

40.1

8 80.4

40.4

Township 13 N Range 47 W. 6th Principal Meridian

Chains	East on a random line between Sec's 8 and 17 Va 14° 50' E.
40.00	First of Bluff on North side of Ravine bears ~~E & W.~~ S.E. along side hill and here Set a post for temporary 1/4 Sec. corner
80.50	Intersected N and S. line at post corner to Sections 8. 9. 16 and 17 from which corner I run
	West on a true line between Sec's 8 and 17 Va 14° 50' E
40.25	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80 80.50	The corner to Sections 7. 8. 17 and 18
	Land hilly Soil 3d rate

Chains	West on a random line between Sec's 7 and 18 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.06	Intersected Western Boundary of Township at post corner to Sections 7 and 18 from which corner I run
	East on a true line between Sec's 7 and 18 Va 14° 50' E.
40.06	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.06	The corner to Sections 7. 8. 17 and 18
	Land hilly Soil 3d rate

Township 13 N Range 47 W.

Chains	
	North between Sec's 7 and 8 Va 14° 35' E
12.00	North Side Ravine bears E & W.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
49.00	Top of hills bears West & E.S.E.
60.00	Top of hills bears N.E. and N.W. begins to fall
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 5. 6. 7. and 8

Land hilly
Soil 3rd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 5 and 8 Va 14° 50' E
40.00	Set a post for temporary 1/4 Sec. Corner
80.90	Intersected N and S line at post corner to Sections 4. 5. 8 and 9 from which corner I run West on a true line between Secs 5 and 8 Va 14° 50' E
40.45	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.90	The corner to Sections 5. 6. 7 and 8

Land hilly
Soil 3rd rate

Township 13 North Range 47 W. 6th Principal Meridian

Chains	North on a random line between Sec's 5 and 6 va 14° 35' E
40.00	Set a post for temporary 1/4 Sec corner
79.21	Intersected Northern Boundary of Township 50 links West of post corner to sections 5 and 6 from which corner I run
	South 0° 2' West on a true line between Sec's 5 and 6 va 14° 35' E.
39.21	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.21	The corner to sections 5. 6. 7 and 8

Land hilly
Soil 3rd rate

Chains	West on a random line between Sec's 6 and 7 va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.65	Intersected Western Boundary of Township at post corner to sections 6 and 7 from which corner I run
	East on a true line between Sec's 6 and 7 va 14° 50' E
39.65	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 sec corner
79.65	The corner to sections 5. 6. 7. and 8

Land hilly ~~undulating~~
Soil 3rd rate

October 14th 1869

General Description

The land in this Township is very poor it is an elevated Plateau with very little water and no timber

List of Names

A list of the names and duties of the individuals employed to assist in running, measuring or marking the lines and carriers described in the foregoing field notes of Township No. 13 North of the Base line of Range No. 4 West of the 5th Principal Meridian. Showing the respective capacities in which they acted

H. J. Foley	Chainman
W. R. Smith	Chainman
Frank Smith	Axeman
John H. Goodrich	Axeman
Clay Lockwood	Flagman
Wm Bradburn	Compassman

For Affidavits See Book 4.

Surveyor Generals Office.
Plattsmouth Neb April 7th 1870.

The foregoing field notes of the Survey of the Subdivision lines of Township No. 13. North of the Base Line. of Range No 47. West of the 6th Principal Meridian in the State of Nebraska executed by Wm Bradbum under joint contract No. 27. of June 25. 1869. wherein Wm Bradbum & M. T. Patrick are joint contractors. in the month of October 1869. having been critically examined the necessary corrections and explanations made the said field notes and the surveys thereby described are hereby approved.

Robt R. Simpson
Surveyor General.

INDEX DIAGRAM. T. 14 N. R. 47 W. 6 P.M.

6	39	5	43	4	32	3	21	2	10	1
38		37		42		31		20		9
7	36	8	41	9	30	10	19	11	5	12
35		34		40		29		18		7
18	33	17	39	16	28	15	17	14	4	13
32		31		38		27		16		6
19	30	20	37	21	26	22	15	23	6	24
29		28		36		25		14		5
30	47	29	35	28	24	27	13	26	5	25
46		45		34		23		12		4
31	44	32	33	33	22	34	11	35	4	36

Field Notes

of the subdivision lines in Township 14 North, Range 47 West of the 6th Principal Meridian in the State of Nebraska by

Philander C. Patterson
Deputy Surveyor,

Under his contract bearing date July 19th 1869.

Subdivision commenced November 22nd 1869

Subdivision completed December 2nd 1869

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 14 North, Range 47 West of the 6th Principal Meridian, showing the respective capacities in which they acted

George J. Hellogg	chain man
Homer Tiffany	chain man
Robert N. B. Simpson	mound man
James Long	mound man
William F. Fox	flag man

Field notes of the subdivision lines in Township 14 N. Range 47 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing the Township I commence at the corner to section 25 and 36 on the East Boundary of the Township and run

South on a blank line along the East Boundary of section 36

Variation 13°40' East

40.13 To a point 3 lks. East of the quarter section corner

77.14 To a point 11 lks. East of the corner to Townships 13 and 14 North, Ranges 46 and 47 West

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 13°35' East

Subdivision commenced November 22nd 1869

From the corner to section 1, 2, 35 and 36 on the South Boundary of the Township I run

Township 14 N. Range 47 W. 6th P. M.

North between sections 35 and 36
Va 13°35' East

5.00 Emigrant Road bearing E and W
33.50 old Road along edge of bottom
land bearing East and West
41.00 Set a sand stone 17×12×3 ins for ¼ sec. cor.
59.75 Lodge Pole creek 45 lks. wide runs
South. East
80.00 Set a sand stone 19×12×6 ins for corner
to sections 25, 26, 35 and 36
Land 30.00 chains on the South gently
rolling 2nd Rate. North part
level bottom 1st Rate
November 22nd 1869

Write this and wide at stone Cor.

East on a random line between
sections 25 and 36
Va 12°35' East

40.00 Set a flag for temporary ¼ sec. cor.
64.75 A slough 25 lks. wide runs South
79.40 Lodge Pole creek 30 lks. wide runs N. E.
80.20 Intersected the East Boundary line
16 lks. North of the corner to
sections 25 and 36 from which
corner I run

Township 14 N. Range 47 W. 6th P. M.

N 89°53' W on a true line between
section 25 and 36
Va 12°35' East

40.10 Set a sand stone 12×11×5 ins for ¼ sec. cor.
80.20 The corner to sections 25, 26, 35 and 36
Land level bottom 1st Rate

North between sections 25 and 26
Va 13°35' East

18.32 Center of the Union Pacific
Rail Road bearing E. and W.
29.00 Leave bottom bearing E and W.
40.00 Set a sand stone 13×10×6 ins for ¼ sec. cor.
74.23 Ledge of sand stone bearing E and W
80.00 Set a sand stone 12×11×10 for corner
to section 23, 24, 25 and 26
Land rolling 2nd Rate

East on a random line between
sections 24 and 25
Va 12°40' East

40.00 Set a flag for temporary ¼ sec. cor.
49.75 A dry creek 10 lks. wide runs South
80.40 Intersected the East boundary line

Township 14 N. Range 47 W. 6th P. M.

14 lks. South of the corner to sections 24 and 25 from which corner I run
S. 88°54' W on a true line between sections 24 and 25
Va 12°40' East

40.20 Set a sand stone 15x10x8 for 1/4 sec. cor.
80.40 The corner to sections 23, 24, 25 and 26
Land rolling gravely 3rd Rate

North between sections 23 and 24
Va 13°35' East

40.00 Set a sand stone 12x11x6 for 1/4 sec. cor.
80.00 Set a sand stone 14x12x3 for corner to sections 13, 14, 23 and 24
Land broken and gravely

East on a random line between sections 13 and 24
Va 13° East

14.25 A dry creek 25 lks. wide runs South
40.00 Set a flag for temporary 1/4 sec. cor.
80.24 Intersected the East boundary 18 lks. North of the corner to sections

Township 14 N. Range 47 W. 6th P. M.

13 and 24 from which corner I run
N 89°52' W on a true line between sections 13 and 24
Va 13° East

40.12 Set a sand stone 14x11x6 for 1/4 sec. cor.
80.24 The corner to sections 13, 14, 23 and 24
Land rolling gravely 3rd Rate

North between sections 13 and 14
Va 14°30' East

40.00 Set a lime stone 18x10x3 for 1/4 sec. cor.
80.00 Set a lime stone 15x14x4 for corner to sections 11, 12, 13 and 14
Land rolling 3rd Rate

East on a random line between sections 12 and 13
Va 13° East

40.00 Set a flag for temporary 1/4 sec. cor.
80.12 Intersected the East boundary line 17 lks. North of the corner to sections 12 and 13 from which corner I run

Township 14 N. Range 47 W. 6th P.M.

N 89°58' W on a true line between
Sections 12 and 13
Va 13° East

40.06 Set a sand stone 13+11+3 for 1/4 Sec. cor
80.12 The corner to sections 11, 12, 13 and 14
Land rolling gravely 3rd rate

North between section 11 and 12
Va 14°40' East

40.00 Set a lime stone 19+11+3 for 1/4
Sec. cor
80.00 Set a lime stone 15+11+5 for
corner to sections 1, 2, 11 and 12
Land rolling 3rd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line between
Sections 1 and 12
Va 13° East

40.00 Set a place for temporary
1/4 Sec. corner
80.08 Intersected the N. and S.
~~line~~ East boundary line
8 lks, North of the corner
to section 1 and 12 from
which corner I run

N 89°57' W on a true line
between sections 1 and 12
Va 13° East

40.04 Set a lime stone 20+8+3 for
1/4 Sec. cor.
80.08 The corner to sections
1, 2, 11 and 12

Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

North on a random line
between sections 1 and 2
Va 15° East

40.00 Set a place for temporary
1/4 Sec. Cor.

78.55 Intersected the North boundary
line 12 lks East of the corner
to sections 1 and 2 from
which corner I run

S 00.15' E on a true line between
sections 1 and 2
Va 15° East

38.55 Set a lime stone 15 x 10 x 4 for
1/4 sec. cor.

78.55 The corner to sections 1, 2, 11 and 12
Land gently rolling 2nd Rate

November 23rd 1859

Township 14 N. Range 47 W. 6th P.M.

North between sections 34 and 35
Va 13° 35' East

27.75 Emigrant road bearing
East and West

40.00 Set a lime stone 19 x 13 x 3
for 1/4 sec. cor.

80.00 Set a lime stone 17 x 10 x 6 for
corner to sections 26, 27, 34
and 35

Land level bottom good 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 26 and 35
Va 14° 35" East

35.75 Lodge Pole creek 35 lks wide
runs South West

40.00 Set a place for temporary
¼ sec. cor,

80.00 Intersected the N. and S. line
20 lks South of the corner to
sections 25.26.35 and 36 from
which corner I run

S 89° 51' W on a true line between
sections 26 and 35
Va 14° 35" East

40.00 Set a lime stone 20+9+4 for
¼ sec. cor,

80.00 The corner to sections 26,27,34 and 35
Land level bottom 1st Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections
26 and 27
Va 13° 40' East

1.90 Pole creek 35 lks wide runs
East

25.74 Center of Union Pacific
Rail Road bearing E. and W.

40.00 Set a lime stone 15+10+4 for
¼ sec. cor,

45.00 Leave bottom and enter up
land bearing E and W,

80.00 Set a land stone 17+14+7 for
corner to sections 22.23.26
and 27
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line between sections 23 and 26
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.12 Intersected the N. and S. line at the corner to sections 23, 24, 25 and 26 from which corner I run

West on a true line between sections 23 and 26
Va 14°40' East

40.06 Set a sand stone 15+12+4 for 1/4 sec. cor.

80.12 The corner to sections 22, 23, 26 and 27

Land broken, rocky 3rd rate

Township 14 N. Range 47 W. 6th P.M.

North between sections 22 and 23
Va 13°35' East

40.00 Set a sand stone 11+10+9 for 1/4 sec. cor.

80.00 Set a sand stone 21+8+6 for corner to sections 14, 15, 22 and 23

Land rolling 2nd rate

Township 14 N. Range 47 W. 6th P. M.

East on a random line between sections 14 and 23
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.10 Intersected the N and S. line at the corner to sections 13, 14, 23 and 24 from which corner I run

West on a true line between sections 14 and 23
Va 14°40' East

40.05 Set a sand stone 15+11+5 for 1/4 sec. cor.

80.10 The corner to sections 14, 15, 22 and 23

Land rolling 2nd Rate

Township 14 N. Range 47 W. 6th P. M.

North between sections 14 and 15
Va 14°20' East

40.00 Set a sand stone 12+11+6 for 1/4 sec. cor.

80.00 Set a lime stone 15+10+4 for corner to sections 10, 11, 14 and 15

Land rolling 2nd Rate

Township 14 ~~East on a ro~~ N. Range 47 W. 6th P. M.

East on a random line between sections 11 and 14
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.18 Intersected the N. and S. line 6 lks. South of the corner to sections 11. 12. 13 and 14 from which corner I run

S 89°57' W on a true line between sections 11 and 14
Va 14°40' East

40.09 Set a lime stone 15+10+4 for 1/4 sec. cor.

80.18 The corner to sections 10. 11. 14 and 15

Land rolling 2nd Rate

Township 14 N. Range 47 W. 6th P. M.

North between sections 10 and 11
Va 14°40' East

40.00 Set a lime stone 14+10+5 for 1/4 sec. cor.

80.00 Set a lime stone 13+12+5 for corner to sections 2. 3. 10 and 11

Land rolling 2nd Rate

Township 14 N. Range 47 W. 4th P.M.

East on a random line
between sections 2 and 11
Va 14°40' East

40.00 Set a flag for temporary
1/4 Sec. cor.

80.20 Intersected the N and S. line
6 lks. North of the corner
to sections 1, 2, 11 and 12
from which corner I run

N 89°57' W. on a true line
between section 2 and 11
Va 14°40' East

40.10 Set a lime stone 19+12+4
for 1/4 Sec. cor.

80.20 The corner to sections 2, 3, 10
and 11
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 4th P.M.

North on a random line
between sections 2 and 3
Va 15° East

40.00 Set a flag for temporary
1/4 Sec. cor.

79.44 Intersected the North boundary
2 lks. East of the corner
to sections 2 and 3
from which corner I run

S 0°01' East on a true line between
sections 2 and 3
Va 15° East

39.44 Set a lime stone 15+10+4 for
1/4 Sec. cor.

79.44 The corner to sections 2, 3, 10
and 11
Land gently rolling 2nd rate

November 24th 1859

Township 14 N. Range 47 W. 6th P.M.

North between sections
33 and 34
Va 13°35' East

33.00 Emigrant road along edge
of bottom land bearing
East and West

40.00 Set a lime stone 14+12+3
for 1/4 sec. cor.

73.85 Lodge Pole creek 25 lks. wide
runs N. E.

80.00 Set a lime stone 18+10+4 for
corner to sections 27, 28,
33 and 34
Land level good 2nd rate

Township 14 N. Range 47 W. 6th P.M.

East and random line
between sections 27 and 34
Va 14°30' East

6.80 Lodge Pole creek 25 lks. wide
runs N. E.

40.00 Set a flag for temporary 1/4 sec. cor.

50.00 Same creek 30 lks. wide runs S. E.

77.75 Same creek 20 lks. wide runs North

80.14 Intersected the N and S. line
19 lks. North of the corner to
sections 26, 27, 34 and 35
from which corner I run

N 89°52' W on a true line between
sections 27 and 34
Va 14°30' East

40.07 Set a lime stone 17+9+4 for
1/4 sec. cor.

80.14 The corner to sections 27, 28,
33 and 34
Land level bottom 1st rate

Township 14 N. Range 47 W. 6th P.M.

North between sections 27 and 28
Va 13°35' East

14,00 Large Ash creek 20 lks. wide runs West

18.95 Same creek 30 lks. wide runs East

30.35 Center of the Union Pacific Rail Road bearing E and W.

38,00 Leave bottom land bearing East and West

40,00 Set a line stone 13+10+5 for 1/4 sec. cor.

80,00 Set a line stone 15+10+4 for corner to sections 21.22.27 and 28
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line between sections 22 and 27
Va 14°30' East

40,00 Set a flag for temporary 1/4 Sec. Cor.

80,08 Intersected the N. and S. line 10 lks. North of the corner to sections 22. 23. 26 and 27 from which corner S. run

N 89°56' W on a true line between sections 22 and 27
Va 14°30' East

40,04 Set a line stone 13+10+4 for 1/4 sec. cor.

80,08 The corner to sections 21. 22. 27 and 28
Land rolling 3rd rate

Township 14 N, Range 47 W. 6th P.M.

North between sections
27 and 22
Va 13°35' East
40.00 Set a sand stone 18×8×6
for ¼ sec. cor.

80.00 Set a bevel stone 11×10×9
for corner to sections
15, 16, 21 and 22

Land rolling 3rd Rate

Township 14 N, Range 47 W. 6th P.M.

East on a random line
between sections 15 and 22
Va 14°30' East
40.00 Set a flag for temporary
¼ sec. cor.
80.14 Intersected the N. and S. line
28 lks. North of the corner to
sections 14, 15, 22 and 23
from which corner I run

N 89°45' W on a true line between
sections 15 and 22
Va 14°30' East
40.07 Set a sand stone 12×8×6 for
¼ sec. cor.
80.14 The corner to sections 15, 16, 21
and 22
Land level 2nd Rate

Township 14 N. Range 47 W. 5th P.M.

North between sections
15 and 16
Va 14°20' East

40.00 Set a sand stone 18 x 9 x 5
for ¼ sec. cor.

80.00 Set a sand stone 15 x 11 x 8
for corner to sections
9, 10, 15 and 16

Land gently rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 10 and 15
Va 14°30' East

44.00 Set a flag for temporary
¼ sec. cor.

80.20 Intersected the N and S. line
24 lks. North of the corner
to sections 10, 11, 14 and 15
from which corner I run

N 89°50' W on a true line
between sections 10 and 15
Va 14°30' East

40.10 Set a limestone 18 x 13 x 5
for ~~corner to sections~~
¼ sec. cor.

80.20 The corner to sections 9, 10,
15 and 16
Land rolling stony 3rd Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections
9 and 10
Va 14°40' East

40,00 Set a lime stone 16x14x3
for 1/4 sec. cor.

80,00 Set a lime stone 20x13x2
for corner to sections
3, 4, 9 and 10
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 3 and 10
Va 14°30' East

40,00 Set a plug for temporary
1/4 sec. cor.

80,10 Intersected the N. and S. line
14 lks. North of the corner to
sections 2, 3, 10 and 11
from which corner I run

N 89°54' W on a true line
between sections 3 and 10
Va 14°30' East

40,05 Set a lime stone 14x13x3
for 1/4 sec. cor

80,10 The corner to sections 3, 4, 9
and 10
Land rolling 2nd rate

Township 14 N. Range 47 W. 5th P.M.

North on a random line
between sections 3 and 4
Va 15° East

40.00 Set a flag for temporary
¼ sec. cor.

79.71 Intersected the North boundary
15 lks. East of the corner to
sections 3 and 4
from which corner I run

West 6 East on a true line
between sections 3 and 4
Va 15° East

39.71 Set a line stone 19×10×4
for ¼ sec. cor

79.71 the corner to sections 3. 4. 9.
and 10
Land gently rolling 2nd Rate

November 25th 1869

Township 14 N. Range 47 W. 5th P.M.

North between sections
32 and 33
Va 13° 40' East

37.00 Emigrant road bearing
East and West

40.00 Set a line stone 28×7×3 for
¼ sec. cor.

57.00 Enter bottom land bearing
N. W and S. E.

80.00 Set a line stone 14×10×4 for
corner to sections 28. 29. 32
and 33
Land 57.00 chains on the South
gently rolling gravely 3rd Rate
bottom land level 1st Rate

Township 14 N. Range 47 W. 6th P. M.

East on a random line between sections 28 and 33
Va 14°30' East

5.18 Ladge Pole creek 20 lks. wide runs South
29.70 Same creek 30 lks. wide runs North
40.00 Set a flag for temporary 1/4 sec. cor.
60.50 Same creek 20 lks. wide runs South
62.50 Same creek 45 lks. wide runs N. E.
69.75 Same creek 20 lks. wide runs S. E.
80.04 Intersected the N and S. line 13 lks. North of the corner to sections 27, 28, 33 and 34 from which corner I run

N 89°55' 54" W on a true line between sections 28 and 33
Va 14°30' East

40.02 Set a line stone 16×12×3 for 1/4 sec. cor
80.04 The corner to sections 28, 29, 32, and 33
Land level bottom 1st Rate

Township 14 N. Range 47 W. 6th P. M.

North between sections 28 and 29
Va 13°45' East

18.83 Ladge Pole creek 30 lks. wide runs South East
29.17 Center of the Union Pacific Rail Road bearing E and W
40.00 Set a line stone 20×10×6 for 1/4 sec. cor.
52.00 Leave bottom land bearing East and W.
80.00 Set a line stone 20×12×3 for corner to sections 20, 21, 28 and 29
Land bottom level good 2nd Rate
Up land rolling gravly 3rd Rate

Township 14 N. Range 47 W. 5th P.M.

East on a random line between
sections 27 and 28
Va 14° 30' East
40,00 Set a flag for temporary 1/4 sec. cor,
80,08 Intersect the N and S. line
9 lks. South of the corner to
sections 21, 22, 27 and 28
from which corner I run

S 89° 56' W on a true line between
sections 27 and 28
Va 14° 30' East
40,04 Set a lime stone 15x10x8 for
1/4 sec. cor
80,08 Set corner to sections 20, 21, 28
and 29
Land rolling gravelly 3rd Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections 20 and 21
Va 13° 45' East
40,00 Set a sand stone 15x10x9 for
1/4 sec. cor.
80,00 Set a sand stone 21x9x8 for
corner to sections 16, 17, 20
and 21
Land South part broken gravel
ridges North part level 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line between
sections 16 and 21
Va 14°35' East
40,00 Set a flag for temporary ¼ sec. cor.
80,14 Intersected the N and S line
9 lks. North of the corner to
sections 15, 16, 21 and 22
from which corner I run

N 89°56' W on a true line between
sections 16 and 21
Va 14°35' East
40,07 Set a lime stone 15×8×7 for
¼ sec. cor.
80,14 The corner to sections 16, 17, 20
and 21
Land rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections 16 and 17
Va 14°20' E east
40,00 Set a sand stone 13×13×6 for
¼ sec. cor.
80,00 Set a sand stone 20×9×5 for
for corner to sections 8, 9,
16 and 17
Land gently rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 9 and 16
Va 14°35' East

40,00 Set a flag for temporary ¼ sec cor.
80.20 Intersected the N. and S. line
at the corner to sections
9. 10. 15 and 16
from which corner I run

West on a true line between
sections 9 and 16
Va 14°35' East

40,10 Set a sand stone 14×12×4
for ¼ sec. cor.
80,20 The corner to sections 8. 9. 16
and 17
Land rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections
8 and 9
Va 14°40' East

40,00 Set a sand stone 15×12×3
for ¼ sec. cor.
80,00 Set a lime stone 17×12×3 for
corner to sections 4. 5. 8 and 9

Land gently rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 4 and 9
Var 14° 35' East

40.00 Set a flag for temporary
1/4 section corner.

80.34 Intersected the N and S line
at the corner to sections
3, 4, 9 and 10
from which corner I run

West on a true line between
sections 4 and 9
Var 14° 35' East

40.17 Set a hand stone 14×12×8 for
1/4 sec. cor.

80.34 The corner to sections 4, 5, 8 and 9
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

North on a random line
between sections 4 and 5
Var 15° East

40.00 Set a flag for temporary 1/4 sec. cor.

80.32 Intersected the North Boundary
14 lks. East of the corner to
sections 4 and 5
from which corner I run

S. 0°.16' E. on a true line between
sections 4 and 5
Var 15° East

40.32 Set a hand stone 10×9×8 for
1/4 sec. cor.

80.32 The corner to sections 4, 5, 8 and 9
Land gently rolling 2nd rate

November 27th 1859

Township 14 N. Range 47 W. 6th P. M.

North between sections
31 and 32
Va 13°45' East

40.00 Set a lime stone 18×5×3 for
¼ sec. cor.

41.25 Emigrant Road along edge
of bottom land bearing
East and West

80.00 Set a lime stone 20×12×3 for
corner to sections 29, 30, 31
and 32

Land South part gently rolling
2nd rate, bottom land level 1st rate

Township 14 N. Range 47 W. 6th P. M.

East on a random line between
sections 29 and 32
Va 14°35' East

40.00 Set a flag for temporary ¼ sec. cor.

80.10 Intersection the N and S line
32 lks. North of the corner to
sections 28, 29, 32 and 33
from which corner I run

N 87°46' W on a true line between
sections 29 and 32
Va 14°35' East

40.05 Set a lime stone 18×5×3 for
¼ sec. cor.

80.10 The corner to sections 29, 30, 31,
and 32

Land level rich bottom 1st rate

Township 14 N. Range 47 W. 6th P.M.

West on a random line
between sections 30 and 31
Va 14°35' East

22.35 Badger Hole creek 85 lks. wide
runs N. E.

23.15 Same creek 35 lks. wide runs
South East

35.25 Same creek 50 lks. wide runs
N. E.

39.25 A Slough 50 lks. wide runs
North East

40.00 Set a stone for temporary ¼ sec. cor.

79.11 Intersected the West Boundary
32 lks. South of the corner
to sections 30 and 31
from which corner I run

S 89°45' E on a true line between
sections 30 and 31
Va 14°35' East

39.11 Set a lime stone 20×12×3 for
¼ sec. cor.

79.11 The corner to sections 29, 30, 31 and 32
Land level rich bottom 1st Rate

November 29th 1869

Township 14 N. Range 47 W. 6th P.M.

North between sections
29 and 30
Va 13°50' East

8.00 Badger Hole creek 25 lks. wide
runs East

26.54 Center of the Union Pacific
Rail Road bearing E. and W.

40.00 Set a lime stone 19×17×3 for
¼ sec. cor.

52.00 Leave bottom land bearing
East and West

80.00 Set a lime stone 20×8×7 for
corner to sections 19, 20, 29 and 30
Bottom land level good 2nd Rate
Up land rolling 3rd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line between
section 20 and 29
Va 14°20' East

40.00 Set a plaz for temporary 1/4 sec. cor.

80.26 Intersected the N. and S. line
12 lks. North of the corner to
sections 20.21.28 and 29
from which corner I run

N 89°55' W on a true line
between section 20 and 29
Va 14°20' East

40.18 Set a line stone 20×10×3 for
1/4 sec. cor.

80.26 The corner to sections 19.20.29
and 30
Land broken and rocky

Township 14 N. Range 47 W. 6th P.M.

West on a random line
between sections 19 and 30
Va 14°20' East

40.00 Set a plaz for temporary
1/4 sec. cor.

80.91 Intersected the west boundary
25 lks. South of the corner
to sections 19 and 30
from which corner I run

S 89°49' East on a true line
between sections 19 and 30
Va 14°20' East

40.91 Set a line stone 18×15×3 for
1/4 sec. cor.

80.91 The corner to sections 19.20.29
and 30
Land rolling 3rd rate

Township 14 N, Range 47 W, 6th P.M.

North between sections
19 and 20
Va 13°50' East

40.00 Set a lime stone 17×10×3 for
¼ sec. cor.,

80.00 Set a lime stone 15×9×6 for
for corner to sections 17, 18,
19 and 20
Land rolling 3rd Rate

Township 14 N, Range 47 W, 6th P.M.

East on a random line between
sections 17 and 20
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.,

80.22 Intersected the N. and S. line
at the corner to sections 16, 17,
20 and 21
from which corner ~~to sections~~
I run

West on a true line between
sections 17 and 20
Va 14°20' East

49.11 Set a lime stone 18×12×5 for
¼ sec. cor.,

80.22 The corner to sections 17, 18, 19
and 20
Land rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

West on a random line
between sections 18 and 19
Va 14°20' East

40.00 Set a place for temporary
1/4 sec. cor.

81.46 Intersected the West Boundary
28 lks. South of the corner
to sections 18 and 19
from which corner I run

S 89°48' E on a true line
between sections 18 and 19
Va 14°20' East

41.46 Set a line stone 15×11×8 for
1/4 sec. cor.

81.46 The corner to sections 17, 18
19 and 20
Land rolling 2nd Rate

December 1st 1869

Township 14 N. Range 47 W. 6th P.M.

North between sections
17 and 18
Va 14°20' East

40.00 Set a line stone 12×12×12 for
1/4 sec. cor.

80.00 Set a sand stone 17×12×8 for
corner to sections 7, 8, 17 and 18
Land rolling 2nd Rate

Township 14 N, Range 47 W, 6th P. M.

East on a random line between
section 8 and 17
va 14°20' East

40.00 Set a place for temporary ¼ sec. cor.
80.34 Intersected the N and South
line 14 lks. North of the
corner to sections 8, 9, 16 and 17
from which corner I run

N 89°54' W on a true line between
section 8 and 17
va 14°20' East

40.17 Set a sand stone 15×11×4 for
¼ sec. cor.
80.34 The corner to sections 7, 8, 17
and 18
Land rolling 2nd Rate

Township 14 N, Range 47 W, 6th P. M.

West on a random line
between sections 7 and 18
va 14°20' East

40.00 Set a place for temporary ¼ sec. cor.
81.68 Intersected the West boundary
41 lks. South of the corner to
sections 7 and 18
from which corner I run

S 89°43' E East on a true line
between sections 7 and 18
va 14°20' East

41.68 Set a lime stone 18×14×3 for
¼ sec. cor.
81.68 The corner to section 7, 8, 17
and 18
Land rolling 3rd Rate

Township 14 N. Range 47 W. 6th P.M.

North between sections
7 and 8
Va 14°40' East
40.00 Set a line stone 20×12×3 for
1/4 sec. cor,
80.00 Set a line stone 16×12×4 for
corner to sections 5, 6, 7 and 8
Land gently rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

East on a random line
between sections 5 and 8
Va 14°20' East
40.00 Set a flag for temporary
1/4 sec. cor,
80.38 Intersected the N. and S. line
16 lks. North of the corner
to sections 4, 5, 8 and 9
from which corner I run

N 89°58' W on a true line between
sections 5 and 8
Va 14°20' East
40.19 Set a line stone 18×12×3 for
1/4 sec. cor,
80.38 The corner to sections 5, 6, 7
and 8
Land gently rolling 2nd Rate

Township 14 N. Range 47 W. 6th P.M.

West on a random line
between sections 6 and 7
Va 14°20' East

40.00 Set a flag for temporary
¼ sec. cor,

80.34 Intersected the West boundary
57 lks. South of the corner
to sections 6 and 7
from which corner I run

S 89°36' E on a true line between
sections 6 and 7
Va 14°20' East

40.34 Set a lime stone 14×14×3 for
¼ sec. cor,

80.34 The corner to section 5, 6, 7
and 8
Land gently rolling 2nd rate

Township 14 N. Range 47 W. 6th P.M.

North on a random line
between sections 5 and 6
Va 15° East

40.00 Set a flag for temporary
¼ sec cor

80.47 Intersected the North boundary
16 lks. East of the corner to
sections 5 and 6
from which corner I run

S 00°07' E on a true line between
sections 5 and 6
Va 15° East

40.47 Set a lime stone 14×12×3 for
¼ sec. cor,

80.47 The corner to sections 5, 6, 7 and 8
Land gently rolling 2nd rate

December 2nd 1869

General Description

The Northern part of the Township is generally gently rolling 2nd rate prairie
The land through the middle of the Township from East to West is generally broken and rocky.
There is some good rich bottom land on both sides of Badger Hole creek in the Southern part of the Township.
The Union Pacific Rail Road runs through Sections 25, 26 27. 28. 29 and 30.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the the lines and corners described in the foregoing field Notes of Township No 14 North of the base line of Range No 47 West of the 6th Principal Meridian, showing the respective capacities in which they acted

George F. Hellogg	Chain man
Homer Tiffany	Chain man
Robert H. Simpson	Mound man
James Lang	Pound man
William C. Fox	Flag man

We hereby certify that we assisted Philander C Patterson deputy surveyor in surveying and subdividing Township number fourteen North of the base line of Range number forty seven West of the sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the surveyor General

George J. Kellogg
Homer Tiffany
Robert N. B. Simpson
James Jang
Wm. F. Fox

Subscribed and sworn to by the persons whose names are hereunto affixed, before me a Notary Public, this 4th day of January 1870

J M Patterson
Notary Public

I Philander C. Patterson deputy surveyor, do solemnly swear that in pursuance of a contract with Robert R. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869, and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Township No 14 North of the base line of Range No 47 West of the 6th Principal Meridian, in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander
C. Patterson Deputy Surveyor
and sworn to before me
this 4th day of January 1870.

J. M. Patterson
Notary Public

Surveyor General's Office
Plattsmouth Nebraska 14. 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 14 North of the Base Line, of Range No. 47. West of the 6th Principal Meridian in the State of Nebraska, executed by Philander C. Patterson, under his contract No. 92 dated July 19th 1869. in the months of November and December 1869. Having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.

Robt R. Livingston
Surveyor General.

40

Subdivision

of

Township No. 15 North

of

Range 47 West

of

6th Principal Meridian

Commenced Oct 24th 1870
Finished Oct 28th 1870

Jas McBride & E. B. Murphy

Names of Assistants

Chainmen
Marcus J. Griffen
Francis J. Sullivan
Isiah Aye
Henry Boggs

Mound Builders & Flagmen
Osceola Dyer
Charles Kelley
Charles Helberg
Henry Osborne

Having run the exterior lines with the same Instrument & Chainmen, I deem it unnecessary to retrace the East Boundary of section 36.

Names of Assistants

Chainmen
Marcus J. Griffen
Francis J. Sullivan
Isiah Aye
Henry Boggs

INDEX DIAGRAM. T. 15 N. R. 47 W. 6 PM

6	56	5	47	4	36	3	25	2	14	1
56		55		46		35		24		13
7	55	8	45	9	34	10	23	11	12	12
54		54		44		33		22		11
18	53	17	43	16	32	15	21	14	10	13
53		52		42		31		20		9
19	52	20	41	21	30	22	19	23	8	24
51		51		40		29		18		7
30	50	29	39	28	28	27	17	26	6	25
50		49		38		27		16		5
31	48	32	37	33	26	34	15	35	4	36

Having run the exterior lines with the same Instrument & Chainmen, I deem it unnecessary to retrace the East Boundary of section 36.

Township No. 15 N. Range 47

North	Between Sections 35 & 36
	Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 25.26.35 & 36
	Surface rolling Soil 3rd rate.

West 6th Principal Meridian.

East	on a random line between sections 25 & 36
	Var 14°35' E
4000	set temporary 1/4 section post.
8000	intersect range line 37 lks South of corner to sections 25.30.31. & 36 from which corner I run
S 89°44' W	on true line between sections 25 & 36
	Var 14°35' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 25.26 35 & 36.
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range 47

North between Sections 25 & 26
Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 23. 24. 25. & 26

Surface rolling
Soil 2nd rate.

West 6th Principal Meridian

East on a random line between sections 24 & 25
Var 14° 40' E

4000 set temporary 1/4 sect post.

8000 intersect range line 11 lks South of corner to sections 19. 24. 25. & 30 from which corner I run

S 89° 55' W on true line between sections 24 & 25.
Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 corner to sections 23. 24. 25. & 26

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

North Between sections 23 & 24
Var 14° 40' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for 1/4 section corner.

5225 Dry Bed of Rush Creek
bears N.E.

8000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for corner to sections 13.
14. 23 & 24

Surface rolling
Soil 3rd rate.

East on a Random line
between sections 13 & 24
Var 14° 35' E

400 Dry Bed of Rush Creek
runs N.E.

4000 set temporary 1/4 sect
post.

8000 intersect ~~section~~ Range line
96 lks South of corner
to sections 13, 18. 19. & 24
from which corner I
run

S 89° 19' W on true line between
sections 13 & 24.
Var 14° 35' E

4000 set post deposited chared
stake raised mound of
earth with pits as per
instructions for 1/4 sect
corner.

8000 corner to sections 13.14.
23. & 24

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range 47

North Between Sections 13. & 14
Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14

Surface rolling
Soil 3rd rate.

West, 6th Principal Meridian

East on a Random line between sections 12 & 13,
Var 14° 35' E

4000 set temporary 1/4 section post.

8000 intersect ~~section~~ Range line 56 lks South of corner to sections 7. 12. 13 & 18 from which corner I run

B 89° 36' W. on true line between sections 12 & 13
Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 11. 12. 13. & 14

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range 47

North Between Sections 11 & 12
Var 14°35' E
4000 set post deposited
Charred stake raised
mound of earth with
pits as per instructions
for 1/4 section corner.
6500 Range bears East.
8000 set post deposited
Charred stake raised
mound of earth
with pits as per instructions for corner to
sections 1.2.11.12.
Surface rolling
Soil 3rd rate.

West 6th Principal Meridian

East on a random line
between sections 1 & 12
Var 14°35' E
4000 set temporary 1/4 sect
post.
8070 intersect range line
20 lks South of corner
to sections 1.6.7.12 from
which corner I run
S89°51' W on true line between
sections 1 & 12
Var 14°35' E
4035 set post deposited.
Charred stake raised
mound of earth with
pits as per instructions for 1/4 sect corner
8070 corner to sections 1.2.
11.12
Surface rolling
Soil 3rd rate.

Township No. 15. N. Range 47

North on a random line between sections 1 & 2.

Var 14° 35' E

2150 Ravine bears S.E.

4000 set temporary 1/4 section post.

7990 intersect Township line 65 lks West. of corner to sections 1. 2. 35 & 36. from which cor I run

8° 28' W. on true line between sections 1 & 2.

Var 14° 35' E

3990 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7990 corner to sections 1. 2. 11. & 12

Surface rolling
Soil 3rd rate.
Oct 24th 1870

West 6th Principal Meridian

North Between Sections 34. & 35

Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 26. 27. 34. & 35

Surface rolling
Soil 2nd rate.

Township No. 15. N. Range 47

East on a random line between sections 26 & 35
Var 14°40' E

4000 set temporary 1/4 sect post.

8000 intersect section line 7 lks North of corner to sections 25. 26. 35 & 36 from which corner I run

N 89°57' W. on true line between sections 26 & 35
Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 26, 27, 34 & 35

Surface rolling
Soil 2nd rate.

West 6th Principal Meridian

North Between Sections 26 & 27.
Var 14°30' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

East on a Random line between sections 23 & 26

Var 14°30' E

4000 set temporary 1/4 sect post.

8030 intersect section line 12 lks North of corner to sections 23. 24. 25 & 26. from which cor I run

N 89°55' W on true line between sections 23 & 26.

Var 14°30' E

4015 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8030 corner to sections 22. 23. 26. & 27.

Surface roll
Soil 3rd rate.

North Between Sections 22 & 23

Var 14°30' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

4275 dry bed of Rush Creek runs East.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. & 23

Surface Broken
Soil 3rd rate.

Township No. 15 N. Range 47

East on a random line between sections 14 & 23

Var 14° 40' E

100 Ravine " bears G.E.

2000 ravine " G.E.

3400 ravine " G.E.

4000 set temporary 1/4 sect post.

8010 intersect section line at corner to sections 13. 14. 23. & 24. from which cor I run

West. on true line between sections 14 & 23.

Var 14° 40' E

4005 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8010 corner to sections 14. 15. 22. & 23

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

North Between Sections 14. & 15

Var 14° 35' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 10. 11. 14. & 15

Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

East on a Random line between sections 11 & 14
Var 14° 35' E

4000 set temporary 1/4 section post.

8000 intersect section line 14 lks South of cor to sections 11. 12. 13 & 14 from which corner I run

S 89° 55' W on true line between sections 11 & 14
Var 14° 35' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 corner to sections 10. 11. 14. & 15

Surface rolling
Soil 3rd rate.

North Between Sections 10. & 11
Var 14° 35' E

4000 set post "deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner

6100 ravine bears SE.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 2 3. 10 & 11

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range 47

East on a Random line Between sections 2 & 11

Var 14°40' E

3650 "Ravine" bears G.E.

4000 set temporary 1/4 sect post.

7985 intersect section line 18 lks North of corner to sections 1. 2. 11. & 12 from which corner I run

N 89°52' W on true line between sections 2 & 11

Var 14°40' E

3992½ set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section cor

7985 corner to sections 2. 3. 10. & 11

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

North on a Random line between sects 2 & 3.

Var 14°40' E

4000 set temporary 1/4 sect post.

7984 intersect township line 15 lks East of corner to sections 2. 3. 34. & 35 from which corner I run

~~S~~ 6' W. 11" E on true line between sections 2 & 3

Var 14°40' E

3984 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7984 corner to sections 2. 3. 10. & 11.

Surface roll
Soil 3rd rate.

October 25th 1870

Township No. 15 N. Range 4

North Between Sections 33. & 34.

Var 14° 40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33. & 34

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

East on a random line between sections 27. & 34.

Var 14° 35' E

4000 set temporary 1/4 section post.

4986 intersect section line at corner to sections 26. 27. 34. & 35 from which corner I run

West. on true line between sections 27 & 34.

Var 14° 35' E

3993 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section cor

4988 corner to sections 27. 28. 33. & 34.

Surface roll
Soil 3rd rate

Township No. 15 N. Range 47

North Between Sections 27. & 28.

Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instruction for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sects 21. 22. 27 & 28.

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

East on a Random line between Sects 22 & 27

Var 14°30' E

4000 set temporary 1/4 sect post

8000 intersect section line 38 lks North of corner to sections 22. 23. 26. & 27. from which corner I run

N 89°44' W. on true line between sections 22 & 27.

Var 14°30' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 21. 22. 27. & 28.

Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47

North Between Sections 21. & 22
Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7500 ~~ravine bears~~ dry bed of Rush Creek runs S.E.

8000 set Line stone 14 + 12 + 3 inches as per instructions for corner to sections 15. 16. 21. & 22.

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

East on Random line Between sections 15 & 22
Var 14°40' E

4000 set temporary 1/4 sect post.

5500 ravine bears S.E.

8000 intersect section line at corner to sections 14. 15. 22. & 23. from which corner I run

West. on true line between sections 15 & 22.
Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 15. 16. 21. & 22.

Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47

North Between Sections 15. & 16

Var 14° 40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 9.10. 15 & 16

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

East on a Random line between sections 10 & 15.

Var 14° 35' E

4000 set temporary 1/4 sect post.

4936 intersect section line 46 lks North of corner to sections 10. 11. 14. & 15 from which corner I run

N 89° 41' W on true line between sections 10 & 15

Var 14° 35' E

3968 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

7936 corner to sections 9. 10. 15. & 16

Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

North Between Sections 9 & 10
Var 14° 40' E

4000 set post "deposited
Chared stake raised
mound of earth with
pits as per instructions
for 1/4 section corner.

8000 set post deposited
Chared stake raised
mound of earth with
pits as per instructions
for corner to sections 3.
4. 9. & 10

Surface roll
Grade 3rd rate.

East on Random line between
sections 3 & 10
Var 14° 40' E

4000 set temporary 1/4 sect
post.

4010 ravine bears S.E.

8040 intersect section line
at corner to sections
2. 3. 10 & 11. from which
corner I run.

West. on true line between
sections 3 & 10
Var 14° 40' E

4020 set post deposited chared
stake raised mound of
earth with pits as per
instructions for 1/4 section
corner.

8040 corner to sections 3. 4.
9. & 10

Surface roll
Grade 3rd rate.

Township No. 15 N. Range 47

North on a Random line between sections 3 & 4

Var 14°40' E

4000 set temporary 1/4 sect post.

7950 intersect Township line at corner to sections 3, 4, 33. & 34 from which corner I run

South. on true line between sections 3 & 4.

Var 14°40' E.

3950 set post deposited chared stake raised mound of earth with pits as per instruction for 1/4 section corner.

7950 corner to sections. 3. 4. 9. & 10

Surface rolling
Soil 3rd rate.

Oct 26th 1870

West 6th Principal Meridian

North Between Sections 32. & 33.

Var 14°30' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections ~~27, 28, 32 & 33~~. 28, 29, 32 & 33

Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

	East	on a random line between sections 28 & 33. Var. 14° 30' E
4	4000	set temporary 1/4 section post.
7	8000	intersect section line 9 lks North of cor. to sections 27, 28, 33, & 34 from which corner I run
	N 89°56' W	on true line between sections 28 & 33. Var 14° 30' E
3	4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
7	8000	corner to sections 28. 29. 32. & 33
		Surface roll Soil 3rd rate.

	North	between Sects 28 & 29 Var. 14° 40' E
	4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
	8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 28. 29. ~~32 & 33~~
20.21		Surface roll Soil 2nd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

East	on a random line between sections 21. & 28
	Var 14° 40' E
4000	set temporary 1/4 sect post.
8050	intersect section line 27 lks South of corner to sections 21. 22. 27. & 28. from which corner I run
S 89° 48' W.	on true line between sections 21. & 28.
	Var 14° 40' E
4025	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8050	corner to sections 20. 21. 28. & 29.

Surface roll
Soil 3rd rate

√ 3/20/08

North	Between Sections 20 & 21.
	Var 14° 30' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7800	ravine bears N.E.
8000	set Line stone 14 + 12 + 3 inches as per instructions for corner to sections 16. 17. 20 & 21.

Surface roll
Soil 3rd rate

Township No. 15. N. Range 47

East	on a Random line between sections 16 & 21. Var 14°40' E
150	Raving bears North
4000	set temporary 1/4 sect post.
4300	raving bears NE.
5200	raving " NE.
6500	raving " NE.
7600	dry bed of Rush Creek ~~bears NE~~ descends SE.
8010	intersect sect line at cor to sects 15.16.21. & 22 from which cor. Trees
West	on true line betw Sects 16 & 21. Var 14°40' E
4005	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8010	corner to sections 16.17. 20. & 21.

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

North	Between Sections 16. & 17. Var 14°40' E
1300	Raving bears East.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
5950	dry bed of Rush Creek runs NE.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 8.9.16. & 17.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

N	East	on Random line between sections 9 & 16
		Var 14°40' E
4	4000	set temporary 1/4 sect post.
7	8000	intersect section line 24 lks South of corner to sections 9, 10, 15 & 16 from which cor Trun
	S 89°50' W	on true line betw Sects 9 & 16.
		Var 14°40' E
3	4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7	8000	corner to sections 8, 9, 16 & 17
		Surface roll Soil 3rd rate.

North	Between Sections 8 & 9.
	Var 14°40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 4, 5, 8 & 9.
	Surface roll Soil 3rd rate.

Township No. 15 N. Range 47

East	on Random line between sections 4 & 9
	Var 14° 40' E
4000	set temporary 1/4 sect post.
8010	intersect section line at corner to sections 3. 4. 9 & 10. from which corner I run.
West	on true line between sections 4 & 9.
	Var 14° 40' E
4005	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner
8010	corner to sections 4. 5. 8. & 9.
	Surface roll
	Soil 3rd rate.

West 6th Principal Meridian

North	on Random line between sections 4. & 5
	Var 14° 40' E
4000	set temporary 1/4 sect post.
7984	intersect township line 35 lks West of cor to sects 4. 5. 32 & 33. from which corner I run.
S 15' W.	on true line between sects 4 & 5.
	Var 14° 40' E
3984.	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7984	set corner to sections 4. 5. 8. & 9.
	Surface roll
	Soil 3rd rate

Oct 27th 1870

Township No. 15. N. Range 47

North Between Sections 31. & 32

Var 14°45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 29. 30. 31. & 32.

Surface roll
Soil 3rd rate.

West 6th Principal Meridian

East on a Random line between sects 29 & 32

Var 14°45' E

4000 set temporary 1/4 section post

4500 Ravine bears S.E.

7994 intersect section line 18 lks North of corner to sections 28 29. & 32 & 33. from which corner Trun

N 89°52' W. on true line between sects 29. & 32

Var 14°45' E

3997 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7994 corner to sections 29. 30 31. & 32

Surface roll
Soil 2nd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

West	on a random line betw sects 30 & 31, Var 14°45' E
4000	set temporary 1/4 sect post.
4150	raving runs N.E.
7860	intersect range line at cor to sects 25.30.31. & 36 from which cor I run
East.	on true line between sects 30 & 31 Var 14°45' E
3860	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
7860	corner to sections 29.30.31. & 32. Surface rolling. Soil 2nd rate.
North	Between sections 29 & 30. Var 14°45' E
3500	raving bears East.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	Set post, depos'd ch'd stake & raised m'd of earth with pits as per instruct'ns for corner to sections 19.20.29. & 30

Surface roll
Soil 3rd rate

East	on a rand line betw sects 20 & 29 Var 14°40' E
4000	set temp 1/4 sect post.
8000	intersect sect line at cor to sects 20.21.28. & 29 from which cor I run
West	on true line between sects 20 & 29 Var 14°40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 19.20.29. & 30

Surface roll
Soil 3rd rate.

West	on a random line between sections 19 & 30 Var 14°40' E
4000	set temporary 1/4 section post.
7825	intersect range line 16 lks North of corner to sections 19.24.25 & 30 from which corner I run
N 89°53' E	on true line between sects 19 & 30 Var 14°40' E
3825	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
7825	corner to sections 19.20.29 & 30

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range No. 4 West 6th Principal Meridian

North Between Sections 19 & 20
Var 14° 45' E

4000 set post deposited charred stake raised mound of earth with pits as per inst for 1/4 section corner
8000 set post deposited charred stake raised mound of earth with pits instructions for cor to sections 17. 18. 19 & 20.
Surface roll
Soil 2nd rate.

East on a random line betw Sects 17 & 20.
Var 14° 35' E

4000 set temporary 1/4 section post
8000 intersect section line 20 lks south of corner to sections 16. 17. 20 & 21 from which corner I run
S 89° 51' E on this line betw Sections 17 & 20
Var 14° 35' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner
8000 corner to sections 17. 18. 19 & 20
Surface Broken
Soil 3rd rate.

West on a random line betw sects 18 & 19.
Var 14° 40' E

4000 set temporary 1/4 sect post
7864 intersect range line 20 lks south of corner to sections 13. 18. 19. & 24.
S 89° 51' E from which corner I run
on this line betwen sects 18 & 19
Var 14° 40' E

3864 set post deposited charred stake raised mound of earth with pits as per inst for 1/4 section corner
7864 corner to sections 17. 18. 19 & 20
Surface roll
Soil 2nd rate.

North Between Sections 17 & 18
Var 14° 40' E

2300 varine bears S.E.
4000 set post deposited charred stake raised mound of earth with pits as per inst for 1/4 section corner.
8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 7. 8. 17. 18.
Surface roll
Soil 3rd rate.

Township No. 15 N. Range 47

East	on a random line betw sects 8 & 17
	Var 14°45' E
4000	set temporary 1/4 sect post. S.
5450	dry bed of Rush Creek Nearsd. E.
8016	intersect section line at corner to sections 8.9.16. & 17 from which corner I run
West	on true line between sects 8 & 17
	Var 14°45' E
4008	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8016	corner to sections 7.8.17. & 18
	Surface roll
	Soil 3rd rate
West	on a random line betw sects 7 & 18.
	Var 14°40' E
4000	set temp 1/4 sect post
7843	intersect ~~township~~ Range line at corner to sections 7.12.13. & 18 from which corner I run
East	on true line betw sects 7 & 18
	Var 14°40' E
3843	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner
7843	corner to sections 7.8.17. & 18
	Surface roll
	Soil 2nd rate.

West 6th Principal Meridian

North	Between sections 7 & 8.
	Var 14°40' E
3750	ravine bears G.E.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
3/21	
8000	set post deposited chared stake raised mound of earth with pits as per instructions for cor to sections 5.6.7. & 8
	Surface roll
	Soil 2nd rate.
East	on a random line betw sects 5 & 8.
	Var 14°45' E
4000	set temporary 1/4 sect post.
8000	intersect section line 53 lks South of corner to sections 4. 5. 8. & 9 from which corner I run
S. 89°37' W.	on true line between sects 5 & 8
	Var 14°45' E.
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 5.6.7. & 8.
	Surface roll
	Soil 2nd rate.

Township No. 15 N. Range 47 West 6th Principal Meridian

West	on a random line between sections 6 & 7.
	Var 14°40' E
3250	range bears South
4000	set temporary 1/4 section post
7825	intersect range line 27 lks North of corner to sections 1.6.7. & 12 from which cor 9 run
N 89°48' E	on true line between sects 6 & 7.
	Var 14°40' E
3825	set post deposited charred state raised mound of earth with pits as per instruction for 1/4 sect corner.
7825	corner to sections 5.6.7 & 8
	Surface rolling
	Soil 3rd rate.
North	on a random line between sects 5 & 6
	Var 14°40' E.
4000	set temporary 1/4 sect post
7980	intersect range line 50 lks East of corner to sections 5.6.31. & 32.
S 21' E	from which cor 9 run
	on true line between sections 5 & 6
	Var 14°40' E
3980	set post deposited charred state raised mound of earth with pits as per instructions for 1/4 sect corner
7980	corner to sections 5.6.7. & 8.
	Surface Level.
	Soil 2nd rate.
Oct 28th	1870

General Description

The land in this Township is good 2nd rate quality & is well adapted to farming. The surface is gently rolling. There is neither water nor timber in the Township.

For affidavits of Surveyors & Assistants see Subdivision of Township 15 N. Range 48. West 6th Principal Meridian

Surveyor General's Office
Nebraska Ter. Jany. 7. 1871

The foregoing field notes of the survey of the subdivision lines of Township No 13 North of the Base Line of Range No 4 West of the 6th Principal Meridian in the State of Nebraska, executed by James McBride, under Joint contract No. 35 dated August 5. 1870, wherein James McBride & Edward B. Murphy are Joint contractors, in the month of October 1870, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General

Field Notes
of
The Survey & Subdivision
of
T. 16 N. of Base Line
of
R. 47 W. of 6th PM
in Nebraska.

Executed
by Wm H. McBroom deputy
surveyor under Joint Contract No 94 bearing
date the 1st day of July 1875.

Survey
Commenced July 14th 1875
Completed July 18th 1875

List of Names
and duties of assistants
Jno Crane } Chainman
W. A McAllister } Chainman
Wm Arnold
Chas Fairbanks } Flagmen

Index Diagram

Town 16 N Range 47 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	24	15	18	14	7	13
53		52		39		27		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		1
31	45	32	34	33	23	34	12	35	1	36

T. 16 N. R. 47 W. 6th P.M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the cor to Secs. 1 & 36 T. 16 N. Rs. 46 & 47 W and run N on a blank line along the E bdry of Sec. 36.

Va 14° 21' E.

40.00	To a point 10 links E of 1/4 Sec. cor
20.00	" " " 21 " E. cor to Secs. 25 & 36.

To retrace this line or run parallel thereto my compass must be adjusted to a

Va 14° 30' E.

Subdivision commenced July 14th 1895

T. 16 N. R. 47 W

Chains	
	North between Secs. 35 & 36 Va. 14° 30 E.
40.00	Raise mound of earth 2½ ft high from pits 18 & 24 x 12 in deep for ¼ Sec cor
80.00	Raised mound of earth 3 ft high from pits 18 & 24 x 12 in deep for cor to Secs. 25. 26. 35 & 36
	Land rolling Soil 1st rate

T. 16 N. R. 47 W.

	E on random line betn Secs 25 & 36 Va 14° 30' E
~~80.69~~ 40.00	Set post for temporary ¼ Sec cor
80.69	Intersect E boundary of Township 40 links S. of cor to Secs. 25 & 36 from which cor I run S. 89° 43 W on true line between Secs. 25 & 36. Va 14° 30' E
40.34½	Raised mound of earth 3 ft high from pits 18 & 24 x 12 in deep for ¼ Sec cor
80.69	Cor to Secs. 25. 26. 35 & 36 Land rolling 1st rate

T. 16. N. R 47 W.

chains	
	N between Secs 25 & 26 Va 14° 30' E
10.00	Drive S. E.
40.00	Raise mound of earth 2½ feet high from pits 18 & 24 x 12 in deep for ¼ Sec cor
80.00	Raise mound of earth 3 feet high from pits 18 x 24 x 12 in deep for cor to Secs. 23. 24. 25 & 26
	Land rolling 1st rate

T. 16 N. R 47 W

chains	
	E on random line bet Secs 24 & 25 Va 14° 30' E.
41.00	Set post for temporary ¼ Sec cor
81.60	Intersect E boundary of Township 50 links S of cor to Secs. 24 & 25 from which ~~cor S run~~
	S. 89° 39' W on true line bet Secs 24 & 25 Va 14° 30' E.
40.30	Raise mound of earth 2½ feet high from pits 18 & 24 x 12 in deep for ¼ Sec. cor.
80.60	Cor to Secs 23. 24 25 & 26
	Land rolling 2d rate.

T 16 N R 47 W

Chs	
	N. betn Secs 23 & 24
	Va 14° 30' E
40.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ Sec cor
60.00	Old road S. E.
80.00	Raise mound of earth 3 ft high from pits 18 & 24 x 12 in deep for Cor to Secs 13. 14. 23 & 24
	Land rolling 2° rats

T. 16 N R 47 W

Chs	
	E on random line between Secs 13 & 24
	Va 14° 30' E.
40.00	Set post for temp ¼ Sec. cor
50.00	Drain S. E.
80.10	Intersect E boundary of Town ship 30 links N of cor to Secs 13 & 24 from which cor I run
	N 89° 47' W on true line bet Secs 13 & 24
	Va 14° 30' E.
41.15	Raise mound of earth 2½ ft high from pits 18 & 24 x 12 in deep for ¼ Sec. cor.
80.10	Cor to Secs 13. 14. 23 & 24
	Land rolling 2° rats

T. 16 N. R. 47 W

Chains	
	N bet Secs. 13 & 14
	Va 14° 30' E
40.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
68.00	Drain E.
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 11, 12, 13 & 14
	Land rolling 2° rate

T. 16 N. R. 47 W

Chs	
	E on random line bet Secs. 12 & 13
	Va 14° 30' E
36.00	Drain S. E.
40.00	Set post for temp 1/4 Sec cor
52.00	Drain S. E
80.00	Intersect E boundary of Township 40 links N of cor to Secs 12 & 13 from which cor bears
	N. 89° 43' W on true line bet Secs. 12 & 13
	Va 14° 30' E
40.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.00	The cor to Secs. 11, 12, 13 & 14
	Land rolling soil 2° rate

T. 16 N R 47 W

Chains	
	N betn Secs. 11 & 12 Va 14° 30' E.
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for Cor to Secs. 1. 2. 11 & 12 Land rolling 2nd rate

T. 16 N R 47 W

	E on random line betn Secs. 1 & 12 Va 14° 30' E.
40.00	Set post for temporary ¼ Sec Cor
80.12	Intersect E boundary of Tp on 18 links South of Cor to Secs 1 & 12 from which Cor bears S. 89° 52' W on true line betn Secs 1 & 12 Va 14° 30' E
80.06	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. Cor
80.12	Cor to Secs. 1. 2. 11 & 12 Land rolling 2nd rate

T. 16 N R 47 W

Chains	
	N on true line between Secs 1 & 2
	Va 14° 30' E
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
79.40	Intersect 4th Standard Parallel N. 4.10 links west of ¼ Sec cor on South Side of Sec 31. T. 17. N. R 46 W, where
	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for closing cor to Secs. 1 & 2
	Land broken Soil 2° rate
	July 14th 1875

T. 16 N R 47 W.

	North between Secs. 34 & 35
	Va 14° 30' E
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor
80.00	Raise mound of earth 2 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 26. 27. 34 & 35
	Land rolling 2° rate

T 16 N R 47 W

Chs	
	E on random line between Secs. 26 & 35 Va 14° 30' E
40.00	Raise mound for temp'y 1/4 Sec. cor
80.10	Intersect B & S line 10 links South of cor to Secs. 25. 26 35 & 36. from which cor I run S 89° 56' W on true line bet Secs. 26 & 35 Va 14° 30' E
40.05	Raise mound of earth 2½ feet high from pits 18 x 24 & 12 in deep for 1/4 Sec. cor
80.10	Cor to Secs 26. 27. 28 & 29 Land rolling 2° rate

T. 16 N. R 47 W.

Chs	
	N bet^n Secs. 26 & 27 Va 14° 30' E
40.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor.
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 22. 23. 26 & 27 Land rolling Soil 2° rate

T. 16 N. R 47 W

Chains	
	E on random line bet Secs. 23 & 26
	Va 14° 30' E
40.00	Set post for temp 1/4 Sec cor
80.08	Intersect N & S. line 12 lks South of cor to Secs. 23. 24 25 & 26 from which cor I run
	S. 89° 55' W on true line bet Secs. 23 & 26
	Va 14° 30' E
40.04	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.08	Cor to Secs. 22. 23. 26 & 27
	Sandrolling soil 1st rate

T. 16. N. R 47 W

Chains	
	N bet Secs. 22 & 23
	Va 14° 30' E.
40.00	Raise mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 14. 15. 22 & 23
	Land gently rolling 2d rate

T. 16 N. R 47 W

chs	
	E on random line bet Secs 14 + 23
	Va 14° 30' E
40.00	Set post for temp 1/4 Sec cor
80.06	Intersect N & S line 20 links South of cor to Secs. 10. 14. 23 + 24 from which cor I run
	S. 89° 51' W on true line bet Secs. 14 + 23
	Va 14° 30' E.
40.03	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.06	Cor to Secs. 14. 15. 22 + 23
	Land gently rolling 2° rate

T. 16 N R 47 W

	N bet Secs. 14 + 15
	Va 14° 30' E
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 10. 11. 14 + 15
	Land gently rolling 2° rate

T. 16 N. R 47 W

Chains	
	E on random line bet Secs. 11 + 14
	Va 14° 30' E.
40.00	Set post for temp'y 1/4 Sec cor
81.42	Intersect N & S. line 14 lks south of cor to Secs. 11, 12 13 + 14 from which cor I run
	S 89° 54' W on true line bet Secs. 11 + 14
	Va 14° 30' E
40.01	Raise mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
81.02	Cor to Secs. 2, 3, 10 + 11 Sand rolling 3° rab

T. 16 N R 47 W.

Chain	
	N. bet Secs. 10 + 11.
	Va 14° 30' E.
41.41	Raise mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
81.41	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 2, 3, 10 + 11,
	Sand rolling 3° rab

T. 16. N. R 47 W.

Chs	
	E on random line bet secs. 2 & 11
	Va 14° 31' E
40.00	Set post for temp. 1/4 Sec cor
80.20	Intersect N & S line 12 lks S. of cor to secs. 1. 2. 11 & 12 from which cor I run S. 89° 55' W. on true line bet Secs. 2 & 11
	Va 14° 31' E
40.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
81.20	Cor to secs. 2. 3. 10 & 11
	Land rolling 2° rate

T. 16 N. R. 47 W.

	N on true line bet. Secs. 2 & 3
	Va 14° 31' E.
40.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
79.00	Intersect 4th Standard Parl N. 4.31 chs W of 1/4 Sec. cor on S. side of Sec. 36. T. 17. N. R. 47 W. where
	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for closing cor to secs. 2 & 3.
	Land rolling 2° rate.
	July 15th 1875

T. 16. N. R 47 W

Chains	
	North bet Secs. 33 & 34
	Va 14° 30' E
40.00	Raise mound of earth 2½ ft
	high from pits 18 x 24 x
	12 in deep for ¼ Sec cor
80.00	Raise mound of earth 3 ft
	high from pits 18 x 24
	x 12 in deep for cor to
	Secs. 27, 28, 33 & 34
	Land slightly rolling
	1st rate - but dry

T. 16 N. R 47 W.

Chains	
	Con random line bet Secs
	27 & 34.
	Va. 14° 30' E
40.00	Set post for temp ¼ Sec cor
79.56	Intersect N & S. line 15 lks S of
	cor to Secs. 26, 27, 34 & 35
	from which cor I run
	S. 89° 54' W. on true line bet
	Secs. 27 & 34
	Va 14° 30' E
39.78	Raise mound of earth 2 ft
	feet high from pits 18 x 24
	x 12 in deep for ¼ Sec cor
79.56	The cor to Secs. 27, 28, 33 & 34
	Land rolling
	2° rate

T. 16 N R. 47 W

Chains	
	N. betw Secs. 27 & 28
	Va 14° 30' E
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor.
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 21, 22, 27 & 28.
	Sandrolling 2 rods

T. 16 N. R 47 W

Chains	
	E. on random line betw Secs. 22 & 27
	Va 14° 30' E
40.00	Raise mound of earth for temporary 1/4 Sec cor
79.50	Intersect E. boundary of Town. 16 links S. of cor to Secs. 22, 23, 26 & 27 from which cor Q. nw
	S. 89° 53' W on true line betw Secs. 22 & 27
	Va 14° 30' E
39.75	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ~~cor~~ 1/4 Sec cor to Secs. 21, 22, 27 & 28
	Sandbroken 2 rods

T. 16 N. R 47 W

Chs	
	N. betn Secs. 21 & 22
	Va 14° 30
40.00	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for N¼ Sec cor.
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 15, 16 21 & 22
	Land rolling 2° rods

T. 16 N. R 47 W

Chs	
	E on random line bet Secs. 15 & 22.
	Va 14° 30' E
40.00	Raise mound for temporary ¼ Sec cor
79.60	Intersect N & S line 14 chs S of cor to Secs. 14, 15, 22 & 23 from which cor Drew
	S. 89° 54' W on true line bet Secs 15 & 22
	Va 14° 30' E
39.80	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for N Sec cor
79.60	The cor to Secs. 15, 16, 21 & 22
	Land rolling 2° rods

T. 16 N. R 47 W

chs	
	N. bet Secs. 15 & 16
	Va 140 30' E
40.00	Raise mound of earth 2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 9, 10, 15 & 16
	Land rolling
	2° rate dry

T. 16 N. R 47 W.

chs	
	E. on random line bet Secs. 10 & 15
	Va 14° 30' E
40.00	Set post for temp 1/4 Sec cor
79.66	Intersect N & S. line 21 lks W of cor to Secs. 10, 11, 14 & 15 from which cor bears
	S. 89° 51' W on true line bet Secs. 10 & 15
	Va 14° 30' E
39.83	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
79.66	Cor to Secs. 9, 10, 15 & 16
	Land rolling
	2° rate

T. 16 N. R 47 W

Chains	
	N betw Secs 9 & 10 Va. 14° 30' E.
40.00	Raise mound of earth 2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 3. 4. 9 & 10 Sand rolling 2d rate

T. 16 N. R 47 W.

Chs	
	E on random line betw Secs. 3 & 10 Va 14° 30' E.
40.00	Set post for temp 1/4 Sec cor
79.30	Intersect N & S line 18 links S of cor to Secs 2. 3. 10 & 11 from which cor I run S. 89° 52' W on true line bet Secs 3 & 10. Va 14° 30' E
39.65	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
79.30	Cor to Secs 3. 4. 9 & 10 Sand rolling 2d rate

T.16 N R 47 W

Chs	
	N bet Secs. 3 & 4
	Va 14° 30' E.
40.00	Raise mound of earth 2½ feet high from pits 18 × 24 × 12 in deep for ¼ Sec cor
79.16	Intersect 4th Stand Parl N. 4.42 links W of ¼ Sec cor on S side of Sec 35. T.17. N R 47. W. where
	Raise mound of earth 2½ feet high from pits 18 × 24 × 12 in deep for closing Cor to Secs 3 & 4.
	Land rolling 2d rate
	July 16th 1875

T.16 N. R 47 W.

	N. bet Secs. 32 & 33
	Va 14° 30' E.
40.00	Raise Mound of earth 2½ ft high from pits 18 × 24 × 12 in deep for ¼ Sec. cor
80.00	Raise Mound of earth 3 ft high from pits 18 × 24 × 12 in deep for cor to Secs. 28, 29, 32 & 33
	Land rolling 2d rate, dry.

T. 16. N R. 47 W

chs	E on random line betn Secs 28 & 33
	Va 14° 30' E
40.00	Set post for temp ¼ Sec cor
80.00	Intersect N & S. line 33 links N of cor to Secs. 27. 28 33 & 34 from which cor I run
	N. 89° 46' W. on true line bet Secs 28 & 33.
	Va 14° 30' E
40.00	Raise Mound of earth 3 ft high from pits 18 & 24 & 12in deep for ¼ Sec cor
80.00	leave to Secs. 29. 30. 31 & 32 Land broken 2 rods

T. 16. N. R. 47 W.

	N bet Secs. 28 & 29
	Va 14° 30' E
40.00	Raise Mound of earth 2½ feet high from pits 18 & 24 & 12in deep for ¼ Sec. cor
80.00	Raise Mound of earth 3 ft high from pits 18 & 24 & 12 in deep for cor to Secs. 20. 21. 28 & 29
	Land Slightly rolling 2 rods dry —

T. 16 N. R. 17 W.

chs	
	E on random line bet Secs. 21 & 28 Va 14° 30' E
40.00	Set post for temp 1/4 Sec. cor.
80.41	Intersect W & S. line 25 lks N of cor to Secs. 21, 22, 27 & 28 from which cor I run N. 89° 49' W on true line bet Secs 21 & 28 Va 14° 30' E
40.20½	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.41	Cross Secs 20, 21, 28 & 29 Land rolling 2d rate

T. 16 N. R. 17 W

chs	
	N. bet Secs. 20 & 21. Va 14° 30' E.
40.00	Raise Mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.00	Raise Mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 16, 17, 20 & 21. Land rolling 2d rate

T. 16 N. R 47 W

chains	
	E on random line bet Secs. 16 & 21
	Va 14° 30' E.
4 41.11	Set post for temp 1/4 Sec cor
8 11.51	Intersect N & S. line at cor to secs. 15, 16, 21 & 22 from which cor I run W on true line between secs. 16 & 21
	Va 14° 30' E.
4 40.25	Raise Mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
8 11.50	Cor to Secs. 15, 16, 21 & 22
	Land very rolling 2d rate

T. 16 N R 47 W

chs	
	N. betn Secs. 16 & 17
	Va 14° 30' E.
4 11.11	Raise Mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
8 11.11	Raise Mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 8. 9 - 16 & 17
	Land broken 2d rate

T 16 N R 47 W

chs

E on meandered line bet
Secs. 9 + 16
Va 14° 30' E

40.00 Set post for temp 1/4 Sec
cor

79.93 Intersect N + S. line 16
links S. of cor + Secs.
9, 10, 15 + 16 from which
cor I run

S. 89° 53' W on true line bet
Secs. 9 + 16
Va 14° 30' E

39.96½ Raise Mound of earth 2½
feet high from pits 18
W x 12 in deep for 1/4 Sec
cor

79.93 Cor to secs 8, 9, 16 + 17
Land + rolling 2° rate

T 16 N R 47 W.

N bet Secs. 8 + 9
Va 14° 30 E

40.00 Raise Mound of earth 2½
feet high from pits 18 x 24 x 12
in deep for 1/4 Sec cor

80.00 Raise Mound of earth 3 ft high
from pits 18 x 24 x 12 in deep for
cor to Secs. 4, 5, 8 + 9.
Land rolling 3° rate

T. 16 N R. 47 W

chs	
	E on random line bet Secs. 4 & 9
	Va 14° 30' E
40.00	Raise mound for temp 1/4 Sec cor
79.88	Intersect N & S. line 30 links N of cor to Secs 3. 4. 9 & 10 from which cor I run
	N. 89° 47 W on true line bet Secs. 4 & 9
	Va 14° 30' E.
39.94	Raise mound of earth 2 1/2 ft high from pits 18 & 24 x 12 in deep for 1/4 Sec. cor
79.88	Cor to Secs. 4. 5. 8 & 9
	Land gently rolling 2d rate dry

T 16 N R 47 W.

chs	
	N on true line bet Secs. 4 & 5
	Va 14° 30' E
40.00	Raise Mound of earth 2 1/2 ft high from pits 18 & 24 x 12 in deep for 1/4 Sec. cor
79.08	Intersect 4th Standard Parl. 4.20 links W of 1/4 Sec cor on South side of sec. 34. T. 17. N R 47 W. where
	Raise mound of earth 2 1/2 ft high from pits 18 & 24 x 12 in deep for Closing cor to Secs 4 & 5. T 16 N R 47 W.
	Rolling 2d rate
	July 17th 1875

T. 16 N R. 41 W

Chs	
	N bet Secs 31 & 32
	Va 14° 30' E.
41.11	41.11	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in d at for 1/4 Sec cor
79	
	80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 29, 30, 31 & 32
39.		Land rolling 2nd rate
79.		

T. 16 N R 41 W.

Chs	
	E on random line bet Secs 29 & 30.
	Va 14° 30' E
44.00	Set post for temp 1/4 Sec. cor
80.60	Intersect N & S. line 12 lks S of cor to Secs. 28, 29, 32 & 33 from which cor 2 ann
	S. 89° 55' W on true line betn Secs. 29 & 32
	Va 14° 30' E
41.30	Raise illmound of earth 3 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.60	The Cor to Secs. 29, 30, 31 & 32
	Land rough rolling 2nd rate dry

T. 16 N. R 47 W

chs	
	West on r and on line betn Secs 30 & 31 Va 14° 30' E
41.11	
41.11.11	Set post for temp. 1/4 Sec cor
79	
78.31	Intersect W boundary of town 12 lks S. of cor to Secs 30 & 31 from which cor Drum
	S. 89° 55' E on true line betn Secs. 29 & 30 Va 14° 30' E
39.	
38.30	Raise mound of earth 2½ ft high from pits 18 & 24 x 12 in depth for 1/4 Sec cor
79.	
78.30	The cor to Secs. 29. 30. 31 & 32 Sand rolling 2° sals

T. 16 N. R 47 W.

chs	
	N bet Secs. 29 & 30 Va 14° 30' E
41.11.11	Raise Mound of earth 3 feet high from pits 18 & 24 x 12 in depth for 1/4 Sec. cor
81.11.11	Raise Mound of earth 3 ft high from pits 18 & 24 x 12 in depth for cor to Secs 19. 20 29 & 30
	Sand rolling 2° sals dry

T 16 N. R 47 W

Chs	
	E on random line bet Secs 20 + 29.
	Va 14° 31' E
40.00	Raise mound for temp 1/4 Sec cor
79.	
81.40	Intersect N + S. line 31 links N of cor to Secs. 20. 21. 28 + 29 from which cor bears
	N. 89° 47' W on true line bet Secs 20 + 29
39.	
	Va 14° 30' E
40.20	Raise mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
79.	
81.40	Cor to Secs 19. 20. 29 + 30 Land rolling 2° rate

T. 16 N R 47 W

	W on random line bet Secs. 19 + 30
	Va 14° 30' E
40.00	Raise mound of earth for temp 1/4 Sec cor
78.38	Intersect N. boundary of Township 12 lks S. of cor to Secs 19 + 30 from which cor Bears
	S. 89° 55' E on true line bet Secs 19 + 30
	Va 14° 30' E
38.38	Raise Mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
78.38	Cor to Secs. 19. 20. 29 + 30 Land rolling 2° rate

N. bet Secs. 19 & 20
Va 14° 30' E

41.11	40.00	Raise Mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ Sec cor
79.	80.00	Raise mound of earth 3½ feet high from pits 18 x 24 x 12 in deep for cor to Secs. 17, 18 19 & 20.
		Sand rolling 2d rate
39.		Dry
79.		

E on random line bet Secs 17 & 20.
Va 14° 30' E

41.11.11	Set post for temp ¼ Sec cor
81.11.45	Intersect N & S line 12 links N of cor to secs. 16, 17, 20 & 21 from which cor I run N. 89° 55' W on true line bet Secs. 17 & 20
	Va 14° 30' E
21.11.22½	Raise Mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ Sec. cor.
81.11.45	Cor to Secs 17, 18, 19 & 20
	Sand rolling 2d rate

T16 N R 47 W.

	West on random line bet Secs. 18 & 19
	Va 14° 30' E
40.00	Set post for temp 1/4 Sec cor
79.	
78.54	Intersect N boundary of Township 10 lks N of cor to Secs. 18 & 19 from which cor I run
	N. 84° 56' E on true line bet Secs 18 & 19
39.	
	Va 14° 30' E
38.54	Raise mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
79.	
78.54	Cor to Secs 17. 18. 19 & 20
	Land rolling 2d rate

T. 16 N. R 47 W

	N bet Secs. 17 & 18
	Va 14° 30' E
40.00	Raise mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 7. 8. 17 & 18.
	Land rolling 2d rate

T. 16 N. R. 47 W.

E on random line bet Secs 8 & 17

Va 14° 30' E

41.00 Set post for temporary ¼ Sec cor.

79.0

84.35 Intersect N. & S. line 22 links N of cor to Secs. 8, 9, 16 & 17 from which cor Drum N 89° 51' W on true line bet Secs. 8 & 17

Va 14° 30' E

39.

40.17½ Raise mound of earth 2½ ft high from pits 18 x 24 x 12in deep for ¼ Sec. cor

79.0

80.35 bet Secs. 7, 8, 17 & 18

Sand rolling 2° rate dry

T. 16 N. R. 47 W.

West on random line bet Secs. 7 & 18

Va 14° 30' E

41.00 Set post for temp'y ¼ Sec cor

79.02 Intersect W. Boundary of Township at Cor to Secs. 7 & 18 from which cor Drum E on true line bet Secs. 7 & 18

Va 14° 30' E

39.02 Raise Mound of earth 2½ feet high from pits 18 x 24 x 12in deep for ¼ Sec cor

79.02 bet Secs. 7, 8, 17 & 18

Sand rolling 2° rate dry

T. 16 N. R 47 W.

chs	
	N bet Secs. 7 & 8
	Va 14° 30' E
41.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for W Sec cor
79.0	
80.00	Raise Mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 5, 6, 7 & 8
39.	Land rolling & rat
79.0	

T. 16 N. R 47 W

chs	
	E on random line bet Secs 5 & 8.
	Va 14° 30' E
41.00	Set post for temp. W Sec. cor
80.00	Intersect N & S line 30 links N of cor to Secs 4, 5, 8 & 9 from which cor I run
	N 89° 47 W on true line bet Secs. 5 & 8
	Va 14° 30' E.
41.00	Raise mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for W Sec cor
80.00	Cor to Secs 5, 6, 7 & 8
	Land very rolling & rat

T. 16 N. R 47 W

	W on random line bet secs 6 & 7
	Va 14° 30' E
40.00	Set post for temp'y 1/4 sec cor
79.34	Intersect W boundary of Town 14 links S of cor to secs 6 & 7 from which cor I run
	S. 89° 54' E on true line bet secs. 6 & 7.
	Va 14° 30' E
39.34	Raise Mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 sec. cor
79.34	Cor to secs. 5. 6. 7 & 8
	Land very rolling 2° rate

T. 16 N. R 47 W.

	N on true line bet secs 5 & 6
	Va 14° 30' E.
40.00	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 sec cor
8	
79.311	Intersect 4th Standard Parallel N. 4.02 chs W of 1/4 sec cor on South Side of sec. 33 T. 17 N. R. 47 W where
	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for closing cor to secs. 5 & 6. T. 16 N. R 47 W.
	Land gently rolling 2° rate
	July 18th 1875

43

9,

Chs

40.00

79.88

39.9

79.8

General description

This Township is beautifully rolling prairie soil 2d rate very dry hard soil – no water in this Township except after heavy rain in Buffalo wallows – good grazing –

43

9.16

40.00

79.88

39.94

79.88

List of Names

A list of the names of the individuals employed to assist in running, measuring and marking the lines and corners described in the foregoing field notes of T. 16 N of Base line of Range 47 W of 6th P.M. showing the respective capacities in which they acted

Jno Crane	Chainmen
W.A. McAllister	
Wm Arnold	Momdmen
Chas Fairbanks	

43

9.1

Chs

41.111

79.88

39.94

79.88

We hereby certify that we assisted

Wm H. McBroom deputy Surveyor in Surveying and Subdividing Town. No 16 N of Base line of Range No 47 West of 6th Principal Meridian in the State of Nebraska, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed & and the boundary monuments planted according to the instructions furnished by the Surveyor General of dimensions character construction & marking and in the manner as specifically described in the foregoing field notes

John Crane
Wm A. McAllister } Chainmen
Wm Arnold
Chas his X mark Fairbanks } Monumenter

Subscribed & sworn to by the above named persons before me a ~~Notary Public~~ Justice of the peace in and for Cheyenne County & State of Nebraska this 31 day of July 1875

J. C. Hamlin
Justice of the peace

I Wm H. McBroom deputy Surveyor, do solemnly swear that in pursuance of a joint Contract No 94 wherein Alex Schlegel and Wm H McBroom are joint contractors with E. E. Cunningham, United States Surveyor General for the district of Nebraska & Iowa, having date the 1st day of July 1875 I have well, faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General, the Surveying Manual and Laws of the United States, Surveyed all those parts or portions of Township No 16 N of Base Line of Range No 47 West of 6th Principal Meridian, in the State of Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said Surveys have been established and perpetuated in strict accordance with Surveying Manual and printed instructions and special instructions of the Surveyor General of dimensions, character over

43

9.16

Chs

construction and marking and in the manner as specifically described in the foregoing field note and that the foregoing are the true and original field notes of such Survey.

40.00

79.88

Wm. H. McBroom

Deputy Surveyor

39.94

Subscribed and sworn to before me a ~~Notary Public~~ Justice of the peace in and for Cheyenne County and State of Nebraska this 31st day of July 1875

79.88

J. C. Hamlin
Justice of the peace

43

9.16

Chs

40.00

79.88

39.94

79.88

Surveyor Generals Off

Plattsmouth Aug 23

The foregoing field Notes of the Survey and Subdivision of Township No 16 North Bar Line of Range No 47 West 6th Principal Meridian in Neb Executed by William H. McBroom under joint contract No 94 dated July 1st 1875 in the Month of July 1875 having been critically examined the necessary corrections and explanations made the said field Notes and the Surveys they describe are hereby approved

Jno R. Clark

Surveyor General

General Land Office • Original Field Notes

Book Number

670

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.