General Land Office • Original Field Notes

Book Number

676

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

44

T. 12-16 N.
R. 48. W.

Contract No. 2,

Field Notes 44.
of
Fractional Tp 12 N R48W

Field Notes

of the subdivision lines in Township 12 North Range 48 West of the 6th Principal Meridian in the State of Nebraska by

Philander C. Patterson

Under his contract bearing date July 19th 1869.

Subdivision commenced October 6th 1869

Subdivision completed October 11th 1869

List of Names

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners discribed in the following field notes of Township 12 North Range 48 West of the 6th Principal Meridian, showing the respective capacities in which they acted.

George J. Kellogg	Chain man
Homer Tiffany	Chain man
Robert N. B. Simpson	Mound man
James Long	Mound man
William F. Fox	Setting Mon

Field notes of the subdivision lines in Township 12 N. Range 48 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to sections 1 and 12 on the East boundary of the Township and run

North along the East boundary of section 1

(Variation 14°10' East

40.22 To a point 18 lks. East of the quarter section corner

80.30 To the corner to Townships 12 N. Ranges 47 and 48 West

To retrace this line or run parelle thereto my compass is properly adjusted to a variation of 14°10' East

Subdivision commenced October 6th 1869

Township 12 N. Range 48 W. 6th P. M.

From the ¼ Sec. Cor. on the South side of section 31 Township 13 North Range 47 West I run
West along the 3rd Standard line Parallel N.
Va 14°03' East
2,85 Drove chared stake and set a post in Mound with pits as per instruction for Closing Corner to sections 1 and 2 from which corner I run
South between sections 1 and 2
Va 14°10' East
40,00 Drove chared stake and set a post in Mound with pits as per instruction for ¼ Sec. Cor.
59,26 A dry creek 175 lks. Wide runs East
80,00 Drove chared stake and set a post in Mound with pits as per instruction for corner to sections 1, 2, 11 and 12
Land rolling 2nd Rate
October 6th 1869.

Township 12 N. Range 48 W. 6th P. M.

East on a random line between sections 1 and 12
Va 14° East
13,85 A dry creek 250 lks. Wide runs South
40,00 Set a post for temporary ¼ Sec. Cor.
80,25 Intersected the East Boundary 10 lks. North of the corner to sections 1 and 12 from which corner I run
N 39°56' W on a true line between sections 1 and 12
Va 14° East
40,12 Drove chared stake and set a post in mound with pits as per instructions for ¼ Sec. Cor.
80,25 The corner to section 1, 2, 11 and 12
Land rolling gravelly 3rd Rate

South between sections 11 and 12
Va 14°10' East
40,00 Drove chared stake and set a post in Mound with pits as per instruction for ¼ Sec. Cor.
80,00 Drove chared stake and set a post

Township 12 N. Range 48 W 6th P. M.

in a mound with pits as per instructions for corner to sections 11, 12, 13 and 14
Land rolling 3rd Rate

East on a random line between sections 12 and 13
Va 14° East
40.00 Set a flag for temporary ¼ sec. cor.
80.40 Intersected the East Boundary line 23 lks. North of the corner to sections 12 and 13 from which corner I run
N 89° 50' W. on a true line between sections 12 and 13
Va 14° East
40.20 Drove a chared stake and set a post in mound with pits as per instruction for ¼ sec. cor.
80.40 The corner to sections 11, 12, 13 and 14
Land rolling 3rd Rate

Township 12 N. Range 48 W. 6th P. M.

South between sections 13 and 14
Va 14° 15' East
23.00 A dry creek 375 lks. wide runs S. E.
40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
80.00 Drove a chared stake and set a post in a mound with pits as per instructions for corner to sections 13, 14, 23 and 24
Land rolling 3rd Rate

East on a random line between sections 13 and 24
Va 14° East
40.00 Set a flag for temporary ¼ sec. cor.
80.30 Intersected the East Boundary line 35 lks. North of the corner to sections 13 and 24 from which corner I run
N 89° 45' W on a true line between sections 13 and 24
Va 14° East
40.15 Drove a chared stake and set a post

Township 12 N. Range 48 W. 6th P. M.

in a Mound with pits as per
instructions for ¼ Sec. Cor.
80.30 The corner to sections 13, 14, 23 and 24
Land rolling 3rd Rate

South between sections 23 and 24
Va 14° 15' East
11.38 Intersected the State line
18.36 chains East of the 37 mile
post at which point
Drove a chared stake and set
a post in a Mound for Corner
to sections 23 and 24
Land rolling 3rd Rate
October 7th 1869.

From ¼ Sec. Cor. on the South
side of sections 36 Township 12 N Range
48 West I run
West along the 3rd Standard ~~Line~~ Parallel N.
Va 14° 15' East
2.85 Drove a chared stake and set a post
in a Mound with pits as per instructions
for Closing corner to sections 2 and 3
from which corner I run

Township 12 N. Range 48 W. 6th P. M.

South between sections 2 and 3
Va 14° 10' East
40.00 Drove a chared stake and set a
post in a Mound with pits as
per instructions for ¼ Sec. Cor.
50.32 A dry Creek 120 lks. wide runs East
80.00 Drove a chared stake and set a
post in a mound with pits as
per instructions for corner to
sections 2, 3, 10 and 11
Land rolling 3rd Rate

East on a random line between
sections 2 and 11
Va 14° 15' East
40.00 Set a flag for temporary ¼ Sec. Cor.
80.14 Intersected N and S. line 23 lks
South of the corner to sections
1, 2, 11 and 12 from which
corner I run
S 89° 50 W on a true line between
sections 2 and 11
Va 14° 15' East
40.07 Drove a chared stake and set a

Township 12 N. Range 48 W. 6th P. M.

post in a mound with pits as
per. instruction for 1/4 sec. cor,
80.14 The corner to sections 2, 3, 10 and 11
Land broken and gravely

South between sections 10 and 11
Va 14° 15' East
40.00 Drove a chared stake and set a
post in a mound with pits as
per. instruction for 1/4 sec. cor,
80.00 Drove a chared stake and set a
post in a mound with pits as
per. instructions for corner to
sections 10, 11, 14 and 15.
Land rolling 3rd Rate

East on a random line between
sections 11 and 14
Va 14° 15' East
40.00 Set a flag for temporary 1/4 sec. cor,
79.80 Intersected N and S. line 18 lks.
South of the corner to sections
11, 12, 13 and 14 from which
corner I run

Township 12 N. Range 48 W. 6th P. M.

S 89° 52' W on a true line between
sections 11 and 14
Va 14° 15' East
39.90 Drove a chared stake and set a
post in a mound with pits as
per. instruction for 1/4 sec. cor
79.80 The corner to sections 10, 11, 14 and 15
Land rolling 3rd Rate

South between sections 14 and 15
Va 14° 15' East
40.00 Drove a chared stake and set a
post in a mound with pits as
per. instructions for 1/4 sec. cor,
80.00 Drove a chared stake and set a
post in a mound with pits as
per. instructions for corner
to sections 14, 15, 22 and 23
Land level and gravely 3rd Rate

East on a random line between
sections 14 and 23
Va 14° 15' East
40.00 Set a flag for temporary 1/4 sec. cor,

Township 12 N. Range 48 W. 6th P. M.

79.92 Intersected N and S. line 20 lks. South of the corner to section 13, 14, 23 and 24 from which corner I run
S 89°51' W on a true line between sections 14 and 23
Va 14°15' East
39.96 Drove a chared stake and set a post in a mound with pits as per. instructions for 1/4 sec. cor.
79.92 The corner to sections 14, 15, 22 and 23
Land gently rolling 3rd Rate

South between section 22 and 23
Va 14°15' East
11.06 Intersected the State line 18.15 chains East of the 38 mile post. at which point
Drove a chared stake and set a post in a mound with pits as per. instructions for corner to section 22 and 23
Land level 3rd Rate

Township 12 N. Range 48 W. 6th P. M.

From the 1/4 sec. cor on the South side of sec 35 Township 13 North, Range 48 West I run West along the 3rd Standard ~~Line~~ Parallel N.
Va 14°20' East
2.85 Drove a chared stake and set a post in a mound with pits as per. instructions for closing corner to sections 3 and 4 from which corner I run

South between section 3 and 4
Va 14°15' East
4.00 Drove a chared stake and set a post in a mound with pits as per. instructions for 1/4 sec. cor.
79.75 A dry creek 65 lks wide runs East
80.00 Drove a chared stake and set a post in a mound with pits as per. instructions for corner to sections 3, 4, 9 and 10
Land rolling gravely 3rd Rate

Township 12 N. Range 48 W. 6th P.M.

East on a random line between sections 3 and 10

Va 14°20' East

7.00 Leave dry creek runs N. E.

9.00 Foot of bluff bearing N.E. and S.W.

12.75 Top of bluff bears N.E. & S.W.

40.00 Set a flag for temporary 1/4 sec. cor.

80.09 Intersected N and S line 26 lks. South of the corner to sections 2, 3, 10 and 11 from which corner I run

S 89°49' W on a true line between sections 3 and 10

Va 14°20' East

40.04 Drove a chared stake and set a post in a mound with pits as per instruction for 1/4 sec. cor.

80.09 The corner to sections 3, 4, 9 and 10

Land rolling 3rd Rate

October 8th 1869.

Township 12 N. Range 48 W. 6th P.M.

South between sections 9 and 10

Va 14°15' East

.35 South side of dry creek. comes from S.W.

40.00 Drove chared stake and set a post in mound with pits as per instructions for 1/4 Sec. Cor.

80.00 Drove a chared stake and set a post in a mound with pits as per instructions for corner to section 9, 10, 15 and 16

Land gently rolling 3rd rate

East on a random line between sections 10 and 15

Va 14°20' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.14 Intersected N and S. line 23 lks. South of the corner to sections 10, 11, 14 and 15 from which corner I run

S 89°50' W on a true line between sections 10 and 15

Va 14°20' East

40.07 Drove a chared stake and set a

post in a mound with pits as
per. instructions for ¼ sec. cor.
80.14 The corner to sections 9, 10, 15 and 16
Land level 2nd Rate

South between sections 15 and 16
Va 14° 15' East
40.00 Drove a chared stake and set a
post in mound with pits as
per. instructions for ¼ sec. cor.
49.00 Top of round rocky knoll
80.00 Drove a chared stake and set a
post in a mound with pits as
per. instructions for corner to
sections 15, 16, 21 and 22
Land gently rolling 3rd Rate

East on a random line between
sections 15 and 22
Va 14° 20' East
40.00 Set a post for temporary ¼ sec. cor.
80.19 Intersected N. and S. line 11 lks
South of corner to sections 14, 15,
22 and 23 from which corner
I run

S 89° 55' W on a true line between
sections 15 and 22
Va 14° 20' East
40.09 Drove a chared stake and set a
post in a mound with pits as
per. instructions for ¼ sec. cor.
80.19 The corner to section 15, 16, 21 and 22
Land level 2nd Rate

South between sections 21 and 22
Va 14° 15' East
10.75 Intersected the State line
17.75 chains East of the 39 mile
post. at which point
Drove a chared stake and set a
post in mound with pits as
per. instructions for closing
corner to sections 21 and 22
Land level 2nd Rate

Township 12 N. Range 48 W. 6th P.M.

From the ¼ sec. cor. on the South side of section 34 Township 13 North, Range 48 West I run

West along the 3rd Standard ~~line~~ Parallel N.

Va 14° 20' East

2,35 Drove a chared stake and set a post in a mound with pits as per instructions for closing corner to sections 4 and 5 from which corner I run

South between sections 4 and 5

Va 14° 15' East

40,00 Drove a chared stake and set a post in a mound with pits as per instructions for ¼ sec. cor.

80,00 Drove chared stake and set a post in mound with pits as per instructions for corner to sections 4.5.8 and 9

Land rolling and gravely 3rd Rate

Township 12 N. Range 48 W. 6th P.M.

East on a random line between sections 4 and 9

Va 14° 20' East

40,00 Set a post for temporary ¼ sec. cor.

80,00 Intersected N. and S. line 4 lks South of the corner to sections 3.4.9 and 10 from which corner I run

S 89° 58' W on a true line between sections 4 and 9

Va 14° 20' East

40,00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 The corner to sections 4.5.8 and 9

Land rolling gravely 3rd Rate

South between sections 8 and 9

Va 14° 15' East

40,00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 Drove a chared stake and set a post in a mound with pits as

Township 12 N. Range 48 W. 6th P. M.

per. instructions for corner to sections 8.9.16 and 17
Land rolling gravely 3rd Rate

East on a random line between sections 9 and 16
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.
79.72 Intersected N and S. line 16th North of the corner to sections 9.10.15 and 16 from which corner I run
N. 89°59' W. on a true line between sections 9 and 16
Va 14°20' East

39.86 Drove a chared stake and set a post in mound with pits as per. instructions for ¼ sec. cor.
79.72 The corner to sections 8.9.16 and 17
Land rolling gravely 3rd Rate

South between sections 16 and 17
Va 14°15' East

4.00 Drove a chared stake and set a

Township 12 N. Range 48 W. 6th P. M.

post in mound with pits as per instructions for ¼ sec. cor.
80.00 Drove a chared stake and set a post in a mound with pits as per. instructions for corner to sections 16.17.20 and 21
Land gently rolling 3rd Rate

East on a random line between sections 16 and 21
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.
79.72 Intersected N and S. line at the corner to sections 15.16.21 and 22 from which corner I run
West on a true line between sections 16 and 21
Va 14°20' East

39.86 Drove a chared stake and set a post in mound with pits as per. instructions for ¼ sec. cor.
79.72 The corner to sections 16.17.20 and 21
Land level 2nd Rate

South between sections 20 and 21
Va 14° 15' East

10.79 Intersected the State line 18.08 chains East of the 40 Mile post. at which point Drove a chared stake and set a post in a mound with pits as per. instructions for Closing corner to sections 20. and 21
Land level 2nd Rate
October 9th 1869.

From ¼ Sec. cors. on the South side of section 33 Township 13 North, Range 48 West I run West along the 3rd Standard ~~line~~ Parallel N.
Va 14° 20' East

2.85 Drove a chared stake and set a post in mound with pits as per. instructions for Closing corner to sections 5 and 6 from which corner I run

South between sections 5 and 6
Va 14° 15' East

40.00 Drove chared stake and set a post in mound with pits as per. instructions for ¼ Sec. cor,

80.00 Drove a chared stake and set a post in mound with pits as per. instructions for corner to sections 5. 6. 7 and 8
Land level 2nd Rate

East on a random line between sections 5 and 8
Va 14° 20' East

40.00 Set a flag for temporary ¼ Sec. cor,

80.00 Intersected N and S. line at the corner to sections 4. 5. 8 and 9 from which corner I run West on a true line between sections 5 and 8
Va 14° 20' East

4.00 Drove a chared stake and set a post in mound with pits as per. instructions for ¼ Sec. cor,

Township 12 N. Range 48 W. 6th P.M.

80.00 The corner to sections 5.6.7 and 8
Land gently rolling 2nd Rate

West on a random line between section 6 and 7
Va 14° 20' East

40.00 Set a flag for temporary ¼ sec. cor.
77.13 Intersected the West boundary 17 lks. South of the corner to sections 6 and 7 from which corner I run
S 89° 55' E on a true line between section 6 and 7
Va 14° 20' East

37.13 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.
77.13 The corner to sections 5.6.7 and 8
Land gently rolling 3rd Rate

South between sections 7 and 8
Va 14° 15' East

40.00 Drove a chared stake and set a post in mound with pits as

Township 12 N. Range 48 W. 6th P.M.

per instructions for ¼ sec. cor.
80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 7.8.17 and 18
Land rolling 3rd Rate

East on a random line between sections 8 and 17
Va 14° 20' East

40.00 Set a flag for temporary ¼ sec. cor.
80.16 Intersected N and S line 14 lks North of the corner to sections 8.9.16 and 17 from which corner I run
N 89° 54' W on a true line between sections 8 and 17
Va 14° 20' East

40.08 Drove a chared stake and set a post in a mound with pits as per instructions for ¼ sec. cor.
80.16 The corner to sections 7.8.17 and 18
Land rolling 2nd Rate

West on a random line between
sections 7 and 18
Va 14°20' East
40.00 Set a flag for temporary ¼ sec. cor.
76.89 Intersected the West Boundary
30 lks. South of the corner to
sections 7 and 18 from which
corner I run
S 89°47' E on a true line between
sections 7 and 18
Va 14°20' East
36.89 Drove a chared stake and set a
post in mound with pits as
per. instructions for ¼ sec. cor.
76.89 The corner to sections 7, 8, 17 and 18
Land rolling 3rd Rate

South between sections 17 and 18
Va 14°15 East
40.00 Drove a chared stake and set
a post in mound with pits as
per. instructions for ¼ sec. cor.
80.00 Drove a chared stake and set
a post in a mound with pits as

per. instructions for corner to
sections 17, 18, 19 and 20
Land gently rolling 2nd Rate

East on a random line between
sections 17 and 20
Va 14°20' East
40.00 Set a flag for temporary ¼ sec. cor.
80.00 Intersected N. and S. line 10 lks
North of the corner to sections
16, 17, 20 and 21 from which
corner I run
N 89°56' W. on a true line between
sections 17 and 20
Va 14°20' East
40.00 Drove a chared stake and set a
post in a mound with pits as
per. instructions for ¼ sec. cor.
80.00 The corner to sections 17, 18, 19 and 20
Land gently rolling gravely
3rd Rate

West on a random line
between sections 18 and 19
Va 14°20' East
40.00 Set a flag for temporary ¼ sec. cor.
76.05 Intersected the West Boundary
14 lks. South of the corner to
sections 18 and 19 from which
corner I run
S 89°54' E. on a true line between
sections 18 and 19
Va 14°20' East
36.05 Drove a chared stake and set
a post in mound with pits as
per instructions for ¼ sec. cor.
76.05 The corner to sections 17, 18, 19 and 20.
Land rolling 2nd Rate

South between sections 19 and 20
Va 14°15' East
10.93 Intersected the State line
18.20 chains East of the 41 mile
post at which point
Drove a chared stake and
set a post in a mound with

pits as per instructions for
closing corner to sections
19 and 20
Land level 2nd Rate
October 11th 1869.

General Description

The land in this township
is high rolling prairie.
The soil is generally hard
and gravelly.

List of Names

A list of the [illegible]s of the individuals employed to assist in running measuring or marking the lines and corners, described in the foregoing field notes of Township No 12 North of the base line of Range No 48 west of the 6th Principal Meridian showing the respective capacities in which they acted:

George F. Kellogg Chain man
Horner Tiffany Chain man
Robert N. B. Simpson Mound man
James Long Mound man
William H. Fox Flag man

We hereby certify that we assisted Philander C. Patterson deputy surveyor in surveying and subdividing Township number twelve North of the base line of Range number forty eight West of the Sixth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

George F. Kellogg
Horner Tiffany
Robert N. B. Simpson
James Long
Wm. H. Fox

Subscribed and sworn to by the persons whose names are hereunto affixed, before me a Notary Public in the County of Cass and State of Nebraska, this 4th day of January A.D. 1870

J M Patterson
Notary Public

P. Philander C. Patterson deputy Surveyor, do solemnly swear that in pursuance of a contract with Robert R. Livingston Surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869, and in strict conformity to the laws of the United States and the instructions furnished by the Surveyor General, I have faithfully surveyed the subdivision lines of Township number twelve North of the base line of number forty eight West of the 6th Principal Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such Survey.

P. Philander C. Patterson
Deputy Surveyor

Subscribed and sworn to
before me this 4th day of
January A.D. 1870

J M Patterson
Notary Public

Surveyor General's Office
Plattsmouth, Neb. April. 14th 1870.
The foregoing field notes of the survey of the
sub-division lines of Township No 12
North Range No 48 West of the 6th
Principal Meridian in the State of
Nebraska, Executed by Philander
C. Patterson, under his Contract
No 29, dated July 19th 1869.
in the Month of October 1869.
having been critically examined, the necessary corrections and ex-
planations made the said field
notes and the survey they describe
are hereby approved.

Robt R Livingston
Surveyor General.

T.13-16 N.
R.48 W.

59.

Field No

INDEX DIAGRAM T. 13. N. R. 4

6	66	5	30	4	38	3	2				
67		65		49		34					
7	64	8	48	9	36	10	24	11	12	12	
63		62		47		35		23		11	
18	61	17	46	16	34	15	22	14	10	13	
60		59		45		33		21	8	9	
19	58	20	44	21	32	22	20	23	5	24	
57		56		43		31		19		7	
30	55	29	42	28	30	27	18	26	6	25	
54		53		41		29		17		5	
31	52	32	40	33	28	34	16	35	4	36	

T.13-16 N.
R.48 W.

Field No

f the Survey of the S ro
lines of Township 13 59. te
Base Line of Range 48 West
the 6th Principal Meridian
in the State of Nebraska
by William Bradburn
Deputy Surveyor.
nder his joint contract No 2 with
Matthewson T. Patrick
earing date the 28 day of
June A. D 1869.

A. List

of the names and duties of the individuals employed to assist in surveying the Subdivision lines of Township 13 North of the Base Line of Range 48 West of the 6th Principal Meridian in the state of Nebraska

H. J. Foley	Chainman
W. R. Smith	Chainman
Frank Smith	Moundman
John H. Goodrich	Moundman
Clay Lockwood	Flagman

Note Many of the Corners to which random lines were run could be plainly seen with the Telescope on the Instrument used in Subdividing

Township 13 N Range 48 W. 6th Principal Meridian

I determine the proper adjustment of my compass for subdividing this Township I commence at the corner to Townships ~~[illegible]~~ 13 N Ranges 47 and 48 West. and run North on a blank line along the Eastern boundary of Section 36

Va 14° 35' E.

4.00 m To the 1/4 Sec corner

8.05 To the corner to Sections 25 and 36

To retrace this line or run parallel therto my compass must be adjusted to a variation of 14° 35 East

Township 13 N Range 48 W

Chains Subdivisions commenced October 14th 1869

From the established corner to Sections 34 & 35. 35 and 36 on the Southern Boundary of the Township I ran North between Sec's 35 and 36 va 14° 35' E

41.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 25. 26 35 and 36

Land Level
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 25 and 36 va 14° 50' E.

41.00 Set a post for temporary 1/4 Sec corner

80.04 Intersected Eastern Boundary of Township at post corner to Sections 25 and 36 from which corner I ran West on a true line between Sec's 25 & 36 va 14° 50' E.

40.03½ 41.03½ Set a post deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.04 The corner to Sections 25. 26. 35 and 36

Land level
Soil 2nd rate

Township 13 N Range 48 W 5th Principal Meridian

Chains North between Sec's 25 and 26
Va 14° 35' E

4 11.00 Set a post, deposited charred stake raised mound of earth and made pits as per instructions from 1/4 Sec corner

8 11.50 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 23. 24. 25 and 26

Land rolling
Soil 2d rate

Chains East on a random line between Sec's 24 and 25
Va 14° 50 E

4 ~~4~~ 11.00 Set a post, for temporary 1/4 Sec corner

80.03 Intersected East boundary of Township at post corner to Sections 24 and 25 from which corner I am

West on a true line between Sec's 24 and 25
Va 14° 50' E.

4 11.11 1/2 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner

80.03 the corner to Sections 23. 24. 25 and 26

Land undulating
Soil 2d rate

Township 13 N Range 48 W.

Chains North between Sec's 23 and 24
Va 14° 35' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 13. 14. 23 and 24

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 13 and 24
Va 14° 50' E.

40.00 Set a post, for temporary 1/4 Sec Corner

80.00 Intersected Eastern Boundary of Township at post corner to Sections 13 and 24 from which corner I am

West on a true line between Sec's 13 and 24
Va 14° 50' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. Corner

80.00 The corner to Sections 13. 14. 23 and 24

Land undulating
Soil 2nd rate

October 14th 1869

Township 13N Range 48W. 6th Principal Meridian

Chains North between Sec's 13 and 14
Va 14° 35' E

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner

80.00 Set a post deposited charred stake raised mound of earth and made pits as per instructions from corner to Sections 11. 12. 13 and 14

Land level
Soil 2nd rate

Chains East on a random line between Sec's 12 and 13
Va 14° 50' E

40.00 Set a post for temporary 1/4 Sec. corner

79.90 Intersected Eastern Boundary of Township at post corner to Sections 12 and 13 from which corner I am

West on a true line between Sec's 12 and 13 E
Va 14° 50' E.

39.95 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

79.90 The corner to Sections 11. 12. 13 and 14

Land undulating
Soil 2nd rate

Township 13 N Range 4 8 W.

chains	
	North between Sec's 11 and 12 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 1. 2. 11 and 12
	Land undulating Soil 2nd rate

6th Principal Meridian

chains	
	East on a random line between Sec's 1 and 12 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec Corner
80.00	Intersected Eastern Boundary of Township a post corner to Sections 1. and 12 from which corner I run
	West on a true line between Sec's 1 and 12 Va 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec Corner
80.00	The corner to Sections 1. 2. 11 and 12
	Land undulating Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

Chains	North on a random line between Sec's 1 and 2. Va 14° 35' E.
20.00	Top of hills between East & W.N.W. Gradual fall to.
40.00	Set a post, for temporary 1/4 Sec. corner
80.00	Intersected Northern Boundary of Township at post corner to Sections 1 and 2 from which corner I run
	South on a true line between Sec's 1 and 2 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. cor
80.00	The corner to Section 1. 2. 11 and 12.

Land hilly
Soil 3rd rate

Chains From the corner to Sections #. 34 and 35 on the Southern Boundary of the Township I run North between Sec's 34 and 35 Va 14° 35' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 26. 27. 34 and 35

Land level
Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

Chains East on a random line between Sec's 26 and 35 Va 14° 57' E

40.00 Set a post for temporary 1/4 Sec corner

80.05 Intersected N and S line at post corner to Sections 25. 26. 35 and 36 from which corner I run West on a true line between Sections 26 and 35 Va 14° 50' E.

40.02 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

80.05 The corner to Sections 26. 27. 34 and 35

Land level
Soil 2nd rate.

Township 13 N Range 48 W.

Chains	
	North between Sec's 26 and 27 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for corner to Sections 22. 23. 26 and 27
	Land level Soil 2nd rate.

6th Principal Meridian

Chains	
	East on a random line between Sec's 23 and 26 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
79.91	Intersected N and S line at post corner to sections 23. 24. 25 and 26 from which corner I run West on a true line between Sec's 23 and 26 Va 14° 50' E.
39.95 p	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec cor
79.91	The corner to Sections 22. 23. 26 and 27
	Land undulating Soil 2nd rate

Township 13N Range 48W 6th Principal Meridian

Chains	North between Sec's 22 and 23 Va 14° 35' E.
40.000	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.000	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 14. 15. 22 and 23

Land level
Soil 2nd rate

Chains	East on a random line between Sec's 14 and 23 Va 14° 50' E.
40.000	Set a post for temporary 1/4 Sec corner
79.91	Intersected N and S line at post corner to Sections 13. 14. 23 and 24 from which corner I run
	West on a true line between Sec's 14 and 23 Va 14° 50' E.
39.95½	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.91	The corner to Sections 14. 15. 22 and 23

Land level
Soil 2nd rate

Township 13 N Range 48 W

Chains	
	North between Sec's 14 and 15 Va 14° 35' E
440.000	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 10. 11. 14 and 15
	Land undulating Soil 2nd rate
	Oct 15th 1869

6th Principal Meridian

Chains	
	East on a random line between Sec's 11 and 14 Va 14° 50' E.
440.000	Set a post for temporary 1/4 Sec. corner
80.00	Intersected N and S line at post corner to Sections 11. 12 13 and 14 from which corner I am West on a true line between Sec's 11 and 14 Va 14° 50' E
440.000	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
560.000	The corner to Sections 10. 11. 14 and 15.
	Land undulating Soil 2nd rate

Township 13 N Range 48 W.

Chains North between Sec's 10 and 11
Va 14° 35' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec Corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per
instructions for a
corner to Sections
2. 3. 10 and 11

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line
between Sec's 2 and 11
Va 14° 50' E.

40.00 Set a post for temporary
1/4 Sec. corner

79.84 Intersected N and S line
at post. corner to Sections
1. 2. 11 and 12 from
which corner I run
West on a true line
between Sec's 2 and 11
Va 14° 50' E.

79.92 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. Corner

79.84 The corner to Sections 2. 3. 10 and 11
Land undulating
Soil 2nd rate

Township 13 N Range 48 W 6th Principal Meridian

Chains	
	North on a random line between Sec's 2 and 3. Va 14° 35 E.
40.00	Set a post for temporary 1/4 Sec corner
54.00	Edge of Bluffs bears S.E. & S.W. Gradual fall
80.05	Intersected Northern Boundary of Township at post corner to Sec's 2 and 3 from which corner I run South between Sec's 2 and 3 on a true line Va 14° 35 E.
40.05	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.05	The corner to Sections 2. 3. 10 and 11

Land Rolling
Soil 2nd rate.

T'm

Chain

40.0

54.00

80.00

40.0

80.11

Township 13 N. Range 48 W.

Chains

From the corner to Sections ~~[illegible]~~. 33 and 34 ~~from~~ on the Southern Boundary of The Township I run North between Sec's 33 and 34 Va 14° 35' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 27. 28. 33 and 34 —

Land Level
Soil 2nd rate

6th Principal Meridian

Chains

East on a random line between Sec's 27 and 34 Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec. corner

79.96 Intersected N and S line at post corner to Sections 26. 27. 34 and 35 from which corner I run West on a true line between Sec's 27 and 34 Va 14° 50' E.

39.98 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner

79.96 The corner to Sections 27. 28. 33 and 34

Land undulating
Soil 2nd rate

Township 13N Range 4 8W.

chains	
	North between Sec's 27 and 28 Va 14°35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 21. 22. — 27 and 28

Land level
Soil 2nd rate

6th Principal Meridian

chains	
	East on a random line between Sec's 22 and 27 Va 14°50' E.
40.00	Set a post, for temporary 1/4 Sec. corner
80.00	Intersected H and S line at post corner to Sections 22. 23. 26 and 27 from which corner I run
	West on a true line between Sec's 22 and 27 Va 14°50' E.
40,00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 21. 22. 27 and 28

Land undulating
Soil 2nd rate

Township 13 N Range 48 W 6th Principal Meridian

Chains	
	North between Sec's 21 and 22 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 15. 16. 21 and 22
	Land level Soil 2nd rate

Chains	
	East on a random line between Sec's 15 and 22 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.00	~~Intersected~~ N and S line at post corner to Sections 14. 15. 22 and 23 from which corner bears West on a true line between Sec's 15 and 22 Va 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 15. 16. 21 and 22
	Land undulating Soil 2nd rate

Township 13 N Range 48 W

Chains North between Sec's 15 and 16
Va 14° 35' E.

40.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner

80.00 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 9. 10. 15 and 16

Land level
Soil 2nd rate

6th Principal Meridian

Chains East on a random line between Sec's 10 and 15
Va 14° 50' E.

40.00 Set a post for temporary 1/4 Sec Corner

80.40 Intersected N and S line 20 links South of post corner to Sections 10. 11. 14 and 15 from which corner I run South 89° 51' West on a true line between Sec's 10 and 15
Va 14° 50' E.

40.20 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner

80.40 The corner to Sections 9. 10. 15 and 16

Land level
Soil 2nd rate

October 16th 1869

Township 13 N. Range 48 W.

Chains	
	North between Sec's 9 and 10 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 3. 4. 9 and 10

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 3 and 10 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec corner
50.80	Intersected N and S line at a point 50 links South of post corner to Sections 2. 3. 10 and 11 from which corner I run South 89° 39' West on a true line between Sec's 3 and 10 Va 14° 50' E.
40.40	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.80	The corner to Sections 3. 4. 9 and 10

Land undulating
Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

chains	North on a random line between Sec's 3 and 4
6	Va 14° 35' E. bears S. E & West.
6.00	Edge of Bluffs, Gradual fall
40.00	Set a post for temporary 1/4 Sec. corner
52.00	Foot of Bluffs bears N. E. & N. W. enter Lodge Pole Valley
80.60	Intersected Northern Boundary of Township at a point 80 links West of the post corner to Sections 3 and 4 from which corner I run South 0° 34' West on a true line between Sec's 3 and 4 Va 14° 50' E.
40.60	Set a post, deposited Charred stake, raised mound of earth and made pits as per instruction for a 1/4 Sec. corner
80.60	The corner to Sections 3. 4. 9 and 10 Land hilly Soil 3d rate

Township 13 N. Range 48 W

Chains	
	From the corner to Sections ~~#~~. ~~#~~. 32 and 33 on the Southern Boundary of the Township I run North between Sec's 32 and 33 Va 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner.
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 28. 29. 32 and 33

Land level
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 28 and 33 Va 14° 50' E.
40.00	Set a post. for temporary 1/4 Sec corner
79.93	Intersected N and S line at post. corner to Sections 27. 28. 33 and 34 from which corner I run West on a true line between Sec's 28 and 33 Va 14° 50' E.
39.96½	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.93	The corner to Sections 28. 29. 32 and 33

Land undulating
Soil 2nd rate

Township 13 N Range 48 W 6th Principal Meridian

Chains	
	North between Sec's 28 & 29 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 20. 21. 28 and 29
	Land level Soil 2nd rate

Chains	
	East on a random line between Sec's 21 and 28 Va 14° 50' E.
40.00	Set a post, ~~for temporary~~ 1/4 Sec. Corner
80.00	Intersected N and S line at post corner to Sections 21. 22. 27 and 28. from which corner I saw West on a true line between Sec's 21 and 28 Va 14° 50' E.
40.01½	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 20. 21. 28 and 29
	Land undulating Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

Chains	North between Sec's 20 and 21 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 16. 17. 20 and 21

Land undulating
Soil 2nd rate

Chains	East on a random line between Sec's 16 and 21 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec corner
80.00	Intersected N and S line at post corner to Sections 15. 16. 21 and 22 from which corner I run West on a true line between Sec's 16 and 21 Va. 14° 50' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
80.00	The corner to Sections 16. 17. 20 and 21

Land undulating
Soil 2nd rate

Township 13 N Range 48 W

Chains	
	North between Sec's 16 & 17 Va 14° 35' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a Corner to Sections 8. 9. 16 and 17

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains	
	East on a random line between Sec's 9 and 16 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. Corner
79.70	Intersected N and S line at a point 30 links North of post corner to Sections 9. 10. 15 and 16 from which corner I run North 89° 47' West on a true line between Sec's 9 and 16 Va 14° 50' E.
39.85	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
79.74	The corner to Sections 8. 9. 16 and 17

Land undulating
Soil 2nd rate.

Township 13 N Range 48 W.

Chains North between Sec's 8 and 9
Va 14° 35' E

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
1/4 Sec. corner.

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions from
corner to Sections
4. 5. 8 and 9

Land undulating
Soil 2nd rate

6th Principal Meridian

Chains East on a random line
between Sec's 4 and 9
Va 14° 50' E.

40.00 Set a post for temporary
1/4 Sec. corner

49.40 Intersected N and S line
40 links North of post
corner to Sections 4. 5.
8. and 9. from
which corner I run
North 89° 39' ~~East~~ West
on a true line between Sec's 4 and 9
Va 14° 51' E

39.40 Set a post, deposited
charred stake, raised
mound of earth and made
pits as per instructions
for a 1/4 Sec. corner

49.40 The corner to Sections
4. 5. 8. and 9

Land undulating
Soil 2nd rate

Township 13 N Range 48 W

Chains	
	North on a random line between Sec's 4 and 5 Va 14° 35' E. bears E.S.E and W.S.W.
12.00	Edge of Bluff, Gradual fall
40.00	Set a post, for temporary 1/4 Sec. Corner
80.00	Intersected Northern Boundary of Township at a point 5 links West of post corner to sections 4 and 5 from which corner I run South 0° 2' West on a true line between Sec's 4 and 5 Var. 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	The corner to sections 4. 5. 8 and 9

Land hilly
Soil 3rd rate
Oct 17th 1869

6th Principal Meridian

Township 13 N Range 48 W 6th Principal Meridian

chains From the corner to Sections
31 and 32 on the
Southern Boundary of
the Township I run
North between Sec's 31 and 32
Va 14° 35' E.

40.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

80.00 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
corner to Sections
29. 30. 31 and 32

Land undulating
Soil 2nd rate

chains East on a random line
between Sec's 29 and 32
Va 14° 50' E.

40.00 Set a post for temporary
1/4 Sec corner

80.40 Intersected N and S line
at post corner to Sections
28. 29. 32 and 33 from
which corner I run
West on a true line
between Sec's 29 and 32
Va 14° 50' E.

40.20 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

80.40
80.40 The corner to Sections
29. 30. 31 and 32

Land undulating
Soil 2nd rate

Township 13 N Range 48 W 6th Principal Meridian

Chains	
	West on a random line between Sec's 30 and 31 Va 14° 50' E.
12. 40	40.00 Set a post for temporary 1/4 Sec. corner
80	79.34 Intersected Western Boundary of Township. A post corner to Sections 30 and 31 from which corner I run
	East on a true line between Sec's 30 and 31 Va 14° 50' E.
38	39.34 Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
4	
8	79.34 The corner to Sections 29. 30. 31 and 32

Land level
Soil 3rd rate

Chains	
	North between Sec's 29 and 30 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 19. 20. 29 and 30

Land undulating
Soil 2nd rate

Township 13 N Range 48 W

chains	East on a random line between Sec's 20 and 29 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec corner
80.10	Intersected N and S line at post corner to Sections 20. 21. 28 and 29. from which corner I run
	West on a true line between Sec's 20 and 29 Va 14° 50' E.
40.05	Set a post deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec corner
80.10	The corner to Sections 19. 20. 29 and 30

Land undulating
Soil 2nd rate

6th Principal Meridian

chains	West on a random line between Sec's 19 and 30 Va 14° 50' E
40.00	Set a post for temporary 1/4 Sec corner
79.40	Intersected Western Boundary of Township at post corner to Sections 19 and 30 from which corner I run
	East on a true line between Sec's 19 and 30 30 Va 14° 50' E.
39.40	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.40	The corner to Sections 19. 20. 29 and 30

Land level
Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

Chains	North between Sec's 19 and 20 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec Corner
80.00	Set a post, deposited charred stake raised mound of earth and made pits as per instructions for a corner to Sections 17. 18. 19 and 20

Land undulating
Soil 2nd rate

Chains	East on a random line between Sec's 17 and 20 Va 14° 50' E
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersected N and S line at post corner to Sections 16. 17. 20 and 21 from which corner I run West on a true line between Sec's 17 and 20 Va 14° 50' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
80.00	The corner to Sec's 17. 18. 19. and 20

Land level
Soil 2nd rate

Township 13 N Range 48 W. 6th Principal Meridian

chains	West on a random line between Sec's 18 and 19 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec Corner
79.26	Intersected Western Boundary of Township at post corner to Sections 18 and 19 from which corner I run
	East on a true line between Sec's 18 and 19 Va 14° 50' E.
39.26	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. Corner
79.26	The corner to Section 17. 18. 19 and 20

Land Level
Soil 2nd rate

chains	North between Sec's 17 and 18 Va 14° 35' E.
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner.
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a corner to Sections 7. 8. 17 and 18

Land Rolling
Soil 2nd rate.

Township 13 N Range 48 W.

chains East on a random line
between Sec's 8 and 17
Va 14° 50' E

40.00 Set a post, for temporary
1/4 Sec. corner

80.46 Intersected North & S
line at post corner
to Sections 8. 9. 16 and 17
from which corner I run
West on a true line
between Sec's 8 and 17
Va 14° 50' E

40.23 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec. corner

80.46 The corner to Sections
7. 8. 17 and 18

Land undulating
Soil 2nd rate

6th Principal Meridian

chains West on a random line
between Sec's 7 and 18
Va 14° 50' E.

40.00 Set a post, for temporary
1/4 Sec corner

80.14 Intersected Western
Boundary of Township
at post corner to Sections
7 and 18 from which
corner I run
East on a true
line between Sec's 7 and 18
Va 14° 50' E

40.14 Set a post, deposited
charred stake, raised
mound of earth and
made pits as per
instructions for a
1/4 Sec corner

80.14 The corner to Sections
7. 8. 17 and 18

Land Rolling
Soil 2nd rate

October 18th 1869

Township 13 N Range 48

Chains	
	North between Sec's 5 and 8 Va 14° 35' E
40.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner
80.00	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from corner to Sections 5. 6. 5 and 8

Land Rolling
Soil 2nd rate

W. 6th Principal Meridian

Chains	
	East on a random line between Sec's 5 and 8 Va 14° 50' E.
40.00	Set a post for temporary 1/4 Sec. corner
80.27	Intersected N and S line at post corner to Sections 4. 5. 8 and 9 from which corner I run West on a true line between Sec's 5 and 8 Va 14° 50' E
40.13½	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions from 1/4 Sec. corner
80.27	The corner to Sections 5. 6. 5 and 8

Land Rolling
Soil 2nd rate.

Township 13 N Range 48 W

Chains	North on a random line between Sec's 5 and 6 Va 14° 35' E
1.00	Edge of Bluffs, bears E.N.E. & W.N.W. Gradual fall
40.00	Set a post, for temporary 1/4 Sec corner
79.95	Intersected Northern Boundary of Township at post corner to Sections 5 and 6 from which corner I run
	South on a true line between Sec's 5 and 6 Va 14° 35' E.
39.95	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
79.95	The corner to Sections 5. 6. 7 and 8

Land hilly
Soil 3rd rate

6th Principal Meridian

Chains	West on a random line between Sec's 6 and 7 Va 14° 50' E.
40.00	Set a post, for temporary 1/4 Sec. corner
78.90	Intersected Western Boundary of Township at post corner to Sections 6 and 7 from which corner I run
	East on a true line between Sec's 6 and 7 Va 14° 50' E
38.90	Set a post, deposited charred stake, raised mound of earth and made pits as per instructions for a 1/4 Sec. corner
78.90	The corner to Sections 5. 6. 7. and 8

Land hilly & Broken
Soil 3rd rate

Oct 19th 1869

General Description

The Land in this Township is very poor being an elevated Plateau & very little water.

There is no timber

List of names

A list of the names and duties of the individuals employed to assist in measuring, running, and marking the lines and corners described in the foregoing field notes of Township No. 13 North of the Base Line of Range 48 West of the 6th Principal Meridian, showing the respective capacities in which they acted

H. J. Foley	Chainman
W. R. Smith	Chainman
Frank Smith	Moundman
John. H. Goodrich	Moundman
Clay Lockwood	Flagman
Wm Bradbury	Compassman

☞ For affidavits See Book 4.

Surveyor General's Office
Plattsmouth Neb. April 7th 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 13 North of the Base Line, of Range No. 48 West of the 6th Principal Meridian, in the State of Nebraska, executed by Wm. Bradbury under joint contract No. 27. of June 28. 1869. wherein Wm. Bradbury & Ms. J. Patrick are joint contractors, in the month of October. 1869. having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved

Robt. N. Simpson
Surveyor General.

Field Notes

of the subdivision lines in Township 14 North Range 48 West of the 6th Principal Meridian in the State of Nebraska by

Philander C. Patterson
Deputy Surveyor

Under his contract bearing date July 19th 1869

Subdivision commenced December 3rd 1869

Subdivision completed December 13th 1869

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 14 North Range 48 West of the 6th Principal Meridian, showing the respective capacities in which they acted

William F. Fox — Chain M[illegible]
Homer Tiffany — Chain M[illegible]
Robert N. B. Simpson — Mound [illegible]
James Long — Mound [illegible]
George J Kellogg — Flag m[illegible]

Field notes of the subdivision lines in Township 14 N. Range 48 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to sections 25 and 36 and run South on a blank line along the East Boundary of section 36 [illegible] 15' East [illegible] the [illegible]er, [illegible]nships [illegible]s 47 and [illegible] run [illegible] compass [illegible]justment [illegible]' East [illegible]nced [illegible] 1869

[illegible]ections 1.2. [illegible]th [illegible]onship

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township 14 North, Range 48 West of the 6th Principal.

INDEX. T. 14 N. R. 48 W. 6th P.M.

6	63	5	47	4	36	3	25	2	14	1	
62		61		46		35		24		13	
7	60	8	45	9	34	10	23	11	12	12	
59		58		44		33		22		11	
18	57	17	43	16	32	15	21	14	10	13	
56		55		42		31		20		9	
19	54	20	41	21	30	22	19	23	8	24	
53		52		40		29		18		7	
30	51	29	39	28	28	27	17	26	6	25	
50		49		38		27		16		5	
31	48	32	37	33	26	34	15	35	4	36	

Field notes of the subdivision lines in Township 14 N. Range 48 W. 6th P.M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to sections 25 and 36 and run South on a blank line along the East boundary of section 36

Variation 14°15' East

40.06 To a point 7 lks. West of the quarter section corner.

80.08 To the corner to ~~sect~~ Townships 13 and 14 North, Ranges 47 and 48 West

To retrace this line or run parallel thereto my compass has the proper adjustment

Va 14°15' East

Subdivision commenced December 9th 1869

From the corner to sections 1, 2, 35 and 36 on the South boundary of the Township I run

Township 14 N. Range 48 W. 6th P.M.

North between sections 35 and 36
Var 14°15' East

31.28 Emigrant Road bearing E and W.
40.00 Set a lime stone 17x12x3 ins for
1/4 Sec. cor.
51.00 Enter bottom land bearing E and W.
73.00 Ladge Able creek 25 lks. wide
runs East
80.00 Set a lime stone 19x11x4 ins for
corner to sections 25, 26, 35
and 36
Land gently rolling good 2nd rate

(Write the word 'inches' on all stone corners)

Township 14 N. Range 48 W. 6th P.M.

East on a random line between
sections 25 and 36
Var 14°25' East

10.30 Ladge Able creek 20 lks Wide
runs N. E.
26.75 Same creek 30 lks. wide runs South
30.58 Same creek 25 lks wide runs North
35.00 Same creek 50 lks. wide runs South
40.00 Set a flag for temporary 1/4 sec. cor.
80.09 Intersected the East Boundary line
13 lks. North of the corner to
sections 25 and 36
from which corner I run

N 89°52' W on a true line between
sections 25 and 36
Var 14°25' East

40.04½ Set a lime stone 17x11x3 ins for
1/4 sec. cor.
80.09 The corner to sections 25, 26, 35
and 36
Land level rich bottom 1st rate

Township 14 N. Range 48 W. 6th P.M.

North between sections 25 and 26

Va 14°15' East

37.61 Center of Union Pacific Rail Road bearing E and W.

40.00 Set a lime stone 20×10×3 for 1/4 sec. cor.

41.00 Leave bottom land bearing E and W.

80.00 Set a lime stone 17×11×4 for corner to sections 23, 24, 25 and 26

Land the bottom level good 2nd North up sand broken rocky

Township 14 N. Range 48 W. 6th P.M.

East on a random line between sections 24 and 25

Va 14°25' East

.65 At large sand rock

40.00 Set a flag for temporary 1/4 sec. cor.

80.36 Intersected the East boundary 13 lks. South of the corner to sections 24 and 25 from which corner I run

S 89°54' West true line between sections 24 and 25

Va 14°25' East

40.18 Set a lime stone 19×11×3 for 1/4 sec. cor.

80.36 The corner to sections 23, 24, 25 and 26

Land broken and rocky

Township 14 N. Range 48 W. 6th P.M.

North between sections
23 and 24
Var 14°15' East

1.09 A large sand rock
40.00 Set a lime stone 14×8×7 for
1/4 Sec. cor,
80.00 Set a lime stone 14×9×6 for
corner to sections 13, 14, 23 and 24
Land hilly and rocky

Township 14 N. Range 48 W. 6th P.M.

East on a random line between
sections 13 and 24
Var 14°25' East

40.00 Set a stone for temporary 1/4 Sec. cor,
80.16 Intersected the East boundary at
the corner to sections 13 and 24
from which corner I run

West on a true line between
sections 13 and 24
Var 14°25' East

40.08 Set a lime stone 17×9×4 for
1/4 Sec. cor,
80.16 The corner to sections 13, 14, 23
and 24
Land gently rolling 2nd Rate

December 3rd 1869

Township 14 N. Range 48 W. 6th P.M.

North between sections 13 and 14
Va 14°45' East

40.00 Set a lime stone 14×11×4 for
1/4 sec. cor.

80.00 Set a lime stone 16×11×4 for
corner to sections 11, 12, 13
and 14

Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 12 and 13
Va 14°30' East

40.00 Set a flag for temporary
1/4 sec. cor.

80.32 Intersection the East boundary
6 lks. North of the corner to
sections 12 and 13
from which corner I run

N 89°57' W on a true line between
sections 12 and 13
Va 14°30' East

40.16 Set a lime stone 16×11×3 for
1/4 sec. cor.

80.32 The corner to sections 11, 12, 13
and 14

Land rolling 3rd Rate

Township 14 N. Range 48 W. 6th P. M.

North between sections 11 and 12
Va 14°15' East

40.00 Set a lime stone 14×12×3 for
1/4 sec. cor.

80.00 Set a lime stone 15×12×4 for
corner to sections 1, 2, 11 and 12
Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 6th P. M.

East on a random line between
sections 1 and 12
Va 14°35' East

40.00 Set a flag for temporary
1/4 sec. cor.

80.42 Intersected the East boundary
18 lks. South of the corner to
sections 1 and 12
from which corner I run

S 89°52' W on a true line between
sections 1 and 12
Va 14°35' East

40.21 Set a lime stone 14×11×4 for
1/4 sec. cor.

80.42 The corner to sections 1, 2, 11 and 12
Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

North on a random line between sections 1 and 2

Va 14° East

40,00 Set a flag for temporary 1/4 sec. cor.

80,43 Intersected the North Boundary 30 lks. West of the corner to sections 1 and 2 from which corner I run

S 00°13' W on a true line between sections 1 and 2

Va 14° East

40,43 Set a lime stone 15×12×3 for 1/4 sec. cor.

80,43 The corner to sections 1, 2, 11 and 12

Land gently rolling 2nd Rate

December 4th 1869

Township 14 N. Range 48 W. 6th P.M.

North between sections 34 and 35

Va 14°15' East

31,70 Emigrant Road bearing East and West

36,50 Enter bottom land bearing East and West

40,00 Set a lime stone 16×12×4 for 1/4 sec. cor.

80,00 Set a lime stone 16×10×5 for corner to sections 26, 27, 34 and 35

Land upland gently rolling bottom level 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line between
section 26 and 35
Va 14°25' East

6.50 Lodge Pole creek 20 lks. wide
runs South

34.25 Same creek 50 lks. wide runs
North East

40.00 Set a flag for temporary ¼ sec. cor.

73.88 Same creek 54 lks. wide runs S. E.

80.20 Intersected the N and S. line
4 lks. south of the corner to
sections 25, 26, 35 and 36
from which corner I run

S 89°58' W on a true line between
sections 26 and 35
Va 14°25' East

40.10 Set a line stone 19×13×3 for
¼ sec. cor

80.20 The corner to section 26, 27,
34 and 35
Land level bottom 1st Rate

Township 14 N. Range 48 W. 6th P.M.

North between sections
26 and 27
Va 14°15' East

4.45 Lodge Pole creek 50 lks. wide
runs S. E.

34.10 Center of the Union Pacific
Rail Road bearing E and W.

40.00 Set a line stone 17×10×4 for
¼ sec. cor.

45.00 Leave bottom bearing E and W.

80.00 Set a sand stone 18×13×3 for
corner to sections 22, 23, 26
and 27
Land bottom level 2nd rate
upland rocky

Township 14 N, Range 48 W. 6th P. M.

East on a random line between sections 23 and 26
Va 14°25' East

40.00 Set a flag for temporary 1/4 sec. cor.
80.38 Intersected the N and S. line at the corner to sections 23, 24, 25 and 26
from which corner I run

West on a true line between sections 23 and 26
Va 14°25' East

40.19 Set a sand stone 12×9×6 for 1/4 sec. cor.
80.38 The corner to sections 22, 23, 26 and 27
Land broken and rocky

Township 14 N, Range 48 W. 6th P. M.

North between sections 22 and 23
Va 14°15' East

40.00 Set a sand stone 12×10×7 for 1/4 sec. cor.
80.00 Set a lime stone 20×13×4 for corner to sections 14, 15, 22 and 23
Land broken and rocky

Township 14 N, Range 48 W, 6th P.M.

East on a random line between sections 14 and 23
Va 14°25' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.26 Intersected the N and S. line 19 lks. South of the corner to sections 13, 14, 23 and 24 from which corner I run

S 89°52' W on a true line between sections 14 and 23
Va 14°25' East

40.13 Set a sand stone 10×10×5 for 1/4 sec. cor.

80.26 The corner to sections 14, 15, 22 and 23

Land rolling 2nd Rate

Township 14 N, Range 48 W, 6th P.M.

North between sections 14 and 15
Va 14°15' East

40.00 Set a sand stone 13×9×7 for 1/4 sec. cor.

80.00 Set a lime stone 20×11×3 for corner to sections 10, 11, 14 and 15

Land gently rolling 2nd Rate

December 6th 1869

Township 14 N. Range 48 W. 6th P. M.

East on a random line between sections 11 and 14
Va 14°25' East

40.00 Set a plaz for temporary 1/4 sec. cor.

80.16 Intersected the N and S. line 12 lks. North of the corner to sections 11, 12, 13 and 14 from which corner I run

N 89°55' W on a true line between sections 11 and 14
Va 14°25' East

40.08 Set a sand stone 16x13x6 for 1/4 sec. cor.

80.16 The corner to sections 10, 11, 14 and 15

Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P. M.

North between sections 10 and 11
Va 14°15' East

40.00 Set a sand stone 15x9x7 for 1/4 sec. cor

80.00 Set a lime stone 20x11x3 for corner to sections 2, 3, 10 and 11

Land gently rolling 2nd rate

Township 14 N, Range 48 W, 6th P. M.

East on a random line
between sections 2 and 11
Va 14°25' East

40.00 Set a flag for temporary 1/4 sec. cor.

79.92 Intersected the N. and S. line
14 lks. South of the corner to
sections 1, 2, 11 and 12
from which corner I run

S 89°54' W on a true line between
sections 2 and 11
Va 14°25' East

39.96 Set a sand stone 15×12×3 for
1/4 sec. cor

79.92 The corner to sections 2, 3, 10
and 11
Land gently rolling 2nd Rate

Township 14 N, Range 48 W, 6th P. M.

North on a random line
between sections 2 and 3
Va 14°05' East

40.00 Set a flag for temporary
1/4 sec. cor

80.45 Intersected the North Boundary
33 lks. West of the corner to
sections 2 and 3
from which corner I run

S 00°14' W on a true line between
sections 2 and 3
Va 14°05' East

40.45 Set a lime stone 14×12×3 for
1/4 sec. cor.

80.45 The corner to sections 2, 3, 10 and 11
Land gently rolling 2nd Rate

December 7th 1869

Township 14 N. Range 48 W. 6th P.M.

North between sections
33 and 34
Var 14°15' East

8.75 Enter bottom land bearing
East and West

30.00 Emigrant road bearing
East and West

40.00 Set a sand stone 15×11×4 for
1/4 sec. cor.

80.00 Set a sand stone 23×16×4 for
corner to sections 27, 28, 33
and 34
Land level 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 27 and 34
Var 14°25' East

1.20 Ladge Pole creek 20 lks. wide runs
South East

40.00 Set a flag for temporary 1/4 sec. cor.

57.60 Same creek 40 lks. wide runs N. W.

60.75 Same creek 30 lks. wide runs S. W.

73.00 Same creek 35 lks. wide runs North

80.06 Intersected the N. and S. line
27 lks. North of the corner to
sections 26, 27, 34 and 35
from which corner I run

N 89°48' W on a true line between
sections 27 and 34
Var 14°25' East

40.03 Set a sand stone 23×7×6 for
1/4 sec. cor.

80.06 The corner to sections 27, 28, 33,
and 34
Land level bottom 2nd Rate

Township 14 N. Range 48 W. 6th P. M.

North between sections 27 and 28 Va 14°15' East

1.30 Lodge Pole creek 40 lks. wide runs S. E.

29.81 Center of the Union Pacific Rail Road bearing E. and W.

40.00 Set a sand stone 19×13×3 for 1/4 sec. cor.

63.50 Leave bottom bearing N. W. and S. E

80.00 Set a sand stone 24×12×3 for corner to sections 21. 22. 27 and 28

Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 6th P. M.

East on a random line between sections 22 and 27 Va 14°25' East

40.00 Set a flag for temporary 1/4 sec. cor.

80.28 Intersected the N and S. line 17 lks. North of the corner to sections 22. 23. 26 and 27 from which corner I run

N 89°53' W on a true line between sections 22 and 27 Va 14°25' East

40.14 Set a sand stone 12×10×9 for 1/4 sec. cor.

80.28 The corner to sections 21. 22. 27 and 28

Land broken, rocky and gravely

Township 14 N. Range 48 W. 6th P. M.

North between sections
21 and 22
Va 14°15' East
40.00 Set a sand stone 15x9x4 for
1/4 sec. cor.
80.00 Set a sand stone 17x10x7 for
corner to sections 15, 16, 21
and 22
Land rolling 2nd Rate

Township 14 N. Range 48 W. 6th P. M.

East on a random line
between sections 15 and 22
Va 14°25' East
40.00 Set a flag for temporary
1/4 sec. cor.
80.16 Intersected the N. and S. line
at the corner to sections
14, 15, 22 and 23
from which corner I run

West on a true line between
sections 15 and 22
Va 14°25' East
40.08 Set a sand stone 12x10x5 for
1/4 sec. cor.
80.16 The corner to sections 15, 16,
21 and 22
Land rolling 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

North between sections 15 and 16

Va 14°15' East

40,00 Set a sand stone 12×9×5 for 1/4 sec. cor.

80,00 Set a lime stone 17×12×5 for corner to sections 9, 10, 15 and 16

Land gently rolling 2nd rate

December 8th 1869

Township 14 N. Range 48 W. 6th P.M.

East on a random line between sections 10 and 15

Va 14°25' East

40,00 Set a flag for temporary 1/4 sec. cor.

80,00 Intersected N and S. line at the corner to sections 10, 11, 14 and 15 from which corner I run

West on a true line between section 10 and 15

Va 14°25' East

40,00 Set a sand stone 17×12×3 for 1/4 sec. cor.

80,00 The corner to sections 9, 10, 15 and 16

Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

North between sections
9 and 10
Va 14° 15' East
40.00 Set a sand stone 19 x 9 x 6
for 1/4 sec. cor.
80.00 Set a sand stone 17 x 12 x 5
for corner to sections
3, 4, 9 and 10
Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 5th P.M.

East on a random line
between sections 3 and 10
Va 14° 25' East
40.00 Set a flag for temporary
1/4 sec. cor.
79.94 Intersected the N and S. line
23 lks. North of the corner
to sections 2, 3, 10 and 11
from which corner run

N 89° 50' W on a true line between
sections 3 and 10
Va 14° 25' East
39.97 Set a sand stone 20 x 12 x 3
for 1/4 sec. cor.
79.94 The corner to sections 3, 4, 9.
and 10
Land rolling 2nd Rate

Township 14 N. Range 48 W. 5th P.M.

North on a random line
between sections 3 and 4
Va 14°05' East
40.00 Set a flag for temporary
¼ sec. cor.
80.26 Intersected the North boundary
10 lks. West of the corner
to sections 3 and 4
from which corner I run

S 00°04' W on a true line
between sections 3 and 4
Va 14°05' East
40.26 Set a sand stone 17×14×3 for
¼ sec. cor.
80.26 The corner to sections 3, 4, 9,
and 10
Land gently rolling 2nd rate.

Township 14 N. Range 48 W. 5th P.M.

North between sections
32 and 33
Va 14°15' East
25.80 Emigrant Road bearing
E and W.
40.00 Set a sand stone 16×12×3 for
¼ sec. cor.
49.00 Enter bottom bearing E and W.
80.00 Set a sand stone 15×12×3 for
corner to sections 28, 29,
32 and 33
Land level 2nd rate

Township 14 N, Range 48 W. 6th P. M.

East on a random line between sections 28 and 33
Va 14°25' East

19.35 Ladge Pole creek 30 lks. wide runs S. E.
37.00 Same creek 20 lks wide runs N. W.
40.00 Set a flag for temporary 1/4 sec. cor.
57.90 Same creek 25 lks. wide runs South
74.95 Same creek 35 lks. wide runs N. E.
80.22 Intersected the N and S. line 20. lks. North of the corner to sections 27. 28. 33 and 34 from which corner I run

N 89°51' W on a true line between sections 28 and 33
Va 14°25' East

40.11 Set a sand stone 13×12×5 for 1/4 sec. cor.
80.22 The corner to sections 28. 29. 32 and 33
Land level bottom 2nd Rate

Township 14 N, Range 48 W. 6th P. M.

North between sections 28 and 29
Va 14°15' East

,67 Ladge Pole creek 20 lks. wide runs East
24.22 Center of the Union Pacific Rail Road bearing E and W.
30.00 Leave bottom bearing E and W.
40.00 Set a sand stone 18×10×4 for 1/4 sec. cor.
80.00 Set a sand stone 16×11×5 for corner to sections 20. 21. 28 and 29
Land gently rolling 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line between sections 21 and 28
Va 14°25' East

40.00 Set a flag for temporary ¼ sec. cor.

80.30 Intersect the N and S. line 25 lks. North of the corner to sections 21, 22, 27 and 28 from which corner I run

N 89°48' W on a true line between sections 21 and 28
Va 14°25' East

40.15 Set a sand stone 17×12×4 for ¼ sec. cor.

80.30 The corner to sections 20, 21, 28 and 29

Land rolling gravely 3rd rate

Township 14 N. Range 48 W. 6th P.M.

North between sections 20 and 21
Va 14°15' East

40.00 Set a sand stone 13×13×4 for ¼ sec. cor.

80.00 Set a sand stone 14×12×4 for corner to sections 16, 17, 20 and 21

Land rolling 3rd rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 16 and 21
Va 14°25' East

40.00 Set a flag for temporary
1/4 sec. cor.

80.20 Intersected the N. and S. line
21 lks. North of the corner
to sections 15, 16, 21 and 22
from which corner I run

N 89°54' W on a true line
between sections 16 and 21
Va 14°25' East

40.10 Set a sand stone 18×11×4 for
1/4 sec. cor.

80.20 The corner to sections 16, 17,
20 and 21
Land rolling 3rd rate

Township 14 N. Range 48 W. 6th P.M.

North between sections
16 and 17
Va 14°15' East

40.00 Set a sand stone 16×12×3 for
1/4 sec. cor.

80.00 Set a sand stone 14×10×6 for
corner to sections 8, 9, 16 and 17
Land gently rolling 2nd rate

December 9th 1869

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 9 and 16
Va 14°25' East

40.00 Set a flag for temporary
1/4 sec. cor.

80.14 Intersected the N and S. line
13 lks. North of the corner
to sections 9, 10, 15 and 16
from which corner I run

N 89°54' W on a true line
between sections 9 and 16
Va 14°25' East

40.07 Set a lime stone 17×12×3 for
1/4 sec. cor.

80.14 The corner to sections 8, 9, 16 and 17
Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

North between sections
8 and 9
Va 14°10' East

40.00 Set a sand stone 17×9×6 for
1/4 sec. cor.

80.00 Set a sand stone 19×10×6 for
corner to sections 4, 5, 8 and 9
Land level 2nd rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 4 and 9
bearing 14° 25' East

40.00 Set a flag for temporary
1/4 sec. cor.

80.28 Intersected the N. and S. line
24 lks. North of the corner
to sections 3, 4, 9 and 10
from which corner I run

N 89° 50' W on a true line between
sections 4 and 9
bearing 14° 25' East

40.14 Set a sand stone 19×10×3 for
1/4 sec. cor.

80.28 The corner to sections 4, 5, 8,
and 9
Land level 2nd rate

Township 14 N. Range 48 W. 6th P.M.

North on a random line
between sections 4 and 5
bearing 14° East

40.00 Set a flag for temporary
1/4 sec. cor.

79.81 Intersected the North boundary
30 lks. West of the corner to
sections 4 and 5
from which corner I run

S 00° 13' W on a true line between
sections 4 and 5
bearing 14° East

39.81 Set a sand stone 14×8×6 for
1/4 sec. cor.

79.81 The corner to sections 4, 5, 8,
and 9
Land gently rolling 2nd rate

December 10th 1869

North between sections
31 and 32
Va 14°15' East

22.80 Emigrant road bearing
East and West

40.00 Set a sand stone 16x13x4 for
1/4 sec. cor

46.30 Enter bottom land bearing
N.E. and S.W

59.65 Lodge Pole creek 25 lks. wide
runs N.E.

80.00 Set a sand stone 17x11x7 for
corner to sections 29, 30, 31
and 32
Land level 2nd rate

East on a random line between
sections 29 and 32
Va 14°25' East

14.25 Lodge Pole creek 25 lks. wide runs
North

21.37 Same creek 50 lks. wide runs S.E

32.75 Same creek 75 lks. wide runs N.W.

40.00 Set a stone for temporary 1/4 sec. cor.

47.08 Same creek 25 lks. wide runs S.E.

62.00 Same creek 15 lks. wide runs North

66.90 Same creek 20 lks. wide runs S.E.

70.95 Same creek 20 lks. wide runs N.E

80.44 Intersected the N. and S. line
30 lks. North of the corner to
sections 28, 29, 32 and 33
from which corner I run

N 89°47' W on a true line between
sections 29 and 32
Va 14°25' East

40.22 Set a sand stone 14x10x7 for 1/4 sec cor

80.44 The corner to sections 29, 30, 31 and 32
Land level bottom 2nd rate

Township 14 N. Range 48 W. 6th P. M.

West on a random line between
sections 30 and 31
Va 14°15' East

40.00 Set a flag for temporarily sec. cor.
77.34 Intersected the West boundary
9 lks. North of the corner to
sections 30 and 31
from which corner I run

N 89°50' E on a true line between
sections 30 and 31
Va 14°15' East

37.34 Set a sand stone 18×15×3 for
1/4 sec. cor.
77.34 The corner to sections 29, 30, 31
and 32
Land level bottom 2nd rate

Township 14 N. Range 48 W. 6th P. M.

North between sections
29 and 30
Va 14°15' East

18.85 Center of the Union Pacific
Rail Road bearing E and W.
37.60 Leave bottom bearing N. E.
and S. W.
40.00 Set a sand stone 17×14×3 for
1/4 sec. cor.
80.00 Set a sand stone 19×9×5 for
corner to sections 19, 20, 29
and 30
Bottom land level 2nd rate
Upland rolling gravely 3rd rate

Township 14 N. Range 48 W. 5th P.M.

East on a random line
between sections 20 and 29
Va 14°25' East

40.00 Set a stone for temporary ¼ sec. cor.
80.38 Intersected the N. and S. line
4 lks. North of the corner to
sections 20, 21, 28 and 29
from which corner I run

N 89°58' W on a true line between
sections 20 and 29
Va 14°25' East

40.19 Set a sand stone 14×14×4 for
¼ sec. cor.
80.38 The corner to sections 19, 20, 29
and 30
Land rolling gravely 3rd rate

December 11th 1859

Township 14 N. Range 48 W. 5th P.M.

West on a random line
between sections 19 and 30
Va 14°20' East

40.00 Set a stone for temporary
¼ sec. cor.
59.60 A dry creek 100 lks. wide runs S. W.
76.81 Intersected the West boundary
49 lks. North of the corner to
sections 19 and 30
from which corner I run

N 89°38' E on a true line between
sections 19 and 30
Va 14°20' East

36.81 Set a sand stone 18×13×5 for
¼ sec. cor.
76.81 The corner to sections 19, 20, 29
and 30
Land rolling gravely 3rd rate

Township 14 N, Range 48 W 5th P.M.

North between sections 19 and 20
Va 14°15' East

40.00 Set a red sand stone 24×13×3
for 1/4 sec. cor.

80.00 Set a red sand stone 20×12×5
for corner to sections 17, 18,
19 and 20

Land rolling 2nd rate

Township 14 N, Range 48 W 5th P.M.

East on a random line
between sections 17 and 20
Va 14°25' East

40.00 Set a stone for temporary
1/4 sec. cor.

80.34 Intersection the N. and S. line
8 lks. South of the corner to
sections 16, 17, 20 and 21
from which corner I run

S 89°57' West on a true line between
sections 17 and 20
Va 14°25' East

40.17 Set a red sand stone 20×12×3
for 1/4 sec cor.

80.34 The corner to sections 17, 18, 19
and 20

Land rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

West on a random line
between sections 18 and 19
Var 14° 25' East

40,00 Set a flag for temporary
¼ sec. cor.

55,00 A dry creek 210 lks. wide runs
South East

76,50 Intersected the West boundary
31 lks. North of the corner to
sections 18 and 19
from which corner I run

N 89° 46' E on a true line
between sections 18 and 19
Var 14° 25' East

36,50 Set a red sand stone 17×12×3
for ¼ sec. cor.

76,50 The corner to sections 17, 18,
19 and 20
Land broken and rocky

Township 14 N. Range 48 W. 6th P.M.

North between sections
17 and 18
Var 14° East

40,00 Set a red sand stone 17×12×3
for ¼ sec. cor.

80,00 Set a red sand stone 18×10×3
for corner to sections 7, 8,
17 and 18
Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 8 and 17
Var 14° 25' East

40,00 Set a flag for temporary
¼ sec. cor.

80,02 Intersected the N. and S. line
2 lks. North of the corner to
sections 8, 9, 16 and 17
from which corner I run

N 89° 58' W on a true line
between sections 8 and 17
Var 14° 25' East

40,01 Set a red sand stone 14×12×3
for ¼ sec. cor.

80,02 The corner to sections 7, 8, 17
and 18
Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

West on a random line
between sections 7 and 18
Var 14° 30' East

40,00 Set a flag for temporary
¼ sec. cor.

75,92 Intersected the West boundary
49 lks. North of the corner
to sections 7 and 18
from which corner I run

N 89° 58' E on a true line between
sections 7 and 18
Var 14° 30' East

35,92 Set a red sand stone 15×15×3
for ¼ sec. cor.

75,92 The corner to sections 7, 8, 17
and 18
Land gently rolling 2nd rate

Township 14 N. Range 48 W. 6th P.M.

North between sections
7 and 8
Va 14°10' East

40,00 Set a red sand stone 15×12×3
for 1/4 sec. cor.

80,00 Set a red sand stone 17×12×3
for corner to sections 5, 6,
7 and 8

Land gently rolling 2nd rate

December 12th 1869

Township 14 N. Range 48 W. 6th P.M.

East on a random line
between sections 5 and 8
Va 14°25' East

40,00 Set a stake for temporary
1/4 sec. cor.

78,94 Intersected the N and S. line
11 lks North of the corner to
sections 4, 5, 8 and 9
from which corner I run

N 89°55' W on a true line between
sections 5 and 8
Va 14°25' East

39,97 Set a sand stone 17×12×3 for
1/4 sec. cor.

78,94 The corner to sections 5, 6, 7 and 8
Land level 2nd rate

Ta

Township 14 N. Range 48 W. 6th P.M.

West on a random line
between sections 6 and 7
Va 14°45' East

40 40,00 Set a flag for temporary
1/4 sec. cor

80 75.75 Intersected the West Boundary
8 lks. North of the corner
to sections 6 and 7
from which corner I run

N 89.57' E on a true line
between sections 6 and 7
Va 14°45' East

10 35.75 Set a red sand stone 16x12x3
for 1/4 sec. cor,

80 75.75 The corner to sections 5.6
7 and 8
Land level 2nd Rate

Township 14 N. Range 48 W. 6th P.M.

North on a random line
between sections 5 and 6
Va 13°30' East

40,00 Set a flag for temporary
1/4 sec cor,

79.74 Intersected the North Boundary
at the corner to sections
5 and 6
from which corner I run

South on a true line between
sections 5 and 6
Va 13°30' East

39.74 Set a red sand stone 16x10x4
for 1/4 sec. cor,

79.74 The corner to sections 5.6.7
and 8
Land level 2nd Rate

December 13th 1869

General Description

The land in the Northern and Southern parts of the Township is generaly good 2nd rate. the land through the middle of the Township is broken and roky.

The Union Pacific Rail Road runs through the South part of the Township in the valley along the North side of Ledge Pole creek. which is a beautiful stream of clear water.

List of Names

A list of the names of the individuals employed to assist in running ~~and~~ measuring or marking the lines and corners described in the foregoing field notes of Township No 14 North of the base line of Range No 48 West of the 6th Principal Meridian. showing the respective capacities in which they acted

William F. Fox	chain man
Homer Tiffany	chain man
Robert N. B. Simpson	mond man
James Long	mond man
George J. Kellogg	Flag man

We hereby certify that we assisted Philander C. Patterson, deputy surveyor in surveying and subdividing Township number fourteen North of the base line of Range number forty eight West of the Fifth Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Wm. F. Fox
Horace Tiffany
Robert N. B. Simpson
James Long
George G. Kellogg

Deputy Surveyor

Subscribed and sworn to by the persons whose names are here affixed before me a Notary Public. this 4th day of January 1870.

J M Patterson
Notary Public

I Philander C. Patterson deputy surveyor. do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869. and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Township No 14 North of the base line of Range No 48 West of the 6th Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such Survey

Philander C. Patterson
Deputy Surveyor

Subscribed and sworn to by the said Philander C. Patterson Deputy Surveyor before me this 4th day of January 1870

J. M. Patterson
Notary Public

Surveyor General's Office.
Plattsmouth, Neb. April 14th 1870.

The foregoing field notes of the Survey of the Sub-division lines of Township No. 14 North of the Base Line, of Range No. 48 West of the 6th Principal Meridian in the State of Nebraska, Executed by Philander C. Patterson, under his Contract No 29, dated July 19th 1869, in the Month of December 1869, having been critically Examined, the necessary corrections and Explanations made thereon, said field notes and the Survey they describe are hereby Approved.

Robt R. Livingston
Surveyor General.

Subdivision
of
Township No. 15. North
of
Range No. 48 West
of
6th Principal Meridian
under joint contract No 35, dated Aug. 5. 1870

Commenced October 29th 70
Finished November 2nd 1870
by
Jas McPride ~~& E B Murphy~~

Names of Assistants

Chainmen
Marcus L. Griffen
Francis J. Sullivan
Isiah Ake
Henry Boggs
Wound Builders & Flagmen
Osceola Dyer
Charles Kelley
Charles Helberg
Henry Osborne

Having run the exterior lines, with the same instrument, & Chainmen, I deem it unnecessary to retrace, the East, Boundary of section 36,

INDEX DIAGRAM, T 15 N. R 48 W 6th P.M.

6	64	5	45	4	37	3	26	2	15	1
63		62		47		36		25		14
7	61	8	46	9	35	10	24	11	13	12
60		59		48		34		23		12
18	58	17	44	16	33	15	22	14	11	13
57		56		43		32		21		10
19	55	20	42	21	31	22	20	23	9	24
54		53		41		30		19		8
30	52	29	40	28	29	27	18	26	7	25
51		50		39		28		17		6
31	49	32	38	33	27	34	16	35	5	36

Township No. 15 N. Range No. 48

West 6th Principal Meridian

North Between Sections 35 & 36

Var 14°45' E

400 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner

800 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sects 25. 26. 35 & 36

Surface rolling

Soil 2nd rate.

Township No. 15 N. Range No. 48

East	Random line Between Sects 25 & 36
	Var 14°45' E
4000	set temporary 1/4 sect post.
8000	intersect Range line 12 lks South of corner to sections 25. 30. 31. & 36 from which cor. I run
S 89°55' W	true line between sections 25 & 36.
	Var 14°45' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
8000	corner to sections 25. 26. 35. & 36.
	Surface rolling Soil 2nd rate.

West 6th Principal Meridian

North	Between Sections 25 & 26
	Var 14°45' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
4500	Ravine runs S.E.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 23, 24, 25 & 26.
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range 48

East	Random line Between Sects 24 & 25
	Var 14°45' E
4000	set temporary 1/4 sect post.
8000	intersect range line 68 lks North of corner to sections 19. 24. 25. & 30 from which corner I run
N 89°31' W	on true line between sects 24 & 25
	Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
8000	set post deposited corner to sections 23. 24. 25. & 26.
	Surface rolling Soil 2nd rate

West 6th Principal Meridian

North	Between Sections 23 & 24
	Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corners to sects 13. 14. 23. & 24.
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

East	Random line Between Sects 13 & 24. Var 14°45' E
4000	set temporary 1/4 sect post.
7990	intersect Range line 37 lks North of corner to sections 13. 18. 19. & 24 from which cor Prun
N 89°44' W	on true line between sections 13 & 24. Var 14°45' E
3995	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7990	corner to sections 13. 14. 23 & 24

Surface rolling
Soil 2nd rate.

North	Between Sections 13 & 14 Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 11. 12. 13. & 14.

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

East	on a Random line Between Sects 12 & 13	
		Var 14°40' E
4	4000	set temporary 1/4 sect post.
8	8008	intersect Range line 7 lks South of cor to sects 7. 12. 13 & 18 from which corner I run
	S 89°57' W	on true line between sections 12 & 13.
		Var 14°40' E
4	4004	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
8	8008	corner to sections 11. 12. 13. & 14.
		Surface rolling Soil 2nd rate.

North	Between Sections 11 & 12	
		Var 14°40' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.	
8.000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 1. 2. 11. & 12	
		Surface rolling Soil 2nd rate.

Township No. 15. N. Range No. 48

East on a random line between Sects 1 & 12.

Var 14°40' E

550 Ravine runs S.E.

4000 set temporary 1/4 section post.

8000 intersect Range line at corner to sections 1. 6. 7. & 12 from which corner I run

West on true line between sections 1 & 12

Var 14°40' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 1. 2. 11. & 12

Surface rolling
Soil 2nd rate.

West 6th Principal Meridian

North on a random line between Sections 1 & 12

Var 14°45' E

4000 set temporary 1/4 sect post.

8014 intersect Township line at corner to Sects 1. 2. 35. & 36. from which corner I run

South on true line between sections 1 & 12.

Var 14°45' E

4014 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.

8014 corner to sections 1. 2. 11. & 12.

Surface rolling
Soil 2nd rate.

Oct 29th 1870

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North	Between Sections 34 & 35
	Var 14° 45' E
4000	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000	set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 26. 27. 34. & 35.
	Surface roll
	Soil 2nd rate.

East on Random line	Between Sects 26 & 35
	Var 14° 45' E
4000	set temporary 1/4 sect post.
8016	intersect section line at corner to sections 25. 26. 35. & 36. from which corner I run
West	on true line between sections 26 & 35.
	Var 14° 45' E
4008	set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.
8016	corner to sections 26 27. 34. & 35.
	Surface rolling
	Soil 3rd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

No.	North	Between Sections 26 & 27
		Var 14°45' E
40	4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
80	8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 22. 23. 26. & 27.
		Surface rolling Soil 3rd rate.

East	on a Random line Between Sects 23 & 26
	Var 14°45' E
4000	set temporary 1/4 sect post.
8000	later set section line 27 lks S. of cor to sections 23. 24. 25. & 26. from which corner I run
S 89°48' W.	on true line between sections 23 & 26.
	Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 22. 23. 26. & 27.
	Surface roll Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North Between Sections 22 & 23

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 14. 15. 22. & 23.

Surface rolling
Soil 2nd rate.

East Random Line Between Sects 14 & 23

Var 14°45' E

4000 set temporary 1/4 section post.

8000 intersect sect line at corner to sections 13. 14. 23. & 24. from which corner I run

West on true line between sects 14 & 23

Var 14°45' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 14. 15. 22 & 23.

Surface rolling
soil 2nd rate.

Township No. 15 N. Range No. 48

North ~~Random~~ Between Sects 14 & 15

Var 14°45

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corners, to sections 10. 11. 14. & 15.

Surface rolling
Soil 2nd rate.

West 6th Principal Meridian

East on a Random line Between Sects 11 & 14

Var 14°40' E

4000 set temporary 1/4 section post.

8024 intersect section line 10 lks North of corner to sections 11. 12. 13. & 14. from which corner I run

N 89°56' W. on true line between sections 11. & 14.

Var 14°40' E

4012 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8024 corner to sections 10. 11. 14. & 15.

Surface roll.
Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North	Between Sections 10 & 11 Var 14° 30' E	East on Random line Between Secs. 2 & 11 Var 14° 40' E	
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.	4000	set temporary 1/4 section post.
7980		7980	intersect section line 14 lks North of corner to sections 1. 2. 11. & 12 from which corner I run
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner, to sections 2. 3. 10. & 11	N 89°54' W.	on true line between sections 2 & 11. Var 14° 40' E
	Surface roll Soil 3rd rate.	3990	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
		7980	corner to sections 2. 3. 10 & 11.
			Surface rolling Soil 2nd rate!

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North on Random line Between Sects 2 & 3

Var 14° 40' E

4000 set temporary 1/4 sect post.

6750 Having run S.E.

8010 intersect township line at corner to sections 2. 3. 34. & 35 from which corner I run

South on true line between sections 2 & 3.

Var 14° 40' E

4010 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8010 corner to sections 2. 3. 34. & 35.

Surface roll.
Soil 2nd rate.

Oct 30th 1870.

North Between Sects 33 & 34

Var 14° 45' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 27. 28. 33. & 34.

Surface rolling
Soil 3rd rate

Township No. 15 N. Range No. 48

East	Random line Between Sects 27 & 34
	Var 14°45' E
4000	set temporary 1/4 sect post.
8008	intersect section line at corner to sections 26. 27. 34. & 35 from which corner I run
West.	on true line between sections 27. & 34.
	Var 14°45' E
4004	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8008	corner to sections 27. 28. 33. & 34.
	Surface roll Soil 2nd rate.

West 6th Principal Meridian

North	Between Sections 27 & 28
	Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 21. 22. 27. & 28
	Surface rolling Soil 2nd rate.

Township No. 15 S. Range No. 48 West 6th Principal Meridian

East on Random line Between Sects 22 & 27

Var 14° 45' E

4000 set temporary 1/4 section post.

8000 intersect section line 25 lks South of corner to sections 22. 23. 26. & 27. from which corner I run

S 89° 49' W. on true line between sections 22 & 27.

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 21. 22. 27. & 28.

Surface rolling
Soil 2nd rate.

North Between Sections 21 & 22

Var 15° E.

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 15. 16. 21. & 22

Surface roll
Soil 2nd rate.

Township No. 15 N. Range No. 48

East on a Random line Between Sects 15 & 22

Var 14° 35' E

4000 set temporary 1/4 section post.

7950 intersect section line 15 lks South of corner to sections 14. 15. 22. & 23. from which corner I run

S 89° 54' W on true line between sections 15 & 22.

Variation 14° 35' E

3975 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7950 corner to sections 15. 16 21. & 22.

Surface roll
Soil 2nd rate

West 6th Principal Meridian

North Between Sections 15 & 16

Var 14° 40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 9. 10. 15. & 16

Surface rolling
Soil 2nd rate

Township No. 15 N. Range No. 48

East on Random line Between Sects 10 & 15

Var 14°40' E

4000 set temporary 1/4 sect post.

8000 intersect section line 40 lks South of cor to sects 10. 11. 14. & 15. from which corner I run

S 89°43' W on true line between sections 10 & 15.

Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner

8000 corner to sections 9. 10. 15. & 16.

Surface roll.
Soil 2nd rate.

West 6th Principal Meridian

North Between Sections 9 & 10

Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section cor

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 3. 4. 9. & 10

Surface roll.
Soil 2nd rate.

Township No. 15 N. Range No. 48

East on Random line Between Sects 3 & 10

Var 14°40' E

4000 set temporary 1/4 section post.

8000 intersect section line 25 lks North of cor to sections 2. 3. 10. & 11 from which corner I run

N 89°49' W. on true line between sections 3 & 10.

Var 14°40' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 3. 4. 9. & 10

Surface Broken
Soil 3rd rate

West 6th Principal Meridian

North on Random line Between Sects 3 & 4

Var 14°40' E

3900 Ravine runs East

4000 set temporary 1/4 section post.

7994 intersect township line at corner to sections 3. 4. 33. & 34. from which corner I run

South. on true line between Sections 3 & 4

Var 14°40' E

3994 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7994 corner to sections 3. 4. 9. & 10

Surface Broken
Soil 3rd rate.

Oct 31st 1870

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North between Sections 32 & 33
Var 14°50' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

8000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for corner to
sections 28. 29. 32. & 33.

Surface roll
Soil 2nd rate

East on Random line between Sects
28 & 33
Var 14°45' E

4000 set temporary 1/4 sect
post.

8000 intersect section line
69 lks South of corner
to sections 27. 28. 33. & 34
from which corner
Drum.

S89°38' W. on true line between
sections 28 & 33
Var 14°45' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

8000 corner to sections
28. 29. 32 & 33

Surface roll
Soil 2nd rate

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North Between Sections 28 & 29
Var 14° 50' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

8000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for corner to
sections 20. 21. 28. & 29.

Surface roll
Soil 2nd rate.

East on Random line Between Secs
21 & 28

Var 15°

4000 set temporary 1/4
section post.

7960 intersect section lines
at corner to sections
21. 22. 27. & 28. from which
Cor Pine
West. on true line between
sections 21. & 28

Var 15°

3980 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

1960 corner to sections
20. 21. 28. & 29.

Surface roll
Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North Between Sections 20 & 21
Var 14° 50' E

4000 set deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for cor to sections 16. 17. 20. & 21.

Surface rolling
Soil 2nd rate.

East Random line Between
Sections 16 & 21.
Var 14° 45' E

4000 set temporary 1/4 section post.

18000 intersect section line 27 lks South of corner to sections 15. 16. 21 & 22 from which corner I run

S 89° 48' W on true line between secs 16. & 21.
Var 14° 45' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 16. 17. 20. & 21.

Surface roll
Soil 2nd rate.

Township No. 15 N. Range No. 48

North Between Sections 16 & 17

Var 14° 45' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for 1/4 section corner.

8000 set post deposited
chared stake raised
mound of earth with
pits as per instructions
for corner to sections
8. 9. 16. & 17.

Surface roll.
Soil 2nd rate.

West 6th Principal Meridian

East on Random line Between Sects
9 & 16

Var 14° 45' E

4000 set temporary 1/4 sect
post.

18000 intersect section line
13 lks North of cor to
sections 9. 10. 15 & 16, from
which cor I run

N 89° 54' W. on true line between
sections 9 & 16.

Var 14° 45' E

4000 set post deposited
chared stake raised
mound of earth with
pits as per instruc-
tions for 1/4 section
corner.

8000 corner to sections 8.
9. 16. & 17.

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range No. 48 West 6th Principal Meridian

North Between Sections 8 & 9
Var 14° 45' E

1925 Ravine runs N.E.
4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 4. 5. 8 & 9.
Surface Broken
Soil 3rd rate.

East on Random line Between Sections 4 & 9
Var 14° 40' E

4000 set temporary 1/4 sect post
6300 Ravine runs North
7980 intersect section line 20 lks North of cor to sections 3. 4. 9. & 10, from which corner Broken
N 89° 51' W on true line between sections 4 & 9.
Var 14° 40' E
39 80 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner
7980 corner to sections 4. 5. 8. & 9.
Surface rolling
Soil 3rd rate.

Township No. 15 N. Range #48

North	on Random line Between Sects 4 & 5
	Var 14°40' E
2625	ravine runs East.
4000	set temporary 1/4 sect post.
7925	intersect Township line at corner to sections 4.5.32.&33, from which cor I run
South	on true line between sections 4 & 5
	Var 14°40' E
3925	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
7925	corner to sections 4.5.8.&9.
	Surface rolling Soil 3rd rate.
	November 1st 1870

West 6th Principal Meridian

North	Between Sections 31 & 32
	Var 15° E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner
8000	set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 29.30.31.&32
	Surface rolling Soil 2nd

Township No. 15 N. Range 48

East | Random line Between Sections 29 & 32

Var 14°50' E

4000 set temporary 1/4 section post.

8038 intersect section line at corner to sections 28.29.32. & 33. from which corner I run

West. on true line between Sections 29. & 32.

Var 14°50' E

4019 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8038 corner to sections 29.30.31. & 32

Surface rolling Soil 2nd rate.

West 6th Principal Meridian

West | Random line Between Sects 30 & 31

Var 14°45' E

4000 set temporary 1/4 section post.

7410 intersect 6th Guide Meridian West, 10 lks North of corner to sections 25.30.31. & 36. from which corner I run

N 89°55' E on true line between sections 30 & 31.

Var 14°45' E

3410 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

7410 corner to sections 29.30 31. & 32.

Surface rolling Soil 2nd rate.

Township No. 15. N. Range No. 48

North Between Sections 29 & 30
Var 16° 10' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for cor to sections 19. 20. 29. & 30

Surface level
Soil 1st rate.

West 6th Principal Meridian

East Random line Between Sects 20 & 29.
Var 14° 50' E

4000 set temporary 1/4 section post.

8012 intersect section line at corner to sections 20. 21. 28. & 29. from which corner I run.

West. on true line between sects 20 & 29.
Var 14° 50' E

4006 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8012 corner to sections 19. 20. 29. & 30

Surface rolling
Soil 2nd rate

Township No. 15 N. Range No. 28 West 6th Principal Meridian

West on Random line Between Sects 19 & 30

Var 15°15' E

4000 set temporary 1/4 sect post.

7470 intersect 6th Guide Meridian West, at corner to sections 19. 24. 25. & 30. from which corner I run

East on true line, between sects 19. & 30

Var 15°15' E

3470 set post deposited charred stake, raised mound of earth with pits as per instructions for 1/4 section corner.

7470 corner to sections 19. 20. 29. & 30.

Surface rolling soil 2nd rate.

North Between Sections 19 & 20

Var 14°50' E

4000 set post deposited charred stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited charred stake raised mound of earth with pits as per instructions for corner to sections 17. 18. 19. & 20

Surface rolling Soil 2nd rate.

Township No. 15 N. Range #48 West 6th Principal Meridian

East	on Random line Between Sections 17 & 20	West	on Random line Between Sections 18 & 19
	Var 14°45' E		Var 14°45' E
4000	set temporary 1/4 sect post	4000	set temporary 1/4 section corner.
8000	intersect section line at corner to sections 16. 17. 20. & 21. from which cor I run	7432	intersect 6th Guide Mer.n W. ~~range line~~ 27 lks North of corner to sections 13. 18. 19. & 24 from which corner I run
West	on true line between sects 17. & 20	N 89°44' E	on true line between sects 18. & 19.
	Var 14°45' E		Var 14°45' E
4000	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.	3432	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
8000	corner to sections 17. 18 19. & 20.	7432	corner to sections 17. 18. 19. & 20.
	Surface rolling Soil 2nd rate.		Surface rolling Soil 2nd rate.

Township No. 15 N. Range 48

North Between Sections 17 & 18

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner. to sections 7. 8. 17. & 18

Surface roll
Soil 2nd rate.

West 6th Principal Meridian

East Random line Between Sects 8 & 17

Var 14° 45' E

4000 set temporary 1/4 section post.

8000 intersect section line 11 lks South of corner to sections 8. 9. 16. & 17 from which corner Prun

S 89° 55' W on true line between sects 8 & 17.

Var 14° 45' E

4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.

8000 corner to sections 7. 8. 17. & 18.

Surface rolling
Soil 2nd rate.

Township No. 15 N. Range 48

West Random line Between Sects 7 & 18

Var 14°45' E

115 Ravine runs N.E.
600 Ravine runs S.E.
1900 Ravine runs N.E.
3650 Ravine runs S.E.
4000 set temp 1/4 section post
7410 intersect 6th Guide Mer. N. ~~range line~~ at cor to Sects 7. 12. 13. & 18. from which cor I run
East. on true line betw Sects 7 & 18

Var 14°45' E

3410 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7410 corner to sections 7. 8. 17. & 18

Surface rolling
Soil 3rd rate.

West 6th Principal Meridian

North Between Sections 7 & 8

Var 14°45' E

100 Ravine runs N.E.
4000 set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 sect corner.
8000 set post deposited chared stake raised mound of earth with pits as per instructions for corner to sections 5. 6. 7. & 8.

Surface rolling
Soil 3rd rate.

Township No. 15 N. Range No. 48

East	on Random line Between Sects 5 & 8
	Var 14°45' E
4000	set temporary 1/4 sect post
7988	intersect section line 37 lks North of corner to sections 4. 5. 8. & 9. from which corner I run
N 89°44' W.	on true line between sections 5 & 8
	Var 14°45' E
3994	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7988	corner to sections 5. 6. 7. & 8.
	Surface Broken Soil 3rd rate

West 6th Principal Meridian

West	on Random line Between Sects 6 & 7
	Var 14°50' E
4000	set temporary 1/4 section post.
7390	intersect 6th Guide Mn. W. ~~Range line~~ 37 lks North of corner to sections 1. 6. 7. & 12. from which corner I run
N 89°43' E	on true line between sections 6. & 7.
	Var 14°50' E
3390	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7390	corner to sections 5. 6. 7. 8
	Surface rolling Soil 2nd rate.

Township No. 15 N. Range 48

West North	6th Principal Meridian Random Between Sects 5 & 6
	Var 14°45' E
3875	Ravine Bears East.
4000	set temporary 1/4 sect post.
7935	intersect Township line 22 lks East of corner to sections 5.6.31. & 32 from which corner Run
8°9' E	on true line between sections 5 & 6.
	Var 14°45' E
3935	set post deposited chared stake raised mound of earth with pits as per instructions for 1/4 section corner.
7935	corner to sections 5.6. 7 & 8.

Surface rolling
Soil 3rd rate.

November 2nd 1870

General Discription

The land in this Township is good 2nd rate quality & well adapted for farming. The surface is gently rolling. There is neither water or timber in the Township.

(2) Affidavit

I James McBride Deputy Surveyor, do solemnly swear that, in pursuance of a joint contract, wherein James McBride & Edward B. Murphy are joint contractors with Robert R. Livingston United States, Surveyor General for Iowa & Nebraska bearing date 5th day of August 1870. I have well, faithfully and truly, in my own, proper person & in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the laws of the United States surveyed the exterior lines of Townships 15 & 16 Ranges 43. 44. 45. 46. 47. & 48 & surveyed & subdivided into sects. Townships 14 Ranges 41. 42. 43. 44. 45 & 46" & Townships 15 Ranges 41. 42. 43. 44. 45. 46. 47 & 48 - all North of the base line and West of the 6th Principal Meridian in the State of Nebraska, as represented in the foregoing field notes as having been surveyed under my direction; and do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual & printed instructions, and that the foregoing are the true and original field notes of such survey

James McBride
Deputy Surveyor

Subscribed in my presence and Sworn to before me on this the 30th 15th day of November A.D. 1870.

Dan McWhuler
Notary Public Cass Co
Nebraska

(1) Affidavit

We certify that we assisted Jas McBride and E. B. Murphy deputy surveyors in surveying the exterior lines of townships No. 15 & 16. North, Ranges 43. 44. 45. 46. 47 & 48 West of the 6th Principal Meridian (also the subdivisions of townships No. 14. North Ranges 41. 42. 43. 44. 45. 46 W. also township No. 15 North Ranges 41. 42. 43. 44. 45. 46. 47 & 48 West of 6th Principal Meridian) & said townships have been in all respects, to the best of our knowledge & belief well and faithfully surveyed and the boundary monuments planted according to instructions furnished by the Surveyor general.

Chainman Francis J Sullivan
" Marcus S Griffin
" Asaiah Ax
" Harry Boggs.
Flagmen & mound builders

Charles Kelley
Charles Helberg

Henry Adams

Subscribed and sworn to by the above named persons before me a Clerk of the District Court within and for Lincoln County in the State of Nebraska this the 20th day of November AD 1870

R C Dougherty
Clerk of the District Court within and for Lincoln County Nebraska

Surveyor General's Office
Plattsmouth Nebr. Jany. 7. 1871

The foregoing field notes of the survey of the sub-divisions lines of Township No. 15 North of the Base Line, Range No. 28 West of the Sixth Principal Meridian in the State of Nebraska, executed by James McBride under first contract of the 5th day of August 1870 wherein James McBride & Edward B. Worsley are joint contractors, in the months of Oct. & Nov. 1870 - having been critically examined the necessary corrections and explanations made the foregoing field notes & the surveys they describe are hereby approved

Robt. R. Livingston
Surveyor General.

Field Notes

of

The Survey & Subdivision

of

T. 16 N. N. of Base Line

of

R. 48 N. W. of 6th P.M.

in Nebraska

Executed

by Alexander Schlegel deputy surveyor under joint Contract No. 94 bearing date the day of July 1st 1875.

Survey

Commenced July 15th 1875

Completed July 19th 1875

List of Names

and duties of assistants

Henry Kirkham } Chainmen

Henry C. Sharp }

Herman Lutzen

Charles Olsen Monumenter

Index Diagram

Town 16 N. R 48 West



T. 16 N. R. 48 W.

Ch.

To determine the proper adjustments of my Compass for Subdividing this Township I commenced at the corner to Townships 15 & 16 N. Rs. 47 & 48 of 6th P.M. and run N on a blank line along E. bdry of Sec. 36.

Va 14° 11' E.

40.00 To a point 10 links E. of N. Sec. cor.

80.05 " " " 21 " E. cor to Secs 25 & 36.

~~80.05~~ To retrace this line or run parallel thereto my Compass must be adjusted to a

Va of 14° 20' E.

Survey commenced July 15th 1875

T. 16 N. ~~48~~ R. 48 W 6th PM

chains	
	N betn Secs. 25 & 36 Va 14° 20 E.
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr. sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 25. 26. 35 & 36
	Level prairie Soil 1st rate

T. 16 N. R. 48 W 6th PM.

chains	
	E on random line betn Secs. 25 & 36 Va 14° 20' E.
40.00	Set stake for temporary ¼ Sec cor
79.60	Intersect E. boundary of Township at cor to Sections 25 & 36 from which cor I run West on true line betn Secs. 25 & 36 Va 14° 20' E.
39.80	Raised mound of earth with 2½ feet high from pits 18 x 24 x 12 in deep for gr. sec. cor
79.60	The cor to Secs. 25. 26. 35 & 36 Land level prairie Soil 1st rate

T. 16 N. R. 48 W 6th PM

chains	
	N betn Secs 25 & 26
	Va 14° 20 E
40.00	Raised mound of earth 2½ ft high from pits 18×24×12 in deep for ¼ sec. cor
80.00	Raised mound of earth 3 ft high from pits 18×24×12 in deep for cor to Secs 23. 24 - 25 & 26
	Level prairie Soil 1st rate

T 16 N R 48 W 6th PM

chs.	
	E on random line betn Secs. 24 & 25
	Va 14° 20 E.
40.00	Set post for temp ¼ sec. cor
79.50	Intersect E. boundary of Township 70 links S of corner to Sections 24 & 25. from which cor I am S. 89° 30' W on true line betn Secs 24 & 25.
	Va 14° 20' E
39.75	Raised mound of earth 2½ ft high from pits 18×24×12 in deep for ¼ Sec. cor
79.50	The cor to Secs. 23. 24. 25 & 26
	Level prairie Soil 1st rate

T16 N. R48 W 6th PM

chs	
	N bet'n Secs. 23 & 24
	Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	Raised mound of earth 3½ ft high from pits 24 x 24 x 12 in deep for cor to Secs 13. 14. 23 & 24.
	Level prairie Soil 1st rate

T16 N. R48 W 6th PM

chs	
	E on random line bet'n Secs. 13 & 24
	Va 14° 20' E.
40.00	Set post for temporary ¼ Sec. cor
811.41	Intersect E. boundary of Township 80 links South of Corner to Secs 13 & 24 from which cor I run S. 89° 26' W. on true line bet'n Secs. 13 & 24
	Va 14° 20' E.
41.20	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
80.40	The Cor to Secs. 13. 14. 23 & 24
	Level prairie Soil 1st rate

T. 16 N. R. 48 W 6th P.M.

chs	
	N. bet^n Secs 13 & 14
	Va 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 11. 12. 13 & 14
	Level prairie Soil 1st rate

T. 16 N. R. 48 W 6th P.M.

chs	
	E on random line bet^n Secs. 12 & 13
	Va 14° 20' E
40.00	Set post for temporary ¼ Sec. cor
80.45	Intersect E boundary of Township 70 lks South of Cor to Secs. 12 & 13. from which cor I run
	S. 89° 30' W on true line between Secs 12 & 13.
	Va 14° 20' E
40.22½	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.45	Pile cor to Secs. 11. 12. 13 & 14
	Land level prairie Soil 1st rate

T 16 N R 48 W 6th PM.

chs	
	N betn Secs. 11 + 12
	Va 14° 20 E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 1. 2. 11 + 12
	Level prairie Soil 1st rate

T. 16 N. R 48 W 6th PM

chs	
	E on random line betn Secs. 1 + 12
	Va 14° 20' E
40.00	Post for temporary ¼ Sec. cor
80.00	Intersect E. boundary of Township 37 links South of corner to Secs. 1 + 12 from which cor. I run S. 89° 42' W on true line betn Secs. 1 + 12
	Va 14° 20' E
40.07	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.14	Pile cor to Secs. 1. 2. 11 + 12
	Level prairie Soil 1st rate

T. 16 N. R 48 W 6th PM

Chs	
	Non. true line betn Secs. 1 & 2 Va 14° 20' E.
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for 1/4 Sec. cor
81.35	Intersect. 4th Standard Parallel N. 5.07 links west of 1/4 Sec cor on South side of Sec 31. T. 17. N. R. 47. W. where raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for closing cor to Secs. 1 & 2 T. 16. N. R. 48 W.
	Level prairie Soil 1st rate
	July 15th 1875

T. 16 N. R. 48 W 6th PM

Chs	
	N betn Sec. 34 & 35 Va 14° 20' E
40.00	Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in dep for 1/4 Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 10 in dep for cor to Secs. 26. 27. 34 & 35.
	Level prairie Soil 1st rate

T 16 N R 48 W 6th PM

chs	
	E on random line betn Secs. 26 & 35 Va 14° 20' E.
40.00	Set post for temporary 1/4 Sec cor.
80.00	Intersect N & S. line at mound cor to Secs. 25. 26. 35 & 36 from which cor. Drum West on true line betn Secs 26 & 35, Va. 14° 20' E
40.00	Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for N Sec. cor
80.00	The corner to Secs. 26. 27. 34 & 35, Level prairie Soil 1st rate

T 16 N R 48 W 6th PM

chs	
	N betn Secs. 26 & 27 Va 14° 20' E
40.00	Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 22. 23. 26 & 27 Level prairie Soil 1st rate

T16N R48W 6th PM

chs.	
	Con random line betn Secs. 23 & 26 Va 14° 20' E
40.00	Set post for temp'y 1/4 Sec cor
79.65	Intersect N. & S. line 12 lks N of cor to Secs. 23. 24. 25 & 26. from which cor. I run N. 89° 55' W. on true line betn Secs. 23 & 26 Va 14° 20' E
39.82½	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for 1/4 Sec cor
79.65	The cor to Secs 22. 23 26 & 27 Level prairie Soil 1st rate

T16N R48W 6th PM

chs.	
	N betn Secs. 22 & 23 Va 14° 20' E
41.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in dep for 1/4 Sec. cor
81.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for cor to Secs. 14 15. 22 & 23
	Rolling prairie Soil 1st rate

T 16 N R 48 W 6th P.M.

	E on random line betn Secs. 14 & 23 Va 14° 20' E
40.00	Set post for temp 1/4 Sec cor
80.10	Intersect N & S. line at cor to Secs. 13. 14 23 & 24. from which cor I run West on true line betn Secs. 14 & 23, Va 14° 20' E
40.05	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.10	The cor to Secs. 14. 15. 22 & 23
	Rolling prairie Soil 2nd rate

T 16 N R 48 W 6th P.M.

	N betn Secs. 14 & 15 Va 14° 20 E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 10. 11 14 & 15
	Rolling prairie Soil 1st rate

T 16 N R 48 W 6th PM

Chs	
	E on random line betn Secs 11 & 14 Va 14° 20' E
40.00	Set post for temp 1/4 Sec cor
81.00	Intersect N & S. line at cor to Secs. 11, 12, 13 & 14 from which cor I run West on true line betn Secs. 11 & 14 Va 14° 20' E
40.00	Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr. sec. cor
81.00	The cor to Secs. 10, 11, 14 & 15 Level prairie soil 1st rate

T. 16 N R 48 W 6th P.M.

Chs	
	N betn Secs 10 & 11 Va 14° 20' E.
40.00	Raised mound of earth 2 1/2 ft high from pits 18 x 24 x 12 in deep for qr. sec. cor
81.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 2, 3, 10 & 11 Level prairie soil 1st rate

T 16 N R 48 W 6th PM

chs	chs	
		Conrandom line betn Secs. 2 & 11 Va 14° 20' E
40.00	40.00	Set post for temporary 1/4 Sec cor
81.60	79.60	Intersect N & S. line 30 lks S of cor to Secs. 1. 2. 11 & 12. from which cor I run S. 89° 47' W. on true line bet Secs. 2 & 11 Va. 14° 20' E.
40.00	39.80	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor
81.60	79.60	The Cor to Secs Rolling prairie 2d rate

T 16 N R 48 W 6th PM

chs	
	Non true line betn Secs. 2 & 3 Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
81.50	Intersect 2d Standard Parallel N 5.01 chs W. of 1/4 Sec. cor on South side of Sec. 36. T. 17 N. R 48 W where Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for closing cor to Secs. 2 & 3 T. 16. N. R. 48 W. July 16th 1875 Level Prairie Soil 2d rate

T 16 N R 48 W 6th PM

chs	
	N bet. Secs 33 & 34
	Va 14° 20' E
40.00	41.11.11 Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor in
81.11	80.00 Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 27. 28 33 & 34
	Land level soil first rate
40.0	
81.1	

T 16 N R 48 W. 6th PM

chs	
	E on random line bet. Secs. 27 & ~~35~~ 34
	Va 14° 20' E.
40.11.11	Set post for temply 1/4 Sec cor
81.11.12	Intersect N & S. line 5 links S. of cor to Secs. 26. 27. 34 & 35 from which cor S. run
	S 89° 58' W. on true line bet. Secs 27 & 35
	Va 14° 20' E
41.11.11	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
81.11.12	The Cor to Secs. 27. 28. 33 & 34
	Level soil 1st rate

T

T 16 N R 48 W 6th PM

chs	
	N betn Secs 27 & 28
	Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr. sec cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to secs. 21. 22. 27 & 28
	Level soil 2° rate

T 16 N R 48 W 6th PM

chs	
	E on random line betn Secs. 22 & 27
	Va 14° 20' E
40.00	Raised mound for temporary ¼ sec. cor
80.12	Intersect N & S. line 15 lks N of cor to Secs 22. 23. 26 & 27 from which cor I run
	N. 89° 54' W on true line bet Secs 22 & 27
	Va. 14° 20' E
40.06	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for gr. Sec. cor
80.12	The cor to Secs. 21. 22. 27 & 28
	Level soil 2° rate

T 16 N R 48 W 6th PM

chains	
	N betn Secs 21 & 22
	Va 14° 20' E.
40.00	Raised mound of earth 3 ft high from pits 18 & 24 x 12 in deep for 1/4 Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 & 24 x 12 in deep for cor to Secs. 15, 16 21 & 22.
	Level soil 2° rate

T 16 N R 48 W 6th PM

chs	
	E on random line betn Secs. 15 & 22
	Va 14° 20' E
40.00	Set post for temporary 1/4 Sec cor
80.00	Intersect N & S. line at corner to Secs 14, 15, 22 & 23 from which corner I run
	West on true line between Secs 15 & 22.
	Va. 14° 20' E
40.00	Raised mound of earth 2 1/2 ft high from pits 18 & 24 x 12 in deep for gr. Sec. cor
80.00	The cor to Secs. 15, 16, 21 & 22
	Level land soil 1st rate

T16 N R48W 6th PM

Chs		
	N betn Secs 15 & 16 Va 14°20' E	
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for qr. sec. cor	
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for cor to Secs 9.10.15 & 16.	
	Rolling Soil 1st rate	

T16 N R48W 6th PM

Chs		
	E on random line betn Secs. 10 & 15 Va 14°20' E	
40.00	Set post for temply 1/4 Sec. cor	
80.115	Intersect E & W & S. line 7 links South of corner to Secs 10.11.14 & 15 from which cor I run S. 89°57' W. on true line betn Secs. 10 & 15 Va 14°20' E	
40.112½	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in dep for 1/4 Sec. cor	
80.115	The cor to Secs 9.10.15 & 16. Level Soil 2d rate	

T. 16 N R 48 W 6th PM

Chs	
	N betn Secs 9 & 10
	Va 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 3. 4. 9 & 10
	Level
	Soil 2d rate

T. 16 N R 48 W 6th PM

Chs	
	E on random line betn Secs. 3 & 10
	Va 14° 20' E.
40.00	Set post for temp 1/4 Sec. cor
79.40	Intersect N & S. line at corner to Secs. 2. 3. 10 & 11. from which cor I run
	West on true line betn Secs. 3 & 10
	Va 14° 20' E
39.70	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for qr. Sec. cor
79.40	The cor to Secs. 3. 4. 9 & 10
	Level
	Soil 2d rate

T. 16 N R 48 W 6th PM

chs	
	N on true line betn Secs. 3 + 4 Va 14° 20' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr sec. cor
81.65	Intersect 4th Standard Parallel N. 3.61 chs. W of ¼ Sec cor on South side of Sec 35, T. 17 N. R 48 W. fo here
	~~Set~~ Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for closing cor betn Secs. 3 + 4,
	Land rolling Soil 1st rate
	July 14th 1875

T 16 N R 48 W 6th PM

chs	
	N betn Secs. 32 + 33 Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 28 + 29 + 32 + 33
	Level
	Soil 2d rate

T 16 N R 48 W 6th PM

chs	
	Eon random betn Secs 28 & 33
	Va 14° 20' E
40.00	Raised mound for temporary 1/4 Sec. cor
79.69	Intersect N & S. line 7 links N of corner to Secs 27. 28. 33 & 34 from which corner I run
	N. 89° 57' W on true line betn Secs. 28 & 33.
	Va. 14° 20' E
39.84½	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
79.69	The cor to Secs 28. 29. 32 & 33
	Level
	Soil 1st rate

T 16 N R 48 W 6th PM

chs	
	N betn Secs 28 & 29
	Va 14° 20' E.
41.111	Raise mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for gr. Sec. cor
80.111	Raise mound of earth 3 ft high from pits 18 x 24 x 12 in deep for corner to Secs. 20. 21. 28 & 29.
	Level Land
	Soil 1st rate

T 16 N R 48 W 6th PM

Chains	
	E on random line betn Secs 21 & 28 Va 14° 20' E
40.00	Set post for temp 1/4 Sec cor
80.00	Intersect N & S. line 14 links S of corner to Secs. 21. 22. 27 & 28 from which cor S. run S. 89° 54' W on true line betn Secs. 21 & 28 Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.00	Cor to Secs. 20. 21. 28 & 29. Level Soil 1st rate

T 16 N R 48 W 6th PM

Chains	
	N betn Sec. 20 & 21 Va 14° 20' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.00	Raised mound of earth 2 ft high from pits 18 x 24 x 12 in deep for Cor to Secs. 16. 17. 20 & 21 Level Soil 1st rate

T. 16 N. R 48 W 6th P.M.

chains	
	E on random line betn Secs. 16 & 21 Va 14° 20' E
40.00	Raised mound of earth for temporary qr Sec cor
80.01	Intersect N & S. line 5 links N of cor to Secs 15. 16. 21 & 22 from which corner I run N. 89° 58' W. on true line betn Secs. 16 & 21 Va. 14° 20' E
40.00½	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
80.01	The cor to Secs. 16. 17. 20 & 21 Level Soil 1st rate

T. 16 N R 48 W 6th PM

chs	
	N betn Secs 16 & 17 Va 14° 20' E.
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for qr. Sec. cor
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 12 in deep for cor to Secs 8. 9. 16 & 17
	Level Soil 1st rate

T 16 N R 48 W 6th PM

Chs	
	Contraudom line betn Secs. 9 & 16 Va 14° 20' E
40.00	Set post for temporary 1/4 Sec cor
80.04	Intersect N & S. line 3 links N of cor to Secs 9. 10. 15 & 16 from which cor I run N. 89° 59' W. on true line betn Secs. 9 & 16 Va 14° 20' E
40.02	Raised mound of earth 2 1/2 ft high from pits 18 x 24 & 12 in deep for 1/4 Sec cor
80.04	Cor to Secs. 8. 9. 16 & 17 Level Soil 1st rate

T 16 N R 48 W 6th PM

Chs	
	N betn Secs. 8 & 9. Va 14° 20' E
40.00	Raised mound of earth 2 1/2 feet high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 4. 5 8 & 9. Level Soil 2d rate

T 16 N R 48 W 6th PM

chs	
	E on random line betn Secs. 4 & 9 Va 14° 20' E
40.00	Raised mound for temporary ¼ Sec. cor
80.00	Intersect N & S line at cor to Secs. 3. 4. 9 & 10 from which cor I run West on true line betn Secs 4 & 9 Va. 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep for ¼ Sec cor
80.00	The cor to Secs. 4. 5. 8 & 9 Level Soil 1st rate

T 16 N R 48 W 6th PM

chs	
	N on true line betn Secs 4 & 5 Va 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for ¼ Sec cor
81.60	Intersect 4th Standard Parallel N. 4.27 chs W of ¼ Sec cor on S side of Sec. 34 T. 17 N R 48 W where Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep for closing cor to Secs. 4 & 5 T. 16 N. R. 48 W Level Soil 2d rate July 18th 1875

T 16 N R 48 W 6th PM

Chains	
	N bet. Secs 31 & 32
	Va 14° 20' E.
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in dep for ¼ Sec. cor
59.00	Head of Drain S. E. water in holes
80.00	Raised mound of earth 3½ ft high from pits 18 x 24 x 12 in dep for Cor to Secs. 29, 30 31 & 32
	Rolling Soil 1st rate

T 16 N R 48 W 6th PM

Chs	
	E on random line bet. Secs. 29 & 32
	Va 14° 20' E
40.00	Raised mound of earth for temporary ¼ Sec. cor
80.00	Intersect. N & S. line at cor to Secs 28, 29, 32 & 33 from which cor 2 run
	W on true line between Secs. 29 & 32
	Va 14° 20' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in dep for ¼ Sec. cor
80.00	The cor to Secs. 29, 30, 31 & 32
	Level
	Soil 1st rate

T. 16 N. R. 48 W 6th P.M.

Chains	
	W on random line betn Secs 30 & 31 Va 14° 20' E
40.00	Raised mound of earth for
45.00	temporary 1/4 Sec cor
75.20	Drain S.E. water in holes Intersect W boundary of Town ship 5 links N of cor to Secs. 30 & 31 from which cor I run N. 89° 58' E on true line between Secs. 30 & 31 Va 14° 20' E
35.20	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
75.20	The cor to Secs. 29. 30. 31 & 32 Level
	Soil 1st rate

T. 16 N R. 48 W 6th P.M.

Chs	
	N betn Secs 29 & 30 Va 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 19. 20. 29 & 30
	Land level
	Soil 1st rate

T. 16 N. R. 48 W. 6th P.M.

chs	
	E. on random line betn Secs. 20 & 29 Va. 14° 20' E
40.00	Set post for temply W. Sec. cor
80.30	Intersect N. & S. line 2 links N. of cor to Secs. 20. 21. 28 & 29 from which cor I run N. 89° 59' W. on true line betn Secs. 20 & 29 Va. 14° 20' E.
40.15	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for W. Sec. cor
80.30	The cor to Secs. 19. 20. 29 & 30 Level Soil 1st rate

T. 16 N. R. 48 W. 6th P.M.

chs	
	West on random line betn Secs. 19 & 30 Va. 14° 20' E
40.00	Set post for temply W. Sec. cor
75.10	Intersect West boundary of Township at post cor to Secs. 19 & 30 from which cor I run E. on true line betn Secs. 19 & 30 Va. 14° 20' E
35.10	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for W. Sec. cor
75.10	The cor to Secs. 19. 20. 29 & 30 Level Soil 1st rate

T. 16 N R 48 W 6th PM

Chs	
	N betn Secs 19 & 20
	Va 14° 20' E
40.00	Raised mound of earth 2½ feet high from pits 18 x 24 x 12 in deep for ¼ Sec cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs 17, 18, 19 & 20.
	Level Soil
	1st rate

T 16 N R 48 W 6th PM

Chs	
	E on random line betn Secs. 17 & 20
	Va 14° 20' E
40.00	Raised mound for temp ¼ Sec cor
80.00	Intersect N & S. line 7 links S. of cor to Secs 16, 17, 20 & 21 from which cor S. run
	S. 89° 57' W on true line betn Secs 17 & 20
	Va 14° 20' E.
40.00½	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	The cor to Secs. 17, 18, 19 & 20
	Level
	Soil 2d rate

T 16 N R 48 W 6th PM

Chs	
	N on random line betn Secs. 18 & 19 Va 14° 20' E
40.00	Set post for temp 1/4 Sec cor
75.42	Intersect W boundary of Township 5 links N of cor to Secs. 18 & 19 from which cor I run N. 89° 55' E on true line betn Secs. 18 & 19 Va 14° 20' E
35.42	Raised mound of earth two feet high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
75.42	The cor to Secs 17. 18. 19 & 20. Land level soil 2d rate

T 16 N R 48 W 6th PM

Chs	
	N betn Secs 17 & 18 Va 14° 20 E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor.
80.00	Raised mound of earth 3 feet high from pits 18 x 24 x 12 in deep for cor to Secs 7. 8. 17 & 18 Land level Soil 2d rate

T 16 N R 48 W 6th PM

chs	
	E on random line betn Secs 8 & 17
	Va 14° 20 E
41.111	Raise mound of earth for
	temp 1/4 Sec cor
79.82	Intersect N & S. line 10 lks S
	of cor to Secs 8. 9. 16 & 17
	from which cor I run
	S 89° 56' W on true line betn
	Secs 8 & 17
	Va 14° 20' E
39.91	Raised mound of earth 3 ft high
	from pits 18 x 24 x 12 in deep
	for 1/4 Sec. cor
79.82	The cor to Secs 7. 8. 17 & 18
	Land level
	Soil 1st rate

T 16 N R 48 W 6th PM

chs	
	W on random line betn Secs. 7 & 18
	Va 14° 20' E
41.111	Set post for temp 1/4 Sec cor
75.41	Intersect W. boundary of Township
	at cor to Secs. 7 & 18, from
	which cor I run
	E on true line betn Secs. 7 & 18
	Va 14° 20' E.
35.41	Raised mound of earth 3 ft high
	from pits 18 x 24 x 12 in deep for
	1/4 Sec cor
75.40	The cor to Secs 7. 8. 17 & 18
	Level
	Soil 1st rate

T 16 N R 48 W 6th P.M.

chs	
	N betn Secs 7 & 8
	Va 14° 20' E
40.00	Raised mound of earth 2½ ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
80.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for cor to Secs. 5, 6, 7 & 8.
	Land level
	Soil 1st rate

T 16 N R 48 W 6th P.M.

chs	
	E on random betn Secs. 5 & 8
	Va 14° 20' E
40.00	Raised mound for temp ¼ Sec. cor
79.60	Intersect N. & S. line 31 links South of corner to Secs 4, 5, 8 & 9 from which cor bears
	S. 89° 47' W on true line betn Secs 5 & 8
	Va. 14° 20' E
39.80	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for ¼ Sec. cor
79.60	The cor to Secs. 5, 6, 7 & 8.
	Land rolling
	2d rate

T 16 N R 48 W 6th PM

chs	
	Non random line betn Secs. 6 & 7
	Va 14° 20' E
40.00	Set post for temp 1/4 Sec cor
75.50	Intersect W. boundary of Township 4 links N of cor to Secs 6 & 7. from which cor. I run N 89° 58' E on true line bet Secs. 6 & 7
	Va 14° 20' E
35.50	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec cor
75.50	The cor to Secs. 5. 6. 7 & 8 found level
	Soil 2d rate

T 16 N R 48 W 6th PM

chs	
	Non ~~true~~ line betn Secs 5 & 6
	Va 14° 20' E
40.00	Raised mound of earth 3 ft high from pits 18 x 24 x 12 in deep for 1/4 Sec. cor
81.20	Intersect 4th Standard Parallel N 3.60 chains W. of 1/4 Sec cor on S. side of Sec. 33. T. 17 N. R. 48 W. where
	Raised mound of earth 3 feet high from pits 18 x 24 x 12 in deep for closing cor. to Secs 5 & 6. T. 16 N. R. 48 W.
	Level. Soil 2d rate
	July 19th 1875

General Description

This Township contains 1st and 2° rate soil. covered with Buffalo grass - there is only surface water found in the Township in Buffalo Wallows No timber or stone.

List of Names

a list of the names of the individuals employed & assist in running measuring or marking the lines and corners described in the foregoing field notes of T. 16 N of Base Line of R 48 W. of 6th P.M. showing the respective capacities in which they acted.

Henry Kirkham } Chainmen
Henry C. Sharp }
Norman Sutzer } Monumenter
Charles Olsen }

We hereby certify that we assisted Alexander Richard deputy Surveyor in Surveying and Subdividing Town 16 N. of Base Line of R 48 W of 6th P.M. in the State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary Monuments planted according to the instructions of the Surveyor General of dimensions character construction & marking and in the manner as specifically described in the foregoing field notes

Henry Kirkham Chainmen
Henry C. Sharp
Norman Sutzer Monumenter
Charles Olsen

Subscribed & Sworn to before me a Justice of the Peace in and for Cheyenne County & State of Neb. this 31st day of July 1875

A. F. McCormack
Justice of the Peace

I Alexander Schlegel
deputy Surveyor, do solemnly swear

that in pursuance of a joint Contract wherein Alexander Schlegel and Wm Dn McBroom are joint Contractors with E. E. Cunningham, United States Surveyor General for the district of Nebraska & Iowa, bearing date the 1st day of July 1875. I have well faithfully & truly in my own proper person and in strict conformity with the instructions of the surveyor General, the Surveying Manual and the Laws of the United States, Surveyed all those parts or portions of Township 16 N of Base Line of Range No 48 West of 6th P.M. in the State of Nebraska. as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual & printed instructions and special instructions of the Surveyor General, of dimensions, character, construction & marking and in the manner as specifically described in the foregoing field notes. and that the foregoing are the true and original field notes of such survey.

Alexander Schlegel
Deputy Surveyor

Subscribed & sworn to before me a Justice of the Peace in and for Cheyenne County & State of Nebraska this 31st day of July 1875

A. H. McCormick
Justice of the Peace

Surveyor Generals Office
Plattsmouth Neb Aug 23d 1875.

The foregoing field notes of the survey of the Subdivision Lines of Township No. 16. North of the Base Line, of Range No 48 West of the 6th Principal Meridian in the State of Nebraska, executed by Alexander Schlegel under Joint Contract No. 94. of July 1st 1875. in the month of July 1875. having been critically examined the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Jno. R. Clark.

Surveyor General.

General Land Office • Original Field Notes

Book Number

676

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.