General Land Office • Original Field Notes

Book Number

688

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

46 T. 12-16 N.
R. 50. W.

Contract No. 2 46.

Field Notes
of
Fractional T. 12 N.,
Range 50 West

Field Notes

of the subdivision lines
in Township 12 North
Range 50 West of the 6th
Principal Meridian in
the State of Nebraska by
Philander G. Patterson
Deputy Surveyor
Under his contract bearing
date July 19th 1869.

Subdivision commenced
October 16th 1869

Subdivision completed
October 23rd 1869.

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 12 North, Range 50 West of the 6th Principal Meridian showing the respective capacities in which they acted

William H. Fox	Chain Man
Homer Tiffany	Chain Man
Robert N. B. Simpson	Mound Man
James Long	Mound Man
George J. Kellogg	Flag Man

Field Notes of the subdivision lines in Township 12 N. Range 50 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township I commence at the corner to sections 1 and 12 in the East Boundary of the Township and run

North on a blank line along the East Boundary of section 1

Variation 14°15' East

40.00 To a point 13 lks. West of the quarter section corner

79.93 To a point 22 lks. West of the corner to sections 1 and 6

To retrace this line or run parallel thereto my compass must be adjusted to a variation of 14°06' East

Subdivision commenced October 16th 1869

Township 12 N. Range 50 W. 6th P. M.

From the ¼ sec. cor. on the South side of section 31 Township 13 North, Range 49 West of the 6th P. M. I run East along the 3rd Standard ~~line~~ Parallel N.

Va 14°20' East

2,12 Drove a chared stake and set a post in mound with pits as per instructions for Closing corner to sections 1 and 2 from which corner I run

South between sections 1 and 2

Va 14°05' East

40,00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

44,00 Selz creek 25 lks wide runs N. E.

80,00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 1. 2. 11 and 12

Land rolling gravely 3rd rate

Township 12 N. Range 50 W. 6th P. M.

East on a random line between sections 1 and 12

Va 14°20' East

40,00 Set a plag for temporary ¼ sec. cor

80,16 Intersected the East boundary at the corner to sections 1 and 12 from which corner I run West on a true line between sections 1 and 12

Va 14°20' East

40,08 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,16 The corner to sections 1. 2. 11 and 12

Land rolling gravely 3rd rate

South between sections 11 and 12

Va 14°10' East

40,00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80,00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections

Township 12 N Range 50 W 6th P. M.

11. 12. 13 and 14
Land rolling 3rd rate

East on a random line between sections 12 and 13
Va 14° 20' East

40.00 Set a flag for temporary ¼ Sec cor.
80.38 Intersected the East Boundary 15 lks. North of the corner to sections 12 and 13 from which corner I run
N 89° 54' W on a true line between sections 12 and 13
Va 14° 20' East

40.16 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor
80.38 & the corner to sections 11.12.13 and 14
Land level 2nd rate

South between sections 13 and 14
Va 14° 15' East

40.00 Drove a charred stake and set a post in mound with pits a per. instructions for ¼ Sec. Cor.

Township 12 N. Range 50 W 6th P. M.

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 13, 14, 23 and 24
Land rolling 3rd rate

East on a random line between sections 13 and 24
Va 14° 20' East

40.00 Set a flag for temporary ¼ Sec. cor
80.06 Intersected the East Boundary 21 lks. North of the corner to sections 13 and 24 from which corner I run
N 89° 51' W on a true line between sections 13 and 24
Va 14° 20' East

40.03 Drove a charred stake and set a post in mound with pits as per instructions for ¼ Sec. Cor.
80.06 & the corner to sections 13, 14, 23 and 24
Land level gravely 3rd rate

Township 12 N. Range 50 W. 6th P. M.

South between sections 23 and 24
Va 14°15' East
10.75 Intersected the State line
22.53 chains East of the 49 mile
post at which point
Drove a charred stake and set a
post in mound, with pits as per
instructions for closing corner
to sections 23 and 24
Land rolling 2nd Rate
October 16th 1869.

From the ¼ sec. cor. on the
South Boundary of Section 36
Township 13 North, Range 50 West
I run
East along the 3rd Standard
Line Parallel N.
Va 14°20' East
2.12 Set a line stone 18 x 12 x 6 ins for
closing corner to sections
2 and 3 from which
corner I run

Township 12 N. Range 50 W. 6th P. M.

South between sections 2 and 3
Va 14°10' East
40.00 Set a line stone 13 x 12 x 5 ins for
¼ sec. cor.
61.50 A dry creek 40 lks. Wide runs East
80.00 Set a line stone 24 x 12 x 4 ins.
corner to sections 2.3.10 and 11
Land rolling 3rd Rate

East on a random line between
sections 2 and 11
Va 14°20' East
40.00 Set a flag for temporary ¼ sec. cor
79.78 Intersected N and S line 16 lks.
South of the corner to sections
1.2.11 and 12 from which
corner I run
S 89°58' W on a true line between
sections 2 and 11
Va 14°20' East
39.89 Set a line stone 13 x 11 x 6 ins for
¼ sec. cor.
79.78 the corner to sections 2.3.10 and 11
Land rolling 3rd Rate

Township 12 N. Range 50 W. 5th P. M.

South between sections 10 and 11
Va 14°10' East
40,00 Set a line stone 19×11×5 ins. for
¼ sec. cor.
80,00 Set a line stone 24×19×7 ins. for
corner to sections 10, 11, 14 and 15
Land rolling 3rd Rate

East on a random line between
sections 11 and 14
Va 14°20' East
40,00 Set a flag for temporary ¼ sec. cor.
80,03 Intersected N and S. line at the
corner to sections 11, 12, 13 and 14
from which corner I run
West on a true line between
sections 11 and 14
Va 14°20' East
40,01½ Set a line stone 19×12×3 ins. for
¼ sec. cor.
80,03 The corner to sections 10, 11, 14 and 15
Land rolling 3rd Rate
October 18th 1869

Township 12 N. Range 50 W. 6th P. M.

South between sections 14 and 15
Va 14°15' East
40,00 Set a line stone 20×11×5 ins. for
¼ sec. cor.
80,00 Set a line stone 20×17×5 ins. for
corner to sections 14, 15, 22 and 23
Land rolling gravely 3rd Rate

East on a random line between
sections 14 and 23
Va 14°20' East
40,00 Set a flag for temporary ¼ sec. cor
80,25 Intersected N and S. line 18 lks.
South of the corner to sections
13, 14, 23 and 24 from which
corner I run
S 89°52' W on a true line between
sections 14 and 23
Va 14°20' East
40,12½ Set a line stone 18×15×5 ins. for
¼ sec. cor
80,25 The corner to sections 14, 15, 22 and 23
Land rolling stoney 3rd Rate

Township 12 N. Range 50 W. 6th P.M.

South between sections 22 and 23
Va 14°15' East
10.58 Intersected the State line
22.00 chains East of the 50 Mile
post at which point
Set a line stone 20 x 12 x 5 ins. for
closing corner to sections
22 and 23
Land level 2nd rate

From the 1/4 sec. cor on the
South side of section 35
Township 13 North Range 50
West I run
East along the 3rd Standard
~~line~~ Parallel N.
Va 14°20' East
2,12 Drove a chared stake and set a
post in mound with pits as
per instructions for closing
corner to sections 3 and 4
from which corner I run

Township 12 N. Range 50 W. 6th P.M.

South between sections 3 and 4
Va 14°10' East
40,00 Drove a chared stake and set a
post in mound with pits as
per instructions for 1/4 sec. cor.
80,00 Drove a chared stake and set a
post in mound with pits as per
instruction for corner to
sections 3, 4, 9 and 10
Land rolling gravely 3rd rate

East on a random line between
sections 3 and 10
Va 14°20' East
37,00 A dry creek 25 lks wide runs N. East
40,00 Set a flag for temporary 1/4 sec. cor.
79,32 Intersected N and S line 12 lks
South of corner to sections
2, 3, 10 and 11 from which
corner I run
S 89°55' W on a true line between
sections 3 and 10
Va 14°20' East
39,91 Drove a chared stake and set a

Township 12 N. Range 50 W. 6th P.M.

post in mound with pits as per instructions for 1/4 sec. cor.
78.82 The corner to sections 3, 4, 9 and 10
Land rolling gravely 3rd rate

South between sections 9 and 10
Va 14°10' East
36.30 A dry creek 20 lks. wide runs East
40.00 Drove a chared stake and set a post in mound with pits as per instructions for 1/4 sec. cor.
80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 9, 10, 15 and 16
Land rolling gravely 3rd rate

East on a random line between sections 10 and 15
Va 14°20' East
40.00 Set a flag for temporary 1/4 sec. cor.
80.06 Intersected N and S. line 20 lks. South of the corner to sections 10, 11, 14 and 15 from which corner I run

Township 12 N. Range 50 W. 6th P.M.

S 89°51' W on a true line between sections 10 and 15
Va 14°20' East
40.03 Set a lime stone 18 x 12 x 4 ins. for 1/4 sec. cor.
80.06 The corner to sections 9, 10, 15 and 16
Land level gravely 3rd rate
October 19th 1869

South between sections 15 and 16
Va 14°15' East
40.00 Set a lime stone 18 x 12 x 3 ins. for 1/4 sec. cor.
80.00 Set a lime stone 18 x 13 x 5 ins. for corner to sections 15, 16, 21 and 22
Land rolling & stony ridges 3rd rate

East on a random line between sections 15 and 22
Va 14°30' East
40.00 Set a post for temporary 1/4 sec. cor.
80.28 Intersected N and S. line 6 lks. South of the corner to sections 14, 15, 22 and 23 from which corner I run

Township 12 N. Range 50 W 6th P. M.

S 38°57' W on a true line between sections 15 and 22
Va 14°30' E east

40.14 Set a lime stone 17×11×5 inches for 1/4 sec. cor.

80.23 The corner to sections 15, 16, 21 and 22
Land rolling stony 3rd rate

South between sections 21 and 22
Va 14°15' E east

10.06 Intersected the State line 21.37 chains East of the 51 Mile post. at which point Set a lime stone 17×14×8 inches for closing corner to sections 21 and 22
Land level 2nd rate

Township 12 N. Range 50 W 6th P. M.

From 1/4 sec. cor on the South Boundary of Section 34, Township 13 North, Range 50 West I run East along the 3rd Standard ~~line~~ Parallel N.
Va 14°30' East

2.12 Set a lime stone 18×7×5 inches for closing corner to sections 4 and 5 from which corner I run

South between sections 4 and 5
Va 14°10' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for 1/4 sec. cor.

80.00 Set a lime stone 18×17×5 inches for corner to sections 4, 5, 8 and 9
Land level 2nd rate

East on a random line between sections 4 and 9
Va 14°30' East

40.00 Set a flint for temporary 1/4 sec. cor.

79.89 Intersected N and S line 15 lks.

Township 12 N. Range 50 W. 6th P.M.

South of the corner to sections 3.4.9 and 10 from which corner I run
S 89°54' W on a true line between sections 4 and 9
Va 14°30' East

39.94 Drove a charred stake and set a post in mound with pits as per instruction for ¼ sec. cor.

79.89 The corner to sections 4,5,8 and 9
Land rolling 3rd Rate

South between sections 8 and 9
Va 14°15' East

40.00 Drove a charred stake and set a post in mound with pits as per instruction for ¼ sec. cor.

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 8.9.16 and 17
Land level 2nd Rate

Township 12 N. Range 50 W. 6th P.M.

East on a random line between sections 9 and 16
Va 14°40' East

40.00 Set a post for temporary ¼ sec. cor.

80.14 Intersected the N and S. line 27 lks
South of the corner to sections 9.10.15 and 16 from which corner I run
S 89°48' W on a true line between sections 9 and 16
Va 14°40' East

40.07 Set a line stone 22×14×4 ins for ¼ sec. cor.

80.14 The corner to sections 8.9.16 and 17
Land rolling gravely 3rd Rate

South between sections 16 and 17
Va 14°25' East

40.00 Set a line stone 18×11×5 ins for ¼ sec. cor

80.00 Set a line stone 18×15×4 ins for corner to sections 16.17.20 and 21
Land rolling 3rd Rate

Township 12 N. Range 50 W 6th P.M.

East on a random line between
sections 16 and 21
Va 14° 45' East
40.00 Set a flag for temporary 1/4 sec. cor.
80.24 Intersected the N and S line 23 lks
South of the corner to sections 15, 16,
21 and 22 from which corner
I run
S 89° 50' W on a true line between
sections 16 and 21
Va 14° 45' East
40.12 Set a line stone 14 x 11 x 5 ins. for
1/4 sec. cor.
80.24 The corner to sections 16, 17, 20 and 21
Land rolling 3rd Rate

South between section 20 and 21
Va 14° 25' East
10.00 Intersected the State line
21.14 chains East of the 52 Mile
post at which point
set a line stone 20 x 11 x 4 ins. for
closing corner to sections 20 and 21
Land level 2nd Rate
October 20th 1869

Township 12 N. Range 50 W. 6th P.M.

From the 1/4 sec. cor. on the
South boundary of section
33 Township 13 N. Range 50 West
I run
East along the 3rd Standard
~~line~~ Parallel N.
Va 14° 45' East
2.12 Set a line stone 20 x 14 x 3 ins. for
closing corner to sections 5 and 6
from which corner I run

South between sections 5 and 6
Va 14° 15' East
40.00 Set a line stone 16 x 14 x 6 ins. for
1/4 sec. cor.
80.00 Set a line stone 18 x 12 x 6 ins. for
corner to sections 5, 6, 7 and 8
Land gently rolling gravel 3rd Rate

East on a random line between
section 5 and 8
Va 14° 45' East
40.00 Set a flag for temporary 1/4 sec. cor.
77.85 Intersected the N and S. line 10 lks

Township 12 N. Range 50 W. 6th P. M.

South of the corner to sections 4, 5, 8 and 9 from which corner I run
S 89°55' W on a true line between sections 5 and 8
Va 14°45' East

39.92 Set a line stone 28×15×4 ind. for 1/4 sec. cor.

79.85 The corner to sections 5, 6, 7 and 8
Land rolling gravely 3rd Rate

West on a random line between section 6 and 7
Va 14°45' East

40.00 Set a place for temporary 1/4 sec. cor.

76.83 Intersected the West Boundary 15 lks. South of the corner to sections 6 and 7 from which corner I run
S 89°54' E on a true line between section 6 and 7
Va 14°45' East

36.83 Set a line stone 17×13×4 ind. for 1/4 sec. cor

Township 12 N. Range 50 W. 6th P. M.

76.83 The corner to sections 5, 6, 7 and 8
Land gently rolling 3rd Rate
October 21st 1869

South between section 7 and 8
Va 14°15' East

40.00 Set a line stone 18×12×3 ind. for 1/4 sec. cor.

80.00 Set a line stone 20×15×3 ind. for corner to sections 7, 8, 17 and 18
Land rolling 3rd Rate

East on a random line between section 8 and 17
Va 14°45' East

40.00 Set a place for temporary 1/4 sec. cor.

79.72 Intersected the N and S. line 9 lks South of the corner to sections 8, 9, 16 and 17 from which corner I run
S 89°55' W. on a true line between sections 8 and 17
Va 14°45' East

39.86 Set a line stone 20×13×3 ind. for 1/4 sec. cor.

Township 12 N. Range 50 W. 6th P. M.

79.72 The corner to sections 7.8.17 and 18
Land level 2nd rate

West on a random line between
sections 7 and 18
Va 14°45' East
40.00 Set a flag for temporary ¼ sec. cor.
76.61 Intersected the West boundary
27 lks. South of the corner to
sections 7 and 18 from which
corner I run
S 89°48' E on a true line between
sections 7 and 18
Va 14°45' East
36.61 Set a line stone 15×12×3 inches for
¼ Sec. cor.
76.61 The corner to section 7.8.17 and 18
Land rolling gravely 3rd rate

South between section 17 and 18
Va 14°15' East
40.00 Drove a chared stake and set a
post in mound with pits as
per instructions for ¼ sec. cor.

Township 12 N. Range 50 W. 6th P. M.

80.00 Set a line stone 20×14×3 inches for
corner to sections 17.18.19 and 20
Land level 3rd rate

East on a random line between
sections 17 and 20
Va 14°45' East
40.00 Set a flag for temporary ¼ sec. cor.
79.67 Intersected the N and S. line 21 lks
South of the corner to sections
16, 17, 20 and 21 from which
corner I run
S 89°51' W on a true line between
sections 17 and 20
Va 14°45' East
39.83 Drove a chared stake and set a
post in mound with pits as
per instructions for ¼ sec. cor.
79.67 The corner to sections 17.18.19 and 20
Land level 3rd rate

West on a random line between
sections 18 and 19
Va 14°45' East

Township 12 N. Range 50 W 6th P. M.

40.00	Set a flag for temporary ¼ sec. cor,
75.68	Intersected the West Boundary 31 lks. South of the corner to sections 18 and 19 from which corner I run S 89° 47' W on a true line between sections 18 and 19
	Va 14° 45' East
35.68	Drove a chared stake and set a post in mound with pits as per. instructions for ¼ sec. cor,
75.68	The corner to sections 17. 18. 19 and 20 Land level gravely 3rd rate
	South between sections 19 and 20
	Va 14° 15' East
9.79	Intersected the State line 21.52 chains East of the 53 mile post at which point Drove a chared stake and set a post in mound with pits as per instructions for closing corner to sections 19 and 20 Land level 3rd rate
	October 23rd 1869

General Description

The land in this Township is generaly gently rolling, hard gravely soil 2nd and 3rd rate with loose lime stone on the ridges in nearly all parts of the Township

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field notes of Township No. 12 North, of the base line of Range No. 30 West of the 6th Principal Meridian, showing the respective capacities in which they acted:

William F. Fox Chain man
Homer Tiffany Chain man
Robert N.B. Simpson Mound man
James Long Axeman
George J. Kellogg Flag man

We hereby certify that we assisted Philander B Patterson deputy Surveyor surveying and subdividing Township number twelve North of the base line of Range number fifty West of the Principal Meridian and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Wm. F. Fox
Homer Tiffany
Robert N.B. Simpson
James Long
George J. Kellogg

Subscribed and sworn to by the persons whose names are hereunto affixed before me a Notary Public in the County of Cass and State of Nebraska this 4th day of January 1870

J. M. Patterson
Notary Public

I, Philander C. Patterson deputy surveyor, do solemnly swear that in pursuance of a contract with Robt. R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869, and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines in Township number Twelve North of the base line of Range number fifty West of the 6th Principal Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by the said Philander C. Patterson, Deputy Surveyor and sworn to before me a Notary Public this 4th day of January 1870

J. M. Patterson
Notary Public

Surveyor Generals Office.
Plattsmouth Neb April 14 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 12. North of the Base Line. of Range No. 50 West of the 6th Principal Meridian. in the State of Nebraska. executed by Philander C. Patterson under contract No 29. dated July 19th 1869. in the month of October 1869. having been critically examined the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

Robt N. Simpson
Surveyor General.

Index Diagram

Town 13 N R 50 W



Field Notes

of the subdivision lines in Township 13 North, Range 50 West of the 6th Principal Meridian in the State of Nebraska, by

Philander C. Patterson
Deputy Surveyor
under his contract bearing date July 19th 1869

Subdivision commenced October 25th 1869

Subdivision completed November 1st 1869

List of Names

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the following field notes of Township No. 13 North of the base line of Range 49 to 50 West of the 6th Principal Meridian showing the respective capacities in which they acted

William F. Fox Chain man
Homer Tiffany Chain man
Robert N. C. Simpson Mound man
James Long Mound man
George J. Kellogg Flag man

Field notes of the subdivision lines in Township 13 N. Range 50 W. 6th P. M.

To determine the proper adjustment of my compass for subdividing this Township, I commence at the corner to Townships 13 North, Ranges 49 and 50 West and run North on a blank line along the East Boundary of section 36

Variation 14° 30' East

39.39 To the quarter section corner
79.80 To the corner to sections 25 and 36
To retrace this line or run parallel thereto my compass has the proper adjustment

Subdivision commenced October 25th 1869

From the corner to sections ~~1 & 2~~, 35 and 36 on the South Boundary of the Township I run

Township 13 N. Range 50 W. 6th P.M.

North between sections 35 and 36
Va 14°30' East

40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 25, 26, 35 and 36
Land rolling 3rd rate

East on a random line between sections 25 and 36
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.

78.90 Intersected the East boundary line 6 lks. North of the corner to sections 25 and 36 from which corner I run
N 89°53' W on a true line between sections 25 and 36
Va 14°20' East

39.95 Drove a chared stake and set a post in mound with pits as per

Township 13 N. Range 50 W. 6th P.M.

instructions for ¼ sec. cor.

79.90 The corner to sections 25, 26, 35 and 36
Land gently rolling 3rd rate

North between sections 25 and 26
Va 14°30' East

40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor

80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 23, 24, 25 and 26
Land gently rolling 3rd rate

East on a random line between sections 24 and 25
Va 14°20' East

40.00 Set a post for temporary ¼ sec. cor

80.00 Intersected the East boundary 9 lks. North of the corner to sections 24 and 25 from which corner I run

Township 13 N. Range 50 W. 6th P. M.

N. 89°50' W on a true line between sections 24 and 25
Va 14°20' East

40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 The corner to sections 23 24. 25 and 26
Land gently rolling 2nd Rate

North between sections 23 and 24
Va 14°30' East

40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

44.10 A dry creek 10 lks. wide run East

80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 13. 14. 23 and 24
Land gently rolling 2nd Rate

East on a random line between sections 13 and 24
Va 14° East

Township 13 N. Range 50 W. 6th P. M.

40.00 Set a post for temporary ¼ sec. cor.

80.08 Intersected the East Boundary line 13 lks. North of the corner to sections 13 and 24 from which corner I run
N 89°54' W on a true line between sections 13 and 24
Va 14° East

40.04 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.08 The corner to sections 13. 14. 23 and 24
Land gently rolling 2nd Rate

North between sections 13 and 14
Va 14°25' East

40.00 Drove a chared stake and set a post in mound with pits as per instructions for ¼ sec. cor.

80.00 Drove a chared stake and set a post in mound with pits as per instructions for corner to sections 11. 12. 13 and 14
Land gently rolling 2nd Rate

Township 13 N. Range 50 W. 6th P. M.

East on a random line between sections 12 and 13
Va 14° East

40.00 Set a post for temporary ¼ sec. cor.
80.00 Intersected the East boundary line 20 lks. North of the corner to sections 12 and 13 from which corner I run
N 89° 51' W on a true line between sections 12 and 13
Va 14° East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.
80.00 The corner to sections 11. 12. 13 and 14
Land level 2nd rate
October 25th 1869

North between sections 11 and 12
Va 14° 30' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.

Township 13 N. Range 50 W. 6th P. M.

52.00 Top of rocky hill bearing N. E. and N. W.
61.00 Foot of hill bearing East and West
80.00 Set a line stone 22+13+3 link for corner to sections 1. 2. 11 and 12
Land North and South of hill level 2nd rate

East on a random line between sections 1 and 12
Va 14° East

20.30 A dry creek 50 lks. wide runs North
21.50 Foot of hill bearing North and South
33.50 Opposite foot of hill, bears N. & S.
36.00 Foot of rocky hill bearing N and S.
39.00 Top of hill, same course
40.00 Set a stake for temporary ¼ sec. cor.
80.34 Intersected the East boundary 36 lks. North of the corner to sections 1 and 12 from which corner I run
N 89° 45' W on a true line between sections 1 and 12
Va 14° East

Township 13 N. Range 50 W. 6th P.M.

40.17 The place for 1/4 sec. cor. being an a large flat sand rock marked with a (1/4) cross each mark being 12 in. long and 1 in. deep for 1/4 sec. cor.

80.34 The corner to sections 1.2.11 and 12 Land East and West of hills level 2nd rate

North on a random line between sections 1 and 2

Va 14°20' East

40.00 Set a flag for temporary 1/4 sec. cor.

58.00 Entr bottom land bearing E and W

78.47 Intersected the North boundary 82 lks. West of the corner to sections 1 and 2 from which corner I run

S 00°38'36" W on a true line between sections 1 and 2

Va 14°20' East

38.47 Set a sand stone 20+12+15 for 1/4 sec. cor.

78.47 The corner to sections 1.2.11 and 12 Land South of bottom gently rolling bottom land level 2nd rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 34 and 35

Va 14°30' East

40.00 Drove a charred stake and set a post in mound with pits as per instructions for 1/4 sec. cor.

80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 26.27.34 and 35 Land gently rolling 2nd rate

East on a random line between sections 26 and 35

Va 14°20' East

40.00 Set a flag for temporary 1/4 sec. cor.

79.47 Intersected the W and S. line 36 lks. South of the corner to sections 25.26.35 and 36 from which corner I run

S 89°45' W on a true line between sections 26 and 35

Va 14°20' East

39.73 Drove a charred stake and set a post in mound with pits as per

Township 13 N. Range 50 W. 6th P. M.

instructions for ¼ sec. cor.
79.47 The corner to sections 26.27.34 and 35
Land level 2nd rate

North between sections 26 and 27
Va 14° 30' East
40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.
73.00 A dry creek 10 lks. wide runs East
80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 22.23.26 and 27
Land gently rolling 2nd rate

East on a random line between sections 23 and 26
Va 14° 30' East
35.75 A dry creek 15 lks. wide runs North
40.00 Set a flag for temporary ¼ sec. cor.
79.56 Intersected the N. and S. line 22 lks. south of the corner to sections 23.24.25 and 26 from which corner I run

Township 13 N. Range 50 W. 6th P. M.

S 89° 57' W on a true line between sections 23 and 26
Va 14° 30' East
39.78 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.
79.56 The corner to sections 22.23.26 and 27
Land gently rolling 2nd rate

North between sections 22 and 23
Va 14° 30' East
40.00 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.
80.00 Drove a charred stake and set a post in mound with pits as per instructions for corner to sections 14.15.22 and 23
Land gently rolling 2nd rate

East on a random line between sections 14 and 23
Va 14° 30' East
40.00 Set a flag for temporary ¼ sec. cor

Township 13 N. Range 50 W. 6th P. M.

79.54 Intersected the N. and S. line 16 lks. South of the corner to sections 13, 14, 23 and 24 from which corner I run
S 89°58' W. on a true line between sections 14 and 23
Va 14°30' East
39.82 Drove a charred stake and set a post in mound, with pits as per instruction for ¼ sec. cor.
79.64 The corner to sections 14, 15, 22 and 23
Land gently rolling 2nd Rate

North between sections 14 and 15
Va 14°30' East
40.00 Set a line stone 22+14+3 ins for ¼ sec cor
67.70 A dry creek 30 lks. wide runs East
68.00 Foot of hill bearing E and W
80.00 Drove a charred stake and set a post in mound, with pits as per instruction for corner to sections 10, 11, 14 and 15
Land rolling gravely 3rd Rate

Township 13 N. Range 50 W. 6th P. M.

East on a random line between sections 11 and 14
Va 14°30' East
12.00 Foot of hill enter valley bearing N. W. and S. E.
19.80 A dry creek 100 lks. wide runs N. W.
38.10 Leave valley bearing N. and W.
40.00 Set a flag for temporary ¼ sec. cor.
79.36 Intersected the N. and S. line 21 lks. South of the corner to sections 11, 12, 13 and 14 from which corner I run
S 89°51' W on a true line between sections 11 and 14
Va 14°30' East
39.93 Set a line stone 13+14+5 ins for ¼ sec. cor.
79.86 The corner to sections 10, 11, 14 and 15
Land broken gravely 3rd Rate
October 25th 1859.

North between sections 10 and 11
Va 14°30' East
24.00 Foot of hill bearing S. E and West

Township 13 N. Range 30 W. 5th P. M.

40.00 Set a sand stone 17+14+5 wind for 1/4 sec. cor.
80.00 Set a sand stone 17+14+4 wind for corner to sections 2, 3, 10 and 11
Land North of hill level and gravely 3rd rate

East on a random line between sections 2 and 11
Va 14° 30' East
40.00 Set a flag for temporary 1/4 sec. cor.
45.00 Foot of hill bearing N. W. and S. E
53.22 Opposite foot of hill bearing N. W. and S. E.
79.99 Intersected the N. and S. line 18 lks. South of the corner to sections 1, 2, 11 and 12 from which corner I run
S 89° 54' W on a true line between sections 2 and 11
Va 14° 30' East
39.99 Set a sand stone 14+12+4 wind for 1/4 sec. cor.
79.98 The corner to sections 2, 3, 10 and 11
Land East of hill level 2nd rate
West of hill level gravely 3rd rate

Township 13 N. Range 30 W. 5th P. M.

North on a random line between sections 2 and 3
Va 14° 20' East
40.00 Set a flag for temporary 1/4 sec. cor.
78.78 Intersected the North boundary 78 lks. West of the corner to sections 2 and 3 from which corner I run
S 10° 34' W on a true line between sections 2 and 3
Va 14° 20' East
38.78 Set a sand stone 16+11+5 wind for 1/4 sec. cor.
78.78 The corner to sections 2, 3, 10 and 11
Land level 2nd rate
October 27th 1869

Township 18 N. Range 50 W. 6th P. M.

North between sections 33 and 34
Va 14° 30' East

40.00 Set a sand stone 18+16+4 for ¼ sec. cor,
80.00 Set a sand stone 19+14+3 for corner
to sections 27. 28. 33 and 34
Land gently rolling 2nd Rate

East on a random line between
section 27 and 34
Va 14° 40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.96 Intersected the N. and S. line at
the corner to sections 26. 27. 34 and 35
from which corner I run
West on a true line between
sections 27 and 34
Va 14° 40' East

39.98 Set a sand stone 21+12+5 for ¼ sec. cor
79.96 The corner to sections 27. 28. 33 and 34
Land gently rolling 3rd Rate

(Add the word "inches" at stone corners)

Township 18 N. Range 50 W. 6th P. M.

North between sections 27 and 28
Va 14° 25' East

40.00 Set a sand stone 17+15+4 for ¼ sec. cor
80.00 Set a sand stone 20+16+4 for corner
to sections 21. 22. 27 and 28
Land gently rolling 2nd Rate

East on a random line between
sections 22 and 27
Va 14° 40' East

40.00 Set a flag for temporary ¼ sec. cor,
79.93 Intersected the N. and S. line at
the corner to sections 22. 23.
26 and 27 from which corner
I run
West on a true line between
sections 22 and 27
Va 14° 40' East

39.94 Set a sand stone 15+11+8 for ¼ sec. cor,
79.98 The corner to sections 21. 22. 27 and 28
Land gently rolling 2nd Rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 21 and 22
Va 14°25' East

40.00 Set a sand stone 24+12+3 for 1/4 sec. cor.
80.00 Set a sand stone 21+13+3 for corner to sections 15, 16, 21 and 22
Land gently rolling 2nd rate

East on a random line between sections 15 and 22
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor
79.92 Intersected the N. and S. line 14 lks. South of the corner to sections 14, 15, 22 and 23 from which corner I run
S 89°54' W on a true line between sections 15 and 22
Va 14°40' East

39.96 Set a sand stone 22+10+4 for 1/4 sec. cor.
79.92 The corner to sections 15, 16, 21 and 22
Land rolling gravely 3rd rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 15 and 16
Va 14°25' East

40.00 Set a sand stone 18+10+5 for 1/4 sec. cor.
80.00 Set a sand stone 14+10+9 for corner to sections 9, 10, 15 and 16
Land rolling 3rd rate

East on a random line between sections 10 and 15
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.
79.90 Intersected the N. and S. line 19 lks. South of the corner to sections 10, 11, 14 and 15 from which corner I run
S 89°52' W on a true line between sections 10 and 15
Va 14°40' East

39.93 Set a sand stone 19+12+3 for 1/4 sec. cor.
79.90 The corner to sections 9, 10, 15 and 16
Land rolling 3rd rate

Township 13 N. Range 50 W. 6th P. M.

North between sections 9 and 10
Va 14°25' East

40.00 Set a sand stone 13+9+8 for ¼ sec. cor.
62.78 Top of rocky bluff bearing E and W
65.00 Foot of bluff bears E. & W.
80.00 Set a sand stone 13+12+6 for corner to section 3. 4. 9 and 10
Land South of bluff gently rolling 3rd rate
North of bluff sloping to the North 2nd rate

East on a random line between sections 3 and 10
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
78.82 Intersected the N. and S. line 24 lks. South of the corner to sections 2. 3. 10 and 11 from which corner I run
S 89°50' W on a true line between sections 3 and 10
Va 14°40' East

39.91 Set a sand stone 16+10+4 for ¼ sec. cor.
79.82 The corner to sections 3. 4. 9 and 10
Land gently rolling good 2nd rate

Township 13 N. Range 50 W. 6th P. M.

North on a random line between sections 3 and 4
Va 14°20' East

40.00 Set a flag for temporary ¼ sec. cor.
53.70 A dry creek 10 lks. wide runs East
79.54 Intersected the North Boundary 68 lks. West of the corner to sections 3 and 4 from which corner I run
S 00°28' W on a true line between sections 3 and 4
Va 14°20' East

39.54 Set a sand stone 20+10+5 for ¼ sec. cor.
79.54 The corner to sections 3. 4. 9 and 10
Land gently rolling 2nd rate

October 28th 1869

Township 13 N. Range 50 W. 6th P. M.

North between sections 32 and 33
Va 14°25' East

40.00 Set a sand stone 21×12×5 for 1/4 sec. cor.
80.00 Set a sand stone 17×12×5 for corner to sections 28, 29, 32 and 33
Land gently rolling 2nd rate

East on a random line between section 28 and 33
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.
79.80 Intersected the N. and S. line 16 lks. North of the corner to sections 27, 28, 33 and 34 from which corner I run
N 89°58' W on a true line between sections 28 and 33
Va 14°40' East

39.90 Set a line stone 22×12×3 for 1/4 sec. cor.
79.80 The corner to sections 28, 29, 32 and 33
Land gently rolling 2nd rate

Township 13 N. Range 50 W. 6th P. M.

North between sections 28 and 29
Va 14°25' East

40.00 Set a sand stone 17×9×7 for 1/4 sec. cor.
80.00 Set a sand stone 16×10×5 for corner to sections 20, 21, 28 and 29
Land gently rolling 2nd rate

East on a random line between sections 21 and 28
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.
79.74 Intersected the N. and S. line 33 lks. North of the corner to sections 21, 22, 27 and 28 from which corner I run
N 89°46' W on a true line between sections 21 and 28
Va 14°40' East

39.87 Set a line stone 18×9×5 for 1/4 sec. cor.
79.74 The corner to sections 20, 21, 28 and 29
Land level 2nd rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 20 and 21
Va 14°25' East

40.00 Set a sand stone 17x10x4 for 1/4 sec. cor.
80.00 Set a sand stone 17x11x5 for corner to sections 16, 17, 20 and 21
Land gently rolling 2nd rate

East on a random line between sections 16 and 21
Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor.
79.92 Intersection the N. and S. line 12 lks. North of the corner to sections 15, 16, 21 and 22 from which corner I run
N 89°55' W on a true line between sections 16 and 21
Va 14°40' East

39.91 Set a sand stone 17x15x4 for 1/4 sec. cor
79.92 The corner to sections 16, 17, 20 and 21
Land gently rolling 2nd rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 16 and 17
Va 14°25' East

40.00 Set a sand stone 13x10x9 for 1/4 sec. cor
72.70 Top of rocky hill bearing S. W. and S. E.
80.00 Foot of hill, bears W. & S. E. Set a line stone 20x12x4 for corner to sections 8, 9, 16 and 17
Land South part gently rolling 2nd rate North part broken rocky

---

East on a random line between sections 9 and 16
Va 14°40' East

6.25 Foot of rocky hill bearing N and S
15.00 Top of hill bears N. & S.
40.00 Set a flag for temporary 1/4 sec. cor.
79.86 Intersection N and S. line at the corner to sections 9, 10, 15 and 16 from which corner I run
West on a true line between sections 9 and 16
Va 14°40' East

39.93 Set a line stone 14x10x4 for 1/4 sec. cor.
79.86 The corner to section 8, 9, 16 and 17
Land East part gently rolling 2nd rate

Township 13 N. Range 50 W. 6th P.M.

North between sections 8 and 9
Va 14°25' East
40.00 Set a sand stone 15x12x5 for 1/4 sec. cor.
80.00 Set a sand stone 18x11x4 for corner to sections 4, 5, 8 and 9
Land level good 2nd rate

East on a random line between sections 4 and 9
Va 14°40' East
40.00 Set a flag for temporary 1/4 sec. cor.
79.84 Intersected the N. and S. line 5 lks. North of the corner to sections 3, 4, 9 and 10 from which corner I run
N. 89°58' W on a true line between sections 4 and 9
Va 14°40' East
39.92 Set a lime stone 22x11x3 for 1/4 sec. cor.
79.84 The corner to sections 4, 5, 8 and 9
Land gently rolling 2nd rate

Township 13 N. Range 50 W. 6th P.M.

North on a random line between sections 4 and 5
Va 14°20' East
40.00 Set a flag for temporary 1/4 sec. cor.
40.15 Dolly creek 20 lks. wide runs N. E.
79.48 Intersected the North boundary 80 lks. West of the corner to sections 4 and 5 from which corner I run
S 00°34' W on a true line between sections 4 and 5
Va 14°20' East
39.48 Set a sand stone 18x12x3 for 1/4 sec. cor.
79.48 The corner to sections 4, 5, 8 and 9
Land gently rolling sandy 3rd rate

October 29th 1869

Township 13 N. Range 50 W. 6th P. M.

North between sections 31 and 32
Va 14°25' East

40.00 Set a sandstone 22×10×5 for ¼ sec. cor.
80.00 Set a sandstone 17×15×4 for corner to sections 29. 30. 31 and 32
Land gently rolling 2nd Rate

East on a random line between sections 29 and 32
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.72 Intersected the N and S. line 19 lks. North of the corner to sections 28. 29. 32 and 33 from which corner I run
N 89°52' W on a true line between sections 29 and 32
Va 14°40' East

39.86 Set a line stone 23×11×3 for ¼ sec. cor
79.72 The corner to sections 29. 30. 31 and 32
Land gently rolling 2nd Rate

Township 13 N. Range 50 W. 6th P. M.

West on a random line between sections 30 and 31
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.75 Intersected the West Boundary 22 lks South of the corner to sections 30 and 31 from which corner I run
S 89°51' E on a true line between sections 30 and 31
Va 14°40' East

39.75 Set a line stone 22×12×3 for ¼ sec. cor
79.75 The corner to sections 29. 30. 31 and 32
Land gently rolling 2nd Rate

North between sections 29 and 30
Va 14°25' East

40.00 Set a line stone 17×11×5 for ¼ sec. cor
80.00 Set a line stone 16×14×3 for corner to sections 19. 20. 29 and 30
Land gently rolling 2nd Rate

Township 13 N. Range 50 W. 6th P.M.

East on a random line between sections 20 and 29
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.96 Intersected the N. and S. line 33 lks. North of the corner to sections 20, 21, 28 and 29 from which corner I run
N 89°45' W on a true line between sections 20 and 29
Va 14°40' East
39.98 Set a line stone 22×11×3 for ¼ sec. cor.
79.96 The corner to sections 19, 20, 29 and 30
Land gently rolling 2nd rate

West on a random line between section 19 and 30
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.63 Intersected the West Boundary 20 lks. South of the corner to section 19 and 30 from which corner I run

Township 13 N. Range 50 W. 6th P.M.

S 89°57' E on a true line between sections 19 and 30
Va 14°40' East

39.53 Set a line stone 17×13×3 for ¼ sec. cor.
79.53 The corner to sections 19, 20, 29 and 30
Land gently rolling 2nd rate

North between sections 19 and 20
Va 14°20' East

40.00 Set a line stone 14×11×4 for ¼ sec. cor.
80.00 Set a line stone 22×10×3 for corner to sections 17, 18, 19 and 20
Land rolling 2nd rate

East on a random line between sections 17 and 20
Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.
79.62 Intersected the N. and S. line 35 lks. North of the corner to sections 16, 17, 20 and 21 from which corner I run
N 89°45' W on a true line between sections 17 and 20

Township 13 N. Range 50 W. 5th P.M.

Va 14°40' East

39.87 Set a line stone 20x15x3 for 1/4 sec. cor

79.62 The corner to sections 17, 18, 19 and 20

Land rolling 2nd rate

West on a random line between sections 18 and 19

Va 14°40' East

40.00 Set a flag for temporary 1/4 sec. cor

45.00 Top of rocky hill bearing S. W and N.E.

55.00 Foot of hill bears S.W & N.E.

79.73 Intersected the West boundary 25 lks. South of the corner to sections 18 and 19 from which corner I run

S 89°48' E on a true line between sections 18 and 19

Va 14°40' East

39.73 Set a line stone 15x12x4 for 1/4 sec. cor

79.73 The corner to sections 17, 18, 19 and 20

Land rolling 2nd Rate

October 30th 1869

Township 13 N. Range 50 W. 6th P.M.

North between sections 17 and 18

Va 14°25' East

40.00 Set a line stone 20x16x3 for 1/4 Sec. Cor.

80.00 Set a line stone 18x11x4 for corner to sections 7, 8, 17 and 18

Land broken and stony 3rd rate

East on a random line between sections 8 and 17

Va 14°40' East

1.75 Top of rocky hill bearing N. and S.

7.60 Foot of hill bears S.E.

35.90 Foot of rocky hill bearing N and S.

40.00 Set a flag for temporary 1/4 sec. cor on top of hill

58.50 Opposite foot of hill bearing N.W and S.E.

79.60 Intersected N and S. line 35 lks. North of the corner to sections 8, 9, 16 and 17 from which corner I run

N. 89°45' W on a true line between sections 8 and 17

Va 14°40' East

Township 13 N. Range 50 W. 6th P. M.

39.80 Set a lime stone 18x6x3 for ¼ sec. cor.
79.60 The corner to sections 7, 8, 17 and 18
Land hilly and rocky

West on a random line between section 7 and 18
Va 14° 40' East
16.75 Top of rocky hill bearing N and S
19.00 Foot of hill bears S.
40.00 Set a flag for temporary ¼ sec. cor.
80.00 Intersected the West boundary 17 lks. South of the corner to sections 7 and 18 from which corner I run
S 89° 55' E on a true line between sections 7 and 18
Va 14° 40' East
40.00 Set a lime stone 15x12x3 for ¼ sec. cor.
80.00 The corner to sections 7, 8, 17 and 18
Land West of hill rolling 3rd rate

Township 13 N. Range 50 W. 6th P. M.

North between sections 7 and 8
Va 14° 25' East
27.50 Top of rocky hill bearing N. W. and S. E.
31.00 Foot of hill bears S. E.
40.00 Set a lime stone 15x12x4 for ¼ sec. cor.
62.50 A dry creek 50 lks. wide runs N. E.
80.00 Set a sand stone 18x11x5 for corner to sections 5, 6, 7 and 8
Land South part rocky and broken North part rolling 2nd rate

East on a random line between sections 5 and 8
Va 14° 40' East
13.50 A dry creek 40 lks. wide runs N. E.
40.00 Set a flag for temporary ¼ Sec. Cor.
79.66 Intersected the N and S. line 29 lks. North of the corner to sections 4, 5, 8 and 9 from which corner I run
N 89° 48' W on a true line between sections 5 and 8
Va 14° 40' East
39.83 Set a sand stone 18x12x4 for ¼ sec. cor.
79.66 The corner to sections 5, 6, 7 and 8
Land gently rolling 2nd rate

Township 13 North Range 50 W. 6th P.M.

West on a random line between sections 6 and 7

Va 14°40' East

40.00 Set a flag for temporary ¼ sec. cor.

79.67 Intersected the West Boundary 14 lks. South of the corner to sections 6 and 7 from which corner I run

S 89°54' E on a true line between sections 6 and 7

Va 14°40' East

39.67 Set a land stone 18+17+3 for ¼ sec. cor.

79.67 The corner to sections 5.6.7 and 8

Land level gravely 3rd rate

North on a random line between sections 5 and 6

Va 14°25' East

40.00 Set a flag for temporary ¼ sec. cor.

79.56 Intersected the North Boundary 62 lks. West of the corner to sections 5 and 6 from which corner I run

Township 13 N. Range 50 W. 6th P.M.

S 0°27' W on a true line between sections 5 and 6

Va 14°25' East

39.56 Drove a charred stake and set a post in mound with pits as per instructions for ¼ sec. cor.

79.56 The corner to sections 5.6.7 and 8

Land rolling sandy 3rd rate

November 1st 1859

General Description

The land in this Township is generally gently rolling good 2nd rate prairie

There is a beautiful Valey in the North part of the Township well adapted for cultivation

There are inexhaustible quantities of lime stone and sand stone in the hills in the Northern part of the Township

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 13 S.L. of the base line of Range No 50 West of the 6th Principal Meridian showing the respective capacities in which they acted

William F. Fox	Chain man
Homer Tiffany	Chain man
Robert H. Simpson	Mound man
James Lang	Mound man
George G. Kellogg	Stake man

Subscribed and sworn to by the persons whose names are hereunto affixed before me a Notary Public this 4th day of January 1870

J M Patterson
Notary Public

I, Philander C. Patterson deputy surveyor, do solemnly swear that in pursuance of a contract with Robert R. Livingston surveyor of the public lands of the United States in the State of Nebraska bearing date the 19th day of July 1869, and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully surveyed the subdivision lines of Township No 13 North of the base line of Range No 50 West of the 6th Principal Meridian in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey

Philander C. Patterson
Deputy Surveyor

Subscribed by said Philander
C. Patterson. Deputy Surveyor
and sworn to before me
this 4th day of January 1870

J. M. Patterson
Notary Public

Surveyor Generals Office
Plattsmouth. Neb. April 4. 1870.

The foregoing field notes of the survey
of the Sub-divisional lines of Township
No 13 North of the Base line Range
No 50 West of the 6th Principal Meri-
dian in the State of Nebraska
executed by Philander C. Patterson
deputy Surveyor, under his Con-
tract No 29. dated July 9th 1869.
in the months of Oct. and Nov. 1869
having been critically examined
the necessary corrections and explan-
ations made. the said field notes
and the surveys they describe are
hereby approved.

Robt R. Livingston
Surveyor General.

Index Diagram

Town 14 N.R 50 West



Field Notes

of the Subdivision lines

of Township Number 14. North
of Range 50. W. of the
6th P. M.
in the
State of Nebraska

Executed by Charles Wimpf
under Contract No. 28
bearing date July 10. 1869

Commenced ~~August~~ Sept 28. 1869
Completed ~~Sept~~ Oct 4. 1869.

Names and duties of Assistants

John Sarr } Chainmen
John Donahoe }
A. Schwarzberg monumentman

To determine the proper Adjustment of my Compass for Subdividing this Township. I commenced at the ~~S.E.~~ ~~Cor of this Township between~~

Cor to Townships 13 and 14 and ~~run~~ between Ranges 49 and 50 West. and run N. on a blank line along the E. boundary of Sec 34. I found the Variation to be ~~Variation~~ 14° 26' E.

40.00 To quarter Sec Cor.

80.00 To Cor of Secs 25 and 36. 30 & 31

Township 14 N. Range 50 - W

from the Cor to Secs. 1. 2. 35 and 36. on the Southern boundary of the Township.
I run N. between Secs. 35 and 36
Variation 14° 36' E

7.00 Lodge Pole creek 30 lks. wide, runs E.
40.00 Set post. deposit charred Stake raised mound of earth with pits as per instructions for 1/4 Sec Cor.
50.00 Wagon Road, bears S.E
62.00 U. P. R. R. bears N. 80 W.
65.00 leave bottom and enter bluffs, bs. E & W.
80.00 Set post. deposit charge Stake raise mound of earth with pits as per instructions for the Cor to Secs. 25. 26. 35 and 36.
Land bottom. till to the bluffs.
Soil 2nd rate

Township 14 N. R. 50 W.

E. on a random line between Secs. 25 and 36.
Variation 14° 36' E

16.00 Ravine dreams South
40.00 Set post. ~~deposit charred Stake raise mound of earth with pits as per instructions for 1/4 Sec Cor.~~ (Temporary 1/4 Sec Corner
80.00 Intersect East Boundary of Township 7 links South of Cor between Secs. 25 and 36. from which Cor I run South 89° 57' West on true line betn. Secs. 25 & 36
Variation 14° 36' E.
40.00 Set post. deposit charred stake raise mound of earth with pits as per instruction for 1/4 Sec Cor.
80.00 Corner to 25. 26. 35 and 36.
Land hilly & broken.
Soil 3rd rate.

Township 14. N Range 50. W

N between Secs 25 and 26.
Variation 14° 36' E

40.00 Set post. deposited Charred Stake. raised mound of earth with pits as per instructions for 1/4 sec Cor.

66.00 Kavine dreans S.E.

80.00 Set post. deposited Charred Stake. raised mound of earth with pits as per instructions for the Cor to Secs. 23. 24. 25 and 26.

Land hilly and Rough
Soil 3rd rate.

Township 14. N Range 50 W

East on a random line between Secs 24 and 25
Variation 14° 36' E.

5.00 Ravine dreans S.

40.00 Set post for temporary 1/4 Sec Cor.

80.10 Strike the Cor. between Secs. 24 and 25. from which Cor. I run West one town line between Secs 24. and 25.
Var. 14. 36.

40.05 Set post. deposited Charred Stake raised mound of earth with pits as per instructions for 1/4 Sec Cor.

80.10 The Cor. to Secs. 23. 24. 25 and 26.

Land Rolling
Soil 3rd rate.

Township 14. N. Range 50 W.

North between Secs. 23 and 24.
Variation 14° 30' E.

20.00 Ravine, drains S.E.

40.00 Ravine. Set post. deposit Charred Stake, raised Mound of earth with pits as per instructions for 1/4 Sec Cor.

80.00 Set post. deposited Charred Stake. raised Mound of earth with pits as per instructions for Cor to Secs. 13. 14. 23 and 24.

Land Rolling.
Soil 3rd rate

Township 14. N. Range 50 W.

East on random line between Secs. 13 and 24.
Variation 14° 36' E.

40.00 Set post for temporary 1/4 Sec Cor.

81.14 Intersect East Boundary of Township 10 links South of Corner between Secs. 13 and 24. from which Cor I run South 89° 56' West on true line between Secs. 13 and 24.
Variation 14° 36' E.

40.05 ~~40.05~~ Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

8.10 ~~80.10~~ The Cor. to Secs. 13. 14. 23 and 24.

Land rolling
Soil 3rd rate

Township 14. N. Range 50. W.

North between Sec.s 13 and 14.
Variation 14° 36' E.

40.00 Set post. deposit charred stake raise mound of earth with pits as per instructions for 1/4 Sec Cor.

80.00 Set post. deposit charred stake. raise mound of earth with pits as per instructions for Cor Sec.s 11 and 12. 13 and 14.

Land Rolling

Soil Sandy 3rd rate

Township 14 N. Range 50. W.

East on Random line between Sec.s 12 and 13.
Variation 14° 36' E.

40.00 Set post for temporary 1/4 Sec Cor.

80.10 Intersect East Boundary of Township 14 links South of Cor between Sec.s 12 and 13. from which Cor I Run South 89° 54' W. on true line between Sec.s 12 and 13.
Variation 14° 36' E.

40.05 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.10 The cor to Sec.s 11. 12. 13 and 14.

Land rolling

Soil 3rd rate.

Township 14. N. Range 50. W.

North between Secs. 11 and 12
Variation 14° 36' E.

40.00 Set post. deposit charred stake. raised Mound of earth with pits as per instructions for 1/4 Sec Cor.

80.00 Set post. deposit charred stake. raised Mound of earth with pits as per instructions for Sec Cor to Secs. 1, 2, 11 and 12.

Land Gently Rolling
Soil 3rd Rate.

Township 14. N. Range 50. W.

East on Random line between Secs 7 and 12.
Variation 14° 36' E.

40.00 Set post for temporary 1/4 Sec Cor

80.00 Strike Sec Cor on East Boundary line of Township between Secs 7 and 12. from which Cor I run West on a town line between Secs 1 and 12.
Var 14° 36'.

40.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 The cor. to Secs. 1, 2, 11 and 12.

Land gently rolling
Soil 3rd rate.

Township 14. N. Range 50 W.

North on Random line between Sections 1 and 2.

Variation 14° 36' E.

40.00 Set post. ~~deposit charred Stake. raised mound of earth with pits as per instructions~~ for 1/4 Sec. Cor. (line pass)

80.00 8 Intersect North Boundary of Township between Secs 1 and 2. 15 links West of Cor between Sections 1 and 2. from which Corner I Run South ~~11~~ ~~4~~ 6' W on true line between Secs 1 and 2.

40.00 8 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor.

80.00 8 The cor to Secs. 1. 2. 11. and 12

Land gently rolling

Soil 3rd rate.

Township 14. N. Range 50. W.

North between Secs 34 and 35.

Var. 14° 36' E

18.00 Bed dry branch – bears E and W

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

56.00 Lodge Pole creek 30 lks. wide runs E ~~and W~~

68.00 Wagon Road bears S E and N W

72.00 U. P. Rail Road. bears S E and N W

80.00 Set post. deposit charred Stake, raise mound of earth. with pits. as per instructions ~~for 1/4 Sec. Cor~~ corner to Secs. 26, 27, 34 & 35

Land level & bottom

Soil 2.r rate.

Township 14. N. Range 50. W.

East on Random line between Secs 26 and 35.

Var. 14° 36' E

30.00 Bed dry branch bears ~~A and~~ S.

40.00 Set post for temporary 1/4 Sec. Cor

70.00 Bluffs on North ~~side of line~~ of Lodge Pole Creek bottom bears S.E.

80.12. Intersect North and South line at cor to Secs 25, 26, 35 and 36. from which Cor I. run West, on a true line between Secs 26 and 35.

Var. 14° 36' E

41.06. Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.12 The cor. to Secs. 26. 27. 34 and 35.

Land rolling

Soil 3rd rate.

Township 14. N. Range 50. W.

North between Secs 26 and 27.

Var. 14° 36' E

12.00 Bluffs & leave bottom. bears E and W

40.00 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

60.00 Bottom of dry branch. with bluffs on either side. bears S.E. ~~A W S E~~

80.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for ~~1/4 Sec. Cor~~ cor to Secs 22, 23, 26 & 27

Land hilly

Soil 3rd rate.

Township 14. N. Range 50. W.

East on Random line between Secs. 23 and 26.

Var. 14° 36' W

40.00 Set past for temporary 1/4. Sec. Cor.

52.00 Bed of dry branch. bluffs on either side bears S E and N W.

80.15 Intersect North and South line 14. links South of Cor to Secs. 23. 24. 25 and 26. from which Cor I run South 89° 53' W ~~West~~. between Secs. 23. and 26.

Var. 14° 36' E.

40.07½ Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

80.15 The cor. to Secs. 22. 23. 26 and 27.

Land hilly

Soil 3rd rate.

Township 14. N. Range 50. W.

North between Secs. 22 and 23

Var. 14° 36' E

.00 Bed dry creek bears S E and N W.

.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs. 14. 15. 22 and 23.

Land hilly

Soil 3rd rate.

Township 14. N. Range 50. W.

East on Random line
between Secs. 14 and 23.
Var. 14° 36' E

40.00 Set post. for temporary
1/4 Sec. Cor.

80.00 Intersect North and South
line 12 links South of Cor.
to Secs. 13. 14. 23 and 24.
from which Cor. I run
South 39° 55' W between Secs. 14 and 23.
Var. 15° 30' E

40.00 Set post. deposit charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4. Sec. Cor.

80.00 The cor to Secs. 14. 15. 22 and 23.

Land rolling
Soil 3rd rate.

Township 14. N. Range 50. W.

North between Secs.
14 and 15.
Var. 14° 36' E

40.00 Set post. deposit charred
Stake. raise mound
of earth with pits. as
per instructions for
1/4. Sec. Cor.

80.00 Set post. deposit
charred Stake. raise
mound of earth with pits.
as per instructions
for Cor to Secs. 10. 11. 14. and 15.

Land rolling
Soil 3rd rate.

Township 14. N. Range 50. W

East on Random line between Secs. 11 and 14.

Var. 14° 36' E

40.00 Set post for temporary 1/4 Sec. Cor

80.00 Intersect North and South line 20. links North of Cor to Secs. 11.12.13 and 14. from which Cor. I run North 89° 54' West. between Secs. 11 and 14.

Var. 14° 36' E

40.00 Set post. deposit charred stakes. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor.

80.00 The cor. to Secs. 10.11.14 and 15.

Sand rolling

Soil 3rd rate.

Township 14. N. Range 50. W

North between Secs. 10 and 11.

Var 14° 36' E

40.00 Set post. deposit charred stakes. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred stakes. raise mound of earth. with pits. as per instructions for Cor to Secs. 2. 3. 10. and 11.

Sand rolling

Soil 3rd rate.

Township 14. N. Range 50. W

East on Random line
between Secs. 2 and 11.
Var. 14° 36' E

40.11 Set post for temporary
1/4 Sec. Cor

80.20 Intersect North and South
line 18. links South of Cor
to Secs. 1. 2. 11 and 12. from
which Cor. I run
South 89° 52'
West between Secs 2 and 11.
Var. 14° 36' E

40.10 Set post. deposit charred
stake, raise mound of
earth with pits. as per
instructions for 1/4. Sec. Cor.

80.20 The cor. to Secs. 2. 3. 10 and 11.

Land rolling
Soil 3rd rate.

Township 14. N Range 50 W

North between Secs 2 and
3 on Random line.
Var. 14° 36' E

40.00 Set post for temporary
1/4 Sec. Cor

80.08 Intersect North Boundary
of Township 12. links East
of Cor to Secs. 2 and 3. from
which Cor. I run South 89° 45' E.
~~West~~ between Secs 2 and 3.
Var. 14° 36' E

40.08 Set post deposit
charred stake, raise mound
of earth with pits. as per
instructions for 1/4. Sec. Cor

80.04 The cor to Secs. 2. 3. 10 and 11

Land rolling
Soil 3rd rate.

North between Sections 33 and 34.

V 14° 36' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor

70.00 Lodge Pole Creek 30 lks. wide running East.

80.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for ~~1/4. Sec. Cor~~ Cor. to Secs. 27.28. 33 & 34

Sand rolling

Soil 2nd rate.

East on Random line between Secs. 27 and 34.

Var 14° 36' E

40.00 Set past for temporary 1/4. Sec. Cor.

61.00 Wagon Road. bears. SE and NW

68.00 U. P. Rail Road bears SE and NW

80.10 Intersect North and South line at Cor to Secs. 26. 27. 34 and 35 from which Cor. Iron

West, on true line between Secs 27 and 34.

~~40.05~~ Var. 14° 36' E

40.05 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.10 The Cor to Secs. 27. 28. 33 and 34.

Sand Bottom

Soil 1st rate.

Township 14. N Range 50 W.

North between Sections 27 and 28.

Var. 14° 36' E

32.00 Wagon Road bears SE and NW
38.00 U.P. Rail Road bears SE and NW
40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor
80.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 21, 22, 27 & 28

Land Bottom

Soil 1st rate.

Township 14. N. Range 50. W.

East on Random line between Secs 22 and 27.

Var. 14° 36' E

22.00 Bluffs bear SE and NW
40.00 Set post for temporary 1/4. Sec. Cor
80.20 Intersect North and South line ~~between Secs 22 and 27.~~ to Secs 22, 23, 26 & 27
18. links South of Cor. from which Cor. I run South 89° 52' West. between Secs 22 and 27.

Var. 14° 36' E

40.10 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor
80.20 The cor to Secs. 21. 22. 27 and 28.

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W

North between Sections 21 and 22.

Var. 14° 36' E

22.00 Bluffs on E. side of line (leave bottom bears S.E.)

38.00 Bed dry branch bears NE and SW

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for ~~1/4. Sec. Cor~~ cor to Secs. 15, 16, 21 & 22

Land hilly

Soil 3rd rate.

Township 14 N. Range 50 W.

East on Random line between Secs. 15 and 22.

V 14° 36' E

40.00 Set post. for temporary 1/4 Sec. Cor.

80.00 Intersect North and South line 20. links North of Cor to Secs. 14. 15. 22 and 23. from which Cor I run North 89° 52' West, on true line between Secs. 15 and 22.

Var. 14° 36' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 The Cor to Secs. 15. 16. 21 and 22.

Land hilly

Soil 3rd rate.

Township 14. N. Range 50. W

North between Sections 15 and 16.

Var. 14° 36' E

40.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs. 9. 10. 15 and 16.

Land gently rolling

Soil 3rd rate.

Township 14. N. Range 50 W

East on Random line between Secs. 10 and 15.

Var. 14° 36' E

40.00 Set past for temporary 1/4 Sec. Cor

79.90 Intersect North and South line 22. links North of Cor to Secs. 10. 11. 14 and 15. from which Cor I run North 89° 51'

West. between Secs 10 and 15. V. 14° 36' E

39.95 Set past deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

79.90 The cor to Secs. 9. 10. 15 and 16.

Land rolling

Soil 3rd rate.

Township 14 N Range 50 W

North between Sections 9 and 10

Var. 14° 36' E

40.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for cor to Secs. 3. 4. 9. and 10

Sand gently rolling

Soil 3rd rate.

Township 14 N Range 50 W

East on Random line between Secs. 3 and 10.

Var. 14° 36' E

40.00 Set past. for temporary 1/4 Sec. Cor

80.10 Intersect North and South line 11. links South of Cor to Secs. 3, 2. 3. 10 and 11. from which Cor I run South 89° 56' 5" West. between Secs 3 and 10.

Var. 14° 36' E

40.05 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.

80.10 The Cor. to Secs. 3. 4. 9 and 10.

Sand level

Soil 3rd rate.

Township 14 N Range 50 W

North on Random line between Secs 3 and 4.

Var. 14° 36' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect North Boundary of Township at cor to Secs. 3 and 4. from which Cor. I run South. between Secs. 3 and 4.

Var. 14° 36' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 The cor to Secs. 3. 4. 9. and 10.

Land rolling

Soil 3rd rate.

Township 14 N Range 50 W

North between Sections 32 and 33.

Var. 14° 36' E

20.00 Lime Stone ridge bears S E and N W.

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit Charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs. 28. 29. 32 and 33.

Land hilly

Soil 3rd rate.

Township 14 N Range 50 W

East on Random line between Secs. 28 and 33.
Var. 14° 36' E

12.00	Bluffs. A entry bottom bears N and S.
40.00	Set post for temporary 1/4 Sec. Cor.
48.00	Lodge Pole Creek 30 links wide runs N W and S. E.
80.00	Intersect North and South line at Cor to Secs. 27, 28, 33 + 34. from which Cor I run West. between Secs. 28 and 33.

Var. 14° 36' E

40.00	Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.
80.00	The cor. to Secs. 28, 29, 33 and 32.

Land hilly

Soil 3rd rate.

Township 14 N Range 50 W

North between Sections 28 and 29.
Var. 14° 36' E

13.00	Bluffs begin E and W
40.00	Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor
* 72.00	Wagon road running N W and S E.
80.00	Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs. 20, 21, 28 and 29.

Land hilly

Soil 3rd rate.

* 64.50	Lodge Pole Creek 30 links wide runs S. E.

Township 14. N. Range 50 W.

East on Random line between Secs. 21 and 28.

Var. 14° 36' E

15.00 U. P. Rail Road. running NW and SE.

40.00 Set past for temporary 1/4 Sec. Cor.

80.16. Intersect North and South line 18. links South of Cor to Secs. 21. 22. 27 and 28. from which Cor. I run South 89°52'

West. between Secs 21 and 28.

Var. 14° 30' E

40.08 Set past. deposit charred Stake raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.

80.16. The cor. to Secs. 20. 21. 28 and 29.

Land Bottom
Soil 1st rate.

Township 14. N. Range 50 W.

North between Sections 20 and 21.

Var. 14° 36' E

.00 U. P. Rail Road running NW & SE.

.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

.00 Bed dry Crack bears NE & SW

.00 Bed of Rocks and bluffs bears S.E. & leave bottom

.00 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs. 16. 17. 20 and 21.

Land hilly

Soil 3rd rate.

East on Random line between Secs. 16 and 21.
Var. 14° 36' E

15.00	12.00	Bluffs from Sec. Cor
40.00	40.00	Set post. for temporary 1/4 Sec. Cor.
80.16	80.00	Intersect North and South line 22. links South of Cor. to Secs. 15. 16. 21 and 22. from which Cor. Bears South 89° 51' West. between Secs. 16. and 21.
		Var. 14° 36' E.
40.00	40.00	Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor
80.16	80.00	The cor to Secs. 16. 17. 20 and 21.

Sand rolling
Soil 3rd rate.

North between Sections 16 and 17.
Var. 14° 36' E

2.00	Bluffs. from Sec. Cor.
40.00	Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. cor
80.00	Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for cor to Secs. 8. 9. 16 and 17.

Sand rolling
Soil 3rd rate.

Township 14 N. Range 50 W.

East on Random line between Secs. 9 and 16.

Var. 14° 36' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect north and south line 14 links North of Cor to Secs. 9.10.15 and 16 from which Cor. I run North 89° 54' West. between Secs 9 and 16.

Var. 14° 36' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits as per instructions for 1/4. Sec. Cor

80.00 The cor to Secs. 8.9.16 and 17.

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W.

North between Sections 8 and 9.

Var. 14° 36' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

80.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs. 4.5. 8 and 9.

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W.

East on Random line between Sec. 4 and 9.

Var: 14° 36' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.18 Intersect North and South line 10. links North of Cor. to Secs. 3. 4. 9. and 10. from which Cor. Iron North 89° 56' West. between Secs 4 and 9.

Var 14° 36' E

40.09 Set post. deposit charred Stakes. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.

80.18 The cor to Secs. 4. 5. 8 and 9.

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W

North on Random line between Sec. 4 and 5.

Var: 14° 36' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect North Boundary of Township 10. links West of Cor to Secs. 4 and 5. from which Cor. Iron South 88° 04' West. between Secs. 4 and 5

Var. 14° 36' E.

40.00 Set post. deposit charred Stakes. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

80.00 The cor. to Secs 4, 5, 8 & 9

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W.

North between Sections 31 and 32.

Var. 14° 35' E

36.00 Bluffs bear E and W

40.00 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for Cor to Secs. 29. 30 31 and 32.

Land hilly

Soil 3rd rate.

Township 14 N. Range 50 W.

East on Random line between Secs 29 and 32.

Var. 14° 35' E

37.00 Lyme Stone Ridge. bearing N W and S E

40.00 Set post for temporary 1/4 Sec. Cor. mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

79.80 Intersect North and South line 25. links North of Cor. to Secs. 28. 29. 32 and 33. from which Cor. I run North 89° 48' West. between Secs 29 and 32.

Var. 14° 35' E

39.90 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

79.80 The Cor. to Secs. 29. 30. 31 and 32.

Land rolling

Soil 3rd rate.

Township 14 N. Range 50 W.

West on Random line between Sec. 30 and 31.

Var. 14° 35' E

18.00	Bluffs. to 36.00 chs. on S. of bottom near E and W
40.00	Set post for temporary 1/4 Sec. Cor.
80.60	Intersect West Boundary of Township 12 links North of Cor to Secs. 30 and 31, from which Cor I run South 89° 55' East between Secs. 30 and 31. Var. 14° 35' E
40.60	Set post. deposit charred Stakes. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.
80.60	The cor to Secs. 29. 30. 31 and 32.

Sand hilly

Soil 3rd rate.

Township 14 N. Range 50 W.

North between Sections 29 and 30.

Var. 14° 35' E

18.00	Bluffs & entr bottom bears E and W
40.00	Set post. deposit charred Stakes. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.
80.00	Set post. deposit charred Stakes, raise mound of earth. with pits. as per instructions for Cor to Secs. 19. 20. 29 and 30.

Sand rolling

Soil 3rd rate.

Township 14. N. Range 50. W.

East on Random line
between Sec. 20 and 29
Var. 14° 35' E

40 | 40.00 | Set post for temporary
1/4 Sec. Cor.

80 | 46.00 | Dodge Pole creek running
South, 30 links wide

72.00 | Wagon road. bears NW and SE.

80.20 | Intersect North and South
line 6. links North of cor
to Secs. 20. 21. 28. and 29.

40 | from which Cor. Drum
North 89° 58'
West. between Secs. 20 & 29.
Var. 14° 35. E

80 | 40.10 | Set post. deposit charred
Stake. raise mound of
earth. with pits. as
per instructions for
1/4 Sec. Cor.

80.20 | The cor. to Secs. 19. 20. 29.
and 30.

Land Bottom
Soil 1st rate.

Township 14. N. Range 50. W.

X | West on Random line
between Sec 19 and 30
Var. 14° 35' E

40.00 | Set post for temporary
1/4 Sec. Cor.

80.70 | Intersect West Boundary
80 | of Township 14. links North
of Cor to Secs. 19 and 30.
from which Cor. Drum
South 89° 54'
East between Secs. 19 and 30.
Var. 14° 35' E

40.70 | Set post. deposit charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4. Sec. Cor

80.70 | The cor to Secs. 19. 20. 29 and 30.

Land rolling
Soil 3rd rate.
October 4 1869

X

Township 14 N. Range 50 W.

North between Sections 19 and 20

Var. 14° 35' E

10.00	Lodge Pole Creek running E. by S.E. 30 links wide	
40.00	Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.	
58.00	Wagon Road. bears S E and N W	
62.00	U.P. Rail Road bears S E and N W	
80.00	Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Sec's. 17. 18. 19 and 20	

Land Bottom
Soil 1st rate.
Hay marsh.

Township 14 N. Range 50 W.

East on Random line between Sec's 17 and 20

Var. 14° 35' E

38.00	Bed dry creek bears N and S.
40.00	Set past for temporary 1/4 Sec. Cor
65.00	Bed dry creek bears N and S.
70.00	Bluffs to Sec. Cor. & leave bottom bears S.E.
80.00	Intersect North and South line ~~Boundary of Township~~ at Cor to Sec's. 16, 17, 20 and 21. from which Cor I run West. between Sec's 17 and 20

Var 14° 35' E

40.00	Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor
80.00	The cor. to Sec's. 17. 18. 19 and 20.

Land rolling
Soil 3rd rate.

Township 14 N. Range 50 W.

West on Random line
between Sec. 18 and 19.
Var. 14° 35' E

30.00	U. P. Rail Road running N W and S E.
40.00	Set post for temporary 1/4 Sec. Cor.
45.00	Wagon Road. running S E and N W
80.80	Intersect West Boundary of Township 16. links North of Cor to Sec's 18 and 19. from which Cor. I view South 89° 53' East. between Sec's. 18 and 19.
	Var. 14° 35' E
40.80	Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.
80.80	The cor to Sec's. 17. 18. 19 and 20

Land Bottom
Soil 3rd rate.

Township 14 N. Range 50 W.

North between Sections
17 and 18.
Var. 14° 35' E

40.00	Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions. for 1/4 Sec. Cor
45.00	Bluffs. clear bottom clearing S E and N W
80.00	In Bed dry creek N E and S W. Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Sec's. 7. 8. 17 and 18.

Land hilly
Soil 3rd rate.

Township 14 N Range 50 W.

East on Random line
between Secs 8 and 17.
Var. 14° 35' E

35.00 Bed dry creek.
N and S. with bluffs on either side

40.00 Set post for temporary 1/4. Sec. Cor.

80.10 Intersect North and South line 13. links South of cor to Secs. 8. 9. 16 and 17. from which Cor I run. South 87° 55' West. between Secs 8 and 17.
Var. 14° 35' E

40.05 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. cor

80.10 The cor to Secs. 7. 8. 17 and 18.

Land rolling.

Soil 3rd rate.

Township 14 N Range 50 W.

West on Random line
between Secs. 7 and 18.
Var. 14° 35' E

10.00 Bed dry creek bears N and S.

20.00 Bed dry creek bears S E and N W

40.00 Set post for temporary 1/4. Sec. Cor.

80.85 Intersect ~~North and South line~~ West bound any of Township 10. links South of Cor to Secs 7 and 18. from which cor I run ~~North~~ South 89° 56' East. between Secs. 7 and 18.
Var. 14° 35' E

40.85. Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

80.85 The cor. to Secs. 7. 8. 17 and 18

Land rolling

Soil 3rd rate.

Township 14. N Range 50 W

North between Sections 7 and 8

Var. 14° 35' E

35 26.00 Bluffs. on West side of line
40.00 Set post. deposit charred. Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.

40 80 80.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor. to Secs. 5. 6. 7 and 8.

40

Sand rolling

Soil 3rd rate.

80

Township 14. N Range 50 W.

East on Random line between Sec. 5 and 8

Var. 14° 35' E

40.00 Set post for temporary 1/4 Sec. Cor.

79.90 Intersect North and South line 10. links South of Cor to Secs. 4. 5. 8 and 9. from which Cor. Scrub South 87° 56' West. between Secs. 5 and 8.

Var. 14° 35' E

39.95 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.

79.90 The cor to Secs. 5. 6. 7 and 8.

Sand rolling

Soil 3rd rate.

Township 14 N. Range 50 W.

West on Random line between Secs. 6 and

Var. 14° 35' E

40.00 Set post for temporary 1/4. Sec. Cor. West boundary of Towns.

80.90 Intersect ~~North and South~~ line 20. links North of Cor. to Secs. 6 and 7. from which Cor. I run South 89° 54' East between Secs 6 and 7.

40.90 Set post. deposit charred stake, raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.

80.90 The cor. to Secs. 5. 6. 7 and 8.

Sand rolling

Soil 3rd rate.

Township 14 N. Range 50 W. of 6th. P. M.

North on Random line between Secs. 5 and 6

Var. 14° 35' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect North Boundary of Township 16. links East of Cor to Secs. 5 and 6. from which Cor I run South 44° 57' East. between Secs. 5 and 6.

Var. 14° 35' E

40.00 Set post. deposit charred stake, raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

10

80.00 The cor. to Secs. 5. 6. 7 and 8.

Sand rolling

Soil 3rd rate.

T. 14 N. R. 50 W. 6th P. M.

General Description

The Eastern boundary Line of this Township joins the ~~Military Reservation and~~ the Town and Station Sidney.

The Bottom along the Lodge Pole ~~are~~ is wide and a considerable portion ~~parts~~ of it valuable Land.

The Ridges bounding the Bottom are Lime Stone which furnish a valuable Building material.

The Northern part of the Township is high, but level Land, and in some parts cultivable

We hereby certify that we assisted Charles Wimpf Deputy Surveyor in Surveying and Subdividing the Township Number fourteen North of Range Number fifty West of the Sixth Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully Surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

John Sarr
John Donahoe
A. Shwargberg

Sworn to and described befor me this 6th day of December A. D. 1869.

A L Chiles
Probate Judge

In and for Cass Co. Neb.

Tow N. R. 28 1

I Charles Wimpf, deputy Surveyor, do solemnly swear that in pursuance of a Contract with R. R. Livingston, Surveyor of the Public Lands of the United States and the instructions furnished by the said Surveyor General, I have faithfully ~~surveyed and~~ Subdivided ~~the~~ Township Number fourteen North of Range Number fifty, (50) West of the Sixth Principal Meridian in the State aforsaid, and do further solemnly swear that the foregoing are the true and original field Notes of such Survey.

Charles Wimpf
Dep. Surveyor

Sworn to and described befor me this 6th day of December 1869.

A L Chiles
Probate Judge

In and for Cass Co. Neb.

Surveyor General's Office.
Plattsmouth Neb. March 17th 1870.

The foregoing field notes of the survey of the subdivision lines of Township No 14 North of the Base Line, of Range No 50 West of the 6th Principal Meridian in the State of Nebraska, executed by Charles Wimpf under his contract of the 10th day of July 1869. in the months of September & October 1869. having been critically examined; the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Robt. R. Simpson
Surveyor General.

Index Diagram
Town 15 N R 50 W

6	57	5	41	4	30	3	19	2	8	1
56		55		40		29		18		7
7	54	8	33	9	28	10	17	11	7	12
53		52		35		27		16		6
18	51	17	37	16	26	15	15	14	5	13
50		45		36		25		14		4
19	48	20	35	21	24	22	13	23	4	24
47		46		34		33		12		3
30	45	29	33	28	22	27	11	26	2	25
44		43		32		21		10		1
31	42	32	31	33	20	34	9	35	1	36

Subdivisions of
Township No 15th North
Range No 50 West
of the 6th Principal
Meridian in the State
of Nebraska
Commenced October 1st
1870. Finished October
6th 1870.

By Hiram C. Fellows
Dep. Surveyor

Names of Assistants

George H. Brown } Chainmen
Edward F. Smith }

Samuel Gillespie } Axeman

Wm H. Evans } ~~Compassman~~ Flagman

In as much as I run the Township lines and executed my subdivisions with a Solar compass I deem it unnessessary to retrace the South and East boundary of Section 36

Township No 15 North

chains	
	North between Sections 35 and 36 Va 15°30' East
40.00	Set a Limestone 19×12×4+ for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for cor to Sections 25. 26 35 and 36 Land rolling Soil 3d rate Prairie
	East on a random line between Sections 25 and 36. Va 15°30' East
40.00	Set a post for temporary 1/4 Section corner
79.80	Intersect E boundary of Township at post corner to Sections 25. 30. 31 and 36 from which corner I run West on a true line

+ Write "inches" at all stone corners

Range 50 West

chains	
	between Sections 25 and 36. Va 15°30' East
25.70	Old road brs N and S
39.90	Set a chared post in mound with pits as per instructions for 1/4 Section corner.
79.80	To the corner to Sections 25. 26. 35 and 36 Land rolling Soil 3d rate Prairie
	North between Sections 25 and 26. Va 15°30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 23. 24 25 and 26. Land rolling Soil 3d rate Prairie

Township No 15 North

Chains	
	East on a random line between Sections 24 and 25. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.92	Intersect E boundary of Township 25 links S of post corner to Secs 19. 24. 25 and 30 from which corner I run S 89° 49' W on a true line between Sections 24 and 25. Va 15° 30' East
31.62	Old road bro N and S
39.96	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.92	To hr corner to Sections 23. 24. 25 and 26
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	
	North between Sections 23 and 24 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 13. 14 23 and 24.
	Land rolling
	Soil 3d rate Prairie

	East on a random line between Sections 13 and 24. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.85	Intersect E boundary of Township 15 links S of post corner to Sections 13. 18. 19 and 24 from which corner I run

Township No 15 North

Chains	
	S 89° 54' W on a true line between Sections 13 and 24. Va 15° 30' East
18.15	Old road brs N and S
39.92½	Set a limestone 13x10x7 for 1/4 Section corner
79.85	To the corner to Sections 13, 14, 23 and 24
	Land rolling
	Soil 3d rate Prairie

	North between Sections 13 and 14 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 11, 12, 13 and 14
	Land rolling
	Soil 3d rate Prairie

Range 10 West

Chains	
	East on a random line between Sections 12 and 13. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.73	Intersect E boundary of Township 20 links N. of post corner to Sections 7, 12, 13 and 18 from which corner I run
	N 89° 51' W on a true line between Sections 12 and 13. Va 15° 30' East
8.83	Old road brs N and S
39.86½	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.73	To the corner to Sections 11, 12, 13 and 14
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	North between Sections 11 and 12 Va 15° 30' East
40.00	Set a charcd post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charcd post in mound with pits as per instructions for corner to Sections 1 2, 11 and 12
	Land rolling
	Soil 3d rate Prairie
	——— . . . ———
	E
	East on a random line between Sections 1 and 12. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.86	Intersect E boundary of Township at post corner to Sections 1. 6. 7 and 12 from which corner run

Range 30 West

Chains	
	West on a true line between Sections 1 and 12. Va 15° 30' East
5.57	Old road bro N and S
39.93	Set a charcd post in mound with pits as per instructions for 1/4 Section corner
79.86	To the corner to Sections 1. 2. 11 and 12
	Land rolling
	Soil 3d rate Prairie
	——— . . . ———
	North on a random line between Sections 1 and 2 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.19	Intersect N boundary of Township 25 links E of post corner to Sections 1. 2. 35 and 36. from which corner I run
	N 11 E on a true line

Township No 15 North

Chains	
	between Sections 1 and 2. Va 15° 30' East
40.19	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.19	To the corners to Sections 1. 2. 11 and 12
	Land rolling
	Soil 3d rate Prairie
	October 1st 1870.
	North between Sections 34 and 35. Va 15° 30' East
40.00	Set a Limestone 18x15x3 for 1/4 Section corner
80.00	Set a Limestone 36x12x4 for corner to Sections 26. 27. 34 and 35
	Land rolling
	Soil 3d rate Prairie

Range 50 West

Chains	
	East on a random line between Sections 26 and 35. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.80	Intersect N and S line 38 links N of post corner to Sections 25. 26. 35 and 36. From which corner I run N 89° 48' W on a true line between Sections 26 and 35. Va 15° 30' East
39.90	Set a Limestone 19x13x2 for 1/4 Section corner
79.80	To the corners to Sections 26. 27. 34 and 35
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	North between Sections 26 and 27. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 22. 23. 26 and 27
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 23 and 26. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect N and S line 30 links N of post corner to Sections 23. 24. 25 and 26. from which corner I run
	N 89° 47' W on a true line between Sections 23 and 26. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	To the corner to Sections 22. 23. 26 and 27
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	North between Sections 22 and 23. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 14. 15. 22 and 23
	Land rolling
	Soil 3d rate Prairie

Range 10 West

Chains	East on a random line between Sections 14 and 23. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section
79.70	Intersect N and S line 10 links N of post corner to Sections 13. 14. 23 and 24. from which corner I run N 89° 56' W on a true line between Sections 14 and 23. Va 15° 30' East
89.85	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.70	To the corner to Sections 14. 15. 22 and 23
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	North between Sections 14 and 15. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 10. 11 14 and 15
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 11 and 14. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.87	Intersect N and S line 15 links S of post corner to Sections 11. 12. 13 and 14, from which corner I run
	S 89° 54' W on a true line between Sections 11 and 14. Va 15° 30' East
39.93½	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.87	To the corner to Sections 10. 11. 14 and 15
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

chains	North between Sections 10 and 11 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 2. 3 10 and 11 Land rolling Soil 3d rate Prairie

Range 30 West

chains	East on a random line between Sections 2 and 11. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.72	Intersect N and S line 20 links S of post corner to Sections 1. 2. 11 and 12. from which corner I run S 89° 51' W on a true line between Sections 2 and 11. Va 15° 30' East
39.86	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.72	To the corner to Sections 2. 3. 10 and 11 Land rolling Soil 3d rate Prairie

Township No 15 North

Chains	
	North on a random line between Sections 2 and 3. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.11	Intersect N boundary of Township at post corner to Sections 2. 3 34 and 35. from which corner I run
	South on a true line between Sections 2 and 3. Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.11	To the corner to Sections 2. 3. 10 and 11
	Land rolling
	Soil 3d rate Prairie

October 2d 1870

Range 50 West

Chains	
	North between Sections 33 and 34 Va 15° 30' East
15.75	To a Drain 30 links wide brs S.E.
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 27 28, 33 and 34
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	East on a random line between Sections 27 and 34. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.80	Intersect N and S line 25. links S of post corner to Sections 26. 27. 34 and 35. from which corner I run
	S 89° 30' W on a true line between Sections 27 and 34. Va 15° 30' East
39.90	Set a Limestone 15 x 10 x 5 for 1/4 Section corner
79.80	So. 1/4 corner to Sections 27, 28. 33 and 34
	Land rolling
	Soil 3d rate Prairie

Range 10 West

Chains	
	North between Sections 27 and 28 Va 15° 30' East
40.00	Set a charcd post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a Limestone 20 x 11 x 2 for corner to Sections 21, 22. 27 and 28
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	East on a random line between Sections 22 and 27. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.81	Intersect N and S line 17 links N of post corner to Sections 22. 23. 26 and 27. from which corner run N 89° 53' W on a true line between Sections 22 and 27. Va 15° 30' East
39.90½	Set a Limestone 15 x 10 x 6 for 1/4 Section corner
79.81	To the corner to Sections 21. 22. 27 and 28
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	North between Sections 21 and 22 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 15 16. 21 and 22
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chai	Chains	East on a random line between Sections 15 and 22. Va 15° 30' East
40.	40.00	Set a post for temporary 1/4 Section corner
79.	79.90	Intersect N and S line 31 links N of post corner to Sections 14. 15. 22 and 23. from which corner run N 89° 47' W on a true line between Sections 15 and 22. Va 15° 30' East
39.	39.95	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79	79.90	To the corner to Sections 15. 16. 21 and 22
		Land rolling
		Soil 3d rate Prairie

Range 10 West

Chains	North between Sections 15 and 16 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 9 10. 15 and 16.
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chai	Chains	East on a random line between Sections 10 and 15. Va 15° 30' East
40.	40.00	Set a stone for temporary 1/4 Section corner
79.	79.83	Intersect N and S line at post corner to Sections 10. 11. 14 and 15. from which corner I run West on a true line between Sections 10 and 15. Va 15° 30' East
39.	39.91½	Set a Limestone 16 x 9 x 6 for 1/4 Section corner
79	79.83	To the corner to Sections 9. 10. 15 and 16
		Land rolling
		Soil 3d rate Prairie

Range 10 West

Chains	North between Sections 9 and 10 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 3 4. 9 and 10
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	East on a random line between Sections 9 and 10. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.76	Intersect N and S line 7 links S of post corner to Sections 2. 3. 10 and 11, from which corner I run
	S 89° 57' W on a true line between Sections 3 and 10. Va 15° 30' East
39.88	Set a chared post in mound with pits as per instructions for 1/4 Section corner.
79.76	To the corner to Sections 3. 4. 9 and 10
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	
	North on a random line between Sections 3 and 4. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
80.24	Intersect N boundary of Township 26 links E of post corner to Sections 3. 4. 33 and 34 from which corner I run
	S 11' E on a true line between Sections 3 and 4. Va 15° 30' East
40.24	Set a Limestone 28 x 10 x 2 for 1/4 Section corner
80.24	To the corner to Sections 3. 4. 9 and 10
	Land rolling
	Soil 3d rate Prairie

October 3d 1870

Township No 15 North

chains	
	North between Sections 32 and 33. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 28 29. 32 and 33
	Land rolling
	Soil 3d rate Prairie

Range 30 West

chains	
	East on a random line between Sections 28 and 33. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.86	Intersect N and S line at post corner to Sections 27. 28. 33 and 34 from which corner I run West on a true line between Sections 28 and 33. Va 15° 30' East
24.32	To a Drain 30 lks wide bra South
39.93	Set a Limestone 20x13x8 for 1/4 Section corner
79.86	To the corner to Sections. 28. 29. 32 and 33
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

ch	chains	North between Sections 28 and 29 Va 15° 30' East
40	40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80	75.20	To a Drain 30 links wide brs S.E.
	80.00	Set a charred post in mound with pits as per instructions for corner to Sections 20. 21 28 and 29
		Land rolling
		Soil 2d rate Prairie

Range 50 West

chains	East on a random line between Sections 21 and 28. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect N and S line 27 links N of post corner to Sections 21. 22. 27 and 28. from which corner I run N. 89° 48' W on a true line between Sections 21 and 28. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	To the corner to Sections 20. 21. 28 and 29
	Land rolling
	Soil 2d rate Prairie

Township No 15 North

Chains	
	North between Sections 20 and 21 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 16 17. 20 and 21 Land rolling Soil 2d rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 16 and 21. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
39.77	Intersect N and S line 15 links N of post corner to Sections 15. 16. 21 and 22. from which corner I run N 89° 54' W on a true line between Sections 16 and 21. Va 15° 30' East
39 88½	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.77	To the corner to Sections 16. 17. 20 and 21 Land rolling Soil 2d rate Prairie

Township No 15 North

Chains	
	North between Sections 16 and 17 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 8 9. 16 and 17 Land rolling Soil 3rd rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 9 and 16. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
39.82	Intersect N and S line 26 links S of post corner to Sections 9. 10. 15 and 16 from which corner I run S 89° 49' W on a true line between Sections 9 and 16. Va 15° 30' East
39.91	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.82	To the corner to Sections 8. 9. 16 and 17 Land rolling Soil 3rd rate Prairie

Township No 15 North

Chains	
	North between Sections 8 and 9 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 4 5. 8 and 9 Land rolling Soil 3d rate Prairie

Range 10 West

Chains	
	East on a random line between Sections 4 and 9. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.03	Intersect N and S line 12. links N of post corner to Sections 3. 4. 9 and 10 from which corner I run. N 89° 55' W on a true line between Sections 4 and 9. Va 15° 30' East
40 01 1/2	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.03	To the corner to Sections 4. 5. 8 and 9. Land rolling Soil 3d rate Prairie

Township No 15 North

Chains	
	North on a random line between Sections 4 and 5. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.13	Intersect N boundary of Township 30 links East of post corner to Sections 4. 5. 32 and 33. from which corner I run
	S 1° E on a true line between Sections 4 and 5. Va 15° 30' East
40.13	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.13	To the corner to Sections 4. 5. 8 and 9
	Land rolling
	Soil 3d rate Prairie
	October 4th 1870

Range 30 West

Chains	
	North between Sections 31 and 32
	Va 15° 30' East
40.00	Set a limestone 20x13x2 for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 29, 30. 31 and 32
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	East on a random line between Sections 29 and 32. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.90	Intersect N and S line 20 lks S of post corner to Sections 28. 29. 32 and 33. from which corner I run
	S 89° 51' W on a true line between Sections 29 and 32. Va 15° 30' East
39.95	Set a chared post in mound with pits as per instructions for 1/4 Section corner
79.90	To the corner to Sections 29. 30. 31 and 32
	Land rolling
	Soil 2d rate Prairie

Range 50 West

Chains	
	West on a random line between Sections 30 and 31. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section Corner
80.19	Intersect W boundary of Township 22 links N of post corner to Sections 25. 30. 31 and 36. from which corner I run
	N 89° 51' E on a true line between Sections 30 and 31. Va 15° 30' East
40.19	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.19	To the corner to Sections 29. 30. 31 and 32
	Land rolling
	Soil 2d rate Prairie

Township No 15 North

Chains	
	North between Sections 29 and 30 Va 15°30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 19 20, 29 and 30
	Land rolling
	Soil 3d rate Prairie

Range 50 West

Chains	
	East on a random line between Sections 20 and 29 Va 15°30' East
40.00	Set a post for temporary 1/4 Section corner
79.73	Intersect N and S line 15 links S of post corner to Sections 20. 21. 28 and 29. from which corner I run
	S89°54' W on a true line between Sections 20 and 29 Va 15°30' East
9.63	To a Drain 30 lks wide brs S.E.
39.86 1/2	Set a chared post in mound with pits as per instructions for 1/4 Section corner
79.73	To the corner to Sections 19. 20. 29 and 30
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

Chains	
	West on a random line between Sections 19 and 30. Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
80.09	Intersect W boundary of Township at post corner to Sections 19. 24. 25 and 30. from which corner I run
	East on a true line between Sections 19 and 30. Va 15° 30' East
40.09	Set a Limestone 20x17x2 for 1/4 Section corner
80.09	To the corner to Sections 19. 20. 29 and 30
	Land rolling
	Soil 3d rate Prairie

Range 30 West

Chains	
	North between Sections 19 and 20 Va 15° 30' East
38.40	To a Drain 30 links wide bs E
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 17 18. 19 and 20
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

chains	
	East on a random line between Sections 17 and 20. Va 15°30' East
40.00	Set a stone for temporary 1/4 Section corner
72.90	Intersect N and S line at post corner to Sections 16. 17. 20 and 21 from which corner I run West on a true line between Sections 17 and 20. Var. 15°30' East
39.95	Set a Limestone 17x15x2 for 1/4 Section corner
52.00	To a Drain 15 lks wide bys S
79.90	To the corner to Sections 17, 18. 19 and 20 Land rolling Soil 2d rate Prairie

Range 50 West

chains	
	West on a random line between Sections 18 and 19 Va 15°30' East
40.00	Set a post for temporary 1/4 Section corner
80.07	Intersect W boundary of Township 17 links N of post corner to Sections 13. 18. 19 and 24. from which corner I run N 89°53' East on a true line between Sections 18 and 19. Va 15°30' East
40.07	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.07	To the corner to Sections 17. 18. 19 and 20 Land rolling Soil 2d rate Prairie

Township No 15 North

Chains	
	North between Sections 17 and 18. Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 7 8. 17 and 18 Land rolling Soil 3d rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 8 and 17. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect N and S line 19 links S of post corner to Sections 8. 9. 16 and 17. from which corner I run S 89° 52' W on a true line between Sections 8 and 17. Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section
66.50	To a Drain 15 links wide trs South
80.00	To the corner to Sections 7. 8. 17 and 18 Land rolling Soil 3d rate Prairie

Township No 15 North

Chains	
	West on a random line between Sections 7 and 18. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.03	Intersect N boundary of Township 39 links N of post corner to Sections 7.12.13 and 18. from which corner I run
	N 89° 48' E on a true line between Sections 7 and 18. Va 15° 30' East
40.03	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.03	to the corner to Sections 7.8.17 and 18
	Land rolling
	Soil 3rd rate Prairie

Range 30 West

Chains	
	North between Sections 7 and 8
	Va 15° 30' East
31.35	To a Drain 12 links wide brs S. E.
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 5 6.7 and 8
	Land rolling
	Soil 3rd rate Prairie

Township No 15 North

Chains	
	East on a random line between Sections 5 and 8. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.06	Intersect N and S line at post corner to Sections 4, 5, 8 and 9 from which corner I run West on a true line between Sections 5 and 8. Va 15° 30' East
40.03	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.06	To the corner to Sections 5, 6, 7 and 8
	Land rolling
	Soil 3d rate Prairie

Range 10 West

Chains	
	West on a random line between Sections 6 and 7. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.12	Intersect W boundary of Township 20 links N of post corner to Sections 1, 6, 7 and 12 from which corner I run N 89° 51' E on a true line between Sections 6 and 7. Va 15° 30' East
40.12	Set a chared post in mound with pits as per instructions for 1/4 Section corner
48.62	To a Drain 17 links wide Trs South
80.12	To the corner to Sections 5, 6, 7 and 8
	Land rolling
	Soil 3d rate Prairie

Township No 15 North

chains	
	North on a random line between Sections 5 and 6 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.13	Intersect N boundary of Township 20 lks E of post corner to Sections 5. 6. 31 and 32 from which corner I run
	S 9' E on a true line between Sections 5 and 6 Va 15° 30' East
40.13	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.13	To the corner to Sections 5. 6. 7 and 8
	Land rolling
	Soil 3d rate Prairie
	October 6th 1870.

Range 50 West

chains	
	General Description
	This Township is a high rolling Prairie. A first rate soil, but owing to the dryness of the climate will be of little value; except for grazing and is therefore classed as third rate.
	(For oaths, see Subn of T 15 R. 51 W)

corner I run

Surveyor General's Office
Washington D.C. Feb. 22. 1881

The foregoing field notes of the survey of the subdivision lines of Township No. 15 North of the Base Line, of Range No. 50 West of the 6th Principal Meridian in the State of Nebraska, executed by Hiram C. Fellows, under his contract of the 4th day of August 1879, in the month of Sept. 1879, having been critically examined the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Index Diagram
Town 16 N. R. 50 W

6	35	5	33	4	30	3	19	2	8	1
54		38		33		28		18		7
7	52	8	37	9	28	10	17	11	7	12
51		40		36		27		16		6
18	49	17	35	16	26	15	15	14	5	13
48		47		34		25		14		4
19	46	20	33	21	24	22	13	23	4	24
45		44		32		23		12		3
30	49	29	32	28	22	27	11	26	2	25
42		41		31		21		10		1
31		32	31	33	20	34	9	35	1	36
	40									

Subdivision of
Township No. 16 N.
Range No 50 West
of the 6th Principal
Meridian in the
State of Nebraska.

Commenced October
7th 1870
Finished October 11th
1870
By Hiram C. Fellows
Deputy Surveyor.

Names of Assistants

George H. Brown
Edward F. Smith } Chainmen

Samuel Gillespie } Axeman

Wm. H. Grant, ~~Compassman~~ Flagman

Inasmuch as I run the Township lines and executed my subdivisions with a Solar Compass I deem it unnecessary to retrace the South and East boundary of Sec 36.

Township No 16 North

chains	
	North between Sections 35 and 36 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a Limestone 19x10x4 ins. for corner to Sections 25, 26, 35 and 36
	Land rolling
	Soil 3d rate Prairie
	. . .
	East on a random line between Sections 25 and 36 Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.84	Intersect E boundary of township at post corner to Sections 25, 30, 31 and 36 from which corner I run

Range 10 West

chains	
	West on a true line between Sections 25 and 36 Va 15° 30' E
6.69	To Old road bts N and S
39.92	Set a Limestone 17x13x4 for 1/4 Section corner
79.84	To the corner to Sections 25, 26, 35 and 36
	Land rolling
	Soil 3d rate Prairie
	. . .
	North between Sections 25 and 26 Va 15° 30' E.
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a Limestone 20x11x5 for corner to Sections 23, 24, 25 and 26
	Land rolling
	Soil 3d rate Prairie

(Writes "inches" at all stone corners)

Corner I run

Township No 16 North

Chains	
	East on a random line between Sections 24 and 25 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.74	Intersect E. boundary of township 21 links S of post corner to Sections 19, 24, 25 and 30 from which corner I run
	S 89° 57' W on a true line between Sections 24 and 25 Va 15° 30' E
16.04	To Old road bro N and S
39.87	Set a chared post in mound with pits as per instructions for 1/4 Section corner
79.74	To the corner to Sections 23, 24, 25 and 26
	Land rolling
	Soil 2d rate Prairie

Range 30 West

Chains	
	North between Sections 23 and 24 Va 15° 30' East
40.00	Set a Limestone 19x13x4 for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 13, 14, 23 and 24
	Land rolling
	Soil 2d rate Prairie

	East on a random line between Sections 13 and 24 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.85	Intersect E. boundary of township at post corner to Sections ~~7, 12~~ 13 ~~and~~ 18 19 & 24 from which corner I run

Township No 16 North

chains	
	West on a true line between Sections 13 and 24 Va 15° 30' East
40	
9.75	To Old road bro N and S
79.39.91½	Set a chared post in mound with pits as per instructions for 1/4 Section corner.
79.85	To the corner to Sections 13, 14, 23 and 24
	Land rolling
	Soil 3d rate Prairie

North between Sections 13 and 14 Va 15° 30' East

chains	
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
79.	
80.00	Set a chared post in mound with pits as per instructions for cor to Sec 11.12.13 and 14
	Land rolling soil 3d rate Prairie

Range 30 West

chains	
	East on a random line between Sections 12 and 13 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect E boundary of township 23 links N of post corner to Sections 7.12.13 and 18. from which corner I run
	N 89° 30' W on a true line between Sections 12 and 13 Va 15° 30' East
10.30	To Old road bro N and S
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	To the corner to Sections 11.12.13 and 14
	Land rolling
	Soil 3d rate Prairie

Township No 16 North

chains	
	North between Sections 11 and 12 Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 1. 2 11 and 12
	Land rolling
	Soil 3d rate Prairie
	East on a random line between Sections 1 and 12 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.05	Intersect E boundary of township 24 links S of post corner to Sections 1. 6. 7 and 12 from which corner I run

Range 50 West

chains	
	S 89° 50' W on a true line between Sections 1 and 12. Va 15° 30' East
6.92	To Old road brs N and S
40.02½	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.05	To the corner to Sections 1. 2. 11 and 12
	Land rolling
	Soil 3d rate Prairie
	North between Sections 1 and 2 Va 15° 30' East
40.00	Set a Limestone 20×10×4 for 1/4 Section corner
80.20	Intersect 4th Standard Parallel N 4.00 chains East of 1/4 Section cor. (S of Sec 31, T. 1.7 N. R. 49 W.) and set a Lime stone 19×13×4 for closing corner to Sections 1 and 2
October 7th 1870	Land rolling soil 3d rate Prairie

Township No 16 North

chains	
	North between Sections 34 and 35
	Va 15° 30' East
40.00	Set a limestone 20x11x8 for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 26.27 34 and 35
	Land rolling
	Soil 3rd rate Prairie

Range 30 West

chains	
	East on a random line between Sections 26 and 35.
	Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.10	Intersect N and S line 13 links S of post cor to Sections 25. 26. 35 and 36 from which corner I run
	S 89° 35' W on a true line between Sections 26 and 35 Va 15° 30' East
40.05	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.10	To the corner to Sections 26.27.34 and 35
	Land rolling
	Soil 3rd rate Prairie

Township No 16 North

chains	
	North between Sections 26 and 27 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 22 23, 26 and 27
	Land rolling
	Soil 3rd rate Prairie

Range 10 West

chains	
	East on a random line between Sections 23 and 26 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.80	Intersect N and S line 20 links S of post cor to Sections 23, 24, 25 and 26 from which corner I run
	S 89° 51' W on a true line between Sections 23 and 26. Va 15° 30' East
39.90	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.80	To the corner to Sections 22, 23, 26 and 27
	Land rolling
	Soil 3rd rate Prairie

Township No 16 North

chains	
	North between Sections 22 and 23 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for Corner to Sections 14, 15, 22 and 23 Land rolling Soil 3rd rate Prairie

Range 10 West

chains	
	East on a random line between Sections 14 and 23. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.15	Intersect N and S line at post corner to Section 13, 14, 23 and 24 from which corner I run West on a true line between Sections 14 and 23 Va 15° 30' East
40.07 1/2	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.15	To the corner to Sections 14, 15, 22 and 23 Land rolling Soil 3rd rate Prairie

Township No 16 North

chains	
	North between Sections 14 and 15 Va 15° 30' East
40.00	Set a charred post in mound with pits as for instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as for instructions for corner to Sections 10 11, 14 and 15 Land rolling Soil 3rd rate Prairie

Range 30 West

chains	
	East on a random line between Sections 11 and 14 Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.80	Intersect N and S line 13 links N of post corner to Sections 11.12.13 and 14 from which corner I run N 89° 54' W on a true line between Sections 11 and 14 Va 15° 30' East
39.90	Set a Limestone 13x11x7 for 1/4 Section corner
79.80	To the corner to Sections 10.11.14 and 15 Land rolling Soil 3rd rate Prairie

Township No 16 North

chains	
	North between Sections 10 and 11 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 2, 3, 10 and 11 Land rolling Soil 3rd rate Prairie

Range 30 West

chains	
	East on a random line between Sections 2 and 11 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.74	Intersect N and S line at post corner to Sections 1, 2, 11 and 12 from which corner I run West on a true line between Sections 2 and 11 Va 15° 30' East
39.87	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.74	To the corner to Sections 2, 3, 10 and 11 Land rolling Soil 3rd rate Prairie

Township No 16 North

chains North between Sections
2 and 3
Va 15° 30' East
40.00 Set a Limestone 19x13x2
for 1/4 Section corner

80.15 Intersect 4th Standard
Parallel N 4.50 Chains
East of 1/4 Section Cor
and set a Limestone
20x12x6 for Closing
corner to Sections
2 and 3
Land rolling
Soil 3rd rate Prairie
October 8th 1870

Range 50 West

chains North between Sections
33 and 34
Va 15° 30' East
40.00 Set a charred post in
mound with pits as
per instructions for
1/4 Section corner

80.00 Set a charred post in
mound with pits as
per instructions for
corner to Sections 27
28, 33 and 34
Land rolling
Soil 3rd rate Prairie

Township No 16 North

chains	
	East on a random line between Sections 27 and 34 Va 15° 30' East
40.00	Set a stone for temporary 1/4 Section corner
79.86	Intersect N and S line 18 links N of post corner to Sections 26 27. 34 and 35 from which corner I run N 89° 52' W on a true line between Sections 27 and 34. Va 15° 30' East
39.93	Set a limestone 18x12x10 for 1/4 Section corner
79.86	To the corner to Sections 27. 28. 33 and 34 Land rolling Soil 3d rate Prairie

Range 10 West

chains	
	North between Sections 27 and 28 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 21. 22. 27 and 28 Land rolling Soil 3d rate Prairie

Township No 16 North

Chains	East on a random line between Sections 22 and 27 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect N and S line 20 links S of post corner to Sections 22. 23. 26 and 27 from which corner I run S 89° 51' W on a true line between Sections 22 and 27 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	To the corner to Sections 21, 22. 27 and 28 Land rolling Soil 3d rate Prairie

Range 50 West

Chains	North between Sections 21 and 22 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 15. 16. 21 and 22 Land rolling Soil 3d rate Prairie

Township No 16 North

Chains	
	East on a random line between Sections 15 and 22 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.13	Intersect N and S line at post corner to Sections 14, 15, 22 and 23 from which corner run West on a true line between Sections 15 and 22. Va 15° 30' East
40.06½	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.13	To the corner to Sections 15, 16, 21 and 22 Land rolling Soil 3d rate Prairie

Range 50 West

Chains	
	North between Sections 15 and 16 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 9, 10, 15 and 16 Land rolling Soil 3d rate Prairie

Township No 16 North

Chains	
	East on a random line between Sections 10 and 15 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.92	Intersect N and S line 14 lks S of post corner to Sections 10, 11, 14 and 15 from which corner I run S 89° 54' W on a true line between Sections 10 and 15 Va 15° 30' East
39.96	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.92	To the corner to Sections 9, 10, 15 and 16
	Land rolling
	Soil 3d rate Prairie

Range 50 West

Chains	
	North between Sections 9 and 10 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 3, 4, 9 and 10
	Land rolling
	Soil 3d rate Prairie

Township No 16 North

Chains	
	East on a random line between Sections 3 and 10.
	Va 15°30' East
40.00	Set a post for temporary 1/4 Section corner
80.10	Intersect N and S line 12 links N of post cor. to Sections 2. 3. 10 and 11, from which corner I run
	N 89°55' W on a true line between Sections 3 and 10 Va 15°30' East
40.05	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.10	To the corner to Sections 3. 4. 9 and 10
	Land rolling
	Soil 3d rate Prairie

Range 50 West

Chains	
	North between Sections 3 and 4
	Va 15°30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.12	Intersect 4th Standard Parallel N 4.77 Chains East of 1/4 Section corner (T. of Sec. 35, T. 17 N. R. 50 W.) and set a Limestone 17×14×6 ins. for closing corner to Sections 3 and 4
	Land rolling
	Soil 3d rate Prairie
	October 9th 1870

Township No 16 North

chains North between Sections 32 and 33 Va 15° 30' East

40.00 Set a charred post in mound with pits as per instructions for 1/4 Section corner

80.00 Set a charred post in mound with pits as per instructions for corner to Sections 28. 29 32 and 33
Land rolling
Soil 2d rate Prairie

Range 10 West

chains East on a random line between Sections 28 and 33 Va 15° 30' East

40.00 Set a post for temporary 1/4 Section corner

79.84 Intersect N and S line 21 lks N of post corner to Sections 27. 28. 33 and 34 from which corner I run
N 89° 51' W on a true line between Sections 28 and 33 Va 15° 30' East

39.92 Set a charred post in mound with pits as per instructions for 1/4 Section corner

79.84 To the corner to Sections 28. 29. 32 and 33
Land rolling
Soil 2d rate Prairie

Township No 16 North

Chains	
	North between Sections 28 and 29. Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 20 21, 28 and 29 Land rolling Soil 3d rate Prairie

Range 30 West

Chains	
	East on a random line between Sections 21 and 28. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.90	Intersect N and S line at post corner to Sections 21. 22. 27. and 28 from which corner I run West on a true line between Sections 21 and 28. Va 15° 30' East
39.95	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.90	To the corner to Sections 20, 21, 28 and 29 Land rolling Soil 3d rate. Prairie

Township No 16 North

chains	
	North between Sections 20 and 21 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 16 17, 20 and 21 Land rolling Soil 3rd rate Prairie

Range 50 West

chains	
	East on a random line between Sections 16 and 21 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.13	Intersect N and S line 17 lks S of post corner to Sections 15. 16. 21 and 22 from which corner I run S 89° 59' W on a true line between Sections 16 and 21 Va 15° 30' East
40.06½	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.13	To the corner to Sections 16, 17, 20 and 21 Land rolling Soil 3rd rate Prairie

Township No 16 North

Chains	
	North between Sections 16 and 17 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 8 9. 16 and 17 Land rolling Soil S & rate Prairie

Range 50 West

Chains	
	East on a random line between Sections 9 and 16 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.00	Intersect N and S line 20 links N of post corner to Sections 9. 10. 15 and 16 from which corner I run N 89° 51' W on a true line between Sections 9 and 16 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	To the corner to Sections 8. 9. 16 and 17 Land rolling Soil S & rate Prairie

Township No 16 North

chains	
	North between Sections 8 and 9 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 4 5. 8. and 9 Land rolling Soil 3rd rate Prairie

Range 30 West

chains	
	East on a random line between Sections 4 and 9. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.78	Intersect N and S line 17 links N of post corner to Sections 3. 4. 9 and 10. from which corner I run N 89° 58' W on a true line between Sections 4 and 9. Va 15° 30' East
39.89	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.78	To the corner to Sections 4. 5. 8 and 9 Land rolling Soil 3rd rate Prairie

Township No 16 North

Chains	
	North between Sections 4 and 5 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.20	Intersect 4th Standard Parallel N. 32 Chains East of 1/4 Section Corner and Set a Limestone 15 x 10 x 9 for closing corner to Sections 4 and 5 Land rolling Soil 3d rate Prairie October 10th 1870.

Range 10 West

Chains	
	North between Sections 31 and 32 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 29 30, 31 and 32 Land rolling Soil 3d rate Prairie

Township No 16 North

Chains	
	East on a random line between Sections 29 and 32
	Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.80	Intersect N and S line 18 links S of post corner to Sections 28. 29. 32 and 33. from which corner I run
	S89°54' W on a true line between Sections 29 and 32. Va 15° 30' East
39.90	Set a charred post in mound with pits as per instructions for 1/4 Section corner
79.80	to the corner to Sections 29, 30. 31 and 32
	Land rolling
	Soil 3d rate Prairie

Range 10 West

Chains	
	West on a random line between Sections 30 and 31
	Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.20	Intersect W boundary of Township 21 links N of post corner to Sections 25. 30. 31 and 36 from which corner I run
	N89°51' W on a true line between Sections 30 and 31. Va 15° 30' East
40.20	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.20	to the corner to Sections 29 30. 31 and 32
	Land rolling
	Soil 3d rate Prairie

Township No 16 North

chains	
	North between Sections 29 and 30 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a limestone 19x15x6 for corner to Sections 19, 20, 29 and 30 Land rolling Soil 3rd rate Prairie

Range 50 West

chains	
	East on a random line between Sections 20 and 29. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.10	Intersect N and S line at post corner to Sections 20, 21, 28 and 29 from which corner I run West on a true line between Sections 20 and 29. Va 15° 30' East
40.05	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.10	To the corner to Sections 19, 20, 29 and 30 Land rolling Soil 3rd rate Prairie

chains		chains	
	West on a random line between Sections 19 and 30 Va 15° 30' East		North between Sections 19 and 20 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner	40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.15	Intersect W boundary of Township 17 links N of post corner to Sections 19, 24, 25 and 30. from which corner I run N 89° 55' E on a true line between Sections 19 and 30 Va 15° 30' East	80.00	Set a charred post in mound with pits as per instructions for corner to Sections 17, 18, 19 and 20
40.15	Set a charred post in mound with pits as per instructions for 1/4 Section corner		Land rolling Soil 2d rate Prairie
80.15	To the corner to Sections 19, 20, 29 and 30 Land rolling Soil 2d rate Prairie		

Chains	
	East on a random line between Sections 17 and 20. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.05	Intersect N and S line 15 links N of post corner to Sections 16. 17. 20 and 21. from which corner I run N 89° 45' W on a true line between Sections 17 and 20. Va 15° 30' East
40.02½	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.05	So the corners to Sections 17. 18. 19 and 20
	Land rolling
	Soil 3d rate Prairie

Chains	
	West on a random line between Sections 18 and 19 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.15	Intersect W boundary of Township 16 links S of post corner to Sections 13. 18. 19 and 24 from which corner I run S 89° 53' E on a true line between Sections 18 and 19. Va 15° 30' East
40.15	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.15	So the corners to Sections 17. 18. 19 and 20
	Land rolling
	Soil 3d rate Prairie

chains	
	North between Sections 17 and 18 Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a chared post in mound with pits as per instructions for corner to Sections 7.8.17 and 18 Land rolling Soil 2d rate Prairie

chains	
	East on a random line between Sections 8 and 17 Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
79.83	Intersect N and S line 16 links N of post corner to Sections 8.9.16 and 17 from which corner run N 89° 53' W on a true line between Sections 8 and 17. Va 15° 30' East
39.91½	Set a chared post in mound with pits as per instructions for 1/4 Section corner
79.83	to the corner to Sections 7.8.17 and 18 Land rolling Soil 2d rate Prairie

Township No 16 North

chains	
	West on a random line between Sections 7 and 18. Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.12	Intersect W boundary of Township 19 links S of post corner to Sections 7, 12, 13 and 18 from which corner I run, S 89° 52' E on a true line between Sections 7 and 18. Va 15° 30' E
40.12	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.12	To the corner to Sections 7, 8, 17 and 18
	Land rolling
	Soil 3d rate Prairie

Range 50 West

chains	
	North between Sections 7 and 8 Va 15° 30' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section corner
80.00	Set a charred post in mound with pits as per instructions for corner to Sections 5, 6, 7 and 8
	Land rolling
	Soil 3d rate Prairie

Chains	
	East on a random line between Sections 5 and 8
	Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.06	Intersect N and S line 12 links N of post corner to Sections 4, 5, 8 and 9 from which corner I run N 89° 55' W on a true line between Sections 5 and 8. Va 15° 30' East
40.03	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.06	To the corner to Sections 5, 6, 7 and 8
	Land rolling
	Soil 3d rate Prairie

Chains	
	West on a random line between Sections 6 and 7.
	Va 15° 30' East
40.00	Set a post for temporary 1/4 Section corner
80.15	Intersect W boundary of Township 25 links S of post corner to Sections 1, 6, 7 and 12 from which corner I run S 89° 49' E on a true line between Sections 6 and 7 Va 15° 30' East
40.15	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.15	To the corner to Sections 5, 6, 7 and 8
	Land rolling
	Soil 3d rate Prairie

Township No 16 North

chains	North between Sections 5 and 6
	Va 15° 30' East
40.00	Set a chared post in mound with pits as per instructions for 1/4 Section corner
80.17	Intersect 4th Standard Parallel N 5.89 chains East of 1/4 Section corner (S. of Sec. 33, T. 17 N. R. 50 W.) and Set a Limestone 17 x 13 x 6. for closing corner to Sections 5 and 6
	Land rolling
	Soil 3d rate Prairie
	October 11th 1870

Range 50 West

chains	General description
	This Township is composed of high rolling Prairie has good 3d rate soil but is too dry to produce anything. but Buffalo grass and prickley pears
	(For oaths, see Subn. of T. 15 R 51 W.)

Surveyor Generals Office
Plattsmouth Neb. Feb. 22. 1871.

The foregoing field Notes of the Survey of the Subdivision Lines of Township 16 North of the Baseline of Range 10 West of the 6th Principal Meridian in the State of Nebraska, executed by Hiram C. Fellows under his Contract of the 4th day of August 1870 in the Month of October 1870, having been critically Examined, the necessary Corrections and Explanations made the said field Notes and the Surveys they describe are hereby approved.

Robt R Simpson
Surveyor General.

General Land Office • Original Field Notes

Book Number

688

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.