General Land Office • Original Field Notes

Book Number

689

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

(59)

T.17-20 N.

R.50 W.

59.

Index Diagram
of
Township 17 N. R. 50 W 6th P.M.



Field Notes
of
The Survey and Subdivision of
Township 17. N. R 50 West 6th P.M.
In the
State of Nebraska
Executed by
Ira N. La Munyon Deputy Surveyor
under Joint contract No 67 dated
August 15th 1872
Survey
Commenced April 14th 1873
Completed April 19th 1873

List of Names of persons
Employed to assist in Surveying this
Township Showing the respective
Capacities in which they acted
John Carter Chainman
John La Munyon "
Henry Wabel Mounduman
Benjamin Whitson "

To determine the proper adjustment of my compass for the subdivision of this Township I commence at the corner Township 17. N. Ranges 44 50 W 6th P.M. on the 4th Standard Parallel N & run North on a blank line along the East boundary of Sec 36
Va 14° 30' E.

40.06 To a point 3 links East of the 1/4 Sec cor:

80.10 To a point 5 links E of the cor to Secs. 25 & 36

To retrace this line or run Parallel there to my compass Must be adjusted to a variation of 14° 32' E

Chains

North bet Secs. 35 & 36
Va 14° 32' E

40.00 Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec cor:

80.00 Set post deposit charred stake raised mound of earth with pits as per instructions for the corner to Secs.
25, 26, 35 & 36

Land level
Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs 25 & 36 Va 14°32' E
40.00	Set a post for temporary ¼ Sec: Cor:
80.10	Intersected the East boundary of the Township 18 links south of the corner to Secs 25 & 36
	From which corner I run S 89°52' W on a true line Bet Sections 25 & 36 Va 14°32' E
40.05	Set a post deposit Charred stake raised Mound of earth with pits as per instructions for a ¼ Sec Cor:
80.10	To the Corner to Sections 25. 26. 35 & 36
	Land gently rolling Soil 2nd rate

Township 17 N R. 50 W. 6th P.M.

Chains	
	North bet Secs. 25 & 26 Va 14°32' E
40.00	Set post deposit charred stake raised mound of earth with pits as per instructions for a ¼ Sec Cor:
80.00	Set a post deposit charred stake raised Mound of earth with pits as per instructions for the corner to Secs. 23. 24. 25 & 26
	Land level: Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs. 24 & 25 Va 14°32' E
40.00	Set post for temporary 1/4 Sec Cor:
80.00	Intersected the East boundary of the Township 21 links south of the Corner to sections 24 & 25 From which corner I run S. 89°51' West on true line Bet Secs. 24 & 25 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor:
80.00	The corner to sections 23. 24. 25 & 26
	Land rolling Soil 2d rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	North Bet Secs. 23 & 24. Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor:
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to Sections 13. 14. 23. & 24
	Land rather broken Soil 2d rate

Township 17. N. R. 50 W 6th P.M.

Chains	
	East on a random line Bet Secs. 13 & 24 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec Cor:
80.04	Intersected the East boundary of the Township 12 links south of the corner to sections 13 & 24 From which corner I run S. 89°55' W. on a true line Bet. Sections 13 & 24 Va 14°32' E
40.02	Set a post deposit a charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. cor: in Ravine bears North
80.04	The corner to sections 13, 14, 23 & 24

Land rough & Hilly
Soil 2d rate

Township 17. N. R. 50 W. 6th P.M.

Chains	
	North Bet Secs. 13 & 14 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of Earth with pits as per instructions for a 1/4 Sec Corner
80.00	Set a Limestone 20 x 12 x 12 as per instructions for the corner to Secs. 11, 12, 13 & 14 From which a pine tree 16 in. in dia bears S. 2° E. 43 links dist.

Land rough & Hilly
Soil 2d rate

Township 17. N. R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs. 12 & 13 va 14°32' E
40.00	Set a post for temporary 1/4 Sec: Cor:
70.00	To a drain bears N.E.
80.00	Intersected the East boundary of the Township 12 links South of the corner to sections 12 & 13 From which corner I run S. 89°55' West on a true line Bet Secs. 12 & 13 va 14°32' E
10.00	To a drain bears N.E.
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor:
80.00	To the Corner to Sections 11. 12. 13 & 14
	Land are uneven valley like depression in the Hills Decends rapidly East Soil 2d rate

Township 17. N. R. 50 W. 6th P.M.

Chains	
	North between Secs. 11 & 12 va 14°32' E
40.00	Set a lime stone rock 16 × 10 × 8 — in. as per instructions for a 1/4 Sec corner:
80.00	Set a lime stone rock 18 × 10 × 10 in. as per instructions for the corner to sections 1. 2. 11 & 12
	Land rough & Broken Soil 2d rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs. 1. & 12. Va 14°32' E
40.00	Set a post for temporary 1/4 Sec. Cor:
71.08	To a drain bears North
80.08	Intersected the East boundary of the Township 10 links South of the Corner to Sections 1 & 12 From which corner I run S. 89°56' West on true line Bet Secs. 1 & 12 Va 14°32' E
9.00	To ~~drain~~ bears ~~North~~
40.04	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor:
80.08	To the Corner to Sections 1. 2. 11 & 12

Land an uneven valley like depression very irregular
Soil 2nd rate

Township 17 N. R 50 W. 6th P.M.

Chains	
	North on a random line Bet Secs. 1 & 2 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec Cor:
80.05	Intersected the North boundary of the Township at the Corner to Sections 1. & 2. From which corner I run South on a true line Bet Sections 1 & 2 Va 14°32' E
40.05	Set a limestone 14 x 10 x 8 in as per instructions for a 1/4 Sec Cor:
80.05	To the Corner to Secs. 1. 2. 11 & 12

Land rough & Hilly
Soil 2nd rate

April 14th 1873

Township 17 N R. 30 West 6th P.M.

Chains	
	North Bet Secs. 34 & 35
	Va 14°32' E
40.00	Set a post deposit charred stake ~~raised~~ Mound of earth with pits as per instructions for a 1/4 Sec cor
80.00	Set a post deposit a charred stake raised Mound of earth with pits as per instructions for the cor to Secs. 26, 27, 34 & 35
	Land nearly level
	Soil 2nd rate

Township 17. N. R. 30 W. 6th P.M.

Chains	
	East on a random line
	Bet Secs 26 & 35
	Va 14°32' E
40.00	Set a post for temporary 1/4 Sec cor
79.94	Intersected the N. & S. line at the corner to sections
	25, 26, 35 & 36
	From which corner I run
	West on the line line
	Between sections 26 & 35
	Va 14°32' E
39.97	Set a post deposit charred stake ~~raised~~ Mound of earth with Pits as per instructions for a 1/4 Sec. cor:
79.94	To the corner to sections
	26, 27, 34 & 35
	Land level
	Soil 2nd rate

Township 17 N. R 30 W. 6 P.M.

Chains	
	North Bet. Secs. 26 + 27 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of Earth with pits as per instructions for a 1/4 Sec Cor:
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections 22, 23, 26 + 27
	Land nearly level Soil 2nd rate

Township 17 N. R. 30 W. 6th P.M.

Chains	
	East on a random line Bet. Secs. 23 + 26 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec Cor:
80.08	Intersected the N. + S. line 5 links North of the corner to sections 23, 24, 25 + 26 From which corner I run N. 89°58' West on a true line Bet Sections 23 + 26 Va 14°32' E
40.04	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor:
80.08	To the corner to sections 22, 23, 26 + 27
	Land nearly level Soil 2nd rate

Township 17. N. R. 50 W. 6th P.M.

Chains	
	North Bet Secs. 22 & 23
	Va 14°32' E
40.00	Set a post deposit charred stake raised Mound of earth with pits as per instructions for a ¼ Sec cor.
80.00	Set a post deposit charred stake raised Mound of earth with pits as per instructions for the Corner to Sections 14, 15, 22 & 23
	Land gently rolling
	Soil 2nd rate

Township 17. N. R. 50 W. 6th P.M.

Chains	
	East on a random line
	Bet Secs. 14 & 23
	Va 14°32' E.
40.00	Set post for temporary ¼ Sec cor:
80.08	Intersected the N & S line 7 links South of the corner to Secs. 13, 14, 23 & 24
	From which corner I run
	S. 89°57' W. on a true line
	Bet Secs. 14 & 23
	Va 14°32' E
40.04	Set a post deposit & charred stake raised Mound of Earth with pits as per instructions for a ¼ Sec cor:
80.08	To the Corner to Secs. 14, 15, 22 & 23
	Land gently rolling
	Soil 2nd rate

Township 17 S. R. 50 W. 6th P.M.

Chains	
	North between Secs. 14 & 15 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor:
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the cor to sections 10, 11, 14 & 15
	Land rolling divide Soil 2nd rate

Township 17. S. R. 50 W. 6th P.M.

Chains	
	East on a random line Between Sections 11 & 14 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec Cor:
80.00	Intersected the N. and S. line at the corner to Sections 11, 12, 13 & 14 From which corner I run West on a true line Between Secs. 11 & 14 Va 14°32' E
40.00	Set a Limestone 17 X 10 X 8 as per instructions for a 1/4 Sec Cor:
80.00	To the cor to Secs. 10, 11, 14 & 15
	Land rolling Soil 2nd rate

Township 17 S R. 50 W. 6th PM

Chains	
	North Bet Sec 10 & 11
	va 14°32' E
40.00	Set a limestone 18 X 10 X 10 as per instructions for a 1/4 Sec: cor:
80.00	Set a post deposit charred stake raised Mound of earth with Pits as per instructions for the Corner to Sections 2.3.10 & 11
	(Stand in bend of ravine West)
	Land broken
	Soil 2nd rate

Township 17 S R 50 W 6th PM.

Chains	
	East on a random line
	Bet Sec 2 & 11
	va 14°32' E
40.00	Set post for temporary 1/4 Sec cor:
80.04	Intersected the N. & S. line 8 links South of the corner to Secs. 1, 2, 11 & 12
	From which corner I run
	S 89°57' West on true line
	Bet Sections 2 & 11
	va 14°32' E.
40.02	Set a limestone 14 x 10 x 8 as per instructions for a 1/4 Sec Cor:
80.04	to the corner to Secs. 2.3.10 & 11
	Land broken
	Soil 2nd rate

Township 17 N R 50 W. 6th P.M.

Chains	
	North on a random line Bet Secs. 2 & 3 Va 14°32' E
40.00	Set a post for temporary ¼ Sec Corner
80.14	Intersected the North boundary of the Township at the corner to sections 2, & 3. From which corner I run South on a true line Bet Secs 2 & 3 Va 14°32' E
40.14	Set a lime stone 20×8×8 as per instructions for a ¼ Sec cor
80.14	To the corner to sections 2, 3, 10 & 11
	Land broken Soil 2nd rate
	April 15th 1873

Township 17 N R 50 W. 6th P.M.

Chains	
	North Bet Secs 33 & 34 Va 14°32' E
40.00	Set a post deposit a charred stake raised mound of earth with pits as per instructions for a ¼ sec cor:
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the cor to Sections 27, 28, 33 & 34
	Land level Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Sections 27 + 34 va 14°32' E
40.00	Set a post for temporary 1/4 Sec: cor:
80.10	Intersected the N. + S. line at the corner to sections 26, 27, 34 + 35. From which corner I run East on a true line Bet Sections 27 + 34 va 14°32' E
40.05	Set a post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec corner
80.10	To the corner to sections 27. 28. 33 + 34

Land level
Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	North Bet Secs. 27 + 28 va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec cor:
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections 21, 22, 27 + 28

Land gently rolling
Soil 2nd rate

Township 17 N.R. 50 W. 6th P.M.

Chains	
	East on a random line Bet Sections 22 & 27 Va 14°32' E
40.00	Set post for temporary 1/4 Sec cor:
80.09	Intersected the N & S line 11 links South of the cor to Secs. 22, 23, 26 & 27 From which cor Sun S 89°55' W on true line Bet Secs 22 & 27 Va 14°32' E
40.04½	Set post deposit charred stak raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80.09	To the cor to secs. 21, 22, 27 & 28

Land gently rolling
Soil 2nd rate

Township 17 N.R 50 W 6th P.M.

Chains	
	North Bet Secs 21 & 22 Va 14°32' E
40.00	Set a limestone 20x10x8 as per instructions for a 1/4 Sec cor:
80.00	Set a limestone 18x10x10, as per instructions for the cor to Sections 15. 16. 21. & 22. "From which a pine Tree 14 inch in dia bears West 45 links Dist.

Land broken
Soil 2nd rate

Township 17. U. R. 50 W 6th P.M.

Chains	
	East on a random line Bet Secs. 15 & 22
8.10	Ravine bears North Va 14°32' E
40.00	Set post for temporary 1/4 Sec cor
80.10	Intersected the N & S line 7 links south of the corner to Secs. 14. 15. 22 & 23
	From which corner I run S. 89°57' West on a true line Bet Secs. 15 & 22 Va 14°32' E
40.05	Set a lime stone 22 x 12 x 8 as per instructions for a 1/4 Sec: cor:
~~72.00~~	~~Ravine bears North~~
80.10	To the corner to Sections 15. 16. 21 & 22.
	Land broken Soil 2d rate

Township 17. U. R. 50 W. 6th P.M.

Chains	
	North Bet Sec 15 & 16 Va 14°32' E
40.00	Set a limestone 18 x 10 x 10 as per instructions for a 1/4 Sec cor:
80.00	Set a limestone 20 x 10 x 8 as per instructions for the cor: to sections 9. 10. 15 & 16
	Land Broken Soil 2d rate

Township 17. N. R 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs. 10 & 15 Va 14°32' E
7.00	Drain bears North
40.00	Set a post for temporary 1/4 Sec. Cor
56.00	Ravine bears N. W.
80.00	Intersected the N. & S. line at the Corner to Sections 10. 11. 14 & 15
	From which corner Drove West on the line Bet Secs. 10 & 15 Va 14°32' E
~~34.00~~	~~Ravine bears N. W.~~
40.00	Set a limestone 20 X 15 X 10 as per instructions for a 1/4 Sec: Cor:
~~73.00~~	~~Drain bears North~~
80.00	To the Corner to sections 9. 10. 15 & 16
	Land broken Soil 2nd rate

Township 17. N. R. 50 W 6th P.M.

Chains	
	North Bet Secs. 9 & 10 Va 14°32' E
4.00	Ravine bears East
40.00	Set a limestone 25 X 10 X 8 as per instructions for a 1/4 Sec Cor:
50.00	Enter valley bears N. W.
78.00	Bed of Drain bears N. W.
79.50	Leave bed of Drain bears N. W.
80.00	Set post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections 3. 4. 9 & 10 On East bank of Drain
	Land broken Soil 2nd rate

Township 17. N. R 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs 3 & 10 Va 14°32' E
40.00	Set a post for temporary 1/4 q.
5.06	Leave valley bears N. W.
25.06	Ridge between ravine & valley
30.06	Ravine bears N. W.
80.06	Intersected the S. & S. line 14 links South of the corner to Sections 2, 3, 10 & 11 From which corner I run S 89° 54' W on true line Bet Secs 3 & 10 Va 14°32' E
40.03	Set a post deposit a charred stake, raised mound of earth with pits as per instructions for a 1/4 Sec cor:
50.00	Ravine bears N. W.
60.00	Ridge between Ravine & Valley
75.00	Enter valley bears N. W.
80.06	To the cor. to Secs 3, 4, 9 & 10

Land rough & Broken
Soil 2nd rate

Township 17. N. R 50 W 6th P.M.

Chains	
	North on a random line Bet Secs 3 & 4 Va 14°32' E
10.00	Left valley & enter upland
20.00	Top of Ridge N. W.
40.00	Set post for temporary 1/4 Sec Cor:
80.11	Intersected the North boundary of the Township at the corner to Sections 3 & 4 From which corner I run South on a true line Bet Secs 3 & 4 Va 14° ~~30~~ 32' E
40.11	Set post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor:
80.11	To the corner to Sections 3, 4, 9 & 10

Land mostly Valley
Soil good 2nd rate

April 16th 1873

Township 17 N. R 50 W. 6th P.M.

Chains	North Bet Sections 32 & 33 Va 14°32' E
40.00	Set a post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. Cor:
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to Sections 28, 29, 32 & 33

Land nearly level
Soil 2nd rate

Township 17 N. R 50 W. 6th P.M.

Chains	East on a random line Bet Secs. 28 & 33 Va 14°32' E
16.96	To Wagon road bears N. & S.
40.00	Set a post for temporary 1/4 Sec. Cor:
79.94	Intersected the N. & S. line at the corner to Secs. 27, 28, 33 & 34
	From which corner I run West on a true line Bet Secs. 28 & 33 Va 14°32' E
39.97	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor:
63.00	To Wagon road bears N. & S.
79.94	To the corner to Secs. 28, 29, 32 & 33

Land nearly level
Soil 2nd rate

Township 17. N. R 50 W 6th P.M.

Chains	
	North bet Secs 28 & 29
	Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec. cor:
75.00	Ravine bears N.W.
75.78	Pine tree 16 inches dia
	Also Pine 18 inch in dia 10 links West of line
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections
	20, 21, 28 & 29
	Land level
	Soil 2nd rate

Township 17. N. R 50 W 6th P.M.

Chains	
	East on a random line
	Bet Sections 21 & 28
15.46	Ravine bears North
30.96	To Wagon road bears W.S.W.
	Va 14°32' E
40.00	Set a post for temporary 1/4 sec cor:
79.96	Intersected the N & S line at the corner to sections
	21, 22, 27 & 28
	From which corner I run
	West on true line
	Bet Sections 21 & 28
	Va 14°32' E
39.98	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor:
49.00	To Wagon road bears W & S.
64.00	Ravine bears North
79.96	To the corner to sections
	20, 21, 28 & 29
	Land rolling
	Soil 2nd rate

Township 17. N. R 50 W. 6th P.M.

chains	North bet Secs 20 & 21
	Va 14°32' E
36.97	Pine Tree 23 inches in dia:
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor
65.00	Ravine bears E
70.00	Foot of Bluff 300 ft High
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a the Sec: cor: to Sections 16. 17. 20 & 21

Land rough & broken
Soil 2d rate

Township 17. N. R 50 W. 6th P.M.

chains	East on a random line
	Bet. Sections 16 & 21. V 14°32' E
10.10	Descend Bluff 300 ft high
16.10	Drain bears North
30.10	Leave valley bears N. & S
34.05	To Pine tree 14 in: dia on edge of Bluff.
40.00	Set a post for temporary 1/4 Sec. cor:
80.10	Intersected the N. & S. line 21 links South of the corner to Sections 15. 16. 21 & 22
	From which corner I run S 89°51' W on a true line Bet. Sections 16 & 21
	Va 14°32' E
40.05	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. cor:
45.25	To a pine tree 14 inches in dia on edge of bluff.
50.00	Enter valley bears N. W.
64.00	Drain bears North
70.00	Ascend Bluff 300 ft high
80.10	To the corner to Sections 16. 17. 20 & 21.

Land rough & broken
Soil 2d rate

Township 17 N. R. 50 W. 6th P.M.

Chains	North bet. Sections 16 & 17
	Va 14°32' E
1.20	To a Pine tree 14 inches in dia
4.00	Ravine bears East
40.00	Set a lime stone 20 x 10 x 8, as per instructions for a 1/4 Sec. Cor.
50.00	Ravine bears East
80.00	Set a lime stone 24 x 14 x 12 For the corner to Sections 8.9. 16 & 17

Land rough
Soil 2d rate

Township 17 N. R. 50 W. 6th P.M.

Chains	East on a random line
	Bet. Sections 9 & 16 V 14°32' E
8.00	ascend Bluff
13.00	To drain bears North
18.30	Wagon road N. & S.
20.00	Beaver Valley bears N.
40.00	Set a post for temporary 1/4 Sec. cor.
79.60	Pine Tree 14 in. in dia
80.00	Intersected the N & S. line 16 links south of the corner to Sections 9. 10. 15 & 16
	From which corner I run S. 89°53' W on a true line
	Bet. Sections 9 & 16
	Va 14°32' E
~~0.40~~	~~To pine tree 14 inches in dia~~
40.00	Set a lime stone 14 x 10 x 8 as per instructions for a 1/4 Sec. cor.
~~60.00~~	~~Entered Valley bears N.~~
~~61.70~~	~~Wagon road N. & S.~~
~~67.00~~	~~To drain bears North~~
~~72.00~~	~~Ascend the Bluffs~~
80.00	To the corner to Sections 8.9. 16 & 17

Land broken
Soil 2d rate

Township 17 N.R. 50 W 6th P.M.

Chains	North Bet. Secs. 8 & 9
	Va 14°32' E
20.00	Entered Valley bears N
35.00	Bed of Ravine bears North
40.00	Set a Limestone 15 X 10 X 8 as per instructions for a 1/4 Sec cor: in gravely bed of Ravine
45.00	Drain Turns N.E.
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to Sections 4.5. 8 & 9

Land mostly valley
Soil 2d rate

Township 17 N.R. 50 W 6th P.M.

Chains	East on a random line Bet Sec 4 & 9
	Va 14°32' E
17.50	Wagon road bears SW & NE
27.04	Creek 5 Lks wide runs North
40.00	Set a post for temporary 1/4. Sec cor
50.04	on ridge of Bluff between valleys
60.04	Enter Valley
80.04	Intersect the North & South line 14 links South of the corner to sections 3.4. 9 & 10
	From which corner I run S 89°54' West on true line Bet. Secs. 4 & 9
	Va 14°32' E
20.00	Left Valley
30.00	On ridge of Bluff bet valleys
40.02	set a post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 sec cor.
53.00	Creek 5 links wide Runs North
62.50	Wagon road bears SW & N.E.
80.04	To the cor to Sections 4.5. 8 & 9

Land mostly valley
Soil 2d rate

Township 17 N. Range 50 W 6th P.M.

Chains	
	North on a random line Bet Sections 4 & 5 Va 14°32' E
10.00	Left valley enter Hills
40.00	Set a post for temporary 1/4 Sec: Cor:
80.15	Intersected the north boundary of the Township 7 links East of the corner to sections 4 and 5
	From which corner I run South 3' E on a true line Bet: Sections 4 & 5 Va. 14° 32' East
40.15	Set a limestone 20 X 10 X 8 as per instructions for a 1/4 sec cor.
80.15	To the Corner to Sections 4. 5. 8 & 9

Land broken
Soil 2d rate

April 17th 1873

Township 17 N. R 50 W 6th P.M.

Chains	
	North Bet Sec: 31 & 32 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec Cor
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to Sections 29. 30. 31 & 32

Land level
Soil 2d rate

Township 17 N. R. 30 W. 6th P.M.

Chains	
	East on a random line Bet Sections 29 & 32 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec. Cor:
80.02	Intersected the N & S. line at the corner to Sections 28, 29, 32 & 33
	From which corner I run West on true line Bet Secs. 29 and 32 Va 14°32' E
40.01	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec. cor.
80.02	To the corner to sections 29, 30, 31 & 32
	Land level Soil 2nd rate

Township 17 N. R. 30 W. 6th P.M.

Chains	
	West on a random line Bet Sections 30 & 31 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec. cor:
79.93	Intersected the West boundary of the township 7 links north of the corner to secs. 30 & 31
	From which corner I run N 89°57' E on true line Bet sections 30 & 31 Va 14°32' E
39.93	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 sec cor:
79.93	To the corner to sections 29, 30, 31 & 32
	Land nearly level Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	North Bet Secs. 29 & 30 Va 14°32' E
40.00	Set a post deposit charred stake raised mound of earth with pile as per Instructions for a 1/4 sec. cor.
80.00	Set a post deposit charred stake raised mound of earth with pile as per instructions for the cor to Sections 19 & 20 29 & 30

Land gently rolling
Soil 2d rate

Township 17 N. R. 50 W. 6th P.M.

Chains	East on a random line Bet Secs 20 & 29 Va 14°32' E
40.00	Set a post for a temporary 1/4 Sec cor.
77.00	Magnetic bears North
80.00	Intersected the N. & S. line 10 links North of the corner to Secs 20, 21, 28 & 29 From which corner I run N 89°56' W on true line Bet Secs 20 & 29 ~~300 Magnetic bears North Va 14°32' E~~
40.00	Set a lime stone 19 x 8 x 5 as per instructions for a 1/4 Sec. cor.
80.00	To the corner to Sections 19, 20, 29 & 30

Land rolling
Soil 2d rate

Township 17 N R 50 W 6th P.M.

Chains	
	West on a random line Bet Secs 19 & 30 va 14°32' E
40.00	Set a post for temporary 1/4 Sec. cor.
79.74	Intersected the West boundary of the Township 7 links South of the corner to sections 19 & 30 From which corner I run S 89°57' E on true line Bet Sections 19 & 30 va 14°32' E
39.74	Set a post deposit charred stake raised Mound of earth with pits as per instructions for a 1/4 Sec. cor.
79.74	To the corner to sections 19. 20. 29 & 30

Land rolling
Soil 2nd rate

Township 17 N R 50 W 6th P.M.

Chains	
	North bet Sec 19 & 20 va 14°32' E
5.00	Ravine bears E
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec cor
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections 17. 18. 19 & 20

Land rolling
Soil 2nd rate

Township 17 N. R 50 W 6th P.M.

Chains	
	East on a random line Bet. Sections 17 & 20 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec: cor:
80.11	Intersected the N & South line at the corner to Secs 16. 17. 20 & 21
	From which corner I run West on true line Bet Sections 17 & 20 Va 14°32' E
40.05½	Set a limestone 20×10×8 as per instructions for a 1/4 Sec cor
80.11	To the corner to Sections 17. 18. 19 & 20
	Land broken Soil 2nd rate

Township 17 N R 50 W. 6th P.M.

Chains	
	West on a random line Bet Sections 18 & 19 Va 14°32' E
40.00	Set a post for temporary 1/4 Sec Cor.
79.70	Intersected the West boundary of the Township at the corner to Secs 18 & 19
	From which cor I run East on true line Bet Sections 18 & 19 Va 14°32' E
39.70	Set a post deposit charred state raised mound of earth with pits as per instructions for 1/4 Sec: cor:
79.70	To the corner to Sections 17. 18. 19 & 20
	Land rolling Soil 2 rate

Township 17 N. R 50 W. 6th P.M.

Chains	
	North bet Secs. 17 & 18 Va 14° 32' E
37.00	Ravine bears East
40.00	Set a lime stone 20 x 10 x 10 (on a point bet 2 ravines) as per instructions for a ¼ sec. cor.
43.00	Ravine bears S.E.
76.00	Ravine bears East
80.00	Set a lime stone 24 x 12 x 10 as per instructions for the cor to sections 7, 8, 17 & 18.
	Land broken Soil 2nd rate
	April 18th 1873.

Township 17 N R 50 W. 6th P.M.

Chains	
	East on a random line Bet Secs. 8 & 17 Va 14° 32' E
34.97	Ravine bears S.E.
37.97	Ravine bears N.E.
40.00	Set a post for temporary ¼ Sec
79.97	Intersected the N & S line 14 links south of the cor to Sections 8, 9, 16 & 17
	From which cor I run S 89° 54' W on true line Bet Secs. 8 & 17 Va 14° 32' E
39.98½	Set a lime stone 20 x 10 x 5 as per instructions for a ¼ Sec cor.
48.04	Ravine bears N.E.
75.00	Ravine bears N.E.
79.97	To the corner to sections 7, 8, 17 & 18
	Land broken. Soil 2nd rate

Township 17 N. R 50 W 6th P.M.

Chains	
	West on a random line Bet. Secs. 7 & 18
35.68	Ravine bears S.E. Va 14°32' E
40.00	Set a post for temporary 1/4 Sec. cor.
79.68	Intersected the West boundary of the township 7 links north of the cor to Sec 7 & 18
	From which cor I run N. 89°57' East on true line Bet Secs. 7 & 18 Va 14°32' E
39.68	Set a lime stone 14 X 10 X 8 as per instructions for a 1/4 Sec. cor.
~~40.00~~	Ravine bears S.E.
79.68	To the corner to Sections 7. 8. 17 & 18

Land Rolling Soil 2nd rate

Township 17 N. R. 50 W. 6th P.M.

Chains	
	North Bet. Secs. 7 & 8 Va 14°32' E
40.00	Set a limestone 24 X 11 X 10 as per instructions for a 1/4 Sec Cor:
78.50	Prairie bears East
80.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for the corner to sections 5. 6. 7 & 8

Land broken. Soil 2nd rate

Township 17 N. R 50. West. 6th P.M.

Chains	
	East on a random line Bet Sec 5 & 8
4.00	Drain bears N. E.
27.00	Ravine bears South
	Va 14° 32' E
40.00	Set a post for temporary 1/4 Sec. cor:
80.00	Intersected the N. & S. line at the Corner to Sections. 4. 5. 8 & 9
	From which corner I run West on a true line Bet Secs. 5 & 8
	Va 14° 32' E.
40.00	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec cor.
53.00	Ravine bears South
76.00	Drain bears N. E.
80.00	To the Corner to Sections 5. 6. 7 & 8

Land rolling
Soil 2nd rate

Township 17. N. R. 50. W. 6th P.M.

Chains	
	West on a random line Bet Sec 6 & 7
2.48	Drain bears S. E.
	Va 14° 32' E
40.00	Set a post for temporary 1/4
62.48	Ravine bears North.
69.48	Descend Bluff.
79.48	Intersect the West boundary of the Township 5. Links North of the Corner to Sections 6 & 7
	From which corner I run N. 89° 58' East on a true line Bet Secs 6 & 7.
	Va 14° 32' E
~~10.00~~	~~Descend Bluffs~~
~~17.00~~	~~Ravine bears N.~~
39.48	Set a post deposit charred stake raised mound of earth with pits as per instructions for a 1/4 Sec. Cor:
~~71.00~~	~~Drain bears S. E.~~
79.48	To the Corner to Sections 5. 6. 7 & 8

Land broken: Soil 2nd rate

Township 17 N. R. 50 W 6th P.M.

Chains	
	North on a random line Bet Sections 5 & 6
10.00	Leave Valley bears E. Va 14°32' E
40.00	Set a post for temporary 1/4 Sec. Cor:
80.00	Intersected the North & South boundary of Township line at the corner to Sections 5 & 6
	From which corner I run South on a true line Bet Secs 5 & 6. Va 14°32' E
40.00	Set a lime stone 20 x 10 x 5 as per instructions for a 1/4 Sec cor:
70.00	Enter Valley bears East
80.00	To the corner to Sec 5. 6. 7 & 8

Land broken Soil 2nd rate

April 19th 1843

General Description

The South & Eastern Portion of this Township is high table land some 700 feet above Platte River

The central And Northern Portion of the Township is very much broken by ravines & Hills

There is considerable Pitch Pine trees in Ravines & Bluffs

Greenwood creek rises in the W 1/4 of sec 9 and has a very rapid current and affords sufficient facilities for Mill Privelege very cheap. The timber along bank of creek is mostly Box Alder

There is an extensive development of Sand Stone of a brick red color with local layers of Lime Stone and a cap of lime stone over the whole of it.

The Exposure of Sand Stone is about 300 feet thick

Probably the same as at Chimney and court House Rocks but of a darker color

There is an Excellent Stock Range and is now occupied by Messrs Merchant & Wheeler who have a ranch 2 Mile North of the Township on the creek

The Wagon road goes to said Ranch and leaves the Township Just West of the corner to Sections 3 & 4

April 19th 1873

60.

A List of the names of the individuals employed to assist in running and measuring or marking the line and corners described in the foregoing field Notes of the Subdivision lines of Township 17 North of Range 50 West of the 6th principal Meridian in the State of Nebraska showing the respective capacities in which they acted John M LaMunyon Chainman John Carter Chainman Henry Worell Moundsman Benjaman Whitson Moundsman

We hereby certify that we assisted Lu W LaMunyon Deputy Surveyor in Surveying the subdivision lines of Township 17 North of Range 50 West of the 6th principal Meridian in the state of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and that the monuments planted accordingly to the instruction permished by the Surveyor General

John Carter Chainman
John LaMunyon "
Henry Worell Moundsman
Benjaman Whitson "

Sworn and subscribed to before me this 24th day of May 1873

James Bellon
Clerk of the District Court
for Lincoln County Nebraska

I Fra W Lakmungon
Deputy Surveyor
do solemly swear that
in pursuance of a joint
contract wherein I W
Lakmungon and Walter
C Campbell are joint
contractors with E E
Cunningham United
States Surveyor General
for the States of Iowa
and Nebraska bearing
Date the 15 day of August
1872 I have well faithfully
and truly in my own
proper person, and in short
conformity with the instructions
furnished by the Surveyor
General surveyed all those
parts or portions of the
Subdivisions lines of
Township No 17 North
of Range 50 West of the
6th principal Meridian
in the State of Nebraska

as are represented in the foregoing Field Notes as having been Surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing is the true and original Field Notes of such survey

Ira W Latturnyon
Deputy Surveyor

Sworn and subscribed to this 24th day of May 1873

James Belton
Clerk of the District Court
for Lincoln County Nebraska

Surveyor General's Office
Plattsmouth 1873

The foregoing field notes of the survey and subdivision of Township No 18 North of Range No 50 West of the 6th PM executed by Ira W Lea Munger Deputy Surveyor under joint contract No 67 dated August 15th 1872 wherein Ira W Lea Munger and Walter Campbell are joint contractors as in the Month of April 1873. having been critically examined, the necessary corrections and explanation made the said field notes & the surveys therein described are hereby approved

Surveyor General

Field Notes
of
The Survey & Subdivision
of
Township No 18 North of the Base Line
of
Range No 50 West of the 6th P.M.
In the
State of Nebraska.

Executed
By N. Jewett Sanger deputy
Surveyor under joint contract
No 67 dated June 2 1873

Survey
Commenced June 25 – 1873
Completed July 4 – 1873

List of Names
A list of the names of the persons employed to assist in the subdivision of the above named Township showing the respective capacities in which

they acted.

John Sherman Chairman
Dan Thouvenal. do
Arbner S Johnson Mountain
Frank Hebert Flagman

Index

Referring the Lines to the pages of the field notes -

Town 18 N. R 50

T. 18 N

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

To determine the proper adjustment of my compass for subdividing this Township I commenced at the cor. to Townships 17 & 18 N. Ranges 49 & 50 W. and ran.

North along the East boundary of sec 36.

Va 14° 35' E

40.00 To a point 5 Lks East of gr sec cor

79.95 To a point 12 Lks East of cor to secs 25 & 36.

Therefore to retrace his line or run parallel thereto my compass must be adjusted to a Va. 14° 40' E.

Township No 18. N.

From the cor. to Secs 35 & 36 on the South boundary of the Township I ran. North between Secs 35 & 36.

Va. 14° 40' E

40.00 Set post 3x3 in. x 4 ft. 12 in. deep deposit charred stake raised mound of earth 3 ft high from pits 12x24 in. x 12 in. deep for gr. sec. cor.

60.00 Jct Old Wagon road bears N.W. & S.E.

80.00 Set Sandstone 20x9x9, – 10 in. deep marked 5 on N. 1 on S. 1 on E and 5 on West side for cor to Secs 25. 26. 35 & 36.

Land rolling soil 2nd rate.

Range No 5 W

Chains

East on a random line between Secs 25 & 36.

14° 40' East

Va. 45°

40.00 Set post for temporary ¼ sec. cor.

80.26 Intersect East boundary of Township 24 Lks N. of cor. to Secs 25 & 36. from which cor. I ran.

N 89° 49' West on a true line between Secs 25 & 36.

Va. 14° 40' E.

40.13 Set Sandstone 20x9x5, – 10 in. deep marked ¼ for gr. sec. cor.

80.26 Corner to Secs 25. 26. 35 & 36.

Land rolling

soil 2nd rate.

Township No 18 N.

Chains	
	North between secs ~~24 & 25~~ Va 14° 40' E.
12.00	Ravine bears West
40.00	Set sandstone 14 x 13 x 3. - 7 in. deep marked 1/4 for gr sec cor.
45.00	Ravine bears E.
68.00	Ravine bears N.E.
80.00	Set Sandstone 15 x 12 x 4. - 7 in. deep. marked 1/4 on N. 2 on S. 1 on E. and 5 on W side for sec. cor. to secs 23. 24. 25 & 26.
	Land rolling soil 2nd rate.

Range No 50 W

Lks	
	East on a random line between secs 24 & 25. Va. 14° 40' E.
15.00	Ravine bears N.W. & S.E.
40.00	Set post for temporary gr. sec. cor.
50.00	Old Road. bears N & S
80.58	Intersect East boundary of Township 40 Lks N. of cor. to secs 24 & 25 from which cor. I run.
	N 89° 43' West on a true line between secs 24 & 25. Va 14° 40' E.
40.29	Set post 3 x 3 in. x 4 ft. 12 in. deep. marked 1/4 for gr. sec. cor.
80.58	Corner to secs 23. 24. 25 & 26.
	Land rolling soil 2nd rate.

Township No 18 N.

Chs	
	North between sec° 23. & 24 Va. 14°40' E
40.00	Set Sandstone 14×12×2.—7 in. deep—marked 1/4 for 1/4 sec. cor.
80.00	Set Sandstone 15×10×4 7 in. deep. marked 3 on N. 3 on S. 1 on E. and 5 on W side for cor to sec° 13. 14 23 & 24
	Land rolling soil 2nd rate.

Range No 5 W

Chs	
	East on a random line between sec' 13 & 24. Va. 14°40' E.
40.00	Set stone for temporary 1/4 sec. cor.
45.00	Old road bears N.W. & S.E.
80.42	Intersect East boundary of Township 36. 2 chs North of cor to sec° 13 & 24 from which cor. I run.
	N. 89°45' West on a true line between sec' 13 & 24 Va 14°40' E
40.21	Set Sandstone 18×8×6. marked 1/4 for qr sec cor. set 9 ins deep.
80.42	Corner to sec° 13. 14. 23 & 24
	Land rolling soil 2nd rate.

Township No 18 N

Chs	
	North between sec° 13 & 14
	Va 14° 40' E.
40.00	Set post 3 x 3 in: x 4 ft: 12 in: dep. deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in: x 12 in dep for gr. sec. cor.
80.00	Set Sandstone 14 x 10 x 4.- 7 in: dep. marked 2 on N. 4 on S. 1 on E. and 5 on W side for cor to sec^s 11. 12. 13 & 14
	Land rolling
	Soil 2nd rate -

Range No 50 W

Chs	
	East on a random line between sec° 12 & 13.
	Va 14° 40' E -
18.00	To old wagon road bears N.W. & S.E.
21.00	To Old wagon road bears North
40.00	Set Stone for temporary gr. sec. cor.
80.22	Intersect East Boundary of Township 60 Lks North of cor to sec° 12 & 13. from which cor. I run.
	N. 89° 34' West on a true line between sec^s 12 & 13.
	Va. 14° 40' E -
40.11	Set post 3 x 3. in: x 4 ft. 12 in: dep deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in: x 12 in: dep. for gr. sec. cor.
80.22	Corner to sec^s 11. 12. 13 & 14
	Land rolling
	Soil 2nd rate -

Township No 18 N.

Chs	
	North between secs 11 & 12. Va 14° 40' E.
18.00	Old road bears N.W. & S.E.
40.00	Set post 3x3 in x 4 ft. 12 in deep deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in x 12 in. deep for gr. sec. cor.
80.00	Set Sand stone 14 x 13 x 3. — 7 in. deep. Marked 1 on N. 5 on S. 1 on E. and 5 on W. side for cor to secs 1, 2, 11 & 12.
	Land rolling Soil 2nd rate.

Range No. 50 W

Chs	
	East on a random line between secs 1 & 12. Va 14° 40' E.
21.80	Old wagon road bears N.W. & S.E.
40.00	Set post for temporary gr. sec. cor.
79.96	Intersect East Boundary of Town 72 Chs N. of cor to secs 1 & 12 from which cor. I ran.
	N. 89° 29' West on a true line between secs 1 & 12. Va 14° 40' E.
39.98	Set post 3 x 3 in x 4 ft. 12 in. deep. ~~deposit~~ charred stake raised mound of earth 3 ft high from pits 12 x 24 in x 12 in. deep for gr sec. cor.
79.96	Corner to secs 1, 2, 11 & 12.
	Land rolling Soil 2nd rate.

Township No 18 N.

Chs	
	North on a random line between sec° 1 & 2. Va 14° 40' E.
40.00	Set post for temporary 1/4 sec. cor.
74.80	Intersect north boundary of Township at cor to sec° 1 & 2 from which cor. I run back on a true line between sec° 1 & 2. Va 14° 40' E
34.80	Set post 3 x 3 in. x 4 ft. 12 in. deep deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in. x 12 in. deep for gr. sec. cor.
74.80	Corner to sec° 1, 2, 11 & 12.
	Land rolling Soil 2nd rate.

June 28, 1873

Range No 50 W.

Chs	
	North between sec° 34 & 35 Va 14° 40' E
40.00	Set Limestone 14 x 9 x 7. – 7 in deep marked 1/4 for qr. sec. cor.
41.00	Ravine N.W. & S.E.
48.00	Ravine N.W. & S.E.
70.00	Ravine N.W. & S.E.
80.00	Set post 3 x 3 in. x 4 ft. 12 in. deep deposit charred stake raised mound of earth 2 ft high from pits 12 x 24 in. x 12 in. deep for cor to sec 26, 27, 34 & 35
	Land rolling soil 2nd rate.

Township No 18 N

Chs	
	East on a random line between sec° 26. & 35
	Va 14°40' E
26.00	Old road bears N.W. & S.E.
40.00	Set Stone for temporary 1/4 sec cor.
R. 45.00	Ravine bears N.W. & S.E.
79.32	Intersect N. & S. line 70 Lks N. of cor. to sec° 25, 26, 35 & 36 from which cor. I run.
	N. 89°30' West on a true line between sec° 26. & 35.
	Va 14°45' E
39.66	Set Sandstone 16x10x4. - 8 in. deep marked 1/4 for qr. sec. cor.
79.32	Corner to sec° 26. 27. 34 & 35
	Land rolling soil 2nd rate.

Range No 50 W

Chs	
	North between sec° 26. & 27.
	Va 14°40' E
10.00	Ravine bears N.E.
33.00	Old road bears N.W. & S.E.
40.00	Set Limestone 14x10x4. - 6 in. deep marked 1/4 for qr sec cor
64.00	Ravine bears N.W.
80.00	Set Limestone 12x10x5. - 6 in. deep marked 4 on N. 2 on S. 2 on E. and 4 on W. side for cor to sec° 22. 23. 26. & 27.
	Land rolling soil 2nd rate

Township No 18 N.

Chs	East on a random line between sec° 23 & 26. Va 14° 40 E
40.00	Set post for temporary q. sec. cor.
79.36	Intersect N. & S. line 5 & 2 links North of cor to secs 23, 24, 25 & 26, from which cor. I run N. 89° 39' West on a true line between sec° 23 & 26. Va 14° 40 E
39.68	Set sandstone 12x12x4, -- 6 in. dep. marked 1/4 for qr sec. cor.
79.36	Corner to sec° 22, 23, 26 & 27
	Land rolling soil 2nd rate

Range No 5 W

Chs	North between sec° 22 & 23 Va 14° 40' E
40.00	Set post 3x3 in. x 4 ft. 12 in. dep. deposit charred stake raised mound of earth 3 ft high from pits 12x24 in x 12 in. deep for qr. sec. cor.
80.00	Set post 3x3 in. x 4 ft. 12 in. dep. deposit charred stake raised mound of earth 3 ft high from pits 12x24x12 in. dep. for cor to sec° 14 15, 22 & 23.
	Land rolling soil 2nd rate.

Township No 18 N

Chs	
	East on a random line between sec° 14 & 23. Va 14° 40' E
40.00	Set post for temporary 1/4 sec. cor.
79.60	Intersect Nor. line 40 lks south of cor. to sec° 13, 14, 23 & 24 from which cor. I run. S 89° 43' West on a true line between sec° 14 & 23. Va 14° 40' E.
39.80	Set sandstone 14 x 11 x 3.7 in. deep. for qr. sec cor.
79.60	Corner to sec 14, 15, 22 & 23
	Land rolling soil 2nd rate.

Range No 50 W

Chs	
	North between sec° 14 & 15 Va. 14° 40' E.
40.00	Set post 3 x 3 in. x 4 ft. 12 in. deep. deposit charred stake raised mound of Earth 2 ft. high from pits 12 x 24 in. x 12 in deep. for qr sec. cor.
80.00	Set post 3 x 3 in. x 4 ft. 12 in. deep. deposit charred stake raised mound of earth 2 ft. high from pits 12 x 24 in. x 12 in. deep. for cor. to secs 10, 11, 14 & 15.
	Land rolling soil 2nd rate.

Township No 18 N

Chs	East on a random line between sec° 11 & 14. Va 14°40' E—
40.00	Set post for temporary 1/4 sec. cor.
79.72	Intersect N. & S. line 46. Chs N. of cor. to sec° 11, 12, 13 & 14 from which cor. I run.
	N 89°40' West on a true line between sec° 11 & 14. Va 14°40' E.
39.86	Set post 3x3 in: x 4 ft. 12 in dep deposit charred stake raised mound of earth 2 ft high from pits 12x24 in: x 12 in: dep for gr sec cor
79.72	Corner to sec° 10, 11, 14 & 15.
	Land rolling Soil 3rd rate.

Range No 50 W.

Chs	North between sec° 10 & 11. Va. 14°40' E—
40.00	Set post 3x3 in: x 4 ft: 12 in: dep. deposit charred stake raised mound of earth 2 ft high from pits 12x24 in: x 12 in: dep. for gr sec cor.
80.00	Set post 3x3 in: x 4 ft: x 12 in: dep deposit charred stake raised mound of earth 2 ft. high from pits 12x24 in: x 12 in: dep. for cor. to sec° 2, 3, 10 & 11.
	Land rolling Soil 2nd rate.

Township No 18 N. Range No 50 W

Chs	
	East on a random line between sec° 2 & 11. Va 14° 40' E.
18.00	Old road. bears N.W. & S.E.
40.00	set post for temporary gr. sec. cor.
79.64	Intersect Bdy. line 27. Lks N. of cor. to sec° 1. 2. 11 & 12 from which cor. I run. N. 89° 48' West on a true line between sec° 2 & 11. Va 14° 40' E
39.82	Set post 3 x 3 in. x 4 ft. 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 12 x 24 in x 12 in. deep. for gr sec cor.
79.64	Corner to sec° 2. 3. 10 & 11.
	Land rolling soil 2nd rate.

Chs	
	North between sec° 2 & 3. on random line Va 14° 40' E
18.00	Old wagon road bears N.W. & S.E.
40.00	Set post for temporary 1/4 sec. cor
75.60	Intersect N. Boundary of Township 28 Lks East of cor to sec° 2 & 3. from which cor. I run. South 13' East on a true line between sec° 2 & 3. Va. 14° 40' E.
35.60	Set post 3 x 3 in. x 4 ft. 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 12 x 24 in. x 12 in. deep for gr. sec. cor.
75.60	Corner to sec° 2, 3, 10 & 11.
	Land rolling soil 2nd rate.

Jan 30. 1873

Township No 18 N

Chs	
	North between secs 33 & 34 Va 14° 40' E
.50	Small creek 10 lks wide flows N.W.
18.00	Creek. 18 lks wide flows N.W.
40.00	Set Limestone 12x9x6. – 6 in. deep marked 1/4 for qr. sec. cor
65.00	Ravine course N.W.
80.00	Set post 3x3 in. x 4 ft; 12 in. deep deposit charred stake raised mound of Earth 2 ft high from pits 12x24 in. x 12 in. deep for cor to secs 27. 28. 33 & 34
	Land rolling valley soil 2nd rate. Timber along banks of stream

Range No 50 W

Lks	
	East on a random line between secs 27 & 34. Va 14° 40' E –
40.00	Set post for temporary 1/4 sec. cor.
41.50	Leave valley on and bluffs N.W. & S.E.
79.38	Intersect N. & S. line 44 lks North of cor to secs 26. 27 34 & 35. from which cor. I run.
	N 89° 41' West on a true line between sec 27 & 34 Va 14° 40' E.
39.69	Set post 3x3 in. x 4 ft; 12 in. deep deposit charred stake raised mound of Earth 2 ft high from pits 12x24 in. x 12 in. deep for qr. sec. cor.
79.38	Cor to sec 27. 28. 33 & 34.
	Land rolling E. 1/2. W. 1/2 valley soil 2nd rate.

Township No 18 N.

Chs	
	North between sec° 27 & 28.
	Va. 14°40' E—
22.00	To marsh bears E & W.
34.60	Leave marsh bears S.E. & N.W.
36.00	Rush Creek 12 Lks wide flows E—
38.75	Same Creek. 12 Lks wide flows N.W.
40.00	Set Limestone 10 x 8 x 6 + 5 in. deep marked 1/4 for gr. sec. cor.
80.00	Set post. 3 x 3 in. x 4 ft. 12 in deep deposit charred stake raised mound of Earth 3 ft. high from pits 12 x 24 in. x 12 in. deep. for cor to secs 21, 22, 27 & 28.
	Land level valley soil 1st rate.

Range No 50 W.

Chs	
	East on a random line between sec° 22 & 27.
	Va 14°40' E—
5.00	Old wagon road bears N.W. & S.E.
15.40	Leave valley enter bluffs N & S.
40.00	Set post for temporary 1/4 sec. cor.
79.74	Intersect N & S. line 34 Lks N. of cor. to secs 22, 23, 26 & 27. from which cor. I run.
	N 89°45' West on a true line between sec° 22 & 27.
	Va 14°40' E.
39.87	Set Limestone 10 x 9 x 7, — 5 in. deep marked 1/4 for gr. sec. cor.
79.74	Corner to sec° 21, 22, 27 & 28.
	Land rolling soil 2nd rate

Township No 18 N

Chs	
	North between sec° 21 & 22 Va 14° 40' E.
3.00	Old wagon road bears N W & S E
40.00	Set post 3x3 in x 4 ft, 12 in, dep deposit charcoal stake raised mound of earth 2 ft high from pits 12 x 24 in, x 12 in, dep for qr. sec. cor.
80.00	Set post 3x3 in x 4 ft, 12 in, dep. deposit charcoal stake raised mound of Earth 2 ft high from pits 12 x 24 in, x 12 in. dep. for cor to sec° 15, 16 21 & 22.
	Land along the line rock bottom soil 1st rate.

Range No 50 W.

Chs	
	East on a random line between sec° 15 & 22. Va 14° 40' E —
20.00	Leave valley & Enter bluffs N.E. & S.W.
40.00	Set post for temporary 1/4 sec. cor.
79.56	Intersect N & S. line at cor. to sec° 14, 15, 22, & 23 from which cor. I run.
	West on a true line between sec° 15 & 22. Va. 14° 40' E.
39.78	Set post 3x3 in, x 4 ft, 12 in, dep. deposit charcoal stake raised mound of earth 2 ft high from pits 12 x 24 in. x 12 in. dep for qr. sec. cor.
79.56	Corner to sec° 15, 16, 21 & 22.
	Land mostly rolling soil 2d rate.

Township No 18 N.

Chs	
	North between sec° 15 & 16. Va 14° 40' E.
6.50	Rush creek, 15 Lks wide flows N. E.
39.00	Leave valley enter bluffs bears N E, & S. W.
40.00	Set post 3x3 in: x 4 ft; 12 in: deep deposit charred stake raised mound of Earth 2 ft high from pits 12 x 24 x 12 in: deep for gr. sec, cor.
80.00	Set post 3x3 in: x 4 ft. 12 in: deep deposit charred stake raised mound of Earth 3 feet high from pits 12 x 24 in x 12 in: deep for cor to sec° 9. 10. 15 & 16.
	Land mostly valley soil 2nd rate.

Range No 50 W

Chs	
	East on a random line between sec° 10 & 15. Va 14° 40' E.
15.40	Leave valley & Enter bottom land bears N & S.
38.00	Rush creek 15 Lks wide flows North
40.00	Set post for temporary gr. sec, cor.
79.62	Intersect N & S. line 21. Lks south of cor. to sec° 10. 11, 14 & 15. from which cor. I run. S 89° 51' West on a true line between sec° 10 & 15. Va. 14° 40' E.
39.81	Set post 3 x 3 in x 4 ft. 12 in. deep: deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in: x 12 in. deep for gr. sec, cor.
79.62	Corner to sec° 9. 10, 15 & 16.
	Land in valley bottom 1st rate upland valley soil 2nd rate.

Township No 18 N

Chs	
	North between sec 9 & 10. Va 14°40' E.
40.00	Set post 3×3 in × 4 ft. 12 in. deep deposit charred stake raised mound of Earth 3 ft high from pits 12×24×12 in. deep for 9 & sec cor.
80.01	Set post 3×3 in. × 4 ft. 12 in. deep deposit charred stake raised mound of earth 3 ft high from pits 12×24 in × 12 in. deep for cor to sec° 3.4.9 & 10.
	Land rolling soil 2nd rate.

Range No 50 W

Chs	
	East on a random line between sec° 3 & 10. Va 14°40' E.
18.00	Leave upland enter creek bottom bears N & S.
39.00	Rush Creek. 15 Lks wide flows N.E.
40.00	Set post for temporary 1/4 sec. cor.
45.00	Leave valley enter upland. N E & S.
79.60	Intersect N & S. line 15 Lks South of cor to sec° 2.3.10 & 11. from which cor. I run.
	S 89°54' West on a true line between sec° 3 & 10. Va. 14°40' E
39.80	Set post 2×3 in × 4 ft. 12 in deep. deposit charred stake raised mound of Earth 3 ft high from pits 12×24 in × 12 in. deep. for 9 & sec. cor.
79.60	Corner to sec° 3.4.9 & 10. Land. valley. level 1st rate upland rolling 2nd rate.

Township No 18 N.

Chs	
	North on a random line between sec. 3 & 4. — Va 14° 40' E
40.00	Set post for temporary gr sec. cor.
76.68	Intersect North boundary of Township 36 Lks W. of cor. to sec 3 & 4 from which cor. I run.
	South 16' W. on a true line between sec 3 & 4. Va 14° 40' E —
36.68	Set post 2x3 in. x 4 ft. 12 in. deep. depression charred stake raised mound of earth 3 ft. high from pits 12x24 in. x 12 in. deep. for gr sec. cor.
76.68	Cor mr to secs 3, 4, 9 & 10.
	Land rolling soil 2nd rate.
	July 1st 1873

Range No 50 W.

Chs	
	North between secs 32 & 33. Va. 14° 40' E —
.35	Rock Creek. runs South East.
20.00	Ravine bears East.
40.00	Set Limestone 14x11x3 — 7 in. deep marked 1/4 for gr. sec. cor.
65.00	Ravine course. East.
72.00	Ravine course East.
80.00	Set Sandstone 15x12x3. 7 in. deep marked 5 on N. 1 on S. 4 on E. and 2 on W. side for cor to secs 28, 29, 32 & 33.
	Land rolling soil 2nd rate

Township No 18 N.

Chs	
	East on a random line between sec's 28 & 33. Va, 14°40' E.
40.00	Set stone for gr. sec cor.
60.00	To high point
70.00	Leave high point enter valley
74.00	Rush creek 10 lks wide runs N.
79.44	Intersect N. & S. line 13 lks N. of cor. to sec's 27, 28, 33 & 34 from which cor. I run. N 89°54' West on a true line between sec's 28 & 33. Va 14°40' E.
39.744	Set Limestone 14 x 8 x 4. – 7 in. deep. marked '14 for gr sec cor.
79.48	Corner to sec 28, 29, 32 & 33.
	Land rolling soil 2nd rate

Range No 50 W

Chs	
	North between sec's 28 & 29. Va 14°40' E
5.00	Ravine course East.
18.00	Ravine course East.
20.00	Ravine course East.
21.50	Ravine course East
40.00	Set Limestone 16 x 12 x 3. – 8 in. deep. marked '14 for gr sec cor.
40.50	Ravine course East
48.00	Ravine course East.
60.00	Leave creek bottom enter bluffs covered with pine bears E & W.
80.00	Set Limestone 18 x 12 x 5. – 8 in. deep. marked 4 on N. 2 on S. 4 on E and 2 on W. side for cor to sec's 20, 21, 28 & 29.
	Land South 60 chs Bottom land soil 1st rate, balance, Broken soil 3rd rate.

Township No 18 N.

chs	
	East on a random line between sec° 21 & 28, Va 14°40' E—
40.00	Set stone for temporary gr sec. cor.
61.50	Leave high bluffs enter creek bottom N. & S.W.
72.00	Rush creek 10 Lks wide runs North.—
79.96	Intersect N & S. line 74 Lks south of cor. to secs 21. 22. 27. & 28. from which cor. I run.
	S. 89°28' West on a true line between secs 21 & 28. Va 14°40' E.
39.98	Set Limestone 12×10×3.—6 in. deep marked 1/4 for gr. sec. cor.
79.96	Corner to secs 20. 21. 28 & 29.
	Land rough & broken soil 3rd rate.

Range No 50 W

	North between secs 20 & 21. Va. 14°40' E—
1.60	Deep canon. course East.
6.00	Leave canon. ascend spur of divide
18.00	Leave spur of divide enter rolling table land.
40.00	Set Limestone 14×13×4—7 in. deep marked 1/4 for gr. sec. cor.
48.00	Bed of Dry run. E & W.
70.00	Old wagon road N.W. & S.E.
80.00	Set Limestone 16×15×8—8 in. deep marked. 3 on N. 3 on S. 4 on E and 2 on W. side for cor to secs 16. 17. 20 & 21.
	Land mostly rolling soil 2d rate

Township No 18 N.

Chs	
	East on a random line between secs 16 & 21. Va 14° 40' E.
40.00	Set stone for temporary 1/4 sec. cor.
58.00	Leave rolling land enter creek bottom N.E. & S.W.
79.00	Rush creek 15 Lks wide runs N & S.
79.92	Intersect N & S. line 37 Lks S. of cor. to secs 15 16 & 21, & 22 from which cor. I run S. 89° 44' West on a true line between secs 16 & 21. Va 14° 40' E.
39.96	Set Limestone 15 x 9 x 3 - 7 in. deep. marked 1/4 for qr sec. cor.
79.92	Corner to secs 16, 17, 20 & 21
	Land except creek bottom rolling soil 2nd rate

Range No 50 W.

Chs	
	North between 16 & 17. Va. 14° 40' E.
39.00	Old trail bears N.E. & S.W.
40.00	Set post 3 x 3 in. x 4 ft. 12 in. deep. deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for qr sec. cor.
80.00	Set post 3 x 3 in. x 4 ft. 12 in. deep deposit charred stake raised mound of Earth 3 ft high from pits 12 x 24 in. x 12 in deep for cor to secs. 8, 9, 16 & 17
	Land rolling soil 2nd rate.

Township No 18 N.

chs	
	East on random between sec's. 9 & 16. Va 14° 40.
40.00	Set post for temporary ¼ sec. cor.
79.64	Intersect N. & S. line 28 lks South of cor. to sec's 9. 10 15 & 16. from which cor I run.
	S 89° 48' West on a true line between sec's 9 & 16. Va 14° 40' E
39.82	Set post 3x3 in, 4 ft. 12 in deep deposit charred stake raised mound of earth 2 ft high from pits 12x24 in x 12 in deep for ~~qr~~ ~~sec~~. cor.
79.64	Corner to sec's 8. 9. 16 & 17.
	Land rolling soil 2nd rate.

Range No 50 W.

Chs	
	North between sec's 8 & 9 Va 14. 40' E
40.00	Set post 3x3 in x 4 feet. 12 in. deep. deposit charred stake raised mound of earth 12x24 in. x 12 in deep for qr. sec. cor.
41.50	Ravine bears N E & S. W.
80.00	Set post 3x3 in, x 4 feet. 12 in. deep deposit charred stake raised mound of Earth 2 feet high from pits 12 x 24 in. x 12 in deep for cor to sec's 4. 5. 8 & 9.
	Land rolling. soil 2nd rate.

Township No 18 N.

Chs

East on random line between sec° 4 & 9.
Va 14° 40' E –

40.00 Set post for temporary qr. sec. cor.

79.74 Intersect North line 32 lks south of cor to secs. 3, 4, 9 & 10 from which cor I run.

S 89° 46' W on a true line between sec° 4 & 9.
Va 14° 40' E

39.87 Set post 3 x 3 in. x 4 ft. 12 in deep deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 in. x 12 in. deep for qr. sec. cor.

79.74 Corner to sec° 4, 5, 8 & 9.

Land rolling
Soil 2nd rate

Range No 50 W

Chs

North on a random line between sec° 4 & 5
Va 14° 40' E.

40.00 Set post for temporary qr. sec. cor.

77.94 Intersect North boundary of Township 48 lks East of cor to sec° 4 & 5, from which cor I run.

South 27' E. on a true line between sec° 4 & 5.
Va. 14° 40' E.

37.94 Set post 3 x 3 in. x 4 ft. 12 in deep deposit charred stake raised mound of earth 3 ft. high from pits 12 x 24 in. x 12 in. deep for qr. sec. cor.

77.94 Corner to sec° 4, 5, 8 & 9

Land rolling soil 3rd rate

July 2nd

Township No 18 N.

North between secs 31 & 32
Va. 14°40' E.

28.00 Leave spur of divide
30.00 Brook 10 lks wide runs S.E.
31.00 Leave creek bottom enter high divide
40.00 Set Sandstone 18×8×6.–9 in deep marked, 1/4 for gr. sec. cor.
50.00 Leave divide enter valley
53.00 Brook. 10 lks wide runs S.E.
55.00 Leave valley enter High divide
73.00 Leave Divide enter Head of ravine
80.00 Set Limestone 16×13×5.–8 in deep marked 5 on N. 1 on S. 5 on E and 1 on W. side for cor. to secs 29. 30. 31 & 32

Land rough & broken
Soil 3rd rate –

Range No 50 W.

Chs

East on a random line between secs 29 & 32.
Va. 14°40' E.

15.00 Leave ravine enter high divide N & S.
38.00 Leave high divide enter rolling table Land.
40.00 Set post for temporary gr. sec. cor.
79.12 Intersect N & S. line 14 lks south of cor to secs 28. 29. 32 & 33. from which cor I ran.
S 89°54' West on a true line between secs 29 & 32.
Va 14°40' E.
39.56 Set Sandstone 16. 11. 3.–8 in deep. marked, 1/4 for gr. sec. cor.
79.12 Corner to secs 29. 30 31 & 32.

Land rolling East 1/2 soil 2nd rate
W 1/2. Hills 3rd rate.

Township No 18 N.

Chs	
	West on a random line between secs 30 & 31.
	Va 14° 40' E.
2.00	Leave ravine enter high divide
30.00	Ravine bears N.W.
40.00	Set post for temporary qr. sec. cor.
50.00	Drain course N.E.
79.44	Intersect West boundary of Township 36 Lks North of cor to secs 30 & 31. from which cor. I ran.
	N 89° 45' East on a true line between secs 30 & 31.
	Va 14° 40' E.
39.44	Set Sand stone 14 x 6 x 3. - 7 in deep. marked 1/4 for qr sec cor.
79.44	Corner to secs 29. 30 31 & 32
	Land rough & broken soil 3rd rate.

Range No 50 W

	North between secs 29 & 30.
	Va. 14° 40' E
15.00	Bed of dry run. course N.E.
31.40	Bed of dry run, course N.W.
40.00	Set Sand stone 14 x 10 x 6. - 7 in: deep marked 1/4 for qr. sec. cor.
62.00	Bed of dry run. course N.E.
80.00	Set sand stone 28. 14. 6. - 10 in. deep. marked 4 on N. 2 on S. 5 on E and 1 on W. side for cor. to secs 19 & 20. 29 & 30.
	Land along valley of dry run. High bluffs on each side.

Township No 18 N.

Chs	
	East on a random line between Sec° 20 & 29. Va 14° 40' E.
12.00	Red of dry run. Course N.E.
15.00	Leave valley enter High bluffs
40.00	Set post for temporary gr sec cor.
79.72	Intersect N. & S. line 32. Lks South of cor. to sec° 20. 21. 28 & 29. from which cor. I run. S. 89° 46' West on a true line between Sec° 20 & 29. Va 14° 40' E —
39.86	Set Limestone 14 x 7 x 4 — 7 in. deep for gr sec cor.
79.72	Corner to sec° 19. 20. 29 & 30.
	Land high & broken Soil 3d rate.

Range No 50 W.

Chs	
	West on a true line between Sec° 19 & 20. Va 14° 40' E —
.50	Leave valley enter high Bluffs N.W. & S.W.
40.00	Set post for temporary gr. sec. cor.
65.00	Leave high bluff enter rolling Land. N.E. & S.E.
79.20	Intersect West Boundary of Township 38. Lks North of Cor to sec° 19 & 20. from which cor. I run N 89° 44' East on a true line between Sec° 19 & 20. Va. 14° 40' E —
39.20	Set Sandstone 13 x 6 x 3. 6 in deep marked 1/4 for gr. sec. cor.
79.20	Corner to sec° 19. 20. 29 & 30.
	Land rough & Broken Soil 3d rate.

Township No 18 N.

Chains	
	North between sec. 19 & 20 Va. 14° 40' E.
40.00	Set Sandstone 16. x 12 x 5 8 in: deep for qr. sec. cor.
75.00	Old road. bears E & W.
80.00	Set post 3 x 3. x in: x 4 ft: 12 in: deep. depositor charred stake raised mound of earth 2 feet high from pits 12 x 24 in: x 12 in: deep for cor to sec. 17, 18, 19 & 20.
	Land rolling soil 3rd rate —

Range No 50 W.

	Eastern random line between sec. 17, 20. Va. 14° 40' E —
18.00	Dry bed of ravine N.E.
38.00	Old road bears N.E. & S.W.
40.00	Set post for temporary qr. sec. cor.
79.56	Intersect N. & S. line 36 lks South of cor. to sec. 16, 17, 20 & 21, from which cor. I run S 89° 45' West on a true line between sec. 17 & 20. Va. 14° 40' E —
39.78	Set Sandstone 11 x 7. x 3. - 5 in: deep for qr. sec. cor.
79.56	Corner to sec. 17, 18, 19 & 20.
	Land rolling soil 2nd rate

Township No 18 N

Chs	
	West on a random line between sec^s 18 & 19. Va 14° 40' E –
40.00	Set post for temporary qr sec. cor.
78.84	Intersect West Boundary of Township 32. Lks N of cor to sec^s 18 & 19. from which cor. I run.
	N. 89° ~~54~~ 46' East on a true line between sec^s 18 & 19. Va. 14° 40' E.
38.84	Set post 3×3 in: × 4 ft. 12 in: deep. deposit charred stake raised mound of earth 3 ft high from pits 12×24 in × 12 in deep for qr sec. cor.
78.84	Corner to sec^s 17, 18, 19 & 20.
	Land rolling soil 2nd rate –

Range No 50 W.

Chs	
	North between sec^s 17 & 18. Va 14° 40' E –
40.00	Set post 2×3 in: × 4 ft. 12 in: deep deposit charred stake raised mound of earth 3 ft high from pits 12×24 in: × 12 in: deep for qr. sec. cor.
80.00	Set post 3×3 in: × 4 ft. 12 in: deep deposit charred stake raised mound of earth 3 ft high from pits 12×24 in: × 12 in: deep for qr. to sec^s 8, 9, 16 & 17.
	Land rolling. soil 3rd rate.
	July 3rd 1873

Township No 18 N

Chs	
	East on a random line between sec° 8 & 17. Va. 14°40' E.
40.00	Set post for temporary gr sec cor
72.00	Old road bears N.W. & S.E.
79.86	Intersect N. & S. line 34 Lks South of cor to secs 8. 9. 16 & 17, from which cor. I run.
	S 89°45' West on a true line between sec° 8 & 17. Va. 14°40' E.
39.93	Set Sandstone 12 x 10 x 8 - 6 in dep. marked 1/4 for gr. sec. cor
79.86	Corner to secs 7. 8. 17 & 18.
	Land rolling Soil 2nd rate

Range No 50 W

Chs	
	West on a random line between sec° 7 & 18. Va. 14°40' E.
40.00	Set post for temporary gr sec cor.
78.88	Intersect West Boundary of Township 26 Lks North of cor. to secs 7 & 18, from which cor. I run.
	N 89°49' East on a true line between sec° 7 & 18. Va 14°40' E.
38.88	Set post 3 x 3 in: x 4 ft: 12 in dep deposit Charcoal stake raised mound of Earth 3 feet high from pits 2 x 24 in x 12 in dep for gr sec cor
78.88	Corner to secs 7. 8. 17. & 18.
	Land rolling Soil 2nd rate.

Township No 15 N.

Chs	
	North between secs 7 & 8. Va 14° 40' E —
40.00	Set post 3 x 3 in: x 4 ft: 12 in: dup deposit charred stake raised mound of earth 3 ft high from pits 12 x 24 in: x 12 in dup for qr sec. cor.
80.00	Set post 3 x 3 in: x 4 ft: 12 in: dup. deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 in: x 12 in: dup. for cor. to secs 5. 6. 7. & 8.
	Land rolling soil 3rd rate.

Range No 50 W.

Chs	
	East on a random line between secs 5 & 8. Va. 14° 40' E.
40.00	Set post for temporary qr sec. cor.
55.00	Old road bears N & S.
79.48	Intersect N & S. line 48 Lks South of cor. to secs 4, 5, 8 & 9, from which cor. I run.
	S 89° 43' West on a true line between secs 5 & 8 Va. 14° 40' E —
39.74	Set post 3 x 3 in: x 4 ft: 12 in: dup deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 in: x 12 in: dup for qr. sec. cor.
79.48	Corner to secs 5. 6. 7 & 8.
	Land rolling soil 3rd rate

Township No 18 N

Chs	
	West on a true line between sec 6 & 7. Va. 14° 40' E —
40.00	Set post for temporary gr sec. cor.
78.64	Intersect West boundary of Township 4 & 2 Lks North of cor to sec 6 & 7. from which cor. I run.
	N. 89° 39' East on a true line between sec 6 & 7. Va. 14° 40' E. —
38.64	Set post 3 x 3 in: x 4 feet 12 in: dep deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 in: x 12 in: deep for gr. sec. cor.
78.64	Corner to sec 5. 6. 7 & 8.
	Land rolling Soil 3rd rate.

Range No 5 W

Chs	
	North between sec 5 & 6. Va. 14° 40' E —
40.00	Set post for temporary gr sec. cor.
79.06	Intersect North boundary of Township 63 Lks East of cor to sec 5 & 6. from which cor. I run.
	South 37 Lks East of cor. to sec 5 & 6. Va. 14° 40' E.
39.06	Set post 3 x 3 in: x 4 feet 12 in: dep. deposit charred stake raised mound of earth 3 feet high from pits 12 x 24 in: x 12 in: deep for gr. sec. cor.
79.06	Corner to sec 5. 6. 7 & 8.
	Land rolling Soil 2nd rate —

July 4th 1873

General Description

Township No 18 N. Range No 50 West is composed mostly of Rolling 2nd rate Land. The South west part of the Township is very broken 3rd rate. —

Rush Creek running through this Township from South to North is a swift running stream average depth about 2 feet. water cool and pure The valley along Rush Creek is 1st rate. This Township is well adapted to stock raising

Good grass- water and shelter can be found in the bluffs ~~can be had~~ Considerable timber can be found in the S.W. pt of the Township & Rock in abundance —

List of Names

A List of the names of the individuals employed to assist in surveying and subdividing Township No 18 North of the Base Line of Range No 50 West of the 6th P.M. in the state of Nebraska showing the respective capacities in which they acted.

John Sherman Chainman
Dan Thousand Chainman
Abner S. Johnson Rodman
Frank Hebert Flagman

We hereby certify that we assisted W Jewett Sanger Deputy Surveyor in subdividing Township No 18 North of the Base Line of Range No 50 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes.

John L Sherman — Chainman
Don Thousand — Chainman
Abner S Johnson — Mounduan
Frank Hebert — Flagman

Signed in my presence and sworn to by the above named persons before me the undersigned a Notary Public in and for Keith County Nebraska this 3 day of October 1873

Henry Roberts
Notary Public

I W. Jewett Sanger deputy surveyor do solemnly swear that that in pursuance of a joint contract wherein Sam. H. Chapman and W. Jewett Sanger are joint contractors with E. E. Cunningham United States ~~Deputy~~ Surveyor General for the Dist. of Nebraska and Iowa bearing date the 2d day of ~~May~~ June 1873, I have well faithfully and truly in my own proper person and in strict accordance with the instructions furnished by the Surveyor General, the surveying manual and the Laws of the United States Surveys all those parts or portions of Township No 18 North of the Base Line of Range No 50 West of the 6th P.M. in Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said survey have been Established and perpetuated in strict accordance with the surveying manual and printed instructions and special instructions of the surveyor General, — of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

W. Jewett Sanger
U. S. Deputy Surveyor

Signed in my presence & sworn to before me the undersigned a Notary Public in & for Keith County Nebraska this day of 3d Oct 1873
Henry Robert Notary Public

Surveyor General's Office

Plattsmouth Jany 1st 1873

The foregoing field notes of the survey and subdivision of Township No 18 North of the Base Line of Range No 50 W. of the 6th P.M. in Nebraska. Executed by W. Jewett Sanger deputy Surveyor, under joint Contract No 77. dated ~~May~~ June 2 1873 Wherein Sam. M. Chapman and W Jewett Sanger are joint Contractors in the months of June and July 1873. having been critically examined the necessary correction and explanations made the said field notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General.

T 19 N., R 50 W

6 60	5 44	4 33	3 22	2 11	1
59	58	43	32	21	10
7 57	8 42	9 31	10 20	11 9	12
56	53	41	30	19	8
18 54	17 40	16 29	15 18	14 7	13
53	52	39	28	17	6
19 51	20 38	21 27	22 16	23 5	24
50	49	37	26	15	4
30 48	29 36	28 25	27 14	26 3	25
47	46	35	24	13	2
31 45	32 34	33 23	34 12	35 1	36

Field Notes
of
Township 19 N of Base Line
of
Range 50 West of 6th P.M.
in
Nebraska
Executed
by N. S. Scott deputy Surveyor
under yt Contract No. 106 July 17. 1877

Survey
Commenced Aug. 21. 1877
Completed " 26 1877

List of Names
and duties of assistants

Ed O Knight Chainman
H E Breckenridge do
W S Gilmore Monadman
Charles Schark do

0

chains

To determine the proper adjustment of my compass for subdividing this Township I commence at the cor to Ts. 18 & 19 N. Rs. 49 & 50 W and run

North on a blank line along the E boundary of Sec. 36.

40.00 To a point 5 lks E of 1/4 sec cor
80.00 " " 11 " " cor to Secs 25 & 36

Va 14° 40' E

To retrace this line or run parallel thereto my compass must be adjusted to a Va of 14° 45' E.

1

T. 19 N. R. 50 W.

chains

North bet Secs 35 & 36

Va 14° 45' E

40.00 Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 sec Cor

63.00 Leave Sand Hill

80.00 Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep. drove Cedar post 3 & 3 in & 3 ft in S E pit for Cor to Secs 25. 26. 35 & 36.

Land Sandy Soil 3d Rate.

Town 19 North Range 50 West

Chains

East on random line bet
Secs 25 and 36
Va 14° 45' E

10.00 Leave Sand Hills

40.00 Set temporary 1/4 Sec Cor

80.00 Intersect East boundary of
Town at Cor to Secs 25 & 36
From which Cor Iron
West on a true line bet
Secs 25 and 36
Va 14° 45' E

40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor

80.00 Cor to Secs 25. 26. 35 & 36
Land level Soil 2d Rate.

Town 19 North Range 50 West

North bet Secs 25 & 26
Va 14° 45' E

40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor

80.00 Raised mound of Earth 3 ft
high from pits 18 & 24 & 12 in
deep Above Ced or stake
3 & 3 in & 3 ft in SE pit for
Cor to Secs 23. 24. 25 & 26
Land level Soil Good 2d Rate.

Town 19 North Range 50 West

East on random line bet
Secs 24 and 25
Va 14° 45' E

40.00 Set temporary ¼ Sec Cor

80.00 Intersect East boundary of
Town 13 link North of Cor
to Secs 24 & 25 from which
Cor Drum
Va 89° 54' West on true line
bet Secs 24 & 25
Va 14° 45' E

40.00 Raised mound of Earth 2 ft
high from pits 18 + 24 + 12 in
deep for ¼ Sec Cor

80.00 Leg to Secs 23. 24. 25. 26
Land level Soil good 2d Rate.

Town 19 North Range 50 West.

North bet Secs 23 and 24
Va 14° 45' E

40.00 Raised mound of Earth 2 ft
high from pits 18 + 24 + 12 in
deep for ¼ Sec Cor

80.00 Raised mound of Earth 3 ft
high from pits 18 + 24 + 12 in
deep. Above Cedar stake
3 + 3 in + 3 ft in S.E. pit
for Cor to Secs 13. 14. 23. 24
Land level. Soil good 2d Rate.

Town 19 North Range 50 West

	East on random line bet Secs 13 and 24 Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect East boundary of Town 23 links North of Cor to Secs 13 and 24 From which Cor Iron N 89° 50' West on true line bet Secs 13 and 24 Va 14° 45' E
40.00	Raised mound of Earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Cor to Secs 13. 14. 23 & 24 Land East 1/2 level West 1/2 Rolling. Soil 2d Rate.

Town 19 North Range 50 West.

	North bet Secs 13 and 14 Va 14° 45' E
6.00	Pumpkin Creek 40 lks wide N.E.
40.00	Raised mound of Earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
48.54	Pumpkin Creek 40 lks wide N.W.
62.00	" " 80 lks " N.E.
80.00	Raised mound of Earth 3 ft high from pits 18 + 24 + 12 in deep. Above Cedar Stake 3 + 3 in & 3 ft in S.E. pit for Cor to Secs 11. 12. 13 & 14 Land Rolling Soil Good 2d Rate.

Town 19 North Range 50 West

East on random line bet
Secs 12 and 13
Va 14° 45' E
40.00 Set temporary 1/4 Sec Cor
53.00 Pumpkin Creek 80 lks wide N.E
80.00 Intersect East boundary of
Town 58 lks North of Cor to
Secs 12 & 13 from which
Cor Iron
N 89° 35' West on true line
bet Secs 12 & 13
Va 14° 45' E
40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
80.00 Cor to Secs 11. 12. 13 & 14
Land level Soil Good 2d Rate.

Town 19 North Range 50 West

North bet Secs 11 and 12
Va 14° 45' E
40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
41.50 Road N & S E
62.85 South bank of Platte River
Where I Raised mound of Earth
2 ft high from 1 pit 24 & 24
& 12 in deep. drove Cedar
Stake marked M.C. 3 & 3 in & 3 ft in pit
for me under Cor to
Secs 11 and 12
80.00 Point for Cor to Secs 11 & 12
falls in river and can
not be established
Land Bottom. Soil 1st Rate.

Town 19 North Range 50 West

From Cor to Secs 1 and 12 on
East boundary of Town Run
West on a true line bet
Sec 1 and 12
Va 14° 45' E

18. 50 Left bank of N Platte River &
Raised mound of earth 2 ft high
from pit 24 x 24 x 12 in deep
drove Cedar stake marked M.C.
2 x 2 in x 2 ft in pit for Meander
Cor to fractional Secs 1 & 12.
Land Bottom Soil 1st Rate

Town 19 North Range 50 West.

From point for Cor to Secs 1. 2. 11 &
12 in the River Run North on
Arandom line bet Secs 1 & 2
Va 14° 45' E

36. 00 Left bank of N Platte River &
Set temporary Meander Cor
40 00 Set temporary 1/4 Sec Cor
40. 30 Road N & S E
76. 00 Intersect North boundary of Town
21 lks East of Cor to Secs
1 & 2 from which Cor Run
S 9' East on a true line bet Secs
1 & 2
Va 14° 45' E

36. 00 Raised mound of earth 2 ft high
from pits 18 x 24 x 12 in deep
for 1/4 Sec Cor

40. 00 Raised mound of earth 2 ft high
from pit 24 x 24 x 12 in deep drove
Cedar stake marked M.C. 2 x 2 in x
2 ft in pit for Meander Cor to
fractional Secs 1 and 2 on
left Bank N Platte River

76. 00 Point for Cor to Secs 1. 2. 11 & 12
Land Bottom Soil 1st Rate
August 21st 1877

Form 19 North Range 50 West

	North bet Secs 34 and 35
	Va 14° 45' E
40.00	Raised mound of earth 2ft
	high from pits 18+24+12in
	diam for 1/4 Sec Cor
80.00	Raised mound of earth 3ft
	high from pits 18+24+12in
	diam. Above Cedar stake
	3ft 3in & 3ft in the pit
	for Cor to Secs 26. 27. 34, 35
	Land level. Soil good 2nd Rate

Form 19 North Range 50 West.

	East on random line bet
	Secs 26 and 35
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
69.00	Marine. R
80.00	Intersect N & S line at Cor to
	Secs 25. 26. 35 & 36 from
	which Cor Drum
	West on true line bet Secs
	26 and 35
	Va 14° 45' E
40.00	Raised mound of earth 2ft
	high from pits 18+24+12in
	diam for 1/4 Sec Cor
80.00	Cor to Secs 26. 27. 34 & 35
	Land Sandy Rolling soil 2nd Rate.

Town 19 North Range 50 West

	North bet Secs 26 and 27
	Va 14° 45' E
40.00	Raised mound of Earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor.
53.50	Pumpkin Creek 50 lks wide. E
80.00	Raised mound of Earth 3ft high from pits 18 + 24 + 12 in deep drove Cedar stake 3 + 3 in & 3 ft in SE pit for Cor to Secs 22. 23. 26 27.
	Land 60 Chains level with good 2d Rate Soil. remainder Rolling with sandy soil.

Town 19 North Range 50 West

	East on random bet Secs 23 and 26
	Va 14° 45' E
23.50	Pumpkin Creek 50 lks wide NE
40.00	Temporary 1/4 Sec Cor
80.00	Intersect N & S line at Cor to Secs 23. 24. 25 & 26 from which Cor Drum
	West on true line bet Secs 23 & 26
	Va 14° 45' E
40.00	Raised mound of Earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Cor to Secs 22. 23. 26 & 27.
	Land level Soil 2d Rate.

Town 19 North Range 50 West

	North bet Secs 22 & 23
	Va 14°. 45 E
40.00	Raised mound of Earth 2 ft
	high from pits 18 + 24 + 12 in
	deep for 1/4 Sec Cor
80.00	Raised mound of Earth 3 ft
	high from pits 18 + 24 + 12 in
	deep. drove Cedar Stake
	3 in + 3 ft in S E pit
	for Cor to Secs 14. 15. 22. 23
	Land South 1/2 level Soil 2° Rate
	" N 1/2 Hilly. Sandy 3° Rate

Town 19 North Range 50 West

	East on random line bet
	Secs 14 and 23
	Va 14° 45' E
16.50	Pumpkin Creek 1/10 lks wide N E
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N & S line at Cor to
	Secs 13. 14. 23 & 24 from
	which Cor Iron
	West on a true line bet Secs
	14 and 23.
	Va 14° 45' E
40.00	Raised mound of Earth 2 ft
	high from pits 18 + 24 + 12 in
	deep for 1/4 Sec Cor
80.00	Cor to Secs 14. 15. 22. 23
	Land Hilly Soil Sandy 3° Rate.

Form 19 North Range 50 West

		North bet Secs 14 and 15
		Va 14° 45' E
110	110.00	Raised ground of earth 2 ft
		high from pits 18 + 24 + 12 in
		depth for 1/4 Sec Cor
80	80.00	Raised ground of earth 3 ft
		high from pits 18 + 24 + 12
		in depth above Cedar
		Stake 3 + 3 in + 3 ft in d. to
		pit for Cor to Secs 10. 11. 14 + 15
		Land Rolling Soil Sandy 2d Rate

Form 19 North Range 50 West

		East on random line bet
		Secs 11 and 14
		Va 14° 45' E
110.00		Set temporary stake for
79.48		Intersect N & S line 5 chs north
		of Cor to Secs 11. 12. 13 + 14
		from which Cor bears
		Va 89° 58' West on true line bet
		Secs 11 and 14
		Va 14° 45' E
39.74		Raised ground of earth 2 ft
		high from pits 18 + 24 + 12 in
		deep for stake Cor
79.48		leg to Secs 10. 11. 14 + 15
		Land Hilly Soil Sandy 2d Rate

Town 19 North Range 50 West

	North bet Secs 10 and 11
	Va 14° 45' E
40.00	Raised mound of Earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
50.00	Enter River Bottom
80.00	Raised mound of Earth 3 ft high from pits 18 + 24 + 12 in deep. Drove Cedar stake 3 + 3 in + 3 ft in S E pit for Cor to Secs 2. 3. 10 + 11
	Land 1st 50 Chains Rolling
	Soil 2d Rate Remainder level
	Bottom Soil Good 2d Rate

Town 19 North Range 50 West.

	Knowing this line will strike the River within 80 Chains from East on a true line bet Secs 2 and 11
	Va 14° 45' E
40.00	Raised mound of Earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
56.76	Right bank of N Platte River
	Raised mound of Earth 2 ft high from pit 24 + 24 + 12 in deep drove Cedar stake 2 + 2 in + 3 ft marked W C infrt for Meander Cor to fractl Secs 2 and 11
	Land Bottom Soil 1st Rate.

Town 19 North Range 50 West.

Knowing this line will strike the River within 80 Chains Sum North on a true line bet Secs 2 and 3

Va 14° 45' E

40.00 Raised mound of earth 2ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor

50.00 Right bank of N Platte River &

Raised mound of earth 2ft high from pit 24 + 24 + 12 in deep drove Cedar stake 2 + 2 in + 2ft marked M.C. in pit for Meander Cor to fractional Secs 2 & 3

Land Bottom Soil 1st Rate

Aug. 22d 1877

Town 19 North Range 50 West.

North bet Secs 33 and 34

Va 14° 45' E

40.00 Raised mound of Earth 2ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor

80.00 Raised mound of Earth 3ft high from pit 18 + 24 + 12 in deep. drove Cedar stake 3 + 3 in & 3ft in S E pit for Cor to Secs 27. 28. 33 & 34

Land level Soil good 2d Rate.

Town 19 North Range 50 West

East on random line bet
Secs 27 and 34
Var 14° 45' E

40.00 Set temporary 1/4 Sec Cor
80.00 Intersect N & S line at Cor to
Secs 26. 27. 34 & 35 from
which Cor Iron
West on true line bet Secs
27 and 34
Var 14° 45' E

40.00 Raised mound of earth 2 ft
high from pits 18 + 24 + 12
in diam for 1/4 Sec Cor
80.00 Cor to Secs 27. 28. 33 & 34
Land level Soil 2d Rate.

Town 19 North Range 50 West.

North bet Secs 27 & 28
Var 14° 45' E

20.00 Pumpkin Creek 60 lks wide 120
40.00 Raised mound of earth 2 ft
high from pits 18 + 24 + 12 in
diam for 1/4 Sec Cor
80.00 Raised mound of earth 3 ft
high from pits 18 + 24 + 12 in
diam Above Cedar stake
3 x 3 in x 3 ft in 2 ft pit for
Cor to Secs 21. 22. 27 & 28
Land Bottom level soil
Sandy 2d Rate.

Town 19 North Range 50 West

East or random line bet
Secs 22 & 27
Va 14° 45' E
110.00 Set temporary 1/4 Sec Cor
80.00 Intersect N & S line 1m 14 chs south
of Cor to Secs 22. 23. 26, 27
From which Cor Drew
S 89° 53' West on a true line
bet Secs 22 & 27
Va 14° 45' E
10.00 Raised mound of earth 2ft
high from pits 18 x 24 x 12
in deep for 1/4 Sec Cor
10.00 Cor to Secs 21. 22. 27, 28
Land E 1/2 Hilly W 1/2 Rolling
Soil Sandy 2nd Rate.

Town 19 North Range 50 West

North bet Secs 21 & 22
Va 14° 45' E
40.00 Raised mound of earth 2ft
high from pits 18 x 24 x 12 in
deep for 1/4 Sec Cor
80.00 Raised mound of earth 3ft
high from pits 18 x 24 x 12 in
deep Acre Cedar post
3 x 3 in x 3 ft in S.E. pit
for Cor to Secs 15. 16. 21 & 22
Land Rolling Soil sandy 2nd Rate.

Form 19 North Range 50 West

East on random line bet
Secs 15 and 22
Va 14° 45' E
40.00 Set temporary 1/4 Sec Cor
80.00 Intersect No & S line at Cor to
Secs 14. 15. 22 & 23 from
which Cor Iron
West on a true line bet
Secs 15 & 22
Va 14° 45' E
40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
80.00 Cor to Secs 15. 16. 21 & 22
Land E 1/2 Hilly W 1/2 Rolling
Soil Sandy 2d Rate.

Form 19 North Range 50 West.

North bet Secs 15 and 16
Va 14° 45' E
40.00 Raised mound of Earth 2 ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
80.00 Raised mound of Earth 3 ft
high from pits 18 & 24 & 12 in
deep Above Cedar Stake
3 & 3 in & 3 ft in S E pit
for Cor to Secs 9. 10. 15 & 16
Land Hilly Soil Sandy 2d Rate.

Town 19 North Range 50 West

East on random line bet
Secs 10 and 15
Va 14° 45' E

110.00 Temporary 1/4 Sec Cor

80.00 Intersect N & S line at Cor to
Secs. 10. 11. 14 & 15 from
which Cor Drum
West on a true line bet Secs
10 and 15
Va 14° 45' E

110.00 Raised mound of earth 2 ft
high from pit 18 + 24 + 12 in
deep for 1/4 Sec Cor

80.00 Cor to Secs 9. 10. 15 & 16
Land Hilly Soil sandy 2d Rate.

Town 19 North Range 50 West.

North bet Secs 9 & 10
Var 14° 45' E

110.00 Raised mound of earth 2 ft
high from pit 18 + 24 + 12 in
deep for 1/4 Sec Cor. in
" " Buffalo Wallow,

80.00 Raised mound of earth 3 ft
high from pit 18 + 24 + 12 in
deep drove Cedar Stake
3 + 3 in + 3 ft in S. E. pit
for Cor to Secs 3. 4. 9 & 10
Land Rolling Soil sandy 2d Rate.

Town 19 North Range 50 West.

	East on random line bet Secs 3 and 10 Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N & S line at Cor to Secs 2. 3. 10 & 11 from which Cor Irun
	West on a true line bet Sec 3 and 10 Va 14° 45' E
40.00	Raised mound of Earth 2 ft high from pit 18 & 24 & 12 in Aux for 1/4 Sec Cor
80.00	Cor to Secs 3. 4. 9 & 10 Land level Soil Good 2d Rate

Town 19 North Range 50 West.

	North on random line bet Secs 3 and 4 Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
75.36	Intersect North boundary of Town at Cor to Secs 3 & 4 From which Cor Irun
	South on true line bet Secs 3 and 4 Va 14° 45' E
35.36	Raised mound of Earth 2 ft high from pit 18 & 24 & 12 in Aux for 1/4 Sec Cor
75.36	Cor to Secs 3. 4. 9 & 10 Land level Bottom Soil Good 2d Rate. Aug 23d 1877

Town 19 North Range 50 West

North bet Secs 32 and 33
Va 14° 45' E

40.00 Raised mound of Earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor

80.00 Raised mound of Earth 3ft high from pits 18 + 24 + 12 in deep above Cedar stake 3 + 3 in + 3ft in S.E pit for Cor to Secs 28. 29. 32 & 33

Land Rolling Soil 2d Rate.

Town 19 North Range 50 West.

East on random bet Secs 28 and 33
Va 14° 45' E

40.00 Set temporary 1/4 Sec Cor

79.00 Intersect W & S line 9 lks South of Cor to Secs 27. 28. 33 34 from which Cor Sum S 89° 56' West on true line bet Secs 28 and 33
Va 14° 45' E

39.50 Raised mound of Earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor

79.00 Cor to Secs 28. 29. 32 & 33

Land level Soil Good 2 Rate.

Form 19 Range 50 West.

	North between Secs 28 and 29
	Va 14° 45' E
08.10	Creek 30 lks. East
40.00	Raised mound of Earth 2ft
	high from pits 18 x 24 x 12 in
	deep for 1/4 Sec Cor
80.00	Raised mound of Earth 3ft
	high from pits 18 x 24 x 12 in
	deep Drove Cedar stake
	3 ft 3 in x 3 ft in S.E. pit
	for Cor to Secs 20. 21. 28. 29
	Land Bottom Soil good 2d Rate.

Form 19 North Range 50 West.

	East random between Secs
	21 & 28
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N & S line 20 links
	South of Cor to Secs 21, 22, 27
	28 from which Cor Drove
	South 89° 51' West on true line
	between Secs 21 & 28
	Va 14° 45' E
40.00	Raised mound of Earth 2ft
	high from pits 18 x 24 x 12 in
	deep for 1/4 Sec Cor.
80.00	Cor to Secs 20. 21. 28 & 29
	Land Rolling Soil 2d Rate.

Town 19 N Range 50 West

	North bet Secs 20 & 21
	Va 14° 45' E
40.00	Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep above Cedar stake 3 & 3 in & 3 ft in S E pit for Cor to Secs 16. 17. 20 & 21
	Land Rolling Soil sandy 2d Rate.

Town 19 North Range 50 West

	East on random line bet Secs 16 and 21
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor.
79.30	Intersect N & S line 1 7/8 link North of Cor to Secs 15. 16. 21 & 22 from which Cor I run
	N 89° 53' West on true line bet Secs 16 and 21
	Va 14° 45' E
39.65	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
79.30	Cor to Secs 16. 17. 20 & 21
	Land Rolling Soil 2d Rate.

Town 19 North Range 50 West

	North bet Sec 16 and 17
	Va 14° 45' E
22.00	Road NE & SW
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 sec Cor.
80.00	Raised mound of earth 3 ft high from pits 18 + 24 + 12 in deep. Drove Cedar stake 3 + 3 in + 3 ft in S.E pit for Cor to Secs 8. 9. 16 & 17
	Land Rolling Soil Sandy 3 Rate

Town 19 North Range 50 West

	East on random line bet Sec 9 and 16
	Va 14° 45' E
40.00	Set temporary 1/4 sec Cor
72.00	Road N & S.
80.00	Intersect N & S line 13 links South of Cor to Secs 9. 10. 15 & 16 from which Cor Trent
	S 89° 54' West on true line bet Secs 9 and 16
	Va 14° 45' E
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 sec Cor
80.00	Cor to Secs 8. 9. 16 & 17
	Land Rolling Soil Sandy 3 Rate

Form 19 North Range 50 West

	North bet Sec 8 and 9
	Va 14° 45' E
2 40.00	Raised mound of Earth 2ft
4	high from pit 18 + 24 + 12 in
	deep for 1/4 Sec Cor
80.00	Raised mound of Earth 3ft
8	high from pit 18 + 24 + 12 in
	deep. Acre Cedar stake
	3 + 3in + 3ft in S.E. pit
	for Cor to Secs 4. 5. 8 + 9.
	Land Rolling Soil sandy 3rd Rate

Form 19 North Range 50 West

	East on random line bet
	Secs 4 and 9
	Va 14° 45' E
36.40	Road N.E. & S.W.
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N and South line
	at Cor to Secs 3. 4. 9 + 10
	From which Cor Drew
	West on a true line bet Secs
	4 and 9
	Va 14° 45' E
40.00	Raised mound of Earth 2ft
	high from pit 18 + 24 + 12 in
	deep for 1/4 Sec Cor
80.00	Cor to Sec 4. 5. 8 and 9
	Land Rolling Soil sandy 3rd Rate.

Town 19 North Range 50 West

North on random line bet
Secs 4 & 5
Va 14° 45' E
40.00 Set temporary 1/4 Sec Cor
65.00 End of Sand Knolls
75.27 Intersect North boundary of
Town 14 links West of Cor to
Secs 4 & 5 from which Cor Drew
S 6' West on true line bet Secs
4 and 5
Va 14° 45' E
35.27 Raised mound of Earth 2 ft
high from pit 18 x 24 x 12 in
deep for 1/4 Sec Cor
45.27 Cor to Secs 4. 5. 8 & 9
Land 1st 65 Chs Sandy 3 Rate
Balance Rolling 2d Rate.
Aug 24th 1877

Town 19 North Range 50 West.

North bet Secs 31 and 32
Va 14° 45' E
40.00 Raised mound of Earth 2 ft
high from pit 18 x 24 x 12 in
deep for 1/4 Sec Cor
73.00 Road NW & SE
80.00 Raised mound of Earth 3 ft
high from pit 18 x 24 x 12 in
deep Above Cedar stake
3 x 3 in & 3 ft in SE pit for
Cor to Sec 29. 30. 31 & 32
Land level Bottom
Soil Good 2d Rate.

Town 19 North Range 50 West

	East on random line bet Secs 29 and 32 Va 14° 45' E
11.20	Creek 30 lks wide SE
30.00	Creek 30 lks wide SE
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N & S. line 13 lks S of Cor to Secs 28.29.32.33 From which Cor Iron
	S 89° 54' West on true line bet Secs 29 & 32 Va 14° 45' E
40.00	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
80.00	Cor to Secs 29. 30. 31 & 32
	Land level Soil good 2c Rate

Town 19 North Range 50 West

	West on random line bet Secs 30 and 31 Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
49.20	Creek 30 lks wide NE
52.40	Creek 30 lks wide SE
79.40	Intersect West boundary of Town at Cor to Secs 30 & 31 from which Cor Iron
	East on a true line bet Secs 30 & 31 Va 14° 45' E
39.40	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
79.40	Cor to Secs 29. 30. 31 & 32
	Land level Soil 2c Rate

Town 19 North Range 50 West

	North bet Secs 29 and 30
	Va 14° 45' E
39.50	Creek 25 lks wide NE
40.00	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pit 18 + 24 + 12 in deep Drove Cedar stake 3 1/2 in x 3 ft in SE pit for Cor to Secs 19. 20. 29 & 30
	Court House Rock bears S 50' 00 E, 9.53 Chains dist
	Land 1st 1/2 level. Soil 2d Rate
	" 2d 1/2 Broken " 3d Rate

Town 19 North Range 50 West

	East on random line bet Secs 20 and 29
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
79.40	Intersect N & S line at Corto Secs 20. 21. 28 & 29 from which Cor Drew
	West on true line bet Secs 20 & 29
	Va 14° 45' E
39.40	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
79.40	Cor to Secs 19. 20. 29 & 30
	Land Rough & Broken
	Soil scarce & 3d Rate

Town 19 North Range 50 West

West on a random line bet
Secs 19 and 30
Va 14° 45' E
40.00 Temporary 1/4 Sec Cor
*19.34 Intersect W Boundary of
Town at Cor to Secs 19 & 30
from which Cor Secs
East on a true line bet Secs
19 and 30
Va 14° 45' E
39.34 Raised mound of earth 2ft
high from pit 18 + 3yd + 15in
deep for 1/4 Sec Cor.
*19.34 Log to Secs 19. 20. 29 & 30
Land. Broken. Bluffs &
Canons.
Aug. 25th

Town 19 North Range 50 West

North bet Secs 19 and 20
Va 14° 45' E
25.00 Road NE and SW
40.00 Raised mound of earth 2ft
high from pit 18 + 3yd + 15in
deep for 1/4 Sec Cor
80.00 Raised mound of earth 3ft
high from pit 18 + 3yd + 15in
deep. Drove Cedar stake
3 1/2in x 3ft in SE pit for
Cor to Secs 17. 18. 19 & 20
Land Rolling Soil Sandy & Rate

Town 19 North Range 50 West

	East on random line bet Secs 17 and 20
	Va 14° 45' E
06.00	Road NE & SW
40.00	Set temporary 1/4 Sec Cor
65.00	Road NE & SW
80.00	Intersect N & S line at Cor to Secs 16, 17, 20 & 21 from which Cor Irun
	West on true line bet Secs 17 and 20
	Va 14° 45' E
40.00	Raised mound of Earth 2 ft high from pit 18 & 24 & 12 deep for 1/4 Sec Cor
80.00	Cor to Secs 17. 18. 19 & 20
	Land Rolling Soil Sandy 3rd Rate

Town 19 North Range 50 West

	West on random line bet Secs 18 and 19
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
79.28	Intersect west boundary of Town 7 link S of Cor to Secs 18 & 19 from which Cor Irun
	S 89° 57' ~~West~~ East on true line bet Secs 18 and 19
	Va 14° 45' E
39.28	Raised mound of Earth 2 ft high from pit 18 & 24 & 12 deep for 1/4 Sec Cor
79.28	Cor to Secs 17. 18. 19. 20
	Land Rolling Soil Sandy 3rd Rate

Town 19 Range 50 West

	North bet Secs 17 and 18
	Va 14° 45 E
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 + 24 + 12 in deep drove cedar stake 3 + 3 in & 3 ft in S.E. pit for Cor to Secs 7. 8. 17 & 18.
	Land Rolling Soil sandy 3d Rate

Town 19 Range 50 West

	East on random bet Secs 8 and 17
	Va 14° 45' E
40.00	Set temporary 1/4 Sec Cor
80.00	Intersect N & S line, at 9 lks South of Cor to Secs 8. 9. 16 & 17 from which Cor. Iron
	S 89° 56' West on true line bet Secs 8 and 17
	Va 14° 45' E
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Cor to Secs 7. 8. 17 & 18
	Land Rolling Soil Sandy 3d Rate.

Town 19 North Range 50 West

	West on random line bet Sec 7 and 18
	Va 14° 45' E
31. 50	Black Hill Road Inn & SE
40. 00	Set temporary 1/4 Sec Cor
79. 15	Intersect West boundary of Town 11 links N of Cor to Sec 7 & 18 from which Cor Iron N 89° 55' East on a trac line bet Sec 7 & 18
	Va 14° 45' E
39. 15	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
79. 15	Cor to Sec 7. 8. 17 & 18
	Land Rolling Soil 2d Rate.

Town 19 North Range 50 West.

	North bet Sec 7 and 8
	Va 14° 45' E
40. 00	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
80. 00	Raised mound of earth 3 ft high from pit 18 + 24 + 12 in deep above cedar stake 3 + 3 in + 3 ft in SE pit for Cor to Sec 5. 6. 7 & 8
	Land Gently Rolling Soil good 2d Rate.

Town 19 North Range 50 West

East on random line
bet Sec 5 & 8.
Va 14° 45' E

110.00 Set temporary 1/4 Sec Cor
49.78 Intersect N & S line 15 chs N
of Cor to Secs 4. 5. 8 & 9
from which bor Trees
N 89° 54' West on true line
bet Secs 5 and 8
Va 14°. 45' E

39.89 Raised mound of earth 2 ft
high from pits 18 + 22 + 12 in
diab for 1/4 Sec Cor

49.78 Cor to Secs 5. 6. 7 & 8
Land Gently Rolling soil Good 2 Rate

Town 19 North Range 50 West

West on a random line bet
Sec 6 and 7
Va 14°. 45' E

40.00 Set temporary 1/4 Sec Cor
38.77 Intersect West boundary of
Town 5 chs South of Cor to
Secs 6 & 7 from which bears
S 89°. 58 East on true line
bet Secs 6 and 7.
Va 14°. 45' E

38.77 Raised mound of earth 2 ft
high from pits 18 + 22 + 12 in
diab for 1/4 Sec Cor.

78.77 Cor to Secs 5. 6. 7 & 8.
Land Rolling soil 2d Rate.

Town 19 Range 50 West

	North on Random line bet Secs 5 & 6
	Va 14° 45' E
40 00	Set temporary 1/4 Sec Cor
2/5. 14	Intersect North boundary of Town 14 lks West of Cor to Secs 5 & 6 from which Cor Irun
	South 6' West bet Secs 5 & 6
	Va 14° 45' E
35. 14	Raised mound of earth 2 ft. high from pits 18 & 24 & 14 in deep for 1/4 Sec Cor
2/5. 14	Cor to Secs 5. 6. 7. 8
	Land gently rolling Soil 2d Rate.

Town 19 North Range 50 West.

		Meanders of the North Platte River in Town 19 North Range ~~49~~ 50 West Beginning at the Meander Cor on North boundary Irun Down the Right bank in fractional Sec 3
	1	
S 60 E	15 00	
S 49½ E	14 00	
S. 42 3/4 E.	12.20	
~~S 59 E~~	~~15.20~~	To M.C. to fractional Secs 2 & 3 thence in fractl Sec 2.
	2	
S 40 E	13 00	
S 31 E	24 00	
S 54½ E	20 00	
S 68 E	21.80	To M.C. to fractional Sec 2 & 11 thence in fractl Sec 11
	3	
S 70 E	5 00	
S 50½ E	24.50	To M.C. to fractional Sec 11 & 12 thence in fractl Sec 12.
	4	
S 65 E	29.00	
S 54½ E	15 00	
S 42½ E	30 00	
N 83½ E	12.30	To M.C. on East boundary of Town fractl Sec 12.
	5	

Town 19 North Range 50 West

P. Courses	Chains	
		Up the left bank from M.C. on east boundary in fract. Sec 12.
6 N 78 W	19.00	To Meander Cor to fract. Sec 1 & 12 thence in fract. Sec 1
7 N 54½ W	20 00	
N 66 W	20 00	
N 58½ W	31.70	To M.C. to fractional Sec 1 & 2 thence in fract. Sec 2.
8 N 41 W	23 00	
N 54½ W	30 00	
N ~~60~~ 68 W	~~14.20~~ 16.00	To M.C. on North boundary in fractional Sec 2.
9		

Land Bottom Soil 1st Rate

Town 19 North Range 50 West

Meanders of Island

Beginning at Meander Cor to fract. Sec 7 & 12 on Range line bet Town 19 N Ranges 49 & 50 W. Run along the North shore in fract. Sec 12. Town 19 Range 50 W.

P. Courses	Chains.	
10 N 75 W	6 00	
N 83 W	5 00	
S 26 E	4.00	
S 7½ E	4.50	
~~S 76 E~~ E.	~~5.50~~ 4.25	To Meander Cor on South shore bet fract. Sec 7 & 12 Town 19 N Ranges 49 & 50 West
11.		

Land level Soil 1st Rate

Aug 26th 1877 —

Town 19 North Range 50 West

General Description

This Township Consists principally of Rolling land, second rate soil, clothed with Succulent grasses, and an abundance of water, Pumpkin Creek entering in Lot 4, in Sec 30 meanders N.E. & empties into the Platte River in Sec 12, The River running through N.E. Cor Secs 3. 2 & 12. Combining these features we find it excellently adapted to Stock Raising, ~~some good farming land will be found in N.E. 1/4 next the River~~ All the bottom land along the Pumpkin Creek can be irrigated and embraces the greater part of this Township - the Platte Bottom is also well adapted to agriculture

List of Names.

List of the names of the individuals employed to assist in running measuring and marking the lines and corners described in the foregoing field notes of T. 19 N. Range 50 W of the 6th P.M. Showing the respective capacities in which they acted –

Ed O Knight	Chainmen
H E Breckenridge	do
W L Gilmore	Monumenter
Charles Schard.	do

We hereby certify that we assisted

N. S. Scott deputy Surveyor in Surveying and Subdividing Township No. 19 N of Base Line of Range 50 W of the 6th Principal Meridian in the State of Nebraska, and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions of the Surveyor General of dimensions character construction and marking and in the manner as specifically described in the foregoing field notes.

Ed O. Knight
H. E. Breckenridge Chainmen
W. L. Gilmore
Chas Schard Monumenter

Subscribed & sworn to before me a County Clerk in & for Cheyenne County Neb this 16 day of October 1879

C. K. Ellis
by J. Elburne
Deputy

I Nahum S. Scott Deputy Surveyor do solemnly swear that in pursuance of a joint Contract No. 106 wherein M. P. Cutler Alex Schlegel N. S. Scott & Wm Gaudin are joint Contractors with Jno R. Clark U.S. Surveyor General for the distrct of Nebraska & Iowa bearing date the 17 day of July 1877. I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General, the Surveying Manual & Laws of the United States, Surveyed all those parts or portions of Township 19 N of Base line of Range 50 W of 6th P.M. in the State of Nebraska as are represented in the foregoing field notes as having been Surveyed under my direction and I do further solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions and Special instructions of the Surveyor General of diuerse character construction & marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

Nahum S. Scott

Deputy Surveyor

Subscribed and sworn to before me a Notary Public in and for Lancaster County Neb this 1st day of Dec 1877.

J. F. Lansing
Notary Public
Lancaster Co Neb

Surveyor Generals Office
Plattsmouth Neb Dec 5th 1877

The foregoing field Notes of the Survey and Subdivision of Township No 19 North of Base Line of Range No 50 West of the 6th P.M. in the State of Nebraska Executed by Nahum S. Scott deputy Surveyor under joint Contract No 106 dated July 17th 1877 in the Month of August 1877 having been Critically Examined the Necessary Corrections and Explanations made the said field Notes and the Surveys they describe are hereby approved.

Jno Clark Surveyor General

Field Notes
of
The Survey and Subdivision
of
Township 20 N of Base Line
of
Range 50 West of 6th P.M.
in
Nebraska
Executed
by N. S. Scott Deputy Surveyor under
joint Contract No. 106.

Survey
Commenced Sept 3d 1877
Completed Sept 8th 1877

List of Names
and duties of assistants

Ea O Knight	Chainmen
H E Breckenridge	do
G. L Gilmore	Mountmen
Charles Schaub	do

Index Diagram

T 20 N., R 50 W.

6 60	5 44	4 33	3 22	2 11	1
59	58	43	32	21	10
7 57	8 42	9 31	10 20	11 9	12
56	55	41	30	19	8
18 54	17 40	16 29	15 18	14 7	13
53	52	39	28	17	6
19 51	20 38	21 27	22 16	23 5	24
50	49	37	26	15	4
30 48	29 36	28 25	27 14	26 3	25
47	46	35	24	13	2
31 45	32 34	33 23	34 12	35 1	36



To determine the proper adjustment of my compass for subdividing this Township I commence at the cor to Towns ~~49 & 50~~ 20 N Rs 49 & 50 W of 6th Principal Meridian in the State of Nebraska and run

North on a blank line along the East boundary of Sec. 36.

Va 14° 35' E

To a point 6 lks E of 1/4 cor

To a point 12 lks E of cor to Secs 35 & 25

To retrace this line or run parallel thereto my compass must be adjusted to a Va of 14° 40' E

✓

North bet Secs 35 and 36
Va 14° 40' E

40.00 Raised mound of earth 2ft
high from pit 18 x 24 x 12in
deep for 1/4 Sec Cor

80.00 Raised mound of earth 3ft
high from pit 18 x 24 x 12in
deep drove Cedar stake
2ft 2in x 2ft in S.E. pit
for Cor to Secs 25. 26. 35. 36

Land gently Rolling Soil 2nd Rate

East on a random line bet
Secs 25 and 36
Va 14° 40' E

40.00 Set temporary 1/4 Sec Cor

80.16 Intersect last boundary of Town
30 chs South of Cor to Secs
25 & 36 from which bar brand
S 89° 45' West on a true line bet
Secs 25 and 36
Va 14° 40' E

140.08 Raised mound of earth 2ft high
from pit 18 x 24 x 12in deep
for 1/4 Sec Cor

80.16 Cor to Secs 25. 26. 35 and 36
Land gently Rolling Soil 2nd Rate.

Town 20 North Range 50 West

	North bet Secs 25 and 26
	Va 14° 40' E
40 00	Raised mound of earth 3ft high from pit 18 x 24 x 12in deep for 1/4 Sec Cor
80 00	Raised mound of earth 3ft high from pit 18 x 24 x 12in deep above Cedar stake 2 x 2in x 2ft in S.E. pit for Cor to Secs 23. 24. 25. 26
	Land Gently Rolling Soil 2d Rate

Town 20 North Range 50 West

	East on a random line bet Secs 24 and 25
	Va 14° 40' E
15 00	Enter low Hills N & S
110 00	Set temporary 1/4 Sec Cor
114 00	Leave low Hills N & S
479 90	Intersect East boundary of Town 24 lks North of Cor to Secs 24 & 25 from which Cor bears N 89° 50' West on a true line bet Secs 24 and 25
	Va 14° 40' E
39 95	Raised mound of earth 3ft high from pit 18 x 24 x 12in deep for 1/4 Sec Cor
479 90	Cor to Secs 23. 24. 25 & 26
	Land Rolling & Hilly
	Soil 2d Rate

North bet Secs 23 and 24
Va 14° 40' E
40.00 Raised mound of earth 2ft
high from pit 18 x 24 x 12in
deep for ¼ Sec Cor
80.00 Raised mound of earth 3ft high
from pit 18 x 24 x 12in deep
drove Cedar Stake 2 x 2in
x 2ft in S.E. pit for Cor to
Secs 13. 14. 23 x 24
Land gently Rolling Soil 2d Rate

East on a random line bet
Secs 13 and 24
Va 14° 40' E
40.00 Set temporary ¼ Sec Cor
80.14 Intersect East boundary of
Town 16 Rds S of Cor to Secs
13 & 24 from which Cor bears
S 89° 53' West on a true line bet
Secs 13 & 24
Va 14° 40' E
40.07 Raised mound of earth 2ft
high from pit 18 x 24 x 12in
deep for ¼ Sec Cor
80.14 Cor to Secs 13. 14. 23 & 24
Land gently Rolling Soil 2d Rate

Town 20 North Range 50 West

North bet Secs 13 and 14
Va 14° 4' E
10.00 A Spur bears NW
70.00 To top of Spur
40.00 Enter Valley N. and
Raised mound of earth 2ft
high from pits 18 x 24 x 12in
deep for 1/4 Sec Cor
60.00 Leave Valley. NW
80.00 Raised mound of Rocks 3ft high
dug 4 pits 18 + 24 + 12in deep
& set Sandstone 20 + 10 + 8in
for Cor to Secs 11. 12. 13 & 14
Land Broken & in Valley
Gently Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

East, bet Secs 12 and 13
Va 14° 4' E
20.00 Tableland. NW & E
40.00 Temporary 1/4 Sec Cor
80.90 Intersect East boundary of
Town 36 chs South of Cor to
Secs 12 & 13 from which Cor
bears
S 89° 45' West on a true line
bet Secs 12 and 13
Va 14° 40' E
40.45 Raised mound of earth 2ft
high from pits 18 + 24 + 12in
deep for 1/4 Sec Cor
80.90 Cor to Secs 11. 12. 13 & 14
Land level Soil 2d Rate

✓

Town 20 North Range 50 West

North bet Secs 11 and 12
Va 16° 40' E

10.00 Top of Spur NW

40.00 Center Valley. W and
Raised mound of earth 2ft
high from pits 18 + 24 + 12 in
deep for ¼ Sec Cor

50.00 Leave Valley. W

50.00 Raised mound of Rocks 3ft high
dug 4 pits 18 + 24 + 12 in deep &
set Sandstone 18 + 10 + 10 in
for Cor to Secs 1. 2. 11 & 12
Land high & broken Soil 2d Rate

Town 20 North Range 50 West

East on a random line bet
Secs 1 and 12
Va 16° 40' E

40.00 Set temporary ¼ Sec Cor

80.20 Intersect East boundary of
Town 34 lks North of Cor to
Secs 1 & 12 from which Cor I saw
N 89° 45' West on a true line
bet Secs 1 and 12
Va 14° 40' E

40.10 Raised mound of earth 2ft
high from pits 18 + 24 + 12 in
deep for ¼ Sec Cor

80.20 Cor to Secs 1. 2. 11 & 12
Land high & Rolling Soil 2d Rate.

Town 20 North Range 50 West

	Rath on a true line bet Secs 1 and 2
	Va 14° 40' E
15.00	To high bluff Nw & SE. West end or spur.
40.00	Raised mound of Earth 2ft high from pit 18 + 24 + 12in deep for 1/4 Sec Cor
53.00	Barren stone Ridge. West end bears Nw & SE
53.60	Enter Valley NE & SW
53.73	Drain SW
83.08	Intersect 5th Standard parallel North. 6.40 Chains East of 1/4 Sec Cor. of Sec 31. T. 21 N. R. 49 W. where
	Raised mound of Earth 2ft high from 3 pits 18 + 24 + 12in deep Above Cedar stake 2 + 2in + 12ft marked C.C. in South pit for Closing Cor to Secs 1 and 2. Town 20 N Range 50 West.
	Land Rolling & Valley
	Soil 2d Rate.

Sept 3d 1877

Town 20 North Range 50 West

The River being very shallow I commence at point for cor to Secs 34 + 35 in River 25.20 chs West of Meander Cor to fracl Secs. 2 + 35. bet T. 19 + 20 N. Range 50 W + run No. Measurement obtained by chaining

	North bet Secs 34 and 35
	Va 14° 40' E
35.40	Left bank of N Platte River Nw SE & Raised mound of Earth 2ft high from pit 24 + 24 + 12in deep. Above Cedar stake marked M.C. 2 + 2in + 2ft in pit for Meander Cor to fractional Secs 34 and 35
40.00	Raised mound of Earth 2ft high from pit 18 + 24 + 12in deep for 1/4 Sec Cor
52.00	Road Nw SE
62.00	Leave low bottom. Rolling land
80.00	Raised mound of Earth 3ft high from pit 18 + 24 + 12in deep Above Cedar stake 2 + 2in + 2ft in SE pit for Cor to Secs 26. 27. 34 + 35
	Land Bottom & Rolling
	Soil 1st & 2d Rate.

Town 20 North Range 50 West

	East on a random line bet Secs 26 and 35 Va 14° 40' E
40.00	Set temporary 1/4 Sec Cor
79.60	Intersect N & S line 21 lks North of Cor to Secs 25. 26. 35 & 36 from which Cor Trees N 89° ~~49~~ 51' West on a true line bet Secs 26 and 35 Va 14° 40' E
39.80	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
79.60	Cor to Secs 26. 27. 34 & 35 Land Gently Rolling Soil 2d Rate

✓

Town 20 North Range 50 West

	North bet Secs 26 and 27 Va 14° 40' E
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 + 24 + 12 in deep. Above Cedar stake 2 + 2 in + 2 ft in S.E. pit for Cor to Secs 22. 23. 26 & 27 Land Gently Rolling Soil 2d Rate

✓

Town 20 North Range 50 West

East on a random line bet
Secs 23 and 26
Va 14° 40' E

140.00 Set temporary ¼ Sec Cor
80.04 Intersect N & S line 12 chs
North of Cor to Secs 23.24.25
26 from which Cor Drum
N 89° 55' West on a true line
bet Secs 23 and 26
Va 14° 40' E

140.02 Raised mound of earth 2ft
high from pit 18 + 2x + 12in
deep for ¼ Sec Cor
80.04 Cor to Secs 22.23.26 + 27
Land Gently Rolling Soil 2d Rate

✓

Town 20 North Range 50 West

North bet Secs 22 and 23
Va 14° 40' E

140.00 Raised mound of earth 2ft
high from pit 18 + 2x + 12in
deep for ¼ Sec Cor
80.00 Raised mound of earth 3ft
high from pit 18 + 2x + 12in
deep. drove Cedar stake
2 + 2in + 2ft in the pit for
Cor to Secs 14.15.22 + 23
Land Gently Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

	East on a random line bet Sec 14 and 23 Va 14° 40' E
30.00	Enter Gravel Ridge "
40.00	Left temporary 1/4 Sec Cor
65.00	Drain "
80.18	Intersect N & S line 20 chs North of Cor to Secs 13. 14. 23 & 24 from which Cor Trees N 89° 51' West on a true line bet Secs 14 and 23 Va 14° 40' E
140.00	Raised mound of earth 2ft high from pit 18 x 24 x 12 in deep for 1/4 Sec Cor
160.18	Cor to Secs 14. 15. 22 & 23

Land Rolling & Gravel Ridge Soil poor 2d Rate.

✓

Town 20 North Range 50 West

	North bet Secs 14 and 15 Va 14° 40' E
40.00	Raised mound of earth 2ft high from pit 18 x 24 x 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3ft high from pit 18 x 24 x 12 in deep above Cedar stake 2 x 2 in 2ft in the pit for Cor to Secs 10. 11. 14 and 15

Land Swampy Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

	East on a random line bet Secs 11 and 14 Va 14° 40' E
40. 00	Set temporary ¼ Sec Cor
49. 82	Intersect N & S line 12 Ch S of Cor to Secs 11. 12. 13 & 14 from which Cor Brass S 89° 55' West on a true line bet Secs 11 and 14 Va 14° 40' E
39. 91	Raised mound of earth 2ft high from pit 18 x 24 x 12 in deep for ¼ Sec Cor
49. 82	Cor to Secs ~~11. 12. 13 & 14~~ 10. 11. 14 & 15

Land Gently Rolling Soil 2d Rate

Town 20 North Range 50 West

	North bet Secs 10 and 11 Va 14° 40' E
36. 00	Enter Valley No 2W
40. 00	Raised mound of earth 2ft high from pit 18 x 24 x 12 in deep for ¼ Sec Cor
62. 00	Leave Valley No 2W
80. 00	Raised mound of earth 3ft high from pit 18 x 24 x 12 in deep Grove Cedar stake 2 x 2 in x 3ft in S.E. pit for Cor to Secs 2. 3. 10 and 11

Land Gently Rolling Soil 2d Rate

Town 20 North Range 50 West

East on a random line bet
Secs 2 and 11
Va 14° 40' E

40.00 Set temporary 1/4 Sec Cor
49.58 Intersect N & S line 28 Ch. S
of Cor to Secs 1. 2. 11 & 12
from which Cor Trees
S 84° 48' West on a true line
bet Secs 2 and 11
Va 14° 40' E

39.49 Raised mound of earth 2ft
high from pit 18 + 24 + 12in
deep for 1/4 Sec Cor

49.58 Cor to Secs 2. 3. 10 & 11
Land Gently Rolling Soil 2d Rate

Town 20 North Range 50 West

North on a ~~true~~ line bet
Secs 2 and 3
Va 14° 40' E

26.00 Enter Valley N&S, dir
40.00 Raised mound of earth 2ft high
from pit 18 + 24 + 12in deep
for 1/4 Sec Cor
46.00 Drain 200 ft. wide N&S & W
82.70 Intersect 5th Standard Parallel
North 6.80 Chains East of 1/4
Sec Cor. of Sec 36 Town 21. N
Range 50 West. Where I
Raised mound of earth 2ft high
from 3 pits 18 + 24 + 12in deep
Above Cedar stake marked
C. C. 2 + 2in + 2ft in South
pit for Closing Cor to
Secs 2 and 3. Town 20 North
Range 50 West
Land Gently Rolling Soil 2d Rate
Sept. 14th 1879

Town 20 North Range 50 West

North bet Secs 33 & 34
Va 14° 40' E

39. 50 Right bank of N Platte River
" " Raised mound of earth 2ft high
from pit 24 x 24 x 12in deep
Above cedar stake marked M.C.
2 x 2in x 2ft in pit for Meander
Cor to fractional Secs 33 & 34

40. 00 Point for 1/4 Sec Cor falls in the
River & cannot be established

80. 00 Point for Cor to Secs 27. 28. 33
34 falls in the River and
Cannot be established
Land Bottom good 2d Rate

	80 04
	28 00
MC on true line	52.04

Town 20 North Range 50 West

(1) From point for Cor to Secs 27. 28
33 & 34 in the River Irun
East on a random line bet Secs
27 and 34
Va 14° 40' E

28. Left bank of N Platte River where at post for temp M.C.

~~[illegible]~~ #52 04 Left bank of N Platte River Mr SE &
Raised mound of earth 2ft high
from pit 18 x 24 x 12in deep
Above Cedar stake marked M.C.
2 x 2in x 2ft in pit for Meander
Cor to fractional Secs 27 & 34

M.C. bet temporary

40. 00 Set temporary 1/4 Sec Cor
55. 00 Road Mr SE
65. 00 Leave low bottom Mr SE
80. 04 Intersect N & S line 21 South of
Cor to Secs 26. 27. 34 & 35 from
which Cor Irun
S 89° 51' West on a true line bet
Secs 27 & 34
Va 14° 40' E

40. 02 Raised mound of earth 2ft high from
pit 18 x 24 x 12in deep for 1/4 Sec Cor
#52 04
80. 02 To point for Cor to Secs 27. 28. 33 & 34
Land Bottom 1st Rate.

Town 20 North Range 50 West

North bet. Secs 27 & 28
Va 14° 40' E
7. 80 Left bank of Willatte River Nw SE
Raised mound of earth 2ft high
from pits 18 + 24 + 12in deep
drove Cedar stake marked M.C.
2 + 2in + 2ft in pit for Meander
Cor to fractional Secs 27 & 28
A Cottonwood tree 6in Diameter
Bears North. 1.77 Chains distant
10. 00 Leave low bottom Nw SE
28. 00 Road Nw SE
40. 00 Raised mound of earth 2ft high
from pits 18 + 24 + 12in deep
for 1/4 Sec Cor
80. 00 Raised mound of earth 3ft high
from pits 18 + 24 + 12in deep
drove Cedar stake 2 + 2in + 2ft
in SE pit for Cor to Secs
21. 22. 27 & 28
Land 1st 10 Chains bottom 1st Rate
Balance Rolling Soil Sandy 3d Rate

✓

Town 20 North Range 50 West

East on a random line bet
Secs 22 and 27
Va 14° 40' E
40. 00 Set temporary 1/4 Sec Cor
80. 24 Intersect N & S line 28 lks South
of Cor to Secs 22. 23. 26 & 27
from which Cor Iron
S 89° 48' West on true line bet
Secs 22 and 27
Va 14° 40' E
40. 12 Raised mound of earth 2ft
high from pits 18 + 24 + 12in
deep for 1/4 Sec Cor
80. 24 Cor to Secs 21. 22. 27 & 28
Land Rolling Soil Sandy 3d Rate

✓

Town 20 North Range 50 West

North bet Secs 21 & 22
Va 14° 40' E
40.00 Raised mound of earth 2ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
60.00 Enter Valley NE & SW
80.00 Raised mound of earth 3ft
high from pits 18 & 24 & 12 in
deep. Above cedar stake 2 &
2 in & 2ft in SE pit for Cor
to Secs 15. 16. 21 & 22
Land Rolling Soil sandy 3d Rate
Valley undulating Soil 2d Rate.

Town 20 North Range 50 West

East on a random line bet
Secs 15 and 22
Va 14° 40' E
14.00 Leave Valley N & SW
40.00 Set temporary 1/4 Sec Cor
79.82 Intersect N & S line 18 Lks South
of Cor to Secs 14. 15. 22 & 23
from which Cor Irun
S 89° 52' West on a true line
bet Secs 15 and 22
Va 14° 40' E
39.91 Raised mound of earth 2ft
high from pits 18 & 24 & 12 in
deep for 1/4 Sec Cor
79.82 Cor to Secs ~~14~~. 15. ~~22 & 23~~ 16. 21 & 22
Land Gently Rolling Soil 2d Rate.

Town 20 North Range 50 West

North bet Secs 15 and 16
Va 14° 40' E

40.00 Raised mound of earth 2ft high from pits 18 + 24 + 12in deep for 1/4 Sec Cor

80.00 Raised mound of earth 3ft high from pits 18 + 24 + 12in deep. drove Cedar stake 2 + 2in + 2ft in S.E. pit for Cor to Secs 9. 10. 15 + 16

Land undulating Soil 2d Rate

✓

Town 20 North Range 50 West

East on a random line bet Secs 10 and 15
Va 14° 40' E

#40.00 Set temporary 1/4 Sec Cor

#10.00 Leave Valley NE + SE

80.20 Intersect N + S line at Cor to Secs 10. 11. 14 + 15 from which Cor Iron

West on a true line bet Secs 10 ~~9~~ and 15 ~~14~~
Va 14° 40' E

40.10 Raised mound of earth 2ft high from pits 18 + 24 + 12in deep for 1/4 Sec Cor

80.20 Cor to Secs 9. 10. 15 + 16

Land undulating Soil 2d Rate.

✓

Town 20 North Range 50 West

North bet Sec 9 and 10
Va 14° 40' E

20.00 Elbow of drain NW & SW

40.00 Raised mound of earth 2ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor

48.00 Drain SW

72.00 Drain Sw 2.00 chs wide

80.00 Raised mound of earth 3ft high from pit 18 + 24 + 12 in deep. Drove Cedar stake 2 + 2 in + 2 ft in S.E. pit for Cor to Secs 3. 4. 9 & 10.

Land level Soil 2d Rate.

*

√

Town 20 North Range 50 West

East on a random line bet Sec 3 and 10
Va 14° 40' E

15.00 Drain 2 chs wide SW also

" " Scove Valley Sw NE

40.00 Set temporary 1/4 Sec Cor

79.64 Intersect N & S line 26 lks South of Cor to Secs 2. 3. 10 & 11 from which Cor Iron

S 89° 49' West on a true line bet Secs 3 and 10
Va 14° 40' E

39.82 Raised mound of earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor

79.64 Cor to Secs 3. 4. 9 and 10

Land Gently Rolling Soil 2d Rate.

√

Town 20 North Range 50 West

North on true line bet Secs
3 and 4.
Va 14° 40' E

40.00 Raised mound of earth 2ft
high from pit 18 + 24 + 12in
Auth for 1/4 Sec Cor

82.96 Intersect 5th Standard Parallel
North 6.50 Chs East of 1/4 Sec
Cor of Sec 35 Town 21 N
Range 50 West Thence
Raised mound of earth 2ft
high from pit 18 + 24 + 12in
Auth. Above Cedar stake
marked C. C. in South pit
for Closing Cor to Secs
3 and 4. Town. 20 N. Range 50 W.
Land level Soil 2d Rate.
Sept 5th 1877

V

Town 20 North Range 50 West

North bet Secs 32 and 33
Va 14° 40' E

40.00 Raised mound of earth 2ft high
from pit 18 + 24 + 12in Auth
for 1/4 Sec Cor

80.00 Raised mound of earth 3ft high
from pit 18 + 24 + 12in Auth
Above Cedar stake 2 + 2in + 3ft
in S E pit for Cor to Secs
28. 29. 32 & 33
Land Bottom Soil good 2d Rate.

V

Town 20 North Range 50 West

Knowing this line will strike the River in less than 80 Chs Dun East on a true line bet Secs 28 & 33

Va 14° 40' E

22.71 Right bank of N Platte River NW SE Raised mound of Earth 2ft high from pit 24 x 24 x 12in deep drove Cedar stake marked M.C 2 x 2in x 2ft in pit for meander Cor to fractional Secs 28 & 33

Remainder of this line falls in River

Land Bottom Soil 1st Rate.

Town 20 North Range 50 West

North bet Secs 28 and 29

Va 14° 40' E

10.79 Right bank of N Platte River NW SE and Raised mound of Earth 2ft high from pit 24 x 24 x 12in deep drove Cedar stake marked M.C. in pit 2 x 2in x 2ft for Meander Cor to fractional Secs 28 29

40.00 Point for 1/4 Sec Cor falls in the River and cannot be established

61.10 Left bank of N Platte River NW SE and Raised mound of Earth 2ft high from pit 24 x 24 x 12in deep drove Cedar stake marked M.C 2 x 2in x 2ft in pit for meander Cor to fractional Secs 28 & 29.

69.00 Road, NW. SE

80.00 Raised mound of Earth 3ft high from pit 18 x 24 x 12in deep drove Cedar stake 2 x 2in x 2ft in S.E. pit for Cor to Secs 20. 21. 28 & 29

Land Bottom Soil 1st Rate.

Town 20 North Range 50 West

	East on a random line bet Secs 21 and 28
	Va 14° 40' E
6.00	Leave low bottom NW SE
40.00	Set temporary 1/4 Sec Cor
80.32	Intersect N & S line 18 lks South of Cor to Secs 21. 22. 27 & 28 from which Cor Sun
	S 89° 52' West on a true line bet Secs 21 and 28
	Va 14° 40' E
40.16	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
80.32	Cor to Secs 20. 21. 28 & 29
	Land Rolling Soil Sandy 3d Rate.
	✓

Note. West True line bet secs 20 & 29 page 49 comes in here –

Town 20 North Range 50 West

	North bet Secs 20 and 21
	Va 14° 40' E
28.00	Drain 2 Chs wide SW
40.00	Raised mound of earth 2 ft high from pit 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pit 18 + 24 + 12 in deep above Cedar stake 2 + 2 in + 2 ft in SE pit for Cor to Secs 16. 17. 20 and 21
	Land Gently Rolling Soil 2d Rate
	✓

Town 20 North Range 50 West

	East on a random line bet Secs 16 and 21 Va 14° 40' E
16.00	Enter Valley NW SE
28.00	Drain 2 Chs wide SW
40.00	Set temporary 1/4 Sec Cor
80.48	Intersect N & S line 2 7/lks S of Cor to Secs 15. 16. 21 & 22 from which Cor Trim S 89° 48' West on a true line bet Secs 16 and 21 Va 14° 40' E
40.24	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
80.48	Cor to Secs 16. 17. 20 & 21 Land undulating Soil 2d Rate

Town 20 North Range 50 West

	North bet Secs 16 and 17 Va 14° 40' E
18.00	Enter Valley NW & SE
40.00	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 & 24 & 12 in deep Above Cedar stake 2 & 2 in & 2 ft in SE. pit for Cor to Secs 8. 9. 16 and 17 Land undulating Soil 2d Rate

Town 20 North Range 50 West

	East on a random line bet Secs 9 and 16
	Va 14° 40' E
40.00	Set temporary 1/4 Sec Cor
70.00	Drain 2 Chs wide SW
80.08	Intersect N & S line at Cor to Secs 9. 10. 15 & 16 from which Cor Trim
	West on a true line bet Secs 9 and 16
	Va 14° 40' E
40.04	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.08	Cor to Secs 8. 9. 16 & 17
	Land undulating Soil 2d Rate

✓

Town 20 North Range 50 West

	North bet Secs 8 and 9
	Va 14° 40' E
15.00	Leave Valley Nw. NE
40.00	Raised mound of earth 2 ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 + 24 + 12 in deep Above Cedar Stake 2 + 2 in + 2 ft in S.E. pit for Cor to Secs 4. 5. 8 and 9
	Land Gently Rolling Soil 2d Rate

✓

East on a random line bet
Sec 4 and 9.
Va 14° 40' E

30.00 Enter Valley N. of W

40.00 Set temporary 1/4 Sec Cor

80.00 Intersect N. & S. line 20 chs W
of Cor to Secs 3. 4. 9 & 10
from which Cor Trees
N 89. 51' West on a true line
bet Sec 4 and 9
Va 14° 40' E

110.00 Raised mound of earth 2ft
high from pits 18 x 24 x 12 in
deep for 1/4 Sec Cor

80.00 Cor to Secs 4. 5. 8 & 9.
Land gently Rolling Soil 2d Rate

North on a true line bet Sec
4 and 5
Va 14° 40' E

40.00 Raised mound of earth 2ft high
from pit 18 x 24 x 12 in deep
for 1/4 Sec Cor

83.90 Intersect 5th Standard Parallel
North 7.24 chs East of 1/4 Sec
Cor of Sec 34 Town 21 N
R. 50 W. where I
Raised mound of earth 2ft high
from 3 pits 18 x 24 x 12 in deep
above cedar stake marked G.L.O.
2 x 2 in x 2 ft in South pit for
closing Cor to Secs 4 & 5
Town 20 North Range 50 W.
Land gently Rolling Soil 2d Rate.

Sept 6th 1877

Town 20 North Range 50 W

North bet Secs 31 & 32
Va 14° 40' E

40.00 Raised mound of earth 2ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor.

80.00 Raised mound of earth 3ft high from pits 18 & 24 & 12 in deep. Drove Cedar stake 2 & 2 in & 2 ft in SE pit for Cor to Secs 29. 30. 31 & 32

Land Bottom Soil good 2d Rate

✓

Town 20 North Range 50 W

East on a random line bet Secs 29 and 32
Va 14° 40' E

40.00 Set temporary 1/4 Sec Cor

80.00 Intersect N & S line at Cor to Secs 28 29 32 & 33 from which Cor Trees

West on a true line bet Secs 29 and 32
Va 14° 40' E

40.00 Raised mound of earth 2ft high from pits 18 & 24 & 12 in deep for 1/4 Sec Cor

80.00 Cor to Secs 29. 30. 31 & 32

Land level Soil good 2d Rate

✓

Town 20 North Range 50 West

	West on a random line bet Secs 30 & 31
	Va 14° 40' E
40.00	Set temporary ¼ Sec Cor
78.47	Intersect West boundary of Town 14 lk North of Cor to Secs 30 & 31 from which Cor Trees
	N 89° 54' ~~West~~ East on a true line bet Secs 30 & 31
	Va 14° 40' E
38.47	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for ¼ Sec Cor
78.47	Cor to Secs 29. 30. 31 & 32
	Land level Soil good 2d Rate

Town 20 North Range 50 West

	North bet Secs 29 and 30
	Va 14° 40' E
40.00	Raised mound of earth 2 ft high from pits 18 & 24 & 12 in deep for ¼ Sec Cor
51.23	Right bank of N Platte River Nw. Lk & Raised mound of earth 2 ft high from pit 24 & 24 & 12 in deep. Above Cedar stake marked M.C. 2 & 2 in & 2 ft in pit for Meander Cor to fractional Secs 29 & 30
80.00	Point for Cor to Secs 19. 20. 29 & 30 falls in the River and cannot be established
	Land level Soil good 2d Rate

Town 20 North Range 50 West

see note page 37

From point for Cor to Secs 19. 20
29 and 30 the line East
bet Secs 20 & 29 falling in
the River I go East to Cor to
Secs 20. 21. 28 & 29 & run
West on a true line bet Secs
20 & 29

Va 14° 40' E

8.00 Road NW. SE

26.00 Left bank of N Platte River NW SE
Raised mound of earth 2ft high
from pit 24 & 24 & 12in deep
drove cedar stake marked M. C.
2 & 2in & 2ft in pit for Meander
Cor to fractional Secs 20 & 29.
Land Bottom. Soil 1st Rate.

✓

Town 20 North Range 50 West

From point for Cor to Secs 19. 20. 29 &
30 the line West bet Secs
19 & 30 falling in the River
I go West to Cor to Secs 19 & 30
on Township line & run
East on a true line bet Sec 19 & 30

Va 14° 40' E

21.00 Right bank of N Platte River NW SE
* Raised mound of earth 2ft high
from pit 24 & 24 & 12in deep
drove cedar stake marked
M. C 2 & 2in & 2ft in pit
for Meander Cor to fractional
Secs 19 & 30
Land Bottom Soil 1st Rate.

✓

Town 20 North Range 50 W

From pit for cor to Secs 19. 20. 29 & 30 in River I run

North bet Secs 19 & 20
Va 14° 40' E

25.00 Left bank of N Platte River Nw SE
Raised mound of earth 2ft high
from pit 24 + 24 + 12in deep. Above
Cedar stake marked M.C. 2 + 2in
+ 2ft in pit for meander Cor to
fractional Secs 19 and 30

33.00 Road Nw SE

40.00 Raised mound of earth 2ft high
from pit 18 + 24 + 12in deep
for 1/4 Sec Cor

50.00 Raised mound of earth 3ft high
from pit 18 + 24 + 12in deep
Above Cedar stake 2 + 2in +
2ft in S.E. pit for Cor to Secs
17. 18. 19 and 20

Land Bottom Soil 1st Rate.

✓

Town 20 North Range 50 West

East on a random line bet
Secs 17 and 20
Va 14° 40' E

14.00 Leave Bottom Nw SE

40.00 Set temporary 1/4 Sec Cor

79.64 Intersect N & S line 22 lks South
of Cor to Secs 16. 17. 20 & 21
from which Cor I run
S 89° 51' West on a true line
bet Secs 17 and 20
Va 14° 40' E

39.82 Raised mound of earth 2ft high
from pit 18 + 24 + 12in deep
for 1/4 Sec Cor

79.64 Cor to Secs 17. 18. 19 20
Land Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

	West on a random line bet Secs 18 and 19
	Va 14° 40' E
40.00	Set temporary 1/4 Sec Cor
81.30	Intersect West bound dary of Town 28 lks South of Cor to Secs 18 and 19 from which Cor Trees
	S 89° 48' East on a true line bet Secs 18 and 19
	Va 14° 40' E
41.30	Raised mound of earth 2 ft high from pits 18 + 1/4 + 1 1/2 in deep for 1/4 Sec Cor
81.30	Cor to Secs 17. 18. 19 & 20
	Land Bottom Soil 1st Rate

√

Town 20 North Range 50 West

	North bet Secs 17 and 18
	Va 14° 40' E
16.00	Leave 1 Bottom NW SE
40.00	Raised mound of earth 2 ft high from pits 18 + 1/4 + 1 1/2 in deep for 1/4 Sec Cor
80.00	Raised mound of earth 3 ft high from pits 18 + 1/4 + 1 1/2 in deep. Above Cedar stake 2 + 2 in + 2 ft in S.E pit for Cor to Secs 7. 8. 17 & 18.
	Land Rolling Soil 2d Rate.

√

Town 20 North Range 50 West

	East on a random line bet Secs 8 and 17
	Va 14° 40' E
20.00	Enter Valley N. SE
40.00	Set temporary 1/4 Sec Cor
79.80	Intersect N & S line 20 lks S of Cor to Secs 8. 9. 16 & 17 from which Cor Trun
	S 89° 51' West on a true line bet Secs 8 and 17
	Va 14° 40' E
39.90	Raised mound of earth 2 ft high from pit 18 & 24 & 12 in deep for 1/4 Sec Cor
79.80	Cor to Secs 7. 8. 17 & 18
	Land undulating soil good 2d Rate

Town 20 North Range 50 West

	West on a random line bet Secs 7 and 18
	Va 14° 40' E
20.00	Rolling Sand Ridges N & S
40.00	Set temporary 1/4 Sec Cor
80.96	Intersect West boundary of Town 30 lks South of Cor to Secs 7 & 18 from which Cor Trun
	S 89° 47' East on a true line bet Secs 7 and 18
	Va 14° 40' E
40.96	Raised mound of earth 2 ft high from pit 18 & 24 & 12 in deep for 1/4 Sec Cor
80.96	Cor to Secs 7. 8. 17. 18
	Land Rolling Soil Sandy 2d Rate

Town 20 North Range 50 West

North bet Secs 7 and 8
Va 14° 40' E

20.00 Drain. W.

40.00 Raised mound of earth 2ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor

80.00 Raised mound of earth 3ft high from pit 18 x 24 x 12 in deep Above Cedar stake 2 x 2 in x 2 ft in SE pit for Cor to Secs 5. 6. 7 & 8
Land Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

East on a pond on line bet Secs 5 and 8
Va 14° 40' E

40.00 Set temporary 1/4 Sec Cor

80.20 Intersect N & S line 10 lks. N. of Cor to Secs 4. 5. 8. 9 from which Cor Iron
N 89° 56' West on a true line bet Secs 5 and 8
Va 14° 40' E

40.10 Raised mound of earth 2ft high from pits 18 x 24 x 12 in deep for 1/4 Sec Cor

80.20 Cor to Secs 5. 6. 7 & 8
Land Rolling Soil 2d Rate.

✓

Town 20 North Range 50 West

	West on a random line bet Secs 6 and 7
	Va 14° 40' E
40 00	Set temporary 1/4 Sec Cor
80. 30	Intersect West boundary of Town 26 lks North of Cor to Secs 6 and 7 from which Cor Iron
	N 89° 49' East on a true line bet Sec 6 and 7
	Va 14° 40' E
40. 30	Raised mound of earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80. 30	Cor to Secs 5. 6. 7. 8
	Land Rolling Soil 2d Rate

Town 20 North Range 50 West

	North on true line bet Secs 5 + 6
	Va 14° 40' E
40. 00	Raised mound of earth 2ft high from pits 18 + 24 + 12 in deep for 1/4 Sec Cor
80. 00	Enter Gravel Ridge NE
82. 00	Leave Gravel Ridge NE
83. 26	Intersect 5th Standard Parallel North 7. 24 Chains East of 1/4 Sec Cor of Sec 33 Town 21 N Range 50 W. Where I
	Raised mound of earth 2ft high from 3 pits 18 + 24 + 12 in deep Above Cedar stake marked 6 6. 2 + 2 in + 2 ft in South pit for Closing Cor to Secs 5 + 6 Town 20 N. Range 50 W.
	Land Rolling Soil 2d Rate
	Sept 7th 1877

Town 20 North Range 50 West

Meanders of the North Platte River in Town 20 North Range 50 West Beginning at the Meander Corner on South boundary of Town Line thy the left bank in fractional Sec 35.

P. Courses	Chains.	
1 N 35 W	43. 30	To M.C. to fractional Sec 34 + 35
2		thence in fract. Sec 34
N 49 W	33 00	
N 48 W	35. 60	To M.C. to fractional Sec 27 + 34
3		thence in fract. Sec 27.
N 74 W	29. 00	To M.C. to fractional Sec 27 + 28
4		thence in fract. Sec 28.
N 66 W	26 00	
N 60 W	38 00	
N 43 W	33. 60	To M.C. to fractional Sec 28 + 29
5		thence in fract. Sec 29.
N 52 W	32. 00	To M.C. to fractional Sec 20 + 29
6		thence in fract. Sec 20
N 62 W	30 00	
N 67 W	29. 40	To M.C. to fractional Sec 19 + 20
7		thence in fract. Sec 19.
N 75 W	37 00	

Town 20 North Range 50 West

Courses	Chains	
N 65 W	24 00	
N 70 1/2 W	24 50	To M.C. on West boundary in
8		fract. Sec 19.
		Down the Right bank from Meander Cor on W. boundary in fract. Sec 19.
9		
S 74 1/2 W	21. 70	To M.C. to fract Sec 19 + 30
10		thence in fract Sec 30.
S 67 W	30 00	
S 54 W	19. 50	
S 67 3/4 W	16. 70	To M.C. to fract. Sec 29 + 30
11		thence in fract. Sec 29.
S 64 W	21. 00	
S 65 W	33 00	
S 59 W	14 00	
S 45 W	20 00	To M.C. to fractional Sec 28 + 29
12		thence in fract. Sec 29.
S 65 W	25. 00	To Meander Cor to fract. Sec 28. 33
13		thence in fract Sec 33
S 66 W	19 00	
S 58 W	21. 50	
S 50 W	13 00	
S 37 1/2 W	18 20	To M.C. to fract. Sec 33 + 34.
14		

Town 20 North Range 50 West

P. Course	Chains	
14.		Thence in fract.l Sec 34
S 39 E	14 00	
S 45 E	20 00	
S ~~XX~~ 59 E	29. ~~XX~~ 00	To Meander Cor on South boundary of Township in fract.l Sec 34.
S. 59 E. 15.		

Sept 8th 1877

Town 20 North Range 50 West

General Description

The Platte River runs through S W 1/4 from Sec 19 to 35 the land on South side Rolling Soil sandy, excepting a small strip of Bottom Close to the river North of the River some bottom land extends north a short distance. The Surface in General of Township is Rolling. small valleys are found in Sec.s 8. 9. 16. 17. 11. 12. 13. 14 the Soil being the same as the surrounding Country 2d Rate This Township is best adapted to stock raising but will produce good crops of small grain if irrigated. There is a finspring in Sec. 4. and Mayberry Cattle Ranche in Secs 19 & 30. the Bottom Land needs no irrigation

List of Names

A list of the names of the individuals employed to assist in running, measuring and marking the lines and corners described in the foregoing field notes of T. N of Base Line of Range No W of 6th Principal Meridian in the State of Nebraska, showing the respective capacities in which they acted.

Ea O Knight	chainmen
H E Breckenridge	do
W L Gilmore	Mounduman
Charles Schark	do

We hereby certify that we assisted Nahum S Scott deputy Surveyor in Surveying and Subdividing Township North of the Base Line of Range West of 6th Principal in the State of Nebraska and that said Township has been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General of dimensions, character, construction & marking and in the manner as specifically described in the foregoing field notes

Ea O. Knight
A. E. Breckenridge chainmen
W. L. Gilmore
Carl Schark Mounduman

Subscribed and sworn to before me a County Clerk in & for Cheyenne Co County Neb this 16 day of October 1877

C. K. Allen
by J. Clibourne
Deputy

Nahum S Scott do solemnly swear that in pursuance of a joint Contract No 106 wherein M.B. Cutler. Alex Schlegel. N S. Scott & Wm Hardin are joint Contractors with Jno R Clark U.S Surveyor General for the district of Nebraska & Iowa bearing date the 17 day of July 1877 I have well faithfully and truly in my own proper person and in strict conformity with the instructions of the Surveyor General, the Surveying Manual and Laws of the United States Surveyed all those parts or portions of Township 20 N of Base Line of Range No 50 West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said Survey have been established and perpetuated in strict accordance with the Surveying Manual printed instructions & special instructions of the Surveyor General of dimensions character, construction and marking and in the manner as specifically described in the foregoing field notes and that the foregoing are the true and original field notes of such survey

Nahum S. Scott

Deputy Surveyor

Subscribed and sworn to before me a Notary Public in & for Lancaster County Neb this 1st day of December 1877

N. F. Lowry
Notary Public

Surveyor General's Office
Plattsmouth Neb. Jany 22d. 78

The foregoing field notes of the Survey and Subdivision of Township No 28 North of the Base line of Range No 50 West of the 6th P. M. in Nebraska, Executed by Nahum S. Scott Deputy Surveyor, under joint Contract No 106 dated July 17th 1877 in the Month of September 1877, having been Critically Examined, the necessary Corrections and Explanations made, the said field notes of the Survey so they describe are hereby approved.

Jno. R. Clark
Surveyor General

General Land Office • Original Field Notes

Book Number

689

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.