General Land Office • Original Field Notes

Book Number

707

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T.~~12~~ 7-20 N.
R.53 W.

70.

Index Diagram
Town 17 N. Range 53 W



Field Notes
of the
Survey of the Subdivision lines of Township No 17 North, of Range No 53 West of the 6th Principal Meridian in the State of Nebraska.

Executed
By Ira W. La Munyon
Deputy Surveyor under Joint Contract No 67 dated Aug 15. 1872

Survey
Commenced May 1st 1873
Completed " 6th 1873

Township 17 N. R 53 West

To determine the proper adjustment of my Compass for Subdividing this Township I Commenced at the Cor. to Township No 17 North of the Base line Range No 53 West of the 6th Principal Meridian Thence North on blank line along the East boundary of Sec. 36 Va. 14°45' E

4000 To 1/4 Sec. Cor

80.00 To Cor. to Secs. 25 & 36

Therefore my Compass is in proper adjustment

Township 17 N R 53 West

From the Cor to Secs 35 & 36 on South Boundary of Township Thence North between Secs. 35 & 36 Va. 14°45' East

40.00 Set post deposit chained stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor

80.00 Set post deposit chained stake raised Mound of Earth with pits as per instructions for Cor to Sections 25. 26. 35 & 36

Land Rolling Soil 2d rate

Township 17 N R 53 West

	Easton random line between Sections 25 & 36 Va. 14°44' East
40.00	Set post for temporary 1/4 sec Cor.
80.00	Intersected East Boundary of Township 3 1/2 lks South of post Corner to Secs. 25 & 36 from which Cor. I run S. 89° 59' West on true line between Secs. 25 & 36 Va. 14°44' East
40.00	Set Limestone 18x10x8 in as per instructions for 1/4 sec Cor
80.00	Cor. to Secs 25. 26. 35 & 36 Land rolling soil 2d rate

Township 17 N R. 53 West

	North between Secs. 25 & 26 Va. 14.45' East
40.00	To Ravine Course N.E. where I set post deposited charred stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor
80.00	Set post deposed charred stake raised Mound of Earth with pits as per instructions for Cor to Secs. 23. 24. 25 & 26
	Land rolling & hilly soil 2d rate

Township 17 N. R. 53 West

	Easton random line between Secs. 24 & 25 Va. 14°45' East
16.00	To Range Course N. 88.
25.00	To Range " N. E.
40.00	Set post for temporary 1/4 sec Cor
38.00	To Head of Range Course N. W.
80.08	Intersect East Boundary of Township 7 1/2 chs South of Cor to secs 24 & 25 from which Cor Iron B. 89°57' West true line between Secs. 24 & 25 Va. 14°45' East
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor
80.08	Cor to Secs. 23. 24. 25 & 26
	Land gently hilly Soil 2d rate

Township 17 N. R. 53 West

	North between Secs. 23 & 24 Va. 14°45' East
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 sec. Cor.
70.00	To Range Course N. W.
80.00	Set post deposit charred Stake raised Mound of Earth with pits as per instructions for Cor. to Secs. 13. 14. 23 & 24
	Land Roughly and Broken. Soil 2d rate

Township 17 N. R 53 West

	Easton random line between Secs. 13 & 24 Va. 14° 45' East
4000	Set post for temporary 1/4 Sec. Cor
5004	Intersect East Boundary of Township 11½ lks South of Cor to Secs. 13 & 24 from which Cor. Sun S. 89° 55' West on true line between Secs. 13 & 24 Va. 14° 45' East
4002	Set post deposit Charred stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor
5004	Cor. to Secs 13. 14. 23 & 24 Land hilly & broken Soil 2d rate

Township 17 N. R. 53 West

	North between Secs. 13 & 14 Va. 14° 46' East
2000	Enter Valley E
4000	Set post deposit Charred stake raised Mound of Earth with pits as per instructions for 1/4 sec. Cor. Cor on Gravel bed of Lawrence Fork now dry
6000	Left Valley & Enter Bluffs
8000	Set Lime stone 24 x 10 x 10 as per instructions for Cor to Secs. 11. 12. 13 & 14
	Land in Middle part Valley Balance hills & Bluffs Soil 2d rate

Township 17 N. R. 53 W.

East on random line between Secs 12 & 13 Va. 14°46' East

4000 Set post for temporary 1/4 sec Cor

8008 Intersect East Boundary of Township 7 lks South of Cor. to Secs. 12 & 13 from which Cor I run S. 89°57' West on true line between Secs. 12 & 13 Va. 14°46' East

40.04 Set Limestone 18x12x10 in as per instructions for 1/4 Sec. Cor.

80.08 Cor. to Secs. 13. 14. 11 & 12
Land Extremely rough Soil 2d rate

Township 17 N. R. 53 W.

North between Secs. 11 & 12 Va. 14°47' East

4000 Head of Raven Creek N E where I set Limestone 20x10x10 as per instructions for 1/4 Sec. Cor

8000 Set post deposit charcoal stake raised Mound of Earth with pits as per instructions for Cor. to Secs. 1. 2. 11 & 12

Land rolling & hilly Soil 2 rate

Township 17 N. R. 53 W.

East on random line
between Secs. 1 & 12
Va. 14°46' East

22.05 Ranne Course N. E.

4000 Set post for temporary 1/4 sec Cor

80.15 Intersect East Boundary of
Township 3 1/2 lks South
of Cor. to Secs. 1 & 12
from which Cor Iron

S. 89°58 1/2 West on true line
between Secs 1 & 12
Va. 14°46' East

40.07 1/2 Set post deposit charred stake
raised Mound of Earth
with pits as per instructions for 1/4 Sec. Cor

80.15 Cor. to Secs. 1. 2. 11 & 12
Land hilly & Rolling Soil
2nd rate

Township 17 N. R. 53 W.

North on random line between
Sections 1 & 12
Va. 14°47' East

40.00 Set post for temporary 1/4 sec Cor

60.00 Intersect North Boundary of

79.96 Township 7 lks East of
Cor. to Secs. 1 & 12 from
which Cor Iron

South 3' E. on true line between
Secs. 1 & 12
Va 14°47' East

~~20.00 to drain &~~

39.96 Set post deposit charred stake
raised Mound of Earth
with pits as per instructions for 1/4 Sec. Cor

79.96 Cor. to Secs. 1. 2. 11 & 12
Land broken & hilly. Soil
2nd rate

May 1st 1873

Township 17 N. R. 53 W

From the Cor. to Secs. 34 & 35 on South Boundary of Township. Thence North between Secs 34 & 35 Va. 14°45' East

4000 Set post deposited charred stake raised Mound of Earth with pits as per instructions for 1/4 Sec. Cor

8000 Set post deposit charred stake raised Mound of Earth with pits as per instructions for Cor. to Secs. 26. 27. 34 & 35

Land quite rolling, Soil 2d rate

Township 17 N. R. W.

Eastman down line between Secs. 26 & 35 Va. 14°45' East

4000 Set post for temporary 1/4 sec Cor

7000 Head of Ravine Course North

8006 Intersect N. & S. line at Corte
8006 25. 26 35 & 36 from which Cor. Thence West on true line between Secs. 26 & 35 Va. 14°45' East

4003 Head of Ravine Course North where I set Limestone 15 x 12 x 12 in as per instructions for 1/4 sec Cor

8006 Cor. to Secs. 26. 27. 34 & 35 Land rolling Soil 2d rate

Township 17 N. R. 53 W.

North between Secs 26 & 27
Va. 14°46' East

4000 Set Limestone 15 x 8 x 5 as per instructions for 1/4 Sec. Cor

5000 Ravine Course N E

8000 Set post deposit charred stake raised Mound of Earth with pits as aspr instructions for Cor. to Secs. 22. 23. 26 & 27

Land rolling & hilly & descends North / Soil 2nd rate

Township 17 N. R. 53 W.

East on random line between Secs. 23 & 26
Va. 14°46' East

17.00 Ravine Course N. E.

24.00 Ravine " North

40.00 Set post for temporary 1/4 sec Cor

8000 Intersect N. & S. line at Cor. to 23. 24. 25 & 26 from which Cor Iron

West on true line between Secs. 23 & 26
Va 14°46' East

4000 Set post deposit charred stake raised Mound of Earth with pits aspr instructions for 1/4 sec. Cor

8000 Cont. Secs. 22. 23. 26 & 27
Land Hilly Soil 2nd rate

Township 17 N. R. 53 W

North between Secs. 22 & 23
Va. 14°46' East

40.00 Set post deposited charcoal & stake raised Mound of Earth with pits as per instructions for 1/4 Sec Cor

60.00 Ravine Course N. E.

80.00 Set Limestone 18 x 10 x 10 in as per instructions for Cor. to Secs. 14 15. 22 & 23

Land rough & broken
Soil 2d rate

Township 17 N. R. 53 W.

East on random line between
Secs. 14 & 23
Va. 14°46' East

9.90 Drain Course N. E.

40.00 Set post for temporary 1/4 sec Cor

69.90 Drain Course N.

79.96 Intersect N. & S. line 9 chs.
South of Cor. to Secs. 13
14. 23 & 24 from which
Cor. Iron

S. 89°56' West on true line between
Secs. 14 & 23
Va. 14°46' East

39.98 Set post deposed charcoal stake
raised mound of Earth
with pits as per instructions for 1/4 sec Cor.

79.96 Cor to Secs. 14. 15. 22 & 23
Land rough & broken
soil 2d rate

Township 17 N. R. 53 W.

North between Secs. 14 & 15
Va. 14°47' East

20.00 Left Bluffs & Enter Valley E & W.
35.00 Dry bed of Stream
40.00 Set post deposit charcoal stake raised Mound of Earth with posts as per instructions for 1/4 sec. Cor.
60.00 Left Valley Entered Bluffs
80.00 Set Limestone 24 X 15 X 10 as per instructions for Cor. to Secs. 10. 11. 14 & 15
Land part valley Balance Bluffs, Soil 2d rate

Township 17 N. Range 53 W.

Eastern random line between Secs. 11 & 14
Va 14°47' East

40.00 Set post for temporary 1/4 sec Cor
79.95 Intersect N. & S. line of cks South of Cor. to Secs. 11 12. 13 & 14 from which Cor. I run S. 89°57' West true line between Secs 11 & 14
Va. 14°47' East
9.97½ Set Limestone 15 X 10 X 5 in as per instructions for 1/4 Sec. Cor
79.95 Cor. to Secs. 10. 11. 14 & 15
Land rough & broken
Soil 2 rate

Township No 77 N. R. 53 W

	North between Secs 10 & 11 Va 14° 47' East
4000	Head of Ravine where I set Limestone 18 X 10 X 8-in aspr. instructions for 1/4 Sec. Cor
8000	Set post deposit & hand stake raised Mound of Earth with pits as per instructions for Cor. to Secs. 2. 3. 10 & 11
	Land rolling & hilly Soil 2nd rate

Township No 77 N. R. 53 W.

	Easterly sandstone between Secs. 2 & 11
3997	Ravine course N.E. Va. 14° 47' East
4000	Set post for temporary 1/4 Sec Cor
7994	Intersected N & S. line 3 lks. South of Cor. to Secs 1. 2. 11 & 12 from which Cor I from S. 89° 58' West true line between Secs. 2 & 11 Va. 14° 47' East
3997	~~Ravine N.E.~~ where I set a Limestone 24 X 10 X 10-in aspr. instructions for 1/4 Sec Cor in Ravine
7994	Cor. to Secs. 2. 3. 10 & 11
	Land rough & hilly Soil 2nd rate

Township 17 N. R. 53 W

	North on random line between Secs 2 & 3 Va 14°48' East
40.00	Set post for temporary 1/4 sec Cor (bearing N.E.)
60.00	Drain. Course ~~East~~ N E
80.00	Intersected North boundary of Township at or to Secs. 2 & 3. from which Cor from
	South on true line between Secs. 2 & 3 Va 14°48' East
40.00	Drain ~~Course~~ N.E. which I set Limestone 16x9x8 as per instructions for 1/4 sec. Cor
80.00	Cor. to Secs. 2. 3. 10 & 11 Land rough and hilly Soil 2d rate

May 2d 1873

Township 17 N. R. 53 W.

	From the Corner of Secs. 33 & 34 on South Boundary of Township from
	North between Secs. 33 & 34 Va. 14°46' East
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 sec. Cor.
80.00	Drain Course N. W.
	Set post deposit charred stake raised Mound of Earth with pits as per. instructions for Cor. 27. 28. 33 & 34
Level,	mostly table land
Soil	2d rate

Township 17 N. R 53 W.

	Eastern boundary line between Secs 27 & 34 Va. 14°46' East
4	
40.00	Set post for temporary 1/4 sec Cor
68.00	Ravine Course N.E.
80.00	Intersect N. & S. line at 8 lks
8	S of Cor. to Secs. 26. 27. 34 & 35
	Spur which Cor from
	S 88°76' W true line between Secs 27 & 34
	Va. 14°46' East
40.00	Set post deposit charred stake raised mound of Earth with pits as per instructions for 1/4 sec. Cor
80.00	Cor. to Secs. 27. 28 33 & 34
	Land rolling good 2d rate

Township 17 N. R 53 W.

	North between Secs. 27 & 28 Va. 14°46' East
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor
80.00	Set Limestone 20 x 10 x 10 as per instructions for Cor. to Secs. 21. 22 27 & 28. in Ravine Course N.E.
	Land rolling and hilly Soil 2d rate

North between Secs. 21 & 22
Va. 14°47' East

40.00 Range Course N.E. when
I set Limestone 14x7x7
as per instructions
for 1/4 sec. Cor

80.00 Set Limestone 30x15x10 in
Erected Mound of stone
for Cor. to Secs. 15. 16
21 & 22. Corner in Edge
of Bluff

Land very hilly Soil 2nd rate

East on random line between Secs 22 & 27
Va. 14°46' East

39.00 Range Course South

40.00 Set post for temporary 1/4 sec Cor

79.92 Intersect N. & S. line
Corner Secs. 22. 23. 26 & 27 from
which Cor Iron S 89° 54' W

West on true line between Secs. 22 & 27
Va 14°46' East

39.96 Set Limestone 14x9x8 as per instructions for 1/4 sec. Cor.

79.92 Corner to Secs. 21. 22. 27 & 28
Land rolling Soil 2nd rate

North between Secs 21 & 22
Va. 14°47' East

40.00 Range Course N.E. when I
Set Limestone 14x7x7 in
as per. instructions
for 1/4 sec. Cor.

80.00 Set Limestone 30x15x10 and
Erected a Mound of stone
for Corner to Secs. 15.
16. 21. & 22. Corner
in Side of Bluff facing
the West

Land very hilly Soil 2nd rate

Township No 17 N. R 53 W

	East on random line between Secs. 15 & 22
20.00	Raising Course Va. 14°47' East
40.00	Set post for temporary 1/4 sec Cor
80.00	Intersect N & S. line 4 chs South of Cor. to Secs. 14 15. 22 & 23 from which Cor from S. 89°58½' West on true line between Secs. 15 & 22 Va. 14°47' East
40.00	Set Limestone 20 x 9 x 9 - as per instructions for 1/4 sec corner
80.00	Cor. to Secs. 15. 16. 21 & 22 Land very hilly & rough Soil 2d rate

Township 17 N. Range 53 W.

	North between Secs. 15 & 16 Va 14°47' East
10.00	Enter Lawrence fork Valley
15.00	Dry bed of Creek
37.00	Drain East
40.00	Set post & post Charred stake raised mound of Earth with pits as per instructions for 1/4 sec. Cor.
50.00	Left Valley & entered Bluffs
80.00	Set Limestone 24 x 10 x 10 as per instructions for Corner to Secs. 9. 10. 15 & 16 Land part rolling. Balance Bluffs. Soil 2 rate

Township 17 N. R. 53 W

	Easterly random line between Secs. 10 & 15 Va. 14°47' East
4000	Set post for temporary 1/4 sec Cor
8008	Intersected N & S. line 7 chs. South of Cor. to Secs. 10. 11. 14 & 15 from which Cor I run S. 89°57' West true line between Secs. 10 & 15 Va. 14°47' East
4004	Set Limestone 15 x 7 x 5 as per instructions for 1/4 Sec. Cor.
8008	Cor. to Secs. 9. 10. ~~14~~ & 15 16 Land rolling & hilly Soil 2nd rate

Township 17 N. R. 53 W.

	North between Secs 9 & 10 Va. 14°48' East
4000	Set post & post charred stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor.
8000	Set post & post charred stake raised Mound of Earth with pits as per instructions for Cor to Secs. 3. 4 9 & 10.
	Land rolling Soil 2nd rate

Township 17 N. R 53 W

East on random line
between Secs. 3 & 10
Va. 14°47' East
30.00 Range Course N.E.
4000 Set post for temporary 1/4 sec Cor
79.96 Intersect N. & S. line 7 1/2
links South of Cor. to Secs.
2. 3. 10 & 11 from
which Cor Iron
S. 89° 57 West on true line
between Secs. 3 & 10
Va. 14°47' East
39.98
3978 Set post deposit charred
stake raised Mound
of Earth with pits as
per instructions for
1/4 Sec. Cor.
79 96
7976 Cor. to Secs 3. 4. 9 & 10
Land rolling soil 2d rate

Township 17 N. R. 53 W.

North on random line between
Secs. 3 & 4
Va. 14°48' East
Running N.E. instead of S.E. where
4000 Set post for temporary 1/4 sec Cor
70.00 Range Course East
5002 Intersect North Boundary
of Township 17 N. R. 53
East of Secs. 3 & 4 from
which Cor Iron S
on true line between
Secs 3 & 4.
Va. 14°48' East
4002 ~~Range Course A.E.~~ when Set
Limestone 18 x 10 x 10 as
per instructions for
1/4 Sec. Cor. in Range
80.02 Cor. to Secs. 3. 4. 9 & 10
South part Table land. North
part rolling & shelly soil
2d rate

May 3 1873

From the Cor to Secs. 32 & 33
on South Boundary
of Township. Thence
North between Secs. 32 & 33
Va. 14.46' East
4000 Set post deposit charcoal
stake raised Mound
of Earth with pits
as per instructions
for 1/4 Sec. Cor
8000 Set post deposit charcoal
stake raised Mound
of Earth with pits
as per instructions
for Cor to Secs. 28
29. 32 & 33
Table land Soil 2d rate

Easton random line between
Secs. 28 & 33
Va. 14°46' East
20.05 Head of Ravine Course South
4000 Set post for temporary 1/4 Sec Cor.
65.05 Ravine Course N. W.
8005 Intersect N & S. line at Cor
to Secs. 27. 28. 33 & 34
from which Cor bears
Weston true line between Secs 28 & 33
Va. 14°46' East
40027½ Set post deposit charcoal
stake raised Mound
of Earth with pits as
per instructions
for 1/4 Sec. Cor.
80.05 Cor. to Secs. 28. 29. 32 & 33
Land quite Rolling Soil 2d rate

Township 17 N. R. 53 W

North bitween Secs. 28 & 29
Va. 14° 47' East

4000 Set post dipost chamed stake
raised Mound of Earth
with pits as per instruc-
tions for 1/4 sec Cor

8000 Set post dipost chamd
stake raised Mound
of Earth with pits as
asper. instructions
for Cor. to Secs 20. 21
28 & 29

Land quite hilly Soil
2d rate.

Township 17 N. R. 53 W.

East on random line between
Secs 21 & 28
Va. 14° 47' East

4.00 Drain Course N & S.

4000 Set post for temporary 1/4 sec Cor

8000 Intersect N & S. line at Cor.
to Secs. 21 & 28
from which Cor Iron
Wash bin trees bitween
Secs. 21 & 28
Va. 14° 47' East

4000 Set Limestone 15 x 10 x 5 as
asper instructions
for 1/4 Sec. Cor.

8000 Cor. to Secs. 20. 21. 28 & 29
Land very hilly Soil 2d rate

Township 17 N. R. 53 W

North between Secs 20 & 21
Va. 14°48' E

12.00	Drain Course N. W.
20.00	Enter Valley of Lawmer Fork
30.00	To Gravelly bed of stream
40.00	Set Limestone 15 x 10 x 8 cor
	Erected Mound of Stone
45.00	Left ~~On~~ the Gravel bed of
	Stream bears N E
55.00	Left Valley & Entered Bluffs
80.00	Set Limestone 24 x 18 x 10
	as per instructions
	for Cor to Secs. 16. 17
	20. & 21. Cor on high Bluff
	Land South part Valley
	Sol 2nd rate

Township No 17 N. R. 53 W.

East on random line between
Sections 16 & 21
Va. 14°47' East

25.00	~~Left the Enter~~ Bluffs out valley
37.00	Dry Bed of Creek
40.00	Set post for temporary 1/4 Sec Cor
70.00	Enter ~~Valley~~ Bluffs
80.00	Intersect N. & S. line 6 3/4 chs
	North of Cor to secs
	15. 16 21 & 22 from
	which Cor Iron
	N. 89°57' West on true line between
	Secs. 16 & 21
	Va. 14°47' E
40.00	Set Limestone 15 x 10 x 5 - as
	per instructions for
	1/4 Sec. Cor.
80.00	Cor. to Secs. 16. 17. 20 & 21
	Land part valley &
	Balance Bluffs Sol 2nd
	2nd rate

Township No 17 N R. 53 W

North between Secs. 16 & 17
Va. 14°48' East

4000 Set a Limestone 20 x 12 x 10
as per instructions
for 1/4 Sec. Cor.

5800 Drain Course E (or S 80 E)

8000 Set Limestone 24 x 10 x 8
as per instructions
for Cor. to Secs.
8. 9. 16 & 17

Land very rough & hilly
Soil 2d rate

Township 17 N - R. 53 W.

East on random line between
Secs. 9 & 16
Va. 14°48' East

4000 Set post for temporary 1/4 Sec Cor

45.00 Ravine Course S. E.

8002 Intersect N & S. line 37 lks
South of Cor to Secs.
9. 10. 15 & 16 from
which Cor bears
S. 89°59' West true line
between Secs. 9 & 16
Va 14°48' E

4001 Set Limestone 15 x 8 x 7 as
per instructions
for 1/4 Sec. Cor

8002 Cor. to Secs. 8. 9. 16 & 17
Land rolling & hilly Soil
2d rate

Township 17 N. R. 53 W

North between Secs 8 & 9
Va. 14°49' East

4000 Set post deposit Chained
stake raised Mound
of Earth with pits
as per instructions
for 1/4 Sec. Cor

8000 Set post deposit chained
stake raised Mound
of Earth with pits
as per instructions
for Cor. to Secs 4
5. 8 & 9

Land Rolling Soil 2d rate

Township 17 N. R. 53 W.

Eastern random line
between Secs 4 & 9
Va. 14°48' E

4000 Set post for temporary 1/4 sec Cor
7994 Intersected N. & S. line 79.94 chs
South of Cor. to Secs.
3. 4. 9 & 10 from which
Cor I run
S. 89°57' West true line
between Secs. 4 & 9
Va. 14°48' E

3997 Set post deposit chained
stake raised Mound
of Earth with pits
as per instructions
for 1/4 sec Cor

7994 Cor to Secs. 4. 5. 8 & 9
Land rolling Soil 2d rate

Township 17 N. R. 53 W.

North on random line
between Secs. 4 & 5
Va. 14°49' East

40.00 Set post for temporary 1/4 Sec Cor
80.04 Intersect North Boundary
of Township 17 Rs East
of Cor to Secs 4 & 5
from which Cor I run
South 3' East on true line
between Secs 4 & 5
Va. 14°49' East

40.04 Set post deposit charred
Stake raised Mound
of Earth with pits
aspr instructions
for 1/4 Sec Cor

80.04 Cor. to Secs 4.5.8 & 9
Land quite rolling
Soil 2d rate

May 4th 1873

Township 17 N. R. 53 W.

From the Corner to Secs 31 & 32
on South Boundary of
Township I run
North between Secs. 31 & 32
Va. 14°47' E

40.00 Set post deposit charred stake
raised Mound of Earth
with pits aspr. instruc-
tions for 1/4 Sec. Cor

80.00 Set post deposit charred Stake
raised Mound of Earth
with pits aspr instruc-
tions for Cor. to Secs.
29. 30. 31 & 32

Land rolling soil 2d rate

Township 17 N. R 53 W.

	Easton random line between Secs. 29 & 32 Va. 14°47' East
(37.00) 37.00	Ravine Course N. W.
40.00	Set post for temporary 1/4 Sec Cor
800	Intersect N. & S. line 7 chs South of Cor to Secs 28 29. 32 & 33 from which Cor I run
	S. 89° 57' West on true line between Secs 29 & 32 Va. 14°47' E.
40.01	Set Limestone 16 x 10 x 7 in as per instructions for 1/4 Sec. Cor
800 2	Cor. to Secs 29. 30. 31 & 32 Land quite Rolling Soil 2d rate

Township 17 N. R 53 W.

	West on random line between Secs. 30 & 31 Va. 14°48' East
4000	Set post for temporary 1/4 Sec. Cor
7990	Intersected West Boundary of Township. 21 chs. North of Cor. to Secs. 30 & 31 from which Cor I run
	N. 89° 51' East on true line between Secs - 30 & 31 Va. 14°48' East
3990	Set Limestone 20 x 15 x 10 as per instructions for 1/4 Sec. Cor
7990	Cor. to Secs. 29. 30. 31 & 32 Land hilly soil 2d rate

Township 17 N. R. 53 W

	North between Secs. 29 & 30 Va. 14°48' E
38.00	Enter Valley
40.00	Set post deposit Chained stake raised Mound of Earth with pits as per instructions for 1/4 sec Cor
52.00	Dry bed of Stream
60.00	Left Valley & Entered Bluffs
80.00	Set Limestone 20 x 10 x 8 as per instructions for Corner to Secs 19. 20. 29 & 30
	Land rough and broken Except Valley. Soil 2nd rate

Township 17 N. R. 53 W.

	Easton random line between Secs. 20 & 29 Va 14°48' East
20.00	~~Entered~~ Left the Bluffs Course S. W. Enter Valley
40.00	Set post for temporary 1/4 sec Cor
44.00	Dry bed of Stream
65.00	~~Left~~ Enter Valley Course N. E
80.00	Intersect N. & S. line 7 1/2 chs South of Corn Secs. 20 21. 28 & 29 from which Cor. I run S. 89°57' West on true line between Secs. 20 & 29 Va 14°48' E
40.00	Set post deposit Chained stake raised mound of Earth with pits as per instructions for 1/4 sec Cor
80.00	Cor. to Secs. 19. 20. 29 & 30 Land Mostly in Valley Balance hilly

Township No 17 N. R 53 W

	West on random line between Secs. 19 + 30 Va 14° 48' E
40.00	Set Post for temporary 1/4 Cor
79.81	Intersected the West Boundary of the Township 18 chs North of the Corner to Secs 19 th + 30 from which bears run
	N. 89° 52' East on true line between Secs. 19 th + 30 Va. 14° 48' E.
39.81	Set Limestone 18 x 12 x 8 in. as per instructions for 1/4 Sec. Cor
79.81	Cor. to Secs. 19. 20. 29 th + 30 Land hilly, discards S. E Soil 2d rate

Township 17 N. Range 53 W.

	North between Secs. 19 + 20 Va. 14° 48' E.
40.00	Set Post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 Sec. Cor
67.00	Ravine Course East
80.00	Set Post deposit charred stake raised Mound of Earth with pits as per. instructions for Cor to Secs. 17-18-19 th + 20
	Land rolling th + Hilly Soil second rate.

Township 17 N. Range 53 W

		East on random line between Secs. 17 & 20 Va. 14° 48' East
4	40.00	Set post for temporary 1/4 sec Cor
8	79.98	Intersect N. & S. line 3 ~~W~~ chs South of Cor. to Secs 16. 17 20 & 21 from which Cor I run
		S. 89° 39' West on true line between Secs. 17 & 20 Va. 14° 48' E
4	39.99	Set post deposit charred stake raised Mound of Earth with pits as per. instructions for 1/4 sec. Cor
	79.98	Cor. to Secs. 17. 18. 19 & 20
8		Land quite hilly. Soil 2d rate

Township 17 N. R 53 W.

	West on random line between Secs. 18 & 19 Va. 14° 49' East
40.00	Set post for temporary 1/4 sec Cor
79.72	Intersect West Boundary of Township 21 1/4 chs. North of Cor. to Secs. 18 & 19 from which Cor I run
	N. 89° 51' East on true line between Secs. 18 & 19 Va. 14° 49' E
39.72	Set Post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 Sec. Cor.
79.72	Cor. to Secs. 17. 18. 19 & 20
	Land hilly soil 2d rate

Township No 17 N. R. 53 W

	North between Secs. 17 & 18 Va. 14°49' East
18.00	Ravine Course N. E.
40.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 sec. Cor.
64.00	Drain Course E.
80.00	Set Limestone 20 x 10 x 5 as per instructions for 1/4 sec. Cor. to Secs. 7. 8. 17 & 18
	Land hilly & rough, Soil 2 rate

May 5th 1873

Township 17 N. R. 53 W

	Easton random line between Secs. 8 & 17 Va. 14°49' East
35.00	Ravine Course S. E.
40.00 / 19.94	Set post for temporary 1/4 sec. Cor
79.94	Intersected N. & S. line 9 1/2 lks South of Cor. to Secs. 8. 9. 16 & 17 from which Cor. I Run
	S. 89°56' West on true line between Secs. 8 & 17 Va. 14°49' East
39.97	Set Limestone 16 x 8 x 7 as per instructions for 1/4 sec. Cor
79.94 / 79.94	Cor. to Secs. 7. 8. 17 & 18
	Land very hilly Soil 2d rate

Township 17 N. Range 53 W

	West on random line between Secs. 7 & 18 Va. 14°49' East
40.00	Set post for temporary 1/4 Sec. Cor
67.65	Entered Drain Course S. 70° E.
79.65	Intersected West Boundary of Township 14 Chs. North of Cor. to Secs. 7 & 18 from which Cor Drain N. 89°54' East on true line between Secs. 7 & 18 Va 14°49' East
39.65	Set Limestone 20 x 10 x 10 in. as per instructions for 1/4 Sec. Cor. Cor N side of Drain
79.65	Corner to Secs. 7. 8. 17 & 18 Land rough. Soil 2d rate

Township 17 N. R. 53 W.

	North between Secs. 7 & 8 Va 14°49' East
20.00	Ravine Course E.
38.00	Ravine " S. E.
40.00	Set a Limestone 18 x 8 x 8 in. as per instructions for 1/4 Sec. Cor.
80.00	Set post deposit charred stake raised Mound of Earth with pits as per instructions for Cor to Secs. 5. 6. 7 & 8.
	Land South half hilly. North half Tableland Soil 2d rate

Township 17 N. R 53 W

		East on random line between Secs. 5 & 8 Va. 14°49' East
400		
80.0	4000	Set post for temporary 1/4 sec Cor
	79.98	Intersect N & S. line 7 chs. South of Cor to Secs 4. 5. 8 & 9 from which Cor I run
		S. 89°57' West on true line between Secs. 5 & 8 Va. 14°49' East
40.0	3999	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 Sec. Cor
800	7998	Cor to Secs. 5. 6. 7 & 8 Table Land Soil 2d rate

Township 17 N. R. 53 W.

		West on random line between Secs. 6 & 7 Va. 14°50' East
	4000	Set post for temporary 1/4 sec Cor
	79.55	Intersected West Boundary of Township 14 chs North of Cor. to Secs. 6 & 7 from which Cor I run
		N. 89°54' East on true line between Secs. 6 & 7 Va. 14°50' East
	3955	Set post deposit charred stake raised Mound of Earth with pits as per instructions for 1/4 Sec. Cor
	79.55	Cor. to Secs. 5. 6. 7 & 8 Land Rolling Soil 2d rate

Township 17 N. R. 53 W.

North on random line between
Secs. 5th & 6
Va. 14° 50' East
40.00 Set post for temporary 1/4 Sec Cor
79.95 Intersected North Boundary
of Township 12 Chs E
of Cor Secs. 5th & 6 from which
Cor I run S 0° 15' E
~~South~~ on true line between
Secs 5th & 6
Va 14° 50' East
39.95 Set post deposit chained stake
raised Mound of Earth
with pits as per instructions for 1/4 Sec. Cor
79.95 Cor. to Secs 5. 6. 7th & 8
Table Land Soil 2nd rate

May 6th 1873

General description of Township No 17 North of Range 53 West of the 6th principal Meridian in the state of Nebraska This Township is very rough and broken by ravines only a small amount of table land in the N W part and along the south tier of sections there is no water as far as I know, but there is quite a large amount of Pine trees in the ravines The valley of the Lewarene perhaps is from 15 to 40 chs wide there is indications that water runs in it at some portions of the season but now only a wide gravely bed is seen This is a good grazing region affording a good shelter for stock and water not distant

A list of names of individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field Notes of Township 17 North of Range 53 West of the 6th principal Meridian in the state of Nebraska showing the capacities in which they acted

John M Lathrop Chainman
John Conten Chainman
Henry Worrell Marksman
Benjamin Whibson Marksman

We hereby certify that we assisted Eli W Lathrop deputy Surveyor in surveying the subdivision lines of Township 17 North of Range 53 West of the 6th principal Meridian in the state of Nebraska ~~all~~ the said Township has been in all respects to the best of our knowledge and belief well and faithfully

Surveyed and the moments faithfully platted according to the instructions furnished by the Surveyor General

John Carter Chairman
John Fatemayer "
Henry Harrell Member
H Lyman Wheeler "

Sworn and subscribed to this 24th day of May 1873

James Bellon
Clerk of the District Court for Lincoln County Nebraska

I Jno W Lattimyer
Deputy Surveyor
do solemnly swear that in pursuance of past contract between I W Lattimyer and Walter C Campbell on part contractor with E E Cummings United States Surveyor General of the Public Lands in the State of Iowa and Nebraska bearing date the 15th day of August 1872 I have well and faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the Laws of the United States Surveyed all those parts or portions of Township 17 North of Range 33 West of the 6th Principal Meridian in the State of Nebraska as are represented in the foregoing field Notes as having been surveyed by me and I do further solemnly swear that all the corners

of said surveys have been established and perpetuated in strict accordance with the surveying Manual and printed instruction and that the foregoing are the true and original field Notes of such surveys

Dra W La Munyon
Deputy Surveyor

Sworn and subscribed to before me this 24th day of May 1873

James Bellon
Clerk of the District Court for Lincoln County Nebraska

Surveyor General's Office
Plattsmouth June 30th 1873

The foregoing field Notes of the Survey & subdivision of Tp No 17, North of the Base Line of Range No 33 West of the 6th P.M. in the state of Nebraska Executed by Dra. W. La Munyon Deputy Surveyor under joint Contract No. 67, dated August 15th 1872 Wherein Dra W La Munyon and Walter C Campbell are joint Contractors, in the month of May 1873. having been critically examined the necessary corrections and explanations made the said field Notes and the surveys they describe are hereby approved.

E. E. Cunningham
Surveyor General

Field Notes
of
The Survey and Subdivision
of
Township No. 18 North
of
Range No. 53 West
In
Nebraska

Executed
By N. Ewell Sanger Schuyler
Surveyor under Joint Contract
No 77 Dated June 2d 1873

Survey
Commenced Aug 1st 1873
Completed Aug. 6th 1873

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township No. 18. North in Range

No. 53 West Ma Showing the respective
capacities in which they acted
John Sherman Chainman
Dan Thorzeuel Chainman
Abner C. Johnson Flagman
Frank Hebert Flagman

Town 18 North Range 53 West

6	60	5	44	4	33	3	22	2	11	1	
59		58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12	
56		55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13	
53		52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24	
50		49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25	
47		46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36	

To determine the proper adjustment of my compass for subdividing Township 18 N Range 53 West

Begin at the Cor to Townships 17, 18 N Ranges 52 & 53 West and run North along East boundary of Sec 36 Va 15° 10' E

39.92 To point 2 chs East of ¼ Cor
79.86 " point 2 chs West of Cor to Sec " 25 & 36

I therefore find my compass in proper adjustment

1

Township 18 N

Chains	
	North between Sec. 35 & 36 Var 15° 10' E
14.00	Cairn East
31.00	Cairn East
40.00	Set Limestone 13 x 13 x 3-6 in deep marked 14 for Qr cor
44.00	Short rough Sandstone hills E & W
80.00	Limestone 16 x 14 x 4-8 in deep marked, 5 on N 1 on South 1 on East & 3 on West for cor to Sec. 25. 26. 35 & 36
	Land Rough Broken Barren

2

Range 5 W West

	East and West line bet. Sec. 25 & 36 Var 15° 10' E
7.00	Drain S.E.
37.00	Drain S.E.
40.00	Post for temporary Qr cor
79.91	Intersect East & West line 22 links North of Cor to Sec. 25. & 36. from which cor Ironwood
	N 89° 57' West on true line bet. Sec. 25 & 36. Var 15° 10' E
39.95	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited Charred State mound of earth 3 ft high Spruce pits 12 in x 24 in 12 in deep marked as per instructions for Qr cor
79.91	Cor to Sec. 25. 26. 35 & 36
	Land Broken Barren

Township 18 North

	North bet Sec. 25 & 26 Va 15° 15' E
8.00	Drain S.E.
38.00	Drain East
40.00	Limestone 14 x 12 x 3 - 7 in deep mkd 4 for gr cor
42.00	Drain S.E.
58.00	Drain East
62.00	Drain S.E.
78.00	Drain S.E.
80.00	Limestone 14 x 11 x 4 - 6 in deep mkd 4 on North 2 on South 1 on East & 5 on West for Cor to sec. 23. 24. 25 & 26.
	Land rolling 2 rate

Range 5 West

	Cash run along line bet Sec. 24 & 25 Va 15° 15' E.
11.00	Leave rolling land & enter bluffs
40.00	Stone for temporary gr cor
79.77	Intersect East Boundary 11 chs North of Cor to sec. 24 & 25 from which Cor Iron
	N 89° 55' West true line bet Sec. 24 & 25 Va 15° 15' East.
39.88	Set Limestone 14 x 9 x 6 - 7 in deep Mkd 4 for gr sec cor
79.77	Cor to sec. 23. 24. 25 & 26
	Land bluffy 3rd rate

Township 18 North

North bet Sec. 23 & 24
Var 5° 10' E

5.00 Drain West
22.00 Drain West
28.00 Drain West
38.00 Enter Yazoo Valley land
E & W
40.00 Limestone 15 x 12 x 3 - 7 in
deposited for gr cor
64.00 Drain S.E.
74.00 Drain S.E.
80.00 Limestone 40. x 30 x 5 = 20
in deposited 30 N to
30 South 1 on East
50 W West for cor to Sec.
13. 14. 23 & 24
Land broken 30 rate

Range 5 West

East meandered line bet.
Sec. 13 & 24
Var 15° 10' E
13.00 Enter Yazoo Broken Bluff for
Spur off Bluffs
30.00 Leave same enter Yelling
land N E & S W
40.00 Set Stone for temporary gr cor
79.82 Intersect East Boundary
29 Ch South of Cor to Sec.
13 & 24 from which cor
Iron
S 89° 48' West on the line bet
Sec. 13 & 24
Var 15° 10' East
39.91 Set Limestone 17 x 13 x 6 - 8 inches
Mkd 24 for gr cor
79.82 Cor to Sec. 13. 14. 23 & 24
Land Yelling 30 rate

Township 18 North

	North between Sec. 13 & 14 Var 15° 20' E
7.00	Enter Spur of bluff N.
31.00	Leave Lake Enter Valley or table Land
40.00	Intersect 17 x 14 x 13 x 8 in deep Mkd Pt for Gr Cor
61.00	Enter Drain with some Box Alder Trees on banks of same
80.00	Set Post 3 in x 3 in x 4 ft. 1 ft in ground deposited Charred Stake raised Mound of earth 3 ft high from pits 12 in x 12 in x 12 in deep as per instructions for Cor to sec. 11, 12, 13 & 14
	Land Mostly Table Land 2 Rate

Range 5 West

	Eastern and no line Set Sec. 12 & 13 Var 15° 10' E
4.00	Drain N.W.
9.00	Enter high Spur of bluffs E & W
40.00	Set Stone for temporary Gr Cor
45.00	Leave Spur of bluffs
79.90	Intersect East Boundary 20 lks South of Cor to sec. 12 & 13 from which Cord mm
	Day 25 Westerne line Set Sec. 12 & 13 Var 15° 10' E
39.95	Set Limestone 18 x 11 x 7 - 6 in deep mkd W.P. for gr cor
79.90	Cor to sec. 11, 12, 13 & 14 Land Broken 3 rate

Township 18 North

	North Left Sec. 11 & 12
	Va 15° 15' E
5.00	Drain N.W.
40.00	Set Limestone 15 x 11 x 7-7
	in depression 4 x 4 for
	gr. Sec. cor
80.00	Limestone 19 x 15 x 7-9 in
	depression 7 in North
	5 on South 1 on East
	& 5 on West for cor
	to Sec. 1. 2. 11 & 12
	Land Valley 2 rate

Range 5 W West

	Cushmandoni line bet.
	Sec. 1 & 12
	Va 15° 15' E.
40.00	Stone for temporary gr. Cor
80.04	Intersect East Boundary
	41 lks North of Corto
	Sec. 1 & 12 from which
	Cor. bears
	N 89° 42' West on true line
	bet. Sec. 1 & 12
	Va 15° 15' E
40.02	Set Limestone 15 x 8 x 3 - 7 in
	depression 4 x 4 for gr. Cor
80.04	Cor to Sec. 1. 2. 11 & 12
	Land Valley 2 rate

Township 18 North

	Northern random line Cont.
	Sec. 1 & 2
	Var 15° 10' E
40.00	Set for temporary qr cor
79.92	Intersect North Boundary
	8 chs East of Cor to Secs
	1 & 2 from which cor
	bears
	S 35 East true line Cont.
	Sec. 1 & 2
	Var 15° 10' E
39.92	Set Limestone 16 x 10 x 3-8 in
	deep mkd. 1/4 for qr cor
79.92	Cor to Secs. 1. 2. 11. & 12
	Land rolling Valley & rich
	Aug 1st 1873

Range 5 West

	North Cont. Sec. 34 & 35
	Var 15° 10' E
40.00	Set Limestone 40 x 30 x 10
	20 inches deep mkd
	1/4 for qr sec cor
43.00	Drain East
57.00	Drain S.E.
72.00	Drain S.E.
80.00	Limestone 14 x 10 x 3-7 in
	deep mkd. 5 on North
	1 on North. 2 on East
	& H on West for corb
	Sec. 26. 27. 34 & 35
	Land rolling & rich

Township 18 N

	Custer random line bet. Sec. 26 & 35 Var 15° 10' E
40.00	Set stone for temporary gr. cor.
80.29	Intersect N & S line 44 rds N of Cor to Sec. 25. 26. 35 & 36. from which Iron
	N 89° 41' W Westonture line bet. Sec. 26 & 35 Var 15° 20' E
40.14	Set Limestone 17 x 16 x 9-8 in dep. mkd M & 14 for gr. cor
80.29	Cor to Sec. 26. 27. 34 & 35
	Land rolling & rocky

Range 5 W West.

	North between Sec. 26 & 27 Var 15° 10' E
40.00	Set Limestone 14 x 9 x 5-7 in dep. mkd 14 for gr. cor
58.00	Drain N.W.
63.00	Drain N.W.
68.00	Drain N.W.
80.00	Set Limestone 16 x 14 x 4-8 in dep. mkd 16 & 4 on North & on South. 2 on East & 4 on West for Cor to Sec. 22. 23. 26. & 27
	Land rolling Soil & rocky

Township 18 North

	Easton regular line Set.
	Sec. 23. & 26
	Var 5° 10' E
1.50	Drain N.W.
40.00	Set Stone for temporary Cor
80.12	Intersect N. & S. line 32 chs
	N. of Cor to sec. 23. 24.
	25 & 26 from which a line
	N. 89° 46' West true line
	Set Sec. 23 & 26
	Var 15° 10' E
40.06	Set Limestone 16 x 11 x 6 - 8 in
	deep mkd 14 for Cor
80.12	Cor to sec. 22. 23. 26. & 27
	Land rolling Soil 2nd rate.

Range 5 West

	North between Sec. 22 & 23
	Var 5° 10' East.
2.50	Drain N.W.
32.00	Drain N.W.
40.00	Set Limestone 20 x 15 x 7 - 10
	in deep mkd 14 for
	1/4 Sec Cor
42.00	Enter Bluffs N.E. & N.W
	Full timber about
	3 chs either side of
	line
64.00	Leave timber
77.00	Drain N.E. following around
	Spur of Bluff
80.00	Set Limestone 17 x 13 x 3 - 8 in
	deep mkd 3 on North
	3 on South & on East &
	4 on West for Cor
	to sec. 14. 15. 22 & 23
	Land broken South

Township 18 North

	East meandered line bet. Sec. 14 & 23 Var 15° 15' E
2.00	Drain N.E.
40.00	Set Stone 22×13×4-4 in ~~dep N.E. bet 14~~ for 1/4 Cor
64.00	Enter rolling land N.E. & S.W.
80.14	Intersect N. & S. line bet Secs N of Cor to Secs. 13 14. 23 & 24 from which Cor bears N 89° 30' West on true line
	Set Sec. 14 & 23 Var 15° 15' E
40.07	Set Limestone 22×13×4-10 in dep N.E. 1/4 for 1/4 Cor
80.14	Cor to Secs. 14. 15. 22 & 23 Land broken Bank

Range 5 West

	North between Secs. 14 & 15 Var 15° 15' E
4.00	Foot of high broken point West some pines on same
29.00	Leave same S.W.
30.00	Drain N.W.
40.00	Sand Stone 16×14×7-8 in dep N.E. 1/4 for 1/4 Cor
60.00	Enter very high & broken bluff West & N.E.
78.00	Leave same
80.00	Set Sand Stone 15×16×5-9 in dep N.E. 20 North 4 in South 2 in East & 4 in West for Cor to Secs. 10. 11. 14 & 15
	Land broken Bank

Township 18 North

East on random line bet.
Sec. 11 & 14
Var 15° 15' E.

27.00 Leave foot of high bluff
South

40.00 Set Stone for temporary gr cor

60.00 Train N.W.

80.00 Intersect N & S line 44
chs N of Cor to sec. 11.
12. 13 & 14 from which Cor
bears
N 89° 41' West on true line
bet Sec. 11 & 14
Var 15° 15' E

40.01 Set Limestone 18 x 12 x 9 - 9
in dep MKd 14 for
gr sec cor

80.00 Cor to sec. 10. 11. 14 & 15
Land Valley & Vale

Range 5 West

North between Sec. 10 & 11
Var 15° 15' E

6.00 Cañon 4 chs wide S.W.

40.00 Set Limestone 14 x 9 x 7 - 7 in
deep MKd 14 for gr cor

80.00 Sand Stone 16 x 8 x 8 - 18 in
deep MKd 1 on North
8 on South 2 on East
& 4 on West for Cor
to sec. 2. 3. 10 & 11
Level Valley & Vale

Township 18 North

East on random line bet.
Sec. 2 & 11
Va 15° 15' E

40.00 Set stone for temporary gr cor
80.15 Intersect N & S line 15
links South of Corto
Sec. 1. 2. 11. & 12
from which cor bears
S 89° 54' West on true line bet.
Sec. 2 & 11
Va 15° 15' E

40.07 Set land stone 15 x 8 x 4 x
7 in deep marked 1/4
for gr cor

80.15 Cor to sec. 2. 3. 10 & 11
Land Valley 1/2 rate

Range 5 W. 2 rest.

North on random line
bet Sec. 2 & 3
Va 15° 15' E

40.00 Set stone for temporary gr cor
79.80 Intersect North boundary
45 lks West of Corto
Sec. 2 & 3 from which
Cor bears
South 19' West on true line bet.
Sec. 2 & 3
Va 15° 15' E

39.80 Set land stone 18 x 12 x 4 - 8 in
deep marked 1/4 for gr cor

79.80 Cor to sec. 2. 3. 10 & 11
Land Valley 1/2 rate

Aug 2nd 1883

Township 18 North

North Lat Sec. 33 & 34
Va 15° 10' E

7.00 Drain N E

4 80 40.00 Limestone 12 x 9 x 7 6 in.
N M on 4 for gr & cor

70.00 Drain East

80.00 Limestone 14 x 12 x 9
in dep N M 5 on
North 1 on Lat N 3
East & 3 on West for
Cor to Sec. 27. 28. 33
34

4 Land Table Land 2 rate

8

Range 5 West

Eastonz and on line Lat
Sec. 27 & 34
Va 15° 10' East

00 Drain L E

0.00 Set Stone for temporary gr cor

3.00 Drain L E

9.64 Intersect N & S line at cor
to Sec. 26. 27. 35 & 30
from which cor bears
Weston true line Lat Sec. 27 & 34
Va 15° 10' E

9.82 Set Limestone 17 x 13 x 3 - 8 in
dep N M on 4 for gr cor

79.64 Cor to Sec. 27. 28. 33. 34

Land rolling 2 rate

Township 18 North

North Lat Sec 21, 27 & 28
Va 15° 15' E

14.00 Drain L. E.
19.00 Wide grassy Drain N.E.
40.00 Limestone 15 + 11 × 5 = 7 in
deep Mkd H for gr cor
52.00 Cañon East
70.00 Deep cañon N. E around
Point of bluff
80.00 Limestone 16 × 9 × 8 - 8 in deep
Mkd H on North 2 on
South. 3 on East & 3 on
West for cor to Sec 21. 22. 27. & 28
Land Broken 3rd rate

Range 5 B West

Eastern range line Lat
Sec 22 & 27
Va 15° 15' E

16.00 Cañon N E
19.00 Foot of Spur South
28.00 Drain N. E.
40.00 Set Stone for temporary gr cor
43.00 Drain North
67.00 Drain N W
79.89 Intersect N & S line of sec
North of cor to Sec 21. 22. 23
26. & 27. from which
Cor Firm
N 89° 52' West true line Lat
Sec 21 & 27
Va 15° 15' E.
39.94 Set Limestone 14 × 9 × 6 - 7 in
deep Mkd H for gr
Cor
79.89 Cor to Sec 21. 22. 27 & 28
Land broken 3rd rate

Township 18 North

	North bet sec 21 & 22 Var 5° 10' E
12.00	Drain N.E.
22.00	Deep Canon 4 chs wide 75 ft deep East
37.00	Drain East into Canon
40.00	Limestone 14x12x4 - 7in deep mkd B.T. for gr cor
57.00	Enter high Spur of bluff East & N.E.
80.00	Limestone 20x10x7 - 10in deep mkd "B.C.N. 30 North 30 South 30 East 30 West for cor to sec 15. 16. 21. & 22
	Land Broken 30 rods

Range 53 West

	East on random line bet sec 15 & 22. Var 5° 10' E
24.00	Canon 125 ft deep between 2 very high bluffs S.E.
35.00	Leave Yellow Pine on same enter high point of bluff N.E. (Will mine Pine on same)
40.00	Set Stone for temporary gr cor
45.00	Leave point of bluff enter pocket on bluffs
61.00	End of Drain S.E. soon turns N.E.
70.00	Enter point of bluff North
79.90	Intersect N & S line 12 chs South of cor to sec 14. 15. 22 & 23 from which Cor Lynn bears 55° West true line bet sec 15 & 22 Var 15° 10' E
39.95	Set Sand Stone 16+9+4 - 7in deep Mkd B.T. for gr cor
79.90	Cor to sec 15. 16. 21 & 22 Land rocky & bluffy 30 rods

Township 18 North — Range 53 West

North bet Sec.s 15 & 16
Var 15° 15' E

13.00 Leave divide or Spur of bluff
22.00 Drain S.E.
33.00 Spur of bluff East & SE
40.00 Set Limestone 14 x 11 x 8 - 7 in dep mkd. 14 for gr cor
43.00 Leave Spur East & SE enter Valley or bottom N.W.
73.00 point of high bluff East.
77.00 Leave valley
80.00 Limestone 15 x 10 x 4 - 7 in dep Mkd. 2 on North 4 on South 3 on East & 3 on West for Cor to sec.s 9. 10. 15 & 16
Leave broken 3 mile

Eastings and on line bet. Sec.s 10 & 15
Var 15° 15' E

13.00 point of high bluff S & E
19.00 Leave point
37.00 point of Same bluffs E & S
40.00 Set stone for temporary cor
60.00 Leave Spur or point of bluff S. & SE
76.00 Deep wide canon N.E.
79.00 Leave Same enter Valley
79.87 intersect N & S. line 29 chs North of Cor to sec.s 10. 11 14 & 15 from which Cor Lynn
N 89° 48' West on true line bet sec.s 10 & 15
Var 15° 15' E.
39.93 Set Limestone 12 x 9 x 7 - 6 in dep mkd 14 for gr cor
79.87 Cor to sec.s 9. 10. 15 & 16
Leave broken at foot of bluffs 3 mile

Township 18 North

North bet. Secs. 9 & 10
Var 15° 10' E

40.00 Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised mound of earth 3 ft high pound pits 12 in x 12 in 12 in deep as per instructions for gr sec cor

80.00 Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised mound of earth 2 ft high pound pits 12 in x 12 in 12 in deep as per instructions for cor to sec 3. 4. 9 & 10

Land Valley 2 stake

Range 53 West

East on township line bet. Secs. 3 & 10
Var 15° 10' E

40.00 Stone for temporary gr cor

79.76 Intersect N & S line 27 chs South of cor to sec. 2 & 3 10 & 11 pound which is cor to sec

S 89° 48' West on true line bet Secs. 3 & 10
Var 15° 10' E

39.88 Set Limestone 12 x 9 x 7-6 in deep mkd. 3/4 for gr cor

79.76 Cor to sec. 2. 3. 9 & 10

Land Valley 2 stake

Township 18 North

North on random line
between Sec. 3 & 4
Va 15° 10' E

40.00 Set stone for temporary 1/4 cor

80.20 Intersect North boundary
36 lks West of Cor to
Sec. 3 & 4. from which
Cor bears
S 15' West on true line bet.
Sec. 3 & 4.
Va 15° 10' E

40.20 Set Limestone 12 x 10 x 4-6
in deep mkd 1/4 for
1/4 Sec cor

80.20 Cor to Sec. 3. 4. 9 & 10
Land Valley 2 rate

Aug 4th 1873

Range 5 West

North between Sec. 32 & 33
Va 15° 10' E

40.00 Limestone 18 x 10 x 4-6 in
deep mkd 1/4 for
1/4 Sec cor

80.00 Limestone 16 x 8 x 5-8 in
deep mkd 1/4 5 on North
1 on South 4 on East
+2 on West for Cor
to Sec. 28. 29. 32 & 33

Land Table land 2 rate

Township 18 North — Range 53 West

	Eastern random line Set Sec. 28 & 33 Va 15° 10' E
40.00	Set post for temporary Gr cor
58.00	dep Canon N E.
80.08	Intersect N & S line 22 ch North of Cor to sec. 27.28 33. & 34. from which Cor bears N 89° 05' West on true line Set Sec. 28 & 33 Va 15° 10' E
40.08	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised Mound of earth 2 ft high from pits 12 in x 24 in 12 in deep as per instructions for gr. cor
80.08	Cor to sec. 28. 29. 32 & 33 Land Rolling Brush

North Set Sec. 28 & 29 Va 15° 10' E

40.00	Set Limestone 16 x 11 x 3 - 8 in deep N 16 d. 14 for gr sec cor
59.00	Drain N. E.
80.00	Set Limestone 19 x 16 x 4 - 9 in deep N 16 d. 14 on North 2 on South 4 on East & on West for Cor to sec. 20. 21. 28 & 29 Land Rolling Brush

Township 18 North

	East on range line bet Sec. 21. & 28 Va 15° 10' E
35.00	Drain N.E.
40.00	Set Stone for temporary gr cor
80.12	Intersect N & S line 40 lks North of Cor to Sec. 21. 22. 27. & 28. from which Cor bears N 89° 43 West on line bet. Sec. 21. & 28 Va 15° 10' E
40.06	Set Limestone 18 x 9 x 3-8 in dup M Cap for 1/4 cor
80.12	Cor to Sec. 20. 21. 28 & 29 Land very rolling 2nd rate

Range 5 West

	North bet Sec. 20 & 21 Va 15° 10' E
40.00	Set Limestone 12 x 11 x 4 - Cin deep in Ks. 1/4 for gr sec cor
80.00	Limestone 22 x 18 x 4 - in dup Mkd 30 on North 30 on bet 40 on East & on West for Cor to Sec. 16. 17. 20 & 21. Land Very rolling 2nd rate

Township 18 North

Eastern random line Set Secs
16 & 21
Va 15° 10' E

40.00 Set stone for temporary gr cor
70.00 Cairn N.W.
76.00 Cairn N.W.
78.00 English high point S.E.
79.87 Intersect N & S line 11 chs
South of Cor to Secs. 15, 16, 21
& 22 & from which Cor I run
S 89° 55' Western line
between Secs. 16 & 21
Va 15° 10' East
39.93 Sand stone 16 x 9 x 4 - 5 in dep
Mkd cy + gr on cor
79.87 Cor to Secs. 16, 17, 20 & 21
Land rolling 2d rate

Range 5 West

North between Secs. 16 & 17
Va 15° 10' E

40.00 Set Limestone 13 x 11 x 2 - 6 in
dep mkd 1/4 for gr sec cor
80.00 Set Limestone 16 x 11 x 7 - 8 in dep
Mkd. 2 on North 4 on
South. 4 on East 2 on West
for Cor to Secs. 8, 9, 16 & 17
Land rolling 2d rate

Township 18 North

Cash Mound on line Bet
Sec. 9 & 16
Var 5° 10' E

23.00 Drain L.E.

40.00 Stone for temporary gr cor

79.94 Intersect N & S line 40 lks
West of Cor to sec. 9, 10
15 & 16. from which Cor
Iron
S 89° 43' West on line Bet.
Sec. 9 & 16
Var 5° 10' E

39.97 Set Limestone 12 x 9 x 5 - 6 in
deep marked 1/4 for gr cor

79.94 Cor to sec. 8. 9. 16 & 17
Land Valley & Rate

Range 5 W 2nd

North between Sec. 8 & 9
Var 5° 10' E

40.00 Set post 3 in x 3 in x 4 ft. 1 ft in ground
deposited charred stake
round Mound of earth 3
ft high pounded 12 in x 24
in 12 in deep as per in-
structions for gr cor

80.00 Set post 3 in x 3 in x 4 ft. 1 ft in
ground deposited charred
stake round Mound of
earth 3 ft high pounded
12 in x 24 in 12 in deep
as per instructions for
Cor to sec. 4. 5. 8 & 9
Land Valley & Rate

Township 18 North

Eastn random line bet Sec
4 & 9
Va 15° 10' E

23.0 40.00 Lst stone for temporary gr co
40.0 79.98 Intersect N & S line 50 L
Cont to for Cor to sec 3. 4. 9 &
Pour which cor mon
S 89° 39' West on true line
bet Sec 4 & 9.
Va 15° 10' E
79.9

39.99 Set Limestone 14 x 9 x 7. 7 in
deep mkd 4 for gr cor
39.9 79.98 Cor to sec 4. 5. 8 & 9.
Laid walling Valley 2 mi
79.9

Range 5 West

North between Secs 4 & 5
(on random line)
Va 15° 10' East
40.00 Lst post for temporary gr cor
50.88 Intersect North boundary
64 chs East of Cor to Secs
4 & 5 pour which cor
S mon
S 27' East on true line bet
Sec 4 & 5
Va 15° 10' East
Set Limestone 14 x 9 x 6 - 7 in
deep mkd 4 for gr cor
0.88 Cor to sec 4. 5. 8 & 9
Laid walling Valley 2 Sate

Township 18 North

North between Secs. 31 & 32
Var 15° 15' E

40.00 Set Limestone 14 x 12 x 5-7 in deep N 16 d. W for Gr Sec Cor

80.00 Set Limestone 15 x 9 x 3-7 in deep N 16 d. S our North 1 on South 5 on East 1 on West for Cor to Secs. 29. 30. 31. & 32

Land Table land & rate

Range 53 West

Eastmost meandered line bet. Secs. 29 & 32
Var 15° 15' E

40.00 Set Stone for temporary Gr cor

50.00 Intersect N & S. line 28 chs North of Cor to Secs. 28. 29. 32 & 33. from which Cor bears W

N 89° 45' West on true line bet Secs. 29 & 32
Var 15° 15' E

40.12 Set Limestone 13 x 9 x 4-6 in deep N 16 d. W for 9 cor

50.00 Cor to Secs. 29. 30. 31. & 32

Land Valley or low table land & rate

Township 18 North

	West on random line bet. Sec. 30 & 31. Va 15° 10' E
40.00	Set stone for temporary 1/4 cor.
78.94	Intersect West Boundary 26 lks North of Cor to Sec. 30 & 31. from which cor. bears
	N 89° 49' East on true line bet. Sec. 30 & 31. Va 15° 10' E
38.94	Set Limestone 10 x 9 x 8 - 5 inscribed N.E. cor
78.94	Cor to Sec. 29. 30. 31. & 32

Aug 5th 1873

Range 5 West

	North between Sec. 29 & 30 Va 15° 10' E
40.00	Limestone 14 x 7 x 4 - 5/16 deep M.C. 1/4 for 1/4 cor
40.50	Drain N. E.
80.00	Set Limestone 12 x 10 x 5 - 6 inscribed M.C. 4 on North 2 on South. 5 on East & 1 on West for Cor to Sec. 19. 20. 29 & 30
	Land Valley 2 wide

Township 18 North

	Cashmere on line bet. Sec. 20 & 29 Var 15° 10' E
40.00	Ref Stone for temporary Gr. Cor
80.27	Intersect N & S line 38 chs North of Cor to Sec. 20. 21. 28 & 29 from which Cor bears N 89° 44' West on true line bet Sec. 20 & 29 Var 15° 10' E
40.13	Set Limestone 13 x 9 x 3-6 in dep mkd Gr for Gr Cor
80.27	Cor to Sec. 19. 20. 29 & 30 Land Valley 2 Sate

Range 23 West

	Weston random line bet. Sec. 19. & 30 Var 15° 10' E
40.00	Ref Stone for temporary Gr. Cor
79.48	Intersect West Boundary 42 chs North of Cor to Sec. 19 & 30 from which Cor bears N 89° 42' East on true line bet. Sec. 19 & 30 Var 15° 10' E
39.48	Set Limestone 14 x 10 x 7 - 7 in dep mkd Gr for Gr Cor
79.48	Cor to Sec. 19. 20. 29 & 30 Land Valley 2 Sate

Township 18 North

	North Pt Lot Sec. 19 & 20 Var 15° 10' E
40.00	Set Limestone 10 x 10 x 6-5 in dep mkd Mt for 1/4 cor
80.00	Set Limestone 17 x 13 x 4-5 in deep mkd 3 on North 3 on South 5 on East 1 on West for Cor to Sec. 17. 18. 19 & 20
	Land Valley 2nd rate

Range 53. West

	Eastman's new line Lot Sec. 17 & 20 Var 15° 10' E
40.00	Set Stone for temporary 1/4 cor
80.38	Intersect N & S line 23 chs North of cor to Sec. 16. 17. 20. & 21 from which Trees
	N 89° 55' West on this line Lot Sec. 17 & 20 Var 15° 10' East
40.19	Set Limestone 15 x 15 x 3. 7 in deep mkd Mt for 1/4 cor
80.38	Cor to Sec. 17. 18. 19 & 20 Land Table Land or Valley 2nd rate

Township 18 North

	Westin range line bet. Sec. 18 & 19 Var 5° 18' E
24.00	Drain North
40.00	Stone for temporary gr. cor
79.59	Intersect West boundary 64 chs North of Cor to Sec. 18 & 19 from which Cor bears N 89° 30' East true line
	Set Sec. 18 & 19 Var 5° 18' E
39.59	Set Limestone 12 x 10 x 4-6 in dep Nek. & pits for grave cor
79.59	Cor to sec. 17, 18, 19 & 20 Land table land or valley 2 rate

Range 53 West

	North bet Sec. 17 & 18 Var 5° 18' E
40.00	Set Limestone 19 x 16 x 4 - Fire dep Nek. & pits for gr. cor
41.00	Drain N.W.
48.00	Enter 2 pines of Bluff North
61.00	Canon or deep dep drain N.W.
80.00	Set Limestone 20 & 18 x 4 10 in dep Nek. & pits North 4 links to - 50 N East & 1 N meet for Cor to sec. 7, 8, 17 & 18
	Land Pine Timber 3 rate

Township No 18 North

	Eastern random line bet. Sec. 8 & 17 Var 15° 10' E
9.00	Leave Bluffs enter Valley
25.00	Drain North
40.00	Pine for temporary Gr cor
80.06	Intersect N & S line of Cor to sec. 8. 9. 16 & 17 from which Cor Lime
	N 89° 30' Western random line bet sec. 8 & 17 Var 15° 10' E
40.03	Set Limestone 15 x 8 x 6-7 in dep mark pit for Gr cor
80.06	Cor to sec. 7. 8. 17 & 18 Land mostly Valley 2 rods

Range 53. West

	Western random line bet. Sec. 7. & 18 Var 15° 10' E
11.00	Leave Bluffs enter Valley
22.00	Drain N.W.
40.00	Pine for temporary Gr cor
53.00	Drain North
79.88	Intersect West Boundary 3 El. Ks North of Cor to Sec. 7 & 18 from which Cor Lime
	N 89° 45' Eastern line bet sec. 7 & 18. Var 15° 10' E
39.88	Set Limestone 15 x 8 x 3-7 in dep mark pit for Gr cor
79.88	Cor to sec. 7. 8. 17 & 18 Land rolling Valley 2 rods

Township 18 North

	North bet Secs. 7 & 8
	Var 15° 10' E
24.00	Leave Bluffs Eden Valley
40.00	Set Limestone 13×9×5 = 6in
	deep N&S 4 for gr cor
80.00	Limestone 18×10×4 = 9in
	deep mkd 1 on North
	5 on South. 5 on East
	& 1 on West for cor
	to Secs. 5. 6. 7 & 8
	Land mostly Valley & Dale

Range 53 West

	Eastern Gauldon line bet.
	Secs. 5 & 8
	Var 15° 10' E
40.00	Set stone for temp. cor for cor
79.92	Intersect N & S. line 28
	links South of cor to
	Secs. 4. 5. 8 & 9 from
	which cor stone
	S 89° 48' West on true line
	bet Secs. 5 & 8
	Var 15° 10' E
39.96	Set Limestone 15×7×5
	7in deep mkd 4
	for gr sec cor
79.92	Cor to Secs. 5. 6. 7 & 8
	Land rolling valley & dale

Township 18 North

Western random line bet.
Sec. 6 & 7
Var 5° 10' E

40.00 Set stone for temporary gr cor
79.84 Intersect North Boundary
46 lks South of cor to Secs
6 & 7. from which I run
S 89° 40' East on true line
bet Secs. 6 & 7
Var 5° 15' E

39.84 Set Limestone 14 x 12 x 5 in
in dep mkd W.T.
for gr sec cor
79.84 Cor to Secs. 5. 6. 7 & 8
Lane Valley 2 rate

Range 53 West

North on random line bet.
Secs. 5 & 6
Var 5° 10' E

40.00 Set Stone for temporary gr cor
80.92 Intersect North boundary
48 lks East of cor to
Secs. 5 & 6. from which
cor I run
South 20 East on true line
bet Secs. 5 & 6
Var 15° 15' E

40.92 Set post 3 in x 3 in x 4 ft. 1 ft dep
deposited charred stone
raised mound of earth
3 ft high from pits 12 in x 24
in accor instructions
for gr sec cor
80.92 Cor to Secs. 5. 6. 7 & 8
Lane Valley 2 rate

Aug 6th 1879

General Description

This Township contains a great deal of good fair land some bluffs are found through the center E & West the South part is good Table Land North part Valley. No running waters found in the Township some timber in bluffs where fire cannot reach

List of Names

A list of the Names of the individuals employed to assist in surveying & Subdividing Township No. North of Base line of Range West of 6th P.M. in Nebraska & showing the respective Capacities in which they acted

Jno Sherman Chainman
Dan Howard Chainman
A.S. Johnson Mounduman
Frank Webb Mounduman

W. Jewett Sanger
Compassman

* of dimensions Character Construction & Marking in the Manner as specifically described in the foregoing field notes

We do hereby Certify that we assisted A. Jewett Sanger Deputy Surveyor in Surveying & subdividing Township No 18 North of base line & Range No 53 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge & skill well & faithfully surveyed and boundary Monuments all planted according to the instructions furnished by the Surveyor General. *

John Sherman Chainman
Dan Townsend Chainman
Abner Johnson Moundman
Frank A McKeyman

Signed in my presence & sworn to by the above named persons before me the undersigned a Notary Public in & for Cass County Nebraska

This 3 day of October 1873.
Henry Roberts
Notary Public

* of dimensions. character. construction & marking. in the manner as specifically described in the foregoing field notes

I W. Jewett Sanger
Deputy Surveyor do solemnly
swear that in pursuance of a
joint contract owning Sam M
Chapman and W Jewett Sanger
are joint contractors with E. E
Cunningham United States
Surveyor General for districts
Nebraska & Iowa bearing date
the 2d day of January 1873.
I have well & faithfully and truly
in my own proper person and
in strict conformity with
the instructions furnished
by the Surveyor General the
Surveying Manual and the
laws of the United States Sur=
veyed all those parts or portions
of Township No 18 North of Base
Line & Range No. 53 West of the
6th P.M. in Nebraska as are
represented in the foregoing
field notes as having been sur=
veyed under my direction
and do further solemnly
swear that all the corners of
said surveys have been es=
tablished and perpetuated
in strict accordance with
the Surveying Manual and
printed instructions* and that
the foregoing are the true and
original field notes of such
survey

W. Jewett Sanger
Deputy Surveyor

Signed in my presence &
sworn to before me the
undersigned a Notary Public
in & for Keith County Nebraska
this 3d day of Oct 1873
Henry Roberts
Notary Public

Surveyor General's Office
Plattsmouth Jany 1st 1874

The foregoing field Notes of the Survey & Subdivision of Township No 18 North of Base line & Range No 53 West of 6th P.M. in Nebraska Executed by W. Jewell Sanger under Joint Contract with Thos Jan 2nd 1873 Thos M Chapman & W. Jewell Sanger are Joint Contractors with the Month of August 1873. having been critically examined the necessary corrections and Explanations made the said field Notes & Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes

of

The Survey & Subdivision

of

Township No. 19 North

of

Range No. 53 West.

in

Nebraska

Executed

By W. Jewell Sauger Deputy Surveyor under first Contract No 77. dated June 2nd 1873

Survey

Commenced Aug 7th 1873

Completed Aug 13th 1873

List of Names

A list of the Names of the individuals employed to assist in surveying and subdividing Township No. 19 North of the Sixth line of Range

No. 53 West of the 6th P.M. in Nebraska
Showing the respective capacities
in which they acted
John Sherman Chainman
Dan Tousenal Chainman
Abner S. Johnson Mounteman
Frank Hebert Flagman

Town 19 North Range 53 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

To determine the proper adjustment of my Compass for subdividing this Township I begin at the Corner to Town. 18 & 19 North Ranges 52 & 53 West & run North along East Boundary of Section 36.

Va 15° 10' E

40.00 To point 10 lks East of gr cor
80.00 To " 24 lks East of cor to secs 25 & 36.

To retrace this line or run a line parallel thereto my Compass must be adjusted to a Variation of 15° 20' E

Township 19 N. Range 53

North bet. Sec. 35 & 36.
Va 15°25' E

3.00 Drain N E

40.00 Limestone 15 x 9 x 4 - 7 in deep
N & W for gr Sec Cor

80.00 Limestone 16 x 14 x 2 - 8 in
deep mkd. on N & North,
on South, on East & 5
on West for Cor to Sec.
25 & 26. 35 & 36

Land Valley 2 Rate

Township 19 N. Range 53

Easton meandom line bet.
Sec. 25 & 36.
Va 15°25' E

40.00 Set Stone for temporary gr cor

54.00 deep wide canon or Drain
North

79.92 Meander East Boundary 32
lks North of Cor to Sec.
25 & 36. from which
Cor bears
N 89° 46' West on the line bet.
Sec. 25 & 36.
Va 15° 20' E

39.96 Set Limestone 15 x 9 x 2 - 7 in
deep mkd W for gr cor

79.92 Cor to Sec. 25. 26. 35 & 36

Land Valley 2 Rate

Township 19 N Range 53.

	North between Sec.ns 25 & 26 Va 15° 20' E
40.00	Set Limestone 14 x 12 x 4 - 7 in deposited 4 ft for gr sec cor
42.00	Leave Valley Utley Creek bottom S.W. & E
50.00	Pumpkin Seed Creek. 30 lks Wide 2 ft deep flows N.E.
80.00	Set Limestone 16 x 12 x 4 - 8 in deposited 4 on North 2 on South 1 on East & 5 on West for Cor to sec.ns 23 24. 25 & 26. n
	Land Valley & bottom 2 rate

Township 19 N Range 53

	East random line bet. Sec.ns 24 & 25 Va 15° 20' E
20.00	Pumpkin Seed Creek N.W.
34.00	Dame " South
40.00	Limestone 14 x 12 x 3 - ~~7 in~~ deep ~~N 40 ft~~ ~~24~~ for gr sec cor
77.00	Dame Creek N.W.
79.96	Intersect East Boundary 26 lks North of Cor to Sec.ns 24 & 25 & from which Cor Dmn N 89° 49' West on true line bet Sec.ns 24 & 25 Va 15° 20' E
39.98	Set Limestone 14 x 12 x 3 - 7 in deposited 4 ft for gr sec cor
79.96	Cor to sec.ns 23. 24. 25 & 26 Land bottom 2 rate

Township 19 N Range 53

	North between Secs. 23 & 24
	Va 15° 20' E
40.00	Set Limestone 12×10×7 - 6 in
	dep. M.C.'s 1/4 for g. sec. cor
59.00	Wagon road S.E.
63.00	Leave Creek bottom rolling
	or 2nd bottom E 5 rd
80.00	Set Limestone 19×14×7 - 9 in dep.
	M.C.'s 2 on North 2 on South
	1 on East & 5 on West
	for cor to Secs. 13. 14. 23 & 24
	Land bottom 2 rods

Township 19 N. Range 53 W

	East random line Set.
	" Secs. 13. & 24.
	Va 15° 20' E
40.00	Set stone for temporary 1/4 cor
79.86	Intersect East Boundary
	13 chs North of cor to Secs.
	13 & 24 from which Ash
	N 89° 57' West on true line Set
	Secs. 13 & 24.
	Va 15° 20' East
39.93	Set Limestone 17×14×11 - 8 in
	dep. M.C.'s 1/4 for g. cor
79.86	Cor to Secs. 13, 14, 23 & 24
	Land 2nd bottom 2 rods

Township 19 N Range 53.

North between Secs 13 & 14
Va 15° 20' E

40.00 Set Limestone 14 x 10 x 3-7 in
deep Mkd 13 for gr cor

42.00 Leave Bottom enter bluffs
with scattering Pines
N.E. & S.W.

60.00 Enter Table Land on high
bluffs these bluffs
are known as pine
bluffs

80.00 Set Limestone 22 x 12 x 6-10
in deep Mkd 2 on N
& on South 1 on East & 5
on West for Cor to Secs
11. 12. 13 & 14
Land 1st 40 cha bottom
2nd & 3rd remainder
bluffs 30 rods

Township 19 N. Range 53 W

East and West line bet.
Secs 12 & 13.
Va 15° 20' E

15.00 Leave Table Land enter bluffs

40.00 Left Line for temporary gr cor

79.40 Enter Rich East Boundary
10 lks North of Cor to
Secs 12 & 13 from which
Cor Lines
N 89° 56' W set on true line
bet Secs 12 & 13
Va 15° 20' E

39.95 Set Limestone 16 x 10 x 7-8
in deep Mkd 14 for
Gr sec cor

79.90 Cor to Secs 11. 12. 13 & 14
Land Broken 30 rods

Township 19 N Range 53

North bet. Sec. 11 & 12
Va 15° 20' E

18.00 Leave Tebb's Land enter bottom N.E.
22.00 Drain S.W.
35.00 Drain S.W.
37.00 Same S.E.
39.00 Same S.W.
40.00 Set Stone 12 x 11 x 8 x 6 in deep
N.E. 1/4 Cor Sec 1 & 2 Cor
from which
Spruce tree 7 in dia bears N 2° 30'
West 62 lks dist
47.00 Drain S.W.
50.00 Canon S.W.
54.00 Drain West
56.00 Enter Spruce bluffs North
with pines on same
80.00 Set Limestone 16 x 11 x 4 - 8 in
deep mkd 1/4 on North
on south 1/4 on East & on
West Cor to Sec. 1. 2. 11 & 12
Land broken Bogate

Township 19 N. Range 53

East range line bet.
Sec. 1 & 12
Va 15° 20' E
4.00 Leave Spruce bluff South
11.00 Wide deep Drain N.W.
26.00 Drain North
40.00 Set Stone for temporary gr cor
54.00 Drain North
64.00 Land Butte 3 chs North
74.00 Drain N.W.
79.82 Intersect East Boundary
9 lks South of Cor to Sec.
1 & 12 from which Cor bears
S 89° 56' West on this line
bet Sec. 1 & 12
Va 15° 20' E
39.91 Set Limestone 12 x 9 x 3 - 6 in
deep mkd 1/4 for gr sec cor
79.82 Cor to Sec. 1. 2. 11 & 12
Land broken or very Rocky
Valley 2nd rate

Township 19 N Range 53

North random line bet.
Sec. 1 & 2
Va 15° 20' E

2.00 Leave Spur of Table Land
enter wide grassy drain
7.00 End of wide grassy drain N.W.
17.00 Leave Drain enter Spur
40.00 Stone for temporary Gp cor
42.00 Drain East
44.00 South base of Spur
49.00 North face of Spur
63.00 Drain L.E.
81.54 Intersect North boundary
204 lks East of cor to sec. 1 & 2. Finding my closing ~~cor~~ of limits, I retrace my line bet Secs 1 & 2 and find it ~~correct~~ true North line
~~true~~ & deem it necessary to remeasure the North boundary of Sec 1. I therefore go to the Corb Towns 19 & 20 Ranges 52 & 53 Acc. mn West along North boundary of Sec 1
Va 15° 20' East
41.07 To point 13 lks North of Gp cor

82.05 To point 32 lks North of Cor to sec. 1 & 2. 35 & 36.
Finding the North boundary

Township 19 N Range 53

North between Sec. 34 & 35
Va 15° 20' E

40.00 Set Limestone 13×13×3 - 6 in deep
Mkd on N for Gp Cor
80.00 Set Limestone 14×14×3½ - 7 in
deep Mkd 5 on North 1 on
South 2 on East 1 on
West for cor to sec. 26
27. 34 & 35.
Land Valley 2 chs.

82.05 To point 32 links North of Cor
to Sec. 1 & 2. 35 & 36.
finding the North boundary
of Sec. 1. 2 chs in Excess
I proceed with my subdivision
from the Cor to Sec. 1 & 2 -
thus
South 10 25/100 East on the line Cor
Sec. 1 & 2
Vas 5° 20' East
41.54 Set Limestone 16 x 10 x 5 - Sinks
Mk cut for grs corr
81.54 Cor to Sec. 1. 2. 11 & 12
Land broken Bank
Aug 7th 1873

Township 19 N Range 53

	East on random line bet. Sec. 26 & 35 Va 15° 20' E
40.00	Set stone for temporary Qr Cor
8. 79.98	Intersect N & S line 42 ch North of Cor to Sec. 25 26. 35 & 36. Spoon which Cor Lost
	N 89° 42' West on true line bet Sec. 26 & 35 Va 15° 20' E
39.99	Limestone 13 x 12 x 4 - 6 in dep Mk a X for Qr Cor Cor to Sec. 26. 27. 34 & 35
79.98	Land Valley 2 nds

Township 19 N Range 53 W

	North bet Sec. 26 & 27 Va 15° 20' E
17.	Leave rolling land enter creek bottom S 74 W E
40.	Set Limestone 16 x 8 x 2 - 8 in dep mk d X for Qr Sec Cor
80.00	Set Limestone 16 x 9 x 3 - 8 in dep mk d X on North 2 on South - 2 on East & on West for Cor to Sec. 22. 23 26 & 27
	Land bottom 2nd rate

Township 19 N Range 53 W.

East random line bet.
Sec. 23. & 26
Va 15° 20' E

18.00 Pumpkinseed Creek Cours
S.E.

40.00 Set Limestone 13 x 11 x 7 - ~~Cir. 6 dep~~ temporary
~~N.E. 1/4 Cor for 9 & Sec Cor~~

79.84 Intersect N & S. line bets
North of Cor to Sec. 23. 24
25 & 26. Generally ~~Cor to~~
N 89° 26' West true line bet.
Sec. 23. & 26.
Va 15° 20' E

39.92 Set Limestone 13 x 11 x 7 - 6 in
deep mkd W for corp. cor
Cor to Sec. 22. 23. 26 & 27

79.84 Land Creek bottom 2 rods

Township 19 N Range 53 W

North bet. Sec. 22 & 23.
Va 15° 20' E

19.00 Pumpkinseed Creek S.E.

40.00 Set Limestone 14 x 10 x 4 = 7 in
deep mkd W for corp. cor

58.00 Wagon road East

68.00 Leave Creek bottom entering
rolling 2nd bottom
East 1/2 rest

80.00 Set Limestone 14 x 14 x 3 - 7 in
deep mkd 3 on North
3 on South. 2 on East
& West rest for cor to
Sec. 14. 15. 22 & 23

Land Creek bottom 2 rods

Township 19 N Range 53

East random line Cont.
Sec. 14 & 23
Va 15° 20' E

40.00 Set Stone for temporary gr cor
80.06 Subtract N & S line 13 chs
South of Cor to Sec. 13. 14.
23 & 24 from which
Cor bears
S 89° 05' West on true line Cont.
Sec. 14 & 23
Va 15° 20' E

40.03 Set Limestone 15 x 9 x 6 - 7 in
deep marked 14 for gr Cor
80.06 Cor to Sec. 14. 15. 22 & 23
Land 2 of Bottom 2 Nuts

Township 19 N Range 53

North bet Sec. 14 & 15
Va 15° 20' E

40.00 Set Sand Stone 13 x 12 x 8 - 6 in
deep Marked 14 for gr. cor
60.00 Enter Spur of Vanpelt Bluffs
E & N E Pines on Same
80.00 Set Sand Stone 18 x 16 x 11 - 9 in
deep marked 2 on North 4
on South. 2 on East & on
West for Cor to Sec. 10. 11.
14. 15.
Land 2 of Bottom 2 Nuts

Township 19 N. Range 53

East on random line
between Secs. 11 & 14
Va 15° 20' E

40.00 Stone for temporary 1/4 cor
51.00 Enter Table Land on high bluff
East.
80.46 Intersect N & S line 19 chs
North of Cor to Secs. 11.12
13 & 14 from which cor bears
N 89° E 32 chs on true line East
between Secs. 11. & 14
Va 15° 20' E
40.23 Set Sand Stone 16 x 14 x 10-deep
deep mkd. 1/4 for 1/4 cor
80.46 Cor to Secs. 10.11. 14 & 15
Land broken & rocky

Township 19 N. Range 53

North bet. Secs. 10 & 11
Va 15° 20' E
4.00 Enter wide Canon 125 ft deep
S.W.
7.00 Leave same enter very high
& broken bluffs 200 ft
high
32.00 Deep Canon S.E.
40.00 Set Sand Stone 18 x 12 x 3-9 in
deep mkd. 1/4 for 1/4 cor
45.00 Canon 200 ft deep S.E.
47.00 Leave same & at foot of
peak 300 ft high
here offset 10 chs west
61.00 Here run East 10 chs to my
my North line. at
North base of spur or
peak
80.00 Set Limestone 17 x 15 x 3-9 in
deep mkd 1 on North
& on South 2 on East & 2 on
West for Cor to Secs. 2. 3.
10 & 11
Land broken worthless

Township 19 N Range 53

Eastern random line
Set. Sec.s 2 & 11
Va 15° 20' E

18.50 Point of Valley N.W. & N.E.
40.00 Stone for temporary Gr cor
57.00 Point of Valley N.W. & N.E.
80.56 Intersect N & S line 46 links
South of Cor to sec.s 1. 2. 11 & 12
from which Cor bears
South 89° 40' West true line
Set Sec.s 2 & 11
Va 15° 20' E

40.28 Set Limestone 14 x 13 x 8 - 7 in
deep mkd N4 for qr sec cor
80.56 Cor to sec.s 2. 3. 10 & 11
Land very broken & rocky

Township 19 N Range 53.

North & south line Set.
Sec.s 2 & 3
Va 15° 20' E

23.00 Leave bluffs enter Valley
40.00 Set Stone for temporary gr cor
81.09 Intersect North boundary
12 2 links East of Cor to sec.s
2 & 3 from which Cor bears
S 57° E true line between
Sec.s 2 & 3
Va 15° 20' E

41.09 Set Limestone 14 x 10 x 5 = 7 in
deep mkd N4 for qr sec cor
81.09 Cor to sec.s 2. 3. 10 & 11
Land broken & rocky

Aug 8th 1843

Township 19 Range 53 W.

		North Lot. Sec.ns 33 & 34 Va 15°20' E
	40.00	Limestone 15 x 8 x 5 - 7 in dep. N Ma 34 for Gr sec cor
18.	79.00	Leave rolling enter Creek
40.		bottom North & East
57.	80.00	Limestone 16 x 12 x 5 - 8 in dep.
80.		N 1 d 50 m North 1 m South
		30 m East & 3 m West
		for Cor to sec.ns 27. 28.
		33 & 34.
		Land rolling west
40		
80		

Township 19 Range 53 W

		Easton random line Lot. Sec.ns 27 & 34. Va 15°20' E
	27.00	Spring branch 100 W. about 30 chs South up this branch is a low Marshy place of land with Springs
	40.00	Set Stone for temporary Gr cor
	43.00	Leave Turley N.E. enter rolling prairie
	79.84	Intersect N & S line 28 chs North of Cor to sec.ns 26. 27. 34 & 35 from which Cor bears
		N 89° 48' West on true line Lot Sec.ns 27 & 34 Va 15°20' E
	39.92	Set Limestone 18 x 9 x 3 - 9 in deep N 1 d W for gr cor
	79.84	Cor to sec.ns 27. 28. 33 & 34
		Land rolling west

Township 19 N Range 53

	North Lat. Sec. 27 & 28
	Va 15° 20' E
18.00	Springbranch NW
23.00	Same " E
30.00	Bend in Same N E.
40.00	Set Limestone 14 x 10 x 3 - 7 in
	deep marked 14 for gr cor
70.00	Bend in Same branch N E
80.00	Set Limestone 17 x 10 x 3 - 8 in
	deep marked 4 in North
	2 in South 3 in East
	3 in West for Cor to sec.
	21. 22. 27 & 28
	Land bottom 2 rods

Township 19 N Range 53

	Eastern range line bet.
	Sec. 22 & 27
	Va 15° 20' E
6.00	Springbranch N E.
40.00	Set stone for temporary gr cor
79.84	Intersect N & S line 28 links N
	of Cor to sec. 26. 27. 34 & 35 from which Cor bears
	N 89° ~~44~~ 48' West on the line bet.
	Sec. 22 & 27
	Va 15° 20' East
39.92	Set Limestone 18 x 9 x 2 - 6 in deep
	N S & E & W for grade cor
79.84	Cor to sec. 21. 22. 27 & 28
	Land Creek bottom 2 rods

Township 19 N Range 5 7

North bet. Sec. 21 & 22
Va 15° 20' E

40.00 Set Limestone 20 x 12 x 3-10
in deep N 46° W Mt forg cor

61.50 Pump Sycamore Creek water
30 lks wide 2 ft deep
flows East

76.00 Road S. E.

78.00 Leave Creek Bottom enter
2d Bottom N.W. & S.E.

80.00 Stand Stone 10 x 14 x 4 — 7 in deep
N 46 d. 3 on North 3 on South
3 on East & 3 on West for
Cor to sec. 10. 16. 21. & 22

Land Bottom 2 rate

Township 19 N Range 5 3 W

Easting regular on line bet.
Sec. 15 & 22
Va 15° 20' E

40.00 Set Stone for temporary Sec cor

79.86 Intersect N & S line 42 lks
North of Cor to Sec. 14. 15
22 & 23. from which Cor
Iron

N 89° 42' West on true line bet
Sec. 15 & 22
Va 15° 20' E

39.93 Set Stand Stone 12 x 9 x 7 - 6 in
deep N 46 W 3 feet Sec cor

79.86 Cor to sec. 15. 16. 21 & 22
Land 2d Bottom 2 rate

Township 19 N Range 53

North bet Sec. 15 & 16
Va 15° 20' E

40.00 Found Stone 15 & 13 x 8 - 7 in dep
Mkd 1/4 for gr sec cor

61.50 Leave 2 in Bottom enter Very
high & Broken Bluffs
E & N W.

80.00 In point of high Bluffs
Set Post 2 in x 3 in x 4 ft 1 ft dep
deposited Charred Stake
raised Mound of earth
2 ft high pen Pits 12 in
x 24 in 12 in deep Mkd
as per instructions for
Cor to Sec. 9. 10. 15 & 16
Land Broken Bluffs

Township 19 N Range 53

Eastern meander line bet.
Sec. 10 & 15
Va 15° 20' E

22.00 Cañon deep & steep banks S.W.
40.00 Stony for temporary Gr sec cor
76.00 Bed of Cañon 100 ft deep 4 chs wide
78.00 Leave Cañon S.W.
79.78 Intersect N & S line 56 chs
North of Cor to Sec. 10. 11. 14 & 15
Upon which Cor I run
N 89° 23' West true line bet
Sec. 10 & 15
Va 5° 20' E

39.89 Set Limestone 12 x 12 x 4 - 6 in
deep mkd 1/4 for gr cor
79.78 Cor to Sec. 9. 10 15 & 16
Land high & broken 3 miles

18.
40.
57.
80.

40

80.

Township 19 N Range 53

North Lat Sec. 9 & 10
Va 15 02 01 E

4.00	Leave Spur of bluffs enter bottom of wide grassy drain
34.00	Drain S.E.
40.00	Set Limestone 12×9×8–6 in deep mkd 1/4 for 9 cor
58.00	Same drain S.W.
70.00	Enter Spur of bluffs NE
80.00	Set Limestone 10×11×7–7 in deep mkd 1 on North on South 3 on East & 3 on West for corb sec. 3.4.9 & 10
	Land Valley 2 Wate

Township 19 N Range 53

East random Lat. Sec.
3 & 10
Va 15 02 01 E

7.00	Cañon S.W.
11.00	Leave Same enter high bluffs
40.00	Stone for temporary 1/4 cor
79.86	Enter Lat N & S line 10 chs South of cor to sec. 2.3.10 & 11 from which cor bears S 89 05 6 West true line Lat Sec. 3 & 10 Va 15 02 01 East
39.93	Set Limestone 12×10×4–6 in deep mkd 1/4 for 9 cor
79.86	Cor to sec. 3.4.9 & 10
	Land Broken 3 Wate

Township 19 N Range 53

North meandered line Set.
Sec. 3 & 4
Va 15° 20' E

18	3.00	Cross very deep Sw.
40	5.00	Enter very high Bluff.
57	7.00	Same Cross S E
80	40.00	Stone for temporary gr cor
	44.00	Deep & Wide Canon N W.
	47.00	Leave Same
	74.00	Drain N W
	75.50	Foot of peak
	77.50	Top of peak
4	79.50	North Base
	80.00	Drain East
8	80.60	Intersect North boundary
		98 lks West of cor to sec. 3 & 4 from which cor bears
		S 42 E on true line Set
		Sec. 3 & 4
		Va 15° 20' E
	40.60	Set Limestone 16 x 9 x 4 dia deep
		Mkd BC for gr cor
	80.60	Cor to sec. 3. 4. 9 & 10
		Land broken Zone
		Aug 9th 1873

Township 19 N Range 53.

North bet Sec. 32 & 33.
Va 15° 20' E

40.00	Set Limestone 14 x 8 x 5 - 7 in deep mkd 1/4 for gr cor
80.00	Set Limestone 15 x 9 x 5 - 7 in deep mkd 1/4 on North 1 on South. 4 on East & 2 on West for cor to sec. 28. 29. 32 & 33.
	Land Rolling & Rocky

Township 19 N Range 53

		East and West line between Sec. 28 & 33 Va 15° 20' E
18	40.00	Set Stone for temporary gr cor
40	79.00	Enter Creek bears North & S.E.
57	79.80	Intersect N & S line 86 lks South of Cor to sec. 27.28.33 & 34. from which Cor bears S 89° 23' West on two line bet. Sec. 28 & 33 Va 15° 20' E
	39.90	Set Limestone 12x10x4 6in deep N&S 2d 2 for gr sec cor
4	79.80	Cor to sec. 28.29.32 & 33
8		Land falling 2 date

Township 19 N Range 53

	North bet. Sec. 28 & 29 Va 15° 20' E
40.00	Set Limestone 11x10x3 5in deep N&S 2d 2 for gr cor
80.00	Limestone 12x11x6 6in deep N&S 2d 4 on North 2 on South 4 on East 2 on West for Cor to sec. 20.21.28 & 29
	Land falling 2 date

Township 19 N Range 53

East random line Cont.
Sec. 21. & 28
Va 15° 20' E

1	40.00	Set Stone for temporary pr cor
4	70.00	Enter creek bottom N & S.
5	80.09	Intersect N & S line 66 chs
8		North of cor to sec. 21. 22. 27
		& 28. Upon which cor to run
		N 89° 53' Westerly true line Cont.
		Sec. 21. & 28
		Va 15° 20' E
4	40.02	Set Limestone 10 x 9 x 8 - 8 in
		dep mkd. B.T. for pr cor
8	80.09	Cor to sec. 20. 21. 28 & 29
		Land Rolling & rocky

Township 19 N Range 53

North Cont. Sec. 20 & 21
Va 15° 20' E

34.00	Enter creek bottom E. & W.
40.00	Set post 3 in x 3 in x 4 ft. 1 ft dep
	deposited charred stake
	raised mound of earth
	3 ft high pounded 12 in x 4
	in 12 in dep mkd. as per
	instructions for pr & cor
67.00	Pump Kiwaunee creek 35 chs wide
	2 ft deep flows East
75.00	Road East
80.00	Set Limestone 16 x 11 x 5 - 8 in dep.
	mkd. 20 on North 20 on North
	4 in East & 4 in west for
	Cor to sec. 16. 17. 20 & 21.
	Land Mostly bottom & rocky

Township 19 N Range 53

East randomy line bet.
Sec. 16 & 21
Va 15° 20' E

40.00 Set post for temporary Gr cor
77.00 Leave bottom cedar 2d bottom
N.W. & East
79.92 Intersect N & S line of Ks & Mo
of Cor to sec. 15. 16. 21. & 22
from which cor I run
S 89° 05' E West on true line bet.
Sec. 16 & 21
Va 5° 20' E

39.96 Set post 3 in x 3 in x 4 ft. 18 in deep d
fence chorned stake raised
Mound of cons 3 ft high
Pour pits 12 in x 24 in 12 in
deep as per instructions
for grace cor
79.92 Cor to sec. 16. 17. 20 & 21
Land bottom 2d rate

Township 19 N Range 53

North bet. Sec. 16 & 17
Va 15° 20' E

37.00 Leave creek bottom cedar rolling
2d bottom N.E. NW
40.00 Set Limestone 13 x 10 x 6 - 6 in deep
Mk on top for Gr sec cor
44.00 Bend in drain S.W.
59.00 Drain S.W.
60.50 Drain S.E. Same drain
64.00 Drain S.W.
68.00 Drain S.E.
80.00 Set Limestone 15 x 10 x 4 - 7 in deep
Mk on top North 4 in South
4 in East & 2 on West for
Cor to sec. 8. 9. 16 & 17
Land 2d bottom 2d rate

Township 19 N Range 53

East and West line bet.
Sec. 9 & 16
Va 15° 20' E

40.00		Set Stone for temporary qr cor
80.04	72.00	Enter high & broken bluffs South & East & North
	79.84	Intersect N & S line bet Sts South of cor to sec. 9 & 10. 15 & 16. from which cor Iron
		S 89° 33' Western true line bet. Sec. 9 & 16 Va 15° 20' E
40.04	39.92	Set Limestone 16 x 9 x 4 - 8 in deep Mkd qr sec cor
	79.84	Cor to sec. 8. 9. 16. & 17.
80.04		Land & Bottom 2 rate

Township 19 N Range 53

North bet. Sec. 8 & 9
Va 15° 20' E

11.00	Cañon S.W.
27.00	Cañon S.E. same cañon
40.00	Limestone 15 x 11 x 7 - 7 in deep Mkd qr sec cor
60.00	Same cañon S.W.
70.00	Enter high point of high broken bluffs N.W. & S.E
74.00	Cañon S.E.
80.00	Limestone 17 x 11 x 4 - 8 in deep Mkd 1 on North 3 on South 4 on East & 2 on West for cor to sec. 4. 5. 8 & 9
	Land & rocky 3 rate

Township 19 N Range 53

			East random line Set Sec. 4 & 9 Va 15° 20' E
40.00	40	3.00	Cañon South
80.04	72	30.00	Cañon 100 ft deep S.E.
		38.00	Cañon South
	79	40.00	Set Line for temporary gr cor
		44.00	North base of high point or peak, this is a very high point from the entire extent of surrounding country
40.04	39	69.00	Cañon S.E.
		79.74	Subdivide N & S line 56 chs North of Cor to Sec. 3.4.9 & 10 from which cor bears N 89° 36' West on true line Set Sec. 4 & 9 Va 15° 20' E
80.04		39.87	Set Limestone 14×12×4 - 7 in deep N 14 pts for gr sec cor
		79.74	Cor to Sec. 4.5.8 & 9 Land broken worthless

Township 19 N Range 53

	North random line Set Sec. 4 & 5 Va 15° 20' E
40.00	Set Line for temporary gr cor
80.50	Subdivide North boundary 95 chs East of Cor to Sec. 4 & 5 from which cor bears South 41' East on true line Set Sec. 4 & 5 Va 15° 20' E
40.00	Set Limestone 12×9×7 - 6 in deep N 1 pt for gr cor
80.50	Cor to Sec. 4.5.8.9 Land high bluffs & rocks

Aug 11th 1878

Township 19 N Range 53

	North bet. Secs. 31. & 32 Va 15° 20' E
40.00	Limestone 14 x 11 x 3 - 7 in dep Mkd ~~M~~ for gr cor
80.00	Limestone 15 x 12 x 2 - 7 in dep Mkd. on North end on South on East & on West for cor to Secs. 29. 30. 31. & 32
	Land rolling 2nd rate

Township 19 N Range 53

	East random line bet. Secs. 29. & 32 Va 15° 20' E
40.00	Set stone for temporary gr cor
79.84	Intersect N & S line 42 chs North of cor to Secs. 28. 29. 32 & 33 from which cor bears
	N 89° 42' West true line bet Secs. 29 & 32 Va 15° 20' E
39.92	Set limestone 16 x 10 x 3 - 8 in dep mkd ~~M~~ for gr cor
79.84	cor to Secs. 29. 30. 31. & 32
	Land rolling 2nd rate

Township 19 N Range 53

			West random line bet. Sec.ns 30 & 31 Va 15° 20' E
40.00	40	40.00	Set Stone for temp corn gr cor
80.04	72	78.30	Intersect West Boundary 10 chs North of Cor to Sec.ns 30 & 31. Spun which Cor Found
	7		N 89° 56' East on true line bet Sec.ns 30 & 31. Va 15° 20' E
40.04	4	38.30	Set Limestone 15 x 12 x 5 = 7 in deep Mkd on N 40 gr cor
	39	78.30	Cor to Sec.ns 29. 30. 31. & 32 Land Falling 2 gate
80.04	7		

Township 19 N Range 53

	North bet. Sec.ns 29 & 30 Va 15° 20' E
40.00	Limestone 13 x 13 x 10 x 6 in deep Mkd Pefor gr Cor
80.00	Limestone 14 x 11 x 3 - 7 in deep Mkd on North 2 on South 4 on East & 1 on West for Cor to Sec.ns 19. 20 & 29 & 30.
	Land Falling 2 gate

Township 19 N Range 53

East and West line bet.
Sec. 20 & 29
Va 15° 20' E

40.00	Set Stone for temporary gr cor	
80.16	Intersect N & S line 22 lks	
	South of cor to sec. 20	
	21. 28 & 29. from which	
	Cir Drn	
	S 89° 51' West true line bet.	
	Sec. 20 & 29.	
	Va 15° 20' E	
40.08	Set Limestone 12 x 11 x 9 - 6 in	
	dep mkd B.F. gr cor	
80.16	Cor to sec. 19. 20. 29 & 30	
	Lane rolling 2 rate	

Township 19 N Range 53

West and East line bet.
Sec. 19 & 30
Va 15° 20' E

40.00	Stone for temporary gr cor
78.16	Intersect West Boundary
	40 lks South of cor to sec.
	19 & 30 from which cir drn
	S 89° 42' East true line bet
	Sec. 19 & 30
	Va 15° 20' E
38.16	Set Limestone 16 x 10 x 5 - 8 in
	dep mkd B.F. gr cor
78.16	Cor to sec. 19. 20. 29 & 30
	Lane rolling 2 rate

Township 19 N Range 53

North bet. Secs. 19 & 20
Va 15° 20' E

40.00 Dimestone 10×10×5 = 5 in diep
Mk on W for gr sec cor

55.00 Leave Walling Prairie enter
Creek bottom N. W. S. E.

80.00 Set Limestone 12×10×5 = 6 in
deep mkd 3 on North
3 on South 5 on East &
1 on West for cor to Secs.
17. 18. 19 & 20
Land Walling 2 rods

Township 19 N Range 53

East and West line bet.
Secs. 17 & 20
Va 15° 20' E

31.00 Road S E
40.00 Set Stone for temporary gr cor
41.50 Jump Creek first
33 links wide 2 ft deep
79.90 Intersect N & S line 27 links
South of cor to Secs. 16. 17.
20 & 21. from which cor to
S 89° 48' West on line bet
Secs. 17 & 20
Va 15° 20' East
39.95 Set Limestone 14×9×7. 7 in
deep mkd W for gr cor
79.90 Cor to Secs. 17. 18. 19 & 20
Land Creek bottom 2 rods

Aug 12th 1843

Township 19 N Range 53

		West angular line bet Sec. 18 & 19 Va 15 & 20 E
	40.00	Stone for temporary gr cor
	77.90	Intersect West Boundary 89 chs 5 links of cor to Sec. 18 & 19 from which cor bears S 89° 21' East true line bet Sec. 18 & 19 Va 15 & 20 E
	37.90	Set Limestone 13×11×7-6 in deep marked BF for gr cor
	77.90	Cor to Sec. 17, 18, 19 & 20
		Land Creek bottom 2 rods

Township 19 N Range 53

	North bet. Sec. 17 & 18 Va 15 & 20 E
16.00	Dry bed of pumpkin seed Creek 3 links wide E
27.00	Road S.E.
40.00	Set Limestone 13×13×4-6 in deep marked BF for gr cor
80.00	Set Limestone 13×10×4-6 in deep marked 2 on North 4 on South 3 on East & 1 on West for cor to Sec. 7, 8, 17 & 18
	Land Creek bottom 2 rods

Township 19 N Range 53

		East boundary line Set. Sec. 8. & 17 Va 15° 20'. E.
4000	40.00	Set Stone for temporary gr cor
80.04	61.00	Enter Vollinger 2nd Bottom N.W. & South
	70.00	Cross S. M. Soon turns S.E.
	79.70	Intersect N & S line 56 lks North of Cor to sec. 8. 9. 16 & 17 from which bears N 89° 36' West on true line Set. Sec. 8. & 17 Va 15° 20' E
40.04	39.85	Set Limestone 16 x 8 x 4 - 8 in deep marked M for gr cor
	79.70	Cor to sec. 7. 8. 17 & 18 Land 2nd Bottom 2 rate
8004		

Township 19 N Range 53

	West boundary line Set. Sec. 7 & 18. Va 15° 20' E
40.00	Set Stone for temporary gr cor
77.50	Intersect West bounday 78 lks South of cor to sec. 7 & 18 from which cor bears S 89° 25 27' East on true line Set Sec. 7 & 18 Va 15° 20' East
37.50	Set Limestone 14 x 8 x 5 - 7 in deep marked M for gr cor
77.50	Cor to sec. 7. 8. 17 & 18 Land Bottom 2 rate

Township 19 N Range 53

	North Bet. Secs. 7 & 8
	Va 15° 20' E
18.00	Leave Creek Bottom enter
	Valley or 2d Bottom
40.00	Set Limestone 13x13x4-6 in
	deep marked 7 & 8 for gr cor
80.00	Set Limestone 14x12x5-7 in
	deep marked 1 on North 5
	on South 5 on East & 1 on
	West for cor to Secs. 5.6
	7 & 8
	Level 2d Bottom 2 rods

Township 19 N Range 53

	East and West line bet.
	Secs. 5 & 8
	Va 15° 20' E
33.00	Drain South
40.00	Set Stone for temporary gr cor
60.00	Enter high & broken bluffs
	N.W. & S.E.
76.00	Canon S.E.
79.84	Intersect N & S line 3 & 4 to
	North of cor to Secs. 3.4.
	5 & 9 Gonowick cor Irmy
	N 89° 45' West true line bet.
	Secs. 5 & 8
	Va 15° 20' East
39.92	Set Limestone 14x11x3-4 in
	deep marked 7 & 8 for gr cor
79.84	Cor to Secs. 5.6.7 & 8
	Level Valley 2 rods

Township 19 N Range 53

		West random line Cont.
		Sec. 6 & 7
		Va 15° 20' E
4000	4	9.00 Drain L.W.
80.04	4	10.00 Drain Smth
	4	40.00 Lot Stone for temporary gr cor
		77.00 Intersect West Boundary
		Tolks Smth of Cor to sec.
		6 & 7. from which Cor bears
		S 89° 20' Eastmtno line
		Set Lic. 6 & 7
40.04	4	Va 15° 20' E
	3	37.00 Set Limestone 14 x 12 x 4 - 7 in
		deep mkd B.T. for gr cor
	7	77.00 Cor to sec. 5. 6. 7 & 8
		Land rolling 2 o rate
80.04		

Township 19 N Range 53.

	North random line Cont
	Sec. 5 & 6
	Va 15° 20' E
11.00	Drain S.W.
33.50	Drain S.W.
40.00	Stone for temporary gr cor
64.00	Large drain S.E.
67.00	Footy high & broken Bluffs
	S.E. & W.W.
80.75	Intersect North boundary
	72 chs East of Cor to sec.
	5 & 6. from which Cor bears
	South 31' East mtno line Set
	Sec. 5 & 6
	Va 15° 20' East
40.75	Set Limestone 15 x 10 x 6 - 7 in
	deep mkd B.T. for gr cor
80.75	Cor to sec. 5. 6. 7 & 8
	Land rolling 2 o rate
	Aug 18th 1873

General Description

The N.W. ¼ of this Township is composed of very high broken bluffs from 50 to 300 feet in height they are worthless. The remainder of the township is good & rich soil. The Pumpkin seed creek flows through it from West to East. is is a stream with sluggish current but affords plenty of good water for irrigation or stock. in Sec 34 is found a spring some nice one found in the bluffs

44

4000

80.04

40.04

8004

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township No 19 North of Base line ~~Range~~ No 53 West of the 6th P.M. in Nebraska Showing the respective capacities in which they acted.

John Sherman Chapman

Dan Emanuel Chapman

Abner T. Johnson Woodman

Frank Hebert Hayman

44

4000
80.04

* of dimensions character construction & Marking in the manner as specified in the foregoing field Notes

We do hereby certify that we assisted N. Jewell Sanger deputy Surveyor in Surveying & subdividing Township No. 19 North of base line of Range No 53 West of the 6th P.M. in Nebraska and that said Township has been in all respects to the best of our knowledge & belief well & faithfully surveyed and the boundary Monuments all planted according to the instructions furnished by the Surveyor General *

John Sherman Chainman
Dan Thouvenel Chainman
Abner Johnson Flagman
Frank Hebert Flagman

Signed in my presence & sworn to by the above named persons before me the undersigned a Notary Public in & for Keith County Nebraska this 8th day of Oct 1873

Henry Roberts
Notary Public

44

4000
80.04

4004

8004

I, W. Jewett Danger Deputy Surveyor do solemnly swear that in pursuance of a Joint Contract wherein Dan M. Chapman and W. Jewett Danger are Joint Contractors with E. E. Cunningham United States Surveyor General for district of Nebraska and Iowa bearing date the 2d day of June 1873 I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No. 19 North of Base line & Range No. 53 West of 6th P.M. in Nebraska as are represented in the foregoing field notes as having been surveyed under my direction and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions* and that the foregoing are the true and original field notes of such survey.

W. Jewett Danger
Deputy Surveyor

Signed in my presence and sworn to before me the undersigned a Notary Public in & for Keitt County Nebraska this 3d day of October 1873
Henry Robert
Notary Public

of dimensions. Character and Direction and Marking in the manner as specified in the foregoing field Notes

Surveyor Generals Office
Plattsmouth Jany 1st 1874

The foregoing field Notes of the Survey & Subdivision of Township No. 19 North of the Base Line & Range No. 33 West of the 6th P.M. in Nebraska Executed by W. Jewett Sanger Deputy Surveyor under Joint Contract wherein Sam M. Chapman & W. Jewett Sanger are Joint Contractors in the Month of August 1873. having been critically examined the necessary corrections & explanations made the said field Notes & Survey thereby described are hereby approved

E. E. Cunningham
Surveyor General

Field Notes
of
The Survey and Subdivision
of
Township No. 20 North
of
Range No. 53 West
in
Nebraska

Executed
by W. Jewett Sanger
Deputy Surveyor under
joint Contract 77. dated
June 2d 1873

Survey
Commenced Aug 14th 1873
Completed Aug 20th 1873

List of Names
A list of the Names of the
individuals employed to
assist in Surveying and
Subdividing Township

44

400.0

80.04

40.04

North Range West showing the respective capacities in which they acted.

John Thomson	Chainman
Dan Finnegan	Chainman
Abner F. Johnson	Monuddman
Frank Hebert	Flagman

Town 20 N. Range 53 W.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

To determine the proper adjustment of my compass for subdividing this Township I begin at the Corner to Towns 19 & 20 North & Base Line Ranges 52 & 53 West. 6th P.M. and run North along East Boundary of Sec 36

Va 15° 20' E

40.08 To a point 3 ch East of Gr. Co

79.64 To a point 1 ch West of corto Sec. 25 & 36

To retrace this line or run a line parallel thereto my compass is in proper adjustment

Township 20 N Range 53 W

North bet. Sec. 35 & 36
Va 15° 20' E

40.00 Limestone 16 x 9 x 7 x 9 in deep
M M & 1/4 for gr sec cor

80.00 Limestone 20 x 16 x 4 - 10 in deep
M M & 8 on North 1 on North
1 on East & 5 on West for
Cor to sec. 25. 26, 35 & 36
Land on high bluffs
3rd rate

Township 20 N Range 53 W

East magnetic line bet.
Sec. 25 & 36.
Va 15° 20' E

7.00 Low high bluffs enter
Sandy bottom

40.00 Stone for temporary gr cor

60.00 Drain N.W.

82.30 Intersect East Boundary of
Ms North of Cor to sec.
25 & 36. from which cor
Drum
N 89 ~~05~~ 34' West on true line bet
Sec. 25 & 36
Va 15° 20 E

41.15 Set Limestone 15 x 11 x 7 - 7 in deep
M M & 1/4 for gr cor

82.30 Cor to sec. 25. 26. 35 & 36
Land Mostly bottom 2nd rate

Notes

Knowing my base on South
boundary of sec 36 to be 82.05
chs. I find my East
boundary within limits

Township 20 N Range 53 W

North bet Sec. 25 & 26
Va 15° 20' E
11.110 Lewis Bluff enters bottom
40.00 Limestone 17 x 10 x 7 - 8 in deep
N 16 d. 34 for gr cor
80.00 Limestone 22 x 9 x 4 - 10 in deep
N 16 d. 4 m North 2 m
South 1 m East & 5 m
West for Cor to sec.
23. 24. 25 & 26
Land bottom 2 rate

Township 20 N Range 53 W

Eastern random line between
Sec. 24 & 25
Va 15° 20' E
22.00 Drain N. W.
41.00 Sif. Nice for temporary gr cor
82.22 Intersect East Boundary
22 chs North of cor to
Sec. 24. & 25 from which
Cor bears
N 89° 55' West true line bet
Sec. 24 & 25
Va 15° 20' E
11.11 Set Limestone 14 x 10 x 6 - 7 in deep
N 16 d. 34 for gr cor
82.22 Cor to sec. 23. 24. 25 & 26
Land bottom 2 rate

Township 20. N Range 53

		North bet Sec 23 & 24
		Va 15°20' E
11.	34.00	Drain N.W.
40	40.00	Limestone 17x13x3-8 in deep
		M.K.d 3 N for gr sec cor
80	80.00	Limestone 18x15x4-9 in deep
		M.K.d 3 in north 3 in East
		1 in East & 5 in West for
		cor to sec 13. 14. 23 & 24
		Land Sandy bottom 2 date

Township 20 N Range 53

	East & West line bet.
	Sec 13 & 24
	Va 15° 20' E
40.00	S.P. Stone for temporary gr cor
82.12	Intersect East Boundary of
	Township 20 to North
	of cor to sec 13 & 24
	from which cor bears
	N 89° 52' West true line bet.
	Sec 13 & 24
	Va 15° 20' E
41.06	Set Limestone 16x5x5-8 in deep
	M.K.d 3 N for gr sec cor
82.12	Cor to sec 13. 14. 23 & 24
	Land Sandy bottom 2 date

Township 20 N Range 53

North bet. Secs. 13 & 14
Va 15° 20' E.

40.00 Limestone 18 x 13 x 3 - 9 in deep Mkd. B.T. for gr cor

80.00 Limestone 18 x 14 x 7 - 9 in deep Mkd. D.N.W.T. 4 on South 1 on East & 5 on West for cor to Secs. 11.12 13 & 14

Land Sandy bottom 2nd rate

Township 20 N Range 53

East and West line bet
Secs. 12 & 13
Va 15° 20' E.

40.00 Stone for temporary gr cor

81.68 Intersect East Boundary of 24 chs North of Cor to Secs. 12 & 13 Stone which cor stone
N 89° 50' West on true line bet
Secs. 12 & 13
Va 15° 20' E

40.84 Set Limestone 15 x 9 x 5 - 4 in deep Mkd. B.T. for gr cor

81.68 Cor to Secs. 11. 12. 13. & 14
Land Sandy bottom 2nd rate

Township 20 N Range 53

North bet. Secs. 11 & 12.
Va 15° 20' E

40.00 Set Limestone 13x11x7 - 6 in deep M.C. 1/4 for gr cor

80.00 Set Limestone 16x9x8 - 8 in deep M.C. 1 on North 5 on South 1 on East & 5 on West Cor to Secs. 1. 2. 11 & 12

Land sandy 2 rods

Township 20 N R. 53 W.

East and West line bet Secs. 1 & 12
Va 15° 20' E

40.00 Set Stone for temporary G. cor

81.92 Set Lock East Boundary 20 links North of Mound Cor to Secs. 1 & 12 8" this Cor being nearly destroyed Set Limestone 18x10x4 in old Mound from which true N 89° 52' West true line bet Secs. 1 & 12

Va 15° 20' E

40.96 Set Sand Stone 16x8x6 - 8 in deep M.C. 1/4 for gr sec cor

81.92 Cor to Secs. 1. 2. 11 & 12
Land sandy bottom 2 rods

Township 20. N Range 53

	Northern true line Set. Secs. 1 & 2 Va 15° 27' E
40.00	Sandstone 16x9x5 - 8 in deep Mkd. W.C. for gr cor
70.00	Old California Road S.E. & N.W.
74.00	Intersect 5th Standard Pl. North 202 lks West of Meander cor to frac. Sec. Pl. Town 21 N Range 52 West where I set
	Sand Stone 18x9x6 - 9 in deep Mkd. C.C. Sec. 1 & 2 for closing cor to frac. Sec. 1 & 2 Tow 20 N Range 53 W.
	Land level back sandy 2d Note. Aug 14th 1873
	Note
	The length of my North line being so short I cannot be remeasured resulting the same as first Measurement the length of East Boundary of Sec 1 is returned 83.50 chs I now go to Cor to Sec. 1 & 2

	on East boundary Sec run North along East Boundary of Sec 1 Var 15° 20' E
40.02	Found stone 16 lks West of gr sec cor This cor being nearly destroyed I set Sand Stone 18x9x5 - 9 in deep Mkd W.C. for gr sec cor in old Mound
42.80	To right bank of Platte River No Meander cor to be found
	Set Sand Stone 18x10x5 - 9 in deep Mkd W.C. for cor to frac. Sec. 1 & 2. in true line as Established by Mr La Mueyon
80.67	To point 2 rods West of W.C. cor to frac. Sec. 32. Tow 21 N Range 52 W. on left bank of River. The distance was obtained across the river by actual Measurement the water being about 20 inches deep. I now ~~re-~~ ~~on no bearing~~ ~~and~~ 90 ~~up~~ ~~Town~~ Meander cor to frac.

Sec. 31. Tow. 21. N. Range 52 on the 5th Standard Parallel on right & left the bank of River and let Transit over Cor. my closing on Standard Ill. being so much different from the Closing returned of the East boundary line I then it necessary to remeasure North boundary of Sec 1. & right West to Cor to Township 21. N Ranges 52 & 53 West & find the Line to pass directly over Gr Sec cor on South boundary of Sec 31. 21. N. R 52 West. I now reverse my telescope and find the Curve spoken of in Notes of Survey of 5th Standard Ill. to be in direct line. I now send my flagman to the left bank of River and cause it to be set in my line

which is 6 chains & 60 lks South of Meander Cor to frac. Sec. 32 Township 21. N. Range 52 West this shows a crook or jog of 6. 60 chs in the Standard Ill. in the River this may be easily accounted for there being another tree similar to the flag tree spoken of in the field Note of the Survey of the 5th Std Ill. near upper end of Island spoken of in the main Survey which may have been taken for the one in line If this be the case then the error would have passed unobserved for the deputy in running his true line West used his same points that he left up going East with his random line. I also find the closing of the Range line between Sec. 1 & 6 Town 20 N R. 52 & 53 West to be 2 70 chs West of Meander Cor to frac.

Sec. 32. Tnn 21. N Range 52 W
to this add 27.70 distance
given from Cor to Sec. 32 & 33.
Makes 30.40 chs West of Cor
to Sec. 32 & 33. Tnn 21. N Range 52
W. on 5th Std. Ill. M.
The closing of line bet. Sec. 1 & 2
Tnn 20 N Range 53 W. is 202
chs West of Meander Cor to fract. Sec.
31. Tnn 21 N. Range 52 W. to this
add the distance given from Cor
to fract. Sec. 31 & 32 in river 21.50
Makes 23.52. West of Cor to Sec.
31 & 32. Tnn 21. N Range 52 W.
The difference between the closing
of range line & of the line bet
Sec. 1 & 2 being 6.88 chs
causes the line across the
river to be measured beginning
at Meander Cor to fract. Sec 32. Tnn
21 N Range 52 West on left bank
of river thence & run
S 85° 24' West to a Flag over M. C. Cor
on right bank to fract. Sec 31. Tnn
21. N Range 52 W on 5th Std.

Ill. M

Vat 5. 1. 0 East

57.00 Edge of small Island N. & S.
61.40 Leave Island N. & S.E.
82.76 To Flag & Meander Cor to fract.
Sec 31. Tnn 21. N Range 52
West. The length of line
across the river is given in the
field notes of the Survey of 5th
Std. Ill. M at 73.80 chs
this shows a difference of
Measure 8 chs & 96 lks.
The closing of Range line on 5th
Std Ill. is 30 chs & 40 lks West of
Cor to Sec. 32 & 33. Tnn 21. N Range
52 West. or 2.70 chs West of M. C.
Cor 2.70 + 27.70 = 30.40
8.96 chs the difference of measure
reduces this to 21.44
These distances ~~was~~ are all obtained
by actual Measurement the
water being about 20 inches
deep having completed the
Measurement & finding my
own line correct & within

limit from the correct Measurement
of East & North boundaries of sec
1 Twn 20 N Range 53 West I
proceed to Meander the Platte
River running through this Town=
ship beginning at the Meander
Corr to sec. 1 & 6. on East
Boundary and run upstream
with the Meanders of said
River as follows
West 7.80 chs
N 78° 30' W 36.00 "
N 67° 3/4 W 12.00
N 59° 1/2 W 24.00
N 33 1/2 W 9.00 to Meander
Cor & Cor to frac. sec 31. Twn
21 N. Range 52 West & Mer Cor
to frac. sec 1 Twn 20 N Range
53 West on 5th Stand Part N
Aug 15th 1843

Township 20 N Range 53

North bet. Sec. 34 & 35
Va 15° 20' E
17.00 Cabin N.E.
19.50 Lime & sandstone bluff
22.00 Lime bluff with bottom
40.00 Limestone 12 x 12 x 5 - bind up
Mk. 34 for qr sec cor
80.00 Sand Stone 20 x 9 x 6 - 10 in
deep mk. 5 on North
1 on South 2 on East
4 on West for cor to sec.
26. 27. 34. & 35
Land Mostly Bottom & Fate

Township 25 N Range 53

East on random line bet
Sec. 26. & 35
Va 15° 20' E
21.00 Enter high bluffs South
40.00 Stone for temporary Gr cor
79.87 Intersect N & S line bet
North of cor to sec. 20. 26.
35 & 36. from which cor
Iron
N 89° 34' West on true line bet
Sec. 26 & 35
Va 15° 20' E
39.93 Set Limestone 11x11x5-5 in dep
M Ma 7x for Gr sec cor
79.87 Cor to sec. 26. 27. 34 & 35
Land high bluffs Bate

Township 20 N Range 53

North bet. Sec. 26 & 27
Va 15° 20' E
40.00 Limestone 27x10x6-11 in dep
M M Ma 4x for Gr sec cor
80.00 Sand Stone 20x 9x4-10 in dep
M M Ma 4 in North 2 in
South 2 in East 4 in
West for cor to sec. 22
23. 26 & 27
Land Rolling bottom 2 Rate

Township 20 N Range 53

	Easton random line bet Sec. 23. & 26 Va 15° 20' E
40.00	Set Stone for temporary cor
79.70	Meander N & S line 3rd Ch. Sent to Cor to sec. 23. 24. 25 & 26 from which Arne S 89° 45' West true line bet Sec. 23 & 26 Va 15° 20' E
39.85	Set Sand Stone 12×12×9-6in deposited Mt for cor
79.70	Cor to sec. 22. 23. 26 & 27 Land bottom 2nd rate

Township 20 N Range 53

	North bet. Sec. 22 & 23. Va 15° 20' E
40.00	Set Sand Stone 11×11×5-5in deposited Mt for cor
80.00	Limestone 12×8×6-6in deposited 3 feet north 3 feet east 2 on East & 4 on West for cor to sec. 14 15. 22 & 23
	Land bottom 2nd rate

Township 20 N Range 53

East on random line bet
Sec.s 14 & 23
Va 15° 20' E

40.00 Line for temporary Gr cor
79.82 Intersect N & S line 17 chs
North of cor to secs. 13. 14
23 & 24 from which cor
Iron
N 89° 53' West on true line bet.
Sec.s 14 & 23
Va 15° 20' E

39.91 Set Sand Stone 13 x 8 x 5 - 6 in dep
Mk 16" 24 for gr sec cor
79.82 Cor to secs. 14. 15. 22 & 23
Land bottom 2 Mate

Township 20 N Range 53

North between Secs. 14 & 15
Va 15° 20' E

17.00 Enter Sand Ridges
40.00 Set Limestone 12 x 8 x 5 - 6 in dep
Mk 16" 24 for Gr sec cor
80.00 Limestone 24 x 10 x 8 - 10 in dep
Mk 16" 24 in North 4 in North
2 in East & 4 in West for cor
to Secs. 10. 11. 14 & 15
Land Sand Ridges 3 Mate

Township 20 N Range 53

Eastern meandom line Set.
Sec.s 11 & 14
Va 15° 20' E

40.00 Stone for temporary Gr cor
79.84 Witness St N & S line 26 links
South of cor to sec.s 11.12.13 & 14
from which cor bears
S 89° 49 West on line line Set
Sec.s 11 & 14
Va 15° 20' E

39.92 Set Limestone 12 x 10 x 6 - 6 in deep
Mk 16 lks N & S for grs cor
79.84 Cor to sec.s 10.11.14 & 15
Land Rolling 2 Nats

Township 20 N Range 53

North Set. Sec.s 10 & 11
Va 15° 20' E

40.00 Limestone 13 x 7 x 6 - 6 in deep
Mk 14 lks for grs cor
43.00 Level sand ridges E & West
Flats & Bottom E & W
80.00 Sand Stone 15 x 6 x 6 - 7 in deep Mk
in North & in South faces E
& W on West cor to sec.s 2.3
10 & 11
Level bottom 2 Nats

Township 20 N Range 53

Eastern meridian line
bet Sec.ns 2 & 11
Va 15° 20' E

40.00 Stone for temporary grec cor
79.92 Intersect N & S line 27 chs
North of cor to Secs. 1. 2. 11 & 12
from which cor bears
N 89° 45' West on line bet.
Secs. 2 & 11
Va 15° 20' East.

39.96 Set Limestone 11 x 7 x 6 - 5 inches dep
N & S 1/4 for grec cor
79.92 Cor to sec.ns 2. 3. 10 & 11
Land Bottom 2 note

Township 20 N Range 53

Northern line bet
Secs. 2 & 3.
Va 15° 20' E

40.00 Set Limestone 13 x 6 x 6 - 6 in
deep mkd 1/4 for grec cor
74.62 Intersect 5th Standard Par
N. 17 chs & 40 links East
of Gp sec cor on South
boundary of Sec 36
T 21. R 53 ohm o d
Set Limestone 16 x 9 x 4 - 5 in deep
mkd 1/4 C.C. Sec.ns 2 & 3 for
closing cor to sec.ns 2 & 3
Twp 20 N Range 53
West
Land Bottom 2 note
Aug 16th 1873

Township 20 N Range 5 E

North between Sec. 33 & 34
Va 15° 20' E

7.00 Pine timber on bluffs E & W of line

40.00 Sand Stone 15 x 7 x 6 - 7 in deep
Mk 4 for gr sec cor

43.00 Leave bluffs enter bottom

64.00 Drain N.E.

69.00 Drain N.E.

79.50 Same " NW

80.00 Limestone 14 x 10 x 7 - 7 in deep
Mk 4 on North & on South 3 on East & 3 on West cor to sec 27. 28. 33 & 34

Land broken 3rd rate

Township 20 N Range 5 E

Eastmazandam line bet Sec. 27 & 34
Va 15° 20' E

22.00 Drain N.E.

40.00 Stone for temporary gr cor about 5 chs south is point of high bluffs south

79.80 Intersect N & S line 3 rods North of cor to sec. 26. 27. 34 & 35 - from which cor bears

N 89° 45' West on two line bet Sec. 27 & 34
Va 15° 20' E

39.90 Set Sand Stone 15 x 10 x 4 - 7 in deep mkd 4 Mfs gcor

79.80 Cor to sec. 27. 28. 33 & 34
Land bottom 2nd rate.

Township 25 N Range 53

North Set. Sec. 27 & 28
Va 15°20' E

37.00 Drain N. E.

40.00 Limestone 12 x 8 x 6 - 6 in dep
Mkd. 34 for qr sec cor

80.00 Limestone 14 x 12 x 4 - 7 in dep
Mkd. 4 on North 2 on
South 3 on East & 3 on
West Cor to sec. 21
22. 27. & 28

Lime bottom 2 mile

Township 25 N Range 53

Eastern quindom line Set
Sec. 22 & 27
Va 15°20' E

40.00 Stone for temporary qr cor

57.00 Drain N. E.

79.86 Intersect N & S line 15 chs
South of cor to sec. 22. 23.
26 & 27. from which cor
I saw

S 89° 54' Westerne line Set.
Sec. 22 & 27
Va 15°20' E

39.93 Qr Limestone 13 x 9 x 6 - 6 in
dep mkd. 34 for qr cor

79.86 Cor to sec. 21. 22. 27. & 28
Lime bottom 2 mile

Township 20 N Range 53

	North Cet. Sec. 21 & 22
	Va 15°20' E
40.00	Limestone 12x10x6 - 6 in deep
	M & Ba for grs sec cor
80.00	Limestone 14x12x8 - 7 in deep
	M & Ba South 3 on North 3 on
	South 3 on East 3 on
	West cor to sec. 15.16.
	21. & 22
	Land bottom 20 rate

Township 20 N Range 53

	Eastmoundum line bet
	Sec. 15 & 22
	Va 15°20' E
40.00	Stake for temporary gr cor
79.80	Intersect N & S line 12 lks
	South of cor to sec. 14. 15
	22 & 23 upon which
	cor found
	S 89°55' West true line bet
	Sec. 15 & 22
	Va 15°20' E
39.90	Set limestone 15x12x4 - 7 in deep
	M & Ba for gr sec cor
79.80	Cor to sec. 15. 16. 21. & 22
	Land bottom 20 rate

Township 20 N Range 03

North bet. Secs. 15 & 16
Va 15 0 20 1 E

12.00 Enter Melling Sand Ridges
40.00 Limestone 12 x 9 x 7 - bin clup
N 16 cu ft for Grace cor
80.00 Limestone 17 x 12 x 3 - bin clup
N 16 0 2 cu North 4 cu
South 3 cu East 5 cu
West for cor to Sec.
9.10. 15 & 16
Land Melling Sand Ridges
30 ac

Township 20 N Range 03

Eastern random line bet
Secs. 10 & 15
Va 15 0 20 1 E

40.00 Set Stone for temporary gp cor
79.82 Intersect N & S line 3 & 4 Lks
North of cor to Secs. 10.11
14 & 15 from which cor bears
N 89 0 45 W as from line line bet
Secs. 10 & 15
Va 15 0 20 1 E
39.91 Set Limestone 16 x 9 x 3 - bin clup
N 16 cu ft for gp Sec cor
79.82 Cor to Secs. 9.10. 15 & 16
Land Sand Ridges 30 ac

Township 20 N. Range 53

North bet. Secs. 9 & 10
Va 15° 20' E

40.00 Set post 3 in x 3 in x 4 ft. 1 ft. deep
deposited Charred Stake
mound mound 2 feet
3 ft high pits 12 in x
24 in 12 in deep for
Qr Sec Cor

63.00 Euter Bottom Ditch

80.00 Set post 3 in x 3 in x 4 ft. 1 ft in
ground deposited
Charred Stake mound
Mound 2 feet 3 ft. high
pits 12 in x 24 in 12
in deep for cor to Sec.
B. H. 9 & 10

Land Rude Ridge Bank

Township 20 N. Range 53

Eastern random line bet
Secs. 3 & 10
Va 15° 20' E

40.00 Shot for temporary Qr Cor

79.70 Intersect N & S line 46
links North of cor to Sec.
2. 3. 10 & 11 from which
cor bears

N 89° 45' Westerly line
bet Sec. 3 & 10
Va 15° 20' E

39.85 Set Limestone 12 x 9 x 7 - 6 in
deep mkd. "Qr for Qr Cor

79.70 Cor to Sec. 3. 4. 9 & 10
Land Bottom 2 Rocks

Township 20 N Range 53

North on true line bet
Sec. 33 & 34
Var 15° 20' E

40.00 Set post 3in x 3in x 4ft 1 ft in ground
deposited charred stake
mound of earth
2 ft high pound pits 12in
x 24in 12in deep for
closing cor to sec. 3 & 4
T20N R53W

74.84 Intersect 5th Standard Par
18 Chs + 28 Lks East of
~~S 1/4~~ Cor on south boundary of
Sec 35. Town 21 Range 53 West
where
Set post 3in x 3in x 4ft. 1 ft deep
deposited charred stake
mound of earth
2 ft high pound pits 12in
x 24in 12in deep for
closing cor to sec. 3 & 4
T20N R53W
Land bottom broke

Aug 17th 1873

Township 20 N Range 53

North between Sec. 33 & 34
Va 15° 20' E

24.00 Canon N.E.
27.00 Spur of bluff
40.00 Set Sand Stone 15 x 13 x 4-7in
deep mk cross on top for cor
43.00 Canon N.E.
44.50 Leave Sand on bluffs
77.00 Leave bluffs enter bottom
80.00 Sand Stone 18 x 16 x 10 in
deep mk a south
1 on south 4 on East
2 on West for cor
to sec. 28. 29. 32 & 33
Land broken broke

Township 20 N Range 53

	East on random line bet. Sec.s 28 & 33 Va 15°20' E
40.00	Stone for temporary gr cor
55.00	Enter high bluffs S.W.
77.00	Leave bluffs Enter Drain N.W.
80.16	Intersect N & S line 20 ch North of Cor to sec.s 27.28 33 & 34 from which Cor bears
	N89°05' West in true line bet Sec.s 28 & 33 Va 15°20' E
40.08	Set Sand Stone 14×9×4 - 7 in deep mkd W 34 for gr cor
80.16	Cor to sec.s 28. 29. 32. & 33 Land broken Bank

Township 20 N Range 53

	North bet. Sec.s 28 & 29 Va 15°20' E
40.00	Sand Stone 12×10×8 - 6 in deep mkd W 34 for gr sec cor
55.00	begin to ascend a clay Butte about 15 ch wide at Base
63.00	To top of Butte
73.00	North of base of same
80.00	Sand Stone 16×14×5 - 9 in deep mkd W.s. 4 in North 2 on south 4 in East & 2 on West Cor to sec.s 20. 21. 28 & 29
	Land rolling 2 Beds

Township 20 N Range 53

	East random line bet Sec.s 21 & 28 Va 15° 20' E.
40.00	Stone for temporary qr cor
80.44	Intersect N & S line 20 chs North of cor to sec.s 21. 22. 27 & 28. from which Cor. from
	N 89° 51' West on true line bet Sec.s 21 & 28. Va 15° 20' E
40.00	Set sandstone 14 x 9 x 5 - 7 in dep mk on N for qr cor
80.44	Cor to sec.s 20. 21. 28 & 29. Land bottom 3 note

Township 20 Range 53 W

	North bet sec.s 20 & 21 Va 15° 20' E
40.00	Set post 3 in x 3 in x 4 ft. 1 ft dep ~~mk~~ deposit charred stake raised mound of Earth 3 ft high pour pits 12 in x 24 in 12 in dep for qr sec cor
80.00	Set post 3 in x 3 in x 4 ft. 1 ft dep deposited charred stake raised mound of Earth 3 ft high pour pits 12 in x 24 in 12 in dep for cor to sec.s 16 17. 20 & 21
	Land bottom 3 note

Township 20 Range 53

	East on random line bet Sec. 16 & 21 Va 15° 20' E
40.00	Set post for temporary qr cor
80.12	Intersect N & S line at 32 chs North of cor to sec. 15.16 21. & 22 from which Ironwood N 89° 46' West true line bet Sec. 16 & 21 Va 15° 20' E
40.06	Set post 3 in x 3 in x 4 ft. 1 ft deep deposit charred stake regular mound of Earth 3 ft high from pits 12 in x 24 in 12 in deep for qr sec cor
80.12	Cor to sec. 16. 17. 20 & 21 Land bottom 2 rate

Township 20 Range 53

	North bet Sec. 16 & 17 Va 15° 20' E
40.00	Set post 3 in x 3 in x 4 ft. 1 ft deep deposited charred stake raised mound of earth 3 ft high from pits 12 in x 24 in 12 in deep for qr sec cor
54.00	Line bottom Enter small ridge N 37 W. & E
80.00	Set post 3 in x 3 in x 4 ft. 1 ft. deep deposited charred stake raised mound of earth 3 ft high from pits 12 in x 24 in 12 in deep for cor to sec. 8 & 9. 16 & 17
	Land Land Ridges 3 rate

Township 20 Range 53

Eastern random line Set
Sec.s 9 & 16
Va 15° 20' E

40.00 Stone for temporary ¼ cor
79.92 Set a stone N & S line 24 chs
North of cor to sec.s 9, 10
15 & 16. from which Ann
N 89° 55' West on true line Set
Sec.s 9 & 16
Va 15° 20' E

39.96 Set a sand stone 12 x 9 x 4 - 6 in
deep mk ¼ S for ¼ cor
79.92 Cor to sec.s 9. 16. & 17
Land Ridges Bonate

Township 20 Range 53

North Set. Sec.s 8 & 9
Va 15° 20' E

40.00 Sand Stone 12 x 7 x 5 - 6 in deep
mk ¼ S for ¼ sec cor
80.00 Sand Stone 15 x 10 x 5 - 7 in
deep mked 1 on North 5
on South 4 on East & 2
on West for cor to sec.s
4. 5. 8 & 9 Bonate
Land Ridges

Township 20 Range 53

East on random line bet
Sec.s 4. & 9
Va 15° 20' E

40 — 40.00 Stone for temporary qr cor
80 — 80.00 Leave 2 ridges N & S line 36 chs
North of cor to Sec.s 3 & 4
9 & 10 from which Iron
N 89° 45' West on line bet.
Sec.s 4 & 9
Va 15° 20' E

40 — 40.00 Sand Stone 12 x 9 x 6 - 6 in dep
Mk.d as before for qr Sec cor
80 — 80.00 Cor to Sec.s 4. 5. 8 & 9
Sand Ridges 30 vale

Township 20 Range 53

North on true line bet
Sec.s 4 & 5
Va 15° 20' E

23.00 Leave 2 ridges cultivation
40.00 Sand Stone 14 x 9 x 7 - 7 in
dep mk.d as before qr cor
75.10 Intersect 5th Standard Par.l
N. 19 chs & 14 Chs West
of Cor on S. boundary Sec 3 & 4 Town 20
21 N Range 53 West.
where I
set Sand Stone 12 x 12 x 6 - 6 in
dep mk.d C.C. Sec.s 4 & 5
for closing cor to Sec.s
4 & 5 Town 20 North
Range 53 West
Sand bottom 2 vale

August 18th 1873

Township 20 Range 53

North bet Secs. 31. & 32
Va 15° 20' E

40.00 Limestone 13x12x5 - 6in deep
N M & 4 bts for gr sec cor

56.00 Leave bluffs cutter bottom

80.00 Limestone 16x11x3 - 8in deep
N M & 5 on North 1 on South
5 on East & 1 on West
Cor to sec. 29. 30. 31. & 32

Land broken 3 sides

Township 20 Range 53

East on random line bet
Secs. 29 & 32
Va 15° 20' E.

40.00 Stone for temporary gr cor

79.29 Intersect N & S line 37 lks
North of cor to sec. 28.
29. 32 & 33 from which
cor bears
N 89° 44' West on true line bet
Secs. 29 & 32
Va 15° 20' E

39.64 Set Limestone 10x9x8 5 in
deep M & 4 bts for gr cor

79.29 Cor to Secs. 29. 30. 31. & 32
Land Bottom 2 sides

Township 20 Range 53

West on random line bet
Sec.s 30 & 31
Va 15°20' E

40.00 Stone for temporary gr cor
76.72 Intersect West Boundary 26
links South of Cor to sec.s 30 & 31
from which cor bears
S 89° 50' East two lines bet sec.s
30 & 31. Va 15°20' E

36.72 Set Limestone 14×10×5 — 5 in
deep mk "X" for gr sec cor

76.72 Cor to sec.s 29. 30. 31 & 32
Land bottom 2nd rate.

Note

Finding my West random so
short I deem it necessary to
remeasure South boundary of
Sec 31. I find Cor to sec.s 31 & 32
Thence West along S. boundary
of sec 31. Va 15°20' E

39.00 To point 100 links North of gr cor
76.20 To point 7 links North of
Cor to towns 19 & 20
Ranges 53 & 54. I find
my West random within limit

from the previous survey

Township 20 Range 53

North bet. Sec.s 29 & 30
Va 15°20' E

40.00 Limestone 14×12×10 — 7 in deep
mk "X" for gr sec cor

80.00 Set post 3 in × 3 in × 4 ft 1 ft deep
deposited charred stakes
raised mound of earth
3 ft high from pits 12 in
× 24 in 12 in deep as
per instructions for cor
to sec.s 19. 20. 29 & 30
Land bottom 2nd rate

Township 20 Range 53

East random line Set.
Sec.s 20 & 29
Va 15° 20' E

40.00 Set post for temporary gr cor
79.32 Intersect N & S line S 1/2 chs
North of Cor to sec.s 20. 21.
28 & 29 from which Cor
Iron
N 89° 55' West true line Set
Sec.s 20 & 29
Va 15° 20' E

39.68 Set post 3in x 3in x 4ft. 1ft deep
deposited Charred Stake
Raised Mound 3ft high
from pits 12in x 24in
12in deep for gr Cor
79.32 Cor to sec.s 19. 20. 29 & 30
Land bottom 2nd rate

Township 20 Range 53

Westm random line Set
Sec.s 19 & 30
Va 15° 20' E

40.00 Set post for temporary gr cor
76.42 Intersect West Boundary
38 chs South of Cor to sec.s
19 & 30 from which Cor
Iron
S 89° 45' East true line
Set Sec.s 19 & 30
Va 15° 20' E

36.42 Set post 3in x 3in x 4ft. 1ft deep
deposited Charred
Stake ~~Raised~~ Mound of
earth 3ft high from
pits 12in x 24in 12in
deep for gr cor
76.42 Cor to sec.s 19. 20. 29 & 30
Land bottom 2nd rate

Township 20 Range 53

North bet. Secs. 19 & 20
Va 15° 20' E

40.00 Set post 3in x 3in x 4 ft. 1 ft
deep deposited charred
stake raised mound
of earth 3 ft high from
pits 12in x 24in 12in
deep for gr bt cor

80.00 Limestone 10 x 12 x 3 - 7in deep
mkd 2 on North 3 on
South 5 on East & 1
on West cor to secs.
17. 18. 19 & 20
Land bottom 2 wet

Township 20 Range 53

East random line bet.
Secs. 17 & 20
Va 15° 20' E

40.00 Stone for temporary gr cor
79.24 Intersect N & S line & lks
South of cor to secs. 16. 17.
20 & 21. from which cor
Iron
S 89° 00' E West true line
bet Secs. 17 & 20
Va 15° 20' E

39.62 Set Limestone 16 x 10 x 6 - 8in
deep mkd 2 on before gr cor
79.24 Cor to secs. 17. 18. 19 & 20
Land bottom 2 wet

Township 20 Range 53

West random line Set.
Sec.s 18 & 19
Va 15°20' E

40.00 Line for temporary pr cor
75.78 Intersect the West Boundary
48 lks South of Cor to Sec.s
18 & 19 from which bears
S 89° E Eastmost line
Set Sec.s 18 & 19
Va 15°20' E

35.78 Set limestone 15 x 7 x 3 7 in dep
N 16 lks pr for pr sec cor
75.78 Cor to Sec.s 17, 18, 19 & 20
Same bottom 2 nd rate

Township 20 Range 53

North Set. Sec.s 17 & 18
Va 15°20' E

40.00 Set Lime stone 12 x 8 x 4 - 6 in
dep N 16 lks for pr sec cor
80.00 Same stone 16 x 9 x 5 - 8 in dep
N 16 lks on North & on
South 5 on East & 1 on West
for Cor to Sec.s 7, 8, 17 & 18
Same bottom 2 nd rate

Township 20 Range 53

East and West line bet
Sec. 8 & 17
Va 15°20' E

40.00 Set post for temporary gr cor
50.00 Enter Land Niles
79.16 Intersect N & S line 24 chs
North of cor to sec. 8. & 9. 16
& 17. Spur wheel cor
Drum

N 89° 50' West on true line bet
Sec. 8 & 17
Va 15°20' E

39.58 Set post 3 in x 3 in x 4 ft. 1 ft
deep & pile rock around
stake & raised Mound of
earth 3 ft high from pits
12 in x 24 in. 12 in deep
as permission checking for gr cor
79.16 Cor to sec. 7. 8. 17 & 18
Land Valley 2nd rate

stake raised Mound of
earth 3 ft high from pits
12 in x 24 in. 12 in deep
for Grace cor

76.54 Enter East 5th Standard Sl
15 chs and 12 chs West of
Cor to sec. 32. & 33 Town
21. North Range 53 W.
where I
Set Sand Stone 16 x 9 x 4 - 8 in deep
Mkd. C. C. Town 20. Ranges
53. & 54. West for closing

Cor to Town 20. N. Ranges
53. & 54 West. I now
send my flagman
West to Sec. Cor on South

53

Township 20 Range 53

West range line Sec. 7 & 18
Va 15° 20' E.

40.00 Set post for temporary gr cor
75.00 point of Cor to sec 7 & 18 on
West Boundary where set Pinky cor.
no corb
be found & Measurement
80.00 Chs No cor to be found &
now go to cor to sec 18 & 19
and Pray North along
West Boundary of sec 18
Va 15° 20' E

39.94 To point 2 chs West of Gr cor
From this cor can see Gr sec
cor in West boundary
of Sec 19 & cor to sec 18 & 19
& find this Gr sec cor in
direct line with Range line
80.00 Point for cor to sec 7. 12. 13 & 18
Pray none to be found &
therefore
Set Sandstone 20 x 16 x 3. 10 in
deep for cor to sec 7. 12. 13 & 18
Land falling 2 chs

North along West Boundary
of sec 7.
Va 15° 20' E

32.00 deep drain East
40.00 Point for Gr cor & None to be found
Set post 3 in x 3 in x 4 ft. 1 ft deep
deposited charred
stake mixed mound of
earth 3 ft high from pits
12 in x 12 in 12 in deep
for Gr sec cor
80.00 Set Sand Stone 14 x 14 x 6-7 in

deep N 16 d. 10 m North 50 m
South for cor to sec 1. 6.
7. & 12.
This is at line point for cor
No trace of Mr Lamunyon
cor could be found
Thence
North along West Boundary of
sec 6
Va 15° 20' E

Set Sand Stone 14 x 10 x 6 Pas

dep M.d. in North & on South for Cor to Sec. 1. 6. 7. & 12.

This is a true point for Cor No trace of Mr Lamungs Cor Could be found

Thence North along West Boundary of Sec 6

Ves 5° 25' E

40.00 Point for grs Sec Cor and None to be found & therefore set Post 3 in x 3 in x 24 ft. 1 ft. dep. deposited charred stake raised Mound of earth 3 ft high from pits 12 in x 24 in. 12 in dep for grs Sec Cor

76.54 Intersect 5th Standard Pl 15 chs and 12 chs West of Cor to Sec. 32. & 33 Town 21. North Range 53 W. where I

Set Sand Stone 16 x 9 x 4 - 8 in dep M.d. C.C. Town 20. Ranges 53. & 54. West for closing

Cor to Town 20. N. Ranges 53. & 54 West I now send my Flagman West to grs Sec Cor on South boundary of Sec 32. and after a diligent search by myself and assistants am unable to find any closing Cor on 5th Std Pl. Set at a point bearing S 86° 15' West 10 chs & 70 lks dist W. I find what probably was intended for a corner

having completed the retracing of Range line I now proceed with my subdivisions. I find my intersection on West Boundary Sec. 7 & 18. 9 lks North & 64 lks East from the Cor to Sec. 7 & 18 I run

which bears Aug Ref Pin S 5. 64 W

N 89° 57' East on true line to Sec. 7 & 18

Ves 5° 0' E

35.64 Sand Stone 14 x 11 x 6 - 7 in dep M.d. 4 ft for grs Cor

75.64 Cor to Sec. 7. 8. 17 & 18

Land bottom 2 chs to aug 19th 1874

Township 20 Range 53

North Lect. Sec. 7 & 8
Va 15° 20' E

40.00 Sand Stone 15 x 7 x 4 - 7 in deep
Mkd. 7 & for gr sec cor

44.00 Drain N.E.

50.00 Enter Sand ridges 3rd rate
soil

80.00 Sand Stone 16 x 9 x 5 = 8 in deep
Mkd. 1 on North 5 on
South 5 on East 7 on
West Cor to sec. 5. 6.
7. & 8

Land bottom 2nd rate ridges
3rd rate

Township 20 Range 53

East and West line bet
Sec. 5 & 8
Va 15° 20' E

40.00 Stone for temporary gr cor

79.14 Intersects N & S line 46 chs
North of cor to sec. 4.
5. 8 & 9 from which
Cor Drawn

N 89° 40' West on true line
bet Sec. 5 & 8
Va 15° 20' E

39.57 Set Sand Stone 15 x 11 x 9 - 7 in
deep Mkd. 7 & for
gr sec cor

79.14 Cor to sec. 5. 6. 7 & 8
Land ridges 3rd rate

Township 20 Range 53

Westgrandum line bet
Sec.s 6 & 7
Va 15° 20' E
40.00 Stone for temporary gr cor
75.30 Intersect west B Boundary
7 chs South of Cor to sec.s
6. & 7 found which cor
I mark
S 89° 57' East on true line
bet Sec.s 6 & 7
Va 15° 20' E
35.30 Set Limestone 18 x 6 x 6 - 9 in
deep mk d. M for gr cor
75.30 Cor to sec.s 5. 6. 7 & 8
Land Ridge 3rd rate

Township 20 Range 53

North bet. Sec.s 5 & 6.
Va 15° 20' E
17.00 Enter Bottom
40.00 Sand Stone 16 x 11 x 3 - 8 in deep
mk d. M for gr cor
75.65 Intersect 5th Standard Pl.
North 19 chs. & 92 lks West
of Cor to sec.s 32. & 33. & 34. Tow
21. North Range 53 West
where I
set Sand Stone 16 x 8 x 5 - 8 in deep
mk d. C.C. sec.s 5 & 6. for
closing Cor to sec.s 5 & 6
Tow 20 N Range 53
West
Land Bottom 2nd rate
Aug 20 1873

Note:- For Meanders of Platte River see page 11 f

General Description

This Township is comprised of Mostly bottom Land & rate the bottom land is 2 rate. The bluffs near South boundary are very broken & worthless some pines are found on bluffs, it is adapted to either stock raising or agricultural purposes

List of Names

A list of the Names of the individuals employed to assist in Surveying & Subdividing Township 24 North of the Base Line in Range 5 E. West of the 6th P.M. in Nebraska and showing the respective capacities in which they acted.

John Thurman Chainman
Hugh Thornburg "
Abner Johnson Woodsman
Frank Hebert Flagman

* of dimensions character, cons
ment in the Manner
specifically described in
foregoing field Notes

We do hereby certify that we
assisted N. Jerr
Sanger U. S. deputy Surveyor
in Surveying and Subdivi
ding Township No 20 N, in
North of Base line in Range
No 53 West of 6th P.M. in
Nebraska and that said town
ship has been in all respects
to the best of our knowledge
& belief well and faithfully
Surveyed and the boundary
Monuments planted ac-
cording to the instructions
furnished by the Surveyor
General *

John Sherman Chainman
Dan Thavend Chainman
Abner S Johnson Flagman
Frank H. Flagman

Signed in my presence and
sworn to by the above
named persons before

me the undersigned
Notary Public in and for
Keith County Nebraska
this 8 day of October
1888.

Henry Roberts
Notary Public

I, W. Jewett Sanger Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein Chas. M. Chapman and W. Jewett Sanger are joint contractors with E. E. Cunningham United States Surveyor General for district of Nebraska & Iowa bearing date the 2d day of June 1873. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual and the laws of the United States surveyed all those parts or portions of Township No. 20 North of Base Line in Range No. 53 West of 6th P.M. in Nebraska as are represented in the foregoing field Notes as having been surveyed under my direction and do further

* of dimensions. character construction & Marking in the manner as specifically described in the foregoing field Notes

solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions* and that the foregoing are the true and original field Notes of such Survey.

W. Jewett Sanger
Deputy Surveyor

Signed in my presence & sworn to before me the undersigned a Notary Public in and for Keith County Nebraska this 3 day of October 1873

Henry Robert
Notary Public

Surveyor General's Office
Plattsmouth Jan 1st 1874

The foregoing field Notes of the Survey and Subdivision of Township No 20 North of Base line in range No 53 West of 6th P.M. in Nebraska Executed by N. Jewett Sanger under jint contract dated Septemb 22 1873 with Sam M Chapman & N. Jewett Sanger are Jint Contractors in the Month of August 1873 having been critically examined the necessary Corrections and Explanations made the said field Notes and Survey they describe are hereby approved

E. E. Cunningham
Surveyor General

E. E. Cunningham

General Land Office • Original Field Notes

Book Number

707

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.