General Land Office • Original Field Notes

Book Number

712

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

Field Notes of the Sub division Lines in fractional Township No. 12 North of the Base Line, Range No 54 West of the 6th Principal Meridian, in the State of Nebraska.

Surveyed by John H. Daugherty Deputy Surveyor.

Commenced August 30th 1871
Concluded, Sept 1st 1871

T. 12 to 16 N
R. 54 W

Names and duties of assistants employed in Subdividing Fractional Township No 12 North of the Base Line Range No. 54. West of the 6th Principal Meridian in the State of Nebraska

Bennet T Yates, } Chainmen
Frank Adams }

John R Gordon } Axemen
Sanford C. Carpenter }

To determine the proper adjustment of my Compass for subdividing this Township I commenced at the corner to Township 12 North, Range 53 and 54 West, on the 5 Standard Parallel and run South on a blank line along the East boundary of Section 1 Variation 13° East

4000 To a point 6 links East of the quarter Section corner

8007 To a point 7 links East of the corner to Sections 1 and 12

To retrace this line or run parallel thereto my Compass must be adjusted to a Variation of 14° 57' East

Fractional Township No. 12 North Range No. 54. West of the 6th Principal Meridian

At a point 12 chs + 47 lks East of the 1/4 Sec. Cor. in the center of Sec. 31 Township 13 north Range No 53 West. on the 3rd Standard Parallel, I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 1 + 12

Thence I run South on a true line between Secs. 1 + 12

Va. 14° 57' East

29.90 Drain 20 lks wide descends East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 1. 2. 11 + 12

Land rolling. Soil 2d rate

East on a random line between Secs. 1 + 12

Va. 14° 57' East

40.00 Set post for temporary 1/4 Sec. Cor.

79.62 Intersect the East Boundary of the Township at Post corner to Secs 1 + 12 from which corner I run West on a true line between Secs 1 + 12,

Va. 14° 57' East

39.81 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.62 The corner to Secs. 1. 2. 11 + 12.

Land rolling. Soil. 2d rate.

Fractional Township No. 12 North Range No. 54 West of the 6th Principal Meridian

South on a true line between Sec's. 11 & 12.

Va. 14° 57' East

40.00 Set charred post in mound of earth with pits as per instruction for 1/4 Sec. Cor.

80.00 Set Limestone 28 x 20 x 6 with notches as per instructions for corner to Sec's. 11, 12, 13 & 14.

Land rolling & 2nd rate Soil

East on a random line between Sec's. 12 & 13

Va. 14° 57' East

40.00 Set post for temporary 1/4 Sec. Cor.

79.68 Intersect the East Boundary of the Township, 7 lks north of Post Corner to Sec's. 12 & 13 from which corner I run North 89° 57' West on a true line between Sec's. 12 & 13

Va. 14° 57' East

39.84 Set charred post in mound of earth with pits as per instruc: for 1/4 Sec. Cor.

9.68 The corner to Sec's. 11, 12, 13 & 14

Land gently rolling

Soil 2nd rate.

Fractional Township No. 12 North Range No. 54 West of the 6th Principal Meridian

South on a true line between
Secs. 13 & 14.
Va. 14° 37' East
13.00 Drain 50 lks wide descends East
40.00 Set charred post in mound of
earth with pits as per instructions for 1/4 Sec. Cor.
60.00 Drain 25 lks wide descends N. E.
80.00 Set charred post in mound of
earth with pits as per instructions for corner to Secs 13, 14, 23 & 24

Land hilly. 2nd rate Soil.

East on a random line between
Secs. 13 & 24.
Va. 14° 37' East
40.00 Set post for temporary 1/4 Sec. Cor.
45.00 Drain 20 lks wide descends North
79.70 Intersect the East boundary of
the Township 12 lks South of the
Post corner to Secs. 13 & 24. from
which corner I run South
89° 55' West on a true line
between Secs. 13 & 24
Va. 14° 37' East
39.85. Set charred post in mound of
earth with pits as per instructions for 1/4 Sec. Cor.
79.70 The corner to Secs. 13, 14, 23 & 24

Land hilly. Soil 2nd rate.

Fractional Township No 12 North Range No 54 West of the 6 Principal Meridian

South on a true line between
Sec's. 23 & 24
Va. 14° 57' East
11.10 Intersect the State Line 33chs &
58lks East of the 73 mile Post
on the State Boundary, where
I set charred post in mound
of earth with pits as per instruc
tions for Closing Corner to frac
tional Sec's. 23 & 24.

Land Rolling. Soil 2nd rate

At a point 12 chs and 88 lks East
of the 1/4 Sec. Cor, in the center
of Sec. 36. Township No 13 North
Range No. 54 West, on the 6th
Standard Parallel, I set char-
red post in mound of earth
with pits as per instructions
for closing corner to Sec's. 2 & 3.
Thence I run South on a true
line between Sec's. 2 & 3.
Va 14° 57' East
25.00 Drain 30 lks wide descends East.
40.00 Set charred post in mound of
earth with pits as per instructions
for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instruc-
tions for Corner to Sec's. 2.3.10 & 11

Land gently rolling.
Soil 2nd rate.

Fractional Township. No. 12 North. Range No. 54 West of the 6th Principal Meridian

East on a random line between
Sec's. 2 & 11
Va. 14° 57' East
40.00 Set post for temporary 1/4 Sec. cor.
79.72 Intersect the N. & S. line 14 lks South
of Post corner to Sec's. 1, 2, 11, & 12,
from which corner I run
South 89° 34' West on a true
line between Sec's. 2 & 11
Va. 14° 57' East
39.86 Set charred post in mound of
earth with pits as per instruc-
tions for 1/4 Sec. Cor.
79.72 The corner to Sec's. 2, 3, 10, & 11.

Land gently rolling. 2nd rate soil.

South on a true line between
Sec's. 10 & 11
Va. 14° 57' East
40.00 Set charred post in mound of
earth with pits as per instruc-
tions for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits ~~in mound~~ &
as per instructions for corner to
Sec's. 10, 11, 14 & 15.

Land gently rolling. 2nd rate Soi

Fractional Township No. 12 North. Range No. 54 West of the 6th Principal Meridian

East on a random line between
Sec's. 11 & 14.
Va. 14° 57' East
40.00 Set post for temporary 1/4 Sec. Cor.
79.66 Intersect the N & S line, 10 lks
South of Stone corner to Sec's.
11, 12, 13 & 14. from which corner
I run South 89° 56' West on a
true line between Sec's. 11 & 14.
Va. 14° 57' East
39.83 Set charred post in mound of
earth with pits as per instruc
tions for 1/4 Sec. Cor.
79.66 The corner to Secs. 10, 11, 14 & 15

Land hilly. Soil 6th rate.

South on a true line between
Sec's. 14 & 15
Va. 14° 57' East
32.00 Drain 50 lks wide descends East.
40.00 Set charred post in mound of
earth with pits as per instruc-
tions for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instructions
for corner to Sec's. 14, 15, 22 & 23

Land hilly soil, 2nd rate.
August 30th 1871

Fractional Township No. 12 North Range 4, West of the 6th Principal Meridian

East on a random line between Sec's. 14 & 23.
Va. 14° 57' East

2.50 Drain 30 lks wide descends N.E.
12.00 " 25 lks wide descends North
40.00 Set post for temporary 1/4 Sec. Cor.
47.00 Drain 20 lks wide descends North
79.80 Intersect N & S line at post corner to Sec's. 13.14.23 & 24. from which Corner I run West on a true line between Sec's. 14 & 23.
Va. 14° 57' East
39.90 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.80. The corner to Sec's. 14.15-22 & 23

Land Broken & rocky Soil 3rd rate

South between Sec's 22 & 23
Va. 14° 57' East

5.00 Drain 30 lks wide descends N.E.
.40 Intersect the State line 46 chs West of the 73 mile Post on the State Boundary and 17 chs & 80 lks East of the 74th mile Post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sec's 22. & 23.

Land hilly. Soil 2nd rate

Re-measured the 74 mile on State line and find it to be 63.80 long instead of 80.00 as reported.

Fractional Township No. 12 North, Range West of the 6th Principal Meridian

At a point 13 chs & 29 lks East
the 1/4 Sec Cor. in the center of
Sec. 35. Township No 13 North,
No. 54 West on the 3rd Standard
Parallel. I set charred post
mound of earth with pits as
per instructions. for closing
to Sec's. 3 & 4.
Thence I run South on a
line between Sec's. 3 & 4.
Va. 14° 57' East
40.00 Set charred post in mound of
earth with pits as per instructions
for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instructions for corner to Sec's. 3.4.9.

Land gently rolling. Soil 2nd rate

East on a random line between
Sec's. 3 & 10.
Va. 14° 57' East
40.00 Set post for temporary 1/4 Sec. Cor.
79.66 Intersect the N. & S. line at post
corner to Sec's. 2, 3, 10 & 11. from
which corner I run West on
a true line between Sec's. 3 & 10
Va. 14° 57' East
39.83 Set charred post in mound of
earth with pits as per instructions for 1/4 Sec. Cor.
79.66 the corner to Sec's. 3.4.9. & 10

Land rolling, Soil 2nd rate

Fractional Township No. 12 North 20.54 West of the 6th Principal Meridian

South on a true line between Sec's. 9 & 10.
Va. 14° 57' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 9.10.1

Land rolling Soil 2nd rate.

East on a random line between Sec's. 10 & 15.
Va. 14° 57' East

40.00 Set post for temporary 1/4 Sec. Cor.

79.64 Intersect the N. & S. line 21 lks South of Post corner to Sec's. 10.11.14 & 15 from which corner I run South 89° 57' West on a true line between Sec's. 10 & 15.
Va. 14° 57' East

39.82 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

79.64 The corner to Sec's. 9.10.15 & 16.

Land gently rolling, Soil 2nd rate.

Fractional Township No. 12 North Ra. 54. West of the 6th Principal Meridian

		South on a true line betw	East on a random line between
		Sec's. 15 & 16	Sec's. 15 & 22
		Va. 14° 57' East	Va. 14° 57' East
	9.44	Drain 6 lks wide descends E	40.00 Set post for temporary 1/4 Sec. Cor.
2.	40.00	Set charred post in mound	79.70 Intersect N & S line, 12 lks South
12.0		earth with pits as per in	of post corner to Sec's. 14. 15. 22
40.		structions for 1/4 Sec. Cor.	& 23. from which corner I
47	89.00	Set charred post in mound	run South 89° 55' West on
79.		of earth with pits as per	a true line between Sec's.
		structions for corner to Sec	15 & 22.
		15. 16. 21 & 22	Va. 14° 57' East
			39.85 Set charred post in mound
39		Land hilly. Soil 3rd rate.	of earth with pits as per instruc
			tions for 1/4 Sec. cor.
			79.70 The corner to Sec's. 15. 16. 21 & 22
79.			
			Land hilly, soil, 3rd rate

Fractional Township No. 12 North Ra

South on a true line betwe
Sec's. 21 & 22
Va. 14° 57' East
11.15 Intersect the State line 17
& 61 lks East of the 75th mile
Post on the State Boundary
where I set charred post
mound of earth with pits
as per instructions for clos
Corner to fractional Sec's. 21

Land hilly Soil 3" rate.

54 West of the 6th Principal Meridian

At a point 13 chs & 70 lks East
of the 1/4 Sec cor. in the center
of Sec 34 Township No. 13 North
Range No. 54. West on the 3rd
Standard Parallel. I set
charred post in mound of
earth with pits as per instruc
tions for closing corner to
Sec's. 4 & 5.
Thence I run South on a
true line between Sec's 4 & 5
Va. 14° 57' East
40.00 Set charred post in mound of
earth with pits as per instruc
tions for 1/4 Sec. Cor.
80.00 Set charred post in mound
of earth with pits as per in-
structions for corner to Sec's
4. 5. 8 & 9.

Land gently rolling soil 2" rate.

Fractional Township No. 12 north Rg. 54 West of the 6th Principal Meridian

East on a random line betw
Secs. 4 & 9.
Va. 14° 57' East

40.00 Set post for temporary 1/4 Sec.
79.70 Intersect N & S Line at Rod
Corner to Secs. 3. 4. 9 & 10. f
which corner I run West o
a true line between Secs. 4
Va. 14° 57' East
39.85 Set charred post in mound
of earth with pits as per in
structions for 1/4 Sec. Cor.
79.70 The corner to Secs. 4. 5. 8 & 9.

Land gently rolling 2nd rate

South on a true line between
Secs. 8 & 9.
Va. 14° 57' East
40.00 Set charred post in mound of
earth with pits as per instruc
tions for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instruc
tions for corner to Secs. 8. 9.
16 & 17.

Land rolling. Soil 2nd rate.
August 31st 1871

Fractional Township No. 12 North Ro. 54 West of the 6th Principal Meridian

East on a random line betw
Sec's. 9 & 16,
Va. 14° 57' East

40.00 Set post for temporary 1/4 Sec. Cor.
79.60 Intersect N & S line 9 1/3 lks No
of Post corner to Sec's. 9, 10, 15 &
from which corner I run
North 89° 54' West on a b
line between Sec's 9 & 16.
Va. 14° 57' East
39.80 Set charred post in mound
of earth with pits as per in
structions for 1/4 Sec. Cor,
79.60 The corner to Sec's. 8, 9, 16 & 17

Land rolling, Soil 2nd rate.

South on a true line between
Sec's 16 & 17
Va. 14° 57' East
40.00 Set charred post in mound of
earth with pits as per instruc-
tions for 1/4 Sec. Cor.
49.00 Drain 50 lks wide descends East
80.00 Set charred post in mound of
earth with pits as per instruc
tions for corner to Secs. 16, 17, 20 & 21

Land rolling. Soil 2nd rate

Fractional Township No 12 North Range 54. West of the 6th Principal Meridian

East on a random line between Sec's. 16 & 21

Va. 14° 57 East

40.00 Set Stone for temporary 1/4 Sec. C

79.72 Intersect N & S. line 14 lks So of Post corner to Sec's. 15. 16. 21 & from which corner I run South 89° 54' West on a true line between Sec's 16 & 21

Va. 14° 57 East

39.86 Set limestone 18 x 12 x 3 marked as per instructions for 1/4 Sec. Cor.

79.72 The corner to Sec's. 16. 17. 20 &

Land hilly, Soil 3" rate

South on a true line between Sec's. 20 & 21

Va. 14° 51 East

11.19 Intersect the State line 17 Chs & 9 lks East of the 76" mile Post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Secs. 20 & 21

Land hilly, Soil 3" rate.

Fractional Township No. 12 North Range No. 54 West of the 6th Principal Meridian

At a point 14 chs & 11 lks E. of the 1/4 Sec. Cor. in the cent of Sec. 33. Towns Lip No. 1 North Range No. 54. West of the 6th P. M. on the 3rd Standard Parallel I set charred po in mound of earth with pits as per instructions f closing corner to Sec's. 5 & 6 Thence I run South on a true line between Sec's. 5 & 8 Va. 14° 57' East

2.0	
12.0	
40.	
47.	
79.	
40.00	Set charred post in mound of earth with pits as per instructi for 1/4 Sec. cor
39.	
80.00	Set charred post in mound of earth with pits as per instructions for corner to Sec's. 5. 6. 7.
79.	

Land gently rolling. Soil 2nd rate

East on a random line between Sec's. 5 & 8.
Va. 14° 57 East

40.00	Set post for temporary 1/4 Sec. Cor.
79.72	Intersect the N & S line 5 lks South of Post corner to Sec's. 4. 5. 8. & 9. From which Corner I run South 89° 58' West on a true line between Sec's. 5 & 8. Va. 14° 57' East
39.86	Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
79.72	The corner to Sec's. 5. 6. 7. & 8.

Land rolling Soil 2nd rate.

Fractional Township No. 12 North Range 54 West of the 6th Principal Meridian

West on a random line betw
Secs. 6 & 7
Va. 14° 37' East
40.00 Set post for temporary 1/4 Sec. Co
79.20 Intersect the west Boundary
the Township 14 lks north of
Post corner to Secs. 6 & 7. from
which corner bears North
54' East on a true line be
tween Secs. 6 & 7.
Va. 14° 37' East
39.20 Set charred post in mound
earth with pits as per instruc
tions for 1/4 Sec Cor,
79.20. The corner to Secs. 5, 6, 7 & 8.

Land gently rolling. 2nd rate

South on a true line between
Secs. 7 & 8.
Va. 14° 37' East
40.00 Set charred post in mound
of earth with pits as per in-
structions for 1/4 Sec. Cor.
80.00 Set lines bore 16 x 14 x 3 with
notches as per instructions
for corner to Secs. 7, 8, 17 & 18.

Land gently rolling. 2nd rate Soil

Fractional Township No. 12. North R. 54. West of the 6th Principal Meridian

East on a random line between Sec's. 8 & 17
Va. 14° 57' East

26.00 Drain 40 lks wide descends South

40.00 Set Stone for temporary 1/4 Sec. Cor.

79.72 Intersect the N. S. line 14 lks South of Post Corner to Sec's. 8.9.16 & 17 from which corner I run South 89° 54' West on a true line between Sec's. 8 & 17
Va. 14° 57' East

39.86 Set limestone 20. x 18 x 4 marked as per instructions for 1/4 Sec. Cor.

79.72 The corner to Sec's. 7.8.17 & 18.

Land hilly. Soil 3rd rate

West on a random line between Sec's 7 & 18.
Va. 14° 57' East

20.00 Drain 20 lks wide descends South

40.00 Set Stone for temporary 1/4 Sec. Cor.

79.24 Intersect the west Boundary of the Township 21 lks South of Post corner to Sec's. 7 & 18 from which corner I run South 89° 51' East on a true line between Sec's. 7 & 18
Va. 14° 57' East

39.24 Set limestone 18 x 16 x 3 marked as per instructions for 1/4 Sec. Cor.

79.24 The corner to Sec's 7.8.17 & 18

East half broken. West half rolling. Soil 3rd rate.

Fractional Township No 12 North 54 West of the 6th Principal Meridian

South on a true line bet. Sec's. 17 & 18.
Va. 14° 57 East

31.00 Drain 25 lks wide descends
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.20 Drain 50 lks wide descends
80.00 Set charred post in mound earth with pits as per instructions for Corner to Sec's. 17, 18, 19 & 20.

Land Rolling. Soil, 2nd rate

East on a random line between Sec's. 17 & 20
Va. 14° 57 East

40.00 Set Stone for temporary 1/4 Sec. Cor.
48.00 Drain 28 lks wide descends North
79.68 Intersect N & S line, 7 lks north of Post corner to Sec's. 16, 17, 20 & 21 from which corner I run North 89° 57' West on a true line between Sec's 17 & 20
Va. 14° 57 East
39.84 Set limestone 16x15x4 marked as per instructions for 1/4 Sec. Cor.
79.68 The corner to Sec's. 17, 18, 19 & 20

Land Rolling. Soil 2nd rate.

Fractional Township No. 12 North Rge. 54 West of the 6th Principal Meridian

West on a random line between Sec's 18 & 19.
Va. 14° 57' East
25.00 Drain 20 lks wide descends N
40.00 Set post for temporary 1/4 Sec. C
79.26 Intersect the West Boundary of the Township 9 links north of the corner to Sec's 18 & 19 from which corner I run North 89° 56' East on a true line between Sec's. 18, & 19.
Va. 14° 57 East
39.26 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.26 The corner to Sec's 17, 18. 19 &

Land rolling. Soil 2" rate.

South on a true line between Sec's. 19 & 20.
Va. 14° 57' East
Intersect the State line 16 chs & 50 lks east of the 77th mile Post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sec's 19 & 20.

Land rolling. Soil 2" rate
Sept 1st 1871

16

Frac

2.0

12.0

40.

47.

79.

39.

79.

General Description
This Township is composed
high rolling Prairie lan
mostly 2 rate cover
with a good gro
of grass and wel
tel for grazeing

A list of the names of the
individuals employed to

I hereby certify that the distance between the 73rd mile post and the 74th mile corner on the State Boundary between Nebraska and Colorado was measured under my directions by

Bennet T Yates
Frank Adams
John A. Steel
Junius Pillsbury
} Chainmen

as set fourth in the foregoing affidavit. The measurement was carefully made and the distance found to be sixty three chains ~~(60)~~ and eighty links

John. W. Daugherty
Deputy Surveyor

Sworn to before me and Subscribed in my Presence this 23d day of October 1871

Jam M Chapman
Notary Public Co
County Nebraska

Legal Description
This Township is composed

A list of the names of the individuals employed to

Daugherty U.S. Deputy [illegible]
Affidavits of Assistant
relating to Error on West
Boundary to wit

Bet. 10 & 11 Mile post length is
63.18 chs

and

Between 74 & 75 Mile posts the
length of Mile is 63.80 chs

and

the distance of Closing Cor. of fracts
Tps 14 & 15 R. 59 W. from the 15th
Mile Post on West Boundary is
24.24 chs.

Daugerty U.S. Deputy
Affidavits of Assistant
relating to Error on West
Boundary Tout.

We hereby certify that we were employed by John W. Daugherty U. S. Surveyor, as chainmen, to measure the distance between the 73rd mile Post and the 74th mile corner on the State Boundary between Nebraska and Colorado, and that by careful chaining, we found the exact distance to be (63) Sixty three chains, and (80) Eighty links.

Bennet T. Yates
Frank Adams
Jno A Steel
Francis Dillsbury

Subscribed in my presence and Sworn to before me a Notary Public in and for the County of Lincoln State of Nebraska this 3rd day October 1871

J. B. Park. Notary Public

General Description
This Township is composed
[illegible] Prairie lands

A list of the names of the
individuals employed to
assist in running measure

General Description
This Township is composed

A list of the names of the individuals employed to assist in running measuring or marking the lines and corner described in the foregoing field notes of fractional Township No 12 North of the base line Range No 54 West of the 6th Principal Meridian showing the respective capacities in which they acted

Bennet, T. Yates }
Frank Adams } Chainmen
John, R. Gordon }
Sanford, C. Carpenter } Axmen

We hereby certify that we assisted John W Daugher[illegible] Deputy Surveyor, in Subdivi[illegible] Fractional Township No 12 North of the Base Line Ra[illegible] No. 54 West of the 6" Princ[illegible] Meridian, State of Nebrask[illegible] and that said Township has been in all respects to the best of our Knowle[illegible] and belief, well and faith fully surveyed, and the Bo[illegible] ary monuments planted a[illegible] cording to the instructions furnished by the Surveyor Gen[illegible]

Bennet T. Yates
Frank Adams Chainmen
John R. Gordon
Sanford C Carpenter Agenor

Subscribed and Sworn to by the above na[illegible] persons, before me a Notary Public in the County of Lincoln, State of Nebraska 23" Day of October 1871

J N B Park
Notary Publ[illegible]

I, John W. Daugherty Deputy Surveyor, do solemnly swear that in pursuance of a joint contract, wherein John W. Daugherty and Dan S. Parmalee are joint Contractors with E. E. Cunningham. United States Surveyor General for the District of Iowa & Nebraska bearing date the 20" Day of May 1871, I have well faithfully and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the laws of the United States, surveyed all those parts or portions of Fractional Township No. 12 North of the Base Line, Range No. 54 West of the 6" Principal Meridian State of Nebraska, as are represented in the foregoing

Field Notes, as having been
Surveyed under my direct
and I do further solemnly
swear that all the corners
said Survey have been est
lished and perpetuated
strict accordance with
Surveying Manual & prin
instructions, and that the
foregoing are the true and
original field Notes of sa
Survey

John W. Daugherty
Deputy Survey

Subscribed & sworn to
the above named person
before me a Notary Public
in & for Douglas County
State of Nebraska this
21st day of October 1871
R. T. Beall
Notary Public

Surveyor Generals Office
Plattsmouth Jany 27th 1872

The foregoing field Notes of the
Survey and Subdivision of Township
No 12 North of Base line
of Range 54 West 6th P.M.
Executed by John W. Daugherty
under Joint Contract 42.
Wherein John W. Daugherty
and Dan S. Parmelee or Joint
Contractors in the Months
of August and September
1871. having been critically
Examined the Necessary
Corrections and Explanations
Made the said field Notes
and surveys they describe
are hereby approved
E. E. Cunningham
Surveyor General

Field notes of the Subdivision lines in Township 13 North Range 54 west of the 6th Principal Meridian in the State of Nebraska, Surveyed by John. W. Daugherty, Deputy Surveyor.

Commenced, July 28th 1871
Concluded, Aug 3rd "

Names and duties of assis-
ants employed in subdiv-
ing Township 13 north R.
54 West of the 6th Princip-
Meridian in the State of
Nebraska.

Bennet T. Yates }
Frank Adams } Chainmen

John R. Gordon }
Sanford. C. Carpenter } Axemen.

T. 13 N. R. 54 W

6	61	5	46	4	35	3	25	2	14	1
60		59		45		34		24		13
7	58	8	44	9	33	10	23	11	12	12
57		56		43		32		22		11
18	55	17	42	16	31½	15	21	14	10	1
54		53		41		31		20		9
19	52	20	40	21	30	22	19	23	8	24
51		50		39		29		18		7
30	49	29	38	28	28	27	17	26	6	25
48¾		48		37		27		16		5
31	47	32	36	33	26	34	15	35	4	36

To determine the proper adjustment of my Compass for Subdividing this Township. I commenced on the 3rd Standard Parallel. Corner to Township 13 North Ranges 53 & 54 West. and Ran North on a blank line along the East Boundary of Sec. 36

Va 15°. 9'. East.

40.06 To a point 10 lks west of the ¼ Sec. cor.

80.09 To a point 21 lks west of the corner to Sec's. 25 & 36.

To retrace this line or run parallel thereto my Compass, must be adjusted to a Variation of

15°. East.

Township 13 north Range 52 west of the 6th Principal Meridian

North between Secs 35 & 36
Va 15°. 0' East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 25. 26. 35 & 36.

Land Rolling. 2nd Rate.

East on a Random Line between Secs. 25 & 36.
Va 15°. 0' East.

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect East Boundary of Township 14 lks south of at corner to Secs 25 & 36. from which Draw South 89°. 54' west on a true line between Secs 25 & 36
Va 15°. 0' East.

40.00 Set charred Post in mound of earth with pits as per instructions. for 1/4 Sec. Cor.

80.00 The corner to Secs. 25. 26. 35 & 36

Land gently Rolling
2nd Rate.

Township 13 North Range 54 West of the 6th Principal Meridian

North between Secs. 25 & 26
Va 15°. 0' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 23. 24. 25. & 26.

Land gently Rolling
2nd Rate.

East on a Random Line between Secs. 24 & 25.
Va. 15°. 0' East.

40.00 Set Post for temporary 1/4 Sec. Cor.

79.82 Intersect the East Boundary of Township 11 1/2 lks South of Corner to Secs. 24 & 25. from which I raw South 89°. 55' West on a true line between Secs. 24 & 25.
Va 15°. 0' East.

39.91 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor

79.82 The corner to Secs 23. 24. 25. 26

Land Rolling 2 Rate

Township 13 north Range 54 West of the 6th Principal Meridian

North between Sec's 23 & 24
Va 15°. 0' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 13. 14. 23 & 24.

Land gently Rolling
2" Rate.

East on a Random line between Sections 13 & 24
Va 15°. 0' East.

40.00 Set post for temporary 1/4 Sec. Cor.

79.88 Intersect the East Boundary of the Township, at post, corner to Sec's. 13 & 24, from which Draw west on a true line between Sec's 13 & 24,
Va. 15°. 0'. East.

39.94 Set charred post in mound of earth with pits as per instructions. for 1/4 Sec. Cor.

79.88 The corner to Sec's. 13, 14, 23 & 24

Land gently Rolling
2" Rate.

Township 13 north Range 54 west of the 6th Principal Meridian

North between Secs 13 & 14
Va 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions. for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions. for corner to Secs 11, 12, 13 & 14

Land gently Rolling
2nd Rate.

East on a Random line between Secs. 12 & 13
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. cor

79.86 Intersect the East Boundary of Township 14 lks north of the corner to Secs 12 & 13 from which I draw ~~South~~ North 89° 54' west on a true line between Secs 12 & 13.
Va. 15°. 0'. East.

39.93 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

79.86 The corner to Secs. 11, 12, 13, 14

Land gently Rolling
2nd Rate

Township 13 north Range 54 West of the 6th Principal Meridian

North between Secs. 11 & 12
Va. 15°. 0'. East.

20.00 Drain 40 lks wide descend 8.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 1. 2. 11 & 12.

Land gently Rolling
2nd Rate.

East on a Random line between Secs. 1 & 12
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.00 Intersect East Boundary of Township 16 1/3 lks north of the Corner to Secs. 1 & 12. from which I run north 89°. 53' West on a true line between Secs. 1 & 12.
Va. 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 1. 2. 11. & 12.

Land gently Rolling
2nd Rate

28th July 1871

Township 13 North Range 5 West of the 6th Principal Meridian

North on a Random line between Secs. 1 & 2
Va. 15°. 0' East.

40.00 Set Post for temporary 1/4 Sec.

79.85 Intersect the North Boundary of Township, at Post Corner to Secs 1 & 2 from which I run South on a true line between Secs 1 & 2.

Va 15°. 0'. East.

39.85 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.85 The corner to Secs. 1. 2. 11 & 12

Land gently Rolling
2d Rate

North between Secs. 34 & 35
Va 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred Post in mound of earth with pits as per instructions for Corner to Secs. 26. 27. 34 & 35.

Land Gently Rolling
2d Rate.

Township 13 North Range west of the 6th Principal Meridian

East on a Random Line
tween Sec's. 26 & 35
Va 15°. 0'. East.
40.00 Set Post for temporary 1/4 Sec.
80.28. Intersect N. & S. Line at Post,
ner to Sec's 25. 26. 35 & 36.
from which I ran west,
a true line between Sec's.
26 & 35.
Va 15°. 0'. East.
40.14 Set charred Post in mound
of earth with pits as per in
structions for 1/4 Sec. cor.
80.28 The corner to Sec's. 26. 27. 34 &

Land gently Rolling
2nd Rate

north between Sec's 26 & 27
Va 15°. 0' East.
40.00 Set charred Post in mound
of earth, with pits as per
instructions for 1/4 Sec. Cor.
80.00 Set charred Post in mound
of earth with pits as per
instructions for corner to
Sec's. 22. 23. 26 & 27.

Land gently Rolling
2nd Rate.

Township 13 north Range

East on a Random line
tween Secs. 23 & 26
Va 15°. 0'. East.
40.00 Set Post for temporary 1/4 Sec.
80.12 Intersect N & S. Line 7 lks South of Po
Corner to Sec's 23. 24. 25. 26
from which I ran South 89°
a true line between Sec's 23
Va 15°. 0'. East.
40.06 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Co
80.12 The corner to Sec's. 22, 23, 26

Land Rolling. 2" Rate.

east of the 6" Principal Meridian

north between Sec's. 22 & 23
Va 15°. 0'. East.
40.00 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
80.00 Set Charred Post in mound
of earth with pits as per
instructions for corner to
Sec's. 14. 15. 22 & 23

Land Rolling 2" Rate

Township 13 North Range 5 East of the 6th Principal Meridian

East on a Random line between Sec's. 14 & 23.
Va 15°. 0' East.

40.00 Set Post for temporary 1/4 Sec
80.00 Intersect N. & S. Line, South of 7 lks
Corner to Sec's. 13. 14. 23 & 2
from which I ran South 89° 57' west
a true line between Sec
14 & 23.
Va 15°. 0'. East.

40.00 Set charred post in mo
of earth with pits as p
instructions for 1/4 Sec.
80.00 The corner to Sec's. 14. 15. 22

Land Rolling 2" Rate

North between Sec's. 14 & 15
Va 15°. 0' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor
80.00 Set Limestone 14 x 12 x 4 marked as per instructions for corner to Sec's. 10. 11. 14 & 15

Land gently Rolling
2" Rate.

Township 13 north Range [illegible]est of the 6" Principal Meridian

East on a Random Line
tween Sec's. 11 & 14
Va. 15°. 0'. East.
40.00 Set Post for temporary 1/4 Sec.
80.00 Intersect N. & S. Line. 9 lks, p[illegible]
Corner to Sec's. 11. 12. 13 & 1[illegible]
from which I ran South 89° [illegible]
on a true line between [illegible]
11 & 14
Va 15°. 0'. East.
40.00 Set charred post in mound
of earth. with pits as per
Structions for 1/4 Sec. Cor.
80.00 The corner to Secs. 10. 11. 14 & [illegible]

Land gently Rolling
2" Rate

north between Sec's. 10 & 11
Va 15°. 0'. East.
13.00 Drain 25 lks wide Descends E.
40.00 Set charred post in mound
of earth with pits as per in
Structions for 1/4 Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instruc
tions. for corner to Sec's.
2. 3. 10. & 11.

Land Rolling. 2" Rate.

July 29" 1871

Township 13 North. Range 8 West. of the 6th Principal meridian

East on a Random Line between Sec's. 2 & 11
Va 15°. 0'. East.

40.00 Set ~~charred~~ post for temporary 1/4 Sec. Cor.

79.80 Intersect N. & S. Line. at pos. corner to Sec's. 1. 2. 11 & 12, from which I run West on a true line between Sections 2 & 11.
Va 15°. 0'. East.

39.90 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.80 The corner to Sec's. 2. 3. 10 & 11.

Land Rolling 2nd Rate

North on a Random line between Sec's. 2 & 3.
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

79.88 Intersect North Boundary of Township. 21 Lks west of post corner to Sec's. 2 & 3 from which I run South 0°.9' West on a true line between Sec's. 2 & 3.
Va. 15°. 0' East

39.88 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.88 The Corner to Sec's. 2. 3. 10 & 11

Land Rolling. 2nd Rate

North between Sec's. 33 & 34
Va 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

80.00 Set charred post in mound of earth with pits as per instructions, for corner to Sec's 27. 28. 33 & 34.

Land gently Rolling
2nd Rate.

East on a Random line between Sec's. 27 & 34
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor

80.00 Intersect N & S line. at Post corner to Secs. 26. 27. 34 & 35 from which Draw west on a true line between Sec's 27 & 34.
Va 15°. 0' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor

80.00 The corner to Sec's. 27. 28. 33 & 34

Land gently Rolling
2nd Rate

111

Township 13 North Range [illegible] West of the 6th Principal Meridian

North between Secs. 27 & 28
Va 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 21. 22. 27 & 28

Land gently Rolling
2nd Rate.

East on a Random line between Secs 22 & 27
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.00 Intersect N & S line 12 lks. North of Post corner to Secs 22. 23. 26. 27 from which I run North 89°. 55' West on a true line between Secs 22 & 27.
Va 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 21. 22. 27. 28

Land gently Rolling
2nd Rate.

Township 13 north Range West of the 6th Principal Meridian

North between Secs. 21 & 22
Va 15°. 0'. East.
40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 14 x 14 x 4 marked as per instructions for corner to Secs. 15. 16. 21. & 22.

Land gently Rolling
2nd Rate.

East on a Random line between Secs. 15 & 22
Va 15°. 0'. East.
33.00 Drain 20 lks wide descends N.E.
40.00 Set Post for temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. Line 14 lks South of Post corner to Secs 14. 15. 22 & 23
from which I run South 89° 59' West on a true line between Secs. 15 & 22
Va 15°. 0'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 The corner to Secs. 15. 16. 21. 22

Land Rolling 2nd Rate

Township 13 North Range 5W West of the 6th Principal Meridian

North between Sec's. 15 & 1
Va. 15°. 0'. East.

29.50 Drain 30 lks wide descend
40.00 Set Limestone 16 x 12 x 3 mark
as per instructions for 1/4 Sec
80.00 Set charred post in mound
of earth with pits as per
instructions for corner to
Sec's. 9. 10. 15 & 16.

Land Rolling Hills
3rd Rate.

East on a Random line
between Sec's. 10 & 15
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.
58.00 Drain 30 lks wide Descend N.E.
79.88 Intersect N & S Line at Post
Corner to Sec's. 10. 11. 14 & 15
from which Draw West
on a true line between
Sec's. 10 & 15.
Va 15°. 0'. East.
39.94 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
79.88 the corner to Sec's. 9. 10. 15. 16

Land Rolling 2nd Rate
July 31st 1871

Township 13 north Range 5 West of the 6th Principal Meridian

North between Secs. 9 & 10
Va. 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred Post in mound of earth with pits as per instructions for corner to Secs. 3.4.9. & 10.

Land gently Rolling
2nd Rate.

East on a Random line between Secs. 3 & 10
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.00 Intersect N. & S. Line 21 lks South of Post Corner to Secs. 2, 3, 10 & 11. South 89°. 51' West from which I run a true line between Secs. 3 & 10.
Va 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor

80.00 The corner to Secs. 3.4.9.10

Land gently Rolling 2
2nd Rate

Township 13 North Range 5 West of the 6th Principal Meridian

North on a Random line
between Secs. 3 & 4
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec.

80.09 Intersect the north Boundary
of Township at corner to
Secs. 3 & 4. from which
ran South on a true line
between Secs 3 & 4
Va 15°. 0' East.

40.09 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.

80.09 The corner to Secs. 3. 4. 9. 10

Land Rolling 2" Rate.

North between Secs 32 & 33
Va 15°. 0'. East.

40.00 Set charred post in mound of
earth with pits as per instruc-
tions for 1/4 Sec. Cor.

80.00 Set charred post in mound of
earth with pits as per instruc-
tions for corner to Secs. 28. 29.
32 & 33.

Land gently Rolling
2" Rate.

Township 13 north Range 54 East of the 6th Principal Meridian

East on a Random Line between Secs 28 & 33
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec.

80.06 Intersect N. & S. Line 12 links of East corner to Secs. 27.28.33 from which I run South 55' West on a true line between Secs. 28 & 33
Va 15°. 0'. East.

40.13 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.06 The corner to Secs. 28.29.32 &

Land gently Rolling
2" Rate.

North between Secs 28 & 29
Va 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per. instructions for 1/4 Sec. Cor.

80.00 Set charred Post in mound of earth with pits as per instructions for corner to Secs. 20. 21. 28 & 29.

Land Rolling 2" Rate

Township 13 North Range [illegible] East of the 6th Principal Meridian

East on a random line between Secs. 21 & 28
(Va 15°. 0'. East.

40.00 Set post for temporary 1/4 Sec. North of
80.19 Intersect N. & S. line 16 lks West
corner to Secs. 21, 22, 27 & 28
From which I draw North 89°. 0'. West
on a true line between Secs.
21 & 28.
Va 15°. 0'. East.

40.19 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
80.19 The corner to Secs. 20, 21, 28, &

Land Rolling 2" Rate

North between Secs. 20 & 21
Va 15°. 0'. East.

40.00 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec Cor
78.25 Drain 40 lks wide Descends. E.
80.00 Set charred post in mound
of earth with pits as per.
instructions for corner to Secs
16, 17, 20 & 21.

Land Rolling. 2" Rate

Township 13 north Range 5 West of the 6th Principal Meridian

East on a Random line between Secs 16 & 21.
Va 15°. 0'. East.

15.00 Drain 25 lks wide Descends N.
40.00 Set Post for Temporary 1/4 Sec.
80.00 Intersect N. & S. Line 12 lks S. of Post corner to Secs. 15.16.21 from which I saw South 55' West on a true line between Secs. 16 & 21.
Va 15°. 0'. East
40.00 Set charred Post in mound of earth with pits as per instructions, for 1/4 Sec. Cor.
80.00 The corner to Secs. 16.17. 20.21

Land Rolling 2d Rate.

North between Secs. 16 & 17
Va 15°. 0'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
40.03 Drain 25 lks wide Descends E.
80.00 Set charred Post in mound of earth with pits as per instructions for corner to Secs. 8. 9. 16. & 17.

Land Rolling 2d Rate.

Aug 1st 1871

Township 13 north Range West of the 6" Principal meridian

East on a Random line between Sec's. 9 & 16

Va. 15°. 0'. East

40.00 Set Post for temporary 1/4 Sec.

80.00 Intersect N & S. Line. 19 lks of Post corner to Sec's. 9.10.15. from which I ran South 89°. 52' west on a true line between Sec's. 9 & 16.

Va 15°. 0'. East

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor

80.00 The corner to Sec's. 8.9.16.17

Land Rolling 2" Rate.

north between Sec's. 8 & 9

Va 15°. 0'. East.

40.00 Set Lime Stone 14 x 14 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 4.5.8.& 9.

Land Rolling 2" Rate.

Township 13 north Range 1 east of the 6th Principal Meridian

East on a Random line between Secs. 4 & 9.
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec.

79.87 Intersect the N. & S. Line at 80.24 Corner to Sec's 3. 4. 9 & 10 from which I ran west on a true line, between Secs. 4
Va 15°. 0'. East.

39.93 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor. 40.24

79.87 The corner to Sec's. 4. 5. 8 & 9.

Land Rolling 2nd Rate

North on a Random Line between Secs. 4 & 5.
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.24 Intersect North Boundary of Township. 12 lks west of the Corner to Sec's. 4 & 5. from which I ran South 0°. 5' West. on a true line of between Secs. 4 & 5.
Va 15°. 0'. East.

40.24 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.24 The corner to Sec's. 4. 5. 8. & 9.

Land Rolling. 2nd Rate

North between Secs. 31 & 32
Va 15° 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for Corner to Secs. 29. 30. 31. 32.

Land gently Rolling
2d Rate.

East on a Random Line between Secs. 29 & 32.
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.00 Intersect N. & S. Line 5 lks North of post Corner to Secs. 28. 29. 32. 33 from which I run North 89°. 58' West on a true line between Secs. 29 & 32,
Va. 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 29. 30. 31. 32

Land gently Rolling
2d Rate

Township 13 north Range 1 east of the 6th Principal Meridian

West on a random line
between Secs. 30 & 31.
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 S
79.80. Intersect West Boundary
Township 28 lks North of
Post corner to Secs. 30 & 3
from which I run North
89° 48' East on a true line
between Secs. 30 & 31.
Va. 15°. 0. East.

39.80 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Co
79.80 The corner to Secs. 29, 30, 31,

Land Rolling 2nd Rate.

North between Secs. 29 & 30
Va 15°. 0'. East.

40.00 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.

80.00 Set charred Post in mound
of earth with pits as per
instructions for corner to Secs.
19, 20, 29, 30.

Land Rolling. 2nd Rate

Township 13 North Range West of the 6th Principal Meridian

East on a Random line between Secs. 20. & 29.
Va 15°. 0'. East.

38.50 Drain 25 lks wide Descends
40.00 Set Post for temporary 1/4 Sec
80.00 Intersect N. & S. Line 19 lks So
of Post corner to Secs. 20. 21.
from which I ran South
89° 52' west on a true line
between Secs. 20 & 29
Va 15°. 0'. East.

40.00 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
80.00 The corner to Secs. 19. 20. 29. 30

Land Rolling 2" Rate

West on a Random line between Secs. 19. & 30. Va 15° East

40.00 Set Post for temporary 1/4 Sec. cor.
79.82 Intersect West Boundary
of Township at post corner
to Secs. 19. & 30. from which
I ran East on a true line
between Secs. 19 & 30.
Va 15°. 0'. East.

39.82 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. cor.
79.82 The corner to Secs. 19. 20. 29. 30.

Land Rolling 2" Rate.

Aug. 2" 1871

Township 13 North Range [illegible] West of the 6th Principal Meridian

North between Sec's. 19 & [illegible]
Va 15°. 0'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

58.00 Drain 5 links wide. Descends E.

80.00 Set charred Post in mound of earth with pits as per instructions for corner to Sec's. 17. 18. 19. 20.

Land Rolling. 2nd Rate

East on a Random line between Sec's. 17 & 20 Va 15° E.

40.00 Set Post for temporary 1/4 Sec. Cor.

80.00 Intersect N & S. Line at Post corner to Sec's. 16. 17. 20 & 21 from which I run west on a true line between Sec's. 17 & 20
Va 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 17. 18. 19. 20.

Land Rolling 2nd Rate.

Township 13 north Range West of the 6th Principal Meridian

West on a Random line
between Secs. 18. & 19.
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec.

79.64 Intersect West Boundary
of Township. 16 1/3 lks South
of Post corner to Secs. 18 &
from which Drain South
89° 55' East. on a true
between Secs. 18 & 19.
Va. 15°. 0'. East.

39.64 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.

79.64 The corner to Secs. 17, 18, 19, &

Land Rolling 2nd Rate

North between Secs. 17 & 18.
Va 15°. 0'. East.

40.00 Set Limestone 16x14x4 marked
as per instructions for 1/4 Sec. Cor.

41.50 Drain. 25 lks wide Descends E.

80.00 Set charred Post in mound
of earth with pits as per
instructions for corner to
Secs. 7, 8, 17 & 18.

Land quite Rolling
2nd Rate.

Township 13 north Range 5 West of the 6th Principal Meridian

East on a Random line
between Sec's. 8 & 17
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec.
79.86 Intersect N. & S. Line 1/4 Mi
South of Post corner to Sec
8. 9. 16 & 17. from which
raw South 89°. 54' West
on a true line between
Sec's. 8 & 17.
Va 15°. 0'. East.

39.93 Set charred Post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
79.86 The corner to Sec's. 7. 8. 17. 18

Land Rolling. 2nd Rate.

West on a Random line
between Secs. 7 & 18.
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.
79.40 Intersect West Boundary of
Township 12 lks north of
Post corner to Sec's. 7. & 18
from which I raw North
89°. 55' East on a true line
between Sec's. 7 & 18
Va 15°. 0'. East.

39.40 Set charred Post in mound
of earth with pits as per in
structions for 1/4 Sec. Cor.
79.40 The corner to Sec's. 7. 8. 17. 18.

Land Rolling not Hilly
2nd Rate.

Township 13 North Range [illegible] West of the 6th Principal Meridian

North Between Secs. 7 & 8
Va 15°. 0'. East.

40.00 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 5.6.7.8.

Land gently Rolling 2nd Rate.

East on a Random line between Secs. 5 & 8
Va 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec Cor

79.96 Intersect N. & S. Line at Post corner to Secs. 4.5.8.& 9. from which I run west on a true line between Secs. 5 & 8
Va 15°. 0'. East.

39.98 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.96 The corner to Secs. 5.6.7 & 8.

Land Rolling 2nd Rate

Township 13 North Range 1 East of the 6th Principal Meridian

West on a Random line between Secs 6 & 7
Va. 15°. 0'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.
79.15 Intersect West Boundary of Township 14 lks north corner to Secs. 6 & 7. from which Draw North 89°. 5[illegible] East on a true between Secs. 6. & 7.
Va. 15°. 0'. East.
39.15 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec cor.
79.15 The corner. to Secs. 5.6.7.& 8

Land Rolling 2nd Rate

North on a Random line between Secs. 5 & 6.
Va 15°. 0'. East

37.00 Drain 40 lks wide descends N. E
40.00 Set Post for temporary 1/4 Sec. Cor.
80.13 Intersect North Boundary of Township at corner to Sec's. 5 & 6. from which Draw South on a true line between Sec's. 5 & 6
Va. 15°. 0'. East.
40.13 Set charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor
80.13 The corners to Sec's. 5.6.7.& 8.

Land Rolling 2nd Rate

Aug. 3rd 1871

The quality of the land in this Township is nearly all 2nd rate, high rolling Prairie, with a very good growth of grass, and well adapted for the purposes of grazing.
I discovered no water in the Township

A list of the names of the individuals employed to assist in running, measuring, or marking the lines and corners, discribed in the foregoing field notes of Township No. 13. North of the Base line, Range No. 54. west of the 6th Principal Meridian, Showing the respective capacities in which they acted.

Bennet T. Yates, }
Frank Adams } Chainmen

John R Gordon }
Sanford C Carpenter } Axemen

We hereby certify that we an
ed. John M. Daugherty. Deputy
Surveyor, in Sub dividing Downsh
No. 13. North of the Base Line. Ran
No. 54. West of the 6 Principal
Meridian, in the State of Nebras
and that said Township has been
in all respects, to the best of our
knowledge and belief. well and
faithfully Surveyed, and the Bo
ary monuments, planted accord
to the instructions furnished by th
Surveyor General.

Bennet T. Yates }
Frank Adams } Chainmen
John R. Gordon
Sanford C Carpenter Axemen

Subscribed & Sworn to by the
above named persons before me a
of the peace for the County of Cheye
and State of Nebraska this 23rd
of August A D 1871

Thos Kane
Justice

I. John M. Daugherty Deputy
Surveyor. do solemnly swear that,
in pursuance of a joint Contract
wherein John M. Daugherty and
Dan. S. Parmalee. are joint Con-
tractors with E. E. Cunningham
United States Surveyor General
for the District of Iowa and
Nebraska. bearing date the 20th
Day of May. 1871. I have well,
faithfully, and truly, in my own
proper person, and in strict
conformity with the instructions
furnished by the Surveyor Gen-
eral, the Surveying Manual
and the laws of the United
States surveyed the Subdivision
lines of Township No. 13 north of
the Base line. Range No. 54 west
of the 6th Principal Meridian, in
the State of Nebraska, as are
represented in the foregoing
Field Notes, as having been

surveyed under my direction; and I do further solemnly swear that all the Corners of said surveys have been established & perpetuated in strict accordance with the Surveying manual and printed instructions, and that the foregoing are the true and original field notes of such survey

John. W. Daugherty
Deputy Surveyor

Subscribed to by said John. W. Dougherty Dept Surveyor and sworn to before me, a Justic of the peace for the County of Cheyenne and State of Nebraska this 23d day of August AD 1871

Thos. Kane
Justic of the Pe

Surveyor Generals Office
Plattsmouth 3d Nov. 1871

The foregoing field Notes of the survey of the Subdivision of Township No 13 North of Base line of Range No 54 West 6th P.M. in the State of Nebraska Executed by John W. Daugherty Deputy Surveyor under Joint Contract No 42. Dated May 20th 1871. in the Months of July & August 1871. having been critically Examined & Explanations the Necessary Corrections Made the said field Notes and the surveys they describe are hereby approved

Nov. 3. 1871. E. E. Cunningham
Surveyor General

Field Notes of the Subdivision lines of ~~the~~ Townships No. 14 North of Range No. 54 West of the 6th Pr. Mn. in the State of Nebraska

Executed by Chas. Wimpff under Contract No. 28. bearing date July 10. 1869.

Commenced ~~Sept~~ Oct 27th 1869
Completed ~~Oct~~ Nov 4th 1869.

Names and duties of Assistants.

John Sarr } Chairmen
John Donahoe }
A. Schwarzberg - Mound man

For Page 43. T. 14 R. 54 W. see page 19. T. 15 R 54.
misplaced &c

6	63	5	47	4	36	3	23	2	12	1
62		61		46		35		22		11
7	60	8	45	9	34	10	21	11	10	12
59		58		44		33		20		9
18	57	17	43	16	32	15	19	14	8	1
56		55	Note	42		31		18		7
19	54	20	41	21	30	22	17	23	6	24
53		52		40		29		16		5
30	51	29	39	28	28	27	15	26	4	25
50		49		38		27		14		3
31	48	32	37	33	26	34	13	35	2	36

Note for balance of Township look page 19. T 15 R 54 W. - misplaced by Binder

Township 14 N Range 54 W

To determine the proper adjustment of my Compass for Subdividing this Township, I commenced at the ~~S.E. Cor of this Township between~~ Townships 13 and 14 N and run between Ranges 53 and 54 W North on a blank line along the East boundary of Sec. 36.
I found the Var. to be 15° 14' E

To Quarter Sec. Cor
To Cor of Secs. 25 and 36.

Township 14. N. Range 54. W

From the Cor to Secs 1.2.35 36. on the South boundary of the Township. I run North. between Secs 35 and 36.

Var 15° 12' E

40.00 Set post. deposit Charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit Charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs 25.26.35 and 36.

Land level

Soil 3rd rate.

Township 14. N. Range 54 W.

East on a random line between Secs 25 and 36.

Var 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor.

70.10 Intersect East Boundary of Township 22 links South of Cor to Secs 25 and 36. from which Cor. I run South 89° 51' West on a true line between Secs 25 and 36.

Var 15° 12' E

40.05 Set post. deposit charred Stake. raise mound of earth with pits. as per. instructions for 1/4 Sec. Cor.

80.10 The Cor to Secs 25.26.35 and 36.

Land level

Soil 3rd rate.

Township 14. N. Range 54. W.

North. on a true line
between Secs 25 and 26.
Var 15° 12' E

40.00 Set post. deposit Charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4 Sec. Cor
80.00 Set post. deposit Charred
Stake. raise mound of
earth. with pits as
per instructions for
Cor to Secs 23 and 24 & 25 and 26

Land level

Soil 3rd rate.

Township 14. N. Range 54. W.

East. on a random line
between Secs 24 and 25.
Var 15° 12' E

40.00 Set post. ~~for temporary 1/4 Sec~~
~~Cor.~~
80.10 Intersect East Boundary of
Township 30 links South of
Cor to Secs 24 and 25. from
which Cor I run South 89° 47'
West on a true line between
Secs 24 and 25
Var 15° 12' E
40.15 Set post. deposit charred
Stake. raise mound of
earth with pits. as per
instructions for 1/4 Sec. Cor
80.10 The Cor to Secs 23. 24. 25 and 26

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~
between Sec's 23 and 24.
Var. 15° 12' E

35.00 Enter ~~bluffs~~ bottom bears E and W
40.00 Set post deposit Charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4 Sec. Cor.
50.00 Bottom of dry Creek ~~E and W~~ drains
55.00 Bluffs. bear E and W & leave bottom
80.00 Set post. deposit Charred
Stake. raise mound of
earth. with pits. as per
instructions for Cor to
Sec's 13. 14. 23 and 24.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W.

East. on a random line
between Sec's 13 and 24.
Var. 15° 12' E

[illegible].00 Set post. for temporary 1/4
Sec. Cor
[illegible].00 Intersect East Boundary
of Township 12 links North
of Cor to Sec 13 and 24. from
which Cor I run North 89° 55'
West. on a true line between
Sec's 13 and 24.
Var 15° 12' E
40.00 Set post. deposit charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4 Sec. Cor.
80.00 The cor to Sec's 13. 14. 23 and 24.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a true line between Secs 13 and 14.

Var. 15" 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raise mound of earth. with pits, as per instructions for Cor to Secs 11. 12. 13 and 14.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W.

East. on a random line between Secs 12 and 13.

Var. 15" 12' E

[illegible]0.00 Set post for temporary 1/4 Sec. Cor

[illegible]9.96 Intersect the East Boundary of Township 10 links North of Cor. to Secs 12 and 13. from which Cor. I run North 89° 56' West. on a true line between Secs 12 and 13

Var 15" 12' E

[illegible]9.98 Set post. deposit charred Stake. raise mound of earth. with pits, as per instructions for 1/4 Sec. Cor

[illegible]79.96 The Cor to Secs 11. 12. 13 and 14.

Land rolling

Soil 3rd rate.

...insion of
...th
...t
...ate of Nebraska
Dep. Surv.
4th. 1870.
...r. General
...Nebraska.
Aug. 5. 1870
" 10. 1870.

Township 14. N. Range 54. W

North. on a ~~true line~~ between Secs 11 and 12.
Var. 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raised mound of earth. with pits. as per instructions for Cor to Secs 1, 2, 11 and 12.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W.

East. on a random line between Secs 1 and 12.
Var. 15° 17' E

40.00 Set post for temporary 1/4 Sec. Cor

79.90 Intersect East Boundary of Township 10 links South of Cor to Secs 1 and 12. from which Cor I run South 89° 56' West on a true line between Secs 1 and 12
Var 15° 17' E

79.95 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

159.90 The Cor to Secs 1, 2, 11 and 12

Land rolling

Soil 3rd rate.

...sion of
...
...
...

Township 14. N. Range 54. W.

North. on a random line between Secs 1 and 2

Var 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.08 Intersect North Boundary of Township 10 links West of Cor to Secs 1 and 2. from which Cor I run South ~~00°04'~~ ~~East~~ W. on a true line between Secs 1 and 2.

Var 15° 12' E

40.08 Set post. deposit charred Stake. raise mound of earth. with pits as per instructions for 1/4 Sec. Cor.

80.08 The Cor to Secs 1. 2. 11 and 12.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W.

North. ~~on a true line~~ between Secs 34. and 35.

Var. 15° 12' E.

40.00 Set post. deposit charred Stake. raised mound of earth with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs 26. 27. 34 and 35.

Land level

Soil 3rd rate.

...inision of
...th
...t
...ate of Nebraska
...Dep. Surv.
...4th. 1870.
...Gen. General
...Nebraska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 26 and 35

Var. 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect North and South line 9 links South of Cor to Secs 25. 26. 35 and 36. from which Cor I run South 89° 56' West on a true line between Secs 26 and 35.

Var 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.

80.00 The Cor to Secs 26. 27. 35 and 36.

Land level

Soil 3rd rate.

Township 14. N. Range 54. W.

North. ~~on a true line~~ between Secs 26 and 27.

Var. 15° 12' E

40.00 Set post. raised mound of earth. deposit charred Stake. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred Stake. raise mound of with pits. as per instructions for Cor to Secs 22. 23. 26 and 27

Land rolling

Soil 3rd rate.

...ivision of
...th
...t
...ate of Nebraska
...s. Dep. Surv.
...4th. 1870.
...Surv. General
...Nebraska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 23 and 26.
Var. 15" 12' E

40.00 Set post for temporary 1/4 Sec. Cor.

80.12 Intersect North and South line 11. links North of Cor to Secs 23. 24. 25 and 26 from which Cor. I run North 89° 55'
West. on a true line between Secs 23 and 26
Var 15" 12' E

40.06 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.

80.12 The Cor to Secs 22. 23. 26 and 27

Land level

Soil 3rd rate.

Township 14. N. Range 54. W.

North. ~~on a true line~~ between Secs 22 and 23.
Var. 15" 12' E

[illegible] Entry bottom bears. ~~Bluffs~~ E and W

[illegible] Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

[illegible] Bottom of dry creek ~~E and W.~~ drains

[illegible] to Bluffs bearing E and W. & leave bottom

[illegible] Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for Cor to Sec. 14. 15. 22 and 23.

Land. Middle 40ch Sandy

Soil 3rd rate.

...ivision of
...th
...t
...State of Nebraska
...s. Dep. Surv.
...4th. 1870.
...Surv. General
...Nebraska.
...d Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 14 and 23.
Var. 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.

80.00 Intersect North and South line 12. links North of Cor to Secs 13. 14. 23 and 24 from which Cor. I run North 89° 55' West on a true line between Secs 14 and 23.
Var 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 The Cor to Secs 14. 15. 22 and 23.

Sand rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a true line between Secs 14 and 15
Var 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs 10. 11. 14 and 15

Sand rolling

Soil 3rd rate.

Division of
orth
ut
State of Nebraska
ns, Dep. Sur.
ug. 4th. 1870.
Sur. General
Nebraska.
ed Aug. 5. 1870
to " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 11 and 14.

Var 15° 12' E

40.00 Set post. for temporary 1/4 Sec. Cor

80.14. Intersect North and South line 20 links North of Cor to Secs 11. 12. 13 and 14. from which Cor. I run North 89° 51' West. on a true line between Secs 11 and 14.

Var 15° 12' E

40.07 Set post. deposit charred Stake. raise mound of earth with pits, as per instructions for 1/4 Sec. Cor.

80.14 The Cor to Secs 10. 11. 14 and 15

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a true line between Secs 10 and 11.

Var 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth with pits, as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raise mound of earth. with pits, as per instructions for Cor to Secs 2. 3. 10 and 11

Land rolling

Soil 3rd rate.

...bdivision of
...rth
...est
...State of Nebraska
...ows, Dep. Surv.
...ug. 4th. 1870.
...Surv. General
...f Nebraska.
...ed Aug. 5. 1870
...ted " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Sec's 2 and 11.

Var 15" 12' E

40.00 Set post. for temporary Sec. Cor. 1/4
50.00 Bottom Dry branch. N E ~~and S W~~
70.00 Bottom Dry branch. N ~~and S~~
80.10 Intersect North and South line 20. links South of Cor to Sec's 1. 2. 11 and 12. from which Cor I run South 89° 51' West. on a true line between Sec's 2 and 11.

Var 15" 12' E

40.05 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.
80.10 The Cor to Sec's 2. 3. 10 and 11

Land hilly

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a random line between Sec's 2 and 3.

Var. 15" 12' E

40.00 Bottom of dry branch. N E ~~and S W~~
40.00 Set post for temporary 1/4 Sec. Cor
40.08 Intersect North Boundary of Township 14 links West of Cor to Sec's 2 and 3. from which Cor. I run South 00° 06' ~~East.~~ West on a true line between Sec's 2 and 3.

Var 15" 12' E

40.08 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor
80.08 The Cor to Sec's 2. 3. 10 and 11

Land hilly

Soil 3rd rate.

...bdivision of
...orth
...West
... State of Nebraska
...lows, Dep. Surv.
...Aug. 4th. 1870.
... Surv. General
... of Nebraska.
...ed Aug. 5. 1870
...ted " 10. 1870.

Township 14. N. Range 54. W

Over

Township 14. N. Range 54. W

Over

subdivision of
North
West
the State of Nebrask

Fellows, Dep. Sur.
of Aug. 4th. 1870.
tor. Sur. General
ra & Nebraska.

menced Aug. 5. 1870
pleted " 10. 1870.

North. on a true line between Secs 33 and 34.
Var. 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred Stake. raise mound of earth. with pits as per instructions for Cor to Sec 27. 28. 33 and 34.

Land rolling

Soil 3rd rate.

East. on a random line between Secs 27 and 34.
Var 15° 12' E

0.00 Bottom of dry branch N and S (arrows)

0.00 Set post for temporary 1/4 Sec. Cor.

79.92 Intersect North and South line at cor to Secs 26. 27. 34 and 35. from which cor 3 rem Wes. bet. Secs. 27 and 34.
Var 15° 12' E

79.96 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec Cor

79.92 The cor to Secs 27. 28. 33 and 34.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~
between Secs 27 and 28.
Var 15° 12' E

20.00 Bottom of dry branch dreams N E ~~and S W~~
40.00 Set post. deposit charred
Stake. raise mound of
earth with pits. as per
instructions for 1/4 Sec. Cor.
47.00 Bottom of dry branch dreams N W ~~and S E~~
58.00 Bottom of dry branch dreams N E ~~and S W~~
80.00 Set post. deposit charred
Stake. raise mound of
earth. with pits. as per
instructions for Cor to
Secs 21. 22. 27 and 28.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line
between Secs 22 and 27
Var. 15° 12' E

[illegible].00 Bottom of dry branch dreams ~~N and S~~
[illegible].00 Set post for temporary 1/4
Sec. Cor.
[illegible].10 Intersect North and South
line 16. links North of Cor
to Secs 22. 23. 26 and 27. from
which Cor. I run North 89° 53'
West. on a true line between
Secs 22 and 27
Var 15° 12' E

[illegible]40.05 Set post. deposit charred
Stake. raise mound of
earth. with pits. as per
instructions for 1/4. Sec. Cor.
80.10 The Cor to Secs 21. 22. 27 and 28.

Land hilly

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a true line between Sec's 21 and 22.

Var. 15°12'E

5.00	Enter bottom bears ~~Bluffs~~ NE and SW
9.00	Bottom of branch (dry) E ~~and W~~ dreams
36.00	Bluffs. bear NE and SW & leave bottom
40.00	Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor.
80.00	Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for Cor to Sec's 15. 16. 21 and 22

Land hilly & rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Sec's 15 and 22.

Var. 15°12'E

0.00	Set post for temporary 1/4 Sec. Cor
4.00	Bottom of dry branch. ~~N and~~ dreams S
0.00	Intersect North and South line 14 links South of Cor to Sec's 14. 15. 22 and 23. from which Cor. I run South 89°54' West. on a true line between Sec's 15 and 22

Var 15°12'E

40.00	Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor
80.00	The cor to Sec's 15. 16. 21 and 22

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~ between Sec's 15 and 16.

Var. 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.

80.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Sec's 9.10.15 and 16.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Sec's 10 and 15

Var 15° 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4. Sec. Cor

80.10 Intersect North and South line 17 links North of Cor to Sec's 10.11.14. and 15. from which Cor I run North 89° 53' West. on a true line between Sec's 10 and 15

Var 15° 12' E

40.05 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.10 The Cor to Sec's 9.10.15 and 16.

Land rolling

Soil 3rd rate.

...sion of
...
...
...to of Nebraska
...Dep. Sur.
...4th. 1870.
...r. General
...Nebraska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

North. ~~on a random line~~ between Secs 9 and 10.

Var 15" 12' E

40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for Cor to Secs 3. 4. 9 and 10

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Secs 3 and 10

Var 15" 12' E

[illegible].00 Set post for temporary 1/4 Sec. Cor

[illegible].00 Bottom of dry branch drains N ~~and S~~

[illegible].20 [illegible].20 Intersect North and South 11. links North of Cor to Secs 2. 3. 10 and 11. from which Cor. I run North 89° 55' West. on a true line between Secs 3 and 10.

Var 15" 12' E

[illegible].10 [illegible].10 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

[illegible].20 [illegible].20 The cor to Secs 3. 4. 9 and 10

Land rolling

Soil 3rd rate

[illegible]sion of

[illegible]to of Nebraska

Dep. Sur.

4th. 1870.

[illegible]r. General

[illegible]ebraska.

Aug. 5. 1870

" 10. 1870.

Township 14. N. Range 54. W

North. on a random line
between Secs 3 and 4.
Var 15° 12' E

40.00 Set post for temporary
1/4 Sec. Cor.

80.17 Intersect North Boundary
of Township 21 links East
of Cor to Secs 3 and 4. from
which Cor I run South 80.17
East. on a true line
between Secs 3 and 4
Var 15° 12' E

40.17 Set post. deposit charred
stake, raise mound of
earth. with pits. as per
80.17 instructions for 1/4 Sec. Cor
The Cor to Secs 3. 4. 9 and 10

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a true line
between Secs 3 2 and 33.
Var 15° 12' E

40.00 Set post. deposit charred
stake, raise mound of
earth. with pits. as per
instructions for 1/4. Sec. Cor.

80.00 Set post. deposit charred
stake, raise mound of
earth. with pits. as per
instructions for Cor to
Secs 28. 29 32 and 33.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Secs 28 and 33
Var. 15° 12' E

35.00 Bottom of dry branch drains NE ~~and~~ 24
40.00 Set post for temporary 1/4 Sec. Cor.
80.16 Intersect North and South line 24. links South of Cor to Secs 27. 28. 33 and 34. from which Cor I. run South 89° ~~49~~ 50'
West on a true line between Secs 28 and 33.
Var 15° 12' E
40.08 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.
80.16 The Cor to Secs 28. 29. 32 and 33.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~ between Secs 28 and 29
Var. 15° 12' E
40.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor
80.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor. to Secs 20. 21. 28 and 29

Land rolling

Soil 3rd rate.

...on of
...of Nebraska
...ep. Sur.
...th. 1870.
...r General
...braska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 21 and 28
Var. 15° 12' E

~~40.00 Bluffs~~
40.00 Set post for temporary 1/4 Sec. Cor
80.25 Intersect North and South line 24 links North of Cor to Secs 21, 22, 27 and 28. from which Cor. I run North 89° ~~49~~ 50'
West. on a true line between Secs 21 and 28
Var 15° 12' E
40.12½ Set post. deposit Charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor.
80.25 The cor to Secs 20. 21. 28 and 29.

Land hilly

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~ between Secs 20 and 21
Var. 15° 12' E

~~Bluffs~~ Enter bottom bears E and W
Bottom of dry branch, arrows E ~~and W~~
Set post. deposit Charred Stake, raise mound of earth with pits. as per instructions. for 1/4 Sec. Cor
To Bluffs, arrows E and W & leave bottom
Set post. deposit Charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 16. 17. 20 and 21.

Land hilly

Soil 3rd rate.

...ion of
...of Nebraska
Dep. Sur.
...th. 1870.
...r. General
...braska.
Aug. 5. 1870
" 10. 1870.

East. on a random line between Secs 16 and 21.
Var. 15" 12' E

40.00 Set past for temporary 1/4 Sec. Cor

80.16 Intersect North and South line 20. links North of Cor to Secs 15. 16. 21 and 22 from which Cor I run North 89° 51'

West. on a true line between Secs 16 and 21
Var 15" 12' E

40.08 Set past. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.16 The Cor to Secs 16. 17. 20 and 21

Land rolling

Soil 3rd rate.

North. ~~on a true line~~ between Secs 16 and 17.
Var. 15° 12' E

0.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

0.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 8. 9. 16 and 17

Land rolling

Soil 3rd rate.

...ion of
...w of Nebraska
Dep. Sur.
4th. 1870.
...r. General
...ebraska.
Aug. 5. 1870
" 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 9 and 16.
Var. 15" 12' E

40.00 Set post for temporary 1/4 Sec. Cor

79.96 Intersect North and South line 10. links North of Cor to Secs 9, 10, 15 and 16. from which Cor I run North 89" 56'

West. on a true line between Secs 9 and 16
Var 15" 12' E

39.98 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

79.96 The comm to Sec. 8, 9, 16 & 17

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. ~~on a true line~~ between Secs 8 and 9.
Var. 15" 12' E

0.00 Set post. deposit charred Stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

0.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 4. 5. 8 and 9.

Land rolling

Soil 3rd rate.

sion of

to of Nebraska

Dep. Surv.
4th. 1870.
Gen. General
Nebraska.

Aug. 5. 1870
" 10. 1870.

East. on a random line between Secs 4 and 9.

Var. 15° 12' E

40.00 Set past. ~~deposit charred Stake, raise mound of earth with pits, as per instructions~~ for temporary 1/4 Sec. Cor

52.00 Bottom of dry branch ~~N and S~~ drains

79.86. Intersect North and South line 8. links North of Cor to Secs 3. 4. 9 and 10. from which Cor. I run North 89° 57' West. on a true line between Secs 4 and 9

Var. 15° 12' E

39.93 Set past. deposit charred Stake, raise mound of earth with pits, as per instructions for 1/4 Sec. Cor

79.86 The Cor to Secs 4. 5. 8 and 9

Land hilly

Soil 3rd rate.

North on a random line between Secs 4 and 5.

Var 15° 12' E

40.00 Set past for temporary 1/4 Sec. Cor

40.06 Intersect North Boundary of Township 24. links East of Cor to Secs 4 and 5. from which Cor. I run South ~~AA~~ 10' East. on a true line between Secs 4 and 5

Var 15° 12' E

40.06 Set past. deposit charred Stake, raise mound of earth with pits, as per instructions for 1/4 Sec. Cor

40.06 The Cor to Secs 4. 5. 8 and 9.

Land rolling

Soil 3rd rate.

...sion of
...
...to of Nebraska
Dep. Sur.
4th. 1870.
...r. General
Nebraska.
Aug. 5. 1870
" 10. 1870.

Township 14. N. Range 54. W

North. ~~on a true line~~ between Secs 31 and 32.
Var 15° 12' E

40.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor

80.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for to Secs 29. 30. 31. and 32

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Secs 29 and 32.
Var 15° 12' E

.00 Set post for temporary 1/4 Sec. Cor

.00 Intersect North and South line 22. links South of Cor to Secs 28. 29. 32 and 33. from which I run South 89° 58' West. on a true line between Secs 29 and 32
Var 15° 12' E

.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4. Sec. Cor

.00 The Cor to Secs 29. 30. 31 and 32

Land rolling

Soil 3rd rate.

...ion of

...of Nebraska

Dep. Surv.
4th. 1870.
...r. General
...ebraska.

Aug. 5. 1870
" 10. 1870.

Township 14. N. Range 54. W

West. on a random line between Secs 30 and 31.
Var 15° 12' E

40.00 Set post for temporary 1/4. Sec. Cor

78.40 Intersect West Boundary of Township 11. links South of Cor. to Secs 30. and 31. from which Cor. I run ~~North~~ S. 89° 55' East. on a random line between Secs 30 and 31
Var 15° 12' E

38.40 Set post. deposit charred Stake. raised mound of earth. with pits. as per instructions for 1/4. Sec. Cor

78.40 The Cor to Secs 29. 30. 31 and 32.

Land rolling

Soil 3rd rate.

Township 14. N Range 54. W

North. ~~on a true line~~ between Secs 29 and 30
Var. 15° 12' E

40.00 Set post. Deposit charred Stake. raised mound of earth with pits. as per instructions for 1/4 Sec. Cor

38.00 Enter bottom bears ~~Bluffs~~ E and W

40.00 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 19. 20. 29 and 30. in Bottom of dry branch ~~NW~~ bears SE.

Land rolling

Soil 3rd rate.

...ion of
...of Nebraska
...Dep. Surv.
...th. 1870.
...r General
...braska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

East. on a random line between Secs 20 and 29.
Var 15° 12' E

12.00 Bottom of dry branch dreams N ~~and~~ S.
40.00 Set post. for temporary 1/4 Sec. Cor
45.00 Bottom of dry branch dreams ~~N and~~ S
58.00 Bottom of dry branch dreams ~~N and~~ S
75.00 - Year Bottom bears N.E.
80.20 Intersect North and South line 20. links South of cor to Secs 20. 21. 28 and 29. from which Cor I run South 89° 51'
West. on a true line between Secs 20 and 29
Var 15° 12' E
40.10 Set post. deposit charred Stake. raise mound of earth with pits, as per instructions for 1/4 Sec. Cor
80.20 The cor to Secs 19. 20. 29 and 30

Land hilly
Soil 3rd rate.

Township 14. N. Range 54. W

West. on a random line between Secs 19 and 30.
Var 15° 12' E
40.00 Set post for temporary 1/4 Sec. Cor.
78.45 Intersect West Boundary of Township. 10. links South of Cor to Secs 19 and 30. from which Cor I run ~~North~~ S 89° 56'
East. on a true line between Secs 19 and 30
Var 15° 12' E
78.45 Set post. deposit charred Stake raised mound of earth with pits. as per instructions for 1/4 Sec. Cor
78.45 The cor to Secs 19. 20. 29 and 30

Land hilly
Soil 3rd rate.

...ission of
...
...
...ate of Nebraska
...Dep. Surv.
...4th. 1870.
...Gen. General
...Nebraska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

North. ~~on a true line~~
between Secs 19 and 20.
Var 15° 12' E

18.00 To Bluffs E and W (Bearing) (leave bottom)
40.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor
80.00 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for Cor to Secs 17. 18. 19 and 20.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line
between Secs 17 and 20.
Var 15° 12' E

40.00 Set past for temporary 1/4 Sec. Cor
79.85 Intersect North and South line 14. links South of Cor to Secs 16. 17. 20 and 21. from which Cor I run South 89° 54' West. on a true line between Secs 17 and 20.
Var 15° 12' E

79.92½ Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor
79.85 The Cor to Secs 17. 18. 19 and 20

Land rolling

Soil 3rd rate.

...vision of
...h
...t
...ate of Nebraska
...Dep. Sur.
...4th. 1870.
...d. General
...Nebraska.
...Aug. 5. 1870
... " 10. 1870.

Township 14. N. Range 54. W

West on a random line between Secs 18 and 19.
Var 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor

78.50 Intersect West Boundary of Township 16. links North of Cor. to Secs 18 and 19. from which Cor. Iron ~~South~~ N. 89° 53' East on a true line between Secs 18 and 19.
Var 15° 12' E

~~39.25~~ 38.50 Set post. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor.

78.50 The Cor. for Secs 17. 18. 19 and 20

Land rolling
Soil 3rd rate.

Township 14. N. Range 54. W

North on a true line between Secs 17 and 18.
Var 15° 12' E

40.00 Set post. deposit charred Stake. raised mound of earth with pits. as per instructions for 1/4 Sec. Cor

80.00 Set post. deposit charred Stake. raised mound of earth with pits. as per instructions for Cor to Secs 7. 8. 17 and 18.

Land rolling
Soil 3rd rate

Township 14. N. Range 54. W

East. on a random line between Secs 8 and 17

Var 15° 12' E

40.00 Set past. for temporary 1/4 Sec. Cor.

79.80 Intersect North and South line 11. links North of Cor to Secs 8. 9. 16 and 17. from which Cor. I run North 89° 55' West. on a true line between Secs 8 and 17.

Var 15° 12' E

39.90 Set past. deposit charred Stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

79.80 The cor to Secs 7. 8. 17 and 18.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

West. on a random line between Secs 7 and 18.

Var 15° 12' E

40.00 Set past. for temporary 1/4 Sec. Cor

78.60 Intersect West Boundary of Township 14. links North of Cor. to Secs 7 and 18. from which Cor I run ~~South~~ N. 89° 54' East. on a true line between Secs 7 and 18.

Var 15° 12' E

78.60 Set past. deposit charred Stake. raised mound of earth with pits. as per instructions for 1/4 Sec. Cor

78.60 The cor to Secs 7. 8. 17 and 18

Land rolling

Soil 3rd rate.

...sion of
...
...to of Nebraska
Dep. Surv.
4th. 1870.
...r. General
...braska.
Aug. 5. 1870
" 10. 1870.

Township 14. N. Range 54. W

North. on a true line between Secs 7 and 8.
Var 15° 12' E

40.00 Set past. deposit charred Stake. raised mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.00 Set past. deposit charred Stake. raised mound of earth. with pits. as per instructions for Cor to Secs 5. 6. 7 and 8.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

East. on a random line between Secs 5 and 8.
Var 15° 12' E

0.00 Set past. for temporary 1/4 Sec. Cor

0.04 Intersect North and South line 10. links South of Cor to Secs 4. 5. 8 and 9. from which Cor I run South 89° 56' West. on a true line between Secs 5 and 8.
Var 15° 12' E

40.02 Set past. deposit charred Stake. raised mound of earth. with pits. as per instructions for 1/4 Sec. Cor

80.04 The Cor to Secs 5. 6. 7 and 8.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

West. on a random line between Secs 6 and 7.
Var 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor

79.00 Intersects West Boundary of Township 10. links North of Cor. to Secs 6 and 7. from which Cor. I run ~~South~~ N 89° 56' East. on a true line between Secs 6 and 7.
Var 15° 12' E

39.00 Set post. deposit charred stake. raise mound of earth with pits. as per instructions for 1/4 Sec. Cor

79.00 The cor to Secs 5. 6. 7 and 8.

Land rolling

Soil 3rd rate.

Township 14. N. Range 54. W

North. on a random line between Secs 5 and 6
Var 15° 12' E

40.00 Set post for temporary 1/4 Sec. Cor

79.05 Intersect North Boundary of Township 10. links West of Cor to Secs 5 and 6. from which Cor. I run South 00° 09' West. on a true line between Secs 5 and 6
Var 15° 12' E

40.05 Set post. deposit charred stake. raise mound of earth. with pits. as per instructions for 1/4 Sec. Cor

79.05 The cor to Secs 5. 6. 7 and 8.

Land rolling

Soil 3rd rate.

W of Nebraska

Dep. Surv.
4th. 1870.
Gen. General
Nebraska.

Aug. 5. 1870
" 10. 1870.

Township N 14 N. Range 34. W.

54

General Description

This Township ~~is~~ ~~lying~~ lies South of the U. P. R. Road and away from the water.

The stream which is noted ~~marked~~ in the field notes ~~map~~ is dry; has a Sandy and will never contain much running water.

The land is ~~[illegible]~~ throughout rolly Prairie.

the Soil 3 ½ rate.

Field notes of the subdivision of

...te of Nebraska

...Dep. Surv.

...4th. 1870.

...d. General

...Nebraska.

Aug. 5. 1870

" 10. 1870.

...ns are ...

We hereby certify that we assisted Charles Wimpf U. S. Deputy Surveyor in subdividing Township number fourteen North of Range number fifty four West of the 6th Principal Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the Instructions furnished by the Surveyor General

John Sarr
John Dondhoe
A. Schwarzberg

Subscribed & Sworn to on the 16th day of November AD 1869
A. L. Child
Probate Judge
of Cass County Neb

I Charles Wimpf, Deputy Surveyor do solemnly swear, that in pursuance of a Contract with R. R. Livingston, Surveyor General of the Public Lands in the State of Nebraska, bearing date the 10th of July 1869, and in strict conformity to the Laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully subdivided ~~the~~ Township Number fourteen North of ~~the~~ Range Number fifty four West of the 6th Principal Meridian, in the State aforesaid, and I do further solemnly swear that the foregoing are the true and original field Notes of such Survey.

Charles Wimpf.
U. S. Deputy Surveyor

Subscribed & Sworn to this 5 day of December AD 1869
A. L. Child Probate Judge
of Cass County Neb

...division of
...th
...et
...State of Nebraska
...ws. Dep. Sur.
...g. 4th. 1870.
...Sur. General
...Nebraska.
...d Aug. 5. 1870
... " 10. 1870.

Surveyor General's Office
Plattsmouth Neb. Mar. 17. 1870.

The foregoing field notes of the Survey of the Sub-division lines of Township No. 14 North of the Base Line & Range No. 54 West of the 6th Principal Meridian in the State of Nebraska, Executed by Charles Wimpf, Deputy Surveyor under his Contract No. 28. of the 10th day of July 1869. in the month of October & November 1869. having been critically examined, the necessary Corrections and explanations made the said field notes and the survey they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Field notes of the subdivision of
Township 15 North
Range 54 West
of the 6th Pr. Mer. in the State of Nebraska

By Hiram C. Fellows, Dep. Sur.
under contract No. 31 of Aug. 4th. 1870.
with Robt. R. Livingston, Sur. General
Dist. of Iowa & Nebraska.

Subdivision commenced Aug. 5. 1870
" completed " 10. 1870.

List of names and duties of the individuals employed to assist in running, measuring and marking the lines and corners, described in the following field notes of Township 15 North, Range 54 West of 6th. Pr. Mer. in the State of Nebraska.

Ed. F. Smith, — Chainman
G. H. Brown — "
Peter V. De Lorimier, Flagman or mounds
J. Gillespie, — Axeman
W. H. Evans, — Compassman

T. 15 N. R 54 W.

PAGE 19 find part of T 14 N. R 54 W

6	46	5	32	4	23	3	16	2	8 1
45		44		31		23		15	7
7	43	8	30	9	22	10	15	11	6 12
42		41		29		21		14	5
18	41	17	29	16	21	15	13	14	5 13
40		39		28		20		13	4
19	38	20	28	21	20	22	12	23	4 24
37		36		27		19		11	3
30	35	29	26	28	18	27	10	26	2 25
34		33		25		17		9	1
31	33	32	24	33	17	34	9	35	1 36

The boundaries of this Township having been run by me, and with the same instrument used in subdividing, the usual tie of Township lines is omitted.

Township No. 15 North

From the Cor to Secs 1, 2, 35 & 36 on the South Boundary, I run

Chains	
	North between Sec 35 & 36
	Va 15° 24' East
25.00	Enter bottom land brs E & W.
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
70.05	To center U. P. R. R. track brs S 80° E and N. 80° W.
76.50	To Wagon Road brs E & W.
80.00	Set Lime Stone 24 x 13 x 4 ins. for Cor to Sec 25, 26, 35 & 36
	Land gently rolling
	Soil 2d Rate Prairie.
	East on a random line between Sec 25 & 36
	Va 15° 24'
40.00	Set Lime Stone 20 x 11 x 8 ins. for temporary 1/4 Sec Cor
80.20	Intersect the East boundary of Township at the post Cor to Sections 25 & 36 from which Cor I run west on a true line between Secs 25 and 36

Range 54 West

Chains	
	Variation 15° 24' East
40.10	Set Lime Stone 20 x 11 x 8 ins. for 1/4 Section Corner
80.20	To Corner to Sections 25, 26, 35 and 36.
	Land Level
	Soil 2d Rate Prairie
	North between Sec 25 & 26
	Va 15° 24' East
40.00	Set Charred post in mound with pits as per instructions for 1/4 Sec Corner.
54.65	To bed of Lodge Pole Creek 100 links wide brs East
80.00	Set charred post in mound with pits as per instructions for Corner to Sections 23, 24, 25 & 26
	Land Level
	Soil 2d Rate Prairie

(* Write "inches" where stone corners are set)

Township No 15 North

Chains	Chains	
		East on a random line between Sections 24 & 25 Va. 15° 24' East
25.		
40.		
	40.00	Set Lime Stone 21 x 12 x 3 for temporary 1/4 Sec Cor.
70.	79.81	Intersect the East boundary of Township at the post Corner to Sections 24 and 25 from which corner I run West on a true line bet. Sec. 24 & 25 Variation 15° 24' East
76		
	20.00	Enter bottom land trs S. E. and N. W.
	39.90½	Set Lime Stone 21 x 12 x 3 for 1/4 Section Corner
40.		
	47.90	To Drain 10 links wide trs S.
80.		
	79.81	To corner to Sections 23. 24. 25 & 26 Land Gently Rolling Soil 2d Rate Prairie

Range 54 West.

Chains	
	North bet Sections 23 & 24 Va 15° 24' East
25.00	Leave bottom land trs E and W
40.00	Set Lime Stone 18 x 12 x 2 for 1/4 Section Corner
80.00	Set Lime Stone 20 x 13 x 3 for Corner to Sec 13. 14. 23 & 24 Land Broken Soil 3d Rate Prairie
	East on a random line between Sec 13 & 24. Va 15° 24' East
70.00	Set Lime Stone 19 x 11 x 4 for temporary 1/4 Sec Cor
79.50	Intersect the East boundary of Township at the post Corner to Sec 13 & 24 from which corner I run West on a true line between Sec 13 & 24 Variation 15° 24' East
39.75	Set Lime Stone 19 x 11 x 4 for 1/4 Sec Corner
73.50	To Drain 20 links wide trs S 10 E

Township No 15 North

Chains	
79.50	To Corner to Sections 13.14.23 and 24 Land Broken Soil 3d Rate Prairie
	North between Sec 13 & 14 Va 15° 25' East
17.45	To Draw 20 links wide bts S.E.
40.00	Set Lime Stone 19x15x2 for 1/4 Section Corner
80.00	Set Lime Stone 23x10x3 for Corner to Sec 11.12.13 & 14 Land Gently Rolling Soil 3d Rate Prairie.
	East on a random line between Sec 12 & 13 Va 15° 25' East
40.00	Set Lime Stone 18x14x4 for temporary 1/4 Sec Cor
80.00	Intersect the East boundary of township 14 links South of post Cor to Sec

Range 54 West

Chains	
	12 and 13. from which Corner I run S 89° 54' W on a true line between Sections 12 & 13. Va 15° 25' East
40.00	Set Lime Stone 18x14x4 for 1/4 Sec Cor
80.00	To Corner to Sec 11.12.13 & 14 Land Gently Rolling Soil 3d Rate Prairie
	North between Sec 11 & 12 Va 15° 25' East
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Corner
80.00	Set Lime Stone 30x13x3 for Corner to Sec 1.2.11 & 12 Land Gently Rolling Soil 3d Rate Prairie

Township No 15 North

Chains	
	East on a random line between Sec 1 & 12. Va 15° 25' East
40.00	Set post for temporary 1/4 Sec Corner.
79.93	Intersect the East boundary of township 15 links South of post Cor to sec 1 & 12 from which Corner I run a true line S 89° 54' W, between Sec 1 and 12. Va 15° 25' East
39.96½	Set charred post in mound with pits as per instructions for 1/4 Section Corner
79.93	To Corner to Sections 1, 2, 11 & 12 Land Gently Rolling Soil 3d Rate Prairie

Range 54 West

Chains	
	North on a random line bet Sec 1 & 2 Va 15° 25'
40.00	Set post for temporary 1/4 Sec Corner.
80.25	Intersect the North boundary of township 20 links East of post Cor to Sec 1 and 2, from which Corner I run S 89° 1' E on a true line bet Sec 1 and 2. Va 15° 25' East
40.25	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.
80.25	To Corner to Sec 1, 2, 11 & 12 Land Gently Rolling Soil 3d Rate Prairie Aug 5th 1870

Township No 15 North

Chains	
	North bet Sec 34 & 35
	Va 15° 25' East
20.00	To bottom land brs S.E. & N.W.
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Corner
80.00	Set charred post in mound with pits as per instructions for Corner to Sec 26, 27, 34 & 35.
	Land Level
	Soil 2d Rate Prairie
	East on a random line between Sections 26 & 35
	Va 15° 25' East
40.00	Set post for temporary 1/4 Section Corner.
79.90	Intersect North and South line at the post Corner to Sections 25, 26, 27 ~~34 and~~ 35 & 36 from which Corner I run west on a true line between

Range 54 West

Chains	
	Sections 26 and 35
	Va 15° 25' East
14.60	To Waggon Road brs S. 80 E and N. 80 W.
16.80	To Drain 100 links wide brs N.
39.95	Set charred post in mound with pits as per instructions for 1/4 Section Corner.
60.50	To center of U.P. R.R. track brs S. 81 East and N. 81 West.
79.90	To Corner to Sections 26, 27, 34 & 35.
	Land Level
	Soil 2d Rate Prairie
	North between Sec 26 & 27
	Va 15° 25' East
2.50	To center of U.P.R.R track brs S. 89.30 E. & N. 89.30 W.
25.20	To waggon Road brs S 87.35 E & N. 87.35 W.
37.58	To bed of Lodge Pole Creek 56 links wide brs N.E.
40.00	Set charred post in

Chains	
	mound with pits as per instructions for 1/4 Sec Corner
80.00	Set charred post in mound with pits as per instructions for Corner to Sections 22, 23, 26 & 27. Land Level Soil 2d Rate Prairie
	East on a random line between Sec 23 & 26 Var 15° 25' East
40.00	Set post for temporary 1/4 Sec Corner
79.87	Intersect North and South line 10 links North of the Corner to Sections 23, 24, 25 & 26 from which Corner I run N 89° 56' W on a true line between Sec 23 & 26 Variation 15° 25' East
39.93½	Set charred post in mound with pits as per instructions for 1/4 Sec Corner
39.87	To Corner to Sections 22, 23, 26 & 27. Land Level Soil 2d Rate.
	North bet Sections 22 & 23 Var 15° 25' East
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Corner
76.00	Leave bottom land bn N W & S. E
80.00	Set charred post in mound with pits as per instructions for Corner to Sections 14, 15, 22 & 23. Land Gently Rolling Soil 2d Rate

Township No 15 North

Chains	
	East on a random line between Sec 14 & 23, Va 15°
40.00	Set Lime Stone for temporary 1/4 Sec Corner
79.83	Intersect North and South line 12 links South of Cor to Sec 13.14.23 & 24 from which corner Drum
	S 89.55' West on a true line between Sec 14 & 23
	Variation 15° 25' East
39.91½	Set Lime Stone 17x14x5 for 1/4 Section Corner.
79.83	To Corner to Secs 14.15.22 & 23
	Land Rolling
	Soil 3d Rate Prairie
	North between Sec 14 & 15
	Va 15° 25' East
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set post in mound with pits as per in-

Range 54 West

Chains	
	structions for Corner to Sections 10.11.14 & 15
	Land Rolling
	Soil 3d Rate.
	East on a random line between Sec 11 & 14
	Va 15° 25' East
40.00	Set charred post for temporary 1/4 Sec Cor
79.90	Intersect North and South line 14 links South of Cor to Secs 11.12.13 & 14 from which Cor Drum
	S 89.54 W on a true line between Sec 11 & 14
	Va 15° 25'
39.95	Set charred post in mound with as per instructions for 1/4 Sec Cor.
79.90	To Corner to Sec 10.11.14 & 15
	Land Rolling
	Soil 3d Rate Prairie

Township No 15 North

Chains	
	North between Sec 10 and 11.
	Va 15° 25' East
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.
80.00	Set charred post in mound with pits as per instructions for Corner to Sec 2.3.10 & 11.
	Land Rolling
	Soil 3d Rate Prairie
	East on a random line between Sec 2 & 11
	Va 15° 25' East.
40.00	Set Lime Stone for temporary 1/4 Sec Cor
80.20	Intersect North and South line at Cor to Sections 1.2.11 & 12 from which Cor I run
	West on a true line between Sec 2 & 11

Range 54 West

Chains	
	Va 15° 25' East
40.10	Set Lime Stone 20x11x2 for 1/4 Sec Cor
80.20	To Cor to Sec 2.3.10 & 11.
	Land Gently Rolling
	Soil 3d Rate Prairie
	North on a random line between Sec 2 and 3.
	Va 15° 25' East
40.00	Set charred post for temporary 1/4 Sec Cor.
79.89	Intersect North boundary of township 35 ling to East of Corner to Sec 2 & 3 from which Corner I run.
	S. 15' E on a true line between Sec 2 & 3 –
	Va 15° 25' East
39.89	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.89	To Corner to Sections

Township No 15 North

Chains	
	2, 3, 10 and 11.
	Land Broken
	Soil 3d Rate Prairie
	Aug 6th 1870
	North between Sec 33+34
	Va 15° 25
4000	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
70.00	Enter bottom land brs E & W.
8000	Set charred post in mound with pits as per instructions for Cor to Sections 27, 28, 33 & 34
	Land Gently Rolling
	Soil 3d Rate Prairie.
	East on a random line between Sec 27 & 34
	Va 15° 25' East
4000	Set charred post for temporary 1/4 Sec Cor
79.70	Intersect North and

Range 54 West.

Chains	
	South line at corner to Sections 26, 27, 34 & 35 from which Cor I run
	West on a true line between Sec 27 & 34.
	Va 15° 25' East
59.65	To Drain 20 links wide brs W.
39.85	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.70	To Corner to Sec 27, 28, 33 and 34.
	Land Level,
	Soil 2d Rate Prairie.
	North bet Sec 27 & 28
	Va 15° 26' East
10.00	U. P. R R track bears E and W.
13.40	Waggon Road brs E & W.
38.64	To Lodge Pole Creek 10 links wide runs S. E.
4000	Set Lime Stone 17 x 9 x 6 for 1/4 Sec Corner
80.00	Set charred post in

Township No 15 North

Chains	
	mound with pits as per instructions for Corner to Sec 21.22.27 and 28.
	Land Level
	Soil 2d Rate Prairie.
	East on a random line between Sec 22 & 27
	Va 15° 26' East
40.00	Set charred post for temporary 1/4 Sec Cor
80.15	Intersect North and South line 7 links South of Corner to Sec 22.23.26 & 27 from which Corner I run
	S.89° 57' W on a true line bet Sec 22 and 27
	Va 15° 26' East
25.30	To Drain 25 links wide brs S.E.
40.07½	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.15	To Cor to Sec 21.22.27 & 28
	Land Level.
	Soil 2d Rate Prairie

Range 54 West.

Chains	
	North bet Sec 21 & 22
	Va 15° 26' East
40.00	Set Lime Stone 20.x17x2 for 1/4 Sec Corner.
70.00	Leave bottom land brs E & W.
80.00	Set Lime Stone 32x16x12 for Corner to Sec 15.16.21x22
	Land G. Rolling
	Soil 3d Rate Prairie
	East on a random line between Sec 15 & 22
	Va 15° 26' East.
40.00	Set Lime Stone for temporary 1/4 Sec Cor
80.10	Intersect North and South line 21 links South of Corner to Sec 14.15.22 & 23 from which corner I run.
	S 89° 51' W on a true line between Sec 15 & 22
	Va 15° 26' East
40.05	Set Lime Stone 20x11x2

Township No 15 North

Chains	
	for 1/4 Sec corner
73.30	To Drain 25 links wide bis South
80.10	To Corner to Sec 15, 16, 21 & 22
	Land Broken
	Soil 3d Rate Prairie
	North bet Sec 15 & 16
	Va 15° 26' East
40.00	Set Lime Stone 19x15x3 for 1/4 Sec Cor
80.00	Set Lime Stone 23x14x4 for Cor to Sec 9, 10, 15 & 16
	Land Rolling
	Soil 3d Rate Prairie
	East on a random line between Sec 10 and 15
	Va 15° 26' East
40.00	Set charred post for temporary 1/4 Sec Cor
79.95	Intersect North and South line 21 links North of Corner to Sec 10, 11, 14 & 15 from which

Range 54 West

Chains	
	Corner Drum
	N 89° 51' W on a true line between Sec 10 & 15
	Va 15° 26' East
39.97½	Set charred post in mound with pits as per instructions for 1/4 Sec corner.
79.95	To Corner to Sec 9, 10, 15 & 16
	Land Broken.
	Soil 3d Rate. Prairie
	North between Sec 9 & 10
	Va 15° 26' East
40.00	Set Lime Stone 21x12x3 for 1/4 Sec Cor
80.00	Set Lime Stone 30x15x4 for Corner to Sections 3, 4, 9 & 10
	Land Rolling
	Soil 3d Rate Prairie

Township No 15 North

Chains	
	East on a random line between Sec 3 & 10
	Va 15° 26' East
4000	Set charred post for temporary 1/4 Sec Cor
8000	Intersect North and South line at Cor to Sec 2.3.10 & 11 from which corner I run
	West on a true line between Sec 3 & 10
	Va 15° 26' East
4000	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
8000	To Cor to Sec 3.4.9 & 10
	Land Rolling
	Soil 3d Rate Prairie
	North on a random line between Sec 3 & 4
	Va 15° 26' East
4000	Set Lime Stone for temporary 1/4 Sec Cor.

Range 54 West

Chains	
79.83	Intersect the North boundary of township 30 links East of Cor to Sec 3 & 4 from which corner I run
	S. 13' E on a true line between Sec 3 & 4
	Va 15° 26' East
39.~~91½~~ 83	Set Lime Stone 23 & 12 & 2 for 1/4 Sec Cor
79.83	To Cor to Sec 3.4.9 & 10
	Land Rolling
	Soil 3d Rate Prairie
	Aug 8th 1870
	North bet Sec 32 & 33
	Va 15° 26' East
4000	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
53.65	Enter bottom land Ars E and W.
8000	Set charred post in mound with pits as per instructions for Cor to Sections 28.29.32 & 33
	Land Rolling
	Soil 3d Rate Prairie

Township No 15 North

Chains	
	East on a random line between Sec 28 & 33. Va 15° 26.
40.00	Set charred post for temporary 1/4 Sec Cor
80.00	Intersect the North and South line 20 links South of Cor to Sec 27. 28. 33 & 34. from which Corner I run
	S 89.51 W on a true line between Sec 28 & 33 Va 15° 26
18.85	To drain 15 links wide brs N.
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
67.25	To drain 10 links wide brs N.
80.00	To Corner to Sec 28. 29. 32 & 33
	Land Level
	Soil 2d Rate Prairie

Range 54 West

Chains	
	North bet Sec 28 & 29 Va 15° 26 East
18.70	To center U.P.R.R track brs E & W.
19.40	To Wagon Road brs E & W
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
49.15	To Lodge Pole Creek 20 links wide brs N.E
57.65	To drain 85 links wide brs East
80.00	Set charred post in mound with pits as per instructions for cor to Sections 20. 21. 28 & 29.
	Land Level
	Soil 2d Rate Prairie

Township No 15 North

Chains	
	East on a random line between Sec 21 & 28 Va 15° 26' East
4000	Set charred post for temporary Corner 1/4 Sec
79.87	Intersect North and South line 18 links South of Cor to Sec 21, 22, 28 and 27 from which Corner Drew S 89° 56' W on a true line between Sections 21 & 28. Va 15° 26' East
39.93½	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.
79.87	To Corner to Sec. 20, 21, 28 & 29. Land Level Soil 2d Rate Prairie

Range 54 West

Chains	
	North between Sec 20 & 21 Va 15° 26' East
4000	Set Line Stone 15x10x3 for 1/4 Sec Corner.
56.75	Leave bottom land bts E. and W.
8000	Set Line Stone 17x11x6 for Cor to Sec 16, 17, 20 & 21 Land Rolling Soil 3d Rate
	East on a random line between Sec 16 and 21 Va 15° 26' East
4000	Set Line Stone for temporary 1/4 Sec Cor
79.94	Intersect North and South line 12 links N of Corner to Sec 15, 16, 21 & 22 from which Corner Drew N. 89° 55' W on a true line between Sec 16 & 21 Va 15° 26' East
39.97	Set Line Stone 16x9x7.

Township No 15 North

Chains	
	for 1/4 Sec Corner
79.94	To corner to Sec 16.17. 20 & 21.
	Land Broken Soil 3d Rate Prairie
	North bet Sec 16 & 17 Va 15° 26'
40.00	Set post (charred) in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set Charred post in mound with pits as per instructions for Corner to Sec 8.9.16 & 17
	Land Rolling Soil 3d Rate Prairie
	East on a random line between Sec 9 & 16 Va 15° 26' East
40.00	Set Charred post for temporary 1/4 Sec Cor
79.86	Intersect North

Range 54 West

Chains	
	and South line 14 links South of Corner to Sec 9.10.15 & 16 from which Corner I run
	S 89° 54' W on a true line between Sec 9 & 16 Va 15° 26' East
39.93	Set Charred post in mound with pits as per instructions for 1/4 Section Corner
79.86	To Corner to Sec 8.9.16 & 17.
	Land Gently Rolling Soil 3d Rate Prairie
	North bet Sec 8 and 9 Va 15° 27' East
40.00	Set post (charred) in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set post (charred) in mound with pits as per instructions for Cor to Sec 4.5 8 & 9.
	Land Rolling Soil 3d Rate Prairie

Township No 15 North

Chains	
	East on a random line between Sec 4 & 9 Va 15° 27' East
40.00	Set charred post for temporary 1/4 Sec Cor
80.00	Intersect North and South line at Cor to Sec 3, 4, 9 & 10 from which Corner I run West on a true line between Sec 4 & 9 Va 15° 27' East
40.05	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.10	To Corner to Sections 4, 5, 8 & 9. Land Gently Rolling Soil 3d Rate Prairie

Range 54 West

Chains	
	North on a random line between Sec 4 & 5 Va 15° 27' East
40.00	Set Lime Stone for temporary 1/4 Sec Cor
79.93	Intersect North boundary of Township 38 links East of the Corner to Sec 4 & 5 from which Corner I run S. 16' E on a true line between Sec 4 & 5 Va 15° 27' East
39.93	Set Lime Stone 17x14x5 for 1/4 Sec Cor
79.93	To Corner to Sec 4, 5, 8 & 9. Land Rolling Soil 3d Rate Prairie

August 9th 1850

Township No 15 North

Chains	
	North between Sec 31 & 32.
	Va 15° 27' East
4000	Set Lime Stone 19. x 15 x 3 for 1/4 Sec Cor
55.00	Enter bottom land brs E & W
80.00	Set charred post in mound with pits as per instructions for Corner to Sections 29. 30. 31 & 32
	Land Gently Rolling
	Soil 3d Rate Prairie
	East on a random line between Sec 29 & 32
	Va 15° 27' East
4000	Set charred post for temporary 1/4 Sec Cor
79.78	Intersect North and South line at Corner to Sec 28. 29. 32 & 33 from which corner I run.
	West on a true line between Sec 29 & 32
	Va 15° 27' East
27.45	To Drain 29 links wide brs N
39.89	Set charred post in

Range 54 West

Chains	
	mound with pits as per instructions for 1/4 Sec Corner
79.78	To Corner to Sec 29. 30. 31 and 32.
	Land Level
	Soil 2d Rate Prairie
	West on a random line between Sec 30 and 31
	Va 15° 27' East
4000	Set charred post for temporary 1/4 Sec Cor
80.10	Intersect West boundary of township 20 links N of Cor to Sec 30 & 31 from which Cor I run
	N 89° 51' E on a true line between Sec 30 & 31
	Va 15° 27' East
40.10	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.

Township No 15 North

Chains	
80.10	To corner to Sec's 29, 30 31 & 32
	Land Level
	Soil 2d Rate Prairie
	North between Sec 29 & 30
	Va 15° 27' East
21.10	To U.P.R.R track brs E & W
23.70	To Magnon Road brs E & W
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
50.85	To Lodge Pole Creek 25 links wide ~~brs~~ bounds E
80.00	Set charred post in mound with pits as per instructions for Cor to Sec's 19, 20, 29 & 30
	Land Level
	Soil 2d Rate Prairie

Range 54 West

Chains	
	East on a random line between Sec 20 & 29
	Va 15° 27' East
40.00	Set post for temporary 1/4 Sec Cor
79.85	Intersected North and South line 18 links South of Corner to to Sec 20, 21, 28 & 29 from which Corner I run
	S 89° 52' W on a true line between Sec 20 & 29
	Va 15° 27' East
39.92½	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
49.85	To Drain 90 links wide brs S 45 E
79.85	To Corner to Sec 19, 20, 29 & 30
	Land Level
	Soil 2d Rate Prairie

Township No 15 North

Chains	
	West on a random line between Sec 19 & 30 Va 15° 27' East
40.00	Set charred post for temporary Cor to 1/4 Sec
80.20	Intersect the West boundary of township 14 links South of post Corner to Sec 19 & 30 from which Corner I run S 89° 54' E on a true line between Sec 19 & 30. Va 15° 27' East
40.20	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.
80.20	To Corner to Sec 19.20 29 & 30 Land Level Soil 2d Rate Prairie

Range 54 West

Chains	
	North bet Sec 19 & 20 Va 15° 27' East
40.00	Leave bottom land by E & W
40.00	Set post (charred) in mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set charred post in mound with pits as per instructions, for Corner to Sections 17. 18. 19. & 20 Land Rolling Soil 3d Rate.

Township No 15 North

Chains	
	East on a random line between Sec 17 & 20
	Va 15° 27' East
4000	Set charred post in mound as temporary 1/4 Sec Cor.
8000	Intersect North and South line 30 links South of Corner to Sec 16.17.20 & 21 from which Corner I run S 89° 47' W on a true line between Sec 17 & 20
	Va 15° 27' East
4000	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
60.25	Drain bra S. 20 lks wide
8000	To Corner to Sec 17. 18. 19 & 20
	Land Rolling
	Soil 3d Rate Prairie

Range No 54 West

Chains	
	West on a random line between Sec 18 & 19. W. 15° 27' E.
4000	Set charred post for temporary 1/4 Sec Cor
80.10	Intersect West boundary of township 10 links North of the Corner to Sec 18 & 19 from which Corner I run N. 89° 56' E on a true line between Secs 18 & 19.
	Va 15° 27' East
40.10	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.10	To Corner to Sections 17. 18. 19 & 20.
	Land Rolling
	Soil 3d Rate Prairie

Township No 15 North

Chains	
	North between Sections 17 & 18.
	Va 15° 27' East
32.56	To Drain 30 links wide brs S 15 E
4000	Set charred post in mound with pits as per instructions for 1/4 Sec Corner.
8000	Set Lime Stone 32 x 17 x 2 for Cor to Sec 7.8.17 & 18
	Land Rolling
	Soil 3d Rate Prairie
	East on a random line between Sec 8 & 17
	Va 15° 27' East
4000	Set charred post for temporary 1/4 Sec Cor
79.93	Intersect North and South line 10 links South of the Cor to Sections 8.9.16 & 17. from which corner I run
	S 89.56 W on a true line

Range 54 West

Chains	
	between Sec 8 & 17
	Va 15° 27' East
39.96½	Set charred post in mound with pits as per instructions for Corner to 1/4 Sec
79.93	To Corner to Sec 7.8.17 and 18
	Land Rolling
	Soil 3d Rate Prairie
	West on a random line between Sec 7 & 18
	Va 15° 27' East
4000	Set charred post for temporary 1/4 Sec Cor
20.15	Intersect the West boundary of township 21 links South of Cor to Secs 7 & 18 from which Corner I run
	S 89° 51' E on a true line between Secs 7 & 18.
	Va 15° 27' East
40.15	Set charred post in

Township No 15 North

Chains	
	with pits as per instructions for 1/4 Sec. Cor.
73.68	To Drain 30 links wide bra South
80.15	To Corner to Sections 7.8.17 & 18 Land Rolling Soil 3d Rate Prairie
	North between Sec 7 & 8 Var 15° 27' East
12.45	To Drain 12 links wide bra West
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set charred post in mound with pits as per instructions for Corner to Sections 5.6.7 & 8 Land Broken Soil 3d Rate Prairie

Range 54 West

Chains	
	East on a random line between Sections 5 and 8. Var. 15° 27' East
00.00	Set charred post for temporary 1/4 Sec Corner
0.10	Intersect North and South line at Corner to Sections 4.5.8 & 9 from which Corner Drew West on a true line between Sec 5 and 8. Variation 15° 27' East
40.05	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.10	To Corner to Sections 5.6.7 & 8 Land Rolling Soil 3d Rate Prairie

Township No 15 North

Chains	
	West on a random line between Sec 6 & 7 Va 15° 28' East
40.00	Set charred post for temporary 1/4 Sec C
79.85	Intersect the West boundary of township 16 lines South of the Corner to Sec 6 & 7 from which Corner I run S 89.53 E on a true line between Sections 6 & 7. Va 15° 28' East
39.85 39.85	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
79.85	To Corner to Sec 5.6.7 and 8 Land Rolling Soil 3d Rate Prairie

Range 54 West

Chains	
	North on a random line between Sec 5 & 6. Va 15° 27' East
40.00	Set post for temporary 1/4 Sec Cor
78.90	Intersect the North boundary of township 35 lines East of the Cor to Sec 5 & 6 from which Corner I run S. 15' E on a true line between Sec 5 & 6 Va 15° 27' East
78.90	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
78.90	To Cor to Sec 5.6.7 & 8 Land Rolling Soil 3d Rate Prairie

August 10th 1870

General Description

The general character of ~~the~~ this township is rolling prairie, with good pasturage in the bottom lands and along Lodge Pole Creek. The soil is good and could be easily irrigated by means of Lodge Pole Creek and considered, for farming purposes, suitable.

Affidavit as to T. 15 N. R. 54 & 55 W. & T. 16 N. R. 55 & 56 W.

I Hiram C. Fellows, deputy surveyor, do solemnly swear that, in pursuance of a contract with Robt R. Livingston, Surveyor of the public lands of the United States in the State of Nebraska, bearing date the 4th. day of August 1870 and in strict conformity with the laws of the United States, and the instructions furnished by the said Surveyor General, I have faithfully surveyed and subdivided into Sections Townships 15 Ranges 54 and 55 and Township 16. Ranges 55 and 56. North of the base line and West of the 6th Principal Meridian in the

State of Nebraska —
and I do further solemnly swear that the foregoing are the true and original field notes of said survey

Hiram. C. Fellows
Deputy Surveyor.

Subscribed by said Hiram C. Fellows Deputy Surveyor and sworn to before me, Adjutant of the military post at Potter Station in the County of Cheyenne and State of Nebraska this 23d day of August AD 1870.

F. E. Nye
Lieut. 2d Cavalry

Path of mn. as to T. 15 N. R. 54 & 55 W. & T. 16 N. R. 55 & 56 W.

We hereby Certify that we assisted Hiram C Fellows, Deputy Surveyor, in subdividing Townships No 15 Ranges 54 and 55 and Township No 16 Ranges 55 and 56 all North of the base line and West of the 6th Prim Meridian Neba. and that said Townships have been in all respects well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Ed. F. Smith Chairman
G H Brown — "

(over)

Peter V. Loomis
S. Gillespie, Mountman Ayrman
W. H. Evans Compassman

Subscribed and sworn to by the above named persons before me, adjutant of the military post at Potter Station this 23d day of August AD 1870.

F. E. Nye
Lieut. 2d Cav.

I hereby certify that there are no civil officers within one hundred miles of here, consequently am compelled to have the foregoing affidavits taken before the ajutant of this post.

Hiram C. Fellows
Deputy Surveyor

Surveyor General's Office
Plattsmouth Neb. Oct. 25th 1870

The foregoing field notes of the Survey of the Subdivision lines of Township No. 15 North, Range 54 West of the 6th Principal Meridian in the State of Nebraska, Executed by Hiram C. Fellows, under his Contract of the 4th day of August 1870, in the Month of August 1870, having been critically examined the necessary Corrections and Explanations made, the said field notes and the Surveys they describe are hereby approved.

Robt. R. Livingston
Surveyor General.

Field Notes
of the
Subdivision lines
in
Township No. 16 North
of
Range No. 54 West
of
the 6th. Principal Meridian
in
Nebraska
by
Hiram C. Fellows, Dep. Sur.
under
Contract No. 31
dated
August 4th
1870

List of Names

A list of the names of the individuals employed in running, measuring or making the lines and corners, described in the following field notes of Township No. 16 North of the Base Line, of Range No 54 West of the 6th. Principal Meridian, showing the respective capacities in which they acted.

Ed. F. Smith, —— Chainman
Geo H. Brown, —— Chainman
Peter V. De Lorimier, Flagman
J. Gillespie, —— Moundman

T. 16. N. R. 54 W.



Having previously run the exterior boundaries of Township 16 N. Range 54 West, with the same instrument, and in subdividing, the usual list of Town. lines is omitted.

Survey commenced Aug. 24. 1870
" completed " 27. "

Township No 16 North Range 54 West

From Cor to Secs 1, 2, 35 & 36, on S. Boundary of Township 9 Town

Chains	
	North between Secs 35 and 36.
	Va 15° 20' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
40.50	Drain 10 links wide Crs East
8000	Set a charred post in mound with pits as per instructions for Corner to Sections 25, 26, 35 and 36
	Land Rolling Prairie Soil 3d Rate.
	East on a random line between Sections 25 & 36
	Va 15° 21' East.
4000	Set a post for temporary 1/4 Sec Cor
79.96	Intersect East boundary

Chains	
	of Township 15 links North of Corner to Secs 25 and 36. from which Corner I run,
	N 89° 54' W on a true line between Secs 25 & 36
	Va 15° 21' East
9.98	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
9.96	To Cor to Sections 25, 26, 35 and 36.
	Land Rolling Prairie Soil 3d Rate.
	North bet Secs 25 & 26
	Va 15° 21' East
000	Set a Lime Stone 15 x 13 x 5 for 1/4 Sec Cor.
000	Set a charred post in mound with pits as per instructions for Corner to Sections 23, 24

Township No 16 North Range 54 West.

Chains 25 and 26.
Land Rolling Prairie
Soil 3° Rate.

East on a random line between Secs 24+25
Va 15° 21' East
4.00 Set post for temporary 1/4 Sec Cor
79.85 Intersect East boundary of township 7 miles South of Cor to Secs 24 and 25 from which Corner I run
S 89° 57' W on a true line between Secs 24+25
Va 15° 21'
39.92½ Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
79.85 To Cor to Secs 23.24.25+26
Land Rolling Prairie
Soil 3° Rate.

Chains North bet Sections 23 and 24
Va 15° 21' East
00 Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
00 Set a charred post in mound with pits as per instructions for Cor to Secs 13.14.23+24
Land Rolling Prairie
Soil 3° Rate.

East on a random line between Sections 13 & 24
Va 15° 21' East
Set post for temporary 1/4 Sec Cor.
.10 Intersect East boundary of township at Corner to Sections 13+24 from which Corner I run

Township No 16 North Range 54 West

Chains	
	West on a true line between Secs 13 & 24
	Va 15° 21' East
40.05	Set a charred post in mound with pits as per instruction for 1/4 Sec Corner to 1/4 Sec
80.10	To Cor to Secs 13.14.23 and 24.
	Land Rolling Soil 3° Rate Prairie.
	North bet Secs 13 & 14
	Va 15° 21' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set a charred post in mound with pits as per instructions for Corner to Secs 11.12.13 & 14
	Land Rolling Prairie Soil 3° Rate.

Chains	
	East on a random line between Secs 12 & 13
	Va 15° 21' East
00	Set post for temporary 1/4 Sec Cor.
39.83	Intersect the East boundary of Township 17 links South of Cor to Secs 12 & 13 from which Corner Drum
	S 89° 53' W on a true line between Secs 12 & 13
	Va 15° 21' East.
29 1/2	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
39.83	To Cor to Secs 11.12.13 & 14
	Land Rolling Prairie Soil 3° Rate.
	North bet Secs 11 & 12
	Va 15° 21' East
00	Set a line Stone 17 x 13 x 6 for 1/4 Sec Cor
00	Set a charred post

Township No 16 North Range 54 West.

Chains	
	in mound with pits as per instructions for Cor to Secs 1. 2. 11 & 12. Land Rolling Prairie Soil 3d Rate.
	East on a random line between Secs 1 & 12 Va 15° 21' East
4000	Set lime Stone for temporary 1/4 Sec Cor.
79.85	Intersect East boundary of Township at Cor to Secs 1 & 12. from which Corner I run - West on a true line between Secs 1 & 12 Va 15° 21' East.
39.92½	Set lime Stone 15x10x5 for 1/4 Sec Cor
79.85	To Cor to Secs 1. 2. 11 & 12. Land Rolling Prairie Soil 3d Rate.

Chains	
	North bet Secs 1 & 2 Va 15° 21' East
4000	Set lime Stone 14x11x5 for 1/4 Sec Cor.
80.20	Intersect 4th Standard Parallel N. 13 chains and 85 links East of 1/4 Section Corner T. of Sec. 31, T. 17 N. R. 53 W. and set lime Stone 23x15x8 for Closing Cor to Secs 1 & 2. Land Rolling Prairie Soil 3d Rate.
	North bet Secs 34 & 35 Va 15° 21' East
000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
0.10	To Drain 10 lks wide lrs E
000	Set a charred post in mound with pits as per instructions for Cor to Secs 26. 27. 34 & 35
write inches	Land Rolling Prairie Soil 3d Rate.

Township No 16 North Range 54 West

Chains	
	East on a random line between Secs 26 & 35
	Va 15° 21' East
40.00	Set post for temporary 1/4 Sec Cor.
80.00	Intersect North and South line 12 links South of Corner to Secs 25. 26. 35 and 36. from which corner I run, S 89° 55' W on a true line between Secs 26 and 35.
	Va 15° 21' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
80.00	To Cor to Secs 26. 27. 34 & 35 Land Rolling Prairie Soil 3° Rate.

Chains	
	North bet Secs 26 + 27
	Va 15° 21' East
00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
00	Set a charred post in mound with pits as per instructions for Cor to Secs 22. 23. 26 and 27. Land Rolling Prairie Soil 3° Rate.
	East on a random line between Secs 23 + 26
	Va 15° 21' East
00	Set post for temporary 1/4 Sec Cor.
9.87	Intersect North and South line at Cor to Secs 23. 24. 25. and 26 from which Corner I run —
	West on a true line between Secs 23 + 26
	Va 15° 21' East

Township 16 North Range 54 West.

Chains	
39.93½	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
79.87	To Cor to Secs 22.23.26 & 27. Land Rolling Prairie Soil 3° Rate.
	North bet Secs 22 & 23 Va 15° 21' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set a charred post in mound with pits as per instructions for Cor to Secs 14.15.22 & 23 Land Rolling Prairie Soil 3° Rate.
	August 24th 1870
	East on a random line between Secs 14 & 23 Va 15° 21' East.
40.00	Set post for temporary 1/4 Sec Cor.
79.81	Intersect North and

Chains	
	South line 19 links South of Cor to Secs 13.14.23 & 24 from which Corner I run.
	S 89° 52' W on a true line between Secs 14 & 23 Va 15° 21' East
39.90½	Set charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.81	To Cor to Secs 14.15.22 & 23 Land Rolling Prairie Soil 3° Rate.
	North bet Secs 14 & 15 Va 15° 21'
40.00	Set charred post in mound with pits as per instructions for 1/4 Sec Cor
80.00	Set charred post in mound with pits as per instructions for Cor to Secs 10.11.14. and 15. Land Rolling Prairie Soil 3° Rate.

Township No 16 North

Chains	
	East on a random line between Secs 11 & 14 Va 15° 21' East
4.00	Set post for temporary 1/4 Sec Cor.
79.87	Intersect North and South line 10 links South of Cor to Secs 11, 12, 13 & 14 from which Corner Drum.
	S. 89° 56' W on a true line between Secs 11 & 14 Va 15° 21' East
39.93 3/8/2	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.87	To Cor. to Secs 10, 11, 14 & 15 Land Rolling Prairie Soil 3° Rate.

Range 54 West.

Chains	
	North bet Secs 10 & 11 Va 15° 21' East
4.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.87	Set a charred post in mound with pits as per instructions for Cor to Secs. 2, 3, 10 & 11 Land Rolling Prairie Soil 3° Rate.
	East on a random line between Secs 2 & 11 Va 15° 21' East
4.00	Set post for temporary 1/4 Sec Cor
10.07	Intersect North and South line 13 links South of Cor to Secs 1, 2, 11 & 12 from which Cor Drum
	S 89° 54' W on a true line between Secs 2 & 11.

Township No 16 North

Chains	
	Va 15° 21' East
40.03	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
80.07	To Cor to Secs 2.3.10 & 11
	Land Rolling Prairie
	Soil 3d Rate.
	North bet Secs 2 & 3
	Va 15° 21' East
40.00	Set a line Stone 18x12x7# for 1/4 Sec Cor
79.98	Intersect 4th Standard Parallel 14 chains and 20 links East of 1/4 Section Corner of Sec. 36, T.17 N. R. 54 W. and set line Stone 21x17x2 for Closing Corner to Secs 2 and 3
	Land Rolling Prairie
	Soil 3d Rate.

(# Write "inches" at all stone corners)

Range 54 West.

Chains	
	North bet Secs 33 & 34
	Va 15° 21' East
0.00	Set Line Stone 16x9x8. for 1/4 Sec Cor
0.25	Drain 20 lks wide bn E.
0.00	Set a charred post in mound with pits as per instructions for Cor to Secs 27, 28, 33 and 34.
	Land Rolling Prairie
	Soil 3d Rate.
	East on a random line between Secs 27 + 34
	Va 15° 21' East
	Set line stone for temporary 1/4 Sec Cor.
1.10	Intersect North and South line ~~of township~~ 17 links South of Corner to Sections 27, 28, 34 + 35 from which Corner S run,
	S 89° 55' W on a true

Township No 16 North Range 54 West.

line between Sections 27 + 34

Va 15° 21' East

4005 Set line stone 15 x 11 x 6 for 1/4 Sec Cor

8010 To Cor to Sections 27. 28. 33 & 34.

Land Rolling Prairie Soil 3° Rate.

North bet Sections 27 and 28.

Va 15° 21' East

4000 Set a charred post in mound with pits as per instructions for 1/4 Sec Cor

8000 Set a charred post in mound with pits as per instructions for Cor to Secs 21. 22. 27 and 28.

Land Rolling Prairie Soil 3° Rate.

East on a random line between Secs 22 + 27

Va 15° 21' East

000 Set post for temporary 1/4 Sec Cor.

9.83 Intersect North and South line 12 links South of Cor to Secs 22. 23. 26 + 27 from which Cor I run S. 89° 55' W on a true line between Sections 22 and 27 –

Va 15° 21' East

9.91 1/2 Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.

9.83 To Cor to Sections 21. 22. 27 and 28.

Land Rolling Prairie Soil 3° Rate.

Township No 16 North

Chains	
	North bet Secs 21 & 22
	Va 15° 21' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Section Cor.
80.00	Set a charred post in mound with pits as per instructions for Corner to Sections 15.16.21 & 22
	Land Rolling Prairie Soil 3d Rate.

Range 54 West

Chains	
	East on a random line between Sections 15 and 22.
	Va 15° 21' East
40.00	Set line stone for temporary 1/4 Sec Cor.
79.86	Intersect North and South line ~~of township~~ 13 links South of Cor to Secs 14.15.22 & 23 from which Corner I run
	S. 89° 54' W on a true line between Secs 15 & 22
	Va 15° 21' East
39.93	Set a line stone 16 x 10 x 7 for 1/4 Sec Cor.
79.86	To Cor to Sections 15.16.21. and 22
	Land rolling prairie Soil 3d Rate.

Township No 16 North

Chains	North bet Sections 15 and 16.
	Va 15° 22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
8000	Set a charred post in mound with pits as per instructions for Cor to Sections 9. 10. 15 and 16
	Land Rolling Prairie Soil 3° Rate.

Range 54 West

Chains	East on a random line between Sections 10 and 15.
	Va 15. 22' East
4000	Set post for temporary 1/4 Sec Cor.
6000	Intersect North and South line 10 links North of Cor to Secs 10. 11. 14 and 15 from which Corner I run N 89° 56' W on a true line between Sections 10 and 15.
	Va 15° 22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
8000	To Corner to Secs. 9. 10. 15 and 16
	Land Rolling Prairie Soil 3° Rate.

Township No 16 North

Chains	
	North bet Secs 9 & 10 Va 15° 22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
8000	Set a line stone 18 X 16 X 2 for Cor to Sections 3.4.9 & 10
*	Land Rolling Prairie Soil 3d Rate.
	August 25th 1871

Range 54 West

Chains	
	East on a random line between Sections 3 and 10. Va 15° 22' East
4000	Sets a post for temporary 1/4 Sec Cor
9.87	Intersect North and South line 15 links North of Corner to Secs 2.3.10 and 11. from which Corner Down N. 89° 54' W on a true line between Sections 3 and 10 — Va 15° 22' East
9.93½	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
9.87	To Cor to Secs 3.4.9 & 10 Land Rolling Prairie Soil 3d Rate.

Township No 16 North

Chains	
	North bet Secs 3 & 4
	V a 15° 22' East
4000	Set a line stone
	16 X 9 X 8 for 1/4 Sec Cor.
80 19	Intersect 4th Stand
	Parallel N. 14 chains
	and 75 links East
	of 1/4 Sec Cor S. of Sec. 35, T. 17 N. R. 54 W. and
	Set a line stone
	28 X 18 X 4 for Closing
	Corner to Sections 3 & 4
	Land Rolling Prairie
	Soil 3d Rate.

Range 54 West

Chains	
	North bet Secs 32 & 33
	V a 15° 22' East
4000	Line Stone 15 X 13 X 9
	for 1/4 Sec Cor
8000	Set Line Stone for
	Cor to Secs 28, 29, 32, and
	33. size 12. X 10 X 7. inches
	Land Rolling Prairie
	Soil 3d Rate.

Township No 16 North

Chains	
	East on a random line bet Sec 28 & 33 Va 15° 22' East
14.00	Set post for temporary 1/4 Sec Cor.
79.86	Intersect North and South line at Cor to Sections 27. 28. 33 & 34 from which Corner I run.
	West on a true line between Sections 28 & 33. Va 15° 22' East
39.93	Set a chared post in mound with pits as per instructions for 1/4 Sec Cor.
79.86	To Corner to Sections 28. 29. 32 and 33.
	Land Rolling Prairie Soil 3d Rate.

Range 54 West

Chains	
	North between Sections 28 and 29 Va 15° 22' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set a charred post in mound with pits as per instructions for Corner to Sections 20. 21. 28 and 29.
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North

Chains	
	East on a random line between Secs 21 and 28
	Va 15° 22' East
40.00	Set a post for temporary 1/4 Sec Cor.
79.85	Intersect North and South line 18 links South of Corner to Sections 21.22.27 and 28 from which Corner I run
	S 89° 54' W on a true line between Secs 21 & 28
	Va 15° 22' East
39.91½	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
79.83	To Corner to Sections 20.21.28 & 29.
	Land Rolling Prairie Soil 3d Rate.

Range No 54 West.

Chains	
	North bet Secs 20 & 21
	Va 15° 22' East.
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set a charred post in mound with pits as per instructions for Cor to Secs 16.17. 20 and 21.
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North

Chains	
	East on a random line between Secs 16 & 21
	Va 15°22' East
4000	Set a post for temporary 1/4 Sec Cor
5000	Intersect North and South line 15 links South of Corner to Secs 15. 16. 21 and 22 from which Corner I run S. 89°54' W on a true line between Secs 16 & 21
	Va 15°22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
8000	To Cor to Secs 16. 17. 20 & 21

Land Rolling Prairie
Soil 3° Rate.

Range 54 West

Chains	
	North between Secs 16 and 17
	Va 15°22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
8000	Set a charred post in mound with pits as per instructions for Cor to Sections 8. 9. 16 and 17.

Land Rolling Prairie
Soil 3° Rate.

Township No 16 North

Chains	
	East on a random line between Secs 9 & 16 Va 15° 22' East
4.00	Set a post for temporary 1/4 Sec Cor.
79.73	Intersect North and South line 19 links North of Corner to Secs 9. 10. 15 and 16 from which Corner I run N 89° 52' W on a true line between Secs 9. and 16. Va 15° 22' East
39.86½	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
79.73	To Cor to Secs 8. 9. 16. & 17

Land Rolling Prairie Soil 3d Rate.

Range 54 West

Chains	
	North bet Secs 8 and 9 Va 15° 22' East
1.00	Set a line Stone 18 X 15 X 3 for 1/4 Sec Corner.
3.00	Set a line Stone 23 X 16 X 2 for Section Corner to Sections 4. 5. 8. and 9.

Land Rolling Prairie Soil 3d Rate.

Township No 16 North Range 54 West.

Chains	
	East on a random line between Sections 4 and 9.
	Va 15° 22' East
4000	Set line stone for temporary 1/4 Sec Cor
79.83	Intersect North and South line 17 links South of Corner to Secs 3.4.9 and 10 from which Corner I run
	S 89° 53' W on a true line between Sections 4 and 9
	Va 15° 22' East
39.91½	Set line Stone 18x17x3 for 1/4 Sec Cor.
79.83	To Cor to Secs 4.5.8.+9
	Land Rolling Prairie Soil 3d Rate.

Chains	
	North bet Sections 4 and 5.
	Va 15° 22.
000	Set a line Stone 19 x 15 x 5 for 1/4 Sec Cor
.13	To bed of Lawrence's fork 75 links wide bre S.E., general course N.E.
80.17	Intersect 4th Stand Parallel N. 15 chains and 20 links East of 1/4 Sec Cor. S. of Sec. 34, T. 17 N. R. 54 W. and set a line Stone 25x18x3 for Closing Corner to Secs 4 and 5.
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North

Chains	
	North bet Secs 31 & 32
	Var 15° 22' East
4000	Set a charred post in mound with pits as per instructions, for 1/4 Sec Cor.
8000	Set a charred post in mound with pits as per instructions for Corner to Sections 29. 30. 31 & 32.
	Land Rolling Prairie Soil 3d Rate.
	August 26th 1870

Range 54 West

Chains	
	East on a random line between Secs 29 and 32.
	Var 15° 22' East
4000	Set lime stone for temporary 1/4 Sec Cor.
9.84	Intersect North and South line 10 links South of Cor to Secs 28. 29. 32 and 33 from which Corner Drum
	S 89° 56' W on a true line between Secs 29 and 32
	Var 15° 22' East
9.92	Set a lime stone for 12 x 10 x 9 for 1/4 Sec Cor
9.84	To Cor to Sections 29. 30. 31 & 32
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North Range 54 West

Chains	
	West on a random line between Sections 30 and 31.
	Va 15° 22' East
4000	Set post for temporary 1/4 Sec Cor.
8010	Intersect West boundary of Township 15 links N of Corner to Secs 30 and 31 from which Corner I run
	N 89° 54' E on a true line between Secs 30 and 31.
	Va 15° 22' East
40.10	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
8010	To Cor to Sections 29. 30. 31 and 32.
	Land Rolling Prairie Soil 3° Rate.

Chains	
	North between Secs 29. and 30
	Va 15° 22' East
4000	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
8000	Set a charred post in mound with pits as per instructions for Cor to Sections 19. 20. 29 and 30.
	Land Rolling Prairie Soil 3° R. ate.

Township No 16 North Range 54 West

Chains	
	East on a random line between Secs 20 and 29.
	Var 15° 22' East
40.00	Set a post for temporary 1/4 Sec Cor.
80.20	Intersect North and South line 16 links South of Cor to Secs 20.21.28 and 29. from which Cor I run
	S. 89° 53' W on a true line between Sections 20 and 29.
	Var 15° 22' East
40.10	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
80.20	To Cor to Secs 19.20.29 and 30.
	Land Rolling Prairie Soil 3d Rate.

Chains	
	West on a random line between Sections 19 and 30.
	Var 15° 22' East
40.00	Set post for temporary 1/4 Sec Cor
80.25	Intersect West boundary of township 23 links S of Corner to Secs 19 and 30 from which Corner I run
	S 89° 50' E on a true line between Secs 19 and 30.
	Var 15° 22' East
40.25	Set a charred post in mound with pits as per instructions for Corner to 1/4 Sec
80.25	To Cor to Secs 19.20.29 and 30.
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North

Chains	
	North between Secs 19 and 20
	Var 15° 22' East
40.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
80.00	Set Line Stone 23 X 17 X 2 for Corner to Secs 17. 18. 19 and 20
	Land Rolling Prairie Soil 3° Rate.

Range 54 West

Chains	
	East on a random line between Sections 17 and 20.
	Var 15° 22' East
0.00	Set a post for temporary 1/4 Sec Cor
9.82	Intersect North and South line 13 links South of Cor to Secs 16. 17. 20. and 21 from which Corner I run
	S 89° 54' W on a true line between Sec 17 and 20.
	Var 15° 22' East
9.91	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor.
19.82	To Cor to Secs 17. 18. 19 & 20
	Land Rolling Prairie Soil 3° Rate.

Township No 16 North

Chains	
	West on a random line between Sections 18 and 19
	Va 15° 22' East
4.00	Set post for temporary 1/4 Sec Cor.
79.92	Intersect West boundary of township 7 miles N of Cor to Sections 18 & 19 from which Corner I run.
	N 89° 57' E on a true line between Sections 18 and 19.
	Va 15° 22' East
39.96	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
79.92	To Cor to Secs 17. 18 19 and 20.
	Land Rolling Prairie Soil 3d Rate.

Range 54 West

Chains	
	North between Sec 17 and 18.
	Va 15° 22' East
4.00	Set a charred post in mound with pits as per instructions for 1/4 Sec Cor
79.92	Set a charred post in mound with pits as per instructions for Cor to Secs 7. 8. 17 and 18.
	Land Rolling Prairie Soil 3d Rate.

Township No 16 North Range 54 West

Chains	East on a random line between Secs 8 and 17.
	Va 15° 22' East
4000	Set post for temporary 1/4 Sec Cor
8000	Intersect North and South line 17 links N of Corner to Secs 8, 9, 16 & 17 - from which Corners I run.
	N 89° 53' W on a true line between Secs 8 & 17
	Va 15° 22' East
4000	Set a chained post in mound with pits as per instructions for 1/4 Sec Cor
8000	To Cor to Secs 7, 8, 17 & 18
	Land Rolling Prairie Soil 3rd Rate.

Chains	West on a random line between Sections 7 and 18.
	Va 15° 22' East
00	Set a post for temporary 1/4 Sec Cor
73	Intersect West boundary of township 20 links N of Cor to Secs 7 and 18 from which Corner I run -
	N 59° 51' E on a true line between Sections 7 and 18.
	Va 15° 22' East.
73	Set a chained post in mound with pits as per instructions for 1/4 Sec Cor
9.73	To Cor to Secs 7, 8, 17 and 18.
	Land Rolling Prairie Soil 3rd Rate.

Township No 16 North Range 54 West

Chains	
	North bet Sections 7 and 8.
	Va 15° 22' East
4000	Set line Stone 19x16x5 for 1/4 Sec Cor.
8000	Set line Stone 20x13 x4 for Cor to Secs 5.6. 7 and 8.
	Land Rolling Prairie Soil 3° Rate.

Chains	
	East on a random line between Secs 5 and 8.
	Va 15° 22' East
00	Set line Stone 19x12 x5 for temporary 1/4 Sec Cor.
81	Intersect North and South line 20 links N of Cor to Sections 4. 5. 8 and 9 from which Corner I run
	N 89° 51' W on a true line between Secs 5 and 8.
	Va 15° 22' East
90½	Set a line Stone 19x12x5 for 1/4 Sec Cor.
81	To Cor to Secs 5.6.7 + 8. Land Rolling Prairie Soil 3° Rate.

Township No 16 North Range 54 West

Chains	
	West on a random line between Sections 6 and 7
	Va 15° 22' East
4000	Set line Stone for temporary 1/4 Sec Cor
79.92	Intersect West boundary of township 14 links South of Cor to Sections 6 and 7 from which Corner I run W.
	S 89° 54' E on a true line between Sections 6 and 7.
	Va 15° 22' East
39.92	Set line Stone 21 x 13 x for 1/4 Sec Cor.
79.92	To Cor to Secs 5.6.7 + 8
	Land Rolling Prairie Soil 3d Rate

Chains	
	North bet Sections 5 and 6.
	Va 15° 22' East
6.50	To bed of Lawrences forks brs S.87.E
000	Set a line Stone 30 x 17 x 2 for 1/4 Sec Cor.
0.15	Intersect 4th Stand Parallel N. 15 Chains and 80 links East of 1/4 Sec Cor. T. of Sec. 33. T. 17 N. R. 54 W. and Set line stone 27 x 16 x 3 for Closing Cor to Secs 5 and 6.
	Land Rolling Prairie Soil 3d Rate.
	August 27th 1870

General Description

The general character of this township is high rolling prairie. The soil is good but owing to the lack of water, it cannot be made available for agricultural purposes.
No timber.

I Hiram C. Fellows, deputy surveyor, do solemnly swear that in pursuance of a contract with Robert R Livingston surveyor of the public lands of the United States in the State of Nebraska, bearing date the fourth day of August 1870 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General I have faithfully surveyed and subdivided Township 15 North, Ranges 52 and 53 West, and Township No 16 North Ranges 52, 53 and 54 West all north of the base line and west of the 6th Principal Meridian

in the State aforesaid and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Hiram C. Fellows
Deputy Surveyor

Subscribed by said Hiram C. Fellows Deputy Surveyor, and sworn to before me a U.S. Commissioner. District of Nebraska.
this September 20th 1870

Geo. M. O'Brien
U.S. Commr
Dist of Neb

U.S. CIRCUIT COURT DISTRICT OF NEBRASKA

We hereby certify that we assisted Hyrane G. Follows Deputy Surveyor in surveying and subdividing the following Townships, viz, Township No 15 North Ranges 52 and 53 West. Township No 16 North Ranges 52, 53 and 54. all North of the base line and west of the 6th Principal Meridian and that said Townships have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General

Ed. F. Smith Chainman
G. H. Brown "
Peter V. J. Loinne Axeman
S. Gillespie. Axeman
W. H. Evans Compassman

Subscribed and sworn to by the above named persons before me a U. S. Commissioner District of Nebraska this September 20 A. D. 1870

Geo. W. O'Brien
U. S. Comm. District of Neb

Surveyor General's Office
Plattsmouth Neb. Oct. 25. 1870.

The foregoing field notes of the survey of the subdivision lines of Township No. 16 North of the Base Line of Range No. 64 West of the 6th Principal Meridian in the State of Nebraska, executed by Hiram C. Fellows, under contract No. 31 of the 4th day of August 1870, in the month of August 1870, having been critically examined the necessary corrections and explanations made the said field notes, and the surveys the describe, are hereby approved.

Robt. R. Livingston
Surveyor General.

General Land Office • Original Field Notes

Book Number

712

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.