General Land Office • Original Field Notes

Book Number

736

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

T.12-16 N.

R. 58 W.

90

Index Diagram



Field Notes of the Subdivision lines, in Fractional Township No 12 North of the Base Line, Range No 58. West of the 6th Principal Meridian in the State of Nebraska, Surveyed by John W. Daugherty Deputy Surveyor.

Commenced Sept 11th 1871
Concluded Sept 13th 1871

Names and Duties of Assistants employed to to assist in Subdivide Fractional Township No. 12 North of the Base Line, Range No 8 W of the 6th Principal Meridian, in the State of Nebraska

Benedict T. Yates
Frank Adams } Chainmen

John R Gordon
Sanford B Carpenter } Axemen

3994
7995

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to fractional Township No 12 North Range 8 and 8 West on the 3 Standard Parallel and run South on a blank line along the East boundary of Section 1,

Variation 15° East

To a point 4 links West of the quarter Section corner

To a point 8 links West of the corner to Sections 1 and 12, To retrace this line or run parallel thereto my compass must be adjusted to a Variation 15° East

Fractional Township No 12 North Range

At a point 17 chs & 59 LKs West of the Corner to Secs 31 & 32 Township No 13 North. Range No 57 West, on the 5th Standard Parallel. I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 1 & 2. from which Corner I run South on a true line between Secs. 1, & 2.

Va 15° 6 East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor,

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 1. 2. 11. & 12,

Land gently rolling Soil 2nd rate.

No 58. West of the 6th Principal Meridian

0

East on a random line between Secs 1 & 12

Va 15° 6 East

40.00 Set post for temporary 1/4 Sec. Cor.

79.62 Intersect the East Boundary of the Township 21 LKs South of Post corner to Secs 1 & 12 from which corner I run South 89° 51' west on a true line between Secs 1 & 12,

Va, 15° 6 East

39.81 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.62 The corner to Secs. 1. 2. 11. & 12.

Land gently rolling Soil 2nd rate

Fractional Township No. 12. North Range No. 58. West of the 6th Principal Meridian

South on a true line between Secs. 11 & 12.
Va. 15° 6 East

40.00 Set Limestone 16 x 13 x 3 marked as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 11, 12, 13 & 14.

Land Rolling, Soil 2nd rate,

Fractional Township No. 12. North Range No. 58. West of the 6th Principal Meridian

East on a random line between Secs. 12 & 13.
Va 15° 6 East

40.00 Set Post for temporary ¼ Sec. Cor.

79.60 Intersect the East Boundary of the Township, at the Stone Corner to Secs. 12 & 13. from which corner I run West on a true line between Sec's 12 & 13
Va, 15° 6 East

39.80 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.60 The corner to Secs. 11, 12, 13 & 14

Land mostly Level
Soil 2nd rate

Fractional Township No. 12. North Range No. 58. West of the 6th Principal Meridian

South on a true line between Secs. 13 & 14
Va 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 13. 14. 23 & 24.

Land rolling. Soil 2nd rate.

East on a random line between Secs. 13 & 24.
Va 15° 6' East

40.00 Set post for temporary ¼ Sec. Cor.
64.00 Drain 75 lks wide descends N. E.
79.63 Intersect the East Boundary of the Township 16 lks North of the post, corner to Secs, 13 & 24 from which corner a true North 89° 53' West on a true line between Secs 13 & 24. Va 15° 6' East
398.1 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.63 The corner to Secs. 13. 24. 23 & 20

Land gently rolling Soil 2nd rate.

Fractional Township No. 12. North Range No. 58. West of the 6th Principal Meridian

South on a true line between Secs. 23 & 24.

Va 15°6' East

11.25 Intersect the State line 24 chs and 20 lks East of the 97th mile Post on the State Boundary, where, I set a charred post in mound of earth with pits as per instructions for closing corner to fractional Secs. 23 & 24.

Land Level. Soil 2nd rate.

At a point 17 chs & 18 lks west of the corner to Township 13 North Ranges No 57 & 58 west 1, on the 3rd Standard Parallel, I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 2 & 3.

Thence I run South on a true line between Secs 2 & 3

Va 15°6' East

40.00 Set Limestone 15 x 14 x 3 marked as per instructions for 1/4 Sec. cor,

80.00 Set Limestone 18 x 16 x 4 with notches as per instructions for corner to Secs. 2, 3, 10 & 11

Land level. Soil 2nd rate.

Fractional Township No 12 North. Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 2 & 11
Va 15° 6' East

40.00 Set post for temporary ¼ Sec. Cor.

79.68 Intersect the N. & S. line 9 lks South of post corner to Secs 1. 2. 11 & 12 from which corner a pine bears South 89° 6' West on a true line between Secs 2 & 11
Va 15° 6' East

39.84 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor

79.68 The corner to Secs 2. 3. 10 & 11.

Land rolling. Soil 2nd rate.

South on a true line between Secs. 10 & 11
Va. 13° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 20x16x4 with notches as per instructions for corner to Secs. 10. 11. 14 & 15

Land gently rolling, soil 2nd rate

Fractional Township No 13 North Range No 58 West of the 6th Principal Meridian

East on a random line between Secs. 11 & 14.
Va 15° 6' East

40.00 Set Stone for temporary ¼ Sec. Cor.
79.70 Intersect N & S Line at post cor. to Secs. 11, 12, 13 & 14 from which corner I run West on a true line between Secs. 11 & 14
Va 15° 6' East
39.85 Set Limestone 18 x 15 x 3 marked as per instructions for ¼ Sec. Cor.
79.70 the corner to Secs. 10. 11. 14 & 15.

Land rolling. Soil 2nd rate.

South on a true line between Secs. 14 & 15.
Va 15° 6' East

40.00 Set Limestone 17 x 13 x 4 marked as per instructions for ¼ Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 14, 15, 22 & 23.

Land gently rolling
Soil 2nd rate.
Sept 11th 1871

Fractional Township No 12 North Range

East on a random line between Secs. 14 & 23
Va 15° 6 East
40.00 Set post for temporary ¼ Sec. Cor.
79.80 Intersect the N. & S. Line 5 lks South of the post corner to Secs. 13. 14. 23 & 24. from which Corner I run South 89° 58' West on a true line between Secs. 14 & 23.
Va 15° 6 East
39.90 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.80 The corner to Secs. 14. 15. 22 & 23

Land gently rolling
Soil 2nd rate.

North of the 6th Principal Meridian

South on a true line between Secs. 22 & 23.
Va 15° 6 East
11.21 Intersect the State Line 24 chs & 32 lks East of the 98th mile Post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Secs. 22 & 23

Land Level. Soil 2nd rate.

Fractional Township No 12 North Range No. 58 West of the 6th Principal Meridian

At a point 16 chs & 77 lks West of the corner to Secs. 35 & 36 Township No 13 North. Range No 58 West, on the 3rd Standard Parallel, I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 3 & 4.
Thence I run South on a true line between Secs. 3 & 4.
Va 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 2, 11, 9 & 10,

Land mostly Level
Soil 2nd rate

East on a random line between Secs. 3 & 10.
Va. 15° 6' East

40.00 Set & post for temporary 1/4 Sec Cor,

79.90 Intersect the N & S Line 12 lks South of Stone corner to Secs 2. 3. 10 & 11. from which corner I run South 89° 55' West on a true line between Secs, 3 & 10,
Va 15° 6' East

39.95 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor,

79.90 The corner to Secs. 3. 4. 9. & 10.

Land rolling. Soil 2nd rate,

Fractional Township No. 12 North Range No. 58 West of the 6th Principal Meridian

South on a true line between Secs. 9 & 10.
Va. 15' 6" East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 9, 10, 15 & 16,

Land gently rolling
Soil 2nd rate.

East on a random line between Secs. 10 & 15.
Va. 15° 6' East
40.00 Set post for temporary 1/4 Sec. Cor.
79.66 Intersect the N. & S. Line 79.66 South of Stone corner to Secs 10, 11, 14 & 15, from which Corner I run South 89° 54' West on a true line between Secs. 10 & 15
Va. 15° 6' East
39.83 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor,
79.66. The corner to Secs. 9, 10, 15 & 16,

Land gently rolling.
Soil 2nd rate.

Fractional Township No 12" North Range No. 58. West of the 6" Principal Meridian

South on a true line betwn
Sec's. 15 & 16.
Va. 15° 6' East
40.00 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
80.00 Set limestone 16x16x3 with
notches as per instructions
for corner to Sec's. 15.16.21 & 22

Land gently rolling
Soil 2" rate.

East on a random line between
Sec's. 15 & 22.
Va. 15° 6' East
40.00 Set post for temporary 1/4 Sec Cor
79.86 Intersect the N. B. Line 9 lks
South of Post corner to Sec's.
14. 15. 22 & 23. from which
I run South 89°.56' west
on a true line between
Sec's. 15 & 22.
Va. 15° 6' East
39.93 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
79.86 The corner to Sec's. 15.16. 21 & 22

Land gently rolling Soil 2" rate

Fractional Township No. 12 North Range

South on a true line between
Secs. 21 & 22.
Va. 15' 6' East
11.06 Intersect the State Line 24
chs & 70 lks East of the 99"
mile Post on the State Bound
ary. where I set charred
post in mound of earth
with pits. as per instruc
tions for closing corner to
fractional Secs. 21 & 22

Land Level. Soil 2d rate

No. 58 West of the 6th Principal Meridian

At a point 16 chs & 36 lks west
of the corner to Secs. 34 & 35.
Township No. 13. North Range
No. 58 west of the 3rd Standard
Parallel. I set charred post
in mound of earth with
pits as per instructions for
closing corner to Secs. 4 & 5
Thence I run South on a true
line between Secs. 4, & 5,
Va. 15° 6' East
40.00 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.
80.00. Set charred post in mound
of earth with pits as per
instructions for corner to.
Secs. 4. 5. 8. & 9.

Land rolling. Soil 2d rate

Fractional Township No. 12. North Range

East on a random line between Sec's. 4 & 9.
Va. 15° 6' East
40.00 Set post for temporary ¼ Sec. Cor.
79.65 Intersect N. & S. at post corner to Sec's. 3. 4. 9 & 10. from which corner I run West on a true line between Sec's 4 & 9.
Va. 15° 6' East
39.82 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.65 The corner to Sec's. 4. 5. 8. & 9.

Land gently rolling
Soil 2d rate

No 58. West of the 6th Principal Meridian

South on a true line between Sec's. 8. & 9.
Va. 15° 6' East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 8. 9. 16 & 17.

Land gently rolling soil 2d rate
Sept 15th 1871

Fractional Township No 12 North Range

East on a random line between
Sec's. 9 & 16.
Va. 15° 6' East

40.00 Set Post for temporary ¼ Sec. Cor.

79.85 Intersect the N & S Line 20 Lks
North of East corner to Sec's
9. 10. 15 & 16. from which
corner I run North 89° 47'
West on a true line between
Sec's. 9 & 16.
Va. 15° 6' East

39.92 Set charred Post in mound
of earth with Pits as per in-
structions for ¼ Sec. Cor.

79.85 The corner to Sec's. 8. 9. 16 & 17.

Land gently rolling soil 2nd rate

No. 58. West of the 6th Principal Meridian

South on a true line between
Sec's. 16 & 17.
Va. 15° 6' East

40.00 Set charred Post in mound
of earth with Pits as per
instructions for ¼ Sec. Cor.

80.11 Set charred Post in mound
of earth with Pits as per in-
structions for corner to Sec's
16. 17. 20 & 21.

Land gently rolling
soil 2nd rate.

Fractional Township No 12 North Range No 58 West of the 6th Principal Meridian

East on a random line between Secs. 16 & 21
Va 15° 6' East

40.00 Set Post for temporary 1/4 Sec. Cor.
79.64 Intersect N & S Line 4 lks South of Post corner to Secs 15, 16, 21 & 22. from which Corner I run South 89° 54' West on a true line between Secs. 16 & 21,
Va, 15° 6 East
39.82 Set Charred Post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.64 The corner to Secs. 16, 17, 20 & 21

Land gently rolling. soil 2nd rate

South on a true line between Secs. 20 & 21,
Va 15° 6' East
11.02 Intersect the State Line 25 Chs & 11 lks East of the 100 mile Post on the State Boundary, where I set Charred post the mound of earth with pits as per instructions for closing corner to Fractional Secs. 20 & 21

Land Level. Soil 2nd rate

Fractional Township No 12. North Range No 58. West of the 6th Principal Meridian

At a Point 15 chs & 95 lks West of the Corner to Secs 33 & 34 Township No. 13. North Range No 58 west, on the 5th Standard Parallel, I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 5 & 6, thence I run South on a true line between Secs. 5 & 6, Va, 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor,

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 5.6.7.& 8,

Land gently rolling. Soil 2nd rate

East on a random line between Secs, 5 & 8,
Va, 15° 6' East

40.00 Set post for temporary 1/4 Sec. Cor

79.82 Intersect N. & S. Line 16 lks North of Post corner to Secs, 4.5.8.9 from which corner I run North 89° 53' West on a true line between Secs. 5 & 8.
Va, 15° 6' East

39.91 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor,

79.82 The corner to Secs. 5.6.7.8

Land rolling soil gravelly 3rd rate

Fractional Township No. 12 North Range No. 58. West of the 6th Principal Meridian

West on a random line between Secs. 6 & 7.
Va. 15° 6' East

40.00 Set post for temporary ¼ Sec Cor
80.00 Intersect the West Boundary of the Township 5 lks South of Stone Corner to Secs. 6 & 7 from which corner I run South 89° 58' East on a True line between Secs 6 & 7.
Va. 15° 6 East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 The corner to Secs. 5. 6. 7 & 8

Land rolling soil gravelly 3rd rate

South on a true line between Secs. 7 & 8.
Va. 15° 6' East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 7. 8. 17 & 18.

Land gently rolling soil gravelly 3rd rate

Fractional Township No. 12 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's. 8 & 17.
Va. 15° 6' East

40.00 Set post for temporary 1/4 Sec. Cor.
79.69 Intersect N. & S. Line at post corner to Sec's. 8. 9. 16 & 17 from which corner I run West on a true line between Sec's. 8 & 17. Variation 15° East
39.84 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.69 The corner to Sec's. 7. 8. 17. & 18

Land gently rolling, soil 2nd rate.

West on a random line between Sec's. 7 & 18
Va. 15° 6' East

40.00 Set post for temporary 1/4 Sec. Cor.
80.05 Intersect the West Boundary of the Township 23 lks South of Post corner to Sec's. 7 & 18 from which corner I run South 89° 50' East on a true line between Sec's. 7 & 18.
Va. 15° 6' East
40.05 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.05 The corner to Sec's. 7. 8. 17 & 18.

Land Rolling. soil 3rd rate

Fractional Township No. 12. North Range

South on a true line between Secs. 17 & 18.
Va. 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 17, 18, 19, & 20.

Land rolling. Soil 2nd rate

No. 58. West of the 6th Principal Meridian

East on a random line between Secs. 17 & 20.
Va 15° 6' East

40.00 Set post for temporary ¼ Sec. Cor.

79.86 Intersect N & S Line 12 lks South of post corner to Secs 16, 17, 20 & 21. From which corner I run South 89° 55' West on a true line between Secs. 17 & 20
Va, 15° 6' East

39.93 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.86 The corner to Secs. 17, 18, 19 & 20

Land rolling & soil gravelly 3rd rate

Fractional Township No 12 North Range No 58 West of the 6th Principal Meridian

West on a random line between Secs. 18 & 19.
Va, 15° 6' East

40.00 Set post for temporary 1/4 Sec. Cor.
80.15 Intersect the west Boundary of the Township 25 lks South of the Stone Corner to Secs 18 & 19. From which corner I run South 89° 49' East on a true line between Secs. 18 & 19
Va 15° 6' East
40.15 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.15 The corner to Secs. 17, 18, 19 & 20

Land rolling, Soil 2nd rate

South on a true line between Secs. 19 & 20
Va, 15° 6' East
10.96 Intersect the State line 25 chs & 30 lks East of the 101st Mile post on the State Boundary, where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Secs. 19 & 20.

Land rolling, Soil 2nd rate
Sept 13th 1871

This Township is composed of Prairie land high and rolling. mostly 2 rate timber with a good growth of grass and well adapted for grazing.

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing Field Notes of Fractional Township No. 12 North. of the Base Line Range No 08 West of the 6th Principal Meridian, State of Nebraska Showing the respective capacities in which they acted

Bennet D. Yates
Frank. Adams } Chainmen
John R. Gordon
Sandford C. Carpenter } Axemen

I John W. Daugherty, Deputy Surveyor, do solemnly swear that in pursuance of a joint contract, wherein John W. Daugherty & Dan S. Parmalee are joint contractors with E. S. Cunningham, United States Surveyor General, for the district of Iowa & Nebraska, bearing date the 20th Day of May 1871. I have well, faithfully & truly, in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the Laws of the United States, Surveyed all those parts or portions of Township No. 12 North, Range of the Baseline Range No 8 West of the 6th Principal Meridian, State of Nebraska, as are represented in the foregoing Field Notes

as having been surveyed under my direction; and I do further solemnly swear that all the corners of said survey have been established and perpetuated, in strict accordance with the Surveying manual and printed instructions; and that the foregoing are the true and original Field Notes of such survey.

John W. Daughety
Deputy Surveyor

Subscribed & Sworn to before me a Notary Public in & for said Douglas County State of Nebraska by the person above named this 21st day of October 1871

R. F. Seall
Notary Public

We hereby certify that we assisted John W. Daugherty Deputy Survey in subdividing Fractional Township No. 12 north of the Base Line Range No 58 West of the 6th Principal Meridian State of Nebraska, and that said Township has been in all respects to the best of our Knowledge and belief well and faithfully surveyed, and the Boundary monuments planted according to the instructions furnished by the Surveyor General.

Bennet T. Yates
Frank Adams Chainmen
John R. Gordon
Sanford C Carpenter Axeman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln State of Nebraska this 23rd day of October 1871. J B Park
Notary Public

Surveyor Generals Office
Plattsmouth Jany 27th 1872

The foregoing field Notes of the Survey and Subdivision of Township 12 North Range 58 West. Executed by John W. Daugherty under Joint Contract 42 dated May 20th 1871. Wherein John W. Daugherty and Dan S. Tunnele are Joint contractors in the Month of Sept 1871. having been critically Examined the Necessary corrections & Explanations Made the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

INDEX. T. 13. N. R. 58 W. 6. P.M.

6	63	5	47	4	36	3	25	2	14	1	
62		61		46		35		24		13	
7	60	8	45	9	34	10	23	11	12	12	
59		58		44		33		22		11	
18	57	17	43	16	32	15	21	14	10	13	
56		55		42		31		20		9	
19	54	20	41	21	30	22	19	23	8	24	
53		52		40		29		18		7	
30	51	29	39	28	28	27	17	26	6	25	
50		49		38		27		16		5	
31	48	32	37	33	26	34	15	35	4	36	

Field Notes of the Subdivision Lines in Township No. 13 North of the Base Line, Range No. 58 West of the 6th Principal Meridian, in the State of Nebraska. Surveyed by John H. Daugherty. Deputy Surveyor.

Commenced Sept 14th 1871
Concluded Sept 18th 1871

Names and duties of the individuals employed to assist in Subdividing of the Base Line Township No. 13. North Range No. 58 West of the 6th Principal meridian, in the State of Nebraska.

Bennet J Yates
Frank Adams } Chainmen

John R Gordon
Danford L Carpenter } Axemen

To determine the proper adjustment of my Compass for subdividing this Township I commenced at the corner to Township 13 North Range 57 and 58 West on the 3 Standard Parallel and 6m North on a blank line along the East boundary of Section 36

Variation 15° 4' East

4004 To a point 6 links West of the quarter Section corner

7997 To a point 7 links West of the corner to Sections 25 and 36

To retrace this line or any parallel thereto my Compass must be adjusted to a Variation 15° 1' East

Township No. 13 North. Range No. 58 West of the 6th Principal Meridian

North between Secs. 35 & 36
Va. 15' 1 East

40.00 Set Limestone 16 x 16 x 6 marked as per instructions for 1/4 Sec Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 25.26 35 & 36.

Land rolling, Soil 2nd rate.

East on a random line between Secs. 25 & 36.
Va. 15' East

40.00 Set post for temporary 1/4 Sec. Cor.

79.88 Intersect the East Boundary of the Township 5 lks South of the Post Corner to Secs. 25 & 36 from which Corner I run South 89° 55' West on a true line between Secs. 25 & 36.
Va 15' 1 East

39.94 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor

79.88 The corner to Secs. 25.26. 35 & 36

Land rolling. Soil 2nd rate.

Township No. 13. North. Range No. 58. West of the 6th Principal Meridian

North between Secs. 25 & 26
Va 15' 1 East

40.00 Set Limestone 19. x 15 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 21 x 14 x 3 with notches as per instructions for corner to Secs. 23. 24. 25 & 26

Land rolling. Soil 2nd rate.

East on a random line between Secs. 24 & 25.
Va. 15' 1 East

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.00 Intersect the East Boundary of the Township 21 lks North of Stone Corner to Secs. 24 & 25 from which corner Bears North 89° 51' West on a true line between Secs 24 & 25.
Va. 15° 1 East

40.00 Set Limestone 19x16x3 marked as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 23. 24. 25 & 26

Land rolling. Soil 2nd rate

46

Township No. 13 North Range No. 58. West of the 6th Principal Meridian

North between Secs. 23 & 24
Va. 15° 1' East
40.00 Set Limestone 20 x 15 x 4 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 16 x 12 x 3 with notches as per instructions for corner to Secs. 13. 14. 23 & 24

Land rolling Soil gravelly 3rd rate.

East on a random line between Secs. 13 & 24.
Va. 15° 1' East
40.00 Set Limestone 17 x 16 x 3 for temporary 1/4 Sec. cor. temporary
80.07 Intersect the East Boundary of the Township, 12 lks North of Stone corner to Secs. 13 & 24 from which corner a pine North 89° 55' West on a true line between Secs. 13 & 24. Va. 15° 1' East
40.11 3/2 Set Limestone 17 x 16 x 3 marked as per instructions for 1/4 Sec. Cor.
80.07 The corner to Secs. 13. 14. 23 & 24

Land rolling gravelly & Soil 3rd rate.

Township No. 13. North. Range No. 58. West of the 6th Principal Meridian

North between Secs. 13 & 14
Va. 15° 1 East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

46.00 Drain 60 lks wide descends N.E.

52.00 Drain 90 lks wide descends East

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 11, 12, 13 & 14.

Land rolling, soil gravelly & 3rd rate.

East on a random line between Secs. 12 & 13.
Va. 15° 1 East

40.00 Set Stone for temporary 1/4 Sec. Cor.

41.00 Drain 80 lks wide descends N.E.

80.14 Intersect the East Boundary of the Township 8 lks North of Stone corner to Secs. 12 & 13 from which corner Doun North 89° 54' West on a true line between Secs 12 & 13 Va. 15° 1 East

40.07 Set Limestone 16 x 14 x 4 marked as per instructions for 1/4 Secs. Cor.

80.14 The corner to Secs 11, 12, 13, & 14

Land gently rolling
soil 2nd rate.

Township No. 13 North Range No. 38 West of the 6th Principal Meridian

North between Sec's 11 & 12
Va. 15° 1 East

40.00 Set Limestone 16x15x3 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 20x16x5 with notches as per instructions for corner to Sec's. 1, 2, 11 & 12.

Land rolling Soil Poor 2nd rate

East on a random line between Sec's. 1 & 12.
Va. 15° 1 East

40.00 Set Stone for temporary 1/4 Sec. Cor.
80.21 Intersect the East Boundary of the Township 35 lks North of Stone corner to Sec's. 1 & 12 from which corner Bears North 89° 45' West on a true line between Sec's. 1 & 12,
Va. 15° 1 East
40.10 Set Limestone 18x14x5 marked as per instructions for 1/4 Sec. Cor.
80.21 The corner to Sec's. 1, 2, 11 & 12

Land rolling. Soil 2nd rate

Township No. 13. North. Range No. 58 West of the 6th Principal Meridian

North on a random line between Secs. 1 & 2, Va. 15 1/2 East

40.00 Set charred post for temporary 1/4 Sec. Cor.

79.64 Intersect the North Boundary of the Township 5 lks west of the Post corner to Secs. 1 & 2 from which corner Bears South 2° West on a true line between Secs. 1 & 2 Va. 15 1/2 East

39.64 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.64 The corner to Secs. 1. 2. 11 & 12.

Land gently rolling soil 2nd rate

North between Secs. 34 & 35 Va. 15 1/2 East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 26, 27, 34 & 35

Land rolling, Soil 2nd rate.

Sept 14th 1871

Township No. 13. North Range No. 58. West of the 6th Principal Meridian

East on a random line between Secs. 26 & 35.
Va. 15° 1 East

28.00 Drain 75 lks wide descends N.E.
40.00 Set Stone for temporary 1/4 Sec. Cor.
79.83 Intersect N. & S. Line 11 lks West of Post corner to Secs. 25, 26, 35 & 36 from which corner I run North 89°. 55' West on a true line between Secs. 26 & 35.
Va. 15° 1 East
39.91 Set Limestone 17 x 14 x 3 marked as per instructions for 1/4 Sec. Cor.
79.83 Pile corner to Secs. 26, 27, 34 & 35

Land rolling, Soil 2nd rate.

North between Secs. 26 & 27
Va. 15° 1 East

40.00 Set Limestone 20 x 14 x 4 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 18 x 15 x 5 with notches as per instructions for corner to Secs. 22, 23, 26 & 27

Land rolling, Soil gravelly 3rd rate.

Township No 13 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's 23 & 26.
Va. 15 1/2 / East

35.00 Drain 50 lks wide descends North
40.00 Set post for temporary 1/4 Sec cor.
80.00 Intersect N. & S. Line 5 lks North of Stone corner to Sec's 23. 24 25 & 26. from which corner Bears North 89° 58' West on a true line between Sec's 23 & 26
Va. 18 / East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
80.00 The corner to Sec's. 22. 23. 26 & 27

Land rolling. Soil 2nd rate.

North between Sec's 22 & 23
Va. 15 / East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 14. 15. 22 & 23

Land rolling. Soil 2nd rate.

Township No. 13 North Range No. 58. West of the 6th Principal Meridian

East between Secs 14 & 23
on a random line,
Va. 15° 1 East

140.00 Set post for temporary ¼ Sec. Cor
51.00 Drain 80 lks wide descends N.E.
80.00 Intersect the N & S Line 9 lks
West of Stone corner to Secs
13. 14. 23 & 24. from which
Corner bears North 89°52' West
on a true line between Secs
14 & 23.
Va. 15° 1 East
140.00 Set charred post in mound
of earth with pits as per
instructions for ¼ Sec. Cor.
80.00 The corner to Secs. 14. 15. 22 & 23

Land rolling Soil 2nd rate.

North between Secs. 14 & 15
Va. 15° 1 East

5.00 Drain 68 lks wide descends East
40.00 Set Limestone 16 x 14 x 6 marked
as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 20 x 18 x 4 with
notches as per instructions for
corner to Secs. 10. 11. 14 & 15

Land rolling Soil 2nd rate

Township No. 13. North Range 8. West of the 6th Principal Meridian

East on a random line between Sec's. 11 & 14.
Va. 15° 1 East

40.00 Set post for temporary ¼ Sec. Cor.
80.04 Intersect N. & S. Line at Post cor ner to Sec's. 11. 12. 13 & 14. from which corner I run West on a true line between Sec's. 11 & 14
Va 15° 1 East
40.02 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.04 The corner to Sec's. 10. 11. 14. & 15

Land rolling. Soil gravelly 3rd rate.

North between Sec's 10 & 11
Va. 15° 1 East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 2. 3. 10. & 11.

Land gently rolling. 2nd rate Soil

Township No. 13 North Range No 58 West of the 6th Principal Meridian

East on a random line between Sec's. 2 & 11.
Va. 15° 1' East
40.00 Set post for temporary 1/4 Sec. Cor.
80.00 Intersect N & S. Line at Stone Corner to Sec's. 1. 2. 11. & 12 from which corner I run West on a true line between Sec's. 2 & 11.
Va. 15° 1' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 The corner to Sec's. 2. 3. 10. & 11.

Land gently rolling. Soil 2" rate

North on a random line between Sec's. 2 & 3.
Va. 15° 1' East
40.00 Set Stone for temporary 1/4 Sec. Cor.
79.68 Intersect the North Boundary of the Township 7 lks west of the Stone corner to Sec's. 2 & 3 from which corner I run South 3' west on a true line between Sec's. 2 & 3
Va. 15° 1' East
39.68 Set Limestone 18 x 13 x 4 marked as per instructions for 1/4 Sec. Cor.
79.68 The corner to Sec's. 2. 3. 10 & 11

Land rolling soil 2" rate
Sept 15th 1871

Township No. 13 North. Range No. 58. West of the 6th Principal Meridian

North between Secs. 33 & 34
Va. 15° 1' East

40.00 Set Limestone 15 x 14 x 3 marked as per instructions for ¼ Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 27. 28. 33 & 34.

Land rolling & Stony
Soil 3rd rate.

East on a random line between Secs. 27 & 34
Va. 15° 1' East

40.00 Set Stone for temporary ¼ Sec. Cor
80.06 Intersect N. & S. Line 9 lks North of Post corner to Secs. 26. 27. 34 & 35. from which corner a tree North 89° 56' West on a true line between Secs. 27 & 34
Va. 15° 1' East
40.03 Set Limestone 20 x 16 x 5 marked as per instructions for ¼ Sec. Cor
80.06 The corner to Secs. 27. 28. 33 & 34

Land rolling. Soil 2nd rate

Township No. 13 North Range No 58. West of the 6th Principal meridian

North between Secs. 27 & 28
Va. 15 1 East

40.00 Set Limestone 14 x 14 x 4 marked as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 21. 22. 27 & 28.

Land rolling. Soil 2nd rate.

East on a random line between Secs 22 & 27
Va. 15 1 East

40.00 Set post for temporary ¼ Sec. Cor.

79.90 Intersect N & S Line 18 lks North of Stone Corner to Secs 22. 23. 26 and 27 from which Corner I run North 89° 52' West on a true line between Secs. 22 & 27.
Va. 15 1 East

39.95 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.90 The corner to Secs. 21. 22. 27 & 28

Land rolling & Soil Poor 3rd rate

Township No. 13 North Range No. 58. West of the 6th Principal Meridian

	North between Secs. 21 & 22
	Va. 13° 1' East
22.00	Drain 90 lks wide descends East.
440.00	Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00	Set Limestone 21 x 16 x 6 with notches as per instructions for corner to Secs. 15. 16. 21 & 22.
	Land rolling. 2nd rate Soil

	East on a random line between Secs. 15 & 22.
	Va. 13° 1' East
40.00	Set post for temporary ¼ Sec Cor
63.00	Drain 75 lks wide descends N. E.
80.06	Intersect N & S Line at Post Corner to Secs. 14, 15, 22 & 23 from which corner a run West on a true line between Secs. 15 & 22.
	Va. 13° 1' East
40.13	Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor
80.06	The corner to Secs. 15, 16, 21 & 22
	Land rolling, Soil 2nd rate

24 32.

33

Tow Downs Lib No. 13 North Range No 5 58 West of the 6th Principal Meridian

North between Secs. 15 & 16
Va. 15° 1 East

40.00 Set charred post in mound
40. of earth with pits as per in-
80.0 structions for 1/4 Sec. Cor.
80.00 Set Limestone 20x20x4 with
notches as per instructions
for corner to Secs. 9. 10. 15 & 16.

Land Rolling. Soil 2nd rate

40

80

East on a random line be-
tween Secs. 10 & 15.
Va. 15° 1 East

40.00 Set post for temporary 1/4 Sec. Cor.
80.13 Intersect N & S Line 12 lks South
of East corner to Secs 10. 11
14 & 15. From which corner
I run South 89° 55' west
on a true line between Secs
10 & 15.
Va. 15° 1 East
40.06 Set charred post in mound
of earth with pits as per in-
structions for 1/4 Sec. Cor.
80.13 The corner to Secs. 9. 10. 15 & 16

Land gently rolling. Soil 2nd rate

Township No. 13 North Range No. 58 West of the 6th Principal Meridian

North between Sec's. 9 & 10
Va. 15° 1' East

40.00 Set Limestone 16x15x4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 3. 4. 9. & 10,

Land rolling. 2" rate soil

40.0

80.0

East on a random line between Sec's. 3 & 10.
Va. 15° 1' East

40.00 Set Stone for temporary 1/4 Sec. Cor

80.10 Intersect N & S Line 14 lks South of Post corner to Sec's. 2, 3 10. & 11, from which corner I run South 89° 54' west on a true line between Sec's 3 & 10
Va. 15° 1' East

40.05 Set Limestone 18x17x5 marked as per instructions for 1/4 Sec. Cor

80.10 The corner to Sec's. 3. 4. 9. & 10.

Land gently rolling soil 2" rate

40.

80.

Tow. Township No. 13 North Range No. 58 West of the 6th Principal Meridian

North on a random line between Sec's. 3 & 4
Va. 15° 1' East

40.0 40.00 Set Stone for temporary 1/4 Sec. Cor.

80.0 79.67 Intersect the North Boundary of the Township at Stone corner to Sec's. 3 & 4. from which corner I run ~~west~~ South on a true line between Sec's. 3 & 4.
Va. 15° 1' East

40. 39.67 Set Limestone 18 x 16 x 5 marked as per instructions for 1/4 Sec. Cor.

80. 79.67 The corner to Secs. 3. 4. 9 & 10

Land rolling soil Sandy & 3" rate.

North between Sec's 32 & 33
Va 15° 1' East

40.00 Set Limestone 20 x 12 x 5 marked as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 28. 29. 32 & 33

Land rolling. Soil 2" rate.
Sept 16th 1879

24

Downs

38

Township No 13 North. Range No

East on a random line between Secs. 28 & 33.
Va. 15° 1' East

40.00	40.00	Set post for temporary ¼ Sec. Cor.
80.00	79.84	Intersect the N. & S. Line 5 lks South of Post corner to Secs 27. 28. 33. & 34. from which corner I run South 89° 58' West on a true line between Secs 28 & 33.
40.00		Va 15° 1' East
	39.92	Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.0		
	79.84	The corner to Secs. 28. 29. 32 & 33

Land rolling, soil 2nd rate

39

58 West of the 6th Principal Meridian

North between Secs. 28 & 29
Va. 15° 1' East

26.00	Drain 1 ch wide descends East.
40.00	Set Limes tone 22 x 18 x 5 marked as per instructions for ¼ Sec. Cor.
80.00	Set charred post in mound of earth with pits as per instructions for corner to Secs, 20, 21 28 & 29.

Land rolling, soil 2nd rate.

24 40

Township No. 13 North Range No. 08 West of the 6th Principal Meridian

41

East on a random line between Secs. 21 & 28.
Va. 15° 1' East

40.0	34.00	Drain 1ch wide Descends N. E.
80.0	40.00	Set Limestone for temporary 1/4 Sec Cor
	80.07	Intersect the N & S Line at Post Corner to Secs. 21. 22. 27 & 28 from which corner I run West on a true line between Secs. 21 & 28.
40		Va 15° 1' East
	40.03	Set Limestone 18x17x6 marked as per instructions for 1/4 Sec. cor.
80	80.07	The corner to Secs. 20. 21. 28 & 29.

Land gently rolling. Soil 2nd rate

North between Secs. 20 & 21.
Va. 15° 1' East

40.00	Set Charred post in mound of earth with pits as per instructions for 1/4 Sec. cor
80.00	Set Limestone 22x20x6 with notches as per instructions for corner to Secs. 16. 17. 20 & 21.

Land rolling. Soil 2nd rate.

Township No 13 North. Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 16 & 21 Va. 15' 1 East

40.00 Set post for temporary 1/4 Sec. cor

79.96 Intersect N. & S. Line 15 lks North of Post corner to Secs. 15.16.21 & 22 from which corner a pine North 89° 54' West on a true line between Secs 16 & 21 Va 15' 1 East

39.98 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.96 The corner to Secs. 16.17.20 & 21

Land rolling. 2nd rate soil

North between Secs. 16 & 17 Va. 15' 1 East

40.00 Set charred post in mound of earth with pits as instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 8.9.16 & 17

Land gently rolling, soil 2nd rate.

Township No. 13 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's. 9 & 16.
Va. 15° 1' East
40.00 Set post for temporary 1/4 Sec. cor
79.89 Intersect the N & S Line 4 2/3 lks South of Stone corner to Sec's. 9, 10. 15 & 16. from which cor. Drew South 89° 58' west on a true line between Sec's 9 & 16
Va. 15° 1' East
39.94 2 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
79.89 The corner to Sec's. 8. 9. 16 & 17.

Land gently rolling soil 2" rate.

North between Sec's. 8 & 9.
Va. 15° 1' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 4. 5. 8. & 9.

Land gently rolling. 2" rate

Township No. 13. North Range No. 8. West of the 6th Principal Meridian

East on a random line between Sec's. 4. & 9.
Va. 15° 1' East

40.40 Set Stone for temporary 1/4 Sec. Cor
79.77 Intersect the N. & S. Line, 9 lks South of Post corner to Sec's 3. 4. 9. & 10. from which Cor. I run South 89° 56' West on a true line between Secs 4. & 9.
Va. 15° 1' East

39.88 Set Limestone 17 x 15 x 4 marked as per instructions for 1/4 Sec. Cor
79.77 The corner to Sec's. 4. 5. 8. & 9.

Land gently rolling soil 2nd rate

North on a random line between Sec's. 4 & 5.
Va. 15° 1' East

40.00 Set post for temporary 1/4 Sec. Cor
79.75 Intersect the north Boundary of the Township at Stone corner to Sec's 4. & 5. from which corner I run South on a true line between Sec's. 4 & 5
Va. 15° 1' East

39.75 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.75 The corner to Sec's 4. 5. 8. & 9.

Land rolling. soil poor. 2nd rate

Township No 13 North. Range No 58

North between Secs. 31 & 32
Va. 15' 1 East

27.00 Drain 1 ch wide descends N. E.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 29. 30. 31. & 32.

Land rolling. soil 2nd rate
Sept 17th 1871

West of the 6th Principal Meridian

East on a random line between Secs. 29 & 32
Va, 15' 1 East

35.00 Drain 80 lks wide descends N. E
40.00 Set Stone for temporary 1/4 Sec. Cor
80.10 Intersect N & S Line 11 lks South of the Stone corner to Secs. 28. 29. 32. 33 from which corner Doun South 89° 55' west on a true line between Secs. 29 & 32.
Va, 15' East
40.05 Set Lime Stone 18 x 15 x 4 marked as per instructions for 1/4 Sec. Cor
80.10 The corner to Secs 29. 30. 31 & 32
Land rolling. soil 2nd rate

Township No. 13. North Range No. 58

West on a random line between Sec's 30 & 31.
Va 15 1 East

40.00 Set post for temporary 1/4 Sec. Cor
76.00 Drain 75 lks wide descends N.E.
80.00 Intersect the West Boundary of the Township 6 lks South of Stone corner to Sec's. 30 & 31 from which corner I run South 89°.57' East on a true line between Sec's. 30 & 31
Va. 15 1 East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 The corner to Sec's. 29. 30. 31 & 32.

Land gently rolling soil 2 rate

West of the 6th Principal Meridian

North between Sec's 29 & 30
Va. 15 1 East
2.00 Drain 98 lks wide descends N.E.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
80.00 Set Limestone 20 x 18 x 4 with notches as per instructions for corner to Sec's. 19. 20. 29 & 30

Land rolling. soil 2" rate

Township No. 13 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Sec's. 20 & 29.

Va 15d 1' East

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.12 Intersect N & S Line 9 lks South of Post corner to Sec's. 20. 21. 28 & 29 from which corner I run South 89°56' west on a true line between Sec's. 20 & 29.

Va. 15d 1' East

40.06 Set Limestone 14x12x3 marked as per instructions for 1/4 Sec. Cor.

80.12 The corner to Sec's. 19. 20. 29 & 30.

Land rolling. Soil 2" rate.

West on a random line between Sec's. 19 & 30.

Va 15d 1' East

40.00 Set Stone for temporary 1/4 Sec. Cor.

79.74 Intersect the West Boundary of the Township 18 lks South of Stone corner to Sec's. 19 & 30 from which corner I run South 89°52' East on a true line between Sec's 19 & 30

Va 15d 1' East

39.74 Set Limestone 20x15x4 marked as per instructions for 1/4 Sec Cor

79.74 The corner to Sec's. 19. 20. 29. & 30.

Land gently rolling. Soil 2" rate.

Downs

54

Township No. 13. North. Range No 58. West of the 6th Principal Meridian

North between Sec's 19 & 20
Va. 15° 1' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 17, 18, 19 & 20.

Land gently rolling
Soil 2nd rate.

55

East on a random line between Sec's. 17 & 20
Va. 15° 1' East

40.00 Set Stone for temporary 1/4 Sec Cor

80.04 Intersect the N 65 Line at post corner to Sec's. 16, 17, 20 & 21 from which corner I run West on a true line between Sec's. 17 & 20,
Va. 15° 1' East

40.02 Set Limestone 15 x 15 x 4 marked as per instructions for 1/4 Sec. Cor.

80.04 the corner to Sec's. 17, 18, 19 & 20.

Land gently rolling Soil 2nd rate

Township No 13 North Range No. 58 West of the 6" Principal Meridian

West on a random line between Sec's. 18 & 19.
Va. 15d 1' East

40.00 Set post for temporary 1/4 Sec. Cor

79.80 Intersect the west Boundary of the Township 11 lks north of stone corner to Sec's. 18 & 19 from which corner I run North 89° 55' East on a true line between Sec's. 18 & 19
Va 15d 1' East

39.80 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

79.80 The corner to Sec's. 17. 18. 19 & 20

Land rolling soil Poor 2" rate

North between Sec's 17 & 18
Va 15d 1' East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 7. 8. 17 & 18.

Land gently rolling, 2" rate

Downs

Township No. 13 North Range No. 18 West of the 6th Principal Meridian

	East on a random line between Secs. 8 & 17
27.01	Va. 15 1/2 East
40.00	Set Stone for temporary 1/4 Sec. cor.
40.0	
80.00	Intersect N. & S. Line 5 lks. North of Post corner to Secs. 8, 9, 16 & 17 from which corner I run North 89° 38' West on a true line between Secs. 8 & 17
80.00	Va. 15 1/2 East
40.00	Set Stone. Scribed 30 X 18 X 3 marked as per instructions for 1/4 Sec. Cor.
80.00	The corner to Secs. 7, 8, 17 & 18.
	Land rolling Soil Poor 2nd rate

	West on a random line between Secs. 7 & 18
	Va. 15 1/2 East
40.00	Set post for temporary 1/4 Sec. Cor.
79.68	Intersect the West Boundary of the Township 14 lks. North of Stone corner to Secs. 7 & 18 from which corner I run North 89° 54' East on a true line between Secs. 7 & 18
	Va 15 1/2 East
39.68	Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.68	The corner to Secs. 7, 8, 17 & 18
	Land rolling Soil sandy 3rd rate

E H I J W M N O P Q R

Township No. 13 North Range No. 58 West of the 6th Principal Meridian

North between Secs. 7 & 8
Va. 15° 1' East

27.00
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 5. 6. 7. & 8.
80.00

Land gently rolling
Soil poor 3rd rate

East on a random line between Secs. 5 & 8
Va. 15° 1' East
40.00 Set post for temporary ¼ Sec. Cor
80.00 Intersect N & S Line 5 Lks North of Post corner to Secs. 4.5.8 & 9 from which corner I run North 89° 58' West on a true line between Secs 5 & 8
Va. 15° 1' East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 The corner to Secs. 5.6.7 & 8.

Land rolling Soil Sandy
3rd rate

Downs

62

Township No 13 North, Range No 38 West of the 6th Principal Meridian

West on a random line between Secs. 6 & 7, Va, 15 1 East

27.00
40.00
40.00 Set post for temporary 1/4 Sec. Cor.
79.78 Intersect the West Boundary of the Township 18 lks north of Stone corner to Secs. 6 & 7 from which corner 8 runs North 89° 52' East on a true line between Secs. 6 & 7, Va, 15 1 East
80.00
39.78 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.78 The corner to Secs. 5. 6. 7 & 8

Land gently rolling, soil sandy 3rd rate

63

North on a random line between Secs. 5 & 6, Va, 15 1 East

40.00 Set post for temporary 1/4 Sec. Cor
49.70 Intersect the North Boundary of the Township at Stone Corner to Secs 5 & 6. from which corner 8 runs South on a true line between Secs 5 & 6, Va 15 1 East
39.70 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor
49.70 The corner to Secs 5. 6. 7 & 8

Land rolling & Broken soil 3rd rate Sept 18th 1871

E H I J W M N O P Q R

General Description
This Township is composed of high rolling Prairie land rather poor 2 and 3 rate soil covered with a short growth of grass

A list of the names of the individuals employed to assist, in running measuring or marking the lines and corners, described in the foregoing Field notes of Township No. 13 north of the Base Line Range No. 58 West of the 6th Principal Meridian, State of Nebraska Showing the respective capacities in which they acted.

Bennet T. Yates
Frank Adams } Chainmen
John B. Gordon
Sanford C. Carpenter } Asemen

I John W Daugherty, Deputy Surveyor, do Solemnly Swear that in pursuance of a joint contract, wherein John W Daugherty & Dan S Parmalee are joint contractors with E. E. Cunningham, United States Surveyor General for the District of Iowa & Nebraska, bearing date the 20th Day of May 1871. I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual, and the Laws of the United States, surveyed all those parts or portions of Township No. 13, North of the Base Line Range No 58 west of the 6th Principal Meridian, State of Nebraska, as are represented in the foregoing field Notes as having been surveyed under my direction; and I do further Solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions and that the foregoing are the true and original Field Notes of such survey

John W. Daugherty
Deputy Surveyor

Subscribed & sworn to by the person above named before me a Notary Public in & for Douglas County State of Nebraska this 21st day of October 1871

R. T. Reall
Notary Public

We hereby certify that we assisted John W. Daugherty Deputy Surveyor in Subdividing Township No 13 north of the Base Line, Range No 58 west of the 6th Principal Meridian State of Nebraska, and that said Township has been in all respects, to the best of our Knowledge and belief well and faithfully Surveyed and the Boundary monuments planted according to the instructions furnished by the Surveyor General

Bennet T. Yates
Frank Adams } Chairman
John R. Gordon
Sanford C. Carpenter } Axemen

Subscribed and sworn to by the above named persons before me a Notary Public, in and for the County of Lincoln State of Nebraska this 23rd day October 1871.

J. B. Park
Notary Public

Surveyor Generals Office
Plattsmouth Jany 27th 1872

The foregoing field notes of the Survey and Subdivision of Township No 13. North Range 58 West 6th P.M. Executed by John W. Daugherty under Joint Contract 42 Dated May 20th 1871. wherein John W. Daugherty and Dan S. Pannelee are Joint contractors in the month of Sept 1871. having been critically Examined the Necessary corrections and Explanations made the said field notes and surveys they describe are hereby approved

E. E. Cunningham
Surveyor General

48

Down

INDEX T. 14 N. R. 38 W 5th P. M.

6	63	5	47	4	36	3	25	2	14	1	
62		61		46		35		24		13	
7	60	8	45	9	34	10	23	11	12	12	
59		58		44		33		22		11	
18	57	17	43	16	32	15	21	14	10	13	
56		55		42		31		20		9	
19	54	20	41	21	30	22	19	23	8	24	
53		52		40		29		18		7	
30	51	29	39	28	28	27	17	26	6	25	
50		49		38		27		16		5	
31	48	32	37	33	26	34	15	35	4	36	

Field notes of the Subdivision Lines in Township No 14 North of the Base Line, Range No. 38 West of the 6th Principal Meridian, in the State of Nebraska.

Surveyed by John W. Daugherty. Deputy Surveyor.

Commenced Sept 19th 1871

Concluded Sept 23 1871

48

Down

27.0
40.0

80.0

Names and duties of the individuals, employed to assist in Subdividing Township No. 14 North of the Base Line Range No. 38 West of the 6th Principal Meridian in the State of Nebraska.

Bennet P. Yates
Frank Adams } Chainmen

John R. Gordon
Sanford C. Carpenter } Axemen

5

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to Township 13 and 14 North Range 37 and 38 and run North on a blank line along the East boundary of Section 36 Variation 13° East

3998 To a point 10 links East of the quarter Section corner

7998 To a point 14 links East of the corner to Sections 25 & 36

To retrace this line or run parallel thereto my compass must be adjusted to a Variation of 13° 6' East

E HIJ MNOP

48

Downs

27.00
40.00

80.00

Township No. 14 North Range No

North between Secs 35 & 36
Va. 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.,

80.00 Set Limestone 21x18x4 with notches as per instructions for corner to Secs. 25 & 26. 35 & 36.

Land rolling soil sandy & 3" rate.

58 West of the 6th Principal Meridian

East on a random line between Secs. 25 & 36.
Va. 15° 6' East

40.00. Set post for temporary ¼ Sec. Cor

80.00 Intersect the East Boundary of the Township at Stone corner to Secs. 25 & 36. From which Corner Bears West on a true line between Secs. 25 & 36.
Va. 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.,

80.00 The corner to Secs. 25. 26. 35 & 36.

Land rolling. Soil sandy & 3" rate

E H I K M N O P R

48

Downs

6

Township No. 14 North, Range

North between Secs. 25 & 26
Va. 15° 6 East

27.00
40.00 Set charred post in mound of
earth with pits as per instruc-
tions for ¼ Sec. Cor.
80.00 Set charred post in mound of
earth with pits as per instruc
tions for corner to Secs. 23, 24
25 & 26.

80.00

Land rolling, Soil Sandy & 3rd rate

7

No. 58 West of the 6th Principal Meridian

East on a random line between
Secs. 24 & 25.
Va. 15° 6 East
40.00 Set post for temporary ¼ Sec. Cor.
80.00 Intersect the East Boundary of
the Township 9 lks north of
Stone corner to Secs. 24 & 25
from which corner I run
North 89° 56' West on a true
line between Secs. 24 & 25
Va. 15° 6 East
40.00 Set charred post in mound of
earth with pits as per instruc
tions for ¼ Sec cor
80.00 The corner to Secs. 23, 24, 25 & 26

Land gently rolling, Soil Sandy
& 3rd rate

E H I K M N O P Q R

Township No 14 North Range No 58 West of the 6th Principal Meridian

North between Secs. 23 & 24
Va. 15 6 East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor.

80.00 Set Limestone 22x17x5 with notches as per instructions for Corner to Secs. 13. 14. 23 & 24.

Land gently rolling Soil 2nd rate

East on a random line between Secs. 13 & 24.
Va. 13 6 East

40.00 Set Post for temporary ¼ Sec. Cor.

79.92 Intersect the East Boundary of the Township 28 lks North of Post corner to Secs. 13 & 24 from which corner I run North 89° 48' West on a true line between Secs. 13 & 24.
Va. 15 6 East

39.96 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.92 The corner to Secs. 13. 14. 23 & 24

Land gently rolling Soil 2nd rate

Township No. 14 North. Range No

North between Sec's. 13 & 14
Va. 15° 6 East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 11. 12 13 & 14.

Land gently rolling. Soil 2° rate.

58 West of the 6th Principal Meridian

East on a random line between Sec's. 12 & 13
Va. 15° 6 East

40.00 Set Stone for temporary ¼ Sec. Cor

79.94 Intersect the East Boundary of the Township 9 Lks North of Stone corner to Sec's. 12 & 13 from which corner I run north 89° 56' west on a true line between Sec's 12 & 13
Va 15° 6 East

39.97 Set Limestone 18 x 16 x 5 marked as per instructions for ¼ Sec. Cor

79.94 The corner to Sec's. 11, 12, 13 & 14

Land hilly soil gravelly & 3rd rate.

Township No 14 North Range No 58. West of the 6th Principal Meridian

North between Secs 1 & 12
Va. 15 6 East

110.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 1, 2, 11 & 12

Land rolling, soil 3rd rate

Sept 19th 1871

East on a random line between Secs. 1 & 12
Va. 15 6 East

110.00 Set post for temporary 1/4 Sec. Cor

79.82 Intersect the East Boundary of the Township 38 lks north of Post corner to Secs. 1 & 12, from which corner I run north 89° 44' west on a true line between Secs. 1 & 12
Va. 15 6 East

39.91 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.82 The corner to Secs. 1, 2, 11 & 12

Land rolling soil 2nd rate

Township No. 111 North Range No. 58 West of the 6th Principal Meridian

	North on a random line between Sec's. 1 & 2. Va. 15' 6 East	
13.00	Enter Bottom bears East - West	
26.90	U.P.R.R. bears South 62° 15' West	
80.00	40.00 Set Post for temporary ¼ Sec. cor.	
54.00	Wagon Road bears N.E. & S.W.	
61.20	Lodge Pole Creek 25 lks wide runs E.	
65.00	Leave Bottom & enter Hills bears E & W.	
79.32	Intersect the North Boundary of the Township 38 lks west of Stone corner To Sec's. 1 & 2. from which corner I run South. 16' west on a true line between Sec's. 1 & 2. Va. 15' 6 East	
39.32	Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor	
79.32	The corner to Sec's. 12, 11 & 1 & 2 Land good, 2nd rate soil.	

	North between Sec's. 34 & 35 Va. 15' 6 East
40.00	Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
80.00	Set Limestone 20 x 17 x 5 with notches as per instructions for corner to Sec's. 26. 27. 34 & 35
	Land rolling. Soil sandy 3rd rate

Township No. 14 North Range No 58. West of the 6th Principal Meridian

East on a random line between Sec's. 26 & 35.

Va. 15° 6' East

6.00 Drain 40 lks wide descends N. W.

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.00 Intersect N & S Line 5 lks South of Stone corner to Sec's. 25, 26 35 & 36. from which corner Iron South 89°. 58' west on a true line between Sec's 26 & 35

Va 15° 6' East

40.00 Set Limestone 18 x 14 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 26. 27. 34 & 35

Land rolling, soil sandy & 3" rate

North between Sec's. 26 & 27.

Va 15° 6' East

13.00 Drain 50 lks wide descends N. W.

40.00 Set Limestone 20 x 18 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 19 x 16 x 6 with notches as per instructions for corner to Sec's. 22, 23, 26 & 27.

Land hilly soil gravelly 3" rate

In Township No. 14 North Range No 58 West of the 6th Principal Meridian

East on a random line between Secs. 23 & 26.
Va. 15° 6 East

34.00 Drain 20 lks wide descend N 30.
40.00 Set post for temporary ¼ Sec. Cor.
8. 79.90 Intersect N. & S. Line 21 lks North of Post corner to Secs. 23. 24. 25 & 26. from which corner I run North 89° 51' West on a true line between Secs. 23 & 26.
Va. 15° 6 East
39.95 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.90 The corner to Secs. 22, 23, 26 & 27.

Land rolling, Soil gravelly 5th rate

North between Secs. 23 & 26
Va. 15° 6 East

7.00 Drain 60 lks wide descend N. E
40.00 Set Limestone 16 x 15 x 5 marked as per instructions for ¼ Sec. Cor.
61.00 Drain 75 lks wide descend N. 30.
80.00 Set Limestone 20 x 19 x 4 with notches as per instructions for corner to Secs. 14. 15. 22 & 23

Land broken & 3rd rate soil

Township No. 14 North Range No. 8 West of the 6th Principal Meridian

East on a random line between Secs. 14 & 23. Va. 15° 6' East

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.00 Intersect N & S Line at Stone Corner to Secs. 13. 14. 23 & 24. From which Corner I run West on a true line between Secs. 14 & 23. Va. 15° 6' East

44.00 Set Limestone 17 x 16 x 11 marked as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 14. 15. 22 & 23.

Land East 1/2 mile Broken & Stony

" West 1/2 mile Sandy & Level

Soil 3rd rat

North between Secs. 14 & 15 Va. 15° 6' East

40.00 Set Limestone 20 x 18 x 5 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 21 x 17 x 9 with notches as per instructions for corner to Secs. 10. 11. 14 & 15

Land rolling & gravelly soil 3rd rate.

Township No. 14. North Range No. 58. West of the 6th Principal Meridian

		East on a random line between Secs. 11 & 14.
		Va 15° 6' East
40	40.00	Set Stone for temporary 1/4 Sec. Cor.
80	79.89.	Intersect N & S Line 7 lks north of Post corner to Secs. 11, 12, 13 & 14 from which corner I run North 89° 57' west on a true line between Secs. 11 & 14
		Va. 15° 6' East
40	39.94	Set Limestone 14 x 12 x 3 marked as per instructions for 1/4 Sec. Cor.
80	79.89.	The corner to Secs. 10. 11. 14 & 15.
		Land rolling Soil Sandy & Poor 3rd rate.

	North between Secs 10 & 11
	Va. 15° 6' East
40.00	Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
40.50	Leave hills & enter Bottom bearing N. E. & S. W.
66.79	Ill. P. R. R. bears. S 72° 45' West
80.00	Set charred post in mound of earth with pits as per instructions for corner to Secs. 2, 3, 10 & 11.
	Land South 1/2 mile Rolling
	" North 1/2 mile Level Sandy Soil 3rd rate.

Township No. 14 North Range No. 58 West of the 6th Principal Meridian

East on a random Line between Secs. 2 & 11. Va. 13° 6' East

31.49 U.S.R.R. bears South 77° 30' West
40.00 Set post for temporary 1/4 Sec. Cor.
60.00 Leave Bottom & enter rolling Hills bearing N. E. & S. W.
80.00 Intersect N. & S. Line 16 lks North of Post corner to Secs 1. 2. 11 & 12 from which corner I run North 89° 53' West on a true line between Secs. 2 & 11 Va. 13° 6' East
40.00 Set charred post in mound of earth with pits as per instruction for 1/4 Sec. Cor.
80.00 The corner to Secs. 2. 3. 10 & 11

Land gently rolling. Soil Sandy 2nd rate

North on a random line between Secs. 2 & 3 Va. 13° 6 East

22.75 Lodge Pole Creek 3 4 lks wide current runs N. E.
38.00 Wagon Road bears E. & W.
40.00 Set Post for temporary 1/4 Sec. Cor.
52.00 Leave Bottom & enter Hills bearing East & West.
79.40 Intersect the North Boundary of the Township 35 lks West of Corner to Secs. 2 & 3. from which Corner I run South 15' West on a true line between Secs. 2 & 3. Va 13° 6 East
39.40 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.40 The Corner to Secs. 2. 3. 10 & 11

Land South of Hills Level & Sandy Soil 3rd rate Sept 26th 1891

Township No. 14 North Range No. 8 West of the 6th Principal Meridian

North between Sec's. 33 & 34
Va. 15° 6' East

40.00 Set Limestone 17 x 16 x 4 marked as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 19 x 15 x 3 with notches as per instructions for Corner to Sec's. 27. 28. 33 & 34

Land 20 chs south Level 2nd rate
" 60 chs North Broken & 3rd rate

East on a random line between Sec's. 27 & 34
Va. 15° 6' East

40.00 Set post for temporary ¼ Sec. Cor.

79.82 Intersect N 0 S Line 14 lks North of Stone corner to Sec's. 26. 27. 34 & 35. from which corner I run North 89° 54' West on a true line between Sec's. 27 & 34
Va 15° 6' East

39.91 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.82 The corner to Sec's. 27. 28. 33 & 34

Land rolling, soil gravelly
2nd rate

Township No. 14 North Range No. 8 West of the 6th Principal Meridian

North between Sec's. 27 & 28
Va. 15° 6 East

2.00 Drain. 40 lks wide descends N.W.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 21 x 18 x 3 with notches as per instructions for cor. to Sec's. 21, 22, 27 & 28.

Land Broken Soil & rate

East on a random line between Sec's. 22 & 27.
Va. 15° 6 East

40.00 Set Stone for temporary 1/4 Sec. Cor.

74.00 Drain 60 lks wide descends N.E.

79.78 Intersect N & S Line 7.66 South of Stone Corner to Sec's. 22, 23, 26 & 27 from which Corner I run South 89° 57' West on a true line between Sec's. 22 & 27
Va. 15° 6 East

39.89 Set Limestone 18 x 17 x 3 marked as per instructions for 1/4 Sec Cor.

79.78 The corner to Sec's. 21, 22, 27 & 28

Land Broken & Rate Soil

Township No. 14 North Range No. 58 West of the 6th Principal Meridian

North between Sec's 21 & 22
Va, 15° 6' East

40.00 Set Limestone 21 x 20 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 18 x 14 x 3 with notches as per instructions for Corner to Sec's. 15, 16, 21 & 22

Land rolling. Soil Sandy 3rd rate.

East on a random line between Sec's. 15 & 22.
Va, 15° 6' East

40.00 Set post for temporary 1/4 Sec. Cor.

59.50 Drain 6 lks wide descends N 28

79.85 Intersect N. & S. Line 25 lks north of Stone corner to Sec's 14, 15, 22 & 23, from which Corner Bears North 89° 49' West on a true line between Sec's 15 & 22,
Va, 15° 6' East

39.92 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.85 The corner to Sec's. 15, 16, 21 & 22

Land rolling. Soil Sandy 3rd rate

Township No. 14 North. Range No 58. West of the 6th Principal Meridian

North between Secs 15 & 16
Va. 15.6 East

13.50 Drain 30 lks wide descends E.

40.00 Set Limestone 15 x 13 x 4 marked as per instructions for ¼ Sec. Cor.

70.00 Leave rolling hills & outer Bottom bearing N.E. & S.W.

80.00 Set Limestone 24 x 12 x 6 with notches as per instruction for corner to Secs. 9. 10. 15. & 16.

Land rolling, soil sandy 3rd rate

East on a random line between Secs. 10, & 15.
Va. 15.6 East

10.00 Leave creek bottom & enter rolling hills, bearing N. E & S. W.

40.00 Set Stone for 1/4 Sec. Cor temporary

43.00 Drain 1 ch wide descends N. E.

80.00 Intersect N. & S. Line 28 lks North of Stone corner to Secs. 10 11. 14 & 15 from which corner I run North 89° 48' West a true line between Secs 10 & 15
Va. 15.6 East

40.00 Set Limestone 18 x 15 x 5 marked as per instructions for ¼ Sec. Cor.

80.00 The corner to Secs. 9. 10. 15 & 16.

Land rolling soil sandy 3rd rate

Township No. 14. North Range No. 58. West of the 6th Principal Meridian

North between Secs. 9 & 10.
Va. 15° 6' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

42.63 U. P. R. R. bears South 72° 45' West.

64.00 Lodge Pole creek, current runs S. E. Soon turns East. 30 lks wide

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 3. 4. 9 & 10

Land gently rolling soil gravelly & 3rd rate

East on a random line between Secs. 3 & 10.
Va. 15° 6' East

40.00 Set post for temporary ¼ Sec Cor.

64.80 Lodge Pole Creek 25 lks wide current runs N. E.

80.00 Intersect N. & S. Line 5 lks North of Post corner to Secs 2, 3, 10 & 11. From which corner I run North 89° 58' West on a true line between Secs. 3 & 10. Va 15° 6 East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Corner to Secs. 3. 4. 9 & 10 Land gently rolling & gravelly soil 3rd rate.

Township No. 14 North Range No. 5 West of the 6th Principal Meridian

North on a random line between Sec's. 3 & 4.
Va. 15' 6 East

10.00 Wagon Road bears E & W
30.00 Leave Bottom & ascend Hill, bearing E & W
40.00 Set post for temporary 1/4 Sec. Cor.
79.60 Intersect the North Boundary of the Township 18 lks West of Post Corner to Sec's. 3 & 4. From which Corner I run South, 8' West on a random line between Sec's. 3 & 4.
Va 15' 6 East.
39.60 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
79.60 The corner to Sec's. 3. 4. 9 & 10.

Bottom Level 2nd rate Soil
Hills Gravelly & 3rd rate.

North between Secs. 32 & 33
Va. 15' 6 East
40.00 Set Limestone 17 x 15 x 8 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 20 x 15 x 8 with notches as per instructions for corner to Secs. 28. 29. 32 & 33

Land Broken & Stony
Soil 3rd rate.

Township North North. Range W. 58. West of the 6th Principal Meridian

East on a random line between Secs. 28 & 33.
Va. 15° 6' East

40.00 Set Stone for temporary ¼ Sec. Cor.
62.00 Drain 4 alks wide descends N.
79.89 Intersect N & S Line at Stone Corner to Secs. 27, 28, 33 & 34 from which corner Bears West on a true line between Secs. 28 & 33 Va. 15° 6' East
39.94 Set Limestone 15 x 14 x 4 marked as per instructions for ¼ Sec. Cor.
79.89 The corner to Secs. 28, 29, 32 & 33
Land broken. Soil 3rd rate.

Sept 21st 1871

North between Secs. 28 & 29.
Va. 15° 6' East
40.00 Set Limestone 17 x 15 x 4 marked as per instructions for ¼ Sec. Cor.
84.00 Set Limestone 16 x 14 x 4 with notches as per instructions for corner to Secs. 20, 21, 28 & 29

Land rolling. Soil sandy, 3rd rate

Township No. 14 North Range

East on a random line between Secs. 21 & 28.
Va. 13° 6' East
26.00 Drain 80 lks wide descends North
40.00 Set post for temporary ¼ Sec. Cor.
80.00 Intersect N. & S. Line 5 lks South of Stone corner to Secs. 21. 22. 27 & 28. from which corner I run South 89° 58' west on a true line between Secs 21 & 28
Va 13° 6' East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 The corner to Secs. 20. 21. 28 & 29.

Land rolling. Soil Sandy & 3rd rate

No. 58 West of the 6th Principal Meridian

North between Secs 20 & 21
Va. 13° 6' East
13.00 Drain 1 ch wide descends N.E.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 21 x 16 x 4 with notches as per instructions for Corner to Secs. 16. 17. 20 & 21.

Land rolling. Soil Sandy 3rd rate.

Township No. 14 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's. 16 & 21.
Va. 15d 6 East
39.40 Drain 50 lks wide descends N.E.
40.00 Set Stone for temporary 1/4 Sec. cor.
80.00 Intersect N & S Line at post corner to Sec's. 15.16.21 & 22 from which corner I run West on a true line between Sec's. 16 & 21.
Va. 13d 6 East
40.00 Set Limestone 11 x 13 x 4 marked as per instructions for 1/4 Sec. Cor.
80.00 The corner to Sec's. 16.17.20 & 21

Land gently rolling, soil sandy & 3rd rate.

North between Sec's. 16 & 17
Va. 15d 6 East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
63.00 begin to descend rocky Bluffs bears E. & W.
70.00 To foot of Bluff. and enter Bottom, bearing E. & W.
80.00 Set Limestone 20 x 16 x 5 with notches as per instructions for corner to Sec's. 8.9.16 & 17

Land gently rolling except Bluffs, soil sandy & 3rd rate

Township No. 111 North Range No. 58 West of the 6 Principal Meridian

East on a random line between Secs. 9 & 16.

Va. 15' 6 East

40.00 Set Stone for temporary ¼ Sec. Cor.

80.00 Intersect N & S line. 7 lks South of Stone corner to Secs. 9. 10. 15 & 16. From which corner I run South 89° 57' West on a true line between Secs. 9 & 16.

Va. 15' 6 East

40.00 Set Limestone 14 x 14 x 6 marked as per instructions for ¼ Sec. Cor.

80.00 The corner to Secs. 8. 9. 16 & 17

Land gently rolling soil sandy and 3rd rate.

North between Secs. 8 & 9

Va. 15' 6 East

18.24 U. P. R. R. bears South 78° West

31.00 Lodge Pole Creek current runs East, 1st & Exact

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

63.00 Wagon Road bears E. & W.

73.00 Leave Bottom & enter rolling hills bearing E. & W.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 4. 5. 8. & 9.

Land mostly Level. soil gravelly & 3rd rate

Township No. 14 North Range No. 8 West of the 6th Principal Meridian

East on a random line between Secs. 4 & 9.
Va. 15° 6' East

10.00 Enter Bottom bears N.E. & S.W.
70.00 Drain 20 lks wide descends South
40.00 Set Post for temporary ¼ Sec. Cor
51.00 Wagon road bears N.E. & S.W.
50.00 Intersect N. & S. Line at post corner to Secs. 3. 4. 9 & 10
From which corner I run
West on a true line between Secs. 4 & 9.
Va. 15° 6' East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor
80.00 The corner to Secs. 4. 5. 8 & 9

Land swampy level & gravelly
1st rate

North on a random line between Secs. 4 & 5
Va. 15° 6' East
40.00 Set Stone for temporary ¼ Sec. Cor.
69.00 Drain 75 lks wide descends S.E.
79.74 Intersect North Boundary of the Township 28 lks West of Stone corner to Secs. 4 & 5 from which corner I run South 89° 12' West on a true line between Secs. 4 & 5
Va. 15° 6' East
39.74 Set Limestone 14 x 12 x 3 marked as per instructions for ¼ Sec. Cor.
79.74 The corner to Secs. 4. 5. 8. & 9.

Land rolling soil sandy
& 6th rate

Township No. 14 North Range No. 58 West of the 6th Principal Meridian

North between Sec's. 31 & 32.
Va. 15d 6 East

13.50 Drain 30 lks wide descends W. 28.

40.00 Set Limestone 20 x 18 x 4 marked as per instructions for 1/4 Sec. cor.

80.00 Set Limestone 22 x 19 x 4 with notches as per instructions for Corner to Sec's. 29. 30. 31 & 32.

Land Broken & Soil 3rd rate.

East on a random line between Sec's. 29 & 32.
Va 15d 6 East

40.00 Set post for temporary 1/4 Sec. cor

80.00 Intersect N & S Line 12 lks South of Stone corner to Sec's. 28. 29. 32 & 33. from which corner Iron South 89° 55' west on a true line between Sec's 29 & 32
Va. 15d 6 East

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor

80.00 The corner to Sec's. 29. 30. 31 & 32

Land Broken & Soil 3rd rate

Township No. 14 North. Range No. 5 West of the 6th Principal Meridian

West on a random line between Secs. 30 & 31.
Va. 15' 6 East

32.00 Drain 1 ch wide descends N. E.
40.00 Set Stone for temporary 1/4 Sec. cor.
79.68 Intersect the West Boundary of the Township at Stone Corner to Secs. 30 & 31 from which corner I run East on a true line between Secs. 30 & 31
Va. 15' 6 East
39.68 Set Limestone 20 x 19 x 5 marked as per instructions for 1/4 Sec. Cor.
79.68 The corner to Secs. 29. 30. 31 & 32.

Land rolling. Soil Sandy 03° rate

Sept 22 1871

North between Secs. 29 & 30
Va 15' 6 East

14.00 Drain 80 lks wide descends N. E.
40.00 Set Limestone 18 x 14 x 4 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 20 x 16 x 8. with notches as per instructions for corner to Secs. 19. 20. 29 & 30

Land rolling. Soil Sandy 03° rate

Township No. 14 North Range No. 38 West of the 6th Principal Meridian

East on a random line between Secs. 20 & 29.
Va. 15' 6' East

40.00 Set Stone for temporary 1/4 Sec. Cor
43.00 Drain 175 lks wide descends N.E.
80.00 Intersect N. & S. Line 9 chs South of Stone corner to Secs. 20. 21 29 & 29. from which corner I run South 89° 36' West on a true line between Secs. 20 & 29
Va 15' 6' East
40.00 Set Limestone 18 x 14 x 5 marked as per instructions for 1/4 Sec Cor
80.00 The corner to Secs. 19. 20. 29. & 30.

Land rolling & soil sandy 0.3 rate

West on a random line between Secs 19 & 30.
Va 15' 6' East

40.00 Set Stone for temporary 1/4 Sec cor
79.88 Intersect the West Boundary of the Township 35 chs North of Stone Corner to Secs. 19 & 30 from which corner I run North 89° 45' East on a true line between Secs. 19 & 30.
Va 15' 6' East
39.88 Set Limestone 19 x 17 x 4 marked as per instructions for 1/4 Sec Cor
79.88 The corner to Secs. 19. 20. 29. & 30

Land rolling soil sandy 0.3 rate

Downship North Range No

North between Secs. 19 & 20
Va. 15° 6' East

40.00 Set Limestone 18 x 15 x 14 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 23 x 16 x 6 with notches as per instructions for corner to Secs. 17, 18, 19 & 20

Land rolling & stony 3rd rate Soil

58 West of the 6th Principal Meridian

East on a random line between Secs. 17 & 20
Va. 15° 6' East

40.00 Set Stone for temporary 1/4 Sec. Cor

80.14 Intersect N & S Line 35 lks North of Stone corner to Secs. 16, 17, 20 & 21 from which corner Iron North 89° 45' West on a true line between Secs 17 & 20
Va 15° 6 East

40.07 Set Limestone 17 x 16 x 6 marked as per instructions for 1/4 Sec. Cor.

80.14 The corner to Secs. 17, 18, 19 & 20

Land rolling, Soil sandy & 3rd rate

Township No. 14 North Range No.

West on a random line between Sec's. 18. & 19.
Va. 15° 6 East
40.00 Set post for temporary ¼ Sec. Cor.
76.00 Drain 30 lks wide descends north
79.67 Intersect the west Boundary of the Township 28 lks north of Stone corner to Sec's. 18 & 19 from which corner I run North 89°. 48' East. on a true line between Sec's. 18. & 19.
Va. 15° 6 East
39.67 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
79.67 The corner to Sec's. 17. 18. 19 & 20

Land Broken & rocky. 3rd rate Soil

58 West of the 6th Principal Meridian

North between Sec's. 17 & 18
Va. 15° 6 East
40.00 Set Limestone 17x15x4 marked as per instructions for ¼ Sec. Cor.
43.00 Leave hilly rocky land and enter Bottom bearing N. E. & S. W.
77.72 U. P. R. R. bears. South 84° west
80.00 Set Slate Stone 20x18x4 with notches as per instructions for Corner to Sec's. 7. 8. 17 & 18

South ½ mile Broken & rocky
North ½ mile gently rolling gravelly
Soil 3rd rate

Township No 14 North Range No

East on a random line between Sec's. 8 & 17.
Va. 15° 6' East
17.96 W.R.R.R. bears South 84° W
40.00 Set Limestone 18x15x6 for temporary 1/4 Sec. cor.
53.00 Drain 50 lks wide descends north
80.00 Intersect N & S Line at Stone Cor. to Sec's. 8.9.16 & 17. from which Corner I run west on a true line between Sec's 8 & 17.
Va. 15° 6' East
40.00 Set Limestone 18x15x6 marked as per instructions for 1/4 Sec cor
80.00 The corner to Sec's 7.8.17 & 18
Land gently rolling, soil gravelly & 3" rate.

58 West of the 6th Principal Meridian

West on a random line between Sec's. 7 & 18.
Va. 15° 6' East
40.00 Set Stone for temporary 1/4 Sec. Cor.
54.50 Drain 80 lks wide descends north
79.77 Intersect the West Boundary of the Township 14 lks north of Stone corner to Sec's. 7 & 18 from which corner I run north 89° 54' East on a true line between Sec's. 7 & 18.
Va. 15° 6' East
39.77 Set Limestone 15x15x5 marked as per instructions for 1/4 Sec cor
79.77 The corner to Sec's. 7.8.17 & 18

Land gently rolling & gravelly soil 3" rate

Township No. 14 North Range 20 West of the 6th Principal meridian

North between Sec's 7 & 8.
Va. 15° 6' East

15.20 Lodge Pole creek runs N.E.
21.17 Same Creek runs N.W.
27.53 Same creek runs N.E.
38.50 Wagon Road. bears N.E.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor
60.00 Leave Bottom of valley rolling hills bearing E & W.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 5.6.7 & 8.

Land gently rolling South of Hills Soil gravelly & 3rd rate

East on a random line between Secs. 5 & 8
Va 15° 6' East

40.00 Set post for temporary ¼ Sec cor
80.20 Intersect N & S line 38 lks North of post Corner to Secs 4. 5. 8. & 9. from which Corner I run North 89° 44' West on a true line between Sec's. 5 & 8.
Va 15° 6' East
40.10 Set charred post in mound of earth with pits as per instructions for ¼ Sec cor.
80.20 The corner to Secs 5.6.7 & 8

Land rolling soil sandy 3rd rate

Township No 14 North Range

West on a random line between Secs. 6 & 7.
Va 15° 6 East

10.00 Enter Bottom Bears N. 24° E.
40.00 Set post for temporary ¼ Sec. Cor.
79.44 Intersect West Boundary of the Township 44 Lks North of Post Corner to Secs. 6 & 7
From which corner I run North 89° 41' East on a true line between Secs. 6 & 7.
Va 15° 6 East
39.44 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
79.44 The corner to Secs. 5.6.7 & 8.
Land mostly level, soil gravelly 3rd rate

No. 38 West of the 6th Principal Meridian

North on a random line between Secs. 5 & 6.
Va 15° 6 East

40.00 Set post for temporary ¼ Sec Cor
79.40 Intersect the North Boundary of the Township 48 Lks West of Stone corner to Secs 5 & 6
From which corner I run South 21' West on a true line between Secs. 5 & 6.
Va 15° 6 East
39.40 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor
79.40 The Corner to Secs. 5.6.7. & 8

Land rolling soil gravelly 3rd rate Sept 23rd 1871

General Description

The land in this Township is poor mostly sandy or gravelly. Lodge Pole Creek is a Stream of clear water swift current & gravelly bottom running through the Northern part of the Township the bottom along the creek is high and not liable to overflow The U.P R.R runs through the Northern part of the Township There is a few small Pine shrubs in Sections 16. 17 and 18 with this exception the Township is Prairie

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 14 North of the base line Range No 58 West of the 6th Principal Meridian, showing the respective capacities in which they acted

Bennet T. Yates } Chainmen
Frank Adams }
John R. Gordon } Hermen
Sanford C Carpenter }

We hereby certify that we assisted John H Daugherty deputy Surveyor, in Subdividing Township No. 14 North of the Base Line Range No 5 West of the 6th Principal Meridian, State of Nebraska, and that said Township has been, in all respects to the best of our knowledge and belief, well & faithfully Surveyed, and the Boundary monuments planted according to the instructions furnished by the Surveyor General

Bennet J. Yates }
Frank Adams } Chainmen
John R. Gordon }
Sanford Carpenter Axemen

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln State of Nebraska this 23rd day of October 1871

L B Park
Notary Public

I John H Daugherty Deputy Surveyor, do solemnly Swear that in pursuance of a joint Contract wherein, John H. Daugherty and Dan. S Barnes, are joint contractors with C. C. Cunningham United States, Surveyor General for the District of Lower Nebraska bearing date the 20th day of May 1871 I have well, faithfully and truly, in my own proper person, & in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of ~~fractional~~ Township No. 14 North, Range No. 5 West of the 6th Principal meridian State of Nebraska,

as are represented in the foregoing Field Notes as having been surveyed under my direction; and I do further solemnly swear, that all the Corners of said survey have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such survey.

John W. Daugherty
Deputy Surveyor

Subscribed & Sworn to by the person above named before me a Notary Public in & for Douglas County State of Nebraska this 21st day of October 1871

R. V. Pierce
Notary Public

Surveyor Generals Office
Nebraska City January 27th 1872

The foregoing Field Notes of the Survey and Subdivision of Township 14 North of Base line Range 8 West 6th P.M. Executed by John W. Daugherty under Joint Contract #2 dated May 20th 1871. wherein John W. Daugherty and Dan S. Parmele are Joint Contractors for the Month of Sept 1871. having been critically Examined the necessary corrections and Explanations made the said field notes and Survey so they describe are hereby approved

E. E. Cunningham
Surveyor General

Field Notes of the Subdivision Lines in Township No. 15. North of the Base Line, Range No 58. West of the 6th Principal Meridian, in the State of Nebraska. Surveyed by John H. Daugherty, Deputy Surveyor.

Commenced Sept 24th 1871
Concluded Sept 28th 1871



Names and duties of the Assistants employed in Subdividing Township No 15 North of the Base Line Range No. 58. West of the 6th Principal Meridian, in the State of Nebraska.

Bennett P. Yates
Frank Adams } Chainmen

John R. Gordon
Sanford C. Carpenter } Axemen

5.

To determine the Proper adjustment of my Compass for subdividing this Township, I commenced at the Corner to Townships 14 & 15 North Range 58. West, & run North on a blank line, along the East Boundary of Sec. 36.

Va. 15°. 30' East.

39.92 To a point 14 lks west of the ¼ Sec. Cor.

79.86. To a point 35 lks west of the Corner to Secs 25 & 36

Portrace this Line or run Parallel thereto my Compass must be adjusted to a variation of.

15°. 15' East.

Township No 15 North. Range No 58 West of the 6th Principal meridian

North between Secs. 35 & 36
Va. 15°. 15' East

40.00 Set Limestone 11x11x4 marked as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 18x18x3 with notches as per instructions for corner to Secs. 25.26.35 & 36.

Land hilly. soil gravelly 3rd rate.

East on a random line between Secs. 25 & 36.
Va. 15°. 15' East.

40.00 Set Post for temporary 1/4 Sec Cor

80.00 Intersect the East Boundary of the Township 25 Lks North of Stone corner to Secs. 25 & 36 from which corner Down North 89°. 48' West on a true line between Secs. 25 & 36 Va. 15°. 15' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 25.26.35 & 36

Land hilly soil 3rd rate

Township No. 15 North. Range No. 58 West of the 6th Principal Meridian

North between Secs. 25 & 26
Va. 15°. 15' East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 18x12x4 with notches as per instructions for corner to Secs. 23. 24. 25 & 26

Land rolling. Soil gravelly 3rd rate.

East on a random line between Secs. 24 & 25
Va. 15°. 15' East.

10.00 Drain 2 chs wide descends S.E.

40.00 Set post for temporary ¼ Sec Cor.

80.00 Intersect East Boundary of the Township 14 Lks north of Post corner to Secs 24 & 25 from which corner I run North 89° 54' West on a true line between Secs. 24 & 25
Va. 15°. 15' East

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 The corner to Secs. 23. 24. 25 & 26

Land rolling, soil sandy. 3rd rate

Township No 15 North Range No 38 West of the 6th Principal Meridian

North between Secs 23 & 24
Va. 15°. 15' East

30.00 Drain 75 lks wide descends S. E.

40.00 Set Limestone 16 x 14 x 4 marked as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for Corner to Secs 13. 14. 23 & 24

Land hilly soil gravelly 3rd rate

East on a random line between Secs. 13 & 24
Va. 15°. 15' East.

40.00 Set post for Temporary ¼ Sec Cor

79.88 Intersect the East Boundary of the Township 15 lks south of post corner to Secs. 13 & 24 from which corner a run South 89° 45' West on a true line between Secs. 13 & 24 Va. 15°. 15' East.

39.94 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.88 The corner to Secs 13. 14. 23 & 24

Land rolling soil gravelly 3rd rate.

Township No 15 North Range No 58 West of the 6th Principal Meridian

North between Secs 13 & 14
Va. 15°. 15'. East.

40.00 Set Limestone 18x16x4 marked as per instructions for ¼ Sec Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 11. 12. 13. & 14.

Land rolling. Soil 2nd rate

East on a random line between Sec's. 12 & 13
Va. 15°. 15'. East.

40.00 Set post for temporary ¼ Sec. Cor.

80.00 Intersect the East Boundary of the Township 11 lks North of Stone Corner to Sec's. 12 & 13. From which corner I run North 89°. 53'. West on a true line between Sec's. 12 & 13. Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor.

80.00 The corner to Sec's. 11. 12. 13 & 14

Land: gently rolling Soil 2nd rate

Township No 15 North Range No

58. West of the 6th Principal Meridian

North between Sec's. 11 & 12.
Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 17 x 13 x 4 with notches as per instructions for corner to Sec's. 1. 2. 11. & 12.

Land rolling Soil Poor. 3d rate

East on a random line between Sec's. 1 & 12.
Va. 15°. 15'. East.

40.00 Set Limestone 15 x 16 x 4 for temporary 1/4 Sec. Cor.

80.12 Intersect the East Boundary of the Township at Stone. Corner to Sec's. 1. & 12. from which corner I run west on a true line between Sec's 1 & 12
Va. 15°. 15'. East.

40.06 Set Limestone 18 x 16 x 4 marked as per instructions for 1/4 Sec. Cor.

80.12 The corner to Sec's. 1. 2. 11 & 12.

Land rolling & gravelly
Soil 3d rate

Township No. 15 North Range No 58 West of the 6th Principal Meridian

North on a random line
between Secs. 1 & 2.
Va. 15°. 15'. East.

110.00 Set post for temporary ¼ Sec. Cor.
77.75 Drain 50 lks wide descends E.
79.48 Intersect the North Boundary
of the Township at post corner
to Secs. 1 & 2. From which cor.
I run South on a true line
between Secs. 1 & 2.
Va. 15°. 15' East.
39.48 Set Charred post in mound of
earth with pits as per in-
structions for ¼ Sec. cor.
79.48 The corner to Secs. 1. 2. 11. & 12.

Land rolling, soil gravelly
3rd rate.

North between Secs. 34 & 35
Va. 15°. 15'. East.

40.00 Set Limestone 18x17x8 marked
as per instructions for ¼ Sec. Cor.
42.00 Drain 75 lks wide descends S. E.
80.00 Set Limestone 19x15x8 with
notches as per instructions
for corner to Secs 26. 27. 34
& 35.

Land rolling Soil gravelly
3rd rate

Sept 24th 1871.

Township No. 15. North Range No

East on a random line between Sec's. 26 & 35.
Va. 15°. 15'. East.

40.00 Set post for temporary ¼ Sec. Cor.
80.00 Intersect N. & S. Line at Stone cor. to Sec's 25. 26. 35 & 36. from which corner I run West on a true line between Sec's 26 & 35
Va. 15°. 15'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 The corner to Sec's. 26. 27. 34 & 35.

Land rolling soil gravelly
3rd rate.

West of the 6th Principal Meridian

North between Sec's. 26 & 27
Va. 15°. 15'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
80.00 Set Limestone 18 x 16 x 6 with notches as per instructions for corner to Sec's. 22. 23. 26 & 27.

Land rolling. Soil Sandy &
3rd rate

Downship No. 15 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's. 23 & 26.
Va. 15°. 15'. East.

40.00 Set Stone for temporary ¼ Sec. Cor.
79.78 Intersect N. & S. Line 45 lks South of Stone Corner to Secs. 23. 26. 25 & 26. from which corner Bears South 89° 41' West on a true line between Secs. 23 & 26.
Va. 15°. 15'. East.
39.89 Set Limestone 18×16×4 marked as per instructions for ¼ Sec. Cor.
79.78 The corner to Secs. 22. 23. 26 & 27

Land hilly. Soil gravelly 3rd rate.

North between Secs. 22 & 23.
Va. 15°. 15'. East.

40.00 Set Limestone 16×15×4 marked as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 32×20×5 with notches as per instructions for corner to Secs. 14. 15. 22 & 23

Land very Broken Soil Stony 3rd rate.

Township No. 15 North Range No. 38 West of the 6th Principal Meridian

East on a random line between Secs. 14 & 23
Va. 15°. 15'. East.

2.00 Drain 60 Lks wide descends S. E
40.00 Set Stone for temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. Line 7 Lks north of East corner to Secs. 13, 14, 23 & 24 from which corner I run North 89° 57' West on a true line between Secs. 14 & 23.
Va. 15° 15'. East.
40.00 Set Limestone 14 x 12 x 3 marked as per instructions for 1/4 Sec. Cor
80.00 The corner to Secs. 14, 15, 22 & 23.

Land Broken & rocky
Soil 3rd rate.

North between Secs 14 & 15
Va. 15°. 15'. East.

6.50 Drain 60 Lks wide descends S. E
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 10, 11 14, & 15,

Land South rocks Broken & Rocky
Land north rocks rolling, soil gravelly & 3rd rate

Township No. 15 North. Range No. 58 West of the 6th Principal Meridian

East on a random line between Sec's. 11 & 14.

Va. 15°. 15'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

79.80 Intersect N. & S. Line 37 lks South of Post corner to Sec's 11, ~~12~~ 12, 13 & 14. from which corner I run South 89°. 44' west on a true line between Sec's. 11 & 14

Va 15°. 15'. East.

39.90 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.80 The corner to Sec's. 10. 11. 14 & 15

Land rolling. soil gravelly 3" rate.

North between Sec's. 10 & 11

Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 19 x 14 x 4 with notches as per instructions for corner to Sec's. 2. 3. 10 & 11

Land gently rolling Poor & 2" rate soil.

Township No 15 North. Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 2 & 11.
Va. 15°. 15'. East.

40.00 Set Stone for temporary ¼ Sec Cor.
79.87 Intersect N. & S. Line 12 lks South of Stone, corner to Secs. 1. 2. 11. & 12
From which corner I run South 89°. 55' West on a true line between Secs. 2 & 11.
Va. 15°. 15'. East
39.93 Set Limestone 15 x 12 x 4 marked as per instructions for ¼ Sec. Cor.
79.87 The corner to Secs. 2. 3. 10 & 11.

Land rolling. soil gravelly.
3rd rate.

North on a random line between Secs. 2 & 3.
Va. 15°. 15'. East.

40.00 Set Post for temporary ¼ Sec Cor
79.58 Intersect the North Boundary of the Township 19th East of the 6th to Secs 2 & 3
From which Corner I run South 8' East on a true line between Secs. 2 & 3. Va 15° 15' E
39.58 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.58 The corner to Secs. 2. 3. 10 & 11.

Land rolling. soil gravelly
3rd rate.

Township No. 15 North Range No. 58. West of the 6th Principal Meridian

North between Secs 33 & 34
Va. 15°. 15'. East.

40.00 Set Limestone 19x15x4 marked as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 17x16x5 with notches as per instructions for corner to Secs. 27. 28. 33 & 34

Land rolling soil gravelly & 3rd rate.

East on a random line between Secs 27 & 34
Va. 15°. 15'. East.

31.00 Drain 1 ch wide descends to E

40.00 Set post for witness ¼ Sec Cor

79.88 Intersect north & S Line 9 lks South of Post Corner to Secs 26, 27 & 34 & 35. From which Corner I run South 89° 56' West on a true line between Secs 27 & 34 Va. 15°. 15'. East.

39.94 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.88 The corner to Secs. 27. 28. 33. & 34

Land hilly. gravelly and soil 3rd rate

28

Township No. 15 North. Range No. 58 West of the 6th Principal Meridian

North between Secs. 27 & 28
Va 15°. 15'. East.

11.00 Drain ch wide descend S. E.

40.00 Set chared post in mound of earth with pits as per instructions for ¼ Sec. cor.

80.00 Set chared post in mound of earth with pits as per instructions for corner to Secs. 21. 22. 27 & 28.

Land rolling. soil 3d rate.
Sept 25th 1871

29

East on a random line between Secs. 22 & 27
Va. 15°. 15'. East.

40.00 Set post for temporary ¼ Sec. Cr.

79.98 Intersect No 8 Line at Stone corner to Secs. 22. 23. 26 & 27. from which corner I run West on a true line between Secs. 22 & 27.
Va. 15°. 15'. East.

39.99 Set chared post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.98 The corner to Secs. 21. 22. 27. & 28.

Land Broken 3d rate.

Township No 15 North Range No 58 West of the 6th Principal Meridian

North between Secs 21 & 22
Va. 15° 15' East.

40.00 Set Limestone 18 x 17 x 5 marked as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 15, 16, 21 & 22

Land Broken & Stony Soil 3rd rate

East on a random line between Secs. 15 & 22
Va. 15° 15' East.

40.00 Set Stone for temporary 1/4 Sec Cor.

79.97 Intersect N & S Line 5 lks South of Stone corner to Secs 14, 15, 22 & 23. from which Corner bears South 89° 58' West on a true line between Secs 15 & 22.
Va. 15° 15' East.

39.98 Set Limestone 14 x 12 x 3 marked as per instructions for 1/4 Sec. Cor.

79.94 The corner to Secs. 15, 16, 21 & 22.

Land rolling. 3rd rate

Township No. 15 North. Range No. 58 West of the 6" Principal Meridian

North between Sec's. 15 & 16
Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

50.00 Drain 25 lks wide descends S. E.

80.00 Set Limestone 16 x 14 x 4 with notches as per instructions for Corner to Sec's. 9. 10. 15. & 16.

Landrolling. soil sandy 3" rate.

East on a random line between Sec's. 10 & 15
Va. 15°. 15'. East

40.00 Set Stone for temporary 1/4 Sec Cor

80.00 Intersect N & S Line 7 lks South of Post corner to Sec's 10. 11 14 & 15. from which corner I run South 89° 57' west on a true line between Sec's. 10 & 15.
Va. 15°. 15'. East.

40.00 Set Limestone 14 x 13 x 4 marked as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 9. 10. 15 & 16.

Landrolling. soil Poor 2" rate

Township No 15 North. Range No. 58 West of the 6th Principal Meridian

North between Secs 9 & 10.
Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 17 x 14 x 4 with notches as per instructions for corner to Secs. 3. 4. 9 & 10.

Land rolling, soil poor 2nd rate.

East on a random line between Secs. 3 & 10
Va. 15°. 15'. East.

40.00 Set post for temporary ¼ Sec. Cor.

79.78 Intersect N. & S. Line 28 lks north of Stone corner to Secs 2. 3. 10 & 11. from which cor. I run North 89° 48' west on a true line between Secs 3 & 10 Va. 15°. 15'. East.

39.89 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.78 the corner to Secs 3. 4. 9 & 10.

Land hilly & gravilly soil 3rd rate.

Township No. 15 North Range No.

North on a random line between Sec's. 3 & 4
Va. 15°. 15'. East.
40.00 Set post for temporary 1/4 Sec. cor.
62.00 Drain 8 lks wide descends East.
79.49 Intersect the North Boundary of the Township 21 lks East of the Post corner to Secs 3 & 4 from which corner I run South 9' East on a true line between Sec's. 3 & 4
Va. 15°. 15'. East.
39.49 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.49 The corner to Sec's. 3. 4. 9 & 10.

Land rolling. Soil gravelly & 3" rate

58 West of the 6th Principal Meridian

North between Sec's. 32 & 33
Va. 15°. 15'. East.
40.00 Set Limestone 20 x 17 x 6 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 20 x 16 x 5 with notches as per instructions for corner to Sec's, 28. 29. 32 & 33

Land rolling gravelly & 3 rate

Township No 15 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 28 & 33.
Va. 15°. 15'. East.
40.00 Set Post for temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. Line 7 lks South of Stone corner to Secs. 27, 28, 33, & 34 from which corner I run South 89°. 37'. West on a true line between Secs. 28 & 33.
Va. 15°. 15'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 The corner to Secs. 28. 29. 32 & 33

Land rolling soil gravelly 3rd rate.

North between Secs. 28 & 29.
Va. 15°. 15'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
50.00 Drain 70 lks wide descends S. E.
80.00 Set Limestone 22 x 18 x 6 with notches as per instructions for corner to Secs. 20. 21. 28 & 29.

Land hilly, gravilly 3rd rate

Township No. 15 North, Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 21 & 28.

Va. 15°. 15' East.

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.00 Intersect N & S Line at post corner to Secs. 21. 22. 27 & 28. From which corner I run West on a traverse between Secs. 21 & 28.

Va. 15°. 15'. East.

40.00 Set Limestone 18×15×4 marked, as per instructions for 1/4 Sec. Cor.

80.00 The corner to Secs. 20. 21. 28 & 29.

Land hilly. Soil gravelly 3rd rate

Sept 26 1871

North between Secs. 20 & 21

Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set Limestone 18×14×12 with notches as per instructions for corner to Secs. 16. 17 20 & 21.

South 1/2 mile Broken & Rocky 3rd rate

North 1/2 " gently rolling 2nd rate

Township No. 15 North Range No. 58 West of the 6th Principal Meridian

East on a random Line between Secs. 16 & 21, Va. 15°. 15'. East.

40.00 Set Stone for temporary 1/4 Sec. Cor.

80.00 Intersect N. & S. Line 12 lks South of Post corner to Secs. 15. 16. 21 & 22 from which corner I run South 89°. 45'. West on a true line between Secs. 16 & 21, Va. 15°. 15'. East.

40 40.00 Set Limestone 16 x 14 x 4 marked as per instructions, for 1/4 Sec. Cor.

80 80.00 The corner to Secs 16. 17. 20 & 21

Land gently rolling soil Poor Grass.

North between Secs. 16 & 17. Va. 15°. 15'. East.

40.00 Set Limestone 16 x 12 x 4 marked as per instructions for 1/4 Sec. Cor

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 8. 9. 16. & 17.

Land gently rolling soil poor Brush.

Township No. 5 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 9 & 16.
Va. 15°. 15'. East.

40.00 Set Stone for temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. Line 4 lks South of Stone corner to Secs 9. 10. 15 & 16 from which corner 3 runs South 89° 58' West on a true line between Secs. 9 & 16.
Va. 15°. 15'. East.
40
40.00 Set Limestone 15 x 12 x 6 marked
80 for per instructions for 1/4 Sec Cor
80.00 The corner to Secs. 8. 9. 16 & 17.

Land gently rolling Soil
2nd rate

North between Secs 8 & 9.
Va. 15°. 15' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 4. 5. 8. & 9.

Land rolling Soil Sandy
Poor 3rd rate.

Township No. 13. North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 4 & 9.
Va. 15°, 15', East.

40.00 Set Stone for temporary ¼ Sec. Cor.
79.78 Intersect N. & S. line 11 Lks South of Post corner to Secs 3. 4. 9. & 10, from which corner I run South 89° 45' West on a true line between Secs. 4 & 9
Va. 15°, 15' East

40. 39.89 Set Limestone 15 x 12 x 4 marked as per instructions for ¼ Sec cor
80. 79.78 The corner to Secs. 4. 5. 8 & 9.

Land hilly, soil 3rd rate.

North on a random line between Secs. 4 & 5.
Va. 15° 15'. East.

40.00 Set Post for temporary ¼ Sec. Cor.
69.00 Drain 80 Lks wide descends East.
79.60 Intersect the North Boundary of the Township 18 Lks East of Post corner to Secs. 4 & 5 from which corner I run South 8' East on a true line between Secs. 4 & 5.
Va. 18° 15' East

39.60 Set chained Post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.60 The corner to Secs 4. 5. 8 & 9

Land rolling soil gravelly 3rd rate

40 48

Township No. 15 North Range No. 58 West of the 6th Principal Meridian

North between Secs. 31 & 32
Va. 15°. 15' East.

40.00 Set Limestone 18x14x4 marked as per instructions for ¼ Sec. Cor
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 29, 30, 31 & 32

Land rolling Poor 2nd rate Soil.

49

East on a standard line between Secs, 29 & 32
Va. 15°. 15'. East.

40.00 Set Post for temporary ¼ Sec. Cor.
79.72 Intersect W.S Line 14 lks North of Post corner to Secs 28, 29, 32 & 33. from which corner I run North 89° 34' West on a true line between Secs 29 & 32.
Va. 15°. 15'. East.
39.86 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor.
79.72 The corner to Secs. 29, 30, 31 & 32.

Land rolling, Soil Sandy 3rd rate.

50

Township No 15 North Range No 58 West of the 6th Principal Meridian

West on a random line between Secs. 30 & 31
Va. 15°, 15' East.
40.00 Set Stone for temporary 1/4 Sec. Cor.
79.48 Intersect the West Boundary of the Township 12 Lks north of Stone Corner to Secs 20 & 31
From which corner I run North 89° 55' East on a true line between Secs. 20 & 31
Va. 15°. 15' East.
39.48 Set Limestone 14 x 12 x 3 marked as per instructions for 1/4 Sec. Cor.
79.48 The corner to Secs 29. 30. 31 & 32

Land hilly & Stony Soil 3rd rate

51

North between Secs. 29 & 30
Va 15°, 15' East.
40.00 Set Limestone 18 x 13 x 4 marked as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 20 x 16 x 4 with XXXXX notches as per instructions for corner to Secs. 19. 20. 29 & 30.

Land rolling soil gravelly 3rd rate.

Township No. 15. North Range No. 58 west of the 6th Principal Meridian

East on a random line between Sec's. 20 & 29.
Va. 15°. 15'. East.

32.00 Drain 35 lks wide descends S. E.
40.00 Set post for temporary 1/4 Sec cor
79.78 Intersect N. & S. Line 9 lks north of Stone corner to Secs. 20, 21. 28 & 29. from which corner I run North 89°. 56' west on a true line between Sec's. 20 & 29.
Va. 15°. 15'. East.
39.89 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.
79.78 The corner to Sec's. 19. 20. 29. & 30.

Land hilly soil gravelly 3" rate.
Sept 27th 1871

West on a random line between Sec's. 19 & 30.
Va. 15°. 15'. East.

40.00 Set post for temporary 1/4 Sec. Cor.
79.53 Intersect West Boundary of the Township 28 lks north of Stone corner to Secs 19 & 30. from which corner I run North 89° 48' East on a true line between Secs 19 & 30.
Va. 15°. 15'. East.
39.53 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.53 The corner to Secs. 19. 20. 29. 30.

Land hilly soil gravelly 3" rate

Township No. 15 North. Range No. 58 West of the 6th Principal Meridian

North between Secs. 19 & 20.
Va. 15°. 15'. East.

19.50 Drain 25 lks wide descends S. E.

40.00 Set charred post in mound of earth with pits as per instruction for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs, 17. 18. 19. & 20.

Land rolling. gravelly 3rd rate

East on a random line between Secs, 17 & 20
Va. 15°. 15'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

79.88 Intersect N. & S. Line at Stone corner to Secs, 16. 17. 20 & 21 from which corner I run West on a true line between Secs. 17 & 20.
Va. 15°. 15'. East.

39.94 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.88 The corner to Secs. 17. 18. 19 & 20

Land gently rolling Soil Poor 2nd rate.

Township No. 15 North. Range No. 58 West of the 6th Principal Meridian

West on a random line between Sec's. 18 & 19. Va. 15°. 15'. East.

40.00 Set Stone for temporary ¼ Sec. Cor.

78.30 Intersect the West Boundary of the Township 37 lks north of Stone Corner to Sec's 18 & 19, from which corner I run North 89° 44' East on a true line between Sec's. 18 & 19. Va. 15°. 15'. East.

38.30 Set Lime, Iron 18 x 15 x 6 marked as per instructions for ¼ Sec. Cor.

78.30 The corner to Sec's. 17. 18. 19 & 20.

Land rolling, soil gravelly 3rd rate

North between Sec's. 17 & 18. Va. 15°. 15'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 7. 8. 17 & 18.

Land gently rolling 3rd rate

Township No. 15 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 8 & 17. Va. 15°. 15'. East.

40.00 Set Post for temporary 1/4 Sec. Cor.

79.92 Intersect the N. & S. Line 38 lks North of Post corner to Secs. 8. 9. 16. & 17. from which corner I run North 89° 45 West on a true line between Secs. 8 & 17 Va. 15°. 15' East.

39.96 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.92 The corner to Secs. 7. 8. 17 & 18.

Land gently rolling Soil Poor & rocky.

West on a random line between Secs. 7 & 18. Va. 15°. 15'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

78.20 Intersect the West Boundary of the Township 40 lks North of Stone corner to Secs. 7 & 18 from which corner I run North 89° 41' East on a true line between Secs. 7 & 18 Va. 15°. 15'. East.

38.30 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

78.20 The corner to Secs 7. 8. 17 & 18.

Land gently rolling rocky Soil

Township No. 15 North. Range No 58. West of the 6th Principal Meridian

North between Sec's. 7. & 8.
Va. 15°. 15'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set Limestone 19x17x4 with ~~corners~~ notches as per instructions for Corner to Secs. 5.6.7 & 8.

Land rolling. Poor. 2' rate

East on a random line between Sec's. 5. & 8.
Va. 15°. 15'. East.
40.00 Set Stone for temporary 1/4 Sec Cor
80.00 Intersect N & S Line 5 lks South of Post corner to Sec's 4. 5. 8. & 9. from which corner I run South 89°58' west on a true line between Sec's. 5 & 8.
Va. 15°. 15'. East.
40.00 Set Limestone 18x16x5 marked as per instructions for 1/4 Sec. Cor.
80.00 The corner to Secs. 5.6.7 & 8.

Land hilly. Soil gravelly 3' rate.

62

Township No. 13 North Range No. 38 West of the 6th Principal Meridian

West on a random line between Secs. 6 & 7, Va, 15°. 15'. East.

110.00 Set post for temporary ¼ Sec Cor.
78.32 Intersect the West Boundary of the Township 50 lks North of Stone corner to Secs. 6 & 7 from which corner I run North 89°39' East on a true line between Secs. 6 & 7, Va. 15°. 15'. East.
38.32 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
78.32 The corner to Secs. 5.6. 7 & 8.

Land hilly gravelly 3rd rate.

63

North on a random line between Secs. 5 & 6, Va, 15°. 15'. East.

40.00 Set post for temporary ¼ Sec Cor
43.50 Drain 9 lks wide descends E.
79.30 Intersect North Boundary of the Township 48 lks West of Stone corner to Secs 5 & 6, from which corner I run South 21' West on a true line between Secs. 5 & 6 Va, 15°. 15' East,
39.30 Set charred post in mound of earth with pits as per instructions for ¼ Sec Cor.
79.30 The corner to Secs 5.6. 7 & 8.

Land rolling gravelly 3rd rate.
Sept 28th 1871

General Description
This Township is mostly composed of 3 rate gravelly land is all high Prairie covered with poor growth of grass

A list of the names of the individuals employed to assist in running measuring or marking the lines and corner described in the foregoing field notes of Township No 13 North of Range No 58 West of the 6th Principal Meridian showing the respective capacities in which they acted

Bennet T. Yates
Frank Adams Chainmen
John R Gordon
Sanford C Carpenter Axeman

We hereby certify that we
assisted John W Daugherty Dep-
uty Surveyor, in Subdividing
Township No. 15 North of the Base
Line, Range No 58 West of the
6th Principal Meridian, State
of Nebraska and that said
Township has been in all
respects to the best of our Know-
edge and belief, well and
faithfully, surveyed, and the
Boundary monuments planted
according to instructions fur-
nished by the Surveyor General

Bennet T. Yates
Frank Adams Chainmen
John R. Gordon.
Sanford C Carpenter Axeman

Subscribed and sworn to by the above named
persons, before me a Notary Public in and
the County of Lincoln, State of Nebraska the
23rd Day of October 1871 J B Park
Notary Public

I, John W Daugherty, Deputy
Surveyor, do solemnly swear,
that in pursuance of a joint
contract wherein, John W.
Daugherty & Dan S. Parmalee
are joint contractors with
E. E. Cunningham, United
States Surveyor General, for the
District of Iowa & Nebraska,
bearing date the 20th Day of
May 1871. I have well, faith-
fully, & truly, in my own
proper person and in strict
conformity with the instruc-
tions furnished by the Surveyor
General, the Surveying Mann-
ual, and the Laws of the
United States, Surveyed
all those parts or portions
of Township No. 15 North of
the Base Line, Range No 58
West of the 6th Principal
Meridian State of Nebraska

is are represented in the fo-
going Field Notes, as having
been surveyed under my
direction: and I do further
solemnly swear, that all the
Corners, have been establis-
and perpetuated, in the
accordance with the Survey-
ing Manual & United in-
structions and that the fore-
going are the true original
Field Notes of such survey

John W. Daugherty
Deputy Surveyor

Subscribed & Sworn to by the
person above named before
me a Notary Public in &
Douglas County State of Neb
this 21st day of October 1871

R. J. O'Neill
Notary Public

Surveyor Genl's Office
Plattsmouth Janry 27th 1872

The foregoing Field Notes of the
Survey and Sub-division of Town-
ship No 5. north of the Base line
Range No 5. West of the 6th P.M.
in the State of Nebraska.
Executed by John W. Daugherty
Deputy Surveyor. under joint
Contract No 42. wherein John W.
Daugherty & Dan S. Parmelee are
joint Contractors in the month
of September 1871. having been
critically examined the necessary
corrections and explanations made
the said Field Notes and Sur-
veys they describe are
hereby approved.

E. E. Cunningham
Surveyor General.

INDEX. T. No. 16. N. R. No. 58. W. of 6 P.M.

6	63	5	47	4	36	3	25	2	14	1	
62		61		46		35		24		13	
7	60	8	48	9	34	10	23	11	12	12	
59		58		44		33		22		11	
18	57	17	43	16	32	15	21	14	10	13	
56		55		42		31		20		9	
19	54	20	41	21	30	22	19	23	8	24	
53		52		40		29		18		7	
30	51	29	39	28	28	27	17	26	6	25	
50		49		38		27		16		5	
31	48	32	37	33	26	34	15	35	4	36	

Field Notes of the Subdivision Lines in Township No. 16 North of the Base Line Range No. 58 west of the 6th Principal Meridian in the State of Nebraska.

Surveyed by John W. Daugherty Deputy Surveyor

Commenced, Oct 4th 1871

Concluded, Oct 8th 1871

Names and duties of the Assistants employed in subdividing Township No. 16 North of the Base Line Range No 58 West of the 6th Principal Meridian in the State of Nebraska.

Bennet T. Yates } Chainmen
Frank Adams }

John R Gordon } Axmen
Sanford L Carpenter }

To determine the proper adjustment of my Compass for subdividing this Township, I commenced at the corner to Townships N 16 North, Range 58 West, and run North on a blank line along the East Boundary of Sec 36,
Va. 15°. 15' East.

39.94 To a point 2 Chs. east of the ¼ Sec. cor.

79.94 To a point 4 ¾ Chs East of the Corner to Secs 25 & 36.

Retrace this Line or run Parallel thereto My Compass must be adjusted to a Variation of
15°. 17' East.

A B C D E F G H I J K L M N O

Township No 16 North Range No 8 West of the 6th Principal Meridian

North between Secs. 35 & 36
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 25. 26. 35 & 36.

Land rolling, soil gravelly
2nd rate.

East on a random line between Secs. 25 & 36.
Va. 15°. 17'. East
40.00 Set post for temporary 1/4 Sec. Cor
79.79 Intersect the East Boundary of the Township. 9 lks North of Post corner to Secs. 25 & 36 from which corner a pine North 89°. 56'. West on a true line between Secs. 25 & 36. Va. 15°. 17' East.
39.89 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.79 The corner to Secs. 25. 26. 35 & 36.

Land gently rolling Soil 2nd rate

Township No. 16 North. Range 58 West of the 6th Principal Meridian

North between Sec's. 25 & 26.
Va. 15°.17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 23 24. 25 & 26.

Land gently rolling Soil Poor 2" rate

East on a random line between Sec's. 24 & 25.
Va. 15°.17'. East.

40.00 Set post for temporary 1/4 Sec. Cor.
75.00 Drain 38 links with descends S.E.
80.00 Intersect the East Boundary of the Township at post cor. to Sec's. 24 & 25. from which corner I run West on a true line between Sec's. 24 & 25
Va. 15°.17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 23. 24 25 & 26.

Land gently rolling. Soil gravelly 3" rate.

Township No. 16 North Range 3 West of the 6th Principal Meridian

North between Secs. 23 & 24
Va. 15°. 17'. East.
110.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
117.00 Drain 20 lks wide descends S.E.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 13, 14 23 & 24.

Land gently rolling Soil Poor 2nd rate.

East on a random line between Secs 13 & 24.
Va. 15°. 17'. East.
110.00 Set Stone for temporary ¼ Sec. Cor.
79.88 Intersect the East Boundary of the Township 37 lks South of Post corner to Secs. 13 & 24 from which corner Bears South 89°. 44'. West on a true line between Secs. 13 & 24 Va. 15°. 17'. East.
39.94 Set Limestone 17x11x4 marked as per instructions for ¼ Sec. Cor.
79.88 The corner to Secs. 13, 14, 23 & 24

Land rolling. Soil gravelly 3rd rate.

C D E F G H I J K L M N

Township No. 16 North. Range No. 8 West of the 6th Principal Meridian

North between Sec's 13 & 14
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec's. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 11, 12, 13 & 14.

Land rolling. Soil gravelly
2nd rate.

East on a random line between Sec's. 12 & 13.
Va. 15°. 17'. East.
40.00 Set post for temporary ¼ Sec. Cor.
79.96 Intersect the East Boundary of the Township 35 Chs South of Post corner to Sec's. 12 & 13 from which Corner Comm South, 89°. 45'. West on a true line between Sec's. 12 & 13
Va. 15°. 17'. East.
39.98 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.96 The corner to Sec's. 11, 12, 13 & 14.

Land rolling. Soil gravelly
3rd rate

C D E F G H I J K L M N

Township No. 16 North Range 58 West of the 6th Principal Meridian

North between Sec's. 11 & 12
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 1. 2 11. & 12.

Land rolling. Soil gravelly 3" rate.

East on a random line between Sec's. 1, & 12.
Va 15°. 17'. East.

40.00 Set charred post ~~in mound~~ for 1/4 Sec Cor. temporary.

79.98 Intersect the East Boundary of the Township 42 lks South of Past corner to Sec's 1 & 12. from which corner I run South 89°. 42' west on a true line between Sec's. 1 & 12.
Va. 15°. 17'. East.

39.99 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.98. The corner to Sec's 1. 2. 11 & 12

Land gently rolling 2" rate

Township No. 16 North Range 58 West of the 6th Principal Meridian

North on a true line between Sec's. 1 & 2.
Va. 15°. 17'. East.

40.00 Set Limestone 14x12x3 marked as per instructions for 1/4 Sec. Cor.

79.60 Intersect the 4th Standard Parallel, 16 chs west of the corner to Sec's 31 & 32 North. Township 17 North Range No 57 West. where I set charred post in mound of earth with pits as per instructions for closing corner to Sec's. 1 & 2. Town 16 N. Range 58 West.

Land gently rolling. soil 2" rate. Oct 4th 1881

North between Sec's. 34 & 35
Va. 15°. 17' East.

7.00 Drain 98 lks wide descends East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. cor.

51.00 Drain 43 lks wide descends S. E.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 26. 27 34. & 35.

Land hilly. soil gravelly 3" rate

Township No 16 North Range No 58 West of the 6th Principal Meridian

East on a random line between Secs. 26 & 35.
Va. 15°. 17'. East.
40.00 Set post for Temporary ¼ Sec. Cor.
80.08 Intersect N. & S. Line 7 lks. north of Post corner to Secs. 25. 26. 35 & 36. from which corner a run north 89°.54'. west on a true line between Secs 26 & 35.
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.08 the corner to Secs. 26. 27. 34 & 35

Land rolling, soil gravelly 3rd rate

North between Secs. 26 & 27
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 18 x 17 x 4 with notches as per instructions for corner to Secs. 22. 23. 26 & 27.

Land hilly. soil 3rd rate

INDE
6
62
7
59
18
56
19
53
30
E F G H I J K L M N

Township No. 16 North Range No. 38 West of the 6th Principal Meridian

East on a random line between Secs. 23 & 26. Va. 15°. 17' East.

40.00 Set post for temporary ¼ Sec. corr.

79.96 Intersect N. & S. Line 10 chs. South of Post corner to Secs 23. 24 25 & 26. From which corner bears South 89°. 56' West on a true line between Secs 23 & 26 Va. 15°. 17' East

39.98 Set charred post in mound of earth with pits as per instructions for ¼ Sec. corr.

79.96 The corner to Secs. 22. 23. 26. 27.

Land gently rolling. Soil Poor 3rd rate.

North between Secs. 22 & 23 Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. corr.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 14, 15, 22 & 23.

Land gently rolling soil gravelly 3rd rate

INDE
6
62
7
59
18
56
19
53
30
50

Township No. 16 North Range No. 18 West of the 6th Principal Meridian

East on a random line between Secs. 14 & 23.
Va. 15°, 17' East.

40.00 Set post for temporary ¼ Sec. Cor.
61.00 Drain 25 lks wide descends S. E.
80.66 Intersect N. & S. Line 9 lks South of Post corner to Secs. 13. 14. 23 & 24 from which Corner I run South 89° 56' West on a true line between Secs. 14 & 23
Va. 15° 17' East.
110.13 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor
80.66 The Corner to Secs. 14. 15. 22 & 23

Land gently rolling soil Poor. 5th rate.

North between Secs. 14 & 15
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor,
63.00 Drain 40 lks wide descends S. E.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 10. 11. 14, & 15.

Land rolling soil gravelly 5th rate.

INDEX
6
62
7
59
18
56
19
53
30
50
31
F G H I J K L M N

Township No. 16 North, Range 18 West of the 6th Principal Meridian

East on a random line between Secs. 11 & 14.
Va. 15°, 17'. East

40.00 Set post for temporary ¼ Sec. Cor.

80.04 Intersect N. & S. Line 11 & 14 South of Post corner to Secs 11, 12, 13 & 14 from which corner 8 links South 89° 54' West on a true line between Secs. 11 & 14.
Va. 15°, 17'. East.

40.02 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.04 The corner to Secs. 10, 11, 14 & 15.

Land rolling Soil gravelly
5th rate.

North between Secs. 10 & 11
Va. 15°, 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set limestone 18 x 17 x 4 with notches as per instructions for Corner to Secs. 2, 3, 10 & 11.

Land hilly, soil gravelly
5th rate.

INDEX
6
62
7
59
18
56
19
53
30
50
31
F G H I J K L M N

Township No. 16 North Range No. 58. West of the 6th Principal Meridian

East on a random line between Sec's. 2 & 11

Va. 15°. 17'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect N & S Line 5 lks north of Post corner to Sec's. 1. 2. 11. 12 from which corner I run North 89°. 58'. west on a true line between Sec's. 2. & 11.

Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 2. 3. 10. & 11.

Land gently rolling soil 2" rate

North on a true line between Sec's. 2 & 3.

Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

79.30 Intersect the 4" Standard Parallel 15 chs & 90 lks west of the Corner to Township No. 17 North Ranges No. 57 & 58 west, where I set charred post in mound of earth with pits as per instructions for closing corner to Sec's. 2. & 3, Town 16 N. Range 58 West.

Land rolling. 2" rate.

Oct 5th 1871

Township No 16 North. Range No 38 West of the 6th Principal Meridian

North between Secs. 33 & 34
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

50.00 Drain 40 lks. wide descends S.E.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 27, ~~28~~ 28, 33 & 34.

Land rolling. Soil Poor. 3rd rate

East on a random line between Secs. 27 & 34.
Va. 15°. 17'. East.

40.00 Set post for temporary ¼ Sec. Cor.

80.00 Intersect N. & S. Line 9 lks West of Post corner to Secs 26.27 34 & 35. from which corner I saw North 89° 56' West on a true line between Secs 27 & 34 Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 The corner to Secs. 27. 28. 33 & 34

Land rolling soil gravelly 3rd rate

INDEX

6
62
7
59
18
56
19
53
30
50
3

C H I J K L M N

Township No. 6 North. Range No. 58 west of the 6th Principal Meridian

North between Secs. 27 & 28
Va. 15°. 17'. East,
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 21. 22. 27 & 28

Land gently rolling 2nd rate

East on a random line between Secs. 22 & 27.
Va. 15°. 17'. East.
40.00 Set post for temporary 1/4 Sec. Cor
80.06 Intersect N. & S. Line 11.45 North of Stone corner to Secs. 22. 23. 26 & 27. from which corner I run North 89° 52' West on a true line between Secs 22 & 27
Va. 15°. 17'. East.
40.03 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.06 The corner to Secs. 21. 22. 27 & 28

Land gently rolling. Soil 2nd rate

INDEX

6	
62	
7	
59	
18	
56	
19	
53	
30	
50	
31	

H I J K L M N

Township No: 16 North. Range No. 58 West of the 6th Principal Meridian

North between Secs. 21 & 22
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for. 1/4 Sec. Cor.
80.00 Set Limestone 16 x 14 x 3 with notches as per instructions for. Corner to Secs. 15. 16. 21 & 22.

Land rolling. Soil 2nd rate.

East on a random line between Secs. 15 & 22.
Va. 15°. 17'. East.
40.00 Set post for temporary 1/4 Sec. Cor.
79.92 Intersect N. & S. Line 5 lks. South of Post corner to Secs. 14. 15 22 & 23 from which corner Bears South 89° 58' West on a true line between Secs 15 & 22
Va. 15°. 17'. East
39.96 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.
79.92 The corner to Secs. 15. 16. 21 & 22

Land hilly. Soil gravelly 3rd rate.

INDEX

6	6	
62		
7	6	
59		
18	5	
56		
19	5	
53		
30	5	
50		

H I J K L M N

Township No. 16. North Range No. 58 West of the 6th Principal Meridian

North between Secs. 15 & 16
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 9. 10. 15 & 16.

Land hilly soil 3rd rate

East between Secs 10 & 15 on a random line
Va, 15°, 17' East.

36.00 Drain 3 Elks mid. descends S.E.

40.00 Set post for temporary ¼ Sec. cor.

80.06 Intersect N. & S. Line at post corner to Secs. 10. 11. 14 & 15 from which corner Doun West on a true line between Secs 10 & 15.
Va. 15°. 17'. East.

140.03 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.

80.06 The corner to Secs. 9. 10. 15 & 16.

Land hilly soil 3rd rate

INDEX

6 63
62
7 60
59
18 57
56
19 54
53
30 51
50
31

I J K L M N

Township No. 16 North Range No. 55 West of the 6th Principal Meridian

North between Secs. 9 & 10
Va. 15°, 17' East.

13.00 Drain 30 lks wide descends S.E.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 3. 4. 9 & 10.

Land gently rolling 2nd rate

East on a random line between Secs. 3 & 10.
Va. 15°, 17'. East.

40.00 Set post for temporary ¼ Sec. Cor.

80.00 Intersect N. & S. Line 12 lks South of Stone corner to Secs. 2. 3. 10 & 11 from which corner Bears South 89°. 55' West on a true line between Secs. 3 & 10, Va. 15°. 17'. East.

120.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

160.00 The corner to Secs. 3. 4. 9 & 10.

Land gently rolling Soil Poor 2nd rate.

X
470 +1

INDEX.

6	63		
62			
7	60		
59			
18	57		
56			
19	54		
53			
30	51		
50			
31			

I J K L M N

Township No. 16 North. Range No. 58. West of the 6th Principal Meridian

North on a true line between Secs. 3 & 4.
Va. 15°. 17'. East.

46.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

79.00 Intersect the 4th Standard Parallel 15 chs & 51 lks West of the corner to Secs 35 & 36. Township No 17. North Range No. 58 West. where I set charred post in mound of earth with pits as per instructions for closing corner to Secs. 3 & 4. Town 16 N. Range 58 West.
Land gently rolling 2nd rate

North between Secs. 32 & 33
Va. 15°. 17'. East.

3.00 Drain 30 lks wide descends S. E.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set charred post in mound of earth with pits as per instructions. for corner to Secs. 28. 29. 32 & 33.

Land hilly soil gravelly
3rd rate. Oct 6th 1871

INDEX.
6 63
62
7 60
59
18 57
56
19 54
53
30 51
50
31 48
J K L M N

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 28 & 33.
Va. 15°. 17'. East.

40.00 Set post for temporary 1/4 Sec Cor
50.00 Drain 40 lks wide descends S.E.
79.80 Intersect N & S Line 19 lk. north of Post corner to Secs. 27. 28. 33 & 34. from which corner I run North 89° ~~56'~~ 52' west on a true line between Secs. 28 & 33.
Va. 15°. 17'. East.
39.90 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
79.80 The corner to Secs. 28. 29. 32 & 33

Land rolling. soil gravelly 3" rate.

North between Secs. 28 & 29.
Va. 15°. 17'. East.

38.00 Drain 50 lks wide descends S.E.
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 20. 21 28. & 29.

Land gently rolling Soil 2" rate

Downship No. 16 North. Range No. 58 West of the 6 Principal Meridian

East on a random line between Secs. 21 & 28.
Va. 15°. 17'. East,
40.00 Set post for temporary ¼ Sec. Cor.
80.00 Intersect N. & S. line at post corner to Secs. 21. 22. 27 & 28 from which corner I run West on a true line between Secs. 21 & 28.
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 The corner to Secs. 20. 21. 28 & 29.

Land hilly. soil gravelly
Water

North between Secs. 20 & 21
Va. 15°. 17'. East,
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 17 x 14 x 5 with notches as per instructions for Corner to Secs 16. 17. 20 & 21.

Land rolling. soil gravelly
Water.

INDEX T

6	63		
62			
7	60		
59			
18	57		
56			
19	54		
53			
30	51		
50			
31	48		

K
L
M
N
P

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Secs. 16 & 21,
Va. 15°. 17'. East.
40.00 Set post for temporary ¼ Sec. Cor.
80.00 Intersect N. & S. line 12 lks. north of Stone corner to Secs. 15, 16, 21 & 22. from which corner I run North 89.° 55' West on a true line between Secs. 16 & 21
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor. V. 15° 17' East
80.00 the corner to Secs. 16, 17, 20 & 21

Land hilly, gravelly & Soil 3rd rate.

North between Secs. 16 & 17,
Va. 15°. 17'. East
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 16 x 12 x 6 with notches as per instructions for corner to Secs. 8. 9. 16 & 17

Land rolling, soil gravelly 3rd rate

INDEX. T

6	63		
62			
7	60		
59			
18	57		
56			
19	54		
53			
30	51		
50			
31	48		

K
L
M
N

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

East on a random line between Sec's. 9 & 16.
Va. 15°. 17'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

80.00 Intersect N & S Line 5 lks South of Post corner to Sec's. 9. 10. 15 & 16. from which Corner I run South 89°. 58' West on a true line between Sec's. 9 & 16.
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

80.00 the corner to Sec's 8. 9. 16 & 17.

Land gently rolling, gravelly & 3" rate.

North between Sec's. 8 & 9.
Va. 15°. 17'. East.

40.00 Set Limestone 16x14x4 marked as per instructions for 1/4 Sec. Cor.

65.00 Drain 30 lks wide descends S. E.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's. 4. 5. 8. & 9.

Land hilly soil 3" rate

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

East on a random line between
Secs. 11 & 9.
Va. 15°. 17'. East.
40.00 Set post for temporary ¼ Sec. cor.
79.84 Intersect N & S Line 12.64 South
of post corner to Secs 3. 4. 9 & 10.
from which corner I run
South 89°. 58'. West on a true
line between Secs. 11 & 9.
Va. 15°. 17'. East
39.92 Set chained post in mound of
earth with pits as per instruc-
tions for ¼ Sec. cor.
79.84 The corner to Secs. 11. 12. 8 & 9.

Land rolling. Soil gravelly
3rd rate.

North between Secs 11 & 12,
on a true line.
Va. 15°. 17'. East.
40.00 Set chained post in mound of
earth with pits as per instruc-
tions for ¼ Sec. cor.
78.90 Intersect the ~~North Boundary~~ 11th Standard Parallel
of the Township, 15 chs and 40 lks
West of the corner to Secs 34 & 35
Township 17 North Range 58
West. Where I set chained
post in mound of earth
with pits as per instruc-
tions for closing corner
to Secs 11 & 12 Tow. 16 N.
Range 58 West
Land rolling 3rd rate

INDEX. T
6 63
62
7 60
59
18 57
56
19 54
53
30 51
50
31 48
L
M
N

Township No 16 North Range No 58 West of the 6th Principal Meridian

North between Secs. 31 & 32.
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 29. 30. 31 & 32.

Land rolling gravelly 3rd rate
Oct 7th 1871

East on a random line between Secs. 29 & 32.
Va. 15°. 17'. East.
40.00 Set post for temporary ¼ Sec. cor.
80.00 Intersect N. & S. line, 9 lks South of Post corner to Secs. 28. 29 32 & 33 from which Corner I run South 89°56' West on a true line between Secs 29 & 32.
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. cor.
80.00 The corner to Secs. 29. 30. 31 & 32.

Land rolling & gravelly
soil 3rd rate

INDEX. T

6	63	
62		6
7	60	
59		5
18	57	1
56		
19	54	2
53		5
30	51	2
50		4
31		

Township No. 16 North. Range No. 58 West of the 6th Principal Meridian.

West on a random line between Secs. 30 & 31.
Va. 15°. 17'. East.
110.00 Set post for temporary ¼ Sec. Cor.
78.58 Intersect the West Boundary of the Township 37 LKs North of Stone corner to Secs 30 & 31 from which corner I run North 89° 44' East on a true line between Secs. 30 & 31.
Va. 15°. 17'. East.
38.58 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
78.58 The corner to Secs 29. 30. 31. & 32.

Land rolling soil Poor 3rd rate

North between Secs. 29 & 30.
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
60.00 Drain 35 LKs wide deserves S.E.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 19. 20. 29 & 30.

Land hilly & 3rd rate

INDEX. T

6	63	5
62		6
7	60	
59		
18	57	1
56		
19	54	2
53		
30	51	2
50		4
31	48	

Township No. 16 North Range No 58 West of the 6th Principal Meridian

East on a random line between Sec's. 20 & 29.
Va. 15°. 17'. East.

40.00 Set post for temporary 1/4 Sec. cor.

80.00 Intersect N & S Line 21 lks South of Post corner to Sec's 20 & ~~29~~. 21. 28 & 29 from which corner I run South 89° 51 West on a true line between Sec's. 20 & 29.
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

80.00 The corner to Sec's. 19. 20. 29. & 30.

Land rolling soil Poor & 2 rate

West on a random line between Sec's. 19 & 30.
Va. 15°. 17'. East.

30.00 Drain 50 lks wide descends S. E.

40.00 Set post for temporary 1/4 Sec. Cor.

78.60 Intersect the West Boundary 35 lks North of Stone corner to Sec's. 19. & 30. from which cor. I run North 89° 45' East on a true line between Sec's 19 & 30.
Va 15°. 17'. East.

38.60 Set charred post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

78.60 The corner to Sec's. 19. 20. 29. & 30.

Land rolling soil gravelly 3 rate.

54

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

North between Secs. 19 & 20
Va. 15°. 17'. East.
40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
80.00 Set Limestone 18x12 x 4 with notches as per instructions for corner to Secs. 17. 18. 19 & 20.

Land rolling, gravelly 3rd rate

55

East on a random line between Secs. 17 & 20.
Va. 15°. 17'. East.
40.00 Set Stone for temporary ¼ Sec. Cor.
80.00 Intersect N. & S. line of 16. South of Stone corner to Secs. 16. 17. 20 & 21 from which corner I run South 89° 59' West on a true line between Secs 17 & 20
Va. 15°. 17'. East.
40.00 Set Limestone 18x10 x 6 marked as per instructions for ¼ Sec Cor
80.00 The corner to Secs. 17. 18. 19 & 20.

Land rolling. Soil 3rd rate

INDEX. T

6	63	
62		6
7	60	8
59		58
18	57	17
56		5
19	54	20
53		52
30	51	29
50		4
31	48	3

Township No. 16 North Range No 58 West of the 6th Principal Meridian

West on a random line between Secs. 18 & 19.
Va. 15°. 17'. East.

40.00 Set post for temporary ¼ Sec Cor.

78.88 Intersect West Boundary of the Township 33 lks North of Stone corner to Secs 18 & 19 from which corner I run North 89°. 46' East on a true line between Secs. 18 & 19.
Va. 15°. 17'. East.

38.88 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

78.88 The corner to Secs. 17, 18, 19 & 20

Sand hilly, soil 3rd rate

North between Secs. 17 & 18
Va. 15°. 17'. East.

110.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.

80.00 Set Limestone 19 x 15 x 8 with notches as per instructions for corner to Secs 7. 8. 17 & 18.

Sand hilly. Soil gravelly & 3rd rate.

INDEX. T
6 63 5
62 61
7 60 8
59 58
18 57 17
56 55
19 54 20
53 52
30 51 29
50 49
31 48 32

Township No 16 North Range No. 58 West of the 6th Principal Meridian.

East on a random line
between Secs. 8 & 17
Va. 15°, 17' East.

40.00 Set Stone for temporary ¼ Sec. Cor.
79.80 Intersect N & S line 12 lks
North of Stone corner to Secs
8. 9. 16 & 17 from which
Corner I run North 89° 55'
West on a true line between
Secs. 8 & 17.
Va. 15°, 17' East
79.92 Set limestone 19x11x6 marked
as per instructions for ¼ Sec. Cor.
79.80 The corner to Secs. 7. 8. 17 & 18.

Land Office, Grate

West on a random line
between Secs. 7 & 18.
Va. 15°, 17' East
40.00 Set post for temporary ¼ Sec. Cor.
78.54 Intersect the West Boundary
of the Township at Stone
corner to Secs 7 & 18. From
which corner I run East
on a true line between Secs
7 & 18.
Va. 15°, 17' East
38.54 ~~38.54~~ Set charred post in mound
of earth with pits as per
instructions for ¼ Sec. Cor.
78.54 The corner to Secs. 7. 8. 17 & 18.

Land Office, Grate.

INDEX T

6 63 5
62 6
7 60 8
59 58
18 57 17
56 55
19 54 20
53 52
30 51 29
50 49
31 48 32

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

North between Secs. 7 & 8
Va. 15°. 17'. East.

40.00 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 5. 6. 7. & 8.

Land hilly. gravelly Soil

East on a random line between Secs 5 & 8.
Va. 15°. 17'. East

40.00 Set post for temporary ¼ Sec. Cor
48.00 Drain 25 lks wide descends S. E.
79.90 Intersect N. & Line 14 lks South of Post corner to Secs. 4. 5. 8 & 9 from which corner I run South 89° 54' west on a true line between Secs. 5 & 8. Va. 15°. 17'. East
3995 Set charred post in mound of earth with pits as per instructions for ¼ Sec. Cor.
79.90 The corner to Secs. 5. 6. 7 & 8.

Land hilly gravelly & Soil

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

West on a random line between Secs. 6 & 7 Va. 15°. 17'. East.

40.00 Set post for temporary 1/4 Sec. Cor.

78.15 Intersect the West Boundary of the Township 23 lks. North of Stone corner to Secs. 6 & 7 from which corner I run North 89°. 50' East on a true line between Secs. 6 & 7 Va. 15°. 17'. East.

38.15 Set chained post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

78.15 The corner to Secs. 5. 6. 7 & 8

Land rolling. soil gravelly & 3rd rate

North on a true line between Secs. 5 & 6. Va. 15°. 17'. East.

23.00 Cross 30 lks. wide descends S.E.

40.40 Set chained post in mound of earth with pits as per instructions for 1/4 Sec. Cor.

78.95 Intersect North Boundary of the Township, 11th Standard Parallel 15 chs. & 30 lks. west of the corner to Secs 33 & 34 Township No. 17 North Range No. 58 West where I set Limestone 17 x 11 x 3 with notches as per instructions for closing corner to Secs. 5 & 6. Town 16 N. R 58 W.

Land rolling 3rd rate

Oct 8th 1871

INDEX. T.

6	63	5
62		61
7	60	8
59		58
18	57	17
56		55
19	54	20
53		52
30	51	29
50		49
31	48	32

Township No. 16 North Range No 58 west of the 6th Principal Meridian

General Description
The land in this Township is poor mostly gravely and 3rd rat Prairie covered with a short scanty growth of Buffalo grass

A list of the names of the individuals employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Township No 16 North of the base line of Range 58 West of the 6th Principal Meridian

Bennet, T. Yates } Chainmen
Frank Adams }
John. R. Gordon } Axemen
Santford, C. Carpenter }

INDEX. T

6	63	5
62		61
7	60	8
59		58
18	57	17
56		55
19	54	20
53		52
30	51	29
50		49
31	48	32

Township No. 16 North Range No. 58 West of the 6th Principal Meridian

We hereby certify that we assisted John W. Daugherty, Deputy Surveyor in Subdividing Township No 16 North of the Base Line, Range No. 58. West of the 6th Principal Meridian State of Nebraska, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed, and the Boundary monuments planted according to the instructions furnished by the Surveyor General.

Bennett T. Yates
Frank Adams Chainmen
John R. Gordon
Sanford C Carpenter Axeman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln State of Nebraska this 23rd day of October 1871.

J B Park
Notary Public

I, John W. Daugherty Deputy Surveyor, do solemnly swear that in pursuance of a joint Contract wherein John W. Daugherty & Dan S. Parmalee are joint contractors with E. E. Cunningham United States ~~Deputy~~ Surveyor General for the District of Iowa & Nebraska, bearing date the 20th day of May 1871. I have well faithfully and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General, Surveying Manual, and the Laws of the United States, surveyed all those parts or portions of Township No. 16 North of the Base Line, Range No 58 West of the 6th Principal Meridian in State of Nebraska, over

INDEX T 1

		8
1		58
18	57	17
56		55
19	54	20
53		52
30	51	29
50		49
31	48	32

as are represented in the foregoing Field Notes, as having been Surveyed under my direction. And I do further Solemnly Swear that all the Corners of said survey have been established and perpetuated in strict accordance with the surveying manual and printed instructions, and that the foregoing are the true original Field Notes of such survey.

John H. Daugherty
Deputy Surveyor

Subscribed & Sworn to by the person above named before me a Notary Public in & for Dawson County State of Nebraska this 21st day of October 1871

R. D. Pratt
Notary Public

Surveyor Generals Office
Plattsmouth Jany 22nd 1872

The foregoing Field Notes of the Survey and Sub-division of Township No 16 North of the Base Line Range No 38 West of the 6th P.M. in the State of Nebraska Executed by John H. Daugherty under joint Contract No 42. dated May 20th 1871. Wherein John H Daugherty and Dan S. Parmelee are joint Contractors in the month of October 1871. having been critically examined the necessary corrections and explanations made. the said Field notes and the Survey thereby described are hereby approved.

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

736

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.