General Land Office • Original Field Notes

Book Number

740

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.


6 5 4 3 2 1
7 8 9 10 11 12
18 17 16 15 14 13
19 20 21 22 23 24
30 29 28 27 26 25
31 32 33 34 35 36

Field note of the subdivision
lines on fractional Townships Nos 12, 13
and 14 North of the base line
Range No 9 West of the 6th Principal Meridian in the State of
Nebraska Surveyed by John
W Daugherty Deputy Surveyor

Commenced Oct 14th 1871
Concluded Oct 17th 1871

Names and duties of the assistants employed in subdividing fractional Townships No 12. 13 and 14 North of the base line. Range No 59 West of the 6th Principal Meridian in the State of Nebraska

Bennet T. Yates
Frank Adams } Chainmen

John R. Gordon
Sanford C Carpenter } Axemen

To determine the proper adjustment of my compass for subdividing fractional Township No 12 North Range No 59 West I commenced at the corner to fractional Township No 12 North Range 57 and 58 West of the 6th Principal Meridian on the 3 Standard Parallel and run South on a blunt line along the East boundary of Section 1

Variation 15° 6' East

4002 To the quarter Section corner
8004 To the corner to Sections 1 and 12.

I find a Variation of 15° 6' East to be the proper Variation for subdividing this Township

Fractional Township No 12 North

At a point 16 chains & 10 lks
West of the corner to Sections 31 & 32
Township 13 North Range 58
West on the 3 Standard Parallel
I set charred post in mound of earth
with pits as per instructions
for closing corner to Sections
1 & 2 from which corner I run South on
a true line between Sections 1 & 2

Variation 15° 6' East

1200 Drain 55 links wide descend N. W
4000 Set charred post in mound of
earth with pits as per instructions
for 1/4 Sec corner
8000 Set charred post in mound
of earth with pits as
per instructions for cor
to Sections 1, 2, 11 and 12

Land rolling gravelly 3 rate

Range No 59 West of the 6th Principal Meridian

East on a random line between
Sections 1 & 12

Va 15° 6' East

4000 Set post for temporary 1/4
Sec cor
7996 Intersect the East boundary
of the Township at Stone cor to
Secs 1 & 12 from which corner
I run West on a true line
between Sections 1 & 12

Va 15° 6' East

3998 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor
7996 The corner to Secs 1, 2, 11 & 12
Land gently rolling 2 rate

Fractional Township No 12 North

South on a true line between
Sections 11 & 12
Va 15° 6' East

4000 Set Limestone 18 x 15 x 5 marked
as per instructions for 1/4
Sec cor

8000 Set charred post in mound
of earth with pits as per
instructions for cor to Secs
11.12.13 & 14

Land rolling gravelly 3rd rate

Range No 39 West of the 6th Principal Meridian

East on a random line between
Sections 12 & 13
Va 15° 6' East

4000 Set post for temporary 1/4
Sec cor

7993 Intersect the East boundary
of the Township 7 links
South of post corner to Secs 12 & 13
from which cor I run
South 89° 57' West on a true
line between Sections 12 & 13
Va 15° 6' East

3997½ Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor

7993 The cor to Sections 11.12.13
& 14

Land rolling gravelly 3rd rate

B C D E F G H I J K L M N O P Q R S T

Fractional Township No 12 North

South on a true line between
Secs 13 & 14
Va 15° 6' East
4000 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec Cor
8000 Set Limestone 18 x 16 x 3 not taken
as per instructions for cor to
Sections 13. 14. 23 & 24

Land rolling gravelly
3 rate

Range No 39 West of the 6th Principal Meridian

East on a random line bet-
ween Sections 13 & 24
Va 15° 6' East
4000 Set post for temporary
1/4 Sec cor

8009 Intersect the East township
of the 5 Chs North of Stone
Cor to Sections 13 & 24
from which an I ran North
89° 57' West on a true
line between Secs 13 & 24
Va 15° 6' East
4002.2 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec Cor
8009 The cor to Secs 13. 14 23 & 24
Land rolling gravelly
3 rate

C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R

Fractional Township No 12 North

South on a true line between
Sections 23 & 24 Var 15° 6' E
1128 Intersect the State line and set
chained post in mound of earth
with pits as per instructions
for closing corner to fractional
Sections 23 & 24. 25 chains &
46 links East of the 103 mile
post on the State Boundry

Land level gravelly 3rd rate

Range No 59 West of the 6th Principal Meridian

At a point 14 chains & 69 lks
West of the cor to Township 13 N
Range 58 & 59 West on the 3rd
Standard Parallel I set
chained post in mound of
earth with pits as per
instructions for closing
corner to Sections 2 and 3
thence I run South on a
true line between Secs 2 & 3
Va 15° 6' East
40 00 Set chained post in mound
of earth with pits as per
instructions for 1/4 Sec cor
53 80 Drain 90 lks mile descends
N E.
80 00 Set chained post in mound
of earth with pits as per
instructions for cor to Secs
2.3.10 & 11
Land rolling 2nd rate

Fractional Township No 12 North

East on a Random line
between Sections 2 and 11
Va 15° 6' East
2100 Set post for temporary 1/4
Section cor
7960 Intersect the North and South
line 7 links South of post cor
to Sections 2. 3. 11 & 12 from which
corner I run South 89 57
West on a true line between
Secs 2 & 11
Va 15° 6' East
3980 Set chained post in mound
of earth with pits as per
instruction for 1/4 Sec cor
7960 The cor to Secs 2. 3. 10 & 11

Land rolling gravelly 3 rate

Range No 59 West of the 6th Principal Meridian

South on a true line between
Sections 10 & 11
Va 15° 6' East
4000 Set chained post in mound
of earth with pits as per
instruction for 1/4 Sec cor
8000 Set Limestone 18 x 17 x 3 with
notches as per instruction
for cor to Sections to Secs
10. 11. 14 & 15

Land rolling Stony 3 rate

Fractional Township No 12 North Range No 39 West of the 6th Principal Meridian

East on a random line between Sections 11 & 14
Va 15° 6' East

40.00 Set post for temporary 1/4 Sec cor

79.60 Intersect the North and South mile 11 links North of post cor to Secs 11.12.13 & 14 from which cor I run North 89 55 West on a true line between Sections 11 & 14
Va 15° 6' East

39.80 Set charred post mi mound of earth with pits as per instructions for 1/4 Sec cor

79.60 The cor to Secs 10.11.14 & 15

Land rolling gravelly 3 rate

South on a true line between Secs 14 & 15
Va 15° 6' East

40.00 Set Limestone 18 x 13 x 4 marked as per instructions for 1/4 Sec cor

80.00 Set Limestone 21 x 18 x 3 with notches as per instructions for cor to Sec 14 15 22 & 23

Land rolling gravelly 3 rate

Fractional Township No 12 N Range No 59 West of the 6th Principal Meridian

East on a random line
between Sections 14 and 23
Va 15° 6' East
40.00 Set post for temporary 1/4
Sec cor
79.87 Intersect the North and State
line 12 links South of Stone
cor to Secs 13. 14 23 & 24 from
which cor I run South 89°55'
West on a true line between
Secs 14 & 23 Va 15° 6' East
39.93½ Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor
79.87 The corner to Secs. 14. 15. 22 & 23

Land rolling gravelly 3
rate Oct 14th 1871

South on a true line between
Sections 22 and 23
Va 15° 6' East
11.20 Intersect the State line and
Set charred post in mound
of earth with pits as per
instructions for closing
cor to fractional Secs 22 &
23. 25 chains and 15 links
East of the 10 & miles post
on the State Boundary

Land rolling gravelly 3 rate

Fractional Township 41 12 North

At a point 14 chains and 28 lks
West of the cor to Sections 33 & 36
Township 13 North Range 59 West
I set charred post in mound of
Earth with pits as per
instructions for closing cor
to Sections 3 & 4 Thence I
run South on a true line
between Sections 3 & 4
Va 15° 6' East
40 00 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor
80 00 Set charred post in mound
of earth with pits as per
instructions for cor to Secs
3.4.9 & 10
Land rolling gravelly 3 rate

Range 41 59 West of the 6th Principle Meridian

East on a random line between
Sections 3 & 10
Va 15° 6' East
40 00 Set Stone for temporary 1/4 Sec
cor
64 00 Drain 80 links mid descends North
79 62 Intersect the A & S line 9 lks
North of post cor to Secs 2 3
10 & 11 from which cor I run
North 89° 36' West on a true line
between Sections 3 & 10
Va 15° 6' East
39 81 Set Limestone 18 x 14 x 4 marked
as per instructions for 1/4
Sec cor
79 62 The cor to Sections 3.4.9 & 10

Land rolling gravelly 3 rate

Fractional Township No 12 N

West on a true line between
Sections 4 & 9
Va 15° 6' East
17.50 Intersect the State line
11 chains and 14 links North
of the 2 mile post on the State
Boundry where I set chained
post in mound of earth with
pits as per instructions for
closing corners to fractional
Sections 4 & 9

Land rolling 2 rate

Range No 19 West of the 6th Principal Meridian

South on a true line between
Sections 9 & 10
Va 15° 6' East
40.00 Set Limestone 13 x 13 x 4 marked
as per instructions for 1/4
Sec cor
80.00 Set chained post in mound
of earth with pits as per
instructions for cor to Secs
9, 10, 15 & 16
Land rolling 2 rate

Fractional Township No 12 North

East on a true line between
Sections 10 & 15
Va 15° 6' East.

40.00 Set post for temporary 1/4 Sec cor

79.68 Intersect the North and South line 15 links South of Stone cor to Secs 10. 11. 14 & 15 from which cor I ran South 89¾
West on a true line between
Sections 10 & 15
Va 15° 6' East

39.84 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

79.68 The cor to Secs 9. 10. 15 & 16

Land rolling 2 rate

Range No 89 West of the 6th Principal Meridian

West on a true line between Secs
9 & 16
Va 15° 6' East

17.40 Intersect the State line 11 ch and 15 links North of the 1st mile post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sections 9 & 16

Land rolling 2 rate

Fractional Township No 12 N

South on a true line between
Sections 15 & 16
Va 15' 6" East
400 Set chained post in mound
of earth with pits as per
instructions for 1/4 Sec cor
800 Set chained post in mound
of earth with pits as per
instructions for corner
to Secs 15 & 16 21 & 22

Land gently rolling 2d rate

Range No 39 West of the 6th Principal Meridian

East on a random line between
Secs 15 & 22
Va 13° 6' East
800 Set post for temporary 1/4
Sec cor
7988 Intersect the North and South
line 5 miles South of Stone cor
to Secs 14. 15 22 & 23 from which
cor I ran South 89° 58 West
on a true line between
Sections 15 & 22
Va 15° 6' East
3994 Set chained post in mound
of earth with pits as per
instructions for 1/4 Sec cor
7988 The cor to Secs 15. 16. 21 & 22

Land rolling 2d rate

Fractional Township No 12 North

West on a true line between fractional Sections 16 & 21

Va 15° 6'

1731 Intersect the State line 11 chains and 12 links North of Stone Monument South West cor of the State of Nebraska. where I set charred post in mound of Earth with pits as per instructions for closing corner to fractional Secs 16 & 21

Land rolling 2 rate

Range No 59 West of the 6th Principal Meridian

South on a true line between fractional Sections 21 and 22

Va 15° 6' East

1115 Intersect the State line 17 ch and 29 links East of the Stone Monument S.W. cor of the State of Nebraska, where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sections 21 & 22

Land rolling 2 rate

Oct 15th 1871

General Description
of Fractional Township No 12
North Range No 59 West

This Township is all high and
rolling, land rather poor
2 and 3 rate Prairie covered
with poor growth of
grass

A list of the names of the indi-
vidual employed to assist in
running measuring or marking
the lines and corners described
in the forgoing field notes
fractional Township No 12 North
of the base Line Range No 59 West of
the 6th Meridian in the State
of Nebraska Showing the
respective capacities in which
they acted

Bennet P Yates }
Frank Adams }
John R Gordon }
Sanford C Carpenter } Assistant

T. 13 N. R. 59 W.

Fractional Township No 13 North

Names and duties of assistants employed to assist in subdividing fractional Township No 13 North of the Base line. Range No 59 West of the 6th Principal Meridian in the State of Nebraska

Bennet D Wales
Frank Adams } Chainmen

John R Gordon
Sanford C Carpenter } Hemmen

T 13 N. R. 59 W.

Range No 59 West the 6th Principal Meridian

To determine the proper adjustment of my compass for subdividing this Township I commenced at the corner to fractional Township 13 North Range 58 and 59 West on the 3 Standard Parallel and run North on a blank line along the East boundary of Section 36

Variation 15° 6' East

3996 To a point 4 links West of the quarter Section corner

7992 To a point 7 links West of the cor to Sections 25 & 36 to retrace this line or run parallel thereto my compass must be adjusted to a Variation of 15° 3' East

Fractional Township No 13 North

North between Sections
35 and 36
Variation 15° 3' East

4000 Set chained post in mound
of earth with pits as
per instructions for 1/4 Sec
cor

6400 Drained links mile descends
East

8000 Set chained post in mound
of earth with pits as per
instructions for cor to Secs
25, 26, 35, & 36

Land rolling gravelly
3 rate

Range to 39 West of the 6th Principal meridian

East on a random line betwee
n Sections 25 & 36
Variation 15° 3' East

4000 Set post for temporary 1/4 Sec
cor

7989 Intersect the East boundary
of the Township 16 links North
of Stone cor to Secs 25 & 36
from which cor I ran North
89° 53' West on a true line
between Secs 25 & 36
Va 15° 3' East

3994½ Set chained post in
mound of earth with
pits as per instructions
for 1/4 Sec cor

7989 The cor to Secs 25 26 35 & 36

Land rolling 2nd rate

Fractional Township No 13 North

West on a true line between
Sections 26 & 35
Va 15° 3' East

3180 I intersect the State line 11
chains and 15 links North of the
4 mile post on the State
Boundary where I set
charred post in mound
of earth with pits as per
instructions for closing
corner to fractional Secs
26 & 35
Land rolling & rich

Range No 39 West of the 6th Principal Meridian

North between Sections 23 & 26
Va 15° 3' East

Fractional Township No 13 North

West on a true line between Sections 26 & 35

Range No 59 West of the 6th Principal Meridian

North between Sections 25 & 26

Va 15° 3 East

I hereby certify that the distance between the 10th and 11th Mile posts on the Boundary line between Nebraska and Wyoming was measured under my directions by Bennet T. Yates and Frank Adams as set fourth in the foregoing affidavit. The measurement was carefully made and the distance found to be sixty three chains & eighteen Links

John H. Daugherty
Deputy Surveyor

Sworn & before me and subscribed in my presence this 23d day of October 1871

Jacob M. Rohrer
Notary Public & Cop
Cinn Ohio

Fractional Township No 13 North

West on a true line between Sections 26 & 35

Range No 59 West of the 6th Principal Meridian

North between Sections 25 & 26

Va 15° 3 East

We hereby certify that we were employed by John W. Daugherty Deputy U.S. Surveyor, to measure the distance between the 10th and 11th Mile Posts on the Boundary line between Nebraska & Wyoming T. and that by careful measurement we found the exact distance to be 63 chains and 18 links.

Bennet T. Yates
Frank Adams

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln, State of Nebraska this 23" day of October 1891

J. B. Park
Notary Public

J. B. PARK
LINCOLN COUNTY NEBRASKA
NOTARIAL

Fractional Township No 13 North

West on a true line between Sections 26 & 35

31

Range No 59 West of the 6th Principal Meridian

North between Sections 25 & 26

Va 15° 3 East

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8000 Set Limestone 20 x 18 x 4 with notches as per instructions for cor to Secs 23. 24 25 & 26

[illegible] gently rolling 2 rate

Fractional Township No 13 North

East on a random line between sections 24 & 25
Va 15° 3' East

400 Set post for temporary 1/4 Sec cor

800 Intersect the East boundary of the Township 16 links South of Stone cor to secs 24 & 25 from which cor I run South 89° 53' West on a true line between Secs 24 & 25
Va 15° 3'

400 Set chamfered post w/ mound of earth with pits as per instructions for 1/4 Sec cor

800 The cor to Sections 23, 24, 25 & 24

Land rolling 2 rate

Range No 59 West of the 6th Principal Meridian

West on a true line between fractional 23 & 26
Va 15° 3' East

3200 Intersect the State line 11 chs and 20 links North of the 5th mile post on the State Boundary where I set chamfered post w/ mound of earth with pits as per instructions for closing corner to fractional Secs 23 and 26

Land rolling 2 rate

Fractional Township No 13 North

North between Sections
23 and 24
Va 15° 3' East
4000 Set charred post in mound of
earth with pits as per
instructions for 1/4 Sec cor
8000 Set charred post in mound
of earth with pits as per
instructions for cor to Secs
13:14 23 & 24

Land gently rolling 2 rate

Range No 59 West of the 6th Principal Meridian

East on a random line between
Secs 13 & 24 Va 15° 3' East
4000 Set post for temporary 1/4 sec cor
8009 Intersect the East Boundary of the
Township 9 links South of Stone
cor to Secs 13 & 24 from which
cor I ran South 89° 52' West
on a true line between
Secs 13 & 24
Va 15° 3' East
4004½ Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec cor
8009 The cor to Secs 13.14.23 & 24

Land rolling 2 rate

Fractional Township No 13 North

West on a true line between fractional Secs 14 & 23
Va 15° 3' East

3219 Intersect the State line 11 chains and 23 links North of the 6th mile post on the State Boundry where I set charred post in mound of Earth with pits as per instructions for closing cor to fractional Secs 14 & 23

Sand rolling 2 rate

Range No 59 West of the 6th Principal Meridian

North between Secs 13 and 14
Variation 15° 3' East

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

8000 Set Limestone 20 X 19 X 4 notched as per instructions for cor to Secs 11, 12, 13 & 14

Sand gently rolling 2 rate

+ -

Fractional Township No 13 North

East on a random line between
Secs 12 & 13

Va 15 3 East

4000 Set Stone for temporary 1/4
Sec cor

8000 Intersect the East boundry
of the Township 10 links North
of Stone cor to Secs 12 & 13 from
which cor I run North 89°36'
West on a true line between
Secs 12 & 13

Va 15°3' East

4000 Set Limestone 18 x 17 x 5 marked
as per instructions for 1/4
Sec cor

8000 The cor to Secs 10, 11, 13, & 14
Land rolling gravelly 3 rate

Range No 59 West of the 6th Principal Meridian

West on a true line between
fractional Sections 11 & 14

Va 15°3' East

3224 Intersect the State line 11 chains & 27
links North of the 7th mile post
on the State Boundry where I
set charred post in mound of
earth with pits as per
instructions for closing cor
to fractional Secs 11 & 14
Land Sandy 3 rate

Fractional Township No 13 North

North between Secs 11 & 12
Va 15° 3' East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 sec cor

80.00 Set limestone 19 x 15 x 4 with notches as per instructions for cor to Sections 1, 2, 11 & 12

Land gently rolling 2 rate

Range No 59 West of the 6th Principal Meridian

East on a random line between Sections 1 & 12
Variation Va 15° 3' East

40.00 Set post for temporary 1/4 Sec cor

79.80 Intersect the East boundary of the Township at stone cor to Secs 1 & 12 from which cor I ran West on a true line between Secs 1 & 12
Va 15° 3' East

39.90 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

79.80 The cor to Secs 1, 2, 11 & 12

Land West half Broken Stony & 3 rate East half level 2nd rate

Fractional Township No 13 North

West on a true line between
fractions Secs 2 & 11
Va 15° 3' East

3218 Intersect the State line 11 chains
and 28 links North of the 8th
mile post on the State Boundary
where I set Limestone 20 x 14 x 4
marked as per instructions
for closing corner to fractional
Sections 2 & 11
Land rolling Sandy 3 rate

Range No 59 West of the 6th Principal Meridian

North on a random line
between Sections 1 & 2
Va 15° 3' East

4000 Set Stone for temporary
¼ Sec cor

5500 Drain 35 links wide descends
N. E

8019 Intersect the North boundary of
the Township 11 links East of
the Stone cor to Secs 1 & 2 from
which cor I ran South 3°
East on a true line between
Sections 1 & 2
Va 15° 3' East

8019 Set Limestone 24 x 20 x 6
marked as per instructions
for ¼ Sec cor

8019 The cor to Secs 1, 2, 11 & 12
Land broken and rocky 3 rate
October 16th 1871

Fractional Township No 13 North

General Description

This Township is high Prairie land poor 2 and 3 rate soil covered with a short scanty growth of grass

Range No 39 West of the 6th Principal Meridian

A list of the names of the individual employed to assist in running measuring or marking the lines and corners described in the foregoing field notes of Fractional Township No 13 North of the base line Range No 39 West of the 6th Meridian showing the respective capacities in which they acted

Bennet F. Wales } Chainmen
Frank Adams
John R. Gordon } Axemen
Sanford C. Carpenter

T. 14 N. R. 59 W.

Fractional Township No 14 North Range No 59 West of the 6th Principal Meridian

Names and duties of the assistants employed in subdividing fractional Township No 14 North of the Base Line Range No 59 West of the 6th Principal Meridian in the State of Nebraska

Bennet R. Yates
Frank Adams } Chainmen

John R. Gordon
Sanford C. Carpenter } Axemen

To determine the proper adjustment of my compass for subdividing this Township I commenced at the cor to fractional Township No 14 North Range 58 and 59 West of the 6th Principal Meridian and run North on a blank line along the East bounding of Section 36

Variation 15° 3 East

3992 To a point 6 links East of the quarter Section corner

3991 To a point 12 links East of the cor to Secs 25 and 36, to retrace this line or run parallel therewith my compass must be adjusted to a Variation of 15° 8' East

Fractional Township No 14 North

North between Sections 35 & 36
Va 15° 8' East

2500 Drain 30 links wide descends East

4000 Set Limestone 18 x 17 x 5 marked as per instructions for 1/4 Sec cor

8000 Set Limestone 24 x 22 x 8 with notches as per instructions for cor to Sec 25, 26, 35 & 36

Land, South half mile broken 3rd rate North half mile rolling 2 rate

Range No 59 West of the 6th Principal Meridian

East on a random line between Secs 25 & 36
Va 15° 8' East

4000 Set post for temporary 1/4 Sec cor

8000 Intersect the East boundary of the Township at Stone cor to Secs 25 & 36 from which cor I run West on a true line between Secs 25 & 36

var. 15° 8' E.

4000 Set chained post in mound of earth with pits as per instructions for 1/4 Sec cor

8000 The cor to Secs 25, 26 35 & 36
Land West half broken 3 rate
East half mile level 2 rate

Fractional Township No 14 North

West on a true line
between Sections 26 & 35
Va 15° 8 East

31,60 Intersect the State line
11 chains and 50 links
North of the 10 mile post
on the State Boundary
where I set chained post
in mound of earth
with pits as per instructions
for closing corner to frac=
tional Sections 26 & 35
Land rolling 2 rate

Range No 59 West of the 6th Principal Meridian

North between Sections
25 and 26
Va 15° 8 East

4000 Set Limestone 18 x 14 x 4 marked
as per instructions for 1/4 Sec
cor

6000 Drain 50 links wide descends
East

8000 Set Limestone 20 x 16 x 5 with
notches as per instructions
for corner to Secs 23. 24,
25 and 26
Land broken 3 rate, Scatering
Pine shrubs all along
the line

Fractional Township No 14 North

East on a random line
between Sections 24 and 25
Variation 15° 8' East

1500 Drain 30 links mile descends
N.E

4000 Set Stone for temporary 1/4
Sec cor

7972 Intersect the East boundary of
the Township 15 links North of
Stone cor to Section 24 & 25
from which corner I run North
89° 54' West on a true line bet=
ween Sections 24 & 25
Va 15° 8' East

3986 Set Limestone 18 x 16 x 5 marked
as per instructions for 1/4 Sec cor

7972 The cor to Secs 23. 24 25 & 26
Land broken 3 rate small
Pine shrubs along the line

Range No 59 West of the 6th Principal Meridian

West on a true line between
Sections 23 and 26
Va 15° 8' East

31.69 Intersect the State line 27
chains and 15 links North of
the 11th mile post on the State
Boundary, where I set Limestone
24 x 16 x 4 for closing corner to
fractional Sections 23 and
26
Land hilly 3 rate, a few small
Pine shrubs along the line

Note
Remeasured distance between the
10th and 11th mile Post and find
the distance to be 63.15 Chains

Fractional Township No 14 North

North between Sections 23 & 24

Va 15° 8' East

4000 Set Limestone 18 x 16 x 8 marked as per instructions for 1/4 Sec cor

5000 Drain 60 links mile descends N.E.

8000 Set charred post mi mound of earth with pits as per instructions for cor to Secs 13.14 23 & 24 Land broken 3 rate

Range No 59 West of the 6th Principal Meridian

East on a random line between Secs 13 & 24

Va 15° 8' East

2000 Drain 1 chain mile descends North

4000 Set post for temporary 1/4 Sec cor

7600 Drain 1 chain mile descend North

8030 Intersect the East boundary of the Township 23 links North of Stone corner to Sections 13 & 24 from which I run North 89 50 West on a line line between Sec 13 and 24

4015 Set charred post mi mound of earth with pits as per instructions for 1/4 Sec cor var. 15° 8' E.

8030 Thence to Secs 13.14 23 & 24 Land broken 3 rate

Fractional Township No 14 North

West on a true line between Secs 14 and 23

Va 15° 8' East

31.75 Intersect the State line 26 chains and 50 links North of the 12th mile post on the State boundary where I set Limestone 20 x 18 x 4 marked as per instructions for closing cor to fractional Secs 14 and 23

Land broken rocky 3 rate

Range No 59 West of the 6th Principal Meridian

North between Sections 13 and 14

Va 15° 8'

600 Begin to descend Bluff

1000 Foot of bluff and cute bottom bears E & W

4000 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor

5673 U.P.R.R bears South 82 West

6000 Wagon road bars N.E and S.W

8000 Set charred post in mound of Earth with pits as per instructions for cor to Sections 11, 12, 13 & 14

Land North of Bluff level sandy 3 rate

Fractional Township No 14 North

East on a random line between Secs 12 & 13

Va 15° 8' East

2500 Drain 75 links wide descends N

4000 Set Stone for temp corner 1/4 sec cor

6500 Wagon road bears N.E and S.W

7975 Intersect the East Boundary of the Township 35 links North of Stone for 1/4 Secs 12 & 13 from which cor I run North 89° 45' West on a line between Sections 12 & 13

Va 15° 8' East

3987 1/2 Set Limestone 19 x 13 x 4 marked as per instruction for 1/4 Sec cor

7975 Thy corners to Secs 11, 12, 13 & 14

Land mostly level, gravelly 3 rate

Range No 59 West of the 6th Principal Meridian

West on a true line between Secs 13 & 14

Va 15° 8'

3150 Intersect the State line 26 chains & 59 links North of the 13 mile post on the State Boundary where I set chained post with mound of earth with pits as per instructions for closing cor to fractional Secs 11 & 14

Land level Sandy 3 rate

Fractional Township No 14 North

North between Secs 11 & 12
Va 15° 8' East

38 30 Lodge Pole Creek 25 links wide current runs East

40 00 Set chained post w/ mound of earth with pits as per instructions for 1/4 Sec cor

80 00 Set chained post w/ mound of Earth with pits as per instructions for cor to Secs 1. 2. 11 & 12

Sand gently rolling 2 rats

Range No 39 West of the 6th Principal Meridian

East on a random line between Sections 1 & 12
Va 15° 8' East

40 00 Set post for temporary 1/4 Sec cor

80 13 Intersect the East boundary of the Township 25 links North of post cor to Secs 1 & 12 from which corner I run South 89° 49' West on a true line between Secs 1 & 12
Va 15° 8' East

40 06½ Set chained post w/ mound of Earth with pits as per instructions for 1/4 Sec cor

80 13 The cor to Secs 1. 2. 11 & 12
Sand level 2 rats

Fractional Township No 14 North Range No 59 West of the 6th Principal Meridian

West between fractional Secs 2 & 11
Va 15° 8' East
3175 Intersect the State line 25 chains and 25 links North of the 14 mile post on the State Boundary where I set charred post w/ mound of Earth with pits as per instructions for closing corner to fractional Sections 2 & 11
Land level 2 rate

North on a random line between Secs 1 & 2
Va 15° 8' East.
4000 Set post for temporary 1/4 Sec cor
7000 To foot of rocky Bluff bears N.W. & S.E.
7984 Intersect the North boundary of the Township 42 links West of the first cor to Secs 1 & 2 from which cor I run South 18 West on a line land between Secs 1 & 2
Va 15° 8' East
3984 Set charred post w/ mound of Earth with pits as per instructions for 1/4 Sec cor
7984 The cor to Secs 1. 2. 11 & 12
Land mostly level 2 rate
Oct 19th 1871

Note: I carefully remeasured the distance between the 15th Mile post on State Line and the N. Boundary of this Township and found it to 24.24 Chains

Fractional Township No 14 North

General Description

The land in this Township is poor mostly 3 rate Stony or gravelly there is a few small Pine Shrubs on and South of the Bluffs which extends through Sec 13 & 14
The U.P.R.R runs through Sec 13 & 14
Lodge Pole creek runs through Sec 11 & 12
this is a Stream of clear water swift current and gravelly bottom
the Bottom along the creek is high and not liable to overflow

Range No 39 West of the 6th Principal Meridian

A List of the names of the individuals employed to assist in running measuring or marking the line and corners described in the foregoing field notes of fractional Township No 14 North of the Base line Range No 39 West of the 6th Principal Meridian showing the respective capacities in which they acted

Bennet D. Yates } Chainmen
Frank Adams
John R. Gordon } Axemen
Sanford C. Carpenter

We hereby certify that we assisted John H. Daugherty Deputy Surveyor in Subdividing Fractional Townships Nos. 12, 13 & 14 north of the Base Line, Range No 39 west of the 6th Principal Meridian State of Nebraska, and that said Townships have been, in all respects to the best of our knowledge and belief, well and faithfully surveyed and the Boundary monuments planted according to the instructions furnished by the Surveyor General

Benner T. Yates
Frank Adams, Chainmen
John R. Gordon
Sanford C. Carpenter Axeman

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln State of Nebraska this 28th day of October 1871

L B Park
Notary Public

I John H. Daugherty Deputy Surveyor do solemnly swear that in pursuance of a joint contract wherein John H. Daugherty and Dan S. Parmele are joint contractors with E. E. Cunningham United States ~~Deputy~~ Surveyor General for the District of Iowa Nebraska bearing date the 30th day of May 1871, I have well, faithfully and truly in my own proper person, and in strict conformity with the instructions furnished by the Surveyor General the Surveying Manual, and the Laws of the United States surveyed all those parts or portions of fractional Townships Nos 12, 13 & 14, north of the Base Line, Range No. 39 west of the 6th Principal Meridian State of Nebraska, as are

represented in the foregoing Field Notes, as having been Surveyed under my direction and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with Surveying Manual & printed instructions and that the foregoing are the true and original Field notes of such survey.

John W. Daugherty
Deputy Surveyor

Subscribed & Sworn to by the person above named before me a Notary Public in & for Douglas County State of Nebraska this 31st day of October 1871

R. T. Beall
Notary Public

San
Subscri
person
the Com
23" day

Surveyor Genl's Office
Plattsmouth Jany 27th 1872

The foregoing field Notes of the Survey and Subdivision of Township No. 12 & 13 and 14. North of Base Line of Range 59. West 6th P.M. Executed by John W. Daugherty under Joint Contract No 42. Dated May 20th 1871 wherein John W. Daugherty & Dan S. Tannelu are Joint contractors with E. E. Cunningham in the month of Octo 1871. having been critically Examined the Necessary corrections and Explanations made the said field Notes and Surveys they describe are hereby approved

E. E. Cunningham
Surveyor Genl
Nebraska & Iowa

T. 15. N R. 59 W.

Field notes of the subdivision lines in fractional Townships No 15 and 16 North of the base line Range No 59 West of the 6th Principal Meridian in the State of Nebraska Surveyed by John H. Daugherty Deputy Surveyor

Commenced October 18th 1871
Concluded October 19th 1871

Names and duties of the assistants employed in subdividing fractional Townships No 15 and 16 North of the base line. Range No 59 West of the 6th Principal Meridian in the State of Nebraska

Bennet, T. Yates
Grant Adams } chainmen

John R. Gordon
Sanford, C. Carpenter } axemen

To determine the proper adjustment of my compass for subdividing fractional Township No 15 North Range No 59 West I commenced at the corner to fractional Townships 14 and 15 N. Range 58 and 59 West and ran North on a blank line along the East boundary of Section 36

Variation 15° 6' East

39.94 To a point 5 link East of the quarter Section corner

79.90 To a point 9 link East of the corner to Sections 25 and 36

To retrace this line or run parallel therewith my compass must be adjusted to a Variation of 15° 10' East

Fractional Township No 16 North Range No 59 West of the 6 Principal Meridian

North between Sec's. 35 & 36
Va 15° 10'. East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor.

80.00 Set Limestone 18x15x8 marked as per instructions for corner to Sec's. 25. 26. 35 & 36.

Land hilly stony 3rd rate

East on a random line between Sec's. 25 & 36.
Va 15° 10' East

40.00 Set stone for temporary 1/4 Sec Cor.

80.61 Intersect the East Boundary of the Township 51.61 South of stone corner to Sec's 35 & 36 from which I run South 89° 38' West on a true line between Sec's 35 & 36
Va 15° 10'. East

40.30 Set Limestone 18x14x6 marked as per instructions for 1/4 Sec Cor.

80.61 The corner to Sec's 25. 26. 35 & 36

Land Broken & Stony 3rd rate

Fractional Township No 15 North Range

West on a true line between
Secs 26 & 35
Va 15°10' East
3260 Intersect the State Boundary
25 chs & 17 lks north of the 16"
mile post on the State Boundary
where I set Limestone 17×16×5
marked as per instructions for
closing corner to fractional
Secs 26 & 35.

Land Broken & Stony 3" rate

No 59 West of the 6" Principal Meridian

North between Secs. 25 & 26
Va. 15°10' East
40.00 Set Limestone 20×15×4 mark
ed as per instructions for
1/4 Sec Cor,
80.00 Set Limestone 19×14×5 with
notches as per instructions
for Corner to Secs. 23 24 25 &
26.

Land Lilly gravelly 3" rate

Fractional Township No 15 North Range No. 59 West of the 6th Principal Meridian

East on a random line between Sec's 24 & 25
Va. 15°10' East.

40.00 Set stone for temporary 1/4 Sec Cor
80.32 Intersect the East Boundary of the Township 38 lks South of Stone Corner to Sec's 24 & 25 from which Corner I run South 89°48' West on a true line between Sec's 24 & 25
Va 15°10' East

40.11 Set Limestone 14x12x3 marked as per instructions for 1/4 Sec Cor
80.22 The corner to Sec's 23.24.25 & 26

Land hilly gravelly 3rd rate

West on a true random line between Sec's 23 & 26
Va 15°10' East

33.00 Intersect State Line 25 chs & 50 lks North of the 17th mile Post on the State Boundary where I set charred post mounted of earth with pits as per instructions for closing corner to fractional sec's. 23 & 26.

Land hilly gravelly 3rd rate

Fractional Township No 15 North Range No 59 West of the 6th Principal Meridian

North between Secs 23 & 24
Va 15°10' East
40.00 Set Limestone 17x12x4 marked
as per instructions for 1/4 Sec Cor
80.00 Set Limestone 16x12x4 with
notches as per instructions for
corner to Secs 13. 14. 23 & 24

Land rolling gravelly 3rd rate

East on a random line
between Secs. 23 & 24
Va 15°10' East
40.00 Set Limestone 19x13x4 for
temporary 1/4 Sec Cor.
80.09 Intersect the East Boundary
of the Township 10 Ch South
of Stone corner to Secs 13 & 24
from which corner I run
South 89° 56' West on a
true line between Secs 13 & 24.
Va 15°10' East
40.04 Set Limestone 19x13x4 marked
as per instructions for 1/4 Sec cor
80.09 The corner to Secs 13. 14. 23 & 24

Land hilly gravelly 3rd rate

C
D
E
F
G

Fractional Township No 15 North

West on a true line between
Sec's 14 & 23
Va 15°10' East
33.00 Intersect the State Line 25 chs
and 37 lks north of the 18th
Mile post on the State Boundary
where I set charred post in
mound of earth with pits as
per instructions for closing
corner to fractional Sec's. 14 & 23

Land rolling 3' rate

Range No 59 west of the 6th Principal Meridian

North between Sec's 13 & 14
Va 15°10' East.
40.00 Set charred post in mound
of earth with pits as per in-
structions for 1/4 Sec. Cor.
80.00 Set Limestone 17 x 14 x 5 with
notches as per instructions
for corner to Sec's 11 12 13 & 14

Land gently rolling from 3
3" rate

Fractional Township No. 15 north Range No. 59 West of the 6th Principal Meridian

East on a random line between Sec's. 12 & 13.
Va 15°10' East
40.00 Set post for temporary 1/4 Sec Cor.
80.00 Intersect the East Boundary of the Township 18 lks north of Stone corner to Sec's 12 & 13 from which corner I run North 89.52 West on a true line between Sec's. 12 & 13.
Va. 15°10' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor
80.00 The corner to Sec's 11, 12, 13 & 14.

Land rolling 2 rate

West on a true line between Sec's. 11 & 14
Va 15°10' East.
32.60 Intersect the State Line 25 chs and 23 lks north of the 19" mile post on the State Boundary, where I set charred post in mound of earth with pits as per instructions for closing corner to Fractional Sec's. 11 & 14

Land rolling from 3 rate

Fractional Township No 15 north Range No 39 west of the 6th Principal meridian

North between Sec's. 11 & 12
Va 15° 10' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor
80.00 The corner & Set charred post in mound of earth with pits as per instructions for Corner to Sec's. 1, 2, 11 & 12,

Land rolling gravelly 3rd rate

East on a random line between Sec's 1 & 12
Va. 15° 10' East.
40.00 Set post for temporary 1/4 Sec Cor
80.40 Intersect the East Boundary of the Township 60 lks north of the Stone corner to Sec's 1 & 12 from which corner I run north 89° 34' west on a true line between Sec's 1 & 12
Va 15°. 10' East.
40.40 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.
80.40 The corner to Sec's 1, 2, 11, & 12

Land hilly gravelly 3rd rate

Fractional Township No 15 North Range

West on a true line between
Sec's 2 & 11
Va 15° 10' East.

32.50 Intersect the State Line 25 chs
and 47 lks North of the 20"
Mile Post on the State Boundary
where I set charred post in
mound of earth with pits as
per instructions for closing Corner
to fractional Sec's. 2 & 11.

Land gently rolling 2" rate

No. 39 West of the 6' Principal Meridian

North on a random line
between Sec's. 1 & 2.
Va 15° 10' East

31.00 Drain 35 lks wide descends E.
40.00 Set Stone for temporary 1/4 Sec cor
77.66 Intersect the North Boundary
of the Township 35 lks west
of corner to Sec's 1 & 2 from
which corner I now South
15' West on a true line
between Sec's 1 & 2
Va 15° 10' East.

37.66 Set Limestone 15 x 12 x 4 marked
as per instructions for 1/4 Sec Cor
77.66 The corner to Sec's 1. 2. 11 & 12

Land rolling gravelly 3 rate
Oct 18th 1871

Fractional Township No 15 N Range No 59 West

General Description

The land in this Township is poor mostly gravelly & 3rd rate it is all high rolling Prairie

A list of the names of the individuals employed to assist in running measuring or marking the line and corners described in the foregoing field notes of fractional Township number 15 North of the Base line Range No 59 West of the 6th Principal Meridian showing the respective capacities in which they acted

Bennet T. Yates }
Frank Adams } Chainmen
John R. Gordon
Sanford C Carpenter } Axemen

Fractional Township No 16 N Range No 59 West

Names and duties of the assistants employed in subdividing fractional Township No 16 North of the base line Range No 59 West of the 6th Principal Meridian in the State of Nebraska

Bennet T Yates }
Frank Adams } Chainmen
John R. Gordon
Sanford C Carpenter } Axemen

To determine the proper adjustment of my compass for subdividing fractional Township No 16 N Range No 59 West, I commenced at the corner to Townships No 15 & 16 N. R. No 58 & 59 West and run North on a blank line along the East boundary of Sec 36 Va 15° 10' East

4000 To a point 2 links West of the quarter Sec cor

8003 To a point 5 links West of the cor to Secs 25 & 36 To retrace this line or run parallel therein my compass must be adjusted to a Variation of 15° 8' East

Fractional Township No 16 North No 59 West of the 6th Principal Meridian

North between Secs 35 & 36
Va 15° 8' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 25, 26, 35 & 36.

Land gently rolling 2 rate

East on a random line between Secs. 25 & 36.
Va 15° 8' East.
40.00 Set post for temporary 1/4 Sec Cor
80.00 Intersect the East Boundary of the Township at Stone corner to Secs 25 & 36. from which corner I run West on a true line between Secs 25 & 36.
Va, 15°, 8' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor,
80.00 The corner to Secs, 25, 26, 35 & 36.

Land gently rolling poor 2" rate

Fractional Township No. 16. North Range

West on a true line between
Sec's. 26 & 35
Va 15° 8.' East.

33.60 Intersect the State Line 22 chs
& 31 lks North of the 22" mile
Post on the State Boundary
from where I set charred
post in mound of earth with
pits as per instructions for closing
corner to fractional Sec's. 26 & 35

Land rolling 2" rate

No. 59 West of the 6' Principal Meridian

North between Sec's 25 & 26
Va. 15°, 8' East.

40.00 Set charred post in mound
of earth with pits as per
instructions for 1/4 Sec. Cor.

80.00 Set charred post in mound
of earth with pits as per
instructions for corner to
Sec's. 23, 24, 25 & 26.

Land gently rolling Poor 2" rate.

Fractional Township No 16 North Range

East on a random line between Sec's 24 & 25
Va 15°.8'. East.

32 46.00 Set post for temporary 1/4 Sec. cor.

79.84 Intersect the East Boundary of the Township 18 lks south of Stone corner to Sec's 24 & 25 from which corner I run South 89°.52' west on a true line between Sec's. 24 & 25
Va 15°.8'. East

39.92 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor.

79.84 The corner to Sec's. 23. 24. 25 & 26

Land rolling gravelly 3' rate

No 59 West of the 6th Principal Meridian

West on a true line between Sec's 23 & 26.
Va 15°.8' East.

32.54 Intersect the State Boundary 22 chs & 54 lks North of the 23 mile post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sec's. 23 & 26.

Land rolling 3 rate

Fractional Township No. 16 north Range 59 west of the 6th Principal meridian

North between Secs 23 & 24
Va. 15°8. East

110.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs. 13, 14, 23 & 24.

Land rolling sandy 3" rate

East on a random line between Secs 13 & 24
Va. 15°8' East

110.00 Set post for temporary 1/4 Sec Cor.

66.00 Drain 50 lks wide descends S.E.

80.08 Intersect the East Boundary of the Township 17 lks south of stone corner to Secs 13 & 24 from which corner from South 89° 58 West on a true line between Secs 13 & 24
Va 15°8'. East.

110.04 Set charred post in mound of earth with pits as per instructions for 1/4 Sec cor.

80.08 The corner to Secs 13, 14, 23 & 24

Land gently rolling 2 rate

Fractional Township No 16 north Range No 9 west of the 6 Principal Meridian

West on a true line between Sec's 14 & 23
Va 15° 8' East
32.39 Intersect the State Line 23 chs North of the 3/4" mile Post on the State Boundary so here I set charred Post in mound of earth with pits as per instructions for closing corner to Fractional Sec's 14 & 23

Land rolling poor 2 rate

North between Sec's 13 & 14
Va 15° 8' East
40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.
80.00 Set charred post in mound of earth with pits as per instructions for corner to Sec's 11, 12, 13 & 14.

Land rolling gravelly 2nd rate

H
I
J
K

Fractional Township No 16 North Range No 59 West of the 6th Principal Meridian

North between Secs 11 & 12
Va, 15°, 8', East.

40.00 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.

80.00 Set charred post in mound of earth with pits as per instructions for corner to Secs 1, 2, 11 & 12.

Land rolling gravelly 3 rate

East on a random line between Secs. 1 & 12
Va, 15°, 8', East

40.00 Set post for temporary 1/4 Sec Cor

79.88 Intersect the East Boundary of the Township 19 chs North of Stone Corner to Secs 1 & 12 from which corner I run North 89°53' West on a true line between Secs 1 & 12
Va 15°8' East

39.94 Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor.

79.88 The corner to Secs. 1, 2, 11 & 12

Land rolling gravelly 3 rate

Fractional Township No 16 North Range No 59 West of the 6th Principal Meridian

West on a true line between Sec's 2 & 11
Va 15° 8' East

3.	32.15	Intersect the State line 23 chs and 15 lks north of the 26th mile Post on the State Boundary where I set charred post in mound of earth with pits as per instructions for closing corner to fractional Sec's. 2 & 11.

Land rolling 3' rate

North on a true line between Sec's. 1 & 2
Va 15° 8' East

40.00	Set charred post in mound of earth with pits as per instructions for 1/4 Sec Cor
78.75	Intersect the 4th Standard Parallel 13 chs & 30 lks west of the corner to Sec's 31 & 32 Township 17 North Range No 58 West where I set charred post in mound of earth with pits as per instructions for closing corner to Sec's 1 & 2

Land rolling poor 2 rate
Oct 17th 1871

J
K

We hereby certify that we assisted John W. Daugherty Deputy Surveyor, in Subdividing Fractional Townships Nos 15 & 16 North of the Base line Range No 59 west of the 6th Principal Meridian State of Nebraska, and that said Townships have been in all respects, to the best of our Knowledge and belief, well and faithfully Surveyed and the Boundary Monuments Planted according to the instructions furnished by the Surveyor General

Bennet Gates
Frank Adank Chainmen
John R. Gordon
Sanford Carpenter Axemen

Subscribed and sworn to by the above named persons before me a Notary Public in and for the County of Lincoln, State of Nebraska this 23rd day of October 1871. J B Park
Notary Public

I John W Daugherty Deputy Surveyor, do solemnly swear that in pursuance of a joint contract, wherein John W. Daugherty, & Dan S. Parmalee are joint contractors with E. E. Cunningham United States Surveyor General, for the district of Iowa & Nebraska bearing date the 20th day of May 1871. I have well faithfully and truly in my own proper person and in strict conformity with the instructions furnished by the Surveyor General, the Surveying Manual and the Laws of the United States, surveyed all those parts or portions of Fractional Townships Nos. 15 & 16 North of the Base Line Range No 59 west of the 6th

Principal Meridian in the State of Nebraska, as are represented in the foregoing Field notes as having been surveyed under my direction; and I do further Solemnly swear that all the corners have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field notes of such survey.

John W. Daugherty
Deputy Surveyor

Subscribed & sworn to by the person above named before me a Notary Public in & for Douglas County State of Nebraska this 31st day of October 1871

R H Droll
Notary Public

Surveyor Generals Office
Plattsmouth Jany 27th 1872

The foregoing field Notes of the Survey and Subdivision of fractional Township 15 North & North Base line Range 59 West 6th P.M. Executed by John W Daugherty under Joint Contract 42. dated May 20th 1871. Wherein John W. Daugherty and Van D Tannehill are Joint Contractors. for the Month of October 1871 having been critically Examined the Necessary corrections and Explanations made the said field notes and Surveys they describe are hereby Approved

E. E. Cunningham
Surveyor General

General Land Office • Original Field Notes

Book Number

740

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.