General Land Office • Original Field Notes

Book Number

148

Subdivision T 24 N, R 10 E

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.

compared and corrected

~~101 - R10~~
4 2

~~1010~~

464

T. 24. N. R. 10. E. 6th P. M.

Field Notes of the Survey
of the
Omaha Indian Reservation.

Township 24 North

Range 10 East

Of the 6th Principal
Meridian

Nebraska Territory

404 - 433

Subdivision of Sections pages 433 - 468

1/405

Township 24 North Range 10 East

Field notes of the subdivisional lines and meanders of the Missouri River in Township 24 N. R. 10 E. of the 6th Principal Meridian. in the State of Nebraska by T. H. Barnett. Surveyor under his contract bearing date the 14th day of August 1866.

Survey commenced April 17th 1867
and
Completed May 20th 1867

List of Names

A list of the names of the individuals employed to assist in surveying. marking or measuring the lines and corners discribed in the following Field notes.

Henry H. Gilbert	Compassman
William J. Allison	do
Richard Cronk	do
Orville Smith	Chainman
George Fox	do
Philander Wright	do
Homer T. Dale	do
George Patterson	do
James Kennedy	do
James Shobe	do
John Rupes	do
Andrew Armstrong	Flagman
Henry C Williams	Mound Builder
Hart Wilhelm Bekke	do
Joseph F Fluent	do
Willie Frainer	Axeman
Conrad Scheffer	do

# of 6th Principal Meridian

chains

Before subdividing that portion of Township 24 N. Range 10 East unsurveyed within the Reservation, I retraced with the Solar Compass the South and East boundaries of Section 36 as follows.

East on Blank line along the South Boundary of Section 36

Variation (by Solar Compass) 13° 15' East

79.78 To a point 128 links South of the South East corner of T. 24 N. R. 10 E.

North on the East Boundary of Section 36. Variation (by needle) 12° East

1.00 Intersect right bank of Missouri River.

Begin at the point on the South Boundary of the Omaha Reservation where the Section line North between Sections 35 & 36. intersects said boundary. the same being a point 56.40 chains North of the South west corner of Section 36. and run.

North between Fractional Sections 35 and 36.

Variation 12° East

5.30 Wood creek runs East (Six links wide)

23.60 Set post in mound with four pits for corner to sections 25, 26, 35, and 36, I deposited charcoal at the corner a Stone 6 x 3 x 4 inches as a witness

This line enters a field of improved land just north of Wood creek, bearing of field N 30° W.

Surface nearly level Soil 1st rate

Township 24 North Range 10 East

East between Sections 36 & 25 = true line
Variation 13° East

140 Right Bank of Missouri River at which point I set post for meander corner from which
A Cottonwood 8 in diameter bears
S 5° E. 50 links
A Cottonwood 4 in dia bears S 57° W. 48 lks

North between Sections 25 and 26
Variation 12° East

160 Right Bank of Missouri River.
Set post for meander corner from which
A Cottonwood 5 in dia bears S 47° W. 55 links
A Cottonwood 8 in dia bears S 30° W. 54 lks

Begin at the point on the South boundary of the Omaha Reservation where the Section line between Sections 34 and 35 intersects said Boundary - the same being a post in mound with a Stone in center of mound - 59.71 chains North of the South west corner of Section 35 and run
North between Fractional Sections 34 and 35
Variation 12° East

20.29 Set post and built mound with four pits for corner to Sections 26, 27, 34 and 35
Rolling prairie - Second rate soil

East on a random line between sections 26 and 35 -
Variation 13° 15' East

19.80 Brook 4 links wide runs North West and empties into Wood Creek

of the 6th Principal Meridian

chains	
20.00	Temporary 1/16 Section corner
24.00	A Ravine one chain wide bears South
40.00	Temporary 1/4 Section Corner
50.00	Enter Wood creek bottom bears N. W. & S. E.
60.00	Temporary 1/16 Section Corner
61.00	Wood Creek 8 links wide runs S. E.
66.00	Road bears South
70.00	Enter improved field bears N W. & S. E.
80.05	Intersect the N & S. line 75 links South of the corner to Sections 25. 26, 35, & 36, from which corner I run South 89°. 28' West on a true line between Sections ~~27~~ 26 and ~~34~~ 35
	Variation 13° 15 East
20.01	Post in Mound with four pits and charcoal for 1/16 Section corner
40.02	Post in Mound with four pits for 1/4 Sec. corner
60.03	Set post in Mound dug four pits & deposited charcoal for 1/16 Section Corner
80.05	The corner to Sections 26, 27, 34, and 35. Rolling prairie, and creek bottom 1st and 2d rate soil
	April 17th 1867

North between Sections 26 and 27.

Variation 12° East

20.00	Post in Mound four pits and charcoal for 1/16 Sec. Cor.
27.10	Wood Creek 8 links wide runs East banks 100 links wide
40.00	Set a post in Mound with four pits and deposited charcoal for 1/4 Section Corner
35.00	Road bears S 65° E. and N 65° W.
60.00	Set a post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Set a post in Mound dug four pits and deposited charcoal for corner to Sections 22, 23, 26, and 27. Hilly 2d rate prairie. Narrow belt of 1st rate land near Wood Creek

Township 24 North Range 10.

chains East on a true line between Fractional Sections 23 and 26.
Variation 13° 30' East
20.00 Set a post in Mound dug four pits and deposited charcoal for 1/16 Section corner
29.40 A Broken ash 8 inches in diameter and 5 feet high on the right Bank of Missouri River for meander corner from which.
A Bur oak 10 in dia bears S 44° E. 45 lks dist
A Bur oak 10 in dia bears N 25° W. 25 lks distant
The Bank of the Missouri is here 60 feet high
Land rolling 2d rate

North between Sections 22 and 23
Variation 12° East
20.00 Set post built Mound dug four pits and deposited charcoal for 1/16 Section corner
At same point commence descending Bluff leading to the
22.00 Missouri River Bottom bears S.E. & N.W.
40.00 Set post raised Mound dug four pits and deposited charcoal to mark 1/4 Section Corner
60.00 Set post in Mound dug four pits and deposited coal for 1/16 Section Corner
April 18th 1867

Remark
The water in the Missouri River having risen to such a heighth as to overflow the low bottom. I was here compelled to suspend the survey of this portion of the Township until the water had subsided. The ~~meander~~ remainder of this line was surveyed and established. May 15th
70.00 Marsh,-water, one to three feet deep bears S.W. & N.E.
80.00 Corner to Sections 14, 15, 22, and 23. in slough. Water deep. No corner can be established.

East of the 6th Principal Meridian

chains South end of the line, rolling prairie
North 3/4 Missouri River bottom and 2d
bottom. which is, in places, low and
wet and covered with Willows, Soil 1st
and 2d Rate

East on a true line between sections 14
and 23.

Variation 13° 30' East

4.00 Leave Slough bears N.E. and S.W.
20.00 Set a post for 1/16 Section Corner from which
A Cottonwood 5 in dia bears S 68° W. 34 lks dist
" " 4 " " " N 5° E. 39 " "
40.00 Set a post for 1/4 Section corner from which
A Cottonwood 19 in. dia. bears S 80° E. 150 links dist.
No other tree near
55.50 Enter scattering timber N.W. and S.E.
56.00 Enter Marsh bears N.W. and S.E.
60.00 Set a post for 1/16 Section Corner from which
An Elm 10 in. dia bears S 60° W. 5 links dist
" " 5 " " " S 88° E. 250 " "
64.00 Leave Marsh bears N.W. and S.E.
80.00 Set a post for Corner to Sections 13, 14,
23 and 24 from which
A Box Elder 8 in dia bears S 52° E. 35 links
" " " 10 " " " S 32° W. 45 "
" " " 14 " " " N 38° W. 148 "
" " " 10 " " " N 22° E. 100 "
Low wet bottom Land. East end
covered with scattering timber

May 15th 1867

From the Corner to Sections 13, 14, 23, and
24. I run

South on a true line between
Sections 23 and 24 (fractional)

Variation 12° East

14.00 Leave timber. bearing N.E. and S.W.
At same place enter Sandy bottom covered
with Willows

Township 24 North. Range 10 East

Chains	
20.00	Post in Mound with pits for 1/16 Section Corner
21.36	Intersect right bank of Missouri river and set stake for Meander Corner. No permanent Corner can be established here on account of the sand and the overflow of the river bottom.
	Land wooded and sandy 1st & 3rd rate soil

East between sections 13 and 24. True line Variation 13° 30' East

14.00	Enter heavy timber principally Cottonwood N.W. & S.E.
20.00	Set a post for 1/16 Section Corner from which A Cottonwood 28 in. dia. bears S 73° W. 123 links
	" " 28 " " " N 72 W. 148 "
35.00	leave heavy timber bears N.E. and S.W.
40.00	Set a post for 1/4 Section Corner from which A Cottonwood 10 in. dia bears N 38 1/4° W. 340 links
	No other tree convenient
60.00	Set a post for 1/16 Section Corner from which A Cottonwood 8 in dia. bears S 81 1/2° W 77 links
	" " 6 " " " N 67° W. 58 "
80.00	Set post on Township line for Corner to Sections 13 and 24. Range 10 E. and 18 and 19. Range 11. E. from which
	A Cottonwood 6 in dia bears S 62° W. 100 links
	" " 6 " " " N 29° E. 66 "
	" " 6 " " " N 48° W. 63 "
	" " 5 " " " S 43 1/2 E. 78 "

The west 35 chains of this line is bottom partly covered with a heavy growth of Cottonwood, The remainder is sand covered with Willows and Cottonwoods. Soil of the West part of the line is good. East part nearly worthless

chains From the Corner to Sections 13. 14. 23.
and 24. I run
North between Sections 13 and 14.
Variation 12° East
5.00 Enter meadow bearing N.E. and N.W.
20.00 Set a post raised mound dug pits and deposited charcoal for corner to 1/16 Section corner
28.00 Leave meadow and enter heavy Cottonwood timber, bearing S.E. and S.W. This meadow is nearly round. the line crossing it about the middle
40.00 Set a post for 1/4 Section Corner from which
A Box Alder 5 in Dia, bears S 32° E. 67 links
" " " 10 " " bears N 31° W. 58 "
55.00 Leave heavy timber and enter Muddy Slough two feet deep - bearing E. & W.
60.00 Set a post for 1/16 Section corner from which
A Willow 4 in, Dia, bears N.8° E. 145 links distant
" " 4 " " " N 2° W. 173 " "
70.00 Leave Slough and enter dry land N.W. + S.E.
77.00 Intersect right Bank of Missouri River and set post for meander corner from which
A Cottonwood 10 in Dia bears S 23° E. 233 links
" " 5 " " " S 42° W. 46 "
Level Bottom Land. Sloughs and Meadows. Timber with undergrowth of vines, brush. hops &c.
Soil 1st rate in places, in others so wet as to be worthless
May 17th 1867.

From the corner to Sections 14 15, 22 and 23. I run
North between sections 14 & 15.
Variation 13° 30' East
2.50 Leave Slough bearing N.E. + S.W.
20.00 Set a post for 1/16 Section corner from which
A Cottonwood 36 in Dia bears S 61° E. 38 links
" " 36 " " " N 72° W 51 links

Township 24 North Range 10 East

Chains

40.00 Set a post in Mound dug pits and deposited charcoal for 1/4 Section Corner

60.00 Set a post in Mound dug four pits and deposited charcoal for 1/16 Section Corner

80.00 Set a post in Mound dug four pits and deposited charcoal for corner to Sections 10, 11, 14, and 15.

Level Bottom with a few scattering Cottonwoods on the south quarter. The North 3/4 is covered with thin Willow brush. Soil 1st rate but subject to overflow of the Missouri River

---

East on a true line between Sections 11 and 14

Variation 13° 30' East

20.00 Set a post in Mound dug four pits and deposited charcoal for 1/16 Section Corner

40.00 Set a post in Mound dug four pits and deposited charcoal for 1/4 Section Corner

45.00 Enter Young Cottonwood grove with Willow underbrush bearing N & S.

60.00 Set a post for 1/16 Section Corner from which
A Cottonwood 8 in dia bears S 41° W. 94 links
A Willow 6 in dia. bears N 77° W. 68 "

73.50 Intersect the right Bank of the Missouri River and set a post for Meander Corner from which
A Cottonwood 12 in dia bears N 72 W. 66 links
" " 6 " " " S 19° E. 125 "

Level Bottom subject to overflow of the Missouri River. Clear open land and groves of thin Cottonwood with Undergrowth of Willow
Soil first rate

Of the 6th Principal Meridian

chains North between sections 10 and 11.
Variation 13° 30' East

20.00 Post in mound pits and charcoal for 1/16 Section Corner

37.00 Enter small field, bearing S.E.

38.25 Leave same field bearing N.E. The line just cuts off the corner of the field which is 5 to 10 chains wide and 16 chains long. being mostly east of the line

40.00 Post, mound, pits and charcoal for 1/4 Section Corner

51.00 Enter small field bearing E and W.

54.50 Leave field bearing East and West. This field extends about 1 chain east and four chains west of the line.

55.00 Enter scattering timber bearing irregular

60.00 Set a post for 1/16 Section Corner from which
A Box Alder 10 in dia bears N 20° W. 24 links
" " " 8 " " " S 41 E. 42 "

62.40 Enter slough - extends Parellel to the River

64.80 Leave slough and enter willow swamp - very muddy with quick sands in places

80.00 Point for corner to Sections 2, 3, 10, & 11, There being no bearing trees here, no permanent corner can be established therefore at 61.00 I established a Witness Corner for Section corner from which
A Cottonwood 12 in dia bears S 68° W. 35 lks
" " 40 " " " S 33½ E. 113 "
South 3/4 level bottom land -
North 1/4 quick sands and mud grown up with Willows Worthless

East on true line between fractional Sections 2 and 11
Variation 13° 30' East

5.65 Right bank of Missouri River. Set a post for meander corner. No permanent corner can be established here Willow swamp and quick sands.

Worthless

Township 24 North Range 10 East

Chains	
	North between Sections 2 and 3. Variation 13° 30' East
8.50	Intersect right bank of Missouri River and set post for meander corner. No permanent corner can be established here Willow swamp. Mud and quick sands Soil Worthless. May 16th 1867
	Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Section 33 and 34. intersects the said boundary - the same being a Stone, post and mound. 63.13 chains north of the South East corner of Section 33. and run North between fractional Sections 33 and 34 Variation 12° East
16.87	Set a post in mound dug four pits and deposited charcoal for corner to Sections 27, 28. 33. and 34. Rolling prairie. 2d rate soil
	East on a random line between Sections 27 and 34 Variation 12° 45' East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner
80.19	Intersect N & S. line 91 links South of the corner to Sections 26, 27, 34, and 35 from which corner I run South 89° 21' West on a true line between Sections 27. and 34 Variation 12° 45' East
20.05	Post, mound, four pits, and charcoal for 1/16 Section Corner
40.10	Post in mound. four pits and deposited charcoal for 1/4 Section Corner
60.15	Post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.19	The corner to Sections 27, 28, 33 & 34. Rolling Prairie 1st and 2d Rate soil

of the 6th Principal Meridian

Chains North between sections 27 and 28.
Variation 12° East
20.00 Post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00 Post in mound four pits and deposited charcoal for 1/4 Section Corner
45.00 Wood Creek 5 links wide runs East
60.00 Post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00 Set a post in mound dug four pits and deposited charcoal for Corner to sections 21, 22, 27, and 28.
Rolling Prairie Soil 2d rate

East on a random line between sections 22 and 27. Variation 13° 30' East
20.00 Set temporary 1/16 Section Corner
40.00 temporary 1/4 Section Corner post
60.00 temporary 1/16 Section Corner
79.60 Intersect North and South line seventy two links. South of the corner to Sections 22. 23. 26 and 27. from which Corner I run
South 89° 29' West on a true line between Sections 22 and 27.
Variation 13° 30' East
19.90 Post in mound with four pits and charcoal for 1/16 Section ~~Section~~ Corner
39.80 Set post in mound dug four pits and deposited charcoal for 1/4 Section Corner
59.70 Set post in mound dug four pits and deposited charcoal for 1/16th Section Corner
79.60 The Corner to Sections 21, 22, 27, and 28.
Rolling prairie 2 rate Soil

North between sections 21 and 22
Variation 12° East
20.00 Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
40.00 Set a post in mound dug four pits and deposited charcoal for 1/4 Section Corner

Township 24 North Range 10 East

Chains

60.00 Set a post for 1/16 Section corner from which
A Bur Oak 6 in dia bears N 19° W. 141 links
70.00 Enter timber & brush bearing E and West
80.00 Set a post for corner to Sections 15, 16, 21, & 22,
from which
An Elm 12 in dia bears N 50° W. 16 links
A Cottonwood 15 in dia. bears S 10° W. 70 links
" " 15 " " " S 67° E. 63 "
" " 27 " " " N 32° E. 58 "
South three quarters high rolling prairie
North one fourth very rough and hilly and
covered with brush and thin timber
Soil 2d and 3rd rate
April 19th 1867

East on a random line between Sections
15 and 22 Variation 13° 30' East
10.00 Leave timber bearing N and S. at same
place enter brush
20.00 temporary 1/16 Section corner leave brush
also, and enter prairie, or bottom at
foot of Bluff
39.00 Enter small field
40.00 temporary 1/4 Section corner
41.00 Leave field and enter dry marsh
bearing N.E. and S.W.
60.00 temporary 1/16 Section corner
76.00 Enter deep slough bearing N.E. and S.W.
80.10 Intersect N. & S. line 10 links South of the
corner to sections 14, 15, 22 and 23. from
which corner I run
South 89° 56' West on a true line between
Sections 15 and 22,
Variation 13° 30' East
20.02 Set a post in mound dug four pits and
deposited charcoal for 1/16 Section Corner
40.05 Set a post built mound dug four pits and
deposited charcoal for 1/4 Section Corner
60.07 Set a post built mound dug four pits and
deposited charcoal for 1/16 Section Corner

of the 6th Principal Meridian

chains
80.10 The corner to Sections 15, 16, 21, and 22 West 1/4 high and rough, covered with timber and brush. 2d 1/4 good prairie between the high bluff and low bottom. East half on the Missouri River bottom, covered with Willows and subject to inundation.

Remark

The West end of this line was surveyed April 19th but owing to the inundation of the bottom lands the East end was not completed until May 16th after the resumption of the work. All the remaining East lines in this tier of Sections were also established after the work had been resumed.
But in order that the survey of the West half of the Township might be completed, temporary lines were run between sections 15 and 16, 9 & 10, and 4 and 5, closing on the Parellel.

North between Sections 15 and 16
Variation 13° East

3.00 leave timber bearing East and West
20.00 Set post raised mound dug four pits and deposited charcoal for 1/16 Sec. Cor.
40.00 Set a post raised mound dug four pits
60.00 Set a post in mound with pits and charcoal for 1/16 Section Corner
and deposited charcoal for 1/4 Section Corner
76.00 Enter timber bearing East and West
80.00 Set a post for corner to Sections 9, 10, 15, and 16. from which
An Oak 8 in Dia bears S 73° W. 101 links
" " 6 " " " S 15° E. 68 links
" " 15 " " " N. 72° E. 97 links
South 3/4 bald hills - 3rd rate soil
North end covered with brush and thin timber

Township 24 North Range 10 East.

Chains	
	East on a random line between Sections 10 and 15
	Variation 13° 30' East
15.00	Leave timber. bearing N. & S.
20.00	Temporary 1/16 Section Corner
33.00	Bluff 40 feet high - very abrupt bearing N. & S.
40.00	Temporary 1/4 Section corner
60.00	Temporary 1/16 Section corner
80.90	Intersect N & S line 37 links South of the Corner to sections 10, 11, 14, and 15, from which corner I run
	South 89° 44 West on a true line between Sections 10 and 15
	Variation 13° 30' East
20.22	Post in mound four pits and charcoal for 1/16 Section Corner
40.45	Post, mound, four pits and charcoal for 1/4 Section corner
60.67	Post, mound, four pits and charcoal for 1/16 Section Corner
80.90	The corner to Sections 9, 10, 15 and 16, West half of line hilly and rough, Soil 3rd rate. East half bottom Land not subject to inundation
	North between Sections 9 and 10 -
	Variation 13° East
20.00	Set a post for 1/16 Section corner from which
	A Lind 10 in Dia bears N 87 W. 33 links
	An Elm 8 in Dia bears S 89° E. 50 links
40.00	Set a post for 1/4 Section Corner from which
	A Lind. 7 in Dia bears N 59° W 33 links
	An Oak 6 " " " N 68° E. 35 lks distant
60.00	Set a post for 1/16 Section Corner from which
	An Oak 10 inches in Dia bears N 58° W 150 links
	" " 18 " " " " N 64° E 281 "
80.00	Set a post for corner to Sections 3, 4, 9, and 10 from which
	An Elm 7 inches in Dia bears N. 9° W. 49 links distant
	" " 12 " " " " N 45° E 40 " "

of the 6th Principal Meridian

Chains An Elm 14 in dia bears S 59° E. 80 links dist
" " 14 " " " S 38° W. 69 " "
Surface hilly and broken covered with timber. Oak Linden Elm and poplar with undergrowth of hazel and prickly ash

East on a random line between sections 3 and 10 . Variation 13° 30' East

8.00 Leave timber bearing N and S.
20.00 Set post for temporary 1/16 Section corner
40.00 Set post for temporary 1/4 Section corner
55.30 Enter deep slough. bearing N.W. & S.E.
59.50 Leave same and enter willow swamp. Same bearing.
60.00 Point for temporary 1/16 Section corner
80.52 Intersect N. & S. line at the corner to sections 2, 3, 10, and 11, from which corner I run West on a true line between sections 3 and 10

Variation 13° 30' East

20.13 Point for 1/16 Section corner in Willow swamp
26.52 Set a post for witness corner to 1/16 Section corner from which
A Cottonwood 14 in dia bears S 39° E. 36 links distant
" " 26 " " " N 87° W. 122 " "
40.26 Set a post for 1/4 Section Corner from which
An Elm 36 in dia bears S 10° W. 290 lks distant
No tree North of line
60.39 Set a post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.52 The corner to Section 3, 4, 9, and 10.
West end of line timbered. after leaving timber the line crosses good bottom land until it reaches the Slough and willow swamp which is worthless.
The timber at the west end of line is Oak. Lind. Elm &c

May 19th 1867

Township 24 North Range 10 East

Chains	North between Sections 3 and 4. on True line Variation 13° East
20.00	Set a post for 1/16 Section Corner from which A ~~Bur~~ Oak 14 in Dia bears S 28° W. 57 links A Bur Oak 11 in Dia bears N 70° E. 20 links
40.00	Set a post for 1/4 Section Corner from which An Elm 30 in Dia. bears N 46° W. 12 links An Elm 20 in Dia. bears S 30° 30' E. 112 links
57.00	To Deep water.
	Remarks
	Compelled to suspend the survey of this line until May 19th on account of high water in Missouri River
60.00	Set post for 1/16 Section Corner and for Witness Corner to closing Corner to sections 3 and 4 from which An Elm 27 in. Dia bears S 77° W. 38 links A Cottonwood 26 in Dia bears S 10° E. 74 lks
77.42	Intersect Sixth Standard Parellel 4.16 chains West of the Corner to Sections 33 and 34. T. 25 N. R. 10 E. – No permanent corner can be established here. South end of the line good Land. North of 57 chains Worthless
	Begin at the point on the South boundary of the Omaha Reservation where the Section line between Sections 32 and 33. intersects the same, and run North between Fractional Sections 32 and 33. Variation 12° 30' East
13.50	Set a post in Mound and dig four pits for Corner to Sections 28. 29, 32 and 33. Rolling prairie 2d rate Soil
+	East on random line between Sections 28 and 33. Variation 13° 30' East
20.00	Set Post for temporary 1/16 Section Corner
40.00	Set Post for temporary 1/4 Section Corner
60.00	Set Post for temporary 1/16 Section Corner

Of the 6th Principal Meridian

Chains	
80.08	Intersect N & S line 92 links South of the corner to Sections 27, 28, 33, and 34. from which corner I run South 89° 20' West on a true line between Sections 28 and 33.
	Variation 13° 30' East
20.02	Post in mound and four pits for 1/16 Sec. Corner
40.04	Post in mound & four pits for 1/4 Section Corner
60.06	Post in mound & four pits for 1/16 Section Corner
80.08	The corner to Sections 28, 29, 32, and 33.
	Rolling prairie 2d rate Soil

Map This

	North between Sections 28 and 29
	Variation 12° 30' East
20.00	Post in mound with four pits for 1/16 Section Corner
40.00	Post in mound with four pits for 1/4 Section Corner
60.00	Post in mound with four pits for 1/16 Section Corner
80.00	Post in mound with four pits for corner to Sections 20, 21, 28, and 29,
	Rolling prairie 2d rate Soil

	East on random line between Sections 21 and 28. Variation 13° 40' East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
49.00	Intersect Wood Creek 6 links wide runs South East
60.00	Post for temporary 1/16 Section Corner
80.90	Intersect N & S, line 77. links South of the Corner to Sections 21, 22, 27 + 28, from which Corner I run South 89° 27' West on true line between Sections 21 and 28.
	Variation 13° 40' East
20.22	Post mound and four pits for 1/16 Sec. Corner
40.45	Post mound & four pits for 1/4 Section Corner
60.67	Post, mound, and four pits for 1/16 Section Corner
80.90	The Corner to Sections 20, 21, 28 and 29, Rolling Prairie and Creek bottom 1st and 2d Rate Soil

Map

Township 24 North Range 10 East

Chains	
	North between Sections 20 and 21 Variation 12° East
20.00	Post in Mound with four pits for 1/16 Section Corner
31.00	Wood Creek four links wide runs East
40.00	Post in Mound with four pits for 1/4 Section Corner
60.00	Post in Mound with four pits for 1/16 Section Corner
80.00	Post in Mound with four pits for corner to Sections 16, 17, 20 and 21. Hilly Prairie - 2d rate Soil
	East on random line between Sections 16 and 21 Variation 13° 30' East
20.00	Post for temporary 1/16 Section Corner
40.00	Temporary 1/4 Section Corner
60.00	Temporary 1/16 Section Corner
70.00	Enter poor timber Mostly Scrub Oak bears N. & S.
80.95	Intersect N. & S. line 75 links South of the Corner to sections 15, 16, 21, & 22, from which Corner I run South 89° 28' West on true line between sections 16 and 21. Variation 13° 30' East
20.24	Post, Mound & four pits for 1/16 Section Corner
40.48	Post, Mound, & four pits for 1/4 Section Corner
60.72	Post, Mound, & four pits for 1/16 Section Corner
80.95	The Corner to Sections 16, 17, 20 and 21, Hilly Prairie and poor timber 2d-rate Soil April 20th 1867
	North between Sections 16 and 17. Variation 13° East
20.00	Post, Mound, & four pits for 1/16 Section corner
40.00	Post, Mound, & four pits for 1/4 Sections Corner
60.00	Post, Mound, & four pits for 1/16 Section corner
80.00	Post, Mound, four pits for corner to Sections 9, 8, 16, and 17. Rolling Prairie - 2d rate.

of the 6th Principal Meridian

chains East on random line between Sections 9 & 16.
Variation 13° 30' East

20.00 Set Post for temporary 1/16 Section corner
40.00 Set Post for temporary 1/4 Section corner
60.00 Set Post for temporary 1/16 Section corner
80.80 Intersect N & S. line 70 links South of Corner to sections 9, 10, 15, and 16, from which Corner I run
South 89° 30' West on a true line between Sections 9 and 16.
Variation 13° 30' East
20.20 Set a post for 1/16 Section Corner from which A Linden 8 in dia bears S 62° E 39 links dist.
" " 6 " " " N 31° E 38 " .
40.40 Set Post in Mound with four pits and deposited Charcoal for 1/4 Section Corner
60.60 Post in Mound with four pits and charcoal for 1/16 Section Corner
80.80 The corner to sections 8, 9, 16, and 17.
Rolling prairie 2d rate soil
Timber near the East end of the line

North between sections 8 and 9
Variation 12° 30' East
20.00 Post in Mound, four pits. depositing charcoal for 1/16 Section Corner
40.00 Post, Mound, four pits and charcoal for 1/4 Section Corner
60.00 Post. Mound. four pits and charcoal for 1/16 Section Corner
80.00 Post, Mound, four pits and charcoal for Corner to Sections 4, 5, 8, and 9,
Rolling prairie 2d rate soil

East on random line between sections 4 and 9. Variation 13° East
20.00 Set post for temporary 1/16 Section Corner
40.00 Point for temporary 1/4 Section Corner
60.00 Point for temporary 1/16 Section Corner
62.00 Enter timber. bearing North and South

Township 24 North Range 10 East

chains	
76.00	A Steep Bluff about 100 feet high
80.56	Intersect N and South line 27. links north of the corner to Sections 3, 4, 9, and 10. from which corner I run North 89° 48' West on a true line between Sections 4 and 9 Variation 13° East
20.14	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
40.28	Set post in Mound dug four pits and deposited Charcoal for 1/4 Section Corner
60.42	Set post in Mound dug four pits and deposited Charcoal for 1/16 Section Corner
80.56	The corner to Sections 4, 5, 8, and 9. West 3/4 high rolling prairie. Soil 2d rate East 1/4 hills & bluffs covered with timber

North between sections 4 and 5
Variation 12° 30' East

20.00	Post in Mound with four pits and charcoal for 1/16 Section Corner
40.00	Post in Mound with four pits and charcoal for 1/4 Section Corner
60.00	Post in Mound with four pits and charcoal for 1/16 Section Corner
77.35	Intersect Sixth Standard Parellel 5.08 chains West of the Standard corner to Sections 32 and 33. T. 25. N. R. 10. E.

And at the point of intersection. Set a post in Mound with four pits and deposited charcoal for the Corner to Sections 4 and 5. Township 24 North Range 10. East

Rolling Prairie 2d rate soil
April 22d 1867.

of the 6th Principal Meridian

chains	Begin at the point on the South Boundary of the Omaha Reservation where the Section line between Sections 31 and 32. intersects the same. and run
	North between Sections (Fractional) 31 and 32. Variation 14° 25' East
4.90	Set a post in mound with four pits for corner to Sections 29. 30. 31. and 32,
	Rolling prairie 2d rate soil
	East between Sections 29. & 32. on random line
	Variation 13°, East
20.00	Set a post for temporary 1/16 Section Corner
40.00	Set a post for temporary 1/4 Section Corner
60.00	Set a post for temporary 1/16 Section Corner
80.20	Intersect N. & S. line 70 links South of the Corner to Sections 28. 29. 32 and 33. from which Corner I run
	S 89° 30' West on a true line between Sections 29 and 32.
	Variation 13° East
20.05	Post in Mound with four pits for 1/16 Sec. Corner
40.10	Post in Mound with four pits for 1/4 Section Corner
60.15	Post in Mound with four pits for 1/16 Section Corner,
80.20	The Corner to Sections 29, 30, 31, and 32,
	Rolling Prairie 2d rate soil
	West random line between sections 30 and 31.
	Variation 13° East
20.00	Set Post for temporary 1/16 Section Corner
40.00	Set post for temporary 1/4 Section Corner
60.00	Set post for temporary 1/16 Section Corner
75.38	Intersect Township line 25 links North of the corner to Sections 30 31 25, and 36, Ranges 9 & 10 — from which Corner I run

Township 24 North Range 10 East

chains North 89° 49 East on true line between Sections 30 and 31 –
Variation 13° East

15.38 Set a post in Mound with four pits for 1/16 Section Corner

35.38 Set a post in Mound with four pits for 1/4 Section corner

55.38 Set a post in Mound with four pits for 1/16 Section Corner

75.38 The Corner to Sections 29. 30. 31. & 32.
Rolling Prairie 2d Rate soil

North between Sections 29 and 30 –
Variation 13° East

20.00 Post in Mound with four pits for 1/16 Section Corner

40.00 Post in Mound with four pits for 1/4 Section: corner

60.00 Post in Mound with four pits for 1/16 Section Corner

80.00 Post in Mound four pits for Corner to Sections 19. 20. 29 and 30 –
High rolling Prairie 2d rate soil

East on random line between Sections 29 and 20
Variation 13° 30 East

20.00 Post for temporary 1/16 Section Corner

40.00 Post for temporary 1/4 Section Corner

60.00 Post for temporary 1/16 Section Corner

80.64 Intersect N. & S. line 72 links South of the Corner to Sections 20, 21, 28, and 29, from which Corner I run
S 89° 29' West on true line between Sections 20 and 29. Variation 13° 30' East

20.16 Post in Mound & four pits for 1/16 Section Corner

40.32 Post in Mound & four pits for 1/4 Sections Corner

60.48 Post. Mound & four pits for 1/16 Section corner

80.64 The Corner to Sections 19, 20, 29 and 30,
Rolling prairie 2d rate soil

of the 6th Principal Meridian

chains	West on random line between sections 19 and 30. Variation 13° East
20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section corner
73.22	Intersect West line of the Township at the Corner to sections 19 & 30, Range 10 East and 24 & 25. Range 9 E. from which Corner I run
	East on a true line between sections 19 and 30. Variation 13° East
13.22	Post Mound and four pits for 1/16 Section Corner
33.22	Post Mound and four pits for 1/4 Section Corner
53.22	Post Mound and four pits for 1/16 Section Corner
73.22	The Corner to Sections 19, 20, 29, and 30. Rolling prairie 2d rate soil
	North between sections 19 and 20 — Variation 13° East
20.00	Post Mound and four pits for 1/16 Section Corner
40.00	Post, Mound and four pits for 1/4 Section Corner
60.00	Post, Mound and four pits for 1/16 Sections Corner
80.00	Post, Mound and four pits for Corner to Sections 17, 18, 19, and 20, Rolling Prairie 2d rate soil.
	East on random line between Sections 17 and 20. Variation 12° 45' East
20.00	Post for temporary 1/16 Section corner
40.00	Post for temporary 1/4 Section corner
60.00	Post for temporary 1/16 Section corner
80.80	Intersect N and S. line 20 links South of the corner to sections 16, 17, 20, and 21,

Township 24 North Range 10. East

chains	from which corner I run South 89° 52' West on a true line between Sections 17 and 20 Variation 12° 45' East
20.20	Post, mound and four pits for 1/16 Section Corner
40.40	Post, mound and four pits for 1/4 Section Corner
60.60	Post mound and four pits for 1/16 Section Corner
80.80	The corner to sections 17. 18. 19. & 20. Rolling prairie 2d rate soil.

West on a random line between sections 18 and 19.
Variation 12° 45' East

20.00	Post for temporary 1/16 Section Corner
40.00	Post for temporary 1/4 Section Corner
60.00	Post for temporary 1/16 Section Corner
73.50	Intersect N and S. line (Range line) 35 links North of the corner to Sections 18. and 19. Township 24 North Range 10 East and 13 and 24. Range 9 East from which corner I run North 89° 45' East on a true line between Sections 18 and 19 Variation 12° 45' East
13.50	Post mound and four pits for 1/16 Sec. Cor.
33.50	Post mound and four pits for 1/4 Section Corner
53.50	Post mound and four pits for 1/16 Section Corner
73.50	The corner to sections 17, 18, 19, and 20, Rolling prairie 2d rate soil

North between Sections 17. and 18.
Variation 12° 30' East

20.00	Post. mound and four pits for 1/16 Section Corner
40.00	Post in mound and four pits for 1/4 Section Corner
60.00	Post. mound and four pits for 1/16 Section Corner
80.00	Post. mound and four pits for Corner to sections

of the 6th Principal Meridian

chains	7. 8. 17. and 18. Rolling prairie 2d rate soil April 22d 1867
	East on a random line between Sections 8 and 17. Variation 13°. 30. East
20.00	Post for temporary 1/16 Section corner
40.00	Post for temporary 1/4 Section corner
60.00	Post for temporary 1/16 Section corner
79.88	Intersect N. & S. line 95 links South of the corner to Sections 8, 9, 16, and 17. from which corner I run S 89° 19' West on a true line between Sections 8 and 17 Variation 13°. 30' East
19.97	Post in mound four pits and Charcoal for 1/16 Section Corner
39.94	Post in mound four pits and Charcoal for 1/4 Section Corner
59.91	Post in mound. four pits and Charcoal for 1/16 Section Corner
79.88	The Corner to Sections 7, 8. 17, and 18, Rolling Prairie 2d rate soil
	West on random line between Sections 7 and 18 Variation 13° East
20.00	Post for temporary 1/16 Section corner
40.00	Post for temporary 1/4 Section corner
60.00	Post for temporary 1/16 Section corner
71.50	Blackbird Creek runs N. W.
74.00	Intersect N and S. line 75 links North of the true corner to sections 18. 7. 12 & 13. No post at the above corner. but witness corner a few links west of true corner which is in the Creek channel From this corner I run North 89° 26' East on a true line between Sections 7 and 18. Variation 13° East

Township 24 North Range 10 East

chains

14.00 Post in mound. with Pits and charcoal for 1/16 Section Corner

34.00 Post in mound with Pits and charcoal for 1/4 Section Corner

54.00 Post in mound. four Pits and charcoal for 1/16 Section Corner

74.00 The Corner to Sections 7, 8, 17, and 18, Rolling Prairie 2d rate soil

North between Sections 7 and 8
Variation 12° 30' East

20.00 Post in mound. four pits and charcoal for corner to 1/16 Section

40.00 Post in mound with four pits and charcoal for 1/4 Section Corner

60.00 Post in mound. with four pits and charcoal for 1/16 Section Corner

80.00 Post in mound with four pits and charcoal for corner to Sections 5. 6. 7 and 8.
Rolling prairie 2d rate soil

East on random line between Sections 5 and 8.
Variation 13° 30' East.

20.00 Post for temporary 1/16 Section Corner

40.00 Post for temporary 1/4 Section corner

60.00 Post for temporary 1/16 Section Corner

80.44 Intersect N. & S. line 73 links South of the corner to Sections 4, 5, 8, and 9. from which corner I run
South 89° 29' West on a true line between Sections 5 and 8.
Variation 13° 30' East

20.11 Post in mound with four pits ~~filled~~ charcoal for 1/16 Section Corner

40.22 Post in mound. with four pits and charcoal for 1/4 Section Corner.

of the 6th Principal Meridian

Chains	
60.33	Post in mound with four pits and charcoal for 1/16 Section Corner
80.44	The corner to Sections 5, 6, 7, and 8. Rolling prairie 2d rate soil April 23rd 1867

West on a random line between Sections 6 and 7.

Variation 12° 30' East

20.00	Post for temporary 1/16 Section corner
40.00	Post for temporary 1/4 Section corner
48.25	Right Bank of Blackbird creek, about 75 feet high – Creek 15 links wide course N.W. Very winding
60.00	Post for temporary 1/16 Section corner
74.60	N. and S. line 70 links North of corner to Sections 6 & 7, 1 & 12. Ranges 9 & 10. East from which corner I run North 89° 30' East on a true line between Sections 6 and 7.

Variation 12° 30' East

14.60	Post in mound, with four pits and charcoal for 1/16 Section corner
34.60	Post in mound with four pits and charcoal for 1/4 Section corner
54.60	Post in mound, with four pits and charcoal for 1/16 Section corner
74.60	The corner to Sections 5, 6, 7, and 8. Rolling prairie 2d rate soil

North between Sections 5 and 6

Variation 12° 30' East

20.00	Post in mound, four pits and charcoal for 1/16 Section corner
40.00	Post. mound. four pits and charcoal for 1/4 Section corner
60.00	Post in mound with four pits and charcoal for 1/16 Section corner

29/4 3 3

Township 24 North Range 10 East

chains

79.70 Intersect Sixth Standard Parellel 5.72 chains west of the standard Corner to sections 31 and 32. Township 25 N. R. 10 East. Set post in mound with pits for closing corner to Sections 5 and 6.

Rolling prairie 2d rate soil

April 24th 1867.

Subdivision of Fractional Section 35

Begin at the point on the South Boundary of the Omaha Reservation where the quarter Section line running North through Section 35 intersects said boundary - the same being a post in mound and run

North on 1/4 Section line through Fractional Section 35

Variation 12° East

21.94 Intersect North boundary of Section 35 at the 1/4 Section corner

Rolling prairie second rate.

X

Subdivision of Fractional Section 26

North on the quarter Section line through Section 26. Variation 12° East

18.75 Wood creek 8 links wide running S. E.

20.00 Set a post for 1/16 Section corner from which

A Cottonwood 20 in dia bears S78 W. 200 links

" " 16 in " " S43 20' W. 170 "

40.00 Post in mound with four pits and charcoal for 1/4 Section corner

60.00 Post in mound with four pits and charcoal for 1/16 Section corner.

of the 6th Principal Meridian

chains

69.60 Set a post on right bank of Missouri River for Meander Corner from which
A Cottonwood 8 in dia bears S 29° E. 120 links
A Cottonwood 8 in dia bears S 25° W. 160 "
Rolling prairie; Second rate soil.
At point of intersection with Missouri River the Bluff is steep and 100 feet high
April 18th 1867.

East on a true quarter Section line through Section 26.
Variation 13° 48' East

20.00 Set post in Mound with four pits and Charcoal for 1/16 Section Corner
40.00 Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.00 Post in Mound with four pits and Charcoal for 1/16 Section Corner
61.50 Meander corner on right bank of Missouri river - Post, from which
A Cottonwood 15 in in dia bears S 23° W. 150 lks
No other tree convenient to Mark
Rolling prairie Second rate

Subdivision of Section 23.

Begin at the 1/4 Section Corner on the North side of the Section and run
South on 1/4 Section line through Section 23.
Variation 12° East

14.00 Leave timber, bearing E and W. at same place enter low swamp and Mud bottom covered with Willows
20.00 1/16 Section Corner. Set post and built Mound, but owing to the character of the ground it can not remain permanent

Township 24 North Range 10 East

chains

26.75 Intersect Right bank of Missouri River and set post for meander corner. Owing to the frequent overflowing of the water no permanent corner can be established.
Low level bottom subject to inundation

East on the quarter Section line through Section 23.
Variation 13° 30' East

20.00 Post in Mound for 1/16 Section corner
23.94 Intersect right bank of Missouri river and set post for meander corner
No permanent corner can be established near the river here
Low and level bottom; subject to inundation. Slough near the river
May 15th 1867.

Subdivision of Section 24.

South on the 1/4 Section line through Section 24 (begining at 1/4 Post on North Boundary
Variation 12° East

19.65 Intersect right bank of the Missouri River and set post for meander corner. A Mound with pits was also built but it cannot remain. No permanent corner can be established here.

Subdivision of Section 13.

North on the quarter section line ~~between~~ through Section 13.
Variation 12° East

of the 6th Principal Meridian

chains

2.50 Enter timber. bearing N.E. and S.W.

20.00 Set a post for 1/16 Section Corner from which
A Cottonwood 14 inc. in dia bears S 6° E 50 links
" " 10 " " " " N 22° W. 34 "

40.00 Set post for 1/4 Section Corner from which,
An Ash 4 inches in dia bears S 81° E. 6 links
" " 5 " " " " N 17° E. 40 links

60.00 Set a post for 1/16 Section Corner from which
An Elm 6 in. in dia bears S 56° E. 35 lks
" " 4 " " " " N 42° W 40 lks

69.75 Intersect righ bank of the Missouri River
and set post for Meander corner from which
A Cottonwood 4 in. in dia bears S 28° East - 21 links
" " 5 " " " " S 28 W. 62 - links
Level Bottom land. covered with timber
principally Cottonwood.

East on a true Quarter Section line
through Section 13.
Variation 13° 30' East

20.00 Set a post for 1/16 Section Corner from which
A Cottonwood 20 in. in dia bears N 3° W 14 links
" " 24 " " " " N 62° E 12 lks

40.00 Intersect North & South 1/4 Section line at
1/4 Section corner

60.00 Set a post for 1/16 Section corner from which
A Cottonwood 30 inches in dia bears N 62 W. 55 lks
" " 30 " " " " S 62 W. 59 lks

61.00 Leave heavy timber. bearing N. & S.

80.00 Intersect East side of the section at the
quarter Section Corner.
West 3/4 covered with cottonwood
timber - East 1/4 Sand
May 17th 1867

Township 24 North Range 10 East

chains **Subdivision of Section 14**

North on the quarter section line through Section 14.
Variation 12° 13' East

5.00 Enter Marsh bearing East and West
13.00 Leave Marsh. Same bearing.
A few trees on North side of Marsh
20.00 Set a post in Mound with four pits and Charcoal for 1/16 Section Corner
40.00 Set a post in Mound dug four pits and deposited Charcoal for 1/4 Section corner
60.00 Set a post for 1/16 Section Corner from which A Cottonwood 14 inches in dia bears N. 9° W. 380 lks
80.00 Intersect North side of the Section at the quarter Section corner.
Level bottom. Soil 1st rate

East on a random quarter Section line through Section 14.
Variation 13° 30' East

20.00 Temporary 1/16 Section Corner
40.06 Intersect N. & S. 1/4 Section ~~Down~~ line
60.00 Temporary 1/16 Section Corner
75.00 Enter timber bearing N.W. & S.W.
80.12 Intersect East side of the Section 22 links South of 1/4 Section Corner from which Corner I run
South 89° 30' West on a true quarter Section line through Section 14.
Variation 13° 30' East

20.03 Set a post for 1/16 Section Corner from which An Elm 10 in. in dia bears S 6° E. 188 links A Cottonwood 36 in. in dia bears N 58° E 258 lks
40.06 Intersect N. & S. 1/4 Section line at 1/4 corner
60.09 Post in Mound. with four pits and Charcoal for 1/16 Section Corner
80.12 Intersect West line of Section at the 1/4 Section corner
Level bottom subject to inundations
First rate soil

of the 6th Principal Meridian

chains	Subdivisions of Section 11
	North on the 1/4 Section line through Section 11
	Variation 13° 30' East
19.00	Set post for witness corner to 1/4 Section from which
	A Cottonwood 7 in. in dia bears N 43 1/2° W. 62 lks.
	" " 4 in. " " " N 24 1/2 E. 26 "
19.10	Enter deep Slough
20.00	true 1/16 Section corner in Slough
22.50	Leave slough and enter willows
34.00	Intersect right bank of Missouri River and set post for meander corner. No permanent corner can be Established here. Bottom land and level covered with small cottonwood trees and willows
	East on the true quarter Section line through Section 11.
	Variation 13° 30' East
12.50	Enter field bearing N.E. & S.W.
17.00	Leave field; 20 acres; this field is irregular in shape
20.00	Set post for 1/16 Section corner from which A Cottonwood 36 in. in dia bears S 51° W. 370 lks
20.10	Enter willow swamp
30.00	Intersect right bank of Missouri River and set post for meander corner. Nothing more permanent can be established. West 20 chains good bottom land. remainder worthless
	May 16th 1867
	Begin at the point where the 1/4 Section line running North through Section 34 intersects the South boundary of the Omaha Reservation and run North through Fractional Section 34. Variation 12° East

35/439

Township 24 North Range 10 East

Chains	
18.58	Intersect North side of section at 1/4 Post

Subdivision of Section 27

North through Sections 27 on quarter Section line Variation 12° East

20.00	Post in mound, four pits and charcoal for 1/16 Section corner
34.50	Right bank of Wood Creek 10 links wide runs S.E.
40.00	Set a post in mound dug four pits and deposited charcoal for 1/4 Section corner
60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section corner
80.00	Intersect North line of the section at 1/4 Section corner

Second rate. Rolling prairie

East on a random 1/4 Section line through Section 27.

Variation 13° 30' East

20.00	Temporary 1/16 Section corner
24.00	Right bank of Wood Creek runs S.E.
39.85	Intersect N. and S. 1/4 Section line at 1/4 Section corner
60.00	Point for temporary 1/16 Section corner
79.70	Intersect North and South line at 1/4 Section corner on East side of Section 27. from which 1/4 Section corner I run

West on a true 1/4 Sec. line through Section 27.

Variation 13° 30' East

19.93	Post in mound with four pits and charcoal for 1/16 Section corner
39.85	Intersect N. & S. 1/4 Section line at 1/4 Post.
59.78	Post, mound, four pits. & charcoal for 1/16 Sec. corner
79.70	The 1/4 Section corner on the west side of section 27.

Rolling prairie and creek bottom Soil 1st & 2d rate

April 19th 1867

of 6th Principal Meridian

Chains	Subdivision of Section 22
	North on the quarter section line through Section 22.
	Variation 12° East
20.00	Post mound four pits and charcoal for 1/16 Section corner
40.00	Set a post for 1/4 Section corner from which An Oak 12 inches in dia bears N 82° W - 20 lks. An Elm 10 " " " " S 32° E - 11 "
60.00	Set a post in mound with four pits and charcoal for 1/16 Section corner
80.00	Intersect East and West line at the 1/4 Section corner
	Rolling prairie and timber. 2d rate
	East on a random quarter Section line through Section 22.
	Variation 13° 30' East
20.00	Point for temporary 1/16 Section corner
39.92	Intersect N. and S. 1/4 Section line
50.00	Enter Missouri River bottom N. W. & S.E.
60.00	Point for temporary 1/16 Section corner
61.00	Enter slough and low bottom N. & S.E.
71.00	Leave slough and enter low wet land bearing N and S.E.
79.85	Intersect N. & S. line 15 links South of the 1/4 Section cor from which corner I run
	S. 89° 54' West on a true 1/4 section line through Section 22.
	Variation 13° 30' East
19.96	Set a post for 1/16 Section corner from which A Bur Oak 18 inches in dia bears N 19½° W. 121 links
	" " " 24 " " " " S 54½° E. 137 lks
39.93	Intersect N. & S. line (1/4 Sec line) at 1/4 Section corner
59.89	Post in mound with four pits and charcoal for 1/16 Section corner
79.85	Intersect the West boundary of the Section at the 1/4 Section corner
	High rolling Prairie. Missouri River bottom. 1st and 2d rate soil

37
441

Township 24 North Range 10 East

chains Subdivision of Section 15

North on the 1/4 Section line through Section 15

Variation 13° 39' East

10.00 Leave small field under cultivation. this field contains about 20 acres.

20.00 Post in Mound with four pits and charcoal for 1/16 Section Corner

40.00 Post in Mound with four pits and charcoal for 1/4 Section Corner

60.00 Post in Mound with four pits and charcoal for 1/16 Section Corner

80.00 Intersect the North side of the Section at the quarter section corner

2d Bottom. surface nearly Level

Soil 1st rate

East on a random quarter Section line through Section 15

Variation 13° 30' East

20.00 Point for temporary 1/16 Section Corner

24.00 Steep Bluff about 75 feet high bearing N 15° W

40.25 Intersect N. & S. 1/4 Section line

60.00 Point for temporary 1/16 Section corner

80.50 Intersect the East line of the Section 22 lks North of the quarter Section corner from which corner I run

N 89° 51' West on the 1/4 Section line through Section 15 Variation 13° 30' East

20.12 Post in mound with pits and charcoal for 1/16 Sec. Cor.

40.25 Intersect North & South 1/4 Sec line at 1/4 Sec. Post

60.37 Post in mound with four pits and charcoal for 1/16 Section corner

80.50 The corner to 1/4 Section on west side of Section 15

West end of line. hills and Bluffs. remainder nearly level.

1st and 2d rate soil

of the 6th Principal Meridian

chains Subdivision of Section 10

North on the quarter Section line through Section 10.

Variation 13° 30' East

20.00 Post in mound with four pits and Charcoal for 1/16 Section Corner

40.00 Post in mound with four pits and Charcoal for 1/4 Section corner

54.30 Enter field bearing N.E. and N.W.

60.00 Set a post for 1/16 Section corner from which A Cottonwood 32 inches in dia bears N 16½° E 102 lks

60.30 Leave small field S.E. & S.W.

80.00 Intersect East and west line at the 1/4 Section corner between Sections 3 & 10.

Level bottom. 1st rate soil.

A few cottonwood trees near the line

East on a random quarter Section line through Section 10

Variation 13° 30' East

10.50 Timber becomes thin and scattering

16.00 Leave high rolling prairie & descend bluffs to Missouri river bottom N. & S.

20.00 Point for temporary 1/16 Section corner

40.35 Intersect N. & S. 1/4 Section line

60.00 Point for temporary 1/16 Section corner

80.71 Intersect the East side of Section 10 45 links South of the 1/4 Section corner, from which quarter Section corner I run

S 89°. 41' West on a true 1/4 Section line through Section 10.

Variation 13° 30' East

20.18 Post in mound with four pits and coal for 1/16 Section corner

40.36 Intersect N. & S. 1/4 Section line at the 1/4 Section corner

60.54 Set post for quarter Section corner from which
A Lynn 14 inches in dia bears N 20° W. 23 links
An Oak 12 " " " " S 75° E. 27 "

Township 24 North Range 10 East

Chains	
80.71	Intersect the west side of the Section at the the 1/4 Section corner. West end of line rough and hilly East 3/4 good bottom land

May 19th 1867

Subdivision of Section 3.

North on the quarter section line through Section 3.

Variation 13° 30' East

15.50	Enter deep slough bearing N.W. and S.E.
18.50	Leave slough and enter Willow brush bearing N.W. & S.E.
20.00	Post in Mound with four pits and Charcoal for 1/16 Section corner
40.00	Set post for 1/4 Section corner. Because of the character of the soil nothing more permanent can be established
54.30	Right bank of the Missouri river. Set a post for meander corner. No permanent corner can be established. South of Slough Good Land North of Slough worthless

East on a true 1/4 Section line through Section 3. Variation 13° 30' East

18.50	Enter deep slough bearing N.W. and S.E. and at same place set Post for witness corner to 1/16 Section corner from which

A Willow 4 inches in dia bears S 51½° E. = 88 links
" " 8 " " " " N 19° 30' W. = 84 "

20.00	True 1/16 Section corner in slough
20.70	Leave slough bearing N.W. & S.E.
40.00	Intersect N. & S. 1/4 Section line
51.40	Right Bank of Missouri River set post for meander corner. nothing more permanent can be established.

of 6th Principal Meridian

chains	West of slough 1st rate bottom East of slough. Willows and quicksand May 20th 1867
	Subdivision of Fractional Section 33.
	Begin at a point on the South boundary of the Omaha Reservation where the 1/4 Section line running North through Section 33 intersects the same and run
	North on 1/4 Section line through Section 33.
	Variation 12° 13' East
15.18	Intersect north side of section 33 at the 1/4 Section corner
	Subdivision of Section 28
	North on the quarter section line through Section 28.
	Variation 12° 20' East
20.00	Post in mound with four pits for 1/16 Sec. corner
40.00	Post in mound. & four pits for 1/4 Section corner
60.00	Post in mound & four pits for 1/16 Section corner
80.00	The 1/4 Section corner on North side of the Section
	Land hilly - 2d rate soil
	East on a random quarter section line throug Section 28
	Variation 13° 40' East
20.00	Temporary 1/16 Section corner
40.25	N & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
80.49	Intersect East side of Section 92 links South of the 1/4 Section corner from which 1/4 Section corner I run

Township 24 North Range 10 East

chains	South 89° 21 West on a true quarter section line through section 28. Variation 13° 40' East
20.12	Post in mound & four pits for 1/16 Sec. corner
40.25	Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.37	Post in mound and four pits for 1/16 Section Corner
80.49	The 1/4 Section corner on the West side of the Section Surface hilly. Soil 2d rate

Subdivision of Section 21

North on the 1/4 Section line through Section 21 Variation 12° 5' East

7.00	Wood creek runs South East
20.00	Post in mound & four pits for 1/16 Section Corner
40.00	Post in mound & four pits for 1/4 Section corner
60.00	Post in mound & four pits for 1/16 Section Corner
80.00	The 1/4 Sec. Corner on North side of Section Rolling surface Soil 2d rate

East on a random quarter section line through Section 21 Variation 13° 45' East

20.00	Post for temporary 1/16 Section Corner
40.46	N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.92	Intersect N. & S. line 43 links South of the 1/4 Section corner on East side of the Section. from which quarter section Corner I run

South 89° 42' West on a true quarter section line through Section 21

Variation 13° 45' East

of the 6th Principal Meridian

Chains	
20.23	Post in mound & four pits for 1/16 Section corner
40.46	N. & S. line at 1/4 Section corner
60.69	Post mound & four pits for 1/16 Section corner
80.92	1/4 Section corner on west side of the Section
	Hilly surface Soil 2d rate
	April 22d 1867

Subdivision of Section 16.

North on the quarter section line through Section 16

Variation 12° 50' East

20.00	Post in mound with four pits and charcoal for 1/16 Section corner
40.00	Post in mound with four pits and charcoal for 1/4 Section corner
60.00	Post in mound with four pits and charcoal for 1/16 Section corner
80.00	Intersected the north side of the section at the quarter section corner
	High rolling prairie 2d rate

East on random line through Sections 16. Variation 13° 30' East

20.00	Temporary 1/16 Section corner
40.44	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
80.88	Intersect East side of the Section 70 links South of the 1/4 Section corner from which 1/4 Section Corner I run

S 89° 30' West on a true quarter sections line through Section 16.

Variation 13° 30' East

20.22	Set a post for 1/16 Section corner from which
	An Oak 5 inches in dia bears S 32° E. 115 links
	" " 6 " " " " N 82° W. 102 links
40.44	Intersect N. & S. 1/4 Section line at the 1/4 Section corner
60.66	Post. mound four pits and charcoal for 1/16 Section corner
80.88	The 1/4 Section corner on the west side of the Section
	High Rolling Prairie 2d rate — April 23rd 1867

Township 24 North Range 10 East

Chains	Subdivisions of Section 9.
	North on the quarter section line through Section 9
	Variation 12° 55' East
20.00	Post in mound with four pits and charcoal for 1/16 Section Corner.
20.40	Road bearing S 25° E. & 25° W.
40.00	Post in mound with four pits and charcoal for 1/4 Section Corner
60.00	Set post in mound dug four pits and deposited charcoal for 1/16 Section Corner
80.00	Intersect the North side of the section at the 1/4 Section corner
	Rolling prairie 2d rate
	East on a random quarter section line through Section 9.
	Variation 13° East
20.00	Point for temporary 1/16 Section Corner
8.00	Road bearing N.W. & S.E.
40.34	Intersect North & South quarter section line
54.50	Enter timber bearing N. & S.
60.00	Point for temporary 1/16 Section Corner
80.68	Intersect the East boundary of the Section 58 links South of the corner to 1/4 Section between Sections 9 & 10. from which 1/4 Section Corner 9 run
	S 89° 35' W. on a true 1/4 Section line through Section 9
	Variation 13° East
20.17	Set a post for 1/16 Section Corner from which An Oak 16 in. in dia bears S 73½° W. 62 lks
	" " 14 " " " " N 6½° W. 251 "
40.34	Intersect N. & S. 1/4 Section line at 1/4 Section Corner. Centre of Section
60.51	Post in mound with four pits and charcoal for 1/16 Section Corner
80.68	The corner to 1/4 Section on West side Section 9
	Prairie, and hills covered with timber 2d rate soil

of the 6th Principal Meridian

chains Subdivision of Section 4

North on the quarter section line
through Section 4
Variation 13 East

20.00 Set a post in mound with four pits
and Charcoal for 1/16 Section corner

26.00 Road bearing E. and W.

34.00 Enter timber bearing N 45° W.

40.00 Set a post for 1/4 Section corner from which
An Oak 12 inches in dia bears N. 73° W. 5 lks dist
" " 10 " " " " S 53½° E. 54 " "

60.00 Set a post for 1/16 Section corner from which
A Bur Oak 15 inches in dia bears S 18½° E 246 links
A tree South or West for Bearing trees

77.38 Intersect Sixth Standard Parallel 35.38
chains East of corner to sections 32 & 33
Township 25 North Range 10 East
Set post from which
A Bur Oak 15 inches in dia bears N 4° W. 279 links
" " " 11 " " " " S 27° E. 144 "

East on a true 1/4 sec line through Section 4
Variation 13° 30' East

20.18 Post in mound with four pits and
Charcoal for 1/16 Section corner

31.00 Enter timber bearing N. W. and S. E.

40.37 Intersect N + S 1/4 Section line

60.55 Set a post in mound for 1/16 Sec corner
from which
An Ironwood 7 in in dia bears S 58° E. 8 links
" " 6 " " " " N 22½° W. 40 lks

80.74 Intersect East line of the Section at
the 1/4 Section corner
Surface rough and hilly.
West end prairie
East end timber

May 15th 1867

Subdivision of Fractional Section 32

Township 24 North Range 10 East

Chains	
	Begin at the Point on the South Boundary of the Omaha Reservation where the 1/4 Section line running North through Section 32 intersects said Boundary. the same being a post in Mound and run North on quarter section line through fractional Section 32 Variation 13° East
11.70	Intersect North side of the Section at the quarter Section Corner Hilly prairie 2d rate

Subdivision of Section 29

	North on the quarter section line through Section 29 Variation 12° 45' East
20.00	Post mound and four pits for 1/16 Sec Corner
40.00	Post in Mound and four pits for 1/4 Section Corner
60.00	Post in Mound and four pits for 1/16 Section Corner
80.00	Intersect the North side of the Section at the 1/4 Section Corner Land hilly 2d rate

	East on a random quarter Section line through Section 29 Variation 13° 30' East
20.00	Post for temporary 1/16 Section Corner
40.21	Intersect North and South 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.42	Intersect N & South line 5 links South of the 1/4 Section Corner on the East side of the Section from which quarter Section Corner I run South 89°. 58' West on a true quarter Section line through Section 29 Variation 13° 30' East
20.00	Post in mound with four pits for 1/16 Section Corner

of the 6th Principal Meridian

chains	
40.21	Intersect N & S. 1/4 Section line at 1/4 Sec Corner
60.31	Post in Mound with four pits for 1/16 Section Corner
80.42	The 1/4 Section Corner on West side of the Section
	Land hilly 2d rate

Subdivision of Section 20

North on the quarter Section line through Section 20

Variation 12° 18' East

20.00	Post in Mound and four pits for 1/16 Section Corner
40.00	Post in Mound and four pits for 1/4 Section Corner
60.00	Post in Mound and four pits for 1/16 Section Corner
80.00	The 1/4 Section Corner on North side of the Section
	Land rolling. Second rate

East on a random line (1/4 Section) through Section 20

Variation 13° 45' East

20.00	Temporary 1/16 Section Corner
40.36	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section Corner
80.72	Intersect the East side of the Section 75 links South of the quarter Section Corner from which quarter Section Corner I run

~~South 89° 28' West on a true quarter Section line through Section 20.~~

~~Variation 13° 45' East~~

~~20.18~~	~~Post in mound & four pits and charcoal for 1/16 Section corner~~
~~40.36~~	~~Intersect N. & S. quarter Section line at the quarter Section corner~~
~~60.00~~	~~Temporary 1/16 Section corner~~
~~80.72~~	~~Intersect the East side of the Section 75 links South of the quarter Section Corner from which quarter Section Corner I run~~

Duplicate. See correct copy on following page.

Township 24 North. Range 10 East

chains South 89° 28' West on a true quarter Section line through Section 20.
Variation 13° 45' East

20.18 Post in mound with four pits and charcoal for 1/16 Section corner

40.36 Intersect N. & S. quarter section line at the quarter section corner

60.54 Set post in mound dug four pits and deposited charcoal for 1/16 Section corner

80.72 The 1/4 Section corner on the West side of the Section
Surface rolling, soil second rate

Subdivision of Section 17

North on the quarter Section line through Section 17
Variation 12° 42' East

20.00 Post in mound with four pits and charcoal for 1/16 Section Corner

40.00 Post in mound with four pits and charcoal for 1/4 Section corner

60.00 Post in mound with four pits and charcoal for 1/16 Section Corner

80.00 The quarter Section on the North side of the Section
Surface hilly. 2d rate soil

East on a random quarter section line through Section 17
Variation 13° 40' East

20.00 Temporary 1/16 Section Corner

40.17 Intersect N. & S. 1/4 Section line

60.00 Temporary 1/16 Section corner

80.34 Intersect the East side of the Section 74 links South of the 1/4 Section Corner from which quarter Section Corner I run
South 89° 29' West on a true quarter Section line through Section 17.
Variation 13° 40' East

of the 6th Principal Meridian

Chains

20.08 Post in mound with four pits for 1/16 Sec. corner
40.17 Intersect N. & S. 1/4 Sec line at 1/4 Section corner
60.25 Post in mound with four pits for 1/16 Section corner
80.34 The 1/4 Section corner on the west side of the Section
Surface hilly prairie 2d rate

Subdivision of Section 8.

North on the quarter Section line through Section 8
Variation 12° 30' East
20.00 Post in mound and four pits for 1/16 Sec corner
40.00 Post in mound and four pits for 1/4 Section corner
60.00 Post in mound and four pits for 1/16 Sec. corner
80.00 The 1/4 Section Corner on the North side of the Section
Rolling prairie 2d rate soil

East on a random quarter section line through Section 8
Variation 13° 30' East
20.00 Temporary 1/16 Section Corner
40.08 Intersect N. & S. quarter Section line
60.00 Temporary 1/16 Section corner
X 80.16 Intersect the East side of the Section 70 links South of the 1/4 post from which 1/4 Section post I run
South 89° 30' West on a true quarter Section line through Section 8
Variation 13° 30' East
20.04 Post in mound and four pits for 1/16 Section Corner
40.08 Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
60.12 Post mound and four pits for 1/16 Section corner
80.16 The 1/4 Section corner on the West side of the Sections
Rolling prairie. Soil 2d rate
April 23d 1867.

Township 24 North Range 10 East

Chains Subdivision of Section 5

North on the quarter section line through Section 5
Variation 12° 30' East

20.00 Post in mound, four pits and charcoal for 1/16 Sec Corner
40.00 Post. mound. four pits & charcoal for 1/4 Sec Corner
60.00 Post. mound. four pits & charcoal for 1/16 Section Corner
77.90 Intersect Sixth Standard Parellel 34.60 chains East of the corner to Sections 31 and 32 Township 25 North, Range 10 East and at the point of intersection set a post in mound with three pits for closing 1/4 Section Corner
Rolling prairie 2d rate

East on a random quarter section line through Section 5
Variation 13° East

20.00 Temporary 1/16 Section Corner
40.27 Intersect N. & S. 1/4 Section line
60.00 Temporary 1/16 Section Corner
80.54 Intersect N. & S. line 90 links South of the 1/4 Section corner on East side of the Section, from which quarter Section Corner I run
South 89° 22' West on a true quarter section line through Section 5 Variation 13° East
20.14 Post mound and four pits and charcoal for 1/16 Section Corner
40.27 Intersect N. & S. 1/4 Section line at 1/4 Section Corner
60.40 Post. mound and four pits and charcoal for 1/16 Section corner
80.54 The quarter section corner
Rolling prairie
Second Rate soil

of the 6th Principal Meridian

chains Subdivision of Fractional Section 31.

Begin at the point where the 1/4 Section line running North through Section 31 intersects the South Boundary of the Omaha Reservation. the same being a post in Mound and run

North on the quarter Section line through fractional Section 31

Variation 12° 45' East

8 55 Intersect the North side of section 31 at the quarter Section Corner

Rolling prairie. Soil 2d rate

Subdivision of Section 30

North on the quarter section line through Section 30

Variation 13° 8' East

20 00 Post. mound. and four pits for 1/16 Section corner

40 00 Post. Mound and four pits for 1/4 Section corner

60 00 Post. Mound and four pits for 1/16 Section Corner

80 00 Intersect North side of the Section. at the 1/4 Section Corner

Rolling Prairie 2d rate soil

West on a random 1/4 Section line through Section 30

Variation 12° 50' East

20 00 Temporary 1/16 Section Corner

40 00 Intersect North and South 1/4 Section line

60 00 Temporary 1/16 Section corner

74 20 Intersect the west side of the section 13 links North of the 1/4 Section corner from which quarter Section corner I run

North 89° 55' East on a true Quarter Section line through Section 30.

Variation 12° 50' East

Township 24 North Range 10 East

chains	
14.20	Post in mound four pits and charcoal for 1/16 Section corner
34.20	Intersect N. & S. 1/4 Section line at 1/4 Section corner
54.20	Post. mound four pits and charcoal for 1/16 Section Corner
74.20	The 1/4 Section Corner on the East side of the Section Rolling prairie Soil second rate

Subdivision of Section 19

North on the quarter section line through section 19
Variation 13° East

20.00	Post in mound and four pits for 1/16 Section corner
40.00	Post in mound and four pits for 1/4 Section corner
60.00	Post in mound and four pits for 1/16 Section Corner
80.00	The Corner for quarter section on the North side of the Section Rolling prairie 2d rate

West on a random quarter Section line through Section 19
Variation 12° 45' East

20.00	Post for temporary 1/16 Section Corner
40.00	Intersect N. & S. 1/4 Section line
60.00	Temporary 1/16 Section corner
73.35	Intersect West side of the section 35 links North of the 1/4 Section corner, from which 1/4 Section corner I run, North 89° 45', East on a true quarter Section line through Section 19. Variation 12° 45' East

of the 6th Principal Meridian

Chains	
13,35	Post in mound and four pits for 1/16 Section Corner
33,35	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
53,35	Post in Mound with four pits for 1/16 Section corner
73,35	The corner to quarter section on the East side of Section 19
	Rolling prairie 2d rate

Subdivision of Section 18

North through Section 18 on the quarter Section line
Variation 12° 24' East

20,00	Post in Mound and four pits for 1/16 Section Corner
40,00	Post in mound and four pits for 1/4 Section corner
60,00	Post in mound and four pits for 1/16 Section Corner
80,00	The 1/4 Section Corner on the North side of the Section
	Rolling prairie 2d rate

West on a random quarter section line through Section 18
Variation 12° 30' East

20,00	Temporary 1/16 Section corner
40,00	Intersect N. & S. 1/4 Section line
60,00	Temporary 1/16 Section Corner
73,62	Intersect the West side of the Section 93 links North of the 1/4 Section Corner from which 1/4 Section Corner I run
	North 89° 20' East on a true quarter Section line through Section 18.
	Variation 12° 30' East

Township 24 North Range 10 East

Chains	
13,62	Post in mound and four pits for 1/16 Section Corner.
33,62	Intersect N. & S. 1/4 Section line at the 1/4 Section Corner
53,62	Post in mound and four pits for 1/16 Section Corner
73,62	The 1/4 Section Corner on the East Side of the Section
	Rolling prairie 2d rate soil
	April 24th 1867

Subdivision of Section 7

North on the quarter section line through Section 7

Variation 12° 25' East

20,00	Post in mound with four pits and charcoal for 1/16 Section Corner
30,30	A small brook running West, 15 links
40,00	Post in mound with four pits and charcoal for 1/4 Section Corner
60,00	Post in mound with four pits and charcoal for 1/16 Section Corner
80,00	Intersect North side of Section at quarter Section Corner
	Rolling prairie. 2d rate soil

West on a Random quarter section line through Section 7

Variation 13° 30' East

20,00	Point for temporary 1/16 Section Corner
40,00	Intersect N. & S. 1/4 Section line
60,00	Point for temporary 1/16 Section Corner
66,25	Blackbird Creek 10 lks wide runs North
74,48	Intersect the West boundary of the Section at the quarter section corner from which quarter Section Corner I run

of the 6th Principal Meridian

chains	East on a true quarter section line through Section 7
	Variation 13° 30' East
14.48	Set post for 1/16 Section corner from which
	An Oak 18 inches in dia bears N 10° E. 36 links distant
	" " 6 " " " " S 65° E 30 " "
34.48	Intersect N & S. 1/4 Section line at the 1/4 Section Corner
54.48	Post in Mound with four pits for 1/16 Section Corner
74.48	The quarter Section line on the East side of the Section
	Rolling prairie. Small grove along Blackbird Creek

Subdivision of Section 6

North through Section 6 on 1/4 Section line
Variation 12° East

20.00	Post in Mound with four pits and charcoal for 1/16 Section corner
40.00	Set a post for 1/4 Section corner from which
	An Elm 15 inches in dia bears S 67° E. 11 links
	" " 24 " " " " S 16° W. 46 links
57.25	Blackbird Creek 10 links wide runs East
60.00	Set post in Mound with four pits for 1/16 Section corner
80.00	Intersect the Sixth Standard Parellel 34.28 chains East of the Standard corner to Sections 31 and 36. Township 25 North Range 9 and 10. East. at Point of intersection set a post in Mound with pits and charcoal for closing corner to 1/4 Section

Rolling Prairie
Good 2d rate Soil

55/459

Township 24 North Range 10 East

Chains	
	West on a random quarter Section line through Section 6. Variation 13° 30' East
20.00	Point for temporary 1/16 Section Corner
40.00	Intersect N. & S. 1/4 Section line
41.00	Blackbird Creek 10 links wide runs North
60.00	Point for temporary 1/16 Section Corner
74.82	Intersect the west side of the section 40 links North of the quarter section Corner, from which Corner I run
	North 89° 42' East on a true quarter section line through Section 6 — Variation 13° 30' East
14.82	Post in mound with four pits and Charcoal for 1/16 Section Corner
34.82	Intersect N. & S. 1/4 Section line
54.82	Post in mound with four pits and Charcoal for 1/16 Section Corner
74.82	The quarter Section corner on the East side of the Section Rolling Prairie 1st and 2d rate soil April 25th 1867.

Meanders of the right bank of the Missouri River through the Township.
Begin at the point where the Sixth Standard Parellel intersects the river, the same being the meander corner between Sections 3. T. 24 N. R. 10 E. and 4. T. 25 N. R. 10. E. distant 15.30 chains. East of the Standard corner to sections 33 and 34. T. 25. N. R. 10. E. and run down the river with the meanders of the right bank as follows

of the 6th Principal Meridian

Courses	Chains	Remarks
		Meanders in Section 3.
S 41° E	30.86	To the meander corner on the quarter section line running through Section 3.
S 39° E	18.30	To the meander corner at the intersection of the 1/4 Section line running East through Section 3.
S 43° E	42.52	To the meander corner at the intersection of the Section line running North between Sections 2 and 3
		Meanders in section 2
S 33½° E	10.20	To the meander corner between fractional Sections 2 and 11
		Meander in Section 11
S 33½° E	16.50	
S 30° E	30.50	To the meander corner at the intersection with the quarter section line running East through Section 11
S 59½° E	11.70	To the meander corner at the intersection with the quarter section line running North through section 11
S 36½ E	25.00	
S 53° E.	23.20	To the meander corner between fractional Sections 11 and 14
		Meanders in Section 14
S 65¼ E	7.20	To meander corner between fractional Sections 13 and 14
		Meanders in Section 13.
S 79¾° E	41.15	To the meander corner at the intersection with the quarter section line running North through Section 13
N 84¼° E	40.85	To the meander corner on the Range line between Sections 13 and 18. T 24 N. Ranges 10 and 11 East.

Township 24 North Range 10 East of

	chains	The land bordering the river in the foregoing sections, is bottom, low level and subject to inundation. In Section 3, 2 and 11 the river is bordered by a low willow swamp, entirely worthless for cultivation. In Section 13 and 14, the land is higher and in Section 13, there is considerable good timber near the river
		Meanders of the right bank of the Missouri River continued Begin at the meander corner on the Range line between Sections 24 and 19 Ranges 10 and 11, and run down the stream on the right bank as follows Remarks Meanders in Section 24
S 81° W.	12.40	
Due West	27.70	To the meander corner at the intersection with the quarter section line running South through Section 24
S 85¼ W.	20.10	To the meander corner between fractional Sections 23 and 24. Land along fractional Section 24, Low level & Sandy. River Bank frequently changes.
		Meanders in Section 23.
S 83° W.	40.50	To the meander corner at the intersection with the quarter section line running through Section 23.
S 54 W.	16.50	To
S 37¾ W.	4.50	To the meander corner at the intersection with the ¼ Section line running East through Section 23.

the 6th Principal Meridian

	Chains	Remarks
S 24° W.	22.00	
S 36° E	24.50	To the meander corner between fractional Sections 23 and 26
		Land, along fractional Section 23 Low, intersected by sloughs from the river and subject to inundation.
		Near the S.E. corner banks 60 feet high
		Meanders in Section 26.
S 46° E	15.20	To the meander corner at the intersection with the quarter section line running North through Section 26.
S 36° E	36.50	To the meander corner at the intersection with the quarter Section line running East through Section 26.
S 20° E.	12.00	
S 15½° E	10.00	
S 35½° E	21.00	S 35½° E To the meander corner between fractional Sections 25 and 26.
		A small brook empties into the river 11 chains from the meander corner between 25 and 26.
		The river bank through Section 26 is well defined. Land high - bluff along the river
		Meanders in Section 25.
S 41° E	2.10	To the meander corner between fractional Sections 25 and 36.
		Meanders in Section 36.
S 39½° E	30.73	To the meander corner at the South East corner of the Reservation
		Land along Section 36 is high bottom. first rate soil

59
463

Township 24 North Range 10 East of the 6th Principal Meridian.

General Description

This Township is chiefly high rolling prairie with a second rate soil; along Wood Creek and the Blackbird are narrow belts of Land having a first rate soil.
About 3,000 acres bordering the Missouri are rich bottom Lands. a large proportion of which is too wet for cultivation.
In the North East part of the Township. mainly in Sections 3. 4. 9. and 10. there is timber. of moderate growth consisting. principally of Oak Linden. Ironwood. Walnut Hickory and Cottonwood.
Section 13 is also timbered with a heavy. growth of Cottonwood and Ash and some other varieties.
The East part of Section 13 and most of fractional Sections 24 is low and sandy and subject to frequent inundations - entirely worthless for cultivation.
A Low Willow swamp extends near the river through sections 2. 3. and 11.
In Section 23 the Margin of the river is Muddy and intersected by sloughs almost impassible. The high Land strikes the river near the S.E. Corner of Section 23. extending along the river to the South boundary of the Reservation.
In this Township are several cultivated fields - tilled by Indians and half breeds. Mr Fontenelle has a very good house situated near the S.E. Corner of Section 26.
The road shown on the accompaning diagram. appears to be a new trail subject to change at any time

Township 24 N. R. 10 E. 6th Principal Meridian

It is not noted except in a few instances, in the field notes.
Except where there are bearing trees. no permanent corners can be established, near the river on the low bottom.
The river itself is changeable. the banks being washed away in many places at every flood. since the Sixth standard Parellel was first established the river has changed its banks 19. 50. chains to the West. the parellel now intersecting it as seen by the field notes 15. 30 chains East of the standard corner to Sections 33 and 34.
The amount of charcoal deposited in the several mounds is equal to a solid of 1 x 2 x 2. inches

We hereby certify that we assisted Theodore H. Barrett U.S. Surveyor in subdividing that part of fractional Township Number twenty four North of the base line of Range Number ten East of the Sixth Principal Meridian embodied in the Omaha Reservation, and that said Township has been in all respects, and to the best of our knowledge and belief. Well and faithfully surveyed, and the Boundary Monuments planted according to the instructions furnished by the Commissioner of the General Land Office.

Henry H. Gilbert	Compassman
William J. Allison	Do
Richard Cronk	Do
Orville Smith	Chainman
George Fox	Do
Philander Wright	Do
Homer T. Dale	Do
George Patterson	Do

James Kennedy — Chainman
James Shobe — do
John Rupp — do
Andrew Armstrong — Flagman
Henry C Williams — Mound Builder
Karl Wilhelm Behke — do
Joseph F. Fluent — do
Willie Frainer — axeman
Conrad Scheffer — axeman

Subscribed and sworn to by the above named persons before me a Notorary Public for the County of Burt in the State of Nebraska this 28th Day of June 1867.

Watson Parrish
Notary Public

(SS)

I Theodore H. Barratt Surveyor do solemnly swear that in pursuance of a contract with J. M. Edmunds Commissioner of the General Land Office of the United States, bearing date the 14th Day of August 1866 and in strict Conformity to the Laws of the United States and the instructions furnished by the said Commissioner of the General Land Office. I have faithfully surveyed the subdivision lines and Meanders of Township number twenty four. North of the base line of Range number ten East of the 6th Principal Meridian. in the State of Nebraska. and I do further solemnly swear that the foregoing are the true and original

Field notes of such survey
Theodore H. Barrett
Surveyor

Subscribed by the said Theodore H. Barrett Surveyor and sworn to before me a Justice of the Peace for Whiteside County in the State of Illinois this 10th day of September 1867.

R. L. Mangan
J. P.

Department of the Interior
General Land Office
October 2d 1867

The foregoing field notes of the survey of Township 24 N. R. 10 East. Nebraska executed by Theodore H. Barrett under his contract with the Commissioner of the General Land Office dated August 14th 1866. in the Month of April and May 1867. having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved

Jas. A. Willson
Commissioner

63
468

Department of the Interior
General Land Office
Washington D. C.
August 21. 1871

I Certify that the foregoing transcript of field notes of Survey has been correctly copied from the original on file in this Office

Wells A Drummond
Commissioner

General Land Office • Original Field Notes

Book Number

148

Subdivision T 24 N, R 10 E

The images in this file are photographs of the notes of the original surveys of the State of Nebraska on file in the Office of the Nebraska State Surveyor located in Lincoln, Nebraska.

The original surveys in Nebraska began in the mid 1850's and were completed in the mid 1880's. The Nebraska office of the Surveyor General was closed June 30, 1886.