



SITE 12 PERCIVAL AREA

GAGE DATA

Location	Reading	Discharge	C.R.P.	Date
Nebr City	9.1	37,500	+1.0	26 Sept '68

Note:
All soundings are depths in feet below C.R.P.
(Design flow of 30,000 c.f.s. at Sioux City.)

NOTES:
 1. WESTERLY IS THE ORIGIN OF THE GRID COORDINATE SYSTEM
 2. ALL AZIMUTHS ON THIS SHEET REFER TO TRUE SOUTH AT A 200
 GRID DIVERGENCE 0°36'48"
 3. ELEVATIONS REFER TO MEAN SEA LEVEL AS ZERO
 4. 1980 ADJUSTED WILMAGE
 5. 1000 MILES PER INCH IN TITLE

Revised to show latest field data		DATE	DESCRIPTION	SCALE	APPROVED
U. S. ARMY ENGINEER DISTRICT, OMAHA CORPS OF ENGINEERS OMAHA, NEBRASKA					
COMPILED BY: M.E.A.	MISSOURI RIVER				
DRAWN BY: M.E.B.	HYDROGRAPHIC SURVEY				
TRACED BY: M.E.B.	STRUCTURE 618.60 TO 615.55				
CHECKED BY: G.C.S.	UPPER CIVIL AND				
SUBMITTED BY: M.E.A.	LOWER CIVIL BENDS				
APPROVED: <i>Charles P. Bligo</i>	DATE	26 SEPT 1968			
CHIEF, CIVIL DES. BRANCH	SCALE 1 INCH = 400 FEET				
APPROVED: <i>W.A. RORER</i>	DRAWING NUMBER				
COL. C-1, DISTRICT ENGINEER	MCC-18E68-25				

MILE 573.6 TO 569.9 (1960)